

```
0 OrderStateService.php
– artisan
- bootstrap
  ├─ app.php
    cache
      \vdash .gitignore
        – filament
        └── panels
       packages.php
      services.php
    providers.php

    codebook.pdf

    components.json

composer.json

    composer.lock

config
  - app.php
  - auth.php
  — cache.php
  — cors.php
    database.php
  ├─ filesystems.php
  ├─ horizon.php
  ├─ inertia.php
  dash livewire.php
   — logging.php
  - mail.php
  — queue.php
    scout.php
    services.php

    session.php

 L— shop.php

    database

  ├─ .gitignore
    factories
      — CartFactory.php
      CartItemFactory.php
      CategoryFactory.php
      OrderFactory.php
      \mid— OrderItemFactory.php
      ├── ProductFactory.php
      ProductImageFactory.php
UserFactory.php

    migrations

      - 0001_01_01_000000_create_users_table.php
      -- 0001_01_01_000001_create_cache_table.php
-- 0001_01_01_000002_create_jobs_table.php
      - 2025_08_26_131721_create_categories_table.php
      — 2025 08 26 131752 create products table.php
       — 2025_08_26_131834_create_product_images_table.php
       — 2025 08 26 131903 create carts table.php
       — 2025 08 26 131918 create cart items table.php
       2025_08_26_131929_create_orders table.php
        - 2025_08_26_131942_create_order_items_table.php
      — 2025_08_26_182242_alter_orders_add_email_and_meta.php
      - 2025_08_27_070140_alter_orders_lifecycle columns.php
      - 2025_08_29_082612_add_is_primary_to_product images table.php
       — 2025_08_29_144935_create_order_status_logs_table.php
      — 2025_08_29_152743_set_default_total_on_orders.php
— 2025_09_14_155640_stripe_to_orders.php
    seeders

    DatabaseSeeder.php

    DemoCatalogSeeder.php

- docker
```

```
nginx
       default.conf
       prod.conf
     php
     ├─ Dockerfile

    Dockerfile.prod

        conf.d
         └─ opcache.ini

    supervisord.conf

    docker-compose.prod.yml

    docker-compose.yml

eslint.config.js
- package-lock.json
 package json
- phpunit.xml
playwright-report
  index.html
playwright.config.tsx
- project_tree.py
- public
   htaccess
   apple-touch-icon.png
  ├─ build
    - css
        filament
         └─ filament
             app.css

    favicon.ico

    - favicon.svg
    - fonts
     └─ filament
         └─ filament
             └─ inter
                 ├─ index.css
                   — inter-cyrillic-ext-wght-normal-ASVAGXXE.woff2
                  inter-cyrillic-ext-wght-normal-XKHXBTU0.woff2
                   inter-cyrillic-wght-normal-EWLSKVKN.woff2
                 inter-cyrillic-wght-normal-R5CMSONN.woff2
                 inter-greek-ext-wght-normal-7GGTF7EK.woff2
                 inter-greek-ext-wght-normal-ZEVLMORV.woff2
                 inter-greek-wght-normal-AXVTPQD5.woff2
                 inter-greek-wght-normal-N43DBLU2.woff2
                 inter-latin-ext-wght-normal-5SRY4DMZ.woff2
                 inter-latin-ext-wght-normal-GZCIV3NH.woff2
                 ├── inter-latin-ext-wght-normal-HA22NDSG.woff2
                 inter-latin-wght-normal-NRMW37G5.woff2
                 inter-latin-wght-normal-025CN4JL.woff2
                 ├── inter-latin-wght-normal-OPIJAQLS.woff2
                   inter-vietnamese-wght-normal-CE5GGD3W.woff2
                 inter-vietnamese-wght-normal-TWG5UU7E.woff2
   hot
    images
       no-image.svg
     └── products
    index.php
     js
        filament
           actions
             └─ actions.js
            - filament
              - app.js
             └─ echo.js
             forms
             components
```


```
— checkbox-list.js
                   — code-editor.js
                  — color-picker.js
                    — date-time-picker.js
                    — file-upload.js
                   — key-value.js
                   — markdown-editor.js
                  \vdash rich-editor.js
                   — select.js
                   — slider.js
                   — tags-input.js
                  └─ textarea.js


    notifications


              — notifications.js
            - schemas
              ├─ components
                  — actions.js
                 ├── tabs.js
└── wizard.js
              └─ schemas.js
            - support
              └─ support.js
            tables
                components
                  └─ columns
                      — checkbox.js
                      ├─ select.js
                      ├─ text-input.js
                      └─ toggle.js
                — tables.js
             widgets
              components
                    — chart.js
                    stats-overview
                      └─ stat
                          └─ chart.js
  ├─ logo.svg
     - robots.txt
  ├─ storage
- repo_doc_to_pdf.py
- resources
    — css
      └─ app.css
    — js
        - app.tsx
         - components
          — app-content.tsx
           — app-header.tsx
          — app-logo-icon.tsx
           — app-logo.tsx
          app-shell.tsx
           — app-sidebar-header.tsx
          - app-sidebar.tsx
            appearance-dropdown.tsx
            appearance-tabs.tsx
            breadcrumbs.tsx
            — delete-user.tsx
           — heading-small.tsx
            - heading.tsx
            — icon.tsx
            - input-error.tsx
            - nav-footer.tsx
            - nav-main.tsx
            nav-user.tsx
```


```
text-link.tsx
    ui
     — alert.tsx
        - avatar.tsx
       badge.tsx
     ├── breadcrumb.tsx
     ├─ button.tsx
      — card.tsx
      — checkbox.tsx
      ├— collapsible.tsx
     ├─ dialog.tsx
     ├── dropdown-menu.tsx
├── icon.tsx
     ├── input.tsx
     — label.tsx
     ├── navigation-menu.tsx
     placeholder-pattern.tsx
     — select.tsx
     - separator.tsx
     - sheet.tsx
       sidebar.tsx
     ├─ skeleton.tsx
     ├── tabs.tsx
     ├─ toggle-group.tsx
     ├─ toggle.tsx
└─ tooltip.tsx
   - user-info.tsx
 user-menu-content.tsx
hooks
 use-appearance.tsx
 use-initials.tsx
 — use-mobile-navigation.ts
 └── use-mobile.tsx
layouts
   <del>-</del> арр
     ├── app-header-layout.tsx
     └── app-sidebar-layout.tsx
 ├── app-layout.tsx
   auth
     - auth-card-layout.tsx
     igwedge auth-simple-layout.tsx
     auth-split-layout.tsx
   auth-layout.tsx
   — settings
     └─ layout.tsx
- lib
 └─ utils.ts
- pages
   auth
     — confirm-password.tsx
     forgot-password.tsx
     ├─ login.tsx
     ├─ register.tsx
        - reset-password.tsx
     — verify-email.tsx
   dashboard.tsx
   — settings
     ├─ appearance.tsx
     ├── password.tsx
└── profile.tsx
   — welcome.tsx
 routes
   index.ts
   password
```

```
└─ index.ts
     profile
     index.ts
     storage
     index.ts
     verification
     index.ts
 shop
 — api.tsx
   — components
      ├── Breadcrumbs.tsx
      ├── CookieConsent.tsx
├── Header.tsx
      ├── ImageLightbox.tsx
      ─ JsonLd.tsx
      ├── LanguageSwitcher.tsx
      ├── MiniCart.tsx
      ├─ PayOrder.tsx
      — RecentlyViewed.tsx
      ├── SeoHead.tsx
      ├── SimilarProducts.tsx
        WishlistBadge.tsx
     WishlistButton.tsx
    hooks
     — useDebounce.tsx
       useDocumentTitle.tsx
      ├─ useHreflangs.tsx
      useQueryParam.tsx
     useQueryParamEnum.tsx
useQueryParamNumber.tsx
       useRecentlyViewed.tsx
     └── useWishlist.tsx
    - i18n
      LocaleProvider.tsx
     config.tsx
  — main.tsx
   - monitoring.tsx
    pages
     ├─ Cart.tsx
├─ Catalog.tsx
      — Checkout.tsx
      ├─ NotFound.tsx
      ├── OrderConfirmation.tsx
      ├── Product.tsx
     └─ Wishlist.tsx
    - sentry.tsx
   styles.css
   — ui
     ├── ErrorBoundary.tsx
      — analytics.tsx
      — format.tsx
      ├── ga.tsx
      ├─ notify.tsx
      popover.tsx
      recentlyViewed.tsx
        - tabs.tsx
     └─ wishlist.tsx
    - useCart.tsx
- ssr.tsx
types
  — index.d.ts
 └─ vite-env.d.ts
wayfinder
 index.ts
```









```
    Screenshot.png

                    d993c753920e23facaa757e25401eeb9.jpg
                  seed-1.png
                  seed-2.png
                  seed-3.png
           public
    framework

    gitignore

      – cache
           .gitignore
           data

    .gitignore

      – sessions

    gitignore

          OkzuqcrToUnm3Xf0IXE2ZeiooZwb2Wnfv60pTcm6

    108gakKEaLCxH3MdCCMr35mTGV1YNLMpEJLw82yp

          4Ej50qwtsqfb3okN50Z0eqnzLUCzfvK1uu2KfuAb
          76Hluq3wCsMZAtCY46hWkc2JSSc6koyJ35MPM9Yr
          - 8jCkiwPnIxDKPcqlQInowR31VQPd5Yih7F0HhYd1
          9FEjaWgme4ojpP2qUaB3g0R1MDzk0wgFhgRJ6Nq8
          DzlJyYPgyB6KXczM1L3UuHrxVrtpSznSFx3x1iP5
          MUmabWyIKYuuvlI8qaXXoRfaY5Xc9u9Zlxb9ftuR
          Ov8bdUhgtzVtLs32NSc3geVIvRrk2TMGijTzcqX8
          PbUJAEYfjkVfglTIfU3CsKMbkYj3cxHRZzh4p0Bv

    SzTdnFZUKJ3FScWGD46TtxAiS6sLCsEiNTf0Lnyj

         TPsZAC2sbKIiv4wTSdRgw5QKkPa9H6aZnbf9lBXE


    UjtNoCbBNamN6MWauV4X02YiRNDCGSEPdqUgjpgH

    VE3VUQJDDgC0EAVMgKElXr7ZNpLfqayCUEtLJBEZ

          YM8UCmVYdthF0pKQ6cVKWdzAq1do3E3bBUtl80iE
          fGJjdsjq9m931bSz2RXSSKFFbf8EjZmuKG1Y0PRy
          gSKbgpgka4QTPiNTnRKhFpAYHpj0mDYfQxNDiukc
          go09ZkWdj34y49M0snXdx0bvry3l23kGhlhl8vje
          nOqvsGky4abH6EyFEaORcSI4Hqfgzjhb7PphfiC6
          oi28ZEkwKfgE0kA0FoF38nJ0wU3dWXpdGtZcew4H
        zwXnKYghtiGCBECwvGKG3QPLzLHxYXvqdudeFI3T
        testing
        └─ .gitignore
        views

    gitignore

          - 09f30ae7b8b93247180d929b0f001d85.php
          310e92fb38356ea3b5d0f2a234cfbe9f.php
          3f6e5da3650d2bf94ea1b66cec1ed5cf.php
          53c073b2103897b3420323acf3585c9d.php
          5c2001e939204ec0b7ec56c9a9f31d3d.php
          662a8c27f84d01de3dbca17ef6ab6b72.php
          6a2b0b54f819fb836615bb5f62bed4e2.php
          a668b7290e1c889b07a558747ec469be.php
          a72ebb6a09a32eaaef0c883a136d071a.php
          a80e3723598ed1297cf1dd5382264ba9.php
          b1e90499d740c6edc35a9bb1937266dc.php
          b7bd358b9c5638256c64717af5cb08db.php
          cdaa869dbe7773cf63deaf6a747c4c3b.php
          d37575acadfc5f07f8623af3afaa9409.php
          - dd310000961f2d208873a737c27d849a.php
          f97d5d38882287dc8ef19bf476c91921.php
        fb0cce697953cc47b704d23a2bd6d3e6.php
  - logs
      – .gitignore
      laravel.log
test-results
  - .last-run.json
   - e2e-similar-recent-similar-c5cd6--shows-item-similar-present-chromium
     — error-context.md
```



.editorconfig

```
root = true

[*]
charset = utf-8
end_of_line = lf
indent_size = 4
indent_style = space
insert_final_newline = true
trim_trailing_whitespace = true

[*.md]
trim_trailing_whitespace = false

[*.{yml,yaml}]
indent_size = 2

[docker-compose.yml]
indent_size = 4
```

.env.encrypted

eyJpdiI6InFFT2p6RlRRVGUzNUdLQ3pQK0xhSmc9PSIsInZhbHVlIjoicjd1Q09BRC9tTkJmdXE0eStRMGpERmMxeU5BYkhhVDFE RWo1ZkZURzhXQWladHRhdTlZTU9XUGdGUUNvMnVSaHZ0TFlGZG1VK1oxRzd5VGJnNjFnR2R0bXBFRXhTZ2VxK05ZRjRLRmxtdWVG cFJ6clFqQ0k4alqxdVpoblN0SkxhZnc1SWFNYm1EN0dycTRoa0lUM0lJNHZYM1FYYXdzMkFUTlR4amYxUlJTaTdwZnR2K0htdnN2 bVM2VU9GRUFrbnlwZFBWc1MxRHNHQkhaQStNR2hDamJJRVhhc3hnNEoxQXJjS1A4SnY1K2crQS9JbmNJZG5lalZJVUhLN3h1MW9u R0hFb2FSd0xJMG1nRHJnRDdGNE9rZE9GT2h4Rkw2VG5LY3hsakU1WW45UGMrUmVKeEl4cGFYSWNjcGsweVNNa25ZRnlYdXRudi9r YjgxM1gzUlFPM2gyYmVuZ1JXdE8xTlVJd1Awb3c2R1BnTTBicjZYOTNuSGhEQUliRFdWM2g4QnRÍcUEyeHRiaVJrdU9jcHo0L1Yw RVFQb1dmYjIxcEFhU3FvcGNmbXpFQk02Ylc4WXFGVDhYM2krZmlJS25hRFdKWWowaVB1M0Ž3Rjk0aTN3VXYvMlEvNjUybW1UekNG MWJiVUtvbno5VHRMZWk3MUq10Wl5bEtRSEZ0bFo1NnpkY2VYbVl0LzMy0VJyN1JxZFZ3NVhMSmo0VkFWL0pVMVN1WDRpR29CTzB6 ckd50CtqYTFhVzNRQWdhVG9PWk5HNnR1UWJIR1pjSDJsQmQ1Y1FxZWxTdFRDaUdPWFVYZzBva1cvSGU3Ti9q0TI0b0t2RGd4MWVs N1dKZFRqRzA3ZWFPM3c0eUZab1hVZldERlE4VXgyekp5OUtnd09Zekt0dTJ5c2d00Vc0MHZhbDFwTzMzVXh4TWhDNXk2M0pPYmtyR3d1bmFrekpKQzZ1NHdmK01E0DVueFBvT1c2QlZFL0ZuY1dHZlpVelNsTVo0WHp4L0NQTEhhd2hsdUZnTXhGWkNHRGxsVFB1VlhU MGNBMnBkQ1BYZEswRWpzNmNtMDBuaTFadTZValh6T2VxN2M1eHJCbjhwcTNrRwlqb2xWV3BNdTlKdEROSVVpcTc4ZHlhTUF5Nkgx Z00wSjJ0ZFRLZEhBTmhWZzA1MmkzMTRNNm9mcUJjY2JZemNFUWJZbEJra3R0VGVTSitleGdoaFdGQ0F0UnU1NkRTTzVqK1pGL2FY aENQcVJ6MjdvS2p4Mmk3c3lWenpHZVNrMkxtVDY2UDV3NzdtblIwMmMwejBaWUduWmhadUdTT2o0dVRoSS81c29VWVh2eWZLRTdh OTlqRlNFQ3N4S0k3NFY5NUtqZmNodnBYYW5RZGJKK3pjNnVtY0JzZm1vbjh1NG95a3VFVm81citSU25ya2ZPWlFQaWdWbTBjRGxT NEl1ZzJPVU82dGpMK2FuQW1TdStaVDBNZUNtSlFNWDRtZU9tbEJTaU1sZ096YlNoVFphMmUxTVc4bUFtLzR0VjF2eDJNa2ZmbEhk LOxtbGhKUDdKZzh2MVNBWjRLbWp1TzNqNS9UckF0cmMyZmdENm5kQVgvVUlwYXlLY1Eyb2lQNVpodE5Idm9UVkdzYW5iTE9IY0V6 NFB3VlE4cEF0Uk9RVEppQWV6MFl2VVJTdVNBZ1dFcDYrWFNTVDJLbTVEUit3QmVTZGNSU0dXbDJ5MzhXWGgydDYwZHBueVh1RjlI KOpQVWY5K2JzZ2pVRWFONnRUYU5QZGRGRXMxNVVacWpqcDR4eUxQZElEYjhRRG1xZE5NZ1pEMDRoMnpaUk9tTU9udTNCY2w5aHBk NldYNTRFNUpkVlZYUE9odHo2ZFI4M0ZrK0JJTEhTL0VLNVpRcVlRbFMzYmhvelFweTlIYy91c1JZZFdMWVUrYWxJakq5SVJxNWQw YWdKZ3p5aXA10DFqUCtZaytZb0pjd2VVcGN1NnJzaFZWcVZGZUl0aDZZcFJ1T010QUlhUU56SkFVMFVTV2JJSmJKcTFTbUhIdzFq b2p0IiwibWFjIjoiMzJiZGQzOGY2NmM5OThmODdmYTViZTM3NWI0NDZhMzIzY2Ez0WI5ZmNkNTZiNjQ3MmRjY2I0NzVjOGZiMDFk YyİsİnRhZyI6IiJ9

```
APP NAME="Shop"
APP_ENV=local
APP_KEY=
APP_DEBUG=true
APP URL=http://localhost:8080
APP_LOCALE=en
APP_FALLBACK_LOCALE=en
APP_FAKER_LOCALE=en_US
APP MAINTENANCE DRIVER=file
# APP MAINTENANCE STORE=database
PHP CLI SERVER WORKERS=4
BCRYPT ROUNDS=12
LOG CHANNEL=stack
LOG STACK=single
LOG DEPRECATIONS CHANNEL=null
LOG LEVEL=debug
DB_CONNECTION=sqlite
# DB HOST=127.0.0.1
# DB PORT=3306
# DB DATABASE=laravel
# DB_USERNAME=root
# DB PASSWORD=
SESSION_DRIVER=database
SESSION_LIFETIME=120
SESSION ENCRYPT=false
SESSION PATH=/
SESSION DOMAIN=null
BROADCAST_CONNECTION=log
FILESYSTEM DISK=local
QUEUE CONNECTION=database
CACHE STORE=database
# CACHE_PREFIX=
MEMCACHED HOST=127.0.0.1
REDIS_CLIENT=phpredis
REDIS_HOST=127.0.0.1
REDIS_PASSWORD=null
REDIS PORT=6379
MAIL_MAILER=log
MAIL_SCHEME=null
MAIL H0ST=127.0.0.1
MAIL_PORT=2525
MAIL_USERNAME=null
MAIL_PASSWORD=null
MAIL_FROM_ADDRESS="hello@example.com"
MAIL_FROM_NAME="[{APP_NAME}"
AWS ACCESS KEY ID=
AWS_SECRET_ACCESS_KEY=
AWS_DEFAULT_REGION=us-east-1
AWS_BUCKET=
AWS_USE PATH STYLE ENDPOINT=false
VITE_APP_NAME="[{APP_NAME}"
```

.gitattributes

- * text=auto eol=lf
- *.blade.php diff=html
 *.css diff=css
 *.html diff=html
 *.md diff=markdown
 *.php diff=php

CHANGELOG.md export-ignore README.md export-ignore

.gitignore

```
/.phpunit.cache
/bootstrap/ssr
/node_modules
/public/build
/public/hot
/public/storage
/resources/js/actions
/resources/js/routes
/resources/js/wayfinder
/storage/*.key
/storage/pail
/vendor
.env
.env.backup
.env.production
.phpactor.json
.phpunit.result.cache
Homestead.json
Homestead.yaml
npm-debug.log
yarn-error.log
/auth.json
/.fleet
/.idea
/.nova
/.vscode
/.zed
```

.prettierignore

resources/js/components/ui/*
resources/views/mail/*

.prettierrc

LICENSE.md

Copyright (c) 2025 wytco

All rights reserved.

You are NOT granted any rights to use, copy, modify, merge, publish, distribute, sublicense, sell, or deploy this software, in whole or in part, without the express prior written permission of the copyright holder.

For licensing inquiries, contact: <email or URL>.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND. NO TRADEMARK RIGHTS ARE GRANTED.

Makefile

```
up:
    docker compose up -d --build

down:
    docker compose down
sh:
    docker compose exec app sh
key:
    docker compose exec app php artisan key:generate
migrate:
    docker compose exec app php artisan migrate --seed
t:
    docker compose exec app ./vendor/bin/pest
```

```
<?php
namespace App\Console\Commands;
use Illuminate\Console\Command;
use Illuminate\Filesystem\Filesystem;
use Illuminate\Support\Str;
class ModuleMake extends Command
{
    private □files;
    private string|null □path = null;
     * The name and signature of the console command.
    * @var string
    protected □signature = 'make:module {name}
                                                  {--all}
                                                   --controller
                                                   --request}
                                                   --resource}
                                                   --provider
                                                   --middleware}
                                                   --policy}
                                                   --event}
                                                   [--exception}
                                                    --job}
                                                   --listener}
                                                   .
{--model}
                                                   {--rule}
                                                   {--service}
                                                   {--migration}
                                                   { - - seed}
                                                   {--repository}
                                                  {--path= : The location where the module should
be created.}';
     * The console command description.
     * @var string
    protected []description = 'Generate a module structure and blueprint for classes';
     * Create a new command instance.
     * @return void
    public function __construct(Filesystem □filesystem)
        parent::__construct();
        □this->files = □filesystem;
    }
     * Execute the console command.
      @return int
    public function handle()
        if (□this->option('all')) {
//
             Application
```

```
[]this->input->setOption('middleware', true);
                __this->input->setOption('policy', true);
11
                   Domain
                Tolliain

[this->input->setOption('event', true);
[this->input->setOption('exception', true);
[this->input->setOption('job', true);
[this->input->setOption('listener', true);
[this->input->setOption('model', true);
                [[this->input->setOption('model', true);
[[this->input->setOption('migration', true);
[[this->input->setOption('seed', true);
[[this->input->setOption('repository', true);
[[this->input->setOption('rule', true);
[[this->input->setOption('service', true);
           if (□this->option('path')) {
                _this->path = _this->option('path');
           if (□this->option('controller')) {
                □this->createController();
           }
           if ([this->option('request')) {
                []this->createRequest();
           if (□this->option('resource')) {
                []this->createResources();
           if ([this->option('provider')) {
                []this->createProvider();
           if ([this->option('middleware')) {
                []this->createMiddleware();
           if ([this->option('policy')) {
                []this->createPolicy();
           if (□this->option('event')) {
                ∐this->createEvent();
           }
           if ([this->option('exception')) {
                _this->createException();
           if (□this->option('job')) {
                []this->createJob();
           if (□this->option('listener')) {
                □this->createListener();
           if ([this->option('model')) {
                []this->createModel();
           if (□this->option('migration')) {
                ☐this->createMigration();
           if ([this->option('seed')) {
                _this->createSeeders();
           if ([this->option('repository')) {
                []this->createRepository();
```

```
}
        if (□this->option('rule')) {
            []this->createRule();
        if (□this->option('service')) {
            □this->createService();
    }
    private function createController()
        □[controller = Str::studly(class basename(□this->argument('name')));
        _modelName = Str::singular(Str::studly(class basename(□this->argument('name'))));
        □path = □this->getControllerPath(□this->argument('name'));
        } else {
            □this->makeDirectory(□path);
            □stub = □this->files->get(base path('resources/stubs/controller.stub'));
            ltoday = date("Y-m-d H:i:s");
            stub = str_replace(
                     'DummyDate',
                     'DummyNamespace'
                     'DummyRootNamespace',
                     'DummyClass'
                     'DummyFullModelClass',
                     'DummyModelClass'
                     'DummyModelVariable',
                     'DummyStoreRequest'
                     'DummyUpdateRequest'
                     'DummyNameStoreRequest'
                     'DummyNameUpdateRequest',
                     'DummyResource',
'DummyResourceCollection',
                     'DummyNameResource'
                     'DummyNameResourceCollection',
                     □today,
"OVL\\"
                               str_replace('/', '\\', trim([this->argument('name'))) .
"\\Application\\Http\\Controllers"
                     _this->laravel->getNamespace(),
                     ☐controller . 'Controller',
"OVL\\" . str_replace('/', '\\', trim(☐this->argument('name'))) .
"\\Domain\\Models\\{\pmodelName}\",
                     ∏modelName,
                     .
lcfirst((□modelName)),
                     "0VL\\"
                             `. str_replace('/', '\\', trim(□this->argument('name'))) .
"\\Application\\Http\\Requests\\Store{\pmodelName}Request", \\" oVL\\" . str_replace('/', '\\', trim(\pmodelNis->argument('name'))) .
"\\Application\\Http\\Requests\\Update{\( \text{DmodelName}\)} Request",
                     "Store{∏modelName}Request'
"{[modelName}ResourceCollection",
                □stub
            );
            []this->files->put([path, [stub);
[this->info('Controller created successfully.');
```

```
}
        □this->createRoutes(□controller, □modelName);
   }
    private function createRequest()
        □modelName = Str::singular(Str::studly(class basename(□this->argument('name'))));
        □path = □this->getStoreRequestPath(□this->argument('name'));
        if (□this->alreadyExists(□path)) {
            _this->error('StoreRequests already exists!');
        } else {
            []this->makeDirectory([]path);
            __stub = __this->files->get(base_path('resources/stubs/request.stub'));
            _today = date("Y-m-d H:i:s");
            □AccessName = strtoupper(□modelName) . '_ACCESS';
            □stub = str_replace(
                     'DummyDate'
                     'DummyNamespace'
                     'DummyPermissions',
                     'DummyRequest',
                     'AccessName'
                    □today,
"OVL\\"
                             . str replace('/', '\\', trim(□this->argument('name'))) .
"\\Application\\Http\\Requests"
                     "OVL\\User\\Domain\\Enums\\UserPermissionsEnum",
                     \verb|"Store{||} modelName{||} Request||,
                    ∏AccessName
                ∏stub
            );
            []this->files->put([]path, []stub);
            this->info('StoreRequests created successfully.');
        □path = □this->getUpdateRequestPath(□this->argument('name'));
        if (□this->alreadyExists(□path)) {
            []this->error('UpdateRequests already exists!');
            □this->makeDirectory(□path);
            []stub = []this->files->get(base_path('resources/stubs/request.stub'));
            today = date("Y-m-d H:i:s");
            □AccessName = strtoupper(□modelName) . '_ACCESS';
            □stub = str replace(
                     'DummyDate'
                     'DummyNamespace'
                     'DummyPermissions',
                     'DummyRequest',
                     'AccessName'
                ],
                    □today,
"OVL\\"
                             . str_replace('/', '\\', trim(□this->argument('name'))) .
"\\Application\\Http\\Requests"
                     "OVL\\User\\Domain\\Enums\\UserPermissionsEnum",
                     "Update{□modelName}Request",
                    □AccessName
                □stub
            );
            □this->files->put(□path, □stub);
            this->info('UpdateRequests created successfully.');
```

```
}
   }
   private function createResources()
       _modelName = Str::singular(Str::studly(class_basename([this->argument('name'))));
       □path = □this->getResourcesPath(□this->argument('name'));
       if (□this->alreadyExists(□path)) {
           []this->error('Resources already exists!');
       } else {
           □this->makeDirectory(□path);
           []stub = []this->files->get(base path('resources/stubs/resources.stub'));
           today = date("Y-m-d H:i:s");
           stub = str_replace(
               [
                   'DummyDate',
                   'DummyNamespace',
                   'DummyModelPath',
                   'DummyModel'
                   'DummyResource',
                   □today,
"OVL\\"
                          . str_replace('/', '\\', trim(□this->argument('name'))) .
□modelName,
                   □modelName . 'Resource'
               _stub
           );
           □this->files->put(□path, □stub);
           __this->info('Resource created successfully.');
       pathCollection = []this->getResourcesCollectionPath([]this->argument('name'));
       if (□this->alreadyExists(□pathCollection)) {
           ☐this->error('ResourceCollection already exists!');
       } else {
           []this->makeDirectory([]pathCollection);
           □stub = □this->files->get(base path('resources/stubs/resources collection.stub'));
           _today = date("Y-m-d H:i:s");
           stub = str_replace(
               [
                   'DummyDate'
                   'DummyNamespace'
                   'DummyResourceCollection',
                   'DummyName',
                   'DummyResource',
                   □today,
"OVL\\"
. str_replace('/', '\\', trim(□this->argument('name'))) .
                   lcfirst(□modelName),
                  □modelName . 'Resource'
               □stub
           );
           \Boxthis->files->put(\BoxpathCollection, \Boxstub);
           __this->info('ResourceCollection created successfully.');
       }
   }
   private function createMiddleware()
```

```
{
        □modelName = Str::singular(Str::studly(class basename(□this->argument('name'))));
        path = []this->getMiddlewarePath([]this->argument('name'));
        if (□this->alreadyExists(□path)) {
            This->error('Middleware already exists!');
          else {
            □this->makeDirectory(□path);
            []stub = []this->files->get(base_path('resources/stubs/middleware.stub'));
            _today = date("Y-m-d H:i:s");
            stub = str_replace(
                     'DummyDate'
                     'DummyNamespace',
                    []today,
"OVL\\" . str_replace('/', '\\', trim([]this->argument('name'))) .
"\\Application\\Http\\Middleware",
                □stub
            );
            □this->files->put(□path, □stub);
            this->info('Middleware created successfully.');
    }
    private function createPolicy()
        □modelName = Str::singular(Str::studly(class_basename(□this->argument('name'))));
        path = []this->getPolicyPath([]this->argument('name'));
        if (□this->alreadyExists(□path)) {
            _this->error('Controller already exists!');
        } else {
            _this->makeDirectory(_path);
            □stub = □this->files->qet(base path('resources/stubs/policy.stub'));
            □today = date("Y-m-d H:i:s");
□AccessName = strtoupper(□modelName) . '_ACCESS';
            dummyFuncModel = '□' . strtolower(□modelName);
            stub = str_replace(
                ſ
                     'DummyDate',
                     'DummyNamespace',
                     'DummyModel',
                     'DummyName'
                    'AccessName'
                    'DummyFuncNameModel',
                    'DummyFuncModel',
                    □today,
"OVL\\"
                             . str_replace('/', '\\', trim(□this->argument('name'))) .
"\\Application\\Policies",
                     "0VL\\\"
                            . str_replace('/', '\\', trim(□this->argument('name'))) .
{[modelName}Policy",
                    □AccessName,
                    □modelName,
                    _dummyFuncModel
                □stub
            );
            _this->files->put(_path, _stub);
            __this->info('Controller created successfully.');
        }
    }
```

```
private function createProvider()
    _modelName = Str::singular(Str::studly(class_basename([this->argument('name'))));
    path = []this->getProviderPath([]this->argument('name'));
    if (□this->alreadyExists(□path)) {
        □this->error('Provider already exists!');
    } else {
        _this->makeDirectory(_path);
        □today = date("Y-m-d H:i:s");
        stub = str_replace(
                'DummyDate'
                'DummyNamespace'
                'DummyNameProvider',
                'DummyNameMerge',
                □today,
"OVL\\"
                         str replace('/', '\\', trim(∏this->argument('name'))) . "\\Providers",
                "{∏modelName}Provider",
                lcfirst(□modelName)
            ∏stub
        );
        □this->files->put(□path, □stub);
        this->info('Provider created successfully.');
    }
    __routeServiceProviderPath = __this->getRouteServiceProviderPath(__this->argument('name'));
    if (□this->alreadyExists(□routeServiceProviderPath)) {
        _this->error('RouteServiceProvider already exists!');
    } else {
        □this->makeDirectory(□routeServiceProviderPath);
        □stub = □this->files->get(base path('resources/stubs/route service provider.stub'));
        __today = date("Y-m-d H:i:s");
        stub = str_replace(
                'DummyDate'
                'DummyNamespace',
                'DummyModelName'
            ],
                □today,
"OVL\\"
                         str_replace('/', '\\', trim([this->argument('name'))) . "\\Providers",
                lcfirst(□mode\(\bar{\text{Name}}\)
            □stub
        );
        []this->files->put([routeServiceProviderPath, [stub);
        __this->info('RouteServiceProvider created successfully.');
    }
}
private function createEvent()
    __model = Str::singular(Str::studly(class basename(_this->argument('name'))));
    □path = □this->getEventPath(□this->argument('name'));
    if (□this->alreadyExists(□path)) {
        []this->error('Event already exists!');
     else {
        []this->makeDirectory([path);
        __stub = __this->files->get(base path('resources/stubs/event.stub'));
        _today = date("Y-m-d H:i:s");
```

```
stub = str_replace(
            [
                 'DummyDate'
                 'DummyNamespace'
                □today,
"OVL\\"
                         . □model . "\\Domain\\Events",
            □stub
        );
        □this->files->put(□path, □stub);
        []this->info('Event created successfully.');
    }
}
private function createException()
    _model = Str::singular(Str::studly(class_basename([this->argument('name'))));
    path = []this->getExceptionPath([]this->argument('name'));
    if (□this->alreadyExists(□path)) {
        __this->error('Exception already exists!');
    } else {
        □this->makeDirectory(□path);
        stub = Othis->files->get(base_path('resources/stubs/exception.stub'));
        today = date("Y-m-d H:i:s");
        □stub = str replace(
            ſ
                 'DummyDate'
                 'DummyNamespace'
                □today,
"OVL\\" . □model . "\\Domain\\Exceptions",
            □stub
        ):
        __this->files->put(_path, _stub);
        | This->info('Exception created successfully.');
}
private function createJob()
    __model = Str::singular(Str::studly(class basename(_this->argument('name'))));
    path = [this->getJobPath([this->argument('name'));
    } else {
        □this->makeDirectory(□path);
        stub = Othis->files->get(base path('resources/stubs/job.stub'));
        _today = date("Y-m-d H:i:s");
        □stub = str_replace(
                 'DummyDate'
                 'DummyNamespace'
                []today,
"OVL\\" . []model . "\\Domain\\Jobs",
            □stub
        );
        []this->files->put([path, [stub);
[]this->info('Job created successfully.');
}
```

```
private function createListener()
    []model = Str::singular(Str::studly(class basename([]this->argument('name'))));
    □path = □this->getListenerPath(□this->argument('name'));
    if (□this->alreadyExists(□path)) {
        | This->error('Listener already exists!');
    } else {
        □this->makeDirectory(□path);
        __stub = __this->files->get(base path('resources/stubs/listener.stub'));
        _today = date("Y-m-d H:i:s");
        stub = str replace(
            Γ
                 'DummyDate',
                 'DummyNamespace'
                □today,
"OVL\\"
                        . ∏model . "\\Domain\\Listeners",
            □stub
        );
        □this->files->put(□path, □stub);
        This->info('Listener created successfully.');
    }
}
private function createModel()
    []model = Str::singular(Str::studly(class basename([]this->argument('name'))));
    □path = □this->getModelPath(□this->argument('name'));
    if (□this->alreadyExists(□path)) {
        __this->error('Model already exists!');
    } else {
        []this->makeDirectory([path);
        stub = []this->files->get(base_path('resources/stubs/model.stub'));
        today = date("Y-m-d H:i:s");
        stub = str_replace(
            [
                 'DummyDate',
                 'DummyNamespace'
                 'DummyRootNamespace',
                 'DummyFactory',
                 'DummyModel'
                □today,
"OVL\\"
                         . □model . "\\Domain\\Models",
                ∐model,
                □model . 'Factory',
                _model,
            □stub
        );
        □this->files->put(□path, □stub);
        __this->info('Model created successfully.');
    path = []this->getFactoryPath([]this->argument('name'));
    if (\Boxthis->alreadyExists(\Boxpath)) {
        []this->error('Factory already exists!');
    } else {
        □this->makeDirectory(□path);
        __stub = __this->files->get(base path('resources/stubs/factory.stub'));
        today = date("Y-m-d H:i:s");
        stub = str_replace(
            [
                 'DummyDate',
                 'DummyNamespace'
                 'DummyModelPath',
```

```
'DummyModel',
                  'DummyFactory',
                 □today,
"OVL\\"
                          . □model . "\\Infrastructure\\Database\\Factories",
. □model . "\\Domain\\Models\\{□model}",
                  "0VL\\\"
                 ∏model,
                 ⊡model´. 'Factory'
             □stub
         );
        □this->files->put(□path, □stub);
        This->info('Factory created successfully.');
    }
}
private function createMigration()
    □ | Table = Str::plural(Str::snake(class basename(□this->argument('name'))));
    p = []this->path ?? []this->argument('name');
[]path = str_replace('\\', '/', trim([]p));
    try {
        nthis->call('make:migration', [
             'name' => "create_{[]table}_table",
'--create' => []table,
             '--path' => "src/" . [path . "/Infrastructure/Database/Migrations"
    } catch (\Exception □e) {
        □this->error(□e->getMessage());
}
private function createSeeders()
    __name = Str::singular(Str::studly(class basename([]this->argument('name'))));
    □tableName = Str::plural(Str::snake(class_basename(□this->argument('name'))));
    path = []this->getSeedersPath([]this->argument('name'));
    if (□this->alreadyExists(□path)) {
        []this->error('Seed already exists!');
    } else {
        □this->makeDirectory(□path);
        __stub = __this->files->get(base_path('resources/stubs/seed.stub'));
        today = date("Y-m-d H:i:s");
        □stub = str_replace(
             ſ
                  'DummyDate',
                  'DummyNamespace',
                  'DummySeeder',
                  'DummyTable'
                 □tableName
             □stub
        );
        []this->files->put([path, [stub);
[]this->info('Seed created successfully.');
}
private function createRepository()
    □name = Str::singular(Str::studly(class_basename(□this->argument('name'))));
    path = []this->getRepositoryPath([]this->argument('name'));
    if (□this->alreadyExists(□path))
        []this->error('Repository already exists!');
```

```
} else {
        □this->makeDirectory(□path);
        __stub = __this->files->get(base_path('resources/stubs/repository.stub'));
        today = date("Y-m-d H:i:s");
        stub = str_replace(
            [
                'DummyDate'
                'DummyNamespace'
            ],
                □today,
"OVL\\"
                       . □name . "\\Infrastructure\\Repositories",
            □stub
        );
        []this->files->put([]path, []stub);
        __this->info('Repository created successfully.');
}
private function createRule()
    □model = Str::singular(Str::studly(class basename(□this->argument('name'))));
    path = []this->getRulePath([]this->argument('name'));
    if (□this->alreadyExists(□path)) {
        _this->error('Rule already exists!');
    } else {
        □this->makeDirectory(□path);
        stub = Othis->files->get(base_path('resources/stubs/rule.stub'));
        today = date("Y-m-d H:i:s");
        stub = str_replace(
            [
                'DummyDate'
                'DummyNamespace'
                □today,
"OVL\\"
                       . □model . "\\Domain\\Rules",
            ],
            □stub
        ):
        []this->files->put([]path, []stub);
        __this->info('Rule created successfully.');
}
private function createService()
    _model = Str::singular(Str::studly(class_basename([this->argument('name'))));
    □path = □this->getServicePath(□this->argument('name'));
    } else {
        _this->makeDirectory(_path);
        _today = date("Y-m-d H:i:s");
        stub = str_replace(
                'DummyDate'
                'DummyNamespace',
                'DummyRequest'
                'DummyNameRequest',
                'DummyClass
               []today,
"OVL\\" . []model . "\\Domain\\Services",
"OVL\\" . str_replace('/', '\\', trim([]this->argument('name'))) .
```

```
"\\Application\\Http\\Requests\\{\[model\]Request",
                      "{[model}Request",
"{[model}Service",
                 □stub
             );
             □this->files->put(□path, □stub);
             this->info('Service created successfully.');
        }
    }
    private function createRoutes(string ∏controller, string ∏modelName): void
        □routePath = □this->getRoutesPath(□this->argument('name'));
        if (□this->alreadyExists(□routePath)) {
             __this->error('Routes already exists!');
        } else {
             □this->makeDirectory(□routePath);
             stub = []this->files->get(base_path('resources/stubs/routes.stub'));
[]today = date("Y-m-d H:i:s");
             stub = str_replace(
                 [
                      'DummyDate'
                      'DummyClass'
                      'DummyRoutePrefix'
                      'DummyModelVariable',
                      ∏today,
                      □controller . 'Controller'
                      Str::plural(Str::snake(lcfirst(□modelName), '-')),
                      lcfirst(□modelName)
                 □stub
             );
             []this->files->put([]routePath, []stub);
             this->info('Routes created successfully.');
        []this->createConfig();
    }
    private function createConfig(): void
        []configPath = []this->getConfigPath([]this->argument('name'));
        if (□this->alreadyExists(□configPath)) {
             This->error('Config already exists!');
        } else {
             \verb|| this-> makeDirectory(|| configPath);
             __stub = __this->files->get(base_path('resources/stubs/config.stub'));
__this->files->put(_configPath, __stub);
             __this->info('Config created successfully.');
    }
    private function makeDirectory(□path)
        if (!□this->files->isDirectory(dirname(□path))) {
             □this->files->makeDirectory(dirname(□path), 0777, true, true);
        return □path;
    }
    private function getEventPath(□name)
        □model = Str::studly(class_basename(□name));
        path = []this->path ?? []name;
return 'src/' . str_replace('\\', '/', []path) . '/Domain/Event/' . "{[]model}Event.php";
```

```
private function getExceptionPath(□name)
        □model = Str::studly(class basename(□name));
        □path = □this->path ?? □name;
return 'src/' . str_replace('\\', '/', □path) . '/Domain/Exceptions/' .
"{[model}Exception.php";
    private function getJobPath(□name)
        □model = Str::studly(class basename(□name));
        □path = □this->path ?? □name;
return 'src/' . str_replace('\\', '/', □path) . '/Domain/Jobs/' . "{□model}Job.php";
    }
    private function getListenerPath(☐name)
        □model = Str::studly(class basename(□name));
        path = pthis->path ?? pname;
return 'src/' . str_replace('\\', '/', path) . '/Domain/Listeners/' .
\verb||| \{ || model \} Listener.php ||;
    private function getRulePath(☐name)
        □model = Str::studly(class basename(□name));
        path = path ?? path ?? pame;
return 'src/' . str_replace('\\', '/', path) . '/Domain/Rules/' . "{pmodel}Rule.php";
    }
    private function getServicePath(□name)
        □model = Str::studly(class_basename(□name));
        □path = □this->path ?? □name;
return 'src/' . str_replace('\\', '/', □path) . '/Domain/Services/' . "{□model}Service.php";
    }
    private function getModelPath(□name)
        □model = Str::studly(class_basename(□name));
        private function getFactoryPath(□name)
        _model = Str::studly(class_basename([name));
        path = path ?? path ?? name;
return 'src/' . str_replace('\\', '/', path) . '/Infrastructure/Database/Factories/' .
"{[model}Factory.php";
    }
    private function getSeedersPath(□name)
        □model = Str::studly(class basename(□name));
        path = []this->path ?? []name;
return 'src/' . str_replace('\\', '/', []path) . '/Infrastructure/Database/Seeders/' .
"{□model}Seeder.php";
    private function getRepositoryPath(□name)
        □model = Str::studly(class_basename(□name));
        path = Dthis->path ?? Dname;
return 'src/' . str_replace('\\', '/', Dpath) . '/Infrastructure/Repositories/' .
"{[model}Repository.php";
    private function getControllerPath(□argument)
        □controller = Str::studly(class basename(□argument));
        □path = □this->path ?? □argument;
        return 'src/' . str_replace('\\', '/', □path) .
```

```
"/Application/Http/Controllers/{

[controller}Controller.php";
    private function getRoutesPath(□name): string
         path = []this->path ?? []name;
         return 'src/' . str replace('\\', '/', □path) . "/routes.php";
    }
    private function getConfigPath(□name): string
         path = [this->path ?? [name;
         return 'src/' . str replace('\\', '/', □path) . "/config.php";
    protected function alreadyExists(□path): bool
         return □this->files->exists(□path);
    private function getStoreRequestPath(□name)
         _model = Str::singular(Str::studly(class_basename(_this->argument('name'))));
         □path = □this->path ?? □name;
return 'src/' . str replace('\\', '/', □path)
"/Application/Http/Requests/Store{□model}Request.php";
    private function getUpdateRequestPath(□name)
         \label{local_model} $$ \sqsubseteq Str::singular(Str::studly(class\_basename($$ \sqsubseteq this->argument('name')))); $$
         path = ||this->path ?? ||name;
return 'src/' . str_replace('\\',
                                                 '/', <u></u>path)
"/Application/Http/Requests/Update{□model}Request.php";
    private function getResourcesPath(□name)
         \label{local_model} $$ $$ \  \  = Str::singular(Str::studly(class\_basename($$ \  \  \  \  \  \  \  )))); $$
         path = | this->path ?? | name;
return 'src/' . str_replace('\\', '/', | path) .
"/Application/Http/Resources/{□model}Resource.php";
    private function getResourcesCollectionPath(□name)
         □model = Str::singular(Str::studly(class_basename(□this->argument('name'))));
         path = ||this->path ?? ||name;
return 'src/' . str_replace('\\', '/', ||path)
"/Application/Http/Resources/{[model}ResourceCollection.php";
    private \ function \ getMiddlewarePath( \c name)
         □model = Str::singular(Str::studly(class_basename(□this->argument('name'))));
         path = path : path ?? path ?? name;
return 'src/' . str_replace('\\', '/', path)
"/Application/Http/Middleware/{□model}Middleware.php";
    private function getPolicyPath(□name)
         \label{local_model} $$ \sqsubseteq Str::singular(Str::studly(class\_basename($$ \sqsubseteq this->argument('name'))))); $$
         □path = □this->path ?? □name;
return 'src/' . str_replace('\\', '/', □path) . "/Application/Policies/{□model}Policy.php";
    private function getProviderPath(□name)
         □model = Str::singular(Str::studly(class_basename(□this->argument('name'))));
         □path = □this->path ?? □name;
return 'src/' . str_replace('\\', '/', □path) . "/Providers/{□model}Provider.php";
```

ModuleMake.php

```
composer global require laravel/installer
laravel new example-app
cd example-app
npm install && npm run build
php artisan key:generate
php artisan env:encrypt
php artisan env:encrypt --env=staging
composer run dev
php artisan about
php artisan about --only=environment
php artisan config:show database
composer require filament/filament -W
php artisan filament:install --panels
docker compose exec app php artisan make:filament-user
docker compose build --no-cache app
docker compose up -d --build
docker compose down
docker compose exec app composer create-project laravel/laravel .
docker compose exec app composer require laravel/scout meilisearch/meilisearch-php filament/filament laravel/horizon predis/predis nunomaduro/larastan pestphp/pest --dev laravel/pint --dev
make key
php -S localhost:9001 # (відкрити MinIO console і створити bucket)
Далі: php artisan horizon:install, php artisan vendor:publish --tag=filament-config.
# шелл у контейнері додатку
docker compose exec app sh
# перезапуск усіх контейнерів
docker compose down && docker compose up -d --build
# тести
docker compose exec app ./vendor/bin/pest
# лінтер коду
docker compose exec app ./vendor/bin/pint
# Larastan (приклад суворості)
docker compose exec app vendor/bin/phpstan analyse --memory-limit=1G --level=max app
php artisan migrate
php artisan key:generate
php artisan optimize
php artisan cache:clear
php artisan route:cache
php artisan view:clear
php artisan config:cache
php artisan make:module Sky/Test --all
Найбільш поширені команди Artisan:
php artisan list: Відображає список усіх доступних команд Artisan.
php artisan make:model <ModelName>: Створює новий клас моделі Eloquent.
php artisan make:controller <ControllerName>: Створює новий клас контролера.
php artisan make:migration <MigrationName>: Створює новий файл міграції для роботи з базою даних.
php artisan migrate: Запускає всі міграції бази даних.
php artisan migrate:rollback: Відкочує останні міграції.
php artisan Tinker: Відкриває інтерактивну консоль РНР (REPL) для тестування та роботи з кодом у
вашому застосунку.
php artisan inspire: Виводить надихаючу цитату.
Команли лля створення компонентів:
php artisan make:channel: Створює новий клас каналу.
php artisan make:command: Створює нову кастомну команду Artisan.
php artisan make:event: Створює нову подію.
php artisan make:exception: Створює нове користувацьке виключення.
php artisan make:factory: Створює фабрику моделі для генерації тестових даних.
php artisan make:job: Створює новий клас завдання (job).
php artisan make:listener: Створює новий слухач події.
php artisan make:mail: Створює новий клас для надсилання електронних листів.
php artisan make:middleware: Створює новий middleware.
php artisan make:notification: Створює нове повідомлення.
php artisan make:observer: Створює новий спостерігач (observer).
php artisan make:policy: Створює нову політику.
php artisan make:provider: Створює новий сервіс-провайдер.
```

```
php artisan make:request: Створює новий клас запиту.
php artisan make:resource: Створює новий ресурс.
php artisan make:rule: Створює нове правило валідації.
php artisan make:seeder: Створює новий сидер для заповнення бази даних.
php artisan make:test: Створює новий тест.
docker compose exec app php artisan make:model Category -m
docker compose exec app php artisan make:seeder DemoCatalogSeeder
docker compose exec app php artisan make:factory CategoryFactory --model=Category
docker compose exec app php artisan config:clear
docker compose exec app php artisan migrate --seed
docker compose exec app php artisan migrate:fresh --seed
docker compose exec app php artisan scout:import "App\Models\Product"
docker compose exec app php artisan make:filament-resource Product --generate
docker compose exec app php artisan make:filament-resource Category --generate
docker compose exec app php artisan make:filament-resource Order --generate
docker compose exec app php artisan make:filament-resource Product --generate --panel=mine
docker compose exec app php artisan make:filament-resource Category --generate --panel=mine
docker compose exec app php artisan make:filament-resource Order --generate --panel=mine
docker compose exec app composer dump-autoload
docker compose exec app php artisan config:clear
docker compose exec app php artisan cache:clear
docker compose exec app php artisan view:clear
docker compose exec app php artisan optimize:clear
docker compose exec app php artisan filament:clear
docker compose exec app php artisan migrate --pretend
docker compose exec app sh -lc "wget -q0- http://meilisearch:7700/health"
docker compose exec app php artisan route:list | grep -i mine || true
php artisan route:list | grep filament -i || true
docker compose exec app sh -lc "mkdir -p storage/logs bootstrap/cache && chmod -R 777 storage
bootstrap/cache"
docker compose exec app sh -lc "tail -n 100 storage/logs/laravel.log"
php artisan make:mail OrderPlacedMail --markdown=emails.orders.placed
php artisan make:job SendOrderConfirmation
php artisan make: listener MergeGuestCart
docker compose exec app php artisan make:test OrderFlowTest --pest
docker compose exec app php artisan make:filament-relation-manager Products Images --panel=mine
# run test
docker compose exec app php artisan test -vvv
docker compose exec app ./vendor/bin/pest -q
docker compose exec app php artisan storage:link
mc alias set local http://minio:9000 minioadmin minioadmin
mc anonymous set-json local/media <<<'{"Version":"2012-10-
17","Statement":[{"Effect":"Allow","Principal":{"AWS":["*"]},"Action":["s3:GetBucketLocation","s3:Li
stBucket"],"Resource":["arn:aws:s3:::media"]},{"Effect":"Allow","Principal":{"AWS":["*"]},"Action":[
"s3:GetDbject"],"Resource":["arn:aws:s3:::media/*"]}]}'</pre>
mc admin config set local api cors allow-origin='http://localhost:8080' allow-headers='*' allow-methods='GET,PUT,POST,DELETE,HEAD,OPTIONS'
mc admin service restart local
mc anonymous set download local/media
mc --disable-pager alias set local http://minio:9000 minioadmin minioadmin --api s3v4
mc --disable-pager mb -p local/media || true
cat >/tmp/cors.json <<'JSON'</pre>
"AllowedOrigin": ["http://localhost:8080"],
"AllowedMethod": ["GET", "PUT", "POST", "DELETE", "HEAD", "OPTIONS"],
"AllowedHeader": ["*"],
```

```
"ExposeHeader": ["ETag", "x-amz-request-id", "x-amz-version-id"],
"MaxAgeSeconds": 3000
JSON
mc --disable-pager admin cors set local/media /tmp/cors.json
mc --disable-pager admin cors info local/media
111
mc --disable-pager anonymous set download local/media
mc anonymous set download local/media
docker compose exec app php artisan tinker
docker compose exec app php artisan optimize:clear
docker compose exec app php artisan view:clear
docker compose exec app php artisan route:clear
Searchable
docker compose exec app php artisan optimize:clear
# опційно повна реіндексація:
docker compose exec app php artisan scout:flush "App\Models\Product"
docker compose exec app php artisan scout:import "App\Models\Product"
docker compose exec app php artisan tinker --execute="use App\Models\Order;
Order::factory()->count(2)->create(['status'=>'new']);
Order::factory()->count(1)->create(['status'=>'paid']);
Order::factory()->count(1)->create(['status'=>'shipped']);"
docker compose exec app php artisan storage:link
docker compose exec app ln -s ../storage/app/public public/storage
# FRONT
# 1) Прибити hot i старий білд (на випадок сміття)
docker compose exec app sh -lc "rm -f public/hot && rm -rf public/build/*"
docker compose exec app sh -lc 'printf "%s" "http://localhost:5173" > public/hot'
docker compose exec app sh -lc 'php artisan optimize:clear'
# 2) Перезібрати/перезапустити node після змін у compose/vite
docker compose up -d --build node
docker compose logs -f node
docker compose exec app sh -lc 'printf "%s" "http://localhost:5173" > public/hot'
const URL = process.env.E2E BASE URL ?? 'http://localhost:8080';
npx playwright test --reporter=html; npx playwright show-report
npx playwright test --config=playwright.config.tsx
npx playwright test --config=playwright.config.tsx -g "similar & recently viewed"
docker compose up -d --force-recreate --no-deps node
http://localhost:8080
бек
http://localhost:5173
stripe listen --forward-to localhost:8080/stripe/webhook
stripe listen --forward-to http://localhost:8080/stripe/webhook
Хочеш — далі можу:
I18n каркас (switcher, URL стратегія, lang y <html>, hreflang).
CI/CD (build, тест, deploy), prod Dockerfile.
4242 4242 4242 - good
4000 0000 0000 0002 - bad
```

artisan

```
#!/usr/bin/env php
<?php
use Illuminate\Foundation\Application;
use Symfony\Component\Console\Input\ArgvInput;

define('LARAVEL_START', microtime(true));

// Register the Composer autoloader...
require __DIR__.'/vendor/autoload.php';

// Bootstrap Laravel and handle the command...
/** @var Application __app */
__app = require_once __DIR__.'/bootstrap/app.php';

__status = __app->handleCommand(new ArgvInput);
exit(__status);
```

components.json

```
{
    "_schema": "https://ui.shadcn.com/schema.json",
    "style": "default",
    "rsc": false,
    "tsx": true,
    "tailwind": {
        "config": "tailwind.config.js",
        "css": "resources/css/app.css",
        "baseColor": "neutral",
        "cssVariables": true,
        "prefix": ""
    },
    "aliases": {
        "components": "@/components",
        "utils": "@/lib/utils",
        "ui": "@/components/ui",
        "lib": "@/lib",
        "hooks": "@/hooks"
    },
    "iconLibrary": "lucide"
}
```

```
{
      "|schema": "https://getcomposer.org/schema.json",
"name": "laravel/react-starter-kit",
"type": "project",
"description": "The skeleton application for the Laravel framework.",
"keywords": ["laravel", "framework"],
"license": "MIT",
"require": {
    "php": "^8.2",
    "filament/filament": "^4.0",
    "inertiajs/inertia-laravel": "^2.0",
    "intervention/image": "^3",
    "laravel/framework": "^12.0",
    "laravel/horizon": "^5.33",
    "laravel/pint": "^1.24",
    "laravel/scout": "^10.19",
    "laravel/tinker": "^2.10.1",
    "laravel/wayfinder": "^0.1.9",
    "league/flysystem-aws-s3-v3": "^3.0",
    "livewire/livewire": "^3",
    "meilisearch/meilisearch-php": "^1.15",
        "□schema": "https://getcomposer.org/schema.json",
              "meilisearch/meilisearch-php": "^1.15",
"nunomaduro/larastan": "^3.6",
"pestphp/pest": "^4.0",
"predis/predis": "^3.2",
"stripe/stripe-php": "^17.6"
       quire-dev": {
  "fakerphp/faker": "^1.23",
  "laravel/pail": "^1.2.2",
  "laravel/sail": "^1.41",
  "mockery/mockery": "^1.6",
  "nunomaduro/collision": "^8.6",
  "pestphp/pest-plugin-laravel": "^4.0"
      "Database\\Factories\\": "database/factories/",
"Database\\Seeders\\": "database/seeders/"
       },
"autoload-dev": {
               "psr-4": {
    "Tests\\": "tests/"
       "post-autoload-dump": [
                       "Illuminate\\Foundation\\ComposerScripts::postAutoloadDump",
                       "@php artisan package:discover --ansi",
"@php artisan filament:upgrade"
              ],
"post-update-cmd": [
                       "@php artisan vendor:publish --tag=laravel-assets --ansi --force"
                ],
"post-create-project-cmd": [
                       "@php artisan key:generate --ansi",
                       "@php -r \"file_exists('database/database.sqlite') ||
touch('database/database.sqlite');\""
                       "@php artisan migrate --graceful --ansi"
                       "Composer\\Config::disableProcessTimeout",
"npx concurrently -c \"#93c5fd,#c4b5fd,#fdba74\" \"php artisan serve\" \"php artisan queue:listen --tries=1\" \"npm run dev\" --names='server,queue,vite'"
                "dev:ssr": [
                       "npm run build:ssr",
"Composer\\Config::disableProcessTimeout"
                       "npx concurrently -c \"#93c5fd,#c4b5fd,#fb7185,#fdba74\" \"php artisan serve\" \"php
```

composer.json

```
{
                readme": [
                        "This file locks the dependencies of your project to a known state",
                        "Read more about it at https://getcomposer.org/doc/01-basic-usage.md#installing-
dependencies"
                        "This file is @generated automatically"
            ],
"content-hash": "07b06c10e394f3dcf5bc244564e6ce8a",
            "packages": [
                       {
                                    "name": "anourvalar/eloquent-serialize",
                                   "version": "1.3.4",
"source": {
                                              "type": "git",
"type": "git",
"url": "https://github.com/AnourValar/eloquent-serialize.git",
"reference": "0934a98866e02b73e38696961a9d7984b834c9d9"
                                  },
"dist": {
"type": "zip",
"url": "https://api.github.com/repos/AnourValar/eloquent-
serialize/zipball/0934a98866e02b73e38696961a9d7984b834c9d9",
                                                "reference": "0934a98866e02b73e38696961a9d7984b834c9d9",
"shasum": ""
                                              "shasum":
                                  },
"require": {
    "laravel
                                                "laravel/framework": "^8.0|^9.0|^10.0|^11.0|^12.0",
                                              "php": "^7.4|^8.0"
                                  },
"require-dev": {
    "friendsofphp/php-cs-fixer": "^3.26",
    "laravel/legacy-factories": "^1.1",
    "orchestra/testbench": "^6.0|^7.0|^8.0|^9.0|^10.0",
    "bactan/phpstan": "^2.0",
    "cactan/phpstan": "^2.0",
    "cactan/phpstan/phpstan": "^2.0",
    "cactan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan/phpstan
                                              "phpstan/phpstan": "^2.0",
"phpunit/phpunit": "^9.5|^10.5|^11.0",
"psalm/plugin-laravel": "^2.8|^3.0",
"squizlabs/php_codesniffer": "^3.7"
                                  },
"type": "library",
"extra": {
    "laravel": {
                                               "laravel": {
                                                           "aliases": {
                                                                      "EloquentSerialize":
"AnourValar\\EloquentSerialize\\Facades\\EloquentSerializeFacade"
                                              }
                                  },
"autoload": {
    "psr-4": {
    "^nour"
                                                          "AnourValar\\EloquentSerialize\\": "src/"
                                   },
"notification-url": "https://packagist.org/downloads/",
                                   "license": [
"MIT"
                                   ],
"description": "Laravel Query Builder (Eloquent) serialization",
"Appur/alar/eloquent-serialize",
                                   "homepage": "https://github.com/AnourValar/eloquent-serialize", "keywords": [
                                               "anourvalar",
                                              "builder",
                                              "copy"
                                              "eloquent",
                                              "job",
                                              "laravel",
                                               "query",
                                              "querybuilder",
                                               "aueué"
                                               "serializable"
                                              "serialization",
                                              "serialize"
                                  ],
"support": {
    "issues": "https://github.com/AnourValar/eloquent-serialize/issues",
```

```
"source": "https://github.com/AnourValar/eloquent-serialize/tree/1.3.4"
               },
"time": "2025-07-30T15:45:57+00:00"
          },
{
               "name": "aws/aws-crt-php",
               "version": "v1.2.7",
               "source": {
    "type": "git",
    "url": "https://github.com/awslabs/aws-crt-php.git",
    "reference": "d7ld9906c7bb63a28295447ba12e74723bd3730e"
               },
"dist": {
"+ype
"reference": "d71d9906c7bb63a28295447ba12e74723bd3730e",
"shasum": ""
                    "shasum":
               },
"require": {
    "php": ">=5.5"
                ,
'require-dev": {
    "phpunit/phpunit": "^4.8.35||^5.6.3||^9.5",
                    "yoast/phpunit-polyfills": "^1.0"
                suggest": {
                     ext-awscrt": "Make sure you install awscrt native extension to use any of the
functionality."
                .
"type": "library",
               "autoload": {
                    "classmap": [
                          "src/"
                    ]
               "notification-url": "https://packagist.org/downloads/",
               "license": [
                    "Apache-2.0"
               ],
                "authors": [
                    {
                         "name": "AWS SDK Common Runtime Team",
                         "email": "aws-sdk-common-runtime@amazon.com"
                    }
               "description": "AWS Common Runtime for PHP",
"homepage": "https://github.com/awslabs/aws-crt-php",
"keywords": [
                    "amazon",
                    "aws",
"crt",
"sdk"
               ],
"support": {
"'sques"
                     "issues": "https://github.com/awslabs/aws-crt-php/issues",
                    "source": "https://github.com/awslabs/aws-crt-php/tree/v1.2.7"
               },
"time": "2024-10-18T22:15:13+00:00"
               "name": "aws/aws-sdk-php", "version": "3.356.5",
               "source": {
    "type": "git",
    "url": "https://github.com/aws/aws-sdk-php.git",
    "reference": "5872ccb5100c4afb0dae3db0bd46636f63ae8147"
               },
"dist": {
   "+yne
                    "type": "zip",
"url": "https://api.github.com/repos/aws/aws-sdk-
php/zipball/5872ccb5100c4afb0dae3db0bd46636f63ae8147'
                    "reference": "5872ccb5100c4afb0dae3db0bd46636f63ae8147",
```

```
"shasum": ""
                    "aws/aws-crt-php": "^1.2.3",
"ext-json": "*",
"ext-pcre": "*",
                           "ext-pcre": "*",
"ext-simplexml": "*",
"guzzlehttp/guzzle": "^7.4.5",
                           "guzzlehttp/promises": "^2.0",
"guzzlehttp/psr7": "^2.4.5",
                          "mtdowling/jmespath.php": "^2.8.0",
"php": ">=8.1",
"psr/http-message": "^2.0"
                   },
"require-dev": {
    "andrewsville/php-token-reflection": "^1.4",
    "aws/aws-php-sns-message-validator": "~1.0",
    "behat/behat": "~3.0",
    "composer/composer": "^2.7.8",
    "dro/phpunit-arraysubset-asserts": "^0.4.0",
                           "dms/phpunit-arraysubset-asserts": "^0.4.0", "doctrine/cache": "~1.4",
                           "ext-dom": "*",
"ext-openssl": "*"
"ext-pcntl": "*",
                          "ext-pcntl": "*",
"ext-sockets": "*",
"phpunit/phpunit": "^5.6.3 || ^8.5 || ^9.5",
"psr/cache": "^2.0 || ^3.0",
"psr/simple-cache": "^2.0 || ^3.0",
"sebastian/comparator": "^1.2.3 || ^4.0 || ^5.0",
"symfony/filesystem": "^v6.4.0 || ^v7.1.0",
"yoast/phpunit-polyfills": "^2.0"
                    "aws/aws-php-sns-message-validator": "To validate incoming SNS notifications",
                           "doctrine/cache": "To use the DoctrineCacheAdapter",
                           "ext-curl": "To send requests using cURL",
"ext-openssl": "Allows working with CloudFront private distributions and verifying
received SNS messages",

"ext-sockets": "To use client-side monitoring"
                    },
"type": "library",
"extra": {
    "tranch-alias"
                           "branch-alias": {
    "dev-master": "3.0-dev"
                    "src/functions.php"
                           "psr-4": {
    "Aws\\": "src/"
                           "exclude-from-classmap": [
                                  "src/data/"
                    },
"notification-url": "https://packagist.org/downloads/",
                    "license": [
                           "Apache-2.0"
                     'authors": [
                          {
                                  "name": "Amazon Web Services",
                                  "homepage": "http://aws.amazon.com"
                    ],
"description": "AWS SDK for PHP - Use Amazon Web Services in your PHP project",
                    "homepage": "http://aws.amazon.com/sdkforphp",
"keywords": [
                           "amazon",
                           "aws"
                           "cloud",
```

```
"dynamodb",
                      "ec2",
                      "glacier".
                      "s3",
"sdk"
                ],
"support": {
                      "forum": "https://github.com/aws/aws-sdk-php/discussions",
                      "issues": "https://github.com/aws/aws-sdk-php/issues",
"source": "https://github.com/aws/aws-sdk-php/tree/3.356.5"
                },
"time": "2025-08-26T18:05:04+00:00"
           },
{
                "name": "blade-ui-kit/blade-heroicons",
                 "version": "2.6.0",
                "source": {
    "type": "git",
    "url": "https://github.com/driesvints/blade-heroicons.git",
    "reference": "4553b2a1f6c76f0ac7f3bc0de4c0cfa06a097d19"
                },
"dist": {
"''ne
"type": "zip",

"url": "https://api.github.com/repos/driesvints/blade-heroicons/zipball/4553b2alf6c76f0ac7f3bc0de4c0cfa06a097d19",
                      },
"require": {
                      "blade-ui-kit/blade-icons": "^1.6",
"illuminate/support": "^9.0|^10.0|^11.0|^12.0",
                      "php": "^8.0"
                "orchestra/testbench": "^7.0|^8.0|^9.0|^10.0", "phpunit/phpunit": "^9.0|^10.5|^11.0"
                "providers": [
                                 "BladeUI\\Heroicons\\BladeHeroiconsServiceProvider"
                           ]
                      }
                },
"autoload": {
    "psr-4":
    "Blad
                           "BladeUI\\Heroicons\\": "src"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                      {
                           "name": "Dries Vints",
"homepage": "https://driesvints.com"
                description": "A package to easily make use of Heroicons in your Laravel Blade views.",
                "homepage": "https://github.com/blade-ui-kit/blade-heroicons", "keywords": [
                      "Heroicons",
                      "blade"
                      "laravel"
                ],
"support": {
    "issues": "https://github.com/driesvints/blade-heroicons/issues",
    "source": "https://github.com/driesvints/blade-heroicons/tree/2.6.0"
                },
"funding": [
                      {
```

```
"url": "https://github.com/sponsors/driesvints",
                             "type": "github'
                       },
                             "url": "https://www.paypal.com/paypalme/driesvints",
"type": "paypal"
                 ],
"time": "2025-02-13T20:53:33+00:00"
            },
{
                  "name": "blade-ui-kit/blade-icons",
                  "version": "1.8.0",
"source": {
                       "type": "git",
"url": "https://github.com/driesvints/blade-icons.git",
"reference": "7b743f27476acb2ed04cb518213d78abe096e814"
},
"require": {
                       "illuminate/contracts": "^8.0|^9.0|^10.0|^11.0|^12.0",
"illuminate/filesystem": "^8.0|^9.0|^10.0|^11.0|^12.0",
"illuminate/support": "^8.0|^9.0|^10.0|^11.0|^12.0",
"illuminate/view": "^8.0|^9.0|^10.0|^11.0|^12.0",
                       "php": "^7.4|^8.0",
"symfony/console": "^5.3|^6.0|^7.0",
"symfony/finder": "^5.3|^6.0|^7.0"
                 "mockery/mockery": "^1.5.1"
                       "orchestra/testbench": "^6.0|^7.0|^8.0|^9.0|^10.0", "phpunit/phpunit": "^9.0|^10.5|^11.0"
                 },
"bin": [
"bin
                       "bin/blade-icons-generate"
                  "type": "library",
"extra": {
                        "laravel": {
                             "providers": [
                                   "BladeUI\\Icons\\BladeIconsServiceProvider"
                             ]
                       }
                 },
"autoload": {
    "files": [
        "src/h
                             "src/helpers.php"
                       ],
"psr-4": {
                             "BladeUI\\Icons\\": "src"
                 },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                 ],
"authors": [
                       {
                             "name": "Dries Vints"
                             "homepage": "https://driesvints.com"
                 "description": "A package to easily make use of icons in your Laravel Blade views.", "homepage": "https://github.com/blade-ui-kit/blade-icons", "keywords": [
                       "blade",
"icons",
```

```
"laravel",
                                     "svg"
                           ],
"support": {
    "issues": "https://github.com/blade-ui-kit/blade-icons/issues",
    "source": "https://github.com/blade-ui-kit/blade-icons"
                           },
"funding": [
                                     {
                                               "url": "https://github.com/sponsors/driesvints", "type": "github"
                                     {
                                               "url": "https://www.paypal.com/paypalme/driesvints",
"type": "paypal"
                                     }
                            ],
"time": "2025-02-13T20:35:06+00:00"
                  },
{
                            "name": "brianium/paratest",
                            "version": "v7.11.2",
                            "source": {
    "type": "git",
    "url": "https://github.com/paratestphp/paratest.git",
    "reference": "521aa381c212816d0dc2f04f1532a5831969cb5e"
                           },
"dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/paratestphp/paratest/zipball/521aa381c212816d0d
c2f04f1532a5831969cb5e",
                                     "shasum":
                         "require": {
    "ext-dom": "*",
    "ext-pcre": "*",
    "ext-reflection": "*",
    "ext-simplexml": "*",
    "fidrv/cpu-core-countermackage
                                     "fidry/cpu-core-counter": "^1.3.0",
"jean85/pretty-package-versions": "^2.1.1",
"php": "~8.3.0 || ~8.4.0",
                                     "phpunit/php-code-coverage": "^12.3.2",
"phpunit/php-file-iterator": "^6",
                                     "phpunit/php-fite-iterator": ""6",
"phpunit/php-timer": "^8",
"phpunit/phpunit": "^12.3.5",
"sebastian/environment": "^8.0.3",
"symfony/console": "^6.4.20 || ^7.3.2",
"symfony/process": "^6.4.20 || ^7.3.0"
                          "require-dev": {
    "doctrine/coding-standard": "^13.0.1",
    "ext-pcntl": "*",
    "ext-pcov": "*",
    "ext-posix": "*",
    "absstan/phpstan": "^2.1.22",
                                    "ext-posix": "*",
"phpstan/phpstan": "^2.1.22",
"phpstan/phpstan-deprecation-rules": "^2.0.3",
"phpstan/phpstan-phpunit": "^2.0.7",
"phpstan/phpstan-strict-rules": "^2.0.6",
"squizlabs/php_codesniffer": "^3.13.2",
"symfony/filesystem": "^6.4.13 || ^7.3.2"
                          },
"bin": [
    "bin/paratest",
    "bin/paratest_for_phpstorm"
    "
                           ],
"type": "library",
                           "type": "lib. ..."
"autoload": {
    "psr-4": {
        "ParaTest\\": [
        "src/"
                                               ]
                                     }
```

```
},
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 ],
"authors": [
                       {
                             "name": "Brian Scaturro",
"email": "scaturrob@gmail.com",
"role": "Developer"
                       },
                             "name": "Filippo Tessarotto",
"email": "zoeslam@gmail.com",
"role": "Developer"
                       }
                 "description": "Parallel testing for PHP",
"homepage": "https://github.com/paratestphp/paratest",
"keywords": [
                       "concurrent".
                       "parallel",
                       "phpunit",
"testing"
                 ],
"support": {
    "issues": "https://github.com/paratestphp/paratest/issues",
    """https://nithub.com/paratestphp/paratest/tree/v7.
                       "source": "https://github.com/paratestphp/paratest/tree/v7.11.2"
                 },
"funding": [
                       {
                             "url": "https://github.com/sponsors/Slamdunk", "type": "github"
                             "url": "https://paypal.me/filippotessarotto",
                             "type": "paypal
                 ],
"time": "2025-08-19T09:24:27+00:00"
                 "name": "brick/math", "version": "0.13.1",
                 "source": {
    "type": "git",
    "url": "https://github.com/brick/math.git",
    "reference": "fc7ed316430118cc7836bf45faff18d5dfc8de04"
                 },
"dist": {
   "*'ne
                       "type": "zip",
                       "url":
},
"require": {
    "php": "^8.1"
                 },
"require-dev": {
                       "php-coveralls/php-coveralls": "^2.2",
"phpunit/phpunit": "^10.1",
"vimeo/psalm": "6.8.8"
                 },
"type": "library"
                 "autoload": {
    "psr-4":
                             "Brick\\Math\\": "src/"
                  .,
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
```

```
],
"description": "Arbitrary-precision arithmetic library",
                "keywords": [
                     "Arbitrary-precision",
"BigInteger",
                     "BigRational",
                     "arithmetic",
"bigdecimal",
                     "bignum",
                     "bignumber",
                     "brick",
                     "decimal"
                     uecimal",
"integer",
                     "math",
                     "mathematics",
                     "rational'
                "support": {
    "issues": "https://github.com/brick/math/issues",
    "com/brick/math/issues",
                     "source": "https://github.com/brick/math/tree/0.13.1"
               },
"funding": [
                     {
                          "url": "https://github.com/BenMorel",
"type": "github"
               ],
"time": "2025-03-29T13:50:30+00:00"
          },
{
                "name": "carbonphp/carbon-doctrine-types",
                "version": "3.2.0",
               "source": {
    "type": "git",
    "url": "https://github.com/CarbonPHP/carbon-doctrine-types.git",
    "reference": "18ba5ddfec8976260ead6e866180bd5d2f71aa1d"
               },
"dist": {
"+'/ne"
},
"require": {
    "php": "^8.1"
               },
"conflict": {
    "cotrine
                     "doctrine/dbal": "<4.0.0 || >=5.0.0"
               },
"require-dev": {
    "doctrine/dbal": "^4.0.0",
    "nesbot/carbon": "^2.71.0 || ^3.0.0",
    "phpunit/phpunit": "^10.3"
               },
"type": "library",
                "Carbon\\Doctrine\\": "src/Carbon/Doctrine/"
               },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                "authors": [
                     {
                          "name": "KyleKatarn",
"email": "kylekatarnls@gmail.com"
                "description": "Types to use Carbon in Doctrine",
```

```
"carbon",
                   "date",
                   "datetime"
                   "doctrine",
                   "time"
                   "issues": "https://github.com/CarbonPHP/carbon-doctrine-types/issues"
                   "source": "https://github.com/CarbonPHP/carbon-doctrine-types/tree/3.2.0"
              },
"funding": [
                   {
                        "url": "https://github.com/kylekatarnls",
                        "type": "github'
                       "url": "https://opencollective.com/Carbon",
"type": "open_collective"
                   },
                       "url": "https://tidelift.com/funding/github/packagist/nesbot/carbon", "type": "tidelift"
                  }
              ],
"time": "2024-02-09T16:56:22+00:00"
         },
{
              "reference": "42e215640e9ebdd857570c9e4e52245d1ee51de2"
              },
"dist": {
                  "type": "zip",
"url": "https://api.github.com/repos/chillerlan/php-
grcode/zipball/42e215640e9ebdd857570c9e4e52245d1ee51de2"
                   "reference": "42e215640e9ebdd857570c9e4e52245d1ee51de2",
                   "shasum":
              },
"require": {
    ' : ler
                   chillerlan/php-settings-container": "^2.1.6 || ^3.2.1",
                  "ext-mbstring": "*",
"php": "^7.4 || ^8.0"
              "chillerlan/php-authenticator": "^4.3.1 || ^5.2.1",
                  "ext-fileinfo": "*",
"phan/phan": "^5.4.5",
                  "phpcompatibility/php-compatibility": "10.x-dev", "phpmd/phpmd": "^2.15", "phpunit/phpunit": "^9.6", "setasign/fpdf": "^1.8.2",
                   "slevomat/coding-standard": "^8.15"
                   "squizlabs/php_codesniffer": "^3.11"
              },
"suggest": {
    ' : 11er'
                   .
"chillerlan/php-authenticator": "Yet another Google authenticator! Also creates URIs
for mobile apps."
                  "setasign/fpdf": "Required to use the QR FPDF output.",
"simple-icons/simple-icons": "SVG icons that you can use to embed as logos in the QR
Code"
              },
"type": "library",
              "autoload": {
    "psr-4":
                       "chillerlan\\QRCode\\": "src"
              "notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT",
```

```
"Apache-2.0"
                ],
"authors": [
                           "name": "Kazuhiko Arase"
                           "homepage": "https://github.com/kazuhikoarase/qrcode-generator"
                     },
{
                           "name": "ZXing Authors"
                           "homepage": "https://github.com/zxing/zxing"
                           "name": "Ashot Khanamiryan",
                           "homepage": "https://github.com/khanamiryan/php-grcode-detector-decoder"
                           "name": "Smiley",
"email": "smiley@chillerlan.net",
                           "homepage": "https://github.com/codemasher"
                     },
{
                           "name": "Contributors",
                           "homepage": "https://github.com/chillerlan/php-qrcode/graphs/contributors"
                ],
"description": "A QR Code generator and reader with a user-friendly API. PHP 7.4+",
                "homepage": "https://github.com/chillerlan/php-qrcode", "keywords": [
                      "phpqrcode",
                     "qr",
"qr code"
                     "qr-reader",
                      "arcode",
                      "grcode-generator",
                     "qrcode-reader"
               "support": {
    "docs": "https://php-qrcode.readthedocs.io",
    "issues": "https://github.com/chillerlan/php-qrcode/issues",
    "source": "https://github.com/chillerlan/php-qrcode"
                },
"funding": [
                     {
                           "url": "https://ko-fi.com/codemasher",
"type": "Ko-Fi"
                     }
                ],
"time": "2024-11-21T16:12:34+00:00"
                "name": "chillerlan/php-settings-container",
                "name": "chillerlan/pnp-settings-container",

"version": "3.2.1",

"source": {
    "type": "git",
    "url": "https://github.com/chillerlan/php-settings-container.git",
    "reference": "95ed3e9676a1d47cab2e3174d19b43f5dbf52681"
               },
"dist": {
   "+vne
                     "type": "zip",
"url": "https://api.github.com/repos/chillerlan/php-settings-
container/zipball/95ed3e9676a1d47cab2e3174d19b43f5dbf52681"
                     "reference": "95ed3e9676a1d47cab2e3174d19b43f5dbf52681",
"shasum": ""
               },
"require": {
    "ext-json": "*",
    "php": "^8.1"
               "phpstan/phpstan-deprecation-rules": "^1.2", "phpunit/phpunit": "^10.5",
```

```
"squizlabs/php codesniffer": "^3.10"
               },
"type": "library",
               "autoload": {
    "psr-4":
                         "chillerlan\\Settings\\": "src"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
               "authors": [
                    {
                         "name": "Smiley",
"email": "smiley@chillerlan.net",
"homepage": "https://github.com/codemasher"
               ],
"description": "A container class for immutable settings objects. Not a DI container.",
               "homepage": "https://github.com/chillerlan/php-settings-container", "keywords": [
                     "Settings"
                    "configuration",
                    "container",
                    "helper"
                'support": {
    "issues": "https://github.com/chillerlan/php-settings-container/issues",
    "issues": "https://github.com/chillerlan/php-settings-container"
                    "source": "https://github.com/chillerlan/php-settings-container"
               },
"funding": [
                    {
                         "url": "https://www.paypal.com/donate?hosted_button_id=WLYUNAT9ZTJZ4",
"type": "custom"
                    {
                         "url": "https://ko-fi.com/codemasher",
"type": "ko_fi"
               ],
"time": "2024-07-16T11:13:48+00:00"
          },
{
               "name": "danharrin/date-format-converter",
"version": "v0.3.1",
               "source": {
                    "type": "git",
"url": "https://github.com/danharrin/date-format-converter.git",
"reference": "7c31171bc981e48726729a5f3a05a2d2b63f0b1e"
               },
"dist": {
"reference": "7c31171bc981e48726729a5f3a05a2d2b63f0b1e",
                    "shasum":
               },
"require": {
    "php": "^7.2|^8.0"
               },
"type": "library",
               "autoload": {
    "files":
                         "src/helpers.php",
                         "src/standards.php"
                    ],
"psr-4": {
"DanHa
                         "DanHarrin\\DateFormatConverter\\": "src/"
               "notification-url": "https://packagist.org/downloads/",
               "license": [
```

```
"MIT"
                 ],
"authors": [
                             "name": "Dan Harrin",
"email": "dan@danharrin.com"
                 ],
"description": "Convert token-based date formats between standards.",
                 "homepage": "https://github.com/danharrin/date-format-converter",
"support": {
    "issues": "https://github.com/danharrin/date-format-converter/issues",
                       "source": "https://github.com/danharrin/date-format-converter"
                 },
"funding": [
                       {
                             "url": "https://github.com/danharrin",
"type": "github"
                       }
                 ],
"time": "2024-06-13T09:38:44+00:00"
           },
{
                 "name": "danharrin/livewire-rate-limiting",
                 "version": "v2.1.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/danharrin/livewire-rate-limiting.git",
    "reference": "14dde653a9ae8f38af07a0ba4921dc046235e1a0"
                 },
"dist": {
   "+ype
"reference": "14dde653a9ae8f38af07a0ba4921dc046235e1a0",
"shasum": ""
                       "shasum":
                 },
"require": {
"'''min;
                       "illuminate/support": "^9.0|^10.0|^11.0|^12.0",
                       "php": "^8.0"
                },
"require-dev": {
    "livewire/livewire": "^3.0",
    "livewire/volt": "^1.3",
    "orchestra/testbench": "^7.0|^8.0|^9.0|^10.0",
    "phpunit/phpunit": "^9.0|^10.0|^11.5.3"
                 "DanHarrin\\LivewireRateLimiting\\": "src"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
                  "authors": [
                       {
                             "name": "Dan Harrin",
                             "email": "dan@danharrin.com"
                 "description": "Apply rate limiters to Laravel Livewire actions.",
"homepage": "https://github.com/danharrin/livewire-rate-limiting",
"support": {
    "issues": "https://github.com/danharrin/livewire-rate-limiting/issues",
                       "source": "https://github.com/danharrin/livewire-rate-limiting'
                 },
"funding": [
                       {
                             "url": "https://github.com/danharrin",
"type": "github"
```

```
],
"time": "2025-02-21T08:52:11+00:00"
              },
{
                      "name": "dflydev/dot-access-data",
                      "version": "v3.0.3",
                     "source": {
    "type": "git",
    "url": "https://github.com/dflydev/dflydev-dot-access-data.git",
    "reference": "a23a2bf4f31d3518f3ecb38660c95715dfead60f"
                     },
"dist": {
"type": "zip",

"url": "https://api.github.com/repos/dflydev/dflydev-dot-access-data/zipball/a23a2bf4f31d3518f3ecb38660c95715dfead60f",
                             "reference": "a23a2bf4f31d3518f3ecb38660c95715dfead60f",
                            "shasum":
                     },
"require": {
    "php": "^7.1 || ^8.0"
                    },
"require-dev": {
    "phpstan/phpstan": "^0.12.42",
    "phpunit/phpunit": "^7.5 || ^8.5 || ^9.3",
    "scrutinizer/ocular": "1.6.0",
    "squizlabs/php_codesniffer": "^3.5",
    "vimeo/psalm": "^4.0.0"
                     },
"type": "library",
"extra": {
    "branch-alias"
                            "branch-alias": {
    "dev-main": "3.x-dev"
                            }
                     },
"autoload": {
    "psr-4": {
        "nflyd
                                    "Dflydev\\DotAccessData\\": "src/"
                      },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
"MIT"
                     ],
"authors": [
                                   "name": "Dragonfly Development Inc.",
"email": "info@dflydev.com",
"homepage": "http://dflydev.com"
                            },
{
                                    "name": "Beau Simensen",
"email": "beau@dflydev.com",
                                    "homepage": "http://beausimensen.com"
                            },
{
                                   "name": "Carlos Frutos",
"email": "carlos@kiwing.it",
"homepage": "https://github.com/cfrutos"
                                    "name": "Colin O'Dell",
"email": "colinodell@gmail.com",
                                    "homepage": "https://www.colinodell.com"
                      "description": "Given a deep data structure, access data by dot notation.", "homepage": "https://github.com/dflydev/dflydev-dot-access-data",
                     "keywords": [
"access",
                            "data",
                            "dot"
                            "notation"
```

```
"support": {
    "issues": "https://github.com/dflydev/dflydev-dot-access-data/issues",
                     "source": "https://github.com/dflydev/dflydev-dot-access-data/tree/v3.0.3"
                },
"time": "2024-07-08T12:26:09+00:00"
          },
{
                "name": "doctrine/deprecations",
                "name": "doctrine/deprecations,

"version": "1.1.5",

"source": {
    "type": "git",
    "url": "https://github.com/doctrine/deprecations.git",
    ""forces": "450c2f5ddd6346343h5f46ee2h1c40f57d3f38
                     "reference": "459c2f5dd3d6a4633d3b5f46ee2b1c40f57d3f38"
               },
"dist": {
                     "type": "zip",
"url": "https://api.github.com/repos/doctrine/deprecations/zipball/459c2f5dd3d6a4633
d3b5f46ee2b1c40f57d3f38",
                     "reference": "459c2f5dd3d6a4633d3b5f46ee2b1c40f57d3f38",
                     "shasum":
               },
"require": {
    "php": "^7.1 || ^8.0"
                },
"conflict": {
    " bounit/
                     "phpunit/phpunit": "<=7.5 || >=13"
               },
"require-dev": {
    "doctrine/coding-standard": "^9 || ^12 || ^13",
    "phpstan/phpstan": "1.4.10 || 2.1.11",
    "phpstan/phpstan-phpunit": "^1.0 || ^2",
    "phpunit/phpunit": "^7.5 || ^8.5 || ^9.6 || ^10.5 || ^11.5 || ^12",
    "psr/log": "^1 || ^2 || ^3"
               },
"suggest": {
    "psr/log": "Allows logging deprecations via PSR-3 logger implementation"
                 'type": "library",
                "Doctrine\\Deprecations\\": "src"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"description": "A small layer on top of trigger_error(E_USER_DEPRECATED) or PSR-3
'issues: "https://github.com/doctrine/deprecations/issues"
                     "source": "https://github.com/doctrine/deprecations/tree/1.1.5"
                },
"time": "2025-04-07T20:06:18+00:00"
          },
{
                "name": "doctrine/inflector",
                "version": "2.1.0".
               "version : 2.1.0 ,
"source": {
    "type": "git",
    "url": "https://github.com/doctrine/inflector.git",
    "reference": "6d6c96277ea252fc1304627204c3d5e6e15faa3b"
               },
"dist": {
"+ype
                     "type": "zip",
"url":
"https://api.github.com/repos/doctrine/inflector/zipball/6d6c96277ea252fc1304627204c3d5e6e15faa3b",
                     "reference": "6d6c96277ea252fc1304627204c3d5e6e15faa3b",
                     "shasum":
                },
"require": {
```

```
"php": "^7.2 || ^8.0"
                   },
"require-dev": {
                         quire-dev": {
  "doctrine/coding-standard": "^12.0 || ^13.0",
  "phpstan/phpstan": "^1.12 || ^2.0",
  "phpstan/phpstan-phpunit": "^1.4 || ^2.0",
  "phpstan/phpstan-strict-rules": "^1.6 || ^2.0",
  "phpunit/phpunit": "^8.5 || ^12.2"
                   },
"type": "library",
                   "Doctrine\\Inflector\\": "src"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"authors": [
                          {
                                "name": "Guilherme Blanco",
"email": "guilhermeblanco@gmail.com"
                         },
                                "name": "Roman Borschel",
"email": "roman@code-factory.org"
                                "name": "Benjamin Eberlei",
"email": "kontakt@beberlei.de"
                                "name": "Jonathan Wage",
"email": "jonwage@gmail.com"
                                "name": "Johannes Schmitt",
"email": "schmittjoh@gmail.com"
                   ],
"description": "PHP Doctrine Inflector is a small library that can perform string
manipulations with regard to upper/lowercase and singular/plural forms of words.",

"homepage": "https://www.doctrine-project.org/projects/inflector.html",

"keywords": [

"inflection",

"inflection",
                          "inflector",
                          "lowercase"
                          "manipulation",
                         "php",
"plural"
                          "singular",
                          "strings"
                          "uppercase",
                          "words"
                   ],
"support": {
    "issues": "https://github.com/doctrine/inflector/issues"
    "https://nithub.com/doctrine/inflector/tree/2.
                          "source": "https://github.com/doctrine/inflector/tree/2.1.0"
                   },
"funding": [
                                "url": "https://www.doctrine-project.org/sponsorship.html",
"type": "custom"
                                "url": "https://www.patreon.com/phpdoctrine",
"type": "patreon"
                                "url": "https://tidelift.com/funding/github/packagist/doctrine%2Finflector",
                                "type": "tidelift"
                         }
```

```
],
"time": "2025-08-10T19:31:58+00:00"
          },
{
               "name": "doctrine/lexer",
               "version": "3.0.1",
               "source": {
    "type": "git",
    "url": "https://github.com/doctrine/lexer.git",
    "reference": "3lad66abc0fc9elalf2d9bc6a42668d2fbbcd6dd"
               },
"dist": {
                    "type": "zip",
                    "url":
"shasum":
               },
"require": {
    "php": "^8.1"
              },
"require-dev": {
    "doctrine/coding-standard": "^12",
    "phpstan/phpstan": "^1.10",
    "phpunit/phpunit": "^10.5",
    "scalm/plugin-phpunit": "^0.18.3",
                    "psalm/plugin-phpunit": "^0.18.3", "vimeo/psalm": "^5.21"
               },
"type": "library",
               "Doctrine\\Common\\Lexer\\": "src"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                         "name": "Guilherme Blanco",
"email": "guilhermeblanco@gmail.com"
                         "name": "Roman Borschel",
"email": "roman@code-factory.org"
                    },
                         "name": "Johannes Schmitt",
"email": "schmittjoh@gmail.com"
                    }
               ],
"description": "PHP Doctrine Lexer parser library that can be used in Top-Down,
"annotations",
                    "docblock",
                    "lexer"
                    "parser",
                    "php"
               ],
"support": {
    "issues": "https://github.com/doctrine/lexer/issues",
    "source": "https://github.com/doctrine/lexer/tree/3.0.1"
               },
"funding": [
                    {
                         "url": "https://www.doctrine-project.org/sponsorship.html",
"type": "custom"
                         "url": "https://www.patreon.com/phpdoctrine",
```

```
"type": "patreon"
                   },
{
                        "url": "https://tidelift.com/funding/github/packagist/doctrine%2Flexer",
"type": "tidelift"
               ],
"time": "2024-02-05T11:56:58+00:00"
         },
{
               "name": "dragonmantank/cron-expression",
               "version": "v3.4.0",
"source": {
                   "type": "git",
"url": "https://github.com/dragonmantank/cron-expression.git",
"reference": "8c784d071debd117328803d86b2097615b457500"
              },
"dist": {
"reference": "8c784d071debd117328803d86b2097615b457500",
                    "shasum":
              },
"require": {
    "php": "^7.2|^8.0",
    "webmozart/assert": "^1.0"
              },
"replace": {
    "mtdowling/cron-expression": "^1.0"
              "phpstan/extension-installer": "^1.0",
"phpstan/phpstan": "^1.0",
"phpunit/phpunit": "^7.0|^8.0|^9.0"
              },
"type": "library",
               "extra": {
                   "branch-alias": {
"dev-master": "3.x-dev"
               "Cron\\": "src/Cron/"
               "notification-url": "https://packagist.org/downloads/",
               "license": [
                    "MIT"
               ],
                .,
'authors": Γ
                   {
                        "name": "Chris Tankersley",
"email": "chris@ctankersley.com"
                        "homepage": "https://github.com/dragonmantank"
               ], "description": "CRON for PHP: Calculate the next or previous run date and determine if a
CRON expression is due", "keywords": [
                    "cron"
                    "schedule"
                'support": {
    "issues": "https://github.com/dragonmantank/cron-expression/issues",
                    "source": "https://github.com/dragonmantank/cron-expression/tree/v3.4.0"
              },
"funding": [
                        "url": "https://github.com/dragonmantank",
"type": "github"
                    }
```

```
],
"time": "2024-10-09T13:47:03+00:00"
          },
{
                "name": "egulias/email-validator", "version": "4.0.4",
                "version: 4.0.4,
"source": {
    "type": "git",
    "url": "https://github.com/egulias/EmailValidator.git",
    "reference": "d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa"
                },
"dist": {
                     rtype": "zip",
"type": "zip",
"url": "https://api.github.com/repos/egulias/EmailValidator/zipball/d42c8731f0624ad6
bdc8d3e5e9a4524f68801cfa",
                      "reference": "d42c8731f0624ad6bdc8d3e5e9a4524f68801cfa",
                      "shasum":
                },
"require": {
                      "doctrine/lexer": "^2.0 || ^3.0",
                      "php": ">=8.1"
                      "symfony/polyfill-intl-idn": "^1.26"
                'suggest": {
    "ext-intl": "PHP Internationalization Libraries are required to use the
SpoofChecking validation"
                },
"type": "library",
                "extra": {
                      "branch-alias": {
    "dev-master": "4.0.x-dev"
               },
"autoload": {
    "psr-4": '
"Equl
                           "Egulias\\EmailValidator\\": "src"
                "notification-url": "https://packagist.org/downloads/",
                "license": [
                      "MIT"
                ],
                 "authors": [
                     {
                           "name": "Eduardo Gulias Davis"
                     }
                1,
  "description": "A library for validating emails against several RFCs",
  "homepage": "https://github.com/egulias/EmailValidator",
  "keywords": [
        "email",
        "amailvalidation"
                      "emailvalidator",
                      "validation",
                      "validator"
                ],
"support": {
    "issues": "https://github.com/egulias/EmailValidator/issues",
    "bttps://github.com/egulias/EmailValidator/tree/4.6
                      "source": "https://github.com/egulias/EmailValidator/tree/4.0.4"
                },
"funding": [
                     {
                           "url": "https://github.com/egulias",
                           "type": "github"
                 .,
"time": "2025-03-06T22:45:56+00:00"
          },
{
```

```
"name": "fidry/cpu-core-counter",
                   "version": "1.3.0",
                   "source": {
    "type": "git",
    "url": "https://github.com/theofidry/cpu-core-counter.git",
    "reference": "db9508f7b1474469d9d3c53b86f817e344732678"
                  },
"dist": {
   "+ype
"type": "zip",

"url": "https://api.github.com/repos/theofidry/cpu-core-
counter/zipball/db9508f7b1474469d9d3c53b86f817e344732678",
                         },
"require": {
    "php": "^7.2 || ^8.0"
                  "fidry/makefile": "^0.2.0",
"fidry/php-cs-fixer-config": "^1.1.2"
                         "phpstan/extension-installer": "^1.2.0", "phpstan/phpstan": "^2.0",
                        "phpstan/phpstan": "^2.0",
"phpstan/phpstan-deprecation-rules": "^2.0.0",
"phpstan/phpstan-phpunit": "^2.0",
"phpstan/phpstan-strict-rules": "^2.0",
"phpunit/phpunit": "^8.5.31 || ^9.5.26",
"webmozarts/strict-phpunit": "^7.5"
                  },
"type": "library",
                   "autoload": {
    "psr-4":
                               "Fidry\\CpuCoreCounter\\": "src/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"authors": [
                         {
                               "name": "Théo FIDRY",
"email": "theo.fidry@gmail.com"
                   ],
"description": "Tiny utility to get the number of CPU cores.",
                   "keywords": [
"CPU",
                         "core"
                   ],
"support": {
    "issues": "https://github.com/theofidry/cpu-core-counter/issues",
    "bttps://github.com/theofidry/cpu-core-counter/tree/1.3
                         "source": "https://github.com/theofidry/cpu-core-counter/tree/1.3.0"
                  },
"funding": [
                         {
                               "url": "https://github.com/theofidry",
"type": "github"
                   ],
"time": "2025-08-14T07:29:31+00:00"
            },
{
                   "name": "filament/actions",
                   "version": "v4.0.3",
                   "source": {
    "type": "git",
    "url": "https://github.com/filamentphp/actions.git",
    "reference": "62572b3e8947444ae95fa332cb96782clea3ce88"
                  },
"dist": {
"''''PP
                         "type": "zip",
"url":
"https://api.github.com/repos/filamentphp/actions/zipball/62572b3e8947444ae95fa332cb96782c1ea3ce88",
```

```
"reference": "62572b3e8947444ae95fa332cb96782c1ea3ce88",
                          "shasum": ""
                   anourvalar/eloquent-serialize": "^1.2",
                         "filament/infolists": "self.version",
"filament/infolists": "self.version"
                          "filament/notifications": "self.version",
                         "filament/notifications: Setr.ver
"filament/support": "self.version",
"league/csv": "^9.16",
"openspout/openspout": "^4.23",
"php": "^8.2"
                   },
"type": "library",
"extra": {
    "loravel": {
                          "laravel": {
                                 "providers": [
                                       "Filament\\Actions\\ActionsServiceProvider"
                         }

//
autoload": {
    "psr-4": {
        "Filament\\Actions\\": "src"
}

                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"description": "Easily add beautiful action modals to any Livewire component.",
"homepage": "https://github.com/filamentphp/filament",
                   "support": {
    "issues": "https://github.com/filamentphp/filament/issues",
                          "source": "https://github.com/filamentphp/filament"
                   },
"time": "2025-08-19T09:14:20+00:00"
            },
{
                   "name": "filament/filament",
                   "version": "v4.0.3",
                   "source": {
   "type": "git",
   "url": "https://github.com/filamentphp/panels.git",
   "reference": "e32aba103a7549bf47f9b603865182b18aa4a962"
                   },
"dist": {
"''ne
                         "type": "zip",
"url":
"https://api.github.com/repos/filamentphp/panels/zipball/e32aba103a7549bf47f9b603865182b18aa4a962",
                          "reference": "e32aba103a7549bf47f9b603865182b18aa4a962",
                          "shasum":
                   },
"require": {
    " '-:ler
                           "chillerlan/php-qrcode": "^5.0"
                         "chillerlan/php-qrcode": "^5.0",
"filament/actions": "self.version",
"filament/forms": "self.version",
"filament/infolists": "self.version",
"filament/octifications": "self.version",
"filament/schemas": "self.version",
"filament/support": "self.version",
"filament/tables": "self.version",
"filament/widgets": "self.version",
"php": "^8 2"
                          "php": "^8.2"
                         "pragmarx/google2fa": "^8.0",
"pragmarx/google2fa-qrcode": "^3.0"
                   },
"type": "library",
                   "extra": {
                          "laravel": {
                                 "providers": [
                                       "Filament\\FilamentServiceProvider"
                                ]
```

```
}
                                "psr-4": {
                                                         "Filament\\": "src"
                                  },
"notification-url": "https://packagist.org/downloads/",
                                  "license": [
                                  ],
"description": "A collection of full-stack components for accelerated Laravel app
development."
                                  "homepage": "https://github.com/filamentphp/filament",
                                  "support": {
    "issues": "https://github.com/filamentphp/filament/issues",
                                             "source": "https://github.com/filamentphp/filament
                                  },
"time": "2025-08-19T09:14:22+00:00"
                      },
{
                                  "name": "filament/forms",
                                  "version": "v4.0.3",
                                  "source": {
    "type": "git",
    "url": "https://github.com/filamentphp/forms.git",
    "reference": "73cf795fbeedebb2aa4413fe68110cf753bcd753"
                                 },
"dist": {
                                              "type": "zip".
                                             "url":
"https://api.github.com/repos/filamentphp/forms/zipball/73cf795fbeedebb2aa4413fe68110cf753bcd753", and the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of t
                                             "reference": "73cf795fbeedebb2aa4413fe68110cf753bcd753",
"shasum": ""
                                  "filament/schemas": "self.version",
"filament/schemas": "self.version",
"filament/support": "self.version",
                                             "php": "^8.2
                                             "ueberdosis/tiptap-php": "^2.0"
                                 },
"type": "library",
"extra": {
    "'aravel": {
                                             "laravel": {
                                                         "providers": [
                                                                     "Filament\\Forms\\FormsServiceProvider"
                                                         ]
                                             }
                                 "src/helpers.php"
                                             ],
"psr-4": {
                                                        "Filament\\Forms\\": "src"
                                  },
"notification-url": "https://packagist.org/downloads/",
                                  "license": [
"MIT"
                                  ],
"description": "Easily add beautiful forms to any Livewire component.",
                                  "homepage": "https://github.com/filamentphp/filament/;
"support": {
    "issues": "https://github.com/filamentphp/filament/issues",
    "source": "https://github.com/filamentphp/filament"
                                  },
```

```
"time": "2025-08-19T09:14:28+00:00"
          },
{
                "name": "filament/infolists",
                "version": "v4.0.3",
                "source": {
                    "type": "git",
"url": "https://github.com/filamentphp/infolists.git"
                     "reference": "18ecdb29af0ba791176ae130448f30932b96319d"
               },
"dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/filamentphp/infolists/zipball/18ecdb29af0ba7911
76ae130448f30932b96319d",
                     "shasum":
               },
"require": {
                    "filament/actions": "self.version",
"filament/schemas": "self.version",
"filament/support": "self.version",
                     "php": "^8.2
               },
"type": "library",
"extra": {
    "'aravel": {
                          "providers": [
                               "Filament\\Infolists\\InfolistsServiceProvider"
                          1
                    }
               },
"autoload": {
    "psr-4": {
    "Filam
                         "Filament\\Infolists\\": "src"
               },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
               ],
"description": "Easily add beautiful read-only infolists to any Livewire component.",
               "homepage": "https://github.com/filamentphp/filament",
"support": {
    "issues": "https://github.com/filamentphp/filament/issues",
                     "source": "https://github.com/filamentphp/filament"
               },
"time": "2025-08-18T22:19:29+00:00"
          },
{
                "name": "filament/notifications",
                "version": "v4.0.3",
                "source": {
                    "type": "git",
"url": "https://github.com/filamentphp/notifications.git",
"reference": "7f66df600982cacb8570bd3e8559a706a8151057"
               },
"dist": {
"*'ne
},
"require": {
                    "filament/actions": "self.version",
"filament/support": "self.version",
"php": "^8.2"
               },
"type": "library",
"extra": {
    "loravel": {
                     "laravel": {
                          "providers": [
                               "Filament\\Notifications\\NotificationsServiceProvider"
```

```
]
                  }
               ,
'autoload": {
    "files":
                       "src/Testing/helpers.php"
                   "psr-4": {
                       "Filament\\Notifications\\": "src"
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              "source": "https://github.com/filamentphp/filament"
              },
"time": "2025-08-15T11:44:04+00:00"
         },
{
              "name": "filament/schemas",
              "version": "v4.0.3",
              "source": {
    "type": "git",
    "url": "https://github.com/filamentphp/schemas.git",
    "reference": "7ecfa3550ac4aaf7241b61327f6634d68d568767"
              },
"dist": {
"*'ne
                   "type": "zip",
                   "url":
},
"require": {
    "'anharr
                   "danharrin/date-format-converter": "^0.3",
                  "filament/actions": "self.version",
"filament/support": "self.version",
"php": "^8.2"
             },
"type": "library",
"extra": {
    "loravel": {
                   "laravel": {
                       "providers": [
                            "Filament\\Schemas\\SchemasServiceProvider"
                  }
               'autoload": {
    "psr-4": {
    "Filament\\Schemas\\": "src"
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              "description": "Easily add beautiful UI to any Livewire component.",
              "homepage": "https://github.com/filamentphp/filament",
              "support": {
    "issues": "https://github.com/filamentphp/filament/issues",
    "source": "https://github.com/filamentphp/filament"
              },
"time": "2025-08-18T22:19:37+00:00"
         },
{
              "name": "filament/support",
              "version": "v4.0.3",
"source": {
```

```
"type": "git",
"url": "https://github.com/filamentphp/support.git",
"reference": "a381275362f3d5a69989e50d8199495d1f99a90a"
                },
"dist": {
    "type": "zip",
    "".
"https://api.github.com/repos/filamentphp/support/zipball/a381275362f3d5a69989e50d8199495d1f99a90a",
                      "shasum":
                },
"require": {
                      "blade-ui-kit/blade-heroicons": "^2.5"
                      "danharrin/livewire-rate-limiting": "^2.0",
                      "ext-intl": "*"
                      "illuminate/contracts": "^11.28|^12.0",
                      "ittuminate/contracts": "^11.28|^12.0",

"kirschbaum-development/eloquent-power-joins": "^4.0",

"league/uri-components": "^7.0",

"livewire/livewire": "^3.5",

"nette/php-generator": "^4.0",

"php": "^8.2",

"reversishendler/blode contume directive": "^1.0"
                      "ryangjchandler/blade-capture-directive": "^1.0", "spatie/invade": "^2.0", "spatie/laravel-package-tools": "^1.9",
                      "symfony/console": "^7.0",
"symfony/html-sanitizer": "^7.0"
                },
"type": "library",
"extra": {
    "loravel": {
                      "laravel": {
                            "providers": [
                                 "Filament\\Support\\SupportServiceProvider"
                            1
                      }
                "src/helpers.php"
                      ],
"psr-4": {
                            "Filament\\Support\\": "src"
                },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 description": "Core helper methods and foundation code for all Filament packages.", "homepage": "https://github.com/filamentphp/filament",
                 "support": {
    "issues": "https://github.com/filamentphp/filament/issues",
                      "source": "https://github.com/filamentphp/filament"
                },
"time": "2025-08-19T09:14:22+00:00"
                "name": "filament/tables",
"version": "v4.0.3",
                "source": {
    "type": "git",
    "url": "https://github.com/filamentphp/tables.git",
    "reference": "6d9a9b3db2a4d10265cde72c80e235bc63ec6873"
               "https://api.github.com/repos/filamentphp/tables/zipball/6d9a9b3db2a4d10265cde72c80e235bc63ec6873",
                      },
"require": {
                      "filament/actions": "self.version",
"filament/forms": "self.version",
```

```
"filament/support": "self.version",
                       "php": "^8.2
                 "type": "library",
"extra": {
    "laravel": {
                            "providers": [
                                  "Filament\\Tables\\TablesServiceProvider"
                       }
                },
"autoload": {
    "psr-4": {
    "Filam
                            "Filament\\Tables\\": "src"
                       }
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
"description": "Easily add beautiful tables to any Livewire component.",
"homepage": "https://github.com/filamentphp/filament",
"support": {
    "issues": "https://github.com/filamentphp/filament/issues",
    """ "https://github.com/filamentphp/filament"
                       "source": "https://github.com/filamentphp/filament"
                 },
"time": "2025-08-19T09:14:15+00:00"
           },
{
                 "name": "filament/widgets",
                 "version": "v4.0.3",
                 "source": {
                       "type": "git",
"type": "git",
"url": "https://github.com/filamentphp/widgets.git",
"reference": "1941f9f3f7f728f64a5d7794a5ff7db64708f5ce"
                 },
"dist": {
"''''PP
                       "type": "zip",
                       "url":
"shasum":
                 },
"require": {
                       "filament/schemas": "self.version",
"filament/support": "self.version",
                       "php": "^8.2
                 },
"type": "library",
"extra": {
    "'aravel": {
                             "providers": [
                                   "Filament\\Widgets\\WidgetsServiceProvider"
                       }
                },
"autoload": {
"psr-4": {
"Filam
                            "Filament\\Widgets\\": "src"
                 "notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 "description": "Easily add beautiful dashboard widgets to any Livewire component.",
"homepage": "https://github.com/filamentphp/filament",
"support": {
                       "issues": "https://github.com/filamentphp/filament/issues",
"source": "https://github.com/filamentphp/filament"
                 },
"time": "2025-08-18T22:19:38+00:00"
           },
```

```
{
                 "name": "filp/whoops",
                 "version": "2.18.4",
                 "source": {
    "type": "git",
    "url": "https://github.com/filp/whoops.git",
    "reference": "d2102955e48b9fd9ab24280a7ad12ed552752c4d"
                 },
"dist": {
"''''PP
                       "type": "zip",
"url":
"https://api.github.com/repos/filp/whoops/zipball/d2102955e48b9fd9ab24280a7ad12ed552752c4d",
                       "reference": "d2102955e48b9fd9ab24280a7ad12ed552752c4d",
"shasum": ""
                },
"require": {
    "php": "^7.1 || ^8.0",
    "psr/log": "^1.0.1 || ^2.0 || ^3.0"
                 uire-dev": {
"mockery/mockery": "^1.0",
"phpunit/phpunit": "^7.5.20 || ^8.5.8 || ^9.3.3",
"symfony/var-dumper": "^4.0 || ^5.0"
                 },
"suggest": {
    "...mfony
                        symfony/var-dumper": "Pretty print complex values better with var-dumper"
available",
                       "whoops/soap": "Formats errors as SOAP responses"
                 },
"type": "library",
"extra": {
                       "branch-alias": {
    "dev-master": "2.7-dev"
                 },
"autoload": {
    "psr-4": {
    "Whoop:
                             "Whoops\\": "src/Whoops/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 ],
"authors": [
                       {
                             "name": "Filipe Dobreira",
                             "homepage": "https://github.com/filp",
                             "role": "Developer"
                       }
                 "description": "php error handling for cool kids",
"homepage": "https://filp.github.io/whoops/",
"keywords": [
                        "error"
                       "exception",
                       "handling",
"library",
                       "throwable",
                       "whoops"
                 ],
"support": {
    "issues": "https://github.com/filp/whoops/issues",
    "source": "https://github.com/filp/whoops/tree/2.18.4"
                 },
"funding": [
                       {
                             "url": "https://github.com/denis-sokolov",
"type": "github"
                 ],
"time": "2025-08-08T12:00:00+00:00"
           },
```

```
{
                 "name": "fruitcake/php-cors",
                 "version": "v1.3.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/fruitcake/php-cors.git",
    "reference": "3d158f36e7875e2f040f37bc0573956240a5a38b"
                       "type": "zip",
"url": "https://api.github.com/repos/fruitcake/php-
cors/zipball/3d158f36e7875e2f040f37bc0573956240a5a38b"
                       "reference": "3d158f36e7875e2f040f37bc0573956240a5a38b",
"shasum": ""
                },
"require": {
    "php": "^7.4|^8.0",
    "symfony/http-foundation": "^4.4|^5.4|^6|^7"
                 "phpstan/phpstan": "^1.4",
"phpunit/phpunit": "^9",
                       "squizlabs/php_codesniffer": "^3.5"
                 },
"type": "library",
"extra": {
                       "branch-alias": {
    "dev-master": "1.2-dev"
                 },
"autoload": {
    "psr-4": {
    "Fruit
                             "Fruitcake\\Cors\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 ],
"authors": [
                       {
                             "name": "Fruitcake",
"homepage": "https://fruitcake.nl"
                             "name": "Barryvdh",
"email": "barryvdh@gmail.com"
                 ],
"description": "Cross-origin resource sharing library for the Symfony HttpFoundation",
                 "homepage": "https://github.com/fruitcake/php-cors",
"keywords": [
    "cors",
"."
                       "laravel",
"symfony"
                 ],
"support": {
    "issues": "https://github.com/fruitcake/php-cors/issues",
    "source": "https://github.com/fruitcake/php-cors/tree/v1.3.0"
                 },
"funding": [
                       {
                             "url": "https://fruitcake.nl",
"type": "custom"
                             "url": "https://github.com/barryvdh",
"type": "github"
                  "time": "2023-10-12T05:21:21+00:00"
           },
{
```

```
"name": "graham-campbell/result-type",
                "version": "v1.1.3",
"source": {
    "type": "git",
    "url": "https://github.com/GrahamCampbell/Result-Type.git",
    "reference": "3ba905c11371512af9d9bdd27d99b782216b6945"
               },
"dist": {
   "+ype
},
"require": {
    "php": "^7.2.5 || ^8.0",
    "phpoption/phpoption": "^1.9.3"
                      "phpunit/phpunit": "^8.5.39 || ^9.6.20 || ^10.5.28"
                },
"type": "library",
                "GrahamCampbell\\ResultType\\": "src/"
                 .,
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
                "authors": [
                     {
                          "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
                           "homepage": "https://github.com/GrahamCampbell"
                ],
"description": "An Implementation Of The Result Type",
                "keywords": [
                      "Graham Campbell",
                     "GrahamCampbell",
                     "Result Type", "Result-Type",
                     "result"
                ],
"support": {
    "issues": "https://github.com/GrahamCampbell/Result-Type/issues",
    "bttps://github.com/GrahamCampbell/Result-Type/tree/v1
                     "source": "https://github.com/GrahamCampbell/Result-Type/tree/v1.1.3"
                },
"funding": [
                          "url": "https://github.com/GrahamCampbell",
"type": "github"
                     },
                          "url": "https://tidelift.com/funding/github/packagist/graham-campbell/result-
type",
                          "type": "tidelift"
                ],
"time": "2024-07-20T21:45:45+00:00"
          },
{
                "name": "guzzlehttp/guzzle",
                "version": "7.10.0",
                "source": {
    "type": "git",
    "url": "https://github.com/guzzle/guzzle.git",
    "reference": "b5lac707cfa420b7bfd4e4d5e510ba8008e822b4"
                },
"dist": {
"*'ne
                     "type": "zip",
```

```
"url":
"https://api.github.com/repos/guzzle/guzzle/zipball/b51ac707cfa420b7bfd4e4d5e510ba8008e822b4",
                          ..as..com,repos,guzzte/guzzte/zipbatt/b5iac/0/CTa420b/bTd4
"reference": "b51ac707cfa420b7bfd4e4d5e510ba8008e822b4",
"shasum": ""
                          "shasum":
                   },
"require": {
    iso
                          ext-json": "*"
                          "quzzlehttp/promises": "^2.3",
                         "guzzlehttp/psr7": "^2.8",
"php": "^7.2.5 || ^8.0",
"psr/http-client": "^1.0",
                          "symfony/deprecation-contracts": "^2.2 || ^3.0"
                   "psr/http-client-implementation": "1.0"
                   "bamarni/composer-bin-plugin": "^1.8.2",
                          "ext-curl": "*'
                          "guzzle/client-integration-tests": "3.0.2",
                         "php-http/message-factory": "^1.1", "phpunit/phpunit": "^8.5.39 || ^9.6.20", "psr/log": "^1.1 || ^2.0 || ^3.0"
                   },
"suggest": {
    "ext-curl": "Required for CURL handler support",
    "ext-intl": "Required for Internationalized Domain Name (IDN) support",
    "psr/log": "Required for using the Log middleware"
                   },
"type": "library",
"extra": {
    "'amarni-bin":
                          "bamarni-bin": {
    "bin-links": true,
    "forward-command": false
                  },
  "autoload": {
    "files": [
        "src/functions_include.php"
                          "psr-4": {
                                "GuzzleHttp\\": "src/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"authors": [
                         {
                                "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
                                 "homepage": "https://github.com/GrahamCampbell"
                         },
{
                                "name": "Michael Dowling",
"email": "mtdowling@gmail.com",
"homepage": "https://github.com/mtdowling"
                         },
{
                                "name": "Jeremy Lindblom",
"email": "jeremeamia@gmail.com",
"homepage": "https://github.com/jeremeamia"
                                "name": "George Mponos",
"email": "gmponos@gmail.com",
"homepage": "https://github.com/gmponos"
                                "name": "Tobias Nyholm",
"email": "tobias.nyholm@gmail.com"
                                "homepage": "https://github.com/Nyholm"
```

```
},
{
                              "name": "Márk Sági-Kazár",
                              "email": "mark.sagikazar@gmail.com",
"homepage": "https://github.com/sagikazarmark"
                              "name": "Tobias Schultze",
"email": "webmaster@tubo-world.de",
"homepage": "https://github.com/Tobion"
                  "description": "Guzzle is a PHP HTTP client library",
                  "keywords": [
"client",
                       "curl",
"framework",
                        "http",
                        "http client",
                        "psr-18",
                        "psr-7",
                        "rest",
                        "web service"
                  ],
"support": {
    "issues": "https://github.com/guzzle/guzzle/issues",
    "source": "https://github.com/guzzle/guzzle/tree/7.10.0"
                  },
"funding": [
                        {
                              "url": "https://github.com/GrahamCampbell", "type": "github"
                              "url": "https://github.com/Nyholm",
"type": "github"
                        },
                              "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/guzzle", "type": "tidelift"
                        }
                  ],
"time": "2025-08-23T22:36:01+00:00"
           },
{
                  "name": "guzzlehttp/promises",
                  "name": "guzzlehttp/promises",
"version": "2.3.0",
"source": {
    "type": "git",
    "url": "https://github.com/guzzle/promises.git",
    "reference": "481557b130ef3790cf82b713667b43030dc9c957"
                 },
"dist": {
"+vne
                        "type": "zip",
                        "uṙl":
"shasum":
                  },
"require": {
    "php": "^7.2.5 || ^8.0"
                 },
"require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "phpunit/phpunit": "^8.5.44 || ^9.6.25"
                 },
"type": "library",
"extra": {
    "bamarni-bin":
                        "bamarni-bin": {
"bin-links": true,
                              "forward-command": false
                  },
```

```
"GuzzleHttp\\Promise\\": "src/"
                                        },
"notification-url": "https://packagist.org/downloads/",
                                        "license": [
"MIT"
                                       ],
"authors": [
                                                     {
                                                                   "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
                                                                   "homepage": "https://github.com/GrahamCampbell"
                                                     },
{
                                                                   "name": "Michael Dowling",
"email": "mtdowling@gmail.com",
                                                                   "homepage": "https://github.com/mtdowling"
                                                     },
{
                                                                  "name": "Tobias Nyholm",
"email": "tobias.nyholm@gmail.com",
"homepage": "https://github.com/Nyholm"
                                                     },
{
                                                                  "name": "Tobias Schultze",
"email": "webmaster@tubo-world.de",
"homepage": "https://github.com/Tobion"
                                         description": "Guzzle promises library",
                                        "keywords": [
"promise"
                                        "support": {
    "issues": "https://github.com/guzzle/promises/issues"

                                                      "source": "https://github.com/guzzle/promises/tree/2.3.0"
                                        },
"funding": [
                                                     {
                                                                   "url": "https://github.com/GrahamCampbell",
                                                                   "type": "github"
                                                    },
                                                                   "url": "https://github.com/Nyholm",
"type": "github"
                                                                   "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/promises", "type": "tidelift"
                                        ],
"time": "2025-08-22T14:34:08+00:00"
                          },
{
                                       "name": "guzzlehttp/psr7",
"version": "2.8.0",
"source": {
    "type": "git",
    "url": "https://github.com/guzzle/psr7.git",
    "reference": "21dc724a0583619cd1652f673303492272778051"
                                     "https://api.github.com/repos/guzzle/psr7/zipball/21dc724a0583619cd1652f673303492272778051", in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
                                                     "reference": "21dc724a0583619cd1652f673303492272778051",
"shasum": ""
                                      },
"require": {
    "php": "^7.2.5 || ^8.0",
    "psr/http-factory": "^1.0",
```

```
"psr/http-message": "^1.1 || ^2.0",
"ralouphie/getallheaders": "^3.0"
},
"provide": {
    "psr/http-factory-implementation": "1.0",
    "psr/http-message-implementation": "1.0"
 },
"require-dev": {
               | The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state o
 },
"suggest": {
    "laminas/laminas-httphandlerrunner": "Emit PSR-7 responses"
 },
"type": "library",
"extra": {
    "bamarni-bin":
               "bamarni-bin": {
    "bin-links": true,
    "forward-command": false
   autoload": {
"psr-4": '
                              "GuzzleHttp\\Psr7\\": "src/"
   .,
"notification-url": "https://packagist.org/downloads/",
 "license": [
"MIT"
 ],
"authors": [
               {
                              "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
                              "homepage": "https://github.com/GrahamCampbell"
               },
{
                             "name": "Michael Dowling",
"email": "mtdowling@gmail.com",
"homepage": "https://github.com/mtdowling"
               },
{
                             "name": "George Mponos",
"email": "gmponos@gmail.com",
"homepage": "https://github.com/gmponos"
                              "name": "Tobias Nyholm",
"email": "tobias.nyholm@gmail.com"
                              "homepage": "https://github.com/Nyholm"
               },
{
                              "name": "Márk Sági-Kazár",
"email": "mark.sagikazar@gmail.com"
                              "homepage": "https://github.com/sagikazarmark"
               },
{
                              "name": "Tobias Schultze",
"email": "webmaster@tubo-world.de"
                              "homepage": "https://github.com/Tobion"
               },
{
                              "name": "Márk Sági-Kazár",
"email": "mark.sagikazar@gmail.com"
                              "homepage": "https://sagikazarmark.hu"
  ],
"description": "PSR-7 message implementation that also provides common utility methods",
  "keywords": [
"http",
                "message",
                "psr-7",
```

```
"request",
                         "response",
                         "stream",
                        "uri",
"url"
                  ],
"support": {
    "issues": "https://github.com/guzzle/psr7/issues"
    "" "https://qithub.com/guzzle/psr7/tree/2.8
                         "source": "https://github.com/guzzle/psr7/tree/2.8.0"
                  },
"funding": [
                        {
                               "url": "https://github.com/GrahamCampbell",
                               "type": "github'
                               "url": "https://github.com/Nyholm",
"type": "github"
                               "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/psr7", "type": "tidelift"
                        }
                  ],
"time": "2025-08-23T21:21:41+00:00"
            },
{
                  "name": "guzzlehttp/uri-template",
"version": "v1.0.5",
"source": {
    "type": "git",
    "url": "https://github.com/guzzle/uri-template.git",
    "reference": "4f4bbd4e717214880le76e3decc1e559bdee34e1"
                  },
"dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/guzzle/uri-
    "4f4bbd4e7172148801e76e3decc1e559bdee34e1",
    "467172148801e76e3decc1e559bd
template/zipball/4f4bbd4e7172148801e76e3decc1e559bdee34e1"
                         "reference": "4f4bbd4e7172148801e76e3decc1e559bdee34e1",
                         "shasum":
                  "symfony/polyfill-php80": "^1.24"
                  },
"require-dev": {
    "bamarni/composer-bin-plugin": "^1.8.2",
    "phpunit/phpunit": "^8.5.44 || ^9.6.25",
    "uri-template/tests": "1.0.0"
                  },
"type": "library",
                   "extra": {
                         "bamarni-bin": {
    "bin-links": true,
    "forward-command": false
                        }
                   },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                   "authors": [
                        {
                               "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
"homepage": "https://github.com/GrahamCampbell"
                        },
{
```

```
"name": "Michael Dowling",
"email": "mtdowling@gmail.com",
                          "homepage": "https://github.com/mtdowling"
                     },
{
                          "name": "George Mponos",
"email": "gmponos@gmail.com",
"homepage": "https://github.com/gmponos"
                     },
{
                          "name": "Tobias Nyholm",
"email": "tobias.nyholm@gmail.com"
                          "homepage": "https://github.com/Nyholm"
                ],
"description": "A polyfill class for uri_template of PHP",
                "keywords": [
                     "guzzlehttp"
                     "uri-template"
               ],
"support": {
    "issues": "https://github.com/guzzle/uri-template/issues",
    "" "https://aithub.com/guzzle/uri-template/tree/vl.
                     "source": "https://github.com/guzzle/uri-template/tree/v1.0.5"
               },
"funding": [
                     {
                          "url": "https://github.com/GrahamCampbell",
"type": "github"
                          "url": "https://github.com/Nyholm",
"type": "github"
                     },
{
                          "url": "https://tidelift.com/funding/github/packagist/guzzlehttp/uri-template",
                          "type": "tidelift"
                     }
               ],
"time": "2025-08-22T14:27:06+00:00"
                "name": "iamcal/sql-parser",
               "version": "v0.6",
"source": {
    "type": "git",
    "url": "https://github.com/iamcal/SQLParser.git",
    "reference": "947083e2dca211a6f12fb1beb67a01e387de9b62"
                     "type": "zip",
                     "url":
},
"require-dev": {
    coveral
                     "php-coveralls/php-coveralls": "^1.0",
"phpunit/phpunit": "^5|^6|^7|^8|^9"
               },
"type": "library"

                "iamcal\\": "src"
                "notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                "authors": [
                     {
                          "name": "Cal Henderson",
"email": "cal@iamcal.com"
```

```
}
                 ],
"description": "MySQL schema parser",
                 "support": {
    "issues": "https://github.com/iamcal/SQLParser/issues",
    "source": "https://github.com/iamcal/SQLParser/tree/v0.6"
                 },
"time": "2025-03-17T16:59:46+00:00"
           },
{
                 "name": "inertiajs/inertia-laravel",
"version": "v2.0.5",
"source": {
    "type": "git",
    "url": "https://github.com/inertiajs/inertia-laravel.git",
    "reference": "aa103fded86dd32e1b1d94b701a314cd22cecc8e"
                 },
"dist": {
"reference": "aa103fded86dd32e1b1d94b701a314cd22cecc8e",
"shasum": ""
                       "shasum":
                 "laravel/framework": "^10.0|^11.0|^12.0",
                       "php": "^8.1.0",
"symfony/console": "^6.2|^7.0"
                 quire-dev": {
   "guzzlehttp/guzzle": "^7.2",
   "larastan/larastan": "^3.0",
   "laravel/pint": "^1.16",
   "mockery/mockery": "^1.3.3",
   "orchestra/testbench": "^8.0|^9.2|^10.0",
   "phpunit/phpunit": "^10.4|^11.5",
                       "roave/security-advisories": "dev-master"
                 },
"suggest": {
"-~+-ncn
                        "ext-pcntl": "Recommended when running the Inertia SSR server via the
`inertia:start-ssr` artisan command.'
                 "providers": [
                                   "Inertia\\ServiceProvider"
                       }
                  'autoload": {
"files": [
                            "/helpers.php"
                       "psr-4": {
                             "Inertia\\": "src"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 ],
                  "authors": [
                       {
                             "name": "Jonathan Reinink",
"email": "jonathan@reinink.ca",
"homepage": "https://reinink.ca"
                  "description": "The Laravel adapter for Inertia.js.",
                 "keywords": [
                       "inertia",
```

```
"laravel"
               "source": "https://github.com/inertiajs/inertia-laravel/tree/v2.0.5"
               },
"time": "2025-08-12T15:57:22+00:00"
          },
{
                "name": "intervention/gif",
                "version": "4.2.2",
                "version": "4.2.2 ,

"source": {
    "type": "git",
    "url": "https://github.com/Intervention/gif.git",
    "reference": "5999eac6a39aa760fb803bc809e8909ee67b451a"
               },
"dist": {
                     "type": "zip",
                     "url":
"shasum":
               },
"require": {
    "php": "^8.1"
               "phpstan/phpstan": "^2.1",
"phpunit/phpunit": "^10.0 || ^11.0 || ^12.0",
"slevomat/coding-standard": "~8.0",
"squizlabs/php_codesniffer": "^3.8"
               },
"type": "library",
               "type": "Libidity ,
"autoload": {
    "psr-4": {
        "Intervention\\Gif\\": "src"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
                ],
                "authors": [
                     {
                          "name": "Oliver Vogel",
"email": "oliver@intervention.io",
"homepage": "https://intervention.io/"
               ],
"description": "Native PHP GIF Encoder/Decoder"
                "homepage": "https://github.com/intervention/gif",
"keywords": [
                     "animation",
                     "gd",
"gif",
                     "image"
                "support": {
    "issues": "https://github.com/Intervention/gif/issues",
    "source": "https://github.com/Intervention/gif/tree/4.2.2"
               },
"funding": [
                     {
                          "url": "https://paypal.me/interventionio",
"type": "custom"
                          "url": "https://github.com/Intervention",
"type": "github"
                          "url": "https://ko-fi.com/interventionphp",
"type": "ko_fi"
```

```
],
"time": "2025-03-29T07:46:21+00:00"
           },
{
                 "name": "intervention/image",
                  "version": "3.11.4",
                 "source": {
    "type": "git",
    "url": "https://github.com/Intervention/image.git",
    "reference": "8c49eb21a6d2572532d1bc425964264f3e496846"
                 },
"dist": {
   "+vne
                        "type": "zip",
                       "url":
"shasum":
                },
"require": {
    "ext-mbstring": "*",
    "intervention/gif": "^4.2",
    "php": "^8.1"
                 quire-dev": {
  "mockery/mockery": "^1.6",
  "phpstan/phpstan": "^2.1",
  "phpunit/phpunit": "^10.0 || ^11.0 || ^12.0",
  "slevomat/coding-standard": "~8.0",
  "squizlabs/php_codesniffer": "^3.8"
                 },
"suggest": {
    "ext-exif": "Recommended to be able to read EXIF data properly."
                 },
"type": "library",
                 "Intervention\\Image\\": "src"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
"authors": [
                       {
                             "name": "Oliver Vogel",
"email": "oliver@intervention.io",
                             "homepage": "https://intervention.io/"
                 "description": "PHP image manipulation",
"homepage": "https://image.intervention.io/",
"keywords": [
                       "gd",
                       "image"
                       "imagick"
                       "resize"
                       "thumbnail",
"watermark"
                 ],
"support": {
    "issues": "https://github.com/Intervention/image/issues",
    "source": "https://github.com/Intervention/image/tree/3.11.4"
                 },
"funding": [
                       {
                             "url": "https://paypal.me/interventionio",
"type": "custom"
                             "url": "https://github.com/Intervention",
"type": "github"
```

```
},
{
                            "url": "https://ko-fi.com/interventionphp",
                            "type": "ko fi'
                 ],
"time": "2025-07-30T13:13:19+00:00"
          },
{
                 "name": "jean85/pretty-package-versions",
"version": "2.1.1",
                 "source": {
    "type": "git",
    "url": "https://github.com/Jean85/pretty-package-versions.git",
    "reference": "4d7aa5dab42e2a76d99559706022885de0e18e1a"
                },
"dist": {
                      "type": "zip",
"url": "https://api.github.com/repos/Jean85/pretty-package-
versions/zipball/4d7aa5dab42e2a76d99559706022885de0e18e1a"
                      reference": "4d7aa5dab42e2a76d99559706022885de0e18e1a",
                      "shasum":
                },
"require": {
                      "composer-runtime-api": "^2.1.0",
"php": "^7.4|^8.0"
                "triendsofphp/php-cs-fixer": "~3.2",
"jean85/composer-provided-replaced-stub-package": "^1.0",
"phpstan/phpstan": "^2.0",
"phpunit/phpunit": "^7.5|^8.5|^9.6",
"rector/rector": "^2.0",
"vimeo/psalm": "^4.3 || ^5.0"
                },
"type": "library",
"extra": {
    "branch-alias"
                      "branch-alias": {
    "dev-master": "1.x-dev"
                      }
                },
"autoload": {
    "psr-4": {
        "lean8
                           "Jean85\\": "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                ],
"authors": [
                      {
                            "name": "Alessandro Lai",
"email": "alessandro.lai85@gmail.com"
                  description": "A library to get pretty versions strings of installed dependencies",
                 "keywords": [
                      "composer",
                      "package",
"release",
                      "versions"
                 "support":
                       port": {
"issues": "https://github.com/Jean85/pretty-package-versions/issues"
                      "source": "https://github.com/Jean85/pretty-package-versions/tree/2.1.1"
                },
"time": "2025-03-19T14:43:43+00:00"
                 "name": "kirschbaum-development/eloquent-power-joins",
                "version": "4.2.8",
"source": {
```

```
"type": "git",
"url": "https://github.com/kirschbaum-development/eloquent-power-joins.git",
"reference": "d67c7e2efa886d2ef8bb29e86c3ddb9438ac6390"
                 },
"dist": {
"''ne
                       "type": "zip",
"url": "https://api.github.com/repos/kirschbaum-development/eloquent-power-
joins/zipball/d67c7e2efa886d2ef8bb29e86c3ddb9438ac6390",
                       "reference": "d67c7e2efa886d2ef8bb29e86c3ddb9438ac6390",
                       "shasum":
                 },
"require": {
                       "illuminate/database": "^11.42|^12.0",
"illuminate/support": "^11.42|^12.0",
                       "php": "^8.2"
                 },
"require-dev": {
                       "friendsofphp/php-cs-fixer": "dev-master",
"laravel/legacy-factories": "^1.0@dev",
"orchestra/testbench": "^9.0|^10.0",
                       "phpunit/phpunit": "^10.0|^11.0"
                 },
"type": "library",
                 "extra": {
                       "laravel": {
                             "providers": [
                                   "Kirschbaum\\PowerJoins\\PowerJoinsServiceProvider"
                 },
"autoload": {
    "psr-4": {
    "Kirsc
                             "Kirschbaum\\PowerJoins\\": "src"
                  "notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 ],
                  "authors": [
                       {
                             "name": "Luis Dalmolin",
                             "email": "luis.nh@gmail.com",
"role": "Developer"
                       }
                 "description": "The Laravel magic applied to joins.",
"homepage": "https://github.com/kirschbaum-development/eloquent-power-joins",
"keywords": [
                        "eloquent",
                       "join",
                       "ĺaravel"
                       "mysql"
                 ],
"support": {
    "issues": "https://github.com/kirschbaum-development/eloquent-power-joins/issues",
    "bttps://github.com/kirschbaum-development/eloquent-power-
joins/tree/4.2.8"
                 },
"time": "2025-08-14T18:43:05+00:00"
           },
{
                 "name": "laravel/framework",
"version": "v12.25.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/laravel/framework.git",
    "reference": "2ee2ba94ae60efd24c7a787cbb1a2f82f714bb20"
                 },
"dist": {
                       "type": "zip",
                       "url":
"https://api.github.com/repos/laravel/framework/zipball/2ee2ba94ae60efd24c7a787cbb1a2f82f714bb20",
```

```
"reference": "2ee2ba94ae60efd24c7a787cbb1a2f82f714bb20",
                "shasum": "
"composer-runtime-api": "^2.2",
"doctrine/inflector": "^2.0.5",
"dragonmantank/cron-expression": "^3.4"
              "dragonmantank/cron-expression": "^3.4",
"egulias/email-validator": "^3.2.1|^4.0",
"ext-ctype": "*",
"ext-filter": "*",
"ext-hash": "*",
"ext-openssl": "*",
"ext-openssl": "*",
"ext-session": "*",
               "ext-session": "*",
"ext-tokenizer": "*",
"fruitcake/php-cors": "^1.3",
"guzzlehttp/guzzle": "^7.8.2"
             "guzzlehttp/guzzle": "^7.8.2",
"guzzlehttp/uri-template": "^1.0",
"laravel/prompts": "^0.3.0",
"laravel/serializable-closure": "^1.3|^2.0",
"league/commonmark": "^2.7",
"league/flysystem": "^3.25.1",
"league/flysystem-local": "^3.25.1",
"league/flysystem-local": "^3.25.1",
"nonolog/monolog": "^3.0",
"nesbot/carbon": "^3.8.4",
"nunomaduro/termwind": "^2.0",
"php": "^8.2",
"psr/container": "^1.1.1|^2.0.1",
"psr/log": "^1.0|^2.0|^3.0".
               "psr/container": "1.1.1|^2.0.1",
"psr/log": "^1.0|^2.0|^3.0",
"psr/simple-cache": "^1.0|^2.0|^3.0",
"ramsey/uuid": "^4.7",
"symfony/console": "^7.2.0",
"symfony/error-handler": "^7.2.0",
              "symfony/error-nandler": "^7.2.0",
"symfony/finder": "^7.2.0",
"symfony/http-foundation": "^7.2.0",
"symfony/http-kernel": "^7.2.0",
"symfony/mailer": "^7.2.0",
"symfony/mime": "^7.2.0",
"symfony/polyfill-php83": "^1.31",
              "symfony/polyfill-php83": "^1.31",
"symfony/polyfill-php84": "^1.31",
"symfony/polyfill-php85": "^1.31",
"symfony/process": "^7.2.0",
"symfony/routing": "^7.2.0",
"symfony/uid": "^7.2.0",
"symfony/var-dumper": "^7.2.0",
"tijsyer/popy/cost to inline attilled
               "tijsverkoyen/css-to-inline-styles": "^2.2.5",
"vlucas/phpdotenv": "^5.6.1",
"voku/portable-ascii": "^2.0.2"
},
"conflict": {
    "tightenco/collect": "<5.5.33"</pre>
 "psr/container-implementation": "1.1|2.0",
               "psr/log-implementation": "1.0|2.0|3.0",
"psr/simple-cache-implementation": "1.0|2.0|3.0"
},
"replace": {
    "illuminate/auth": "self.version",
    "illuminate/broadcasting": "self.version",
    "illuminate/bus": "self.version",
               "illuminate/bus": "self.version",
"illuminate/cache": "self.version"
             "illuminate/cache": "self.version",
"illuminate/collections": "self.version",
"illuminate/concurrency": "self.version",
"illuminate/conditionable": "self.version",
"illuminate/config": "self.version",
"illuminate/console": "self.version",
"illuminate/container": "self.version",
"illuminate/cookie": "self.version",
"illuminate/database": "self.version",
```

```
"illuminate/encryption": "self.version",
                                         "illuminate/events": "self.version"
                                         "illuminate/filesystem": "self.version",
                                        "illuminate/hashing": "self.version",
"illuminate/http": "self.version",
"illuminate/log": "self.version",
                                        "illuminate/macroable": "self.version",
"illuminate/mail": "self.version",
                                        "illuminate/mail": "self.version",
"illuminate/notifications": "self.version",
"illuminate/pagination": "self.version",
"illuminate/pipeline": "self.version",
"illuminate/process": "self.version",
"illuminate/queue": "self.version",
"illuminate/redis": "self.version",
"illuminate/routing": "self.version",
"illuminate/session": "self.version",
"illuminate/support": "self.version",
"illuminate/testing": "self.version",
"illuminate/translation": "self.version".
                                        "illuminate/translation": "self.version",
"illuminate/validation": "self.version",
                                         "illuminate/view": "self.version",
"spatie/once": "*"
                                         "spatie/once":
                              "ably/ably-php": "^1.0",
"aws/aws-sdk-php": "^3.322.9",
"ext-gmp": "*",
                                        "ext-gmp": "*",
"fakerphp/faker": "^1.24",
"guzzlehttp/promises": "^2.0.3",
"guzzlehttp/psr7": "^2.4",
"laravel/pint": "^1.18",
                                         "league/flysystem-aws-s3-v3": "^3.25.1",
                                         "league/flysystem-ftp": "^3.25.1",
"league/flysystem-path-prefixing": "^3.25.1",
                                        "league/flysystem-path-prefixing": "^3
"league/flysystem-read-only": "^3.25.1
"league/flysystem-sftp-v3": "^3.25.1",
"mockery/mockery": "^1.6.10",
"orchestra/testbench-core": "^10.6.0",
"pda/pheanstalk": "^5.0.6|^7.0.0",
"pda/pheanstalk": "^5.0.6|^7.0.0",
                                                                                                                          ^3.25.1",
                                        "pda/pheanstalk": "^5.0.6|^7.0.0",
"php-http/discovery": "^1.15",
"phpstan/phpstan": "^2.0",
"phpunit/phpunit": "^10.5.35|^11.5.3|^12.0.1",
"predis/predis": "^2.3|^3.0",
"resend/resend-php": "^0.10.0",
"symfony/cache": "^7.2.0",
"symfony/psr. bttp. mossage | bridge": "^7.2.0",
                                         "symfony/psr-http-message-bridge": "^7.2.0", "symfony/translation": "^7.2.0"
                              },
"suggest": {
    ''''/ab
                                         "ably/ably-php": "Required to use the Ably broadcast driver (^1.0).",
"aws/aws-sdk-php": "Required to use the SQS queue driver, DynamoDb failed job
storage, and SES mail driver (^3.322.9).",

"brianium/paratest": "Required to run tests in parallel (^7.0|^8.0).",
                                         "ext-apcu": "Required to use the APC cache driver.",
                                         "ext-fileinfo": "Required to use the Filesystem class."
                                         "ext-ftp": "Required to use the Flysystem FTP driver.",
"ext-gd": "Required to use Illuminate\\Http\\Testing\\FileFactory::image().",
                                         "ext-memcached": "Required to use the memcache cache driver.",
"ext-pcntl": "Required to use all features of the queue worker and console signal
trapping.",
                                        "ext-pdo": "Required to use all database features.",
"ext-posix": "Required to use all features of the queue worker.",
"ext-redis": "Required to use the Redis cache and queue drivers (^4.0|^5.0|^6.0).",
"fakerphp/faker": "Required to use the eloquent factory builder (^1.9.1).",
"filp/whoops": "Required for friendly error pages in development (^2.14.3).",
                                        "laravel/tinker": "Required to use the tinker console command (^2.0).",
"league/flysystem-aws-s3-v3": "Required to use the Flysystem S3 driver (^3.25.1).",
"league/flysystem-ftp": "Required to use the Flysystem FTP driver (^3.25.1).",
"league/flysystem-path-prefixing": "Required to use the scoped driver (^3.25.1).",
                                        "league/flysystem-read-only": "Required to use read-only disks (^3.25.1)",
"league/flysystem-sftp-v3": "Required to use the Flysystem SFTP driver (^3.25.1).",
"mockery/mockery": "Required to use mocking (^1.6).",
```

composer.lock

```
"pda/pheanstalk": "Required to use the beanstalk queue driver (^5.0).", "php-http/discovery": "Required to use PSR-7 bridging features (^1.15).", "phpunit/phpunit": "Required to use assertions and run tests
(^10.5.35|^11.5.3|^12.0.1).
                    'predis/predis": "Required to use the predis connector (^2.3|^3.0).",
                   "psr/http-message": "Required to allow Storage::put to accept a StreamInterface
(^1.0).",
                   "pusher/pusher-php-server": "Required to use the Pusher broadcast driver
(^6.0|^7.0).",
                   "resend/resend-php": "Required to enable support for the Resend mail transport
(^0.10.0).",
                   "symfony/cache": "Required to PSR-6 cache bridge (^7.2)."
                   "symfony/filesystem": "Required to enable support for relative symbolic links
(^7.2).",
                   "symfony/http-client": "Required to enable support for the Symfony API mail
transports (^7.2).
                   symfony/mailgun-mailer": "Required to enable support for the Mailgun mail transport"
(^7.2).",
                   "symfony/postmark-mailer": "Required to enable support for the Postmark mail
transport (^7.2).",
"symfony/psr-http-message-bridge": "Required to use PSR-7 bridging features (^7.2)."
              },
"type": "library",
              "extra": {
                   "branch-alias": {
    "dev-master": "12.x-dev"
             "src/Illuminate/Collections/functions.php",
                       "src/Illuminate/Collections/helpers.php"
                       "src/Illuminate/Events/functions.php",
"src/Illuminate/Filesystem/functions.php",
                       "src/Illuminate/Foundation/helpers.php",
                       "src/Illuminate/Log/functions.php"
                       "src/Illuminate/Support/functions.php",
                       "src/Illuminate/Support/helpers.php'
                   ,
"psr-4": {
                        "Illuminate\\": "src/Illuminate/",
                       "Illuminate\\Support\\": [
                             "src/Illuminate/Macroable/"
                            "src/Illuminate/Collections/"
                            "src/Illuminate/Conditionable/"
                       ]
                  }
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              ],
              "authors": [
                  {
                       "name": "Taylor Otwell",
"email": "taylor@laravel.com"
                   }
              "description": "The Laravel Framework.",
"homepage": "https://laravel.com",
"keywords": [
                   "framework",
                   "laravel"
              "support": {
    "issues": "https://github.com/laravel/framework/issues",
                   "source": "https://github.com/laravel/framework"
              },
"time": "2025-08-18T22:20:52+00:00"
              "name": "laravel/horizon",
              "version": "v5.33.3",
```

```
"source": {
    "type": "git",
    "url": "https://github.com/laravel/horizon.git",
    "reference": "aabcd425b34005182acc4c22aae48692684cb765"
                                           },
"dist": {
"''ne
                                                           "type": "zip",
                                                           "url":
"https://api.github.com/repos/laravel/horizon/zipball/aabcd425b34005182acc4c22aae48692684cb765",
                                                            "shasum":
                                           "ext-json": "*",
"ext-pcntl": "*"
"ext-posix": "*"
                                                          "ext-posix": "*",
"illuminate/contracts": "^9.21|^10.0|^11.0|^12.0",
"illuminate/queue": "^9.21|^10.0|^11.0|^12.0",
"illuminate/support": "^9.21|^10.0|^11.0|^12.0",
"nesbot/carbon": "^2.17|^3.0",
"php": "^8.0",
"ramsey/uuid": "^4.0",
"symfony/consolo": "^6.01^7.0"
                                                          "symfony/console": "^6.0|^7.0",
"symfony/error-handler": "^6.0|^7.0",
"symfony/polyfill-php83": "^1.28",
"symfony/process": "^6.0|^7.0"
                                          },
"require-dev": {
    "mockery/mockery": "^1.0",
    "orchestra/testbench": "^7.0|^8.0|^9.0|^10.0",
    "thick and better the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard 
                                                          "phpstan/phpstan": "^1.10|^2.0",
"phpunit/phpunit": "^9.0|^10.4|^11.5|^12.0",
"predis/predis": "^1.1|^2.0|^3.0"

},
"suggest": {
    "ext-redis": "Required to use the Redis PHP driver.",
    "predis/predis": "Required when not using the Redis PHP driver (^1.1|^2.0|^3.0)."

                                           },
"type": "library",
"extra": {
    "'aravel": {
                                                           "laravel": {
                                                                           "aliases": {
                                                                                         "Horizon": "Laravel\\Horizon\\Horizon"
                                                                         },
"providers": [
   "'aravel\\
                                                                                         "Laravel\\Horizon\\HorizonServiceProvider"
                                                          },
"branch-alias": {
    "dev-master": "6.x-dev"
                                           },
"autoload": {
    "psr-4": {
     "Larave
                                                                          "Laravel\\Horizon\\": "src/"
                                            },
"notification-url": "https://packagist.org/downloads/",
                                            "license": [
"MIT"
                                              "authors": [
                                                          {
                                                                          "name": "Taylor Otwell",
"email": "taylor@laravel.com"
                                            ],
"description": "Dashboard and code-driven configuration for Laravel queues.",
                                            "keywords": [
                                                            "laravel<sup>"</sup>,
                                                           "queue"
                                            ],
"support": {
```

```
"issues": "https://github.com/laravel/horizon/issues",
                          "source": "https://github.com/laravel/horizon/tree/v5.33.3"
                   },
"time": "2025-08-11T14:55:49+00:00"
             },
{
                   "name": "laravel/pint",
                   "version": "v1.24.0",
                   "source": {
    "type": "git",
    "url": "https://github.com/laravel/pint.git",
    "reference": "0345f3b05f136801af8c339f9d16ef29e6b4df8a"
                          ,. .
"type": "zip",
"url":
},
"require": {
    "ext-json": "*",
    "ext-mbstring": "*",
    "ext-tokenizer": "*",
    "ovt-xml": "*",
                          "ext-xml": "*", "php": "^8.2.0"
                  },
"require-dev": {
    "friendsofphp/php-cs-fixer": "^3.82.2",
    "illuminate/view": "^11.45.1",
    "larastan/larastan": "^3.5.0",
    "larayel-zero/framework": "^11.45.0",
                          "mockery/mockery": "^1.6.12",
"nunomaduro/termwind": "^2.3.1",
"pestphp/pest": "^2.36.0"
                   },
"bin": [
"buj
                          "builds/pint"
                  ],
"type": "project",
"autoload": {
    "files": [
    "averrides
                                 "overrides/Runner/Parallel/ProcessFactory.php"
                          "psr-4": {
                                "App\\": "app/",
                                "Database\\Seeders\\": "database/seeders/",
"Database\\Factories\\": "database/factories/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"authors": [
                          {
                                "name": "Nuno Maduro",
"email": "enunomaduro@gmail.com"
                   "description": "An opinionated code formatter for PHP.",
"homepage": "https://laravel.com",
"keywords": [
                           "format"
                          "formatter",
                          "lint",
                          "linter",
                          "php"
                   ],
   "support": {
      "issues": "https://github.com/laravel/pint/issues",
      "source": "https://github.com/laravel/pint"
```

```
"time": "2025-07-10T18:09:32+00:00"
           },
{
                 "name": "laravel/prompts",
                "name": "laravel/prompts ,
"version": "v0.3.6",
"source": {
    "type": "git",
    "url": "https://github.com/laravel/prompts.git",
    """    "0609660208661d0fb308cec64f3d17682]
                      "reference": "86a8b692e8661d0fb308cec64f3d176821323077"
               },
"dist": {
    "type": "zip",
    "url":
    com/repos,
    """
"https://api.github.com/repos/laravel/prompts/zipball/86a8b692e8661d0fb308cec64f3d176821323077",
                      reference": "86a8b692e8661d0fb308cec64f3d176821323077",
"shasum": ""
                      "shasum":
                },
"require": {
                       "composer-runtime-api": "^2.2",
                      "ext-mbstring": "*",
                      "php": "^8.1"
                      "symfony/console": "^6.2|^7.0"
                "illuminate/console": ">=10.17.0 <10.25.0",
"laravel/framework": ">=10.17.0 <10.25.0"
                "mockery/mockery": "^1.5",
"pestphp/pest": "^2.3|^3.4",
"phpstan/phpstan": "^1.11",
                      "phpstan/phpstan-mockery": "^1.1"
                ext-pcntl": "Required for the spinner to be animated."
                },
"type": "library",
"extra": {
    "branch-alias"
                      "branch-alias": {
    "dev-main": "0.3.x-dev"
                },
"autoload": {
    "files": [
         "src/helpers.php"
                      "psr-4": {
                            "Laravel\\Prompts\\": "src/"
                 .,
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                ],
"description": "Add beautiful and user-friendly forms to your command-line
applications.",
                "support": {
    "issues": "https://github.com/laravel/prompts/issues",
    "source": "https://github.com/laravel/prompts/tree/v0.3.6"
                },
"time": "2025-07-07T14:17:42+00:00"
                 "name": "laravel/scout",
                 "version": "v10.19.0",
"source": {
                      "type": "git",
"url": "https://github.com/laravel/scout.git",
"reference": "996b2a8b5ccc583e7df667c8aac924a46bc8bdd3"
                },
"dist": {
"''ne
                      "type": "zip",
```

```
"url":
"https://api.github.com/repos/laravel/scout/zipball/996b2a8b5ccc583e7df667c8aac924a46bc8bdd3",
                            ..as..cs..,.epos,taraver,scour,zipbatr,ssouza8D5CCC583e/dT6
"reference": "996b2a8b5ccc583e7df667c8aac924a46bc8bdd3",
"cbacum": ""
                            "shasum":
                    },
"require": {
                           "illuminate/bus": "^9.0|^10.0|^11.0|^12.0",
"illuminate/contracts": "^9.0|^10.0|^11.0|^12.0",
"illuminate/database": "^9.0|^10.0|^11.0|^12.0",
"illuminate/http": "^9.0|^10.0|^11.0|^12.0",
"illuminate/pagination": "^9.0|^10.0|^11.0|^12.0",
                           "illuminate/queue": "^9.0|^10.0|^11.0|^12.0",
"illuminate/support": "^9.0|^10.0|^11.0|^12.0",
                            "php": "^8.0"
                            "symfony/console": "^6.0|^7.0"
                            "algolia/algoliasearch-client-php": "<3.2.0|>=5.0.0"
                    "mellsearch/mellsearch-pnp": "^1.0",
"mockery/mockery": "^1.0",
"orchestra/testbench": "^7.31|^8.11|^9.0|^10.0",
"php-http/guzzle7-adapter": "^1.0",
"phpstan/phpstan": "^1.10",
"phpunit/phpunit": "^9.3|^10.4|^11.5",
"typesense/typesense-php": "^4.9.3"
                      "suggest": {
    "algolia/algoliasearch-client-php": "Required to use the Algolia engine (^3.2).",
    "meilisearch/meilisearch-php": "Required to use the Meilisearch engine (^1.0).",
    "typesense/typesense-php": "Required to use the Typesense engine (^4.9)."
                    },
"type": "library",
"extra": {
    "laravel": {
                            "laravel": {
                                   "providers": [
                                          "Laravel\\Scout\\ScoutServiceProvider"
                                  1
                           },
"branch-alias": {
    "dev-master": "10.x-dev"
                    },
"autoload": {
    "psr-4": {
     "Larave
                                   "Laravel\\Scout\\": "src/"
                     },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
                            "MIT"
                     .
"authors": [
                           {
                                   "name": "Taylor Otwell",
                                   "email": "taylor@laravel.com"
                     ],
"description": "Laravel Scout provides a driver based solution to searching your
Eloquent models.",
                     "keywords": [
                            "algolia",
                            "laravel",
                            "search"
                    ],
"support": {
    "issues": "https://github.com/laravel/scout/issues",
    "" "https://github.com/laravel/scout"
                      'time": "2025-08-26T14:24:24+00:00"
             },
```

```
{
                    "name": "laravel/serializable-closure",
                     "version": "v2.0.4",
                    "source": {
    "type": "git",
    "url": "https://github.com/laravel/serializable-closure.git",
    "reference": "b352cf0534aa1ae6b4d825d1e762e35d43f8a841"
"type": "zip",

"url": "https://api.github.com/repos/laravel/serializable-
closure/zipball/b352cf0534aa1ae6b44825d1e762e35d43f8a841",
                           },
"require": {
    "php": "^8.1"
                    },
"require-dev": {
                           "illuminate/support": "^10.0|^11.0|^12.0",
                           "nesbot/carbon": "^2.67|^3.0",
"pestphp/pest": "^2.36|^3.0",
"phpstan/phpstan": "^2.0",
"symfony/var-dumper": "^6.2.0|^7.0.0"
                    },
"type": "library",
"extra": {
    "' - reh-alias"
                           "branch-alias": {
    "dev-master": "2.x-dev"
                    },
"autoload": {
    "psr-4": {
        "Laravel\\SerializableClosure\\": "src/"

                    },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
"MIT"
                     "authors": [
                           {
                                  "name": "Taylor Otwell",
"email": "taylor@laravel.com"
                                  "name": "Nuno Maduro",
"email": "nuno@laravel.com"
],
    "description": "Laravel Serializable Closure provides an easy and secure way to
serialize closures in PHP.",
    "keywords": [
    "alacure"
                           "closure",
"laravel",
                           "serializable"
                      'support": {
    "issues": "https://github.com/laravel/serializable-closure/issues",
    "source": "https://github.com/laravel/serializable-closure"
                    },
"time": "2025-03-19T13:51:03+00:00"
                     "name": "laravel/tinker",
                    "name": "taravet/tinker",

"version": "v2.10.1",

"source": {
    "type": "git",
    "url": "https://github.com/laravel/tinker.git",
    "reference": "22177cc71807d38f2810c6204d8f7183d88a57d3"
                    },
"dist": {
"*'ne
                           "type": "zip",
```

```
"url":
"https://api.github.com/repos/laravel/tinker/zipball/22177cc71807d38f2810c6204d8f7183d88a57d3",
                        "reference": "22177cc71807d38f2810c6204d8f7183d88a57d3",
                        "shasum":
                  },
"require": {
                        qure": {
    "illuminate/console": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
    "illuminate/contracts": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
    "illuminate/support": "^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0",
    "php": "^7.2.5|^8.0",
    "psy/psysh": "^0.11.1|^0.12.0",
    "symfony/var-dumper": "^4.3.4|^5.0|^6.0|^7.0"
                 },
"require-dev": {
    "mockery/mockery": "~1.3.3|^1.4.2",
    "phpstan/phpstan": "^1.10",
    "phpunit/phpunit": "^8.5.8|^9.3.3|^10.0"
                  "illuminate/database": "The Illuminate Database package
(^6.0|^7.0|^8.0|^9.0|^10.0|^11.0|^12.0)."
                  },
"type": "library",
                  "extra": {
                         "laravel": {
                              "providers": [
                                     "Laravel\\Tinker\\TinkerServiceProvider"
                        }
                 },
"autoload": {
    "psr-4": {
     "Larave
                              "Laravel\\Tinker\\": "src/"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                  ],
"authors": [
                        {
                               "name": "Taylor Otwell",
                               "email": "taylor@laravel.com"
                  "description": "Powerful REPL for the Laravel framework.",
                  "keywords": [
"REPL",
                        "Tinker"
                        "laravel",
                        "psysh"
                  "support": {
    "issues": "https://github.com/laravel/tinker/issues",
    "source": "https://github.com/laravel/tinker/tree/v2.10.1"
                  },
"time": "2025-01-27T14:24:01+00:00"
            },
{
                  "name": "laravel/wayfinder", "version": "v0.1.10",
                  "source": {
    "type": "git",
    "url": "https://github.com/laravel/wayfinder.git",
    "reference": "616bdec067d322ff793656893f5f5639d39b4fbe"
                  },
"dist": {
"''''PP
                        "type": "zip",
"url":
"https://api.github.com/repos/laravel/wayfinder/zipball/616bdec067d322ff793656893f5f5639d39b4fbe",
                        "reference": "616bdec067d322ff793656893f5f5639d39b4fbe",
                        "shasum":
                  },
```

```
"require": {
                        "illuminate/console": "^11.0|^12.0",
"illuminate/filesystem": "^11.0|^12.0",
"illuminate/routing": "^11.0|^12.0",
"illuminate/support": "^11.0|^12.0",
                        "php": "^8.2"
                  "laravel/pint": "^1.21",
"orchestra/testbench": "^10.1 | ^9.0"
                 },
"type": "library",
"extra": {
    "loravel": {
                        "laravel": {
                              "providers": [
    "Laravel\\Wayfinder\\WayfinderServiceProvider"
                        }
                   'autoload": {
    "psr-4": {
    "Laravel\\Wayfinder\\": "src"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                  ],
"authors": [
                        {
                              "name": "Taylor Otwell",
"email": "taylor@laravel.com"
                  ],
"description": "Generate TypeScript representations of your Laravel actions and
routes.",
                  "homepage": "https://github.com/laravel/wayfinder",
                  "keywords": [
                        "laravel".
                        "php",
"routes"
                        "typescript"
                 1,
    "support": {
        "issues": "https://github.com/laravel/wayfinder/issues",
        "source": "https://github.com/laravel/wayfinder"
                  },
"time": "2025-08-25T14:41:11+00:00"
           },
{
                  "name": "league/commonmark",
                  "name": "teague/commonmark",

"version": "2.7.1",

"source": {

    "type": "git",

    "url": "https://github.com/thephpleague/commonmark.git",

    "reference": "10732241927d3971d28e7ea7b5712721fa2296ca"
                 },
"dist": {
"''ne
                        "type": "zip",
"url": "https://api.github.com/repos/thephpleague/commonmark/zipball/10732241927d397
"ext-mbstring": "*"
                        "league/config": "^1.1.1",
"php": "^7.4 || ^8.0",
"psr/event-dispatcher": "^1.0",
"symfony/deprecation-contracts": "^2.1 || ^3.0",
                        "symfony/polyfill-php80": "^1.16"
                  },
"require-dev": {
```

```
"cebe/markdown": "^1.0",
"commonmark/cmark": "0.31.1",
"commonmark/commonmark.js": "0.31.1",
                          "composer/package-versions-deprecated": "^1.8", "embed/embed": "^4.4",
                           "erusev/parsedown": "^1.0",
                          "ext-json": "*",
"github/gfm": "0.29.0",
"michelf/php-markdown": "^1.4 || ^2.0",
                          "nyholm/psr7": "^1.5",
"phpstan/phpstan": "^1.8.2",
"phpunit/phpunit": "^9.5.21 || ^10.5.9 || ^11.0.0",
"scrutinizer/ocular": "^1.8.1",
                          "symfony/finder": "^5.3 | ^6.0 | ^7.0",
"symfony/process": "^5.4 | ^6.0 | ^7.0",
"symfony/yaml": "^2.3 | ^3.0 | ^4.0 | ^5.0 | ^6.0 | ^7.0",
"unleashedtech/php-coding-standard": "^3.1.1",
                          "vimeo/psalm": "^4.24.0 | ^5.0.0 | ^6.0.0"
                     'suggest": {
                            'symfony/yaml": "v2.3+ required if using the Front Matter extension"
                   },
"type": "library",
                           "branch-alias": {
    "dev-main": "2.8-dev"
                   },
"autoload": {
    "psr-4": {
    "leagu
                                "League\\CommonMark\\": "src"
                    },
"notification-url": "https://packagist.org/downloads/",
                    "license":
                           "BSD-3-Clause"
                    ],
                     "authors": [
                          {
                                 "name": "Colin O'Dell",
"email": "colinodell@gmail.com"
                                 "homepage": "https://www.colinodell.com",
                                 "role": "Lead Developer"
                    description": "Highly-extensible PHP Markdown parser which fully supports the
CommonMark spec and GitHub-Flavored Markdown (GFM)",
                    "homepage": "https://commonmark.thephpleague.com",
"keywords": [
                           "commonmark",
                          "flavored"
                          "gfm",
                           "github"
                          "github-flavored",
                           "markdown",
                           "md",
                           "parser"
                    "support": {
    "docs": "https://commonmark.thephpleague.com/",
    "forum": "https://github.com/thephpleague/commonmark/discussions",
    "issues": "https://github.com/thephpleague/commonmark/issues",
    "rss": "https://github.com/thephpleague/commonmark/releases.atom",
    ""saa": "https://github.com/thephpleague/commonmark"
                   },
"funding": [
                                 "url": "https://www.colinodell.com/sponsor", "type": "custom"
                                 "url": "https://www.paypal.me/colinpodell/10.00", "type": "custom"
```

```
},
{
                               "url": "https://github.com/colinodell",
                               "type": "github'
                               "url": "https://tidelift.com/funding/github/packagist/league/commonmark", "type": "tidelift"
                         }
                   ],
"time": "2025-07-20T12:47:49+00:00"
            },
{
                  "name": "league/config",
"version": "v1.2.0",
"source": {
    "type": "git",
    "url": "https://github.com/thephpleague/config.git",
    "reference": "754b3604fb2984c7lf4af4a9cbe7b57f346eclf3"
                  },
"dist": {
   "+yne
                         "type": "zip",
"url":
"https://api.github.com/repos/thephpleague/config/zipball/754b3604fb2984c71f4af4a9cbe7b57f346ec1f3",
                         "reference": "754b3604fb2984c71f4af4a9cbe7b57f346ec1f3",
"shasum": ""
                  },
"require": {
                         "dire": {
  "dflydev/dot-access-data": "^3.0.1",
  "nette/schema": "^1.2",
  "php": "^7.4 || ^8.0"
                  },
"require-dev": {
    "phpstan/phpstan": "^1.8.2",
    "phpunit/phpunit": "^9.5.5",
    "scrutinizer/ocular": "^1.8.1"
    """leashedtech/php-coding-stand
                         "unleashedtech/php-coding-standard": "^3.1", "vimeo/psalm": "^4.7.3"
                  },
"type": "library",
"extra": {
    "branch-alias"
                         "branch-alias": {
    "dev-main": "1.2-dev"
                    'autoload": {
    "psr-4": {
                                "League\\Config\\": "src"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
 "BSD-3-Clause"
                   "authors": [
                         {
                               "name": "Colin O'Dell",
"email": "colinodell@gmail.com",
                               "homepage": "https://www.colinodell.com",
"role": "Lead Developer"
                   ],
"description": "Define configuration arrays with strict schemas and access values with
dot notation"
                   ",
"homepage": "https://config.thephpleague.com",
"keywords": [
                          "array"
                         "config",
                         "configuration",
                         "dot",
                         "dot-access",
                         "nested",
"schema"
```

```
],
"support": {
    "docs": "https://config.thephpleague.com/",
    -" "https://github.com/thephpleague/con
                           "issues": "https://github.com/thephpleague/config/issues",
"rss": "https://github.com/thephpleague/config/releases.atom",
                           "source": "https://github.com/thephpleague/config"
                    },
"funding": [
                           {
                                  "url": "https://www.colinodell.com/sponsor", "type": "custom"
                                  "url": "https://www.paypal.me/colinpodell/10.00", "type": "custom"
                                  "url": "https://github.com/colinodell",
                                  "type": "github'
                           }
                    ],
"time": "2022-12-11T20:36:23+00:00"
             },
{
                     "name": "league/csv",
                     "version": "9.24.1",
                    "source": {
    "type": "git",
    "url": "https://github.com/thephpleague/csv.git",
    "reference": "e0221a3f16aa2a823047d59fab5809d552e29bc8"
                            "type": "zip",
                           "url":
"shasum":
                   },
"require": {
    "ext-filter": "*",
    "php": "^8.1.2"
                    },
"require-dev": {
    "ext-dom": "*"
    "dobug":
                           "ext-xdebug": "*",
                            "friendsofphp/php-cs-fixer": "^3.75.0",
                           "phpbench/phpbench": "^1.4.1", "phpstan/phpstan": "^1.12.27",
                            "phpstan/phpstan-deprecation-rules": "^1.2.1",
                           "phpstan/phpstan-phpunit": "^1.4.2",
"phpstan/phpstan-strict-rules": "^1.6.2",
"phpunit/phpunit": "^10.5.16 || ^11.5.22",
"symfony/var-dumper": "^6.4.8 || ^7.3.0"
                    },
"suggest": {
" " + dom
                            "ext-dom": "Required to use the XMLConverter and the HTMLConverter classes",
                           "ext-dom": "Required to use the XMLConverter and the HIMLConverter classe "ext-iconv": "Needed to ease transcoding CSV using iconv stream filters", "ext-mbstring": "Needed to ease transcoding CSV using mb stream filters", "ext-mysqli": "Requiered to use the package with the MySQLi extension", "ext-pdo": "Requiered to use the package with the PDO extension", "ext-pgsql": "Requiered to use the package with the PGSQL extension",
                            "ext-sqlite3": "Required to use the package with the SQLite3 extension"
                    },
"type": "library",
"extra": {
    "'branch-alias"
                           "branch-alias": {
    "dev-master": "9.x-dev"
                           }
                      'autoload": {
    "files":
                                   "src/functions include.php"
                           ],
```

```
"psr-4": {
                                     "League\\Csv\\": "src"
                      },
"notification-url": "https://packagist.org/downloads/",
                      "license": [
"MIT"
                      ],
"authors": [
                             {
                                     "name": "Ignace Nyamagana Butera",
"email": "nyamsprod@gmail.com",
"homepage": "https://github.com/nyamsprod/",
"role": "Developer"
                      "description": "CSV data manipulation made easy in PHP", "homepage": "https://csv.thephpleague.com", "keywords": [
                      ],
                              "convert",
                             "csv",
"export"
                             "filter",
"import",
                              "read",
                              "transform",
                              "write"
                     "support": {
    "docs": "https://csv.thephpleague.com",
    "issues": "https://github.com/thephpleague/csv/issues",
    "rss": "https://github.com/thephpleague/csv/releases.atom",
    "cource": "https://github.com/thephpleague/csv"
                      },
"funding": [
                             {
                                      "url": "https://github.com/sponsors/nyamsprod",
                                      "type": "github'
                      ],
"time": "2025-06-25T14:53:51+00:00"
              },
{
                      "name": "league/flysystem",
                       "version": "3.30.0",
                      "source": {
    "type": "git",
    "url": "https://github.com/thephpleague/flysystem.git",
    "reference": "2203e3151755d874bb2943649dae1eb8533ac93e"
                              "type": "zip",
"url": "https://api.github.com/repos/thephpleague/flysystem/zipball/2203e3151755d874
bb2943649dae1eb8533ac93e",
                             "reference": "2203e3151755d874bb2943649dae1eb8533ac93e",
"shasum": ""
                      },
"require": {
    "league/flysystem-local": "^3.0.0",
    "league/mime-type-detection": "^1.0.0",
    "php": "^8.0.2"
                      "async-aws/core": "<1.19.0",
"async-aws/s3": "<1.14.0",
"aws/aws-sdk-php": "3.209.31 || 3.210.0",
"guzzlehttp/guzzle": "<7.0",
"guzzlehttp/ringphp": "<1.1.1",
"phpseclib/phpseclib": "3.0.15",
"symfony/http-client": "<5.2"</pre>
                      },
"require-dev": {
    "async-aws/s3": "^1.5 || ^2.0",
```

```
"async-aws/simple-s3": "^1.1 || ^2.0",
                            "aws/aws-sdk-php": "^3.295.10", "composer/semver": "^3.0",
                            "ext-fileinfo": "*",
"ext-ftp": "*",
"ext-mongodb": "^1.3|^2",
                           "ext-mongodb": "^1.3|^2",
"ext-zip": "*",
"friendsofphp/php-cs-fixer": "^3.5",
"google/cloud-storage": "^1.23",
"guzzlehttp/psr7": "^2.6",
"microsoft/azure-storage-blob": "^1.1",
"mongodb/mongodb": "^1.2|^2",
"phpseclib/phpseclib": "^3.0.36",
"phpsetan/phpsetan/": "^1.18"
                            "phpstan/phpstan": "^1.10",
"phpunit/phpunit": "^9.5.11|^10.0",
"sabre/dav": "^4.6.0"
                    },
"type": "library",
                     "League\\Flysystem\\": "src"
                     },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
                            "MIT"
                      "authors": [
                            {
                                   "name": "Frank de Jonge",
                                   "email": "info@frankdejonge.nl"
                     "description": "File storage abstraction for PHP",
                     "keywords": [
                            "WebDAV",
                            "aws"
                            "cloud"
                            "file",
"files",
                            "filesystem"
                            "filesystems",
                           "ftp",
"s3",
"sftp",
                            "storage"
                    ],
"support": {
    "issues": "https://github.com/thephpleague/flysystem/issues",
    "" "https://github.com/thephpleague/flysystem/tree/3.3
                            "source": "https://github.com/thephpleague/flysystem/tree/3.30.0"
                     },
"time": "2025-06-25T13:29:59+00:00"
              },
{
                    "name": "league/flysystem-aws-s3-v3",
"version": "3.29.0",
"source": {
    "type": "git",
    "url": "https://github.com/thephpleague/flysystem-aws-s3-v3.git",
    "reference": "c6ff6d4606e48249b63f269eba7fabdb584e76a9"
                    },
"dist": {
"''ne
                            "type": "zip",
"url": "https://api.github.com/repos/thephpleague/flysystem-
aws-s3-v3/zipball/c6ff6d4606e48249b63f269eba7fabdb584e76a9"
                            "reference": "c6ff6d4606e48249b63f269eba7fabdb584e76a9",
"shasum": ""
                    },
"require": {
    ">\(\sigma\) / aws
                            "aws/aws-sdk-php": "^3.295.10",
"league/flysystem": "^3.10.0",
"league/mime-type-detection": "^1.0.0",
"php": "^8.0.2"
```

```
"guzzlehttp/guzzle": "<7.0",
                     "guzzlehttp/ringphp": "<1.1.1"
               },
"type": "library",
                "League\\Flysystem\\AwsS3V3\\": ""
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                          "name": "Frank de Jonge",
                          "email": "info@frankdejonge.nl"
               ],
"description": "AWS S3 filesystem adapter for Flysystem.",
               "keywords": [
"Flysystem",
                    "aws",
"file"
                    "files"
                     "filesystem",
                    "s3",
                    "storage"
                     source": "https://github.com/thephpleague/flysystem-aws-s3-v3/tree/3.29.0"
               },
"time": "2024-08-17T13:10:48+00:00"
          },
{
               "name": "league/flysystem-local",
"version": "3.30.0",
"source": {
    "type": "git",
    "url": "https://github.com/thephpleague/flysystem-local.git",
    "reference": "6691915f77c7fb69adfb87dcd550052dc184ee10"
               },
"dist": {
"*'ne
"type": "zip",

"url": "https://api.github.com/repos/thephpleague/flysystem-local/zipball/6691915f77c7fb69adfb87dcd550052dc184ee10",
                    "require": {
    "ext-fileinfo": "*",
    "league/flysystem": "^3.0.0",
    "league/mime-type-detection": "^1.0.0",
    "php": "^8.0.2"
                "League\\Flysystem\\Local\\": ""
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
               ],
"authors": [
                    {
                          "name": "Frank de Jonge",
                          "email": "info@frankdejonge.nl"
                ],
```

```
"description": "Local filesystem adapter for Flysystem.",
                "keywords": [
                     "Flysystem",
                     "file",
"files"
                     "filesystem",
                     "local"
               ],
"support": {
    "source": "https://github.com/thephpleague/flysystem-local/tree/3.30.0"
                },
"time": "2025-05-21T10:34:19+00:00"
          },
{
                "name": "league/mime-type-detection", "version": "1.16.0",
                "source": {
    "type": "git",
    "url": "https://github.com/thephpleague/mime-type-detection.git",
    "reference": "2d6702ff215bf922936ccc1ad31007edc76451b9"
               },
"dist": {
"*'ne
                     "type": "zip",
"url": "https://api.github.com/repos/thephpleague/mime-type-
detection/zipball/2d6702ff215bf922936ccc1ad31007edc76451b9"
                     "reference": "2d6702ff215bf922936ccc1ad31007edc76451b9",
"shasum": ""
               },
"require": {
    "ext-fileinfo": "*",
    "php": "^7.4 || ^8.0"
               },
"require-dev": {
    "friendsofphp/php-cs-fixer": "^3.2",
    "phpstan/phpstan": "^0.12.68",
    "phpunit/phpunit": "^8.5.8 || ^9.3 || ^10.0"
               },
"type": "library",
                "League\\MimeTypeDetection\\": "src"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
                "authors": [
                     {
                          "name": "Frank de Jonge",
"email": "info@frankdejonge.nl"
                ],
"description": "Mime-type detection for Flysystem",
                "support": {
    "issues": "https://github.com/thephpleague/mime-type-detection/issues".
                     "source": "https://github.com/thephpleague/mime-type-detection/tree/1.16.0"
               },
"funding": [
                     {
                           "url": "https://github.com/frankdejonge",
                           "type": "github'
                          "url": "https://tidelift.com/funding/github/packagist/league/flysystem", "type": "tidelift"
                ],
"time": "2024-09-21T08:32:55+00:00"
          },
{
                "name": "league/uri",
                "version": "7.5.1",
```

```
"source": {
    "type": "git",
    "url": "https://github.com/thephpleague/uri.git",
    "reference": "81fb5145d2644324614cc532b28efd0215bda430"
                       },
"dist": {
"''ne
                                "type": "zip",
                               "url":
"https://api.github.com/repos/thephpleague/uri/zipball/81fb5145d2644324614cc532b28efd0215bda430",
                               ...a...com, repos, chephpicague/uri/zipball/81fb5145d26443246
"reference": "81fb5145d2644324614cc532b28efd0215bda430",
"shasum": ""
                       },
"require": {
                                "league/uri-interfaces": "^7.5",
                               "php": "^8.1"
                       },
"conflict": {
                                "league/uri-schemes": "^1.0"
                       },
"suggest": {
   "av+-bcm
                               "ext-bcmath": "to improve IPV4 host parsing",
"ext-fileinfo": "to create Data URI from file contennts",
                               "ext-fileinto": "to create Data URI from file contennts",

"ext-gmp": "to improve IPV4 host parsing",

"ext-intl": "to handle IDN host with the best performance",

"jeremykendall/php-domain-parser": "to resolve Public Suffix and Top Level Domain",

"league/uri-components": "Needed to easily manipulate URI objects components",

"php-64bit": "to improve IPV4 host parsing",

"symfony/polyfill-intl-idn": "to handle IDN host via the Symfony polyfill if ext-
intl is not present"
                       '},
"type": "library",
"extra": {
    "branch-alias"
                               "branch-alias": {
    "dev-master": "7.x-dev"
                               }
                       },
"autoload": {
    "psr-4": {
    "league
                                       "League\\Uri\\": ""
                       },
"notification-url": "https://packagist.org/downloads/",
                        "license": [
"MIT"
                       ],
"authors": [
                                       "name": "Ignace Nyamagana Butera",
"email": "nyamsprod@gmail.com",
"homepage": "https://nyamsprod.com"
                               }
                       "description": "URI manipulation library",
"homepage": "https://uri.thephpleague.com",
"keywords": [
                                "data-uri"
                               "file-uri".
                               "ftp",
                               "hostname",
                               "http",
"https",
                                "middleware",
                               "parse_str",
                               "parse_url",
"psr-7",
                               "query-string",
                                "querystring",
                               "rfc3986",
"rfc3987",
"rfc6570",
                               "uri",
                                "uri-template",
                               "url",
```

```
"ws"
                        ],
                         'support": {
    "docs": "https://uri.thephpleague.com",
    "forum": "https://thephpleague.slack.com",
    "issues": "https://github.com/thephpleague/uri-src/issues",
    """    "bttps://github.com/thephpleague/uri/tree/7.5.1"
                               "source": "https://github.com/thephpleague/uri/tree/7.5.1"
                       },
"funding": [
                               {
                                       "url": "https://github.com/sponsors/nyamsprod", "type": "github"
                       ],
"time": "2024-12-08T08:40:02+00:00"
                        "name": "league/uri-components",
                        "version": "7.5.1",
                       "source": {
    "type": "git",
    "url": "https://github.com/thephpleague/uri-components.git",
    "reference": "4aabf0e2f2f9421ffcacab35be33e4fb5e63c44f"
                       },
"dist": {
"''ne
"type": "zip",

"url": "https://api.github.com/repos/thephpleague/uri-
components/zipball/4aabf0e2f2f942lffcacab35be33e4fb5e63c44f",
                               "reference": "4aabf0e2f2f9421ffcacab35be33e4fb5e63c44f",
"shasum": ""
                       "league/uri": "^7.5",
"php": "^8.1"
                       "ext-bcmath": "to improve IPV4 host parsing",
"ext-fileinfo": "to create Data URI from file contennts",
                               "ext-fileinfo": "to create Data URI from file contennts",

"ext-gmp": "to improve IPV4 host parsing",

"ext-intl": "to handle IDN host with the best performance",

"ext-mbstring": "to use the sorting algorithm of URLSearchParams",

"jeremykendall/php-domain-parser": "to resolve Public Suffix and Top Level Domain",

"php-64bit": "to improve IPV4 host parsing",

"symfony/polyfill-intl-idn": "to handle IDN host via the Symfony polyfill if ext-
intl is not present"
                       },
"type": "library",
"extra": {
    "branch-alias"
                               "branch-alias": {
    "dev-master": "7.x-dev"
                         autoload": {
"psr-4": {
                                       "League\\Uri\\": ""
                        },
"notification-url": "https://packagist.org/downloads/",
                       "license": [
"MIT"
                       ],
"authors": [
                               {
                                       "name": "Ignace Nyamagana Butera",
"email": "nyamsprod@gmail.com",
"homepage": "https://nyamsprod.com"
                        "description": "URI components manipulation library",
                        "homepage": "http://uri.thephpleague.com",
"keywords": [
                                "authority"
                               "components",
```

```
"fragment",
                           "host",
"middleware",
                           "modifier",
                           "path",
"port",
"query"
                           "rfc3986",
                           "scheme",
                           "uri",
                           "userinfo"
                   "support": {
    "docs": "https://uri.thephpleague.com",
    "forum": "https://thephpleague.slack.com",
    "issues": "https://github.com/thephpleague/uri-src/issues",
    "source": "https://github.com/thephpleague/uri-components/tree/7.5.1"
                                  "url": "https://github.com/nyamsprod",
"type": "github"
                    ],
"time": "2024-12-08T08:40:02+00:00"
             },
{
                    "name": "league/uri-interfaces",
                    "name": "league/uri-interfaces ,
"version": "7.5.0",
"source": {
    "type": "git",
    "url": "https://github.com/thephpleague/uri-interfaces.git",
    "reference": "08cfc6c4f3d811584fb09c37e2849e6a7f9b0742"
                    },
"dist": {
"reference": "08cfc6c4f3d811584fb09c37e2849e6a7f9b0742",
                           "shasum":
                    "psr/http-factory": "^1",
"psr/http-message": "^1.1 || ^2.0"
                    'ext-bcmath": "to improve IPV4 host parsing",
                           "ext-gmp": "to improve IPV4 host parsing,
"ext-gmp": "to improve IPV4 host parsing",
"ext-intl": "to handle IDN host with the best performance",
"php-64bit": "to improve IPV4 host parsing",
"symfony/polyfill-intl-idn": "to handle IDN host via the Symfony polyfill if ext-
intl is not present"
                    "type": "library",
"extra": {
    "branch-alias"
                           "branch-alias": {
    "dev-master": "7.x-dev"
                   },
"autoload": {
    "psr-4": {
        "League\\Uri\\": ""
                    },
"notification-url": "https://packagist.org/downloads/",
                    "license": [
"MIT"
                     "authors": [
                           {
```

```
"name": "Ignace Nyamagana Butera",
"email": "nyamsprod@gmail.com",
                                        "homepage": "https://nyamsprod.com"
                        ],
"description": "Common interfaces and classes for URI representation and interaction",
"homepage": "https://uri.thephpleague.com",
"keywords": [
                                "file-uri",
                                "ftp",
                                "hostname",
                                "http",
"https"
                                "parse_str",
                                "parse_url",
"psr-7",
"query-string",
                                "querystring",
                                "rfc3986",
"rfc3987",
                                "rfc6570",
                                "uri",
                                "ws"
                       ""
"support": {
    "docs": "https://uri.thephpleague.com",
    "forum": "https://thephpleague.slack.com",
    "issues": "https://github.com/thephpleague/uri-src/issues",
    "cource": "https://github.com/thephpleague/uri-interfaces/t
                                "source": "https://github.com/thephpleague/uri-interfaces/tree/7.5.0"
                        },
"funding": [
                                {
                                        "url": "https://github.com/sponsors/nyamsprod",
"type": "github"
                        ],
"time": "2024-12-08T08:18:47+00:00"
                        "name": "livewire/livewire",
                        "version": "v3.6.4",
"source": {
    "type": "git",
    "url": "https://github.com/livewire/livewire.git",
    "reference": "ef04be759da41b14d2d129e670533180a44987dc"
                                "type": "zip",
                                "url":
},
"require": {
                                "illuminate/database": "^10.0|^11.0|^12.0",
"illuminate/routing": "^10.0|^11.0|^12.0",
"illuminate/support": "^10.0|^11.0|^12.0",
                               "illuminate/support": "^10.0|^11.0|^12.0",
"illuminate/validation": "^10.0|^11.0|^12.0",
"laravel/prompts": "^0.1.24|^0.2|^0.3",
"league/mime-type-detection": "^1.9",
"php": "^8.1",
"symfony/console": "^6.0|^7.0",
"symfony/http-kernel": "^6.2|^7.0"
                        },
"require-dev": {
                               quire-dev": {
    "calebporzio/sushi": "^2.1",
    "laravel/framework": "^10.15.0|^11.0|^12.0",
    "mockery/mockery": "^1.3.1",
    "orchestra/testbench": "^8.21.0|^9.0|^10.0",
    "orchestra/testbench-dusk": "^8.24|^9.1|^10.0",
    "phpunit/phpunit": "^10.4|^11.5",
```

```
"psy/psysh": "^0.11.22|^0.12"
               },
"type": "library",
                "extra": {
                      "laravel": {
                          "aliases": {
                                "Livewire": "Livewire\\Livewire"
                           r,
"providers": [
"Livewire\\LivewireServiceProvider"
                     }
               "src/helpers.php"
                     "psr-4": {
                          "Livewire\\": "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
               ],
"authors": [
                     {
                          "name": "Caleb Porzio",
"email": "calebporzio@gmail.com"
                "description": "A front-end framework for Laravel.",
                "support": {
   "issues": "https://github.com/livewire/livewire/issues",
   "source": "https://github.com/livewire/livewire/tree/v3.6.4"
               },
"funding": [
                     {
                          "url": "https://github.com/livewire",
"type": "github"
                ],
"time": "2025-07-17T05:12:15+00:00"
          },
{
                "name": "masterminds/html5",
"version": "2.10.0",
                "source": {
    "type": "git",
    "url": "https://github.com/Masterminds/html5-php.git",
    "reference": "fcf91eb64359852f00d921887b219479b4f21251"
               },
"dist": {
   "+vne
                     "type": "zip",
"url": "https://api.github.com/repos/Masterminds/html5-
php/zipball/fcf91eb64359852f00d921887b219479b4f21251",
                     "reference": "fcf91eb64359852f00d921887b219479b4f21251",
                     "shasum":
               },
"require": {
                     "ext-dom": "*"
                     "php": ">=5.3.0"
                },
"require-dev": {
    "phpunit/phpunit": "^4.8.35 || ^5.7.21 || ^6 || ^7 || ^8 || ^9"
               },
"type": "library",
                "extra": {
                     "branch-alias": {
    "dev-master": "2.7-dev"
                },
"autoload": {
```

```
"psr-4": {
                                    "Masterminds\\": "src"
                      },
"notification-url": "https://packagist.org/downloads/",
                      "license": [
"MIT"
                     ],
"authors": [
                             {
                                    "name": "Matt Butcher",
"email": "technosophos@gmail.com"
                                    "name": "Matt Farina"
                                     "email": "matt@mattfarina.com"
                                    "name": "Asmir Mustafic",
"email": "goetas@gmail.com"
                             }
                      "description": "An HTML5 parser and serializer.",
"homepage": "http://masterminds.github.io/html5-php",
"keywords": [
                              "HTML5",
                             "dom",
"html"
                             "parser"
                             "querypath",
"serializer",
                             "xml"
                     ],
"support": {
    "issues": "https://github.com/Masterminds/html5-php/issues",
    "source": "https://github.com/Masterminds/html5-php/tree/2.10.0"
                      },
"time": "2025-07-25T09:04:22+00:00"
                      "name": "meilisearch/meilisearch-php",
                     "name": "mertisearch, mertisearch, mertisearch, mertisearch, mertisearch, mertisearch, mertisearch, "version": "v1.15.0",
"source": {
    "type": "git",
    "url": "https://github.com/meilisearch/meilisearch-php.git",
    "reference": "94930b9e4b8a6clad841eed1395a58a73d0db313"
                     },
"dist": {
"''ne
"reference": "94930b9e4b8a6c1ad841eed1395a58a73d0db313",
                             "shasum":
                      "ext-json": "*",
"php": "^7.4 || ^8.0",
"php-http/discovery": "^1.7",
"psr/http-client": "^1.0"
                     "guzzlehttp/guzzle": "^7.8.1",
                             "guzzlehttp/guzzle": "^7.8.1",
"http-interop/http-factory-guzzle": "^1.2.0",
"php-cs-fixer/shim": "^3.59.3",
"phpstan/phpstan": "^2.0",
"phpstan/phpstan-deprecation-rules": "^2.0",
"phpstan/phpstan-phpunit": "^2.0",
"phpstan/phpstan-strict-rules": "^2.0",
"phpunit/phpunit": "^9.5 || ^10.5"
                       ,
'suggest": {
                             "guzzlehttp/guzzle": "Use Guzzle ^7 as HTTP client",
"http-interop/http-factory-guzzle": "Factory for guzzlehttp/guzzle"
```

```
},
"type": "library",
                     "autoload": {
    "psr-4":
                                  "MeiliSearch\\": "src/",
"Meilisearch\\": "src/"
                    },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
"MIT"
                    ],
"authors": [
                           {
                                  "name": "Clementine",
"email": "clementine@meilisearch.com"
                     "description": "PHP wrapper for the Meilisearch API",
                     "keywords": [
                            "api".
                           "client"
                           "instant<sup>*</sup>
                            "meilisearch",
                           "php",
                           "search"
                    l,
"support": {
    "issues": "https://github.com/meilisearch/meilisearch-php/issues",
    "bttps://github.com/meilisearch/meilisearch-php/tree/v1.
                           "source": "https://github.com/meilisearch/meilisearch-php/tree/v1.15.0"
                    },
"time": "2025-06-10T04:33:15+00:00"
             },
{
                     "name": "monolog/monolog",
                     "version": "3.9.0",
"source": {
                           "type": "git",
"url": "https://github.com/Seldaek/monolog.git",
"reference": "10d85740180ecba7896c87e06a166e0c95a0e3b6"
                    },
"dist": {
                           "type": "zip",
"url":
"https://api.github.com/repos/Seldaek/monolog/zipball/10d85740180ecba7896c87e06a166e0c95a0e3b6",
                            "shasum":
                   },
"require": {
    "php": ">=8.1",
    "psr/log": "^2.0 || ^3.0"
                     "provide": {
    "psr/log-implementation": "3.0.0"
                    "aws/aws-sdk-php": "^3.0",
"doctrine/couchdb": "~1.0@dev",
"elasticsearch/elasticsearch": "^7 || ^8",
"ext-json": "*",
                           "ext-json": "*",
"graylog2/gelf-php": "^1.4.2 || ^2.0",
"guzzlehttp/guzzle": "^7.4.5",
"guzzlehttp/psr7": "^2.2",
"mongodb/mongodb": "^1.8",
"php-amqplib/php-amqplib": "~2.4 || ^3",
"php-console/php-console": "^3.1.8",
"phpstan/phpstan": "^2",
"phpstan/phpstan deprecation rules": "^2
                           "phpstan/phpstan-deprecation-rules": "^2",
                           "phpstan/phpstan-depretation-rutes: 2
"phpstan/phpstan-strict-rules": "^2",
"phpunit/phpunit": "^10.5.17 || ^11.0.7",
"predis/predis": "^1.1 || ^2",
"rollbar/rollbar": "^4.0",
"ruflin/elastica": "^7 || ^8",
```

```
"symfony/mailer": "^5.4 || ^6",
                              "symfony/mime": "^5.4 ||
                      },
                        'suggest": {
                              "aws/aws-sdk-php": "Allow sending log messages to AWS services like DynamoDB", "doctrine/couchdb": "Allow sending log messages to a CouchDB server",
                              "elasticsearch/elasticsearch": "Allow sending log messages to an Elasticsearch
server via official client", "ext-amqp": "Allow sending log messages to an AMQP server (1.0+ required)", "ext-curl": "Required to send log messages using the IFTTTHandler, the LogglyHandler, the SendGridHandler, the SlackWebhookHandler or the TelegramBotHandler",
                             The SendGridHandler, the SlackWebnookHandler or the TelegramBotHandler",
"ext-mbstring": "Allow to work properly with unicode symbols",
"ext-mongodb": "Allow sending log messages to a MongoDB server (via driver)",
"ext-openssl": "Required to send log messages using SSL",
"ext-sockets": "Allow sending log messages to a Syslog server (via UDP driver)",
"graylog2/gelf-php": "Allow sending log messages to a GrayLog2 server",
"mongodb/mongodb": "Allow sending log messages to a MongoDB server (via library)",
"php-amqplib/php-amqplib": "Allow sending log messages to an AMQP server using php-
amqplib",
                             "rollbar/rollbar": "Allow sending log messages to Rollbar",
"ruflin/elastica": "Allow sending log messages to an Elastic Search server"
                      },
"type": "library",
                              "branch-alias": {
    "dev-main": "3.x-dev"
                      },
"autoload": {
    "psr-4": {
    "Monol
                                     "Monolog\\": "src/Monolog"
                      },
"notification-url": "https://packagist.org/downloads/",
                      "license": [
"MIT"
                      ],
                        authors": [
                              {
                                     "name": "Jordi Boggiano",
"email": "j.boggiano@seld.be",
"homepage": "https://seld.be"
                      ],
"description": "Sends your logs to files, sockets, inboxes, databases and various web
services",
                      "homepage": "https://github.com/Seldaek/monolog",
                       "keywords": [
                              "log"
                              "logging",
                              "psr-3"
                      "support": {
    "issues": "https://github.com/Seldaek/monolog/issues"
                              "source": "https://github.com/Seldaek/monolog/tree/3.9.0"
                      },
"funding": [
                             {
                                     "url": "https://github.com/Seldaek",
"type": "github"
                                     "url": "https://tidelift.com/funding/github/packagist/monolog/monolog", "type": "tidelift"
                      ],
"time": "2025-03-24T10:02:05+00:00"
                      "name": "mtdowling/jmespath.php",
                      "version": "2.8.0",
                      "source": {
    "type": "git",
```

```
"url": "https://github.com/jmespath/jmespath.php.git", "reference": "a2a865e05d5f420b50cc2f85bb78d565db12a6bc"
                 },
"dist": {
"''ne
                       "type": "zip",
"url": "https://api.github.com/repos/jmespath/jmespath.php/zipball/a2a865e05d5f420b5
0cc2f85bb78d565db12a6bc",
                        "reference": "a2a865e05d5f420b50cc2f85bb78d565db12a6bc",
                       "shasum":
                 "symfony/polyfill-mbstring": "^1.17"
                 },
"require-dev": {
    "composer/xdebug-handler": "^3.0.3",
    "phpunit/phpunit": "^8.5.33"
                 },
"bin": [
"bin"
                       "bin/jp.php"
                 l,
"type": "library",
"extra": {
    "branch-alias"
                       "branch-alias": {
    "dev-master": "2.8-dev"
                 },
"autoload": {
    "files": [
         "src/J
                             "src/JmesPath.php"
                       "psr-4": {
                             "JmesPath\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
"authors": [
                       {
                             "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
                             "homepage": "https://github.com/GrahamCampbell"
                       },
{
                             "name": "Michael Dowling",
"email": "mtdowling@gmail.com",
                             "homepage": "https://github.com/mtdowling"
                 "description": "Declaratively specify how to extract elements from a JSON document", "keywords": [
    "json", . . . .
                       "jsonpath"
                 ],
"support": {
    "issues": "https://github.com/jmespath/jmespath.php/issues"
    "bttps://github.com/jmespath/jmespath.php/tree/2.8
                       "source": "https://github.com/jmespath/jmespath.php/tree/2.8.0"
                 },
"time": "2024-09-04T18:46:31+00:00"
           },
{
                 "name": "myclabs/deep-copy",
"version": "1.13.4",
                 "source": {
    "type": "git",
    "url": "https://github.com/myclabs/DeepCopy.git",
    "reference": "07d290f0c47959fd5eed98c95ee5602db07e0b6a"
                 },
"dist": {
"''''
                       "type": "zip",
"url":
```

```
"https://api.github.com/repos/myclabs/DeepCopy/zipball/07d290f0c47959fd5eed98c95ee5602db07e0b6a",
                    "reference": "07d290f0c47959fd5eed98c95ee5602db07e0b6a",
                    "shasum":
              },
"require": {
    "php": "^7.1 || ^8.0"
              },
"conflict": {
    "'astrine.
                   "doctrine/collections": "<1.6.8",
"doctrine/common": "<2.13.3 || >=3 <3.2.2"
               "doctrine/collections": "^1.6.8"
                   "doctrine/corrections: 1.0.6",
"doctrine/common": "^2.13.3 || ^3.2.2",
"phpspec/prophecy": "^1.10",
"phpunit/phpunit": "^7.5.20 || ^8.5.23 || ^9.5.13"
              },
"type": "library",
               "autoload": {
    "files": [
                         "src/DeepCopy/deep_copy.php"
                    "psr-4": {
                         "DeepCopy\\": "src/DeepCopy/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"description": "Create deep copies (clones) of your objects",
               "keywords": [
"clone",
                   "copy"
                    "duplicate",
                    "object",
                    "object graph"
                "source": "https://github.com/myclabs/DeepCopy/tree/1.13.4"
              },
"funding": [
                   {
                         "url": "https://tidelift.com/funding/github/packagist/myclabs/deep-copy",
"type": "tidelift"
               ],
"time": "2025-08-01T08:46:24+00:00"
               "name": "nesbot/carbon",
               "version": "3.10.2",
"source": {
                    "type": "git",
"url": "https://github.com/CarbonPHP/carbon.git",
"reference": "76b5c07b8a9d2025ed1610e14cef1f3fd6ad2c24"
              },
"dist": {
   "+vne
                    "type": "zip",
                    "url":
},
"require": {
                    carbonphp/carbon-doctrine-types": "<100.0",
                   "ext-json": "*",
"php": "^8.1",
"psr/clock": "^1.0"
                   "psr/clock": "^1.0",
"symfony/clock": "^6.3.12 || ^7.0",
"symfony/polyfill-mbstring": "^1.0",
"symfony/translation": "^4.4.18 || ^5.2.1 || ^6.0 || ^7.0"
```

```
},
"provide": {
         "psr/clock-implementation": "1.0"
"require-dev": {
    "doctrine/dbal": "^3.6.3 || ^4.0",
    "doctrine/orm": "^2.15.2 || ^3.0",
    "friendsofphp/php-cs-fixer": "^3.75.0",
    "kylekatarnls/multi-tester": "^2.5.3",
    "phpmd/phpmd": "^2.15.0",
    "nhnstan/extension-installer": "^1.4.3"
        "phpstan/extension-installer": "^1.4.3",
"phpstan/phpstan": "^2.1.17",
"phpunit/phpunit": "^10.5.46",
         "squizlabs/php_codesniffer": "^3.13.0"
},
"bin": [
    "bin/carbon"
 "type": "library",
"extra": {
        "laravel": {
                "providers": [
"Carbon\\Laravel\\ServiceProvider"
        },
"phpstan": {
"'aclude
                "includes": [
                       "extension.neon"
       },
"branch-alias": {
    "dev-2.x": "2.x-dev",
    "dev-master": "3.x-dev"
},
"autoload": {
    "psr-4": {
         "Carbox
                "Carbon\\": "src/Carbon/"
 },
"notification-url": "https://packagist.org/downloads/",
 "license": [
"MIT"
 ],
"authors": [
        {
               "name": "Brian Nesbitt",
"email": "brian@nesbot.com",
"homepage": "https://markido.com"
       },
{
                "name": "kylekatarnls",
"homepage": "https://github.com/kylekatarnls"
 "description": "An API extension for DateTime that supports 281 different languages.",
 "homepage": "https://carbon.nesbot.com",
"keywords": [
         "date"
        "datetime",
        "time"
],
"support": {
    "docs": "https://carbon.nesbot.com/docs",
    "issues": "https://github.com/CarbonPHP/carbon/issues",
    "source": "https://github.com/CarbonPHP/carbon"
 },
"funding": [
        {
                "url": "https://github.com/sponsors/kylekatarnls",
"type": "github"
        },
{
```

```
"url": "https://opencollective.com/Carbon#sponsor",
                         "type": "opencollective"
                   },
                        "url": "https://tidelift.com/subscription/pkg/packagist-nesbot-
carbon?utm_source=packagist-nesbot-carbon&utm_medium=referral&utm_campaign=readme",
                         "type": "tidelift"
              ],
"time": "2025-08-02T09:36:06+00:00"
               "name": "nette/php-generator",
              "name": "nette/pnp-generator,

"version": "v4.2.0",

"source": {
    "type": "git",
    "url": "https://github.com/nette/php-generator.git",
    "reference": "4707546a1f11badd72f5d82af4f8a6bc64bd56ac"
},
"require": {
                   "nette/utils": "^4.0.6",
"php": "8.1 - 8.5"
              "jetbrains/phpstorm-attributes": "^1.2",
                   "nette/tester": "^2.4",
"nikic/php-parser": "^5.0",
"phpstan/phpstan-nette": "^2.0@stable",
"tracy/tracy": "^2.8"
              },
"suggest": {
    "nikic/php-parser": "to use ClassType::from(withBodies: true) &
ClassType::fromCode()
               },
"type": "library",
               "extra": {
                   "branch-alias": {
    "dev-master": "4.2-dev"
               "Nette\\": "src"
                   },
"classmap": [
    "src/"
               "notification-url": "https://packagist.org/downloads/",
               "license": [
"BSD-3-Clause",
                   "GPL-2.0-only",
"GPL-3.0-only"
              ],
"authors": [
                   {
                         "name": "David Grudl"
                         "homepage": "https://davidgrudl.com"
                         "name": "Nette Community",
                         "homepage": "https://nette.org/contributors"
               ],
"description": " Nette PHP Generator: generates neat PHP code for you. Supports new PHP
8.5 features.",
```

```
"homepage": "https://nette.org",
                "keywords": [
"code",
                     "nette",
                     "php"
                     "scaffolding"
                ],
"support": {
    "issues": "https://github.com/nette/php-generator/issues",
    "bttps://github.com/nette/php-generator/tree/v4.
                     "source": "https://github.com/nette/php-generator/tree/v4.2.0"
                },
"time": "2025-08-06T18:24:31+00:00"
          },
{
                "name": "nette/schema",
                "version": "v1.3.2",
                "source": {
    "type": "git",
    "url": "https://github.com/nette/schema.git",
    "reference": "da801d52f0354f70a638673c4a0f04e16529431d"
                },
"dist": {
"*'ne
                     "type": "zip",
"url":
},
"require": {
    "nette/utils": "^4.0",
    "php": "8.1 - 8.4"
               },
"require-dev": {
    "nette/tester": "^2.5.2",
    "phpstan/phpstan-nette": "^1.0",
    "tracy/tracy": "^2.8"
                },
"type": "library",
"extra": {
                     "branch-alias": {
    "dev-master": "1.3-dev"
                },
"autoload": {
    "-1255map
                      "classmap": [
                           "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [

"BSD-3-Clause",
                     "GPL-2.0-only",
"GPL-3.0-only"
                ],
"authors": [
                     {
                           "name": "David Grudl",
                           "homepage": "https://davidgrudl.com"
                           "name": "Nette Community",
                           "homepage": "https://nette.org/contributors"
                     }
                ],
"description": " Nette Schema: validating data structures against a given Schema.",
                "homepage": "https://nette.org",
"keywords": [
                     "config",
"nette"
                ],
"support": {
    "issues": "https://github.com/nette/schema/issues",
    "bttps://github.com/nette/schema/tree/vl.
                      "source": "https://github.com/nette/schema/tree/v1.3.2"
```

```
},
"time": "2024-10-06T23:10:23+00:00"
             },
{
                     "name": "nette/utils",
                    "name": "nette/utils",
"version": "v4.0.8",
"source": {
    "type": "git",
    "url": "https://github.com/nette/utils.git",
    "reference": "c930ca4e3cf4f17dcfb03037703679d2396d2ede"
                    },
"dist": {
                           "type": "zip",
                           "url":
"shasum":
                    },
"require": {
    "php": "8.0 - 8.5"
                    "nette/finder": "<3",
"nette/schema": "<1.2.2"
                    "jetbrains/phpstorm-attributes": "^1.2",
                           "nette/tester": "^2.5",
"phpstan/phpstan-nette": "^2.0@stable",
"tracy/tracy": "^2.9"
                   };
"suggest": {
    "ext-gd": "to use Image",
    "ext-iconv": "to use Strings::webalize(), toAscii(), chr() and reverse()",
    "ext-intl": "to use Strings::webalize(), toAscii(), normalize() and compare()",
    "ext-json": "to use Nette\\Utils\\Json",
    "ext-mbstring": "to use Strings::lower() etc...",
    "ext-tokenizer": "to use Nette\\Utils\\Reflection::getUseStatements()"
                    },
"type": "library",
"extra": {
    "branch-alias"
                            "branch-alias": {
    "dev-master": "4.0-dev"
                      'autoload": {
    "psr-4": {
        "Nette\\": "src"
                           },
"classmap": [
                                  "src/"
                    },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
    "BSD-3-Clause",
                           "GPL-2.0-only",
"GPL-3.0-only"
                    ],
"authors": [
                           {
                                  "name": "David Grudl"
                                  "homepage": "https://davidgrudl.com"
                                  "name": "Nette Community",
"homepage": "https://nette.org/contributors"
                     ],
"description": " Nette Utils: lightweight utilities for string & array manipulation,
αερειτριτοπ . Nette Utils: lightweight utilities for string & array manipulation, image handling, safe JSON encoding/decoding, validation, slug or strong password generating etc.", "homepage": "https://nette.org", "keywords": [
```

```
"array",
                            "core",
"datetime",
                            "images",
                            "json",
"nette"
                            "paginator",
                            "password",
                            "slugify",
                            "string
                            "unicode",
                            "utf-8",
                            "utility"
                            "validaťion"
                    ],
"support": {
    "issues": "https://github.com/nette/utils/issues",
    "source": "https://github.com/nette/utils/tree/v4.0.8"
                     },
"time": "2025-08-06T21:43:34+00:00"
              },
{
                    "name": "nikic/php-parser",
"version": "v5.6.1",
"source": {
    "type": "git",
    "url": "https://github.com/nikic/PHP-Parser.git",
    "reference": "f103601b29efebd7ff4a1ca7b3eeea9e3336a2a2"
                    },
"dist": {
"''ne
ust": {
    "type": "zip",
    "url": "https://api.github.com/repos/nikic/PHP-
Parser/zipball/f103601b29efebd7ff4a1ca7b3eeea9e3336a2a2",
    "reference": "f103601b29efebd7ff4a1ca7b3eeea9e3336a2a2",
    "shasum": ""
                     "ext-ctype": "*",
"ext-json": "*",
"ext-tokenizer": "*",
"php": ">=7.4"
                    },
"require-dev": {
    "ircmaxell/php-yacc": "^0.0.7",
    "phpunit/phpunit": "^9.0"
                    },
"bin": [
"bin"
                            "bin/php-parse"
                     ],
"type": "library",
"extra": {
                            "branch-alias": {
"dev-master": "5.x-dev"
                     "PhpParser\\": "lib/PhpParser"
                     },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
"BSD-3-Clause"
                     ],
"authors": [
                            {
                                   "name": "Nikita Popov"
                     ],
"description": "A PHP parser written in PHP",
                     "keywords": [
"parser",
                            "php"
```

```
],
"support": {
    "issues": "https://github.com/nikic/PHP-Parser/issues",
    ""https://github.com/nikic/PHP-Parser/tree/v5.
                           "source": "https://github.com/nikic/PHP-Parser/tree/v5.6.1"
                    },
"time": "2025-08-13T20:13:15+00:00"
             },
{
                    "name": "nunomaduro/collision",
                    "name": "nunomaduro/collision",
"version": "v8.8.2",
"source": {
    "type": "git",
    "url": "https://github.com/nunomaduro/collision.git",
    "reference": "60207965f9b7b7a4ce15a0f75d57f9dadb105bdb"
                   },
"dist": {
"*'ne
                          "type": "zip",
"url": "https://api.github.com/repos/nunomaduro/collision/zipball/60207965f9b7b7a4ce
15a0f75d57f9dadb105bdb",
                           "reference": "60207965f9b7b7a4ce15a0f75d57f9dadb105bdb",
                           "shasum":
                   "nunomaduro/termwind": "^2.3.1",
                           "php": "^8.2.0",
                           "symfony/console": "^7.3.0"
                   },
"conflict": {
    "laravel/framework": "<11.44.2 || >=13.0.0",
    "phpunit/phpunit": "<11.5.15 || >=13.0.0"
                  },
"require-dev": {
    "brianium/paratest": "^7.8.3",
    "larastan/larastan": "^3.4.2",
    "laravel/framework": "^11.44.2 || ^12.18",
    "laravel/pint": "^1.22.1",
    "laravel/sail": "^1.43.1",
    "laravel/sanctum": "^4.1.1",
    "^2 10 1".
                          "laravel/sail": "^1.43.1",
"laravel/sanctum": "^4.1.1",
"laravel/tinker": "^2.10.1",
"orchestra/testbench-core": "^9.12.0 || ^10.4",
                          "pestphp/pest": "^3.8.2",
"sebastian/environment": "^7.2.1 || ^8.0"
                   },
"type": "library",
"extra": {
    "'aravel": {
                                  "providers": [
                                        "NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider"
                                 1
                          },
"branch-alias": {
    "dev-8.x": "8.x-dev"
                   },
"autoload": {
    "files": [
        "./src/Adapters/Phpunit/Autoload.php"
                                 "NunoMaduro\\Collision\\": "src/"
                    },
"notification-url": "https://packagist.org/downloads/",
                    "license": [
"MIT"
                   ],
"authors": [
                          {
                                 "name": "Nuno Maduro",
"email": "enunomaduro@gmail.com"
                    ],
```

```
"description": "Cli error handling for console/command-line PHP applications.",
                       "keywords": [
                              "artisan".
                              "cli",
                               "command-line",
                              "console",
                               "dev",
                              "error"
                              "handling",
                              "laravel
                              "laravel-zero",
                              "php",
"symfony"
                      ],
"support": {
    "issues": "https://github.com/nunomaduro/collision/issues",
    "source": "https://github.com/nunomaduro/collision"
                      },
"funding": [
                              {
                                      "url": "https://www.paypal.com/paypalme/enunomaduro", "type": "custom"
                              },
                                      "url": "https://github.com/nunomaduro",
"type": "github"
                                      "url": "https://www.patreon.com/nunomaduro", "type": "patreon"
                       ],
"time": "2025-06-25T02:12:12+00:00"
                       "name": "nunomaduro/larastan",
                       "version": "v3.6.1",
                       "source": {
                              "type": "git",
"url": "https://github.com/larastan/larastan.git",
"reference": "3c223047e374befd1b64959784685d6ecccf66aa"
                      },
"dist": {
"''ne
                               "type": "zip",
                              "url":
"shasum":
                      "ext-json": "*",
"iamcal/sql-parser": "^0.6.0",
"illuminate/console": "^11.44.2 || ^12.4.1",
"illuminate/container": "^11.44.2 || ^12.4.1",
"illuminate/contracts": "^11.44.2 || ^12.4.1",
"illuminate/database": "^11.44.2 || ^12.4.1",
"illuminate/http": "^11.44.2 || ^12.4.1",
"illuminate/pipeline": "^11.44.2 || ^12.4.1",
"illuminate/support": "^11.44.2 || ^12.4.1",
"php": "^8 2"
                              "php": "^8.2",
"phpstan/phpstan": "^2.1.11"
                    pripage...
},
"require-dev": {
    "doctrine/coding-standard": "^13",
    "laravel/framework": "^11.44.2 || ^12.7.2",
    "mockery/mockery": "^1.6.12",
    "nikic/php-parser": "^5.4",
    "orchestra/canvas": "^v9.2.2 || ^10.0.1",
    "orchestra/testbench-core": "^9.12.0 || ^10.1",
    "phpstan/phpstan-deprecation-rules": "^2.0.1",
    "phpunit/phpunit": "^10.5.35 || ^11.5.15"
                       },
"suggest": {
```

```
"orchestra/testbench": "Using Larastan for analysing a package needs Testbench"
              },
"type": "phpstan-extension",
              "extra": {
                   "phpstan": {
    "includes": [
                            "extension.neon"
                  },
"branch-alias": {
    "dev-master": "3.0-dev"
             },
"autoload": {
    "psr-4": {
    "Laras"
                       "Larastan\\Larastan\\": "src/"
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
                   "MIT"
              ],
               "authors": [
                  {
                       "name": "Can Vural",
"email": "can9119@gmail.com"
              ],
"description": "Larastan - Discover bugs in your code without running it. A
phpstan/phpstan extension for Laravel",
              "keywords": [
                   "PHPStan"
                   "code analyse"
                   "code analysis",
                   "larastan",
                   "laravel"
                   "package",
                   "php",
                   "static analysis"
              ],
"support": {
    "issues": "https://github.com/larastan/larastan/issues",
    ""https://aithub.com/larastan/larastan/tree/v3.
                   "source": "https://github.com/larastan/larastan/tree/v3.6.1"
              },
"funding": [
                  {
                       "url": "https://github.com/canvural",
"type": "github"
              "abandoned": "larastan/larastan"
              "time": "2025-08-25T07:24:56+00:00"
              "name": "nunomaduro/termwind",
              "version": "v2.3.1",
"source": {
                  "type": "git",
"url": "https://github.com/nunomaduro/termwind.git",
"eference": "dfa08f390e509967a15c22493dc0bac5733d9123"
              },
"dist": {
   "+vne"
                  "type": "zip",
"url":
"shasum":
              "ext-mbstring": "*",
"php": "^8.2",
                   "symfony/console": "^7.2.6"
              },
```

```
"require-dev": {
             "illuminate/console": "^11.44.7",
            "illuminate/console": "^11.44./",
"laravel/pint": "^1.22.0",
"mockery/mockery": "^1.6.12",
"pestphp/pest": "^2.36.0 || ^3.8.2",
"phpstan/phpstan": "^1.12.25",
"phpstan/phpstan-strict-rules": "^1.6.2",
"symfony/var-dumper": "^7.2.6",
"thoodingmaching/phpstan-strict-rules":
             "thecodingmachine/phpstan-strict-rules": "^1.0.0"
      },
"type": "library",
"extra": {
    "'aravel": {
                   "providers": [
                          "Termwind\\Laravel\\TermwindServiceProvider"
            },
"branch-alias": {
    "dev-2.x": "2.x-dev"
       ;,
"autoload": {
    "files": [
        "src/Functions.php"
             "psr-4": {
                   "Termwind\\": "src/"
      },
"notification-url": "https://packagist.org/downloads/",
      "license": [
"MIT"
      ],
"authors": [
            {
                   "name": "Nuno Maduro",
"email": "enunomaduro@gmail.com"
      ],
"description": "Its like Tailwind CSS, but for the console.",
      "keywords": [
"cli",
             "console",
             "css",
             "package",
            "php",
"style"
      ],
"support": {
    "issues": "https://github.com/nunomaduro/termwind/issues"
    "bttps://github.com/nunomaduro/termwind/tree/v2
             "source": "https://github.com/nunomaduro/termwind/tree/v2.3.1"
      },
"funding": [
            {
                   "url": "https://www.paypal.com/paypalme/enunomaduro",
                   "type": "custom"
            },
                   "url": "https://github.com/nunomaduro",
"type": "github"
                   "url": "https://github.com/xiCO2k",
"type": "github"
            }
      ],
"time": "2025-05-08T08:14:37+00:00"
},
{
      "name": "openspout/openspout",
      "version": "v4.30.1",
"source": {
    "type": "git",
```

```
"url": "https://github.com/openspout/openspout.git",
"reference": "4550fc0dbf01aff86d12691f8a7f6ce22d2b2edc"
                },
"dist": {
   "''ne
                     "type": "zip",
"url":
"https://api.github.com/repos/openspout/openspout/zipball/4550fc0dbf01aff86d12691f8a7f6ce22d2b2edc",
                      "reference": "4550fc0dbf0laff86d12691f8a7f6ce22d2b2edc",
                      "shasum":
               },
"require": {
    "ext-dom": "*",
    "ext-fileinfo": "*",
    "...+ filter": "*",
    "...+
                     "ext-filter": "*",
"ext-libxml": "*",
                      "ext-xmlreader": "*".
                      "ext-zip": "*",
"php": "~8.3.0 || ~8.4.0"
                "friendsofphp/php-cs-fixer": "^3.80.0",
                     "infection/infection": "^0.30.1",
"phpbench/phpbench": "^1.4.1",
"phpstan/phpstan": "^2.1.17",
                      "phpstan/phpstan": "^2.1.1/",
"phpstan/phpstan-phpunit": "^2.0.6",
                     "phpstan/phpstan-strict-rules": "^2.0.4", "phpunit/phpunit": "^12.2.6"
                ext-iconv": "To handle non UTF-8 CSV files (if \"php-mbstring\" is not already
installed or is too limited)",
                      "ext-mbstring": "To handle non UTF-8 CSV files (if \"iconv\" is not already
installed)"
                },
"type": "library",
"extra": {
    "branch-alias"
                     },
"autoload": {
    "psr-4": {
    "OnenS
                           "OpenSpout\\": "src/"
                 ,,
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
                 "authors": [
                     {
                           "name": "Adrien Loison",
"email": "adrien@box.com"
                ], "description": "PHP Library to read and write spreadsheet files (CSV, XLSX and ODS), in
a fast and scalable way",

"homepage": "https://github.com/openspout/openspout",

"keywords": [

"00XML",
                      "CSV"
                      "exceĺ"
                      "memory",
                      "odf",
                      "office",
                      "open",
                     "php",
"read"
                      "scale"
                      "spreadsheet",
                      "stream",
```

```
"write",
                       "xlsx"
                 ],
"support": {
    "issues": "https://github.com/openspout/openspout/issues",
    "bttps://github.com/openspout/openspout/tree/v4
                       "source": "https://github.com/openspout/openspout/tree/v4.30.1"
                 },
"funding": [
                       {
                             "url": "https://paypal.me/filippotessarotto",
"type": "custom"
                       {
                             "url": "https://github.com/Slamdunk",
"type": "github"
                       }
                 ],
"time": "2025-07-07T06:15:55+00:00"
           },
{
                 "name": "paragonie/constant_time_encoding",
"version": "v3.0.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/paragonie/constant_time_encoding.git",
    "reference": "dfle7fde177501eee2037dd159cf04f5f301a512"
                 },
"dist": {
                       "type": "zip",
"url": "https://api.github.com/repos/paragonie/constant_time_encoding/zipball/dfle7f
de177501eee2037dd159cf04f5f301a512"
                       "reference": "dfle7fde177501eee2037dd159cf04f5f301a512",
                       "shasum":
                 },
"require": {
    "php": "^8"
                },
"require-dev": {
    "phpunit/phpunit": "^9",
    "vimeo/psalm": "^4|^5"
                 },
"type": "library",
                 "ParagonIE\\ConstantTime\\": "src/"
                  "notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                  "authors": [
                       {
                             "name": "Paragon Initiative Enterprises",
"email": "security@paragonie.com",
                             "homepage": "https://paragonie.com",
"role": "Maintainer"
                             "name": "Steve 'Sc00bz' Thomas",
"email": "steve@tobtu.com",
"homepage": "https://www.tobtu.com",
"role": "Original Developer"
                 ],
"description": "Constant-time Implementations of RFC 4648 Encoding (Base-64, Base-32,
Base-16)",
                 "keywords": [
"base16",
"base32",
                       "base32_decode",
                       "base32_encode",
"base64",
```

```
"base64 decode",
                                  "base64 encode",
                                  "bin2hex"
                                 "encoding",
"hex",
"hex2bin",
"rfc4648"
                        "support": {
    "email": "info@paragonie.com",
    "issues": "https://github.com/paragonie/constant_time_encoding/issues",
    "source": "https://github.com/paragonie/constant_time_encoding"
                         "name": "pestphp/pest",
"version": "v4.0.3",
                         "source": {
    "type": "git",
    "url": "https://github.com/pestphp/pest.git",
    "reference": "e54e4a0178889209a928f7bee63286149d4eb707"
                                 "type": "zip",
"url":
},
"require": {
    "brianium/paratest": "^7.11.2",
    "nunomaduro/collision": "^8.8.2",
    "nunomaduro/termwind": "^2.3.1",
    "pestphp/pest-plugin": "^4.0.0",
    "^^c+nhp/pest-plugin-arch": "^4.0.0",
    "^^c+nhp/pest-plugin-arch": "^4.0.0",
    "'''
    "untate": "^4.0.0",
    "'''
}
                                 "pestphp/pest-plugin": "^4.0.0",
"pestphp/pest-plugin-arch": "^4.0.0",
"pestphp/pest-plugin-mutate": "^4.0.1",
"pestphp/pest-plugin-profanity": "^4.0.1",
"php": "^8.3.0",
"phpunit/phpunit": "^12.3.6",
"symfony/process": "^7.3.0"
                       },
"conflict": {
    "filp/whoops": "<2.18.3",
    "phpunit/phpunit": ">12.3.6",
    "sebastian/exporter": "<7.0.0",
    "webmozart/assert": "<1.11.0"</pre>
                         pestphp/pest-dev-tools": "^4.0.0",
                                  "pestphp/pest-plugin-browser": "^4.0.2"
                                 "pestphp/pest-plugin-type-coverage": "^4.0.2", "psy/psysh": "^0.12.10"
                         },
"bin":[
"bin"
                                 "bin/pest"
                        "Plugins": [
"Pest\\Mutate\\Plugins\\Mutate",
"Pest\\Plugins\\Configuration",
"Pest\\Plugins\\Bail",
"Pest\\Plugins\\Cache",
"Pest\\Plugins\\Cache",
                                                  "Pest\\Plugins\\Coverage",
                                                  "Pest\\Plugins\\Init",
"Pest\\Plugins\\Environment",
                                                  "Pest\\Plugins\\Help",
"Pest\\Plugins\\Memory"
                                                  "Pest\\Plugins\\Only",
                                                  "Pest\\Plugins\\Printer"
                                                  "Pest\\Plugins\\ProcessIsolation",
```

```
"Pest\\Plugins\\Profile",
                                "Pest\\Plugins\\Retry",
                                "Pest\\Plugins\\Snapshot"
"Pest\\Plugins\\Verbose",
"Pest\\Plugins\\Version",
                                "Pest\\Plugins\\Shard",
                                "Pest\\Plugins\\Parallel"
                          1
                     },
"phpstan": {
    "include:
                           "includes": [
                                "extension.neon"
                     }
               "src/Functions.php",
                           "src/Pest.php"
                     ],
"psr-4": {
    "Pest\\": "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                     {
                           "name": "Nuno Maduro",
"email": "enunomaduro@gmail.com"
                ],
"description": "The elegant PHP Testing Framework.",
                "keywords": [
                     "framework",
                     "pest",
                     "php",
"test"
                     "testing",
                     "unit"
                ],
"support": {
    "issues": "https://github.com/pestphp/pest/issues",
    "" "https://aithub.com/pestphp/pest/tree/v4
                     "source": "https://github.com/pestphp/pest/tree/v4.0.3"
                },
"funding": [
                     {
                           "url": "https://www.paypal.com/paypalme/enunomaduro", "type": "custom"
                           "url": "https://github.com/nunomaduro",
"type": "github"
                     }
                ],
"time": "2025-08-24T14:17:23+00:00"
                "name": "pestphp/pest-plugin",
                "version": "v4.0.0",

"source": {

    "type": "git",

    "url": "https://github.com/pestphp/pest-plugin.git",

    "reference": "9d4b93d7f73d3f9c3189bb22c220fef271cdf568"
               },
"dist": {
   "+vne
```

```
"composer-plugin-api": "^2.0.0"
                    "composer-runtime-api": "^2.2.2", "php": "^8.3"
               },
"conflict": {
    "-setphp/
                    "pestphp/pest": "<4.0.0"
              },
"require-dev": {
    "composer/composer": "^2.8.10",
    "pestphp/pest": "^4.0.0",
    "pestphp/pest-dev-tools": "^4.0.0"
               "class": "Pest\\Plugin\\Manager"
              },
"autoload": {
    "psr-4": {
        "Pest\"
                        "Pest\\Plugin\\": "src/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"description": "The Pest plugin manager",
"keywords": [
                    "framework",
                    "manager",
                    "pest",
                    "php",
                    "plugin",
                    "tesť",
                    "testing",
                    "unit"
               ],
"support": {
    "source"
                     'source": "https://github.com/pestphp/pest-plugin/tree/v4.0.0"
               },
"funding": [
                    {
                         "url": "https://www.paypal.com/cgi-bin/webscr?cmd= s-
{
                         "url": "https://github.com/nunomaduro",
"type": "github"
                         "url": "https://www.patreon.com/nunomaduro",
"type": "patreon"
               ],
"time": "2025-08-20T12:35:58+00:00"
          },
{
               "name": "pestphp/pest-plugin-arch",
"version": "v4.0.0",
               "source": {
    "type": "git",
    "url": "https://github.com/pestphp/pest-plugin-arch.git",
    "reference": "25bb17e37920ccc35cbbcda3b00d596aadf3e58d"
},
```

```
"require": {
                     "pestphp/pest-plugin": "^4.0.0",
"php": "^8.3",
                     "ta-tikoma/phpunit-architecture-test": "^0.8.5"
               },
"require-dev": {
    "pestphp/pest": "^4.0.0",
    "pestphp/pest-dev-tools": "^4.0.0"
               "plugins": [
"Pest\\Arch\\Plugin"
                          ]
                     }
               },
"autoload": {
    "files": [
        "src/A
                          "src/Autoload.php"
                     "psr-4": {
    "Pest\\Arch\\": "src/"
               },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
               ],
"description<u>"</u>: "The Arch plugin for Pest PHP.",
                "keywords": [
"arch",
                     "architecture",
                     "framework",
                     "pest",
                     "plugin",
                     "test",
"testing",
                     "unit"
               ],
"support": {
    "source": "https://github.com/pestphp/pest-plugin-arch/tree/v4.0.0"
               },
"funding": [
                     {
                          "url": "https://www.paypal.com/paypalme/enunomaduro",
"type": "custom"
                          "url": "https://github.com/nunomaduro",
                          "type": "github'
                     }
               ],
"time": "2025-08-20T13:10:51+00:00"
          },
{
               "name": "pestphp/pest-plugin-mutate",
"version": "v4.0.1",
                "source": {
    "type": "git",
    "url": "https://github.com/pestphp/pest-plugin-mutate.git",
    "reference": "d9b32b60b2385e1688a68cc227594738ec26d96c"
               },
"dist": {
"''ne
                     "type": "zip",
"url": "https://api.github.com/repos/pestphp/pest-plugin-
mutate/zipball/d9b32b60b2385e1688a68cc227594738ec26d96c"
                     "reference": "d9b32b60b2385e1688a68cc227594738ec26d96c",
                     "shasum":
               "nikic/php-parser": "^5.6.1",
```

```
"pestphp/pest-plugin": "^4.0.0",
                     "php": "^8.3",
"psr/simple-cache": "^3.0.0"
               },
"require-dev": {
    "pestphp/pest": "^4.0.0",
    "pestphp/pest-dev-tools": "^4.0.0",
    "contable/pest-plugin-type-coverage"
                     "pestphp/pest-plugin-type-coverage": "^4.0.0"
               },
"type": "library",
                "Pest\\Mutate\\": "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                "authors": [
                     {
                           "name": "Nuno Maduro",
                           "email": "enunomaduro@gmail.com"
                     {
                          "name": "Sandro Gehri",
"email": "sandrogehri@gmail.com"
                ],
"description": "Mutates your code to find untested cases",
                "keywords": [
                     "framework",
                     "mutate"
                     "mutation",
                     "pest",
                     "plugin",
                     "test",
"testing",
                     "unit"
               ],
"support": {
    "source": "https://github.com/pestphp/pest-plugin-mutate/tree/v4.0.1"
               },
"funding": [
                     {
                          "url": "https://www.paypal.com/paypalme/enunomaduro",
"type": "custom"
                          "url": "https://github.com/gehrisandro",
"type": "github"
                          "url": "https://github.com/nunomaduro",
                          "type": "github"
                ],
"time": "2025-08-21T20:19:25+00:00"
                "name": "pestphp/pest-plugin-profanity",
"version": "v4.0.1",
                "source": {
    "type": "git",
    "url": "https://github.com/pestphp/pest-plugin-profanity.git",
    "reference": "823d5d8ae07a265c70f5e1a9ce50639543b0bf11"
               },
"dist": {
   "+vne
                     "type": "zip",
"url": "https://api.github.com/repos/pestphp/pest-plugin-
profanity/zipball/823d5d8ae07a265c70f5e1a9ce50639543b0bf11"
                     "reference": "823d5d8ae07a265c70f5e1a9ce50639543b0bf11",
```

```
"shasum": ""
                  "pestphp/pest-plugin": "^4.0.0",
"php": "^8.3"
                   },
"require-dev": {
                         "faissaloux/pest-plugin-inside": "^1.9",
"pestphp/pest": "^4.0.0",
"pestphp/pest-dev-tools": "^4.0.0"
                  it: i
"plugins": [
"Pest\\Profanity\\Plugin"
                         }
                  },
"autoload": {
    "psr-4": {
        "Pest\"
                               "Pest\\Profanity\\": "src/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"description": "The Pest Profanity Plugin",
                   "keywords": [
                         "framework",
                         "pest",
                         "php",
                         "plugin"
                         "profanity",
"test",
                         "testing",
                         "unit"
                  ],
"support": {
    "surre"
                         "source": "https://github.com/pestphp/pest-plugin-profanity/tree/v4.0.1"
                   },
"time": "2025-08-20T12:58:03+00:00"
            },
{
                  "name": "phar-io/manifest",
"version": "2.0.4",
"source": {
    "type": "git",
    "url": "https://github.com/phar-io/manifest.git",
    "reference": "54750ef60c58e43759730615a392c31c80e23176"
                  },
"dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/phar-
    '1'54750ef60c58e43759730615a392c31c80e231
},
"require": {
                        quire": {
  "ext-dom": "*",
  "ext-libxml": "*",
  "ext-phar": "*",
  "ext-xmlwriter": "*",
  "phar-io/version": "^3.0.1",
  "php": "^7.2 || ^8.0"
                   },
"type": "library",
"extra": {
                         "branch-alias": {
    "dev-master": "2.0.x-dev"
                   },
```

```
"autoload": {
                       "classmap": [
                             "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "BSD-3-Clause"
                 ],
"authors": [
                       {
                            "name": "Arne Blankerts",
"email": "arne@blankerts.de",
"role": "Developer"
                       },
{
                            "name": "Sebastian Heuer",
"email": "sebastian@phpeople.de",
"role": "Developer"
                       },
{
                             "name": "Sebastian Bergmann",
                             "email": "sebastian@phpunit.de",
"role": "Developer"
                 ],
"description": "Component for reading phar.io manifest information from a PHP Archive
(PHAR)".
                 "source": "https://github.com/phar-io/manifest/tree/2.0.4"
                 },
"funding": [
                       {
                             "url": "https://github.com/theseer",
"type": "github"
                 ],
"time": "2024-03-03T12:33:53+00:00"
                 "name": "phar-io/version",
"version": "3.2.1",
"source": {
    "type": "git",
    "url": "https://github.com/phar-io/version.git",
    "reference": "4f7fd7836c6f332bb2933569e566a0d6c4cbed74"
                 },
"dist": {
   "+vne
"type": "zip",
"url": "https://api.github.com/repos/phar-
io/version/zipball/4f7fd7836c6f332bb2933569e566a0d6c4cbed74"
                       "reference": "4f7fd7836c6f332bb2933569e566a0d6c4cbed74",
"shasum": ""
                 },
"require": {
    "php": "^7.2 || ^8.0"
                 },
"type": "library",
                 "autoload": {
                       "classmap": [
                             "src/"
                       ]
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license":
                       "BSD-3-Clause"
                 ],
"authors": [
                       {
                            "name": "Arne Blankerts",
"email": "arne@blankerts.de",
"role": "Developer"
```

```
},
{
                                 "name": "Sebastian Heuer".
                                 "email": "sebastian@phpeople.de",
"role": "Developer"
                                 "name": "Sebastian Bergmann"
                                 "email": "sebastian@phpunit.de",
"role": "Developer"
                          }
                    description": "Library for handling version information and constraints",
                    "support": {
    "issues": "https://github.com/phar-io/version/issues"
                          "source": "https://github.com/phar-io/version/tree/3.2.1"
                    },
"time": "2022-02-21T01:04:05+00:00"
             },
{
                   "name": "php-http/discovery",
"version": "1.20.0",
"source": {
    "type": "git",
    "url": "https://github.com/php-http/discovery.git",
    "reference": "82fe4c73ef3363caed49ff8dd1539ba06044910d"
                   },
"dist": {
                          "type": "zip",
"url": "https://api.github.com/repos/php-
http/discovery/zipball/82fe4c73ef3363caed49ff8dd1539ba06044910d"
                          "reference": "82fe4c73ef3363caed49ff8dd1539ba06044910d",
"shasum": ""
                   },
"require": {
    "compose
                          "composer-plugin-api": "^1.0|^2.0",
"php": "^7.1 || ^8.0"
                   },
"conflict": {
    "nyholm/psr7": "<1.0",
    "zendframework/zend-diactoros": "*"</pre>
                   },
"provide": {
    "aba-bttl
                           "php-http/async-client-implementation": "*",
                          "php-http/async-client-implementation: "*",
"psr/http-client-implementation": "*",
"psr/http-factory-implementation": "*",
"psr/http-message-implementation": "*"
                   "composer/composer": "^1.0.2|^2.0",
"graham-campbell/phpspec-skip-example-extension": "^5.0",
"php-http/httplug": "^1.0 || ^2.0",
"php-http/message-factory": "^1.0",
"phpspec/phpspec": "^5.1 || ^6.1 || ^7.3",
"sebastian/comparator": "^3.0.5 || ^4.0.8",
"symfony/phpunit-bridge": "^6.4.4 || ^7.0.1"
                   },
"type": "composer-plugin",
                           "class": "Http\\Discovery\\Composer\\Plugin",
                          "plugin-optional": true
                   },
"autoload": {
    "psr-4": {
    "Http\"
                                "Http\\Discovery\\": "src/"
                          },
"exclude-from-classmap": [
    "src/Composer/Plugin.php"
                    "notification-url": "https://packagist.org/downloads/",
                    "license": [
```

```
"MIT"
               ],
"authors": [
                         "name": "Márk Sági-Kazár",
"email": "mark.sagikazar@gmail.com"
               ],
               .,
"description": "Finds and installs PSR-7, PSR-17, PSR-18 and HTTPlug implementations",
               "homepage": "http://php-http.org",
"keywords": [
                    "adapter",
"client",
                    "discovery",
                    "factory",
                    "http",
                    "message",
                    "psr17<sup>™</sup>,
                    .
"psr7"
               ],
"support": {
    "issues": "https://github.com/php-http/discovery/issues"
    "bttps://github.com/php-http/discovery/tree/1.2
                    "source": "https://github.com/php-http/discovery/tree/1.20.0"
               },
"time": "2024-10-02T11:20:13+00:00"
         },
{
               "type": "git",
"url": "https://github.com/phpDocumentor/ReflectionCommon.git",
                    "reference": "1d01c49d4ed62f25aa84a747ad35d5a16924662b'
              },
"dist": {
                    "type": "zip",
"url": "https://api.github.com/repos/phpDocumentor/ReflectionCommon/zipball/1d01c49d
4ed62f25aa84a747ad35d5a16924662b"
                    "reference": "1d01c49d4ed62f25aa84a747ad35d5a16924662b",
                    "shasum":
               },
"require": {
    "php": "^7.2 || ^8.0"
              },
"type": "library",
"extra": {
    "branch-alias"
                    "branch-alias": {
    "dev-2.x": "2.x-dev"
                    }
                autoload": {
"psr-4":
                         "phpDocumentor\\Reflection\\": "src/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                         "name": "Jaap van Otterdijk",
"email": "opensource@ijaap.nl"
               "description": "Common reflection classes used by phpdocumentor to reflect the code
structure",
               "homepage": "http://www.phpdoc.org",
"keywords": [
    "FQSEN",
                    "phpDocumentor",
                    "phpdoc"
                    "reflection",
```

```
"static analysis"
                  ],
"support": {
"'sques"
                         site...
"issues": "https://github.com/phpDocumentor/ReflectionCommon/issues",
                        "source": "https://github.com/phpDocumentor/ReflectionCommon/tree/2.x"
                  },
"time": "2020-06-27T09:03:43+00:00"
            },
{
                  "name": "phpdocumentor/reflection-docblock",
                  "version":
                                   "5.6.3",
                  "source": {
    "type": "git",
    "url": "https://github.com/phpDocumentor/ReflectionDocBlock.git",
    "reference": "94f8051919d1b0369a6bcc7931d679a511c03fe9"
                  },
"dist": {
                        "type": "zip",
"url": "https://api.github.com/repos/phpDocumentor/ReflectionDocBlock/zipball/94f805
1919d1b0369a6bcc7931d679a511c03fe9"
                        "reference": "94f8051919d1b0369a6bcc7931d679a511c03fe9",
                        "shasum":
                  "doctrine/deprecations": "^1.1",
                        "ext-filter": "*",
"php": "^7.4 || ^8.0",
                        "phpdocumentor/reflection-common": "^2.2",
"phpdocumentor/type-resolver": "^1.7",
"phpstan/phpdoc-parser": "^1.7|^2.0",
                        "webmozart/assert": "^1.9.1"
                 "require-dev": {
    "mockery/mockery": "~1.3.5 || ~1.6.0",
    "phpstan/extension-installer": "^1.1",
    "phpstan/phpstan": "^1.8",
    "phpstan/phpstan-mockery": "^1.1",
    "phpstan/phpstan-webmozart-assert": "^1.2",
    "phpunit/phpunit": "^9.5",
                  },
"type": "library",
                        "branch-alias": {
"dev-master": "5.x-dev"
                   "phpDocumentor\\Reflection\\": "src"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                   authors": [
                        {
                              "name": "Mike van Riel",
"email": "me@mikevanriel.com"
                        },
                              "name": "Jaap van Otterdijk"
                              "email": "opensource@ijaap.nl"
],
"description": "With this component, a library can provide support for annotations via
DocBlocks or otherwise retrieve information that is embedded in a DocBlock.",
                  "support": {
                        "issues": "https://github.com/phpDocumentor/ReflectionDocBlock/issues",
"source": "https://github.com/phpDocumentor/ReflectionDocBlock/tree/5.6.3"
                  },
"time": "2025-08-01T19:43:32+00:00"
```

```
},
{
                   "name": "phpdocumentor/type-resolver",
                   "name": "pnpdocumentor/type-resolver",

"version": "1.10.0",

"source": {
    "type": "git",
    "url": "https://github.com/phpDocumentor/TypeResolver.git",
    "reference": "679e3ce485b99e84c775d28e2e96fade9a7fb50a"
                  },
"dist": {
"''ne
                         "type": "zip",
"url": "https://api.github.com/repos/phpDocumentor/TypeResolver/zipball/679e3ce485b9
"doctrine/deprecations": "^1.0",
"php": "^7.3 || ^8.0",
"phpdocumentor/reflection-common": "^2.0",
"phpstan/phpdoc-parser": "^1.18|^2.0"
                  "ext-tokenizer": "*",
"phpbench/phpbench": "^1.2",
                        "pnpbencn/pnpbencn": "^1.2",
"phpstan/extension-installer": "^1.1",
"phpstan/phpstan": "^1.8",
"phpstan/phpstan-phpunit": "^1.1",
"phpunit/phpunit": "^9.5",
"rector/rector": "^0.13.9",
"vimeo/psalm": "^4.25"
                  },
"type": "library",
"extra": {
    "tranch-alias"
                         "branch-alias": {
    "dev-1.x": "1.x-dev"
                  },
"autoload": {
    "psr-4": {
         "nhnDo
                               "phpDocumentor\\Reflection\\": "src"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
                   "authors": [
                         {
                               "name": "Mike van Riel"
                               "email": "me@mikevanriel.com"
                   ],
"description": "A PSR-5 based resolver of Class names, Types and Structural Element
Names",
                  "support": {
    "issues": "https://github.com/phpDocumentor/TypeResolver/issues"
                         "source": "https://github.com/phpDocumentor/TypeResolver/tree/1.10.0"
                  },
"time": "2024-11-09T15:12:26+00:00"
            },
{
                  "name": "phpoption/phpoption",
"version": "1.9.4",
                   "source": {
    "type": "git",
    "url": "https://github.com/schmittjoh/php-option.git",
    "reference": "638a154f8d4ee6a5cfa96d6a34dfbe0cffa9566d"
                  },
"dist": {
                         "type": "zip",
"url": "https://api.github.com/repos/schmittjoh/php-
option/zipball/638a154f8d4ee6a5cfa96d6a34dfbe0cffa9566d",
```

```
"reference": "638a154f8d4ee6a5cfa96d6a34dfbe0cffa9566d",
      "shasum": ""
},
"require": {
    "php": "^7.2.5 || ^8.0"
"bamarni/composer-bin-plugin": "^1.8.2",
      "phpunit/phpunit": "^8.5.44 || ^9.6.25 || ^10.5.53 || ^11.5.34"
},
"type": "library",
"extra": {
    "bamarni-bin":
     "bamarni-bin": {
    "bin-links": true,
           "forward-command": false
     },
"branch-alias": {
    "dev-master": "1.9-dev"
},
"autoload": {
    "psr-4": {
    "PhnOp"
           "PhpOption\\": "src/PhpOption/"
},
"notification-url": "https://packagist.org/downloads/",
"authors": [
     {
           "name": "Johannes M. Schmitt",
"email": "schmittjoh@gmail.com",
"homepage": "https://github.com/schmittjoh"
           "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
           "homepage": "https://github.com/GrahamCampbell"
],
"description": "Option Type for PHP",
"keywords": [
      "language",
     "option",
"php",
"type"
],
"support": {
   "icsues"
       "issues": "https://github.com/schmittjoh/php-option/issues"
      "source": "https://github.com/schmittjoh/php-option/tree/1.9.4"
},
"funding": [
     {
           "url": "https://github.com/GrahamCampbell",
"type": "github"
     <u>,</u>
           "url": "https://tidelift.com/funding/github/packagist/phpoption/phpoption", "type": "tidelift"
     }
],
"time": "2025-08-21T11:53:16+00:00"
"name": "phpstan/phpdoc-parser",
"version": "2.2.0",
"source": {
    "type": "git",
    "url": "https://github.com/phpstan/phpdoc-parser.git",
    "reference": "b9e61a61e39e02dd90944e9115241c7f7e76bfd8"
},
"dist": {
```

```
"type": "zip",
"url": "https://api.github.com/repos/phpstan/phpdoc-
parser/zipball/b9e61a61e39e02dd90944e9115241c7f7e76bfd8"
                        "reference": "b9e61a61e39e02dd90944e9115241c7f7e76bfd8",
                       "shasum":
                 },
"require": {
    "php": "^7.4 || ^8.0"

},
"require-dev": {
    "doctrine/annotations": "^2.0",
    "nikic/php-parser": "^5.3.0",
    "php-parallel-lint/php-parallel-lint": "^1.2",
    "nhnstan/extension-installer": "^1.0",
    "" "^2.0",
    ""

                       "phpstan/extension-installer": "^1.0",
"phpstan/phpstan": "^2.0",
"phpstan/phpstan-phpunit": "^2.0",
                       "phpstan/phpstan-strict-rules": "^2.0",
"phpunit/phpunit": "^9.6",
"symfony/process": "^5.2"
                 },
"type": "library",
                 "type": Library ,

"autoload": {

    "psr-4": {

        "PHPStan\\PhpDocParser\\": [
                                   "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
"description": "PHPDoc parser with support for nullable, intersection and generic
types",
                 "support": {
    "issues": "https://github.com/phpstan/phpdoc-parser/issues"
                       "source": "https://github.com/phpstan/phpdoc-parser/tree/2.2.0"
                 },
"time": "2025-07-13T07:04:09+00:00"
                 "name": "phpstan/phpstan",
"version": "2.1.22",
"source": {
    "type": "git",
    "url": "https://github.com/phpstan/phpstan.git",
    "reference": "41600c8379eb5aee63e9413fe9e97273e25d57e4"
                 },
"dist": {
   "+ype
                       "type": "zip",
                       "url":
},
"require": {
    "php": "^7.4|^8.0"
                 },
"conflict": {
    ".bostan/
                       "phpstan/phpstan-shim": "*"
                 },
"bin": [
"php
                       "phpstan",
                       "phpstan.phar"
                 "type": "library",
                 "autoload": {
    "files": [
                             "bootstrap.php"
                  "notification-url": "https://packagist.org/downloads/",
                 "license": [
```

```
"MIT"
                      ],
"description": "PHPStan - PHP Static Analysis Tool",
                      "keywords": [
"dev",
                              "static analysis"
                      ],
"support": {
    "docs": "https://phpstan.org/user-guide/getting-started",
    "forum": "https://github.com/phpstan/phpstan/discussions",
    """https://aithub.com/phpstan/phpstan/issues",
    """https://aithub.com/phpstan/phpstan/issues",
                              "issues": "https://github.com/phpstan/phpstan/issues",
"security": "https://github.com/phpstan/phpstan/security/policy",
"source": "https://github.com/phpstan/phpstan-src"
                      },
"funding": [
                                     "url": "https://github.com/ondrejmirtes",
"type": "github"
                              },
                                      "url": "https://github.com/phpstan",
"type": "github"
                      ],
"time": "2025-08-04T19:17:37+00:00"
                      "name": "phpunit/php-code-coverage",
"version": "12.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/php-code-coverage.git",
    ""afararas": "08655265b2001220204782d782ab768202b621"
                              "reference": "086553c5b2e0e1e20293d782d788ab768202b621"
                      },
"dist": {
                              "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/php-code-
coverage/zipball/086553c5b2e0e1e20293d782d788ab768202b621",
                              "reference": "086553c5b2e0e1e20293d782d788ab768202b621",
                              "shasum":
                    },
"require": {
    "ext-dom": "*",
    "ext-libxml": "*",
    "ext-xmlwriter": "*",
    "nikic/php-parser": "^5.4.0",
    "php": ">=8.3",
    "phpunit/php-file-iterator": "^6.0",
    "phpunit/php-text-template": "^5.0",
    "sebastian/complexity": "^5.0",
    "sebastian/complexity": "^8.0",
    "car/environment": "^8.0",
                              "sebastian/lines-of-code": "^4.0",
"sebastian/version": "^6.0",
"theseer/tokenizer": "^1.2.3"
                      "phpunit/phpunit": "^12.1"
                      },
"suggest": {
"""+-nco
                               'ext-pcov": "PHP extension that provides line coverage",
                              "ext-xdebug": "PHP extension that provides line coverage as well as branch and path
coverage"
                      },
"type": "library",
"extra": {
    "'arch-alias"
                              "branch-alias": {
    "dev-main": "12.3.x-dev"
                        'autoload": {
                              "classmap": [
"src/"
```

```
},
"notification-url": "https://packagist.org/downloads/",
                "license": [
    "BSD-3-Clause"
               ],
"authors": [
                     {
                          "name": "Sebastian Bergmann"
                          "email": "sebastian@phpunit.de",
"role": "lead"
                     }
"coverage",
                     "testing",
                     "xunit"
               ],
"support": {
    "issues": "https://github.com/sebastianbergmann/php-code-coverage/issues",
    ""tttp://github.com/sebastianbergmann/php-code-
coverage/security/policy
                     y/policy",
"source": "https://github.com/sebastianbergmann/php-code-coverage/tree/12.3.2"
                },
"funding": [
                          "url": "https://github.com/sebastianbergmann",
"type": "github"
                          "url": "https://liberapay.com/sebastianbergmann",
                          "type": "liberapay"
                          "url": "https://thanks.dev/u/gh/sebastianbergmann",
                          "type": "thanks dev"
                          "url": "https://tidelift.com/funding/github/packagist/phpunit/php-code-
coverage",
                          "type": "tidelift"
                     }
                ],
"time": "2025-07-29T06:19:24+00:00"
          },
{
                "name": "phpunit/php-file-iterator",
                "version":
                              "6.0.0",
               "version: 0.0.0,
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/php-file-iterator.git",
    "reference": "961bc913d42fe24a257bfff826a5068079ac7782"
"type": "zip",

"url": "https://api.github.com/repos/sebastianbergmann/php-file-
iterator/zipball/961bc913d42fe24a257bfff826a5068079ac7782",
                     "reference": "961bc913d42fe24a257bfff826a5068079ac7782",
"shasum": ""
               },
"require": {
    "php": ">=8.3"
                },
"require-dev": {
    " '= 'nit/php'
                     "phpunit/phpunit": "^12.0"
               },
"type": "library",
"extra": {
    "tranch-alias"
                     "branch-alias": {
    "dev-main": "6.0-dev"
```

```
"classmap": [
                       "src/"
             },
"notification-url": "https://packagist.org/downloads/",
              "license":
                  "BSD-3-Clause"
              "authors": [
                  {
                       "name": "Sebastian Bergmann"
                       "email": "sebastian@phpunit.de",
"role": "lead"
             ], "description": "FilterIterator implementation that filters files based on a list of
suffixes.",
              "homepage": "https://github.com/sebastianbergmann/php-file-iterator/",
              "keywords": [
                  "filesystem",
                  "iterator"
              "support": {
    "issues": "https://github.com/sebastianbergmann/php-file-iterator/issues",
                  "security": "https://github.com/sebastianbergmann/php-file-
},
"funding": [
                  {
                       "url": "https://github.com/sebastianbergmann",
"type": "github"
                  }
             ],
"time": "2025-02-07T04:58:37+00:00"
         },
{
              "name": "phpunit/php-invoker",
"version": "6.0.0",
             "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/php-invoker.git",
    "reference": "12b54e689b07a25a9b41e57736dfab6ec9ae5406"
             },
"dist": {
                  "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/php-
invoker/zipball/12b54e689b07a25a9b41e57736dfab6ec9ae5406"
                  "reference": "12b54e689b07a25a9b41e57736dfab6ec9ae5406",
                  "shasum":
             },
"require": {
    "php": ">=8.3"
    .
             "phpunit/phpunit": "^12.0"
             },
"suggest": {
   "av+-ncn
                   ext-pcntl": "*"
             },
"type": "library",
"extra": {
    "' canch-alias"
                  "branch-alias": {
    "dev-main": "6.0-dev"
               autoload": {
                  "classmap": [
                       "src/"
                  ]
```

```
},
"notification-url": "https://packagist.org/downloads/",
                 "license": [
    "BSD-3-Clause"
                ],
"authors": [
                      {
                            "name": "Sebastian Bergmann"
                            "email": "sebastian@phpunit.de",
"role": "lead"
                      }
                 "description": "Invoke callables with a timeout",
"homepage": "https://github.com/sebastianbergmann/php-invoker/",
"keywords": [
                       "process
                 "support": {
    "issues": "https://github.com/sebastianbergmann/php-invoker/issues",
                      "security": "https://github.com/sebastianbergmann/php-invoker/security/policy",
                      "source": "https://github.com/sebastianbergmann/php-invoker/tree/6.0.0
                },
"funding": [
                      {
                            "url": "https://github.com/sebastianbergmann",
"type": "github"
                      }
                 ],
"time": "2025-02-07T04:58:58+00:00"
                 "name": "phpunit/php-text-template",
                 "name": "phpunit/php-text-temptate ,

"version": "5.0.0",

"source": {

    "type": "git",

    "url": "https://github.com/sebastianbergmann/php-text-template.git",

    "reference": "e1367a453f0eda562eedb4f659e13aa900d66c53"
                      "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/php-text-
template/zipball/e1367a453f0eda562eedb4f659e13aa900d66c53",
                      "reference": "e1367a453f0eda562eedb4f659e13aa900d66c53",
"shasum": ""
                },
"require": {
    "php": ">=8.3"
                 "phpunit/phpunit": "^12.0"
                },
"type": "library",
"extra": {
    "branch-alias": {
        "dev-main": "5.0-dev"
                  ,
'autoload": {
                       "classmap": [
"src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [

"BSD-3-Clause"
                 "authors": [
                      {
                            "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
                 ],
```

composer.lock

```
"description": "Simple template engine.",
                 "homepage": "https://github.com/sebastianbergmann/php-text-template/", "keywords": [
                       "template"
                 ],
"support": {
    "issues": "https://github.com/sebastianbergmann/php-text-template/issues",
    "b++pc//github.com/sebastianbergmann/php-text-
},
"funding": [
                       {
                             "url": "https://github.com/sebastianbergmann",
"type": "github"
                 ],
"time": "2025-02-07T04:59:16+00:00"
           },
{
                 "name": "phpunit/php-timer",
"version": "8.0.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/php-timer.git",
    "reference": "f258ce36aa457f3aa3339f9ed4c8lfc66dc8c2cc"
                 },
"dist": {
"''''PP
                       "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/php-
"shasum":
                 },
"require": {
    "php": ">=8.3"
                 "phpunit/phpunit": "^12.0"
                 },
"type": "library",
"extra": {
    "branch-alias"
                       "branch-alias": {
    "dev-main": "8.0-dev"
                  'autoload": {
    "classmap": [
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"BSD-3-Clause"
                 ],
                 "authors": [
                       {
                             "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
                 ],
"description": "Utility class for timing",
"description": "Utility class for timing",
                 "homepage": "https://github.com/sebastianbergmann/php-timer/",
"keywords": [
    "timer"
                 1,
    "support": {
        "issues": "https://github.com/sebastianbergmann/php-timer/issues",
        "security": "https://github.com/sebastianbergmann/php-timer/security/policy",
        "source": "https://github.com/sebastianbergmann/php-timer/tree/8.0.0"
                 },
"funding": [
```

```
{
                                           "url": "https://github.com/sebastianbergmann",
"type": "github"
                                  }
                          ],
"time": "2025-02-07T04:59:38+00:00"
                 },
{
                          "name": "phpunit/phpunit",
"version": "12.3.6",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/phpunit.git",
    "reference": "a2cab3224f687150ac2f3cc13d99b64bale1d088"
                         },
"dist": {
"*'ne
                                  "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/phpunit/zipball/a2cab3224f687
"shasum":
                         },
"require": {
    "ext-dom": "*",
    "ext-json": "*"
    + libxml": "
                                 "ext-]son": "*",

"ext-libxml": "*",

"ext-mbstring": "*",

"ext-xml": "*",

"myclabs/deep-copy": "^1.13.4",

"phar-io/wanifest": "^2.0.4",

"phar-io/version": "^3.2.1",

"phpunit/php-code-coverage": "^12.3.2",

"phpunit/php-file-iterator": "^6.0.0",

"phpunit/php-invoker": "^6.0.0",

"phpunit/php-timer": "^8.0.0",

"sebastian/cli-parser": "^4.0.0",

"sebastian/comparator": "^7.1.3",

"sebastian/diff": "^7.0.0",

"sebastian/environment": "^8.0.3",

"sebastian/exporter": "^8.0.0",

"sebastian/comparator": "^7.0.0",

"sebastian/exporter": "^7.0.0",

"sebastian/object-enumerator": "^7.0.0",

"sebastian/object-enumerator": "^7.0.0",
                                   "ext-libxml": "*"
                                   "sebastian/object-enumerator": "^7.0.0",
                                  "sebastian/type": "^6.0.3",
"sebastian/version": "^6.0.0"
                                   "staabm/side-effects-detector": "^1.0.5"
                          },
"bin": [
"php
                                  "phpunit"
                          l,
"type": "library",
"extra": {
    "branch-alias"
                                   "branch-alias": {
    "dev-main": "12.3-dev"
                         },
"autoload": {
    "files": [
    "crc/F
                                            "src/Framework/Assert/Functions.php"
                                   "classmap": [
                                            "src/"
                          },
"notification-url": "https://packagist.org/downloads/",
                          "license": |
                                   "BSD-3-Clause"
                            .,
'authors": [
                                  {
                                           "name": "Sebastian Bergmann",
```

```
"email": "sebastian@phpunit.de",
"role": "lead"
                     }
                .,
"description": "The PHP Unit Testing framework.",
                "homepage": "https://phpunit.de/",
"keywords": [
                      "phpunit",
                     "testing",
                     "xunit"
                ],
"support": {
    "issues": "https://github.com/sebastianbergmann/phpunit/issues"
    "bttps://github.com/sebastianbergmann/phpunit/secur:
    "bttps://github.com/sebastianbergmann/phpunit/tree/12
                     "security": "https://github.com/sebastianbergmann/phpunit/security/policy", "source": "https://github.com/sebastianbergmann/phpunit/tree/12.3.6"
               },
"funding": [
                     {
                          "url": "https://phpunit.de/sponsors.html",
"type": "custom"
                     },
                          "url": "https://github.com/sebastianbergmann", "type": "github"
                     },
{
                          "url": "https://liberapay.com/sebastianbergmann",
                          "type": "liberapay"
                          "url": "https://thanks.dev/u/gh/sebastianbergmann",
                          "type": "thanks dev"
                          "url": "https://tidelift.com/funding/github/packagist/phpunit/phpunit", "type": "tidelift"
                     }
                ],
"time": "2025-08-20T14:43:23+00:00"
                "name": "pragmarx/google2fa",
                "version": "v8.0.3",
"source": {
    "type": "git",
    "url": "https://github.com/antonioribeiro/google2fa.git",
    "reference": "6f8d87ebd5afbf7790bde1ffc7579c7c705e0fad"
                     "type": "zip",
"url": "https://api.github.com/repos/antonioribeiro/google2fa/zipball/6f8d87ebd5afbf
},
"require": {
                      "paragonie/constant time encoding": "^1.0|^2.0|^3.0",
                     "php": "^7.1|^8.0"
                "phpstan/phpstan": "^1.9",
"phpunit/phpunit": "^7.5.15|^8.5|^9.0"
                },
"type": "library",
                "PragmaRX\\Google2FA\\": "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
```

```
"authors": [
                     {
                           "name": "Antonio Carlos Ribeiro".
                           "email": "acr@antoniocarlosribeiro.com",
"role": "Creator & Designer"
                ],
"description": "A One Time Password Authentication package, compatible with Google
Authenticator.",
                "keywords": [
"2fa",
                     "Authentication",
                     "Two Factor Authentication",
                      "google2fa"
                ],
"support": {
    "issues": "https://github.com/antonioribeiro/google2fa/issues",
    "b++ns://nithub.com/antonioribeiro/google2fa/tree/v8.
                     "source": "https://github.com/antonioribeiro/google2fa/tree/v8.0.3"
                },
"time": "2024-09-05T11:56:40+00:00"
           },
{
                "name": "pragmarx/google2fa-qrcode",
"version": "v3.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/antonioribeiro/google2fa-qrcode.git",
    ""affarara": "arfder72066027416607cfb2217acffffb5bf76b"
                      "reference": "ce4d8a729b6c93741c607cfb2217acfffb5bf76b"
                },
"dist": {
"reference": "ce4d8a729b6c93741c607cfb2217acfffb5bf76b", "shasum": ""
                "pragmarx/google2fa": ">=4.0"
                "bacon/bacon-qr-code": "^2.0",
"chillerlan/php-qrcode": "^1.0|^2.0|^3.0|^4.0",
                     "khanamiryan/qrcode-detector-decoder": "^1.0", "phpunit/phpunit": "~4|~5|~6|~7|~8|~9"
                     "bacon/bacon-qr-code": "For QR Code generation, requires imagick", "chillerlan/php-qrcode": "For QR Code generation"
                },
"type": "library",
                "extra": {
                     "component": "package",
"branch-alias": {
"dev-master": "1.0-dev"
                 "PragmaRX\\Google2FAQRCode\\": "src/",
                           "PragmaRX\\Google2FAQRCode\\Tests\\": "tests/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                     {
                           "name": "Antonio Carlos Ribeiro",
"email": "acr@antoniocarlosribeiro.com",
"role": "Creator & Designer"
                     }
```

```
],
"description<u>"</u>: "QR Code package for Google2FA",
                  "keywords": [
                        "2fa"
                        "Authentication",
                        "Two Factor Authentication",
                        "google2fa",
                        "ar code",
                        "arcode"
                  ],
"support": {
    "issues": "https://github.com/antonioribeiro/google2fa-qrcode/issues",
    "bttps://github.com/antonioribeiro/google2fa-qrcode/tree/v3.
                        "source": "https://github.com/antonioribeiro/google2fa-grcode/tree/v3.0.0"
                  },
"time": "2021-08-15T12:53:48+00:00"
           },
{
                 "name": "predis/predis",
"version": "v3.2.0",
"source": {
    "type": "git",
    "url": "https://github.com/predis/predis.git",
    "reference": "9e9deec4dfd3ebf65d32eb368f498c646ba2ecd8"
                 },
"dist": {
   "+ype
                        "type": "zip",
                        "url":
יייף . יב ון אייף . ", "psr/http-message": "^1.0|^2.0"
                 },
"require-dev": {
    "friendsofphp/php-cs-fixer": "^3.3",
    "phpstan/phpstan": "^1.9",
    "phpunit/phpcov": "^6.0 || ^8.0",
    "phpunit/phpunit": "^8.0 || ~9.4.4"
                         ext-relay": "Faster connection with in-memory caching (>=0.6.2)"
                  },
"type": "library",
                  "autoload": {
    "psr-4":
                              "Predis\\": "src/"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                 ],
"authors": [
                       {
                              "name": "Till Krüss",
"homepage": "https://till.im",
"role": "Maintainer"
                 ],
"description": "A flexible and feature-complete Redis/Valkey client for PHP.",
"homepage": "http://github.com/predis/predis",
"keywords": [
    "nosql",
    "accdis"
                       "nosqi",
"predis",
                        "redis"
                   "support": {
    "issues": "https://github.com/predis/predis/issues"
    "issues": "https://github.com/predis/troo/v3
                        "source": "https://github.com/predis/predis/tree/v3.2.0"
                 },
"funding": [
```

```
{
                             "url": "https://github.com/sponsors/tillkruss",
"type": "github"
                       }
                 ],
"time": "2025-08-06T06:41:24+00:00"
           },
{
                 "name": "psr/clock",
"version": "1.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/php-fig/clock.git",
    "reference": "e41a24703d4560fd0acb709162f73b8adfc3aa0d"
                 },
"dist": {
   "+yne
                       "type": "zip",
"url": "https://api.github.com/repos/php-
fig/clock/zipball/e41a24703d4560fd0acb709162f73b8adfc3aa0d"
                       "reference": "e41a24703d4560fd0acb709162f73b8adfc3aa0d",
                       "shasum":
                 },
"require": {
    "php": "^7.0 || ^8.0"
                 },
"type": "library",
                  "Psr\\Clock\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                  "authors": [
                       {
                              "name": "PHP-FIG",
                              "homepage": "https://www.php-fig.org/"
                       }
                 "description": "Common interface for reading the clock.",
"homepage": "https://github.com/php-fig/clock",
"keywords": [
                        "clock",
                       "now",
                        "psr-20",
                       "time"
                 ],
"support": {
    "issues": "https://github.com/php-fig/clock/issues",
    "source": "https://github.com/php-fig/clock/tree/1.0.0"
                 },
"time": "2022-11-25T14:36:26+00:00"
           },
{
                 "name": "psr/container",
"version": "2.0.2",
                  "source": {
    "type": "git",
    "url": "https://github.com/php-fig/container.git",
    "reference": "c7lecc56dfe54ldbd90c5360474fbc405f8d5963"
                 },
"dist": {
"''''PP
                       "type": "zip",
"url": "https://api.github.com/repos/php-
fig/container/zipball/c71ecc56dfe541dbd90c5360474fbc405f8d5963"
                        "reference": "c71ecc56dfe541dbd90c5360474fbc405f8d5963",
                       "shasum":
                 },
"require": {
    "php": ">=7.4.0"
```

```
},
"type": "library",
"extra": {
    "tranch-alias"
                       "branch-alias": {
    "dev-master": "2.0.x-dev"
                },
"autoload": {
    "psr-4": {
        "Psr\\'
                            "Psr\\Container\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 .
"authors": [
                      {
                            "name": "PHP-FIG",
                            "homepage": "https://www.php-fig.org/"
                 "description": "Common Container Interface (PHP FIG PSR-11)",
"homepage": "https://github.com/php-fig/container",
"keywords": [
                       "PSR-11",
                       "container",
                      "container-interface",
"container-interop",
                      "psr"
                 ],
"support": {
    "issues": "https://github.com/php-fig/container/issues"
    "" "https://aithub.com/php-fig/container/tree/2.0
                       "source": "https://github.com/php-fig/container/tree/2.0.2"
                 },
"time": "2021-11-05T16:47:00+00:00"
           },
{
                 "name": "psr/event-dispatcher",
                 "version": "1.0.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/php-fig/event-dispatcher.git",
    "reference": "dbefd12671e8a14ec7f180cab83036ed26714bb0"
                },
"dist": {
                       "type": "zip",
"url": "https://api.github.com/repos/php-fig/event-
dispatcher/zipball/dbefd12671e8a14ec7f180cab83036ed26714bb0"
                      "reference": "dbefd12671e8a14ec7f180cab83036ed26714bb0",
"shasum": ""
                },
"type": "library",
                       "branch-alias": {
    "dev-master": "1.0.x-dev"
                },
"autoload": {
    "psr-4": {
        "Psr\\
                           "Psr\\EventDispatcher\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                      "MIT"
                 ],
                  .,
'authors": [
                      {
                            "name": "PHP-FIG",
```

```
"homepage": "http://www.php-fig.org/"
                       }
                 ],
                  'description": "Standard interfaces for event handling.",
                 "keywords": [
"events",
                       "psr",
"psr-14"
                 "support": {
    "issues": "https://github.com/php-fig/event-dispatcher/issues",
    "source": "https://github.com/php-fig/event-dispatcher/tree/1.0.0"
                 },
"time": "2019-01-08T18:20:26+00:00"
           },
{
                 "name": "psr/http-client",
                 "version": "1.0.3",
"source": {
                       "type": "git",
"type": "git",
"url": "https://github.com/php-fig/http-client.git",
"reference": "bb5906edc1c324c9a05aa0873d40117941e5fa90"
                 },
"dist": {
"''ne
                       rtype": "zip",
"type": "zip",
"url": "https://api.github.com/repos/php-fig/http-
client/zipball/bb5906edc1c324c9a05aa0873d40117941e5fa90"
                        "reference": "bb5906edc1c324c9a05aa0873d40117941e5fa90",
"shacum": ""
                       "shasum":
                },
"require": {
    "php": "^7.0 || ^8.0",
    "psr/http-message": "^1.0 || ^2.0"
                 },
"type": "library",
"extra": {
    "tranch-alias"
                       "branch-alias": {
    "dev-master": "1.0.x-dev"
                       }
                 },
"autoload": {
    "psr-4": {
        "Psr\\
                             "Psr\\Http\\Client\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
"authors": [
                       {
                             "name": "PHP-FIG",
                             "homepage": "https://www.php-fig.org/"
                 "description": "Common interface for HTTP clients",
                 "homepage": "https://github.com/php-fig/http-client", "keywords": [
                       "http"
                       "http-client",
                       "psr"
                       "psr-18"
                 ],
"support": {
    "source": "https://github.com/php-fig/http-client"
    ...
                 },
"time": "2023-09-23T14:17:50+00:00"
                 "name": "psr/http-factory",
                 "version": "1.1.0",
"source": {
    "type": "git",
```

```
"url": "https://github.com/php-fig/http-factory.git", "reference": "2b4765fddfe3b508ac62f829e852b1501d3f6e8a"
                },
"dist": {
"''ne
                     "type": "zip",
"url": "https://api.github.com/repos/php-fig/http-
factory/zipball/2b4765fddfe3b508ac62f829e852b1501d3f6e8a"
                      "reference": "2b4765fddfe3b508ac62f829e852b1501d3f6e8a",
                      "shasum":
                },
"require": {
    "php": ">=7.1",
    "--r/http-messa
                      "psr/http-message": "^1.0 || ^2.0"
                },
"type": "library",
"extra": {
    "tranch-alias"
                      "branch-alias": {
    "dev-master": "1.0.x-dev"
               },
"autoload": {
    "psr-4": {
        "Psr\\Http\\Message\\": "src/"
}
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
                      "MIT"
                "authors": [
                     {
                           "name": "PHP-FIG",
                           "homepage": "https://www.php-fig.org/"
                description": "PSR-17: Common interfaces for PSR-7 HTTP message factories",
                "keywords": [
                      "factory",
                     "http",
                     "message",
"psr",
                     psr.,
"psr-17",
                      "psr-7"
                      "request"
                      "response"
                ],
"support": {
    "source": "https://github.com/php-fig/http-factory"
                },
"time": "2024-04-15T12:06:14+00:00"
          },
{
                "name": "psr/http-message",
"version": _"2.0",
                "version": 2.0 ,

"source": {
    "type": "git",
    "url": "https://github.com/php-fig/http-message.git",
    "reference": "402d35bcb92c70c026d1a6a9883f06b2ead23d71"
                },
"dist": {
                     "type": "zip",
"url": "https://api.github.com/repos/php-fig/http-
message/zipball/402d35bcb92c70c026d1a6a9883f06b2ead23d71"
                     },
"require": {
    "php": "^7.2 || ^8.0"
                },
"type": "library",
"extra": {
    "branch-alias"
                      "branch-alias": {
    "dev-master": "2.0.x-dev"
```

```
}
               },
"autoload": {
    "psr-4": {
        "Psr\\Http\\Message\\": "src/"
}
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                "authors": [
                     {
                           "name": "PHP-FIG",
                           "homepage": "https://www.php-fig.org/"
                "description": "Common interface for HTTP messages",
"homepage": "https://github.com/php-fig/http-message",
"keywords": [
                      "http",
                     "http-message",
"psr",
"psr-7",
                      "request"
                      "response"
                 },
"time": "2023-04-04T09:54:51+00:00"
          },
{
                "name": "psr/log",
"version": ["3.0.2",
                "source": {
    "type": "git",
    "url": "https://github.com/php-fig/log.git",
    "reference": "f16e1d5863e37f8d8c2a01719f5b34baa2b714d3"
                },
"dist": {
   "+yne
                     "type": "zip",
"url": "https://api.github.com/repos/php-
fig/log/zipball/f16e1d5863e37f8d8c2a01719f5b34baa2b714d3"
                      "reference": "f16e1d5863e37f8d8c2a01719f5b34baa2b714d3",
                     "shasum":
                },
"require": {
    "php": ">=8.0.0"
    "
                },
"type": "library",
                      "branch-alias": {
    "dev-master": "3.x-dev"
               },
"autoload": {
    "psr-4": {
         "Psr\\Log\\": "src"

                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
                      "MIT"
                ],
                 "authors": [
                     {
                           "name": "PHP-FIG",
                           "homepage": "https://www.php-fig.org/"
                ],
"description": "Common interface for logging libraries",
"homepage": "https://github.com/php-fig/log",
```

```
"keywords": [
                      "log",
"psr",
                      "psr-3"
                ],
"support": {
"surce"
                      "source": "https://github.com/php-fig/log/tree/3.0.2"
                },
"time": "2024-09-11T13:17:53+00:00"
                "name": "psr/simple-cache",
"version": "3.0.0",
"source": [
"....."
                     "tee": {
    "type": "git",
    "url": "https://github.com/php-fig/simple-cache.git",
    "reference": "764e0b3939f5ca87cb904f570ef9be2d78a07865"
                },
"dist": {
   "+vne
.::05555575Ca0,сDэ0413/0019De2d/8a0/865",
"reference": "764e0b3939f5ca87cb904f570ef9be2d78a07865",
"shasum": ""
                      "shasum":
                },
"require": {
    "php": ">=8.0.0"
                  .
'type": "library",
                "extra": {
                     "branch-alias": {
    "dev-master": "3.0.x-dev"
                      }
                 },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                      {
                           "name": "PHP-FIG",
                           "homepage": "https://www.php-fig.org/"
                ],
"description": "Common interfaces for simple caching",
                "keywords": [
"cache",
                      "caching"
                      "psr",
"psr-16",
                      "simple-cache"
                  'support": {
                       'source": "https://github.com/php-fig/simple-cache/tree/3.0.0"
                },
"time": "2021-10-29T13:26:27+00:00"
           },
{
                "name": "psy/psysh",
"version": "v0.12.10",
                "source": {
    "type": "git",
    "url": "https://github.com/bobthecow/psysh.git",
    "reference": "6e80abe6f2257121f1eb9a4c55bf29d921025b22"
                },
"dist": {
"''ne
                      ,. .
"type": "zip",
"url":
```

```
"https://api.github.com/repos/bobthecow/psysh/zipball/6e80abe6f2257121f1eb9a4c55bf29d921025b22",
                          "reference": "6e80abe6f2257121f1eb9a4c55bf29d921025b22",
                 },
"require": {
    "ext-json": "*",
    "ext-tokenizer": "*",
    "nikic/php-parser": "^5.0 || ^4.0",
    "php": "^8.0 || ^7.4",
    "symfony/console": "^7.0 || ^6.0 || ^5.0 || ^4.0 || ^3.4",
    "symfony/var-dumper": "^7.0 || ^6.0 || ^5.0 || ^4.0 || ^3.4"
}

                          "symfony/console": "4.4.37 || 5.3.14 || 5.3.15 || 5.4.3 || 5.4.4 || 6.0.3 || 6.0.4"
                   },
"require-dev": {
    "bamarni/composer-bin-plugin": "^1.2"
                  gest": {
   "ext-pcntl": "Enabling the PCNTL extension makes PsySH a lot happier :)",
   "ext-pdo-sqlite": "The doc command requires SQLite to work.",
   "ext-posix": "If you have PCNTL, you'll want the POSIX extension as well."
                  },
"bin": [
"bin
                         "bin/psysh"
                  l,
"type": "library",
"extra": {
    "bamarni-bin":
                         "bamarni-bin": {
    "bin-links": false,
                                "forward-command": false
                         },
"branch-alias": {
   "dev-main": "0.12.x-dev"
                  },
"autoload": {
    "files": [
         "src/functions.php"
                         ],
"psr-4": {
                               "Psy\\": "src/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                  ],
"authors": [
                         {
                                "name": "Justin Hileman",
"email": "justin@justinhileman.info"
                  "console"
                         "interactive",
                         "shell"
                  ],
"support": {
    "issues": "https://github.com/bobthecow/psysh/issues",
    "source": "https://github.com/bobthecow/psysh/tree/v0.12.10"
                   },
"time": "2025-08-04T12:39:37+00:00"
                   "name": "ralouphie/getallheaders",
                   "version": "3.0.3",
"source": {
    "type": "git",
```

```
"url": "https://github.com/ralouphie/getallheaders.git", "reference": "120b605dfeb996808c31b6477290a714d356e822"
                },
"dist": {
"''ne
                     "type": "zip",
"url": "https://api.github.com/repos/ralouphie/getallheaders/zipball/120b605dfeb9968
"shasum":
                },
"require": {
    "php": ">=5.6"
                },
"require-dev": {
    coveral
                      "php-coveralls/php-coveralls": "^2.1",
"phpunit/phpunit": "^5 || ^6.5"
                },
"type": "library",
                "autoload": {
    "files": [
                           "src/getallheaders.php"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
                      "MIT"
                ],
                 'authors": [
                     {
                           "name": "Ralph Khattar",
"email": "ralph.khattar@gmail.com"
                ],
"description": "A polyfill for getallheaders.",
                "support": {
    "issues": "https://github.com/ralouphie/getallheaders/issues",
    "issues": "https://github.com/ralouphie/getallheaders/issues",
                      "source": "https://github.com/ralouphie/getallheaders/tree/develop"
                },
"time": "2019-03-08T08:55:37+00:00"
                "name": "ramsey/collection",
                 "version": "2.1.1",
                "source": {
    "type": "git",
    "url": "https://github.com/ramsey/collection.git",
    "reference": "344572933ad0181accbf4ba763e85a0306a8c5e2"
                },
"dist": {
   "+vne
                      "type": "zip",
                      "url":
},
"require": {
    "php": "^8.1"
                "ergebnis/composer-normalize": "^2.45",
"fakerphp/faker": "^1.24",
"hamcrest/hamcrest-php": "^2.0",
                      "jangregor/phpstan-prophecy": "^2.1",
"mockery/mockery": "^1.6",
                      "php-parallel-lint/php-console-highlighter": "^1.0",
                      "php-parallel-lint/php-parallel-lint": "^1.4",
                     "phpspec/prophecy-phpunit": "^2.3",
"phpstan/extension-installer": "^1.4",
"phpstan/phpstan": "^2.1",
"phpstan/phpstan-mockery": "^2.0",
"phpstan/phpstan-phpunit": "^2.0",
"phpstan/phpstan-phpunit": "^2.0",
                      "phpunit/phpunit": "^10.5",
```

```
"ramsey/coding-standard": "^2.3",
"ramsey/conventional-commits": "^1.6",
"roave/security-advisories": "dev-latest"
               },
"type": "library",
"extra": {
    "containhook":
                     "captainhook": {
                           "force-install": true
                     },
"ramsey/conventional-commits": {
    "configFile": "conventional-commits.json"
               },
"autoload": {
    "psr-4": {
    "Ramsey
                          "Ramsey\\Collection\\": "src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
                     "MIT"
                ],
                "authors": [
                     {
                           "name": "Ben Ramsey",
"email": "ben@benramsey.com",
                           "homepage": "https://benramsey.com"
                ],
"description": "A PHP library for representing and manipulating collections.",
                "keywords": [
"array",
                     "collection",
                     "hash",
                     "map"
                      "queue",
                     "set"
                ],
"support": {
    "includes"
                      'issues": "https://github.com/ramsey/collection/issues"
                     "source": "https://github.com/ramsey/collection/tree/2.1.1"
                },
"time": "2025-03-22T05:38:12+00:00"
          },
{
                "name": "ramsey/uuid",
                "version": ["4.9.0",
                "source": {
    "type": "git",
    "url": "https://github.com/ramsey/uuid.git",
    "reference": "4e0e23cc785f0724a0e838279a9eb03f28b092a0"
               "https://api.github.com/repos/ramsey/uuid/zipball/4e0e23cc785f0724a0e838279a9eb03f28b092a0",
                     "reference": "4e0e23cc785f0724a0e838279a9eb03f28b092a0",
"shasum": ""
                "brick/math": "^0.8.8 || ^0.9 || ^0.10 || ^0.11 || ^0.12 || ^0.13",
                     "ramsey/collection": "^1.2 || ^2.0"
                },
"replace": {
                      "rhumsaa/uuid": "self.version"
                "captainhook/captainhook": "^5.25",
"captainhook/plugin-composer": "^5.3",
"dealerdirect/phpcodesniffer-composer-installer": "^1.0",
"ergebnis/composer-normalize": "^2.47",
                     "mockery/mockery": "^1.6",
```

```
"paragonie/random-lib": "^2",
                          "php-mock/php-mock": "^2.6",
"php-mock/php-mock-mockery": "^1.5",
                         "php-mock/php-mock-mockery": "^1.5",
"php-parallel-lint/php-parallel-lint": "^1.4.0",
"phpbench/phpbench": "^1.2.14",
"phpstan/extension-installer": "^1.4",
"phpstan/phpstan": "^2.1",
"phpstan/phpstan-mockery": "^2.0",
"phpstan/phpstan-phpunit": "^2.0",
"phpunit/phpunit": "^9.6",
"slevomat/coding-standard": "^8.18",
"squizlabs/php_codesniffer": "^3.13"
                   "ext-bcmath": "Enables faster math with arbitrary-precision integers using BCMath.",
"ext-gmp": "Enables faster math with arbitrary-precision integers using GMP.",
"ext-uuid": "Enables the use of PeclUuidTimeGenerator and PeclUuidRandomGenerator.",
"paragonie/random-lib": "Provides RandomLib for use with the RandomLibAdapter",
"ramsey/uuid-doctrine": "Allows the use of Ramsey\\Uuid\\Uuid as Doctrine field
type."
                   },
"type": "library",
"extra": {
    "saptainhook":
                          "captainhook": {
                                 "force-install": true
                     ,
'autoload": {
    "files":
                                 "src/functions.php"
                          "psr-4": {
                                 "Ramsey\\Uuid\\": "src/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
"description": "A PHP library for generating and working with universally unique
identifiers (UUIDs)."
                    "keywords": Γ
                           "guid",
                          "identifier",
                          "uuid"
                    "source": "https://github.com/ramsey/uuid/tree/4.9.0"
                   },
"time": "2025-06-25T14:20:11+00:00"
                   "name": "ryangjchandler/blade-capture-directive",
                    "version": "v1.1.0",
                   "source": {
    "type": "git",
    "url": "https://github.com/ryangjchandler/blade-capture-directive.git",
    "reference": "bbb1513dfd89eaec87a47fe0c449a7e3d4a1976d"
                   },
"dist": {
"+vne
                          "type": "zip",
"url": "https://api.github.com/repos/ryangjchandler/blade-capture-
directive/zipball/bbb1513dfd89eaec87a47fe0c449a7e3d4a1976d"
                           "shasum":
                   },
"require": {
                           'illuminate/contracts": "^10.0|^11.0|^12.0",
                          "php": "^8.1"
                          "spatie/laravel-package-tools": "^1.9.2"
                   },
"require-dev": {
```

```
"nunomaduro/collision": "^7.0|^8.0",
"nunomaduro/larastan": "^2.0|^3.0",
"orchestra/testbench": "^8.0|^9.0|^10.0",
"pestphp/pest": "^2.0|^3.7",
"pestphp/pest-plugin-laravel": "^2.0|^3.1",
"phpstan/extension-installer": "^1.1",
"phpstan/phpstan-deprecation-rules": "^1.0|^2.0",
"phpstan/phpstan-phpunit": "^1.0|^2.0",
"phpunit/phpunit": "^10.0|^11.5.3",
"spatie/laravel-ray": "^1.26"
                  "aliases": {
                                      "BladeCaptureDirective":
"RyanChandler\\BladeCaptureDirective\\Facades\\BladeCaptureDirective"
                                },
"providers": [
                                       "RyanChandler\\BladeCaptureDirective\\BladeCaptureDirectiveServiceProvider"
                         }
                    ,
autoload": {
psr-4": {
                                "RyanChandler\\BladeCaptureDirective\\": "src"
                                "RyanChandler\\BladeCaptureDirective\\Database\\Factories\\":
"database/factories"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   ],
                   "authors": [
                         {
                                "name": "Ryan Chandler",
                                "email": "support@ryangjchandler.co.uk",
"role": "Developer"
                   "description": "Create inline partials in your Blade templates with ease.", "homepage": "https://github.com/ryangjchandler/blade-capture-directive", "keywords": [
                          "blade-capture-directive",
                         "laravel",
                         "ryangjchandler"
                    'support": {
    "issues": "https://github.com/ryangjchandler/blade-capture-directive/issues"
    "issues": "https://github.com/ryangjchandler/blade-capture-directive/tree/v1
                          "source": "https://github.com/ryangjchandler/blade-capture-directive/tree/v1.1.0"
                   },
"funding": [
                         {
                                "url": "https://github.com/ryangjchandler",
"type": "github"
                   ],
"time": "2025-02-25T09:09:36+00:00"
                   "name": "scrivo/highlight.php",
"version": "v9.18.1.10",
                   "source": {
    "type": "git",
    "url": "https://github.com/scrivo/highlight.php.git",
    "reference": "850f4b44697a2552e892ffe71490ba2733c2fc6e"
                  },
"dist": {
   "+vne
                         "type": "zip",
"url": "https://api.github.com/repos/scrivo/highlight.php/zipball/850f4b44697a2552e8
92ffe71490ba2733c2fc6e",
                          "reference": "850f4b44697a2552e892ffe71490ba2733c2fc6e",
```

```
"shasum": ""
                  },
"require": {
    iso

                        "ext-json": "*",
"php": ">=5.4"
                  "phpunit/phpunit": "^4.8|^5.7",
"sabberworm/php-css-parser": "^8.3",
"symfony/finder": "^2.8|^3.4|^5.4",
"symfony/var-dumper": "^2.8|^3.4|^5.4"
},

"suggest": {

"ext-mbstring": "Allows highlighting code with unicode characters and supports language with unicode keywords"
                  },
"type": "library",
                  "autoload": {
    "files": |
                               "HighlightUtilities/functions.php"
                       ],
"psr-0": {
"Highl
                              "Highlight\\": "",
                              "HighlightUtilities\\": ""
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
    "BSD-3-Clause"
                  ],
"authors": [
                        {
                              "name": "Geert Bergman",
"homepage": "http://www.scrivo.org/",
"role": "Project Author"
                        },
{
                              "name": "Vladimir Jimenez",
                              "homepage": "https://allejo.io",
"role": "Maintainer"
                              "name": "Martin Folkers",
                              "homepage": "https://twobrain.io",
                              "role": "Contributor"
                  ],
"description": "Server side syntax highlighter that supports 185 languages. It's a PHP
port of highlight.js"
                  light.js",
"keywords": [
    "code",
    "highlight",
    "highlight.js"
                        "highlight.php",
                        "syntax
                  ],
"support": {
    "issues": "https://github.com/scrivo/highlight.php/issues",
    "source": "https://github.com/scrivo/highlight.php"
                  },
"funding": [
                        {
                              "url": "https://github.com/allejo",
"type": "github"
                  ],
"time": "2022-12-17T21:53:22+00:00"
                  "name": "sebastian/cli-parser",
                  "version": "4.0.0",
"source": {
    "type": "git",
```

```
"url": "https://github.com/sebastianbergmann/cli-parser.git",
"reference": "6d584c727d9114bcdc14c86711cd1cad51778e7c"
               },
"dist": {
"''ne
                    "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/cli-
"shasum":
               },
"require": {
    "php": ">=8.3"
                require-dev": {
                     "phpunit/phpunit": "^12.0"
               },
"type": "library",
"extra": {
    "branch-alias"
                    "branch-alias": {
    "dev-main": "4.0-dev"
                .
'autoload": {
                     "classmap": [
                          "src/"
                'notification-url": "https://packagist.org/downloads/",
               "license": [
 "BSD-3-Clause"
                "authors": [
                    {
                         "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
               ],
"description": "Library for parsing CLI options",
"(rithub com/sebastianbergmann
                "homepage": "https://github.com/sebastianbergmann/cli-parser",
               "support": {

"issues": "https://github.com/sebastianbergmann/cli-parser/issues",
                    "security": "https://github.com/sebastianbergmann/cli-parser/security/policy",
"source": "https://github.com/sebastianbergmann/cli-parser/tree/4.0.0"
               },
"funding": [
                          "url": "https://github.com/sebastianbergmann", "type": "github"
               ],
"time": "2025-02-07T04:53:50+00:00"
               "name": "sebastian/comparator",
               "version": "7.1.3",
               "source": {
                    "type": "git",
"url": "https://github.com/sebastianbergmann/comparator.git",
"reference": "dc904b4bb3ab070865fa4068cd84f3da8b945148"
                    "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/comparator/zipball/dc904b4bb3
ab070865fa4068cd84f3da8b945148"
                    "ext-dom": "*",
"ext-mbstring": "*",
"php": ">=8.3",
                    "sebastian/diff": "^7.0",
```

```
"sebastian/exporter": "^7.0"
     "phpunit/phpunit": "^12.2"
     ext-bcmath": "For comparing BcMath\\Number objects"
     },
"type": "library",
     "type": "ir."
"extra": {
    "branch-alias": {
        "dev-main": "7.1-dev"
     "classmap": [
"src/"
           1
     },
"notification-url": "https://packagist.org/downloads/",
     "license": [
    "BSD-3-Clause"
     ],
"authors": [
           {
                 "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de"
                 "name": "Jeff Welch",
"email": "whatthejeff@gmail.com"
           },
                 "name": "Volker Dusch",
                 "email": "github@wallbash.com"
                 "name": "Bernhard Schussek",
"email": "bschussek@2bepublished.at"
     "description": "Provides the functionality to compare PHP values for equality", "homepage": "https://github.com/sebastianbergmann/comparator", "keywords": [
           "comparator",
           "compare",
"equality"
     ],
"support": {
    "issues": "https://github.com/sebastianbergmann/comparator/issues",
    "security": "https://github.com/sebastianbergmann/comparator/security/policy",
    """ "https://aithub.com/sebastianbergmann/comparator/tree/7.1.3"
     },
"funding": [
           {
                 "url": "https://github.com/sebastianbergmann",
                 "type": "github'
                 "url": "https://liberapay.com/sebastianbergmann",
                 "type": "liberapay"
                 "url": "https://thanks.dev/u/gh/sebastianbergmann", "type": "thanks_dev"
                 "url": "https://tidelift.com/funding/github/packagist/sebastian/comparator",
                 "type": "tidelift'
           }
      "time": "2025-08-20T11:27:00+00:00"
},
```

```
{
                "name": "sebastian/complexity",
                "version": "5.0.0",
                "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/complexity.git",
    "reference": "bad4316aba5303d0221f43f8cee37eb58d384bbb"
                      "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/complexity/zipball/bad4316aba
5303d0221f43f8cee37eb58d384bbb",
                      "reference": "bad4316aba5303d0221f43f8cee37eb58d384bbb",
"shasum": ""
                },
"require": {
    "nikic/php-parser": "^5.0",
    "php": ">=8.3"
                },
"require-dev": {
                      "phpunit/phpunit": "^12.0"
                },
"type": "library",
"extra": {
    "branch-alias"
                      "branch-alias": {
    "dev-main": "5.0-dev"
                "classmap": [
"src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license":
                      "BSD-3-Clause"
                 "authors": [
                      {
                            "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
                "support": {
    "issues": "https://github.com/sebastianbergmann/complexity/issues",
    "issues": "https://github.com/sebastianbergmann/complexity/securi
                      "security": "https://github.com/sebastianbergmann/complexity/security/policy", "source": "https://github.com/sebastianbergmann/complexity/tree/5.0.0"
                },
"funding": [
                      {
                            "url": "https://github.com/sebastianbergmann",
"type": "github"
                      }
                ],
"time": "2025-02-07T04:55:25+00:00"
                "name": "sebastian/diff",
                "version": "7.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/diff.git",
    "reference": "7ablea946c012266ca32390913653d844ecd085f"
                },
"dist": {
   "+yne
                      "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/diff/zipball/7ablea946c012266
ca32390913653d844ecd085f",
```

```
},
"require": {
    "php": ">=8.3"
                   'require-dev": {
    "phpunit/phpunit": "^12.0",
    "symfony/process": "^7.2"
                 },
"type": "library",
"extra": {
    "branch-alias": {
        "dev-main": "7.0-dev"
                  "classmap": [
                              "src/"
                        1
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
                        "BSD-3-Clause"
                  ],
                  "authors": [
                        {
                              "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de"
                              "name": "Kore Nordmann",
"email": "mail@kore-nordmann.de"
                  ],
"description": "Diff implementation",
                  "homepage": "https://github.com/sebastianbergmann/diff", "keywords": [
                        "diff"
                        "udiff"
                        "unidiff",
                        "unified diff"
                 "support": {
    "issues": "https://github.com/sebastianbergmann/diff/issues",
    "security": "https://github.com/sebastianbergmann/diff/security/policy",
    "source": "https://github.com/sebastianbergmann/diff/tree/7.0.0"
                  },
"funding": [
                        {
                              "url": "https://github.com/sebastianbergmann",
"type": "github"
                        }
                  ],
"time": "2025-02-07T04:55:46+00:00"
                  "name": "sebastian/environment",
                  "version": "8.0.3",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/environment.git",
    "reference": "24a711b5c916efc6d6e62aa65aa2ec98fef77f68"
                 },
"dist": {
   "+vne
                        "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/environment/zipball/24a711b5c
916efc6d6e62aa65aa2ec98fef77f68",
                        },
"require": {
    "php": ">=8.3"
                  },
"require-dev": {
```

```
"phpunit/phpunit": "^12.0"
                },
"suggest": {
                      ext-posix": "*"
                },
"type": "library",
"extra": {
    "tranch-alias"
                     "branch-alias": {
    "dev-main": "8.0-dev"
                     }
                "classmap": [
                           "src/"
                     1
                },
"notification-url": "https://packagist.org/downloads/",
                "license":
                     "BSD-3-Clause"
                ],
"authors": [
                     {
                           "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de"
                ],
"description": "Provides functionality to handle HHVM/PHP environments",
                "homepage": "https://github.com/sebastianbergmann/environment", "keywords": [
                      "Xdebug",
                     "environment",
                     "hhvm"
               "support": {
    "issues": "https://github.com/sebastianbergmann/environment/issues",
    "security": "https://github.com/sebastianbergmann/environment/security/policy",
    "source": "https://github.com/sebastianbergmann/environment/tree/8.0.3"
                },
"funding": [
                     {
                           "url": "https://github.com/sebastianbergmann",
"type": "github"
                     },
{
                           "url": "https://liberapay.com/sebastianbergmann",
"type": "liberapay"
                           "url": "https://thanks.dev/u/gh/sebastianbergmann",
                           "type": "thanks dev"
                           "url": "https://tidelift.com/funding/github/packagist/sebastian/environment", "type": "tidelift"
                ],
"time": "2025-08-12T14:11:56+00:00"
          },
{
                "name": "sebastian/exporter",
                "version": "7.0.0",
                "source": {
                     "type": "git",
"url": "https://github.com/sebastianbergmann/exporter.git",
"reference": "76432aafc58d50691a00d86d0632f1217a47b688"
                },
"dist": {
"*'ne
                     "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/exporter/zipball/76432aafc58d
},
```

```
"require": {
       "ext-mbstring": "*",
"php": ">=8.3",
       "sebastian/recursion-context": "^7.0"
},
"require-dev": {
    "phpunit/phpunit": "^12.0"
"type": "library",
"extra": {
    "branch-alias": {
        "dev-main": "7.0-dev"
"classmap": [
"src/"
       1
},
"notification-url": "https://packagist.org/downloads/",
"license": [
       "BSD-3-Clause"
],
 "authors": [
       {
              "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de"
             "name": "Jeff Welch",
"email": "whatthejeff@gmail.com"
       },
              "name": "Volker Dusch",
              "email": "github@wallbash.com"
              "name": "Adam Harvey",
"email": "aharvey@php.net"
              "name": "Bernhard Schussek",
"email": "bschussek@gmail.com"
],
"description": "Provides the functionality to export PHP variables for visualization",
"homepage": "https://www.github.com/sebastianbergmann/exporter",
"keywords": [
    "export",
    "exporter"
"support": {
    "issues": "https://github.com/sebastianbergmann/exporter/issues",
    "security": "https://github.com/sebastianbergmann/exporter/security/policy",
    "source": "https://github.com/sebastianbergmann/exporter/tree/7.0.0"
},
"funding": [
       {
              "url": "https://github.com/sebastianbergmann", "type": "github"
],
"time": "2025-02-07T04:56:42+00:00"
"name": "sebastian/global-state",
"version": "8.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/global-state.git",
    "reference": "570a2aeb26d40f057af686d63c4e99b075fb6cbc"
},
"dist": {
```

```
ualacalada (05/a1000uo)c4e99b0/Этрьсрс",
"reference": "570a2aeb26d40f057af686d63c4e99b075fb6cbc",
"shasum": ""
                      "shasum":
                "sebastian/object-reflector": "^5.0",
"sebastian/recursion-context": "^7.0"
                "phpunit/phpunit": "^12.0"
                },
"type": "library",
"extra": {
    "tranch-alias"
                      "branch-alias": {
    "dev-main": "8.0-dev"
                 ,
'autoload": {
                      "classmap": [
"src/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"BSD-3-Clause"
                ],
"authors": [
                      {
                           "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de"
                      }
                 description": "Snapshotting of global state",
                "homepage": "https://www.github.com/sebastianbergmann/global-state", "keywords": [
                      "global state"
                "support": {
    "issues": "https://github.com/sebastianbergmann/global-state/issues",
    "security": "https://github.com/sebastianbergmann/global-state/security/policy",
    "source": "https://github.com/sebastianbergmann/global-state/tree/8.0.0"
                },
"funding": [
                      {
                           "url": "https://github.com/sebastianbergmann", "type": "github"
                      }
                ],
"time": "2025-02-07T04:56:59+00:00"
                "name": "sebastian/lines-of-code",
                "version": "4.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/lines-of-code.git",
    "reference": "97ffee3bcfb5805568d6af7f0f893678fc076d2f"
                },
"dist": {
   "+vne
"reference": "97ffee3bcfb5805568d6af7f0f893678fc076d2f",
"shasum": ""
                },
"require": {
                      "nikic/php-parser": "^5.0",
"php": ">=8.3"
                },
```

```
"require-dev": {
                       "phpunit/phpunit": "^12.0"
                  ,
'type": "library",
                 "extra": {
                      "branch-alias": {
    "dev-main": "4.0-dev"
                  ,
'autoload": {
                       "classmap": [
"src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "BSD-3-Clause"
                 "authors": [
                      {
                            "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
                 description": "Library for counting the lines of code in PHP source code",
                 "homepage": "https://github.com/sebastianbergmann/lines-of-code",
                 "support": {
    "issues": "https://github.com/sebastianbergmann/lines-of-code/issues",
    "issues": "https://github.com/sebastianbergmann/lines-of-code/securi
                      "security": "https://github.com/sebastianbergmann/lines-of-code/security/policy", "source": "https://github.com/sebastianbergmann/lines-of-code/tree/4.0.0"
                },
"funding": [
                      {
                            "url": "https://github.com/sebastianbergmann",
"type": "github"
                 ],
"time": "2025-02-07T04:57:28+00:00"
                 "name": "sebastian/object-enumerator",
                 "version": "7.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/object-enumerator.git",
    "reference": "leffe8e9b8e068e9ae228e542d5d11b5d16db894"
                },
"dist": {
   "+yne
                      "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/object-
                      "reference": "leffe8e9b8e068e9ae228e542d5d1lb5d16db894", "shasum": ""
enumerator/zipball/leffe8e9b8e068e9ae228e542d5d11b5d16db894"
                "sebastian/object-reflector": "^5.0",
"sebastian/recursion-context": "^7.0"
                 "phpunit/phpunit": "^12.0"
                },
"type": "library",
"extra": {
    "tranch-alias"
                       "branch-alias": {
    "dev-main": "7.0-dev"
                "classmap": [
                            "src/"
                      ]
```

```
},
"notification-url": "https://packagist.org/downloads/",
                                "license": [
    "BSD-3-Clause"
                               ],
"authors": [
                                         {
                                                     "name": "Sebastian Bergmann"
                                                     "email": "sebastian@phpunit.de"
                                ],
"description": "Traverses array structures and object graphs to enumerate all referenced
objects",
                                "homepage": "https://github.com/sebastianbergmann/object-enumerator/",
                               "security": "https://github.com/sebastianbergmann/object-enumerator/security/policy",
                                          "source": "https://github.com/sebastianbergmann/object-enumerator/tree/7.0.0"
                               },
"funding": [
                                         {
                                                    "url": "https://github.com/sebastianbergmann",
"type": "github"
                               ],
"time": "2025-02-07T04:57:48+00:00"
                    },
{
                                "name": "sebastian/object-reflector",
                                "version": "5.0.0",
                                "source": {
                                         "type": "git",
"url": "https://github.com/sebastianbergmann/object-reflector.git",
"reference": "4bfa827c969c98be1e527abd576533293c634f6a"
                               },
"dist": {
"type
"type": "zip",

"url": "https://api.github.com/repos/sebastianbergmann/object-
reflector/zipball/4bfa827c969c98be1e527abd576533293c634f6a",
                                           ა, ია. ანგე დანანანის ლეგი და განაქანი აქანი ა
                                          "shasum":
                               },
"require": {
    "php": ">=8.3"
                                 "require-dev": {
                                           "phpunit/phpunit": "^12.0"
                               },
"type": "library",
"extra": {
    "branch-alias"
                                          "branch-alias": {
    "dev-main": "5.0-dev"
                                 "autoload": {
                                           "classmap": [
                                                     "src/"
                                "notification-url": "https://packagist.org/downloads/",
                                "authors": [
                                         {
                                                     "name": "Sebastian Bergmann",
                                                     "email": "sebastian@phpunit.de"
                                 'description": "Allows reflection of object attributes, including inherited and non-
public ones'
                                ,
"homepage": "https://github.com/sebastianbergmann/object-reflector/",
```

```
"support": {
                  "issues": "https://github.com/sebastianbergmann/object-reflector/issues",
"security": "https://github.com/sebastianbergmann/object-reflector/security/policy",
                  "source": "https://github.com/sebastianbergmann/object-reflector/tree/5.0.0
             },
"funding": [
                  {
                       "url": "https://github.com/sebastianbergmann",
                       "type": "github'
             ],
"time": "2025-02-07T04:58:17+00:00"
         },
{
              "name": "sebastian/recursion-context",
              "version": "7.0.1",
              "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/recursion-context.git",
    "reference": "0b01998a7d5b1f122911a66bebcb8d46f0c82d8c"
             },
"dist": {
                  "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/recursion-
context/zipball/0b01998a7d5b1f122911a66bebcb8d46f0c82d8c"
                  "reference": "0b01998a7d5b1f122911a66bebcb8d46f0c82d8c",
                  "shasum":
             },
"require": {
    "php": ">=8.3"
             "phpunit/phpunit": "^12.0"
             },
"type": "library",
"extra": {
    "branch-alias"
                  "branch-alias": {
    "dev-main": "7.0-dev"
                  }
              'autoload": {
                  "classmap": [
                       "src/"
             },
"notification-url": "https://packagist.org/downloads/",
             "license": [
 "BSD-3-Clause"
             ],
"authors": [
                  {
                       "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de"
                       "name": "Jeff Welch",
                       "email": "whatthejeff@gmail.com"
                       "name": "Adam Harvey",
"email": "aharvey@php.net"
             "security": "https://github.com/sebastianbergmann/recursion-
},
"funding": [
                  {
```

```
"url": "https://github.com/sebastianbergmann",
                          "type": "github'
                    },
                          "url": "https://liberapay.com/sebastianbergmann", "type": "liberapay"
                          "url": "https://thanks.dev/u/gh/sebastianbergmann",
                          "type": "thanks_dev"
                          "url": "https://tidelift.com/funding/github/packagist/sebastian/recursion-
context",
                          "type": "tidelift"
                    }
               ],
"time": "2025-08-13T04:44:59+00:00"
          },
{
               "name": "sebastian/type",
               "version": "6.0.3",
               "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/type.git",
    "reference": "e549163b9760b8f71f191651d22acf32d56d6d4d"
               },
"dist": {
"''ne
                    "type": "zip",
"url": "https://api.github.com/repos/sebastianbergmann/type/zipball/e549163b9760b8f7
1f191651d22acf32d56d6d4d",
                     "reference": "e549163b9760b8f71f191651d22acf32d56d6d4d",
                    "shasum":
               },
"require": {
    "php": ">=8.3"
               "phpunit/phpunit": "^12.0"
               },
"type": "library",
"extra": {
    "branch-alias"
                    "branch-alias": {
    "dev-main": "6.0-dev"
                    }
                ,
'autoload": {
                    "classmap": [
"src/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
    "BSD-3-Clause"
               ],
               "authors": [
                    {
                         "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
               ],
"description": "Collection of value objects that represent the types of the PHP type
system",
               "homepage": "https://github.com/sebastianbergmann/type",
"support": {
    "issues": "https://github.com/sebastianbergmann/type/issues"
                     "security": "https://github.com/sebastianbergmann/type/security/policy",
                     "source": "https://github.com/sebastianbergmann/type/tree/6.0.3
               },
"funding": [
                    {
                          "url": "https://github.com/sebastianbergmann",
```

```
"type": "github"
                   },
{
                        "url": "https://liberapay.com/sebastianbergmann",
"type": "liberapay"
                        "url": "https://thanks.dev/u/gh/sebastianbergmann",
                        "type": "thanks dev"
                        "url": "https://tidelift.com/funding/github/packagist/sebastian/type",
                        "type": "tidelift"
                   }
              ],
"time": "2025-08-09T06:57:12+00:00"
              "name": "sebastian/version",
"version": "6.0.0",
              "source": {
    "type": "git",
    "url": "https://github.com/sebastianbergmann/version.git",
    "reference": "3e6ccf7657d4f0a59200564b08cead899313b53c"
              },
"dist": {
   "+vne
},
"require": {
    "php": ">=8.3"
    "
              },
"type": "library",
"extra": {
    "branch-alias"
                   "branch-alias": {
    "dev-main": "6.0-dev"
                   }
              "classmap": [
"src/"
                   1
               ,,
"notification-url": "https://packagist.org/downloads/",
              "license": [
    "BSD-3-Clause"
              ],
              "authors": [
                   {
                        "name": "Sebastian Bergmann",
"email": "sebastian@phpunit.de",
"role": "lead"
              ],
"description": "Library that helps with managing the version number of Git-hosted PHP
projects",
              "homepage": "https://github.com/sebastianbergmann/version",
              "support": {
    "issues": "https://github.com/sebastianbergmann/version/issues"
                   "security": "https://github.com/sebastianbergmann/version/security/policy",
                   "source": "https://github.com/sebastianbergmann/version/tree/6.0.0"
              },
"funding": [
                   {
                        "url": "https://github.com/sebastianbergmann",
                        "type": "github'
               "time": "2025-02-07T05:00:38+00:00"
         },
```

```
{
                    "name": "spatie/invade",
                    "version": "2.1.0",
                    "source": {
    "type": "git",
    "url": "https://github.com/spatie/invade.git",
    "reference": "b920f6411d21df4e8610a138e2e87ae4957d7f63"
                    },
"dist": {
"''''PP
                          ...
"type": "zip",
"url":
"https://api.github.com/repos/spatie/invade/zipball/b920f6411d21df4e8610a138e2e87ae4957d7f63",
                           "reference": "b920f6411d21df4e8610a138e2e87ae4957d7f63",
                          "shasum":
                    },
"require": {
    "php": "^8.0"
                    "pestphp/pest": "^1.20",
"phpstan/phpstan": "^1.4",
"spatie/ray": "^1.28"
                    },
"type": "library",
                    "autoload": {
    "files":
                                 "src/functions.php"
                          ],
"psr-4": {
                                 "Spatie\\Invade\\": "src"
                    },
"notification-url": "https://packagist.org/downloads/",
                    "license": [
                           "MIT"
                    "authors": [
                          {
                                 "name": "Freek Van der Herten",
"email": "freek@spatie.be",
"role": "Developer"
                    "description": "A PHP function to work with private properties and methods", "homepage": "https://github.com/spatie/invade", "keywords": [
                          "invade",
"spatie"
                           "source": "https://github.com/spatie/invade/tree/2.1.0"
                    },
"funding": [
                          {
                                 "url": "https://github.com/spatie",
"type": "github"
                          }
                    ],
"time": "2024-05-17T09:06:10+00:00"
                    "name": "spatie/laravel-package-tools",
"version": "1.92.7",
"source": {
    "type": "git",
    "url": "https://github.com/spatie/laravel-package-tools.git",
    "reference": "f09a799850bled765103a4f0b4355006360c49a5"
"type": "zip",

"url": "https://api.github.com/repos/spatie/laravel-package-

tools/zipball/f09a799850bled765103a4f0b4355006360c49a5",

"reference": "f09a799850bled765103a4f0b4355006360c49a5",
```

```
"shasum": ""
                     },
"require": {
                             "illuminate/contracts": "^9.28|^10.0|^11.0|^12.0",
                            "php": "^8.0"
                     quire-dev": {
    "mockery/mockery": "^1.5",
    "orchestra/testbench": "^7.7|^8.0|^9.0|^10.0",
    "pestphp/pest": "^1.23|^2.1|^3.1",
    "phpunit/php-code-coverage": "^9.0|^10.0|^11.0",
    "phpunit/phpunit": "^9.5.24|^10.5|^11.5",
    "spatie/pest-plugin-test-time": "^1.1|^2.2"
                     },
"type": "library",
                     "autoload": {
    "psr-4":
                                   "Spatie\\LaravelPackageTools\\": "src"
                     "notification-url": "https://packagist.org/downloads/",
                     "license": [
"MIT"
                     ],
"authors": [
                            {
                                   "name": "Freek Van der Herten",
"email": "freek@spatie.be",
"role": "Developer"
                     ],
"description": "Tools for creating Laravel packages",
"homepage": "https://github.com/spatie/laravel-package-tools",
"keywords": [
"laravel package-tools".
                             "laravel-package-tools",
                            "spatie"
                     !,
"support": {
    "issues": "https://github.com/spatie/laravel-package-tools/issues",
    "source": "https://github.com/spatie/laravel-package-tools/tree/1.92.7"
                     },
"funding": [
                            {
                                   "url": "https://github.com/spatie",
"type": "github"
                     ],
"time": "2025-07-17T15:46:43+00:00"
                     "name": "spatie/shiki-php",
                     "name": "spatie/sniki-pnp",
"version": "2.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/spatie/shiki-php.git",
    "reference": "a2e78a9ff8a1290b25d550be8fbf8285c13175c5"
                     },
"dist": {
"''''PP
                            "type": "zip",
"url": "https://api.github.com/repos/spatie/shiki-
"ext-json": "*",
"php": "^8.0",
                            "symfony/process": "^5.4|^6.4|^7.1"
                    },
"require-dev": {
    "friendsofphp/php-cs-fixer": "^v3.0",
    "pestphp/pest": "^1.8",
    "phpunit/phpunit": "^9.5",
```

```
"spatie/pest-plugin-snapshots": "^1.1", "spatie/ray": "^1.10"
                      ,
'type": "library",
                     "autoload": {
    "psr-4":
                                  "Spatie\\ShikiPhp\\": "src"
                     },
"notification-url": "https://packagist.org/downloads/",
                     "license": [
"MIT"
                    ],
"authors": [
                           {
                                  "name": "Rias Van der Veken",
"email": "rias@spatie.be",
"role": "Developer"
                                  "name": "Freek Van der Herten",
"email": "freek@spatie.be",
"role": "Developer"
                    ],
"description": "Highlight code using Shiki in PHP",
"homepage": "https://github.com/spatie/shiki-php",
"keywords": [
    "shiki",
    ""
                           "spatie"
                     ],
"support": {
    "source": "https://github.com/spatie/shiki-php/tree/2.3.2"
                    },
"funding": [
                           {
                                   "url": "https://github.com/spatie",
                                   "type": "github'
                           }
                     ],
"time": "2025-02-21T14:16:57+00:00"
              },
{
                     "name": "staabm/side-effects-detector",
                     "version": "1.0.5",
                     "source": {
    "type": "git",
    "url": "https://github.com/staabm/side-effects-detector.git",
    "reference": "d8334211a140ce329c13726d4a715adbddd0a163"
                    },
"dist": {
   "+ype
"reference": "d8334211a140ce329c13726d4a715adbddd0a163",
"shasum": ""
                    },
"require": {
    "ext-tokenizer": "*",
    "php": "^7.4 || ^8.0"
                   },
"require-dev": {
    "phpstan/extension-installer": "^1.4.3",
    "phpstan/phpstan": "^1.12.6",
    "phpunit/phpunit": "^9.6.21",
    "symfony/var-dumper": "^5.4.43",
    "tomasvotruba/type-coverage": "1.0.0",
    "tomasvotruba/unused-public": "1.0.0"
                    },
"type": "library",
                     "autoload": {
    "classmap": [
    "lib/"
```

```
]
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"description": "A static analysis tool to detect side effects in PHP code",
                      "static analysis"
                ],
"support": {
    "issues": "https://github.com/staabm/side-effects-detector/issues"
    "bttps://github.com/staabm/side-effects-detector/tree/1.
                     "source": "https://github.com/staabm/side-effects-detector/tree/1.0.5"
                },
"funding": [
                     {
                           "url": "https://github.com/staabm",
"type": "github"
                     }
                ],
"time": "2024-10-20T05:08:20+00:00"
          },
{
                "name": "stripe/stripe-php",
"version": "v17.6.0",
                "source": {
    "type": "git",
    "url": "https://github.com/stripe/stripe-php.git",
    "reference": "a6219df5df1324a0d3f1da25fb5e4b8a3307ea16"
                },
"dist": {
   "+ype
"shasum":
                },
"require": {
" "+-cur
                     |ure": {
  "ext-curl": "*",
  "ext-json": "*",
  "ext-mbstring": "*",
  "php": ">=5.6.0"
                uire-dev": {
"friendsofphp/php-cs-fixer": "3.72.0",
"phpstan/phpstan": "^1.2",
"phpunit/phpunit": "^5.7 || ^9.0"
                },
"type": "library",
                "extra": {
                     "branch-alias": {
    "dev-master": "2.0-dev"
                     }
                },
"autoload": {
    "psr-4": {
        "Stripe
                           "Stripe\\": "lib/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                     {
                           "name": "Stripe and contributors",
                           "homepage": "https://github.com/stripe/stripe-php/contributors"
                     }
                ],
"description": "Stripe PHP Library",

('stripe com/"
                "homepage": "https://stripe.com/",
"keywords": [
                      "api",
```

```
"payment processing",
                      "stripe"
                ],
"support": {
    "issues": "https://github.com/stripe/stripe-php/issues",
    "source": "https://github.com/stripe/stripe-php/tree/v17.6.0"
                },
"time": "2025-08-27T19:32:42+00:00"
          },
{
                "name": "symfony/clock",
"version": "v7.3.0",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/clock.git",
    "reference": "b81435fbd6648ea425dlee96a2d8e68f4ceacd24"
                },
"dist": {
                      "type": "zip",
                      "url":
"shasum":
               },
"require": {
    "php": ">=8.2",
    "psr/clock": "^1.0"
    ""fonv/polyfill-p
                      "symfony/polyfill-php83": "^1.28"
                },
"provide": {
    "per/clo
                      "psr/clock-implementation": "1.0"
                },
"type": "library",
                "autoload": {
    "files": [
                            "Resources/now.php"
                      "psr-4": {
                           "Symfony\\Component\\Clock\\": ""
                      },
"exclude-from-classmap": [
                            "/Tests/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                      {
                            "name": "Nicolas Grekas",
                            "email": "p@tchwork.com"
                           "name": "Symfony Community",
                           "homepage": "https://symfony.com/contributors"
                ],
"description": "Decouples applications from the system clock",
"homepage": "https://symfony.com",
"keywords": [
    "clock",
    "psr20",
    "time"
                "support": {
    "source": "https://github.com/symfony/clock/tree/v7.3.0"
                },
"funding": [
                      {
                           "url": "https://symfony.com/sponsor",
"type": "custom"
                      },
```

```
{
                                  "url": "https://github.com/fabpot",
"type": "github"
                           },
                                  "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                           }
                    ],
"time": "2024-09-25T14:21:43+00:00"
                    "name": "symfony/console",
                    "version": "v7.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/console.git",
    "reference": "5f360ebc65c55265a74d23d7fe27f957870158a1"
                    },
"dist": {
   "+vne
                            "type": "zip",
                           "url":
"symfony/deprecation-contracts": "^2.5|^3",
"symfony/polyfill-mbstring": "~1.0",
"symfony/service-contracts": "^2.5|^3",
"symfony/string": "^7.2"
                   },
"conflict": {
    "symfony/dependency-injection": "<6.4",
    "symfony/dotenv": "<6.4",
    "symfony/event-dispatcher": "<6.4",
    "symfony/lock": "<6.4",
    "symfony/process": "<6.4"</pre>
                    },
"provide": {
    "psr/log-implementation": "1.0|2.0|3.0"
                   "symfony/dependency-injection": "^6.4|^7.0",
                          "symfony/dependency-injection": "^6.4|^7
"symfony/event-dispatcher": "^6.4|^7.0",
"symfony/http-foundation": "^6.4|^7.0",
"symfony/http-kernel": "^6.4|^7.0",
"symfony/lock": "^6.4|^7.0",
"symfony/messenger": "^6.4|^7.0",
"symfony/process": "^6.4|^7.0",
"symfony/stopwatch": "^6.4|^7.0",
"symfony/var-dumper": "^6.4|^7.0"
                    },
"type": "library",
                    "Symfony\\Component\\Console\\": ""
                           "exclude-from-classmap": [
                                  "/Tests/"
                    },
"notification-url": "https://packagist.org/downloads/",
                    "license": [
"MIT"
                    ],
"authors": [
                           {
                                  "name": "Fabien Potencier",
"email": "fabien@symfony.com"
```

```
},
{
                         "name": "Symfony Community",
                         "homepage": "https://symfony.com/contributors"
               ],
"description": "Eases the creation of beautiful and testable command line interfaces",
"homepage": "https://symfony.com",
"keywords": [
                    "command-line",
                    "console",
"terminal"
              ],
"support": {
                     'source": "https://github.com/symfony/console/tree/v7.3.2"
              },
"funding": [
                    {
                         "url": "https://symfony.com/sponsor",
"type": "custom"
                         "url": "https://github.com/fabpot",
"type": "github"
                         "url": "https://github.com/nicolas-grekas",
"type": "github"
                         "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                         "type": "tidelift"
                    }
               ],
"time": "2025-07-30T17:13:41+00:00"
         },
{
               "name": "symfony/css-selector",
               "version": "v7.3.0",
               "source": {
    "type": "git",
    "url": "https://github.com/symfony/css-selector.git",
    "reference": "601a5ce9aaad7bf10797e3663faefce9e26c24e2"
              },
"dist": {
   "+vne
                    "type": "zip",
"url": "https://api.github.com/repos/symfony/css-
selector/zipball/601a5ce9aaad7bf10797e3663faefce9e26c24e2"
                    "reference": "601a5ce9aaad7bf10797e3663faefce9e26c24e2",
                    "shasum":
              },
"type": "library",
               "Symfony\\Component\\CssSelector\\": ""
                    },
"exclude-from-classmap": [
                         "/Tests/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
              ],
"authors": [
                    {
                         "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                    },
```

```
{
                            "name": "Jean-François Simon",
"email": "jeanfrancois.simon@sensiolabs.com"
                            "name": "Symfony Community",
                            "homepage": "https://symfony.com/contributors"
                      }
                 ],
"description": "Converts CSS selectors to XPath expressions",
                 "description": "Converts CSS selectors to XPath expressions",
"homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/css-selector/tree/v7.3.0"
                },
"funding": [
                      {
                            "url": "https://symfony.com/sponsor",
"type": "custom"
                      },
                            "url": "https://github.com/fabpot",
"type": "github"
                      },
                            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                            "type": "tidelift"
                      }
                ],
"time": "2024-09-25T14:21:43+00:00"
                 "name": "symfony/deprecation-contracts",
                "version": "v3.6.0",

"source": {

    "type": "git",

    "url": "https://github.com/symfony/deprecation-contracts.git",

    "reference": "63afe740e99a13ba87ec199bb07bbdee937a5b62"
                      "type": "zip",
"url": "https://api.github.com/repos/symfony/deprecation-
contracts/zipball/63afe740e99a13ba87ec199bb07bbdee937a5b62",
                      },
"require": {
    "php": ">=8.1"
                },
"type": "library",
                 "extra": {
                      "Ta": 1
"thanks": {
    "url": "https://github.com/symfony/contracts",
    "name": "symfony/contracts"
                      },
"branch-alias": {
    "dev-main": "3.6-dev"
                },
"autoload": {
    "files": [
    "funct
                            "function.php"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                ],
"authors": [
                      {
                            "name": "Nicolas Grekas",
                            "email": "p@tchwork.com"
```

```
"name": "Symfony Community",
                             "homepage": "https://symfony.com/contributors"
                       }
                 ],
"description": "A generic function and convention to trigger deprecation notices",
"homepage": "https://symfony.com",
                 "support": {
                       "source": "https://github.com/symfony/deprecation-contracts/tree/v3.6.0"
                 },
"funding": [
                       {
                             "url": "https://symfony.com/sponsor",
"type": "custom"
                       },
                             "url": "https://github.com/fabpot",
"type": "github"
                             "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
"type": "tidelift"
                       }
                 ],
"time": "2024-09-25T14:21:43+00:00"
           },
{
                 "name": "symfony/error-handler",
"version": "v7.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/error-handler.git",
    "reference": "0b31a944fcd8759ae294da4d2808cbc53aebd0c3"
                handler/zipball/0b31a944fcd8759ae294da4d2808cbc53aebd0c3",
                       },
"require": {
    "php": ">=8.2",
    "psr/log": "^1|^2|^3",
    "symfony/var-dumper": "^6.4|^7.0"
                 },
"conflict": {
    "symfony/deprecation-contracts": "<2.5",
    "symfony/http-kernel": "<6.4"</pre>
                },
"require-dev": {
    "symfony/console": "^6.4|^7.0",
    "symfony/deprecation-contracts": "^2.5|^3",
    "symfony/http-kernel": "^6.4|^7.0",
    "symfony/serializer": "^6.4|^7.0",
    "symfony/webpack-encore-bundle": "^1.0|^2.0"
                       "Resources/bin/patch-type-declarations"
                 ],
"type": "library",
                 "autoload": {
    "psr-4":
                             "Symfony\\Component\\ErrorHandler\\": ""
                       },
"exclude-from-classmap": [
                             "/Tests/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
"authors": [
```

```
{
                                   "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                            },
                                   "name": "Symfony Community",
                                   "homepage": "https://symfony.com/contributors"
                           }
                     ],
"description": "Provides tools to manage errors and ease debugging PHP code",
                     "homepage": "https://symfony.com",
"support": {
    "source": "https://github.com/symfony/error-handler/tree/v7.3.2"
                    },
"funding": [
                                   "url": "https://symfony.com/sponsor",
"type": "custom"
                            },
                                   "url": "https://github.com/fabpot",
"type": "github"
                                   "url": "https://github.com/nicolas-grekas",
"type": "github"
                                   "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                     ],
"time": "2025-07-07T08:17:57+00:00"
              },
{
                     "name": "symfony/event-dispatcher",
                     "version": "v7.3.0",
                     "source": {
    "type": "git",
    "url": "https://github.com/symfony/event-dispatcher.git",
    "reference": "497f73ac996a598c92409b44ac43b6690c4f666d"
                    },
"dist": {
"''ne
"type": "zip",

"url": "https://api.github.com/repos/symfony/event-

dispatcher/zipball/497f73ac996a598c92409b44ac43b6690c4f666d",
                            "reference": "497f73ac996a598c92409b44ac43b6690c4f666d",
"shasum": ""
                            "shasum":
                    },
"require": {
    "php": ">=8.2",
    ""mfonv/event-"
                            "symfony/event-dispatcher-contracts": "^2.5|^3"
                     "symfony/dependency-injection": "<6.4",
                            "symfony/service-contracts": "<2.5"
                    },
"provide": {
    "psr/event-dispatcher-implementation": "1.0",
    "symfony/event-dispatcher-implementation": "2.0|3.0"
                  "require-dev": {
    "psr/log": "^1|^2|^3",
    "symfony/config": "^6.4|^7.0",
    "symfony/dependency-injection": "^6.4|^7.0",
    "symfony/error-handler": "^6.4|^7.0",
    "symfony/expression-language": "^6.4|^7.0",
    "symfony/http-foundation": "^6.4|^7.0",
    "symfony/service-contracts": "^2.5|^3",
    "symfony/stopwatch": "^6.4|^7.0"
```

```
"psr-4": {
                            "Symfony\\Component\\EventDispatcher\\": ""
                       "exclude-from-classmap": [
                            "/Tests/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                ],
"authors": [
                      {
                            "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                            "name": "Symfony Community",
                            "homepage": "https://symfony.com/contributors"
],
   "description": "Provides tools that allow your application components to communicate with each other by dispatching events and listening to them",
                 "homepage": "https://symfony.com",
"support": {
                       "source": "https://github.com/symfony/event-dispatcher/tree/v7.3.0"
                },
"funding": [
                      {
                            "url": "https://symfony.com/sponsor",
"type": "custom"
                      },
                            "url": "https://github.com/fabpot",
"type": "github"
                            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                 ],
"time": "2025-04-22T09:11:45+00:00"
           },
{
                 "name": "symfony/event-dispatcher-contracts",
                 "version": "v3.6.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/symfony/event-dispatcher-contracts.git",
    "reference": "59eb412e93815df44f05f342958efa9f46b1e586"
                },
"dist": {
"type": "zip",

"url": "https://api.github.com/repos/symfony/event-dispatcher-
contracts/zipball/59eb412e93815df44f05f342958efa9f46ble586",
                       "reference": "59eb412e93815df44f05f342958efa9f46b1e586",
                      "shasum":
                "psr/event-dispatcher": "^1"
                },
"type": "library",
"extra": {
    "thanks": {
                       "ta : {
    "thanks": {
        "url": "https://github.com/symfony/contracts",
        "name": "symfony/contracts"
                      },
"branch-alias": {
    "dev-main": "3.6-dev"
                 },
"autoload": {
```

```
"psr-4": {
                        "Symfony\\Contracts\\EventDispatcher\\": ""
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              ],
"authors": [
                   {
                        "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                        "name": "Symfony Community",
                        "homepage": "https://symfony.com/contributors"
                   }
               "description": "Generic abstractions related to dispatching event",
              "homepage": "https://symfony.com",
"keywords": [
                   "abstractions",
                   "contracts",
"decoupling"
                   "interfaces"
                   "interoperability",
                   "standards"
               '/
'support": {
    "source": "https://github.com/symfony/event-dispatcher-contracts/tree/v3.6.0"
              },
"funding": [
                   {
                        "url": "https://symfony.com/sponsor",
"type": "custom"
                        "url": "https://github.com/fabpot",
"type": "github"
                        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                        "type": "tidelift"
                   }
              ],
"time": "2024-09-25T14:21:43+00:00"
         },
{
              "name": "symfony/finder",
              "version": "v7.3.2",
              "source": {
    "type": "git",
    "url": "https://github.com/symfony/finder.git",
    "reference": "2a6614966ba1074fa93dae0bc804227422df4dfe"
              },
"dist": {
   "+vne
                   "type": "zip",
                   "url":
},
"require": {
    "php": ">=8.2"
              },
"require-dev": {
    "symfony/filesystem": "^6.4|^7.0"
              },
"type": "library",
              "autoload": {
    "psr-4": {
        "Symfony\\Component\\Finder\\": ""
```

```
"exclude-from-classmap": [
                          "/Tests/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                          "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                          "name": "Symfony Community",
                          "homepage": "https://symfony.com/contributors"
                    }
               description": "Finds files and directories via an intuitive fluent interface",
               "homepage": "https://symfony.com",
               "support": {
    "source": "https://github.com/symfony/finder/tree/v7.3.2"
               },
"funding": [
                    {
                         "url": "https://symfony.com/sponsor",
"type": "custom"
                          "url": "https://github.com/fabpot",
"type": "github"
                    },
                          "url": "https://github.com/nicolas-grekas",
                          "type": "github"
                          "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
               ],
"time": "2025-07-15T13:41:35+00:00"
          },
{
               "name": "symfony/html-sanitizer",
               "version": "v7.3.2",
               "source": {
    "type": "git",
    "url": "https://github.com/symfony/html-sanitizer.git",
    "reference": "3388e208450fcac57d24aef4d5ae41037b663630"
               },
"dist": {
                    "type": "zip",
"url": "https://api.github.com/repos/symfony/html-
sanitizer/zipball/3388e208450fcac57d24aef4d5ae41037b663630"
                    "reference": "3388e208450fcac57d24aef4d5ae41037b663630",
                    "shasum":
              },
"require": {
    "ext-dom": "*",
    "league/uri": "^6.5|^7.0",
    "masterminds/html5": "^2.7.2",
    ">hn": ">=8.2"
               "autoload": {
"psr-4": {
                         "Symfony\\Component\\HtmlSanitizer\\": ""
                    "exclude-from-classmap": [
                          "/Tests/"
               },
```

```
"notification-url": "https://packagist.org/downloads/",
                                        "license": [
"MIT"
                                       ],
"authors": [
                                                    {
                                                                  "name": "Titouan Galopin",
"email": "galopintitouan@gmail.com"
                                                    },
                                                                  "name": "Symfony Community",
"homepage": "https://symfony.com/contributors"
                                                    }
                                        ],
"description": "Provides an object-oriented API to sanitize untrusted HTML input for
safe insertion into a document's DDM.",

"homepage": "https://symfony.com",

"keywords": [
                                                      "Purifier"
                                                     "html",
                                                     "sanitizer"
                                          support": {
"suprore": "https://github.com/symfony/html-sanitizer/tree/v7.3.2"
                                       },
"funding": [
                                                    {
                                                                  "url": "https://symfony.com/sponsor",
"type": "custom"
                                                                  "url": "https://github.com/fabpot",
                                                                  "type": "github'
                                                                  "url": "https://github.com/nicolas-grekas",
                                                                  "type": "github"
                                                    },
{
                                                                  "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                                                     }
                                       ],
"time": "2025-07-10T08:29:33+00:00"
                          },
{
                                       "name": "symfony/http-foundation",
"version": "v7.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/http-foundation.git",
    "reference": "6877c122b3a6cc3695849622720054f6e6fa5fa6"
                                      },
"dist": {
   "+yne
                                                    "type": "zip",
"url": "https://api.github.com/repos/symfony/http-
 foundation/zipball/6877c122b3a6cc3695849622720054f6e6fa5fa6"
                                                     "reference": "6877c122b3a6cc3695849622720054f6e6fa5fa6",
                                                     "shasum":
                                      },
"require": {
    "php": ">=8.2",
    "fonv/deprec";
    "fonv/
                                                     "symfony/deprecation-contracts": "^2.5|^3.0",
                                                    "symfony/polyfill-mbstring": "~1.1",
"symfony/polyfill-php83": "^1.27"
                                       "doctrine/dbal": "<3.6",
"symfony/cache": "<6.4.12|>=7.0,<7.1.5"
                                      },
"require-dev": {
    "doctrine/dbal": "^3.6|^4",
    "predis/predis": "^1.1|^2.0",
```

```
"symfony/cache": "^6.4.12|^7.1.5", "symfony/clock": "^6.4|^7.0",
                      "symfony/dependency-injection": "^6.4|^7.0", "symfony/expression-language": "^6.4|^7.0", "symfony/http-kernel": "^6.4|^7.0", "symfony/mime": "^6.4|^7.0",
                      "symfony/rate-limiter": "^6.4|^7.0"
                },
"type": "library",
                "autoload": {
    "psr-4": }
                           "Symfony\\Component\\HttpFoundation\\": ""
                      },
"exclude-from-classmap": [
                            "/Tests/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                      {
                            "name": "Fabien Potencier",
                            "email": "fabien@symfony.com"
                            "name": "Symfony Community",
                            "homepage": "https://symfony.com/contributors"
                      }
                 ],
"description": "Defines an object-oriented layer for the HTTP specification",
                 "homepage": "https://symfony.com",
"support": {
                       "source": "https://github.com/symfony/http-foundation/tree/v7.3.2"
                },
"funding": [
                      {
                            "url": "https://symfony.com/sponsor",
"type": "custom"
                      },
{
                            "url": "https://github.com/fabpot",
"type": "github"
                            "url": "https://github.com/nicolas-grekas",
                            "type": "github"
                            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                ],
"time": "2025-07-10T08:47:49+00:00"
           },
{
                "name": "symfony/http-kernel",
"version": "v7.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/http-kernel.git",
    "reference": "6ecc895559ec0097e221ed2fd5eb44d5fede083c"
                },
"dist": {
                      "type": "zip",
"url": "https://api.github.com/repos/symfony/http-
kernel/zipball/6ecc895559ec0097e221ed2fd5eb44d5fede083c'
                      "reference": "6ecc895559ec0097e221ed2fd5eb44d5fede083c",
"shasum": ""
                      "shasum":
                },
"require": {
    "php": ">=8.2",
```

```
"psr/log": "^1|^2|^3",
              "symfony/deprecation-contracts": "^2.5|^3",
             "symfony/deprecation-contracts: 2.
"symfony/error-handler": "^6.4|^7.0",
"symfony/event-dispatcher": "^7.3",
"symfony/http-foundation": "^7.3",
"symfony/polyfill-ctype": "^1.8"
},
"conflict": {
    "symfony/browser-kit": "<6.4",
    "symfony/cache": "<6.4",
    "symfony/config": "<6.4",
    "symfony/console": "<6.4",
    "symfony/console": "<6.4",
    "symfony/dependency-injection"
    "symfony/dependency-injection"
    "symfony/dependency-injection"</pre>
             "symfony/dependency-injection": "<6.4",
             "symfony/doctrine-bridge": "<6.4",
"symfony/form": "<6.4",
"symfony/http-client": "<6.4",
             "symfony/http-client: <0.4",
"symfony/http-client-contracts": "<2.5",
"symfony/mailer": "<6.4",
"symfony/messenger": "<6.4",
"symfony/translation": "<6.4",
            "symfony/translation": "<0.4",
"symfony/translation-contracts": "<2.5",
"symfony/twig-bridge": "<6.4",
"symfony/validator": "<6.4",
"symfony/var-dumper": "<6.4",
"twig/twig": "<3.12"
 },
"provide": {
              "psr/log-implementation": "1.0|2.0|3.0"
 "psr/cache": "^1.0|^2.0|^3.0",
"symfony/browser-kit": "^6.4|^7.0",
"symfony/clock": "^6.4|^7.0",
"symfony/config": "^6.4|^7.0",
"symfony/console": "^6.4|^7.0",
"symfony/css-selector": "^6.4|^7.0",
"symfony/dependency-injection": "^6.4|^7.0",
"symfony/dom-crawler": "^6.4|^7.0",
"symfony/expression-language": "^6.4|^7.0",
"symfony/finder": "^6.4|^7.0",
"symfony/finder": "^6.4|^7.0",
            "symfony/finder": "^6.4|^7.0",
"symfony/http-client-contracts": "^2.5|^3",
"symfony/process": "^6.4|^7.0",
"symfony/routing": "^6.4|^7.0",
"symfony/serializer": "^7.1",
"symfony/stopwatch": "^6.4|^7.0",
"symfony/translation": "^6.4|^7.0",
"symfony/translation-contracts": "^2.5|^3",
"symfony/uid": "^6.4|^7.0",
"symfony/var-dumper": "^6.4|^7.0",
"symfony/var-exporter": "^6.4|^7.0",
"symfony/var-exporter": "^6.4|^7.0",
             "symfony/var-exporter": "^6.4|^7.0", "twig/twig": "^3.12"
 },
"type": "library",
  "Symfony\\Component\\HttpKernel\\": ""
             },
"exclude-from-classmap": [
   "notification-url": "https://packagist.org/downloads/",
  "license": [
"MIT"
  "authors": [
             {
                         "name": "Fabien Potencier"
                         "email": "fabien@symfony.com"
```

```
"name": "Symfony Community",
                           "homepage": "https://symfony.com/contributors"
                     }
                ],
"description": "Provides a structured process for converting a Request into a Response",
                "homepage": "https://symfony.com",
                "support": {
                      "source": "https://github.com/symfony/http-kernel/tree/v7.3.2"
                },
"funding": [
                     {
                           "url": "https://symfony.com/sponsor",
"type": "custom"
                     },
                           "url": "https://github.com/fabpot",
"type": "github"
                           "url": "https://github.com/nicolas-grekas",
"type": "github"
                           "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                           "type": "tidelift"
                     }
                ],
"time": "2025-07-31T10:45:04+00:00"
           },
{
                "name": "symfony/mailer",
                "version": "v7.3.2",
                "source": {
    "type": "git",
    "url": "https://github.com/symfony/mailer.git",
    "reference": "d43e84d9522345f96ad6283d5dfccc8c1cfc299b"
                },
"dist": {
   "+vne
                      "type": "zip".
                      "url":
"egulias/email-validator": "^2.1.10|^3|^4",
"php": ">=8.2",
                     "psr/event-dispatcher": "^1",
"psr/log": "^1|^2|^3",
"symfony/event-dispatcher": "^6.4|^7.0",
"symfony/mime": "^7.2",
"symfony/service-contracts": "^2.5|^3"
                "symfony/http-kernel": "<6.4",
"symfony/messenger": "<6.4",
"symfony/mime": "<6.4",
"symfony/twig-bridge": "<6.4"
               },
"require-dev": {
    "symfony/console": "^6.4|^7.0",
    "symfony/http-client": "^6.4|^7.0",
    "symfony/messenger": "^6.4|^7.0",
    "ovmfonv/twig-bridge": "^6.4|^7.0"
                },
"type": "library",
                "autoload": {
    "psr-4":
                           "Symfony\\Component\\Mailer\\": ""
                     },
"exclude-from-classmap": [
                            "/Tests/"
```

```
]
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                  ],
"authors": [
                        {
                               "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                        },
                               "name": "Symfony Community",
                               "homepage": "https://symfony.com/contributors"
                        }
                   description": "Helps sending emails",
                  "homepage": "https://symfony.com",
"support": {
                         source: "https://github.com/symfony/mailer/tree/v7.3.2"
                  },
"funding": [
                        {
                               "url": "https://symfony.com/sponsor",
"type": "custom"
                       },
{
                               "url": "https://github.com/fabpot",
"type": "github"
                              "url": "https://github.com/nicolas-grekas",
"type": "github"
                               "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                               "type": "tidelift"
                  ],
"time": "2025-07-15T11:36:08+00:00"
                  "name": "symfony/mime", "version": "v7.3.2",
                  "source": {
    "type": "git",
    "url": "https://github.com/symfony/mime.git",
    "reference": "e0a0f859148dafledf6c60b398eb40bfc96697d1"
                  },
"dist": {
"*"ne
                         "type": "zip",
                        "url":
"symfony/polyfill-intl-idn": "^1.10",
"symfony/polyfill-mbstring": "^1.0"
                 },
"conflict": {
    "egulias/email-validator": "~3.0.0",
    "phpdocumentor/reflection-docblock": "<3.2.2",
    "phpdocumentor/type-resolver": "<1.4.0",
    "symfony/mailer": "<6.4",
    "symfony/serializer": "<6.4.3|>7.0,<7.0.3"</pre>
                 },
"require-dev": {
    "egulias/email-validator": "^2.1.10|^3.1|^4",
    "league/html-to-markdown": "^5.0",
    "phpdocumentor/reflection-docblock": "^3.0|^4.0|^5.0",
    "ovmfonv/dependency-injection": "^6.4|^7.0",
```

```
"symfony/process": "^6.4|^7.0",
"symfony/property-access": "^6.4|^7.0",
"symfony/property-info": "^6.4|^7.0",
"symfony/serializer": "^6.4.3|^7.0.3"
               },
"type": "library",
               "Symfony\\Component\\Mime\\": ""
                    },
"exclude-from-classmap": [
                         "/Tests/"
                    1
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                         "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                         "name": "Symfony Community",
                         "homepage": "https://symfony.com/contributors"
               ],
"description": "Allows manipulating MIME messages",
"homepage": "https://symfony.com",
               "keywords": [
                    "mime"
                    "mime-type"
                     "source": "https://github.com/symfony/mime/tree/v7.3.2"
               },
"funding": [
                    {
                         "url": "https://symfony.com/sponsor",
"type": "custom"
                    },
                         "url": "https://github.com/fabpot",
"type": "github"
                         "url": "https://github.com/nicolas-grekas",
"type": "github"
                         "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
               ],
"time": "2025-07-15T13:41:35+00:00"
          },
{
               "name": "symfony/polyfill-ctype",
               "version": "v1.33.0",
               "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-ctype.git",
    "reference": "a3cc8b044a6ea513310cbd48ef7333b384945638"
               },
"dist": {
   "+yne
"shasum":
               },
"require": {
```

"php": ">=7.2"

```
},
"provide": {
    ">**+-ctyle
           "ext-ctype": "*"
     },
"suggest": {
"`'+-cty
           ext-ctype": "For best performance"
     },
"type": "library",
     "type": "llDrary ,
"extra": {
    "thanks": {
        "url": "https://github.com/symfony/polyfill",
        "name": "symfony/polyfill"
     },
"autoload": {
    "files": [
    "hoots
                "bootstrap.php"
           "psr-4": {
                "Symfony\\Polyfill\\Ctype\\": ""
     },
"notification-url": "https://packagist.org/downloads/",
     "license": [
"MIT"
     ],
"authors": [
           {
                "name": "Gert de Pagter",
"email": "BackEndTea@gmail.com"
           },
                "name": "Symfony Community",
                "homepage": "https://symfony.com/contributors"
           }
      "description": "Symfony polyfill for ctype functions",
     "homepage": "https://symfony.com",
"keywords": [
           "compatibility",
           "ctype",
"polyfill",
           "portable"
     ],
"support": {
    "source": "https://github.com/symfony/polyfill-ctype/tree/v1.33.0"
     },
"funding": [
           {
                "url": "https://symfony.com/sponsor",
                "type": "custom"
           },
                "url": "https://github.com/fabpot",
"type": "github"
                "url": "https://github.com/nicolas-grekas",
"type": "github"
                "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
           }
     ],
"time": "2024-09-09T11:45:10+00:00"
},
{
     "name": "symfony/polyfill-intl-grapheme",
     "version": "v1.33.0",
"source": {
    "type": "git",
```

```
"url": "https://github.com/symfony/polyfill-intl-grapheme.git",
"reference": "380872130d3a5dd3ace2f4010d95125fde5d5c70"
              },
"dist": {
"''ne
                    "type": "zip",
"url": "https://api.github.com/repos/symfony/polyfill-intl-
"shasum":
              },
"require": {
    "php": ">=7.2"
               "suggest": {
                    ext-intl": "For best performance"
              },
"type": "library",
"extra": {
    "+banks": {
                    "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
              },
"autoload": {
    "files": [
    "hnots"]
                         "bootstrap.php"
                    ],
"psr-4": {
                         "Symfony\\Polyfill\\Intl\\Grapheme\\": ""
               "notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               "authors": [
                    {
                         "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                         "name": "Symfony Community",
                         "homepage": "https://symfony.com/contributors"
               ],
"description": "Symfony polyfill for intl's grapheme_* functions",
               "homepage": "https://symfony.com",
"keywords": [
                    "compatibility",
                    "grapheme",
                    "intl"
                    "polyfill",
"portable",
                    "shim"
               "support": {
    "source": "https://github.com/symfony/polyfill-intl-grapheme/tree/v1.33.0"
              },
"funding": [
                    {
                         "url": "https://symfony.com/sponsor",
                         "type": "custom"
                    },
                         "url": "https://github.com/fabpot",
"type": "github"
                         "url": "https://github.com/nicolas-grekas",
"type": "github"
                         "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
```

```
"type": "tidelift"
                       }
                 ],
"time": "2025-06-27T09:58:17+00:00"
           },
{
                 "name": "symfony/polyfill-intl-idn",
                 "version": "v1.33.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-intl-idn.git",
    "reference": "9614ac4d8061dc257ecc64cba1b140873dce8ad3"
                       "type": "zip",
"url": "https://api.github.com/repos/symfony/polyfill-intl-
idn/zipball/9614ac4d8061dc257ecc64cba1b140873dce8ad3",

"reference": "9614ac4d8061dc257ecc64cba1b140873dce8ad3",

"shasum": ""
                 },
"require": {
    "php": ">=7.2"
    ""fonv/polyf."
                       "symfony/polyfill-intl-normalizer": "^1.10"
                 },
"suggest": {
   "-~+-int
                        "ext-intl": "For best performance"
                 },
"type": "library",
"extra": {
    "+hanks": {
                       "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
                       }
                  ;
'autoload": {
    "files": [
                             "bootstrap.php"
                       "psr-4": {
                             "Symfony\\Polyfill\\Intl\\Idn\\": ""
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
                       "MIT"
                 ],
                  "authors": [
                       {
                             "name": "Laurent Bassin",
"email": "laurent@bassin.info"
                             "name": "Trevor Rowbotham",
                             "email": "trevor.rowbotham@pm.me"
                             "name": "Symfony Community",
                             "homepage": "https://symfony.com/contributors"
                 "description": "Symfony polyfill for intl's idn_to_ascii and idn_to_utf8 functions", "homepage": "https://symfony.com", "keywords": [
                       "compatibility",
"idn",
"intl",
                       "polyfill",
                       "portable",
                       "shim"
                  'support": {
    "source": "https://github.com/symfony/polyfill-intl-idn/tree/v1.33.0"
                 },
```

```
"funding": [
                     {
                           "url": "https://symfony.com/sponsor",
                           "type": "custom"
                          "url": "https://github.com/fabpot",
"type": "github"
                     },
                           "url": "https://github.com/nicolas-grekas",
"type": "github"
                     },
{
                           "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                     }
                ],
"time": "2024-09-10T14:38:51+00:00"
          },
{
                "name": "symfony/polyfill-intl-normalizer",
                "version": "v1.33.0",
"source": {
                     "type": "git",
"type": "git",
"url": "https://github.com/symfony/polyfill-intl-normalizer.git",
"reference": "3833d7255cc303546435cb650316bff708a1c75c"
                     "type": "zip",
"url": "https://api.github.com/repos/symfony/polyfill-intl-
normalizer/zipball/3833d7255cc303546435cb650316bff708a1c75c
                     "reference": "3833d7255cc303546435cb650316bff708a1c75c",
                     "shasum":
               },
"require": {
    "php": ">=7.2"
                },
"suggest": {
   ">\times - int
                      ext-intl": "For best performance"
               },
"type": "library",
"extra": {
    "+banks": {
                     .ra : {
    "thanks": {
        "url": "https://github.com/symfony/polyfill",
        "name": "symfony/polyfill"
                     }
               "bootstrap.php"
                     ],
"psr-4": {
"Symfo
                           "Symfony\\Polyfill\\Intl\\Normalizer\\": ""
                     "classmap": [
                           "Resources/stubs"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                     {
                           "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                           "name": "Symfony Community",
                           "homepage": "https://symfony.com/contributors"
                ],
```

```
"description": "Symfony polyfill for intl's Normalizer class and related functions",
                 "homepage": "https://symfony.com",
"keywords": [
                      "compatibility",
"intl",
                      "normalizer",
                      "polyfill",
                      "portable",
                      "shim"
                ],
"support": {
    "source": "https://github.com/symfony/polyfill-intl-normalizer/tree/v1.33.0"
                },
"funding": [
                      {
                            "url": "https://symfony.com/sponsor",
"type": "custom"
                            "url": "https://github.com/fabpot",
"type": "github"
                            "url": "https://github.com/nicolas-grekas",
"type": "github"
                     },
{
                            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                      }
                ],
"time": "2024-09-09T11:45:10+00:00"
          },
{
                "name": "symfony/polyfill-mbstring",
"version": _ "v1.33.0",
                 "source": {
                      "type": "git",
"url": "https://github.com/symfony/polyfill-mbstring.git",
"reference": "6d857f4d76bd4b343eac26d6b539585d2bc56493"
                },
"dist": {
                      "type": "zip",
"url": "https://api.github.com/repos/symfony/polyfill-
mbstring/zipball/6d857f4d76bd4b343eac26d6b539585d2bc56493"
                       , 5455,,,44,654455456622040553365420C56493",
"reference": "6d857f4d76bd4b343eac26d6b539585d2bc56493",
"shasum": ""
                      "shasum":
                "ext-icönv": "*",
                      "php": ">=7.2"
                },
"provide": {
    "~~+-mbs
                      "ext-mbstring": "*"
                },
"suggest": {
    "ext-mbstring": "For best performance"
                },
"type": "library",
"extra": {
    "+banks": {
                      "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
                      }
                },
"autoload": {
    "files": [
    "hnots"]
                            "bootstrap.php"
                      "psr-4": {
                            "Symfony\\Polyfill\\Mbstring\\": ""
                },
```

```
"notification-url": "https://packagist.org/downloads/",
                     "license": [
"MIT"
                    ],
"authors": [
                           {
                                   "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                           },
                                   "name": "Symfony Community",
"homepage": "https://symfony.com/contributors"
                     ],
"description": "Symfony polyfill for the Mbstring extension",
                     "homepage": "https://symfony.com",
"keywords": [
                            "compatibility",
                           "mbstring",
"polyfill",
                            "portable",
                            "shim"
                     ],
"support": {
    "source": "https://github.com/symfony/polyfill-mbstring/tree/v1.33.0"
                    },
"funding": [
                           {
                                   "url": "https://symfony.com/sponsor",
"type": "custom"
                                   "url": "https://github.com/fabpot",
"type": "github"
                                   "url": "https://github.com/nicolas-grekas",
                                   "type": "github'
                                   "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                     ],
"time": "2024-12-23T08:48:59+00:00"
             },
{
                    "name": "symfony/polyfill-php80",
"version": "v1.33.0",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-php80.git",
    "reference": "0cc9dd0f17f61d8131e7df6b84bd344899fe2608"
                    },
"dist": {
"'''PP
"dist": {
        "type": "zip",
        "url": "https://api.github.com/repos/symfony/polyfill-
php80/zipball/0cc9dd0f17f61d8131e7df6b84bd344899fe2608",
        "reference": "0cc9dd0f17f61d8131e7df6b84bd344899fe2608",
        "shasum": ""
                    },
"require": {
    "php": ">=7.2"
    "
                    },
"type": "library",
"extra": {
    "+banks": {
                            "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
                    },
"autoload": {
    "files": [
```

```
"bootstrap.php"
                    ],
"psr-4": {
                         "Symfony\\Polyfill\\Php80\\": ""
                    },
"classmap": [
                         "Resources/stubs"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                         "name": "Ion Bazan",
"email": "ion.bazan@gmail.com"
                         "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                         "name": "Symfony Community",
                         "homepage": "https://symfony.com/contributors"
               ],
"description": "Symfony polyfill backporting some PHP 8.0+ features to lower PHP
versions",
               "homepage": "https://symfony.com",
"keywords": [
                    "compatibility",
                    "polyfill"
                    "polyfill",
"portable",
                    "shim"
                    "source": "https://github.com/symfony/polyfill-php80/tree/v1.33.0"
               },
"funding": [
                    {
                         "url": "https://symfony.com/sponsor",
"type": "custom"
                         "url": "https://github.com/fabpot",
                         "type": "github"
                         "url": "https://github.com/nicolas-grekas",
"type": "github"
                         "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
               ],
"time": "2025-01-02T08:10:11+00:00"
               "name": "symfony/polyfill-php83",
               "version": "v1.33.0",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-php83.git",
    "reference": "17f6f9a6b1735c0f163024d959f700cfbc5155e5"
              },
"dist": {
   "+yne
```

```
},
"require": {
    "php": ">=7.2"
              },
"type": "library",
"extra": {
    "thanks": {
                   "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
                    }
              "bootstrap.php"
                    ],
"psr-4": {
                         "Symfony\\Polyfill\\Php83\\": ""
                   },
"classmap": [
"lassurce
                         "Resources/stubs"
                    1
              },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
              ],
"authors": [
                    {
                         "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                    {
                         "name": "Symfony Community",
                         "homepage": "https://symfony.com/contributors"
                    }
               ],
"description": "Symfony polyfill backporting some PHP 8.3+ features to lower PHP
versions",
               "polyfill",
"portable",
                    "shim"
              ],
"support": {
    "source": "https://github.com/symfony/polyfill-php83/tree/v1.33.0"
              },
"funding": [
                    {
                         "url": "https://symfony.com/sponsor",
                         "type": "custom"
                    },
                        "url": "https://github.com/fabpot",
"type": "github"
                   ,
                         "url": "https://github.com/nicolas-grekas",
"type": "github"
                         "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                    }
               ],
"time": "2025-07-08T02:45:35+00:00"
         },
{
               "name": "symfony/polyfill-php84",
               "version": "v1.33.0",
"source": {
    "type": "git",
```

```
"url": "https://github.com/symfony/polyfill-php84.git",
"reference": "d8ced4d875142b6a7426000426b8abc631d6b191"
             },
"dist": {
"''ne
                  "type": "zip",
"url": "https://api.github.com/repos/symfony/polyfill-
"shasum":
              },
"require": {
    "php": ">=7.2"

              "type": "library",
              "extra": {
                  },
"autoload": {
    "files": [
    "boots"]
                        "bootstrap.php"
                  ],
"psr-4": {
                       "Symfony\\Polyfill\\Php84\\": ""
                  },
"classmap": [
"lassmap": [
                        "Resources/stubs"
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              ],
"authors": [
                  {
                       "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                       "name": "Symfony Community",
                       "homepage": "https://symfony.com/contributors"
              ], "description": "Symfony polyfill backporting some PHP 8.4+ features to lower PHP
versions",
              "homepage": "https://symfony.com",
"keywords": [
                   "compatibility",
                  "polyfill",
"portable",
                  "shim"
                   .
"source": "https://github.com/symfony/polyfill-php84/tree/v1.33.0"
              },
"funding": [
                  {
                       "url": "https://symfony.com/sponsor",
"type": "custom"
                  },
                       "url": "https://github.com/fabpot",
"type": "github"
                       "url": "https://github.com/nicolas-grekas",
                       "type": "github'
                       "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
```

```
],
"time": "2025-06-24T13:30:11+00:00"
           },
{
                  "name": "symfony/polyfill-php85",
                 "version": "v1.33.0",

"source": {

    "type": "git",

    "url": "https://github.com/symfony/polyfill-php85.git",

    "reference": "d4e5fcd4ab3d998ab16c0db48e6cbb9a01993f91"
                 },
"dist": {
"+ype
"type": "zip",

"url": "https://api.github.com/repos/symfony/polyfill-
php85/zipball/d4e5fcd4ab3d998ab16c0db48e6cbb9a01993f91",
                        "reference": "d4e5fcd4ab3d998ab16c0db48e6cbb9a01993f91",
                        "shasum":
                 },
"require": {
    "php": ">=7.2"
    "
                 },
"type": "library",
"extra": {
    "+hanks": {
                       "thanks": {
    "url": "https://github.com/symfony/polyfill",
    "name": "symfony/polyfill"
                       }
                 },
"autoload": {
    "files": [
    "hoots"]
                              "bootstrap.php"
                        ],
"psr-4": {
                              "Symfony\\Polyfill\\Php85\\": ""
                       },
"classmap": [
"Dasquirce
                              "Resources/stubs"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                 ],
"authors": [
                       {
                              "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                              "name": "Symfony Community",
                              "homepage": "https://symfony.com/contributors"
                  ],
"description": "Symfony polyfill backporting some PHP 8.5+ features to lower PHP
versions",
                  "homepage": "https://symfony.com",
"keywords": [
                       "compatibility",
"polyfill",
"portable",
                        "shim"
                  "support": {
    "source": "https://github.com/symfony/polyfill-php85/tree/v1.33.0"
                 },
"funding": [
                       {
                             "url": "https://symfony.com/sponsor",
"type": "custom"
                             "url": "https://github.com/fabpot",
```

```
"type": "github"
                        },
{
                              "url": "https://github.com/nicolas-grekas",
"type": "github"
                              "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                              "type": "tidelift"
                        }
                  ],
"time": "2025-06-23T16:12:55+00:00"
           },
{
                  "name": "symfony/polyfill-uuid",
"version": 'v1.33.0",
                  "source": {
    "type": "git",
    "url": "https://github.com/symfony/polyfill-uuid.git",
    "reference": "21533be36c24be3f4b1669c4725c7d1d2bab4ae2"
                 },
"dist": {
"*'ne
                        "type": "zip",
"url": "https://api.github.com/repos/symfony/polyfill-
uuid/zipball/21533be36c24be3f4b1669c4725c7d1d2bab4ae2"
                        "reference": "21533be36c24be3f4b1669c4725c7d1d2bab4ae2",
"shasum": ""
                 },
"require": {
    "php": ">=7.2"
                  "provide": {
                        "ext-uuid": "*"
                 },
"suggest": {
    "ext-uuid": "For best performance"
                 },
"type": "library",
"extra": {
    ""thanks": {
                        "ta : {
    "thanks": {
        "url": "https://github.com/symfony/polyfill",
        "name": "symfony/polyfill"
                 },
"autoload": {
    "files": [
    "boots"]
                              "bootstrap.php"
                       ],
"psr-4": {
"Svmfo
                              "Symfony\\Polyfill\\Uuid\\": ""
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                 ],
"authors": [
                        {
                              "name": "Grégoire Pineau",
"email": "lyrixx@lyrixx.info"
                        },
{
                              "name": "Symfony Community",
                              "homepage": "https://symfony.com/contributors"
                 ],
"description": "Symfony polyfill for uuid functions",
"homepage": "https://symfony.com",
"keywords": [
"compatibility"
                        "polyfill",
"portable",
                        "uuid"
```

```
],
"support": {
    "source": "https://github.com/symfony/polyfill-uuid/tree/v1.33.0"
              },
"funding": [
                   {
                        "url": "https://symfony.com/sponsor",
"type": "custom"
                   },
                        "url": "https://github.com/fabpot",
"type": "github"
                   },
{
                        "url": "https://github.com/nicolas-grekas",
"type": "github"
                        "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                        "type": "tidelift"
                   }
              ],
"time": "2024-09-09T11:45:10+00:00"
         },
{
              "name": "symfony/process",
              "version": "v7.3.0",
              "source": {
    "type": "git",
    "url": "https://github.com/symfony/process.git",
    "reference": "40c295f2deb408d5e9d2d32b8baldd6le36f05af"
              },
"dist": {
   "+vne
                   "type": "zip",
                   "url":
"https://api.github.com/repos/symfony/process/zipball/40c295f2deb408d5e9d2d32b8baldd61e36f05af",
                   "reference": "40c295f2deb408d5e9d2d32b8ba1dd61e36f05af",
                   "shasum":
              },
"type": "library",
              "Symfony\\Component\\Process\\": ""
                  },
"exclude-from-classmap": [
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              ],
              "authors": [
                   {
                        "name": "Fabien Potencier",
                        "email": "fabien@symfony.com"
                   {
                        "name": "Symfony Community",
                        "homepage": "https://symfony.com/contributors"
              "description": "Executes commands in sub-processes",
"homepage": "https://symfony.com",
"support": {
                   "source": "https://github.com/symfony/process/tree/v7.3.0"
              },
"funding": [
                   {
                        "url": "https://symfony.com/sponsor",
```

```
"type": "custom"
                      },
{
                            "url": "https://github.com/fabpot",
"type": "github"
                            "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                            "type": "tidelift"
                      }
                 ],
"time": "2025-04-17T09:11:12+00:00"
           },
{
                 "name": "symfony/routing",
                 "version": "v7.3.2",
                 "source": {
    "type": "git",
    "url": "https://github.com/symfony/routing.git",
    "reference": "7614b8ca5fa89b9cd233e21b627bfc5774f586e4"
                },
"dist": {
"''ne
                      "type": "zip",
"url":
"symfony/deprecation-contracts": "^2.5|^3"
                },
"conflict": {
    "symfony/config": "<6.4",
    "symfony/dependency-injection": "<6.4",
    "symfony/yaml": "<6.4"</pre>
               },
"require-dev": {
    "psr/log": "^1|^2|^3",
    "symfony/config": "^6.4|^7.0",
    "symfony/dependency-injection": "^6.4|^7.0",
    "symfony/expression-language": "^6.4|^7.0",
    "symfony/http-foundation": "^6.4|^7.0",
    "symfony/yaml": "^6.4|^7.0"
                 "Symfony\\Component\\Routing\\": ""
                      },
"exclude-from-classmap": [
                            "/Tests/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license": [
"MIT"
                 ],
                 "authors": [
                      {
                            "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                            "name": "Symfony Community",
                            "homepage": "https://symfony.com/contributors"
                 "description": "Maps an HTTP request to a set of configuration variables", "homepage": "https://symfony.com", "keywords": [
                       "router"
                      "routing",
```

```
"uri",
"url"
                  ],
"support": {
    "source": "https://github.com/symfony/routing/tree/v7.3.2"
                  },
"funding": [
                         {
                                "url": "https://symfony.com/sponsor",
"type": "custom"
                         },
                                "url": "https://github.com/fabpot",
                                "type": "github"
                               "url": "https://github.com/nicolas-grekas",
"type": "github"
                         },
{
                                "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                         }
                   ],
"time": "2025-07-15T11:36:08+00:00"
            },
{
                  "name": "symfony/service-contracts",
"version": "v3.6.0",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/service-contracts.git",
    "reference": "f021b05a130d35510bd6b25fe9053c2a8a15d5d4"
                  },
"dist": {
    "type": "zip",
    "url": "https://api.github.com/repos/symfony/service-
    "f021b05a130d35510bd6b25fe9053c2a8a15d5d4",
    "25-120d35510bd6b25fe9053c2a8a15d5d
contracts/zipball/f021b05a130d35510bd6b25fe9053c2a8a15d5d4",
                         "reference": "f021b05a130d35510bd6b25fe9053c2a8a15d5d4",
                         "shasum":
                  },
"require": {
    "php": ">=8.1",
    "psr/container": "^1.1|^2.0",
    ""fonv/deprecation-contract
                         "symfony/deprecation-contracts": "^2.5|^3"
                  },
"conflict": {
    "ext-psr": "<1.1|>=2"
                  },
"type": "library",
"extra": {
    "thanks": {
                         "thanks": {
    "url": "https://github.com/symfony/contracts",
    "name": "symfony/contracts"
                         },
"branch-alias": {
    "dev-main": "3.6-dev"
                  "Symfony\\Contracts\\Service\\": ""
                         },
"exclude-from-classmap": [
    "/Test/"
                   },
"notification-url": "https://packagist.org/downloads/",
                   "license": [
"MIT"
                   "authors": [
                         {
```

```
"name": "Nicolas Grekas",
"email": "p@tchwork.com"
                       },
{
                             "name": "Symfony Community",
"homepage": "https://symfony.com/contributors"
                 ],
"description": "Generic abstractions related to writing services",
                 "homepage": "https://symfony.com",
"keywords": [
                       "abstractions",
                       "contracts",
"decoupling"
                       "interfaces"
                       "interoperability",
                       "standards"
                 ],
"support": {
    "source": "https://github.com/symfony/service-contracts/tree/v3.6.0"
                 },
"funding": [
                       {
                             "url": "https://symfony.com/sponsor",
"type": "custom"
                       },
{
                             "url": "https://github.com/fabpot",
"type": "github"
                             "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                             "type": "tidelift"
                       }
                 ],
"time": "2025-04-25T09:37:31+00:00"
           },
{
                 "name": "symfony/string",
                 "version": "v7.3.2",
                 "source": {
    "type": "git",
    "url": "https://github.com/symfony/string.git",
    "reference": "42f505aff654e62ac7ac2ce21033818297ca89ca"
                },
"dist": {
   "+vne
                       "type": "zip",
"url":
},
"require": {
    "php": ">=8.2",
    "symfony/polyfill-ctype": "~1.8",
    "symfony/polyfill-intl-grapheme": "~1.0"
    "cvmfony/polyfill-intl-normalizer": "~1.0"
    "vfill-mbstring": "~1.0"
                       "symfony/polyfill-intl-normalizer": "~1.0",
"symfony/polyfill-mbstring": "~1.0"
                 },
"conflict": {
    "symfony/translation-contracts": "<2.5"</pre>
                 "symfony/emoji": "^7.1",
"symfony/error-handler": "^6.4|^7.0",
"symfony/http-client": "^6.4|^7.0",
"symfony/intl": "^6.4|^7.0",
                       "symfony/translation-contracts": "^2.5|^3.0",
                       "symfony/var-exporter": "^6.4|^7.0"
                 },
"type": "library",
                 "autoload": {
    "files": [
```

```
"Resources/functions.php"
                    ],
"psr-4": {
                          "Symfony\\Component\\String\\": ""
                    },
"exclude-from-classmap": [
                          "/Tests/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
                          "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                          "name": "Symfony Community",
                          "homepage": "https://symfony.com/contributors"
                    }
               ],
"description": "Provides an object-oriented API to strings and deals with bytes, UTF-8
code points and grapheme clusters in a unified way",
               "homepage": "https://symfony.com",
"keywords": [
                    "grapheme",
"i18n",
                    "string"
                    "unicode",
                    "utf-8",
                    "utf8"
                'support": {
    "source": "https://github.com/symfony/string/tree/v7.3.2"
               },
"funding": [
                    {
                          "url": "https://symfony.com/sponsor",
"type": "custom"
                          "url": "https://github.com/fabpot",
"type": "github"
                          "url": "https://github.com/nicolas-grekas",
"type": "github"
                          "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
               ],
"time": "2025-07-10T08:47:49+00:00"
          },
{
               "name": "symfony/translation",
"version": "v7.3.2",
               "version": v/.3.2 ,
"source": {
    "type": "git",
    "url": "https://github.com/symfony/translation.git",
    "reference": "81b48f4daa96272efcce9c7a6c4b58e629df3c90"
               },
"dist": {
   "+vne
                    "type": "zip",
"url":
"https://api.github.com/repos/symfony/translation/zipball/81b48f4daa96272efcce9c7a6c4b58e629df3c90",
                     "reference": "81b48f4daa96272efcce9c7a6c4b58e629df3c90",
                    "shasum":
               },
"require": {
```

```
"php": ">=8.2",
           "symfony/deprecation-contracts": "^2.5|^3",
          "symfony/polyfill-mbstring": "~1.0",
"symfony/translation-contracts": "^2.5|^3.0"
},
"conflict": {
    "nikic/php-parser": "<5.0",
    "symfony/config": "<6.4",
    "symfony/console": "<6.4",
    "symfony/dependency-injection": "<6.4",
    "symfony/http-client-contracts": "<2.5",
    "symfony/http-kernel": "<6.4",
    "symfony/service-contracts": "<2.5",
    "svmfony/twig-bundle": "<6.4",</pre>
  },
"provide": {
    "...mfony
           "symfony/translation-implementation": "2.3|3.0"
"symion.,"
},
"require-dev": {
    "nikic/php-parser": "^5.0",
    "psr/log": "^1|^2|^3",
    "symfony/config": "^6.4|^7.0",
    "symfony/console": "^6.4|^7.0",
    "symfony/dependency-injection": "^6.4|^7.0",
    "symfony/finder": "^6.4|^7.0",
    "symfony/http-client-contracts": "^2.5|^3.0",
    "svmfony/http-kernel": "^6.4|^7.0",
    "svmfony/http-kernel": "^6.4|^7.0",
    """ "^6.4|^7.0",
    """ "^1.21",
          "symfony/http-kernel": "^6.4|^7.0",
"symfony/intl": "^6.4|^7.0",
"symfony/polyfill-intl-icu": "^1.21",
"symfony/routing": "^6.4|^7.0",
          "symfony/service-contracts": "^2.5|^3", "symfony/yaml": "^6.4|^7.0"
  },
"type": "library",
  "autoload": {
    "files": [
                   "Resources/functions.php"
                   "Symfony\\Component\\Translation\\": ""
          },
"exclude-from-classmap": [
                   "/Tests/"
  },
"notification-url": "https://packagist.org/downloads/",
  "license": [
"MIT"
  ],
"authors": [
          {
                    "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                   "name": "Symfony Community",
                    "homepage": "https://symfony.com/contributors"
  ],
"description": "Provides tools to internationalize your application",
"homepage": "https://symfony.com",
  "support": {
    "source": "https://github.com/symfony/translation/tree/v7.3.2"
  },
"funding": [
          {
                   "url": "https://symfony.com/sponsor",
"type": "custom"
                   "url": "https://github.com/fabpot",
"type": "github"
```

```
},
{
                              "url": "https://github.com/nicolas-grekas",
                              "type": "github'
                              "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                        }
                  ],
"time": "2025-07-30T17:31:46+00:00"
            },
{
                 "name": "symfony/translation-contracts",
"version": "v3.6.0",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/translation-contracts.git",
    "reference": "df210c7a2573f1913b2d17cc95f90f53a73d8f7d"
                 },
"dist": {
   "+ype
                        "type": "zip",
"url": "https://api.github.com/repos/symfony/translation-
contracts/zipball/df210c7a2573f1913b2d17cc95f90f53a73d8f7d"
                        "reference": "df210c7a2573f1913b2d17cc95f90f53a73d8f7d",
"shasum": ""
                 },
"require": {
    "php": ">=8.1"
    "
                 },
"type": "library",
"extra": {
    "thanks": {
                        "thanks": {
    "url": "https://github.com/symfony/contracts",
    "name": "symfony/contracts"
                       },
"branch-alias": {
    "dev-main": "3.6-dev"
                   },
"exclude-from-classmap": [
                              "/Test/"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                 ],
"authors": [
                        {
                              "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                        },
                              "name": "Symfony Community",
"homepage": "https://symfony.com/contributors"
                 ],
"description": "Generic abstractions related to translation",
"homepage": "https://symfony.com",
"keywords": [
    "abstractions"
                        "contracts",
"decoupling",
                        "interfaces"
                        "interoperability".
                        "standards'
                 ],
"support": {
```

```
"source": "https://github.com/symfony/translation-contracts/tree/v3.6.0"
              },
"funding": [
                       "url": "https://symfony.com/sponsor",
"type": "custom"
                   },
                       "url": "https://github.com/fabpot",
"type": "github"
                       "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                       "type": "tidelift"
                  }
              ],
"time": "2024-09-27T08:32:26+00:00"
         },
{
              "name": "symfony/uid",
              "version":
                           "v7.3.1",
              "source": {
    "type": "git",
    "url": "https://github.com/symfony/uid.git",
    "reference": "a69f69f3159b852651a6bf45a9fdd149520525bb"
              },
"dist": {
                  ...
"type": "zip",
"url":
"shasum":
             },
"require": {
    "php": ">=8.2",
    "symfony/polyfill-uuid": "^1.15"
              "symfony/console": "^6.4|^7.0"
              },
"type": "library",
              "autoload": {
"psr-4": }
                       "Symfony\\Component\\Uid\\": ""
                  },
"exclude-from-classmap": [
                       "/Tests/"
              },
"notification-url": "https://packagist.org/downloads/",
              "license": [
"MIT"
              ],
              "authors": [
                  {
                       "name": "Grégoire Pineau",
                       "email": "lyrixx@lyrixx.info"
                  },
                       "name": "Nicolas Grekas",
"email": "p@tchwork.com"
                       "name": "Symfony Community",
"homepage": "https://symfony.com/contributors"
              ],
"description": "Provides an object-oriented API to generate and represent UIDs",
              "homepage": "https://symfony.com",
"keywords": [
                   "UID"
                  υΙΟ",
"ulid"
                   "uuid"
```

```
],
"support": {
    "source": "https://github.com/symfony/uid/tree/v7.3.1"
                   },
"funding": [
                          {
                                 "url": "https://symfony.com/sponsor",
"type": "custom"
                          },
                                 "url": "https://github.com/fabpot",
"type": "github"
                          },
                                 "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
                          }
                    ],
"time": "2025-06-27T19:55:54+00:00"
             },
{
                    "name": "symfony/var-dumper",
                    "name": "symrony/var-dumper",
"version": "v7.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/var-dumper.git",
    "reference": "53205bea27450dc5c65377518b3275e126d45e75"
                   },
"dist": {
   "*'ne
"type": "zip",

"url": "https://api.github.com/repos/symfony/var-

dumper/zipball/53205bea27450dc5c65377518b3275e126d45e75",
                           "reference": "53205bea27450dc5c65377518b3275e126d45e75",
                          "shasum":
                   },
"require": {
    "php": ">=8.2",
    "symfony/deprecation-contracts": "^2.5|^3",
    """fonv/polyfill-mbstring": "~1.0"
                   },
"conflict": {
    "symfony/console": "<6.4"</pre>
                   quire-dev": {
  "symfony/console": "^6.4|^7.0",
  "symfony/http-kernel": "^6.4|^7.0",
  "symfony/process": "^6.4|^7.0",
  "symfony/uid": "^6.4|^7.0",
  "twig/twig": "^3.12"
                   },
"bin": [
"PAS
                          "Resources/bin/var-dump-server"
                    ],
"type": "library",
                    "autoload": {
    "files": [
                                  "Resources/functions/dump.php"
                                 "Symfony\\Component\\VarDumper\\": ""
                          },
"exclude-from-classmap": [
                                  "/Tests/"
                    "notification-url": "https://packagist.org/downloads/",
                    "license": [
"MIT"
                     "authors": [
                          {
                                 "name": "Nicolas Grekas",
"email": "p@tchwork.com"
```

```
},
{
                          "name": "Symfony Community".
                          "homepage": "https://symfony.com/contributors"
               ],
"description": "Provides mechanisms for walking through any arbitrary PHP variable",
"homepage": "https://symfony.com",
"keywords": [
   "debug",
   "dumo"
                    "dump'
                     "source": "https://github.com/symfony/var-dumper/tree/v7.3.2"
               },
"funding": [
                    {
                          "url": "https://symfony.com/sponsor",
                          "type": "custom"
                    },
{
                          "url": "https://github.com/fabpot",
                          "type": "github'
                         "url": "https://github.com/nicolas-grekas", "type": "github"
                    },
{
                          "url": "https://tidelift.com/funding/github/packagist/symfony/symfony",
                          "type": "tidelift"
                    }
               ],
"time": "2025-07-29T20:02:46+00:00"
               "name": "ta-tikoma/phpunit-architecture-test",
               "version": "0.8.5",
               "source": {
    "type": "git",
    "url": "https://github.com/ta-tikoma/phpunit-architecture-test.git",
    "reference": "cf6fb197b676ba716837c886baca842e4db29005"
},
"require": {
    ''c/p|
                    "nikic/php-parser": "^4.18.0 || ^5.0.0", "php": "^8.1.0",
                    "phpdocumentor/reflection-docblock": "^5.3.0",
"phpunit/phpunit": "^10.5.5 || ^11.0.0 || ^12.0.0",
"symfony/finder": "^6.4.0 || ^7.0.0"
               },
"require-dev": {
    "laravel/pint": "^1.13.7",
    "phpstan/phpstan": "^1.10.52"
               },
"type": "library",
               "type": "LLDLG., .
"autoload": {
    "psr-4": {
        "PHPUnit\\Architecture\\": "src/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
               ],
"authors": [
                    {
```

```
"name": "Ni Shi",
                        "email": "futik0ma011@gmail.com"
                   },
                        "name": "Nuno Maduro",
"email": "enunomaduro@gmail.com"
              ],
"description": "Methods for testing application architecture",
              "keywords": [
                   "architecture",
                   "phpunit"
                   "stucture"
                   "test",
                   "testing"
              ],
               "support": {
    "issues": "https://github.com/ta-tikoma/phpunit-architecture-test/issues"
                   "source": "https://github.com/ta-tikoma/phpunit-architecture-test/tree/0.8.5"
              },
"time": "2025-04-20T20:23:40+00:00"
              "name": "theseer/tokenizer",
              "version": "1.2.3",
              "source": {
    "type": "git",
    "url": "https://github.com/theseer/tokenizer.git",
    "reference": "737eda637ed5e28c3413cblebe8bb52cbf1ca7a2"
              },
"dist": {
   "+vne
                   "type": "zip",
                   "url":
"shasum":
              "ext-toom".",
"ext-tokenizer": "*",
"ext-xmlwriter": "*",
"php": "^7.2 || ^8.0"
              },
"type": "library",
              "autoload": {
                   "classmap": [
                        "src/"
              },
"notification-url": "https://packagist.org/downloads/",
              ],
              "authors": [
                   {
                        "name": "Arne Blankerts",
"email": "arne@blankerts.de",
"role": "Developer"
              "description": "A small library for converting tokenized PHP source code into XML and
potentially other formats",
               "support": {
    "issues": "https://github.com/theseer/tokenizer/issues",
    "source": "https://github.com/theseer/tokenizer/tree/1.2.3"
              },
"funding": [
                   {
                        "url": "https://github.com/theseer",
"type": "github"
              ],
"time": "2024-03-03T12:36:25+00:00"
```

```
},
{
                 "name": "tijsverkoyen/css-to-inline-styles",
                 "version": "v2.3.0",
                 "source": {
    "type": "git",
    "url": "https://github.com/tijsverkoyen/CssToInlineStyles.git",
    "reference": "0d72ac1c00084279c1816675284073c5a337c20d"
                 },
"dist": {
"''ne
                       "type": "zip",
"url": "https://api.github.com/repos/tijsverkoyen/CssToInlineStyles/zipball/0d72ac1c
00084279c1816675284073c5a337c20d"
                       "reference": "0d72ac1c00084279c1816675284073c5a337c20d",
                       "shasum":
                 "ext-dom": "*",
"ext-libxml": "*"
                       "php": "^7.4 || ^8.0",
"symfony/css-selector": "^5.4 || ^6.0 || ^7.0"
                 quire-dev": {
  "phpstan/phpstan": "^2.0",
  "phpstan/phpstan-phpunit": "^2.0",
  "phpunit/phpunit": "^8.5.21 || ^9.5.10"
                 },
"type": "library",
"extra": {
    "branch-alias"
                       "branch-alias": {
    "dev-master": "2.x-dev"
                 },
"autoload": {
    "psr-4":    "Tijs"
                            "TijsVerkoyen\\CssToInlineStyles\\": "src"
                 },
"notification-url": "https://packagist.org/downloads/",
                 "license":
                       "BSD-3-Clause"
                  "authors": [
                       {
                             "name": "Tijs Verkoyen",
"email": "css_to_inline_styles@verkoyen.eu",
"role": "Developer"
                 ],
"description": "CssToInlineStyles is a class that enables you to convert HTML-
pages/files into HTML-pages/files with inline styles. This is very useful when you're sending
emails.",
                  "homepage": "https://github.com/tijsverkoyen/CssToInlineStyles",
                        "issues": "https://github.com/tijsverkoyen/CssToInlineStyles/issues"
                       "source": "https://github.com/tijsverkoyen/CssToInlineStyles/tree/v2.3.0"
                 },
"time": "2024-12-21T16:25:41+00:00"
           },
{
                 "name": "ueberdosis/tiptap-php",
                 "name": "ueberdosis/ciptap-pnp ,

"version": "2.0.0",

"source": {

    "type": "git",

    "url": "https://github.com/ueberdosis/tiptap-php.git",

    "reference": "458194ad0f8b0cf616fecdf451a84f9a6c1f3056"
                 },
"dist": {
"type
"type": "zip",

"url": "https://api.github.com/repos/ueberdosis/tiptap-
php/zipball/458194ad0f8b0cf616fecdf451a84f9a6c1f3056",
                       "reference": "458194ad0f8b0cf616fecdf451a84f9a6c1f3056",
"shasum": ""
```

```
"scrivo/highlight.php": "^9.18",
"spatie/shiki-php": "^2.0"
               },
"require-dev": {
    "friendsofphp/php-cs-fixer": "^3.5",
    "pestphp/pest": "^1.21",
    "phpunit/phpunit": "^9.5",
    "vimeo/psalm": "^4.3"
                },
"type": "library",
                "Tiptap\\": "src"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
                     "MIT"
                ],
                 "authors": [
                     {
                           "name": "Hans Pagel",
"email": "humans@tiptap.dev",
"role": "Developer"
                     }
                "description": "A PHP package to work with Tiptap output", "homepage": "https://github.com/ueberdosis/tiptap-php", "keywords": [
                      "prosemirror",
                     "tiptap",
                     "ueberdosis"
                      'issues: "https://github.com/ueberdosis/tiptap-php/issues"
                     "source": "https://github.com/ueberdosis/tiptap-php/tree/2.0.0"
                },
"funding": [
                     {
                           "url": "https://tiptap.dev/pricing",
"type": "custom"
                     },
                           "url": "https://github.com/ueberdosis",
"type": "github"
                           "url": "https://opencollective.com/tiptap",
                           "type": "open collective"
                ],
"time": "2025-06-26T14:11:46+00:00"
          },
{
               "name": "vlucas/phpdotenv",
"version": "v5.6.2",
"source": {
    "type": "git",
    "url": "https://github.com/vlucas/phpdotenv.git",
    "reference": "24ac4c74f91ee2c193falaaa5c249cb0822809af"
                },
"dist": {
"''''PP
                     "type": "zip",
                     "url":
"shasum":
                "ext-pcre": "*",
```

```
"graham-campbell/result-type": "^1.1.3",
"php": "^7.2.5 || ^8.0",
"phpoption/phpoption": "^1.9.3",
"symfony/polyfill-ctype": "^1.24",
"symfony/polyfill-mbstring": "^1.24",
"symfony/polyfill-php80": "^1.24"
                 "bamarni/composer-bin-plugin": "^1.8.2",
                       "ext-filter": "*'
                       "phpunit/phpunit": "^8.5.34 || ^9.6.13 || ^10.4.2"
                        ext-filter": "Required to use the boolean validator."
                 },
"type": "library",
"extra": {
    "bamarni-bin":
                       "bamarni-bin": {
    "bin-links": true,
                             "forward-command": false
                       },
"branch-alias": {
    "dev-master": "5.6-dev"
                },
"autoload": {
    "psr-4": {
        "Dotenv\\": "src/"
                 },
"notification-url": "https://packagist.org/downloads/",
                 ],
"authors": [
                       {
                             "name": "Graham Campbell",
"email": "hello@gjcampbell.co.uk",
"homepage": "https://github.com/GrahamCampbell"
                       },
                             "name": "Vance Lucas",
"email": "vance@vancelucas.com"
                             "homepage": "https://github.com/vlucas"
                 description": "Loads environment variables from `.env` to `getenv()`, `□_ENV` and
`□ SERVER` automagically.",
                 "keywords": [
                        "dotenv",
                       "env",
"environment"
                ],
    "support": {
        "issues": "https://github.com/vlucas/phpdotenv/issues",
        "source": "https://github.com/vlucas/phpdotenv/tree/v5.6.2"
                 },
"funding": [
                       {
                             "url": "https://github.com/GrahamCampbell",
"type": "github"
                             "url": "https://tidelift.com/funding/github/packagist/vlucas/phpdotenv", "type": "tidelift"
                       }
                 ],
"time": "2025-04-30T23:37:27+00:00"
                 "name": "voku/portable-ascii",
                 "version": "2.0.3",
"source": {
```

```
"type": "git",
"url": "https://github.com/voku/portable-ascii.git",
"reference": "bld923f88091c6bf09699efcd7c8alb1bfd7351d"
               },
"dist": {
"''ne
                     "type": "zip",
"url": "https://api.github.com/repos/voku/portable-
ascii/zipball/bld923f88091c6bf09699efcd7c8a1b1bfd7351d",
                      "reference": "b1d923f88091c6bf09699efcd7c8a1b1bfd7351d",
"shasum": ""
                     "shasum":
               },
"require": {
    "php": ">=7.0.0"
               "phpunit/phpunit": "~6.0 || ~7.0 || ~9.0"
                      "ext-intl": "Use Intl for transliterator transliterate() support"
               },
"type": "library",
                "autoload": {
    "psr-4":
                          "voku\\": "src/voku/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
                "authors": [
                     {
                          "name": "Lars Moelleken",
"homepage": "https://www.moelleken.org/"
                ],
"description": "Portable ASCII library - performance optimized (ascii) string functions
for php.",
                "homepage": "https://github.com/voku/portable-ascii",
"keywords": [
    "ascii",
                     "clean",
                     "php"
                ],
"support": {
    "issues": "https://github.com/voku/portable-ascii/issues",
    ""https://github.com/voku/portable-ascii/tree/2.0
                     "source": "https://github.com/voku/portable-ascii/tree/2.0.3"
               },
"funding": [
                     {
                          "url": "https://www.paypal.me/moelleken", "type": "custom"
                          "url": "https://github.com/voku",
"type": "github"
                     },
                          "url": "https://opencollective.com/portable-ascii",
"type": "open_collective"
                     },
                          "url": "https://www.patreon.com/voku",
"type": "patreon"
                          "url": "https://tidelift.com/funding/github/packagist/voku/portable-ascii", "type": "tidelift"
                .,
"time": "2024-11-21T01:49:47+00:00"
          },
{
```

```
"name": "webmozart/assert",
               "version": "1.11.0",
               "source": {
    "type": "git",
    "url": "https://github.com/webmozarts/assert.git",
    "reference": "11cb2199493b2f8a3b53e7f19068fc6aac760991"
               },
"dist": {
   "+ype
                     "type": "zip",
                    "url":
"ext-ctype": "*",
"php": "^7.2 || ^8.0"
               },
"conflict": {
    " bestan/"
                    "phpstan/phpstan": "<0.12.20",
                    "vimeo/psalm": "<4.6.1 || 4.6.2"
               "phpunit/phpunit": "^8.5.13"
               },
"type": "library",
"extra": {
    "branch-alias"
                    "branch-alias": {
    "dev-master": "1.10-dev"
                ,
'autoload": {
    "psr-4": {
                         "Webmozart\\Assert\\": "src/"
               },
"notification-url": "https://packagist.org/downloads/",
               "license": [
"MIT"
                "authors": [
                    {
                         "name": "Bernhard Schussek",
"email": "bschussek@gmail.com"
                .
"description": "Assertions to validate method input/output with nice error messages.",
               "keywords": [
"assert",
                    "check",
                    "validate"
                "support": {
    "issues": "https://github.com/webmozarts/assert/issues",
                    "source": "https://github.com/webmozarts/assert/tree/1.11.0"
               },
"time": "2022-06-03T18:03:27+00:00"
          }
     ],
"packages-dev": [
               "name": "fakerphp/faker",
               "name": "Takerpnp/laker,
"version": "v1.24.1",
"source": {
    "type": "git",
    "url": "https://github.com/FakerPHP/Faker.git",
    "reference": "e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5"
               },
"dist": {
   "+vne
                    "type": "zip",
"url":
"https://api.github.com/repos/FakerPHP/Faker/zipball/e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5",
                    "reference": "e0ee18eb1e6dc3cda3ce9fd97e5a0689a88a64b5",
```

```
"shasum": ""
                },
"require": {
    "php": "^7.4 || ^8.0",
    "psr/container": "^1.0 || ^2.0",
    "fonv/deprecation-contracts":
                      "symfony/deprecation-contracts": "^2.2 || ^3.0"
                },
"conflict": {
                      "fzaninotto/faker": "*"
                },
"require-dev": {
                      "bamarni/composer-bin-plugin": "^1.4.1",
                      "doctrine/persistence": "^1.3 || ^2.0",
                     "ext-intl": "*",
"phpunit/phpunit": "^9.5.26",
"symfony/phpunit-bridge": "^5.4.16"
                       'doctrine/orm": "Required to use Faker\\ORM\\Doctrine",
                     "ext-curl": "Required by Faker\\Provider\\Image to download images.",
"ext-dom": "Required by Faker\\Provider\\HtmlLorem for generating random HTML.",
"ext-iconv": "Required by Faker\\Provider\\ru_RU\\Text::realText() for generating
real Russian text."
                      "ext-mbstring": "Required for multibyte Unicode string functionality."
                },
"type": "library",
                "autoload": {
    "psr-4":
                           "Faker\\": "src/Faker/"
                },
"notification-url": "https://packagist.org/downloads/",
                "license": [
"MIT"
                ],
"authors": [
                     {
                           "name": "François Zaninotto"
                ],
"description": "Faker is a PHP library that generates fake data for you.",
                "keywords": [
                     "data",
"faker"
                      "fixtures"
                      "issues": "https://github.com/FakerPHP/Faker/issues",
                      "source": "https://github.com/FakerPHP/Faker/tree/v1.24.1"
                },
"time": "2024-11-21T13:46:39+00:00"
                "name": "hamcrest/hamcrest-php",
                 "version": "v2.1.1",
                "version: v2.1.1,
"source": {
    "type": "git",
    "url": "https://github.com/hamcrest/hamcrest-php.git",
    "reference": "f8b1c0173b22fa6ec77a81fe63e5b0leba7e6487"
                },
"dist": {
   "+ype
                      "type": "zip",
"url": "https://api.github.com/repos/hamcrest/hamcrest-
},
"require": {
    "php": "^7.4|^8.0"
                },
"replace": {
    " andoval
                      "cordoval/hamcrest-php": "*",
                      "davedevelopment/hamcrest-php": "*",
```

```
"kodova/hamcrest-php": "*"
                  "phpunit/php-file-iterator": "^1.4 || ^2.0 || ^3.0",
"phpunit/phpunit": "^4.8.36 || ^5.7 || ^6.5 || ^7.0 || ^8.0 || ^9.0"
                  },
"type": "library",
"extra": {
                        "branch-alias": {
    "dev-master": "2.1-dev"
                  "classmap": [
                              "hamcrest"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
    "BSD-3-Clause"
                  ],
"description": "This is the PHP port of Hamcrest Matchers",
                  "keywords": [
"test"
                  ],
"support": {
    "issues": "https://github.com/hamcrest/hamcrest-php/issues",
    "bttps://github.com/hamcrest/hamcrest-php/tree/v2.
                        "source": "https://github.com/hamcrest/hamcrest-php/tree/v2.1.1"
                  },
"time": "2025-04-30T06:54:44+00:00"
            },
{
                  "name": "laravel/pail",
                  "name": "laravel/pail",
"version": "v1.2.3",
"source": {
    "type": "git",
    "url": "https://github.com/laravel/pail.git",
    "reference": "8cc3d575c1f0e57eeb923f366a37528c50d2385a"
                  },
"dist": {
                        "type": "zip",
                        "url":
"https://api.github.com/repos/laravel/pail/zipball/8cc3d575c1f0e57eeb923f366a37528c50d2385a",
                        "reference": "8cc3d575c1f0e57eeb923f366a37528c50d2385a",
"shasum": ""
                  "ext-mbstring": "*",
"illuminate/console": "^10.24|^11.0|^12.0"
                        "illuminate/contracts": "^10.24|^11.0|^12.0",
"illuminate/log": "^10.24|^11.0|^12.0",
                        "illuminate/tog": "10.24|11.0|12.0",
"illuminate/process": "10.24|11.0|12.0",
"illuminate/support": "10.24|11.0|12.0",
"nunomaduro/termwind": "1.15|2.0",
                        "php": "^8.2",
"symfony/console": "^6.0|^7.0"
                  "laravel/pint": "^1.13",
"orchestra/testbench-core": "^8.13|^9.0|^10.0",
"pestphp/pest": "^2.20|^3.0",
                        "pestphp/pest-plugin-type-coverage": "^2.3|^3.0", "phpstan/phpstan": "^1.12.27", "symfony/var-dumper": "^6.3|^7.0"
                  },
"type": "library",
"extra": {
    "'aravel": {
                               "providers": [
"Laravel\\Pail\\PailServiceProvider"
                        },
```

```
"branch-alias": {
    "dev-main": "1.x-dev"
                   'autoload": {
"psr-4": {
                              "Laravel\\Pail\\": "src/"
                  },
"notification-url": "https://packagist.org/downloads/",
                  "license": [
"MIT"
                  ],
"authors": [
                        {
                              "name": "Taylor Otwell",
"email": "taylor@laravel.com"
                              "name": "Nuno Maduro",
"email": "enunomaduro@gmail.com"
                  ],
"description": "Easily delve into your Laravel application's log files directly from the
command line.",
                  "homepage": "https://github.com/laravel/pail",
                  "keywords": [
                        "dev".
                        "laravel",
                        "logs",
"php",
"tail"
                 ],
"support": {
    "issues": "https://github.com/laravel/pail/issues",
    "source": "https://github.com/laravel/pail"
                  },
"time": "2025-06-05T13:55:57+00:00"
            },
{
                  "name": "laravel/sail",
                  "name": "laravel/sall",
"version": "v1.44.0",
"source": {
    "type": "git",
    "url": "https://github.com/laravel/sail.git",
    "reference": "a09097bd2a8a38e23ac472fa6a6cf5b0dlcld3fe"
                 },
"dist": {
"+vne
                        "type": "zip",
                        "url":
},
"require": {
                        "illuminate/console": "^9.52.16|^10.0|^11.0|^12.0",
"illuminate/contracts": "^9.52.16|^10.0|^11.0|^12.0",
"illuminate/support": "^9.52.16|^10.0|^11.0|^12.0",
                        "php": "^8.0",
                        "symfony/console": "^6.0|^7.0", "symfony/yaml": "^6.0|^7.0"
                 },
"require-dev": {
    "orchestra/testbench": "^7.0|^8.0|^9.0|^10.0",
    "phpstan/phpstan": "^1.10"
                  },
"bin": [
"'in"
                        "bin/sail"
                  l,
"type": "library",
"extra": {
    "'aravel": {
                              "providers": [
```

```
"Laravel\\Sail\\SailServiceProvider"
                                                             1
                                                 }
                                       "Laravel\\Sail\\": "src/"
                                     },
"notification-url": "https://packagist.org/downloads/",
                                     "license": [
"MIT"
                                     ],
"authors": [
                                                 {
                                                              "name": "Taylor Otwell",
"email": "taylor@laravel.com"
                                     "description": "Docker files for running a basic Laravel application.",
                                     "keywords": [
"docker",
                                                  "laravel"
                                     "support": {
    "issues": "https://github.com/laravel/sail/issues",
                                                  "source": "https://github.com/laravel/sail"
                                     },
"time": "2025-07-04T16:17:06+00:00"
                                     "name": "mockery/mockery",
                                     "version": "1.6.12",
                                     "source": {
    "type": "git",
    "url": "https://github.com/mockery/mockery.git",
    "reference": "1f4efdd7d3beafe9807b08156dfcb176d18f1699"
                                                 "type": "zip",
"url":
"https://api.github.com/repos/mockery/mockery/zipball/1f4efdd7d3beafe9807b08156dfcb176d18f1699", and the substitution of the contraction of the 
                                                 "reference": "1f4efdd7d3beafe9807b08156dfcb176d18f1699", "shasum": ""
                                     },
"require": {
                                                 "hamcrest/hamcrest-php": "^2.0.1",
"lib-pcre": ">=7.0",
"php": ">=7.3"
                                    },
"conflict": {
    "phpunit/phpunit": "<8.0"</pre>
                                     "symplify/easy-coding-standard": "^12.1.14"
                                     },
"type": "library",
                                     "autoload": {
    "files": [
                                                              "library/helpers.php",
"library/Mockery.php"
                                                 ],
"psr-4": {
                                                              "Mockery\\": "library/Mockery"
                                     },
"notification-url": "https://packagist.org/downloads/",
                                     "license": [
"BSD-3-Clause"
                                      .
"authors": [
                                                 {
```

```
"name": "Pádraic Brady",
"email": "padraic.brady@gmail.com"
                                   "homepage": "https://github.com/padraic",
                                   "role": "Author"
                                   "name": "Dave Marshall",
"email": "dave.marshall@atstsolutions.co.uk",
"homepage": "https://davedevelopment.co.uk",
"role": "Developer"
                                  "name": "Nathanael Esayeas",
"email": "nathanael.esayeas@protonmail.com",
"homepage": "https://github.com/ghostwriter",
                                   "role": "Lead Developer"
                     description": "Mockery is a simple yet flexible PHP mock object framework", "homepage": "https://github.com/mockery/mockery",
                     "keywords": [
                            "BDD",
                            "TDD"
                            "library",
                            "mock"
                            "mock objects",
                            "mockery",
                            "stub",
"test",
                            "test double",
                            "testing"
                    "support": {
    "docs": "https://docs.mockery.io/",
    "issues": "https://github.com/mockery/mockery/issues",
    "rss": "https://github.com/mockery/mockery/releases.atom",
    ""scurity": "https://github.com/mockery/mockery/security/a
                           "security": "https://github.com/mockery/mockery/security/advisories",
"source": "https://github.com/mockery/mockery/
                     },
"time": "2024-05-16T03:13:13+00:00"
                    "name": "pestphp/pest-plugin-laravel",
"version": "v4.0.0",
"source": {
    "type": "git",
    "url": "https://github.com/pestphp/pest-plugin-laravel.git",
    "reference": "e12a07046b826a40b1c8632fd7b80d6b8d7b628e"
                    },
"dist": {
                           "type": "zip",
"url": "https://api.github.com/repos/pestphp/pest-plugin-
laravel/zipball/e12a07046b826a40b1c8632fd7b80d6b8d7b628e"
                           },
"require": {
                             "laravel/framework": "^11.45.2|^12.25.0",
                            "pestphp/pest": "^4.0.0", "php": "^8.3.0"
                    },
"require-dev": {
    "laravel/dusk": "^8.3.3",
    "orchestra/testbench": "^9.13.0|^10.5.0",
    "pestphp/pest-dev-tools": "^4.0.0"
                    },
"type": "library",
"extra": {
    "-act": {
                            "pest": {
                                   "plugins": [
                                          "Pest\\Laravel\\Plugin"
                           },
```

```
"laravel": {
                                                                    "providers": [
                                                                                  "Pest\\Laravel\\PestServiceProvider"
                                       "src/Autoload.php"
                                                    ],
"psr-4": {
"Pest\
                                                                    "Pest\\Laravel\\": "src/"
                                        },
"notification-url": "https://packagist.org/downloads/",
                                         "license": [
"MIT"
                                        ],
"description": "The Pest Laravel Plugin",
                                         "keywords": [
                                                       "framework".
                                                      "laravel",
                                                    "pest",
"php",
"test",
                                                      "testing",
                                                      "unit"
                                        ],
"support": {
    "source": "https://github.com/pestphp/pest-plugin-laravel/tree/v4.0.0"
                                        },
"funding": [
                                                      {
                                                                    "url": "https://www.paypal.com/paypalme/enunomaduro", "type": "custom"
                                                      {
                                                                   "url": "https://github.com/nunomaduro",
"type": "github"
                                                      }
                                        ],
"time": "2025-08-20T12:46:37+00:00"
                           },
{
                                        "name": "symfony/yaml",
"version": "v7.3.2",
"source": {
    "type": "git",
    "url": "https://github.com/symfony/yaml.git",
    "reference": "b8d7d868da9eb0919e99c8830431ea087d6aae30"
                                        },
"dist": {
                                                      ...
"type": "zip",
"url":
...
"https://api.github.com/repos/symfony/yaml/zipball/b8d7d868da9eb0919e99c8830431ea087d6aae30", and the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the su
                                                      "reference": "b8d7d868da9eb0919e99c8830431ea087d6aae30",
"shasum": ""
                                       },
"require": {
    "php": ">=8.2",
    "symfony/deprecation-contracts": "^2.5|^3.0",
    "--/mfonv/polyfill-ctype": "^1.8"
                                        "symfony/console": "<6.4"
                                        "symfony/console": "^6.4|^7.0"
                                        },
"bin": [
"Pas
                                                      "Resources/bin/yaml-lint"
                                        ],
"type": "library",
```

```
"Symfony\\Component\\Yaml\\": ""
               },
"exclude-from-classmap": [
                      "/Tests/"
          },
"notification-url": "https://packagist.org/downloads/",
           "license": [
"MIT"
          ],
"authors": [
                {
                     "name": "Fabien Potencier",
"email": "fabien@symfony.com"
                {
                     "name": "Symfony Community",
                     "homepage": "https://symfony.com/contributors"
                }
          "description": "Loads and dumps YAML files",
"homepage": "https://symfony.com",
"support": {
                "source": "https://github.com/symfony/yaml/tree/v7.3.2"
          },
"funding": [
                {
                     "url": "https://symfony.com/sponsor",
"type": "custom"
                },
                     "url": "https://github.com/fabpot",
"type": "github"
                     "url": "https://github.com/nicolas-grekas",
"type": "github"
                     "url": "https://tidelift.com/funding/github/packagist/symfony/symfony", "type": "tidelift"
          ],
"time": "2025-07-10T08:47:49+00:00"
     }
],
"aliases": [],
"minimum-stability": "stable",
"stability-flags": {},

"prefer-stable": true,

"prefer-lowest": false,
"platform": {
    "php": "^8.2"
"platform-dev": {},
"plugin-api-version": "2.6.0"
```

}

```
services:
  php:
    build:
       context: .
       dockerfile: docker/php/Dockerfile.prod
    env_file: .env
    networks: [prodnet]

nginx:
    image: nginx:1.27-alpine
    depends_on: [php]
    ports: ["80:80"]
    volumes:
       - .:/var/www/html:ro
       - ./docker/nginx/prod.conf:/etc/nginx/conf.d/default.conf:ro
    networks: [prodnet]
```

```
services:
     app:
          build:
               context: .
dockerfile: docker/php/Dockerfile
          image: shop-php:dev
          container name: shop-app
          volumes:
               - .:/var/www/html
          depends on:
              - pg
- redis
          networks: [shopnet]
     horizon:
          image: shop-php:dev
          container_name: shop-horizon
          command: sh -lc "php artisan horizon"
          working dir: /var/www/html
          volumes:
               - .:/var/www/html
          depends_on:
              - app
- redis
          networks: [shopnet]
     nginx:
          image: nginx:1.27-alpine
          container_name: shop-nginx
ports: ["8080:80"]
          volumes:
               - .:/var/www/html
               - ./docker/nginx/default.conf:/etc/nginx/conf.d/default.conf:ro
          depends on: [app]
          networks: [shopnet]
     pg:
          image: postgres:16-alpine
          container name: shop-pg
          environment:
               POSTGRES_DB: shop
POSTGRES_USER: shop
               POSTGRES_PASSWORD: shop
          ports: ["5432:5432"]
               - pgdata:/var/lib/postgresql/data
          networks: [shopnet]
          image: redis:7-alpine
          container_name: shop-redis
networks: [shopnet]
     mailpit:
          image: axllent/mailpit:latest
          container_name: shop-mailpit ports: ["8025:8025"]
          networks: [shopnet]
     minio:
          image: minio/minio:latest
          container name: shop-minio
          environment:
              MINIO_API_CORS_ALLOW_ORIGIN: "http://localhost:8080"
MINIO_API_CORS_ALLOW_METHODS: "GET,PUT,POST,DELETE,HEAD,OPTIONS"
MINIO_API_CORS_ALLOW_HEADERS: "*"
               MINIO ROOT USER: minioadmin
          MINIO_ROOT_OSER. minioadmin

MINIO_ROOT_PASSWORD: minioadmin

command: server /data --console-address ":9001"

ports: ["9000:9000", "9001:9001"]
                - minio:/data
          networks: [shopnet]
```

```
meilisearch:
          image: getmeili/meilisearch:v1.8
          container_name: shop-meili
          environment:
               MEILI_NO_ANALYTICS: "true"
          ports: ["7700:7700"]
networks: [shopnet]
     node:
          image: node:20-alpine
          container_name: shop-node
working_dir: /var/www/html
          volumes:
                # тільки фронтенд-код та статичні файли
                - ./resources:/var/www/html/resources:cached
                - ./public:/var/www/html/public:cached
               # конфіги збірки окремо, read-only
- ./package.json:/var/www/html/package.json:ro
- ./package-lock.json:/var/www/html/package-lock.json:ro
                - ./vite.config.ts:/var/www/html/vite.config.ts:ro
                - ./tsconfig.json:/var/www/html/tsconfig.json:ro
                # ĸewi y ToMax
- node modules:/var/www/html/node modules
          ports:
- "5173:5173"
          environment:
                APP URL: "http://localhost:8080"
               CHOKIDAR_USEPOLLING: "true"
CHOKIDAR_INTERVAL: "350"
               WAYFINDER: "off"
VITE_GA_ID: [VITE_GA_ID]
VITE_COOKIE_DEFAULT: [{VITE_COOKIE_DEFAULT} command: sh -lc "test -x node_modules/.bin/vite || npm ci; npm run dev -- --host 0.0.0.0 --port 5173 --strictPort"
          depends on:
                 app
          networks: [shopnet]
networks:
     shopnet:
volumes:
     pgdata:
     minio:
     node modules:
```

```
import js from '@eslint/js';
import js from 'gestint, js',
import prettier from 'eslint-config-prettier';
import react from 'eslint-plugin-react';
import reactHooks from 'eslint-plugin-react-hooks';
import globals from 'globals';
import typescript from 'typescript-eslint';
/** @type {import('eslint').Linter.Config[]} */
export default [
     js.configs.recommended,
     ...typescript.configs.recommended,
          ...react.configs.flat.recommended,
...react.configs.flat['jsx-runtime'], // Required for React 17+
          languageOptions: {
               globals: {
                     ...globals.browser,
               },
          },
          rules: {
                'react/react-in-jsx-scope': 'off',
'react/prop-types': 'off',
                'react/no-unescaped-entities': 'off',
          settings: {
               react: {
version: 'detect',
          },
     },
{
          plugins: {
                'react-hooks': reactHooks,
          rules: {
                'react-hooks/rules-of-hooks': 'error',
                'react-hooks/exhaustive-deps': 'warn',
          },
     },
{
          ignores: ['vendor', 'node_modules', 'public', 'bootstrap/ssr', 'tailwind.config.js'],
     prettier, // Turn off all rules that might conflict with Prettier
];
```

```
{
            "name": "shop.loc",
"lockfileVersion": 3,
            "requires": true,
           "requires": crue,
"packages": {
    "": {
        "dependencies": {
        "abadlessui/!
                                               mendencies": {
   "@headlessui/react": "^2.2.0",
   "@inertiajs/react": "^2.1.0",
   "@radix-ui/react-avatar": "^1.1.3",
   "@radix-ui/react-checkbox": "^1.1.4",
   "@radix-ui/react-collapsible": "^1.1.3",
   "mendix-ui/react-dialog": "^1.6"
                                                "@radix-ui/react-dialog": "^1.1.6",
"@radix-ui/react-dropdown-menu": "^2.1.6",
"@radix-ui/react-label": "^2.1.2",
                                               "@radix-ui/react-label": "^2.1.2",
"@radix-ui/react-navigation-menu": "^1.2.5",
"@radix-ui/react-popover": "^1.1.15",
"@radix-ui/react-select": "^2.1.6",
"@radix-ui/react-separator": "^1.1.2",
"@radix-ui/react-separator": "^1.1.2",
                                              "@radix-ui/react-separator": "^1.1.2",
"@radix-ui/react-slot": "^1.1.2",
"@radix-ui/react-tabs": "^1.1.13",
"@radix-ui/react-toggle": "^1.1.2",
"@radix-ui/react-toggle-group": "^1.1.2",
"@radix-ui/react-tooltip": "^1.1.8",
"@sentry/react": "^10.11.0",
"@stripe/react-stripe-js": "^4.0.2",
"@stripe/stripe-js": "^7.9.0",
"@tailwindcss/vite": "^4.1.11",
"@types/react": "^19.0.3",
"@types/react-dom": "^19.0.2",
"axios": "^1.11.0",
"class-variance-authority": "^0.7.1".
                                               "axios": "^1.11.0",
"class-variance-authority": "^0.7.1",
"clsx": "^2.1.1",
"concurrently": "^9.0.1",
"globals": "^15.14.0",
"js-cookie": "^3.0.5",
"lucide-react": "^0.475.0",
"react": "^19.1.1",
"react-dom": "^19.1.1",
                                              react-dom": "^19.1.1",
"react-router-dom": "^7.8.2",
"tailwind-merge": "^3.0.1",
"tailwindcss": "^4.0.0",
"tailwindcss-animate": "^1.0.7",
"typescript": "^5.7.2"
                                   "@eslint/js": "^9.19.0",
"@laravel/vite-plugin-wayfinder": "^0.1.3",
"@playwright/test": "^1.55.0",
"@types/node": "^22.13.5",
"@vitejs/plugin-react": "^5.0.2",
"eslint": "^9.17.0",
"eslint-config-prettier": "^10.0.1",
"eslint-plugin-react": "^7.37.3",
"eslint-plugin-react-hooks": "^5.1.0",
"laravel-vite-plugin": "^2.0.1"
                                               "laravel-vite-plugin": "^2.0.1", "prettier": "^3.4.2",
                                                "prettier-plugin-organize-imports": "^4.1.0",
                                               "prettier-plugin-tailwindcss": "^0.6.11",
"typescript-eslint": "^8.23.0",
"vite": "^7.1.4"
                                   "@rollup/rollup-linux-x64-gnu": "4.9.5"
                                                "@tailwindcss/oxide-linux-x64-gnu": "^4.0.1", "lightningcss-linux-x64-gnu": "^1.29.1"
                       },
"node_modules/@ampproject/remapping": {
                                   "version": "2.3.0",
"resolved": "https://registry.npmjs.org/@ampproject/remapping/-/remapping-2.3.0.tgz",
"integrity":
"sha512-30iZtAPgz+LTIYoeivqYo853f02jBYSd5uGnGpkFV0M3xOt9aN73erkgYAmZU43x4VfqcnLxW9Kpg3R5LC4YYw==",
```

```
"dev": true,
"license": "Apache-2.0",
                   "dependencies": {
    "@jridgewell/gen-mapping": "^0.3.5",
    "@jridgewell/trace-mapping": "^0.3.24"
                  },
"engines": {
    "node": ">=6.0.0"
            },
"node_modules/@babel/code-frame": {
                   "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.27.1.tgz",
                   "integrity":
"sha512-cj07Zl00Mv3b47hABuTevyTuYN4i+loJKGeV9flcCqIK37cCXRh+L1bd3iBHlynerh07BhCkn2BPbQUL+rGqFq==",
                   "dev": true,
"license": "MIT"
                   "dependencies": {
                         "@babel/helper-validator-identifier": "^7.27.1",
"js-tokens": "^4.0.0",
"picocolors": "^1.1.1"
                   "engines": {
    "node": ">=6.9.0"
            },
"node_modules/@babel/compat-data": {
                   "version": "7.28.0",
"resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.28.0.tgz",
"sha512-60X7gkglvrap8mn1lh2ebxXdZYtUcpd7gsmy9kLaBJ4i/WdY8PgTSdxyA8graikgKQK5C1KRBKXgznrVapyNaw==",
                   "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
            },
"node_modules/@babel/core": {
                   "version": "7.28.3",
"resolved": "https://registry.npmjs.org/@babel/core/-/core-7.28.3.tgz",
                    "integrity":
"sha512-yDBHV9kQNcr2/sUr9jqhVyz9C3Y5G2zUM2H2lo+9mKv4sFqbA8s8Z9t8D1jiTkGo0/NoIfKMyKWr4s6CN23ZwQ==",
                   "dev": true,
"license": "MIT"
                   "dependencies": {
                         "@ampproject/remapping": "^2.2.0",
"@babel/code-frame": "^7.27.1",
"@babel/generator": "^7.28.3",
                          "@babel/helper-compilation-targets": "^7.27.2",
                         "@babel/helper-compilation-targets": "^7.27.2'
"@babel/helper-module-transforms": "^7.28.3",
"@babel/helpers": "^7.28.3",
"@babel/parser": "^7.28.3",
"@babel/template": "^7.27.2",
"@babel/traverse": "^7.28.3",
"@babel/types": "^7.28.2",
"convert source more": "^2.2.2"
                         "convert-source-map": "^2.0.0",
"debug": "^4.1.0",
"gensync": "^1.0.0-beta.2",
"json5": "^2.2.3",
"semver": "^6.3.1"
                  },
"engines": {
    "node": ">=6.9.0"
                   },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/babel"
              "node modules/@babel/generator": {
                   "version": "7.28.3",
"resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.28.3.tgz",
                   "integrity":
```

```
"sha512-3lSpxGgvnmZznmBkCRnVREPUFJv2wrv9iAoFDvADJc0ypmd0xdUtcLeBgBJ6zE0PMeTKnxeQzyk0xTBq4Ep7zw==",
               "dev": true,
"license": "MIT"
               "dependencies": {
                    "@babel/parser": "^7.28.3",
"@babel/types": "^7.28.2",
"@jridgewell/gen-mapping": "^0.3.12"
                    "@jridgewell/trace-mapping": "^0.3.28",
                    "isesc": "^3.0.2"
              },
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/helper-compilation-targets": {
               "version": "7.27.2",
"resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-
compilation-targets-7.27.2.tgz",
                'integrity"
"sha512-2+1thGUUWWjLTYTHZWK1n8Yga0ijBz1XAhUXcKy81rd5g6yh7hGqMp45v7cadSbEHc9G3OTv45SyneRN3ps4DQ==",
               "dev": true,
"license": "MIT"
               "dependencies": {
                    "@babel/compat-data": "^7.27.2",
                    "@babel/helper-validator-option": "^7.27.1",
                   "browserslist": "^4.24.0",
"lru-cache": "^5.1.1",
"semver": "^6.3.1"
              },
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/helper-globals": {
               "version": "7.28.0",
"resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-
globals-7.28.0.tgz"
               "integrity'
"sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuYfSWopkLQ4hw==",
               "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/helper-module-imports": {
               "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-
imports-7.27.1.tgz"
               "integrity":
"sha512-0gSFWUPNXNopqtIPQvlD5WgXYI5GY2kP2cCvoT8kczjbfcfuIljTbcWrulD1CIPIX2gt1wghbDy08yE1p+/r3w==",
               "dev": true,
"license": "MIT"
               "dependencies": {
                    "@babel/traverse": "^7.27.1",
                    "@babel/types": "^7.27.1"
              },
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/helper-module-transforms": {
               "version": "7.28.3",
"resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-
transforms-7.28.3.tgz"
               .20.3.tgz",
"integrity":
"sha512-gytXUbs8kŽsXS9PnQptz5o0QnpLL51SwASIORY6XaBKF88nsOT0Zw9szLqlSGQDP/4TljBAD5y98p2U1fqkdsw==",
               "dev": true,
"license": "MIT",
"dependencies": {
                    "@babel/helper-module-imports": "^7.27.1",
                    "@babel/helper-validator-identifier": "^7.27.1", "@babel/traverse": "^7.28.3"
```

```
},
"engines": {
    "node": ">=6.9.0"
               'peerDependencies": {
    "@babel/core": "^7.0.0"
         },
"node_modules/@babel/helper-plugin-utils": {
               "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-
utils-7.27.1.tgz",
               "integrity":
"sha512-1gn1Up5YXKa3YYAHGKpbideQ5Yjf1tDa9qYcgysz+cNCXukyLl6DjPXhD3VRwSb8c0J9tA4b2+rHEZtc6R0tlw==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
         },
"node modules/@babel/helper-string-parser": {
               "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-
parser-7.27.1.tgz",
               "integrity":
"sha512-gMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0i0GxmQjyqhMIihI9+zv4LPyZdRje2cavWPbCbWm3eA==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
         },
"node modules/@babel/helper-validator-identifier": {
               "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-
validator-identifier-7.27.1.tgz",
               "integrity":
"sha512-D2hP9eA+Sqx1kBZgzxZh0y1trbuU+JoDkiEwqhQ36nodYqJwyEIhPSdMNd7l0m/4io72luTPWH20Yda0xOuUow==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/helper-validator-option": {
               "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-
validator-option-7.27.1.tgz",
               "integrity"
"sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEu8IrZVlda6N0uHwzZrUM1il7NC9Mlp4MaJYbYd9JSg==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/helpers": {
              "version": "7.28.3",
"resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.28.3.tgz",
               "integrity":
"sha512-PTNtvUQihsAsDHMOP5pfobP8C6CM4JWXmP8DrEIt46c3r2bf87Ua1zoqevsMo9g+tWDwgWrFP5EIxuBx5RudAw==",
               "dev": true,
"license": "MIT'
               "dependencies": {
                    "@babel/template": "^7.27.2",
                    "@babel/types": "^7.28.2"
              },
"engines": {
    "node": ">=6.9.0"
         },
"node_modules/@babel/parser": {
```

```
"resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.28.3.tgz",
             "integrity"
"sha512-7+Ey1mAgYqFAx2h0RuoxcQT5+MlG3GTV0TQrgr7/ZliKsm/MNDxVVutlWaziMq7wJNAz8MTqz55XLpWvva6StA==",
            "dev": true,
"license": "MIT
            "dependencies": {
                 "@babel/types": "^7.28.2"
            },
"bin": {
"car
                 "parser": "bin/babel-parser.js"
            "engines": {
    "node": ">=6.0.0"
        },
"node_modules/@babel/plugin-transform-react-jsx-self": {
            "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plugin-
"dependencies": {
                 "@babel/helper-plugin-utils": "^7.27.1"
            },
"engines": {
    "node": ">=6.9.0"
            },
"peerDependencies": {
    "@babel/core": "^7.0.0-0"
        },
"node_modules/@babel/plugin-transform-react-jsx-source": {
            "version": "7.27.1",
"resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-
source/-/plugin-transform-react-jsx-source-7.27.1.tgz",
             intearitv"
"sha512-zbwoTsBruŤeKB9hSq73ha66iFeJHuaFkUbwvqElnygoNbj/jHRsSeokowZFN3CZ64IvEqcmmkVe890PXc7ldAw==",
            "dev": true,
"license": "MIT"
            "dependencies": {
                 "@babel/helper-plugin-utils": "^7.27.1"
             },
"node_modules/@babel/template": {
            "version": "7.27.2",
"resolved": "https://registry.npmjs.org/@babel/template/-/template-7.27.2.tgz",
            "integrity":
"sha512-LPDZ85aEJyYSd18/DkjNh4/y1ntkE5KwUHWTiqgRxruuZL2F1yuHligVHLvcHY2vMHXttKFpJn6LwfI7cw70Dw==",
            "dev": true,
"license": "MIT'
            "dependencies": {
                 "@babel/code-frame": "^7.27.1",
                "@babel/parser": "^7.27.2",
"@babel/types": "^7.27.1"
            "engines": {
    "node": ">=6.9.0"
        },
"node_modules/@babel/traverse": {
            "version": "7.28.3",
"resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.28.3.tgz",
             "integrity"
"sha512-7w4kZYHneL3A6NP2nxzHvT3HCZ7puDZZjFMqDpBPECub79sTtSO5CGXDkKrTQq8ksAwfD/XI2MRFX23njdDaIQ==",
            "dev": true,
```

```
"license": "MIT",
                "dependencies": {
                     pendencies": {
  "@babel/code-frame": "^7.27.1",
  "@babel/generator": "^7.28.3",
  "@babel/helper-globals": "^7.28.0",
  "@babel/parser": "^7.28.3",
  "@babel/template": "^7.27.2",
  "@babel/types": "^7.28.2",
  "debug": "^4.3.1"
                },
"engines": {
    "node": ">=6.9.0"
            ,
node modules/@babel/types": {
                "version": "7.28.2",
"resolved": "https://registry.npmjs.org/@babel/types/-/types-7.28.2.tgz",
"sha512-ruv7Ae4J5dUYUĹmeXw1gmb7rYRz570WCPM57pHojnLq/3Z1CK2lNSLTCVjxVk1F/TZHw0ZZr0Wi0ur95BbLxNQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
                       "@babel/helper-string-parser": "^7.27.1"
                      "@babel/helper-validator-identifier": "^7.27.1"
                },
"engines": {
    "node": ">=6.9.0"
           },
"node_modules/@esbuild/aix-ppc64": {
                "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.25.9.tgz",
                 "integrity":
"sha512-OaGtL73Jck6pBKjNIe24BnFE6agGl+6KxDtTfHhy1HmhthfKouEcOhqpSL64K4/0WCtbKFL0dzD/44cJ4k9opA==",
                "cpu": [
"ppc64"
                "license": "MIT",
"optional": true,
                "os": [
"aix"
                },
"node_modules/@esbuild/android-arm": {
                "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.25.9.tgz",
                "integrity":
"sha512-5WNI1DaMtxQ7t7B6xa572XMXpHAaI/9Hnhk8lcxF4zVN4xstUgTlvuGDorBguKEnZ070qwEcLpfifMLoxiPqHQ==",
                "cpu": [
"arm"
                ],
"license": "MIT",
"optional": true,
                "os": [
"android"
                "engines": {
    "node": ">=18"
          },
"node_modules/@esbuild/android-arm64": {
    "version": "0.25.9",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-
arm64-0.25.9.tgz",
"integrity":
"sha512-IDrddSmpSv51ftWslJMvl3Q2ZT98fUSL2/rlUXuVqRXHCs5EUF1/f+jbjF5+NG9UffUDMCiTyh8iec7u8RlTLg==",
                 "cpu": [
                     ์"arm64"
                ],
"license": "MIT",
```

```
"optional": true,
               "os": [
"android"
               ],
               },
"node_modules/@esbuild/android-x64": {
               "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.25.9.tgz",
               "integrity":
"sha512-I853iMZ1hWZdNllhVZKm34f4wErd4lMyeV7BLzEExGEIZYsOzqDWDf+y082izYUE8qtJnYHdeDpN/6tUdwvfiw==",
               "cpu": [
"x64"
              ],
"license": "MIT",
"optional": true,
               "os": [
"android"
              ],
"engines": {
    "node": ">=18"
         },
"node_modules/@esbuild/darwin-arm64": {
               "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-
arm64-0.25.9.tgz",
"sha512-XIpIDMAj0ELi/9PB30vEbVMs3GV1v2zkkPnuyRRURbhqjyzIINwj+nbQATh4H9GxUqH1kFsEyQMxwiLFKUS6Rq==",
               "cpú": [
                   "arm64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"darwin"
               "engines": {
    "node": ">=18"
         },
"node_modules/@esbuild/darwin-x64": {
              ב_modutes/@espuitu/darwin-x64": {
"version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.25.9.tgz",
"integrity":
"sha512-jhHfBzjYTAIIQu8VyrjCX4ApJDnH+ez+IYVEoJHeqJm9VhG9Dh2BYaJritkYK3vMaXrf70gr/0MQ8/MeIefsPQ==",
              "cpu": [
"x64"
               ],
"license": "MIT",
"optional": true,
              "os": [
"darwin"
               },
"node_modules/@esbuild/freebsd-arm64": {
              "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-
arm64-0.25.9.tgz",
"integrity":
"sha512-z93DmbnY6fX9+KdD4Ue/H6sYs+bhFQJNCPZsi4XWJoYblUqT06MQUdBCpcSfuiN72AbqeBFu5LVQTjfXDE2A6Q==",
               "cpu": [
"arm64"
              ],
"license": "MIT",
-l" true
               "optional": true,
              "os": [
"freebsd"
```

```
],
"engines": {
    "node": ">=18"
                      },
"node_modules/@esbuild/freebsd-x64": {
                                  "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.25.9.tgz",
                                  "integrity":
"sha512-mrKX6H/v0yo5v71YfXWJxLVxgy1kyt1MQaD8wZJgJfG4gq4DpQGpgTB74e5yBeQdyMTbgxp0YtNj7NuHN0PoZg==",
                                  "cpu": [
"x64"
                                 ],
"license": "MIT",
"optional": true,
                                  "os": [
"freebsd"
                                 ],
"engines": {
    "node": ">=18"
                      },
"node_modules/@esbuild/linux-arm": {
                                  "version": "0.25.9",
"version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.25.9.tgz",
                                  "integrity":
"sha512-HBU2Xv78SMgaydBmdor38lg8YDnFKSARg1Q6AT0/y2ezUAKiZvc211RDFHlEZRFNRVhcMamiToo7bDx3VE0YQw==",
                                  cpu": ["
arm"
                                 ],
"license": "MIT",
"optional": true,
                                  "os": [
"linux"
                                  "engines": {
    "node": ">=18"
                     "sha512-BlB7bIcLT3G26urh5Dmse7fiLmLXnRlopw4s8DalgZ8ef79Jj4aUcYbk90g8iCa2467HX8SAIidbL7gsqXHdRw==",
                                  "cpu": [
"arm64"
                                  ],
"license": "MIT",
"optional": true,
                                  "os": [
"linux"
                                  "engines": {
    "node": ">=18"
                     "sha512-e7S3MOJPZ \~Gp2Q \'w 6AK6+Ly81rC7o0SerQ+P8L0ta4FhVi+/j/v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A=="", v2yZzx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2yZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2YZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2YZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2YZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A=="", v2YZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2YZx5CqqDaWjtPFfYz21Vi1S0auHrap3Ma3A==""", v2YZx5CqqQaWqqqq", v2YZx5Cqqq", v2YZx5Cqqq", v2YZx5Cqq", v2YZx5Cq", v2
                                  "cpu": [
"ia32"
                                 ],
"license": "MIT",
"optional": true,
                                  "os": [
"linux"
                                  },
```

```
"node modules/@esbuild/linux-loong64": {
             "wersion": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-
loong64-0.25.9.tgz",
"integrity":
"sha512-Sbe10Bnn0oUAB2AalYztvGcK+o6YFFA/9829PhOCUS9vkJElXGdphz0A3DbMdP8gmKkqPmPcMJmJ0rI3VYB1JQ==",
             "cpu": [
"loong64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
             ],
              },
"node_modules/@esbuild/linux-mips64el": {
             "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-
mips64el-0.25.9.tgz"
             "integrity":
"sha512-YcM5br0mVyZw2jcQeLIkhWtKPeVfAerES5Pv0zaDxVtIyZ2NUBZKNLjC5z3/fUlDgT6w89VsxP2qzNipOaaDyA==",
             "cpu": [
                  "mips64el"
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
              },
"node_modules/@esbuild/linux-ppc64": {
             "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.25.9.tgz",
             "integrity":
"sha512-++0HQvasdo20JytyDpFvQtNrEsAgNG2CY1CLMwGXfFTKGBGQT3b0eLSYE2l1fYdvML5KUuwn9Z8L1EWe2tzs1w==",
             "cpu": [
                  "ppc64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
             ],
"engines": {
    "node": ">=18"
         },
"node_modules/@esbuild/linux-riscv64": {
             "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-
"sha512-uNIBa279Y3fkjV+2cUjx36xkx7eSjb8IvnL01eXUKXez/CBHNRw5ekCGMPM0BcmqBxBcdgUWuUXmVWwm4CH9kg==",
             "cpu": [
                  "riscv64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
              },
"node_modules/@esbuild/linux-s390x": {
              "version": "0.25.9",
```

```
"resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.25.9.tgz",
             "integrity":
"sha512-Mfiphvp3MjC/lctb+7D287Xw1DGzqJPb/J2aHHcHxflUo+8tmN/6d4k6I2yFR7BVo5/g7x2Monq4+Yew0EHRIA==",
             "cpu": [
                 "s390x'
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
             "sha512-iSwByxzRe48YVkmpbgoxVzn76BXjlYFXC7NvLYq+b+kDjyyk30J0JY47DIn8z1M03K0oSl9fZoRmZPQI4Hklzq==",
             "cpu": [
"x64"
            ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
             },
"node modules/@esbuild/netbsd-arm64": {
             "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-
arm64-0.25.9.tgz",
             "integrity":
"sha512-9jNJl6FqaŬG+CÓdQMjSCGW4QiMHH88xWbvZ+kRVblZsWrkXlABuGdFJ1E9L7HK+T0Yqd4akKNa/l00+jDxQD4Q==",
             "cpu": [
"arm64"
             ],
"license": "MIT",
             "optional": true,
             "os": [
"netbsd"
             "engines": {
    "node": ">=18"
        },
"node_modules/@esbuild/netbsd-x64": {
             "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.25.9.tgz",
             "integrity":
"sha512-RLLdkflmqRG8KanPGOU7Rpq829ZHu8nFy5Pqdi9U01VYtG9Y0z0G6Vr2z4/S+/3zIy0xiK6cCeYNW0FR9QP87q==",
             "cpu": [
                 "x64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"netbsd"
             "engines": {
    "node": ">=18"
        },
"node_modules/@esbuild/openbsd-arm64": {
             "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-
arm64-0.25.9.tgz",
"integrity":
"sha512-YaFBlPGeDasft5IIM+CQAhJAqS3St3nJzDEgsgFixcfZeyGPCd6eJBWzke5piZuZ7CtL656e0SYKk4Ls2C0FRQ==",
```

```
"cpu": [
                   "arm64"
               "license": "MIT",
"optional": true,
               "os": [
"openbsd"
              ],
"engines": {
    "node": ">=18"
          },
"node_modules/@esbuild/openbsd-x64": {
               "version": "0.25.9",
"version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.25.9.tgz",
               "integrity":
"sha512-1MkgTCuvMGWuqVtAvkpkXFmtL8XhWy+j4jaS02wxfJtilVCi0ZE37b8u0dMItIHz4I6z1bWWtEX4CJwcKYLcuA==",
               "cpu": [
                   ຳ.
"x64"
              ],
"license": "MIT",
"optional": true,
               "os": [
"openbsd"
               "engines": {
    "node": ">=18"
         },
"node_modules/@esbuild/openharmony-arm64": {
               "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-
arm64-0.25.9.tgz",
"integrity":
"sha512-4Xd0xNiMVXKh6Fa7HEJQbrpP3m3DDn43jKxMjxLLRjWnRsfxjORYJlXPO4JNcXtOyfajXorRKY9NkOpTHptErg==",
               "cpu": [
"arm64"
              ],
"license": "MIT",
"optional": true,
               "os": [
"openharmony"
               "engines": {
    "node": ">=18"
         },
"node_modules/@esbuild/sunos-x64": {
               "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.25.9.tgz",
               "integrity"
"sha512-WjH4s6hzo00nNezhp3wFIAfmGZ8U7KtrJNlFMRKxiI9mxEK1sc0MAaa9i4crUtu+tBr+0IN6JCuAcSBJZfnphw==",
               "cpu": [
"x64"
              ],
"license": "MIT",
               "optional": true,
"os": [
    "sunos"
               },
"node_modules/@esbuild/win32-arm64": {
               "version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.25.9.tgz",
               "integrity":
"sha512-mGFrVJHmZiRqmP8xF0c6b84/7xa5y5YvR1x8djzXpJBSv/UsNK6aqec+6JDjConTgvvQefdGhFDAs2DLAds6gQ==",
               "cpu": [ˈ
"arm64"
              ],
"license": "MIT",
```

```
"optional": true,
             "os": [
"win32"
             ],
              },
"node_modules/@esbuild/win32-ia32": {
             "integrity":
"sha512-b33qLVU2k11nVx10hX3C8QQP6UHQK4ZtN56oFWvVXvz2VkDoe6fbG8TOqHFxEvqeqohmRnIHe5A1+HADk4OQww==",
              "cpu": [
"ia32"
             ],
"license": "MIT",
'" +rue.
             "optional": true,
             "os": [
"win32"
             ],
"engines": {
    "node": ">=18"
        },
"node_modules/@esbuild/win32-x64": {
             "c="modutes/gessdates/win52-x64"."
"version": "0.25.9",
"resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.25.9.tgz",
"integrity":
"sha512-PPOllmi6lpLNQxnGoyAfschAodRFYXJ+9fs6WHXz7CSWKb0qiMZsubC+BQsVKuul+3vKLuwTHsS2c2y9EoKwxQ==",
             "cpu": [
"x64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"win32"
             ],
"engines": {
    "node": ">=18"
         "node modules/@eslint-community/eslint-utils": {
             "version": "4.8.0",
"resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-
utils-4.8.0.tgz",
              "integrity":
"sha512-MJQFqrZgcWOUNYLGOuQpey/oTN59vyWwplvCGZztn1cKz9agZPPYpJB7h2OMmuu7VLqkvEjN8feFZJmxNF9D+Q==",
             "dev": true,
"license": "MIT"
              "dependencies": {
                  "eslint-visitor-keys": "^3.4.3"
             "engines": {
    "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
             },
"funding": {
    "url": "https://opencollective.com/eslint"
             "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
         },
"node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
             "version": "3.4.3",
"resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-
keys-3.4.3.tgz",
"integrity":
"sha512-wpc+LXeiyiisxPlEkUzU6svyS1frI03Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1Wqb0prdI+uY6wMUl8/a2G+iag==",
             "dev": true,
"license": "Apache-2.0",
             "engines": {
    "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
```

```
},
"funding": {
    "url": "https://opencollective.com/eslint"
          },
"node_modules/@eslint-community/regexpp": {
                "version": "4.12.1",
"resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.1.tgz",
                "integrity":
"sha512-CCZCDJuduB90UkFkY2IgppNZMi2lBQgD2qzwXkEia16cge2pijY/aXi96CJMquDMn3nJdlPV1A5KrJEXwfLNzQ==",
               "dev": true,
"license": "MIT",
"engines": {
    "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
          },
"node_modules/@eslint/config-array": {
                "version": "0.21.0",
"resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.21.0.tgz",
                "integrity":
"sha512-ENIdc4iLu0d93HeYirvKmrzshzofPw6VkZRKQGe9Nv46ZnWUzcF1xV01dcvEq/1wXUR610mmlSfyey07EvjLxQ==",
                "dev": true,
"license": "Apache-2.0",
                "dependencies": {
                     "@eslint/object-schema": "^2.1.6",
                     "debug": "^4.3.1",
"minimatch": "^3.1.2"
               },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
          },
"node_modules/@eslint/config-helpers": {
    "version": "0.3.1",
    "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-
helpers-0.3.1.tgz",
                "integrity"
"sha512-xR93k9WhrDYpXHORXpxVL5oHj3Era7wo6k/Wd8/IsQNnZUTzkGS29lyn3nAT05v6ltUuTFVCCYDEGfy20r/sPA==",
               "dev": true,
"license": "Apache-2.0",
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
          },
"node_modules/@eslint/core": {
                "version": "0.15.2",
"resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.15.2.tgz",
                "integrity":
"sha512-78Md3/Rrxh83gCxoUc0EiciuOHsIITzLy53m3d9UyiW8y9Dj2D29FeETqyKA+BRK76tnTp6RXWb3pCay80yomg==",
                "dev": true,
"license": "Apache-2.0",
                "dependencies": {
                     "@types/json-schema": "^7.0.15"
                "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
          },
"node_modules/@eslint/eslintrc": {
                "version": "3.3.1",
"resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-3.3.1.tgz",
                "integrity"
"sha512-gtF186CXhĬl1p4pJNGZw8Yc6RlshoePRvE0X91oPGb3vZ8pM3q0S9W9NGPat9LziaBV7XrJWGylNQXkGcnM3IQ==",
                "dev": true,
"license": "MIT"
               "dependencies": {
    "ajv": "^6.12.4",
    "debug": "^4.3.2",
    "espree": "^10.0.1"
                     "globals": "^14.0.0",
"ignore": "^5.2.0",
"import-fresh": "^3.2.1",
"js-yaml": "^4.1.0",
```

```
"minimatch": "^3.1.2",
"strip-json-comments": "^3.1.1"
               'engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "url": "https://opencollective.com/eslint"
         },
"node_modules/@eslint/eslintrc/node_modules/globals": {
               "version": "14.0.0",
"resolved": "https://registry.npmjs.org/globals/-/globals-14.0.0.tgz",
               "integrity":
"sha512-oahGvuMGQlPw/ivIYBjVSrWAfWLBeku5tpPE2f0PLi+WHffIWbuh2tCjhyQhTBPMf5E9jDEH4F0mTYgYwbKwtQ==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=18"
              },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
         },
"node_modules/@eslint/js": {
              "version": "9.34.0",
"resolved": "https://registry.npmjs.org/@eslint/js/-/js-9.34.0.tgz",
"sha512-EoyvqQnBNsV1CWaEJ559rxXL4c8V92gxirbawSmVUOWXlsRxxQXl6LmCpdUblgxgSkDIqKnhzba2SjRTI/A5Rw==",
               "dev": true,
               "license": "MIT",
               "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "url": "https://eslint.org/donate"
         },
"node_modules/@eslint/object-schema": {
               "version": "2.1.6",
"resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-
schema-2.1.6.tgz",
               "integrity":
"sha512-RBMg5FRL0Ĭ0gs51M/guSAj5/e14VQ4tpZnQNWwuDT66P14I43ItmPfIZRh09fUVIPOAQXU47atlywZ/czoqFPA==",
              "dev": true,
"license": "Apache-2.0",
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
         },
"node_modules/@eslint/plugin-kit": {
               "version": "0.3.5",
"resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.3.5.tgz",
               "integrity":
"sha512-Z5kJ+wU3oA7MMIqVR9tyZRtjYPr40C004Q4Rw7pg0KU0KkJfZ3024nz3WYfGRpMDNmc0i3TwQ0mgm7B7Tpii0w==",
               "dev": true,
"license": "Apache-2.0",
               "dependencies": {
    "@eslint/core": "^0.15.2",
    "levn": "^0.4.1"
               "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
           .
'node modules/@floating-ui/core": {
               "version": "1.7.3",
"resolved": "https://registry.npmjs.org/@floating-ui/core/-/core-1.7.3.tgz",
               "integrity":
"sha512-sGnvb5dmrJaKeŹ+LDIpguvdX3bDlEllmv4/ClQ9awcmCZrlx5jQyyMWFM5kBI+EyNOCDDiKk8il0zeuX3Zlg/w==",
               "license": "MIT
               "dependencies": {
                    "@floating-ui/utils": "^0.2.10"
```

```
}
         },
"node_modules/@floating-ui/dom": {
              "version": "1.7.4",
"resolved": "https://registry.npmjs.org/@floating-ui/dom/-/dom-1.7.4.tgz",
"sha512-00chDgh4FŽCchÓX94cRVqhvy7b3AFb+/rQXyswmzmGakRfkMgoWVjfnLWkRirfLEfuD4ysVW16eXzwt3jHIzKA==",
              "license": "MIT"
              "dependencies": {
                   '@floating-ui/core": "^1.7.3"
                  "@floating ui/core : ":7.53,"
         },
"node_modules/@floating-ui/react": {
              "version": "0.26.28"
              "resolved": "https://registry.npmjs.org/@floating-ui/react/-/react-0.26.28.tgz",
              "integrity":
"@floating-ui/react-dom": "^2.1.2",
"@floating-ui/utils": "^0.2.8",
"tabbable": "^6.0.0"
               ,
'peerDependencies": {
                  "react": ">=16.8.0",
"react-dom": ">=16.8.0"
         },
"node_modules/@floating-ui/react-dom": {
              "version": "2.1.6",
"resolved": "https://registry.npmjs.org/@floating-ui/react-dom/-/react-dom-2.1.6.tgz",
              "integrity":
"sha512-4JX6rEatQEvlmgU80wZyq9RT96HZJa88q8hp0pBd+LrczeDI4o6uA2M+uvxngVHo4Ihr8uibXxH6+70zhAFrVw==",
              "license": "MIT"
              "dependencies": {
                  "@floating-ui/dom": "^1.7.4"
              "peerDependencies": {
    "react": ">=16.8.0"
                  "react-dom": ">=16.8.0"
         },
"node_modules/@floating-ui/utils": {
              "version": "0.2.10",
"resolved": "https://registry.npmjs.org/@floating-ui/utils/-/utils-0.2.10.tgz",
              "integrity":
"sha512-aGTxbpbq8/b5JfU1HXSrbH3wXZuLPJcNEcZQFMxLs3oSzqtVu6nFPkbbGGUvBcUjKV2YyB9Wxxabo+HEH9tcRQ==",
              "license": "MIT"
         },
"node_modules/@headlessui/react": {
              "version": "2.2.7",
"resolved": "https://registry.npmjs.org/@headlessui/react/-/react-2.2.7.tgz",
              "integrity":
"sha512-WKdTymY8Y49H8/gUc/liyYK1M+/6dq0Iywh4zTZVAaiTDprRfioxSgD0wnXTQTBpjpGJuTL1N0/mqEvc//5SSg==", "license": "MIT",
              "dependencies": {
                  "@floating-ui/react": "^0.26.16",
"@react-aria/focus": "^3.20.2",
                  "@react-aria/interactions": "^3.25.0",
"@tanstack/react-virtual": "^3.13.9",
"use-sync-external-store": "^1.5.0"
             },
"engines": {
    "node": ">=10"
              },
"node_modules/@humanfs/core": {
    "version": "0.19.1",
```

```
"resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.1.tgz",
              "integrity"
"sha512-5DyQ4+1JEUzejeK1JGICcideyfUbGixqS9jNqex5nqkW+cY7WZhxBiqmieN5Qnw9ZosSNVC9KQKyb+GUaGyKUA==",
              "dev": true,
"license": "Apache-2.0",
"engines": {
    "node": ">=18.18.0"
          'node modules/@humanfs/node": {
              "version": "0.16.7",
"resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.7.tgz",
              "integrity"
"sha512-/zUx+y0sIrG4Y43Eh2peDeKCxlRt/gET6aHfaKpuq267qXdYDFViVHfMaLyygZOnl0kGWxFIgsBy8QFuTLUXEQ==",
              "dev": true,
"license": "Apache-2.0",
               "dependencies": {
                    "@humanfs/core": "^0.19.1",
                   "@humanwhocodes/retry": "^0.4.0"
              },
"engines": {
    "node": ">=18.18.0"
         },
"node_modules/@humanwhocodes/module-importer": {
              "version": "1.0.1",
"resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-
"sha512-bxveV4V8v5Yb4ncFTT3rPSgZB0pCkjfK0y4oVVVJwIuDVBRMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
              "dev": true,
"license": "Apache-2.0",
"engines": {
    "node": ">=12.22"
              },
"funding": {
    "type": "github",
    "url": "https://github.com/sponsors/nzakas"
         },
"node_modules/@humanwhocodes/retry": {
              "version": "0.4.3",
"resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
              "integrity":
"sha512-bV0Tgo9K4hfPCek+aMAn81RppFKv2ySDQeMoSZuvTASywNTnVJCArCZE2FWqpvIatKu7VMRLWlR1EazvVhDyhQ==",
              "dev": true,
"license": "Apache-2.0",
              "engines": {
    "node": ">=18.18"
              },
"funding": {
    "type": "github",
    "url": "https://github.com/sponsors/nzakas"
         },
"node_modules/@inertiajs/core": {
              "version": "2.1.4", "resolved": "https://registry.npmjs.org/@inertiajs/core/-/core-2.1.4.tgz",
              "integrity":
"sha512-Mvq9itSwlAatS2zc6I+Pyu2bLnmgEm/fHwDd1AQ8xZUCLBKW5IaE2Y8hKKcuKcACU2Nu68jASq+hP5Inq7WXAQ==",
              "license": "MIT"
              "dependencies": {
                    "@types/lodash-es": "^4.17.12",
                   "axios": "^1.11.0",
"lodash-es": "^4.17.21",
                   "qs": "^6.9.0"
              }
         },
"node_modules/@inertiajs/react": {
              "version": "2.1.4",
"resolved": "https://registry.npmjs.org/@inertiajs/react/-/react-2.1.4.tgz",
               "integrity":
"sha512-vgvlMY/rh3sWsZRnJoeE4Sdu5basBu1z4CHk4KWzlmFWYzV+gGxIVRTgsdWn6rbfaUgD03FSG5WYrpYe94WOow==",
```

```
"license": "MIT",
              "dependencies": {
                   "@inertiajs/core": "2.1.4",
                   "@types/lodash-es": "^4.17.12", "lodash-es": "^4.17.21"
              "peerDependencies":
                   "react": "^16.9.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
         },
"node_modules/@isaacs/fs-minipass": {
              "version": "4.0.1",
"resolved": "https://registry.npmjs.org/@isaacs/fs-minipass/-/fs-minipass-4.0.1.tgz",
              "integrity":
"sha512-wgm9Ehl2jpeqP3zw/7mo3kRHFp5MEDhqAdwy1fTGkHAwnkG0VsgpvQhL8B5n1qlb01jV3n/bI0ZfZp5lWA1k4w==", "license": "ISC",
              "dependencies": {
    "minipass": "^7.0.4"
             },
"engines": {
    "node": ">=18.0.0"
         },
"node_modules/@jridgewell/gen-mapping": {
              "version": "0.3.13",
"resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-
mapping-0.3.13.tgz"
               "integrity"
"sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQ0zaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
              "license": "MIT",
              "dependencies": {
                   "@jridgewell/sourcemap-codec": "^1.5.0",
                   "@jridgewell/trace-mapping": "^0.3.24"
         },
"node_modules/@jridgewell/remapping": {
              "version": "2.3.5",
"resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
              "integrity"
"sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVY0wi2fUC6xB43lueCjgxV4lff0CZCtYFiH6TN0X+tQKXx97T4IKHbhyHEQ==",
               "license": "MIT",
              "dependencies":
                   "@jridgewell/gen-mapping": "^0.3.5",
"@jridgewell/trace-mapping": "^0.3.24"
          "node modules/@jridgewell/resolve-uri": {
              "version": "3.1.2",
"resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-
uri-3.1.2.tgz",
"integrity"
"sha512-bRISgCIjPŽ0/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
              "license": "MIT",
"engines": {
    "node": ">=6.0.0"
         },
"node_modules/@jridgewell/sourcemap-codec": {
              "version": "1.5.5",
"resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-
codec-1.5.5.tgz",
               "integrity":
"sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRf0UhY9fy2zTvfoqWsnebh8Sl70VScFbICvJnLKB00q==",
              "license": "MIT"
         },
"node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.30",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-
mapping-0.3.30.tgz",
               "integrity":
"sha512-GQ7Nw5G2lTu/BtHTKfXhKHok2WGetd4XYcVKGx00SjAk8GMwgJM3zr6z0RiPGu0E+/vkc90KtTosSSvaCjKb2Q==",
               'license": "MIT"
              "dependencies": {
```

```
"@jridgewell/resolve-uri": "^3.1.0",
                   "@jridgewell/sourcemap-codec": "^1.4.14"
              }
         },
"node modules/@laravel/vite-plugin-wayfinder": {
              "version": "0.1.3",
"resolved": "https://registry.npmjs.org/@laravel/vite-plugin-wayfinder/-/vite-plugin-
wayfinder-0.1.3.tgz"
               'integrity":
"sha512-S/21Lzl7lci7LrRo/VsN5AXT02AMf7rs+OPTyt3VPgffBB1wTrzwsPr28sCU0gcR/APhfC1eVIUwpLbAvBmyKw==",
              "dev": true,
"license": "MIT"
         },
"node_modules/@nodelib/fs.scandir": {
              "version": "2.1.5",
"resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
               "integrity"
"sha512-vq24Bq3ym5HEQm2NKCr3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62q==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                   "@nodelib/fs.stat": "2.0.5",
"run-parallel": "^1.1.9"
              },
"engines": {
    "node": ">= 8"
         },
"node_modules/@nodelib/fs.stat": {
              "version": "2.0.5",
"resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
              "integrity"
"sha512-RkhPPp2zrqDAQA/2jNhnztcPAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 8"
         },
"node_modules/@nodelib/fs.walk": {
              "version": "1.2.8",
"resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
               "integrity":
"sha512-oGB+UxlgWcgQkgwo8GcEGwemoTFt3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==", "dev": true, "license": "MIT",
              "dependencies": {
                   "@nodelib/fs.scandir": "2.1.5",
"fastq": "^1.6.0"
              },
"engines": {
    "node": ">= 8"
         },
"node_modules/@playwright/test": {
              "version": "1.55.0",
"resolved": "https://registry.npmjs.org/@playwright/test/-/test-1.55.0.tgz",
               "integrity":
"sha512-04IXzPwHrW69XusN/SIdDdKZBzMf0T9UNT/YiJit/xpy2VuAoB8NHc8Aplb96zsWDddLnbkPL3TsmrS04ZU2xQ==",
              "dev": true,
"license": "Apache-2.0",
              "dependencies": {
    "playwright": "1.55.0"
              },
"bin": {
"pla"
                   "playwright": "cli.js"
               "engines": {
"node": ">=18"
         },
"node_modules/@radix-ui/number": {
```

```
"resolved": "https://registry.npmjs.org/@radix-ui/number/-/number-1.1.1.tgz",
               "integrity"
"sha512-MkKCwxlXTgz6CFoJx3pCwn07GKp36+aZyu/u2Ln2VrA5DcdyCZkASEDBTd8x5whT00L5CiYf4prXKLcq0dv29q==",
               "license": "MIT'
          },
"node_modules/@radix-ui/primitive": {
               "version": "1.1.3",
"resolved": "https://registry.npmjs.org/@radix-ui/primitive/-/primitive-1.1.3.tqz",
               "integrity":
"sha512-JTF99U/6XĬjCBó0wqkU5sK10glYe27MRRsfwoiq5zz0EZLHU3A3KCMa5X/azekYRCJ0HlwI0crAXS/5dEHTzDg==",
               "license": "MIT"
          },
"node_modules/@radix-ui/react-arrow": {
               "integrity":
"sha512-F+M1tLh0+mlQaÓWspE8Wstq+z6PwxwRd8oQ8IXceWz92kfAmalTRf0EjrouQeo7QssEPfCn05B4Ihs1K9WQ/7w==",
               "license": "MIT",
"dependencies": {
                     '@radix-ui/react-primitive": "2.1.3"
               "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
                     "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                "peerDependenciesMeta": {
                     "@types/react": {
    "optional": true
                    },
"@types/react-dom": {
                          "optional": true
           node modules/@radix-ui/react-avatar": {
               "version": "1.1.10",
"resolved": "https://registry.npmjs.org/@radix-ui/react-avatar/-/react-
avatar-1.1.10.tgz",
                "integrity":
"sha512-V8piFfWapM50mNCXTzVOY+E1rDa53zY+M04Y7356v4fFz6vgCyUtIz2rUD44ZEdwg78/jKmMJHj07+C/Z/rcog==".
                "license": "MIT"
               "dependencies": {
                    "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1",
"@radix-ui/react-use-is-hydrated": "0.1.0",
                     "@radix-ui/react-use-layout-effect": "1.1.1"
              },
"peerDependencies": {
    "@types/react": "*",
    "@etypes/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                     "@types/react": {
    "optional": true
                     "@types/react-dom": {
    "optional": true
          },
"node_modules/@radix-ui/react-checkbox": {
               "version": "1.3.3",
"resolved": "https://registry.npmjs.org/@radix-ui/react-checkbox/-/react-
checkbox-1.3.3.tgz",
               "integrity":
"sha512-wBbpv+NQftHDdG86Qc0pIyXk5IR3tM8Vd0nWLKDcX8nNn4nXF0FwsKuqw2okA/1D/mpaAkmuyndrPJTYDNZtFw==",
                "license": "MIT<sup>"</sup>
               "dependencies": {
```

```
"@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2",
"@radix-ui/react-presence": "1.1.5",
"@radix-ui/react-primitive": "2.1.3",
                         "@radix-ui/react-use-controllable-state": "1.2.2",
                         "@radix-ui/react-use-previous": "1.1.1",
"@radix-ui/react-use-size": "1.1.1"
                  },
"peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "-----dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-
                         "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                    ,,
'peerDependenciesMeta": {
                         "@types/react": {
    "optional": true
                         optional": true
                  }
            },
"node_modules/@radix-ui/react-collapsible": {
                   "version": "1.1.12",
"resolved": "https://registry.npmjs.org/@radix-ui/react-collapsible/-/react-
collapsible-1.1.12.tgz",
"integrity"
"sha512-Uu+mSh4agx2ib1uIGPP4/CKNULyajb3p92LsVXmH2EHVMTfZWpll88XJ0j4W0z3f8NK1eYl1+Mf/szHPmcHzyA==",
                    "license": "MIT"
                   "dependencies": {
                         "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
                         "@radix-ui/react-context": "1.1.2",
                         "@radix-ui/react-id": "1.1.1",

"@radix-ui/react-presence": "1.1.5",

"@radix-ui/react-primitive": "2.1.3",

"@radix-ui/react-use-controllable-state": "1.2.2",
                         "@radix-ui/react-use-layout-effect": "1.1.1"
                  },
"peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*"
    "^16.8 || ^17.
                         "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                   "peerDependenciesMeta": {
                         "@types/react": {
    "optional": true
                         "optional": true
              "node_modules/@radix-ui/react-collection": {
    "version": "1.1.7",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-collection/-/react-
collection-1.1.7.tgz",
                   "integrity":
"@radix-ui/react-compose-refs": "1.1.2",
                         "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-slot": "1.2.3"
                   "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
```

```
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
             "@types/react-dom": {
                       "optional": true
             }
        },
"node_modules/@radix-ui/react-compose-refs": {
             "version": "1.1.2",
"resolved": "https://registry.npmjs.org/@radix-ui/react-compose-refs/-/react-compose-
refs-1.1.2.tgz"
              intearity
"sha512-z4eqJvfiNnFMHÍIvXP3CY57y2WJs5g2v3X0zm9mEJkrkNv4rDxu+sg9Jh8EkXyeqBkB7S0cboo9dMVqhyrACIg==",
              "license": "MIT",
             "peerDependencies": {
    "@types/react": "*"
                  "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
              'peerDependenciesMeta": {
                  "@types/react": {
     "optional": true
        },
"node_modules/@radix-ui/react-context": {
             "version": "1.1.2",
             "resolved": "https://registry.npmjs.org/@radix-ui/react-context/-/react-
context-1.1.2.tgz",
              "intearity":
"sha512-jCi/QKUM2r1Ju5a3J64TH2A5SpKAqh0LpknyqdQ4m6DCV0xJ2HG1xARRwNGPQfi1SLdLWZ10Jz6F40MBBNiGJA==",
              "license": "MIT",
             "peerDependencies": {
    "@types/react": "*"
                  "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
              .
|peerDependenciesMeta": {
                  "@types/react": {
    "optional": true
         },
"node_modules/@radix-ui/react-dialog": {
              "version": "1.1.15",
              "resolved": "https://registry.npmjs.org/@radix-ui/react-dialog/-/react-
dialog-1.1.15.tgz",
              "integrity":
"@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
                  "@radix-ui/react-context": "1.1.2"
                  "@radix-ui/react-dismissable-layer": "1.1.11",
                  "@radix-ui/react-focus-guards": "1.1.3",
"@radix-ui/react-focus-scope": "1.1.7",
                  "@radix-ui/react-id": "1.1.1"
                  "@radix-ui/react-portal": "1.1.9"
                  "@radix-ui/react-presence": "1.1.5",
"@radix-ui/react-primitive": "2.1.3",
                  "@radix-ui/react-slot": "1.2.3"
                  "@radix-ui/react-use-controllable-state": "1.2.2",
                  "aria-hidden": "^1.2.4",
"react-remove-scroll": "^2.6.3"
              "@types/react : " ,
"@types/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
```

```
"@types/react": {
    "optional": true
                          },
"@types/react-dom": {
    "optional": true
                   }
            },
"node_modules/@radix-ui/react-direction": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-direction/-/react-
direction-1.1.1.tgz",
                    "integrity":
"sha512-1UEWRX6jnOA2y4H5WczZ44gO0jTEmlqv1uNW4GAJEO5+bauCBhv8snY65Iw5/VOS/ghKN9gr2KjnLKxrsvoMVw==", "license": "MIT",
                   "peerDependencies": {
    "@types/react": "*"
                          "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                     'peerDependenciesMeta": {
                          "@types/react": {
     "optional": true
              ,,
"node_modules/@radix-ui/react-dismissable-layer": {
"version": "1.1.11",
"resolved": "https://registry.npmjs.org/@radix-ui/react-dismissable-layer/-/react-
dismissable-layer-1.1.11.tgz",
                    "integrity":
"sha512-Nqcp+t5cTB8BinFkZgXiMJniQH0PsUt2k51FUhbdfeKvc4ACcG2uQniY/8+h1Yv6Kza4Q7lD7PQV0z0oicE0Mg==", "license": "MIT",
                   "dependencies": {
                         "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1"
                          "@radix-ui/react-use-escape-keydown": "1.1.1"
                  },
"peerDependencies": {
    "@types/react": "*",
    "dtypes/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                          "@types/react": {
    "optional": true
                          },
"@types/react-dom": {
                                 optional": true
              ,,
"node_modules/@radix-ui/react-dropdown-menu": {
"version": "2.1.16",
"resolved": "https://registry.npmjs.org/@radix-ui/react-dropdown-menu/-/react-dropdown-
menu-2.1.16.tgz",
                    "integrity":
"sha512-1PLGQEynI/30X/ftV54COn+3Sud/Mn8vALg2rWnBLnRaGtJDduNW/22XjlGgPdpcIbiQxjKtb7BkcjP00nqfJw==", "license": "MIT", "dependencies": {
                          "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
                          "@radix-ui/react-context": "1.1.2",
                         "@radix-ui/react-context: 1.1.2,
"@radix-ui/react-id": "1.1.1",
"@radix-ui/react-menu": "2.1.16",
"@radix-ui/react-primitive": "2.1.3",
                          "@radix-ui/react-use-controllable-state": "1.2.2"
                   },
"peerDependencies": {
```

```
"@types/react": "*",
"@types/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
                   "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
              "@types/react": {
    "optional": true
                   },
"@types/react-dom": {
    "optional": true
              }
          node modules/@radix-ui/react-focus-guards": {
              "version": "1.1.3",
"resolved": "https://registry.npmjs.org/@radix-ui/react-focus-guards/-/react-focus-
"sha512-0rFg/Rj2Q62NCm62jZw0QX7a3sz6QCQU0LpZdNrJX8byRGaGVTqbrW9jAoIAHyMQqsNpeZ81YgSizOt5WXq0Pw==", "license": "MIT",
              "ticense": "Mil",
"peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
               peerDependenciesMeta": {
                   "@types/react": {
    "optional": true
          ,,
'node_modules/@radix-ui/react-focus-scope": {
    "version": "1.1.7",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-focus-scope/-/react-focus-
scope-1.1.7.tgz",
               'integrity
"@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1"
               "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
               ,
'peerDependenciesMeta": {
                   "@types/react": {
    "optional": true
                   optional": true
              }
         },
"node_modules/@radix-ui/react-id": {
              "version": "1.1.1",
"resolved": "https://registry.npmjs.org/@radix-ui/react-id/-/react-id-1.1.1.tgz",
              "integrity":
"sha512-kGkGegYIdÕsObÁXjsfM97rXsiHaBwco+hFI66oO4s9LU+PLAC5oJ7khdOVFxkhsmlbpUqDAvXw11CluXP+jkHg==",
              "license": "MIT",
              "dependencies": {
    "@radix-ui/react-use-layout-effect": "1.1.1"
              "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
               'peerDependenciesMeta": {
                   "@types/react": {
```

```
"optional": true
                          }
                   }
              'node modules/@radix-ui/react-label": {
                    "version": "2.1.7",
"resolved": "https://registry.npmjs.org/@radix-ui/react-label/-/react-label-2.1.7.tgz",
                    "integrity"
"sha512-YT1GqPSL8kJn20djelMX7/cTRp/Y9w5IZHvfxQTVHr0qa2yMl7i/UfMqKRU5V7mEyKTrUVgJXhNQPVCG8PBLoQ==", "license": "MIT",
                    "dependencies": {
                           "@radix-ui/react-primitive": "2.1.3"
                     "@types/react": "*",
"@types/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                     'peerDependenciesMeta": {
                           "@types/react": {
    "optional": true
                           "@types/react-dom": {
                                  optional": true
                   }
             },
"node_modules/@radix-ui/react-menu": {
                    "version": "2.1.16",
"resolved": "https://registry.npmjs.org/@radix-ui/react-menu/-/react-menu-2.1.16.tgz",
                    "integrity"
"sha512-72F2T+PLlphrqLcAotYPp0uJMr5SjP5SL01wfEspJbru5Zs5vQaSHb4VB3ZMJPimgHHCHG7gM0e0B9H3Hdmtxg==", "license": "MIT",
                    "dependencies": {
                          "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-collection": "1.1.7"
                           "@radix-ui/react-compose-refs": "1.1.2",
                          "@radix-ui/react-compose-rers : 1.1.2 ,
"@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1",
"@radix-ui/react-dismissable-layer": "1.1.11",
                          "@radix-ui/react-dismissable-layer": "1.1
"@radix-ui/react-focus-guards": "1.1.3",
"@radix-ui/react-focus-scope": "1.1.7",
"@radix-ui/react-id": "1.1.1",
"@radix-ui/react-popper": "1.2.8",
"@radix-ui/react-portal": "1.1.9",
"@radix-ui/react-presence": "1.1.5",
"@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-roving-focus": "1.1.11",
"@radix-ui/react-slot": "1.2.3",
"@radix-ui/react-use-callback-ref": "1.1.11",
                          "@radix-ui/react-use-callback-ref": "1.1.1",
"aria-hidden": "^1.2.4",
"react-remove-scroll": "^2.6.3"
                   "@types/react": "*",
"@types/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                   "@types/react": {
    "optional": true
                          "optional": true
                   }
              "node_modules/@radix-ui/react-navigation-menu": {
                    "version": "1.2.14",
"resolved": "https://registry.npmjs.org/@radix-ui/react-navigation-menu/-/react-
navigation-menu-1.2.14.tgz",
```

```
"integrity":
"sha512-YB9mTFQvCOAQMHU+C/jVl96WmuWeltyUEpRJJky51huhds5W2FQr1J8D/16sQlf0ozxkPK8uF3niQMdUwZPv5w==",
                        "license": "MIT"
                        "dependencies": {
    "@radix-ui/primitive": "1.1.3",
    "@radix-ui/react-collection": "1.1.7",
    "@radix-ui/react-compose-refs": "1.1.2",
    "@radix-ui/react-context": "1.1.2",
    "@radix-ui/react-direction": "1.1.1",
                                "@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-id": "1.1.1",
"@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-primitive": "2.1.3",
                                "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1",
"@radix-ui/react-use-controllable-state": "1.2.2",
                                "@radix-ui/react-use-layout-effect": "1.1.1",
"@radix-ui/react-use-previous": "1.1.1",
                                "@radix-ui/react-visually-hidden": "1.2.3"
                        },
"peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                        "@types/react": {
    "optional": true
                                },
"@types/react-dom": {
    "optional": true
                        }
               },
"node_modules/@radix-ui/react-popover": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-popover/-/react-
popover-1.1.15.tgz"
                         "integrity"
"@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
                                "@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2",
"@radix-ui/react-dismissable-layer": "1.1.11",
"@radix-ui/react-focus-guards": "1.1.3",
"@radix-ui/react-focus-scope": "1.1.7",
"@radix-ui/react-id": "1.1.1",
"@radix-ui/react-popper": "1.2.8",
"@radix-ui/react-portal": "1.1.9",
"@radix-ui/react-presence": "1.1.5"
                                "@radix-ui/react-presence": "1.1.5",
"@radix-ui/react-primitive": "2.1.3",
                                "@radix-ui/react-slot": "1.2.3"
                                "@radix-ui/react-use-controllable-state": "1.2.2",
"aria-hidden": "^1.2.4",
"react-remove-scroll": "^2.6.3"
                          "@types/react : ",
"etypes/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                        "@types/react": {
    "optional": true
                                },
"@types/react-dom": {
    "optional": true
                        }
                },
```

```
"node modules/@radix-ui/react-popper": {
                   "version": "1.2.8",
"resolved": "https://registry.npmjs.org/@radix-ui/react-popper/-/react-
"sha512-0NJQ4LFFUuWkE70xf0htBKS6zLkkjBH+hM1uk7Ng705ReR8m/uelduy1DBo0PyBXPKVnBA6YBlU94MBGXrSBCw==",
                    "license": "MIT",
                   "dependencies": {
                         "endencies": {
  "@floating-ui/react-dom": "^2.0.0",
  "@radix-ui/react-arrow": "1.1.7",
  "@radix-ui/react-compose-refs": "1.1.2",
                         "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-primitive": "2.1.3"
                        "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-callback-ref": "1.1.1",
"@radix-ui/react-use-layout-effect": "1.1.1",
"@radix-ui/react-use-rect": "1.1.1",
"@radix-ui/react-use-size": "1.1.1",
"@radix-ui/rect": "1.1.1"
                  },
"peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                         "@types/react": {
    "optional": true
                         },
"@types/react-dom": {
    "optional": true
                  }
            },
"node_modules/@radix-ui/react-portal": {
                   "version": "1.1.9",
"resolved": "https://registry.npmjs.org/@radix-ui/react-portal/-/react-
portal-1.1.9.tgz",
"integrity":
"sha512-bpIxvq03if6UNwXZ+HTK71JLh4APvnXntDc6X0X8UVq4XQ0Vl7lwok0AvIl+b8zgCw3fSaVTZMpAPPagXbKmHQ==",
                   "license": "MIT",
"dependencies": {
                         "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-use-layout-effect": "1.1.1"
                   "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                    'peerDependenciesMeta": {
                         "@types/react": {
    "optional": true
                          '@types/react-dom": {
                                optional": true
            },
"node_modules/@radix_ui/react-presence": {
                   "version": "1.1.5",
"resolved": "https://registry.npmjs.org/@radix-ui/react-presence/-/react-
"@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-use-layout-effect": "1.1.1"
                   "peerDependencies": {
    "@types/react": "*",
```

```
"@types/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                 "peerDependenciesMeta": {
                      "@types/react": {
                            "optional": true
                      "@types/react-dom": {
    "optional": true
          },
"node_modules/@radix-ui/react-primitive": {
                "version": "2.1.3",
"resolved": "https://registry.npmjs.org/@radix-ui/react-primitive/-/react-
primitive-2.1.3.tgz",
                 "integrity":
"sha512-m9qTwRkhy2lvCPe6QJp4d3G1TYEUHn/FzJUtq9MjH46an1wJU+GdoGC5VLof8RX8Ft/DlpshApkhswDLZzHIcQ==",
                "license": "MIT",
"dependencies": {
    "@radix-ui/react-slot": "1.2.3"
                 },
"peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                 "peerDependenciesMeta": {
                      "@types/react": {
    "optional": true
                      optional": true
                }
          },
"node_modules/@radix-ui/react-roving-focus": {
                 "version": "1.1.11"
                "resolved": "https://registry.npmjs.org/@radix-ui/react-roving-focus/-/react-roving-
focus-1.1.11.tgz",
                "integrity":
"sha512-7A6S9jSgm/S+7MdtNDSb+IU859vQqJ/QAtcYQcfFC6W8RS4IxIZDldLR0xqCFZ6DCyrQLjLPsxtTNch5jVA4lA==",
    "license": "MIT",
    "dependencies": {
                      "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-collection": "1.1.7",
"@radix-ui/react-compose-refs": "1.1.2",
                      "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1",
                      "@radix-ui/react-uirection: 1.1.1",

"@radix-ui/react-id": "1.1.1",

"@radix-ui/react-primitive": "2.1.3",

"@radix-ui/react-use-callback-ref": "1.1.1",
                      "@radix-ui/react-use-controllable-state": "1.2.2"
                 "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                "@types/react": {
    "optional": true
                      },
"@types/react-dom": {
                            optional": true
          },
"node_modules/@radix-ui/react-select": {
```

```
"resolved": "https://registry.npmjs.org/@radix-ui/react-select/-/react-
"sha512-I30RydO+bnn2PQztvo25tswPH+wFBjehVGtmagkU78yMdwTwVf12wnA0F+AeP8S2N8xD+5UPbGhkUfPyvT+mwQ==", "license": "MIT",
                   "dependencies": {
                         "@radix-ui/number": "1.1.1",
"@radix-ui/primitive": "1.1.3"
                         "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-collection": "1.1.7",
"@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1",
"@radix-ui/react-dismissable-layer": "1.1.11",
                         "Gradix-ui/react-dismissable-tayer: 1
"@radix-ui/react-focus-guards": "1.1.3"
"@radix-ui/react-focus-scope": "1.1.7",
"@radix-ui/react-id": "1.1.1",
"@radix-ui/react-popper": "1.2.8",
"@radix-ui/react-portal": "1.1.9",
                                                                           "1.1.3",
                         "@radix-ui/react-primitive": "2.1.3",
"@radix-ui/react-slot": "1.2.3",
                         "@radix-ui/react-stot: 1.2.3,

"@radix-ui/react-use-callback-ref": "1.1.1",

"@radix-ui/react-use-controllable-state": "1.2.2",

"@radix-ui/react-use-layout-effect": "1.1.1",

"@radix-ui/react-use-previous": "1.1.1",
                         "@radix-ui/react-visually-hidden": "1.2.3",
"aria-hidden": "^1.2.4",
"react-remove-scroll": "^2.6.3"
                    "peerDependencies": {
    "@types/react": "*",
    "@types/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
                         "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                    peerDependenciesMeta": {
                         "@types/react": {
    "optional": true
                         },
"@types/react-dom": {
                                optional": true
                   }
            },
"node_modules/@radix-ui/react-separator": {
                   "version": "1.1.7",
"resolved": "https://registry.npmjs.org/@radix-ui/react-separator/-/react-
separator-1.1.7.tgz"
                   "integrity":
"peerDependencies": {
    "@types/react": "*",
                         "@types/react-dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                   "@types/react": {
    "optional": true
                         },
"@types/react-dom": {
    "optional": true
                  }
            "sha512-aeNmHnBxbi2St0au6VBVC7JXFlhLlOnvIIlePNniyUNAClzmtAUEY8/pBiK3iHjuf0lwA+c20/8jngo7xcrg8A==",
```

```
"license": "MIT",
                  "dependencies": {
                         "@radix-ui/react-compose-refs": "1.1.2"
                   ,
'peerDependenciesMeta": {
                         "@types/react": {
    "optional": true
                  }
             ,,
'node_modules/@radix-ui/react-tabs": {
    "version": "1.1.13",
    "resolved": "https://registry.npmjs.org/@radix-ui/react-tabs/-/react-tabs-1.1.13.tgz",
                  "integrity":
"sha512-7xdcatg7/Ŭ+7+Údyoj2zodt19H/IIopqo+Y0IcZOq1nJwXWBZ9p8xiu5llXlekDbZkca79a/fozEYQXIA4sW6A==",
                  "license": "MIT",
"dependencies": {
                        "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1",
                        "@radix-ui/react-id": "1.1.1",
                        "@radix-ui/react-resence": "1.1.5",

"@radix-ui/react-primitive": "2.1.3",

"@radix-ui/react-roving-focus": "1.1.11",
                        "@radix-ui/react-use-controllable-state": "1.2.2"
                 },
"peerDependencies": {
    "@types/react": "*",
    "getypes/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                         },
"@types/react-dom": {
                               "optional": true
                  }
           },
"node_modules/@radix-ui/react-toggle": {
                  "version": "1.1.10",
"resolved": "https://registry.npmjs.org/@radix-ui/react-toggle/-/react-
toggle-1.1.10.tgz",
                   "integrity":
"sha512-lS1odchhFTeZv3xwHH31YPObmJn8g0g7Lq12inrr0+BH/l3Tsq32VfjqH1oh80ARM3mlkfMic15n0kg4sD1poQ==",
    "license": "MIT",
    "dependencies": {
                        "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-primitive": "2.1.3",
                        "@radix-ui/react-use-controllable-state": "1.2.2"
                 },
"peerDependencies": {
    "@types/react": "*",
    "etypes/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                        "@types/react": {
    "optional": true
                        },
"@types/react-dom": {
    "optional": true
                  }
           },
"node_modules/@radix-ui/react-toggle-group": {
```

```
"version": "1.1.11",
               "resolved": "https://registry.npmjs.org/@radix-ui/react-toggle-group/-/react-toggle-
aroup-1.1.11.tgz",
                "integrity":
"sha512-5umnS0T8JQzQT6HbPy07Hh9dgd82NmS36DQr+X/YJ9ctFNCiiQd6IJAYYZ33LUwm8M+taCz5t2ui29fHZc4Y6Q==",
                "license": "MIT",
               "dependencies": {
                     "@radix-ui/primitive": "1.1.3"
                    "@radix-ui/react-context": "1.1.2",
"@radix-ui/react-direction": "1.1.1",
                     "@radix-ui/react-primitive": "2.1.3"
                    "@radix-ui/react-roving-focus": "1.1.11",
"@radix-ui/react-toggle": "1.1.10",
                     "@radix-ui/react-use-controllable-state": "1.2.2"
               "@types/react.dom": "*",
"react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
                    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                "peerDependenciesMeta": {
                     "@types/react": {
     "optional": true
                    },
"@types/react-dom": {
                          "optional": true
               }
          },
"node_modules/@radix-ui/react-tooltip": {
               "version": "1.2.8",
"resolved": "https://registry.npmjs.org/@radix-ui/react-tooltip/-/react-
tooltip-1.2.8.tgz"
                "integrity":
"sha512-tY7sVt1yL9ozIxvmbtN5qtmH2krXcBCfjEiCgKGLqunJHvqvZG2Pcl2oQ3kbcZARb1BGEHdkLzcYGO8ynVlieg==",
               "license": "MIT",
               "dependencies": {
                    "@radix-ui/primitive": "1.1.3",
"@radix-ui/react-compose-refs": "1.1.2",
"@radix-ui/react-context": "1.1.2",
                     "@radix-ui/react-dismissable-layer": "1.1.11",
                    "@radix-ui/react-uismissabte-tayer".

"@radix-ui/react-id": "1.1.1",

"@radix-ui/react-popper": "1.2.8",

"@radix-ui/react-portal": "1.1.9",

"@radix-ui/react-primitive": "2.1.3",
                     "@radix-ui/react-slot": "1.2.3"
                     "@radix-ui/react-use-controllable-state": "1.2.2",
                     "@radix-ui/react-visually-hidden": "1.2.3"
              },
"peerDependencies": {
    "@types/react": "*",
    "dtypes/react-dom": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
    "react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                     "@types/react": {
    "optional": true
                    },
"@types/react-dom": {
                          optional": true
"sha512-FkBMwD+qbGQeMu1cOHnuGB6x4yzPjho8ap5WtbEJ26umhqqVXbhekKUQO+hZEL1vU92a3wHwdp0HAcqAUF5iDq==",
               "license": "MIT",
```

```
"peerDependencies": {
    "@types/react": "*"
                       "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                  'peerDependenciesMeta": {
                       "@types/react": {
                              optional": true
           },
"node_modules/@radix-ui/react-use-controllable-state": {
                 "version": "1.2.2",
"resolved": "https://registry.npmjs.org/@radix-ui/react-use-controllable-state/-/react-
use-controllable-state-1.2.2.tgz",
                  "integrity":
"sha512-BjasUjixP\breve{\mathsf{F}}\mathsf{dS}+ \mathsf{N}\mathsf{K}\mathsf{k}\mathsf{y}\mathsf{p}\mathsf{c}\mathsf{y}\mathsf{y}\mathsf{N}\mathsf{5}\mathsf{P}\mathsf{m}\mathsf{g}\mathsf{8}\mathsf{3}\mathsf{0}\mathsf{1}\mathsf{s}\mathsf{t}\mathsf{0} + \mathsf{c}\mathsf{6}\mathsf{v}\mathsf{G}\mathsf{o}\mathsf{v}\mathsf{0}\mathsf{d}\mathsf{i}\mathsf{w}\mathsf{T}\mathsf{E}\mathsf{o}\mathsf{6}\mathsf{m}\mathsf{g}\mathsf{d}\mathsf{q}\mathsf{V}\mathsf{R}\mathsf{6}\mathsf{h}\mathsf{x}\mathsf{c}\mathsf{E}\mathsf{g}\mathsf{F}\mathsf{u}\mathsf{h}\mathsf{4}\mathsf{Q}\mathsf{r}\mathsf{A}\mathsf{s}\mathsf{7}\mathsf{R}\mathsf{c} + \mathsf{9}\mathsf{K}\mathsf{u}\mathsf{G}\mathsf{J}\mathsf{9}\mathsf{T}\mathsf{V}\mathsf{C}\mathsf{j}\mathsf{0}\mathsf{Z}\mathsf{z}\mathsf{g} = = ",
                  'ĺicense": "MÏT
                 "dependencies": {
                        "@radix-ui/react-use-effect-event": "0.0.2"
                       "@radix-ui/react-use-layout-effect": "1.1.1"
                  ',
peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                 },
"peerDependenciesMeta": {
                        "@types/react": {
    "optional": true
           },
"node_modules/@radix-ui/react-use-effect-event": {
                 "version": "0.0.2",
"resolved": "https://registry.npmjs.org/@radix-ui/react-use-effect-event/-/react-use-
effect-event-0.0.2.tgz"
                  "integrity"
"sha512-Qp8WbZOBe+blgpuUT+lw2xheLP8q0oatc9UpmiemEICxGvFLYmHm9QowVZGHtJlGbS6A6yJ3iViad/2cVjn0iA==",
                 "license": "MIT",
"dependencies": {
                        "@radix-ui/react-use-layout-effect": "1.1.1"
                  "peerDependenciesMeta": {
                       "@types/react": {
                             "optional": true
           },
"node_modules/@radix-ui/react-use-escape-keydown": {
                 "version": "1.1.1",
"resolved": "https://registry.npmjs.org/@radix-ui/react-use-escape-keydown/-/react-use-
escape-keydown-1.1.1.tgz",
                  "integrity"
"sha512-Il0+boE7w/XebÚHyBjroE+DbByORGR9KKmITzbR7MyQ4akpORYP/ZmbhAr0DG7RmmBqoOnZdy2QlvajJ2QA59g==",
                 "license": "MIT",
"dependencies": {
                       "@radix-ui/react-use-callback-ref": "1.1.1"
                  "@types/react": {
    "optional": true
           },
"node_modules/@radix-ui/react-use-is-hydrated": {
```

```
"resolved": "https://registry.npmjs.org/@radix-ui/react-use-is-hydrated/-/react-use-is-
hydrated-0.1.0.tgz",
             "integrity":
"sha512-U+UORVEq+cTnRIaostJv9AGdV3G6Y+zbVd+12e18jQ5A3c0xL03IhnHuiU4UV69wol0Qp5GfR58NW/EgdQhw0A==",
             "license": "MIT"
             "dependencies": {
                 "use-sync-external-store": "^1.5.0"
             'peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
             "peerDependenciesMeta": {
                 "@types/react": {
    "optional": true
        },
"node_modules/@radix-ui/react-use-layout-effect": {
"integrity":
"sha512-RbJRS4UWQFkzHTTwVymMTUv8EqYhOp8dO0viLj2uqtTiXRaRQS7GLGxZTLL1jWhMeoSCf5zmcZkqTl9IiYfXcQ==",
             "license": "MIT",
             "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
             "peerDependenciesMeta": {
                 "@types/react": {
    "optional": true
        },
"node_modules/@radix-ui/react-use-previous": {
             "version": "1.1.1",
"resolved": "https://registry.npmjs.org/@radix-ui/react-use-previous/-/react-use-
previous-1.1.1.tgz"
             "integrity"
"sha512-2dHfToCj/pzca2Ck7240Z5L0EVrr3eHRNsG/b3xQJLA2hZpVCS99bLAX+hm1IHXDEnzU6by5z/5MIY794/a8NQ==",
             "license": "MIT",
             "peerDependencies": {
    "@types/react": "*"
                 "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
              'peerDependenciesMeta": {
                 "@types/react": {
     "optional": true
         "node modules/@radix-ui/react-use-rect": {
             "version": "1.1.1",
"resolved": "https://registry.npmjs.org/@radix-ui/react-use-rect/-/react-use-
rect-1.1.1.tgz"
             "integrity":
"sha512-QTYuDesS0VtuHŃNvMh+CjlKJ4LJickCMUAqjlE3+j8w+RlRpwyX3apEQKGFzbZGdo7XNG1tXa+bQqIE7HIXT2w==",
             "license": "MIT"
             "dependencies": {
                 "@radix-ui/rect": "1.1.1"
             peerDependenciesMeta": {
                 "@types/react": {
    "optional": true
        },
"node_modules/@radix-ui/react-use-size": {
```

```
"version": "1.1.1",
               "resolved": "https://registry.npmjs.org/@radix-ui/react-use-size/-/react-use-
size-1.1.1.tgz"
               integrity":
"sha512-ewrXRDTAqÄXlkĺ6t/fkXWNAhFX9I+CkKlw6zjEwk86RSPKwZr3xpBRso655aqYafwtnbpHLj6toFzmd6xdVptQ==",
               "license": "MIT",
"dependencies": {
    "@radix-ui/react-use-layout-effect": "1.1.1"
               ,
'peerDependencies": {
    "@types/react": "*",
    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
                peerDependenciesMeta": {
                    "@types/react": {
    "optional": true
              }
           node modules/@radix-ui/react-visually-hidden": {
               "version": "1.2.3",
"resolved": "https://registry.npmjs.org/@radix-ui/react-visually-hidden/-/react-
visually-hidden-1.2.3.tgz",
               "integrity"
"sha512-pzJq12tEaaIhqjbzpCuv/OypJY/BPavOofm+dbab+MHLajy277+1lLm6JFcGgF5eskJ6mquGirhXY2GD/8u8Ug==",
               "license": "MIT",
"dependencies": {
                    "@radix-ui/react-primitive": "2.1.3"
               "peerDependencies": {
    "@types/react": "*"
                    "@types/react": "*",
"@types/react-dom": "*"
                    "react": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc",
"react-dom": "^16.8 || ^17.0 || ^18.0 || ^19.0 || ^19.0.0-rc"
              "@types/react": {
    "optional": true
                   },
"@types/react-dom": {
    "optional": true
              }
         "sha512-HPwpGIzkl28mWyZqG52jiqDJ12waP11Pa1lGoiyUkIEuMLBP0oeK/C89esbXrxsky5we7dfd8U58nm0SqAWpVw==",
               "license": "MIT
         },
"node modules/@react-aria/focus": {
              "version": "3.21.1",
"resolved": "https://registry.npmjs.org/@react-aria/focus/-/focus-3.21.1.tgz",
               "integrity":
"sha512-hmH1IhHlcQ2lSIxmki1biWzMbGgnhdxJUM0MFfzc71Rv6YAzhlx4kX3GYn4VNcjCeb6cdPv4RZ5vunV4kgMZYQ==", "license": "Apache-2.0", "dependencies": {
                    "@react-aria/interactions": "^3.25.5",
                   "@react-aria/Interactions : 3.2"
"@react-aria/utils": "^3.30.1",
"@react-types/shared": "^3.32.0",
"@swc/helpers": "^0.5.0",
"clsx": "^2.0.0"
                    "react": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1",
                    "react-dom": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1"
          "node modules/@react-aria/interactions": {
               "version": "3.25.5",
"resolved": "https://registry.npmjs.org/@react-
aria/interactions/-/interactions-3.25.5.tgz",
```

```
"integrity":
"sha512-EweYHOEvMwef/wsiEqV73KurX/OqnmbzKQa2fLxdULbec5+yDj6wVGaRHIzM4NiijIDe+bldEl5DG05CAKOAHA==",
                "license": "Apache-2.0",
                "dependencies": {

    "@react-aria/ssr": "^3.9.10",

    "@react-aria/utils": "^3.30.1",

    "@react-stately/flags": "^3.1.2",

    "@react-types/shared": "^3.32.0",
                      "@swc/helpers": "^0.5.0"
                 "peerDependencies": {
    "react": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1",
                      "react-dom": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1"
          },
"node_modules/@react-aria/ssr": {
    "version": "3.9.10",
    "resolved": "https://registry.npmjs.org/@react-aria/ssr/-/ssr-3.9.10.tgz",
    "resolved": "https://registry.npmjs.org/@react-aria/ssr/-/ssr-3.9.10.tgz",
"sha512-hvTm77Pf+pMBhuBm760Li0BVI038jv1IBws1xFm1NoL26PU+fe+FMW5+VZWyANR6nYL65joaJKZq0dTQMk09IQ==",
                 "license": "Apache-2.0",
                "dependencies": {
                      "@swc/helpers": "^0.5.0"
                },
"engines": {
    "node": ">= 12"
    ""
                 },
"node_modules/@react-aria/utils": {
                "version": "3.30.1",
"resolved": "https://registry.npmjs.org/@react-aria/utils/-/utils-3.30.1.tgz",
                "integrity":
"sha512-zETcbDd6Vf9GbLnd06RiWJadIZsBU2MMm23rBACXLmpRztkrIqPEb2RVdlLaq1+GklDx0Ii6PfveVjx+8S5U6A==",
                "license": "Apache-2.0",
                "dependencies": {
    "@react-aria/ssr": "^3.9.10",
    "@react-stately/flags": "^3.1.2",
    "@react-stately/utils": "^3.10.8",
    "@react-types/shared": "^3.32.0",
                     "@swc/helpers": "^0.5.0", "clsx": "^2.0.0"
                 "peerDependencies": {
                      "react": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1",
                      "react-dom": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1"
          },
"node_modules/@react-stately/flags": {
                "version": "3.1.2",
"resolved": "https://registry.npmjs.org/@react-stately/flags/-/flags-3.1.2.tgz",
                "integrity":
"sha512-2HjFcZx1MyQXoPqcBGALwWWmgFVUk2TuKVIQxCbRq7fPyWXIl6VHcakCLurdtYC2Iks7zizvz0Idv48MQ38DWg==", "license": "Apache-2.0",
                "dependencies": {
                      "@swc/helpers": "^0.5.0"
            'node modules/@react-stately/utils": {
                "version": "3.10.8",
"resolved": "https://registry.npmjs.org/@react-stately/utils/-/utils-3.10.8.tgz",
                "integrity":
"sha512-SN3/h7SzRsusVQjQ4v10LaVsDc81jyyR0DD5HnsQitm/I5WDpaSr2nRHtyloPFU48jlql1XX/S04T2DLQM7Y3g==",
    "license": "Apache-2.0",
    "dependencies": {
        "@swc/helpers": "^0.5.0"
                 "peerDependencies": {
                      "react": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1"
          },
```

```
"node modules/@react-types/shared": {
              "wersion": "3.32.0",
"resolved": "https://registry.npmjs.org/@react-types/shared/-/shared-3.32.0.tgz",
              "integrity":
"sha512-t+cligIJsZYFMSPFMvsJMjzlzde06tZM0I0Fa10V5Z0BcMowrb2g4mB57j/9nP28iJIRYn10xCniQts+qadrqQ==", "license": "Apache-2.0",
              "peerDependencies": {
                  "react": "^16.8.0 || ^17.0.0-rc.1 || ^18.0.0 || ^19.0.0-rc.1"
         },
"node_modules/@rolldown/pluginutils": {
              "version": "1.0.0-beta.34",
              "resolved":
"https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-beta.34.tgz", "integrity":
"sha512-LyAREkZHP5pMom7c24meKmJCdhf2hEyvam2q0unr3or9ydwDL+DJ8chTF6Av/RFPb3rH8UFBdMz05MxTZW97oA==",
             "dev": true,
"license": "MIT"
        android-arm-eabi-4.50.0.tgz",
              "integrity"
"sha512-lVgpeQyy4fWN5QYebtW4buT/4kn4p4IJ+kDNB4uYNT5b8c8DLJDg6titg20NIg7E8RWwdWZORW6vUFfrLvG3KQ==",
              "cpu": [
"arm"
              ],
"license": "MIT",
"optional": true,
             "os": [
"android"
              1
         },
"node_modules/@rollup/rollup-android-arm64": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-android-
arm64-4.50.0.tgz",
"integrity":
"sha512-2073dR4Dc9bp+wSYhviP6sDziurB5/HCym7xILKifWdE9Us0e2FtNcM+I4xZjKrfLJnq5UR8k9riB87gauiQtw==",
              "cpu": [
"arm64"
             ],
"license": "MIT",
"optional": true,
              "os": [
"android"
         },
"node_modules/@rollup/rollup-darwin-arm64": {
    "version": "4.50.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-
arm64-4.50.0.tgz",
              "integrity":
"sha512-vwSX0N8T4sKf1RHr1F0s98Pf8UPz7pS6P3LG9NSmuw0TVh7EmaE+5Ny7hJ0Z0M2yuTctEsHHRTMi2wuHkdS6Hg==",
              "cpu": [
"arm64"
             ],
"license": "MIT",
"optional": true,
              "os": [
"darwin"
         },
"node_modules/@rollup/rollup-darwin-x64": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-
darwin-x64-4.50.0.tgz"
              "integrity"
"sha512-cQp/WG8HE7BCGyFVuzUg0FNmupxC+EPZEwWu2FCGGw5WDT1o2/YlENbm5e9SMvfDFR6FRhVCBePLgj0o8MN7Vw==",
              "cpu": [
                  "x64"
              1.
```

```
"license": "MIT",
              "optional": true,
              "os": [
                  "darwin"
         "node modules/@rollup/rollup-freebsd-arm64": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebsd-
arm64-4.50.0.tgz",
"integrity":
"sha512-UR1uTJFU/p801DvvBbtDD7z9mQL8J80xB0bR7DqW7UGQHRm/OaKzp4is7sQSdbt2pjjSS72eAtRh43hNduTnnQ==",
              "cpu": [
                  "arm64"
             ],
"license": "MIT",
"optional": true,
              "os": [
"freebsd"
          'node_modules/@rollup/rollup-freebsd-x64": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-
freebsd-x64-4.50.0.tgz"
              "integrity":
"sha512-G/DKyS6PKOdDO+VEzH/6n/hWDNPDZSMBmqsElWnCRGrY0b2jC0VSupp7UAHHQ4+QILwkxSMaYIbQ72dktp8pKA==",
              "cpu": [
"x64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"freebsd"
         },
"node_modules/@rollup/rollup-linux-arm-gnueabihf": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-
linux-arm-gnueabihf-4.50.0.tgz",
              "integrity"
"sha512-u72Mzc6jyJwKjJbZZcIYmd9bumJu7KNmHYdue43vT1rXPm2rITwmPWF0mmPzLm9/vJWxIRbao/jrQmxT00Sm9w==",
              "cpu": [
                  "arm"
             ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
         },
"node_modules/@rollup/rollup-linux-arm-musleabihf": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-
linux-arm-musleabihf-4.50.0.tgz",
              "integrity"
"sha512-S4UefYdV0tnynDJV1mdkNawp0E5Qm2MtSs330IyHgacc0FrwqsvgigUD29uT+B/70PDY1eQ3t40+xf6wIvXJyg==",
              cpu": [
"arm"
             ],
"license": "MIT",
" true
              "optional": true,
              "os": [
"linux"
         },
"node_modules/@rollup/rollup-linux-arm64-gnu": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-
arm64-gnu-4.50.0.tgz",
              "integrity":
"sha512-1EhkSvUQXJsIhk4msxP5nNAUWoB4MFDHhtc4gAYvnqoHlaL9V3F37pNHabndawsfy/Tp7BPiy/aSa6XBYbaD1q==",
              "cpu": [
```

```
"arm64"
             ],
"license": "MIT",
              "optional": true,
              "os": [
"linux"
         },
"node modules/@rollup/rollup-linux-arm64-musl": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-
arm64-musl-4.50.0.tgz"
              "integrity"
"sha512-EtBDIZuDtVg75xIPIK1l5vCXNNCIRM00BPUG+tbApDuJAy9mKago6QxX+tfMzbCI6tXEhMuZuN1+CU8iDW+0UQ==",
              "cpu": [
                  "arm64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
         },
"node_modules/@rollup/rollup-linux-loongarch64-gnu": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loongarch64-gnu/-/rollup-
linux-loongarch64-gnu-4.50.0.tgz",
              "integrity":
"sha512-BGYSwJdMPOHT5CCmljuSNx7+k+0upweM2M4YGfFBjnFSZMHOLYR0gEEj/dxyYJ6Zc6AiSeaBY8dWOa11GF/ppQ==",
              "cpu": [
"loong64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
        },
"node_modules/@rollup/rollup-linux-ppc64-gnu": {
    "version": "4.50.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-
ppc64-gnu-4.50.0.tgz"
              "integrity"
"sha512-I1gSMzkVeĬKzAxKAroCJL30hA4DqSi+wGc5gviD0y3IL/VkvcnAqwBf4RHXHyvH66YVHxpK08ojrqc4SrWAnLg==",
              "cpu": [
                  "ppc64"
             ],
"license": "MIT",
"optional": true,
             "os": [
"linux"
         },
"node_modules/@rollup/rollup-linux-riscv64-gnu": {
             "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-linux-
riscv64-gnu-4.50.0.tgz"
"integrity"
"sha512-bSbWlY3jZo7molh4tc5dKfeSxkqnf48UsLqYbUhnkdnfgZjgufLS/NTA8PcP/dnvct5CCdNkABJ56CbclMRYCA==",
              "cpu": [
"riscv64"
             ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
        linux-riscv64-musl-4.50.0.tgz",
              "integrity":
```

```
"sha512-LSXSGumSURzEQLT2e4sFqF0v3LWZsEF8FK7AAv9zHZNDdMnUPYH3t8ZlaeYYZyTXnsob3htwTKeWtBIkPV27iQ==",
                              "cpu": [
"riscv64"
                             ],
"license": "MIT",
"optional": true,
                             "os": [
"linux"
                   },
"node_modules/@rollup/rollup-linux-s390x-gnu": {
                              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-
linux-s390x-gnu-4.50.0.tgz",
                               integrity":
"sha512-CxRKyakfD\r{r}sLX\'{i}CyucVfVWVoaPA4oFSpPpDwlMcDFQvrv3XY6KEzMtMZrA+e/goC8xxp2WS0xHQubP8fPmmj0Q=="allowedge", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the co
                               "cpu": [
"s390x"
                             ],
"license": "MIT",
"optional": true,
                             "os": [
"linux"
                   },
"node_modules/@rollup/rollup-linux-x64-gnu": {
                              "version": "4.9.5",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-
linux-x64-gnu-4.9.5.tgz",
                              "integrity":
"sha512-Dq1bqBdLaŽ1Gb/l2e5/+o3B18+8TI9ANlA1SkejZqDqdU/jK/ThYaMPMJpVMMXy2uRHvGKbkz9vheVGdq3cJfA==",
                               cpu": [
                                       "x64"
                             ],
"license": "MIT",
"optional": true,
                             "os": [
"linux"
                   },
"node_modules/@rollup/rollup-linux-x64-musl": {
                              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-
linux-x64-musl-4.50.0.tgz",
                               "integrity"
"sha512-SkE6YQp+CzpyOrbw70c4MgXFvTw2UIBElvAvLCo230pyxOLmYwRPwZ/L5lBe/VW/qT1ZgND9wJf0sdy0XptRvw==",
                              "cpu": [
                                       "x64"
                             ],
"license": "MIT",
"optional": true,
                             "os": [
"linux"
                   },
"node modules/@rollup/rollup-openharmony-arm64": {
                              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-
openharmony-arm64-4.50.0.tgz",
                              "integrity"
"sha512-PZkNLPfvXeIOgJWA804zjSFH7fARBBCpCXxgkGDRjjAhRL0R8o0IGS01ykh5GYfod4c2yiiREuDM8iZ+pVsT+Q==",
                              "cpu": [
                                       "arm64"
                             ],
"license": "MIT",
"optional": true,
                             "os": [
"openharmony"
                   },
"node_modules/@rollup/rollup-win32-arm64-msvc": {
                              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-
```

```
win32-arm64-msvc-4.50.0.tgz",
              "integrity
"sha512-q7cIIdFvWQoaCbLDUyUc8YfR3Jh2xx3un08Dn6/TTogKjfwrax9SyfmGGK6cQhKtjePI7jRfd7iRYcxYs93esq==",
              "cpu": [
                  "arm64"
             ],
"license": "MIT",
"optional": true,
              "os": [
"win32"
              ]
         },
"node_modules/@rollup/rollup-win32-ia32-msvc": {
              "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-
win32-ia32-msvc-4.50.0.tgz",
              "integrity"
"sha512-XzNOVg/YnDOmFdDKcxxK410PrcbcqZkBmz+0FicpW5jtjKQxcW1BZJEQ0F0NJa6J07CZhett8GEtRN/wYLYJuw==",
              "cpu": [
"ia32"
             ],
"license": "MIT",
              "optional": true,
              "os": [
"win32"
        },
"node_modules/@rollup/rollup-win32-x64-msvc": {
    "version": "4.50.0",
    "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-
win32-x64-msvc-4.50.0.tgz",
              "integrity"
"sha512-xMmiWRR8sp72Zqwjgtf3QbZfF1wdh8X2ABu3EaozvZcyHJeU0r+XAnXdKgs4cCAp60RoYoCygipYP1mjmbjrsg==",
              "cpu": [
"x64"
             ],
"license": "MIT",
"": true.
              "optional": true,
             "os": [
"win32"
         },
"node_modules/@sentry-internal/browser-utils": {
             "version": "10.11.0",
"resolved": "https://registry.npmjs.org/@sentry-internal/browser-utils/-/browser-
utils-10.11.0.tgz",
              "integrity":
"sha512-fnMlz5ntap6x4vRsL0HwPqXh7t82StgAiRt+EaqcMX0t9l8C0w0df8qwr0NKXvE5GdHWTNFJj5qR15FERSkg3Q==",
              "license": "MIT"
              "dependencies": {
                   "@sentry/corè": "10.11.0"
             },
"engines": {
    "node": ">=18"
        internal/feedback/-/feedback-10.11.0.tgz",
              "integrity":
"sha512-ADey51IIaa29kepb8B7aSgSGSrcyT7QZdRsN1rhitefzrruHzpSUci5c2EPIvmWfKJq8Wnvukm9BHXZXAAIOzA==", "license": "MIT",
              "dependencies": {
                  "@sentry/core": "10.11.0"
             },
"engines": {
    "node": ">=18"
         },
"node_modules/@sentry-internal/replay": {
             "version": "10.11.0",
"resolved": "https://registry.npmjs.org/@sentry-internal/replay/-/replay-10.11.0.tgz",
```

```
"integrity":
"sha512-t4M2bxMp2rKGK/l7bkVWjN+xVw9H9V12jAeXm0/Fskz2RcG1ZNLQnKSx/W/zCRMk8k7x0QFsfiApq+zDN+ziKA==",
              "license": "MIT"
              "dependencies": {
                   "@sentry-internal/browser-utils": "10.11.0",
"@sentry/core": "10.11.0"
              },
"node_modules/@sentry-internal/replay-canvas": {
              "version": "10.11.0",
"resolved": "https://registry.npmjs.org/@sentry-internal/replay-canvas/-/replay-
canvas-10.11.0.tgz",
               "integritv
"sha512-brWQ90IYQyZr44IpTprlmvbtz4l2ABzLdpP94Egh12Onf/q6n4CjLKaA25N5kX0uggHqX1Rs7dNaG0mP3ETHhA==",
              "license": "MIT",
"dependencies": {
                   "@sentry-internal/replay": "10.11.0",
                   "@sentry/core": "10.11.0"
              },
"node_modules/@sentry/browser": {
              "version": "10.11.0",
"resolved": "https://registry.npmjs.org/@sentry/browser/-/browser-10.11.0.tgz",
              "integrity":
"sha512-qemaKCJKJHHCyGBpdLq23xL5u9Xvir20XN7YFTnHcEq4Jvj0GoWsslxKi5cQB2JvpYn62WxTiDgVLeQlleZhSg==",
              "license": "MIT"
              "dependencies": {
                    '@sentry-internal/browser-utils": "10.11.0",
                   "@sentry-internal/feedback": "10.11.0",
"@sentry-internal/replay": "10.11.0",
"@sentry-internal/replay-canvas": "10.11.0",
                   "@sentry/core": "10.11.0"
               "engines": {
"node": ">=18"
         },
"node_modules/@sentry/core": {
              e_modules,@sc.t., so.t.t.
"version": "10.11.0",
"resolved": "https://registry.npmjs.org/@sentry/core/-/core-10.11.0.tgz",
              "integrity":
"sha512-39Rxn8cDXConx3+SK0CAhW+/hklM7UDaz+U10FzFMDlT59vXSpf16bcXtNiFDrb0xlQ2hX8yAqx8YRltgSftoA==",
              "license": "MIT",
"engines": {
    "node": ">=18"
         },
"node_modules/@sentry/react": {
              "version": "10.11.0",
"resolved": "https://registry.npmjs.org/@sentry/react/-/react-10.11.0.tgz",
              "integrity":
"sha512-bE4lJ5Ni/n9JUdLWGG99yucY0/z0UXjKl9gfSTkvUv0iAIX/bY0Y4Wg0qeWySvbMz679Zd0wF34k8RA/gI7a8g==",
              "license": "MIT",
"dependencies": {
                   "@sentry/browser": "10.11.0",
"@sentry/core": "10.11.0",
"hoist-non-react-statics": "^3.3.2"
              },
"engines": {
    "node": ">=18"
               },
"node_modules/@stripe/react-stripe-js": {
               "version": "4.0.2",
```

```
js-4.0.2.tgz",
"integrity":
               "resolved": "https://registry.npmjs.org/@stripe/react-stripe-js/-/react-stripe-
"sha512-l2wau+8/L0lHl+Sz8wQloDuLJvyw51nQCsu6/ljT6smqzTszcMHifjAJoXlnMfcou3+jK/kQyVe04u/ufyTXgg==",
               },
"peerDependencies": {
    "@stripe/stripe-js": ">=1.44.1 <8.0.0",
    "react": ">=16.8.0 <20.0.0",
    "react-dom": ">=16.8.0 <20.0.0"</pre>
         },
"node_modules/@stripe/stripe-js": {
               "version": "7.9.0",
"resolved": "https://registry.npmjs.org/@stripe/stripe-js/-/stripe-js-7.9.0.tgz",
               "integrity":
"sha512-ggs5k+/0FŬJcIgNY08aZTqpBTtbExkJMYMLSMwyucrhtWexV0EY1KJmhBsxf+E/Q15f5rbwBpj+t0t2AW2oCsQ==",
              "license": "MIT",
"engines": {
    "node": ">=12.16"
          },
"node_modules/@swc/helpers": {
               "version": "0.5.17",
"resolved": "https://registry.npmjs.org/@swc/helpers/-/helpers-0.5.17.tgz",
               "integrity":
"sha512-5IKx/Y13RsYd+sauPb2x+U/xZikHjolzfuDgTAl/Tdf3Q8rslRvC19NKDLgAJQ6wsqADk10ntlv08nPFw/g0/A==",
               "license": "Apache-2.0",
               "dependencies": {
    "tslib": "^2.8.0"
          },
"node_modules/@tailwindcss/node": {
               "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.1.12.tgz",
               "integrity":
"sha512-3hm9brwvQkZFe++SBt+oLjo40LDtkvlE8q2WalaD/7QWaeM7KEJbAiY/LJZUaCs7Xa8aUu4xy3uoyX4q54UVdQ==", "license": "MIT", "dependencies": {
                    "@jridgewell/remapping": "^2.3.4",
                    "enhanced-resolve": "^5.18.3", "jiti": "^2.5.1",
                   "lightningcss": "1.30.1",
"magic-string": "^0.30.17",
"source-map-js": "^1.2.1",
"tailwindcss": "4.1.12"
         },
"node_modules/@tailwindcss/oxide": {
               "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.1.12.tgz",
               "integrity":
"sha512-gM5EoKHW/ukmlÉtphNwaGx45fGoEmP10v51t9unv55voWh6Wr0L19hfuIdo2FjxIaZzw776/BUQq7Pck++cIVw==",
               "hasInstallScript": true,
"license": "MIT",
               "dependencies": {
                    "detect-libc": "^2.0.4",
                    "tar": "^7.4.3"
              },
"engines": {
    "node": ">= 10"
               "@tailwindcss/oxide-linux-arm64-gnu": "4.1.12", "@tailwindcss/oxide-linux-arm64-musl": "4.1.12",
                    "@tailwindcss/oxide-linux-x64-qnu": "4.1.12",
```

```
"@tailwindcss/oxide-linux-x64-musl": "4.1.12",
                   "@tailwindcss/oxide-wasm32-wasi": "4.1.12"
                   "@tailwindcss/oxide-wasm32-wasi": "4.1.12",
"@tailwindcss/oxide-win32-arm64-msvc": "4.1.12",
                   "@tailwindcss/oxide-win32-x64-msvc": "4.1.12"
              }
         },
"node modules/@tailwindcss/oxide-android-arm64": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-
android-arm64-4.1.12.tgz",
"integrity":
"sha512-oNY5pq+1gc4T6QVTsZKwZaGpBb2N1H1fsc1GD4o7yinFySqIuRZ2E4NvGasWc6PhYJwGK2+5YT1f9Tp80zUQZQ==",
               "cpu": [
                   "arm64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"android"
              ],
"engines": {
    "node": ">= 10"
         },
"node_modules/@tailwindcss/oxide-darwin-arm64": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-
"sha512-cq1qmq2HEtDV9HvZlTtrj671mCdGB93bVY6J29mwCyaMYCP/JaUBXxrQQQm7Qn33AXXASPUb2HFZlWiiHWFytw==",
              "cpu": [
"arm64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"darwin"
              ],
"engines": {
    "node": ">= 10"
         },
"node_modules/@tailwindcss/oxide-darwin-x64": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-
darwin-x64-4.1.12.tgz",
"integrity":
"sha512-6UCsIeFUcBfpangqlXay9Ffty9XhFH1QuUFn0WV83W8lGdX8cD5/+20NLluALJD5+yJ7k8mVtwy3zMZmzEfbLg==",
              "cpu": [
                  "x64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"darwin"
               },
"node_modules/@tailwindcss/oxide-freebsd-x64": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-
freebsd-x64-4.1.12.tgz"
              "integrity":
"sha512-JOH/f7j6+nYXIrHobRYCtoArJdMJh5zy5lr0FV0Qu47MID/vqJAY3r/0ElPzx1C/wdT1uS7cPq+xdYYelny1ww==",
              "cpu": [
                   "x64"
              ],
"license": "MIT",
-l", true
              "optional": true,
              "os": [
"freebsd"
```

```
],
"engines": {
    "node": ">= 10"
         },
"node_modules/@tailwindcss/oxide-linux-arm-gnueabihf": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabihf/-/oxide-
linux-arm-gnueabihf-4.1.12.tgz",
               "integrity"
"sha512-v4Ghvi9AUJSYqGr3/j38PD8PEe6bRfTnNSUE3YCMIRrrNiqCFtHZ2TCm8142X8fcSqHBZBceDx+JlFJEfNq5zQ==",
              "cpu": [
"arm"
              ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
              ],
"engines": {
    "node": ">= 10"
         },
"node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-
linux-arm64-gnu-4.1.12.tgz",
               'integrity":
"sha512-YP5s1LmetL9UsvVAKusHSyPlzSRqYyRB0f+Kl/xcYQSPLEw/BvGfxzbH+ihUciePDjiXwHh+p+qbSP3SlJw+6g==",
              "cpu": [
                   "arm64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
              "engines": {
    "node": ">= 10"
         },
"node_modules/@tailwindcss/oxide-linux-arm64-musl": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-
linux-arm64-musl-4.1.12.tgz",
               "integrity"
"sha512-V8pAM3s8gsrXcĆv6kCHSuwyb/gPsd863iT+v1PGXC4fSL/0JqsKhfK//v8P+w9ThKIoqNbEnsZqNy+WDnwQqCA==",
              "cpu": [
"arm64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
              1.
              "engines": {
    "node": ">= 10"
         },
"node_modules/@tailwindcss/oxide-linux-x64-gnu": {
              "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-
linux-x64-gnu-4.1.12.tgz",
              "integrity":
"sha512-xYfqYLjvmŽUQ3TZggTGrwxjYaLB62b1Wiysw/YE3Yqbh86s0MoTn0feF98PonP7LtjsW0WcXEbGqDL7zv0uW8Q==",
              "cpu": [
                   "x64"
              ],
"license": "MIT",
"optional": true,
              "os": [
"linux"
              ],
```

```
"engines": {
    "node": ">= 10"
          },
"node modules/@tailwindcss/oxide-linux-x64-musl": {
                "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-
linux-x64-musl-4.1.12.tgz",
"integrity":
"sha512-ha0pHPamN+fWZY7GCzz5rKunlv9L5R8kdh+YNvP5awe3LtuXb5nRi/H27GeL2U+TdhD0ptU7T6Is7mdwh5Ar3A==",
                "cpu": [
"x64"
                ],
"license": "MIT",
"optional": true,
                "os": [
"linux"
                "engines": {
    "node": ">= 10"
          },
"node_modules/@tailwindcss/oxide-wasm32-wasi": {
                "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-
wasm32-wasi-4.1.12.tgz",
                "integrity":
"sha512-4tSyu3dW+KtzdÉpuk6g49KdEangu3eCYoqPhWNsZgUhyegEda3M9rG0/j1GV/JjVVsj+lG7jWAyrTlLzd/WEBg==",
                 "bundleDependencies": [
                      "@napi-rs/wasm-runtime",
                      "@emnapi/core",
                      "@emnapi/runtime"
                      "@tybys/wasm-util",
"@emnapi/wasi-threads",
                      "tslib'
                ],
"cpu": [
"''as
                      "wasm32"
                ],
"license": "MIT",
"optional": true,
"incondencies": {
                "dependencies": {
                     Deendencies": {
  "@emnapi/core": "^1.4.5",
  "@emnapi/runtime": "^1.4.5",
  "@emnapi/wasi-threads": "^1.0.4",
  "@napi-rs/wasm-runtime": "^0.2.12",
  "@tybys/wasm-util": "^0.10.0",
  "tslib": "^2.8.0"
                },
"engines": {
    "node": ">=14.0.0"
          },
"node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
                "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-
win32-arm64-msvc-4.1.12.tgz",
                "integrity'
"sha512-iGLyD/cVP724+FGtMWslhcFyg4xyYyM+5F4hGvKA7eifPkXHRAUDFaimu53fpNg9X8dfP75pXx/zFt/jlNF+lg==",
                "cpu": [
"arm64"
                ],
"license": "MIT",
"optional": true,
                "os": [
"win32"
                ],
"engines": {
    "node": ">= 10"
          },
"node_modules/@tailwindcss/oxide-win32-x64-msvc": {
                "version": "4.1.12",
```

```
"resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-
win32-x64-msvc-4.1.12.tgz",
               "integrity"
"sha512-NKIh5rzw6CpEodv/++r0hGLlfgT/gFN+5WNdZtvh6wpU2BpGNgdjvj6H2oFc8nCM839QM1Y0hjpgbA0NUb4IxA==",
               "cpu": [
"x64"
               ],
"license": "MIT",
               "optional": true,
               "os": [
"win32"
               "engines": {
    "node": ">= 10"
           'node modules/@tailwindcss/vite": {
               "version": "4.1.12",
"resolved": "https://registry.npmjs.org/@tailwindcss/vite/-/vite-4.1.12.tgz",
               "integrity":
"sha512-4pt0AMFDx7gzIrA0IYgYP0KCBuKWqyW8ayrdiLEjoJTT4pKTjrzG/e4uzWtTLDziC+66R9wbUqZBccJalSE5vQ==",
               "license": "MIT",
"dependencies": {
                    "@tailwindcss/node": "4.1.12",
"@tailwindcss/oxide": "4.1.12",
                    "tailwindcss": "4.1.12"
                ,
'peerDependencies": {
    "vite": "^5.2.0 || ^6 || ^7"
          },
"node_modules/@tanstack/react-virtual": {
               "version": "3.13.12",
"resolved": "https://registry.npmjs.org/@tanstack/react-virtual/-/react-
virtual-3.13.12.tgz",
               "integrity":
"sha512-Gd13QdxPSukP8ZrkbgS2RwoZseTTbQPLnQEn7HY/rqtM+8Zt95f7xKC7N0EsKs7aoz0WzZ+fditZux+F8EzYxA==",
               "license": "MIT",
"dependencies": {
                    "@tanstack/virtual-core": "3.13.12"
              },
"funding": {
    "type": "github",
    "url": "https://github.com/sponsors/tannerlinsley"
                    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
                    "react-dom": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
          },
"node_modules/@tanstack/virtual-core": {
               "version": "3.13.12",
"resolved": "https://registry.npmjs.org/@tanstack/virtual-core/-/virtual-
core-3.13.12.tgz",
"integrity":
"sha512-1YBOJfRHV4sXUmWsFSf5rQor4Ss82G8dQWLRbnk3GA4jeP8hQt1hxXh0tmflpC0dz3VgEv/1+qwPyLeWkQuPFA==",
               "license": "MIT",
"funding": {
    "type": "github",
    "url": "https://github.com/sponsors/tannerlinsley"
         },
"node_modules/@types/babel__core": {
               "version": "7.20.5",
"resolved": "https://registry.npmjs.org/@types/babel core/-/babel core-7.20.5.tgz",
               "integrity"
"sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47P0IA6i/+dXefEmZKoAgOaTdaIgNSMqMIU61yRyzA==",
               "dev": true,
"license": "MIT",
               "dependencies": {
                   "@babel/parser": "^7.20.7",
"@babel/types": "^7.20.7",
"@types/babel__generator": "*",
```

```
"@types/babel__template": "*",
"@types/babel traverse": "*"
           }
       },
"node_modules/@types/babel__generator": {
            "version": "7.27.0",
            "resolved":
"https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tqz",
            "intearitv":
"sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0b0PupXtVJPY19zk6EwWqUQ8lq==",
            "dev": true,
"license": "MIT"
            "dependencies": {
                "@babel/types": "^7.0.0"
       },
"node_modules/@types/babel__template": {
            "version": "7.4.4",
"resolved":
"https://registry.npmjs.org/@types/babel template--/babel template-7.4.4.tqz",
            "integrity"
"sha512-h/NUaSyG5EyxBÍp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
            "dev": true,
"license": "MIT"
            "dependencies": {
                "@babel/parser": "^7.1.0",
"@babel/types": "^7.0.0"
       "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
            "integrity"
"sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
            "dev": true,
"license": "MIT"
            "dependencies": {
                "@babel/types": "^7.28.2"
       },
"node_modules/@types/estree": {
            "version": "1.0.8",
"resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
            "integrity":
"sha512-dWHzHa2WqEXI/01E90jrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIN0skIQJQ/L1rIex4X6w==",
            "license": "MIT
       "sha512-5+fP8P8MFNC+AyZCDxrB2pkZFPGzqQWUzpSeuuVLvm8VMcorNYavBqoFcxK8bQz4Qsbn4oUEEem4wDLfcysGHA==",
           "dev": true,
"license": "MIT"
        "node modules/@types/lodash": {
            "version": "4.17.20",
"resolved": "https://registry.npmjs.org/@types/lodash/-/lodash-4.17.20.tgz",
            "integrity":
"sha512-H3MHACvFUĔiujábxhaI/Im06gUrd8o0urg7LQtS7mbwIXA/cUqWrvBsaeJ23aZEPk1TAYkurjfMbSELfoCXlGA==",
            "license": "MIT"
       "sha512-0NgftHUcV4v34VhXm8QBSftKVXtbkBG3ViCjs6+eJ5a6y6Mi/jiFGPc1sC7QK+9BFhWrURE3E0ggmWaSxL90zQ==",
            "license": "MIT",
            "dependencies": {
                "@types/lodas̀h": "*"
           }
       },
```

```
"node modules/@types/node": {
                "version": "22.18.1",
"resolved": "https://registry.npmjs.org/@types/node/-/node-22.18.1.tgz",
                "integrity":
"sha512-rzSDyhn4cYznVG+PCzGellwuMYJrcBS1fc3JqSa2PvtABwWo+dZ1ij5OVok3tqfpEBCBoaR4d7upFJk73HRJDw==",
                "devOptional": true,
                "license": "MIT",
                "dependencies": {
                      "undici-types": "~6.21.0"
           "node modules/@types/react": {
                "version": "19.1.12",
"resolved": "https://registry.npmjs.org/@types/react/-/react-19.1.12.tgz",
                "integrity"
"sha512-cMoR+FoAf/Jyq6+Df2/Z41jISvGZZ2eTlnsaJRptmZ76Caldwy1odD4xTr/gNV9VLj0AWgg/nmkevIyUfIIq5w==",
                "licensé": "MIT"
                "dependencies": {
    "csstype": "^3.0.2"
           "node_modules/@types/react-dom": {
                "version": "19.1.9",
"resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.1.9.tgz",
                "integrity":
"sha512-qXRuZaOsAdXKFyOhRBg6Lqqc0yay13vN7KrIg4L7N4aaHN68ma9OK3NE1BoDFgFOTfM7zg+3/8+2n8rLUH3OKQ==", "license": "MIT",
                "peerDependencies":
                     "Dependencies": {
"@types/react": "^19.0.0"
            node_modules/@typescript-eslint/eslint-plugin": {
                "wersion": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/eslint-plugin/-/eslint-
plugin-8.42.0.tgz",
                "integrity'
"sha512-Aq2dPqsQkxH0Lfb20Pv43RnIvfj05nw8v/6n3B2NABIPpHnjQnaLo9QGMTvml+tv4korl/Cjfrb/BYhoL8UUTQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
                      "@eslint-community/regexpp": "^4.10.0",
                     "@typescript-eslint/scope-manager": "8.42.0",
"@typescript-eslint/type-utils": "8.42.0",
"@typescript-eslint/utils": "8.42.0",
                     "@typescript-estint/utits": "8.42.0",

"@typescript-estint/visitor-keys": "8.42.0",

"graphemer": "^1.4.0",

"ignore": "^7.0.0",

"natural-compare": "^1.4.0",

"ts-api-utils": "^2.1.0"
                engines": {
"node": "^18.18.0 || ^20.9.0 || >=21.1.0"
               },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
                "@typescript-eslint/parser": "^8.42.0",
"eslint": "^8.57.0 || ^9.0.0",
"typescript": ">=4.8.4 <6.0.0"
          },
"node_modules/@typescript-eslint/eslint-plugin/node_modules/ignore": {
                "version": "7.0.5",
"resolved": "https://registry.npmjs.org/ignore/-/ignore-7.0.5.tgz",
                "integrity":
"sha512-Hs59xBNfUĬunMfgWAbGX5cq6893IbWg4KnrjbYwX3tx0ztorVgTDA6B2sxf8ejHJ4wz8BqGUMYlnzNBer5NvGg==",
               "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 4"
```

```
},
"node_modules/@typescript-eslint/parser": {
              "version": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/parser/-/parser-8.42.0.tgz",
"integrity":
"sha512-r1XG74QgShUgXph1BYseJ+KZd17bKQib/yF3SR+demvytiRXrwd12Blnz5eYGm8tXaeRdd4x88MlfwldHoudGg==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                    '@typescript-eslint/scope-manager": "8.42.0",
                   "@typescript-eslint/types": "8.42.0"
                   "@typescript-eslint/typescript-estree": "8.42.0",
                   "@typescript-eslint/visitor-keys": "8.42.0", "debug": "^4.3.4"
              },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
               },
"node_modules/@typescript-eslint/project-service": {
              "version": "8.42.0",
"version": "https://registry.npmjs.org/@typescript-eslint/project-service/-/project-
service-8.42.0.tgz"
               "integrity":
"dependencies": {
                   "@typescript-eslint/tsconfig-utils": "^8.42.0",
"@typescript-eslint/types": "^8.42.0",
"debug": "^4.3.4"
              "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
              },
"peerDependencies": {
    "typescript": ">=4.8.4 <6.0.0"</pre>
         },
"node_modules/@typescript-eslint/scope-manager": {
              "version": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/scope-manager/-/scope-
manager-8.42.0.tgz",
"integrity"
"sha512-51+x9o78NBAVqQz0Pd17DkNTnIzJ8T/02dmMBLoK9qbY0Gm52XJcdJcCl18ExBMiHo6jPMErUQWUv5RLE51zJw==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                    "@typescript-eslint/types": "8.42.0"
                   "@typescript-eslint/visitor-keys": "8.42.0"
              },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
         },
"node_modules/@typescript-eslint/tsconfig-utils": {
    "version": "8.42.0",
```

```
"resolved": "https://registry.npmjs.org/@typescript-eslint/tsconfig-utils/-/tsconfig-
utils-8.42.0.tgz",
                "integrity":
"sha512-kHeFUOdwAJfUmYKjR3CLgZSglGHjbNTi1H8sTYRYV2xX6eNz4RyJ2LIgsDLKf8Yi0/GL1WZAC/DgZBeBft8QAQ==",
                "dev": true,
"license": "MIT",
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
                 ,
|peerDependencies": {
| "typescript": ">=4.8.4 <6.0.0"
          },
"node modules/@typescript-eslint/type-utils": {
                "version": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/type-utils/-/type-
utils-8.42.0.tgz",
"integrity":
"sha512-9KChw92sbPTYVFw3JLRH1ockhyR3zqqn9lQXol3/YbI6jVxzWoGcT3AsAW0mu1MY0gYtsXnUGV/AKpkAj5tVlQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
                      "@typescript-eslint/types": "8.42.0",
                     "@typescript-eslint/typescript-estree": "8.42.0",
"@typescript-eslint/typescript-estree": "8.42.0",
"debug": "^4.3.4",
                     "debug": "^4.3.4",
"ts-api-utils": "^2.1.0"
                 'engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
                },
"peerDependencies": {
    "eslint": "^8.57.0 || ^9.0.0",
    "typescript": ">=4.8.4 <6.0.0"</pre>
          "sha512-LdtAWMiFmbRLNP7JNeY0SqEtJvGMYSzfiWBSmx+VSZ1CH+1zyl8Mmw1TT390rtsRvIYShjJWzTDMPWZJCpwBlw==",
                "dev": true,
"license": "MIT",
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
          },
"node_modules/@typescript-eslint/typescript-estree": {
                "version": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/typescript-
estree/-/typescript-estree-8.42.0.tgz",
                "integrity"
"sha512-ku/uYtT40XY8s19EDJETD27o3Ewdi72hcXq1ah/kkUqBvAYHLwj2ofswFFNXS+FL5G+AGkxBtvGt8pFBHKlHsQ==",
                "dev": true,
"license": "MIT",
"dependencies": {
                     "@typescript-eslint/project-service": "8.42.0",
"@typescript-eslint/tsconfig-utils": "8.42.0",
"@typescript-eslint/types": "8.42.0",
                     "@typescript-eslint/visitor-keys": "8.42.0", "debug": "^4.3.4",
```

```
"fast-glob": "^3.3.2",
"is-glob": "^4.0.3",
"minimatch": "^9.0.4",
                  "semver": "^7.6.0",
"ts-api-utils": "^2.1.0"
              },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
             },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
             },
"peerDependencies": {
    "typescript": ">=4.8.4 <6.0.0"</pre>
         },
"node_modules/@typescript-eslint/typescript-estree/node_modules/brace-expansion": {
              "version": "2.0.2",
"resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-2.0.2.tgz",
              "integrity":
"sha512-Jt0vHyM+jmUBqojB7E1NIYadt0vI0Qxjxd2TErW94wDz+E2LAm5vKMXXwg6ZZBTHPuUlDgQHKXvjGBdfcF1ZDQ==",
              "dev": true,
"license": "MIT'
              "dependencies": {
                   "balanced-match": "^1.0.0"
         },
"node_modules/@typescript-eslint/typescript-estree/node_modules/minimatch": {
              "version": "9.0.5",
"resolved": "https://registry.npmjs.org/minimatch/-/minimatch-9.0.5.tgz",
              "integrity"
"sha512-G6T0ZX48xgozx7587koeX9Ys2NYy6Gmv//P89sEte9V9whIapMNF4idKxnW2QtCcLiTWlb/wfCabAtAFWhhBow==",
              "dev": true,
"license": "ISC",
"dependencies": {
                   "brace-expansion": "^2.0.1"
               'engines": {
    "node": ">=16 || 14 >=14.17"
             },
"funding": {
    "url": "https://github.com/sponsors/isaacs"
         },
"node_modules/@typescript-eslint/typescript-estree/node_modules/semver": {
              "version": "7.7.2",
"resolved": "https://registry.npmjs.org/semver/-/semver-7.7.2.tgz",
"integrity":
"bin": {
    "semver": "bin/semver.js"
              },
"node_modules/@typescript-eslint/utils": {
              "version": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/utils/-/utils-8.42.0.tgz",
"sha512-JnIzu7H3RH5BrKC4NoZqRfmjqCIS1u3hGZltDYJgkVdqAezl4L9d1ZLw+36huCujtSBSAirGINF/S4UxOcR+/g==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                   '@eslint-community/eslint-utils": "^4.7.0"
                   "@typescript-eslint/scope-manager": "8.42.0",
                   "@typescript-eslint/types": "8.42.0",
                   "@typescript-eslint/typescript-estree": "8.42.0"
              },
"engines": {
```

```
"node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
                    "eslint": "^8.57.0 || ^9.0.0",
"typescript": ">=4.8.4 <6.0.0"
              }
          },
"node_modules/@typescript-eslint/visitor-keys": {
               "wersion": "8.42.0",
"resolved": "https://registry.npmjs.org/@typescript-eslint/visitor-keys/-/visitor-
keys-8.42.0.tgz",
               "integrity":
"sha512-3WbiuzoEowaEn8RSnhJBrxSwX8ULYE9CXaPepS2C2W3NSA5NNIvBaslpBSBElPq0UGr0xVJlXFW0AKIkyylydQ==",
               "dev": true,
"license": "MIT'
               "dependencies": {
                    "@typescript-eslint/types": "8.42.0",
"eslint-visitor-keys": "^4.2.1"
               },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
         },
"node_modules/@vitejs/plugin-react": {
               "version": "5.0.2",
"resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-5.0.2.tgz",
"dependencies": {
    "@babel/core": "^7.28.3",
                    "@babel/plugin-transform-react-jsx-self": "^7.27.1"
                    "@babel/plugin-transform-react-jsx-source": "^7.27.1",
                   "@rolldown/pluginutils": "1.0.0-beta.34", "@types/babel__core": "^7.20.5", "react-refresh": "^0.17.0"
              },
"engines": {
    "node": "^20.19.0 || >=22.12.0"
               "peerDependencies": {
    "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
         },
"node_modules/acorn": {
    " "0 15 0"
               "version": "8.15.0",
"resolved": "https://registry.npmjs.org/acorn/-/acorn-8.15.0.tgz",
               "integrity"
"sha512-NZyJarBfL7nWw1q+FDL6Zp/yHEhePMNnnJ0y3qfieCrmNvYct8uvtiV41UvlSe6apAfk0fY1FbWx+NwfmpvtTq==",
               "dev": true,
"license": "MIT",
               "bin": {
    "acorn": "bin/acorn"
               "engines": {
    "node": ">=0.4.0"
          },
"node_modules/acorn-jsx": {
               "version": "5.3.2",
"resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
               "integrity"
"sha512-rq9s+JNhf0IChjtDXxllJ7g41oZk5SlXtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIinmDFDXgQ==",
               "dev": true,
```

```
"license": "MIT",
                              "peerDependencies": {
                                        "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
                  "sha512-j3fVLgvTo527anyYyJ0GTYJbG+vnnQYvE0m5mmkc1TK+nxAppkCLMIL0aZ4dblVCNoGShhm+kzE4ZUykBoMg4g==",application-of-colored-left-start of-colored-left-start                              "dev": true,
"license": "MIT"
                             "license": "MII", "dependencies": {
                                      "fast-deep-equal": "^3.1.1",

"fast-json-stable-stringify": "^2.0.0",

"json-schema-traverse": "^0.4.1",

"uri-js": "^4.2.2"
                            },
"funding": {
    "type": "github",
    "url": "https://github.com/sponsors/epoberezkin"
                   },
"node_modules/ansi-regex": {
                             "version": "5.0.1",
"resolved": "https://registry.npmjs.org/ansi-regex/-/ansi-regex-5.0.1.tgz",
"integrity":
"sha512-quJQXlTSUĞL2LH9SUXo8VwsY4soanhgo6LNSm84E1LBcE8s300wpdiRzyR9z/ZZJMlMWv37q00b9pdJlMUEKFQ==",
                             "license": "MIT",
"engines": {
    "node": ">=8"
                   },
"node_modules/ansi-styles": {
                             "version": "4.3.0",
"resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
"integrity":
"sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPlFp222wVALIheZJQSEg==", "license": "MIT",
                              "dependencies": {
                                        "color-convert": "^2.0.1"
                            },
"engines": {
    "node": ">=8"
                             },
"funding": {
    "url": "https://github.com/chalk/ansi-styles?sponsor=1"
                  "sha512-8+9WqebbFzpX9OR+Wa6029asIogeRMzcGtAINdpMHHyAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==",
                             "dev": true,
"license": "Python-2.0"
                   },
"node_modules/aria-hidden": {
                              "version": "1.2.6",
"resolved": "https://registry.npmjs.org/aria-hidden/-/aria-hidden-1.2.6.tgz",
                              "integrity":
"sha512-ik3ZgC9dY/lYVVM++0ISsaYDeg1tb0VtP5uL3ouh1koG0aUMDPpbFIei4JkFimWUFPn90sbMNMXQAIV0lnYKJA==",
                             "license": "MIT",
"dependencies": {
    "tslib": "^2.0.0"
                               },
"node_modules/array-buffer-byte-length": {
                              "version": "1.0.2",
"resolved": "https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-
```

```
length-1.0.2.tgz",
                "integrity":
"sha512-LHE+8BuR7RYGDKvnrmcuSg3tDcKv90FEXQt/HpbZhY7V6h0zlUXutnAD82GiFx9rdieCMjkvtcsPgBwgUl1Iiw==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "call-bound": "^1.0.3",
                    "is-array-buffer": "^3.0.5"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/array-includes": {
               "version": "3.1.9",
"resolved": "https://registry.npmjs.org/array-includes/-/array-includes-3.1.9.tgz",
               "integrity":
"sha512-FmeCCAenzHOKH381SPT5FZmiA/TmpndpcaShhfqEN9eCVjnFBqq3l1xrI42y8+PPLI6hypzou4GXw00WHmPBLQ==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4"
                    "call-bound": "^1.0.4",
"define-properties": "^1.2.1",
"es-abstract": "^1.24.0",
"es-object-atoms": "^1.1.1",
"get-intrinsic": "^1.3.0",
"is-string": "^1.1.1",
"math-intrinsics": "^1.1.0"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/array.prototype.findlast": {
               "\overline{\text{version}}": "1.2.5",
               "resolved":
"https://registry.npmjs.org/array.prototype.findlast/-/array.prototype.findlast-1.2.5.tgz", "integrity":
"sha512-CVvd6FHg1Ž3P0pBLx06E6zr+rSKEQ9L6rZHAaY7lLfhKsWYUBB0uMs0e9o24oopj6H+geRCX0YJ+TJLBK2eHyQ==",
               "dev": true,
"license": "MIT"
               "ticense": "MII",
"dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.2",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.0.0",
                    "es-shim-unscopables": "^1.0.2"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/array.prototype.flat": {
    "version": "1.3.3",
               "resolved":
"dev": true,
"license": "MIT"
               "dependencies": {
    "call-bind": "^1.0.8",
```

```
"define-properties": "^1.2.1",
                                             "es-abstract": "^1.23.5'
                                             "es-shim-unscopables": "^1.0.2"
                                   },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
                     },
"node_modules/array.prototype.flatmap": {
                                  "version": "1.3.3",
"resolved":
"sha512-Y7Wt51eKJŠyi80hFrJCePGGNo5ktJCslFuboqJsbf57CCPcm5zztluPlc4/aD8sWsKvlwatezpV4U1efk8kpjg==",
                                  "dev": true,
"license": "MIT"
                                 "dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.5",
                                             "es-shim-unscopables": "^1.0.2"
                                },
"engines": {
    "node": ">= 0.4"
                                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
                     },
"node_modules/array.prototype.tosorted": {
    "version": "1.1.4",
    "resolved":
"https://registry.npmjs.org/array.prototype.tosorted/-/array.prototype.tosorted-1.1.4.tgz",
                                  "integrity"
"sha512-p6Fx8B7b7ŽhL/gmUsAy0D15WhvDccw3mnGNbZpi3pmeJdxtWsj2jEaI4Y6oo3XiHfzuSgPwKc04MYt6KgvC/wA==",
                                  "dev": true,
"license": "MIT"
                                 "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
                                            "es-abstract": "^1.23.3",
"es-errors": "^1.3.0",
"es-shim-unscopables": "^1.0.2"
                                },
"engines": {
    "node": ">= 0.4"
                     },
"node_modules/arraybuffer.prototype.slice": {
    "version": "1.0.4",
    "resolved":
    "resolved":
"https://registry.npmjs.org/arraybuffer.prototype.slice/-/arraybuffer.prototype.slice-1.0.4.tqz",
                                  "intégrity"
"sha512-BNoCY6SXXPQ7gF2opIP4GBE+Xw7U+pHMYKuzjgCN3GwiaIR09UUeKfheyIry77QtrCBlC0KK0q5/TER/tYh3PQ==",
                                  "dev": true,
"license": "MIT",
"dependencies": {
                                            Dendencies": {
    "array-buffer-byte-length": "^1.0.1",
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.5",
    "es-errors": "^1.3.0",
    "get-intrinsic": "^1.2.6",
    "is-abstract": "^21.2.6",
    "se-abstract": "/21.2.6",
    "se-abstract": "/21.2.6",

                                             "is-array-buffer": "^3.0.4"
                                 },
"engines": {
    "node": ">= 0.4"
                                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
```

```
}
           node modules/asvnc-function": {
               "version": "1.0.0",
"resolved": "https://registry.npmjs.org/async-function/-/async-function-1.0.0.tgz",
"sha512-hsU18Ae8CDTR6Kqu9DYf0EbCr/a5iGL0rytQDobUcdpY0Kokk8LEjVphnXkDkqpi0wYVsqrXuP0bZxJaTqdqoA==",
               "dev": true,
              "license": "MIT",
"engines": {
    "node": ">= 0.4"
         },
"node_modules/asynckit": {
    " "0 4 0"
               "wersion": "0.4.0",
"resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
               "integrity":
"sha512-0ei90H4tRhOYqÚ3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcqYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==",
               "license": "MIT"
         },
"node_modules/available-typed-arrays": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/available-typed-arrays/-/available-typed-
arrays-1.0.7.tgz",
               "integrity":
"sha512-wvUjBtSGN7+7SjNpq/9M2Tg350UZD3q62IFZLbRAR1bSMlCo1ZaeW+BJ+D090e4hIIZLBcTDWe4Mh4jvUDajzQ==",
               "dev": true,
"license": "MIT'
               "dependencies": {
                    "possible-typed-array-names": "^1.0.0"
              },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/axios": {
    " "1 12 2"
               "version": "1.12.2",
"resolved": "https://registry.npmjs.org/axios/-/axios-1.12.2.tgz",
               "integrity":
"sha512-vMJzPewAlRyOgxV2dU0Cuz208zzzx9VYtbJ0aBgXFeLc4IV/Eg50n4Lowmeh00R61S8ZMpc2K5Sa7g6A4jfkUw==", "license": "MIT", "dependencies": {
                    "follow-redirects": "^1.15.6",
                    "form-data": "^4.0.4",
                    "proxy-from-env": "^1.1.0"
               }
         },
"node_modules/balanced-match": {
               "version": "1.0.2",
"resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz",
               "integrity":
"sha512-3oSeU00TMV67hN1AmbXsK4yaqU7tjiHlbxRDZOpH0KW9+CeX4bRAaX0Anxt0tx2MrpRpWwQaPwIlISEJhYU5Pw==",
               "dev": true,
"license": "MIT"
          },
"node_modules/brace-expansion": {
               "version": "1.1.12",
"resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.12.tgz",
               "integrity"
"sha512-9T9UjW3r0ŬW5c1Q7GTwllptXwhvYmEzFhzMfZ9H7FQWt+uZePjZPjBP/W1ZEyZ1twGWom5/56TF4lPcqjnDHcg==",
               "dev": true,
"license": "MIT",
"dependencies": {
                    "balanced-match": "^1.0.0", 
"concat-map": "0.0.1"
          "version": "3.0.3",
"resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
```

```
"integrity":
"sha512-yQbXg0/OSŽVD2ÍsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8g0/lxc1BzfMpxvA==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "fill-range": "^7.1.1"
              },
"node_modules/browserslist": {
              "version": "4.25.4",
"resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.25.4.tgz",
              "integrity"
"sha512-4jYpcjabC606xJ3kw2QwGEZKX0Aw7sgQdZCvIK9dhVSPh76BKo+C+btT1RRofH7B+8iNpEbgGNVWiLki5q93yg==", "dev": true,
              "funding": [
                   {
                        "type": "opencollective",
                        "url": "https://opencollective.com/browserslist"
                   },
                        "type": "tidelift",
                        "url": "https://tidelift.com/funding/github/npm/browserslist"
                        "type": "github",
"url": "https://github.com/sponsors/ai"
              ],
"license": "MIT",
              "dependencies": {
    "caniuse-lite": "^1.0.30001737"
                   "electron-to-chromium": "^1.5.211",
"node-releases": "^2.0.19",
                   "update-browserslist-db": "^1.1.3"
              },
"bin": {
"bro
                   "browserslist": "cli.js"
               "engines": {
    "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
          "node modules/call-bind": {
              "version": "1.0.8", "resolved": "https://registry.npmjs.org/call-bind/-/call-bind-1.0.8.tgz",
              "integrity":
"sha512-oKlSFMcMwpUg2ednkhQ454wfWiU/ul3CkJe/PEHcTKuiX6RpbehUiFMXu13HalGZxfUwCQzZG747YXBn1im9ww==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                   "call-bind-apply-helpers": "^1.0.0",
                   "es-define-property": "^1.0.0", "get-intrinsic": "^1.2.4",
                   "set-function-length": "^1.2.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          "node modules/call-bind-apply-helpers": {
              "version": "1.0.2",
"resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-
helpers-1.0.2.tgz",
"integrity":
"sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmuMQ==", "license": "MIT",
              "dependencies": {
```

```
"es-errors": "^1.3.0",
                  "function-bind": "^1.1.2"
              },
"node_modules/call-bound": {
              "version": "1.0.4",
"version": "1.0.4",
"resolved": "https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz",
              "integrity":
"sha512-+ys997U96po4Kx/ABpBCqhA9EuxJaQWDQg7295H4hBphv3IZg0boBKuwYpt4YXp6MZ5AmZQnU/tyMTlRpaSejg==",
              "license": "MIT"
              "ticense": "MII",
"dependencies": {
                  "call-bind-apply-helpers": "^1.0.2",
"get-intrinsic": "^1.3.0"
             },
"engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/callsites": {
              "version": "3.1.0",
"resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
              "integrity"
"sha512-P8BjAsXvZŠ+VIĎUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTuE7ssaQ==",
              "dev": true,
             "license": "MIT",
"engines": {
    "node": ">=6"
         },
"node_modules/caniuse-lite": {
    "1 0 20001739"
              "version": "1.0.30001739",
"resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001739.tgz",
              "integrity":
"sha512-y+j60d6ulelrNŚwpPyrHdl+9mJnQzHBr08xm48Qno0nSk4h3Qojh+ziv2qE6rXf4k3tadF4o1J/1tAbVm1NtnA==",
              "dev": true,
              "funding": [
                  {
                       "type": "opencollective",
"url": "https://opencollective.com/browserslist"
                       "type": "tidelift",
"url": "https://tidelift.com/funding/github/npm/caniuse-lite"
                       "type": "github",
"url": "https://github.com/sponsors/ai"
              ],
"license": "CC-BY-4.0"
        "sha512-oKnbhFyRIXpUuéz8iBMmyEa4nbj4I0Qyuhc/wy9kY7/WVPcwI09VA668Pu8Rk07+0G76SLR0eyw9CpQ061i4mA==",
              "license": "MIT"
              "dependencies": {
    "ansi-styles": "^4.1.0";
                  "supports-color": "^7.1.0"
              },
"funding": {
    "url": "https://github.com/chalk/chalk?sponsor=1"
             }
```

```
},
"node_modules/chalk/node_modules/supports-color": {
              "version": "7.2.0",
"resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
              "integrity
"sha512-qpCAvRl9stu0HveKsn7HncJRvv501qIacKzQl0/+Lwxc9+0q2wLyv4Dfvt80/DPn2pq0BsJdDiogXGR9+0vwRw==",
               "license": "MIT",
              "dependencies": {
    "has-flag": "^4.0.0"
              },
"engines": {
    "node": ">=8"
         "sha512-+IxzY9BZ0Qd/XuYPRmrvEVjF/nqj5kgT4kEq7VofrDoM1MxoRjEWkrCC3EtLi59TVawxTAn+orJwFQcrqEN1+q==",
              "license": "BlueOak-1.0.0",
"engines": {
    "node": ">=18"
         },
"node_modules/class-variance-authority": {
    "version": "0.7.1",
    "resolved": "https://registry.npmjs.org/class-variance-authority/-/class-variance-
authority-0.7.1.tgz",
"integrity"
"sha512-Ka+9Trutv7G8M6WT6SeiRWz792K5qEqIGEGzXKhAE6x0WAY6pPH8U+9IY3oCMv6kqTmLsv7Xh/2w2RigkePMsq==",
               'license": "Apache-2.0",
              "dependencies": {
    "clsx": "^2.1.1"
              },
"funding": {
    "url": "https://polar.sh/cva"
         "wersion": "8.0.1",
"resolved": "https://registry.npmjs.org/cliui/-/cliui-8.0.1.tgz",
              "integrity":
"sha512-BSeNnyus75C4//NQ9gQt1/csTXyo/8Sb+afLAkzAptFuMsod9HFokGNudZpi/oQV73hnVK+sR+5PVRMd+Dr7YQ==",
    "license": "ISC",
    "dependencies": {
                  "string-width": "^4.2.0",
"strip-ansi": "^6.0.1",
"wrap-ansi": "^7.0.0"
               "version": "2.1.1",
"resolved": "https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz",
              "integrity":
"sha512-eYm0QWBtUrBWZWG0d3860GAw16Z995Pi0Vo2B7bjWSbHedGl5e0ZWaq65k0GgUSNesEIDkB9ISbTg/JK9dhCZA==",
              "license": "MIT",
              "engines": {
    "node": ">=6"
         },
"node_modules/color-convert": {
              "version": "2.0.1",
"resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
              "integrity":
"sha512-RRECPsj7iu/xb5oKYcsFHSppFNnsj/520VTRKb4zP5onXwVF3zVmmToNcOfGC+CRDpfK/U584fMg38ZHCaElKQ==",
              "license": "MIT",
"dependencies": {
                   "color-name": "~1.1.4"
              },
"engines": {
```

```
"node": ">=7.0.0"
         },
"node_modules/color-name": {
              "version": "1.1.4",
"resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
               "integrity":
"sha512-d0v+3AuW3a2wNbZHIuMZpTcqiGuLU/uBL/ubcZF90XbDo8ff408vVp5Bf0efS8uEoYo5q4Fx7dY90q0GXqAs0A==".
               "license": "MIT'
         },
"node_modules/combined-stream": {
              "version": "1.0.8",
"resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
              "integrity":
"sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9z0Ywxh8lDdnvmM0e/+5cdoEdg==",
              "license": "MIT",
"dependencies": {
                   "delayed-stream": "~1.0.0"
              },
"engines": {
    "node": ">= 0.8"
         },
"node_modules/concat-map": {
               "\overline{\text{version}}": "0.0.1",
              "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
               "integrity"
"sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtlbYKnVxw2bCFMRljaA7EXHaXZ8wsHdodFvbkhKmqq==",
              "dev": true,
"license": "MIT"
         },
"node_modules/concurrently": {
              "version": "9.2.1",
"resolved": "https://registry.npmjs.org/concurrently/-/concurrently-9.2.1.tgz",
"sha512-fsfr00MxV64Znoy8/l1vVIjjHa29SZyyqPgQBwhiDcaW8wJc2W3XWVOGx4M3oJBnv/zdUZIIp1gDeS98GzP8Ng==",
               "license": "MIT"
              "dependencies": {
    "chalk": "4.1.2",
    "rxjs": "7.8.2",
    "shell-quote": "1.8.3"
                   "supports-color": "8.1.1",
                   "tree-kill": "1.2.2", 
"yargs": "17.7.2"
              },
"bin": {
    "con
                   "conc": "dist/bin/concurrently.js",
                   "concurrently": "dist/bin/concurrently.js"
              },
"engines": {
    "node": ">=18"
              },
"funding": {
    "url": "https://github.com/open-cli-tools/concurrently?sponsor=1"
         },
"node_modules/convert-source-map": {
              "version": "2.0.0",
"resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-
map-2.0.0.tgz",
               ____
"integrity
"sha512-Kvp459HrVŽFEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJq==",
              "dev": true,
"license": "MIT"
         },
"node_modules/cookie": {
    "" "1 0 2"
              "version": "1.0.2",
"resolved": "https://registry.npmjs.org/cookie/-/cookie-1.0.2.tgz",
              "integrity":
"sha512-9Kr/j4016ĬSv8zBBhJoi4bXOYNTkFLOqSL3UDB0njXxCXNezjeyVrJyGOWtgfs/q2km1gwBcfH8q1yEGoMYunA==",
               "license": "MIT",
              "engines": {
    "node": ">=18"
```

```
}
          },
"node_modules/cross-spawn": {
                "version": "7.0.6",
"resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
"sha512-uV2Q0WP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB90iTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca30zKUd3vA==",
                "dev": true,
"license": "MIT",
"dependencies": {
    "path-key": "^3.1.0",
    "shebang-command": "^2.0.0",
    "which": "^2.0.1"
                 },
"node_modules/csstype": {
                "version": "3.1.3",
"resolved": "https://registry.npmjs.org/csstype/-/csstype-3.1.3.tgz",
                "integrity"
"sha512-M1uQkMl8rQK/szD0LNhtqxIPLpimGm8s0BwU7lLnCpSbTyY3yeU1Vc7l4KT5zT4s/y0xHH507tIuuL0CnLADRw==",
                "license": "MIT"
          },
"node modules/data-view-buffer": {
                e_modules, data view 20.1.2.",
"version": "1.0.2",
"resolved": "https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-1.0.2.tgz",
                "integrity":
"sha512-EmK05V30LXh1rtK2wgXRansaK1/mtVdTUEiEI0W8RkvgT05kfxaH29PliLnpLP73yY06142Q72QNa8Wx/A5CqQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bound": "^1.0.3",
    "es-errors": "^1.3.0",
    "is-data-view": "^1.0.2"
               },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/data-view-byte-length": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-
"sha512-tuhGbE6CfTM9+5ANGf+oQb72Ky/0+s3xKUpHvShfiz2RxMFgFPjsXuRLBVMtvMs15awe45SRb83D6wH4ew6wlQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bound": "^1.0.3",
    "es-errors": "^1.3.0",
                     "is-data-view": "^1.0.2"
               },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/inspect-js"
          },
"node_modules/data-view-byte-offset": {
                "version": "1.0.1",
"resolved": "https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-
offset-1.0.1.tgz"
                "integrity":
"sha512-BS8PfmtDGnrgYdOonGZQdLZslWIeCGFP9tpan0hi1Co2Zr2NKADsvGYA8XxuG/4UWgJ6Cjtv+YJnB6MM69QGlQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
```

```
"call-bound": "^1.0.2",
"es-errors": "^1.3.0",
                                          "is-data-view": "^1.0.1"
                                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
                    "version": "4.4.1",
"resolved": "https://registry.npmjs.org/debug/-/debug-4.4.1.tgz",
                                "integrity":
"sha512-KcKCqiftBJcZr++7ykoDIEwSa3XWowTfNPo92BYxjXiyYEVrUQh2aLyhxBCwww+heortUFxEJYcRzosstTEBYQ==""", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of t
                                "dev": true,
"license": "MIT"
                                "dependencies":
                                          "ms": "^2.1.3"
                              },
"engines": {
    "node": ">=6.0"
                                "peerDependenciesMeta": {
                                          "supports-color": {
                                                     "optional": true
                               }
                     "c="modutes" deep-is . {
"version": "0.1.4",
"resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
"integrity":
"sha512-oIPzksmTg4/MriiaYG0+okXDT7ztn/w3Eptv/+gSIdMdKsJo0u4CfYNFJPy+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
                               "dev": true,
"license": "MIT"
                    },
"node_modules/define-data-property": {
                                "version": "1.1.4",
"resolved": "https://registry.npmjs.org/define-data-property/-/define-data-
property-1.1.4.tgz",
                                "integrity
"sha512-rBMvIzlpA8v6E+SJZoo++HAYqsLrkg7MSfIinMPFhmkorw7X+d0XVJQs+QT69zGkzMyfDnIMN2Wid1+NbL3T+A==",
                                "dev": true,
"license": "MIT"
                                "dependencies": {
                                         "es-define-property": "^1.0.0",
"es-errors": "^1.3.0",
"gopd": "^1.0.1"
                               },
"engines": {
    "node": ">= 0.4"
                               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
                     },
"node_modules/define-properties": {
                               "version": "1.2.1",
"resolved": "https://registry.npmjs.org/define-properties/-/define-
"sha512-8QmQKqEASLd5nx0U1B1okLElbUuuttJ/AnYmRXbbbGDWh6uS208EjD4Xqq/I9wK7u0v6008XhTWnt5XtEbR6Dg==",
                               "dev": true,
"license": "MIT"
                                "dependencies": {
                                            "define-data-property": "^1.0.1"
                                          "has-property-descriptors": "^1.0.0",
"object-keys": "^1.1.1"
                              },
"engines": {
    "node": ">= 0.4"
```

```
},
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/delayed-stream": {
             "version": "1.0.0",
"resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
              "integrity":
"sha512-ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
             "license": "MIT",
"engines": {
    "node": ">=0.4.0"
        "sha512-3UDv+G9CsČK01WKMGw9fwq/SWJYbI0c5Y7LU1AXYoDdbhE2AHQ6N6Nb34sG8Fj7T5APy8qXDCKuuIHd1BR0tVA==",
             "license": "Apache-2.0",
"engines": {
    "node": ">=8"
         },
"node_modules/detect-node-es": {
              "version": "1.1.0",
"resolved": "https://registry.npmjs.org/detect-node-es/-/detect-node-es-1.1.0.tgz",
              "integrity":
"sha512-ypdmJU/TbBby2Dxibuv7ZLW3Bs1QEmM7nHjEANfohJLvE0XVujisn1qPJcZxg+qDucsr+bP6fLD1rPS3AhJ7EQ==",
              "license": "MIT'
         },
"node_modules/doctrine": {
             "version": "2.1.0",
"resolved": "https://registry.npmjs.org/doctrine/-/doctrine-2.1.0.tgz",
              "integrity":
"sha512-35mSku4ZXKOvfCuHEDAwt55dg2jNajHZ1odvF+8SSr82EsZY4QmXfuWso8oEd8zRhV0bSN18aM0CjSdoBX7zIw==",
              "dev": true,
"license": "Apache-2.0",
              "dependencies": {
    "esutils": "^2.0.2"
              },
"node_modules/dunder-proto": {
             "version": "1.0.1",
"resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
              "integrity":
"sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZu0e0t0zdeRe4UY7ct+A==",
              "license": "MIT",
"dependencies": {
                  "call-bind-apply-helpers": "^1.0.1",
"es-errors": "^1.3.0",
"gopd": "^1.2.0"
             },
"engines": {
    "node": ">= 0.4"
         },
"node_modules/electron-to-chromium": {
              "version": "1.5.214",
"resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-
"sha512-TpvUNdha+X3ybfU78NoQatKvQEm1oq3lf2QbnmCEdw+Bd9RuIAY+hJTvq1avzHM0f7EJfnH3vbCnbzKzisc/9Q==",
             "dev": true,
"license": "ISC"
         },
"node_modules/emoji-regex": {
              "version": "8.0.0",
"resolved": "https://registry.npmjs.org/emoji-regex/-/emoji-regex-8.0.0.tgz",
```

```
"integrity":
"sha512-MSjYzcWNOÃ0ewÁHpz0MxpYFvwq6yjy1NG3xteoqz644VCo/RPqnr1/GGt+ic3iJTzQ8Eu3TdM14SawnVUmGE6A==",
                         "license": "MIT'
                },
"node_modules/enhanced-resolve": {
                         "version": "5.18.3",
"resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.18.3.tgz",
                         "integrity"
"sha512-d4lC8xfavMeBjzGr2vECC3fsGXziXZQyJxD868h2M/mBI3PwAu0DxAkLkq5HYuvrPYcUtiLzsTo8U3PgX30cww==", "license": "MIT",
                        "license": "MIT",
"dependencies": {
    "graceful-fs": "^4.2.4",
    "tapable": "^2.2.0"
                          },
"node_modules/es-abstract": {
                         "version": "1.24.0",
"resolved": "https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.0.tgz",
                         "integrity
"sha512-WSzPgsdLtŤcQwm4CROfS5ju2Wa1QQcVeT37jFjYzdFz1r9ahadC8B8/a4qxJxM+09F18iumCdRmlr96ZYkQvEg==",
                         "dev": true,
"license": "MIT"
                         "dependencies": {
                                  "array-buffer-byte-length": "^1.0.2",
                                "array-buffer-byte-length": "^1.0.2",
"arraybuffer.prototype.slice": "^1.0.4",
"available-typed-arrays": "^1.0.7",
"call-bind": "^1.0.8",
"call-bound": "^1.0.4",
"data-view-buffer": "^1.0.2",
                                "data-view-buffer": "^1.0.2",
"data-view-byte-length": "^1.0.2",
"data-view-byte-offset": "^1.0.1",
"es-define-property": "^1.0.1",
"es-errors": "^1.3.0",
"es-object-atoms": "^1.1.1",
"es-set-tostringtag": "^2.1.0",
"es-to-primitive": "^1.3.0",
"function prototype name": "^1.1.8
                                 "function.prototype.name": "^1.1.8",
"get-intrinsic": "^1.3.0",
"get-proto": "^1.0.1",
                                 "get-symbol-description": "^1.1.0",
"globalthis": "^1.0.4",
"gopd": "^1.2.0",
                                "gopd": "^1.2.0",
"has-property-descriptors": "^1.0.2",
"has-proto": "^1.2.0",
"has-symbols": "^1.1.0",
"hasown": "^2.0.2",
"internal-slot": "^1.1.0",
"is-array-buffer": "^3.0.5",
"is-callable": "^1.2.7",
"is-data-view": "^1.0.2",
"is-penative-zero": "^2.0.3"
                                 "is-negative-zero": "^2.0.3",
"is-regex": "^1.2.1",
"is-set": "^2.0.3",
                                 "is-set: 2.0.3,

"is-shared-array-buffer": "^1.0.4",

"is-string": "^1.1.1",

"is-typed-array": "^1.1.15",

"is-weakref": "^1.1.1",
                                 "math-intrinsics": "^1.1.0",
"object-inspect": "^1.13.4",
"object-keys": "^1.1.1",
"object.assign": "^4.1.7",
"own-keys": "^1.0.1",
                                 "regexp.prototype.flags": "^1.5.4",
                                 "safe-array-concat": "^1.1.3",
"safe-push-apply": "^1.0.0",
"safe-regex-test": "^1.1.0",
"set-proto": "^1.0.0",
                                 "stop-iteration-iterator": "^1.1.0",
"string.prototype.trim": "^1.2.10",
                                 "string.prototype.trimend": "^1.0.9",
```

```
"string.prototype.trimstart": "^1.0.8",
                           "typed-array-buffer": "^1.0.3",
"typed-array-byte-length": "^1.0.3",
"typed-array-byte-offset": "^1.0.4",
"typed-array-length": "^1.0.7",
"unbox-primitive": "^1.1.0",
"which-typed-array": "^1.1.19"
                   },
"engines": {
    "node": ">= 0.4"
                    },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
             },
"node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-
property-1.0.1.tgz",
                    "integrity"
"sha512-e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRo0Xmr0gFKDg4BCdsjW8EnT69eqdYGmRpJwiPVYNrCaW3g==",
    "license": "MIT",
    "engines": {
        "node": ">= 0.4"
               ,
node modules/es-errors": {
                    "version": "1.3.0",
"resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
"sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBq1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNULS6csw==",
                    "license": "MIT",
"engines": {
    "node": ">= 0.4"
             },
"node_modules/es-iterator-helpers": {
                    "version": "1.2.1",
"resolved": "https://registry.npmjs.org/es-iterator-helpers/-/es-iterator-
helpers-1.2.1.tgz",
                     "integrity"
"sha512-uDn+FE1yrDzyCópCo961B2IHbdM8y/ACZsKD4dG6WqrjV53BADjwa7D+1aom2rsNVfLyDqU/eigvlJGJ08004w==",
                    "dev": true,
"license": "MIT"
                    "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.3"
                          "call-bound": "^1.0.3",
"define-properties": "^1.2.1",
"es-abstract": "^1.23.6",
"es-errors": "^1.3.0",
"es-set-tostringtag": "^2.0.3",
"function-bind": "^1.1.2",
"get-intrinsic": "^1.2.6",
"globalthis": "^1.0.4",
                           "gopd": "^1.2.0",
                          "has-property-descriptors": "^1.0.2",
"has-proto": "^1.2.0",
"has-symbols": "^1.1.0",
"internal-slot": "^1.1.0",
"iterator.prototype": "^1.1.4",
"safe-array-concat": "^1.1.3"
                     },
"node_modules/es-object-atoms": {
                    "version": "1.1.1",
"resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
                    "integrity":
"sha512-FGgH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrL0DihIorn+Pe6FGJzWhXQotPv73jTaldXA==", "license": "MIT", "dependencies": {
```

```
"es-errors": "^1.3.0"
             },
"engines": {
    "node": ">= 0.4"
         "node modules/es-set-tostringtag": {
              "version": "2.1.0",
"resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-
"sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08c0DMNWbVRdVlmGZQL2YS3yR8bIUA==",
              "license": "MIT"
              "dependencies": {
    "es-errors": "^1.3.0"
                  "get-intrinsic": "^1.2.6",
"has-tostringtag": "^1.0.2",
"hasown": "^2.0.2"
             },
"engines": {
    "node": ">= 0.4"
         },
"node_modules/es-shim-unscopables": {
              "version": "1.1.0",
"resolved": "https://registry.npmjs.org/es-shim-unscopables/-/es-shim-
"sha512-d9T8ucsEhh8Bi1woXCf+TIKDIROLG5WCkxg8geBCbvk22kzwC5G20nXVM06FUsvQlgUUXQ2itephWDLqDzbeCw==",
              "dev": true,
              "license": "MIT"
              "dependencies": {
    "hasown": "^2.0.2"
             },
"engines": {
    "node": ">= 0.4"
         "sha512-w+5mJ3GuFL+NjVtJlvydShqE1eN3h3PbI7/5LAsYJP/2qtuMXjfL2LpHSRqo4b4eSF5K/DH1JXKUAHSB2UW50g==",
              "dev": true,
"license": "MIT",
              "dependencies": {
    "is-callable": "^1.2.7"
                  "is-date-object": "^1.0.5",
"is-symbol": "^1.0.4"
              "engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/esbuild": {
    " "A 25 9"
              "version": "0.25.9",
"resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.25.9.tgz",
              "integrity":
"sha512-CRb0DhYyQx3qp7ZEwzx0k4JBqmD/seJrzPa/cGjY1VtIn5E090i9/dB4JwctnfZ8Q8iT7rioVv5k/FNT/uf54g==",
              "hasInstallScript": true,
              "license": "MIT",
              "bin": {
                  "esbuild": "bin/esbuild"
               },
"optionalDependencies": {
    "@esbuild/aix-ppc64": "0.25.9",
    "@esbuild/android-arm": "0.25.9",
```

```
"@esbuild/android-arm64": "0.25.9",
                             "@esbuild/android-x64": "0.25.9", "@esbuild/darwin-arm64": "0.25.9"
                            "@esbuild/darwin-armb4": "0.25.9",
"@esbuild/darwin-x64": "0.25.9",
"@esbuild/freebsd-arm64": "0.25.9",
"@esbuild/freebsd-x64": "0.25.9",
"@esbuild/linux-arm64": "0.25.9",
"@esbuild/linux-ia32": "0.25.9",
"@esbuild/linux-lang64": "0.25.9",
                             "@esbuild/linux-loong64": "0.25.9",
"@esbuild/linux-mips64el": "0.25.9",
"@esbuild/linux-ppc64": "0.25.9",
                             "@esbuild/linux-ppc64": "0.25.9",
"@esbuild/linux-riscv64": "0.25.9",
"@esbuild/linux-s390x": "0.25.9",
"@esbuild/linux-x64": "0.25.9",
"@esbuild/netbsd-arm64": "0.25.9",
"@esbuild/openbsd-arm64": "0.25.9",
"@esbuild/openbsd-arm64": "0.25.9",
"@esbuild/openbsd-x64": "0.25.9",
                             "@esbuild/openharmony-arm64": "0.25.9",
"@esbuild/sunos-x64": "0.25.9",
"@esbuild/win32-arm64": "0.25.9",
"@esbuild/win32-ia32": "0.25.9",
"@esbuild/win32-x64": "0.25.9"
                node modules/escalade": {
                      "version": "3.2.0",
"resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
                      "integrity":
"sha512-WUj2qlxaQt04g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAii0Kotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
                      "node modules/escape-string-regexp": {
                      "version": "4.0.0",
"resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-
regexp-4.0.0.tgz",
"integrity":
"sha512-TtpcNJ3XAzx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5Wa4UXbKuS5fKkJWdgA==",
                      "dev": true,
                     "license": "MIT",
"engines": {
    "node": ">=10"
                      },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
             "sha512-RNCHRX5EwdrESý3Jc9o8ie8Bog+PeYvvSR8sDGoZxNFTvZ4dlxUB3WzQ3bQMztFrSR0DGrLLj8g60FuGY/aiQg==",
                      "dev": true,
"license": "MIT"
                      "dependencies": {
                              "@eslint-community/eslint-utils": "^4.2.0",
                             "@eslint-community/regexpp": "^4.12.1",
"@eslint/config-array": "^0.21.0",
                             "@eslint/config-array": "^0.21.0",
"@eslint/config-helpers": "^0.3.1",
"@eslint/core": "^0.15.2",
"@eslint/eslintre": "^3.3.1",
                             "@eslint/js": "9.34.0",
"@eslint/plugin-kit": "^0.3.5",
"@humanfs/node": "^0.16.6",
                             "@humanwhocodes/module-importer": "^1.0.1",
"@humanwhocodes/retry": "^0.4.2",
"@types/estree": "^1.0.6",
                             "@types/json-schema": "^7.0.15", 
"ajv": "^6.12.4",
```

```
"chalk": "^4.0.0",
"cross-spawn": "^7.0.6",
                                                 "debug": "^4.3.2",
                                                 "escape-string-regexp": "^4.0.0",
"eslint-scope": "^8.4.0",
                                               "eslint-scope": "\bar{8.4.0",
"eslint-visitor-keys": "\bar{4.2.1",
"espree": "\bar{10.4.0",
"esquery": "\bar{1.5.0",
"esutils": "\bar{2.0.2",
"fast-deep-equal": "\bar{3.1.3",
"file-entry-cache": "\bar{8.0.0",
"find-up": "\bar{5.0.0",
"glob-parent": "\bar{6.0.2",
"ignore": "\bar{5.2.0",
"ignore
                                                "ignore": "^5.2.0",
"imurmurhash": "^0.1.4",
"is-glob": "^4.0.0",
                                                "json-stable-stringify-without-jsonify": "^1.0.1",
"lodash.merge": "^4.6.2",
"minimatch": "^3.1.2",
"natural-compare": "^1.4.0",
                                                 "optionator": "^0.9.3"
                                    },
"bin": {
    "^sl
                                                 "eslint": "bin/eslint.js"
                                    },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
                                    },
"funding": {
    "url": "https://eslint.org/donate"
                                     },
"peerDependencies": {
                                                 "jiti":
                                       'peerDependenciesMeta": {
                                                 "jiti": {
                                                              "optional": true
                                                }
                        },
"node_modules/eslint-config-prettier": {
                                     "version": "10.1.8",
"resolved": "https://registry.npmjs.org/eslint-config-prettier/-/eslint-config-
prettier-10.1.8.tgz"
                                      "integrity":
"sha512-82GZUjRS0p/jganf6q1rE025VSoHH0hKPCTrgillPjdI/3bgBhAE1QzHrHTizjpRvy6pGAvKjDJtk2pF9NDq8w==",
                                     "dev": true,
"license": "MIT",
                                                 "eslint-config-prettier": "bin/cli.js"
                                    },
"funding": {
    "url": "https://opencollective.com/eslint-config-prettier"
                                     "peerDependencies": {
                                                 "eslint": ">=7.0.0"
                        },
"node_modules/eslint-plugin-react": {
                                    "version": "7.37.5",
"resolved": "https://registry.npmjs.org/eslint-plugin-react/-/eslint-plugin-
react-7.37.5.tgz",
"integrity":
"sha512-Qteup0SqUI5kdocexFNAJMvCJEfa2xUKNV4CC1xsVMrIIqEy3SQ/rqyxCWNzfrd3/ldy6HMlD2e0JDVpDg2qIA==",
                                     "dev": true,
"license": "MIT"
                                     "dependencies": {
                                                "array-includes": "^3.1.8",
"array.prototype.findlast": "^1.2.5",
"array.prototype.flatmap": "^1.3.3",
                                                "array.prototype.tosorted": "^1.1.4", "doctrine": "^2.1.0",
                                                 "es-iterator-helpers": "^1.2.1",
```

```
"estraverse": "^5.3.0",
                     "hasown": "^2.0.2",
"jsx-ast-utils": "^2.4.1 || ^3.0.0",
                     "minimatch": "^3.1.2",
"object.entries": "^1.1.9"
                     "object.fromentries": "^2.0.8",
                    "object.values": "^1.2.1",
"prop-types": "^15.8.1",
"resolve": "^2.0.0-next.5",
"semver": "^6.3.1",
                     "string.prototype.matchall": "^4.0.12", "string.prototype.repeat": "^1.0.0"
               },
"engines": {
    "node": ">=4"
                ,,
"peerDependencies": {
"eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9.7"
          },
"node modules/eslint-plugin-react-hooks": {
               "version": "5.2.0",
"resolved": "https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-
hooks-5.2.0.tgz",
                "integrity":
"sha512-+f15FfK64YQwZdJNELETdn5ibXEUQmW1DZL6KXhNnc2heoy/sg9VJJeT7n8TlMWouzWqSWavFkIhHyIbIAEapg==",
               "dev": true,
"license": "MIT",
"engines": {
    "node": ">=10"
                'peerDependencies": {
                     "estint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0 || ^9.0.0"
          },
"node_modules/eslint-scope": {
               "e_modutes/estint-scope : {
"version": "8.4.0",
"resolved": "https://registry.npmjs.org/eslint-scope/-/eslint-scope-8.4.0.tgz",
"integrity":
"sha512-sNXOfKCn74rt8ŔICKMvJS7XKV/Xk9kA7DyJr8mJik3S7Cwgy3qlkkmyS2uQB3jiJg6VNdZd/pDBJu0nvG2NlTg==",
               "dev": true,
"license": "BSD-2-Clause",
               "dependencies": {
    "esrecurse": "^4.3.0"
                     "estraverse": "^5.2.0"
                "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
               },
"funding": {
    "url": "https://opencollective.com/eslint"
          },
"node_modules/eslint-visitor-keys": {
                \overline{\phantom{a}}version": "4.2.1",
               "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-
keys-4.2.1.tgz",
                "integrity":
"sha512-Uhdk5sfgcee/9H/rC0JikYz67o0a2Tw2hGRPOG2Y1R2dg7brRe1uG0yaNQDHu+T0/uQPF/5eCapvYSmHUjt7JQ==",
               "dev": true,
"license": "Apache-2.0",
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
               },
"funding": {
    "url": "https://opencollective.com/eslint"
          "version": "10.4.0",
"resolved": "https://registry.npmjs.org/espree/-/espree-10.4.0.tgz",
                "integrity":
"sha512-j6PAQ2uUr79PZhBjP5C5fhl8e39FmRn0jsD5lGnWrFU8i2G776tBK7+nP8KuQUTTyAZUwfQqXAgrVH5MbH9CYQ==",
```

```
"dev": true,
"license": "BSD-2-Clause",
               "dependencies": {
    "acorn": "^8.15.0",
    "acorn-jsx": "^5.3.2"
                    "eslint-visitor-keys": "^4.2.1"
              },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
               },
"funding": {
    "url": "https://opencollective.com/eslint"
         },
"node_modules/esquery": {
    " "1 6 0"
               "version": "1.6.0",
"resolved": "https://registry.npmjs.org/esquery/-/esquery-1.6.0.tgz",
"sha512-ca9pw9fomFcKPvFLXhBKUK90ZvGibiG0vRJNbjljY7s7uq/5Y04B0zcYtJqExdx99rF6aAcnRxHmcUHcz6sQsq==",
               "dev": true,
"license": "BSD-3-Clause",
               "dependencies": {
    "estraverse": "^5.1.0"
               "engines": {
    "node": ">=0.10"
         },
"node_modules/esrecurse": {
               "version": "4.3.0",
"resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
               "integrity"
"sha512-KmfKL3b6G+RXvP8N1vr3Tq1kL/oCFgn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU323CD4XypR/ffioHmkti6/Tag==",
               "dev": true,
"license": "BSD-2-Clause",
               "dependencies": {
    "estraverse": "^5.2.0"
               },
"node_modules/estraverse": {
               "version": "5.3.0",
"resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
               "integrity'
"sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8fFeiINEbX36ZdNlfU/7A9f3gUw49B3oQsvwBA==",
              "dev": true,
"license": "BSD-2-Clause",
"engines": {
    "node": ">=4.0"
         "version": "2.0.3",
"resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
               "integrity"
"sha512-kVscqXk40Cp68SZ0dkgEKVi6/8ij300KBWTJq32P/dYeWTSwK41WyTxalN1eRmA5Z9UU/LX9D7FWSmV9SAYx6q==",
              "dev": true,
"license": "BSD-2-Clause",
"engines": {
    "node": ">=0.10.0"
         },
"node_modules/fast-deep-equal": {
               "version": "3.1.3",
"resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
               "integrity
"sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gD0nKNAYG5hsw07BLKj09Hc5HYNz9cGI++xlpDCIgDaitVs03ATR84Q==",
               "dev": true,
"license": "MIT"
         },
"node_modules/fast-glob": {
```

```
"version": "3.3.3",
              "resolved": "https://registry.npmjs.org/fast-qlob/-/fast-qlob-3.3.3.tqz",
              "integrity":
"sha512-7MptL8U0cqcFdzIzwOTHoilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ2TCvYLq==",
              "dev": true,
"license": "MIT",
              "dependencies": {
    "@nodelib/fs.stat": "^2.0.2",
    "@nodelib/fs.walk": "^1.2.3",
                  "glob-parent": "^5.1.2",
"merge2": "^1.3.0",
"micromatch": "^4.0.8"
             },
"engines": {
    "node": ">=8.6.0"
         },
"node_modules/fast-glob/node_modules/glob-parent": {
              "version": "5.1.2",
"resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
              "integrity":
"sha512-A0IgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/SrMyM5RPQrkGz4aS9Zow==",
              "dev": true,
"license": "ISC"
              "dependencies": {
    "is-glob": "^4.0.1"
               },
"node_modules/fast-json-stable-stringify": {
              "version": "2.1.0",
"resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-
stringify-2.1.0.tgz",
              "integrity"
"sha512-lhd/wF+Lk98HZoTCtlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmqlkwjCV8xvwHw==",
              "dev": true,
"license": "MIT"
         },
"node_modules/fast-levenshtein": {
              "version": "2.0.6",
"resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
              "integrity"
"sha512-DCXu6Ifhqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERS0XWQdMhU9Ig/PYrzyw/ul9j0Iyh0N4M0tbC5hodq8dw==",
              "dev": true,
"license": "MIT"
        "sha512-GwLTyxkCXjXbxq́IhTsMI2Nui8huMPtnxg7krajPJAjnEG/iiOS7i+zCtWGZR9G0NBKbXKh6X9m9UIsYX/N6vvQ==",
              "dev": true,
"license": "ISC"
              "dependencies": {
    "reusify": "^1.0.4"
         },
"node_modules/file-entry-cache": {
              e_modules, its series,
"version": "8.0.0",
"version": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-8.0.0.tgz",
              "integrity
"sha512-XXTUwCvisa5oacNGRP9SfNtYBNAMi+RPwBFmblZEF7N7swHYQS6/Zfk7SRwx4D5j3CH211YNRco1DEMNVfZCnQ==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "flat-cache": "^4.0.0"
              },
"engines": {
    "node": ">=16.0.0"
         },
```

```
"node modules/fill-range": {
              "version": "7.1.1",
"resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
              "integrity":
"sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9KaLyKrc+hBW0yg==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                   "to-regex-range": "^5.0.1"
             },
"engines": {
    "node": ">=8"
         "version": "5.0.0",
"resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
"sha512-78/PXT1wlLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRiW6nGng==",
             "dev": true,
"license": "MIT"
              "license": "MII",
"dependencies": {
    "locate-path": "^6.0.0",
                  "path-exists": "^4.0.0"
             },
"engines": {
    "node": ">=10"
             },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
        "sha512-f7ccFPK3SXFHpx15UIGyRJ/FJQctuKZ0zVuN3frBo4HnK3cay9VEW0R6yPYFHC0AqqhukPzKjq22t5DmAyqGyw==",
              "dev": true,
"license": "MIT'
             "dependencies": {
    "flatted": "^3.2.9",
    "keyv": "^4.5.4"
             },
"engines": {
    "node": ">=16"
         "version": "3.3.3",
"resolved": "https://registry.npmjs.org/flatted/-/flatted-3.3.3.tgz",
              "integrity"
"sha512-GX+ysw4PBCz0PzosHDepZGANEuFCMLrnRTiEy9McGjmkCQYwRq4A/X786G/fjM/+0jsWSU1ZrY5qyARZm0/uwg==",
             "dev": true,
"license": "ISC"
         },
"node_modules/follow-redirects": {
              "version": "1.15.11",
"resolved": "https://registry.npmjs.org/follow-redirects/-/follow-
redirects-1.15.11.tgz"
              "intearitv":
"sha512-deG2P0JfjrTxl50XGCDyf197ZGVCxIpfKYmfyrQ54n5F0/0gfIES8C/Psl6kWVDolizcaaxZJnTS0QSMxvnsBQ==",
              "funding": [
                  {
                       "type": "individual",
"url": "https://github.com/sponsors/RubenVerborgh"
                  }
             ],
"license": "MIT",
"engines": {
    "node": ">=4.0"
              'peerDependenciesMeta": {
                  "debug": {
```

```
"optional": true
                  }
             }
          .
'node modules/for-each": {
              "version": "0.3.5",
"resolved": "https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz",
              "integrity"
"sha512-dKx12eRCVIzqCxFGplyFKJMPvLEWgmNtUrpTiJIR5u97zEhRG8ySrtboPHZXx7daLxQVrl643cTzbab2tkQjxq==",
              "dev": true,
"license": "MIT"
              "dependencies":
                   "is-callable": "^1.2.7"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          node modules/form-data": {
              "version": "4.0.4",
"resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.4.tgz",
              "integrity":
"sha512-KrGhL9Q4zjjokiUt5004Mr/A/jlI2jDYs5eHBpYHPcBEVSiipAvn2Ko2HnPe20rmcuuvMHNdZFp+4IlGTMF00w==",
               "license": "MIT"
              "dependencies": {
    "asynckit": "^0.4.0",
    "combined-stream": "^1.0.8",
                   "es-set-tostringtag": "^2.1.0",
                   "hasown": "^2.0.2"
                   "mime-types": "^2.1.12"
              },
"engines": {
    "node": ">= 6"
         },
"node_modules/fsevents": {
              "version": "2.3.3",
"resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
              "integrity":
"sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrqF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
              "hasInstallScript": true,
              "license": "MIT",
"optional": true,
              "os": [
"darwin"
              ],
"engines": {
    "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
         },
"node_modules/function-bind": {
              "version": "1.1.2",
"resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
              "integrity":
"sha512-7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRlN7FBSFpCpr+oV00F744iUgR82nJMfG2SA==",
              "license": "MIT",
              "funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/function.prototype.name": {
              "\overline{\text{version}}": "1.1.8",
              "resolved":
"https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-1.1.8.tgz", "integrity":
"sha512-e5iwyodOHhDMr/yNrc7fDYG4qlbIvI5gajyzPnb5TCwyhjApznQh1BMFou9b30SevY43gCJKXycoCBjMbsuW0Q==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "call-bind": "^1.0.8",
```

```
"call-bound": "^1.0.3",
"define-properties": "^1.2.1"
                    "functions-have-names": "^1.2.3", "hasown": "^2.0.2",
                     "is-callable": "^1.2.7"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/functions-have-names": {
               "version": "1.2.3",
"resolved": "https://registry.npmjs.org/functions-have-names/-/functions-have-
names-1.2.3.tgz",
                "integrity"
"sha512-xckBUXyTIqT97tq2x2AMb+g163b5JFysYk0x4qxNFwbfQkmNZoiRHb6sPzI9/QV33WeuvVYBUIiD4NzNIyqaRQ==",
               "dev": true,
"license": "MIT",
               "funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/gensync": {
    " "1 0 0-het;
               "version": "1.0.0-beta.2",
"resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
               "integrity":
"sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp1HcsCZ0+nGgS8zg==",
               "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6.9.0"
          },
"node_modules/get-caller-file": {
               "integrity":
"sha512-DyFP3BM/3YHTQÓCUL/w00ZHR0lpKeGrxotcHWcqNEdnltqFwXVfhEBQ94eIo34AfQpo0rGki4cyIiftY06h2Fg==",
               "license": "ISC",
               "engines": {
    "node": "6.* || 8.* || >= 10.*"
          },
"node_modules/get-intrinsic": {
               "version": "1.3.0",
"resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
               "integrity":
"sha512-9fSjSaos/fRIVIp+xSJlE6lfwhES7LNtKaCBIamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg5mfjb98CQ==",
               "license": "MIT",
"dependencies": {
                     "call-bind-apply-helpers": "^1.0.2",
                    "es-define-property": "^1.0.
"es-errors": "^1.3.0",
"es-object-atoms": "^1.1.1",
"function-bind": "^1.1.2",
"get-proto": "^1.0.1",
                                                 "^1.0.1",
                    "gopd": "^1.2.0",
"has-symbols": "^1.1.0",
"hasown": "^2.0.2",
"math-intrinsics": "^1.1.0"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/get-nonce": {
    "version": "1.0.1",
```

```
"resolved": "https://registry.npmjs.org/get-nonce/-/get-nonce-1.0.1.tgz",
                              "integrity'
"sha512-FJhYRoDaiatfEkUK8HKlicmu/3SGFD51q3itKDGoSTysQJBnf0cxU5GxnhE1E6soB76MbT0MBtnKJuXyAx+96Q==",
                             "license": "MIT",
"engines": {
    "node": ">=6"
                   },
"node_modules/get-proto": {
                             "version": "1.0.1",
"resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
                              "integrity":
"sha512-sTSfBjoXBp89JvIKIefqw7U2CCebsc74kiY6awiGoqKtoSGbqjYE/G/+l9sF3MWFPNc9IcoOC40DfKHfxFmp0q==",
                              "license": "MIT"
                              "dependencies": {
                                       "dunder-proto": "^1.0.1",
"es-object-atoms": "^1.0.0"
                            },
"engines": {
    "node": ">= 0.4"
                   },
"node_modules/get-symbol-description": {
                             "version": "1.1.0",
"resolved": "https://registry.npmjs.org/get-symbol-description/-/get-symbol-
"sha512-w9UMqWwJxHNOvoNzSJ2oPF5wvYcvP7jUvYzhp67yEhTi17ZDBBC1z9pTdGuzjD+EFIqLSYRweZjqfiPzQ06Ebg==",
                             "dev": true,
"license": "MIT",
                            "engines": {
    "node": ">= 0.4"
                             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
                   },
"node_modules/glob-parent": {
                             "version": "6.0.2",
"resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
                              "integrity'
"sha512-XxwI8E0hVQqWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
                             "dev": true,
"license": "ISC"
                              "dependencies": {
    "is-glob": "^4.0.3"
                              "engines": {
    "node": ">=10.13.0"
                  "sha512-7ACyT3wmy\tilde{p}3I6\tilde{1}S4fG682L0VA2RGD9otkqGJIwNUMF1SWUombIIk+af1unuDYgMm082aHYwD+mzJvv9Iu8dsqq==""", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contractio
                             "license": "MIT",
"engines": {
    "node": ">=18"
                             },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
                   },
"node_modules/globalthis": {
                              "version": "1.0.4",
"resolved": "https://registry.npmjs.org/globalthis/-/globalthis-1.0.4.tgz",
                              "integrity":
```

```
"sha512-DpLKbNU4WylpxJykQujfCcwYWiV/Jhm50Goo0wrVILAv5j0r9d+H+UR3PhSCD2rCCEIg0uc+G+muBTwD54JhDQ==",
             "dev": true,
"license": "MIT"
             "dependencies": {
                  "define-properties": "^1.2.1", "gopd": "^1.0.1"
             },
"engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          node modules/gopd": {
             "version": "1.2.0",
"resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
"sha512-ZUKRh6/kUFoAiTAtTYPZJ3hw9wNxx+BIB0ijnlG9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3006Rfa93xsRg==",
             "license": "MIT",
"engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        "sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+Ff4nS/rJj+YaS6IGyiOL0VoBYX+l1Wrl3k63h/KrH+nhJ0XvQ==", "license": "ISC"
         },
"node_modules/graphemer": {
             "version": "1.4.0",
"resolved": "https://registry.npmjs.org/graphemer/-/graphemer-1.4.0.tgz",
              "integrity":
"sha512-EtKwo06kxČL9WÓ5xipiHTZlSzBm7WLT627TqC/uVRd0HKmq8NXyebnNYxDoBi7wt8eTWrUrKXCOVaFq9x1kqaq==",
             "dev": true,
"license": "MIT"
        },
"node_modules/has-bigints": {
             "version": "1.1.0",
"resolved": "https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz",
              "integrity"
"sha512-R3pbpkcIqv2Pm3dUwgjclDRVmWpTJW2DcMzcIhEXEx1oh/CEM0bMm3KLmRJ0dvhM7o4uQBnwr8pzRK2sJWIqfg==",
             "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        },
"node_modules/has-flag": {
             "version": "4.0.0",
"resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
             "integrity":
},
"node_modules/has-property-descriptors": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/has-property-descriptors/-/has-property-
descriptors-1.0.2.tgz",
"integrity"
"sha512-55JNKuIW+vq4Ke1BjOTjM2YctQIvCT7GFzHwmfZPGo5wnrqkid0YQtnAleFSqumZm4az3n2BS+erby5ipJdgrq==",
             "dev": true,
```

```
"license": "MIT"
             "dependencies": {
                  "es-define-property": "^1.0.0"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        },
"node_modules/has-proto": {
             "version": "1.2.0",
"resolved": "https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz",
             "integrity":
"sha512-KIL7eQPfHQRC8+XluaIw7BHUwwqL19bQn4hzNqdr+1wXoU0KKj6rufu47lhY7KbJR2C6T6+PfyN0Ea7wkSS+qQ==",
             "dev": true,
"license": "MIT"
             "dependencies": {
                  "dunder-proto": "^1.0.0"
             "engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        },
"node_modules/has-symbols": {
             "version": "1.1.0",
"resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
             "integrity":
"sha512-1cDNdwJ2Jaohmb3sg40mKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6Ryu0He4hT0ULCW68iomhjUoKUqlPQ==",
             "license": "MIT",
"engines": {
    "node": ">= 0.4"
             "url": "https://github.com/sponsors/ljharb"
        },
"node_modules/has-tostringtag": {
             "version": "1.0.2",
"resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
             "integrity":
"sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRKppKF8L52/VqdVs047Dlw==",
             "license": "MIT"
             "dependencies": {
    "has-symbols": "^1.0.3"
             "engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        "sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+CyS8rG3nL48Bclra9HmKhVVUHyPWNH5Y7xDwAB7bfgSjkUMQ==",
              "license": "MİT",
             "dependencies": {
                  "function-bind": "^1.1.2"
             },
"engines": {
    "node": ">= 0.4"
        },
"node_modules/hoist-non-react-statics": {
             "version": "3.3.2",
"resolved": "https://registry.npmjs.org/hoist-non-react-statics/-/hoist-non-react-
statics-3.3.2.tgz"
             "integrity":
"sha512-/gGivxi8JPKWNm/W0jSmzcMPpfpPLc3dY/6GxhX2hQ9iGj3aDfklV4ET7NjKpSinLpJ5vafa9iiGIEZg10SfBw==",
```

```
"license": "BSD-3-Clause",
               "dependencies": {
    "react-is": "^16.7.0"
         },
"node_modules/ignore": {
    " "5 3 2"
               "version": "5.3.2",
"resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
               "integrity":
"sha512-hsBTNUqQTDwkWtcdYI2i06Y/nUBEsNEDJKjWdiqLvegy8kDuJAS8uRlpkkcQpyEXL0Z/pjDy5HBmMjRCJ2qq+q==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 4"
         },
"node_modules/import-fresh": {
               "version": "3.3.1",
"resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
               "integrity":
"sha512-TR3KfrTZTYLPB6iUifx6MF9WcWrHL9su5T0bK4ZkYqBdWKP0FoSo0IdEuTuR82pmtxH2spWG9h6etwfr1pLBq0==".
               "dev": true,
"license": "MIT"
               "dependencies": {
                   "parent-module": "^1.0.0",
"resolve-from": "^4.0.0"
               "engines": {
    "node": ">=6"
              },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
         },
"node_modules/imurmurhash": {
              "version": "0.1.4",
"resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
               "integrity":
"sha512-JmXMZ6wuvĎmLiHEml9ykzq06lwFbof0GG4IkcGaENdCRDDmMVnny7s5HsIqHCbaq0w2MyPhDqkhTUqS2LU2PHA==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=0.8.19"
         },
"node_modules/internal-slot": {
               "version": "1.1.0",
"resolved": "https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz",
               "integrity":
"sha512-4gd7VpWNQNB4UKKCFFVcp1AVv+FM0gs9NKzjHKusc8jTMhd5eL1NqQq0pE0KzMds804/yHlglp3uxglu0qAPLw==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "es-errors": "^1.3.0",
    "hasown": "^2.0.2",
                   "side-channel": "^1.1.0"
              },
"engines": {
    "node": ">= 0.4"
         "sha512-DDfANUiiGŽwC1qawP66qlTugJeL5HyzMpfr8lLK+jMQirGzNod0B12cFB/9q838Ru27sBwfw78/rdoU7RERz6A==",
               "dev": true,
"license": "MIT"
              "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.3"
                    "get-intrinsic": "^1.2.6"
              },
```

```
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-async-function": {
                "version": "2.1.1",
"resolved": "https://registry.npmjs.org/is-async-function/-/is-async-
function-2.1.1.tgz",
                "integrity":
"sha512-9dgM/cZBnNvjzaMYHVoxxfPj2QXt22Ev7SuuPrs+xav0ukGB0S6d4ydZdEiM48kLx5kDV+QBPrpVnFyefL8kkQ==",
                "dev": true,
"license": "MIT"
                "dependencies": {
                    "async-function": "^1.0.0",
"call-bound": "^1.0.3",
"get-proto": "^1.0.1",
                    "has-tostringtag": "^1.0.2", 
"safe-regex-test": "^1.1.0"
                "engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-bigint": {
               "version": "1.1.0",
"resolved": "https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz",
"sha512-n4ZT37wG78iz03xPRKJrHTdZbe3IicyucEtdRsV5yglwc3GyUfbAfpSeD0FJ41NbUNSt5wbhqfp1fS+BgnvDFQ==",
               "dev": true,
"license": "MIT"
                "dependencies": {
    "has-bigints": "^1.0.2"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-boolean-object": {
               "version": "1.2.2",
"resolved": "https://registry.npmjs.org/is-boolean-object/-/is-boolean-
object-1.2.2.tgz",
"integrity
"sha512-wa56o2/ElJMYqjCjGkXri7it5FbebW5usLw/nPmCMs5DeZ7eziSYZhSmPRn0txqeW4LnAmQQU7FgqLpsEFKM4A==",
               "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bound": "^1.0.3",
                     "has-tostringtag": "^1.0.2"
                "engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-callable": {
                "version": "1.2.7",
"resolved": "https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz",
                "integrity":
"sha512-1BC0BVFhS/p0qtw6enp8e+80D0UrK0oFLztSjNzhcKA3WDuJxxAPXzPuPtKkjEY9UUoEWlX/8fgKeu2S8i9JTA==",
               "dev": true,
"license": "MIT",
"engines": {
```

```
"node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          "node modules/is-core-module": {
              "version": "2.16.1",
"resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
              "integrity"
"sha512-UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEvQuIGa99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "hasown": "^2.0.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-data-view": {
              "version": "1.0.2",
"resolved": "https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz",
              "integrity"
"sha512-RKtWF8pGmŠ87i2D6gqQu/l7EYRlVdfzemCJN/P3UOs//x1QE7mfhvzHIApBTRf7axvT6DMGwSwBXYCT0nfB9xw==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "call-bound": "^1.0.2",
                   "get-intrinsic": "^1.2.6",
"is-typed-array": "^1.1.13"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-date-object": {
              "integrity
"sha512-PwwhEakHVKTdRNVOw+/Gyh0+MzlCl4R6qKvkhuvLtPMggI1WAHt9sOwZxQLSGpUaDnrdyDsomoRgNnCfKNSXXg==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "call-bound": "^1.0.2",
    "has-tostringtag": "^1.0.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-extglob": {
              "version": "2.1.1",
"resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
              "integrity":
"sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdb036zfhGJ6QEDp0ZIFkDtnq5JRxmvl3jsoQ==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=0.10.0"
         },
"node_modules/is-finalizationregistry": {
```

```
"resolved": "https://registry.npmjs.org/is-finalizationregistry/-/is-
finalizationregistry-1.1.1.tgz",
               "integrity"
"sha512-1pC6N8qWJbWoPtEjgcL2xyhQ0P491EQjeUo3qTKcmV8YSDDJr0epfG8pcC7h/QgnQHYSv0mJ3Z/ZWxmatVrysg==",
              "dev": true,
"license": "MIT",
              "dependencies": {
    "call-bound": "^1.0.3"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-fullwidth-code-point": {
              "version": "3.0.0",
"resolved": "https://registry.npmjs.org/is-fullwidth-code-point/-/is-fullwidth-code-
point-3.0.0.tgz",
               "integrity":
"sha512-zymm5+u+sCsSWyD9qNaejV3DFvhCKclKdizYaJUuHA83RLjb7nSuGnddCHGv0hk+KY7BMAlsWeK4Ueg6EV6XQg==",
              },
"node_modules/is-generator-function": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/is-generator-function/-/is-generator-
function-1.1.0.tgz"
              "integrity"
"sha512-nPUB5km40q9e8UfN/Zc24eLlzdSf90fKByBw9CIdw4H1giPMeA00IJvbchsCu4npfI2QcMVBsGEBHKZ7wLTWmQ==",
              "dev": true,
"license": "MIT",
"dependencies": {
                   mendencies": {
"call-bound": "^1.0.3",
"get-proto": "^1.0.0",
"has-tostringtag": "^1.0.2",
"safe-regex-test": "^1.1.0"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-glob": {
              "version": "4.0.3",
"resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
              "integrity":
"sha512-xelSayHH36ZgE7ZWhli7pW34hNbNl80jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwRr4elSSg==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "is-extglob": "^2.1.1"
              "engines": {
    "node": ">=0.10.0"
         },
"node_modules/is-map": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz",
    "i=toority":
},
"funding": {
```

```
"url": "https://github.com/sponsors/ljharb"
         },
"node modules/is-negative-zero": {
              "version": "2.0.3",
"resolved": "https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-2.0.3.tgz",
              "integrity"
"sha512-5KoIu2Nqpyek75jXodFvnafB6DJqr3u8uuK0LEZJjrU19DrMD3EVERaR8sjz8CCGqpZvxPl9SuE1GMVPFHx1mw==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-number": {
              "version": "7.0.0",
"resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
              "integrity":
"sha512-41Cifkg6e8TylŚpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZUBlbGXYxxng==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=0.12.0"
         },
"node_modules/is-number-object": {
              "\overline{\text{version}}": "1.1.1",
              "resolved": "https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz",
              "integrity"
"sha512-lZhclumE1Ğ6VYD8VHe35wFaIif+CTy5SJIi5+3y4psDgWu4wPDoBhF8NxU0inEc7pHgiTsT6MaBb92rKhhD+Xw==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "call-bound": "^1.0.3",
                   "has-tostringtag": "^1.0.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-regex": {
              "version": "1.2.1",
"resolved": "https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz",
              "integrity":
"sha512-MjYsKH0507mCsmRGxWcLWheFqN9DJ/2TmngvjKXihe6efViPqc274+Fx/4fYj/r03+ESvBdTXK0V6tA3rgez1g==",
              "dev": true,
"license": "MIT"
              "dependencies": {
    "call-bound": "^1.0.2",
                   "gopd": "^1.2.0",
                   "has-tostringtag": "^1.0.2",
"hasown": "^2.0.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        "sha512-iPAjerrseŽ7/ygGLxw+EBR9agv9Y6uLeYVJMu+QNCoouJ1/1ri0mGrcWpfCqFZuzzx3WjtwxG098X+n40uRkPg==",
              "dev": true,
"license": "MIT",
```

```
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-shared-array-buffer": {
                "version": "1.0.4",
"resolved": "https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-
buffer-1.0.4.tgz",
"integrity"
"sha512-ISWac8drv4ZGfwKl5slpHG90wPNty4j0WPRIhBpxOoD+hqITiwuipOQ2bNthAzwA3B4fIj04Nln74N0S9byq8A==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bound": "^1.0.3"
                "engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-string": {
                "version": "1.1.1",
"resolved": "https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz",
"integrity":
"sha512-BtEeSsoaQjlSPBemMQIrY1MY0uM6vnS1g5fmufY0tnxLGUZM2178PKbhsk7Ffv58IX+ZtcvoGwccYsh0PglkAA==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bound": "^1.0.3",
                     "has-tostringtag": "^1.0.2"
               },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-symbol": {
                e_modules, is-symbol . {
"version": "1.1.1",
"resolved": "https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz",
                "integrity":
"sha512-9gGx6GTtCQM73BgmHQXfDmLtfjjTUDSyoxTCbp5WtoixAhfgsDirWIcVQ/IHpvI5Vgd5i/J5F7B9cN/WlVbC/w==",
                "dev": true,
"license": "MIT",
"dependencies": {
    "call-bound": "^1.0.2",
    "has-symbols: "^1.1.0"
                     "safe-regex-test": "^1.1.0"
               },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/is-typed-array": {
                "version": "1.1.15",
"resolved": "https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz",
                "integrity"
"sha512-p3EcsicXjit7SaskXHs1hA91QxgTw46Fv6EFKKGS5DRFLD8yKnohjF3hxoju94b/0cMZoQukzpPpBE9uLVKzgQ==", "dev": true, "license": "MIT", "dependencies": {
                     "which-typed-array": "^1.1.16"
                },
"engines": {
```

```
"node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          "node modules/is-weakmap": {
               "version": "2.0.2",
"resolved": "https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz",
               "integrity"
"sha512-K5pXY0m9wqY1RqjpL3YTkF39tni1XajUIkawTLUo9EZEVUFqa5qSQJF8nNS7ZwJQ02y+1YCNYcMh+HIf1ZqE+w==",
               "dev": true,
"license": "MIT",
               "engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-weakref": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-weakref/-/is-weakref-1.1.1.tgz",
    "TERCYPHUTSNETXD/254TytR8ftefexkWn5xNiHUN
"sha512-6i9mGWSlqzNMEqpCp93KwRS1uU0odk20J6b+sq7ZPDSy2WuI5NFIxp/254TytR8ftefexkWn5xNiHUNpP0fSew==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "call-bound": "^1.0.3"
              },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/is-weakset": {
               "version": "2.0.4",
"resolved": "https://registry.npmjs.org/is-weakset/-/is-weakset-2.0.4.tgz",
               "integrity":
"sha512-mfcwb6IzQyOKTs84CQMr0wW4gQcaT0AWJ0zzJCl2WSPDrWk/0zDaImWFH3djXhb24g4eudZfLRozAvPGw4d9hQ==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "call-bound": "^1.0.3"
                    "get-intrinsic": "^1.2.6"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/isarray": {
    " "2 0 5"
               "version": "2.0.5",
"resolved": "https://registry.npmjs.org/isarray/-/isarray-2.0.5.tgz",
"sha512-xHjhDr3cNBK0BzdUJSPXZntQUx/mwMS5Rw4A7lPJ90XGA06ISP/ePDNuo0vhq0ZU+UD5JoodwCAAoZQd3FeAKw==",
               "dev": true,
"license": "MIT"
          "version": "2.0.0",
"resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
               "integrity":
"sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==",
               "dev": true,
"license": "ISC"
         },
"node_modules/iterator.prototype": {
               "version": "1.1.5",
```

```
"resolved":
"https://registry.npmjs.org/iterator.prototype/-/iterator.prototype-1.1.5.tgz",
             "intéaritv"
"sha512-H0dkQoCa3b2VEeKQB0xFph+JAbcrQdE7KC0UkqwpLmv2EC4P41QXP+rqo9wYodACiG5/WM5s9oDApTU8utwj9g==",
             "dev": true,
"license": "MIT",
"dependencies": {
                 "define-data-property": "^1.1.4",
"es-object-atoms": "^1.0.0",
"get-intrinsic": "^1.2.6",
"get-proto": "^1.0.0",
"has-symbols": "^1.1.0",
                 "set-function-name": "^2.0.2"
             },
"engines": {
    "node": ">= 0.4"
        "sha512-twQoecYPiVA5K/h6SxtORw/Bs3ar+mLUtoPSc7iMXzQzK8d7eJ/R09wmTwAjiamETn1cXYPGfNnu7DMoHgu12w==",
             "license": "MIT",
             "bin": {
                 "jiti": "lib/jiti-cli.mjs"
        },
"node_modules/js-cookie": {
             "version": "3.0.5",
"resolved": "https://registry.npmjs.org/js-cookie/-/js-cookie-3.0.5.tgz",
             "integrity":
"sha512-cEiJEAEoIĎWfCŹYKWhVwFuvPX1gETRYPw6LlaTKoxD3s2AkXzkCjnp6h0V77ozyqj0jakteJ4YqDJT830+lVGw==",
             "license": "MIT",
"engines": {
    "node": ">=14"
        "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJ00beYbPhHN4k6apgJtifcoCtT9bcx0pYBtpD2kCM6Sbzq4CausW/PKQ==",
             "license": "MIT"
        },
"node_modules/js-yaml": {
    " " " 4 1 0".
             "version": "4.1.0",
"resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.0.tgz",
             "integrity":
"sha512-wpxZs9NoxŽaJEŚJGIZTyDEaYpl0FKSA+FB9aJiyemKhMwkxQg63h4T1KJgUGHpTqPDNRcmmYLugrRjJlBtWvRA==",
             "dev": true,
"license": "MIT"
             "dependencies": {
    "argparse": "^2.0.1"
             },
"bin": {
                 "js-yaml": "bin/js-yaml.js"
        "version": "3.1.0",
"resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
             "integrity
"sha512-/sM3d02F0zXjKQhJuo0Q173wf2K0o8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRx0nVw5XuGIaA==",
             "dev": true,
             "license": "MIT",
             "bin": {
                 ື່ "jsesc": "bin/jsesc"
             },
"engines": {
    "node": ">=6"
        },
```

```
"node modules/json-buffer": {
              "version": "3.0.1",
"resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",
              "integrity":
"sha512-4bV5BfR2mqfQTJm+V5tPPdf+ZpuhiIvTuAB5q8kcrXOZpTT/QwwVRWBywX1ozr6lEuPdbHxwaJlm9G6mI2sfSQ==",
              "dev": true,
"license": "MIT"
         },
"node_modules/json-schema-traverse": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-
traverse-0.4.1.tgz",
              "integrity"
"sha512-xbbCH5dCYÜ5T8ĹcEhhuh7HJ88HXuW3qsI3Y0z0ZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+845RPe3Vg==",
              "dev": true,
"license": "MIT"
         },
"node_modules/json-stable-stringify-without-jsonify": {
              "version": "1.0.1",
"resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-
stable-stringify-without-jsonify-1.0.1.tgz",
               integrity"
"sha512-Bdboy+l7tÃ30GW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1QSmd1KNwq6V0KYGlAu87CisVir6Pw==",
              "dev": true,
"license": "MIT"
          node_modules/json5": {
              "version": "2.2.3",
"resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
              "integrity"
"sha512-Xm0We7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDUzeHMWfxasyg==",
              "dev": true,
"license": "MIT",
              "bin": {
    "json5": "lib/cli.js"
              },
"engines": {
    "node": ">=6"
         },
"node_modules/jsx-ast-utils": {
              "version": "3.3.5",
"resolved": "https://registry.npmjs.org/jsx-ast-utils/-/jsx-ast-utils-3.3.5.tgz",
              "integrity"
"sha512-ZZow9HBI5Ŏ6EPgSJLUb8n2NKgmVWTwCvHGwFuJlMjvLFqlGG6pjirPhtdsseaLZjSibD8eegzmYpUZwoIlj2cQ==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                   "array-includes": "^3.1.6",
"array.prototype.flat": "^1.3.1",
"object.assign": "^4.1.4",
"object.values": "^1.1.6"
              },
"engines": {
    "node": ">=4.0"
         "version": "4.5.4",
"resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
               "integrity"
"sha512-oxVHkHR/EJf2CNXnWxRLW6mg7JyCCUcG0DtEGmL2ctUo1PNTin1PUil+r/+4r5MpVgC/fn1kjsx7mjSujKqIpw==",
              "dev": true,
"license": "MIT"
              "dependencies": {
                   "json-buffer": "3.0.1"
         },
"node_modules/laravel-vite-plugin": {
               "\overline{\text{version}}": "2.0.1",
              "resolved": "https://registry.npmjs.org/laravel-vite-plugin/-/laravel-vite-
```

```
"sha512-zQuvzWfUKQu9oNVi1o0RZAJCwhGsdhx4NEOyrVQwJHaWDseGP9tl7XUPLY2T8Cj6+IrZ6lmyxlR1KC8unf3RLA==",
                   "dev": true,
"license": "MIT"
                   "dependencies": {
    "picocolors": "^1.0.0",
                          "vite-plugin-full-reload": "^1.1.0"
                  },
"bin": {
"~le
                          "clean-orphaned-assets": "bin/clean.js"
                    "peerDependencies": {
    "vite": "^7.0.0"
            },
"node_modules/levn": {
    "" "A 4 1"
                   "version": "0.4.1",
"version": "0.4.1",
"resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
                   "integrity":
"sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCpIp6ym80WJ5eV6+67Dsql/LaaT7qJBAt2rzfoa/5QBGBhxDix1dMt2kQKQ==",
                   "dev": true,
"license": "MIT"
                   "dependencies": {
    "prelude-ls": "^1.2.1",
    "type-check": "~0.4.0"
                   },
"engines": {
    "node": ">= 0.8.0"
            },
"node_modules/lightningcss": {
                   "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.30.1.tgz",
                    "integrity":
"sha512-xi6IyHML+c9+Q3W0S4fCQJOym42pyurFiJUHEcEyHS0CeKzia4yZDEsLlq0Fykx0dHpNy0NmvV031vcSqAxJCg==",
                   "license": "MPL-2.0",
"dependencies": {
    "detect-libc": "^2.0.3"
                   "engines": {
    "node": ">= 12.0.0"
                  },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
    ...
                   },
"optionalDependencies": {
                         "lightningcss-darwin-arm64": "1.30.1",
"lightningcss-darwin-x64": "1.30.1",
"lightningcss-freebsd-x64": "1.30.1",
"lightningcss-linux-arm-gnueabihf": "1.30.1",
                         "lightningcss-linux-arm-gnueabint": "1.30.",
"lightningcss-linux-arm64-gnu": "1.30.1",
"lightningcss-linux-x64-gnu": "1.30.1",
"lightningcss-linux-x64-musl": "1.30.1",
"lightningcss-linux-x64-musl": "1.30.1",
"lightningcss-win32-arm64-msvc": "1.30.1",
"lightningcss-win32-x64-msvc": "1.30.1"
            },
"node_modules/lightningcss-darwin-arm64": {
    "version": "1.30.1",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-
arm64-1.30.1.tgz",
                   "integrity":
"sha512-c8JK7hyE65X1MHMN+Viq9n11RRC7hqin3HhYKhrMyaXflk5GVplZ60IxyoVtzILeKr+xAJwq6zK6sjTBJ0FKYQ==",
                   "cpu": [
"arm64"
                   ],
"license": "MPL-2.0",
"optional": true,
                   "os": [
```

```
"darwin"
                ],
"engines": {
    "node": ">= 12.0.0"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
          },
"node_modules/lightningcss-darwin-x64": {
    "version": "1.30.1",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-
darwin-x64-1.30.1.tgz",
"integrity"
"sha512-k1EvjakfumAQoŤfcXUcHQZhSpLlkAuEkdMBsI/ivWw9hL+7FtilQc0Cy3hrx0AAQrVtQAbMI7YjCgYgvn37PzA==",
                 cpu": [
"x64"
                ],
"license": "MPL-2.0",
"optional": true,
                "os": [
"darwin"
                "engines": {
    "node": ">= 12.0.0"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
          },
"node_modules/lightningcss-freebsd-x64": {
                "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-
freebsd-x64-1.30.1.tgz",
                "integrity"
"sha512-kmW6UGCGgŽPcyÚE59K5r0kWfKPAVy4SltVeut+umLCFoJ53RdCUWxcRDz01eTaxf/7Q2H7LTquFHPL5R+Gjyiq==",
                "cpu": [
"x64"
                ],
"license": "MPL-2.0",
                "optional": true,
                "os": [
"freebsd"
                 "engines": {
    "node": ">= 12.0.0"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
          },
"node_modules/lightningcss-linux-arm-gnueabihf": {
"version": "1.30.1",

"resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.30.1.tgz",
                 "integrity":
"sha512-MjxUShllv8pit+6D/zSPq9S9dQ2NPFSQwGvxBCYaBYLPlCWuPh9/t1MRS8iUaR8i+a6w7aps+B4N0S1TYP/R+Q==",
                "cpu": [
                     "arm"
                ],
"license": "MPL-2.0",
"optional": true,
                "os": [
"linux"
                 },
"funding": {
    "type": "opencollective",
```

```
"url": "https://opencollective.com/parcel"
                     },
"node_modules/lightningcss-linux-arm64-gnu": {
    "version": "1.30.1",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-
"sha512-gB72maP8rmrKsnKYy8XUuXi/40ctJiuQjcuqWNlJQ6jZiWqtPvqFziskH3hnajfvKB27ynbVCucKSm2rkQp4Bw==",
                                  "cpu": [
"arm64"
                                  "license": "MPL-2.0",
                                  "optional": true,
                                 "os": [
"linux"
                                  "engines": {
    "node": ">= 12.0.0"
                                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
                      },
"node_modules/lightningcss-linux-arm64-musl": {
                                  "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-
linux-arm64-musl-1.30.1.tgz",
                                  "integrity":
"sha512-jmUQVx433Ĭm6LÍX+0wUhBbmMX7TCfjF5FoOH6SD1CttzuYlGNVpA7QnrmLxrsub43ClTINfGSYyHe2HWeLl5CQ==",
                                  "cpu": [
                                            "arm64"
                                 ],
"license": "MPL-2.0",
"optional": true,
                                 "os": [
"linux"
                                   "engines": {
    "node": ">= 12.0.0"
                                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
                      },
"node_modules/lightningcss-linux-x64-gnu": {
                                 "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-
linux-x64-gnu-1.30.1.tgz",
                                   "integrity":
"sha512-piWx3z4wN\breve{8}J8z\breve{3}+05k074+yr6ze/dKmPnI7vLqfSqI8bccaTGY5xiSGVIJBDd5K5BHlvVLpUB3S2YCfelyJ1bw==""", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contractio
                                  "cpu": [
"x64"
                                 ],
"license": "MPL-2.0",
"optional": true,
                                  "os": [
"linux"
                                  "engines": {
    "node": ">= 12.0.0"
                                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
                        node modules/lightningcss-linux-x64-musl": {
                                  "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-
linux-x64-musl-1.30.1.tgz",
```

```
"integrity":
"sha512-rRomAK7eIkL+tHY0YPxbc5Dra2qXlI63HL+v1Pdi1a3sC+tJTcFrHX+E86sulqAXeI7rSzDYhPSeHHjqFhqfeQ==",
               "cpu": [
                    ์ "x64"
               ],
"license": "MPL-2.0",
"optional": true,
               "os": [
"linux"
                "engines": {
    "node": ">= 12.0.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
          },
"node_modules/lightningcss-win32-arm64-msvc": {
               "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-
win32-arm64-msvc-1.30.1.tgz",
                "integrity":
"sha512-mSL4rqPi4iXq5ÝVqzSsJgMVFENoa4nGTT/Gj02c0Yl90uQfPsIfncvLrEW6RbbB24WtZ3xP/2CCmI3tNkNV4oA==",
               "cpu": [
                    "arm64"
               ],
"license": "MPL-2.0",
"optional": true,
               "os": [
"win32"
                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
          },
"node_modules/lightningcss-win32-x64-msvc": {
               "version": "1.30.1",
"resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-
win32-x64-msvc-1.30.1.tgz",
"integrity":
"sha512-PVqXh48wh4T53F/1CCu8PIPCxLzWyCnn/9T5W1Jpmdy5h9Cwd+0YQS6/LwhHXSafuc61/xg9Lv50rCby6a++jg==",
               "cpu": [
"x64"
               ],
"license": "MPL-2.0",
"optional": true,
               "os": [
"win32'
               "engines": {
    "node": ">= 12.0.0"
              },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
          },
"node_modules/locate-path": {
               "version": "6.0.0",
"resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
               "integrity":
"sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/M06KCweDqPfP3elTztoKP3KtnVHxTn2NHBSDVUw==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "p-locate": "^5.0.0"
               },
"engines": {
```

```
"node": ">=10"
             },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
         "node modules/lodash-es": {
             "wersion": "4.17.21",
"resolved": "https://registry.npmjs.org/lodash-es/-/lodash-es-4.17.21.tgz",
             "integrity"
"sha512-mKnC+QJ9pWVzv+C4/U3rRsHapFfHvQFoFB92e52xeyGMcX6/0lll78je1u8vePzYZSkkogMPJ2yjxxsb89cxyw==",
             "license": "MIT"
        },
"node_modules/lodash.merge": {
              "resolved": "https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz",
             "integrity":
"sha512-0KpjqXRVvrYyCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+KlKj8YS0ZUCtRT/YUuhyYDujIQ==",
             "dev": true,
"license": "MIT"
        },
"node_modules/loose-envify": {
             "version": "1.4.0",
"resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
             "integrity":
"sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HqMySw7f611UIY408EtxRSoK3Q==",
              'license": "MIT"
             "dependencies": {
    "js-tokens": "^3.0.0 || ^4.0.0"
             },
"bin": {
"100
                  "loose-envify": "cli.js"
        "version": "5.1.1",
"resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
             "integrity":
"sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAF0XN7dk/FviaDW8LHmK52DlcH4WP2n6gI8vN1aesBFgo9w==",
             "dev": true,
"license": "ISC"
             "dependencies": {
    "yallist": "^3.0.2"
        },
"node_modules/lucide-react": {
             "version": "0.475.0",
"resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-0.475.0.tgz",
             "integrity":
"sha512-NJzvVu1HwFVeZ+Gwq2q00KygM1aBhy/ZrhY9FsAgJtpB+E4R7uxRk9M2iKvHa6/vNxZydIB59htha4c2vvwvVg==", "license": "ISC",
             "peerDependencies": {
                  "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
        },
"node_modules/magic-string": {
             "version": "0.30.18", "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.18.tgz",
             "integrity":
"sha512-yi8swmWb017qHhwIBNeeZxTceJMeBvWJaId6dyvTSOwTipqeHhMhOrz6513r1sOKnpvQ7zkhlG8tPrpilwTxHQ==", "license": "MIT", "dependencies": {
             "dependencies":
                  "@jridgewell/sourcemap-codec": "^1.5.5"
          ,
'node modules/math-intrinsics": {
             "version": "1.1.0",
"resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
             "integrity":
"sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6Xl9LHu1q==",
```

```
}
         },
"node_modules/merge2": {
               "version": "1.4.1",
"resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
"sha512-8q7VEqMJW4J8tcfVPy8q09NcQwZdbwFEqhe/WZkoIzjn/3TGDwt0CYtXGxA308tPzpczCCDqv+P2P5y00ZJ00q==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 8"
         },
"node_modules/micromatch": {
               "\overline{\text{version}}": "4.0.8",
               "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
               "integrity"
"sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
               "dev": true,
               "license": "MIT"
              "dependencies": {
    "braces": "^3.0.3",
    "picomatch": "^2.3.1"
               "engines": {
    "node": ">=8.6"
         },
"node_modules/mime-db": {
    " "1 52 0"
               "Version": "1.52.0",
"resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
               "integrity":
"sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYv0groQ0wYQQ0KPJ8CIbE+1ETVl0oK1UC2nU3gYvg==",
              "license": "MIT",
"engines": {
    "node": ">= 0.6"
         },
"node_modules/mime-types": {
               "version": "2.1.35",
"resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
               "integrity":
"sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL50hzaeXiw==",
               "license": "MIT"
               "dependencies": {
    "mime-db": "1.52.0"
               "engines": {
    "node": ">= 0.6"
         },
"node_modules/minimatch": {
              "version": "3.1.2",
"resolved": "https://registry.npmjs.org/minimatch/-/minimatch-3.1.2.tgz",
               "integrity":
"sha512-J7p63hRiAjw1NDEww1W7i37+ByIr0W05XQQAzZ3V0cL0PNybwpfmV/N05zFAzwQ9USyEcX6t3U0+K5aqBQ0IHw==",
               "dev": true,
"license": "ISC
               "dependencies": {
                    "brace-expansion": "^1.1.7"
               },
"node_modules/minipass": {
               "version": "7.1.2",
"resolved": "https://registry.npmjs.org/minipass/-/minipass-7.1.2.tgz",
               "integrity":
"sha512-q00zS1cBTWYF4BH8fVePDB009iptMnGUEZwNc/cMWnTV2nVLZ7VoNWEPHkYczZA0pdoA7dl6e7FL659nX9S2aw==", "license": "ISC",
               "engines": {
    "node": ">=16 || 14 >=14.17"
```

```
}
         node modules/minizlib": {
             "version": "3.0.2",
"resolved": "https://registry.npmjs.org/minizlib/-/minizlib-3.0.2.tgz",
             "integrity":
"sha512-oG62iEk+CYt5Xj2YqI5Xi9xWUeZhDI8jjQmC5oThVH5JGCTgIjr7ciJDzC7MBzYd//WvR10TmP5Q38Q8ShQtVA==", "license": "MIT",
            "dependencies": {
    "minipass": "^7.1.2"
            },
"engines": {
    "node": ">= 18"
        "sha512-+NsyUUAZDmo6YVHzL/stxSu3t9YS1iljliy3BSDrXJ/dkn1KYdmtZODGGjLcc9XLqVVpH4KshHB8XmZqMhaBXq==",
             'license": "MIT",
             "bin": {
                 "mkdirp": "dist/cjs/src/bin.js"
            },
"engines": {
    "node": ">=10"
            },
"funding": {
    "url": "https://github.com/sponsors/isaacs"
        },
"node_modules/ms": {
             "version": "2.1.3",
"resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
             "integrity":
"sha512-6FlzubTLZĞ3J2a/NVCAleEhjzq5oxqHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnSO/tXtF3WRTlA==",
            "dev": true,
"license": "MIT"
        "sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v+347pnakNevPmiHhNmZ2HbFA76w==",
             "funding": [
                 {
                     "type": "github",
"url": "https://github.com/sponsors/ai"
            ],
"license": "MIT",
             "bin": {
                 "nanoid": "bin/nanoid.cjs"
            },
"engines": {
    "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
        },
"node_modules/natural-compare": {
             "version": "1.4.0",
"resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
             "integrity"
"sha512-0WND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5s0ajh5G116RYA1c8ZMSw==",
            "dev": true,
"license": "MIT"
        },
"node_modules/node-releases": {
            "version": "2.0.19",
"resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.19.tgz",
             "integrity"
"sha512-xx0WJsBKtzAq7DY0J+DTzuz58K8e7sJbdqwkbMWQe8UYB6ekmsQ45q0M/tJDsGaZmbC+l7n57UV8Hl5tHx09uw==",
             "dev": true,
"license": "MIT"
```

```
},
"node_modules/object-assign": {
                "version": "4.1.1",
"resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
                "integrity":
"sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElbLJSnc3FUQHVe4cU5hj+BcUg==",
                "license": "MIT",
"engines": {
    "node": ">=0.10.0"
           "node modules/object-inspect": {
                "wersion": "1.13.4",
"resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",
                "integrity"
"sha512-W67iLl4J2EXEGTbfeHCffrjDfitvLANg0UlX3wFUUSTx92KXRFegMHUVgSqE+wvhAbi4WqjGg9czysTV2Epbew==",
                "license": "MIT",
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/object-keys": {
                "version": "1.1.1",
"resolved": "https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz",
                "integrity":
"sha512-NuAESU0UMrlIXOfHKzD6bpPu3tYt3xvjNdRIQ+FeT0lNb4K8WR70CaDxhuNguS2XG+GjkyMw0zsN5ZktImfhLA==",
                "dev": true,
                "license": "MIT",
"engines": {
    "node": ">= 0.4"
          },
"node_modules/object.assign": {
                "version": "4.1.7",
"resolved": "https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz",
"integrity":
"sha512-nK28W0o+QĬjBkĎduTINE4JkF/UJJKyf2EJxvJKfblDpyg0Q+pk0HNTL0Qwy6NP6FhE/EnzV73BxxqcJaXY9anw==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.3"
                     "define-properties": "^1.2.1",
"es-object-atoms": "^1.0.0",
"has-symbols": "^1.1.0",
"object-keys": "^1.1.1"
               },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/object.entries": {
                "version": "1.1.9",
"resolved": "https://registry.npmjs.org/object.entries/-/object.entries-1.1.9.tgz",
                "integrity"
"sha512-8u/hfXFRBĎ100ĥPUjioLhoWFHRmt6tKA4/vZPyckBr18l1KE9uHrFaFaUi8MDRTpi4uak2goyPTSNJLXX2k2Hw==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4"
                     "define-properties": "^1.2.1",
"es-object-atoms": "^1.1.1"
                "engines": {
    "node": ">= 0.4"
                }
```

```
},
"node_modules/object.fromentries": {
                 "version": "2.0.8",
                "resolved":
"https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz",
                "integrity":
"sha512-k6E21FzySsSK5a21KRADBd/NGneRegF05pLHfdQLpRDETUNJueLXs3WCzyQ3tFRDYgbq3KHGXfTbi2bs8WQ6rQ==",
                "es-abstract": "^1.23.2"
                      "es-object-atoms": "^1.0.0"
                },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/object.values": {
                "version": "1.2.1",
"resolved": "https://registry.npmjs.org/object.values/-/object.values-1.2.1.tgz",
                "integrity":
"sha512-gXah6aZrcŬxjWg2zR2MwouP2eHlCBzdV4pygudehaKXSGW4v2AsRQUK+lwwXhii6KFZcunEnmSUoYp5CXibxtA==",
                "dev": true,
"license": "MIT"
                "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.3",
    "define-properties": "^1.2.1",
    "es-object-atoms": "^1.0.0"
                },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/optionator": {
                "version": "0.9.4",
"resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
                "integrity
"sha512-6IpQ7mKUxŘcZNĹI0bR0hz7lxsapSSIYNZJwXPGeF0mTVqGKFIXj1DQcMoT22S3R0cLyY/rz0PWaWZ9ayWmad9g==",
                "dev": true,
"license": "MIT"
                "ticense": "MII",
"dependencies": {
    "deep-is": "^0.1.3",
    "fast-levenshtein": "^2.0.6",
    "levn": "^0.4.1",
    "prelude-ls": "^1.2.1",
    "type-check": "^0.4.0",
    "word-wrap": "^1.2.5"
                 "engines": {
    "node": ">= 0.8.0"
          },
"node_modules/own-keys": {
                e_modules,own-keys . {
"version": "1.0.1",
"resolved": "https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz",
                "integrity"
"sha512-qF0yK5PjiWZd+QQIh+1jhdb9LpxTF0qs7Pm8o5QHYZ0M3vKqSqzsZaEB6oWlxZ+q2sJBMI/Ktgd2N5ZwQoRHfg==",
                "dev": true,
"license": "MIT"
                "dependencies": {
                      "get-intrinsic": "^1.2.6",
"object-keys": ["^1.1.1",
                      "safe-push-apply": "^1.0.0"
                },
```

```
"engines": {
    "node": ">= 0.4"
            },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        },
"node_modules/p-limit": {
    "    "    "    1    0"    .
             "version": "3.1.0",
"resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
             "integrity":
"sha512-TYOanM3wGwNGsŹN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/ol7GVh7odevjp1FNHduHc3KZMcFduxU5Xc6uJRQ==",
            "dev": true,
"license": "MIT"
             "dependencies": {
                 "yocto-queue": "^0.1.0"
            },
"engines": {
    "node": ">=10"
            },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
        "sha512-LaNjtRWUBY++zB5nE/NwcaoMylSPk+S+ZHNB1TzdbMJMny6dynpAGt7X/tl/QYq3TIeE6nxHppbo2LGymrG5Pw==",
             "dev": true,
             "license": "MIT"
             "dependencies": {
    "p-limit": "^3.0.2"
            },
"engines": {
    "node": ">=10"
            },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
        },
"node_modules/parent-module": {
            "version": "1.0.1",
"resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
             "integrity":
"sha512-GQ2EWRpQV8/o+Áw8YqtfZZPfNRWZYkbidE9k5rpl/hC3vtHHBfGm2Ifi6qWV+coDGkrUKZAxE3Lot5kcsRlh+g==",
             "dev": true,
"license": "MIT'
             "dependencies": {
    "callsites": "^3.0.0"
             "engines": {
    "node": ">=6"
        },
"node_modules/path-exists": {
             "version": "4.0.0",
"resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
             "integrity":
"sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSLOSBmRmygPsGwkVVt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWy7/w==",
            "dev": true,
"license": "MIT",
"engines": {
         "node": ">=8"
```

```
"engines": {
    "node": ">=8"
          ,
'node modules/path-parse": {
              "version": "1.0.7",
"resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
              "integrity":
"sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pAByGWo/k5YYdYgpY2/2EsOsksJrq7l0HxryrV0n1ejG6oAp8ahv0IQD8sw==",
              "dev": true,
"license": "MIT"
         },
"node_modules/picocolors": {
              "version": "1.1.1",
"resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
              "integrity":
"sha512-xceH2snhtĎ5M9ĺiqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
              "license": "ISC"
         },
"node_modules/picomatch": {
              "version": "2.3.1",
"resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.1.tgz",
"sha512-JU3teHTNjmE2VCGFzuY8EXzCDVwEqB2a8fsIvwaStHhAWJEeVd1o1QD80CU6+ZdEXXSLbSsuLwJjkCBWqRQUVA==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=8.6"
              },
"funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
         },
"node_modules/playwright": {
              "version": "1.55.0",
"resolved": "https://registry.npmjs.org/playwright/-/playwright-1.55.0.tgz",
              "integrity"
"sha512-sdCWStblvV1YU909Xqx0Dh0jPZE4/5lJsIS84IfN9dAZfcl/CIZ508l3o0j7hPMjDvqoTF8ZUcc+i/GL5erstA==",
              "dev": true,
"license": "Apache-2.0",
              "dependencies": {
                   "playwright-core": "1.55.0"
             },
"bin": {
    "nla
                   "playwright": "cli.js"
              optionalDependencies": {
    "fsevents": "2.3.2"
         },
"node_modules/playwright-core": {
              "wersion": "1.55.0",
"resolved": "https://registry.npmjs.org/playwright-core/-/playwright-core-1.55.0.tgz",
              "integrity":
"sha512-GvZs4vU3UŠro2nZpeiwyb0zuFaqb9sUiAJuyrWpcGouD8y9/HLgGbNRjIph7zU9D3hnPaisMl9zG9CgFi/biIg==",
              "dev": true,
"license": "Apache-2.0",
              "bin": {
                   "playwright-core": "cli.js"
             },
"engines": {
    "node": ">=18"
         },
"node_modules/playwright/node_modules/fsevents": {
              "version": "2.3.2",
"resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.2.tgz",
              "integrity":
"sha512-xiqMQR4xAeHTuB9uWm+fFRcI0qKBMi0BP+eXiyT7jsgVCq1bkVygt00oASowB7Edtp0HaaPgKt812P9ab+DDKA==",
              "dev": true,
```

```
"hasInstallScript": true,
                                 "license": "MIT",
"optional": true,
                                 "os": [
"darwin"
                                 ],
"engines": {
    "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
                     },
"node_modules/possible-typed-array-names": {
                                 "version": "1.1.0",
"resolved": "https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-
array-names-1.1.0.tgz"
                                  "integrity"
"sha512-/+5VFTchJDoVj3bhoqi6UeymcD00DAwb1nJwamzPvHEszJ4FpF6SNNbUbOS8yI56qHzdV8eK0qEf0SiodkTdxg==",
                                 "dev": true,
"license": "MIT",
                                 "engines": {
    "node": ">= 0.4"
                     },
"node_modules/postcss": {
    "" "8 5 6".
                                 "version": "8.5.6",
"resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.6.tgz",
                                 "integrity":
"sha512-3Ybi1tAuwAP9s0r1UQ2J4n5Y0G05bJkpUI00/bI9MhwmD70S5aTWbXGBwxHrelT+XM1k6dM0pk+SwNkpTRN7Pg==",
                                 "funding": [
                                                       "type": "opencollective",
"url": "https://opencollective.com/postcss/"
                                            },
                                                       "type": "tidelift",
"url": "https://tidelift.com/funding/github/npm/postcss"
                                                       "type": "github",
"url": "https://github.com/sponsors/ai"
                                 ],
"license": "MIT",
'---ies": {
                                 "dependencies": {
    "nanoid": "^3.3.11",
    "picocolors": "^1.1.1",
    "source-map-js": "^1.2.1"
                                },
"engines": {
    "node": "^10 || ^12 || >=14"
                     },
"node_modules/prelude-ls": {
                                 "version": "1.2.1",
"resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
                                 "integrity":
"sha512-vkcDPrRZo1QZLbn5RLGPpg/WmIQ65qoWWhcGKf/b5eplkkarX0m9z8ppCat4ml0qUsWpyNuYg03VRyrYHSzX5g==",
                                "dev": true,
"license": "MIT",
"engines": {
    "node": ">= 0.8.0"
                     },
"node_modules/prettier": {
    " "3 6 2"
                                 "version": "3.6.2",
"resolved": "https://registry.npmjs.org/prettier/-/prettier-3.6.2.tgz",
                                 "integrity"
"sha512-I7AIg5boAr5R0FFtJ6rCfD+LFsWHp81dolrFD8S79U9tb8Az2nGrJncnMSnys+bpQJfRUzqs9hnA810AA3hCuQ==""", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of t
                                 "dev": true,
"license": "MIT",
                                 "bin": {
                                           "prettier": "bin/prettier.cjs"
                                },
"engines": {
```

```
"node": ">=14"
               },
"funding": {
    "url": "https://github.com/prettier/prettier?sponsor=1"
          "node modules/prettier-plugin-organize-imports": {
               "version": "4.2.0",
"resolved": "https://registry.npmjs.org/prettier-plugin-organize-imports/-/prettier-
plugin-organize-imports-4.2.0.tgz",
                "integrity":
"sha512-Zdy27UhlmyvATŹi67BTnLcKTo8fm60ik59Sz6H64PgZJVs6NJpPD1mT240mmJn62c98/QaL+r3kx9Q3gRpDajg==",
               "dev": true,
"license": "MIT"
               "peerDependencies": {
    "prettier": ">=2.0",
    "typescript": ">=2.9",
    "vue-tsc": "^2.1.0 || 3"
                'peerDependenciesMeta": {
                     "vue-tsc": {
    "optional": true
          tailwindcss-0.6.14.tgz"
               "integrity"
"sha512-pi2e/+ZygeIgntN+vC573BcW5Cve8zUB0SSAGxgpB4f96boZF4M3phPVo0FCeypwkpRYdi7+j05YJJUwrkGUAg==",
               "dev": true,
"license": "MIT",
"engines": {
    "node": ">=14.21.3"
               "dependences : {
    "@ianvs/prettier-plugin-sort-imports": "*",
    "@prettier/plugin-hermes": "*",
    "@prettier/plugin-oxc": "*",
    "@prettier/plugin-pug": "*",
                    "prettier-plugin-astro": "*",
"prettier-plugin-css-order": "*"
                     "prettier-plugin-import-sort": "*",
                    "prettier-plugin-jsdoc": "*"
"prettier-plugin-marko": "*"
                    "prettier-plugin-multiline-arrays": "*",
"prettier-plugin-organize-attributes": "*",
                    "prettier-plugin-organize-imports": "*",
"prettier-plugin-sort-imports": "*",
"prettier-plugin-style-order": "*",
"prettier-plugin-style-order": "*",
               "@ianvs/prettier-plugin-sort-imports": {
                          "optional": true
                    },
"@prettier/plugin-hermes": {
    "optional": true
                    },
"@prettier/plugin-oxc": {
                          "optional": true
                     '@prettier/plugin-pug": {
                          "optional": true
                     "@shopify/prettier-plugin-liquid": {
                           "optional": true
                    },
```

```
"@trivago/prettier-plugin-sort-imports": {
                          "optional": true
                    },
"@zackad/prettier-plugin-twig": {
    "optional": true
                    "prettier-plugin-astro": {
                         "optional": true
                    },
"prettier-plugin-css-order": {
                          "optional": true
                    "prettier-plugin-import-sort": {
                         "optional": true
                    },
"prettier-plugin-jsdoc": {
    "optional": true
                     "prettier-plugin-marko": {
                         "optional": true
                    },
"prettier-plugin-multiline-arrays": {
    "optional": true
                    "prettier-plugin-organize-attributes": {
                         "optional": true
                     "prettier-plugin-organize-imports": {
    "optional": true
                    },
"prettier-plugin-sort-imports": {
                         "optional": true
                     "prettier-plugin-style-order": {
    "optional": true
                    "prettier-plugin-svelte": {
                         "optional": true
               }
         },
"node_modules/prop-types": {
               "version": "15.8.1",
"resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
               "integrity":
"sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAv0qCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdhfe/2qDH5cg==", "license": "MIT", "dependencies": {
                    "loose-envify": "^1.4.0",
"object-assign": "^4.1.1",
"react-is": "^16.13.1"
               }
         },
"node_modules/proxy-from-env": {
               "version": "1.1.0",
"resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-1.1.0.tgz",
               "integrity":
"sha512-D+zkORCbA9f1tdWRK0RaCR3GPv50cMxcrz4X8k5LTSUD1Dkw47mKJEZQNunItRTkWwgtaUSo1RVFRIG9ZXiFYg==",
               "license": "MIT"
          },
"node_modules/punycode": {
               "version": "2.3.1",
"resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
               "integrity":
"sha512-vYt7UD1U9Wg6138shLtL0vdAu+8DsC/ilFtEVHcH+wydcSpNE20AfSOduf6MkRFahL5FY7X1oU7nKVZFtfq8Fg==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=6"
         },
"node_modules/qs": {
    "version": "6.14.0",
```

```
"resolved": "https://registry.npmjs.org/qs/-/qs-6.14.0.tgz",
             "integrity":
"sha512-YWWTjgABSKcvs/nWBi9PycY/JiPJq0D4JA6o9Sej2AtvSGarXxKC30QSk4pAarbdQlKAh5D4FCQkJNkW+GAn3w==".
              license": "BSD-3-Clause",
             "dependencies": {
                  "side-channel": "^1.1.0"
             "engines": {
    "node": ">=0.6"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          'node_modules/queue-microtask": {

"version": "1.2.3",

"resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
             "integrity":
"sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
             "dev": true,
             "funding": [
                      "type": "github",
"url": "https://github.com/sponsors/feross"
                 },
                      "type": "patreon",
"url": "https://www.patreon.com/feross"
                      "type": "consulting",
"url": "https://feross.org/support"
             ],
"license": "MIT"
         "version": "19.1.1",
"resolved": "https://registry.npmjs.org/react/-/react-19.1.1.tgz",
             "integrity"
"sha512-w8nqGImo4ŠdmMÍfljjMw0GtbmC/mk4CMYhWIicdSflH91J9TyCyczcPFXJzrZ/ZXcgGRFeP6BU0BEJTw6tZdfQ==",
              "license": "MIT",
             "engines": {
    "node": ">=0.10.0"
         },
"node_modules/react-dom": {
             "version": "19.1.1",
"resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.1.1.tgz",
             "integrity":
"sha512-Dlq/5LAZgF0Gaz6yiqZCf6VCcZs1ghAJyrsu84Q/GT0gV+mCxbfmKNoGRKBYMJ8IEdGPqu49YWXD02GCknEDkw==", "license": "MIT",
             "dependencies": {
                  "scheduler": \"^0.26.0"
              peerDependencies": {
"react": "^19.1.1"
        "sha512-24e6ynE2H+0Kt4kqs0vNd8kBpV65zoxbA4BVsE0B3ARVWQki/DHzaUoC5Ku0N/BiccDaCCTZBu0cfZs70kR8bQ==", "license": "MIT"
          'node modules/react-refresh": {
              \overline{\phantom{a}}version": "0.17.0"
             "resolved": "https://registry.npmjs.org/react-refresh/-/react-refresh-0.17.0.tgz",
             "integrity"
"sha512-z6F7K9bV85EfseRCp2bzrpyQ0Gkw1uLoCel9XBVWPg/TjRj94SkJzUTGf0a4bs7iJvBWtQG0Wq7wnI0syw3EBQ==",
             "dev": true,
"license": "MIT",
```

```
"engines": {
    "node": ">=0.10.0"
         },
"node_modules/react-remove-scroll": {
              "version": "2.7.1",
"resolved": "https://registry.npmjs.org/react-remove-scroll/-/react-remove-
"sha512-HpMh8+oahmIdOuS5aFKKY6Pyog+FNaZV/XyJOq7b4YFwsFHe5yYfdbIalI4k3vU2nSDql7YskmUseHsRrJqIPA==",
              "license": "MIT",
"dependencies": {
                   "react-remove-scroll-bar": "^2.3.7",
                  "react-remove-scrott-bar: ""2.3./
"react-style-singleton": "^2.2.3",
"tslib": "^2.1.0",
"use-callback-ref": "^1.3.3",
"use-sidecar": "^1.1.3"
             },
"engines": {
    "node": ">=10"
               "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
              "@types/react": {
    "optional": true
         },
"node_modules/react-remove-scroll-bar": {
              bar-2.3.8.tgz"
              "integrity
"react-style-singleton": "^2.2.2",
"tslib": "^2.0.0"
             },
"engines": {
    "node": ">=10"
              "peerDependencies": {
    "@types/react": "*",
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
               ,
'peerDependenciesMeta": {
                   "@types/react": {
    "optional": true
         },
"node_modules/react-router": {
              "version": "7.8.2",
"resolved": "https://registry.npmjs.org/react-router/-/react-router-7.8.2.tgz",
              "integrity":
"sha512-7M2fR1JbIZ/jFWqelpvSZx+7vd7UlBTfdZqf60SdF9g6+sfdqJDAWcak6ervbHph200ePlu+7G8LdoiC3ReyAQ==", "license": "MIT",
              "dependencies": {
    "cookie": "^1.0.1"
                   "set-cookie-parser": "^2.6.0"
              "engines": {
    "node": ">=20.0.0"
              "peerDependencies": {
    "react": ">=18",
                   "react-dom": ">=18"
              },
"peerDependenciesMeta": {
```

```
"react-dom": {
                          "optional": true
               }
          },
"node_modules/react-router-dom": {
               "version": "7.8.2",
"resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.8.2.tgz",
               "integrity":
"sha512-Z4VM5mKDipal2jQ385H6UBhiiEDlnJPx6jyWsTYoZQdl5TrjxEV2a9yl3Fi60NBJxYz0TGTTHXPi0pdizvTwow==",
    "license": "MIT",
    "dependencies": {
                     "react-router": "7.8.2"
                "peerDependencies": {
                     "react": ">=18",
                    "react-dom": ">=18"
          },
"node modules/react-style-singleton": {
               "version": "2.2.3",
"resolved": "https://registry.npmjs.org/react-style-singleton/-/react-style-
singleton-2.2.3.tgz",
               "integrity":
"sha512-b6jSvxvVnyptAiLjbkWLE/lonR4lfTtDAl+eUC7RZy+QQWc6wRzIV2CE6xBuMmDxc2qIihtDCZD5NPOFl7fRBQ==", "license": "MIT",
               "dependencies": {
    "get-nonce": "^1.0.0",
    "tslib": "^2.0.0"
               },
"engines": {
    "node": ">=10"
                "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
               },
"peerDependenciesMeta": {
                     "@types/react": {
                          "optional": true
          },
"node_modules/reflect.getprototypeof": {
               "version": "1.0.10",
"resolved":
"sha512-00o4I+DVrefhv+nX0ulyi3biSHCPDe+yLv5o/p6d/UVlirijB8E16FtfwSAi4g3tcqrQ4lRAqQSoFEZJehYEcw==",
               "dev": true,
"license": "MIT"
               "license": "MIT",

"dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.9",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.0.0",
    "get-intrinsic": "^1.2.7",
    "get-proto": "^1.0.1",
    "which-builtin-type": "^1.2.1"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/regexp.prototype.flags": {
                "version": "1.5.4",
```

```
"resolved":
"https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.flags-1.5.4.tqz",
               "intéaritv"
"sha512-dYqqNSZbDwkaJ2ceRd9ojCGjBq+m0m9LmtXnAnEGyHhN/5R7iDW2TRw3h+o/jCFxus3P2LfWIIiwowAjANm7IA==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
                   "es-errors": "^1.3.0",
"get-proto": "^1.0.1",
"gopd": "^1.2.0",
                   "set-function-name": "^2.0.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/require-directory": {
               "version": "2.1.1",
"resolved": "https://registry.npmjs.org/require-directory/-/require-
directory-2.1.1.tgz"
               "integrity"
},
"node_modules/resolve": {
    " "2 0 0-nex"
              "version": "2.0.0-next.5",
"resolved": "https://registry.npmjs.org/resolve/-/resolve-2.0.0-next.5.tgz",
               "integrity":
"sha512-U7WjGVG9sH8tvjW5SmGbQuui75FiyjAX72HX15DwBBwF9dNiQZRQAg9nnPhYy+TUnE0+VcrttuvNI8oSxZcocA==",
               "dev": true,
"license": "MIT"
               "dependencies": {
                   "is-core-module": "^2.13.0", "path-parse": "^1.0.7",
                    "supports-preserve-symlinks-flag": "^1.0.0"
              },
"bin": {
"res
                   "resolve": "bin/resolve"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/resolve-from": {
              "version": "4.0.0",
"resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
               "integrity":
"sha512-pb/MYmXstAkysRFx8piNI1tGFNQIFA3vkE3Gq4EuA1dF6gHp/+vgZqsCGJapvy8N3Q+4o7FwvquPJcnZ7RYy4g==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=4"
           .
node_modules/reusify": {
               "wersion": "1.1.0",
"resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
               "integrity"
"sha512-g6QUff04oŽpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWWspMh55TZfVQDPaN3NQJfbVRAxdIw==",
              "dev": true,
"license": "MIT",
"engines": {
    "iojs": ">=1.0.0",
    "node": ">=0.10.0"
              }
```

```
"version": "4.50.0",
"resolved": "https://registry.npmjs.org/rollup/-/rollup-4.50.0.tgz",
                    "integrity"
"sha512-/Zl4D8zPifNmyGzJS+3kVoyXeDeT/GrsJM94sACNg9RtUE0hrHa1bNPtRSrfHTMH5HjRzce6K7rlTh3Khiw+pw==",
                     "licensé": "MIT",
                    "dependencies": {
                            "@types/estree": "1.0.8"
                    },
"bin": {
"col
                           "rollup": "dist/bin/rollup"
                   },
"engines": {
    "node": ">=18.0.0",
    "npm": ">=8.0.0"
                    "@rollup/rollup-android-arm-eabi": "4.50.0",
                           "@rollup/rollup-android-arm-eabl: 4.50.0",
"@rollup/rollup-darwin-arm64": "4.50.0",
"@rollup/rollup-darwin-x64": "4.50.0",
"@rollup/rollup-freebsd-arm64": "4.50.0",
"@rollup/rollup-freebsd-x64": "4.50.0",
                           "@rollup/rollup-freebsd-x64": "4.50.0",
"@rollup/rollup-linux-arm-gnueabihf": "4.50.0",
"@rollup/rollup-linux-arm-musleabihf": "4.50.0",
                           "@rollup/rollup-linux-arm-musleabihf": "4.50.0",
"@rollup/rollup-linux-arm64-gnu": "4.50.0",
"@rollup/rollup-linux-arm64-musl": "4.50.0",
"@rollup/rollup-linux-loongarch64-gnu": "4.50.0",
"@rollup/rollup-linux-riscv64-gnu": "4.50.0",
"@rollup/rollup-linux-riscv64-musl": "4.50.0",
                           "@rollup/rollup-linux-s390x-gnu": "4.50.0",
"@rollup/rollup-linux-x64-gnu": "4.50.0",
"@rollup/rollup-linux-x64-musl": "4.50.0",
                           "@rollup/rollup-openharmony-arm64": "4.50.0",
"@rollup/rollup-win32-arm64-msvc": "4.50.0",
"@rollup/rollup-win32-ia32-msvc": "4.50.0",
"@rollup/rollup-win32-x64-msvc": "4.50.0",
"fsevents": "~2.3.2"
                    }
              ...
'node modules/rollup/node modules/@rollup/rollup-linux-x64-gnu": {
                    "version": "4.50.0",
"resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-
linux-x64-gnu-4.50.0.tgz",
                     "integrity"
"sha512-8PrJJA7/VÜ8ToHVEPu14FzuSAqVKyo5gg/J8xUerMbyNkWk09j2ExBho/68RnJsMGNJq4zH114iAttgm7BZVkA==",
                    "cpu": [
                           "x64"
                    ],
"license": "MIT",
"optional": true,
                    "os": [
"linux"
               'node_modules/run-parallel": {
                    "version": "1.2.0",
"resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
                    "integrity"
"sha512-514VyZR86LZ/lDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3dzz80lQuPmnaJ0MoDHQBA==", "dev": true,
                    "funding": [
                           {
                                  "type": "github",
"url": "https://github.com/sponsors/feross"
                                  "type": "patreon",
"url": "https://www.patreon.com/feross"
                           },
{
```

```
"type": "consulting",
"url": "https://feross.org/support"
                      }
                 ],
"license": "MIT"
                 "dependencies": {
                       "queue-microtask": "^1.2.2"
          },
"node_modules/rxjs": {
    "version": "7.8.2",
    "resolved": "https://registry.npmjs.org/rxjs/-/rxjs-7.8.2.tgz",
    ""resolved": "https://registry.npmjs.org/rxjs/-/rxjs-7.8.2.tgz",
    """taggity":
"sha512-dhKf903U/PQZY6boNNtAGdWbG85WAbjT/1xYoZIC7FAY0yWap0BQVsVrDl58W86//e1VpMNBtRV4MaXfdMySFA==",
                 "license": "Apache-2.0",
                 "dependencies": {
    "tslib": "^2.1.0"
             ,
node modules/safe-array-concat": {
                 "version": "1.1.3",
"resolved": "https://registry.npmjs.org/safe-array-concat/-/safe-array-
"sha512-AURm5f0jYEOydBj7VQlVvDrjeFgthDdEF5H1dP+6mNpoXOMo1quQqJ4wvJDyRZ9+p03kGWo0dmV08cSv2aJV6Q==",
                 "dev": true,
"license": "MIT"
                 "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.2"
                      "get-intrinsic": "^1.2.6",
"has-symbols": "^1.1.0",
"isarray": "^2.0.5"
                },
"engines": {
    "node": ">=0.4"
                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
           },
"node_modules/safe-push-apply": {
                 "version": "1.0.0",
"resolved": "https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz",
                 "integrity":
"sha512-iKE9w/Z7xCzUMIZqdBsp6pEQvwuEebH4vdpjcDWnyzaI6yl609FHvVpmGelvEHNsoY6wGblkxR6Zty/h00WiSA==",
                 "dev": true,
"license": "MIT"
                 "dependencies": {
    "es-errors": "^1.3.0",
    "isarray": "^2.0.5"
                },
"engines": {
    "node": ">= 0.4"
                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
           },
"node_modules/safe-regex-test": {
                 "version": "1.1.0",
"resolved": "https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz",
                 "integrity"
"sha512-x/+Cz4YrimQxQccJf5mKEbIa1NzeCRNI5Ecl/ekmlYaampdNLPalVyIcCZNNH3MvmqBugV5TMYZXv0ljslUlaw==",
                 "dev": true,
"license": "MIT"
                 "dependencies": {
    "call-bound": "^1.0.2",
    "es-errors": "^1.3.0",
    "is-regex": "^1.2.1"
                },
"engines": {
    "node": ">= 0.4"
```

```
},
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/scheduler": {
               "version": "0.26.0",
"resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.26.0.tgz",
               "integrity":
"sha512-NlHwttCI/l5gCPR3D1nNXtWABUmBwvZpEQiD4IXSbIDq8BzLIK/7Ir5gTFSGZDUu37K5cMNp0hFtz038sC7gWA==", "license": "MIT"
         },
"node_modules/semver": {
    "" "6 3 1".
               "version": "6.3.1",
"resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
               "integrity":
"sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUroqb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxT06XjMzA==",
               "dev": true,
               "license": "ISC",
               "bin": {
                   "semver": "bin/semver.js"
         },
"node_modules/set-cookie-parser": {
               "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-
parser-2.7.1.tgz"
               "integrity":
"sha512-I0c8uWe0Zgnb3ptbCURJWNjWUPc03ZnTTdzsurqERrP6nPyv+paC55vJM0Lp0lT2ne+Ix+9+CRG1MNLlvZ4GjQ==",
               "license": "MIT"
         },
"node_modules/set-function-length": {
               "version": "1.2.2",
"resolved": "https://registry.npmjs.org/set-function-length/-/set-function-
length-1.2.2.tgz",
"integrity
"sha512-pgRc4hJ4/sNjWCSS9AmnS40x3bNMDTknHgL5UaMBTMyJnU90EgWh1Rz+MC9eFu4BuN/UwZjKQuY/1v3rM7HMfg==",
               "dev": true,
"license": "MIT"
               "dependencies": {
                   "define-data-property": "^1.1.4",
"es-errors": "^1.3.0",
"function-bind": "^1.1.2",
"get-intrinsic": "^1.2.4",
"gopd": "^1.0.1",
                   "has-property-descriptors": "^1.0.2"
              },
"engines": {
    "node": ">= 0.4"
         },
"node_modules/set-function-name": {
               "version": "2.0.2",
"resolved": "https://registry.npmjs.org/set-function-name/-/set-function-
name-2.0.2.tgz",
"integrity":
"sha512-7PGFlmtwsEADbóWYyvCMa1t+yke6daIG4Wirafur5kcf+MhUnPms1UeR0CKQdTZD81yESwMHbtn+TR+dMviakQ==",
               "dev": true,
"license": "MIT",
               "dependencies": {
                   "define-data-property": "^1.1.4",
"es-errors": "^1.3.0",
                   "functions-have-names": "^1.2.3"
                   "has-property-descriptors": "^1.0.2"
              },
"engines": {
    "node": ">= 0.4"
         },
"node_modules/set-proto": {
               "version": "1.0.0",
"resolved": "https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz",
               "integrity":
```

```
"sha512-RJRdvCo6IAnPdsvP/7m6bsQqNnn1FCBX5ZNtFL98MmFF/4xAIJTIg1YbHW5DC2W5SKZanrC6i4HsJqlajw/dZw==",
               "dev": true,
"license": "MIT"
               "dependencies": {
                    "dunder-proto": "^1.0.1",
"es-errors": "^1.3.0",
                    "es-object-atoms": "^1.0.0"
              },
"engines": {
    "node": ">= 0.4"
         },
"node_modules/shebang-command": {
              "version": "2.0.0",
"resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
               "integrity":
"sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==",
              "dev": true,
"license": "MIT"
               "dependencies": {
                    "shebang-regex": "^3.0.0"
               },
"node_modules/shebang-regex": {
               "version": "3.0.0",
"resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
               "integrity":
"sha512-7++dFhtcx3353uBag8DDR4NuxBetBzC7ZQ0hmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
              "dev": true,
"license": "MIT",
"engines": {
    "node": ">=8"
         },
"node_modules/shell-quote": {
              "version": "1.8.3",
"resolved": "https://registry.npmjs.org/shell-quote/-/shell-quote-1.8.3.tgz",
               "integrity":
"sha512-ObmnIF4hXNq1BqhnHmqbDETF8dLPCqqZWBjkQfhZpbszZnYur5DUljTcCHii5LC3J5E0yeO/1LIMyH+UvHQqyw==",
              "license": "MIT",
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          "node_modules/side-channel": {
               "version": "1.1.0",
"resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz",
               "integrity":
"sha512-ZX99e6tRweoUXqR+VBrslhda51Nh5MTQwou5tnUDgbtyM0dBgmhEDtWGP/xbKn6hqfPRHujUNwz5fy/wbbhnpw==",
               "license": "MIT"
              "dependencies": {
    "es-errors": "^1.3.0",
    "object-inspect": "^1.13.3"
                   "side-channel-list": "^1.0.0",
"side-channel-map": "^1.0.1",
                    "side-channel-weakmap": "^1.0.2"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/side-channel-list": {
               "version": "1.0.0",
"resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-
```

```
list-1.0.0.tgz",
                integrity":
"sha512-FCLHtRD/qnpCiCHEiJLOwdmFP+wzCmDEkc9y7NsYxeF4u7Btsn1ZuwqwJGxImImHicJArLP4R0yX4c2KCrMrTA==",
               "license": "MIT"
               "dependencies": {
    "es-errors": "^1.3.0",
                    "object-inspect": "^1.13.3"
              },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         "sha512-VCjCNfqMsby3tTdo02nbjtM/ewra6jPHmpThenkTYh8pG9ucZ/1P8So4u4FGBek/BjpOVsDCMoLA/iuBKIFXRA==",
               "license": "MIT",
"dependencies": {
                   rendencies": {
   "call-bound": "^1.0.2",
   "es-errors": "^1.3.0",
   "get-intrinsic": "^1.2.5",
   "object-inspect": "^1.13.3"
               "engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/side-channel-weakmap": {
               "version": "1.0.2",
"resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-
"sha512-WPS/HvHQTYnHisLo9McqBHOJk2FkHO/tlpvldyrnem4aeQp4hai3gythswg6p01oSoTl58rcpiFAjF2br2Ak2A==",
                'license": "MIT"
               "dependencies": {
    "call-bound": "^1.0.2",
    "es-errors": "^1.3.0",
                   "get-intrinsic": "^1.2.5",
"object-inspect": "^1.13.3",
"side-channel-map": "^1.0.1"
              },
"engines": {
    "node": ">= 0.4"
              },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/source-map-js": {
               "version": "1.2.1",
"resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
               "integrity":
"sha512-UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
              "license": "BSD-3-Clause",
"engines": {
    "node": ">=0.10.0"
          },
"node_modules/stop-iteration-iterator": {
               "version": "1.1.0",
"resolved": "https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-
iterator-1.1.0.tgz",
               "integrity"
"sha512-eLoXW/DHyl62zxY4SCaIgnRhuMr6ri4juEYARS8E6sCEqzKp0iE521Ucofdx+KnDZl5xmvGYaaKCk5FE0xJCoQ==",
               "dev": true,
"license": "MIT",
```

```
"dependencies": {
    "es-errors": "^1.3.0"
                      "internal-slot": "^1.1.0"
                  },
"node_modules/string-width": {
                 "version": "4.2.3",
"resolved": "https://registry.npmjs.org/string-width/-/string-width-4.2.3.tgz",
                 "integrity":
"sha512-wKyQRQpjJOsIp62ErSZdGsjMJWsap5oRNihHhu6G7JVO/9jIB6UyevL+tXuOqrnq8j/cxKTWyWUwvSTriiZz/q==",
                 "license": "MIT"
                 "dependencies": {
                       "emoji-regex": "^8.0.0",
                      "is-fullwidth-code-point": "^3.0.0",
"strip-ansi": "^6.0.1"
                },
"engines": {
    "node": ">=8"
           },
"node_modules/string.prototype.matchall": {
                 "version": "4.0.12",
                 "resolved":
"https://registry.npmjs.org/string.prototype.matchall/-/string.prototype.matchall-4.0.12.tgz",
                  'intearitv"
"sha512-6CC9uyBL+/48dYizRf7H7VAYCMCNTBeM78x/VTUe9bFEaxBepPJDa10w99LqI/1yF7kuy7Q3cQsYMrcjGUcskA==",
                 "dev": true,
                "license": "MIT",

"dependencies": {

    "call-bind": "^1.0.8",

    "call-bound": "^1.0.3",

    "define-properties": "^1.2.1",

    "es-abstract": "^1.23.6",

    "es-errors": "^1.3.0",

    "es-object-atoms": "^1.0.0",

    "get-intrinsic": "^1.2.6",

    "gopd": "^1.2.0",

    "has-symbols": "^1.1.0",

    "internal-slot": "^1.1.0",

    "regexp.prototype.flags": "^1.5.3",

    "set-function-name": "^2.0.2",

    "side-channel": "^1.1.0"
                 "license": "MIT"
                      "side-channel": "^1.1.0"
                },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
           },
"node_modules/string.prototype.repeat": {
                 "\overline{\text{version}}": "1.0.0",
                 "resolved":
"https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-1.0.0.tgz", "integrity":
"sha512-0u/TldDbKD8bFCQ/4f5+mNRrXwZ8hg2w7ZR8wa16e8z9XpePWl3eGEcUD00XpEH/VJH/2G3gjUtR3Z0iBe2S/w==",
                 "dev": true,
"license": "MIT"
                 "dependencies": {
                      "define-properties": "^1.1.3",
"es-abstract": "^1.17.5"
           },
"node_modules/string.prototype.trim": {
                 "version": "1.2.10",
                 "resolved":
"https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-1.2.10.tgz",
                 "integrity":
"sha512-Rs66F0P/1kedk5lyYyH9uBzuiI/kNRmwJAR9quK6VOtIpZ2G+hMZd+HQbbv25MgCA6gEffoMZYxlTod4WcdrKA==",
                 "dev": true,
```

```
"license": "MIT",
               "ticense : "III ,
"dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.2"
                    "define-data-property": "^1.1.4", "define-properties": "^1.2.1", "es-abstract": "^1.23.5",
                    "es-object-atoms": "^1.0.0"
                    "has-property-descriptors": "^1.0.2"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node modules/string.prototype.trimend": {
               "version": "1.0.9", "resolved":
"dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.2",
    "define-properties": "^1.2.1",
    "es-object-atoms": "^1.0.0"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
         },
"node_modules/string.prototype.trimstart": {
    "version": "1.0.8",
    "resolved":
"https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tqz",
                "integrity"
"sha512-UXSH262CSŽY1tfu3G3Secr6uGLCFVPMhIqHjlqCUtCCcqihYc/xKs9djMTMU0b2j1mVSeU8EU6NWc/iQKU6Gfq==",
               "dev": true,
"license": "MIT"
               "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-object-atoms": "^1.0.0"
               },
"engines": {
    "node": ">= 0.4"
               },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/strip-ansi": {
               "version": "6.0.1",
"resolved": "https://registry.npmjs.org/strip-ansi/-/strip-ansi-6.0.1.tgz",
               "integrity":
"sha512-Y38VPSHcqkFrCpFnQ9vuSXmquuv5oXOKpGeT6aGrr3o3Gc9AlVa6JBfUSOCnbxGGZF+/0ooI7KrPuUSztUdU5A==",
    "license": "MIT",
    "dependencies": {
                    "ansi-regex": "^5.0.1"
               },
"engines": {
    "node": ">=8"
          },
"node_modules/strip-json-comments": {
               "version": "3.1.1",
```

package-lock.json

```
"resolved": "https://registry.npmjs.org/strip-json-comments/-/strip-json-
comments-3.1.1.tgz"
             "integrity"
"sha512-6fPc+R4ihwqP6N/aIv2f1gMH8l0VtWQHoqC4yK6oSDVVocumAsfCqjkXnqiYMhmMwS/mEHLp7Vehlt3ql6lEiq==",
             "dev": true,
"license": "MIT",
"engines": {
    "node": ">=8"
             },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
        },
"node_modules/supports-color": {
             "version": "8.1.1",
"resolved": "https://registry.npmjs.org/supports-color/-/supports-color-8.1.1.tgz",
              "integrity":
"sha512-MpUEN2OodtUzxvKQl72cUF7RQ5EiHsGvSsVG0ia9c5RbWGL2CI4C7EpPS8UTBIplnlzZiNuV56w+FuNxy3ty2Q==",
              "license": "MIT"
             "dependencies": {
    "has-flag": "^4.0.0"
              },
"funding": {
    "url": "https://github.com/chalk/supports-color?sponsor=1"
         },
"node_modules/supports-preserve-symlinks-flag": {
             "version": "1.0.0",
"resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-
preserve-symlinks-flag-1.0.0.tgz",
              "integrity"
"sha512-ot0WnXS9fgdkg1cePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MAt0w==",
             "dev": true,
"license": "MIT",
             "engines": {
    "node": ">= 0.4"
             },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
        "sha512-Cat63mxsVJlzYvN51JmVXIqNoUokrIaT2zLclCXjRd8boZ0004U4KCs/sToJ75C6sdlByWxpYnb5Boif1VSFew==",
              "license": "MIT"
         },
"node_modules/tailwind-merge": {
             "version": "3.3.1",
"resolved": "https://registry.npmjs.org/tailwind-merge/-/tailwind-merge-3.3.1.tgz",
             "integrity"
"sha512-gBXpgUm/3rp1lMZZrM/w7D8GKqshif0zAymAhbCyIt8KMe+0v9DQ7cdYLR4FHH/cKpdTXb+A/tKKU3eolfsI+g==",
             "license": "MIT",
"funding": {
    "type": "github",
    "url": "https://github.com/sponsors/dcastil"
        },
"node_modules/tailwindcss": {
             "version": "4.1.12",
"resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.1.12.tgz",
             "integrity"
"sha512-DzFtxOi+7NsFf7DBtI3BJsynR+0Yp6etH+nRPTbpWnS2pZBaSksv/JGctNwSWzbFjp0vxSqknaUylseZqMDGrA==", "license": "MIT"
         "node modules/tailwindcss-animate": {
             "version": "1.0.7",
"resolved": "https://registry.npmjs.org/tailwindcss-animate/-/tailwindcss-
animate-1.0.7.tgz",
```

```
"integrity":
"sha512-bl6mpH3T7Ĭ3UFxuvDEXLxy/VuFxBk5bbzplh7tXI68mwMokNYd1t9qPBHlnyTwfa4JGC4zP516I1hYYtQ/vspA==",
                 "license": "MIT".
                "peerDependencies": {
    "tailwindcss": ">=3.0.0 || insiders"
          },
"node_modules/tapable": {
                "version": "2.2.3",
"resolved": "https://registry.npmjs.org/tapable/-/tapable-2.2.3.tgz",
                "integrity":
"sha512-ZL6DDuAlRlLGghwcfmSn9sK3Hr6ArtyudlSAiCqQ6IfE+b+HHbydbYDIG15IfS5do+7XQQBdBiubF/cV2dnDzg==",
                "license": "MIT",
"engines": {
    "node": ">=6"
               },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/webpack"
          },
"node_modules/tar": {
    "    "    "    4    3
                "version": "7.4.3",
"resolved": "https://registry.npmjs.org/tar/-/tar-7.4.3.tgz",
                "integrity":
"sha512-5S7Va8hKfV7W5U6g3aYxXmlPoZVAwUMy9A0KyF2fVuZa2UD3qZjg5780rLRt8PcNN1PleVaL/5/yYATNL0ICUw==",
    "license": "ISC",
    "dependencies": {
        "@isaacs/fs-minipass": "^4.0.0",
                     "chownr": "^3.0.0",
"minipass": "^7.1.2"
                     "minizlib": "^3.0.1",
"mkdirp": "^3.0.1",
"yallist": "^5.0.0"
                },
"node modules/tar/node_modules/yallist": {
                "version": "5.0.0",
"resolved": "https://registry.npmjs.org/yallist/-/yallist-5.0.0.tgz",
                "integrity"
"sha512-YgvUTfwqyc7UXVMrB+SImsVYSmTS8X/tSrtdNZMImM+n7+QTriRXyXim0mBrTXNeqzVF0KWGqHPeiyViFFrNDw==",
                "license": "BlueOak-1.0.0",
"engines": {
    "node": ">=18"
          },
"node_modules/tinyglobby": {
                "version": "0.2.15",
"resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
                "integrity":
"sha512-j2Zq4NyQYĞ5XMŚT4cbs02Ak8iJUdxRM0XI5QyxXuZOzKOINmWurp3smXu3y5wDcJrptwpSjqXHzIQxR0omXljQ==",
                "license": "MIT",
                "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.3"
                },
"engines": {
    "node": ">=12.0.0"
                },
"funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
          },
"node_modules/tinyglobby/node_modules/fdir": {
                "version": "6.5.0",
"resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
"sha512-tIbYtZbucŎs0BŔGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
                "license": "MIT",
"engines": {
```

```
"node": ">=12.0.0"
                              peerDependencies": {
                                       "picomatch": "^3 || ^4"
                             "peerDependenciesMeta": {
                                      "picomatch": {
     "optional": true
                            }
                  },
"node_modules/tinyglobby/node_modules/picomatch": {
                            "version": "4.0.3",
"resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.3.tgz",
                            "integrity"
"sha512-5gTmgEY/sqK6gFXLIsQNH19lWb4ebPDLA4SdLP7dsWkIXHWlG66oPuVvXSGFPppYZz8ZDZq0dYYrbHfBCVUb1Q==""", and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
                            "license": "MIT",
"engines": {
                                       "node": ">=12"
                            },
"funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
                  },
"node_modules/to-regex-range": {
                            "version": "5.0.1",
"resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
                             "integrity":
"sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3g0y5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
                            "dev": true,
"license": "MIT"
                            "dependencies": {
    "is-number": "^7.0.0"
                           },
"engines": {
    "node": ">=8.0"
                  "sha512-L00rpi8qGpRG//Nd+H90vFB+3iHnue1zSSGmN00Ch1GLJ7rUKVwV2HvijphGQS2UmhUZewS9VgvxYIdgr+fG1A==", "license": "MIT",
                            "bin": {
                                      "tree-kill": "cli.js"
                  },
"node_modules/ts-api-utils": {
                            "version": "2.1.0",
"resolved": "https://registry.npmjs.org/ts-api-utils/-/ts-api-utils-2.1.0.tgz",
                            "integrity":
"sha512-CUgTZL1irw8u29bzr0D/nH85jqyc74D6SshFguj0IA7osm2Rz7dYH77agkx7H4FBNxDq7Cjf+IjaX/8zwFW+ZQ==",
                            "dev": true,
                            "license": "MIT",
"engines": {
    "node": ">=18.12"
                             "peerDependencies": {
                                      "typescript": ">=4.8.4"
                     .
'node_modules/tslib": {
                            "version": "2.8.1",
"resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
                            "integrity"
"sha512-oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKKU99IBazS/2w==",
                             "license": "OBSD"
                   },
"node_modules/type-check": {
                            "version": "0.4.0",
"resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
                            "integrity":
```

```
"sha512-XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRplU30us6teqdlskFfu+ae4K790oew==",
                   "dev": true,
"license": "MIT"
                   "dependencies": {
    "prelude-ls": "^1.2.1"
                  },
"engines": {
    "node": ">= 0.8.0"
            },
"node_modules/typed-array-buffer": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/typed-array-buffer/-/typed-array-
buffer-1.0.3.tgz",
"integrity":
"sha512-nAYYwfY3qnzX30IkA6AQZjVbtK6duGontcQm1WSG1MD94YLqK0515GNApXkoxK0WMusVssAHWLh9SeaoefYFGw==", "dev": true, "license": "MIT",
                   "dependencies": {
    "call-bound": "^1.0.3",
    "es-errors": "^1.3.0",
                         "is-typed-array": "^1.1.14"
                   },
"engines": {
    "node": ">= 0.4"
            },
"node_modules/typed-array-byte-length": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-
"sha512-BaXgOuIxz8n8p1q3e7Atg/7s+DpiYrxn4vdot3w9KbnBhcRQq6o3xemQdIfynqSeXeDrF32x+WvfzmOjPiY9lg==",
                   goulxz8n8p1q3e/Atg//s+Dp1Yrxn4vdd
"dev": true,
"license": "MIT",
"dependencies": {
    "call-bind": "^1.0.8",
    "for-each": "^0.3.3",
    "gopd": "^1.2.0",
    "has-proto": "^1.2.0",
    "is-typed-array": "^1.1.14"
}
                  },
"engines": {
    "node": ">= 0.4"
                   },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
            },
"node_modules/typed-array-byte-offset": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-
"sha512-bTlAFB/FBYMcuX81qbL40cpH5PmlFHqlCCpAl8AlEzMz5k53oNDvN8p1PNOWLEmI2x4orp3ra0FB51tv9X+MFQ==",
                   "dev": true,
"license": "MIT",
"dependencies": {
                         "available-typed-arrays": "^1.0.7",
"call-bind": "^1.0.8",
"for-each": "^0.3.3",
                         "gopd": "^1.2.0",
"has-proto": "^1.2.0",
                         "is-typed-array": "^1.1.15",
"reflect.getprototypeof": "^1.0.9"
                  },
"engines": {
    "node": ">= 0.4"
                   },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
            },
```

```
"node_modules/typed-array-length": {
                                  "version": "1.0.7",
"resolved": "https://registry.npmjs.org/typed-array-length/-/typed-array-
"sha512-3KS2b+kL7fsuk/eJZ7EQdnEmQoaho/r6KUef7hxvltNA5DR8NAUM+8wJMbJyZ4G9/7i3v5zPBIMN5avbAh2/Jq==",
                                 "dev": true,
"license": "MIT"
                                 "license": "MIT",
"dependencies": {
    "call-bind": "^1.0.7",
    "for-each": "^0.3.3",
    "gopd": "^1.0.1",
    "is-typed-array": "^1.1.13",
    "possible-typed-array-names": "^1.0.0",
    "reflect.getprototypeof": "^1.0.6"
                                 },
"engines": {
    "node": ">= 0.4"
                                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
                     },
"node_modules/typescript": {
                                  "version": "5.9.2",
"resolved": "https://registry.npmjs.org/typescript/-/typescript-5.9.2.tgz",
                                  "integrity":
"sha512-CWBzXQrc/\bar{q}0khidw10zBTQuYRbfyxDXJMVJ1XNwUHGR0VmuaeiEm30slpZ1RV96d7SKKjZKrSJu3+t/xlw3R9A==""", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction o
                                  "license": "Apache-2.0",
                                  "bin": {
                                            "tsc": "bin/tsc",
                                            "tsserver": "bin/tsserver"
                                  },
"node_modules/typescript-eslint": {
    "version": "8.42.0",
    "resolved": "https://registry.npmjs.org/typescript-eslint/-/typescript-
eslint-8.42.0.tgz",
                                  "integrity":
"sha512-ozR/rQn+aQXQxh1YgbCzQWDFrsi9mcg+1PM3l/z5o1+20P7su0IaNg515bpr/0Yt6F0bz/NHcBstydDLHWeEKq==",
                                 "dev": true,
"license": "MIT",
"dependencies": {
                                              "@typescript-eslint/eslint-plugin": "8.42.0",
                                            "@typescript-eslint/parser": "8.42.0",
"@typescript-eslint/typescript-estree": "8.42.0",
"@typescript-eslint/utils": "8.42.0"
                                 },
"engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
                                },
"funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
                                             "eslint": "^8.57.0 || ^9.0.0"
                                             "typescript": ">=4.8.4 <6.0.0"
                      },
"node_modules/unbox-primitive": {
                                 "version": "1.1.0",
"resolved": "https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz",
                                  "integrity":
"sha512-nWJ91Dje0Kej/ŤA8pXQ3myruKpKEYgqvpw9lz40PHj/NWFNluYrjbz9j01CJ8yKQd2g4jFo0kINCTW2I5LEEyw==",
                                  "dev": true,
"license": "MIT"
                                 "dependencies": {
    "call-bound": "^1.0.3",
    "has-bigints": "^1.0.2",
```

```
"has-symbols": "^1.1.0",
"which-boxed-primitive": "^1.1.1"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/undici-types": {
               "version": "6.21.0",
"resolved": "https://registry.npmjs.org/undici-types/-/undici-types-6.21.0.tgz",
               "integrity":
"sha512-iwDZqg0QAĞrg9Ŕav5H4n0M64c3mkR59cJ6wQp+7C4nI0gsmExaedaYLN044eT4AtBBwjbTiGPMlt2Md0T9H9JQ==",
               "devOptional": true,
"license": "MIT"
          },
"node_modules/update-browserslist-db": {
               "version": "1.1.3",
"resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-
db-1.1.3.tgz",
"integrity":
"sha512-UxhIZQ+QInVdunkDAaiazvvT/+fXL50sr0JZlJulepYu6Jd7qJtDZjlur0emRlT71EN3ScPoE7qvsuIKKNavKw==",
               "dev": true,
               "funding": [
                    {
                         "type": "opencollective",
"url": "https://opencollective.com/browserslist"
                    },
{
                         "type": "tidelift",
                         "url": "https://tidelift.com/funding/github/npm/browserslist"
                         "type": "github",
"url": "https://github.com/sponsors/ai"
               "dependencies": {
    "escalade": "^3.2.0",
    "picocolors": "^1.1.1"
              },
"bin": {
                    "update-browserslist-db": "cli.js"
               "peerDependencies": {
    "browserslist": ">= 4.21.0"
         },
"node_modules/uri-js": {
    "version": "4.4.1",
    "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
    ""afacrity":
"sha512-7rKUyy33QTyc98pQ1DAmLtwX109F7TIfWlW1Ydo8Wl1ii1SeHieeh0HHfPeL2fMXK6z0s8ecKs9frCuLJvndBg==",
               "dev": true,
"license": "BSD-2-Clause",
               "dependencies": {
    "punycode": "^2.1.0"
           .
'node modules/use-callback-ref": {
               "version": "1.3.3",
"resolved": "https://registry.npmjs.org/use-callback-ref/-/use-callback-ref-1.3.3.tgz",
               "integrity":
"sha512-jQL3lRnocaFtu3V00JToYz/4QkNWswxijDaCVNZRiRTO3HQDLsdu1ZtmIUvV4yPp+rvWm5j0y0TG/S61cuijTg==",
                "license": "MIT"
               "dependencies": {
    "tslib": "^2.0.0"
              },
"engines": {
    "node": ">=10"
```

```
"react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
                                 "@types/react": {
     "optional": true
                                 }
                      },
"node_modules/use-sidecar": {
                                  "version": "1.1.3",
"resolved": "https://registry.npmjs.org/use-sidecar/-/use-sidecar-1.1.3.tgz",
                                  "integrity"
"sha512-Fedw0aZvkhynoPYlA5WXrMCAMm+nSWdZt6lzJQ70k8S6Q+VsHmHpRWndVRJ8Be0ZbkfPc5LRYH+5XrzXcEeLRQ==", "license": "MIT", "dependencies": {
                                             "detect-node-es": "^1.1.0",
                                            "tslib": "^2.0.0"
                                   "engines": {
"node": ">=10"
                                  "peerDependencies": {
    "@types/react": "*"
                                             "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0 || ^19.0.0-rc"
                                 "@types/react": {
                                                         "optional": true
                                 }
                      },
"node_modules/use-sync-external-store": {
                                 "version": "1.5.0",
"resolved": "https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-
store-1.5.0.tgz",
"integrity":
"sha512-Rb46I4cGGVBmjamjphe8L/UnvJD+uPPtTkNvX5mZgqdbavhI4EbgIWJiIHXJ8bc/i9EQGPRh4DwEURJ552Do0A==""", and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of t
                                   "license": "MIT",
                                  "peerDependencies": {
                                             "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
                      "version": "7.1.5",
"resolved": "https://registry.npmjs.org/vite/-/vite-7.1.5.tgz",
"integrity":
"sha512-4cKB09wR75r0BeIWWWId9XK9Lj6La5X846Zw9dFfzMRw38IlTk2iCcUt6hsyiDRcPidc55ZParFYDXi0nX0eLQ==", "license": "MIT",
                                "license": "MII",
"dependencies": {
    "esbuild": "^0.25.0",
    "fdir": "^6.5.0",
    "picomatch": "^4.0.3",
    "postcss": "^8.5.6",
    "rollup": "^4.43.0",
    "tinyglobby": "^0.2.15"
                                 },
"bin": {
    "'it/
                                            "vite": "bin/vite.js"
                                 },
"engines": {
    "node": "^20.19.0 || >=22.12.0"
                                 },
"funding": {
    "url": "https://github.com/vitejs/vite?sponsor=1"
                                  "optionalDependencies": {
    "fsevents": "~2.3.3"
                                  "peerDependencies": {
    "@types/node": "^20.19.0 || >=22.12.0",
```

```
"jiti": ">=1.21.0",
"less": "^4.0.0",
"lightningcss": "^1.21.0",
"sass: "^1.70.0",
"sass-embedded": "^1.70.0",
"stylus": ">=0.54.8",
"sugarss": "^5.0.0",
"terser": "^5.16.0",
"tsx": "^4.8.1",
"yaml": "^2.4.2"
                  },
"peerDependenciesMeta": {
                         "@types/node": {
    "optional": true
                        },
"jiti": {
                               "optional": true
                         },
"less":<sub>.</sub>{
                               "optional": true
                        },
"lightningcss": {
    "optional": true
                        },
"sass": {
    "onti
                               "optional": true
                        },
"sass-embedded": {
    "optional": true
                        },
"stylus": {
    "antion
                               "optional": true
                        },
"sugarss": {
    " -+iona"
                               "optional": true
                         },
"terser": {
                               "optional": true
                        },
"tsx": {
                               "optional": true
                        },
"yaml": {
    "onti
                               "optional": true
                  }
            },
"node_modules/vite-plugin-full-reload": {
                  "version": "1.2.0",
"resolved": "https://registry.npmjs.org/vite-plugin-full-reload/-/vite-plugin-full-
reload-1.2.0.tgz",
"integrity":
"sha512-kz18NW79x0IHbxRSHm0jttP4zo09P9gXh+n6UTwlNKnviTTEp0lum6oS9SmecrTtSr+muHEn5TUuC75UovQzcA==",
                  "dev": true,
"license": "MIT"
                  "license": "MIT",
"dependencies": {
    "picocolors": "^1.0.0",
    "picomatch": "^2.3.1"
            },
"node_modules/vite/node_modules/fdir": {
                  "version": "6.5.0",
"resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
"integrity":
"sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
                  "license": "MIT",
"engines": {
    "node": ">=12.0.0"
                   },
"peerDependenciesMeta": {
```

```
"picomatch": {
                              "optional": true
                 }
           },
"node_modules/vite/node_modules/picomatch": {
                 "version": "4.0.3",
"resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.3.tgz",
                  "integrity":
"sha512-5gTmgEY/sqK6gFXLIsQNH19\Wb4ebPDLA4SdLP7dsWkIXHW\G66oPuVvXSGFPppYZz8ZDZq0dYYrbHfBCVUb1Q==",
    "license": "MIT",
    "engines": {
        "node": ">=12"
                 },
"funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
           "wersion": "2.0.2",
"resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
                  "integrity"
"sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
                  "dev": true,
"license": "ISC"
                  "dependencies": {
    "isexe": "^2.0.0"
                 },
"bin": {
    "pod
                       "node-which": "bin/node-which"
                 },
"engines": {
    "node": ">= 8"
           },
"node_modules/which-boxed-primitive": {
                  "version": "1.1.1",
"resolved": "https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-
primitive-1.1.1.tgz"
                  "integrity"
"sha512-TbX3mj8n0odCBFVlY8AxkqcHASw3L60jIuF8jFP78az3C2YhmGvqbHBpAjTRH2/xqYunrJ9g1jSyjCjpoWzIAA==",
                  "dev": true,
"license": "MIT"
                 "ticense": "MI",

"dependencies": {

    "is-bigint": "^1.1.0",

    "is-boolean-object": "^1.2.1",

    "is-number-object": "^1.1.1",

    "is-string": "^1.1.1",

    "is-symbol": "^1.1.1"
                  "engines": {
    "node": ">= 0.4"
                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
           },
"node_modules/which-builtin-type": {
                 "version": "1.2.1",
"resolved": "https://registry.npmjs.org/which-builtin-type/-/which-builtin-
type-1.2.1.tgz"
                   integrity":
"sha512-6iBczoX+kDQ7a3+YJBnh3T+KZRxM/iYNPXicqk66/Qfm1b93iu+y0Imkg0zHbj5LN0cNv1TEADiZ0xa34B4q6Q==",
                  "dev": true,
"license": "MIT"
                  "dependencies": {
    "call-bound": "^1.0.2",
                       "call-bound": "^1.0.2",
"function.prototype.name": "^1.1.6",
"has-tostringtag": "^1.0.2",
"is-async-function": "^2.0.0",
"is-date-object": "^1.1.0",
"is-finalizationregistry": "^1.1.0",
"is-generator-function": "^1.0.10",
```

```
"is-regex": "^1.2.1",
"is-weakref": "^1.0.2",
"isarray": "^2.0.5",
                     "which-boxed-primitive": "^1.1.0",
"which-collection": "^1.0.2",
"which-typed-array": "^1.1.16"
                },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/which-collection": {
                "version": "1.0.2",
"resolved": "https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz",
"ticense": "MII",
"dependencies": {
    "is-map": "^2.0.3",
    "is-set": "^2.0.3",
                     "is-weakmap": "^2.0.2",
"is-weakset": "^2.0.3"
                 },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/which-typed-array": {
                "version": "1.1.19",
"resolved": "https://registry.npmjs.org/which-typed-array/-/which-typed-
array-1.1.19.tgz",
"integrity":
"sha512-rEvr90Bck4WZt9HHFC4DJMsjvu7x+r6bImz0/BrbWb7A2djJ8hnZMrWnHo9F8ssv00MErasDhftrfR0TyqSDrw==",
                "dev": true,
"license": "MIT"
                "dependencies": {
                     "available-typed-arrays": "^1.0.7",
"call-bind": "^1.0.8",
"call-bound": "^1.0.4",
"for-each": "^0.3.5",
"get-proto": "^1.0.1",
                     "gopd": "^1.2.0",
"has-tostringtag": "^1.0.2"
                },
"engines": {
    "node": ">= 0.4"
                },
"funding": {
    "url": "https://github.com/sponsors/ljharb"
          },
"node_modules/word-wrap": {
                "version": "1.2.5",
"resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
                "integrity":
"sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjF0ckS53SQDE3pWkVoWpHXVb3BrYcEN4Twa55B5cA==",
                "dev": true,
"license": "MIT",
"engines": {
    "node": ">=0.10.0"
           "node_modules/wrap-ansi": {
                "version": "7.0.0",
"resolved": "https://registry.npmjs.org/wrap-ansi/-/wrap-ansi-7.0.0.tgz",
"integrity":
```

```
"sha512-YVGIj2kamLSTxw6NsZjoBxfSwsn0ycdesmc4p+Q21c5zPuZ1pl+NfxVdxPtdHvmNV0Q6XSYG4AUtyt/Fi7D16Q==",
                 license": "MIŤ",
                "dependencies": {
    "ansi-styles": "^4.0.0",
    "string-width": "^4.1.0",
    "strip-ansi": "^6.0.0"
               },
"engines": {
    "node": ">=10"
                },
"funding": {
    "url": "https://github.com/chalk/wrap-ansi?sponsor=1"
            node modules/y18n": {
                e_modules,yson . [
"version": "5.0.8",
"resolved": "https://registry.npmjs.org/y18n/-/y18n-5.0.8.tgz",
"sha512-0pfFzegeDWJHJÍAmTLRP2DwHjdF5s7jo9tuztdQxAhINCdvS+3nGINqPd00AphqJR/0LhANUS6/+7SCb98YOfA==",
                "license": "ISC",
                "engines": {
    "node": ">=10"
                }
           },
"node_modules/yallist": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
                "integrity":
"sha512-a4UGQaWPH59m0XUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6T0oUNn2pb7RoXx4q==",
                "dev": true,
"license": "ISC"
          "sha512-7dSzzRQ++ČKnNÍ/krKnYRV7JKKPUXMEh61soaHKg9mrWEhzFWhFnxPxGl+69cD10u63C13NUPCnmIcrvqCuM6w==".
                "license": "MIT",
"dependencies": {
    "cliui": "^8.0.1",
    "escalade": "^3.1.1"
                     "get-caller-file": "^2.0.5"
                     "require-directory": "^2.1.1",
"string-width": "^4.2.3",
"y18n": "^5.0.5",
"yargs-parser": "^21.1.1"
                },
"node_modules/yargs-parser": {
                "version": "21.1.1",
"resolved": "https://registry.npmjs.org/yargs-parser/-/yargs-parser-21.1.1.tgz",
                "integrity":
"sha512-tVpsJW7DdjecAiFpbIB1e3qxIQsE6NoPc5/eTdrbbIC4h0LVsWhnoa3g+m2HclBIujHzsxZ4VJVA+GUuc2/LBw==",
    "license": "ISC",
    "engines": {
        "node": ">=12"
           "node_modules/yocto-queue": {
    "version": "0.1.0",
    "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
                "integrity"
"sha512-rVksvsnNCdJ/ohGc6xgPwyN8eheCxsiLM8mxuE/t/m0VqJewPu01miLpTHQiRgTKCLexL4MeAFVagts7HmNZ2Q==",
                "dev": true,
"license": "MIT",
"engines": {
    "node": ">=10"
               },
"funding": {
    "url": "https://github.com/sponsors/sindresorhus"
```

} }

```
{
                "private": true,
"type": "module",
                "scripts": {
    "build": "vite build",
                                "build:ssr": "vite build && vite build --ssr", "dev": "vite",
                                "format": "prettier --write resources/",
                               "format:: prettier --write resources/,
"format:check": "prettier --check resources/",
"lint": "eslint . --fix",
"types": "tsc --noEmit",
"test:e2e": "playwright test --config=playwright.config.tsx --reporter=list"
             },
"devDependencies": {
    "@eslint/js": "^9.19.0",
    "@laravel/vite-plugin-wayfinder": "^0.1.3",
    "@playwright/test": "^1.55.0",
    "@types/node": "^22.13.5",
    "@viteis/plugin-react": "^5.0.2",
                               "eslint: 9.1/0",
"eslint-config-prettier": "^10.0.1",
"eslint-plugin-react": "^7.37.3",
"eslint-plugin-react-hooks": "^5.1.0",
"laravel-vite-plugin": "^2.0.1",
"prettier": "^3.4.2",
                                 "prettier-plugin-organize-imports": "^4.1.0",
                               "prettier-plugin-organize-imports : 4.1 "prettier-plugin-tailwindcss": "^0.6.11", "typescript-eslint": "^8.23.0", "vite": "^7.1.4"
               },
"dependencies": {
                              pendencies": {
  "@headlessui/react": "^2.2.0",
  "@inertiajs/react": "^2.1.0",
  "@radix-ui/react-avatar": "^1.1.3",
  "@radix-ui/react-checkbox": "^1.1.4",
  "@radix-ui/react-dialog": "^1.1.6",
  "@radix-ui/react-dropdown-menu": "^2.1.6",
  "@radix-ui/react-label": "^2.1.2",
  "@radix-ui/react-navigation-menu": "^1.2.5",
  "@radix-ui/react-select": "^2.1.6",
  "@radix-ui/react-select": "^1.1.15",
  "@radix-ui/react-select": "^1.1.2",
  "@radix-ui/react-slot": "^1.1.2",
  "@radix-ui/react-slot": "^1.1.2",
                             "@radix-ui/react-separator": "^1.1.2",
"@radix-ui/react-slot": "^1.1.2",
"@radix-ui/react-tabs": "^1.1.13",
"@radix-ui/react-toggle": "^1.1.2",
"@radix-ui/react-toggle-group": "^1.1.2",
"@radix-ui/react-tooltip": "^1.1.8",
"@sentry/react": "^10.11.0",
"@stripe/react-stripe-js": "^4.0.2",
"@stripe/stripe-js": "^7.9.0",
"@tailwindcss/vite": "^4.1.11",
"@types/react": "^19.0.3",
"@types/react-dom": "^19.0.2",
"axios": "^1.11.0",
"class-variance-authority": "^0.7.1".
                              "axios": "^1.11.0",

"class-variance-authority": "^0.7.1",

"clsx": "^2.1.1",

"concurrently": "^9.0.1",

"globals": "^15.14.0",

"js-cookie": "^3.0.5",

"lucide-react": "^0.475.0",

"react": "^19.1.1",

"react-router-dom": "^7.8.2"
                              "react-dom": "^19.1.1",
"react-router-dom": "^7.8.2",
"tailwind-merge": "^3.0.1",
"tailwindcss": "^4.0.0",
"tailwindcss-animate": "^1.0.7",
"typescript": "^5.7.2"
                },
"optionalDependencies": {
                               "@rollup/rollup-linux-x64-gnu": "4.9.5",
"@tailwindcss/oxide-linux-x64-gnu": "^4.0.1",
"lightningcss-linux-x64-gnu": "^1.29.1"
```

ູ }

phpunit.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<phpunit xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
           xsi:noNamespaceSchemaLocation="vendor/phpunit/phpunit.xsd"
          bootstrap="vendor/autoload.php" colors="true"
     <testsuites>
         <testsuite name="Unit">
              <directory>tests/Unit</directory>
         </testsuite>
         <testsuite name="Feature">
              <directory>tests/Feature</directory>
         </testsuite>
     </testsuites>
    <source>
         <include>
              <directory>app</directory>
         </include>
     </source>
     <php>
         <env name="MAIL MAILER value= array />
<env name="PULSE_ENABLED" value="false"/>
<env name="QUEUE_CONNECTION" value="sync"/>
<env name="SESSION_DRIVER" value="array"/>
         <env name="TELESCOPE_ENABLED" value="false"/>
         <server name="SCOUT DRIVER" value="null"/>
</phpunit>
```

playwright.config.tsx

```
import { defineConfig, devices } from '@playwright/test';

export default defineConfig({
    testDir: './tests',
    timeout: 60_000,
    use: {
        baseURL: 'http://localhost:8080',
        trace: 'retain-on-failure',
    },
    projects: [{ name: 'chromium', use: { ...devices['Desktop Chrome'] } }],
});
```

```
import os
EXCLUDE DIRS = {".idea", ".venv", ".git", "vendor", "node modules"}
def print_tree(startpath, prefix=""):
    try:
        items = sorted(
            name for name in os.listdir(startpath) if name not in EXCLUDE DIRS
    except FileNotFoundError:
        print(f"Path not found: {startpath}")
        return
    for i, name in enumerate(items):
        path = os.path.join(startpath, name)
        connector = "\vdash" if i == len(items) - 1 else "\vdash"
        print(prefix + connector + name)
        if os.path.isdir(path):
            extension = " " if i == len(items) - 1 else " "
            print_tree(path, prefix + extension)
if __name__ == "__main__":
    root = "."
    print(os.path.basename(os.path.abspath(root)) + "/")
    print_tree(root)
```

```
Usage:
  python repo doc to pdf.py --root . --out codebook.pdf --max-bytes 800000 --wrap 100
  --root — корінь проєкту
  --out — шлях до PDF
  --max-bytes — великі файли пропускаються
--wrap — ширина переносу рядків у символах
import os, sys, argparse, textwrap, pathlib, unicodedata
import matplotlib as mpl
import matplotlib.pyplot as plt
from matplotlib.backends.backend pdf import PdfPages
    import chardet
except Exception:
    chardet = None
# Безпечно відрубуємо TeX/MathText
mpl.rcParams["text.usetex"] = False
mpl.rcParams["mathtext.default"] = "rm"
EXCLUDE DIRS = {
  ".idea", ".venv", ".git", "vendor", "node modules"
EXCLUDE_EXTS = {
    ".png", ".jpg", ".jpeg", ".webp", ".gif", ".ico", ".pdf",
".zip", ".tar", ".gz", ".7z", ".mp4", ".mov", ".mp3", ".wav"
EXCLUDE_FILES = {".env", "celerybeat-schedule","interview.log","history.json","agent_history.db"}
def is text file(path: str) -> bool:
    ext = pathlib.Path(path).suffix.lower()
    if ext in EXCLUDE EXTS:
         return False
    try:
         with open(path, "rb") as f:
             chunk = f.read(4096)
         if not chunk:
             return True
         # справжній нуль-байт 
if b"\x00" in chunk:
             return False
         return True
    except Exception:
         return False
def detect encoding(data: bytes) -> str:
    if chardet:
         try:
             enc = chardet.detect(data).get("encoding")
             if enc:
                  return enc
         except Exception:
    pass
return "utf-8"
def read_text(path: str, max_bytes: int) -> str:
    with open(path, "rb") as f:
         data = f.read()
    if len(data) > max bytes:
         return f"[SKIPPED: file too large ({len(data)} bytes)]"
    enc = detect_encoding(data)
    try:
         return data.decode(enc, errors="replace")
    except Exception:
         try:
             return data.decode("utf-8", errors="replace")
         except Exception:
             return data.decode("latin-1", errors="replace")
```

```
def walk files(root: str):
    for dirpath, dirnames, filenames in os.walk(root):
    dirnames[:] = [d for d in dirnames if d not in EXCLUDE_DIRS and not d.startswith(".tox")]
         for fn in sorted(filenames):
              if fn in EXCLUDE FILES:
                   continue
              full = os.path.join(dirpath, fn)
              rel = os.path.relpath(full, root)
              if not is_text_file(full):
                   continue
              yield rel, full
def build tree text(root: str) -> str:
     lines = []
     base = os.path.basename(os.path.abspath(root)) or root
     lines.append(f"{base}/")
    def _print_tree(startpath, prefix=""):
    try:
              items = sorted(
                   [n for n in os.listdir(startpath)
                    if n not in EXCLUDE DIRS and n not in EXCLUDE FILES]
         except FileNotFoundError:
              return
         for i, name in enumerate(items):
              path = os.path.join(startpath, name)
              connector = "\sqsubseteq" if i == len(items) - 1 else "\sqsubseteq"
              lines.append(prefix + connector + name)
              if os.path.isdir(path):
                   extension = "
                                    " if i == len(items) - 1 else "
                    _print_tree(path, prefix + extension)
     print tree(root)
     return "\n".join(lines)
def sanitize_text(s: str) -> str:
"""Нормалізація для Matplotlib PDF:
    - заміна всіх '□' → '□' (U+FF04), щоб повністю вимкнути mathtext - дроп NULL/контрольні (крім \t \n \r), variation selectors, ZWJ/ZWNJ - дроп не-ВМР (емодзі), щоб бекенд PDF не падав
    - маппінг деяких проблемних гліфів на ASCII
    if not s:
         return s
    # повністю вимкнути mathtext
    s = s.replace('[]', '[]')
    out = []
    for ch in s:
         code = ord(ch)
if ch == '\x00':
              continue
         cat = unicodedata.category(ch)
if cat.startswith('C') and ch not in ('\t', '\n', '\r'):
              continue
         if code in (0xFE0F, 0x200D, 0x200C): # VS16, ZWJ, ZWNJ
              continue
         if code > 0xFFFF: # emoji / non-BMP
              continue
         if ch in {'v',
ch = 'v'
                          'v'}:
    out.append(ch)
return ''.join(out)
def add_text_pages(pdf: PdfPages, title: str, text: str, wrap_width=100, font_size=9,
header size=11):
    # sanitize early
    title = sanitize text(title)
    text = sanitize_text(text)
    # A4 portrait
    page w, page h = 8.27, 11.69
    left_margin, right_margin, top_margin, bottom_margin = 0.5, 0.5, 0.7, 0.7
    usable_height = page_h - top_margin - bottom_margin
```

```
# wrap text
    wrapped lines = []
    for line in text.splitlines():
        line = sanitize text(line.expandtabs(4))
        wrapped lines.extend(textwrap.wrap(line, width=wrap width, replace whitespace=False) or
    # simple line-height calc
    line_height_in = (font_size * 1.2) / 72.0
    lines per page = max(1, int(usable height / line height in) - 4)
    # render
    for page_idx in range(0, len(wrapped_lines) or 1, lines_per_page):
        fig = plt.figure(figsize=(page_w, page_h))
        ax = fig.add axes([0, 0, 1, 1])
        ax.axis("off")
        # header
        chunk = wrapped_lines[page_idx: page_idx + lines_per_page]
body_text = "\n".join(chunk) if chunk else ""
        plt.close(fig)
def main():
    ap = argparse.ArgumentParser()
    ap = argparse.Argumentrarser()
ap.add_argument("--root", default=".", help="Project root directory")
ap.add_argument("--out", default="codebook.pdf", help="Output PDF path")
ap.add_argument("--max-bytes", type=int, default=800000, help="Skip files larger than this many
    ap.add_argument("--wrap", type=int, default=100, help="Characters per line for wrapping")
    args = ap.parse args()
    tree_text = build_tree_text(args.root)
    with PdfPages(args.out) as pdf:
   add_text_pages(pdf, "PROJECT TREE", tree_text, wrap_width=args.wrap, font_size=9,
header_size=12)
        for rel, full in walk_files(args.root):
            if not is_text_file(full):
                 continue
            try:
                 content = read text(full, args.max bytes)
            except Exception as e:
                 content = f"[ERROR reading file: {e}]"
            add_text_pages(pdf, rel, content, wrap_width=args.wrap, font_size=8, header_size=10)
            == "__main__":
    name
    main()
```

```
{
    "compilerOptions": {
         /* Visit https://aka.ms/tsconfig to read more about this file */
         /* Projects */
         // "incremental": true,
                                                                    /* Save .tsbuildinfo files to allow for
incremental compilation of projects. */
        // "composite": true,
                                                                     /* Enable constraints that allow a
TypeScript project to be used with project references. */

// "tsBuildInfoFile": "./.tsbuildinfo", /* Specify the path to .tsbuildinfo
incremental compilation file. */

// "disableSourceOfProjectReferenceRedirect": true, /* Disable preferring source files
                                                                    /* Specify the path to .tsbuildinfo
instead of declaration files when referencing composite projects. */
         // "disableSolutionSearching": true,
                                                                    /* Opt a project out of multi-project
reference checking when editing. */
         // "disableReferencedProjectLoad": true,
                                                                    /* Reduce the number of projects loaded
automatically by TypeScript. */
         /* Language and Environment */
         "target": "ESNext" /* Set the JavaScript language version for emitted JavaScript and include
/* Specify a set of bundled library
declaration files that describe the target runtime environment. */
// "jsx": "preserve", /* Specify what JSX code is generated.
         // "experimentalDecorators": true,
                                                                    /* Enable experimental support for
legacy experimental decorators. */
/* Emit design-type metadata for
                                                                     /* Specify the JSX factory function
' or 'h'. */
used when targeting React JSX emit, e.g. 'React.createElement' or 'h'.
// "jsxFragmentFactory": "", /* Specif
                                                                     /* Specify the JSX Fragment reference
used for fragments when targeting React JSX emit e.g. 'React.Fragment' or 'Fragment'. */
// "jsxImportSource": "", /* S
import the JSX factory functions when using 'jsx: react-jsx*'. */
// "reactNamespace": "", /* S
                                                                     /* Specify module specifier used to
                                                                    ^{\prime *} Specify the object invoked for
'createElement'. This only applies when targeting 'react' JSX emit. */
// "noLib": true,
including the default lib.d.ts. */
                                                                    /* Disable including any library files,
         // "useDefineForClassFields": true,
                                                                    /* Emit ECMAScript-standard-compliant
class fields. */
         // "moduleDetection": "auto",
                                                                    /* Control what method is used to
detect module-format JS files. */
         /* Specify the root folder within your
source files. */
         "moduleResolution": "bundler" /* Specify how TypeScript looks up a file from a given module
specifier. */,
    // "baseUrl": "./"
                                                                    /* Specify the base directory to
resolve non-relative module names. */
// "paths": {},
                                                                    /* Specify a set of entries that re-map
imports to additional lookup locations. */
    // "rootDirs": [],
                                                                    /* Allow multiple folders to be treated
as one when resolving modules. */
// "typeRoots": [],
                                                                    /* Specify multiple folders that act
like './node_modules/@types'. */
// "types": [],
                                                                    /* Specify type package names to be
included without being referenced in a source file. */
        // "allowUmdGlobalAccess": true,
                                                                    /* Allow accessing UMD globals from
modules. */
// "moduleSuffixes": [],
                                                                    /* List of file name suffixes to search
when resolving a module. */
         // "allowImportingTsExtensions": true,
                                                                    /* Allow imports to include TypeScript
// "rewriteRelativeImportExtensions": true, /* Rewrite '.ts', '.tsx', '.mts', and '.cts' file extensions in relative import paths to their JavaScript equivalent in output files. */
// "resolvePackageJsonExports": true, /* Use the package.json 'exports' field
when resolving package imports. */
         // "resolvePackageJsonImports": true,
                                                                    /* Use the package.json 'imports' field
when resolving imports. */
```

tsconfig.json

```
// "customConditions": [],
                                                                     /* Conditions to set in addition to the
resolver-specific defaults when resolving imports. */
// "noUncheckedSideEffectImports": true,
                                                                     /* Check side effect imports. */
         // "resolveJsonModule": true,
// "allowArbitraryExtensions": true,
                                                                     /* Enable importing .json files. */
/* Enable importing files with any
extension, provided a declaration file is present. */
    // "noResolve": true,
                                                                      /* Disallow 'import's, 'require's or
'<reference>'s from expanding the number of files TypeScript should add to a project. */
         /* JavaScript Support */
         "allowJs": true /* Allow JavaScript files to be a part of your program. Use the 'checkJS'
/* Enable error reporting in type-
checked JavaScript files. */
         // "maxNodeModuleJsDepth": 1,
                                                                     /st Specify the maximum folder depth
used for checking JavaScript files from 'node modules'. Only applicable with 'allowJs'. */
         /* Emit */
// "declaration": true,
                                                                     /* Generate .d.ts files from TypeScript
/* Create sourcemaps for d.ts files. */
/* Only output d.ts files and not
JavaScript files. */
// "sourceMap": true,
JavaScript files. */
                                                                     /* Create source map files for emitted
         // "inlineSourceMap": true.
                                                                      /* Include sourcemap files inside the
emitted JavaScript. */
    "noEmit": true /* Disable emitting files from a compilation. */,
    // "outFile": "./", /* Specify
                                                                     /* Specify a file that bundles all
outputs into one JavaScript file. If 'declaration' is true, also designates a file that bundles all
.d.ts output. */
         // "outDir": "./",
                                                                      /* Specify an output folder for all
emitted files. */
         // "removeComments": true,
// "importHelpers": true,
                                                                     /* Disable emitting comments. */
                                                                      /* Allow importing helper functions
from tslib once per project, instead of including them per-file. */
         // "downlevelIteration": true,
                                                                     /* Emit more compliant, but verbose and
less performant JavaScript for iteration. */
// "sourceRoot": "",
                                                                     /* Specify the root path for debuggers
to find the reference source code. */
// "mapRoot": "",
                                                                     /* Specify the location where debugger
should locate map files instead of generated locations. */
// "inlineSources": true,
sourcemaps inside the emitted JavaScript. */
                                                                     /* Include source code in the
// "emitBOM": true,
in the beginning of output files. */
// "newLine": "crlf",
                                                                     /* Emit a UTF-8 Byte Order Mark (BOM)
                                                                     /* Set the newline character for
emitting files. */
// "stripInternal": true,
                                                                     /* Disable emitting declarations that
/* Disable generating custom helper
                                                                     /* Disable emitting files if any type
checking errors are reported. */
// "preserveConstEnums": true, declarations in generated code. */
// "declarationDir": "./",
                                                                     /* Disable erasing 'const enum'
                                                                     /* Specify the output directory for
generated declaration files. */
         /* Interop Constraints */
         "isolatedModules": true /* Ensure that each file can be safely transpiled without relying on
other imports. */
// "verbatimModuleSyntax": true, /* Do not transform or elide any imports or exports not marked as type-only, ensuring they are written in the output file's format
based on the 'module' setting. */
// "isolatedDeclarations": true,
                                                                      /* Require sufficient annotation on
exports so other tools can trivially generate declaration files. */
// "allowSyntheticDefaultImports": true, /* Allow 'import x from y' when a
```

tsconfig.json

```
"forceConsistentCasingInFileNames": true /* Ensure that casing is correct in imports. */,
         /* Type Checking */
"strict": true /* Enable all strict type-checking options. */,
"noImplicitAny": true /* Enable error reporting for expressions and declarations with an
/* When type checking, take into
         // "strictFunctionTypes": true,
                                                                    /* When assigning functions, check to
ensure parameters and the return values are subtype-compatible. */
// "strictBindCallApply": true, /* Ch
                                                                    /* Check that the arguments for 'bind',
'call', and 'apply' methods match the original function. */
// "strictPropertyInitialization": true,
                                                                    /* Check for class properties that are
declared but not set in the constructor. */
// "strictBuiltinIteratorReturn": true,
                                                                    /* Built-in iterators are instantiated
with a 'TReturn' type of 'undefined' instead of 'any'. */
         // "noImplicitThis": true,
                                                                   /* Enable error reporting when 'this'
is given the type 'any'. */
         // "useUnknownInCatchVariables": true,
                                                                   /* Default catch clause variables as
'unknown' instead of 'any'. */
// "alwaysStrict": true,
                                                                   /* Ensure 'use strict' is always
emitted. */
         // "noUnusedLocals": true,
                                                                   /* Enable error reporting when local
variables aren't read. */
        // "noUnusedParameters": true,
                                                                   /* Raise an error when a function
parameter isn't read. */
        // "exactOptionalPropertyTypes": true,
                                                                   /* Interpret optional property types as
written, rather than adding 'undefined'. */
    // "noImplicitReturns": true,
                                                                   /* Enable error reporting for codepaths
that do not explicitly return in a function. */
         // "noFallthroughCasesInSwitch": true,
                                                                   /* Enable error reporting for
fallthrough cases in switch statements. */
         // "noUncheckedIndexedAccess": true,
                                                                   /* Add 'undefined' to a type when
accessed using an index. */
        // "noImplicitOverride": true,
                                                                   /* Ensure overriding members in derived
classes are marked with an override modifier. */
         // "noPropertyAccessFromIndexSignature": true,
                                                                   /* Enforces using indexed accessors for
keys declared using an indexed type. */
    // "allowUnusedLabels": true,
                                                                   /* Disable error reporting for unused
labels. */
// "allowUnreachableCode": true,
                                                                   /* Disable error reporting for
unreachable code. */
         /* Completeness */
         // "skipDefaultLibCheck": true,
                                                                   /* Skip type checking .d.ts files that
are included with TypeScript. */
         "skipLibCheck": true /* Skip type checking all .d.ts files. */,
         "baseUrl": ".",
         },
"jsx": "react-jsx"
    },
"include": ["resources/js/**/*.ts", "resources/js/**/*.d.ts", "resources/js/**/*.tsx"]
}
```

```
import { wayfinder } from '@laravel/vite-plugin-wayfinder';
import { way:Inder } from '@talavet/vite-pto,
import tailwindcss from '@tailwindcss/vite';
import react from '@vitejs/plugin-react';
import laravel from 'laravel-vite-plugin';
import { defineConfig } from 'vite';
const useWayfinder = process.env.WAYFINDER !== 'off';
export default defineConfig({
      server: {
    host: '0.0.0.0',
    port: 5173,
            strictPort: true,
            watch: {
                 usePolling: true,
interval: 350,
ignored: [
                        '**/node modules/**',
                        '**/vendor/**'
                        '**/storage/**',
                        '**/.git/**'
                        '**/public/build/**'
                        '**/public/storage/**',
                 awaitWriteFinish: { stabilityThreshold: 150, pollInterval: 100 },
            },
     },
plugins: [
            laravel({
                 input: [
                        'resources/css/app.css',
                        'resources/js/app.tsx',
'resources/js/shop/main.tsx',
                  ssr: 'resources/js/ssr.tsx',
                 // refresh: true, refresh: ['resources/views/**/*.blade.php'],
            }),
           react(),
tailwindcss(),
...(useWayfinder ? [wayfinder({
                  formVariants: true
            })] : []),
      esbuild: {
    jsx: 'automatic',
      },
});
```

```
name: CI
on:
  push:
    branches: [ main ]
  pull_request:
iobs:
  php-tests:
    runs-on: ubuntu-latest
    services:
      pg:
        image: postgres:16-alpine
        env:
          POSTGRES_DB: shop
          POSTGRES_USER: shop
POSTGRES_PASSWORD: shop
        ports: [ "5432:5432" ]
        options: >-
           --health-cmd="pg isready -U shop" --health-interval=10s --health-timeout=5s --health-
retries=5
    steps:
      - uses: actions/checkout@v4
      - uses: shivammathur/setup-php@v2
        with:
          php-version: '8.3'
          extensions: pdo_pgsql, intl, mbstring, zip
      - name: Copy env
        run: cp .env.example .env || true
      - name: Install composer deps
        run: composer install --no-interaction --prefer-dist
      - name: Generate key & migrate
        env:
          DB CONNECTION: pgsql
          DB_HOST: 127.0.0.1
          DB PORT: 5432
          DB DATABASE: shop
          DB_USERNAME: shop
          DB PASSWORD: shop
        run: |
          php artisan key:generate
          php artisan migrate --force
      - name: PHPUnit
        run: php artisan test --testsuite=Unit
  frontend-build-and-tests:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - uses: actions/setup-node@v4
        with:
          node-version: 20
          cache: 'npm'
      - name: Install deps
        run: npm ci
       name: Build
        env:
          VITE_GA_ID: []{{ secrets.VITE_GA_ID }}
VITE_SENTRY_DSN: []{{ secrets.VITE_SENTRY_DSN }}
        run: npm run build
      - name: Playwright install
      run: npx playwright install --with-deps
- name: E2E tests
        env:
          # якщо потрібні бек-API — піднімайте docker-compose в GH actions або мокуйте
          CI: "true'
        run: npx playwright test --reporter=dot
  docker-build-push:
    if: github.ref == 'refs/heads/main'
    runs-on: ubuntu-latest
    permissions:
      contents: read
```

.github\workflows\ci.yml

```
packages: write
steps:
    uses: actions/checkout@v4
    name: Login to GHCR
    uses: docker/login-action@v3
    with:
        registry: ghcr.io
        username: []{{ github.actor }}
        password: []{{ secrets.GITHUB_TOKEN }}
        name: Build & push
        uses: docker/build-push-action@v6
    with:
        context: .
        file: docker/php/Dockerfile.prod
        push: true
        tags: ghcr.io/[]{{ github.repository }}/shop-php:latest
```

.github\workflows\lint.yml

.github\workflows\tests.yml

```
name: tests
on:
  push:
    branches:
      - develop
      - main
  pull request:
    branches:
      - develop
- main
jobs:
    runs-on: ubuntu-latest
    steps:
      - name: Checkout
        uses: actions/checkout@v4
      - name: Setup PHP
        uses: shivammathur/setup-php@v2
        with:
          php-version: 8.4
          tools: composer:v2
          coverage: xdebug
      name: Setup Node
uses: actions/setup-node@v4
        with:
          node-version: '22'
          cache: 'npm'
      - name: Install Node Dependencies
        run: npm ci
      - name: Install Dependencies
        run: composer install --no-interaction --prefer-dist --optimize-autoloader
      - name: Build Assets
        run: npm run build
      - name: Copy Environment File
        run: cp .env.example .env
      - name: Generate Application Key
        run: php artisan key:generate
      - name: Tests
        run: ./vendor/bin/pest
```

app\Enums\OrderStatus.php

app\Filament\Mine\Pages\Dashboard.php

```
<?php
namespace App\Filament\Mine\Resources\Categories;
use App\Filament\Mine\Resources\Categories\Pages\CreateCategory;
use App\Filament\Mine\Resources\Categories\Pages\EditCategory;
use App\Filament\Mine\Resources\Categories\Pages\ListCategories;
use App\Filament\Mine\Resources\Categories\Schemas\CategoryForm;
use App\Filament\Mine\Resources\Categories\Tables\CategoriesTable;
use App\Models\Category;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;
class CategoryResource extends Resource
    protected static ?string [model = Category::class;
   protected static string|BackedEnum|null [navigationIcon = Heroicon::OutlinedRectangleStack;
    protected static ?string □recordTitleAttribute = 'Category';
//
      protected static ?string ∏navigationIcon = 'heroicon-o-rectangle-stack';
   protected static string|null|\UnitEnum [navigationGroup = 'Catalog';
   protected static bool □shouldRegisterNavigation = true;
    public static function form(Schema □schema): Schema
        return CategoryForm::configure(□schema);
    public static function table(Table ∏table): Table
        return CategoriesTable::configure(□table);
    public static function getRelations(): array
        return [
            //
        ];
   }
    public static function getPages(): array
        return [
            'index' => ListCategories::route('/'),
            'create' => CreateCategory::route('/create')
            'edit' => EditCategory::route('/{record}/edit'),
        ];
   }
    public static function getNavigationBadge(): ?string
        return (string) Category::count();
}
```

app\Filament\Mine\Resources\Categories\Pages\CreateCategory.php

```
<?php
namespace App\Filament\Mine\Resources\Categories\Pages;
use App\Filament\Mine\Resources\Categories\CategoryResource;
use Filament\Resources\Pages\CreateRecord;
class CreateCategory extends CreateRecord
{
    protected static string []resource = CategoryResource::class;
}</pre>
```

app\Filament\Mine\Resources\Categories\Pages\EditCategory.php

app\Filament\Mine\Resources\Categories\Pages\ListCategories.php

app\Filament\Mine\Resources\Categories\Schemas\CategoryForm.php

```
<?php
namespace App\Filament\Mine\Resources\Categories\Schemas;
use Filament\Forms\Components\Select;
use Filament\Forms\Components\TextInput;
use Filament\Schemas\Schema;
use Illuminate\Database\Eloguent\Model;
use Illuminate\Validation\Rule;
class CategoryForm
    public static function configure(Schema □schema): Schema
         return ∐schema
              ->components([
                  TextInput::make('name')
                  ->required(),
TextInput::make('slug')
                       ->required(),
                  Select::make('parent_id')
   ->label('Parent category')
   ->relationship('parent', 'name')
                       ->searchable()
                       ->preload()
                       ->native(false)
                       ->nullable()
                       ->rule(fn (?Model [record) => Rule::notIn([[record?->id])),
             ]);
}
```

```
<?php
namespace App\Filament\Mine\Resources\Categories\Tables;
use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;
class CategoriesTable
    public static function configure(Table □table): Table
        return ∏table
            ->columns([
                TextColumn::make('name')
                ->searchable(),
TextColumn::make('slug')
                     ->searchable(),
                 TextColumn::make('parent_id')
                     ->numeric()
                     ->sortable()
                 TextColumn::make('deleted at')
                     ->dateTime()
                     ->sortable()
                     ->toggleable(isToggledHiddenByDefault: true),
                TextColumn::make('created_at')
                     ->dateTime()
                     ->sortable()
                     ->toggleable(isToggledHiddenByDefault: true),
                TextColumn::make('updated_at')
                     ->dateTime()
                     ->sortable()
                     ->toggleable(isToggledHiddenByDefault: true),
            ])
            ->filters([
                //
            ])
             ->recordActions([
                EditAction::make(),
            ])
            ->toolbarActions([
                BulkActionGroup::make([
                    DeleteBulkAction::make(),
            ]);
    }
}
```

```
<?php
namespace App\Filament\Mine\Resources\Orders;
use App\Filament\Mine\Resources\Orders\Pages\CreateOrder;
use App\Filament\Mine\Resources\Orders\Pages\EditOrder;
use App\Filament\Mine\Resources\Orders\Pages\ListOrders;
use App\Filament\Mine\Resources\Orders\Schemas\OrderForm;
use App\Filament\Mine\Resources\Orders\Tables\OrdersTable;
use App\Models\Order;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;
class OrderResource extends Resource
    protected static ?string [model = Order::class;
    protected static string|BackedEnum|null ∏navigationIcon = Heroicon::OutlinedRectangleStack;
    protected static ?string [recordTitleAttribute = 'Order';
//
      protected static ?string □navigationIcon = 'heroicon-o-shopping-bag';
    protected static string|null|\UnitEnum [navigationGroup = 'Sales';
    protected static bool □shouldRegisterNavigation = true;
    public static function form(Schema ∏schema): Schema
        return OrderForm::configure(□schema);
    public static function table(Table □table): Table
        return OrdersTable::configure(□table);
    public static function getRelations(): array
        return [
            RelationManagers\ItemsRelationManager::class.
            RelationManagers\LogsRelationManager::class,
    }
    public static function getPages(): array
        return [
            'index' => ListOrders::route('/'),
'create' => CreateOrder::route('/create')
            'edit' => EditOrder::route('/{record}/edit'),
        ];
    }
    public static function getNavigationBadge(): ?string
        return (string) Order::count();
}
```

app\Filament\Mine\Resources\Orders\Pages\CreateOrder.php

```
<?php
namespace App\Filament\Mine\Resources\Orders\Pages;
use App\Filament\Mine\Resources\Orders\OrderResource;
use App\Models\Order;
use App\Models\User;
use Filament\Resources\Pages\CreateRecord;
class CreateOrder extends CreateRecord
    protected static string []resource = OrderResource::class;
    protected \ function \ mutate Form Data Before Create (array \ \square data): \ array
        [data['total'] = [data['total'] ?? 0;
        [data['number'] = [data['number'] ?? app(Order::class)->makeOrderNumber();
        return □data;
    }
    protected function getRedirectUrl(): string
        return static::getResource()::getUrl('edit', ['record' => []this->record]);
    }
    protected function afterCreate(): void
        []this->record->recalculateTotal();
}
```

```
<?php
namespace App\Filament\Mine\Resources\Orders\Pages;
use App\Filament\Mine\Resources\Orders\OrderResource;
use Filament\Actions\DeleteAction;
use Filament\Resources\Pages\EditRecord;
use Livewire\Attributes\On;
use App\Enums\OrderStatus;
use Filament\Actions;
class EditOrder extends EditRecord
    protected static string □resource = OrderResource::class;
    protected function getHeaderActions(): array
         return [
            Actions\Action::make('markPaid')
                 ->label('Mark paid')
                 ->icon('heroicon-o-banknotes')
                 ->visible(fn () => []this->record->status === OrderStatus::New)
                 ->requiresConfirmation()
                 ->action(function () {
                     []this->record->markPaid();
                     □this->record->refresh();
                     []this->data['status'] = (string) []this->record->status->value;
                     []this->data['total'] = (string) []this->record->total;
                 }),
            Actions\Action::make('markShipped')
                 ->label('Mark shipped')
                 ->icon('heroicon-o-truck')
                 ->visible(fn () => [this->record->status === OrderStatus::Paid)
                 ->requiresConfirmation()
                 ->action(function () {
                     []this->record->markShipped();
                     □this->record->refresh();
                     □this->data['status'] = (string) □this->record->status->value;
                 }),
            Actions\Action::make('cancel')
                 ->label('Cancel')
->color('danger')
                 ->icon('heroicon-o-x-circle')
                  ->visible(fn () => in_array(□this->record->status, [OrderStatus::New,
OrderStatus::Paid], true))
                 ->requiresConfirmation()
                 ->action(function () {
                     □this->record->cancel();
                     □this->record->refresh();
                     []this->data['status'] = (string) []this->record->status->value;
[]this->data['total'] = (string) []this->record->total;
            DeleteAction::make(),
        1;
    }
    protected function afterSave(): void
        []this->record->recalculateTotal();
        This->record->refresh();
        []this->data['total'] = (string) []this->record->total;
    #[On('order-items-updated')]
    public function onOrderItemsUpdated(string □total = null): void
        □this->record->refresh():
        []this->data['total'] = (string) ([total ?? [this->record->total);
    }
}
```

app\Filament\Mine\Resources\Orders\Pages\ListOrders.php

```
<?php
namespace App\Filament\Mine\Resources\Orders\RelationManagers;
use App\Enums\OrderStatus;
use App\Models\OrderItem;
use App\Models\Product;
use Filament\Actions\AttachAction;
use Filament\Actions\BulkActionGroup;
use Filament\Actions\CreateAction;
use Filament\Actions\DeleteAction;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\DetachAction;
use Filament\Actions\DetachBulkAction;
use Filament\Actions\EditAction;
use Filament\Forms\Components\Select;
use Filament\Forms\Components\TextInput;
use Filament\Resources\RelationManagers\RelationManager;
use Filament\Schemas\Components\Utilities\Set;
use Filament\Schemas\Schema;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Table;
use App\Filament\Mine\Resources\Orders\Pages\EditOrder;
class ItemsRelationManager extends RelationManager
    protected static string [relationship = 'Items';
    public function form(Schema □schema): Schema
         return ∐schema
             ->components([
                  Select::make('product_id')
->label('Product')
                      ->relationship('product', 'name')
                       ->searchable()
                       ->preload()
                      ->reactive()
                       ->afterStateUpdated(function (∏state, Set ∏set) {
                           \squareprice = Product::find(\squarestate)?->price ?? 0;
                           □set('price', □price);
                       ->required()
                  TextInput::make('qty')
                       ->numeric()
                      ->minValue(1)
                      ->default(1)
                      ->reactive()
                  TextInput::make('price')
                      ->numeric()
                       ->rule('decimal:0,2')
                       ->required()
                       ->prefix('₴'),
             ])->columns(3);
    }
    public function table(Table □table): Table
         return ∐table
              ->recordTitleAttribute('OrderItem')
             ->columns([
                  TextColumn::make('product.name')->label('Product'),
TextColumn::make('qty'),
TextColumn::make('price')->money('usd'),
TextColumn::make('subtotal')
                       ->label('Subtotal')
                      ->state(fn ([record) => number format([record->qty * (float) [record->price,
2)),
              ->filters([
```

```
])
             ->headerActions([
                 CreateAction::make()
                      ->visible(fn (<u>livewire</u>) => <u>livewire->ownerRecord->status === OrderStatus::New</u>)
                      ->after(function (RelationManager □livewire) {
                          porder = Dlivewire->getOwnerRecord();
                          □order->recalculateTotal();
                          ∏livewire->dispatch('order-items-updated')
                              ->to(EditOrder::class);
                     }),
                 AttachAction::make()->after(function (RelationManager [livewire) {
                     □order = □livewire->getOwnerRecord();
                     | Torder->recalculateTotal();
                     ∏livewire->dispatch('order-items-updated')
                          ->to(EditOrder::class);
                 }),
             ])
             ->recordActions([
                 EditAction::make()
                      ->visible(fn ([livewire) => [livewire->ownerRecord->status === OrderStatus::New)
                      ->after(function (RelationManager ∏livewire) {
                          porder = Dlivewire->getOwnerRecord();
                          Dorder->recalculateTotal();
                          □livewire->dispatch('order-items-updated')
                              ->to(EditOrder::class);
                     }),
                 DeleteAction::make()
                     ->visible(fn ([livewire) => [livewire->ownerRecord->status === OrderStatus::New) ->after(function (RelationManager [livewire) {
                          porder = plivewire->getOwnerRecord();
                          Dorder->recalculateTotal();
                          | Tivewire->dispatch('order-items-updated')
                              ->to(EditOrder::class);
                     }),
             ])
             ->toolbarActions([
                 BulkActionGroup::make([
                     DetachBulkAction::make(),
                     DeleteBulkAction::make(),
                 ]),
             ])
             ->defaultSort('id')
             ->paginated(false)
             ->emptyStateHeading('No items');
    }
}
```

```
<?php
namespace App\Filament\Mine\Resources\Orders\RelationManagers;
use Filament\Resources\RelationManagers\RelationManager;
use Filament\Schemas\Schema;
use Filament\Tables;
use Filament\Tables\Table;
use Filament\Tables\Columns\TextColumn;
class LogsRelationManager extends RelationManager
     protected static string □relationship = 'logs';
     protected static ?string ☐title = 'Status history';
     public function form(Schema □schema): Schema
           return □schema->components([]);
     public function table(Table □table): Table
          return □table
                ->recordTitleAttribute('to status')
                ->columns([
                    TextColumn::make('from_status')->label('From')->badge(),
TextColumn::make('to_status')->label('To')->badge(),
TextColumn::make('user.name')->label('By')->placeholder('-'),
TextColumn::make('note')->limit(60)->wrap(),
TextColumn::make('created_at')->dateTime('Y-m-d H:i'),
               ])
                ->paginated(false)
                ->emptyStateHeading('No status changes yet')
                ->headerActions([])
                ->recordActions([]);
     }
}
```

```
<?php
namespace App\Filament\Mine\Resources\Orders\Schemas;
use App\Enums\OrderStatus;
use App\Models\User;
use Filament\Forms\Components\Select;
use Filament\Forms\Components\Textarea;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\ViewField;
use Filament\Schemas\Components\Fieldset;
use Filament\Schemas\Components\Section;
use Filament\Schemas\Components\Utilities\Get;
use Filament\Schemas\Components\Utilities\Set;
use Filament\Schemas\Schema;
class OrderForm
    public static function configure(Schema □schema): Schema
        return ∐schema
             ->components([
                 Section::make('General')->schema([
                      Select::make('user id')
                          ->label('User')
                          ->relationship('user', 'email')
                          ->searchable()
                          ->preload()
                          ->native(false)
                          ->reactive()
                          ->afterStateUpdated(function (□state, Set □set) {
                              □set('email', optional(User::find(□state))->email);
                          }),
                     TextInput::make('email')
                          ->label('Email')
                          ->email()
                          ->required(fn (Get ∏get) => blank(∏get('user id')))
                          ->helperText('Якщо вибрано користувача — поле підставиться автоматично.'),
                      Select::make('status')
                          ->label('Status')
                          ->options([
                              OrderStatus::New->value
                                                            => 'New'
                                                            => 'Paid'
                              OrderStatus::Paid->value
                              OrderStatus::Shipped->value => 'Shipped'
                              OrderStatus::Cancelled->value=> 'Cancelled',
                          ->default(OrderStatus::New->value)
                          ->required(),
                     TextInput::make('number')
                          ->label('Number')
                          ->disabled()
                          ->dehydrated(false)
                          ->hint('Згенерується автоматично'),
                     TextInput::make('total')
                          ->label('Total')
                          ->prefix('₴')
                          ->disabled()
                          ->dehydrated(false)
                 ])->columns(2),
                 Section::make('Shipping')->schema([
                     Fieldset::make('Shipping address')->schema([
                          TextInput::make('shipping_address.name')->label('Name'),
TextInput::make('shipping_address.city')->label('City'),
                          TextInput::make('shipping_address.addr')->label('Address'),
                      ])->columns(3),
```

app\Filament\Mine\Resources\Orders\Schemas\OrderForm.php

```
<?php
namespace App\Filament\Mine\Resources\Orders\Tables;
use App\Enums\OrderStatus;
use App\Models\Order;
use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteAction;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Notifications\Notification;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Filters\SelectFilter;
use Filament\Tables\Table;
use Filament\Actions\Action;
use Illuminate\Support\Facades\DB;
use App\Jobs\SendOrderConfirmation;
class OrdersTable
        public static function configure(Table ∏table): Table
                 return ∏table
                          ->columns([
                                  TextColumn::make('user id')
                                           ->numeric()
                                           ->sortable()
                                  TextColumn::make('number')
                                            ->searchable()
                                  TextColumn::make('total')
                                           ->numeric()
                                           ->sortable(),
                                  TextColumn::make('created at')
                                           ->dateTime()
                                           ->sortable()
                                            ->toggleable(isToggledHiddenByDefault: true),
                                  TextColumn::make('updated at')
                                           ->dateTime()
                                           ->sortable()
                                           ->toggleable(isToggledHiddenByDefault: true),
                                      TextColumn::make('status')
//
                                               ->label('Status')
//
                                               ->badge()
                                               ->getŠtateUsing(fn (Order ∏record) => ∏record->status instanceof OrderStatus ?
| record->status->value : (string) [record->status) | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status instance of OrderStatus ? | record->status ? | record->status instance of OrderStatus ? | record->status ? | record->s
[]record->status->value : []record->status)
                                                       'new' => 'warning',
'paid' => 'success'
//
//
//
                                                         shipped' => 'info'
                                                        'canceled' => 'danger',
                                                       default => 'gray',
//
                                               })->searchable()
                                  TextColumn::make('status')
                                           ->label('Status')
                                           ->badge()
                                           ->state(fn ([record) => [record->status instanceof OrderStatus
                                                   ? □record->status->value
                                                    : (string) □record->status)
                                           ->formatStateUsing(fn (string □state) => ucfirst(□state))
                                           ->color(fn (∏record) => ∏record->status instanceof OrderStatus
                                                   ? [record->status->badgeColor()
: OrderStatus::from((string) [record->status)->badgeColor()),
TextColumn::make('shipping_address.city')->label('City')->toggleable(isToggledHiddenByDefault:
true),
                          ->filters([
                                  SelectFilter::make('status')
                                           ->options(collect(OrderStatus::cases())->mapWithKeys(fn (\Box c) => [\Box c->value =>
ucfirst([c->value)])->all()),
                         1)
                          ->recordActions([
```

```
EditAction::make(),
                  Action::make('markPaid')
->label('Mark paid')
                      ->icon('heroicon-o-banknotes')
                      ->visible(fn (Order [record) => [record->status === OrderStatus::New->value)
                      ->requiresConfirmation()
                      ->action(function (Order □record) {
                           □record->markPaid();
                           Notification::make()->title('Order marked as paid')->success()->send();
                      }),
                  Action::make('markShipped')
    ->label('Mark shipped')
                      ->icon('heroicon-o-truck')
                      ->visible(fn (Order [record) => [record->status === OrderStatus::Paid->value)
                      ->requiresConfirmation()
                      ->action(function (Order ∏record) {
                           []record->markShipped();
                           Notification::make()->title('Order marked as shipped')->success()->send();
                  Action::make('cancel')
->label('Cancel')
->color('danger')
                      ->icon('heroicon-o-x-circle')
->visible(fn (Order ☐record) => in_array(☐record->status, [OrderStatus::New->value, OrderStatus::Paid->value], true))
                       ->requiresConfirmation()
                      ->action(function (Order □record) {
                           □record->cancel();
                           Notification::make()->title('Order canceled')->success()->send();
                      }),
                  Action::make('resend')
                      ->label('Resend confirmation')
                      ->icon('heroicon-o-paper-airplane')
                      ->requiresConfirmation()
                      ->visible(fn ([record) => filled([record->email))
                      ->action(function (☐record) {
                           SendOrderConfirmation::dispatch(☐record);
                           \Filament\Notifications\Notification::make()
                                ->title('Лист повторно відправлено')
                               ->success()
                               ->send():
                  DeleteAction::make(),
             ])
             ->toolbarActions([
                  BulkActionGroup::make([
                      DeleteBulkAction::make(),
                  ]),
             ]);
    }
}
```

```
<?php
namespace App\Filament\Mine\Resources\Products;
use App\Filament\Mine\Resources\Products\Pages\CreateProduct;
use App\Filament\Mine\Resources\Products\Pages\EditProduct;
use App\Filament\Mine\Resources\Products\Pages\ListProducts;
use App\Filament\Mine\Resources\Products\Schemas\ProductForm;
use App\Filament\Mine\Resources\Products\Tables\ProductsTable;
use App\Models\Product;
use BackedEnum;
use Filament\Resources\Resource;
use Filament\Schemas\Schema;
use Filament\Support\Icons\Heroicon;
use Filament\Tables\Table;
use Filament\Forms:
use Illuminate\Database\Eloquent\Builder;
class ProductResource extends Resource
    protected static ?string □model = Product::class;
    protected static string|BackedEnum|null [navigationIcon = Heroicon::OutlinedRectangleStack;
    protected static ?string [recordTitleAttribute = 'Product';
    protected static ?string [navigationIcon = 'heroicon-o-cube';
protected static string|null|\UnitEnum [navigationGroup = 'Catalog';
    protected static bool []shouldRegisterNavigation = true;
    public static function form(Schema □schema): Schema
        return ProductForm::configure(□schema);
    public static function table(Table □table): Table
        return ProductsTable::configure(□table);
    }
    public static function getEloquentQuery(): Builder
        ->orderBy('sort')
            ]);
    }
    public static function getPages(): array
        return [
            'index' => ListProducts::route('/'),
            'create' => CreateProduct::route('/create')
            'edit' => EditProduct::route('/{record}/edit'),
    }
    public static function getNavigationBadge(): ?string
        return (string) Product::count();
    public static function getRelations(): array
        return [
            RelationManagers\ImagesRelationManager::class,
    }
}
```

app\Filament\Mine\Resources\Products\Pages\CreateProduct.php

```
<?php
namespace App\Filament\Mine\Resources\Products\Pages;
use App\Filament\Mine\Resources\Products\ProductResource;
use Filament\Resources\Pages\CreateRecord;
class CreateProduct extends CreateRecord
{
    protected static string []resource = ProductResource::class;
}</pre>
```

app\Filament\Mine\Resources\Products\Pages\EditProduct.php

app\Filament\Mine\Resources\Products\Pages\ListProducts.php

```
<?php
namespace App\Filament\Mine\Resources\Products\RelationManagers;
use Filament\Forms;
use Filament\Forms\Components\FileUpload;
use Filament\Forms\Components\Hidden;
use Filament\Forms\Components\TextInput;
use Filament\Schemas\Schema;
use Filament\Resources\RelationManagers\RelationManager;
use Filament\Tables;
use Filament\Tables\Columns\ImageColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Columns\ToggleColumn;
use Illuminate\Support\Facades\Storage;
use Filament\Actions\CreateAction;
use Filament\Actions\EditAction;
use Filament\Actions\DeleteAction;
use Filament\Forms\Components\Toggle;
class ImagesRelationManager extends RelationManager
    protected static string □relationship = 'images';
    protected static ?string ☐recordTitleAttribute = 'path';
    public function form(Schema ∏schema): Schema
         return □schema->schema([
             FileUpload::make('path')
                  ->label('Image')
                  ->disk('public')
                  ->directory(fn () => 'products/' . []this->getOwnerRecord()->id)
                  ->image()
                  ->imageEditor()
                  ->preserveFilenames()
                  ->maxSize(4 * 1024)
                  ->required(),
             TextInput::make('alt')->maxLength(255),
             Hidden::make('disk')->default('public'),
TextInput::make('sort')->numeric()->default(0),
             Toggle::make('is primary')
                  ->label('Primary')
                  ->inline(false)
                  ->default(fn ([livewire) => ! [livewire->getOwnerRecord()->images()->exists())
->helperText('Використовується як прев'ю товару')
         ]);
    public function table(Tables\Table □table): Tables\Table
         return ∏table
             ->columns([
                 ImageColumn::make('path')
                      ->label('Preview')
->disk('public')
                      ->circular(),
                  ToggleColumn::make('is_primary')
                      ->label('Primary')
                      ->sortable(),
                  TextColumn::make('alt')->limit(40),
                 TextColumn::make('sort')->sortable(),
TextColumn::make('disk')->sortable(),
                 TextColumn::make('created_at')->dateTime('Y-m-d H:i'),
             ])
             ->headerActions([CreateAction::make()])
             ->actions([EditAction::make(), DeleteAction::make()])
             ->defaultSort('sort');
    }
}
```

```
<?php
namespace App\Filament\Mine\Resources\Products\Schemas;
use Filament\Forms\Components\KeyValue;
use Filament\Forms\Components\Select;
use Filament\Forms\Components\TextInput;
use Filament\Forms\Components\Toggle;
use Filament\Schemas\Schema;
use Filament\Forms\Components\FileUpload;
class ProductForm
    public static function configure(Schema □schema): Schema
         return ∏schema
              ->components([
                  TextInput::make('name')
                        ->required()
                   TextInput::make('slug')
                  ->required(),
TextInput::make('sku')
->label('SKU')
                       ->required(),
                  Select::make('category_id')
    ->label('Category')
                       ->relationship('category', 'name')
                       ->searchable()
                       ->preload()
                       ->native(false)
                  ->required(),
KeyValue::make('attributes')
                       ->label('Attributes')
->keyLabel('Name')
                       ->valueLabel('Value')
                       ->reorderable()
                       ->addActionLabel('Add attribute')
                        ->columnSpanFull()
                   TextInput::make('stock')
                       ->required()
                       ->numeric()
                  ->default(0),
TextInput::make('price')
                       ->required()
                       ->numeric()
->prefix('[]')
                   TextInput::make('price_old')
                  ->numeric(),
Toggle::make('is_active')
                       ->required()
              ]);
    }
}
```

```
<?php
namespace App\Filament\Mine\Resources\Products\Tables;
use App\Models\Product;
use Filament\Actions\BulkActionGroup;
use Filament\Actions\DeleteBulkAction;
use Filament\Actions\EditAction;
use Filament\Tables\Columns\IconColumn;
use Filament\Tables\Columns\TextColumn;
use Filament\Tables\Columns\TextInputColumn;
use Filament\Tables\Columns\ToggleColumn;
use Filament\Tables\Filters\SelectFilter;
use Filament\Tables\Table;
use Filament\Tables\Columns\ImageColumn;
use Filament\Tables\Filters\TernaryFilter;
use Illuminate\Database\Eloquent\Builder;
class ProductsTable
    public static function configure(Table ∏table): Table
         return ∏table
             -- yuery(fn (): Builder => Product::query()->with(['images', 'category']))
             ->columns([
                 ImageColumn::make('preview')
                      ->label('Preview')
                      // важливо: came getStateUsing для ImageColumn
                      ->getStateUsing(fn (Product [record) => [record->preview url)
                      ->circular()
                      ->defaultImageUrl(asset('images/no-image.svg')),
                 // (за бажанням) дебаг-колонка з URL
TextColumn::make('preview_url_debug')
->label('url?')
                      ->getStateUsing(fn (Product [r) => [r->preview url ?? '-')
                      ->toggleable(isToggledHiddenByDefault: true),
                   \Filament\Tables\Columns\ImageColumn::make('preview')
->label('Preview')
                        ->getStateUsing(fn ([record) => [record->preview url) // ← важливо
                        ->circular()
                        ->defaultImageUrl(asset('images/placeholder.png')),
                    // якщо хочеш дебаг-колонку:
                    \Filament\Tables\Columns\TextColumn::make('preview_url_debug')
                        ->label('url?')
                        ->formatStateUsing(fn (∏state, ∏record) => ∏record->preview url ?? '-')
                        ->toggleable(isToggledHiddenByDefault: true),
                   ImageColumn::make('preview_path')
                        ->label('Preview')
                        ->getStateUsing(fn ([r) => [r->images
    ->sortBy([['is_primary','desc'],['sort','asc'],['id','asc']])
                            ->first()?->path
                        ->disk('public')
                                                            // тепер колонка сама складе URL
                        ->circular()
                        ->defaultImageUrl(asset('images/no-image.svg')),
                   ImageColumn::make('preview')
                        ->label('Preview')
                        ->getStateUsing(function (Product ☐record) {
                            □img = □record->images->sortByDesc('is_primary')->sortBy('sort')->first();
                            return []img ? \Storage::disk([]img->disk ?? 'public')->url([]img->path) :
null;
//
//
//
//
                         ->circular().
                   TextColumn::make('preview_url_debug')
                        ->label('url?')
                        ->state(fn ([record) => [record->preview url ?? '-')
                        ->toggleable(isToggledHiddenByDefault: true),
                   ->state(fn ([record) => [record->preview url)
                        ->circular(),
```

```
//
//
                   ImageColumn::make('preview')
                        ->label('Preview')
                        ->qetStateUsing(fn (∏record) => ∏record->preview url ?: asset('images/no-
image.svg'))
                        ->circular(),
                 TextColumn::make('name')
                      ->searchable(),
                   TextColumn::make('slug')
                        ->searchable(),
                 TextColumn::make('sku')
                      ->label('SKU')
                      ->searchable(),
                 TextColumn::make('category.name')->label('Category')->toggleable()->sortable(),
//
//
//
//
//
//
//
//
                   TextColumn::make('attributes')
                        ->label('Attrs')
                        ->formatStateUsing(function (□state) {
                            if (blank(□state)) return
                            if (is_array(□state) && array_is_list(□state)) {
                                return collect(□state)
                                     ->map(fn (\( \infty\) => (\( \infty\) row['name'] ?? '?').':'.(\( \infty\) row['value'] ??
                                     ->take(3)->join(', ');
                            }
                            return collect([state)->map(fn ([v, [k) => "[k:[v")->take(3)->join(', ');
                       })
                        ->tooltip(fn (□state) => is array(□state) ? json encode(□state,
JSON UNESCAPED UNICODE) : (string) □state)
                        ->wrap(),
                 TextInputColumn::make('stock')
                     ->label('Stock')
->rules(['required', 'integer', 'min:0'])
                      ->sortable()
                      ->extraAttributes(['class' => 'text-right'])
                     ->width('100px'),
                 TextInputColumn::make('price')
                     ->label('Price')
                      ->rules(['required', 'decimal:0,2', 'min:0'])
                     ->type('number')
->step('0.01')
                     ->sortable()
                     ->width('120px')
                     ->extraAttributes(['class' => 'text-right']),
                 ToggleColumn::make('is active')
                      ->label('Active')
                      ->sortable(),
TextColumn::make('price old')
                        ->numeric()
                        ->sortable()
                   IconColumn::make('is_active')
                        ->boolean(),
                   TextColumn::make('deleted at')
                        ->dateTime()
                        ->sortable()
                        ->toggleable(isToggledHiddenByDefault: true),
                   TextColumn::make('created at')
                        ->dateTime()
                        ->sortable()
                        ->toggleable(isToggledHiddenByDefault: true),
                   TextColumn::make('updated at')
                        ->dateTime()
                        ->sortable()
                        ->toggleable(isToggledHiddenByDefault: true)
             ])
             ->filters([
```

app\Filament\Mine\Resources\Products\Tables\ProductsTable.php

```
SelectFilter::make('category_id')
    ->label('Category')
    ->relationship('category', 'name')
            ->preload()
            ->searchable(),
      TernaryFilter::make('is_active')
           ->label('Active')
->trueLabel('Active')
            ->falseLabel('Inactive')
            ->queries(
                  true: fn ([q) => [q->where('is_active', true), false: fn ([q) => [q->where('is_active', false), blank: fn ([q) => [q,
            ),
])
->recordActions([
      EditAction::make(),
])
->toolbarActions([
      BulkActionGroup::make([
DeleteBulkAction::make(),
])
->defaultSort('id', 'desc');
```

}

}

```
<?php
namespace App\Filament\Mine\Widgets;
use App\Enums\OrderStatus;
use App\Models\Order;
use Filament\Widgets\StatsOverviewWidget as BaseWidget;
use Filament\Widgets\StatsOverviewWidget\Stat;
class OrdersStats extends BaseWidget
    // автооновлення (опційно)
    protected ?string [pollingInterval = '10s';
    protected function getStats(): array
        // Кількості по статусах (з enum)
        []counts = Order::query()
            ->selectRaw('status, COUNT(*) AS c')
            ->groupBy('status')
->pluck('c', 'status');
        [get = fn (OrderStatus [s) => (int) ([counts[s->value] ?? 0);
        // Спарклайн: сума замовлень за 14 днів
        \sqcapfrom = now()->startOfDay()->subDays(13);
        // PG: приводимо SUM(total) до float, групуємо по даті
        □byDay = Order::query()
            ->selectRaw('DATE(created at) AS d, SUM(total)::float AS s')
            ->where('created_at', '>=', [from)
            ->groupBy('d')
            ->orderBy('d')
->pluck('s', 'd');
        \sqcaplabels = collect(range(0, 13))
            ->map(fn (□i) => □from->copy()->addDays(□i)->toDateString());
        \Boxchart = \Boxlabels->map(fn (\Boxd) => (float) (\BoxbyDay[\Boxd] ?? 0))->all();
        return [
            ->color(OrderStatus::New->badgeColor())
                ->chart([chart),
            Stat::make('Paid', (string) [get(OrderStatus::Paid))
    ->color(OrderStatus::Paid->badgeColor())
                ->chart(□chart),
            ->color(OrderStatus::Shipped->badgeColor())
                ->chart(□chart),
            // (опція) Показати скасовані без графіка:
             Stat::make('Canceled', (string) □get(OrderStatus::Cancelled))
                 ->color(OrderStatus::Cancelled->badgeColor()),
        ];
   }
}
```

app\Http\Controllers\Controller.php

```
<?php
namespace App\Http\Controllers;
abstract class Controller
{
    //
}</pre>
```

```
<?php
namespace App\Http\Controllers;
use App\Models\Product;
use Illuminate\Http\Response;
use Illuminate\Support\Facades\Cache;
use Intervention\Image\ImageManager;
use Intervention\Image\Drivers\Gd\Driver;
class OgImageController extends Controller
                public function product(string □slug): Response
                               □cacheKey = "og:product:{□slug}";
                               □png = Cache::remember(□cacheKey, now()->addHours(12), function () use (□slug) {
□p = Product::query()->where('slug', □slug)->first();
                                               if (!□p) {
                                                              □p = Product::query()->find((int)□slug); // fallback by id
                                                              if (!□p) abort(404);
                                              }
                                              []title = (string)[]p->name;
                                               \Boxprice = number_format((float)\Boxp->price, 2, '.', ' ') . ' \rightleftharpoons';
                                              \prodimgUrl = \prodp->preview url ??
optional([p--images()--orderByDesc('is\_primary')--orderBy('id')--sfirst())--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--orderBy('id')--ord
                                              manager = new ImageManager(new Driver())
                                              canvas = [manager->create(1200, 630)->fill('#f7f7f7');
                                                         фонова картинка товару (якщо \epsilon)
                                               if (□imgUrl) {
                                                              try {
                                                                              \squarephoto = \squaremanager->read(\squareimgUrl)->cover(630, 630);
                                                                             □canvas->place(□photo,
                                                                                                                                                                        'top-left', 0, 0);
                                                              } catch (\Throwable ∏e) {
                                                                             // ігноруємо, якщо недоступна
                                              }
                                               // правий блок
                                               // простий текст без кастомних шрифтів (щоб не возитись з файлами)
                                              □canvas->text('Shop', 660, 80, function (□font) {
      □font->size(36);
                                                              []font->color('#111111');
                                              □canvas->text(□title, 660, 160, function (□font) {
                                                              \squarefont->size(44);
                                                              □font->color('#111111'):
                                                              []font->lineHeight(1.2);
                                              □canvas->text(□price, 660, 260, function (□font) {
                                                              \squarefont->size(40);
                                                              | The foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of the foot of
                                              });
                                               return (string) □canvas->toPng();
                               });
                               return response(\( \prim \text{png}, 200 \)) -> header('Content-Type', 'image/png');
               }
}
```

```
<?php
namespace App\Http\Controllers;
use App\Models\Category;
use App\Models\Product;
use Illuminate\Http\Response;
use Illuminate\Support\Carbon;
use Illuminate\Support\Facades\Cache;
use Illuminate\Support\Facades\URL;
class SitemapController extends Controller
    public function index(): Response
         // Кешуй індекс (10 хв. — під себе) 
 \squarexml = Cache::remember('sitemap:index', now()->addMinutes(10), function () {
              \sqcaphost = URL::to('/');
              \BoxperPage = 5000;
              Total = (int) Product::query()->where('is active', true)->count();
              □pages = max(1, (int) ceil(□total / □perPage));
              now = Carbon::now()->toAtomString();
              \squareitems = []:
              // categories
              [items[] = [
    'loc' => "{[host}/sitemaps/categories.xml",
                   'lastmod' => □now,
              // products pages
              for (\square i = 1; \square i <= \square pages; \square i++) { \square items[] = [
                        'loc' => "{□host}/sitemaps/products-{□i}.xml",
                        'lastmod' => □now,
                   ];
              }
              □out = [];
□out[] = '<?xml version="1.0" encoding="UTF-8"?>';
□out[] = '<sitemapindex xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">';
              foreach (□items as □it) {
                                 <sitemap>'
                   \lceil out[] = '
                   _out[] = "
                                    <loc>{\[ '\loc'\] \\ \loc>\";
<\lastmod>{\[ '\lastmod'\] \\ \lastmod>\";

                   []out[j] = "
                   _out[] = '
                                 </sitemap>';
              []out[] = '</sitemapindex>';
              return implode("\n", □out);
         });
         return response([]xml, 200)->header('Content-Type', 'application/xml; charset=UTF-8');
    }
    public function categories(): Response
         []xml = Cache::remember('sitemap:categories', now()->addMinutes(10), function () {
              \squarehost = URL::to('/');
              []rows = Category::query()
    ->select(['id', 'updated_at'])
    ->orderBy('id')
                   ->get();
              []out = [];
[]out[] = '<?xml version="1.0" encoding="UTF-8"?>';
              □out[] = '<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">';
              // Головна (каталог)
              Dout[] = '
Dout[] = "
                            <url>';
                               <loc>{[host}/</loc>";
              [out[] = '
                               <changefreq>daily</changefreq>';
```

app\Http\Controllers\SitemapController.php

```
Dout[] = '
                          <priority>1.0</priority>';
            nout[] = ' </url>';
            foreach (\squarerows as \squarec) {
\squareloc = "{\squarehost}/?category_id={\squarec->id}";
                \squarelastmod = optional(\squarec->updated_at)->toAtomString() ??
Carbon::now()->toAtomString();
                            <url>';
                □out[] = '
                []out[j] = "
                             <loc>{[]loc}</loc>";
                _out[] = "
                              <lastmod>{[lastmod}</lastmod>";
                _out[j = '
                               <changefreq>weekly</changefreq>';
                []out[] = '
                            </url>';
            }
            []out[] = '</urlset>';
return implode("\n", []out);
        return response(∏xml, 200)->header('Content-Type', 'application/xml; charset=UTF-8');
    }
    public function products(int □page): Response
        \squareperPage = 5000;
        \squarepage = max(1, \squarepage);
        cacheKey = "sitemap:products:{[page}";
        [xml = Cache::remember([cacheKey, now()->addMinutes(10), function() use([page, [perPage) { }])
            \squarehost = URL::to('/');
            □rows = Product::query()
                ->where('is_active', true)
->orderBy('id')
                ->offset((□page - 1) * □perPage)
                ->limit([perPage)
                ->get(['slug', 'id', 'updated_at']);
            []out[] = '<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">';
            □lastmod = optional(□p->updated_at)->toAtomString();
                __out[] = '
__out[] = '
                           <changefreq>weekly</changefreq>';
<priority>0.8</priority>';
                []out[] = ' </url>';
            []out[] = '</urlset>';
            return implode("\n", □out);
        });
        return response(∏xml, 200)->header('Content-Type', 'application/xml; charset=UTF-8');
    }
}
```

```
<?php
namespace App\Http\Controllers;
use App\Enums\OrderStatus;
use App\Models\Order;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Log;
use Stripe\Webhook;
class StripeWebhookController extends Controller
    public function handle(Request □request)
                    = □request->getContent();
        __sigHeader = __request->header('Stripe-Signature');
                    = config('services.stripe.webhook_secret');
        □secret
        try {
            □event = Webhook::constructEvent(□payload, □sigHeader, □secret);
        } catch (\Throwable □e) {
            Log::warning('Stripe webhook signature error: '.□e->getMessage());
            return response()->json(['error' => 'invalid signature'], 400);
        try
            switch (□event->type) {
                case 'payment_intent.succeeded':
case 'payment_intent.processing'
                case 'payment_intent.payment_failed':
                case 'payment_intent.canceled':
                    □pi = □event->data->object;
                     □order = Order::where('payment intent id', □pi->id)->first();
                     if (!□order) {
                         □orderNumber = □pi->metadata->order number ?? null;
                         if (∏orderNumber) {
                             □order = Order::where('number', □orderNumber)->first();
                     if (!∏order) break;
                     \squarestripeStatus = (string) \squarepi->status;
                    map = [
    'succeeded'
                                                    => OrderStatus::Paid,
                          'processing'
                                                    => OrderStatus::New,
                         'requires_payment_method' => OrderStatus::New,
                         'canceled
                                                    => OrderStatus::Cancelled,
                     next = [map[[stripeStatus] ?? null;
                     □order->payment status
                                                = □stripeStatus;
                     □order->payment intent id = □pi->id;
                     if (□next instanceof OrderStatus) {
                         if (□order->status !== OrderStatus::Paid && □order->status !==
OrderStatus::Shipped) {
                             if (□order->status !== □next) {
                                 □order->status = □next;
                                 if (□next === OrderStatus::Paid) {
                                     _order->paid_at = now();
                             }
                         }
                    }
                     □order->save();
                     break;
                default:
                    break:
        } catch (\Throwable □e) {
```

app\Http\Controllers\StripeWebhookController.php

```
<?php
namespace App\Http\Controllers\Api;
use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use Illuminate\Http\JsonResponse;
use Illuminate\Support\Facades\DB;
use App\Models\{Cart, CartItem, Product};
class CartController extends Controller
    public function getOrCreate(Request □r): JsonResponse
        \Boxid = \Boxr->cookie('cart id');
        □cart = □id ? Cart::active()->with('items.product')->find(□id) : null;
        if (!□cart) {
             __cart = Cart::create(['user id' => auth()->id()]);
        return □this->cartResponse(□cart)
             ->cookie('cart_id', [cart->id, 60 * 24 * 30, '/', null, false, false, 'Lax');
    }
    public function show(string □id): JsonResponse
        □cart = Cart::with('items.product')->findOrFail(□id);
        return □this->cartResponse(□cart);
    public function addItem(Request □r, string □id): JsonResponse
        data = [r->validate([
             'product_id' => ['required', 'integer', 'exists:products,id'],
'qty' => ['nullable', 'integer', 'min:1', 'max:100000'],
        \Box qty = (int)(\Box data['qty'] ?? 1);
        □cart = Cart::active()->findOrFail(□id);
        return DB::transaction(function () use (☐cart, ☐data, ☐gty) {
             product = Product::lockForUpdate()->findOrFail([data['product id']);
             if (\Boxqty > (int)\Boxproduct->stock) {
                 return response()->json(['message' => 'Not enough stock'], 422);
             □item = CartItem::where('cart id', □cart->id)
                 ->where('product id', □product->id)
                 ->first();
             if (□item) {
                 \squarenewQty = min(\squareitem->qty + \squareqty, (int)\squareproduct->stock);
                 ∏item->update([
                      'qty' => □newQty,
                      'price' => □product->price,
                 ]);
             } else {
                 Ditem = CartItem::create([
                      'cart_id' => [cart->id,
'product_id' => [product->id,
                      'price' => ∏product->price,
                 1);
             _cart->load('items.product');
             return □this->cartResponse(□cart);
        });
    }
    public function updateItem(Request □r, string □id, CartItem □item): JsonResponse
```

```
{
    \sqcapdata = \sqcapr->validate([
         'qty' => ['required', 'integer', 'min:0', 'max:100000'],
    if (\squareitem->cart_id !== \squareid) {
        abort (404);
    }
    return DB::transaction(function () use (☐data, ☐item) {
        □product = Product::lockForUpdate()->findOrFail(□item->product id);
        []qty = min((int)]data['qty'], max(0, (int)]product->stock));
        □item->delete();
            □cart = Cart::with('items.product')->findOrFail(□cartId);
            return ∏this->cartResponse(∏cart);
        □cart = Cart::with('items.product')->findOrFail(□item->cart id);
        return □this->cartResponse(□cart);
    });
}
public function removeItem(string □id, CartItem □item): JsonResponse
    if (\squareitem->cart_id !== \squareid) {
        abort(404);
    □item->delete();
    \Boxcart = Cart::with('items.product')->findOrFail(\Boxid);
    return □this->cartResponse(□cart);
}
private function cartResponse(Cart ∏cart): JsonResponse
    □items = □cart->items->map(function (CartItem □i) {
        return [
'id'
                          => [i->id,
             'product id' => [i->product id,
                          => \(\bar{1}\):->name,
             'name'
             'slug'
                          => [i->product?->slug,
                         => [i->product?->preview_url,
            'image'
             'price'
                         => (float)∏i->price,
             'qty'
                          => (int) [i->qty,
             'line total' => (float)∏i->price * (int)∏i->qty,
        1:
    })->values();
    □total = □items->sum('line total');
    return response()->json([
                 => □cart->id.
         'id'
        'status' => [cart->status,
'items' => [items,
'total' => [total,
    ]);
}
```

}

app\Http\Controllers\Api\CartItemController.php

```
<?php
namespace App\Http\Controllers\Api;
use App\Http\Controllers\Controller;
use App\Models\{Cart, CartItem, Product};
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
class CartItemController extends Controller
    public function store(Request ☐r, Cart ☐cart)
         data = []r->validate([
              'product_id' => ['required','integer','exists:products,id'],
'qty' => ['required','integer','min:1'],
         1):
         return DB::transaction(function () use (□cart, □data) {
             product = Product::lockForUpdate()->findOrFail([data['product id']);
             if ([product->stock < [data['qty']) {
    return response()->json(['message' => 'Not enough stock'], 422);
             }
             /** @var CartItem ∏item */
             □item = □cart->items()->firstOrNew(['product id' => □product->id]);
             \exists item->qty = (\exists item->exists ? \exists item->qty : 0) + <math>\exists data['qty'];
             □item->price = □product->price; // snapshot
             litem->save();
             return []cart->load('items.product:id,name,slug,price');
         });
    }
    public function destroy(Cart □cart, int □itemId)
         □cart->items()->whereKey(□itemId)->delete();
         return response()->json([cart->load('items.product:id,name,slug,price'));
}
```

app\Http\Controllers\Api\CategoryController.php

```
<?php
namespace App\Http\Controllers\Api;
use App\Http\Controllers\Controller;
use App\Models\Category;
use Illuminate\Http\JsonResponse;
use Illuminate\Http\Request;
class CategoryController extends Controller
{
//
       public function index(): JsonResponse
//
//
//
//
//
//
//
             return response()->json(
                 Category::query()
                      ->whereNull('parent_id')
                      ->where('is_active', true)
->with(['children' => fn([q) => [q->where('is_active', true)])
                      ->orderBy('name')
                      ->get()
            );
       }
     public function index(Request □request): JsonResponse
          []tree = (bool)[]request->boolean('tree', false);
          []cats = Category::query()
    ->select('id','name','slug','parent_id')
    ->orderBy('parent_id')->orderBy('name')
               ->get();
          if (! □tree) {
               return response()->json(□cats);
          // простенька збірка в дерево
          byParent = [cats->groupBy('parent_id');
          □build = function (□parentId) use (&□build, □byParent) {
    return (□byParent[□parentId] ?? collect())->map(function (□c) use (&□build) {
                    return [
                         'id'
                                  => ∏c->id,
                         'name' => ∏c->name,
                         'slug' => □c->slug,
'children' => □build(□c->id),
               })->values();
          };
          return response()->json(□build(null));
     }
}
```

```
<?php
namespace App\Http\Controllers\Api;
use App\Http\Controllers\Controller;
use App\Jobs\SendOrderConfirmation;
use App\Models\{Cart, Order, OrderItem};
use Illuminate\Http\JsonResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
class OrderController extends Controller
     public function store(Request □r): JsonResponse
          data = [r->validate([
               ca = []r->validate([
  'cart_id' => ['required', 'uuid', 'exists:carts,id'],
  'email' => ['required', 'email'],
  'shipping_address' => ['required', 'array'],
  'billing_address' => ['nullable', 'array'],
  'note' => ['nullable', 'string', 'max:2000'],
          ]);
          ∏order = null;
          DB::transaction(function () use (&∏order, ∏data) {
               __cart = Cart::with('items.product')->where('status',
'active')->findOrFail([data['cart_id']);
               if (□cart->items->isEmpty())
                    abort(422, 'Cart is empty');
               // Перевірка складу
               foreach (□cart->items as □it) {
                    if (□it->product->stock < □it->qty) {
                         abort(422, "Insufficient stock for product #{□it->product id}");
               }
               // Декремент складу (простий варіант без резервування)
               foreach (□cart->items as □it) {
                    □it->product()->decrement('stock', □it->qty);
               \exists total = \exists cart - items - sum(fn(\exists it) =  \exists it - sqty * (float) \exists it - sprice);
               □order = Order::create([
                    'user_id' => [cart->user_id,
'email' => [data['email'],
                    'status' => 'new',
'total' => [total,
'shipping_address' => [data['shipping_address'],
                    'billing address' => [data['billing address'] ?? null,
                    'note' => [data['note'] ?? null,
'inventory_committed_at' => now()
               ]);
               \squareitems = \squarecart->items->map(fn(\squareit) => new OrderItem([
                     'product_id' => [it->product_id,
                    'qty' => []it->qty,
                    'price' => □it->price,
               □order->items()->saveMany(□items);
               []cart->update(['status' => 'ordered']);
          });
          SendOrderConfirmation::dispatch(□order);
          return response()->json(□order->load('items'), 201);
     }
```

app\Http\Controllers\Api\OrderController.php

```
public function show(string □number)
                                  □order = Order::with([
                                  'items.product.images' => fn([q) => [q->orderBy('sort'),
])->where('number', [number)->firstOrFail();
                                   // підкласти preview_url для кожного item (якщо не збережений у таблиці)
                                  □items = □order->items->map(function (□it) {
                                                  cms = Gorder > 1cms > map(\underline \underline \u
                                                                     ?? optional(∏it->product?->images?->first())->url
                                                                     ?? [it->product?->preview url;
                                                    return array_merge([it->toArray(), [
                                                                       'preview_url' => □preview,
                                                                                                                            => || it->name ?? || it->product?->name,
=> (float)(|| it->price ?? || it->product?->price ?? 0),
=> (float)(|| it->subtotal ?? ((|| it->price ?? 0) * (|| it->qty ?? 0))),
                                                                       'price'
                                                                       .
'subtotal'
                                                    ]);
                                  });
                                  payload = [order->toArray();
                                  □payload['items'] = □items;
                                  return response()->json(□payload);
                }
}
```

```
<?php
namespace App\Http\Controllers\Api;
use App\Enums\OrderStatus;
use App\Http\Controllers\Controller;
use App\Models\Order;
use Illuminate\Http\JsonResponse;
use Illuminate\Http\Request;
use Stripe\StripeClient;
class PaymentController extends Controller
    // Створення/оновлення PaymentIntent (Stripe Elements)
    public function intent(Request □r): JsonResponse
        Inumber = (string) [r->input('number');
        □order = Order::where('number', □number)->firstOrFail();
                     = strtolower(□order->currency ?: 'EUR');
        □amountMinor = (int) round(((float) □order->total) * 100);
        _stripe = new StripeClient(config('services.stripe.secret'));
        if (□order->payment intent id) {
            □pi = □stripe->paymentIntents->retrieve(□order->payment intent id);
            if ((int) [pi->amount !== [amountMinor | strtolower([pi->currency) !== [currency) {
                pi = [stripe->paymentIntents->update([pi->id, [
                     'amount' => □amountMinor,
                     'currency' => □currency,
                1);
            }
        } else {
            pi = [stripe->paymentIntents->create([
                'amount' => □amountMinor,
                'currency' => □currency,
                'automatic_payment_methods' => ['enabled' => true],
                'metadata' => [
                     'order_number' => ∏order->number,
                    'order_id'
                                  => (string) □order->id,
                 'receipt_email' => □order->email,
            1):
            []order->payment_intent_id = []pi->id;
            // HE чіпаємо ⊡order->status — залишаємо new (enum)
            []order->payment status = (string) ([pi->status ?? 'requires payment method');
            □order->save();
        }
        return response()->json([
   'clientSecret' => [
                            => □pi->client secret,
             'publishableKey' => config('services.stripe.key'),
            'order' => [
'number'
                                 => []order->number,
                 'payment_status' => □order->payment_status,
                                 => (float) □order->total,
                'total'
                 'currency'
                                 => [order->currency,
            ],
        1);
    }
    // Ручне оновлення статусу після редіректу/3DS
    public function refreshStatus(Request ☐r, string ☐number): JsonResponse
        □order = Order::where('number', □number)->firstOrFail();
        piId = (string) ([r->input('payment_intent') ?: [order->payment_intent_id);
        if (!□piId) {
            return response()->json(['ok' => false, 'error' => 'No payment intent'], 400);
        stripe = new StripeClient(config('services.stripe.secret'));
```

app\Http\Controllers\Api\PaymentController.php

```
= □stripe->paymentIntents->retrieve(□piId);
        □stripeStatus = (string) □pi->status; //
succeeded|processing|requires_payment_method|canceled
        map = [
    'succeeded'
                                         => OrderStatus::Paid,
             'processing'
                                         => OrderStatus::New,
             'requires_payment_method' => OrderStatus::New,
             'canceled'
                                        => OrderStatus::Cancelled, // Stripe: one L, enum: two L
        _next = _map[_stripeStatus] ?? null;
        // зберігаємо raw-статус Stripe
        ☐ order->payment_status = ☐ stripeS
☐ order->payment_intent_id = ☐ pi->id;
                                   = ∐stripeStatus;
        // доменний статус міняємо тільки в межах enum і без даунгрейдів
        if (□next instanceof OrderStatus) {
             if (∏order->status !== OrderStatus::Paid && ∏order->status !== OrderStatus::Shipped) {
                 if (□order->status !== □next) {
                     □order->status = □next;
                     if (□next === OrderStatus::Paid) {
                          _order->paid_at = now();
                 }
             }
        □order->save();
        return response()->json([
   'ok' => t
                               => true,
             'status'
                               => []order->status->value,
             'payment status' => □order->payment status,
        ]);
    }
}
```

```
<?php
namespace App\Http\Controllers\Api;
use App\Http\Controllers\Controller;
use App\Models\Product;
use Illuminate\Http\JsonResponse;
use Illuminate\Http\Request;
use Illuminate\Database\Eloguent\Builder;
use Meilisearch\Exceptions\ApiException;
use Meilisearch\Client as Meili;
use Meilisearch\Search\SearchResult;
class ProductController extends Controller
     public function index(Request □r): JsonResponse
         [perPage = max(1, min((int)[r->integer('per_page', 12), 100));
[page = max(1, (int)[r->integer('page', 1));
[search = trim((string) [r->query('search', ''));
[categoryId = [r->integer('category_id');
[sort = (string) [r->query('sort', 'new'); // new|price_asc|price_desc
          \squarewithFacets = \squarer->boolean('with facets');
          minPrice = [r->has('min_price') ? (float)[r->query('min_price') : null;
maxPrice = [r->has('max_price') ? (float)[r->query('max_price') : null;
          []colors = []r->has('color')
               ? (is array(□r->color) ? array filter(□r->color) : array filter(explode(',',
(string) □r->color)))
              : [];
          \sqcapsizes = \sqcapr->has('size')
              ? (is_array([r->size) ? array_filter([r->size) : array_filter(explode(',',
(string) □r->size)))
          □qb = Product::query()->where('is active', true);
          if (config('scout.driver') === 'meilisearch' && (\squaresearch !== '' || \squarecategoryId || \squarecolors ||
__sizes || _minPrice !== null || _maxPrice !== null)) {
              [parts = ['is active = true'];
              ".\squareq(\squarec), \squarecolors)) . ')'
             if (□sizes) □parts[] = '(' . implode(' OR ', array_map(fn(□s) => "attrs.size = □sizes)) . ')';
".□q(□s),
              if ([minPrice !== null) [parts[] = "price >= ".(float)[minPrice;
if ([maxPrice !== null) []parts[] = "price <= ".(float)[]maxPrice;
[filter = implode(' AND ', []parts);</pre>
               /** @var Meili ∏meili */
              ∩meili = app(Meili::class);
              __index = __meili->index((new Product)->searchableAs());
              []result = []index->search([]search, [
                    'filter' => ∏filter,
'limit' => 2000,
                    'attributesToRetrieve' => ['id'],
              1):
              □hits = □result instanceof SearchResult
                    ? □result->getHits()
                    : (□result['hits'] ?? []);
              Dids = collect(Dhits)->pluck('id')->filter()->values();
               if (□ids->isEmpty()) {
                    return response()->json([
                         'data'
                                           => [],
```

```
'current_page' => □page,
                       'last page'
                                        => 1,
                       'per_page
                                        => □perPage,
                       'total'
                                        => 0.
                       'facets'
                                        => (object) ['category id'=>(object)[],
'attrs.color'=>(object)[], 'attrs.size'=>(object)[]],
                  1):

gb->whereIn('id', Dids->all());
         } else {
             // ===== DB fallback =====
             if (□categoryId) {
                  □qb->where('category id', □categoryId);
                  □qb->whereIn(DB::raw("(attributes->>'color')"), □colors);
             if (□sizes) {
                  □qb->whereIn(DB::raw("(attributes->>'size')"), □sizes);
             if ([minPrice !== null) [qb->where('price', '>=', (float)[minPrice); if ([maxPrice !== null) [qb->where('price', '<=', (float)[maxPrice);
         }
         match (□sort) {
    'price_asc'
                            => □qb->orderBy('price'),
              'price desc' => \[q\text{b} \rightarrow\text{det}B\text{y}(\text{price}\),
             default
                            => [qb->orderByDesc('id'),
         };
         □pag = □qb->paginate(□perPage, ['*'], 'page', □page);
         // ===== Facets (optional) =====
[facetsPayload = (object)[];
         if (□withFacets) {
              if (config('scout.driver') === 'meilisearch') {
                  try {
                       /** @var Meili □meili */
                      meili = app(Meili::class);
                      □index = □meili->index((new Product)->searchableAs());
                      parts = ['is_active = true'];
                      if (||category\overline{Id}) ||parts|| = "category id = {||categoryId}"; ||q = fn(||v) => "'".str_replace("'", "|\\", (string)||v).""
                       if (\squarecolors) \squareparts[] = '(' . implode(' OR ', array_map(fn(\squarec) => "attrs.color =
". [q([c), [colors))
                       if (\exists sizes) \exists parts[] = '(' . implode(' OR ', array map(fn(<math>\exists s) =  "attrs.size =
". [q([s), [sizes))
                       if ([minPrice !== null) [parts[] = "price >= ".(float)[minPrice;
                      if ([maxPrice !== null) [parts[] = "price <= ".(float)[maxPrice; []filter = implode(' AND ', []parts);
                      [res = [index->search([search, [
    'facets' => ['category_id', 'attrs.color', 'attrs.size'],
                           'filter' => ∏filter,
'limit' => 0,
                      1):
                      □facetDist = □res instanceof SearchResult
                           ? ([res->getFacetDistribution() ?? [])
                           : (☐res['facetDistribution'] ?? []);
                      □facetsPayload = (object)□facetDist;
                  } catch (\Throwable □e) {
                      []facetsPayload = (object)['category id'=>(object)[], 'attrs.color'=>(object)[],
'attrs.size'=>(object)[]];
             } else {
```

```
->where('is_active', true)
->when(\( \) search !== '', fn(\( \) q) => \( \) q->where('name', ->select('category_id', DB::raw('count(*) as cnt'))
                                                                                            'like', "%{[search}%"))
                             ->groupBy('category_id')
->pluck('cnt','category_id')
                        ->toArray(),

'attrs.color' => (object)[],

'attrs.size' => (object)[],
                   ];
              }
         }
         return response()->json([
                                 => □pag->items(),
               'data'
               'current_page' => [pag->currentPage(),
              'last_page'
                                => □pag->lastPage(),
              'per_page'
                                => □pag->perPage(),
              'total'
                               => □pag->total(),
              'facets'
                                => ∏facetsPayload,
         ]);
    }
    private function sqlFacets(Builder □base): array
         // Категорії
         □cats = (clone □base)
              ->selectRaw('category id, COUNT(*) as c')
              ->groupBy('category_id')
              ->pluck('c', 'category id');
         // Колір (JSONB → text)
         colors = (clone □base)
    ->selectRaw("COALESCE(attributes->>'color','') as color, COUNT(*) as c")
              ->groupBy('color')
->pluck('c', 'color');
         // Розмір
         □sizes = (clone □base)
              ->selectRaw("COALESCE(attributes->>'size','') as size, COUNT(*) as c")
              ->groupBy('size')
->pluck('c', 'size');
              'category_id' => (object)□cats,
'attrs.color' => (object)□colors,
              'attrs.size' => (object)∏sizes,
         ];
    }
    public function show(string □slug): JsonResponse
         □product = Product::query()
              ->where('slug', □slug)
->where('is_active', true)
              ->with(['images' => fn([]q) => []q->orderBy('sort'), 'category'])
              ->firstOrFail();
         return response()->json(□product);
    public function facets(Request □r): JsonResponse
         if (config('scout.driver') !== 'meilisearch') {
              return response()->json([
                    'facets' => (object)['category id' => (object)[], 'attrs.color' => (object)[],
'attrs.size' => (object)[]],
                    'nbHits' => 0,
'driver' => 'db',
                    'error' => null,
              ]);
```

```
}
                   []search = (string)[r->query('search', '');
                   categoryId = [r->integer('category id');
                   \squaresizes = array values(array filter((array)\squarer->query('size', []), fn(\squarev) => \squarev !== '' && \squarev
!== null);
                   // фільтр Meili
                   □parts = ['is active = true'];
                  if ([categoryId) [parts[] = "category_id = {[categoryId}]";
[q = fn([v] => "'" . str_replace("'", "\\'", (string)[v] . "'";
if ([colors) [parts[] = '(' . implode(' OR ', array_map(fn([c) => "attrs.color = " . [q([c),
[colors)) . '')';
if ([sizes) [parts[] = '(' . implode(' OR ', array_map(fn([s) => "attrs.size = " . [q([s),

∏filter = implode(' AND ', ∏parts);
                  _meili = app(Meili::class);
                            □index = □meili->index((new Product)->searchableAs());
                            // ВАЖЛИВО: у v1 параметр називається "facets"; у відповіді — поле∕метод
"facetDistribution".
                            []result = []index->search([]search, [
                                      'facets' => ['category_id', 'attrs.color', 'attrs.size'],
                                      'filter' => ∏filter,
                                      'limit' => 0, // потрібні лише підрахунки
                            ]);
                            // Сумісність з різними версіями PHP-SDK: масив vs SearchResult
                            ∏facetDist = [];
                            \overline{\sqcap}hits = 0;
                            if (is array(□result)) {
                            □facetDist = □result->getFacetDistribution() ?? [];
                                     | Indectors = | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors | Indectors
                                               : (□result->getNbHits() ?? 0);
                            }
                            return response()->json([
                                      'facets' => (object)□facetDist,
'nbHits' => (int)□hits,
'driver' => 'meilisearch',
                                      'error' => null,
                            1):
                   } catch (\Throwable □e) {
                            return response()->json([
                                      'facets' => (object)['category id' => (object)[], 'attrs.color' => (object)[],
 'attrs.size' => (object)[]],
                                       'nbHits' => 0,
'driver' => 'meilisearch-error',
                                       'error' => ∏e->getMessage(),
                            ]);
                   }
         }
}
```

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use App\Http\Requests\Auth\LoginRequest;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Route;
use Inertia\Inertia;
use Inertia\Response;
class AuthenticatedSessionController extends Controller
{
     * Show the login page.
    public function create(Request ☐request): Response
        return Inertia::render('auth/login', [
    'canResetPassword' => Route::has('password.request'),
             'status' => [request->session()->get('status'),
    }
     * Handle an incoming authentication request.
    public function store(LoginRequest ☐request): RedirectResponse
        []request->authenticate();
        | Trequest->session()->regenerate();
        return redirect()->intended(route('dashboard', absolute: false));
    }
     * Destroy an authenticated session.
    public function destroy(Request □request): RedirectResponse
        Auth::quard('web')->logout();
        []request->session()->invalidate();
        prequest->session()->regenerateToken();
        return redirect('/');
    }
```

}

app\Http\Controllers\Auth\ConfirmablePasswordController.php

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Validation\ValidationException;
use Inertia\Inertia:
use Inertia\Response;
class ConfirmablePasswordController extends Controller
     * Show the confirm password page.
    public function show(): Response
         return Inertia::render('auth/confirm-password');
    }
     ^st Confirm the user's password.
    public function store(Request □request): RedirectResponse
        if (! Auth::guard('web')->validate([
    'email' => [request->user()->email,
    'password' => [request->password,
             throw ValidationException::withMessages([
                  'password' => __('auth.password'),
             ]);
         }
         []request->session()->put('auth.password confirmed at', time());
         return redirect()->intended(route('dashboard', absolute: false));
    }
}
```

app\Http\Controllers\Auth\EmailVerificationNotificationController.php

app\Http\Controllers\Auth\EmailVerificationPromptController.php

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use App\Models\User;
use Illuminate\Auth\Events\PasswordReset;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Facades\Password;
use Illuminate\Support\Str;
use Illuminate\Validation\Rules;
use Illuminate\Validation\ValidationException;
use Inertia\Inertia:
use Inertia\Response;
class NewPasswordController extends Controller
     * Show the password reset page.
    public function create(Request □request): Response
        return Inertia::render('auth/reset-password', [
             email' => ∏request->email
            'token' => [request->route('token'),
        ]);
    }
     * Handle an incoming new password request.
      @throws \Illuminate\Validation\ValidationException
    public function store(Request □request): RedirectResponse
        □request->validate([
            'token' => 'required',
            'email' => 'required|email',
'password' => ['required', 'confirmed', Rules\Password::defaults()],
        ]);
        // Here we will attempt to reset the user's password. If it is successful we
        // will update the password on an actual user model and persist it to the
        // database. Otherwise we will parse the error and return the response.
       _user->forceFill([
                    'password' => Hash::make(□request->password),
                    'remember_token' => Str::random(60),
                ])->save();
                event(new PasswordReset(□user));
           }
        );
        // If the password was successfully reset, we will redirect the user back to
        // the application's home authenticated view. If there is an error we can
        // redirect them back to where they came from with their error message.
        if (□status == Password::PasswordReset) {
            return to_route('login')->with('status', __(□status));
        throw ValidationException::withMessages([
             email' \Rightarrow [__([status)],
   }
}
```

app\Http\Controllers\Auth\PasswordResetLinkController.php

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Password;
use Inertia\Inertia;
use Inertia\Response;
class PasswordResetLinkController extends Controller
{
     * Show the password reset link request page.
    public function create(Request □request): Response
        return Inertia::render('auth/forgot-password', [
            'status' => [request->session()->get('status'),
        ]);
   }
     * Handle an incoming password reset link request.
     * @throws \Illuminate\Validation\ValidationException
    public function store(Request ☐request): RedirectResponse
        □request->validate([
            'email' => 'required|email',
        ]);
        Password::sendResetLink(
            □request->only('email')
        return back()->with('status', __('A reset link will be sent if the account exists.'));
   }
}
```

```
<?php
namespace App\Http\Controllers\Auth;
use App\Http\Controllers\Controller;
use App\Models\User;
use Illuminate\Auth\Events\Registered;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Hash;
use Illuminate\Validation\Rules;
use Inertia\Inertia;
use Inertia\Response;
class RegisteredUserController extends Controller
     st Show the registration page.
    public function create(): Response
         return Inertia::render('auth/register');
     * Handle an incoming registration request.
     * @throws \Illuminate\Validation\ValidationException
    public function store(Request □request): RedirectResponse
         []request->validate([
             'name' => 'required|string|max:255',
'email' => 'required|string|lowercase|email|max:255|unique:'.User::class,
             'password' => ['required',
                                           'confirmed', Rules\Password::defaults()],
         _user = User::create([
             'name' => [request->name,
'email' => [request->email,
'password' => Hash::make([request->password),
         ]);
         event(new Registered(□user));
         Auth::login(□user);
         return redirect()->intended(route('dashboard', absolute: false));
    }
}
```

app\Http\Controllers\Auth\VerifyEmailController.php

app\Http\Controllers\Settings\PasswordController.php

```
<?php
namespace App\Http\Controllers\Settings;
use App\Http\Controllers\Controller;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;
use Illuminate\Validation\Rules\Password;
use Inertia\Inertia:
use Inertia\Response;
class PasswordController extends Controller
      * Show the user's password settings page.
    public function edit(): Response
         return Inertia::render('settings/password');
     }
     * Update the user's password.
    public function update(Request ☐request): RedirectResponse
         [validated = [request->validate([
    'current_password' => ['required', 'current_password'],
    'password' => ['required', Password::defaults(), 'confirmed'],
         []request->user()->update([
    'password' => Hash::make([validated['password']),
         ]);
         return back();
    }
}
```

```
<?php
namespace App\Http\Controllers\Settings;
use App\Http\Controllers\Controller;
use App\Http\Requests\Settings\ProfileUpdateRequest;
use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Http\RedirectResponse;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
use Inertia\Inertia;
use Inertia\Response;
class ProfileController extends Controller
{
     * Show the user's profile settings page.
    public function edit(Request □request): Response
        return Inertia::render('settings/profile', [
   'mustVerifyEmail' => [request->user() instanceof MustVerifyEmail,
             'status' => [request->session()->get('status'),
    }
       Update the user's profile settings.
    public function update(ProfileUpdateRequest ☐request): RedirectResponse
        □request->user()->fill(□request->validated());
        if (□request->user()->isDirty('email')) {
            prequest->user()->email_verified_at = null;
        [request->user()->save();
        return to_route('profile.edit');
    }
     * Delete the user's account.
    public function destroy(Request □request): RedirectResponse
        []request->validate([
             'password' => [ˈrequired', 'current password'],
        ]);
        _user = _request->user();
        Auth::logout();
        □user->delete();
        □request->session()->invalidate();
        □request->session()->regenerateToken();
        return redirect('/');
    }
}
```

app\Http\Middleware\HandleAppearance.php

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\View;
use Symfony\Component\HttpFoundation\Response;

class HandleAppearance
{
    /**
    * Handle an incoming request.
    *
    @param \Closure(\Illuminate\Http\Request): (\Symfony\Component\HttpFoundation\Response)

[next
    */
    public function handle(Request [request, Closure [next): Response
    {
        View::share('appearance', [request->cookie('appearance') ?? 'system');
        return [next([request);
    }
}
```

```
<?php
namespace App\Http\Middleware;
use Illuminate\Foundation\Inspiring;
use Illuminate\Http\Request;
use Inertia\Middleware;
class HandleInertiaRequests extends Middleware
{
     * The root template that's loaded on the first page visit.
     * @see https://inertiajs.com/server-side-setup#root-template
     * @var string
    protected □rootView = 'app';
     * Determines the current asset version.
     * @see https://inertiajs.com/asset-versioning
    public function version(Request ☐request): ?string
        return parent::version(☐request);
    }
     * Define the props that are shared by default.
       @see https://inertiajs.com/shared-data
       @return array<string, mixed>
    public function share(Request ☐request): array
        [☐message, ☐author] = str(Inspiring::quotes()->random())->explode('-');
        return [
            ...parent::share([request),
'name' => config('app.name'),
'quote' => ['message' => trim([message), 'author' => trim([author)],
            ],
'sidebarOpen' => ! [request->hasCookie('sidebar_state') ||
| Trequest->cookie('sidebar state') === 'true',
        ];
}
```

app\Http\Middleware\SetLocaleFromReguest.php

```
<?php
namespace App\Http\Middleware;
use Closure;
use Illuminate\Http\Request;
use Illuminate\Support\Str;
class SetLocaleFromRequest
{
    /** @var string[] */
   private array [supported = ['uk', 'en'];
private string [fallback = 'uk';
    public function handle(Request □request, Closure □next)
       ∏locale = null;
       // 1) prefix /{locale}/...
[seg1 = trim([request->segment(1) ?? '', '/');
       if (in_array(□seg1, □this->supported, true)) {
           □locale = □seg1;
       // 2) cookie "lang"
       if (!□locale) {
           if (in_array([cookie, [this->supported, true)) {
               □locale = □cookie;
       }
       // 3) Accept-Language
       if (in_array([first, [this->supported, true)) {
               □locale = □first;
           } elseif (in_array(Str::substr([first, 0, 2), [this->supported, true)) {
               □locale = Str::substr(□first, 0, 2);
       app()->setLocale([]locale ?: []this->fallback);
       return []next([]request);
}
```

app\Http\Middleware\VerifyCsrfToken.php

```
<?php
namespace App\Http\Requests\Auth;
use Illuminate\Auth\Events\Lockout;
use Illuminate\Foundation\Http\FormRequest;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\RateLimiter;
use Illuminate\Validation\ValidationException;
class LoginRequest extends FormRequest
     * Determine if the user is authorized to make this request.
    public function authorize(): bool
        return true;
       Get the validation rules that apply to the request.
     * @return array<string, \Illuminate\Contracts\Validation\ValidationRule|array<mixed>|string>
    public function rules(): array
        return [
             email' => ['required', 'string', 'email'],
             'password' => ['required', 'string'],
        ];
   }
     * Attempt to authenticate the request's credentials.
       @throws \Illuminate\Validation\ValidationException
    public function authenticate(): void
        _this->ensureIsNotRateLimited();
        if (! Auth::attempt(□this->only('email', 'password'), □this->boolean('remember'))) {
            RateLimiter::hit(∏this->throttleKey());
            throw ValidationException::withMessages([
                 'email' => __('auth.failed'),
            ]);
        }
        RateLimiter::clear([this->throttleKey());
    }
     * Ensure the login request is not rate limited.
       @throws \Illuminate\Validation\ValidationException
    public function ensureIsNotRateLimited(): void
           (! RateLimiter::tooManyAttempts(□this->throttleKey(), 5)) {
            return;
        }
        event(new Lockout(□this));
        □seconds = RateLimiter::availableIn(□this->throttleKey());
        throw ValidationException::withMessages([
             'email' => __('auth.throttle', [
    'seconds' => □seconds,
    'minutes' => ceil(□seconds / 60),
            ]),
```

app\Http\Requests\Auth\LoginRequest.php

app\Http\Requests\Settings\ProfileUpdateRequest.php

```
<?php
namespace App\Http\Requests\Settings;
use App\Models\User;
use Illuminate\Contracts\Validation\ValidationRule;
use Illuminate\Foundation\Http\FormRequest;
use Illuminate\Validation\Rule;
class ProfileUpdateRequest extends FormRequest
    /**
 * Get the validation rules that apply to the request.
 *
     * @return array<string, ValidationRule|array<mixed>|string>
    public function rules(): array
        return [
             'name' => ['required', 'string', 'max:255'],
             'email' => [
                 'required',
'string',
                 'lowercase',
                 'email'
                 'max:255'
                 Rule::unique(User::class)->ignore([this->user()->id),
            ],
        ];
    }
}
```

app\Jobs\SendOrderConfirmation.php

```
<?php
namespace App\Jobs;
use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Foundation\Queue\Queueable;
use App\Mail\OrderPlacedMail;
use App\Models\Order;
//use Illuminate\Bus\Queueable;
use Illuminate\Foundation\Bus\Dispatchable;
use Illuminate\Queue\InteractsWithQueue;
use Illuminate\Queue\SerializesModels;
use Illuminate\Support\Facades\Mail;
class SendOrderConfirmation implements ShouldQueue
    use Dispatchable, InteractsWithQueue, Queueable, SerializesModels;
    public function __construct(public Order □order)
    public function handle(): void
        □order = □this->order instanceof Order ? □this->order : Order::findOrFail(□this->order);
        if (! □order->email) {
            return;
        _mailable = new OrderPlacedMail(□order);
        □pending = Mail::to(□order->email);
        if (□admin = config('shop.admin_email')) {
            □pending->bcc(□admin);
        □pending->send(□mailable);
    }
      public function handle(): void
          Mail::to([this->order->email)->send(new OrderPlacedMail([this->order));
```

app\Jobs\SendOrderStatusMail.php

```
<?php
namespace App\Jobs;
use App\Mail\OrderPaidMail;
use App\Mail\OrderShippedMail;
use App\Models\Order;
use Illuminate\Bus\Queueable;
use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Foundation\Bus\Dispatchable;
use Illuminate\Queue\InteractsWithQueue;
use Illuminate\Queue\SerializesModels;
use Illuminate\Support\Facades\Mail;
class SendOrderStatusMail implements ShouldQueue
    use Dispatchable, InteractsWithQueue, Queueable, SerializesModels;
    public function
                    _construct(
        public int □orderId,
        public string □status, // 'paid' | 'shipped' | ...
    public function handle(): void
        return;
        match (□this->status) {
                    => Mail::to(□order->email)->send(new OrderPaidMail(□order)),
           'shipped' => Mail::to(□order->email)->send(new OrderShippedMail(□order)),
default => null,
        };
   }
}
```

app\Jobs\SendOrderStatusUpdate.php

```
<?php
namespace App\Jobs;
use App\Mail\OrderStatusUpdatedMail;
use App\Models\Order;
use Illuminate\Bus\Queueable;
use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Foundation\Bus\Dispatchable;
use Illuminate\Queue\InteractsWithQueue;
use Illuminate\Queue\SerializesModels;
use Illuminate\Support\Facades\Mail;
class SendOrderStatusUpdate implements ShouldQueue
    use Dispatchable, InteractsWithQueue, Queueable, SerializesModels;
    public function
                        _construct(
         public Order ∏order,
        public ?string ☐fromStatus,
public string ☐toStatus,
    public function handle(): void
         if (! □this->order->email) return;
         \label{eq:mail:sorder-semail} \textit{Mail::to(} \c this->order->email)->send(
             new OrderStatusUpdatedMail(□this->order, □this->fromStatus, □this->toStatus)
    }
}
```

```
<?php
namespace App\Listeners;
use App\Models\Cart;
use App\Models\CartItem;
use App\Models\Product;
use Illuminate\Auth\Events\Login;
use Illuminate\Support\Facades\Cookie;
use Illuminate\Support\Facades\DB;
class MergeGuestCart
    public function handle(Login ∏event): void
        // Акуратно дістаємо cart_id з доступних джерел (у т.ч. коли немає повного HTTP-запиту)
□req = app()->bound('request') ? app('request') : null;
        □guestCartId =
             ([req?->cookie('cart id'))
             ?? ([req?->cookies?->get('cart_id'))
             ?? Cookie::get('cart_id')
             ?? session('cart id');
        if (!□guestCartId) {
             return:
        \sqcapuser = \sqcapevent->user;
        DB::transaction(function () use ([user, [guestCartId) {
             /** @var Cart|null □guest */
             guest = Cart::query()
                 ->whereKey(□guestCartId)
                 ->where('status', 'active')
->with(['items' => fn ([]q) => []q->orderBy('id')])
                 ->lockForUpdate()
                 ->first();
             if (!□guest) {
                 Cookie::queue(Cookie::forget('cart_id'));
                 return:
             }
             /** @var Cart|null □userCart */
             __userCart = Cart::query()
                 ->lockForUpdate()
                 ->first();
// 1) Немає активного кошика у користувача— просто "прикріплюємо" guest.
             if (! □userCart) {
                 guest->forceFill([
                      'status' => 'merged',
'user_id' => [user->id,
                                                    // ← новий статус
                                                    // для аудиту хто «власник» архівованого кошика
                 ])->saveQuietly();
                 Cookie::queue(Cookie::forget('cart id'));
                 return; // критично, щоб не дійти до видалення guest
             }
// 2) Є активний, але ПУСТИЙ — віддаємо перевагу guest-кошикові.
             if (☐userCart->items()->doesntExist()) {
// можна видалити або "заархівувати" порожній, обери політику:
                 □userCart->delete(); // якщо SoftDeletes — це буде soft-delete
                 []guest->forceFill(['user_id' => []user->id])->saveQuietly();
                 Cookie::queue(Cookie::forget('cart_id'));
                 return;
             }
// 3) Інакше — це справжній мердж (користувач уже щось мав у кошику).
             __userCartItems = __userCart->items()->get()->keyBy('product_id');
```

app\Listeners\MergeGuestCart.php

```
/** @var CartItem □gItem */
             foreach (\( \subseteq \text{guest->items} \) as \( \subseteq \text{gltem} \) \{ \( /** \) \( \text{@var Product|null } \subseteq \text{product } */ \)
                 product = Product::query()->lockForUpdate()->find([gItem->product_id);
                 if (! □product) {
                      continue;
                 □existing = □userCartItems->get(□gItem->product_id);
                 \BoxtargetQty = (\Boxexisting?->qty ?? 0) + \BoxgItem->qty;
                 clampedQty = min([targetQty, max(0, (int) [product->stock));
                 if (□existing) {
                     ]);
                 } else {
                     ]);
                 }
             }

guest->items()->delete();
             □guest->delete();
             Cookie::queue(Cookie::forget('cart_id'));
        });
    }
}
```

app\Mail\OrderPaidMail.php

app\Mail\OrderPlacedMail.php

```
<?php
namespace App\Mail;
use App\Models\Order;
use Illuminate\Bus\Queueable;
use Illuminate\Mail\Mailable;
use Illuminate\Mail\Mailables\Content;
use Illuminate\Mail\Mailables\Envelope;
use Illuminate\Queue\SerializesModels;
class OrderPlacedMail extends Mailable
    use Queueable, SerializesModels;
    public function __construct(public Order □order)
    public function build(): self
         return □this->subject("Ваше замовлення #{□this->order->number} прийнято")
             ->markdown('emails.orders.placed', [
   'order' => □this->order->loadMissing(['items.product']),
             ]);
    }
      public function envelope(): Envelope
return new Envelope(
    subject: 'Order ' . []this->order->number . ' confirmed',
      }
      public function content(): Content
           return new Content(
               markdown: 'emails.orders.placed',
               with: ['order' => []this->order],
           );
      }
      public function attachments(): array
           return [];
```

app\Mail\OrderShippedMail.php

app\Mail\OrderStatusUpdatedMail.php

```
<?php
namespace App\Mail;
use App\Models\Order;
use Illuminate\Bus\Queueable;
use Illuminate\Mail\Mailable;
use Illuminate\Queue\SerializesModels;
class OrderStatusUpdatedMail extends Mailable
     use Queueable, SerializesModels;
     public function __construct(
    public Order []order,
    public ?string []fromStatus,
    public string []toStatus,
     public function build(): self
           return []this->subject("Ваше замовлення #{[]this->order->number}: статус оновлено")
                 ->markdown('emails.orders.status-updated', [
   'order' => □this->order,
                      'order' => ||this->order,

'fromStatus' => ||this->fromStatus,

'toStatus' => ||this->toStatus,
                ]);
     }
}
```

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Concerns\HasUuids;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\HasMany;
use Illuminate\Support\Str;
use Illuminate\Database\Eloquent\Factories\HasFactory;
class Cart extends Model
     use HasFactory, HasUuids;
    public []incrementing = false;
protected []keyType = 'string';
    protected [|fillable = ['user_id', 'status'];
protected [|attributes = ['status' => 'active'];
       protected static function booted(): void
//
//
//
//
//
//
//
           static::creating(function (self □m) {
                if (!□m->getKey()) {
                    ☐m->setAttribute(☐m->getKeyName(), (string)Str::uuid());
                _m->status ??= 'active';
           });
       }
     public function items(): HasMany
         return []this->hasMany(CartItem::class);
     public function scopeActive(□q)
         return [q->where('status', 'active');
    }
}
```

app\Models\CartItem.php

app\Models\Category.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\Relations\HasMany;
class Category extends Model
    use HasFactory;
    protected [fillable = ['name', 'slug', 'parent_id', 'is_active'];
    protected []casts = [
    'is_active' => 'boolean',
    'parent_id' => 'integer',
    ];
    public function products(): HasMany
        return ∏this->hasMany(Product::class);
    }
    public function parent(): BelongsTo
        return []this->belongsTo(Category::class, 'parent id');
    public function children(): HasMany
         return []this->hasMany(Category::class, 'parent_id');
}
```

```
<?php
namespace App\Models;
use App\Jobs\SendOrderStatusMail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloguent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\Relations\HasMany;
use Illuminate\Support\Str;
use App\Enums\OrderStatus;
use Illuminate\Support\Facades\DB;
class Order extends Model
    use HasFactory;
    protected [fillable = [
    'user_id', 'email', 'status', 'total',
    'shipping_address', 'billing_address', 'note', 'number'
          \verb|'currency|', \verb|'payment_intent_id|', \verb|'payment_status|', \verb|'paid_at|'
    protected ∏casts = [
         tected □casts = [
  'status' => OrderStatus::class,
  'total' => 'decimal:2',
  'shipping_address' => 'array',
  'billing_address' => 'array',
  'paid_at' => 'datetime',
  'shipped_at' => 'datetime',
  'cancelled_at' => 'datetime',
  'inventory_committed_at' => 'datetime',
    protected □attributes = [
          'total' => 0,
    protected static function booted(): void
         static::creating(function (Order ∏order) {
              __order->status ??= OrderStatus::New->value;
              □order->email = □order->user->email;
              if (blank(∏order->number)) {
                   □order->number = □order->makeOrderNumber();
              if (is_null([order->total)) {
                   \sqcaporder->total = 0;
             // [order->loadCount('items');
         });
         static::updated(function (Order □order) {
              _order->recalculateTotal();
    }
    public function makeOrderNumber(): string
          return 'ORD-' . now()->format('Ymd') . '-' . Str::upper(Str::random(16));
    public function user(): BelongsTo
         return □this->belongsTo(User::class);
    public function canTransitionTo(OrderStatus □to): bool
         return match (∏this->status) {
              {\tt OrderStatus::New} \implies {\tt in\_array}([]{\tt to}, \ [{\tt OrderStatus::Paid}, \ {\tt OrderStatus::Cancelled}], \ {\tt true}),
              OrderStatus::Paid => in_array([to, [OrderStatus::Shipped, OrderStatus::Cancelled],
```

```
true),
            OrderStatus::Shipped => false,
            OrderStatus::Cancelled => false,
    public function transitionTo(OrderStatus □to): void
        if (!□this->canTransitionTo(□to)) {
    throw new \DomainException("Cannot transition from {□this->status->value} to
{□to->value}");
        DB::transaction(function () use (□to) {
            if (☐to === OrderStatus::Paid && ☐this->status === OrderStatus::New) {
                foreach (□this->items as □item) {
                    □item->product->adjustStock(-□item->qty);
            if (□to === OrderStatus::Cancelled && □this->status === OrderStatus::Paid) {
                litem->product->adjustStock([item->qty);
            []this->update(['status' => []to]);
   }
   public function items(): HasMany
        return []this->hasMany(OrderItem::class);
    public function isShipped(): bool
        return !is_null([this->shipped_at);
    public function isCancelled(): bool
        return !is_null(□this->cancelled_at);
    public function inventoryCommitted(): bool
        return !is_null(□this->inventory_committed_at);
    public function canMarkPaid(): bool
        return []this->status === OrderStatus::New->value;
    public function canMarkShipped(): bool
        return []this->status === OrderStatus::Paid->value;
    public function canCancel(): bool
        return in array(□this->status, [
            OrderStatus::New->value,
            OrderStatus::Paid->value,
        ], true);
   }
    /** @throws \RuntimeException */
   public function markPaid(): void
        DB::transaction(function () {
            if (□this->status !== OrderStatus::New) {
                throw new \RuntimeException('Only NEW orders can be marked paid.');
            }
```

app\Models\Order.php

```
[]this->items()->with('product')->lockForUpdate()->get()->each(function (☐item) {
            product = Ditem->product;
            if (!∏product) {
                 throw new \RuntimeException('Order item without product.');
            if (□product->stock < □item->qty) {
                 throw new \RuntimeException("Not enough stock for {□product->name}.");
            □product->decrement('stock', □item->qty);
        });
        []this->update(['status' => OrderStatus::Paid]);
    });
}
/** @throws \RuntimeException */
public function markShipped(): void
    if (□this->status !== OrderStatus::Paid) {
        throw new \RuntimeException('Only PAID orders can be marked shipped.');
    __this->update(['status' => OrderStatus::Shipped]);
}
/** @throws \RuntimeException */
public function cancel(): void
    DB::transaction(function () {
        if (in array(∏this->status, [OrderStatus::Shipped, OrderStatus::Cancelled], true)) {
            throw new \RuntimeException('Cannot cancel shipped/canceled order.');
        if (□this->status === OrderStatus::Paid) {
            □this->items()->with('product')->lockForUpdate()->get()->each(function (□item) {
                □item->product?->increment('stock', □item->qty);
            });
        }
        []this->update(['status' => OrderStatus::Cancelled]);
    });
}
public function recalculateTotal(): void
    □total = (float)(□this->items()
    ->selectRaw('COALESCE(SUM(qty * price), 0) AS t')
        ->value('t') ?? 0);
    []this->forceFill(['total' => []total])->saveQuietly();
}
public function logs(): HasMany
    return []this->hasMany(OrderStatusLog::class)->latest('id');
```

}

app\Models\OrderItem.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
class OrderItem extends Model
    use HasFactory;
    protected [fillable = ['order_id', 'product_id', 'qty', 'price'];
    protected []casts = [
   'qty' => 'integer',
   'price' => 'decimal:2',
    protected []touches = ['order'];
    protected static function booted(): void
        □recalc = fn (□item) => □item->order?->recalculateTotal();
        static::created(□recalc);
        static::updated(☐recalc);
        static::deleted(☐recalc);
    }
    public function order(): BelongsTo
        return □this->belongsTo(Order::class);
    public function product(): BelongsTo
        return □this->belongsTo(Product::class);
}
```

app\Models\OrderStatusLog.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Database\Eloquent\Relations\HasMany;
use Laravel\Scout\Searchable;
use Illuminate\Database\Eloquent\Relations\HasOne;
use Illuminate\Support\Facades\Storage;
class Product extends Model
    use HasFactory, Searchable;
    protected □fillable = [
         'name'
        'slug',
        'sku',
        'category_id',
         'attributes'
        'stock',
         'price'
        'price old',
        'is_active'
    ];
    protected □casts = [
   'attributes' => 'array',
   'is_active' => 'boolean',
   'price' => 'decimal:2',
        'price_old' => 'decimal:2',
    ];
    public function category(): BelongsTo
        return []this->belongsTo(Category::class);
    public function images(): HasMany
        return □this->hasMany(ProductImage::class);
    public function adjustStock(int □delta): void
        if (\squarenew < 0) {
            throw new \DomainException("Not enough stock for product {□this->id}");
        □this->forceFill(['stock' => □new])->save();
    }
    public function primaryImage(): HasOne
        return []this->hasOne(ProductImage::class)->where('is primary', true)->oldest('id');
// щоб не ловити N+1 і аксесор працював без додаткових запитів
    protected □with = ['images'];
// якщо хочеш бачити поле як атрибут (не обов'язково для таблиці)
    protected []appends = ['preview_url'];
    public function getPreviewUrlAttribute(): ?string
        // колекцію сортуємо один раз, без подвійних sortBy
```

```
['id', 'asc'],
          ])->first();
          if (! \squareimg || blank(\squareimg->path)) {
                return null;
          □disk = □img->disk ?: 'public';
          return \Storage::disk(\[disk)->url(\[\]img->path);
     public function shouldBeSearchable(): bool
          return (bool) ☐this->is active && (int) ☐this->stock > 0;
     public function coverImage(): ?ProductImage
           return []this->images()->where('is primary', true)->first()
                ?? []this->images()->orderBy('sort')->first();
     }
     public function getCoverUrlAttribute(): ?string

□p = □this->coverImage()?->path;
          return []p ? Storage::disk('public')->url([]p) : null;
     public function toSearchableArray(): array
          □attrs = (array) □this->getAttribute('attributes');
          return [
    'id' => []this->id,
               'id' => [this->ld,
'name' => [this->name,
'slug' => [this->slug,
'sku' => [this->sku,
'category_id' => [this->category_id,
'stock' => (int)[this->stock,
'price' => (float)[this->price,
'is_active' => (bool)[this->is_active,
'attrs' => [attrs
                'attrs' => □attrs
          ];
     }
}
```

app\Models\ProductImage.php

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Relations\BelongsTo;
use Illuminate\Support\Facades\Storage;
class ProductImage extends Model
    use HasFactory;
    protected □appends = ['url'];
    protected [fillable = ['product id', 'disk', 'path', 'alt','sort','is primary'];
    protected []casts = [
    'sort' => 'integer',
    protected static function booted(): void
         static::saving(function (self □image) {
             if (□image->is_primary) {
                  static::where('product_id', []image->product_id)
->when([]image->exists, fn ([]q) => []q->whereKeyNot([]image->getKey()))
->update(['is_primary' => false]);
             }
         });
         static::deleting(function (□img) {
             if (□img->path) Storage::disk(□img->disk)->delete(□img->path);
    }
    public function getUrlAttribute(): string
         return Storage::disk('public')->url(□this->path);
    public function product(): BelongsTo
         return □this->belongsTo(Product::class);
}
```

```
<?php
namespace App\Models;
// use Illuminate\Contracts\Auth\MustVerifyEmail;
use Database\Factories\UserFactory;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Filament\Models\Contracts\FilamentUser;
use Filament\Panel;
class User extends Authenticatable implements FilamentUser
{
    /** @use HasFactory<UserFactory> */
    use HasFactory, Notifiable;
     \ ^{*} The attributes that are mass assignable.
     * @var list<string>
    protected □fillable = [
        'name',
'email'
        'password',
    ];
     * The attributes that should be hidden for serialization.
     * @var list<string>
    protected □hidden = [
         'password',
         'remember_token',
    ];
    public function canAccessPanel(Panel ∏panel): bool
        return true; // TODO: звузимо пізніше (роль is admin тощо)
     * Get the attributes that should be cast.
     * @return array<string, string>
    protected function casts(): array
        return [
             'email_verified_at' => 'datetime',
'password' => 'hashed',
        ];
    }
}
```

app\Observers\OrderObserver.php

```
<?php
namespace App\Observers;
use App\Enums\OrderStatus;
use App\Jobs\SendOrderConfirmation;
use App\Jobs\SendOrderStatusMail;
use App\Jobs\SendOrderStatusUpdate;
use App\Models\Order;
use BackedEnum;
class OrderObserver
    public function created(Order □order): void
        SendOrderConfirmation::dispatch(□order)->afterCommit();
   }
    public function updated(Order □order): void
        if (! []order->wasChanged('status')) {
            return;

| status = | order->getAttribute('status');
        □to = □status instanceof BackedEnum ? □status->value : (string) □status;
        SendOrderStatusMail::dispatch([]order->getKey(), []to)->afterCommit();
   }
}
```

app\Observers\ProductObserver.php

```
<?php
namespace App\Observers;
use App\Models\Product;
class ProductObserver
    public function created(Product □product): void
        if ([product->shouldBeSearchable()) {
            product->searchable();
    public function updated(Product □product): void
        if
(□product->wasChanged(['name','slug','sku','category_id','price','stock','is_active','attributes']))
            □product->shouldBeSearchable()
                ? □product->searchable()
                : □product->unsearchable();
    }
   public function deleted(Product \ \Box product): void
        □product->unsearchable();
    public function restored(Product □product): void
        if ([product->shouldBeSearchable()) {
            product->searchable();
    }
    public function forceDeleted(Product □product): void
        □product->unsearchable();
}
```

app\Providers\AppServiceProvider.php

```
<?php
namespace App\Providers;
use App\Models\Order;
use App\Observers\OrderObserver;
use App\Observers\ProductObserver;
use Illuminate\Support\ServiceProvider;
use Illuminate\Cache\RateLimiting\Limit;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\RateLimiter;
use App\Listeners\MergeGuestCart;
use Illuminate\Support\Facades\Event;
use Illuminate\Auth\Events\Login;
use App\Models\Product;
use Illuminate\Support\Facades\Config;
class AppServiceProvider extends ServiceProvider
     * Register any application services.
    public function register(): void
    }
     * Bootstrap any application services.
    public function boot(): void
        Product::observe(ProductObserver::class);
        Order::observe(OrderObserver::class);
        Event::listen(Login::class, MergeGuestCart::class);
        RateLimiter::for('api', function (Request ☐request) {
             return [
                 Limit::perMinute(120)->by(∏request->ip()),
                 Limit::perMinute(120)->by(optional(□request->user())->id ?: 'guest'),
             ];
        });
        if (Config::get('scout.driver') === 'meilisearch') {
            Product::created(fn([p) \Rightarrow [p->searchable());
Product::updated(fn([p) \Rightarrow [p->searchable());
            Product::deleted(fn([p) => [p->unsearchable());
    }
}
```

app\Providers\HorizonServiceProvider.php

```
<?php
namespace App\Providers;
use Illuminate\Support\Facades\Gate;
use Laravel\Horizon\Horizon;
use Laravel\Horizon\HorizonApplicationServiceProvider;
class HorizonServiceProvider extends HorizonApplicationServiceProvider
{
      * Bootstrap any application services.
     public function boot(): void
          parent::boot();
         // Horizon::routeSmsNotificationsTo('15556667777');
// Horizon::routeMailNotificationsTo('example@example.com');
// Horizon::routeSlackNotificationsTo('slack-webhook-url', '#channel');
      st Register the Horizon gate.
      \ensuremath{^*} This gate determines who can access Horizon in non-local environments. \ensuremath{^*/}
    protected function gate(): void
          Gate::define('viewHorizon', function (☐user = null) {
              return in_array(optional(☐user)->email, [
                   //
              ]);
         });
    }
}
```

```
<?php
namespace App\Providers\Filament;
use App\Filament\Mine\Widgets\OrdersStats;
use Filament\Http\Middleware\Authenticate;
use Filament\Http\Middleware\AuthenticateSession;
use Filament\Http\Middleware\DisableBladeIconComponents;
use Filament\Http\Middleware\DispatchServingFilamentEvent;
//use App\Filament\Mine\Pages\Dashboard;
use Filament\Pages\Dashboard;
use Filament\Panel;
use Filament\PanelProvider;
use Filament\Support\Colors\Color;
use Filament\Widgets\AccountWidget;
use Filament\Widgets\FilamentInfoWidget;
use Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse;
use Illuminate\Cookie\Middleware\EncryptCookies;
use Illuminate\Foundation\Http\Middleware\VerifyCsrfToken;
use Illuminate\Routing\Middleware\SubstituteBindings;
use Illuminate\Session\Middleware\StartSession;
use Illuminate\View\Middleware\ShareErrorsFromSession;
use App\Filament\Mine\Resources\Products\ProductResource;
use App\Filament\Mine\Resources\Categories\CategoryResource;
use App\Filament\Mine\Resources\Orders\OrderResource;
class MinePanelProvider extends PanelProvider
     * @throws \Exception
    public function panel(Panel □panel): Panel
        return ∏panel
            ->default()
            ->id('mine')
            ->path('mine')
            ->login()
            ->authGuard('web')
            ->colors([
                 'primary' => Color::Amber,
            ])
             ->resources([
                 ProductResource::class,
                 CategoryResource::class,
                 OrderResource::class,
            ])
             ->navigationGroups([
                 'Catalog',
                 'Sales',
            ])
             ->brandName('Shop Admin')
             ->discoverResources(in: app_path('Filament/Mine/Resources'), for:
'App\Filament\Mine\Resources')
             ->discoverPages(in: app path('Filament/Mine/Pages'), for: 'App\Filament\Mine\Pages')
            ->pages([
                 Dashboard::class,
             ->discoverWidgets(in: app_path('Filament/Mine/Widgets'), for:
'App\Filament\Mine\Widgets')
            ->widgets([
                 AccountWidget::class,
                 FilamentInfoWidget::class,
                 OrdersStats::class,
             ->middleware([
                 EncryptCookies::class,
                 AddQueuedCookiesToResponse::class,
                 StartSession::class,
                 AuthenticateSession::class,
                 ShareErrorsFromSession::class,
                 VerifyCsrfToken::class
                 SubstituteBindings::class,
```

app\Providers\Filament\MinePanelProvider.php

app\Services\Orders\OrderStateService.php

```
<?php
namespace App\Services\Orders;
use App\Enums\OrderStatus;
use App\Models\Order;
use Illuminate\Support\Facades\DB;
use DomainException;
class OrderStateService
     public function markPaid(Order □order): void
         if (□order->status !== OrderStatus::New) {
   throw new DomainException('Only "new" orders can be marked as paid.');
         }
         DB::transaction(function () use ([order) {
        [order->update(['status' => OrderStatus::Paid]);
    }
    public function markShipped(Order □order): void
         if ([order->status !== OrderStatus::Paid) {
   throw new DomainException('Only "paid" orders can be marked as shipped.');
         DB::transaction(function () use (□order) {
              []order->update(['status' => OrderStatus::Shipped]);
    }
    public function cancel(Order □order, ?string □reason = null): void
         if (!in_array(□order->status, [OrderStatus::New, OrderStatus::Paid], true)) {
              throw new DomainException('Only "new" or "paid" orders can be cancelled.');
         DB::transaction(function () use (<math>\Box order) {
              // Якщо списуєте склад при створенні або при "paid", тут відкотити залишки:
              // foreach (☐order->items as ☐item) {
             //
// }
                      □item->product()->increment('stock', □item->qty);
              []order->update(['status' => OrderStatus::Cancelled]);
         });
    }
}
```

bootstrap\app.php

```
<?php
use App\Http\Middleware\HandleAppearance;
use App\Http\Middleware\HandleInertiaRequests; use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;
use Illuminate\Http\Middleware\AddLinkHeadersForPreloadedAssets;
return Application::configure(basePath: dirname(__DIR__))
     ->withRouting(
          web: __DIR__.'/../routes/web.php',
api: __DIR__.'/../routes/api.php',
commands: __DIR__.'/../routes/console.php',
health: '/up',
     ->withMiddleware(function (Middleware □middleware) {
          __middleware->encryptCookies(except: ['appearance', 'sidebar_state']);
          ☐middleware->web(append: [
HandleAppearance::class,
HandleInertiaRequests::class,
               AddLinkHeadersForPreloadedAssets::class,
          ]);
     })
     ->withExceptions(function (Exceptions □exceptions) {
     //
})->create();
```

bootstrap\providers.php

```
<?php
return [
    App\Providers\AppServiceProvider::class,
    App\Providers\Filament\MinePanelProvider::class,
    App\Providers\HorizonServiceProvider::class,
]:</pre>
```

bootstrap\cache\.gitignore

* !.gitignore

```
<?php return array (</pre>
  'anourvalar/eloquent-serialize' =>
  array (
    'aliases' =>
    array (
      'ÉloquentSerialize' => 'AnourValar\\EloquentSerialize\\Facades\\EloquentSerializeFacade',
  ), '
'blade-ui-kit/blade-heroicons' =>
  array (
    'providers' =>
    array (
   0 => 'BladeUI\\Heroicons\\BladeHeroiconsServiceProvider',
  ),
'blade-ui-kit/blade-icons' =>
  array (
    'providers' =>
    array (
     0 => 'BladeUI\\Icons\\BladeIconsServiceProvider',
    ),
  ),
'filament/actions' =>
  array (
    'providers' =>
    array (
     0 => 'Filament\\Actions\\ActionsServiceProvider',
  ),
'filament/filament' =>
  array (
    'providers' =>
    array (
     0 => 'Filament\\FilamentServiceProvider',
    ),
  ),
'filament/forms' =>
  array (
    'providers' =>
    array (
     0 => 'Filament\\Forms\\FormsServiceProvider',
  ),
'filament/infolists' =>
  array (
    'providers' =>
    array (
   0 => 'Filament\\Infolists\\InfolistsServiceProvider',
    ),
  ),
'filament/notifications' =>
  array (
    'providers' =>
    array (
   0 => 'Filament\\Notifications\\NotificationsServiceProvider',
  ),
'filament/schemas' =>
  array (
    'providers' =>
    array (
  0 => 'Filament\\Schemas\\SchemasServiceProvider',
  ),
'filament/support' =>
  array (
    'providers' =>
    array (
  0 => 'Filament\\Support\\SupportServiceProvider',
  ),
'filament/tables' =>
  array (
```

```
'providers' =>
  array (
   0 => 'Filament\\Tables\\TablesServiceProvider'.
),
'filament/widgets' =>
array (
  'providers' =>
  array (
0 => 'Filament\\Widgets\\WidgetsServiceProvider',
),
'inertiajs/inertia-laravel' =>
array (
  'providers' =>
  array (
  0 => 'Inertia\\ServiceProvider',
),
'kirschbaum-development/eloquent-power-joins' =>
array (
  'providers' =>
  array (
   0 => 'Kirschbaum\\PowerJoins\\PowerJoinsServiceProvider',
),
'laravel/horizon' =>
array (
 'aliases' =>
  array (
    'Horizon' => 'Laravel\\Horizon\\Horizon',
  'providers' =>
  array (
   0 => 'Laravel\\Horizon\\HorizonServiceProvider',
),
'laravel/pail' =>
  'providers' =>
  array (
  0 => 'Laravel\\Pail\\PailServiceProvider',
),
'laravel/sail' =>
array (
  'providers' =>
  array (
  0 => 'Laravel\\Sail\\SailServiceProvider',
),
'laravel/scout' =>
array (
  'providers' =>
  array (
   0 => 'Laravel\\Scout\\ScoutServiceProvider',
),
'laravel/tinker' =>
array (
  'providers' =>
  array (
  0 => 'Laravel\\Tinker\\TinkerServiceProvider',
  ),
),
'laravel/wayfinder' =>
array (
  'providers' =>
  array (
          'Laravel\\Wayfinder\\WayfinderServiceProvider',
),
'livewire/livewire' =>
```

bootstrap\cache\packages.php

```
array (
     'aliases' =>
     array (
       'Livewire' => 'Livewire\\Livewire',
     ),
'providers' =>
     array (
      0 => 'Livewire\\LivewireServiceProvider',
  ),
'nesbot/carbon' =>
  array (
     'providers' =>
    array (
  0 => 'Carbon\\Laravel\\ServiceProvider',
    ),
  ),
'nunomaduro/collision' =>
  array (
     'providers' =>
    array (
   0 => 'NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider',
  ),
'nunomaduro/termwind' =>
     'providers' =>
    array (
  0 => 'Termwind\\Laravel\\TermwindServiceProvider',
    ),
   'pestphp/pest-plugin-laravel' =>
  array (
   'providers' =>
    array (
  0 => 'Pest\\Laravel\\PestServiceProvider',
  ),
'ryangjchandler/blade-capture-directive' =>
  array (
    'aliases' =>
     array (
      'BladeCaptureDirective' =>
 'RyanChandler\\BladeCaptureDirective\\Facades\\BladeCaptureDirective',
     ),
'providers' =>
    array (
   0 => 'RyanChandler\\BladeCaptureDirective\\BladeCaptureDirectiveServiceProvider',
);
```

```
<?php return array (</pre>
   'providers' =>
  array (
    0 =>
         'Illuminate\\Auth\\AuthServiceProvider',
         'Illuminate\\Broadcasting\\BroadcastServiceProvider',
    1 =>
    2 => 'Illuminate\\Bus\\BusServiceProvider'
    3 => 'Illuminate\\Cache\CacheServiceProvider'
    4 => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
      => 'Illuminate\\Concurrency\\ConcurrencyServiceProvider',
=> 'Illuminate\\Cookie\\CookieServiceProvider',
    6 =>
      => 'Illuminate\\Database\\DatabaseServiceProvider'
    8 => 'Illuminate\\Encryption\\EncryptionServiceProvider'
    9 => 'Illuminate\\Filesystem\\FilesystemServiceProvider'
    10 => 'Illuminate\\Foundation\\Providers\\FoundationServiceProvider',
          'Illuminate\\Hashing\\HashServiceProvider',
    11 =>
    12 => 'Illuminate\\Mail\\MailServiceProvider'
    13 => 'Illuminate\\Notifications\\NotificationServiceProvider',
    14 => 'Illuminate\\Pagination\\PaginationServiceProvider'
    15 => 'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider',
    16 => 'Illuminate\\Pipeline\\PipelineServiceProvider',
    17 => 'Illuminate\\Queue\\QueueServiceProvider'
18 => 'Illuminate\\Redis\\RedisServiceProvider'
    19 => 'Illuminate\\Session\\SessionServiceProvider'
    20 => 'Illuminate\\Translation\\TranslationServiceProvider',
    21 => 'Illuminate\\Validation\\ValidationServiceProvider',
       => 'Illuminate\\View\\ViewServiceProvider'
    23 => 'BladeUI\\Heroicons\\BladeHeroiconsServiceProvider',
    24 => 'BladeUI\\Icons\\BladeIconsServiceProvider'
25 => 'Filament\\Actions\\ActionsServiceProvider'
    26 => 'Filament\\FilamentServiceProvider'
    27 => 'Filament\\Forms\\FormsServiceProvider'
    28 => 'Filament\\Infolists\\InfolistsServiceProvider',
    29 => 'Filament\\Notifications\\NotificationsServiceProvider',
    30 => 'Filament\\Schemas\\SchemasServiceProvider
    31 => 'Filament\\Support\\SupportServiceProvider',
    32 => 'Filament\\Tables\\TablesServiceProvider'
    33 => 'Filament\\Widgets\\WidgetsServiceProvider'
    34 => 'Inertia\\ServiceProvider',
    35 => 'Kirschbaum\\PowerJoins\\PowerJoinsServiceProvider',
    36 => 'Laravel\\Horizon\\HorizonServiceProvider',
    37 => 'Laravel\\Pail\\PailServiceProvider
    38 => 'Laravel\\Sail\\SailServiceProvider'
    39 => 'Laravel\\Scout\end{equivalentation}
    40 => 'Laravel\\Tinker\\TinkerServiceProvider'
    41 => 'Laravel\\Wayfinder\\WayfinderServiceProvider',
    42 => 'Livewire\\LivewireServiceProvider'
    43 => 'Carbon\\Laravel\\ServiceProvider'
    44 =>
           'NunoMaduro\\Collision\\Adapters\\Ĺaravel\\CollisionServiceProvider',
    45 => 'Termwind\\Laravel\\TermwindServiceProvider',
    46 => 'Pest\\Laravel\\PestServiceProvider'
    47 => 'RyanChandler\\BladeCaptureDirective\\BladeCaptureDirectiveServiceProvider',
           'App\\Providers\\AppServiceProvider',
'App\\Providers\\Filament\\MinePanelProvider',
    48 =>
    49 =>
    50 => 'App\\Providers\\HorizonServiceProvider',
  'eager' =>
  array (
         'Illuminate\\Auth\\AuthServiceProvider'
    0 =>
    1 => 'Illuminate\\Cookie\CookieServiceProvider'
         'Illuminate\\Database\\DatabaseServiceProvider'
    3 => 'Illuminate\\Encryption\\EncryptionServiceProvider'
         'Illuminate\\Filesystem\\FilesystemServiceProvider
      => 'Illuminate\\Foundation\\Providers\\FoundationServiceProvider',
    6
         'Illuminate\\Notifications\\NotificationServiceProvider',
         'Illuminate\\Pagination\\PaginationServiceProvider',
    8 => 'Illuminate\\Session\\SessionServiceProvider',
    9 => 'Illuminate\\View\\ViewServiceProvider'
    10 => 'BladeUI\\Heroicons\\BladeHeroiconsServiceProvider',
    11 => 'BladeUI\\Icons\\BladeIconsServiceProvider
    12 => 'Filament\\Actions\\ActionsServiceProvider',
    13 => 'Filament\\FilamentServiceProvider'
    14 => 'Filament\\Forms\\FormsServiceProvider'
    15 => 'Filament\\Infolists\\InfolistsServiceProvider',
```

```
16 => 'Filament\\Notifications\\NotificationsServiceProvider',
      17 => 'Filament\\Schemas\\SchemasServiceProvider
     18 => 'Filament\\Support\\SupportServiceProvider'
     19 => 'Filament\\Tables\\TablesServiceProvider'
     20 => 'Filament\\Widgets\\WidgetsServiceProvider'
     21 => 'Inertia\\ServiceProvider',
     22 => 'Kirschbaum\\PowerJoins\\PowerJoinsServiceProvider',
     23 => 'Laravel\\Horizon\\HorizonServiceProvider',
     24 =>
               'Laravel\\Pail\\PailServiceProvider'
     25 => 'Laravel\\Scout\\ScoutServiceProvider'
     26 => 'Laravel\\Wayfinder\\WayfinderServiceProvider',
     27 => 'Livewire\\LivewireServiceProvider',
     28 => 'Carbon\\Laravel\\ServiceProvider'
     29 => 'NunoMaduro\\Collision\\Adapters\\Laravel\\CollisionServiceProvider',
               'Termwind\\Laravel\\TermwindServiceProvider',
               'Pest\\Laravel\\PestServiceProvider'
     31 =>
               'RyanChandler\\BladeCaptureDirective\\BladeCaptureDirectiveServiceProvider',
     32 =>
     33 => 'App\\Providers\\AppServiceProvider'
     34 => 'App\\Providers\\Filament\\MinePanelProvider',
     35 => 'App\\Providers\\HorizonServiceProvider',
  ),
'deferred' =>
  'Illuminate\\Broadcasting\\BroadcastServiceProvider',
       'Illuminate\\Contracts\\Broadcasting\\Factory' =>
'Illuminate\\Broadcasting\\BroadcastServiceProvider'
'Illuminate\\Contracts\\Broadcasting\\Broadcaster' =>
'Illuminate\\Broadcasting\\BroadcastServiceProvider',
      'Illuminate\\Bus\\Dispatcher' => 'Illuminate\\Bus\\Bus\\Bus\\Bus\\Bus\\Bus\\Bus\\PusServiceProvider',
'Illuminate\\Contracts\\Bus\\Dispatcher' => 'Illuminate\\Bus\\Bus\\Bus\\PusServiceProvider'
      'Illuminate\\Contracts\\Bus\\QueueingDispatcher' => 'Illuminate\\Bus\\Bus\\Bus\\Provider',
      'Illuminate\\Bus\\BatchRepository' => 'Illuminate\\Bus\\BusServiceProvider'
      'Illuminate\\Bus\\DatabaseBatchRepository' => 'Illuminate\\Bus\\Bus\ServiceProvider',
'cache' => 'Illuminate\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\Cache\\Cache\\Cache\\Cache\\Cache\\Cache\\
      'cache.store' => 'Illuminate\\Cache\\CacheServiceProvider',
'cache.psr6' => 'Illuminate\\Cache\\CacheServiceProvider',
      'memcached.connector' => 'Illuminate\\Cache\\CacheServiceProvider',
'Illuminate\\Cache\\RateLimiter' => 'Illuminate\\Cache\\CacheServiceProvider',
      'Illuminate\\Foundation\\Console\\AboutCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Cache\\Console\\ClearCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Cache\\Console\\ForgetCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Foundation\\Console\\ClearCompiledCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Auth\\Console\\ClearResetsCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       'Illuminate\\Foundation\\Console\\ConfigCacheCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Foundation\\Console\\ConfigClearCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       'Illuminate\\Foundation\\Console\\ConfigShowCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Database\\Console\\DbCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    'Illuminate\\Database\\Console\\MonitorCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\PruneCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Database\\Console\\ShowCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\TableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Database\\Console\\WipeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       'Illuminate\\Foundation\\Console\\DownCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Foundation\\Console\\EnvironmentCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
       Illuminate\\Foundation\\Console\\EnvironmentDecryptCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
```

```
'Illuminate\\Foundation\\Console\\EnvironmentEncryptCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\EventCacheCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\EventClearCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\EventListCommand' =
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Concurrency\\Console\\InvokeSerializedClosureCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\KeyGenerateCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\OptimizeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\OptimizeClearCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\PackageDiscoverCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Cache\\Console\\PruneStaleTagsCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Oueue\\Console\\ClearCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\ListFailedCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\FlushFailedCommand' =
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\ForgetFailedCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\MonitorCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\PruneBatchesCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\PruneFailedJobsCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\RestartCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\RetryCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\RetryBatchCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\WorkCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\RouteCacheCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\RouteClearCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    'Illuminate\\Foundation\\Console\\RouteListCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Database\\Console\\DumpCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Console\\Scheduling\\ScheduleFinishCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Console\\Scheduling\\ScheduleListCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Console\\Scheduling\\ScheduleRunCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Console\\Scheduling\\ScheduleClearCacheCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Console\\Scheduling\\ScheduleTestCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Console\\Scheduling\\ScheduleWorkCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Console\\Scheduling\\ScheduleInterruptCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Database\\Console\\ShowModelCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\StorageLinkCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    'Illuminate\\Foundation\\Console\\StorageUnlinkCommand' =>
```

```
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\UpCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'.
    Illuminate\\Foundation\\Console\\ViewCacheCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ViewClearCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ApiInstallCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider
    Illuminate\\Foundation\\Console\\BroadcastingInstallCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Cache\\Console\\CacheTableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\CastMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ChannelListCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ChannelMakeCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ClassMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'.
    Illuminate\\Foundation\\Console\\ComponentMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ConfigPublishCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ConsoleMakeCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Routing\\Console\\ControllerMakeCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\DocsCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\EnumMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\EventGenerateCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\EventMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ExceptionMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'
    Illuminate\\Database\\Console\\Factories\\FactoryMakeCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\InterfaceMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\JobMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\JobMiddlewareMakeCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\LangPublishCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ListenerMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\MailMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Routing\\Console\\MiddlewareMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ModelMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\NotificationMakeCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'
    Illuminate\\Notifications\\Console\\NotificationTableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ObserverMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\PolicyMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Foundation\\Console\\ProviderMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\FailedTableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Oueue\\Console\\TableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    Illuminate\\Queue\\Console\\BatchesTableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
```

```
'Illuminate\\Foundation\\Console\\RequestMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\ResourceMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\RuleMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     'Illuminate\\Foundation\\Console\\ScopeMakeCommand' =
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'Illuminate\\Database\\Console\\Seeds\\SeederMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Session\\Console\\SessionTableCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\ServeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\StubPublishCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\TestMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\TraitMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\VendorPublishCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Foundation\\Console\\ViewMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'
    'migrator' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'migration.repository' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
'migration.creator' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Database\\Migrations\\Migrator' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Database\\Console\\Migrations\\MigrateCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Database\\Console\\Migrations\\FreshCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'
'Illuminate\\Database\\Console\\Migrations\\InstallCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Database\\Console\\Migrations\\RefreshCommand'
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Database\\Console\\Migrations\\ResetCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'
     Illuminate\\Database\\Console\\Migrations\\RollbackCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
     Illuminate\\Database\\Console\\Migrations\\StatusCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider
     Illuminate\\Database\\Console\\Migrations\\MigrateMakeCommand' =>
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider'
     composer' => 'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider',
    'Illuminate\\Concurrency\\ConcurrencyManager' =>
'Illuminate\\Concurrency\\ConcurrencyServiceProvider'
     'hash' => 'Illuminate\\Hashing\\HashServiceProvider',
    'hash.driver' => 'Illuminate\\Hashing\\HashServiceProvider',
'mail.manager' => 'Illuminate\\Mail\\MailServiceProvider',
    'mailer' => 'Illuminate\\Mail\\MailServiceProvider',
'mailer' => 'Illuminate\\Mail\\MailServiceProvider',
'Illuminate\\Mail\\Markdown' => 'Illuminate\\Mail\\MailServiceProvider',
'auth.password' => 'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider'
    'auth.password.broker' => 'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider',
'Illuminate\\Contracts\\Pipeline\\Hub' => 'Illuminate\\Pipeline\\PipelineServiceProvider',
     'pipeline' => 'Illuminate\\Pipeline\\PipelineServiceProvider',
     pipetine => Ittuminate\\rupetine\\(\) ipetineserviceProvider',
'queue' => 'Illuminate\\Queue\\QueueServiceProvider',
'queue.connection' => 'Illuminate\\Queue\\QueueServiceProvider',
'queue.failer' => 'Illuminate\\Queue\\QueueServiceProvider',
    'queue.listener' => 'Illuminate\\Queue\\QueueServiceProvider'
     'queue.worker' => 'Illuminate\\Queue\\QueueServiceProvider',
    'redis' => 'Illuminate\\Redis\\RedisServiceProvider',
'redis.connection' => 'Illuminate\\Redis\\RedisServiceProvider',
'translator' => 'Illuminate\\Translation\\TranslationServiceProvider'
    'translation.loader' => 'Illuminate\\Translation\\TranslationServiceProvider',
     'validator' => 'Illuminate\\Validation\\ValidationServiceProvider'
    'validation.presence' => 'Illuminate\\Validation\\ValidationServiceProvider',
    'Illuminate\\Contracts\\Validation\\UncompromisedVerifier' =>
'Illuminate\\Validation\\ValidationServiceProvider'
     'Laravel\\Sail\\Console\\InstallCommand' => 'Laravel\\Sail\\SailServiceProvider',
'Laravel\\Sail\\Console\\PublishCommand' => 'Laravel\\Sail\\SailServiceProvider',
    'command.tinker' => 'Laravel\\Tinker\\TinkerServiceProvider',
```

```
),
'when' =>
  array (
  'Illuminate\\Broadcasting\\BroadcastServiceProvider' =>
    array (
     ),
'Illuminate\\Bus\\BusServiceProvider' =>
     ),
'Illuminate\\Cache\\CacheServiceProvider' =>
     ),
'Illuminate\\Foundation\\Providers\\ConsoleSupportServiceProvider' =>
     ),
'Illuminate\\Concurrency\\ConcurrencyServiceProvider' =>
     array (
     ),
'Illuminate\\Hashing\\HashServiceProvider' =>
     ),
'Illuminate\\Mail\\MailServiceProvider' =>
     array (
     ),
'Illuminate\\Auth\\Passwords\\PasswordResetServiceProvider' =>
     ),
'Illuminate\\Pipeline\\PipelineServiceProvider' =>
     array (
     ),
'Illuminate\\Queue\\QueueServiceProvider' =>
     ),
'Illuminate\\Redis\\RedisServiceProvider' =>
     array (
     ),
'Illuminate\\Translation\\TranslationServiceProvider' =>
     ),
'Illuminate\\Validation\\ValidationServiceProvider' =>
     ),
'Laravel\\Sail\\SailServiceProvider' =>
     'Laravel\\Tinker\\TinkerServiceProvider' =>
     array (
     ),
);
```

```
<?php
return [
       Application Name
       This value is the name of your application, which will be used when the
       framework needs to place the application's name in a notification or
       other UI elements where an application name needs to be displayed.
     'name' => env('APP NAME', 'Laravel'),
       Application Environment
       This value determines the "environment" your application is currently
       running in. This may determine how you prefer to configure various services the application utilizes. Set this in your ".env" file.
     'env' => env('APP ENV', 'production'),
       Application Debug Mode
       When your application is in debug mode, detailed error messages with
       stack traces will be shown on every error that occurs within your application. If disabled, a simple generic error page is shown.
     'debug' => (bool) env('APP DEBUG', false),
       Application URL
       This URL is used by the console to properly generate URLs when using
       the Artisan command line tool. You should set this to the root of the application so that it's available within Artisan commands.
     'url' => env('APP URL', 'http://localhost'),
       Application Timezone
       Here you may specify the default timezone for your application, which will be used by the PHP date and date-time functions. The timezone is set to "UTC" by default as it is suitable for most use cases.
     'timezone' => 'UTC',
       Application Locale Configuration
```

```
The application locale determines the default locale that will be used
       by Laravel's translation / localization methods. This option can be
       set to any locale for which you plan to have translation strings.
       'locale' => env('APP LOCALE', 'en'),
//
//
//
       'fallback locale' => env('APP FALLBACK LOCALE', 'en'),
       'faker_locale' => env('APP_FAKER_LOCALE', 'en_US'),
     'locale' => 'uk',
'fallback_locale' => 'uk',
     'faker_locale' => 'uk_UA',
      ______
       Encryption Key
      This key is utilized by Laravel's encryption services and should be set
      to a random, 32 character string to ensure that all encrypted values are secure. You should do this prior to deploying the application.
     'cipher' => 'AES-256-CBC',
     'key' => env('APP KEY'),
     'previous_keys' => [
         ...array filter(
              explode(',', env('APP PREVIOUS KEYS', ''))
         ),
     ],
      Maintenance Mode Driver
       These configuration options determine the driver used to determine and
      manage Laravel's "maintenance mode" status. The "cache" driver will allow maintenance mode to be controlled across multiple machines.
       Supported drivers: "file", "cache"
     'maintenance' => [
  'driver' => env('APP_MAINTENANCE_DRIVER', 'file'),
  'store' => env('APP_MAINTENANCE_STORE', 'database'),
     ],
];
```

```
<?php
return [
      Authentication Defaults
      This option defines the default authentication "guard" and password
      reset "broker" for your application. You may change these values
      as required, but they're a perfect start for most applications.
    'defaults' => [
    'guard' => env('AUTH_GUARD', 'web'),
    'passwords' => env('AUTH_PASSWORD_BROKER', 'users'),
    ],
      Authentication Guards
      Next, you may define every authentication guard for your application. Of course, a great default configuration has been defined for you
      which utilizes session storage plus the Eloquent user provider.
      All authentication guards have a user provider, which defines how the
      users are actually retrieved out of your database or other storage
      system used by the application. Typically, Eloquent is utilized.
      Supported: "session"
    'guards' => [
'web' => [
             'driver' => 'session',
              'provider' => 'users',
         ],
    ],
      User Providers
      All authentication guards have a user provider, which defines how the
      users are actually retrieved out of your database or other storage
      system used by the application. Typically, Eloquent is utilized.
      If you have multiple user tables or models you may configure multiple
      providers to represent the model / table. These providers may then
      be assigned to any extra authentication guards you have defined.
      Supported: "database", "eloquent"
    'providers' => [
    'users' => [
    'driver' => 'eloquent',
              'model' => env('AUTH_MODEL', App\Models\User::class),
         ],
         // 'users' => [
// 'driver' => 'database',
                 'table' => 'users',
         //
         // 1,
    ],
```

```
Resetting Passwords
  These configuration options specify the behavior of Laravel's password reset functionality, including the table utilized for token storage and the user provider that is invoked to actually retrieve users.
  The expiry time is the number of minutes that each reset token will be considered valid. This security feature keeps tokens short-lived so
  they have less time to be guessed. You may change this as needed.
  The throttle setting is the number of seconds a user must wait before
  generating more password reset tokens. This prevents the user from quickly generating a very large amount of password reset tokens.
'passwords' => [
    'users' => [
           'provider' => 'users'
           'table' => env('AUTH_PASSWORD_RESET_TOKEN_TABLE', 'password_reset_tokens'),
'expire' => 60,
           'throttle' => 60,
     ],
],
  Password Confirmation Timeout
  Here you may define the amount of seconds before a password confirmation
  window expires and users are asked to re-enter their password via the
  confirmation screen. By default, the timeout lasts for three hours.
'password timeout' => env('AUTH PASSWORD TIMEOUT', 10800),
```

```
<?php
use Illuminate\Support\Str;
return [
      Default Cache Store
      This option controls the default cache store that will be used by the
      framework. This connection is utilized if another isn't explicitly
      specified when running a cache operation inside the application.
     'default' => env('CACHE STORE', 'database'),
      Cache Stores
      Here you may define all of the cache "stores" for your application as
       well as their drivers. You may even define multiple stores for the
       same cache driver to group types of items stored in your caches.
      Supported drivers: "array", "database", "file", "memcached", "redis", "dynamodb", "octane", "null"
     'stores' => [
         'array' => [
   'driver' => 'array'
              'serialize' => false,
         'database' => [
              'driver' => 'database',
'connection' => env('DB_CACHE_CONNECTION'),
              'table' => env('DB_CACHE_TABLE', 'cache'),
'lock_connection' => env('DB_CACHE_LOCK_CONNECTION'),
'lock_table' => env('DB_CACHE_LOCK_TABLE'),
         ],
         'file' => [
    'driver' => 'file',
              'path' => storage_path('framework/cache/data'),
              'lock path' => storage path('framework/cache/data'),
         1,
         'memcached' => [
   'driver' => 'memcached',
   'persistent_id' => env('MEMCACHED_PERSISTENT_ID'),
              'sasl' => [
                   env('MEMCACHED_USERNAME'),
env('MEMCACHED_PASSWORD'),
                   // Memcached::OPT_CONNECT_TIMEOUT => 2000,
              ],
               servers' => [
                   [
                        'host' => env('MEMCACHED_HOST', '127.0.0.1'),
'port' => env('MEMCACHED_PORT', 11211),
                        'weight' => 100,
                   ],
             ],
         ],
```

config\cache.php

```
'redis' => [
    'driver' => 'redis',
    'connection' => env('REDIS_CACHE_CONNECTION', 'cache'),
    'lock_connection' => env('REDIS_CACHE_LOCK_CONNECTION', 'default'),
],

'dynamodb' => [
    'driver' => 'dynamodb',
    'key' => env('AWS_ACCESS_KEY_ID'),
    'secret' => env('AWS_SECRET_ACCESS_KEY'),
    'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
    'table' => env('DYNAMODB_ENDPOINT'),
],

'octane' => [
    'driver' => 'octane',
],

'octane' => [
    'driver' => 'octane',
],

/*

Cache Key Prefix

When utilizing the APC, database, memcached, Redis, and DynamoDB cache stores, there might be other applications using the same cache. For that reason, you may prefix every cache key to avoid collisions.

*/

'prefix' => env('CACHE_PREFIX', Str::slug(env('APP_NAME', 'laravel'), '_').'_cache_'),
];
```

config\cors.php

```
<?php
return [
    'paths' => ['api/*', 'sanctum/csrf-cookie'],
    'allowed_methods' => ['*'],
    'allowed_origins' => ['http://localhost:5173', 'http://localhost:3000', env('APP_URL')],
    'allowed_headers' => ['*'],
    'exposed_headers' => [],
    'max_age' => 0,
    'supports_credentials' => false, // true, якщо підеш у cookie-based auth (Sanctum)
];
```

```
<?php
use Illuminate\Support\Str;
return [
          Default Database Connection Name
          Here you may specify which of the database connections below you wish
         to use as your default connection for database operations. This is
          the connection which will be utilized unless another connection
         is explicitly specified when you execute a query / statement.
       'default' => env('DB CONNECTION', 'sqlite'),
         Database Connections
          Below are all of the database connections defined for your application.
         An example configuration is provided for each database system which is supported by Laravel. You're free to add / remove connections.
       'connections' => [
              'sqlite' => [
   'driver' => 'sqlite'
                     'url' => env('DB_URL'),
                     'database' => env('DB DATABASE', database_path('database.sqlite')),
                      'prefix' => ''
                     'foreign_key_constraints' => env('DB_FOREIGN_KEYS', true),
                     'busy_timeout' => null,
'journal mode' => null,
                     'synchronous' => null,
              ],
              'mysql' => [
    'driver' => 'mysql'
                    'driver' => 'mysql',
'url' => env('DB_URL'),
'host' => env('DB_HOST', '127.0.0.1'),
'port' => env('DB_PORT', '3306'),
'database' => env('DB_DATABASE', 'laravel'),
'username' => env('DB_USERNAME', 'root'),
'password' => env('DB_PASSWORD', ''),
'unix_socket' => env('DB_SOCKET', ''),
'charset' => env('DB_CHARSET', 'utf8mb4'),
'collation' => env('DB_CHARSET', 'utf8mb4'),
                     'collation' => env('DB_COLLATION', 'utf8mb4_unicode_ci'),
'prefix' => '',
                     'prefix_indexes' => true,
'strict' => true,
'engine' => null,
'ontice-'
                     'options' => extension_loaded('pdo_mysql') ? array_filter([
    PDO::MYSQL ATTR SSL CA => env('MYSQL ATTR SSL CA'),
                    ]) : [],
              ],
              'mariadb' => [
   'driver' => 'mariadb'
                    'driver' => 'mariadb',
'url' => env('DB_URL'),
'host' => env('DB_HOST', '127.0.0.1'),
'port' => env('DB_PORT', '3306'),
'database' => env('DB_DATABASE', 'laravel'),
'username' => env('DB_USERNAME', 'root'),
'password' => env('DB_PASSWORD', ''),
'unix_socket' => env('DB_SOCKET', ''),
```

```
'charset' => env('DB CHARSET', 'utf8mb4'),
               'collation' => env('DB_COLLATION', 'utf8mb4_unicode_ci'),
'prefix' => '',
               'prefix -> ,
'prefix_indexes' => true,
'strict' => true,
'engine' => null,
                'options' => extension loaded('pdo mysql') ? array filter([
                       PDO::MYSQL ATTR SSL CA => env('MYSQL ATTR SSL CA'),
       ],
       'pgsql' => [
   'driver' => 'pgsql',
   'url' => env('DB_URL'),
   'host' => env('DB_HOST', '127.0.0.1'),
   'port' => env('DB_PORT', '5432'),
   'database' => env('DB_DATABASE', 'laravel'),
   'username' => env('DB_USERNAME', 'root'),
   'password' => env('DB_PASSWORD', ''),
   'charset' => env('DB_CHARSET', 'utf8'),
   'search_path' => env('DB_SCHEMA', 'public'),
               'search_path' => env('DB_SCHEMA', 'public'),
'prefix' => '',
'prefix_indexes' => true,
               'sslmode' => 'prefer',
       ],
        'sqlsrv' => [
 'driver' => 'sqlsrv'
               'driver' => 'sqlsrv',
'url' => env('DB_URL'),
'host' => env('DB_HOST', 'localhost'),
'port' => env('DB_PORT', '1433'),
'database' => env('DB_DATABASE', 'laravel'),
'username' => env('DB_USERNAME', 'root'),
'password' => env('DB_PASSWORD', ''),
'charset' => env('DB_CHARSET', 'utf8'),
               'prefix' => '',
              'prefix_indexes' => true,
// 'encrypt' => env('DB_ENCRYPT', 'yes'),
// 'trust_server_certificate' => env('DB_TRUST_SERVER_CERTIFICATE', 'false'),
       1.
],
  Migration Repository Table
   This table keeps track of all the migrations that have already run for
   your application. Using this information, we can determine which of the migrations on disk haven't actually been run on the database.
'migrations' => [
    'table' => 'migrations'
        'update_date_on_publish' => true,
   Redis Databases
   Redis is an open source, fast, and advanced key-value store that also provides a richer body of commands than a typical key-value system
   such as Memcached. You may define your connection settings here.
'redis' => [
       'client' => env('REDIS_CLIENT', 'phpredis'),
```

config\database.php

```
<?php
return [
       Default Filesystem Disk
       Here you may specify the default filesystem disk that should be used
       by the framework. The "local" disk, as well as a variety of cloud
       based disks are available to your application for file storage.
     'default' => env('FILESYSTEM DISK', 'public'),
       ______
       Filesystem Disks
       Below you may configure as many filesystem disks as necessary, and you
        may even configure multiple disks for the same driver. Examples for
        most supported storage drivers are configured here for reference.
       Supported drivers: "local", "ftp", "sftp", "s3"
     'disks' => [
           'local' => [
    'driver' => 'local',
                'root' => storage_path('app/private'),
                'serve' => true,
                'throw' => false,
'report' => false,
          ],
           'public' => [
   'driver' => 'local',
                'root' => 'tocat',
'root' => storage_path('app/public'),
'url' => env('APP_URL').'/storage',
'visibility' => 'public',
'throw' => false,
'report' => false,
          ],
           's3' => [
                'driver' => 's3',
'key' => env('AWS_ACCESS_KEY_ID'),
'secret' => env('AWS_SECRET_ACCESS_KEY'),
                'secret' => env('AWS_SECRET_ACCESS_KEY'),
'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
'bucket' => env('AWS_BUCKET', 'media'),
'url' => env('AWS_URL'),  // http://localhost:9000/media
'endpoint' => env('AWS_ENDPOINT'),  // http://minio:9000
'use_path_style_endpoint' => env('AWS_USE_PATH_STYLE_ENDPOINT', true),
                'throw' => false,
'report' => false,
          ],
     1,
       Symbolic Links
       Here you may configure the symbolic links that will be created when the
        `storage:link` Artisan command is executed. The array keys should be
        the locations of the links and the values should be their targets.
```

config\filesystems.php

```
*/
'links' => [
     public_path('storage') => storage_path('app/public'),
],
];
```

```
<?php
use Illuminate\Support\Str;
return [
     Horizon Domain
      This is the subdomain where Horizon will be accessible from. If this
      setting is null, Horizon will reside under the same domain as the
      application. Otherwise, this value will serve as the subdomain.
    'domain' => env('HORIZON DOMAIN'),
     Horizon Path
     This is the URI path where Horizon will be accessible from. Feel free
     to change this path to anything you like. Note that the URI will not affect the paths of its internal API that aren't exposed to users.
    'path' => env('HORIZON PATH', 'horizon'),
      Horizon Redis Connection
     This is the name of the Redis connection where Horizon will store the
     meta information required for it to function. It includes the list
      of supervisors, failed jobs, job metrics, and other information.
    'use' => 'default',
     Horizon Redis Prefix
     This prefix will be used when storing all Horizon data in Redis. You
     may modify the prefix when you are running multiple installations
      of Horizon on the same server so that they don't have problems.
    'prefix' => env(
        'HORIZON PREFIX'
        Str::slug(env('APP NAME', 'laravel'), ' ').' horizon:'
    ),
     Horizon Route Middleware
      These middleware will get attached onto each Horizon route, giving you
      the chance to add your own middleware to this list or change any of
      the existing middleware. Or, you can simply stick with this list.
    'middleware' => ['web'],
```

```
Queue Wait Time Thresholds
   This option allows you to configure when the LongWaitDetected event
  will be fired. Every connection / queue combination may have its own, unique threshold (in seconds) before this event is fired.
'waits' => [
        'redis:default' => 60,
   Job Trimming Times
  Here you can configure for how long (in minutes) you desire Horizon to persist the recent and failed jobs. Typically, recent jobs are kept for one hour while all failed jobs are stored for an entire week.
'trim' => [
      Lm' => [
'recent' => 60,
'pending' => 60,
'completed' => 60,
'recent_failed' => 10080,
'failed' => 10080,
'monitored' => 10080,
],
   Silenced Jobs
  Silencing a job will instruct Horizon to not place the job in the list of completed jobs within the Horizon dashboard. This setting may be
   used to fully remove any noisy jobs from the completed jobs list.
'silenced' => [
       // App\Jobs\ExampleJob::class,
  Metrics
  Here you can configure how many snapshots should be kept to display in the metrics graph. This will get used in combination with Horizon's `horizon:snapshot` schedule to define how long to retain metrics.
'metrics' => [
       'trim_snapshots' => [
    'job' => 24,
    'queue' => 24,
       ],
],
  Fast Termination
```

```
When this option is enabled, Horizon's "terminate" command will not wait on all of the workers to terminate unless the --wait option
   is provided. Fast termination can shorten deployment delay by
   allowing a new instance of Horizon to start while the last
   instance will continue to terminate each of its workers.
'fast termination' => false,
   Memory Limit (MB)
   This value describes the maximum amount of memory the Horizon master supervisor may consume before it is terminated and restarted. For
   configuring these limits on your workers, see the next section.
'memory_limit' => 64,
   Queue Worker Configuration
   Here you may define the queue worker settings used by your application in all environments. These supervisors and settings handle all your queued jobs and will be provisioned by Horizon during deployment.
 'defaults' => [
        aults' => [
'supervisor-1' => [
    'connection' => 'redis',
    'queue' => ['default'],
    'balance' => 'auto',
    'autoScalingStrategy' => 'time',
    'mayPrecesses' => 1
              'maxProcesses' => 1,
'maxTime' => 0,
'maxJobs' => 0,
              'memory' => 128,
'tries' => 1,
'timeout' => 60,
'nice' => 0,
       ],
],
'environments' => [
        'production' => [
               'supervisor-1' => [
    'maxProcesses' => 10,
    'balanceMaxShift' => 1,
    'balanceCooldown' => 3,
              ],
       ],
        'local' => [
               'supervisor-1' => [
    'maxProcesses' => 3,
              ],
      ],
],
```

```
<?php
return [
       Server Side Rendering
       These options configures if and how Inertia uses Server Side Rendering
       to pre-render each initial request made to your application's pages
       so that server rendered HTML is delivered for the user's browser.
       See: https://inertiajs.com/server-side-rendering
     'ssr' => [
          'enabled' => true,
'url' => 'http://127.0.0.1:13714',
          // 'bundle' => base_path('bootstrap/ssr/ssr.mjs'),
     ],
      Testing
      The values described here are used to locate Inertia components on the filesystem. For instance, when using `assertInertia`, the assertion attempts to locate the component as a file relative to the paths.
     'testing' => [
          'ensure_pages_exist' => true,
          'page paths' => [
               resource_path('js/pages'),
          'page_extensions' => [
               'js',
'jsx'
               'svelte',
               'ts',
               'vue',
          ],
     ],
```

config\livewire.php

```
<?php
return [
    'temporary_file_upload' => [
        'disk' => 'public',
        'directory' => 'livewire-tmp',
        'rules' => null,
],
];
```

```
<?php
use Monolog\Handler\NullHandler;
use Monolog\Handler\StreamHandler;
use Monolog\Handler\SyslogUdpHandler;
use Monolog\Processor\PsrLogMessageProcessor;
return [
       Default Log Channel
       This option defines the default log channel that is utilized to write
       messages to your logs. The value provided here should match one of
       the channels present in the list of "channels" configured below.
     'default' => env('LOG CHANNEL', 'stack'),
       Deprecations Log Channel
       This option controls the log channel that should be used to log warnings
       regarding deprecated PHP and library features. This allows you to get
       your application ready for upcoming major versions of dependencies.
     'deprecations' => [
   'channel' => env('LOG_DEPRECATIONS_CHANNEL', 'null'),
          'trace' => env('LOG DEPRECATIONS TRACE', false),
     ],
       Log Channels
       Here you may configure the log channels for your application. Laravel
       utilizes the Monolog PHP logging library, which includes a variety
       of powerful log handlers and formatters that you're free to use.
       Available drivers: "single", "daily", "slack", "syslog", "errorlog", "monolog", "custom", "stack"
     'channels' => [
          'stack' => [
   'driver' => 'stack',
               'channels' => explode(',', env('LOG_STACK', 'single')),
'ignore_exceptions' => false,
          ],
          'single' => [
   'driver' => 'single',
   'path' => storage_path('logs/laravel.log'),
               'level' => env('LOG_LEVEL', 'debug'),
               'replace placeholders' => true,
          1.
          'daily' => [
    'driver' => 'daily',
               'path' => dalty ,
'path' => storage_path('logs/laravel.log'),
'level' => env('LOG_LEVEL', 'debug'),
'days' => env('LOG_DAILY_DAYS', 14),
'replace_placeholders' => true,
```

config\logging.php

```
],
             'slack' => [
   'driver' => 'slack',
   'url' => env('LOG_SLACK_WEBHOOK_URL'),
   'username' => env('LOG_SLACK_USERNAME', 'Laravel Log'),
                    'emoji' => env('LOG_SLACK_EMOJI', ':boom:'),
'level' => env('LOG_LEVEL', 'critical'),
'replace_placeholders' => true,
             ],
             'papertrail' => [
   'driver' => 'monolog',
                    'level' => env('LOG_LEVEL', 'debug'),
'handler' => env('LOG_PAPERTRAIL_HANDLER', SyslogUdpHandler::class),
                    'handler with' => [
                          'host' => env('PAPERTRAIL_URL'),
'port' => env('PAPERTRAIL_PORT'),
                          'connectionString' => 'tls://'.env('PAPERTRAIL URL').':'.env('PAPERTRAIL PORT'),
                    'processors' => [PsrLogMessageProcessor::class],
             ],
             'stderr' => [
   'driver' => 'monolog',
   'level' => env('LOG_LEVEL', 'debug'),
   'handler' => StreamHandler::class,
                    'formatter' => env('LOG_STDERR_FORMATTER'),
                    'with' => [
                           'stream' => 'php://stderr',
                    'processors' => [PsrLogMessageProcessor::class],
             ],
             'syslog' => [
   'driver' => 'syslog',
   'level' => env('LOG_LEVEL', 'debug'),
   'facility' => env('LOG_SYSLOG_FACILITY', LOG_USER),
   'replace_placeholders' => true,
             ],
             'errorlog' => [
                    'driver' => 'errorlog',
'level' => env('LOG_LEVEL', 'debug'),
'replace_placeholders' => true,
             ],
             'null' => [
   'driver' => 'monolog'
                    'handler' => NullHandler::class,
             ],
             'emergency' => [
                    'path' => storage_path('logs/laravel.log'),
             ],
      ],
];
```

```
<?php
return [
      Default Mailer
      This option controls the default mailer that is used to send all email
      messages unless another mailer is explicitly specified when sending
      the message. All additional mailers can be configured within the
      "mailers" array. Examples of each type of mailer are provided.
     'default' => env('MAIL MAILER', 'log'),
      Mailer Configurations
      Here you may configure all of the mailers used by your application plus
      their respective settings. Several examples have been configured for
      you and you are free to add your own as your application requires.
      Laravel supports a variety of mail "transport" drivers that can be used
      when delivering an email. You may specify which one you're using for
      your mailers below. You may also add additional mailers if needed.
      'mailers' => [
         'smtp' => [
             tp' => [
'transport' => 'smtp',
'scheme' => env('MAIL_SCHEME'),
'url' => env('MAIL_URL'),
'host' => env('MAIL_HOST', '127.0.0.1'),
'port' => env('MAIL_PORT', 2525),
'username' => env('MAIL_USERNAME'),
'password' => env('MAIL_PASSWORD'),
'timeout' => null
              'timeout' => null,
              'local domain' => env('MAIL EHLO DOMAIN', parse url(env('APP URL', 'http://localhost'),
PHP URL HOST)),
         ],
         'ses' => [
              'transport' => 'ses',
         'postmark' => [
    'transport' => 'postmark',
              // 'message_stream_id' => env('POSTMARK MESSAGE STREAM ID'),
             // 'client' => [
// 'timeout' => 5,
              // ],
         ],
         'resend' => [
              'transport' => 'resend',
         ],
         'sendmail' => [
    'transport' => 'sendmail'
              'path' => env('MAIL SENDMAIL PATH', '/usr/sbin/sendmail -bs -i'),
         ],
```

config\mail.php

```
'log' => [
  'transport' => 'log',
  'channel' => env('MAIL_LOG_CHANNEL'),
     ],
     'array' => [
           'transport' => 'array',
     ],
     ],
     ],
     'roundrobin' => [
   'transport' => 'roundrobin',
           'mailers' => [
'ses',
                 'postmark',
           ],
     ],
],
  Global "From" Address
  You may wish for all emails sent by your application to be sent from the same address. Here you may specify a name and address that is used globally for all emails that are sent by your application.
'from' => [
     'address' => env('MAIL_FROM_ADDRESS', 'hello@example.com'),
     'name' => env('MAIL_FROM_NAME', 'Example'),
],
```

```
<?php
return [
       Default Queue Connection Name
       Laravel's queue supports a variety of backends via a single, unified
       API, giving you convenient access to each backend using identical
       syntax for each. The default queue connection is defined below.
     'default' => env('QUEUE CONNECTION', 'database'),
      ______
       Queue Connections
       Here you may configure the connection options for every queue backend
       used by your application. An example configuration is provided for
       each backend supported by Laravel. You're also free to add more.
       Drivers: "sync", "database", "beanstalkd", "sqs", "redis", "null"
     'connections' => [
          'sync' => [
                'driver' => 'sync',
          'database' => [
   'driver' => 'database',
               'connection' => database,
'connection' => env('DB_QUEUE_CONNECTION'),
'table' => env('DB_QUEUE_TABLE', 'jobs'),
'queue' => env('DB_QUEUE', 'default'),
                'retry_after' => (int) env('DB_QUEUE_RETRY_AFTER', 90),
'after_commit' => false,
          ],
          'beanstalkd' => [
   'driver' => 'beanstalkd'
                'host' => env('BEANSTALKD_QUEUE_HOST', 'localhost'),
'queue' => env('BEANSTALKD_QUEUE', 'default'),
                'retry_after' => (int) env('BEANSTALKD_QUEUE_RETRY_AFTER', 90),
                'block for' => 0,
                'after commit' => false,
          ],
          'sqs' => [
  'driver' => 'sqs',
  'key' => env('AWS_ACCESS_KEY_ID'),
  'secret' => env('AWS_SECRET_ACCESS_KEY'),
  'prefix' => env('SQS_PREFIX', 'https://sqs.us-east-1.amazonaws.com/your-account-id'),
  'queue' => env('SQS_QUEUE', 'default'),
  'suffix' => env('SQS_QUEUE', 'default'),
                'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
'after_commit' => false,
          'redis' => [
                'driver' => 'redis',
'connection' => env('REDIS_QUEUE_CONNECTION', 'default'),
                'queue' => env('REDIS_QUEUE', 'default'),
                'retry_after' => (int) env('REDIS_QUEUE_RETRY_AFTER', 90),
'block_for' => null,
                'after_commit' => false,
          ],
```

```
<?php
return [
       Third Party Services
       This file is for storing the credentials for third party services such
       as Mailgun, Postmark, AWS and more. This file provides the de facto
       location for this type of information, allowing packages to have
       a conventional file to locate the various service credentials.
     'postmark' => [
   'token' => env('POSTMARK_TOKEN'),
     'ses' => [
          'key' => env('AWS_ACCESS_KEY_ID'),
          'secret' => env('AWS_SECRET_ACCESS_KEY'),
'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),
     ],
     'resend' => [
   'key' => env('RESEND_KEY'),
     'slack' => [
           'notifications' => [
                'bot_user_oauth_token' => env('SLACK_BOT_USER_OAUTH_TOKEN'),
'channel' => env('SLACK_BOT_USER_DEFAULT_CHANNEL'),
          ],
     ],
'stripe' => [
          'key'
                              => env('STRIPE PUBLISHABLE KEY'),
          'secret' => env('STRIPE_FUBLISHABLE_KET'),
'webhook_secret' => env('STRIPE_WEBHOOK_SECRET'),
'success_url' => env('STRIPE_SUCCESS_URL'),
          'cancel url'
                                => env('STRIPE CANCEL URL'),
     ],
];
```

```
<?php
use Illuminate\Support\Str;
return [
     Default Session Driver
     This option determines the default session driver that is utilized for
     incoming requests. Laravel supports a variety of storage options to
     persist session data. Database storage is a great default choice.
     Supported: "file", "cookie", "database", "apc",
                 "memcached", "redis", "dynamodb", "array"
    'driver' => env('SESSION DRIVER', 'database'),
     ______
     Session Lifetime
     Here you may specify the number of minutes that you wish the session
     to be allowed to remain idle before it expires. If you want them
     to expire immediately when the browser is closed then you may
     indicate that via the expire_on_close configuration option.
    'lifetime' => (int) env('SESSION LIFETIME', 120),
    'expire on close' => env('SESSION EXPIRE ON CLOSE', false),
     Session Encryption
     This option allows you to easily specify that all of your session data
     should be encrypted before it's stored. All encryption is performed
     automatically by Laravel and you may use the session like normal.
    'encrypt' => env('SESSION ENCRYPT', false),
     Session File Location
     When utilizing the "file" session driver, the session files are placed on disk. The default storage location is defined here; however, you
     are free to provide another location where they should be stored.
    'files' => storage path('framework/sessions'),
     Session Database Connection
     When using the "database" or "redis" session drivers, you may specify a
     connection that should be used to manage these sessions. This should
     correspond to a connection in your database configuration options.
```

```
*/
'connection' => env('SESSION CONNECTION'),
 ______
 Session Database Table
 When using the "database" session driver, you may specify the table to
 be used to store sessions. Of course, a sensible default is defined
 for you; however, you're welcome to change this to another table.
'table' => env('SESSION TABLE', 'sessions'),
 ______
 Session Cache Store
 When using one of the framework's cache driven session backends, you may
 define the cache store which should be used to store the session data
 between requests. This must match one of your defined cache stores.
 Affects: "apc", "dynamodb", "memcached", "redis"
'store' => env('SESSION STORE'),
 ______
 Session Sweeping Lottery
 Some session drivers must manually sweep their storage location to get
 rid of old sessions from storage. Here are the chances that it will
 happen on a given request. By default, the odds are 2 out of 100.
'lottery' => [2, 100],
 Session Cookie Name
 Here you may change the name of the session cookie that is created by
 the framework. Typically, you should not need to change this value
 since doing so does not grant a meaningful security improvement.
'cookie' => env(
    'SESSION COOKIE'
   Str::slug(env('APP NAME', 'laravel'), ' ').' session'
),
 Session Cookie Path
 The session cookie path determines the path for which the cookie will
 be regarded as available. Typically, this will be the root path of your application, but you're free to change this when necessary.
'path' => env('SESSION PATH', '/'),
```

```
Session Cookie Domain
      This value determines the domain and subdomains the session cookie is
      available to. By default, the cookie will be available to the root
      domain and all subdomains. Typically, this shouldn't be changed.
    'domain' => env('SESSION DOMAIN'),
     HTTPS Only Cookies
      By setting this option to true, session cookies will only be sent back
     to the server if the browser has a HTTPS connection. This will keep
      the cookie from being sent to you when it can't be done securely.
    'secure' => env('SESSION SECURE COOKIE'),
     HTTP Access Only
     Setting this value to true will prevent JavaScript from accessing the
      value of the cookie and the cookie will only be accessible through
      the HTTP protocol. It's unlikely you should disable this option.
    'http only' => env('SESSION HTTP ONLY', true),
      Same-Site Cookies
     This option determines how your cookies behave when cross-site requests
      take place, and can be used to mitigate CSRF attacks. By default, we
      will set this value to "lax" to permit secure cross-site requests.
     See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie#samesitesamesite-
value
      Supported: "lax", "strict", "none", null
    'same site' => env('SESSION SAME SITE', 'lax'),
     Partitioned Cookies
     Setting this value to true will tie the cookie to the top-level site for
     a cross-site context. Partitioned cookies are accepted by the browser when flagged "secure" and the Same-Site attribute is set to "none".
    'partitioned' => env('SESSION_PARTITIONED_COOKIE', false),
```

1;

config\shop.php

```
<?php
return [
 'admin_email' => env('SHOP_ADMIN_EMAIL'), // опціонально
];
```

.sqlite

database\factories\CartFactory.php

database\factories\CartItemFactory.php

database\factories\CategoryFactory.php

database\factories\OrderFactory.php

```
<?php
namespace Database\Factories;
use App\Enums\OrderStatus;
use App\Models\Order;
use Illuminate\Database\Eloquent\Factories\Factory;
use Illuminate\Support\Str;
class OrderFactory extends Factory
     protected □model = Order::class;
     public function definition(): array
          return [
                'user_id' => null, // за замовчуванням — гість
'email' => □this->faker->safeEmail(),
'status' => OrderStatus::New, // е
                                                                       // enum каст у моделі
                'total' => 0,
                'shipping_address' => [
    'name' => [this->faker->firstName(),
    'city' => [this->faker->city(),
    'addr' => [this->faker->streetAddress(),
                ],
'billing_address' => null,
                'note' => null,
'number' => 'ORD-'.now()->format('Ymd').'-'.Str::upper(Str::random(16)),
          ];
     }
     public function paid(): static
          return []this->state(fn () => ['status' => OrderStatus::Paid]);
     }
}
```

database\factories\OrderItemFactory.php

```
<?php
namespace Database\Factories;
use App\Models\Order;
use App\Models\OrderItem;
use App\Models\Product;
use Illuminate\Database\Eloquent\Factories\Factory;
class OrderItemFactory extends Factory
    protected []model = OrderItem::class;
    public function definition(): array
         return [
             'order_id'
                           => Order::factory(),
             'product_id' => Product::factory(),
                        => ||this->faker->numberBetween(1, 3),
=> ||this->faker->randomFloat(2, 10, 500),
             'qty'
             'price'
        ];
    }
}
```

```
<?php
namespace Database\Factories;
use App\Models\Product;
use Illuminate\Database\Eloquent\Factories\Factory;
use Illuminate\Support\Str;
use App\Models\Category;
 * @extends Factory<Product>
class ProductFactory extends Factory
{
     * Define the model's default state.
     * @return array<string, mixed>
    public function definition(): array
{
         []name = ucfirst([]this->faker->unique()->words(3, true));
             'size' => [this->faker->randomElement(['S','M','L']),
'color' => [this->faker->safeColorName(),
              'stock' => []this->faker->numberBetween(0, 100),
'price' => []this->faker->randomFloat(2, 10, 500),
'price_old' => null,
'is_active' => true,
         ];
    }
}
```

database\factories\ProductImageFactory.php

```
<?php
namespace Database\Factories;
use App\Models\ProductImage;
use Illuminate\Database\Eloquent\Factories\Factory;
use Illuminate\Support\Str;
* @extends Factory<ProductImage>
class ProductImageFactory extends Factory
    protected □model = ProductImage::class;
    ^{'} ^{*} Define the model's default state.
     * @return array<string, mixed>
    public function definition(): array
        return [
                         => 'products/tmp/'.fake()->uuid().'.png', // справжній шлях виставимо в
            'path'
сідері
            'alt'
                         => fake()->words(3, true),
            'disk'
                         => 'public',
                         => 0,
            'sort'
            'is_primary' => false,
        ];
    }
    public function primary(): static
        return []this->state(fn () => ['is_primary' => true, 'sort' => 0]);
    }
}
```

database\factories\UserFactory.php

```
<?php
namespace Database\Factories;
use Illuminate\Database\Eloquent\Factories\Factory;
use Illuminate\Support\Facades\Hash;
use Illuminate\Support\Str;
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\User>
class UserFactory extends Factory
    ^{\prime**} * The current password being used by the factory.
    protected static ?string □password;
    /**
 * Define the model's default state.
     * @return array<string, mixed>
    public function definition(): array
         return [
              'name' => fake()->name(),
              'email' => fake()->unique()->safeEmail(),
'email_verified_at' => now(),
              'password' => static::□password ??= Hash::make('password'),
              'remember token' => Str::random(10),
         ];
    }
     ^{\ast} Indicate that the model's email address should be unverified. ^{\ast}/
    public function unverified(): static
         return []this->state(fn (array []attributes) => [
    'email_verified_at' => null,
    }
}
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
      \ ^{st} Run the migrations.
     public function up(): void
         Schema::create('users', function (Blueprint □table) {
              □table->id();
              []table->string('name');
[]table->string('email')->unique();
              table->timestamp('email verified at')->nullable();
              [table->string('password');
              □table->rememberToken();
              □table->timestamps();
         });
         __table->string('token');
              __table->timestamp('created_at')->nullable();
         });
         Schema::create('sessions', function (Blueprint □table) {
              []table->string('id')->primary();
[]table->foreignId('user_id')->nullable()->index();
              [table->string('ip_address', 45)->nullable();
[table->text('user_agent')->nullable();
[table->longText('payload');
[table->integer('last_activity')->index();
         });
    }
      * Reverse the migrations.
    public function down(): void
         Schema::dropIfExists('users');
Schema::dropIfExists('password_reset_tokens');
Schema::dropIfExists('sessions');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
      * Run the migrations.
     public function up(): void
         Schema::create('cache', function (Blueprint [table) {
        [table->string('key')->primary();
        [table->mediumText('value');
        [table->integer('expiration');
          });
          Schema::create('cache locks', function (Blueprint □table) {
              });
    }
      * Reverse the migrations.
     public function down(): void
          Schema::dropIfExists('cache');
Schema::dropIfExists('cache_locks');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
       * Run the migrations.
      public function up(): void
            Schema::create('jobs', function (Blueprint □table) {
                  ∏table->id();
                  []table->string('queue')->index();
[]table->longText('payload');
                  []table->unsignedTinyInteger('attempts');
                 []table->unsignedInteger('reserved_at')->nullable();
[]table->unsignedInteger('available_at');
                  []table->unsignedInteger('created_at');
            });
            [ table->string('id')->primary();
[ table->string('name');
[ table->integer('total_jobs');
[ table->integer('pending_jobs');
[ table->integer('failed_jobs');
[ table->longText('failed_job_ids');
                 []table->tongrext( 'failed_job_ids');
[]table->mediumText('options')->nullable();
[]table->integer('cancelled_at')->nullable();
[]table->integer('created_at');
                  □table->integer('finished at')->nullable();
            });
            Schema::create('failed jobs', function (Blueprint □table) {
                  []table->id();
                 [table->string('uuid')->unique();
[table->text('connection');
[table->text('queue');
                  []table->longText('payload');
[]table->longText('exception');
                  Table->timestamp('failed at')->useCurrent();
            });
     }
       * Reverse the migrations.
      public function down(): void
            Schema::dropIfExists('jobs');
Schema::dropIfExists('job_batches');
Schema::dropIfExists('failed_jobs');
      }
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
      st Run the migrations.
    public function up(): void
         Schema::create('categories', function (Blueprint □table) {
              □table->id();
              []table->id();
[]table->string('name');
[]table->string('slug')->unique();
[]table->boolean('is_active')->default(true);
              []table->foreignId('parent_id')->nullable()->constrained('categories');
[]table->softDeletes();
              □table->timestamps();
         });
    }
      * Reverse the migrations.
    public function down(): void
         Schema::dropIfExists('categories');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
        st Run the migrations.
       public function up(): void
              Schema::create('products', function (Blueprint □table) {
                    □table->id();
                   □table->id();
□table->string('name');
□table->string('slug')->unique();
□table->string('sku')->unique();
□table->foreignId('category_id')->nullable()->constrained();
□table->jsonb('attributes')->nullable();
□table->unsignedInteger('stock')->default(0);
□table->decimal('price', 12, 2);
□table->decimal('price_old', 12, 2)->nullable();
□table->boolean('is_active')->default(true);
□table->softDeletes().
                    []table->softDeletes();
                    []table->timestamps();
              });
      }
        * Reverse the migrations.
       public function down(): void
              Schema::dropIfExists('products');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
       st Run the migrations.
     public function up(): void
           Schema::create('product_images', function (Blueprint □table) {
                □table->id();
                | table->id();
| table->foreignId('product_id')->constrained()->cascadeOnDelete();
| table->string('disk')->default('s3');
| table->string('path'); // S3 object key
| table->string('alt')->nullable();
| table->unsignedSmallInteger('sort')->default(0);
                □table->timestamps();
           });
     }
       * Reverse the migrations.
     public function down(): void
           Schema::dropIfExists('product_images');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
       * Run the migrations.
     public function up(): void
           Schema::create('carts', function (Blueprint []table) {
      []table->uuid('id')->primary();
      []table->foreignId('user_id')->nullable()->constrained('users');
      []table->string('status')->default('active'); // active|ordered
                 □table->timestamps();
           });
     }
     /**

* Reverse the migrations.
     public function down(): void
{
           Schema::dropIfExists('carts');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
                          st Run the migrations.
                     public function up(): void
                                          Schema::create('cart_items', function (Blueprint □table) {
                                                             call to the art items of the content of the print is the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the cont
                                                             __table=>ioleignid( product_id )=>constrained
_table=>unsignedInteger('qty');
_table=>decimal('price', 12, 2); // snapshot
_table=>timestamps();
                                          });
                    }
                    /**

* Reverse the migrations.
                     public function down(): void
                                          Schema::dropIfExists('cart items');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
    st Run the migrations.
   public function up(): void
      Schema::create('orders', function (Blueprint □table) {
          □table->id();
         []table->timestamps();
      });
   }
    * Reverse the migrations.
   public function down(): void
      Schema::dropIfExists('orders');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
       st Run the migrations.
     public function up(): void
           Schema::create('order_items', function (Blueprint []table) {
                □table->id();
                [ | table->id();
[ | table->foreignId('order_id')->constrained()->cascadeOnDelete();
[ | table->foreignId('product_id')->constrained();
[ | table->unsignedInteger('qty');
[ | table->decimal('price', 12, 2);
[ | table->timestamps();
           });
     }
     /**

* Reverse the migrations.
     public function down(): void
           Schema::dropIfExists('order items');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration:
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
    * Run the migrations.
   public function up(): void
       Schema::table('orders', function (Blueprint []t) {
   if (!Schema::hasColumn('orders', 'email')) {
        []t->string('email')->after('user_id');
        []t->index('email');
           __t->unique('number');
           if (!Schema::hasColumn('orders', 'status')) {
              []t->string('status')->default('new');
           if (!Schema::hasColumn('orders', 'shipping address')) {
              [t->json('shipping address')->nullable();
           if (!Schema::hasColumn('orders', 'billing_address')) {
              []t->json('billing_address')->nullable();
           if (!Schema::hasColumn('orders', 'note')) {
              \(\tau\) t->text('note')->nullable();
          []t->timestamp('canceled at')->nullable();
       });
   }
    * Reverse the migrations.
   public function down(): void
       Schema::table('orders', function (Blueprint □t) {
          []t->dropColumn('number'); }
if (Schema::hasColumn('orders', 'email')) { []t->dropIndex(['email']);
[]t->dropColumn('email'); }
       });
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
use Illuminate\Support\Facades\DB;
return new class extends Migration
{
      * Run the migrations.
*/
     public function up(): void
          Schema::table('product_images', function (Blueprint \( \text{| table} \) {
    \( \text{| table->boolean('is_primary')->default(false)->index();} \)
          DB::statement('CREATE UNIQUE INDEX IF NOT EXISTS product_images_one_primary_per_product ON
product_images (product_id) WHERE is_primary = true;');
     /**

* Reverse the migrations.
     public function down(): void
          Schema::table('product_images', function (Blueprint □table) {
    DB::statement('DROP INDEX IF EXISTS product_images_one_primary_per_product;');
               Schema::table('product_images', function (Blueprint \( \text{Table} \)) { \( \text{Table} \) table->dropColumn('is_primary');
               });
          });
     }
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration {
    public function up(): void
        Schema::create('order_status_logs', function (Blueprint []t) {
             []t->id();
            [] ->string( 'rom_status') ->nuttable();
[] t->string('to_status');
[] t->foreignId('changed_by')->nullable()->constrained('users')->nullonDelete();
[] t->text('note')->nullable();
             □t->timestamps();
             []t->index(['order_id', 'created_at']);
        });
    }
    public function down(): void
        Schema::dropIfExists('order_status_logs');
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
use Illuminate\Support\Facades\DB;
return new class extends Migration {
      st Run the migrations.
     public function up(): void
          DB::table('orders')->whereNull('total')->update(['total' => 0]);
          driver = DB::connection()->getDriverName();
          if (□driver === 'pgsql') {
               DB::statement('ALTER TABLE orders ALTER COLUMN total SET DEFAULT 0;');
          } elseif (in array(□driver, ['mysql', 'mariadb'])) {
   DB::statement('ALTER TABLE orders MODIFY total DECIMAL(12,2) NOT NULL DEFAULT 0;');
    }
      * Reverse the migrations.
     public function down(): void

    driver = DB::connection()->getDriverName();
          if (□driver === 'pgsql') {
         DB::statement('ALTER TABLE orders ALTER COLUMN total DROP DEFAULT;');
} elseif (in_array(□driver, ['mysql', 'mariadb'])) {
   DB::statement('ALTER TABLE orders MODIFY total DECIMAL(12,2) NOT NULL;');
     }
};
```

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
    * Run the migrations.
   public function up(): void
      if (!Schema::hasColumn('orders', 'payment intent id')) {
            □table->string('payment_intent_id')->nullable();
         pending|succeeded|failed|canceled
         });
   }
    * Reverse the migrations.
   public function down(): void
      Schema::table('orders', function (Blueprint □table) {
         drable->dropColumn(['currency','payment_intent_id','payment_status','paid_at']);
   }
};
```

database\seeders\DatabaseSeeder.php

```
<?php
namespace Database\Seeders;
use App\Models\Category;
use App\Models\Product;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;
use Illuminate\Support\Facades\Storage;
use Illuminate\Support\Str;
class DemoCatalogSeeder extends Seeder
    private const PX =
'iVBORW0KGqoAAAANSUhEUqAAAAEAAAABCAQAAAC1HAwCAAAAC0lEQVR42mP8/x8AAwMB/6X6x2QAAAAASUV0RK5CYII=';
    public function run(): void
         // 5 категорій
         cats = Category::factory()->count(5)->create();
         // 60 товарів, кожному ставимо випадкову категорію
         □products = Product::factory()->count(60)->make()->each(function (Product □p) use (□cats) {
             p->category_id = [cats->random()->id;
             □p->save();
         });
         // 1-3 зображення на товар + одне головне
         □products->each(function (Product □p) {
             \squarecount = random int(1, 3);
              foreach (range(1, \squarecount) as \squarei) {
                  □path = "products/{□p->id}/seed-{□i}.png";
Storage::disk('public')->put(□path, base64_decode(self::PX));
                  Dp->images()->create([
                                     => [path,
=> 'public',
=> "{[p->name} #{[i}",
=> [i - 1,
                       'path'
                       'disk'
                       'alt'
                       'sort'
                       'is_primary' => ∏i === 1, // перше — головне
                  ]);
             }
         });
    }
* Run the database seeds.
       public function run(): void
           Category::factory()->count(5)->create()->each(function ([]cat) {
               Product::factory()->count(12)->create([
'category_id' => []cat->id,
                ])->each(function (□p) {
                    p->images()->createMany(
                         collect(range(1, mt_rand(1, 3))) -> map(fn () => [
                             'disk' => 'public',
'path' => 'placeholders/'.Str::uuid().'.jpg',
                         ])->all()
          });
});
      }
```

docker\supervisord.conf

[supervisord]
nodaemon=true

[program:php-fpm]
command=php-fpm -F

; Приклад для воркера (якщо дуже треба)
; [program:queue-worker]
; command=php /var/www/html/artisan queue:work --sleep=3 --tries=3
; autostart=true
; autorestart=true

docker\nginx\default.conf

```
server {
     listen 80;
    server name localhost;
     root /var/www/html/public;
     index index.php;
    # Універсальний fallback: усі неіснуючі файли -> /index.php
    location / {
    try_files []uri []uri/ /index.php?[]query_string;
    }
    # PHP
    location ~ \.php□ {
try_files □uri =404;
         fastcgi_pass app:9000;
         fastcgi index index.php;
         include fastcgi_params;
fastcgi_param SCRIPT_FILENAME [realpath_root[fastcgi_script_name;
         fastcgi_param DOCUMENT_ROOT [realpath_root;
         fastcgi_read_timeout 120s;
    }
    # (опційно) статика. ВАЖЛИВО: теж дати fallback, щоб /livewire/*.js йшло в Laravel location ~* \.(?:css|js|map|jpg|jpeg|gif|png|svg|ico|woff2?)□ {
         try_files []uri []uri/ /index.php?[]query_string;
         expires 7d;
         access_log off;
    }
     location /storage/ {
         alias /var/www/html/storage/app/public/;
         try_files []uri []uri/ =404;
         access_log off;
add_header Cache-Control "public, max-age=604800, immutable";
}
```

```
server {
    listen 80;
    server_name _;
    root /var/www/html/public;

    add_header X-Content-Type-Options nosniff;
    add_header X-Frame-Options SAMEORIGIN;

    location /build/ {
        access_log off;
        expires 7d;
        try_files _uri =404;
    }

    location / {
        try_files _uri _uri/ /index.php?_query_string;
    }

    location ~ \.php_ {
        include fastcgi_params;
        fastcgi_pass php:9000;
        fastcgi_param SCRIPT_FILENAME _document_root_fastcgi_script_name;
        fastcgi_param PATH_INFO _fastcgi_path_info;
        fastcgi_buffers 16 16k;
        fastcgi_buffer_size 32k;
    }
}
```

docker\php\Dockerfile

```
FROM php:8.3-fpm-alpine

# Base libs for PHP extensions (runtime)
RUN apk add --no-cache \
    git curl zip unzip \
    icu-dev oniguruma-dev libpq-dev libzip-dev \
    libpng-dev freetype-dev libjpeg-turbo-dev

# Build deps for pecl (phpize, autoconf, make, etc.)
RUN apk add --no-cache --virtual .build-deps [PHPIZE_DEPS]

# GD, intl, mbstring, postgres, zip, bcmath, opcache, pcntl
RUN docker-php-ext-configure gd --with-jpeg --with-freetype \
    && docker-php-ext-install -j"[(nproc)" intl mbstring pdo pdo_pgsql zip gd bcmath opcache pcntl

# Redis extension via pecl
RUN pecl install redis \
    && docker-php-ext-enable redis

# Clean up build deps to slim the image
RUN apk del .build-deps

# Composer binary
COPY --from=composer:2 /usr/bin/composer /usr/bin/composer

WORKDIR /var/www/html
```

docker\php\Dockerfile.prod

```
# --- Stage 1: Node build (assets) ---
FROM node:20-alpine AS assets
WORKDIR /app
COPY package*.json vite.config.ts tsconfig.json ./
COPY resources ./resources
RUN npm ci
RUN npm run build
# --- Stage 2: PHP build ---
FROM php:8.3-fpm-alpine AS phpbuild
WORKDIR /var/www/html
RUN apk add --no-cache git libpq-dev oniguruma-dev icu-dev zip unzip libzip-dev
# php extensions
RUN docker-php-ext-install pdo pdo pgsql intl mbstring zip opcache
COPY --from=composer:2 /usr/bin/composer /usr/bin/composer
COPY composer.json composer.lock ./
RUN composer install --no-dev --optimize-autoloader --no-interaction
COPY . .
# copy built assets
COPY --from=assets /app/resources/js/shop /var/www/html/resources/js/shop COPY --from=assets /app/public/build /var/www/html/public/build
# optimize laravel
RUN php artisan config:cache && php artisan route:cache && php artisan view:cache
# php-fpm config (optional opcache tuning)
# ENV PHP_OPCACHE_VALIDATE_TIMESTAMPS=0 PHP_OPCACHE_MAX_ACCELERATED_FILES=60000
PHP OPCACHE MEM SIZE=192
EXPOSE 9000
CMD ["php-fpm", "-F"]
```

docker\php\conf.d\opcache.ini

opcache.enable=1
opcache.enable_cli=0
opcache.memory_consumption=256
opcache.interned_strings_buffer=32
opcache.max_accelerated_files=50000
opcache.validate_timestamps=1
opcache.revalidate_freq=2
opcache.fast_shutdown=1
opcache.jit=1255
opcache.jit_buffer_size=64M
opcache.file_update_protection=0
realpath_cache_size=4096k
realpath_cache_ttl=600

```
<!DOCTYPE html>
<html style='scrollbar-gutter: stable both-edges;'>
       <head>
              <meta charset='UTF-8'>
              <meta name='color-scheme' content='dark light'>
              <meta name='viewport' content='width=device-width, initial-scale=1.0'>
              <title>Playwright Test Report</title>
              <script type="module">var t1=0bject.defineProperty;var n1=(l,s,r)=>s in
l?t1(l,s,{enumerable:!0,configurable:!0,writable:!0,value:r}):l[s]=r;var Gt=(l,s,r)=>n1(l,typeof s!="symbol"?s+"":s,r);(function(){const s=document.createElement("link").relList;if(s&&s.supports&&s
  .supports("modulepreload"))return;for(const c of
document.querySelectorAll('link[rel="modulepreload"]'))a(c);new MutationObserver(c=>{for(const f of c)if(f.type==="childList")for(const d of f.addedNodes)d.tagName==="LINK"&&d.rel==="modulepreload"&&a
 (d)}).observe(document,{childList:!0,subtree:!0});function r(c){const f={};return c.integrity&&(f.in
tegrity=c.integrity),c.referrerPolicy&&(f.referrerPolicy=c.referrerPolicy),c.crossOrigin==="use-cred
entials"?f.credentials="include":c.cross0rigin==="anonymous"?f.credentials="omit":f.credentials="sam
e-origin",f}function a(c){if(c.ep)return;c.ep=!0;const f=r(c);fetch(c.href,f)}})();function
r1(l){return l&&l. esModule&&Object.prototype.hasOwnProperty.call(l, "default")?l.default:l}var
Go={exports:{}},mi={},Ko={exports:{}},he={};/**
         @license React
          react.production.min.js
          Copyright (c) Facebook, Inc. and its affiliates.
         This source code is licensed under the MIT license found in the
    * LICENSE file in the root directory of this source tree.
*/var Df;function i1(){if(Df)return he;Df=1;var l=Symbol.for("react.element"),s=Symbol.for("react.p
ortal"), r=Symbol.for("react.fragment"), a=Symbol.for("react.strict mode"), c=Symbol.for("react.profile
r"),f=Symbol.for("react.provider"),d=Symbol.for("react.context"),m=Symbol.for("react.forward_ref"),g =Symbol.for("react.suspense"),A=Symbol.for("react.memo"),E=Symbol.for("react.lazy"),k=Symbol.iterato r;function I(R){return R===null||typeof R!="object"?null:(R=k&&R[k]||R["@@iterator"],typeof R=="function"?R:null)}var T={isMounted:function(){return!}},enqueueForceUpdate:function(){}},enqueueR
eplaceState:function()\{\},enqueueSetState:function()\{\}\},F=Object.assign,x=\{\};function v(R,L,[])\{this.p
rops=R,this.context=L,this.refs=x,this.updater=[]|T}v.prototype.isReactComponent={},v.prototype.setState=function(R,L){if(typeof R!="object"&&typeof R!="function"&&R!=null)throw Error("setState(...):
takes an object of state variables to update or a function which returns an object of state variable s."); this.updater.enqueueSetState(this,R,L,"setState")}, v.prototype.forceUpdate=function(R){this.updater.enqueueForceUpdate(this,R,"forceUpdate")}; function w(){}w.prototype=v.prototype; function
j(R,L,□){this.props=R,this.context=L,this.refs=x,this.updater=□||T}var M=j.prototype=new w;M.constructor=j,F(M,v.prototype),M.isPureReactComponent=!0;var B=Array.isArray,Q=Object.prototype.
hasOwnProperty, 0=\{\text{current:null}\}, H=\{\text{key:} | 0, \text{ref:} | 0, \text{source:} | 0\}; function U(R,L,\square)\{\text{varpe,me=}\{\},\text{ge=null,} | E=\text{null}\}; function U(R,L,\square)\{\text{varpe,me=}\{\},\text{ge=null,} | E=\text{null}\}; function U(R,L,\square)\{\text{varpe,me=}\{\},\text{ge=null,} | E=\text{null}\}; function U(R,L,\square)\{\text{varpe,me=}\{\},\text{ge=null,} | E=\text{null}\}; function U(R,L,\square)\{\text{varpe,me=}\{\},\text{ge=null,} | E=\text{null,} | E=
xe=arguments.length-2;if(xe===1)me.children=□;else if(1<xe){for(var
Se=Array(xe),Xe=0;Xe<xe;Xe++)Se[Xe]=arguments[Xe+2];me.children=Se}if(R&&R.defaultProps)for(pe in
xe=R.defaultProps,xe)me[pe]===void
0&&(me[pe]=xe[pe]);return{□typeof:l,type:R,key:ge,ref:Ee,props:me,_owner:0.current}}function
G(R,L){return{□☐typeof:l,type:R.type,key:L,ref:R.ref,props:R.props, owner:R. owner}}function
V(R){return typeof R=="object"&&R!==null&&R. \square typeof===l}function \overline{b(R)}{var
 L = {\text{"=":"=0",":":"=2"}; return"} \text{"+R.replace(/[=:]/g,function([]){return L[[]]})} \text{var re=/\/+/g;function J(R,L){return typeof R=="object"&&R!==null&&R.key!=null?b(""+R.key):L.toString(36)} \text{function ce(R,L,[],pe,me){var ge=typeof R;(ge==="undefined"||ge==="boolean")&&(R=null);var } 
Ee=!1;if(R===null)Ee=!0;else
 \begin{array}{l} \texttt{Ee} = !1; \texttt{I1} (\texttt{R} = = = \texttt{I1}; \texttt{I1} (\texttt{R} = = = !0; \texttt{Etse}); \texttt{Ee} = !0; \texttt{Etse}  (Se=I(R), typeof Se=="function") for(R=Se.call(R), xe=0; ! (ge=R.next()).done;) ge=ge.value, Se=pe+J(ge, xe++), Ee+=ce(ge, L, <math>\square, Se, me); else if(ge==="object") throw L=String(R), Error("Objects are not valid as a
React child (found: "+(L==="[object Object]"?"object with keys {"+Object.keys(R).join(", ")+"}":L)+"). If you meant to render a collection of children, use an array instead.");return Ee}function oe(R,L,_){if(R==null)}return R;var pe=[],me=0;return ce(R,pe,"","",function(ge){return}
L.call([\_,ge,me++)]),pe\\ function\ ie(R)\{if(R.\_status==-1)\{var\ L=R.\_result;L=L(),L.then(function([])\{(R,\_status=-1)\}\})\}
unction(){L.apply(this,arguments)},□)},count:function(R){var L=0;return
oe(R,function(){L++}),L},toArray:function(R){return oe(R,function(L){return
```

```
L})||[]},only:function(R){if(!V(R))throw Error("React.Children.only expected to receive a single
 React element child.");return R}},he.Component=v,he.Fragment=r,he.Profiler=c,he.PureComponent=j,he.S trictMode=a,he.Suspense=g,he.__SECRET_INTERNALS_DO_NOT_USE_OR_YOU_WILL_BE_FIRED=ee,he.act=W,he.clone
 Element=function(R,L,[]){if(R==null)throw Error("React.cloneElement(...): The argument must be a React element, but you passed "+R+".");var
pe=F({},R.props),me=R.key,ge=R.ref,Ee=R._owner;if(L!=null){if(L.ref!==void 0&&(ge=L.ref,Ee=0.current),L.key!==void 0&&(me=""+L.key),R.type&&R.type.defaultProps)var xe=R.type.defaultProps;for(Se in L)Q.call(L,Se)&&!H.hasownProperty(Se)&&(pe[Se]=L[Se]===void 0.coll(L,Se)&&(pe[Se]=L[Se]===void 0.coll(L,Se)&&(pe[Se]=L[Se]==void 0.coll(L,Se)&&(pe[Se]=L[Se]=L[Se]==void 0.coll(L,Se)&&(pe[Se]=L[Se]=L[Se]=L[Se]==void 0.coll(L,Se)&&(pe[Se]=L[Se]=L[Se]==void 0.coll(L,Se)&&(pe[Se]=L[Se]=L[Se]==void 0.coll(L,Se)&&(pe[Se]=L[Se]=L[Se]==void 0.coll(L,Se)&&(pe[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[Se]=L[S
  0&&xe!==void 0?xe[Se]:L[Se])}var Se=arguments.length-2;if(Se===1)pe.children=□;else
  if(1<Se){xe=Array(Se);for(var Xe=0;Xe<Še;Xe++)xe[Xe]=arguments[Xe+2];pe.children=xe}return{□□typeof:
  l,type:R.type,key:me,ref:ge,props:pe, owner:Ee}},he.createContext=function(R){return R={∏∏typeof:d,
  currentValue:R,_currentValue2:R,_threadCount:0,Provider:null,Consumer:null,_defaultValue:null,_globalName:null},R.Provider={\textsuperstandarder:R,_context:R},R.Consumer=R},he.createElement=U,he.createFactory=fun
   \begin{array}{ll} \text{ction(R)} \{ \text{var L=U.bind(null,R)}; \text{return L.type=R,L} \}, \text{he.createRef=function()} \{ \text{return} \{ \text{current:null} \} \}, \text{he.isValidElement=V,he.lazy=function(R)} \{ \text{return} \{ \text{current:null} \} \}, \text{he.isValidElement=V,he.lazy=function(R)} \} \\ \end{array} 
  ypeof:E, payload:{ status:-
  1, _{\text{result}}: R_{\text{result}}: R_
  0?null:L}},he.startTransition=function(R){var L=Y.transition;Y.transition={};try{R()}finally{Y.trans
  ition=L\}\}, he.unstable\_act=W, he.useCallback=function(R, L)\{returnder act=W, he.useCallback=function(R, L)\}\}
  de.current.useCallback(R,L)},he.useContext=function(R){return
  de.current.useContext(R)},he.useDebugValue=function(){},he.useDeferredValue=function(R){return
  de.current.useDeferredValue(R)},he.useEffect=function(R,L){return
  de.current.useEffect(R,L)},he.useId=function(){return
  \texttt{de.current.useId()} \}, \texttt{he.useImperativeHandle=function} (\texttt{R,L,}_{\square}) \{\texttt{return} \}
  de.current.useInsertionEffect(R,L), he.useLayoutEffect=function(R,L){return}
  de.current.useLayoutEffect(R,L)},he.useMemo=function(R,L){return
  de.current.useMemo(R,L)}, he.useReducer=function(R,L,[]){return
 de.current.useReducer(R, L, \Box)}, he.useRef=function(R){return de.current.useRef(R)}, he.useState=function(R){return
  de.current.useState(R), he.useSyncExternalStore=function(R,L,<math>\square){return
  de.current.useSyncExternalStore(R,L, \square), he.useTransition=function(){return}
  de.current.useTransition()},he.version="18.3.1",he}var Nf;function Aa(){return
  Nf||(Nf=1,Ko.exports=i1()),Ko.exports}/**
               @license React
               react-jsx-runtime.production.min.js
               Copyright (c) Facebook, Inc. and its affiliates.
              This source code is licensed under the MIT license found in the
      * LICENSE file in the root directory of this source tree.

*/var Mf;function l1(){if(Mf)return mi;Mf=1;var l=Aa(),s=Symbol.for("react.element"),r=Symbol.for("
react.fragment"),a=Object.prototype.hasOwnProperty,c=l.__SECRET_INTERNALS_DO_NOT_USE_OR_YOU_WILL_BE_FIRED.ReactCurrentOwner,f={key:!0,ref:!0,__self:!0,__source:!0};function_d(m,g,A){var} E,k={},I=null,T=null;A!==void_0&&(I=""+A),g.key!==void_0&&(I=""+g.key),g.ref!==void_0&&(T=g.ref);for(E in g)a.call(g,E)&&!f.hasOwnProperty(E)&&(k[E]=g[E]);if(m&&m.defaultProps)for(E in g=m.defaultProps,g)k[E]===void_0&&(I=""+G.key).ps.ref!==void_0&&(I=""+G.key).ps.ref!==void_0&&(I=""+G.key).ps.ref!==void_0&&(I=""+G.key).ps.ref!==void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key).ps.ref!=void_0&&(I=""+G.key)
  \tilde{0}\&\&(k[E]=g[E]);return\{\Box\Boxtypeof:s,type:m,key:I,ref:T,props:k,\_owner:c.current\}}return
 mi.Fragment=r,mi.jsx=d,mi.jsxs=d,mi}var Bf;function s1(){return

Bf||(Bf=1,Go.exports=l1()),Go.exports}var h=s1();const o1=15,ye=0,Zt=1,a1=2,at=-2,Re=-3,Hf=-4,Jt=-
Bf||(Bf=1,Go.exports=l1()),Go.exports}var h=s1();const o1=15,ye=0,Zt=1,a1=2,at=-2,Re=-3,Hf=-4,Jt=-5,pt=[0,1,3,7,15,31,63,127,255,511,1023,2047,4095,8191,16383,32767,65535],bd=1440,u1=0,c1=4,f1=9,d1=5,p1=[96,7,256,0,8,80,0,8,16,84,8,115,82,7,31,0,8,112,0,8,48,0,9,192,80,7,10,0,8,96,0,8,32,0,9,160,0,8,00,8,128,0,8,64,0,9,224,80,7,6,0,8,88,0,8,24,0,9,144,83,7,59,0,8,120,0,8,56,0,9,208,81,7,17,0,8,104,0,8,40,0,9,176,0,8,8,0,8,136,0,8,72,0,9,240,80,7,4,0,8,84,0,8,20,85,8,227,83,7,43,0,8,116,0,8,52,0,9,200,81,7,13,0,8,100,0,8,36,0,9,168,0,8,44,0,8,132,0,8,68,0,9,232,80,7,8,0,8,92,0,8,28,0,9,152,84,7,83,0,8,124,0,8,60,0,9,216,82,7,23,0,8,108,0,8,44,0,9,184,0,8,12,0,8,140,0,8,76,0,9,248,80,7,3,0,8,22,0,8,18,55,8,163,83,7,35,0,8,114,0,8,50,0,9,196,81,7,11,0,8,98,0,8,34,0,9,164,0,8,2,0,8,130,0,8,66,0,9,228,80,7,7,0,8,90,0,8,26,0,9,148,84,7,67,0,8,122,0,8,58,0,9,212,82,7,19,0,8,106,0,8,42,0,9,180,0,8,100,0,8,138,0,8,74,0,9,244,80,7,5,0,8,86,0,8,22,192,8,0,83,7,51,0,8,118,0,8,54,0,9,204,81,7,15,0,8,102,0,8,138,0,9,172,0,8,60,0,8,134,0,8,70,0,9,248,80,7,5,0,8,114,0,8,70,0,9,236,80,7,9,0,8,94,0,8,30,0,9,156,84,7,99,0,8,126,0,8,136,0,8,126,0,8,126,0,8,138,0,9,172,0,8,60,9,172,0,8,136,0,8,126,0,8,126,0,8,140,0,8,136,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,8,140,0,
  ,8,102,0,8,38,0,9,172,0,8,6,0,8,134,0,8,70,0,9,236,80,7,9,0,8,94,0,8,30,0,9,156,84,7,99,0,8,126,0,8,62,0,9,220,82,7,27,0,8,110,0,8,46,0,9,188,0,8,14,0,8,142,0,8,78,0,9,252,96,7,256,0,8,81,0,8,17,85,8,
131,82,7,31,0,8,113,0,8,49,0,9,194,80,7,10,0,8,97,0,8,33,0,9,162,0,8,1,0,8,129,0,8,65,0,9,226,80,7,6,0,8,89,0,8,25,0,9,146,83,7,59,0,8,121,0,8,57,0,9,210,81,7,17,0,8,105,0,8,41,0,9,178,0,8,9,0,8,137,0,8,73,0,9,242,80,7,4,0,8,85,0,8,21,80,8,258,83,7,43,0,8,117,0,8,53,0,9,202,81,7,13,0,8,101,0,8,37,0,9,170,0,8,5,0,8,133,0,8,69,0,9,234,80,7,8,0,8,93,0,8,29,0,9,154,84,7,83,0,8,125,0,8,61,0,9,218,82,7,23,0,8,109,0,8,45,0,9,186,0,8,13,0,8,141,0,8,77,0,9,250,80,7,3,0,8,83,0,8,195,83,7,35,0,8,11
23,0,8,109,0,8,45,0,9,186,0,8,13,0,8,141,0,8,77,0,9,250,80,7,3,0,8,83,0,8,19,83,8,195,83,7,35,0,8,11  
5,0,8,51,0,9,198,81,7,11,0,8,99,0,8,35,0,9,166,0,8,33,0,8,131,0,8,67,0,9,230,80,7,7,0,8,91,0,8,27,0,9  
1,50,84,7,67,0,8,123,0,8,59,0,9,214,82,7,19,0,8,107,0,8,43,0,9,182,0,8,11,0,8,139,0,8,75,0,9,246,80,  
7,5,0,8,87,0,8,23,192,8,0,83,7,51,0,8,119,0,8,55,0,9,206,81,7,15,0,8,103,0,8,39,0,9,174,0,8,7,0,8,13  
5,0,8,71,0,9,238,80,7,9,0,8,95,0,8,31,0,9,158,84,7,99,0,8,127,0,8,63,0,9,222,82,7,27,0,8,111,0,8,47,  
0,9,190,0,8,15,0,8,143,0,8,79,0,9,254,96,7,256,0,8,80,0,8,16,84,8,115,82,7,31,0,8,112,0,8,48,0,9,193  
,80,7,10,0,8,96,0,8,32,0,9,161,0,8,0,0,8,128,0,8,64,0,9,225,80,7,6,0,8,88,0,8,24,0,9,145,83,7,59,0,8  
,120,0,8,56,0,9,209,81,7,17,0,8,104,0,8,40,0,9,177,0,8,8,0,8,136,0,8,72,0,9,241,80,7,4,0,8,84,0,8,20
```

```
, 85, 8, 227, 83, 7, 43, 0, 8, 116, 0, 8, 52, 0, 9, 201, 81, 7, 13, 0, 8, 100, 0, 8, 36, 0, 9, 169, 0, 8, 4, 0, 8, 132, 0, 8, 68, 0, 9, 233, 80, 7, 8, 0, 8, 92, 0, 8, 28, 0, 9, 153, 84, 7, 83, 0, 8, 124, 0, 8, 60, 0, 9, 217, 82, 7, 23, 0, 8, 108, 0, 8, 44, 0, 9, 185, 0, 8, 12, 0, 8, 140, 0, 8, 76, 0, 9, 249, 80, 7, 3, 0, 8, 82, 0, 8, 18, 85, 8, 163, 83, 7, 35, 0, 8, 114, 0, 8, 50, 0, 9, 197, 81, 7, 11, 0, 8, 98, 0, 8, 34, 0, 9, 165, 0, 8, 2, 0, 8, 130, 0, 8, 66, 0, 9, 229, 80, 7, 7, 0, 8, 90, 0, 8, 26, 0, 9, 149, 84, 7, 67, 0, 8, 122, 0, 8, 58, 0, 9, 21, 3, 82, 7, 19, 0, 8, 106, 0, 8, 42, 0, 9, 181, 0, 8, 100, 0, 8, 138, 0, 8, 74, 0, 9, 245, 80, 7, 5, 0, 8, 86, 0, 8, 22, 192, 8, 0, 83, 7, 51, 0, 8, 118, 0, 8, 54, 0, 9, 205, 81, 7, 15, 0, 8, 102, 0, 8, 38, 0, 9, 173, 0, 8, 60, 0, 8, 134, 0, 8, 70, 0, 9, 237, 80, 7, 9, 0, 8, 94, 0, 8, 118, 0, 8, 54, 0, 9, 205, 81, 7, 15, 0, 8, 102, 0, 8, 38, 0, 9, 173, 0, 8, 60, 0, 8, 134, 0, 8, 70, 0, 9, 237, 80, 7, 9, 0, 8, 94, 0, 8, 118, 0, 8, 54, 0, 9, 205, 81, 7, 15, 0, 8, 102, 0, 8, 38, 0, 9, 173, 0, 8, 60, 0, 8, 134, 0, 8, 70, 0, 9, 237, 80, 7, 9, 0, 8, 94, 0, 8, 118, 0, 8, 54, 0, 9, 205, 81, 7, 15, 0, 8, 102, 0, 8, 38, 0, 9, 173, 0, 8, 60, 0, 8, 134, 0, 8, 70, 0, 9, 237, 80, 7, 9, 0, 8, 94, 0, 8, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118, 0, 118,
    .30,0,9,157,84,7,99,0,8,126,0,8,62,0,9,221,82,7,27,0,8,110,0,8,46,0,9,189,0,8,14,0,8,142,0,8,78,0,9,
253,96,7,256,0,8,81,0,8,17,85,8,131,82,7,31,0,8,113,0,8,49,0,9,195,80,7,10,0,8,97,0,8,33,0,9,163,0,8,10,8,129,0,8,65,0,9,227,80,7,6,0,8,89,0,8,25,0,9,147,83,7,59,0,8,121,0,8,57,0,9,211,81,7,17,0,8,10,8,41,0,9,179,0,8,9,0,8,137,0,8,73,0,9,243,80,7,4,0,8,85,0,8,21,80,8,258,83,7,43,0,8,117,0,8,53,0,9,203,81,7,13,0,8,101,0,8,37,0,9,171,0,8,50,8,133,0,8,69,0,9,235,80,7,8,0,8,93,0,8,29,0,9,155,84,7
   ,83,0,8,125,0,8,61,0,9,219,82,7,23,0,8,109,0,8,45,0,9,187,0,8,13,0,8,141,0,8,77,0,9,251,80,7,3,0,8,8
,83,0,8,19,85,8,195,83,7,35,0,8,115,0,8,51,0,9,199,81,7,11,0,8,99,0,8,35,0,9,167,0,8,3,0,8,131,0,8,67,0,9,231,80,7,7,0,8,91,0,8,27,0,9,151,84,7,67,0,8,123,0,8,59,0,9,215,82,7,19,0,8,107,0,8,43,0,9,183,0,8,111,0,8,139,0,8,75,0,9,247,80,7,5,0,8,87,0,8,23,192,8,0,83,7,51,0,8,119,0,8,55,0,9,207,81,7,15,0,8,103,0,8,39,0,9,175,0,8,7,0,8,135,0,8,71,0,9,239,80,7,9,0,8,95,0,8,31,0,9,159,84,7,99,0,8,127,0,8,63,0,9,223,82,7,27,0,8,111,0,8,47,0,9,191,0,8,15,0,8,143,0,8,79,0,9,255],h1=[80,5,1,87,5,257,83,5,17,9,159,480,78,155,5,89,5,1025,85,5,65,93,5,16385,80,5,3,88,5,513,84,5,33,92,5,8193,82,5,9,90,5,2049,86,5,129,192,5,24577,80,5,2,87,5,385,83,5,25,91,5,6145,81,5,7,89,5,1537,85,5,97,93,5,24577,80,5,4,88,5,7
1,11,12,12,13,13], xn=15; function ca(){const l=this; let s,r,a,c,f,d; function}
m(A,E,k,I,T,F,x,v,w,j,M) {let B,Q,O,H,U,G,V,b,re,J,ce,oe,ie,de,Y;J=0,U=k;do a[A[E+J]]++,J++,U--;while(U!==0);if(a[0]==k) return x[0]=-
 1, v[0] = 0, ye; for(b = v[0], G = 1; G < = xn\&\&a[G] = = = 0; G + +); for(V = G, b < G\&\&(b = G), U = xn; U! = = 0\&\&a[U] = = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U - 1; U! = 0\&\&a[U] = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U! = 0; U
 ); for(0=U,b>U\&\&(b=U),v[0]=b,de=1<<G;G<U;G++,de<<=1)if((de-=a[G])<0)return \ Re; \\ if((de-=a[U])<0)return \ Re; \\ if((de-=
 Re; for(a[U]+=de,d[1]=G=0,J=1,ie=2;
 0]=U=0, J=0, H=-1, oe=-b, f[0]=0, ce=0, Y=0; V<=0; V++) for (B=a[V]; B--!==0;) {for (; V>oe+b;) {if (H++, oe+=b, Y=0-b)} } {for (; V>oe+b;) {if (H++, oe+=b, Y=0-b)} } {for (; V>oe+b;) {if (H++, oe+b, Y=0-b)} } {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; V>oe+b;) {for (; 
 oe, Y=Y>b?b:Y, (Q=1<<(G=V-oe))>B+1&&(Q=B+1, ie=V, G<Y))for(;++G<Y&&!((Q<<=1)<=a[++ie]);)Q-1+G(G=V-oe)
=a[ie];if(Y=1<<G,j[0]+Y>bd)return Re;f[H]=ce=j[0],j[0]+=Y,H!==0?(d[H]=U,c[0]=G,c[1]=b,G=U>>>oe-b,c[2]=ce-f[H-1]-G,w.set(c,(f[H-1]+G)*3)):x[0]=ce}for(c[1]=V-
oe, J>=k?c[0]=192:M[J]<I?(c[0]=M[J]<256?0:96,c[2]=M[J++]):(c[0]=F[M[J]-I]+16+64,c[2]=T[M[J++]-I]),Q=1<<V-oe,G=U>>>oe;G<Y;G+=Q)w.set(c,(ce+G)*3);for(G=1<<V-1;(U&G)!=0;G>>>=1)U^=G;for(U^=G,re=(1<<oe)-1;(U&re)!=d[H];)H--,oe-=b,re=(1<<oe)-1}return
=0; for (E=0;E<3;E++)c[E]=0; f.set (a.subarray(0,xn),0), d.set (a.subarray(0,xn+1),0)} l.inflate trees bits
 =function(A,E,k,I,T){let F;return
 g(19),s[0]=0,F=m(A,0,19,19,null,null,k,E,I,s,r),F==Re?T.msg="oversubscribed dynamic bit lengths"
tree": (F==Jt)|E[0]===0)\&\&(T.msg="incomplete dynamic bit lengths tree",F=Re),F},l.inflate trees dynamic=function(A,E,k,I,T,F,x,v,w){let j;return}
tree":j==Jt?(w.msg="incomplete distance tree",j=Re):j!=Hf&&(w.msg="empty distance tree with lengths",j=Re),j):ye)}}ca.inflate_trees_fixed=function(l,s,r,a){return
 x1(){const l=this;let s,r=0,a,c=0,f=0,d=0,m=0,g=0,A=0,E=0,k,I=0,T,F=0;function
 x(v,w,j,M,B,Q,O,H){let U,G,V,b,re,J,ce,oe,ie,de,Y,ee,W,R,L,[];ce=H.next in index,oe=H.avail in,re=0.b
 itb, J=0.bitk,ie=0.write, de=ie<0.read?0.read-ie-1:0.end-ie, Y=pt[v], ee=pt[w]; do{for(; J<20;) oe--
  , re | = (H. read_byte(ce++)\&255) << J, J+=8; if(U=re\&Y, G=j, V=M, \Box=(V+U)*3, (b=G[\Box])===0) \{re>>=G[\Box+1], J-1\} = (V+U)*3
 =G[[]+1],0.win[ie++]=G[[]+2],de--;continue\}do{if(re>>=G[[]+1],J--]+1}
 =G[[]+1], (b\&1\overline{6})!==0) \{for(b\&=15; J<b;)oe-
   re[=(H.read byte(ce++)&255)<<J,J+=8;if(R=G[[+2]+(re&pt[b]),re>>=b,J-=b,de-=W,ie>=R,ie-
 L>0\&2>ie-L?(0.win[ie++]=0.win[L++],0.win[ie++]=0.win[L++],W-1.win[ie++]=0.win[L++]
 =2): (0.win.set(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2); else\{L=ie-R;domainset(0.win.subarray(L,L+2),ie),ie+=2,L+=2,W-=2)\}
 L+=0.end; while(L<0); if(b=0.end-L,W>b){if(W-=b,ie-L>0&&b>ie-L)do}
 0.win[ie++]=0.win[L++]; while(--b!==0); else
 0.win.set(0.win.subarray(L,L+b),ie),ie+=b,L+=b,b=0;L=0} if (ie-L>0&&W>ie-L)do
 0.win[ie++]=0.win[L++]; while(--W!==0); else
 O.win.set(O.win.subarray(L,L+W),ie),ie+=W,L+=W,W=O;break}else
 if((b\&64)===0)U+=G[\square+2], U+=re\&pt[b], \square=(V+U)*3, b=G[\square]; else \ return \ H.msg="invalid \ distance \ Alternative for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the con
 code", W=H.avail in-oe, W=J>>3<W?J>>3:W,oe+=W,ce-=W,J-
 =W<<3,0.bitb=re,0.bitk=J,H.avail in=oe,H.total in+=ce-
 H.next_in_index_H.next_in_index_ece_0.write=ie_,Re;\\ while(!0);\\ break\\ if((b\&64)===0)\\ if(U+=G[[]+2],U+=re\&pare_1.
 t[b], = (V+U)*3, (b=G[]] = = 0) \{re>>=G[]+1], J-=G[]+1], 0.win[ie++]=G[]+2], de--; break}\}else
 return(b&32)!==0?(W=H.avail in-oe,W=J>>3<W?J>>3:W,oe+=W,ce-=W,J-
 =W<<3,0.bitb=re,0.bitk=J,H.avail in=oe,H.total in+=ce-
```

```
H.next in index,H.next in index=ce,O.write=ie,Zt):(H.msg="invalid literal/length code",W=H.avail in-
  oe, W=J>>3< W?J>>3: W, oe+=W, ce-=W, J-=W<<3, 0.bitb=re, 0.bitk=J, H.avail in=oe, H.total in+=ce-
  H.next in index,H.next in index=ce,O.write=ie,Re)}while(!0)}while(de>=258&&oe>=10);return
  \label{eq:hamilton} H.next\_in\_index, H.next\_in\_index=ce, 0. write=ie, ye \\ l.init=function(v,w,j,M,B,Q) \\ \{s=Hl,A=v,E=w,k=j,I=M,T=B,F=Q,a=null\}, l.proc=function(v,w,j) \\ \{let_M,B_Q,Q=0,H=0,U=0,G,V,b,re;for(U=w.next\_in\_index,G=w.avail\}, l.proc=function(v,w,j) \\ \{let_M,B_Q,Q=0,H=0,U=0,G,V,b,re;for(U=w.next_in\_index,G=w.avail\}, l.proc=function(v,w,j) \\ \{let_M,B_Q,Q=0,H=0,U=0,G,V,b,re;for(U=w.next_in\_index,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avail,G=w.avai
        in,0=v.bitb,H=v.bitk,V=v.write,b=V<v.read?v.read-V-1:v.end-V;;)switch(s){case Hl:if(b>=258&&G>=10&& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&&G>=10& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& Hl:if(b)=258&& 
   (v.bitb=0,v.bitk=H,w.avail in=G,w.total in+=U-
  w.next\_in\_index, w.next\_in\_index=U, v.wri\overline{t}e=V, j=x(A,E,k,I,T,F,v,w), U=w.next\_in\_index, G=w.avail\_in, O=v.
  bitb, H=v. bitk, V=v.write, b=V<v.read?v.read-V-1:v.end-
  V,j!=ye) s=j=Zt?Zo:Ll;break f=A,a=k,c=I,s=Lf;case Lf:for(M=f;H<M;) f(G!==0) f=ye;else return f(G!==0)
  b=0,v.bitk=H,w.avail_in=G,w.total_in+=U-
  w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);G--
   0 = (w.read byte(U++)&255) < H, H=8 if(B=(c+(0&pt[M]))*3,0>>=a[B+1], H-1)
 = a[B+1], Q=a[B], Q===0) \\ \{d=a[B+2], s=Vf; break\} \\ if((Q\&16)!==0) \\ \{m=Q\&15, r=a[B+2], s=Ff; break\} \\ if((Q\&64)!==0) \\ \{f=Q, c=B/3+a[B+2]; break\} \\ if((Q\&32)!==0) \\ \{s=Zo; break\} \\ return s=Ll, w.msg="invalid literal/length code", j=Real literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length literal/length lite
    ,v.bitb=0,v.bitk=H,w.avail_in=G,w.total_in+=U-
  w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);case
  Ff:for(M=m;H<M;){if(G!==0)j=ye;else return v.bitb=0,v.bitk=H,w.avail in=G,w.total in+=U-
 w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);G--
,0|=(w.read_byte(U++)&255)<<H,H+=8}r+=0&pt[M],0>>=M,H-=M,f=E,a=T,c=F,s=Qf;case
  Qf:for(M=f;H< M;)\{if(G!==0)j=ye;else\ return\ v.bitb=0,v.bitk=H,w.avail\ in=G,w.total\ in+=U-total\ in+=U-t
 w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);G--
,0|=(w.read_byte(U++)&255)<<H,H+=8}if(B=(c+(0&pt[M]))*3,0>>=a[B+1],H-
=a[B+1],Q=a[B],(Q&16)!==0){m=Q&15,g=a[B+2],s=Uf;break}if((Q&64)===0){f=Q,c=B/3+a[B+2];break}return s=Ll,w.msg="invalid distance code",j=Re,v.bitb=0,v.bitk=H,w.avail_in=G,w.total_in+=U-w.next_in_index_U,v.write=V,v.inflate_flush(w,j);case
  w.next in index,w.next in_index=U,v.write=V,v.inflate_flush(w,j);G--
     ,0|=(w.read byte(U++)&255)<<H,H+=8}g+=0&pt[M],O>>=M,H-=M,s=Wf;case Wf:for(re=V-
  \overline{V}), b===0&&(v.write=V,j=v.inflate flush(w,j),V=v.write,b=V<v.read?v.read-V-1:v.end-
  V,V=v.end\&v.read!==0\&\&(V=0,b=V\leq v.read.V-1:v.end.V),b===0))) return v.bitb=0,v.bitk=H,w.avail
        in=G.w.total in+=U-
  w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);v.win[V++]=v.win[re++],b--
     re==v.end&&(re=0),r--}s=Hl;break;case Vf:if(b===0&&(V==v.end&&v.read!==0&&(V=0,b=V<v.read?v.read-V-
  1: v. end - V), b == = 0 \& (v. write = V, j = v. inflate_flush(w, j), V = v. write, b = V < v. read \cdot V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1: v. end - V \cdot 1:
  V,V=v.end\&v.read!==0\&\&(V=0,b=V<v.read?v.read-V-1:v.end-V),b===0))) return v.bitb=0,v.bitk=H,w.avail
        in=G,w.total in+=U-
  w.next\_in\_index, w.next\_in\_index=U, v.write=V, v.inflate\_flush(w,j); j=ye, v.win[V++]=d, b--d,      ,s=Hl;break;case Zo:if(H>7&&(H-=8,G++,U-
   ),v.write=V,j=v.inflate flush(w,j),V=v.write,b=V<v.read?v.read-V-1:v.end-V,v.read!=v.write)return v.
  bitb=0,v.bitk=H,w.avail_in=G,w.total_in+=U-
  w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);s=bf;case bf:return j=Zt,v.bitb=0,v
    .bitk=H,w.avail in=G,w.total in+=U-
 w.next_in_index,w.next_in_index=U,v.write=V,v.inflate_flush(w,j);case Ll:return j=Re,v.bitb=0,v.bitk
=H,w.avail_in=G,w.total_in+=U-
  w.next\_in\_\overline{i}ndex, w.next\_\overline{i}n\_index=U, v.write=V, v.inflate\_flush(w,j); default:return j=at, v.bitb=0, v.bitk
  =H,w.avail in=G,w.total in+=U-
  w.next in index,w.next in index=U,v.write=V,v.inflate flush(w,j)}},l.free=function(){}}const Yf=[16,
 17,18,0,8,7,9,6,10,5,11,4,12,3,13,2,14,1,15], Ar=0, Jo=1, zf=2, Xf=3, Gf=4, Kf=5, Fl=6, Ql=7, Zf=8, Gn=9; function w1(l,s) {const r=this; let a=Ar,c=0,f=0,d=0,m; const g=[0], A=[0], E=new x1; let k=0, I=new x1; let k=0, 
  Int 32 Array (bd*3); const \ T=0, F=new \ ca; r.bitk=0, r.bitb=0, r.win=new \ Uint 8 Array (s), r.end=s, r.read=0, r.wrin=new \ Uint 8 Array (s), r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end=s, r.end
  te=0, r.\, reset=function(x,v) \\ \{v\&\&(v[0]=T), a==Fl\&\&E.\, free(x), a=Ar, r.\, bitk=0, r.\, bitb=0, r.\, read=r.\, write=0\}, r.\, reset=function(x,v) \\ \{v\&\&(v[0]=T), a==Fl\&\&E.\, free(x), a=Ar, r.\, bitk=0, r.\, bitb=0, r.\, read=r.\, write=0\}, r.\, reset=function(x,v) \\ \{v\&\&(v[0]=T), a==Fl\&\&E.\, free(x), a=Ar, r.\, bitk=0, r.\, bitb=0, r.\, read=r.\, write=0\}, r.\, reset=function(x,v) \\ \{v\&\&(v[0]=T), a==Fl\&\&E.\, free(x), a=Ar, r.\, bitk=0, r.\, bitb=0, r.\, read=r.\, write=0\}, r.\, read=r.\, write=0\}, r.\, read=r.\, write=0\}
  eset(l,null), r.inflate\_flush=function(x,v) \\ \{let \ w,j,M; return \ j=x.next\_out\_index,M=r.read,w=(M<=r.writ,M=r.read,w=(M<=r.writ,M=r.read,w=(M<=r.writ,M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.read,w=(M=r.re
  e?r.write:r.end) - M,w>x.avail\_out\&\&(w=x.avail\_out), w! ==0\&\&v==Jt\&\&(v=ye), x.avail\_out-=w,x.next\_out.set(r.win.subarray(M,M+w),j),j+=w,M+=w,M==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.write==r.end\&(M=0,r.writ
  r.write=0), w=r.write-M, w>x.avail\_out\&\&(w=x.avail\_out), w!==0\&\&v==Jt\&\&(v=ye), x.avail\_out-M, w=x.avail\_out-M, w=x.avail\_ou
  =w,x.total out+=w,x.next out.set(r.win.subarray(M,M+w),j),j+<math>=w,M+=w),x.next out index=j,r.read=M,v},
  r.proc=function(x,v)\{let\ w,j,M,B,Q,0,H,U;for(B=x.next\_in\_index,Q=x.avail\_in,j=r.bitb,M=r.bitk,0=r.wr,0=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.bitb,M=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.avail\_in,j=x.ava
  ite,H=0<r.read?r.read-0-1:r.end-0;;){let G,V,b,re,J,ce,oe,ie;switch(a){case</pre>
  Ar:for(;M<3;){if(Q!==0)v=ye;else return r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+=B-
  x.next_in_index,x.next_in_index=B,r.write=0,r.inflate_flush(x,v);Q--
    ,j|=(x.read\ byte(B++)\&255)<<M,M+=8switch(w=j&7,k=w&1,w>>>1){case}
  0:j>>>=3,M-=3,w=M&7,j>>>=w,M-=w,a=Jo;break;case 1:G=[],V=[],b=[[]],re=[[]],ca.inflate_trees_fixed(G,
V,b,re),E.init(G[0],V[0],b[0],0,re[0],0),j>>>=3,M-=3,a=Fl;break;case 2:j>>>=3,M-=3,a=Xf;break;case
3:return j>>>=3,M-=3,a=Gn,x.msg="invalid block type",v=Re,r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+
=B-x.next_in_index,x.next_in_index=B,r.write=0,r.inflate_flush(x,v)}break;case
  \label{localization} Jo:for(;M=32;)\{if(Q!==0)v=ye;else\ return\ r.bitb=j,r.bitk=M,x.avail\_in=Q,x.total\_in+=B-total_in=Q,x.total\_in+B-total_in=Q,x.total\_in+B-total_in=Q,x.total_in+B-total_in=Q,x.total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-total_in+B-to
  x.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v);Q--
 ,j|=(x.read_byte(B++)&255)<<M,M+=8}if((\simj>>>16&65535))!=(j&65535))return a=Gn,x.msg="invalid stored block lengths",v=Re,r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+=B-
  x.next in index, x.next in index=B, r.write=0, r.inflate flush(x,v); c=j\&65535, j=M=0, a=c!==0?zf:k!==0?Ql
```

```
Ar; break; case zf:if(Q===0||H===0&&(0==r.end&ar.read!==0&&(0=0,H=0<r.read?r.read-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-1:r.end-0-
 0),H===0&&(r.write=0,v=r.inflate flush(x,v),0=r.write,H=0<r.read?r.read-0-1:r.end-
 0,0=r.end\&r.read!==0\&\&(0=0,H=0<r.read?r.read-0-1:r.end-0),H===0)))return r.bitb=j,r.bitk=M,x.avail
   in=Q,x.total in+=B-
 \overline{x}.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v);if(v=ye,w=c,w>Q&&(w=Q),w>H&&(w=H),r
  .win.set(\overline{x}.read buf(\overline{B},\overline{w}),\overline{0}),\overline{B}+=w,\overline{Q}-=w,\overline{0}+=w,\overline{H}-=w,(\overline{c}-=w)!==0)break;\overline{a}=k!==0?Ql:Ar;break;case
Xf:for(;M<14;){if(Q!==0)v=ye;else return r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+=B-x.next_in_index,x.next_in_index=B,r.write=0,r.inflate_flush(x,v);Q--
 , \verb|j|=(x.read_byte(B++)\&255) << M, M+=8 + (f=w=j\&16383, (w\&31) > 29 + (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29) \\ | (w>>5\&31) > 29 | (w>>5\&31) > 29 | (w>>5\&31) > 29 | (w>>5\&31) > 29
 many length or distance symbols", v=Re,r.bitb=j,r.bitk=M,x.avail in=Q,x.total in+=B-
 x.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v); if (w=258+(w\overline{k}31)+(w>5\&31), |m|/m.len
 Ğf:for(;d<4+(f>>>10);){for(;M<3;){if(Q!==0)v=ye;else return r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_i
 n+=B-x.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v);Q--
   ,j|=(x.read_byte(B++)&255)<<M,M+=8}m[Yf[d++]]=j&7,j>>>=3,M-
 ll,a=Gn),r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+=B-
 x.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v);d=0,a=Kf;case
 Kf:for(w=f,!(d>=258+(w&31)+(w>>5&31)); {let de,Y;for(w=g[0];M<w;){if(Q!==0)v=ye;else return r.bitb=
 j,r.bitk=M,x.avail in=Q,x.total in+=B-
 x.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v);Q--
 , j = (x. read_byte(B++)\sqrt{255} < M, M+=8)if(w=I[(A[0]+(j\&pt[w]))*3+1], Y=I[(A[0]+(j\&pt[w]))*3+2], Y<16)j>>>=
 w, M-=w, m[d++]=Y; else\{for(U=Y==18?7:Y-14, de=Y==18?11:3; M< w+U;) \{if(Q!==0)v=ye; else return r.bitb=j, r.b
 itk=M,x.avail in=Q,x.total_in+=B-x.next_in_index,x.next_in_index=B,r.write=0,r.inflate_flush(x,v);Q-
  -,j|=(x.read_byte(B++)&255)<<M,M+=8}if(j>>>=w,M-=w,de+=j&pt[U],j>>>=U,M-
 =U,U=d,w=f,U+de>258+(w&31)+(w>>5&31)||Y==16&&U<1) return m=null,a=Gn,x.msg="invalid bit length repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat repeat r
 ",v=Re,r.bitb=j,r.bitk=M,x.avail in=Q,x.total in+=B-
 x.next in index, x.next in index=\overline{B}, r.write=0, r.inflate flush(x,v); Y=Y==16?m[U-1]:0; do m[U++]=Y; while(
      --de!==0);d=U}}if(A[0]=-
 1, J = [], ce = [], ie = [], J[0] = 9, ce[0] = 6, w = f, w = F. inflate\_trees\_dynamic(257 + (w&31), 1 + (w >> 5&31), m, J, ce, for example 1, for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for example 257 + (w&31), for 
 oe, ie, I, x), w! = ye) \ return \ w == Re \& (m = null, a = Gn), v = w, r.bitb = j, r.bitk = M, x.avail\_in = Q, x.total\_in += B-mathematical energy and a substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substituti
 x.next in index, x.next in index=B, r.write=0, r.inflate flush(x,v); E.init(J[\overline{0}], ce[\overline{0}], I, ie[\overline{0}]),
 a=Fl;case Fl:if(r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+=B-
 x.next_in_index_x.next_in_index_B,r.write=0,(v=E.proc(r,x,v))!=Zt)return r.inflate_flush(x,v);if(v=y,x)return r.inflate_
 e, E. free(\overline{x}), B=x.next in index, Q=x.avail in, j=r.bitb, M=r.bitk, O=r.write, H=O<r.read?r.read-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:r.end-O-1:
0,k===0){a=Ar;break}a=Ql;case Ql:if(r.write=0,v=r.inflate_flush(x,v),0=r.write,H=0<r.read?r.read-0-1:r.end-0,r.read!=r.write)return r.bitb=j,r.bitk=M,x.avail_in=Q,x.total_in+=B-
 x.next_in_index, x.next_in_index=B, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.inflate_flush(x,v); a=Zf; case Zf: return v=Zt, r.bitb=j, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, r.write=0, 
    .bitk=M,x.avail in=Q,x.total in+=B-
 x.next in index,x.next in index=B,r.write=0,r.inflate flush(x,v);case Gn:return v=Re,r.bitb=j,r.bitk
 =M,x.avail in=Q,x.total in+=B-
 x.next_in_index, x.next_in_index=B, r.write=0, r.inflate_flush(x,v); default:return v=at, r.bitb=j, r.bitk
 =M,x.avail in=Q,x.total in+=B-
 x.next_in_index, x.next_in_index = B, r.write = 0, r.inflate_flush(x,v)\}\}, r.free = function(x){r.reset(x,nul)}, r.free = function(x){r.reset(x)}, r.free = function(x){r.
 l), r.win=\overline{\text{null}}, \overline{\text{r.set}} dictionary=function(x,v,w) {r.win.set(x.subarray(v,v+w),0),r.read=r.write
 =w},r.sync_point=function(){\inftyreturn a==Jo?1:0}}const
A1=32, E1=8, S1=0, Jf=1, qf=2, f=3, [f=4, ed=5, q0=6, gi=7, td=12, wn=13, C1=[0,0,255,255]; function \ k1() \{constl=this; l.mode=0, l.method=0, l.was=[0], l.need=0, l.marker=0, l.wbits=0; function \ s(r) \{return!r||!r.istate=0, l.was=[0], l.marker=0, l.was=[0], l.was=[0], l.was=[0], l.marker=0, l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], l.was=[0], 
 ?at:(r.total in=r.total out=0,r.msg=null,r.istate.mode=gi,r.istate.blocks.reset(r,null),ye)}l.inflat
 eEnd=function(r){return
l.blocks\&\{l.blocks.free(r),l.blocks=null,ye\},l.inflateInit=function(r,a)\{return r.msg=null,l.blocks=null,a<8||a>15?(l.inflateEnd(r),at):(l.wbits=a,r.istate.blocks=new files)
wl(r,1<<a),s(r),ye)},l.inflate=function(r,a){let c,f;if(!r||!r.istate||!r.next_in)return at;const d=r.istate;for(a=a==c1?Jt:ye,c=Jt;;)switch(d.mode){case S1:if(r.avail_in===0)return c;if(c=a,r.avail_in--,r.total_in++,((d.method=r.read_byte(r.next_in_index++))&15)!=E1){d.mode=wn,r.msg="unknown compression method",d.marker=5;break}if((d.method>4)+8>d.wbits){d.mode=wn,r.msg="invalid win compression method",d.marker=5;break}if((d.method>4)+8>d.wbits){d.mode=wn,r.msg="invalid win compression method",d.marker=5;break}if(d.method>4)+8>d.wbits){d.mode=wn,r.msg="invalid win compression method",d.marker=5;break}if(d.method>4)+8>d.wbits){d.mode=wn,r.msg="invalid win compression method",d.marker=5;break}if(d.method>4)+8>d.wbits){d.mode=wn,r.msg="invalid win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method win compression method with the compression method win compression method with the compression method with the compression method with the compression method with the compression method with the compression with the compression method with the compression with the compression with 
 size",d.marker=5;break}d.mode=Jf;case Jf:if(r.avail_in===0)return c;if(c=a,r.avail_in-
  ,r.total in++,f=r.read byte(r.next in index++)&255,\overline{((d.method << 8)+f)}%31!==0){d.mode=wn,r.msg="incorr
 ect header check",d.marker=5;break}if((f&A1)===0){d.mode=gi;break}d.mode=qf;case
 qf:if(r.avail in===0)return c;c=a,r.avail in--
 ',r.total_in++,d.need=(r.read_byte(r.next_in_index++)&255)<<24&4278190080,d.mode=_f;case
_f:if(r.avail_in===0)return c;c=a,r.avail_in--
    r.total_in++,d.need+=(r.read_byte(r.next_in_index++)&255)<<16&16711680,d.mode=□f;case_
f:if(r.avail_in===0)return
c;c=a,r.avail_in--,r.total_in++,d.need+=(r.read_byte(r.next_in_index++)&255)<<8&65280,d.mode=ed;case</pre>
 ed:return r.avail_in===0?c:(c=a,r.avail_in--
    r.total in++,d.need+=r.read byte(r.next in index++)&255,d.mode=qo,a1);case qo:return,
\label{lem:decomposition} $d.$ mode=wn,r.$ msg="need dictionary",d.$ marker=0,at;case $gi:if(c=d.blocks.proc(r,c),c==Re)\{d.$ mode=wn,d.$ marker=0;break\} if(c==ye&(c=a),c!=Zt) return $d.$ mode=wn,d.$ marker=0.
 c;c=a,d.blocks.reset(r,d.was),d.mode=td;case td:return r.avail_in=0,Zt;case wn:return
 Re; default: return at \}, l.inflate Set Dictionary = function (r,a,c)\{\overline{let}\}
 f=0, d=c; if(!r||!r.istate||r.istate.mode!=qo) return at; const m=r.istate; return d>=1<<m.wbits&&(d=(1<<
 \verb|m.wbits|| -1, \verb|f=c-d||, \verb|m.blocks.set_dictionary|| (a, f, d), \verb|m.mode=gi, ye||, \verb|l.inflateSync=function|| (r) { let the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
```

```
a,c,f,d,m;if(!r||!r.istate)return at;const
 g=r.istate;if(g.mode!=wn&&(g.mode=wn,g.marker=0),(a=r.avail in)===0)return Jt;for(c=r.next in index,
 f=g.marker; a!==0&&f<4; r.read byte(c)==C1[f]?f++:r.read byte(c)!==0?f=0:f=4-f,c++,a--; return r.total
    in+=c
 r.next in index,r.next in index=c,r.avail in=a,g.marker=f,f!=4?Re:(d=r.total in,m=r.total out,s(r),r
  .total in=d,r.total out=m,q.mode=qi,ye)},l.inflateSyncPoint=function(r){return!r||!r.istate||!r.ista
te.blocks?at:r.istate.blocks.sync_point()}}function Yd(){}Yd.prototype={inflateInit(l){const s=this;return s.istate=new k1,l||(l=o1),s.istate.inflateInit(s,l)},inflate(l){const s=this;return}
 s.istate?s.istate.inflate(s,l):at},inflateEnd(){const l=this;if(!l.istate)return at;const
 s=l.istate.inflateEnd(l);return l.istate=null,s},inflateSync(){const l=this;return l.istate?l.istate.inflateSync(l):at},inflateSetDictionary(l,s){const r=this;return
 r.istate?r.istate.inflateSetDictionary(r,l,s):at\}, read\_byte(l) \\ \{returnder all the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content o
 this.next in[l]},read buf(l,s){return this.next in.subarray(l,l+s)}};function I1(l){const
 s=this,r=new Yd,a=l&&l.chunkSize?Math.floor(l.chunkSize*2):128*1024,c=u1,f=new Uint8Array(a);let
 d=!1;r.inflateInit(),r.next out=f,s.append=function(m,g){const A=[];let E,k,I=0,T=0,F=0;if(m.length!
 ==0){r.next in index=0,r.next in=m,r.avail in=m.length;do{if(r.next out index=0,r.avail out=a,r.avai
l_in===0&&!d&&(r.next_in_index=0,d=!0),E=r.inflate(c),d&&E===Jt){if(r.avail_in!==0)throw new Error("inflating: bad input")}else if(E!==ye&&E!==Zt)throw new Error("inflating:
  "+r.msg);if((d||E===Zt)&&r.avail in===m.length)throw new Error("inflating: bad
 input"); r.next out index&&(r.next out index===a?A.push(new Uint8Array(f)): A.push(f.subarray(0,r.next
    out index))),F+=r.next out_index,g&&r.next_in_index>0&&r.next_in_index!=I&&(g(r.next_in_index),I=r.
 next_in_index)}while(r.avail_in>0||r.avail_out===0);return A.length>1?(k=new
 Vint \overline{8}Array(F), A.for Each(function(x) \{k.set(x,T),T+=x.length\})): k=A[0]?new Vint \overline{8}Array(A[0]): new
 Uint8Array, k}},s.flush=function(){r.inflateEnd()}}const Kn=4294967295,Sn=65535,R1=8,T1=0,j1=99,P1=67
324752,01=134695760,nd=33639248,D1=101010256,rd=101075792,N1=117853008,Cn=22,_o=20,_o=56,M1=1,B1=39169,H1=10,L1=1,F1=21589,Q1=28789,U1=25461,W1=6534,id=1,V1=6,ld=8,sd=2048,od=16,ad=16384,ud=73,cd="/",
 qe=void 0,Tn="undefined",ki="function";class fd{constructor(s){return class extends
 TransformStream{constructor(r,a){const c=new
 s(a); super({transform(f,d){d.enqueue(c.append(f))},flush(f){const
 d=c.flush();d&&f.enqueue(d)}})}}}const b1=64;let zd=2;try{typeof
 navigator!=Tn&&navigator.hardwareConcurrency&&(zd=navigator.hardwareConcurrency)}catch{}const Y1={ch
 unkSize:512*1024,maxWorkers:zd,terminateWorkerTimeout:5e3,useWebWorkers:!0,useCompressionStream:!0,w
 orkerScripts:qe,CompressionStreamNative:typeof
 {\tt CompressionStream!=Tn\&\&CompressionStream, DecompressionStreamNative:} type of {\tt CompressionStreamNative:} type of {\tt
 DecompressionStream! = Tn\&\&DecompressionStream\}, kn = 0 bject.assign(\{\},Y1); function Xd() \{return to the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the f
 kn}function z1(l){return Math.max(l.chunkSize,b1)}function Gd(l){const{baseURL:s,chunkSize:r,maxWork}
ers:a,terminateWorkerTimeout:c,useCompressionStream:f,useWebWorkers:d,Deflate:m,Inflate:g,CompressionStream:A,DecompressionStream:E,workerScripts:k}=l;if(An("baseURL",s),An("chunkSize",r),An("maxWorkers",a),An("terminateWorkerTimeout",c),An("useCompressionStream",f),An("useWebWorkers",d),m&&(kn.CompressionStream=new fd(g)),An("CompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("DecompressionStream",A),An("Decompress
 essionStream", E), k! = qe) {const{deflate: I, inflate: T}=k; if((I||T)&&(kn.workerScripts||(kn.workerScript
 s={})),I){if(!Array.isArray(I))throw new Error("workerScripts.deflate must be an
 array");kn.workerScripts.deflate=I}if(T){if(!Array.isArray(T))throw new Error("workerScripts.inflate
must be an array"); kn.workerScripts.inflate=T}}function An(1,s){s!==qe&&(kn[l]=s)}function X1(){return"application/octet-stream"}const Kd=[];for(let l=0;l<256;l++){let s=l;for(let l=0;l<256;l++)}
 r=0;r<8;r++)s&1?s=s>>>1^3988292384:s=s>>>1;Kd[l]=s}class
 Gl{constructor(s){this.crc=s||-1}append(s){let r=this.crc|0;for(let
 a=0, c=s.length|0; a<c; a++) r=r>>>8 Kd[(r^s[a])&255]; this.crc=r}get(){return~this.crc}}class Zd extends
 TransformStream{constructor(){let s;const r=new
 Gl; super(\{transform(a,c)\{r.append(a),c.enqueue(a)\},flush()\{const a=new Uint8Array(4);new\}
 \label{lem:definition} DataView(a.buffer).setUint32(0,r.get()),s.value=a\}\}), s=this\}\} function \ G1(l)\{if(typeoff)\} function
 TextEncoder==Tn) {l=unescape(encodeURIComponent(l));const s=new Uint8Array(l.length);for(let
 r=0;r<s.length;r++)s[r]=l.charCodeAt(r);return s}else return new TextEncoder().encode(l)}const
 tt={concat(l,s){if(l.length===0||s.length===0)return l.concat(s);const
 r=l[l.length-1],a=tt.getPartial(r);return
 a === 32?l.concat(s): tt.\_shiftRight(s,a,r|0,l.slice(0,l.length-1))\}, bitLength(l)\{constants,a,r|0,l.slice(0,l.length-1))\}, bitLength(l)\{constants,a,r|0,l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1),l.slice(0,l.length-1)
 s=l.length;if(s===0)return 0;const
r=l[s-1];return(s-1)*32+tt.getPartial(r)},clamp(l,s){if(l.length*32<s)return
l;l=l.slice(0,Math.ceil(s/32));const r=l.length;return
s=s&31,r>0&&s&&([r-1]=tt.partial(s,l[r-1]&2147483648>s-1,1)),l},partial(l,s,r){return
 l===32?s:(r?s|0:s<<32-l)+l*1099511627776},getPartial(l){return
 Math.round(1/1099511627776)||32\}, shiftRight(1,s,r,a){for(a===void)}
 0\&\&(a=[1);s>=32;s-=32)a.push(r),r=0;if(s===0)return\ a.concat(l);for(let
d=0;d<l.length;d++)a.push(r|l[d]>>>s),r=l[d]<<32-s;const
c=l.length?l[l.length-1]:0,f=tt.getPartial(c);return</pre>
 a.push(tt.partial(s+f&31,s+f>32?r:a.pop(),1)),a}},Kl={bytes:{fromBits(l){const}}
 r=tt.bitLength(l)/8,a=new Uint8Array(r);let c;for(let
 f=0; f<r; f++)(f&3)===0&&(c=l[f/4]), a[f]=c>>>24, c<<=8; return a}, toBits(l){const s=[]; let}
r,a=0;for(r=0;r<l.length;r++)a=a<<8|l[r],(r&3)===3&&(s.push(a),a=0);return
r&3&&s.push(tt.partial(8*(r&3),a)),s}}},Jd={};Jd.shal=class{constructor(l){const s=this;s.blockSize=
512,s._init=[1732584193,4023233417,2562383102,271733878,3285377520],s._key=[1518500249,1859775393,24
00959708,3395469782],l?(s._h=l._h.slice(0),s._buffer=l._buffer.slice(0),s._length=l._length):s.reset
()}reset(){const l=this;return l._h=l._init.slice(0),l._buffer=[],l._length=0,l}update(l){const
```

```
s=this;typeof l=="string"&&(l=Kl.utf8String.toBits(l));const r=s. buffer=tt.concat(s. buffer,l),a=s.
 _length,c=s._length=a+tt.bitLength(l);if(c>9007199254740991)throw new Error("Cannot hash more than 2^53 - 1 bits");const f=new Uint32Array(r);let d=0;for(let m=s.blockSize+a-
 (s.blockSize+a&s.blockSize-1);m<=c;m+=s.blockSize)s._block(f.subarray(16*d,16*(d+1))),d+=1;return
r.splice(0,16*d),s}finalize(){const l=this;let s=l._buffer;const</pre>
 r=l._h; s=tt.concat(s,[tt.partial(1,1)]); for(let a=s.length+2; a&15; a++)s.push(0); for(s.push(Math.floor)); for(s.pus
  \begin{array}{l} \text{r(l.\_length/4294967296)),s.push(l.\_length|0);s.length;)l.\_block(s.splice(0,16));return \\ \text{l.reset(),r}_f(l,s,r,a) \\ \text{if(l<=19)} \\ \text{return } \\ \text{s\&a;if(l<=39)} \\ \text{return } \\ \text{s^r^a;if(l<=59)} \\ \text{return } \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\ \text{s\&a;if(l<=39)} \\
 s\&r|s\&a|r\&a;if(l<=79)return s^r^a]_S(l,s){return s<< l|s>>>32-l}_block(l){const}
s=this,r=s. h,a=Array(80);for(let \overline{A}=0;A<16;A++)a[A]=l[A];let c=r[0],f=r[\overline{1}],d=r[2],m=r[3],g=r[4];for(let
d|0,r[3]=r[3]+m|0,r[4]=r[4]+q|0\}; const qd=\{\}; qd. aes=class{constructor(l){const}}
 s=this;s._tables=[[[],[],[],[]],[]],[[],[],[]],s._tables[0][0][0]||s._precompute();constr=s._tables[0][4],a=s._tables[1],c=l.length;let f,d,m,g=1;if(c!==4&&c!==6&&c!==8)throw new
 1];(f%c===0||c==8&\f%c===4)\&(A=r[A>>>24]<<24^r[A>>16\cdot255]<<8^r[A\cdot255]<<8^r[A\cdot255],f\cdot8c==0\cdot4(A=\cdot255)]
 A < 8^A > > 24^q < 24, q = q < 1^(q > 7)*283), d[f] = d[f - c]^A} for(let A = 0; f; A + +, f - -) {const E = d[A&3?f; f - q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 1, q - q < 
4];f<=4||A<4?m[A]=E:m[A]=a[0][r[E>>>24]]^a[1][r[E>>16&255]]^a[2][r[E>>8&255]]^a[3][r[E&255]]}}encrypt(l){return this._crypt(l,0)}decrypt(l){return this._crypt(l,1)}_precompute(){const l=this._tables[0],s=this._tables[1],r=l[4],a=s[4],c=[],f=[];let d,m,g,A;for(let
 E=0;E<256;E++)f[(c[E]=E<<1^(E>>7)*283)^E]=E;for(let E=d=0;!r[E];E^=m]|1,d=f[d]||1){let}
 k=d^{d}<1^{d}<2^{d}<3^{d}<4; k=k>>8^k&255^99, r[E]=k, a[k]=E, A=c[g=c[m=c[E]]]; let
I=A*16843009^g*65537^m*257^E*16843008,T=c[k]*257^k*16843008;for(let F=0;F<4;F++)l[F][E]=T=T<<24^T>>>8,s[F][k]=I=I<<24^I>>>8}for(let
 E=0;E<5;E++)l[E]=l[E].slice(0),s[E]=s[E].slice(0) crypt(l,s){if(l.length!==4)throw new
 Error("invalid aes block size");const
 r=this. key[s], a=r.length/4-2, c=[0,0,0,0], f=this. tables[s], d=f[0], m=f[1], g=f[2], A=f[3], E=f[4]; let
k=l[0]^r[0],I=l[s?3:1]^r[1],T=l[2]^r[2],F=l[s?1:3]^r[3],x=4,v,w,j;for(let M=0;M<a;M++)v=d[k>>>24]^m[ I>>16&255]^g[T>>8&255]^A[F&255]^r[x],w=d[I>>>24]^m[T>>16&255]^g[F>>8&255]^A[F&255]^r[x],w=d[T>>>24]
 ]^m[F>>16&255]^q[k>>8&255]^A[I&255]^r[x+2],F=d[F>>>24]^m[k>>16&255]^q[I>>8&255]^A[T&255]^r[x+3],x+=4
   ,k=v,I=w,T=j;for(let M=0;M<4;M++)c[s?3&-
 M:M]=E[k>>>24]<<24^E[I>>16&255]<<16^E[T>>8&255]<<8^E[F&255]^r[x++],v=k,k=I,I=T,T=F,F=v;return
 c}};const K1={qetRandomValues(l){const s=new Uint32Array(l.buffer),r=a=>{let c=987654321;const
 f=4294967295; return function(){return c=36969*(c&65535)+(c>>16)&f,a=18e3*(a&65535)+(a>>16)&f,(((c<<1
6)+a&f)/4294967296+.5)*(Math.random()>.5?1:-1)}};for(let a=0,c;a<1.length;a+=4){const f=r((c||Math.random())*4294967296);c=f()*987654071,s[a/4]=f()*4294967296|0}return l}},_d={};_d.ctrGl
adman=class{constructor(l,s){this._prf=l,this._initIv=s,this._iv=s}reset(){this._iv=this._initIv}upd ate(l){return this.calculate(this._prf,l,this._iv)}incWord(l){if((l>>24&255)===255){let s=l>>16&255, r=l>>8&255,a=l&255;s===255?(s=0,r===255?(r=0,a===255?a=0:++a):++r):++s,l=0,l+=s<<16,l+=r<<8,l+=a}els
 e l+=1<<24; return
 l\} inc Counter(l) \{(l[0]=this.inc Word(l[0])) ===0 \& \{(l[1]=this.inc Word(l[1]))\} calculate(l,s,r) \} \} let the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
a; if(!(a=s.length)) return[]; const c=tt.bitLength(s); for(let f=0;f<a;f+=4) \{this.incCounter(r); const d=l.encrypt(r); s[f]^=d[0], s[f+1]^=d[1], s[f+2]^=d[2], s[f+3]^=d[3] \} return tt.clamp(s,c) \} ; const Zn=\{importKey(l) \{return new length of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the large of the 
 Zn.hmacShal(Kl.bytes.toBits(l)), pbkdf2(l,s,r,a){if(r=r||1e4,a<0||r<0)throw new Error("invalid params to pbkdf2");const c=(a>>5)+1<<2;let f,d,m,g,A;const E=new ArrayBuffer(c),k=new
 (s,[A]), m=1; m<r; m++) for (d=1.encrypt(d),g=0; g<d.length; g++) f[g]^=d[g]; for (m=0); I<(c||1) &&m<f.length; m=0
 ++)k.setInt32(I,f[m]),I+=4}return E.slice(0,a/8)}};Zn.hmacShal=class{constructor(l){const
s=this,r=s._hash=Jd.sha1,a=[[],[]];s._baseHash=[new r,new r];const
c=s._baseHash[0].blockSize/32;l.length>c&&(l=new r().update(l).finalize());for(let f=0;f<c;f++)a[0][</pre>
 f = l[f]^909522486, a[1][f] = l[f]^1549556828; s. baseHash[0].update(a[0]), s. baseHash[1].update(a[1]), s.
_resultHash=new r(s._baseHash[0])}reset(){const l=this;l._resultHash=new l._hash(l._baseHash[0]),l._updated=!1}update(l){const
 s=this;s._updated=!0,s._resultHash.update(l)}digest(){const l=this,s=l._resultHash.finalize(),r=new
l._hash(l._baseHash[1]).update(s).finalize();return l.reset(),r}encrypt(l){if(this._updated)throw
new Error("encrypt on already updated hmac called!");return this.update(l),this.digest(l)}};const
Z1=typeof crypto!=Tn&&typeof crypto.getRandomValues==ki,Ea="Invalid password",Sa="Invalid signature",Ca="zipjs-abort-check-password";function \( \bigcup d(1) \) {return \( \text{Z1} \) {crypto.getRandomValues(l):K1.getRandomValues(l)} {const Er=16,J1="raw",e0={name:"PBKDF2"},q1={name:"\( \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \) { \\ \text{VNLOWED } \\ \text{VNLOWED } \) { \\ \text{VNLO
                           '}, 1="SHA-
 1", [l=0b]ect.assign({hash:q1},e0), fa=0bject.assign({iterations:le3,hash:{name: 1}},e0),e2=["deriveBi
 ts"], xi=[8,12,16], vi=[16,24,32], En=10, t2=[0,0,0,0], ql=typeof
 crypto!=Tn, Ii=ql&&crypto.subtle, t0=ql&&typeof
 \label{lip} Ii!=Tn, Ht=Kl.bytes, n2=qd.aes, r2=\_d.ctrGladman, i2=Zn.hmacSha1; let dd=ql\&t0\&&typeoflamed the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data of the data
 Ii.importKey==ki,pd=ql&&t0&&typeof Ii.deriveBits==ki;class l2 extends TransformStream{constructor({p
 assword:s,rawPassword:r,signed:a,encryptionStrength:c,checkPasswordOnly:f}){super({start(){Object.as
 sign(this, {ready:new
 Promise(d=>this.resolveReady=d),password:i0(s,r),signed:a,strength:c-1,pending:new
 Uint8Array})},async transform(d,m){const
 g=this,{password:A,strength:E,resolveReady:k,ready:I}=g;A?(await
```

```
o2(g,E,A,wt(d,0,xi[E]+2)),d=wt(d,xi[E]+2),f?m.error(new Error(Ca)):k()):await I;const T=new I = 1
 Uint8Array(d.length-En-(d.length-En)%Er); m.enqueue(n0(g,d,T,0,En,!0))}, async
 flush(d){const{signed:m,ctr:g,hmac:A,pending:E,ready:k}=this;if(A&&g){await k;const
 I=wt(E,0,E.length-En),T=wt(E,E.length-En);let F=new Uint8Array;if(I.length){const
 x=Ai(Ht,I);A.update(x);const v=g.update(x);F=wi(Ht,v)}if(m){const
 x=wt(wi(Ht,A.digest()),0,En);for(let v=0;v<En;v++)if(x[v]!=T[v])throw new
 Error(Sa)}d.enqueue(F)}}))}class s2 extends
 TransformStream{constructor({password:s.rawPassword:r.encryptionStrength:a}){let
 c;super({start(){Object.assign(this,{ready:new
 Promise(f=>this.resolveReady=f),password:i0(s,r),strength:a-1,pending:new Uint8Array})},async
 transform(f,d){const m=this,{password:g,strength:A,resolveReady:E,ready:k}=m;let I=new
 Uint8Array;g?(I=await a2(m,A,g),E()):await k;const T=new
 Uint8Array(I.length+f.length-f.length%Er);T.set(I,0),d.engueue(n0(m,f,T,I.length,0))},async
flush(f){const{ctr:d,hmac:m,pending:g,ready:A}=this;if(m&&d){await A;let E=new
Uint8Array;if(g.length){const k=d.update(Ai(Ht,g));m.update(k),E=wi(Ht,k)}c.signature=wi(Ht,m.digest
 ()).slice(0,En), f.enqueue(ka(E,c.signature))}}), c=this}}function n0(l,s,r,a,c,f){const{ctr:d,hmac:m}
  , pending:g\}=1, A=s.length-c;g.length\&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length-c;g.length\&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length-c;g.length\&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length-c;g.length\&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length-c;g.length\&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length-c;g.length\&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length-c;g.length&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\{constanting:g\}=1, A=s.length&\&(s=ka(g,s),r=f2(r,A-A\%Er));let\ E;for(E=0;E<=A-Er;E+=Er)\}
 k=Ai(Ht,wt(s,E,E+Er));f&&m.update(k);const I=d.update(k);f||m.update(I),r.set(wi(Ht,I),E+a)}return
l.pending=wt(s,E),r}async function o2(l,s,r,a){const c=await r0(l,s,r,wt(a,0,xi[s])),f=wt(a,xi[s]);if(c[0]!=f[0]||c[1]!=f[1])throw new Error(Ea)}async function
 a2(l,s,r)\{const\ a= \ \ |\ d(new\ Uint8Array(xi[s])),c=await\ r0(l,s,r,a); return\ ka(a,c)\} async\ function
 r0(l,s,r,a)\{l.password=null;const\ c=await\ u2(J1,r,[]1,!1,e2),f=await\ u2(J1,r,[]1,!1,e2)\}
 c2(Object.assign({salt:a},fa),c,8*(vi[s]*2+2)),d=new
Uint8Array(f), m=Ai(Ht,wt(d,0,vi[s])),g=Ai(Ht,wt(d,vi[s],vi[s]*2)),A=wt(d,vi[s]*2);return Object.assign(l,{keys:{key:m,authentication:g,passwordVerification:A},ctr:new r2(new
 n2(m),Array.from(t2)),hmac:new i2(g)}),A}async function u2(l,s,r,a,c){if(dd)try{return await }}
 Ii.importKey(l,s,r,a,c)}catch{return dd=!1,Zn.importKey(s)}else return Zn.importKey(s)}async
 function c2(l,s,r){if(pd)try{return await Ii.deriveBits(l,s,r)}catch{return
pd=!1,Zn.pbkdf2(s,l.salt,fa.iterations,r)}else return Zn.pbkdf2(s,l.salt,fa.iterations,r)}function i0(l,s){return s==qe?G1(l):s}function ka(l,s){let r=1;return l.length+s.length&&(r=new
\label{length} \begin{tabular}{ll} Uint8Array(l.length+s.length),r.set(l,0),r.set(s,l.length)),r} function \\ f2(l,s)\{if(s\&\&s>l.length)\{const\ r=l;l=new\ Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l.set(r,0)\}return\ l\} function \\ \begin{tabular}{ll} Uint8Array(s),l
 wt(l,s,r) {return l.subarray(s,r)} function wi(l,s) {return l.fromBits(s)} function Ai(l,s) {return
 l.toBits(s))const Sr=12;class d2 extends TransformStream{constructor({password:s,passwordVerificatio
 n:r,checkPasswordOnly:a}){super({start(){Object.assign(this,{password:s,passwordVerification:r}),l0(
this,s)},transform(c,f){const d=this;if(d.password){const m=hd(d,c.subarray(0,Sr));if(d.password=null,m[Sr-1]!=d.passwordVerification)throw new
Error(Ea);c=c.subarray(Sr)}a?f.error(new Error(Ca)):f.enqueue(hd(d,c))}})}class p2 extends Transfor
mStream{constructor({password:s,passwordVerification:r}){super({start(){Object.assign(this,{password})}})}
 :s,passwordVerification:r}),l0(this,s)},transform(a,c){const f=this;let
 d,m;if(f.password){f.password=null;const g=□d(new
 Uint8Array(Sr));g[Sr-1]=f.passwordVerification.d=new
 Uint8Array(a.length+g.length),d.set(md(f,g),0),m=Sr}else d=new
 Uint8Array(s.length); for(let a=0; a<s.length; a++)r[a]=s0(l)^s[a], Ia(l,r[a]); return r} function
md(l,s){const r=new Uint8Array(s.length);for(let a=0;a<s.length;a++)r[a]=s0(l)^s[a],Ia(l,s[a]);return r}function l0(l,s){const
r=[305419896,591751049,878082192];0bject.assign(l,{keys:r,crcKey0:new Gl(r[0]),crcKey2:new Gl(r[2])});for(let a=0;a<s.length;a++)Ia(l,s.charCodeAt(a))}function Ia(l,s){let[r,a,c]=l.keys;l.crc
 Key0.append([s]), r=\sim l.crcKey0.get(), a=gd(Math.imul(gd(a+o0(r)), 134775813)+1), l.crcKey2.append([a>>>2)
 4]),c=~l.crcKey2.get(),l.keys=[r,a,c]}function s0(l){const s=l.keys[2]|2;return
 o0(Math.imul(s,s^1)>>>8) function o0(l){return l&255}function gd(l){return l&4294967295}const
vd="deflate-raw"; class h2 extends TransformStream{constructor(s,{chunkSize:r,CompressionStream:a,CompressionStreamNative:c}){super({});const{compressed:f,encrypted:d,useCompressionStream:m,zipCrypto:g,signed:A,level:E}=s,k=this;let I,T,F=a0(super.readable);(!d||g)&&A&&(I=new)
 Zd, F=Lt(F,I)), f\&\&(F=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(g?F=Lt(F,new\ p2(s)):(T=new\ p2(s))), f\&\&(f=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(g?F=Lt(F,new\ p2(s))), f\&\&(f=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(g?F=Lt(F,new\ p2(s))), f\&\&(f=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(g?F=Lt(F,new\ p2(s))), f\&\&(f=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(g?F=Lt(F,new\ p2(s))), f\&\&(f=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(f=c0(F,m,\{level:E,chunkSize:r\},c,a)), d\&\&(f=c0(F,m,\{level:E,chunkSiz
 s2(s), F=Lt(F,T)), u0(k,F,()=>\{let x;d&&!g&&(x=T.signature),(!d||g)&&A&&(x=new),(...,f)\}
DataView(I.value.buffer).getUint32(0)),k.signature=x})}}class m2 extends TransformStream{constructor (s,{chunkSize:r,DecompressionStream:a,DecompressionStreamNative:c}){super({});const{zipCrypto:f,encr
 ypted:d,signed:m,signature:g,compressed:A,useCompressionStream:E}=s;let
 k,I,T=a0(super.readable);d&&(f?T=Lt(T,new d2(s)):(I=new
 l2(s), T=Lt(T,I))), A&&(T=c0(T,E,{chunkSize:r},c,a)), (!d||f)&&m&&(k=new)
 Zd,T=Lt(T,k), u0(this,T,()=>\{if((!d||f)\&\&m)\{const F=new\}\}
 \label{lem:decomposition} DataView(k.value.buffer); if (g!=F.getUint32(0,!1)) throw new Error(Sa)\})) function a0(l) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) throw new Error(Sa)) {return} if (g!=F.getUint32(0,!1)) {return} if (g!=F.ge
 Lt(l, new\ TransformStream(\{transform(s,r)\}\{s\&s.length\&r.enqueue(s)\}\}))\} function\ u0(l,s,r)\{s=Lt(s,new\ TransformStream(\{flush:r\})),0bject.defineProperty(l,"readable",\{get()\{return\ s\}\})\} function\ c0(l,s,r,a,c)\{try\{const\ f=s\&\&a?a:c;l=Lt(l,new\ f(vd,r))\}catch\{if(s)try\{l=Lt(l,new\ f(vd,r))\}catch\{if(s)try\}catch\{if(s)try\{l=Lt(l,new\ f(vd,r))\}catch\{if(s)try\{l=Lt(l,new\ f(vd,r))\}catch\{if(s)try\{l=Lt(l,new\ f(vd,r))\}catch\{if
c(vd,r))}catch{return l}else return l}return l}function Lt(l,s){return l.pipeThrough(s)}const g2="message",v2="start",y2="pull",yd="data",x2="ack",xd="close",w2="deflate",f0="inflate";class A2 extends TransformStream{constructor(s,r){super(}});const a=this,{codecType:c}=s;let
 f;c.startsWith(w2)?f=h2:c.startsWith(f0)&&(f=m2);let d=0,m=0;const g=new
 f(s,r), A= super. readable, E= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, E= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, E= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, E= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, E= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, E= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= new Transform Stream (\{transform(I,T)\{I\&\&I.length\&\&(m+=I.length,T.enqueue(I)\}\}) = f(s,r), A= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super. readable, B= super
 )},flush(){Object.assign(a,{inputSize:m})}}),k=new TransformStream({transform(I,T){I&&I.length&&(d+=
```

```
I.length,T.enqueue(I))},flush(){const{signature:I}=g;Object.assign(a,{signature:I,outputSize:d,input
Size:m})}};Object.defineProperty(a, "readable", {get() {return A.pipeThrough(E).pipeThrough(g).pipeThrough(k)}})}class E2 extends
 TransformStream{constructor(s){let
 r; super(\{transform: a, flush(c) \{r\&\&r.length\&\&c.enqueue(r)\}\}); function a(c,f) \{if(r) \{const d=new Uint8Ar e, r\}\}
 ray(r.length+c.length);d.set(r),d.set(c,r.length),c=d,r=null}c.length>s?(f.enqueue(c.slice(0,s)),a(c
   .slice(s),f)):r=c}}}let d0=typeof Worker!=Tn;class ea{constructor(s,{readable:r,writable:a},{options
   c,config:f,streamOptions:d,useWebWorkers:m,transferStreams:g,scripts:A},E){const{signal:k}=d;return
Object.assign(s,{busy:!0,readable:r.pipeThrough(new E2(f.chunkSize)).pipeThrough(new S2(r,d),{signal:k}),writable:a,options:Object.assign({},c),scripts:A,transferStreams:g,terminate(){return new Promi
 se(I=>\{const\{worker:T,busy:F\}=s;T?(F?s.resolveTerminated=I:(T.terminate(),I()),s.interface=null):I()\}
 )), on TaskFinished() {const{resolveTerminated:I}=s;I&&(s.resolveTerminated=null,s.terminated=!0,s.wor
 ker.terminate(),I()),s.busy=!1,E(s)\}\}),(m\&\&d0?C2:p0)(s,f)\}\}class S2 extends
 TransformStream{constructor(s,{onstart:r,onprogress:a,size:c,onend:f}){let d=0;super({async
 start(){r\&\&await\ ta(r,c)},async\ transform(m,g){d+=m.length,a\&\&await\ ta(a,d,c),g.enqueue(m)},async\ transform(m,g){d+=m.length,a\&\&await\ t
flush()\{s.size=d,f\&\&await\ ta(f,d)\}\})\} async\ function\ ta(l,...s)\{try\{await\ l(...s)\}catch\{\}\} function\ p0(l,s)\{return\{run:()=>k2(l,s)\}\} function\ C2(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\{let]\} function\ C2(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C3(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C3(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C3(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C3(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C3(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C3(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C4(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C4(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C4(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C4(l,s)\{const\{baseURL:r,chunkSize:a\}=s;if(!l.interface)\} function\ C4(l,s)\{const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize:a)=a,const(baseURL:r,chunkSize
 c;try{c=T2(l.scripts[0],r,l)}catch{return
 d0=!1,p0(l,s)}Object.assign(l,{worker:c,interface:{run:()=>I2(l,{chunkSize:a})}})})return
 l.interface}async function k2({options:l,readable:s,writable:r,onTaskFinished:a},c){try{const f=new}}
A2(l,c); await s.pipeThrough(f).pipeTo(r,{preventClose:!0,preventAbort:!0}); const{signature:d,inputSize:m,outputSize:g}=f; return{signature:d,inputSize:m,outputSize:g}} finally{a()}} async function
 I2(l,s){let r,a;const c=new Promise((I,T)=>{r=I,a=T});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,writer:null,resol});0bject.assign(l,{reader:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writer:null,writ
 veResult:r,rejectResult:a,result:c});const{readable:f,options:d,scripts:m}=l,{writable:q,closed:A}=R
 2(l.writable), E=bl({type:v2,scripts:m.slice(1),options:d,config:s,readable:f,writable:g},l);E||Objec
t.assign(l,{reader:f.getReader(),writer:g.getWriter()});const k=await c;return E||await
g.getWriter().close(),await A,k}function R2(l){let s;const r=new Promise(c=>s=c);return{writable:new
 WritableStream({async write(c){const f=l.getWriter();await f.ready,await
 f.write(c),f.releaseLock()},close(){s()},abort(c){return l.getWriter().abort(c)}}),closed:r}}let
 wd=!0, Ad=!0; function T2(l,s,r) {const a=\{type:"module"\}; let c,f; typeof l==ki&&(l=l()); try{c=new URL(l,s)} {catch{c=l}if(wd)try{f=new Worker(c)}} {catch{wd=!1,f=new Worker(c,a)}} {else f=new Worker(c,a)} {catch{c=l}if(wd)try{f=new Worker(c)}} {catch{wd=!1,f=new Worker(c,a)}} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new Worker(c,a)} {else f=new W
 \label{localization} Worker(c,a); return f.add Event Listener(g2,d=>j2(d,r)), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, writer:r, on Task Finish), f \\ f unction bl(l, \{worker:s, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, writer:r, w
 ed:a, transferStreams:c) \\ \{try\{const\{value:f, readable:d, writable:m\}=l, g=[]; if(f\&\&(f.byteLength < f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.buffers(f.
 r.byteLength?l.value=f.buffer.slice(0,f.byteLength):l.value=f.buffer,g.push(l.value)),c&&Ad?(d&&g.pu
 sh(d), m&&g.push(m)):l.readable=l.writable=null, g.length)try{return
 s.postMessage(l,g),!0}catch{Ad=!1,l.readable=l.writable=null,s.postMessage(l)}else
 s.postMessage(l)}catch(f){throw r&&r.releaseLock(),a(),f}}async function j2({data:l},s){const{type:r,value:a,messageId:c,result:f,error:d}=l,{reader:m,writer:g,resolveResult:A,rejectResult:E,onTaskFin
 ished:k}=s;try{if(d){const{message:T,stack:F,code:x,name:v}=d,w=new
 Error(T); Object.assign(w, {stack:F, code:x, name:v}), I(w)}else{if(r==y2){const{value:T, done:F}=await}}
m.read();bl(\{\text{type:yd,value:T,done:F,messageId:c}\},s)\}r==yd&&(await g.ready,await g.write(new Uint8Arr ay(a)),bl(\{\text{type:x2,messageId:c}\},s)),r==xd&&I(null,f)\}{catch(T)\{\text{bl}(\{\text{type:xd,messageId:c}\},s),I(T)\}func
 compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, signed: A, encrypted: E\} = r, \{workerScripts: k, maxWorkers: I\} = a; s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transferStreams = c \mid |c = = qe; compressed: g, s.transf
 T = g_{\delta} (f_{\delta} - g_{\delta}) nst T = g_{\delta} (f_{\delta} - g_{\delta}). transferStreams; return s.useWebWorkers = !T_{\delta} (f_{\delta} - g_{\delta}).
 ts=s.useWebWorkers&&k?k[m]:[],r.useCompressionStream=d||d===qe&&a.useCompressionStream,(await
F()).run();async function F(){const v=In.find(w=>!w.busy);if(v)return da(v),new ea(v,l,s,x);if(In.length<I){const w={indexWorker:Ed};return Ed++,In.push(w),new ea(w,l,s,x)}else
 return new Promise(w=>na.push({resolve:w,stream:l,workerOptions:s})))}function
 x(v) \{ if(na.length) \{ const[\{resolve:w,stream:j,worker0ptions:M\}] = na.splice(0,1); w(new x(v)) \} \}
 ea(v,j,M,x)) else v.worker?(da(v),02(v,s)):In=In.filter(w=>w!=v)} function 02(l,s) {const{config:r}=s
   ,{terminateWorkerTimeout:a}=r;Number.isFinite(a)&&a>=0&&(l.terminated?l.terminated=!1:l.terminateTim
 eout=setTimeout(async()=>{In=In.filter(c=>c!=l);try{await l.terminate()}catch{}},a))}function
\label{lem:const} $$ da(l)_{const}$ terminateTimeout:s}=l;s&&(clearTimeout(s),l.terminateTimeout=null)_{async} function $$ D2()_{await Promise.allSettled(In.map(l=>(da(l),l.terminate())))_{const} $$ h0="hTTP error ",Ri="hTTP 
 Range not supported",m0="Writer iterator completed too soon",N2="text/plain",M2="Content-
pull(c){const{offset:f=0,size:d,diskNumberStart:m}=a,{chunkOffset:g}=this;c.enqueue(await
 ze(s,f+q,Math.min(r,d-g),m)),g+r>d?c.close():this.chunkOffset+=r}});return a}}class ja extends
     l{constructor(){super();const s=this,r=new WritableStream({write(a){return}}
s.writeUint8Array(a)}});Object.defineProperty(s,Ta,{get(){return r}})}writeUint8Array(){}}class W2
extends Pn{constructor(s){super();let r=s.length;for(;s.charAt(r-1)=="=";)r--;const a=s.indexOf(",")
 +1;Object.assign(this,{dataURI:s,dataStart:a,size:Math.floor((r-
 a)*.75)})}readŬint8Array(s,r){const{dataStart:a,dataURI:c}=this,f=new Uint8Array(r),d=Math.floor(s/3
 )*4, m=atob(c.substring(d+a, Math.ceil((s+r)/3)*4+a)), g=s-Math.floor(d/4)*3; for(let
A=g;A<g+r;A++)f[A-g]=m.charCodeAt(A);return f}}class V2 extends ja{constructor(s){super(),0bject.ass ign(this,{data:"data:"+(s||"")+";base64,",pending:[]})}writeUint8Array(s){const r=this;let a=0,c=r.pending;const f=r.pending.length;for(r.pending="",a=0;a<Math.floor((f+s.length)/3)*3-
 f;a++)c+=String.fromCharCode(s[a]);for(;a<s.length;a++)r.pending+=String.fromCharCode(s[a]);c.length
```

```
>2?r.data+=btoa(c):r.pending=c}getData(){return this.data+btoa(this.pending)}}class Pa extends
Pn{constructor(s){super(),Object.assign(this,{blob:s,size:s.size})}async readUint8Array(s,r){const
a=this,c=s+r;let d=await(s||c<a.size?a.blob.slice(s,c):a.blob).arrayBuffer();return
d.by te Length > r\&\&(d=d.slice(s,c)), new \ Uint8Array(d)\}\} class \ v0 \ extends \ \_l\{constructor(s)\{super();constructor(s)\}\} class \ v0 \ extends \ \_l\{constructor(s)\} class \ v0 \ extends \ v0 \ extends \ v0 \ extends \ v0 \ extends \ v0 \ extends \
r=this,a=new TransformStream,c=[];s&&c.push([F2,s]),Object.defineProperty(r,Ta,{get(){return
a.writable}}),r.blob=new Response(a.readable,{headers:c}).blob()}getData(){return this.blob}}class
b2 extends Pa{constructor(s){super(new Blob([s],{type:N2}))}}class Y2 extends v0{constructor(s){super(s),Object.assign(this,{encoding:s,utf8:!s||s.toLowerCase()=="utf-8"})}async
getData(){const{encoding:s,utf8:r}=this,a=await super.getData();if(a.text&&r)return a.text();{const
c=new FileReader;return new Promise((f,d)=>{Object.assign(c,{onload:({target:m})=>f(m.result),onerro
r:()=>d(c.error)}),c.readAsText(a,s)})}}class z2 extends
Pn{constructor(s,r){super(),y0(this,s,r)}async init(){await x0(this,pa,Sd),super.init()}readUint8Array(s,r){return w0(this,s,r,pa,Sd)}}class X2 extends
Pn{constructor(s,r){super(),y0(this,s,r)}async init(){await x0(this,ha,Cd),super.init()}readUint8Array(s,r){return w0(this,s,r,ha,Cd)}}function y0(l,s,r){const{
preventHeadRequest:a,useRangeHeader:c,forceRangeRequests:f,combineSizeEocd:d}=r;r=Object.assign({},r
),delete r.preventHeadRequest,delete r.useRangeHeader,delete r.forceRangeRequests,delete
r.combineSizeEocd,delete r.useXHR,Object.assign(l,{url:s,options:r,preventHeadRequest:a,useRangeHead
er:c,forceRangeRequests:f,combineSizeEocd:d})}async function x0(l,s,r){const{url:a,preventHeadRequest:c,useRangeHeader:f,forceRangeRequests:d,combineSizeEocd:m}=l;if(J2(a)&&(f||d)&&(typeof
c>"u"||c){const g=await s(Ra,l,A0(l,m?-22:void 0));if(!d&&g.headers.get(H2)!=g0)throw new
Error(Ri);{m&&(l.eocdCache=new Uint8Array(await g.arrayBuffer()));let A;const
E=q.headers.get(B2);if(E){const k=E.trim().split(/\s*\/\s*/);if(k.length){const}}
f(f||d){if(m&&s==g-Cn&&r==Cn)return m;const E=await a(Ra,l,A0(l,s,r));if(E.status!=206)throw new
Error(Ri);return new Uint8Array(await E.arrayBuffer())}else{const{data:E}=l;return E||await
c(l,A), new Uint8Array(l.data.subarray(s,s+r))} function A0(l,s=0,r=1) {return Object.assign(\{\},Oa(l),\{[L2]:g0+"="+(s<0?s:s+"-"+(s+r-1))\}) function
Oa({options:l}){const{headers:s}=l;if(s)return Symbol.iterator in s?Object.fromEntries(s):s}async
function Sd(l) {await EO(l,pa)} async function Cd(l) {await EO(l,ha)} async function EO(l,s) {constitution EO(l,pa)} async function EO(l,pa)
r=await s(Ra,l,Oa(l));l.data=new Uint8Array(await
r.arrayBuffer()),l.size||(l.size=l.data.length)}async function
kd(l,s,r){if(l.preventHeadRequest)await r(l,l.options);else{const c=(await s(Q2,l,Oa(l))).headers.get(M2);c?l.size=Number(c):await r(l,l.options)}}async function
pa(l,{options:s,url:r},a){const c=await
fetch(r,0bject.assign({},s,{method:l,headers:a}));if(c.status<400)return c;throw c.status==416?new</pre>
d=[];f.getAllResponseHeaders().trim().split(/[\r\n]+/).forEach(m=>{const g=m.trim().split(/\s*:\s*/)
;g[0]=g[0].trim().replace(/^[a-z]|-[a-
z]/g,A=>A.toUpperCase()),d.push(g)}),a({status:f.status,arrayBuffer:()=>f.response,headers:new
Map(d)})}else c(f.status==416?new Error(Ri):new
Error(h0+(f.statusText||f.status)))},!1),f.addEventListener("error",d=>c(d.detail?d.detail.error:new
Error("Network error")),!1),f.open(l,s),r)for(const d of
\label{thm:constructor} Object.entries(r)) f.setRequestHeader(d[0],d[1]); f.responseType="arraybuffer",f.send()}) class S0 extends Pn{constructor(s,r={}){super(),0bject.assign(this,{url:s,reader:r.useXHR?new X2(s,r):new 
z2(s,r)})}set size(s){}get size(){return this.reader.size}async init(){await
this.reader.init(), super.init()}readUint8Array(s,r){return this.reader.readUint8Array(s,r)}}class G2
extends S0{constructor(s,r={}){r.useRangeHeader=!0,super(s,r)}}class K2 extends
Pn{constructor(s){super(),Object.assign(this,{array:s,size:s.length})}readUint8Array(s,r){return this.array.slice(s,s+r)}}class Z2 extends ja{init(s=0){Object.assign(this,{offset:0,array:new}}
Uint8Array(s)}), super.init()}writeUint8Array(s){const
r=this;if(r.offset+s.length>r.array.length){const a=r.array;r.array=new Uint8Array(a.length+s.length
),r.array.set(a)}r.array.set(s,r.offset),r.offset+=s.length}getData(){return this.array}}class Da
extends Pn{constructor(s){super(),this.readers=s}async init(){const
s=this,{readers:r}=s;s.lastDiskNumber=0,s.lastDiskOffset=0,await
Promise.all(r.map(async(a,c)=>{await
a.init(),c!=r.length-1&&(s.lastDiskOffset+=a.size),s.size+=a.size})),super.init()}async
readUint8Array(s,r,a=0)\{const\ c=this,\{readers:f\}=this;let\ d,m=a;m==-1&&(m=f.length-1);let\}
g=s; for(;g>=f[m].size;)g-=f[m].size,m++; const A=f[m],E=A.size; if(g+r<=E)d=await ze(A,g,r); else{const}
k = E - g; d = new \ Uint8Array(r), d.set(await \ ze(A,g,k)), d.set(await \ c.readUint8Array(s+k,r-k,a),k) \} return
a=this;Object.assign(a,{diskNumber:0,diskOffset:0,size:0,maxSize:r,availableSize:r});let c,f,d;const
m=new WritableStream({async write(E){const{availableSize:k}=a;if(d)E.length>=k?(await
g(E.slice(0,k)),await A(),a.diskOffset+=c.size,a.diskNumber++,d=null,await
this.write(E.slice(k))):await g(E);else{const{value:I,done:T}=await s.next();if(T&&!I)throw new Error(m0);c=I,c.size=0,c.maxSize&&(a.maxSize=c.maxSize),a.availableSize=a.maxSize,await
Ei(c), f=I.writable, d=f.getWriter(), await this.write(E)\}\}, async close() \{await d.ready, await this.write(E), async close(), await d.ready, await this.write(E), await d.ready, await this.write(E), await d.ready, await this.write(E), await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, await d.ready, awa
A()});Object.defineProperty(a,Ta,{get(){return m}});async function g(E){const k=E.length;k&&(await
d.ready,await d.write(E),c.size+=k,a.size+=k,a.availableSize-=k)}async function
A(){f.size=c.size,await d.close()}}}function J2(l){const{baseURL:s}=Xd(),{protocol:r}=new
```

```
l.init(s):else return Promise.resolve()}function CO(l){return Array.isArray(l)&&(l=new Da(l)),l
 instance of \ Readable Stream \&\& (l=\{readable:l\}), l\} function \ k0(l) \{l.writable===qe\&type of least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least the least th
 s.size===qe\&(s.size=0),l instanceof
 Zl||Object.assign(l,{diskNumber:0,diskOffset:0,availableSize:1/0,maxSize:1/0}),l}function
 \"#[%&'()*+.
 ./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\\]^_`abcdefghijklmnopqrstuvwxyz{|}~^ÇüéâäàåçêëèïîìÄÅÉ
 æÆôöòûùÿÖÜ¢£¥₨fáíóúñѪº¿┍═ǯǯ;«»▒▓┃┤╡╢╗╕╣║╗╝╜╛┐└┴┯┝┯┼╞╟╚╓╨╦╠═╬╧╨┯╦╥╙╘╒╓╫╪┚┌┸┸┚ ┡αβΓπΣσμτΦΘΩδ∞φε∩≡±≥≤∫
 |\div \approx \circ \cdot \cdot \sqrt{n^2} ".split(""),[2=10.length==256;function\ em(l){if([]2){let\ s="";for(let)}}
 r=0;r<l.length;r++)s+=I0[l[r]];return s}else return new TextDecoder().decode(l)}function
 Yl(l,s){return s&&s.trim().toLowerCase()=="cp437"?em(l):new TextDecoder(s).decode(l)}const R0="filen
ame", T0="rawFilename", j0="comment", P0="rawComment", O0="uncompressedSize", D0="compressedSize", N0="off set", ma="diskNumberStart", ga="lastModDate", va="rawLastModDate", M0="lastAccessDate", tm="rawLastAccessDate", tm=
Date", B0="creationDate", nm="rawCreationDate", rm="internalFileAttribute", im="internalFileAttributes", lm="externalFileAttribute", sm="externalFileAttributes", om="msDosCompatible", am="zip64", um="encrypted", cm="version", fm="versionMadeBy", dm="zipCrypto", pm="directory", hm="executable", mm=[R0, T0, D0, 00, ga, version", fm="versionMadeBy", dm="zipCrypto", pm="directory", hm="executable", mm=[R0, T0, D0, 00, ga, version", fm="version", fm="
a,j0,P0,M0,B0,N0,ma,ma,rm,im,lm,sm,om,am,um,cm,fm,dm,pm,hm,"bitFlag","signature","filenameUTF8","commentUTF8","compressionMethod","extraField","rawExtraField","extraFieldZip64","extraFieldUnicodePath","extraFieldUnicodeComment","extraFieldAES","extraFieldNTFS","extraFieldExtendedTimestamp"];class
Id{constructor(s){mm.forEach(r=>this[r]=s[r])}}const zl="File format is not recognized",H0="End of
 central directory not found", LO="End of Zip64 central directory locator not found", FO="Central
directory header not found",Q0="Local file header not found",U0="Zip64 extra field not found",W0="File contains encrypted entry",V0="Encryption method not supported",ya="Compression method not supported",xa="Split zip file",Rd="utf-8",Td="cp437",gm=[[00,Kn],[00,Kn],[N0,Kn],[ma,Sn]],vm={[Sn]:{getValue:Me,bytes:4},[Kn]:{getValue:Xl,
 bytes:8}};class b0{constructor(s,r={}){Object.assign(this,{reader:C0(s),options:r,config:Xd()})}asyn
 c*getEntriesGenerator(s={}){const r=this;let{reader:a}=r;const{config:c}=r;if(await
 Ei(a),(a.size===qe||!a.readUint8Array)&&(a=new Pa(await new Response(a.readable).blob()),await
Ei(a)),a.size<Cn)throw new Error(zl);a.chunkSize=z1(c);const f=await Cm(a,D1,a.size,Cn,Sn*16);if(!f){const V=await ze(a,0,4),b=Ve(V);throw Me(b)==01?new Error(xa):new Error(H0)}const d=Ve(f);let m=Me(d,12),g=Me(d,16);const A=f.offset,E=We(d,20),k=A+Cn+E;let
 I=We(d,4);const T=a.lastDiskNumber||0;let
 F=We(d,6), x=We(d,8), v=0, w=0; if(g==Kn||m==Kn||x==Sn||F==Sn) {const V=await ze(a,f.offset-
   \_o,\_o),b=Ve(V);if(Me(b,0)==N1)\{g=Xl(b,8);let re=await ze(a,g,\_o,-1),J=Ve(re);const ce=f.offset-beta.
    [o-]o; if(Me(J,0)!=rd\&\&g!=ce){const oe=g;g=ce,v=g-oe,re=await}
 ze(a,g,0,-1),J=Ve(re)if(Me(J,0)!=rd)throw new Error(L0);I==Sn&&(I=Me(J,16)),F==Sn&&(F=Me(J,20)),x=
= Sn\&\{(x=Xl(J,32)), m==Kn\&\{(m=Xl(J,40)), g-=m\}\} if\{(g>=a.size\&\{(v=a.size-g-m-Cn,g=a.size-m-Cn), T!=I\} throw new Error(xa); if\{(g<0)\} throw new Error(zl); let j=0, M=await ze(a,g,m,F), B=Ve(M); if\{(m)\} const
  V=f.offset-m; if (Me(B,j)!=nd\&\&g!=V) \{const\ b=g; g=V, v+=g-b, M=await\ ze(a,g,m,F), B=Ve(M)\} \} const
 Q=f.offset-g-(a.lastDiskOffset||0);if(m!=Q\&\&Q>=0\&\&(m=Q,M=await
 ze(a,g,m,F),B=Ve(M)),g<0||g>=a.size)throw new Error(zl);const
O=et(r,s,"filenameEncoding"),H=et(r,s,"commentEncoding");for(let V=0;V<x;V++){const b=new xm(a,c,r.options);if(Me(B,j)!=nd)throw new Error(F0);Y0(b,B,j+6);const re=!!b.bitFlag.languageEncodi
 ngFlag,J=j+46,ce=J+b.filenameLength,oe=ce+b.extraFieldLength,ie=We(B,j+4),de=ie>>8==0,Y=ie>>8==3,ee=
  \texttt{M.subarray}(\texttt{J,ce}), \texttt{W=We}(\texttt{B,j+32}), \texttt{R=oe+W}, \texttt{L=M.subarray}(\texttt{oe,R}), \texttt{\_=re,pe=re,me=Me}(\texttt{B,j+38}), \texttt{ge=de\&\&}(\texttt{Cr}(\texttt{B,j+38})\&\texttt{Cr}(\texttt{B,j+38})) 
 od)==od||Y\&\&(me>>16\&ad)==ad|ee.length&ee[ee.length-
 1] = \text{cd.charCodeAt}(0), \text{Ee} = Y\&\&(\text{me} > 16\&ud) = \text{ud}, \text{xe} = \text{Me}(B, j+42) + v; \text{Object.assign}(b, \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPath}(b), \{\text{versionMadeBy}: ie, \text{msDosComPat
 mpatible:de,compressedSize:0,uncompressedSize:0,commentLength:W,directory:ge,offset:xe,diskNumberSta
rt:We(B,j+34),internalFileAttributes:We(B,j+36),externalFileAttributes:me,rawFilename:ee,filenameUTF 8:□,commentUTF8:pe,rawExtraField:M.subarray(ce,oe),executable:Ee}),b.internalFileAttribute=b.interna
 lFileAttributes,b.externalFileAttribute=b.externalFileAttributes;const
Se=et(r,s,"decodeText")||Yl,Xe=[]?Rd:0||Td,On=pe?Rd:H||Td;let
Dn=Se(ee,Xe);Dn===qe&&(Dn=Yl(ee,Xe));let _t=Se(L,On);_t===qe&&(_t=Yl(L,On)),Object.assign(b,{rawComment:L,filename:Dn,comment:_t,directory:ge||Dn.endsWith(cd)}),w=Math.max(xe,w),z0(b,b,B,j+6),b.zipCrypto=b.encrypted&&!b.extraFieldAES;const Nn=new
 Id(b); \\ Nn.getData = (Tr, jr) = \\ b.getData(Tr, Nn, jr), \\ j = \\ R; \\ const\{onprogress: Rr\} = \\ s; \\ if(Rr)try\{await, left) = \\ left(Rr)try\{await, left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(Rr), left(R
 Rr(V+1,x,new Id(b))}catch{}yield Nn}const
 U=et(r,s,"extractPrependedData"),G=et(r,s,"extractAppendedData");return
\label{linear_upper} $$U\&(r.prependedData=w>0?await ze(a,0,w):new Uint8Array),r.comment=E?await ze(a,A+Cn,E):new Uint8Array,G\&(r.appendedData=k<a.size?await ze(a,k,a.size-k):new Uint8Array),!0}async
 getEntries(s={}){const r=[];for await(const a of this.getEntriesGenerator(s))r.push(a);return}
 r}async close(){}}class ym{constructor(s={}){const{readable:r,writable:a}=new TransformStream,c=new
 b0(r,s).getEntriesGenerator();this.readable=new ReadableStream({async
 pull(f){const{done:d,value:m}=await c.next();if(d)return f.close();const
 g={...m,readable:function(){const{readable:A,writable:E}=new TransformStream;if(m.getData)return
 \label{eq:main_set_Data} m.getData(E),A}()\}; delete \ g.getData,f.enqueue(g)\}\}), this.writable=a}\} class
 xm{constructor(s,r,a){Object.assign(this,{reader:s,config:r,options:a})}async
 \tt getData(s,r,a=\{\})\{const\ c=this,\{reader:f,offset:d,diskNumberStart:m,extraFieldAES:g,compressionMethological and the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the s
 d:A,config:E,bitFlag:k,signature:I,rawLastModDate:T,uncompressedSize:F,compressedSize:x}=c,v=r.local
 Directory={},w=await ze(f,d,30,m),j=Ve(w);let M=et(c,a,"password"),B=et(c,a,"rawPassword");const Q=e
 t(c,a,"passThrough"); if(M=M\&\&M.length\&\&M,B=B\&\&B.length\&\&B,g\&\&g.originalCompressionMethod!=j1)throw
```

```
new Error(ya); if(A!=T1\&A!=R1\&A!=R1\&A!Q) throw new Error(ya); if(Me(j,0)!=P1) throw new
  Error(Q0);Y0(v,j,4),v.rawExtraField=v.extraFieldLength?await
  ze(f,d+30+v.filenameLength,v.extraFieldLength,m):new Uint8Array,z0(c,v,j,4,!0),Object.assign(r,{last
  AccessDate:v.lastAccessDate,creationDate:v.creationDate});const
  0 = c.encrypted \& \&v.encrypted \& \&!Q, H = 0 \&\&!g; if (Q||(r.zipCrypto = H), 0) \\ \{if (!H\&\&g.strength = = = qe) throw new figure for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the con
  Error(V0);if(!M&&!B)throw new Error(W0)}const U=d+30+v.filenameLength+v.extraFieldLength,G=x,V=f.rea
  dable;Object.assign(V,{diskNumberStart:m,offset:U,size:G});const
  b=et(c,a,"signal"),re=et(c,a,"checkPasswordOnly");re&&(s=new WritableStream),s=k0(s),await Ei(s.0?x:
 F);const{writable:J}=s,{onstart:ce,onprogress:oe,onend:ie}=a,de={options:{codecType:f0,password:M,rawPassword:B,zipCrypto:H,encryptionStrength:g&&g.strength,signed:et(c,a,"checkSignature")&&!Q,password:B,zipCrypto:H,encryptionStrength:g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.strength;g&&g.
  dVerification:H&&(k.dataDescriptor?T>>>8&255:I>>>24&255),signature:I,compressed:A!=0&&!Q,encrypted:c
 .encrypted&&!Q,useWebWorkers:et(c,a,"useWebWorkers"),useCompressionStream:et(c,a,"useCompressionStream:),transferStreams:et(c,a,"transferStreams"),checkPasswordOnly:re},config:E,streamOptions:{signal:
 b,size:G,onstart:ce,onprogress:oe,onend:ie}};let Y=0;try{({outputSize:Y}=await P2({readable:V,writable:J},de))}catch(ee){if(!re||ee.message!=Ca)throw ee}finally{const
  ee=et(c,a,"preventClose"); J.size+=Y,!ee&&!J.locked&&await J.getWriter().close()} return
re?qe:s.getData?s.getData():J}}function Y0(l,s,r){const a=l.rawBitFlag=We(s,r+2),c=(a&id)==id,f=Me(s,r+6);0bject.assign(l,{encrypted:c,version:We(s,r),bitFlag:{level:(a&V1)>>1,dataDescriptor:(a&ld)==ld,languageEncodingFlag:(a&sd)==sd},rawLastModDate:f,lastModDate:km(f),filenameLength:We(s,r+22),extraFieldLength:We(s,r+24)})}function z0(l,s,r,a,c){const{rawExtraField:f}=s,d=s.extraField=new}
Map,m=Ve(new Uint8Array(f));let g=0;try{for(;g<f.length;){const}
  w = We(m,g), j = We(m,g+2); d.set(w, \{type:w, data:f.slice(g+4,g+4+j)\}), g+=4+j\}  catch {} const A=We(r,a+4); Obj
  ect.assign(s,{signature:Me(r,a+10),uncompressedSize:Me(r,a+18),compressedSize:Me(r,a+14)});const
E=d.get(M1); E&&(wm(E,s),s.extraFieldZip64=E); const
k=d.get(Q1); k&&(jd(k,R0,T0,s,l),s.extraFieldUnicodePath=k); const
I=d.get(U1); I&&(jd(I,j0,P0,s,l),s.extraFieldUnicodeComment=I); const
  T=d.get(B1); T? (Am(T,s,A), s.extraFieldAES=T): s.compressionMethod=A; constant and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the standard and the s
  F=d.get(H1);F&&(Em(F,s),s.extraFieldNTFS=F);const
  x=d.get(F1); x&&(Sm(x,s,c),s.extraFieldExtendedTimestamp=x); const
  v=d.get(W1); v&&(s.extraFieldUSDZ=v)}function wm(l,s){s.zip64=!0; const
 r=Ve(l.data),a=gm.filter(([c,f])=>s[c]==f);for(let
c=0,f=0;c<a.length;c++){const[d,m]=a[c];if(s[d]==m){const
 g=vm[m];s[d]=l[d]=g.getValue(r,f),f+=g.bytes\}else if(l[d])throw new Error(U0)} function id(l,s,r,a,c) {const f=Ve(l.data),d=new Gl;d.append(c[r]);const m=Ve(new Gl
  Uint8Array(4));m.setUint32(0,d.get(),!0);const g=Me(f,1);Object.assign(l,{version:Cr(f,0),[s]:Yl(l.d
 : Cr(a,2), strength: c, original Compression Method: r, compression Method: We(a,5)\}), s. compression Method: r, compression Method: Respectively. The strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the stren
  mpressionMethodfunction Em(l,s)fconst r=Ve(l.data);let a=4,c;tryffor(;a<l.data.length&f!const f
  = We(r,a), d= We(r,a+2); f==L1\&\&(c=1.data.slice(a+4,a+4+d)), a+=4+d} \\ catch{}{try{if(c\&c.length==24){const}}} \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\ const=24) \\
  f=Ve(c),d=f.getBigUint64(0,!0),m=f.getBigUint64(8,!0),g=f.getBigUint64(16,!0);Object.assign(l,{rawLastModDate:d,rawLastAccessDate:m,rawCreationDate:g});const A=ra(d),E=ra(m),k=ra(g),I={lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A,lastModDate:A
  astAccessDate:E,creationDate:k};Object.assign(l,I),Object.assign(s,I)}}catch{}}function
  Sm(l,s,r)\{const\ a=Ve(l.data),c=Cr(a,0),f=[],d=[];r?((c\&1)==1\&\&(f.push(ga),d.push(va)),(c\&2)==2\&\&(f.push(ga),d.push(va))\}\}
  ush(MO), d.push(tm)), (c&4) == 4&(f.push(BO), d.push(nm))): l.data.length>= 5&(f.push(ga), d.push(va)); let
  m=1;f.forEach((g,A)=>\{if(l.data.length>=m+4)\{const E=Me(a,m);s[g]=l[g]=new Date(E*1e3);const E=Me(a,m);s[g]=new Date(E*1e3);s[g]=new 
 k=d[A];l[k]=E}m+=4})}async function Cm(l,s,r,a,c){const f=new Uint8Array(4),d=Ve(f);Im(d,0,s);const m=a+c;return await g(a)||await g(Math.min(m,r));async function g(A){const E=r-A,k=await
  ze(l,E,A);for(let I=k.length-a;I>=0;I-
  if(k[I] == f[0] \& k[I+1] == f[1] \& k[I+2] == f[2] \& k[I+3] == f[3]) return\{ offset : E+I, buffer : k.slice(I,I+a).buffer : k
  fer}}}function et(l,s,r){return s[r]===qe?l.options[r]:s[r]}function km(l){const
  s=(l&4294901760)>>16,r=l&65535;try{return new Date(1980+((s&65024)>>9),((s&480)>>5)-1,s&31,(r&63488)>>11,(r&2016)>>5,(r&31)*2,0)}catch{}}function
  ra(l){return new Date(Number(l/BigInt(le4)-BigInt(116444736e5)))}function Cr(l,s){return
  \label{logetUint8} l.getUint8(s) \} function \ We(l,s) \{ return \ l.getUint16(s,!0) \} function \ Me(l,s) \{ return \ l.getUint8(s) \} function \ Me(l,s) \{ return \ l.getUint8(s) \} function \ Me(l,s) \} function \ Me(l,s) \{ return \ l.getUint8(s) \} function \ Me(l,s) \} function \ Me(l,s) \{ return \ l.getUint8(s) \} function \ Me(l,s) \} function \ 
  l.getUint32(s,!0) function Xl(l,s) {return Number(l.getBigUint64(s,!0))} function
  Im(l,s,r)\{l.setUint32(s,r,!0)\} function Ve(l)\{return new DataView(l.buffer)\}Gd(\{Inflate:II\})\}; const Rm(l,s,r)\{l.setUint32(s,r,!0)\}
=Object.freeze(Object.defineProperty({__proto__:null,BlodReader:Pa,BlobWriter:v0,Data64URIReader:W2,Data64URIWriter:V2,ERR_BAD_FORMAT:zl,ERR_CENTRAL_DIRECTORY_NOT_FOUND:F0,ERR_ENCRYPTED:W0,ERR_EOCDR_LOCATOR_ZIP64_NOT_FOUND:L0,ERR_EOCDR_NOT_FOUND:H0,ERR_EXTRAFIELD_ZIP64_NOT_FOUND:U0,ERR_HTTP_RANGE:Ri,ERR_INVALID_PROSSWORD:Ea,ERR_INVALID_SIGNATURE:Sa,ERR_INVALID_FOUND:U0,ERR_EOCDR_LOCATOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRACTOR_CONTRA
HEADER_NOT_FOUND:Q0,ERR_SPLIT_ZIP_FILE:xa,ERR_UNSUPPORTED_COMPRESSION:ya,ERR_UNSUPPORTED_ENCRYPTION: V0,HttpRangeReader:G2,HttpReader:S0,Reader:Pn,SplitDataReader:Da,SplitDataWriter:Zl,SplitZipReader:q2,SplitZipWriter:_2,TextReader:b2,TextWriter:Y2,Uint8ArrayReader:K2,Uint8ArrayWriter:Z2,Writer:ja,Zi
  pReader:b0,ZipReaderStream:ym,configure:Gd,getMimeType:X1,initReader:C0,initStream:Ei,initWriter:k0,
  readUint8Array:ze,terminateWorkers:D2},Symbol.toStringTag,{value:"Module"}));var se=Aa();const Ft=r1(se);var Ul={},ia={exports:{}},ot={},la={exports:{}},sa={};/**
                     @license React
                     scheduler.production.min.js
                    Copyright (c) Facebook, Inc. and its affiliates.
                   This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
    */var Pd;function Tm(){return Pd||(Pd=1,function(l){function s(Y,ee){var
W=Y.length;Y.push(ee);e:for(;0<W;){var R=W-1>>>1,L=Y[R];if(0<c(L,ee))Y[R]=ee,Y[W]=L,W=R;else break e}}function r(Y){return Y.length===0?null:Y[0]}function a(Y){if(Y.length===0) return null;var
ee=Y[0],W=Y.pop();if(W!==ee){Y[0]=W;e:for(var R=0,L=Y.length, =L>>>1;R<=;){var pe=2*(R+1)-
1, me=Y[pe], ge=pe+1, Ee=Y[ge]; if(0>c(me,W))ge<L&&0>c(Ee,me)?(Y[R]=Ee,Y[ge]=W,R=ge):(Y[R]=me,Y[pe]=W,R=ge)
pe); else if(ge<L\&\&0>c(Ee,W))Y[R]=Ee,Y[ge]=W,R=ge; else break e}}return ee}function c(Y,ee){var
W=Y.sortIndex-ee.sortIndex;return W!==0?W:Y.id-ee.id}if(typeof performance=="object"&&typeof
performance.now=="function"){var f=performance;l.unstable_now=function(){return f.now()}}else{var d=Date,m=d.now();l.unstable_now=function(){return d.now()-m}}var
q=[],A=[],E=1,k=null,I=3,T=!1,F=!1,x=!1,v=typeof setTimeout=="function"?setTimeout:null,w=typeof
clearTimeout=="function"?clearTimeout:null,j=typeof setImmediate<"u"?setImmediate:null,;typeof navigator<"u"%&navigator.scheduling!==void 0&&navigator.scheduling.isInputPending!==void
0&&navigator.scheduling.isInputPending.bind(navigator.scheduling);function M(Y){for(var
ee=r(A);ee!==null;){if(ee.callback===null)a(A);else
if(ee.startTime<=Y)a(A),ee.sortIndex=ee.expirationTime,s(g,ee);else break;ee=r(A)}}function</pre>
B(Y)\{if(x=!1,M(Y),!F)if(r(g)!==null)F=!0,ie(Q);else\{var\}\}
ee=r(A); ee!==null\&\&de(B, ee.startTime-Y)\} function Q(Y, ee)\{F=!1, x\&\&(x=!1, w(U), U=-1), T=!0; var
W=I;try\{for(M(ee),k=r(g);k!==null\&\&(!(k.expirationTime>ee)||Y&\&!b());\}\{var R=k.callback;if(typeof)\}
R=="function"){k.callback=null,I=k.priorityLevel;var
L=R(k.expirationTime<=ee);ee=l.unstable_now(),typeof
L = "function"?k.callback = L:k = = r(g) \& a(\overline{g}), M(ee) \} else \ a(g);k = r(g) \} if(k! = null) var \ \square = !0;else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} if(k! = null) var(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \{var(g), m(ee)\} else \ a(g);k = r(g) \} else \ a(g
pe=r(A); pe!==null\&de(B,pe.startTime-ee), [=!1] return [] finally {k=null, I=W, T=!1}} var
O=!1,H=null,U=-1,G=5,V=-1;function b(){return!(l.unstable_now()-V<G)}function re(){if(H!==null){var Y=l.unstable_now();V=Y;var ee=!0;try{ee=H(!0,Y)}finally{ee?J():(0=!1,H=null)}}else 0=!1}var
J; if(typeof j = "function") J = function() \{j(re)\}; else if(typeof MessageChannel < "u") \{var ce=new f(typeof MessageChannel < "u") \}
MessageChannel,oe=ce.port2;ce.port1.onmessage=re,J=function(){oe.postMessage(null)}}else
J=function()\{v(re,0)\}; function ie(Y)\{H=Y,0||(0=!0,J())\}function de(Y,ee)\{U=v(function()\{Y(l.unstable learned of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the p
_now())},ee)}l.unstable_IdlePriority=5,l.unstable_ImmediatePriority=1,l.unstable_LowPriority=4,l.unstable_NormalPriority=3,l.unstable_Profiling=null,l.unstable_UserBlockingPriority=2,l.unstable_cancel
Callback=function(Y) \{Y.callback=null\}, l.unstable \ continueExecution=function() \{F||T||(F=!0,ie(\overline{0}))\}, l.unstable \ continueExecution=function() \{F||T||T||(F=!0,ie(
unstable forceFrameRate=function(Y){0>Y||125<Y?console.error("forceFrameRate takes a positive int
between \overline{0} and 125, forcing frame rates higher than 125 fps is not
supported"):G=0<Y?Math.floor(1e3/Y):5},l.unstable_getCurrentPriorityLevel=function(){return</pre>
I},l.unstable getFirstCallbackNode=function(){return
r(g), l.unstable next=function(Y){switch(I){case 1:case 2:case 3:var ee=3;break;default:ee=I}var
W=I;I=ee;try{return Y()}finally{I=W}},l.unstable pauseExecution=function(){},l.unstable requestPaint
=function(){},l.unstable runWithPriority=function(Y,ee){switch(Y){case 1:case 2:case 3:case 4:case
5:break;default:Y=3}var W=I;I=Y;try{return
ee()finally{I=W},l.unstable scheduleCallback=function(Y,ee,W){var R=l.unstable now();switch(typeof
2:L=250;break;case 5:L=1073741823;break;case 4:L=1e4;break;default:L=5e3}return L=W+L,Y={id:E++,call
back:ee,priorityLevel:Y,startTime:W,expirationTime:L,sortIndex:-
1\}, \text{W}>R?(\text{Y}.\text{sortIndex}=\text{W}, \text{s}(\text{A},\text{Y}), \text{r}(\text{g})===\text{null}\&\&\text{Y}===\text{r}(\text{A})\&\&(\text{x}?(\text{w}(\text{U}),\text{U}=-1):\text{x}=!0,\text{de}(\text{B},\text{W}-\text{R}))):(\text{Y}.\text{sortIndex}=\text{L},\text{s}(\text{g},\text{Y}),\text{F}||\text{T}||(\text{F}=!0,\text{ie}(\text{Q}))),\text{Y},\text{Lunstable}\_\text{shouldYield}=\text{b},\text{Lunstable}\_\text{wrapCallback}=\text{f}
unction(Y){var ee=I;return function(){var W=I;I=ee;try{return}}
Y.apply(this,arguments)}finally{I=W}}}}(sa)),sa}var Od;function jm(){return
Od||(Od=1,la.exports=Tm()),la.exports}/
          @license React
          react-dom.production.min.js
          Copyright (c) Facebook, Inc. and its affiliates.
          This source code is licensed under the MIT license found in the
          LICENSE file in the root directory of this source tree.
*/var Dd;function Pm(){if(Dd)return ot;Dd=1;var l=Aa(),s=jm();function r(e){for(var t="https://reactjs.org/docs/error-decoder.html?invariant="+e,n=1;n<arguments.length;n++)t+="&args[]=
 "+encodeURIComponent(arguments[n]);return"Minified React error #"+e+"; visit "+t+" for the full
message or use the non-minified dev environment for full errors and additional helpful warnings."}var a=new Set,c={};function f(e,t){d(e,t),d(e+"Capture",t)}function
d(e,t){for(c[e]=t,e=0;e<t.length;e++)a.add(t[e])}var m=!(typeof window>"u"||typeof
window.document>"u"||typeof window.document.createElement>"u"),g=Object.prototype.hasOwnProperty,A=/
^[:A-Z a-z\u00C0-\u00D6\u00D8-\u00F6\u00F8-\u02FF\u0370-\u037D\u037F-\u1FFF\u200C-\u200D\u2070-
\u218F\u2C00-\u2FEF\u3001-\uD7FF\uF900-\uFDFO-\uFDFO-\uFFFD][:A-Z_a-z\u00C0-\u00D6\u00D8-\u00F6\u00F6-\u02FF\u3001-\u037D\u037F-\u1FFF\u200C-\u200D\u2070-\u218F\u2C00-\u2FF\u3001-
T(e,t,n,i) \{ if(n!==null\&\&n.type===0) \ return!1; switch(typeoft) \} \\ \{ case"function": case"symbol": return!0; case"boolean": return i?!1:n!==null?!n.acceptsBooleans: (e=e.t.acceptsBooleans) \} \\ \{ case"function": case"symbol": return!0; case"boolean": return i?!1:n!==null?!n.acceptsBooleans: (e=e.t.acceptsBooleans) \} \\ \{ case"function": case"symbol": return!0; case"boolean": return i?!1:n!==null?!n.acceptsBooleans: (e=e.t.acceptsBooleans) \} \\ \{ case"function": case"symbol": return!0; case"boolean": return i?!1:n!==null?!n.acceptsBooleans: (e=e.t.acceptsBooleans) \} \\ \{ case"function": case"symbol": return!0; case"boolean": return i?!1:n!==null?!n.acceptsBooleans: (e=e.t.acceptsBooleans) \} \\ \{ case"symbol": return!0; case"symbol": return!0; case"boolean": return i?!1:n!==null?!n.acceptsBooleans: (e=e.t.acceptsBooleans) \} \\ \{ case"symbol": return!0; case"symbol": return!0; case"booleans: (e=e.t.acceptsBooleans) \} \\ \{ case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol": return!0; case"symbol
oLowerCase().slice(0,5),e!=="data-"&&e!=="aria-");default:return!1}}function
F(e,t,n,i){if(t===null||typeof
t>"u"||T(e,t,n,i)) \\ return!0; \\ if(i) \\ return!1; \\ if(n!==null) \\ switch(n.type) \\ \{case \ 3: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ return!t; \\ case \ 4: \\ re
t===!1; case 5:return isNaN(t); case 6:return isNaN(t)||1>t}return!1}function x(e,t,n,i,o,u,p){this.ac
```

```
ceptsBooleans=t===2||t===3||t===4,this.attributeName=i,this.attributeNamespace=o,this.mustUsePropert
 y=n,this.propertyName=e,this.type=t,this.sanitizeURL=u,this.removeEmptyString=p}var v={};"children
 dangerouslySetInnerHTML defaultValue defaultChecked innerHTML suppressContentEditableWarning
suppressHydrationWarning style".split(" ").forEach(function(e){v[e]=new x(e,0,!1,e,null,!1,!1)}),[["acceptCharset","accept-charset"],["className","class"],["htmlFor","for"],["httpEquiv","http-
equiv"]].forEach(function(e){var t=e[0];v[t]=new x(t,1,!1,e[1],null,!1,!1)}),["contentEditable","dra ggable","spellCheck","value"].forEach(function(e){v[e]=new x(e,2,!1,e.toLowerCase(),null,!1,!1)}),["autoReverse","externalResourcesRequired","focusable","preserveAlpha"].forEach(function(e){v[e]=new x(e,2,!1,e,null,!1,!1)}),"autoReverse","externalResourcesRequired","focusable","preserveAlpha"].forEach(function(e){v[e]=new x(e,2,!1,e,null,!1,!1)}),"autoReverse","externalResourcesRequired","focusable","preserveAlpha"].forEach(function(e){v[e]=new x(e,2,!1,e,null,!1,!1)}),"autoReverse","externalResourcesRequired","focusable","preserveAlpha"].forEach(function(e){v[e]=new x(e,2,!1,e,null,!1,!1)}),"autoReverse "autoReverse "autoRe
 disablePictureInPicture disableRemotePlayback formNoValidate hidden loop noModule noValidate open
playsInline readOnly required reversed scoped seamless itemScope".split("
").forEach(function(e){v[e]=new x(e,3,!1,e.toLowerCase(),null,!1,!1)}),["checked","multiple","muted"
,"selected"].forEach(function(e){v[e]=new
x(e,3,!0,e,null,!1,!1)}),["capture","download"].forEach(function(e){v[e]=new
x(e,4,!1,e,null,!1,!1)}),["cols","rows","size","span"].forEach(function(e){v[e]=new
x(e,6,!1,e,null,!1,!1)}),["rowSpan","start"].forEach(function(e){v[e]=new
x(e,6,!1,e,null,!1,!1)}),["rowSpan","start"].forEach(function(e){v[e]=new
x(e,6,!1,e,null,!1,!1)})
 x(e,5,!1,e.toLowerCase(),null,!1,!1)); var w=/[\cdot-:]([a-z])/g; function j(e){return
 e[1].toUpperCase()}"accent-height alignment-baseline arabic-form baseline-shift cap-height clip-path
 clip-rule color-interpolation color-interpolation-filters color-profile color-rendering dominant-
baseline enable-background fill-opacity fill-rule flood-color flood-opacity font-family font-size font-size-adjust font-stretch font-style font-variant font-weight glyph-name glyph-orientation-
 horizontal glyph-orientation-vertical horiz-adv-x horiz-origin-x image-rendering letter-spacing
 lighting-color marker-end marker-mid marker-start overline-position overline-thickness paint-order
 panose-I pointer-events rendering-intent shape-rendering stop-color stop-opacity strikethrough-
position strikethrough-thickness stroke-dasharray stroke-dashoffset stroke-linecap stroke-linejoin stroke-miterlimit stroke-opacity stroke-width text-anchor text-decoration text-rendering underline-
 position underline-thickness unicode-bidi unicode-range units-per-em v-alphabetic v-hanging
v-ideographic v-mathematical vector-effect vert-adv-y vert-origin-x vert-origin-y word-spacing writing-mode xmlns:xlink x-height".split(" ").forEach(function(e){var t=e.replace(w,j);v[t]=new
writing-mode xmlns:xlink x-height".split(" ").forEach(function(e){var t=e.replace(w,j);v[t]=new x(t,1,!1,e,null,!1,!1)}), "xlink:actuate xlink:arcrole xlink:role xlink:show xlink:title xlink:type".split(" ").forEach(function(e){var t=e.replace(w,j);v[t]=new x(t,1,!1,e,"http://www.w3.org/1999/xlink",!1,!1)}), ["xml:base", "xml:lang", "xml:space"].forEach(function(e){var t=e.replace(w,j);v[t]=new x(t,1,!1,e,"http://www.w3.org/XML/1998/namespace",!1,!1)}), ["tabIndex", "cr ossOrigin"].forEach(function(e){v[e]=new x(e,1,!1,e.toLowerCase(),null,!1,!1)}), v.xlinkHref=new x("x linkHref",1,!1,"xlink:href", "http://www.w3.org/1999/xlink",!0,!1), ["src", "href", "action", "formAction "].forEach(function(e){v[e]=new x(e,1,!1,e.toLowerCase(),null,!0,!0)}); function M(e,t,n,i){var o=v.h.sconerProperty(t)2y!tl:null:(al==null2o_typel==neill!(2ct_length)||t[0]|=="0"%&t[0]|=="0""||t[1]|=="0"
asOwnProperty(t)?v[t]:null;(o!==null?o.type!==0:i||!(2<t.length)||t[0]!=="o"&t[0]!=="o"&t[1]!=="n"&&t[1]!=="n"&&t[1]!=="n"&&t[1]!=="n"&&(n=null),i||o===null?I(t)&&(n===null?e.removeAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute(t):e.setAttribute
  (t, ""+n)):o.mustUseProperty?e[o.propertyName]=n===null?o.type===3?!1:"":n:(t=o.attributeName,i=o.att
 ributeNamespace, n===null?e.removeAttribute(t):(o=o.type, n=o===3||o===4&&n===!0?"":"+n,i?e.setAttrib
uteNS(i,t,n):e.setAttribute(t,n))))\var B=l. _SECRET_INTERNALS_DO_NOT_USE_OR_YOU_WILL_BE_FIRED,Q=Symbol.for("react.element"),O=Symbol.for("react.portal"),H=Symbol.for("react.fragment"),U=Symbol.for("react.strict_mode"),G=Symbol.for("react.profiler"),V=Symbol.for("react.provider"),b=Symbol.for("react.context"),re=Symbol.for("react.fragment"),J=Symbol.for("react.groward_ref"),J=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Symbol.for("react.su="list"),re=Sym
 spense list"),oe=Symbol.for("react.memo"),ie=Symbol.for("react.lazy"),de=Symbol.for("react.offscreen
      ),Y=Symbol.iterator;function ee(e){return e===null||typeof
 e!="object"?null:(e=Y&&e[Y]||e["@@iterator"],typeof e=="function"?e:null)}var
 W=0bject.assign,R; function L(e){if(R===void\ 0)try{throw Error()}catch(n){var
 t=n.stack.trim().match(/\n(*(at )?)/);R=t&&t[1]||""}return
     +R+e}var [=!1;function pe(e,t){if(!e||[])return"";[=!0;var]}
 n = Error.prepareStackTrace; Error.prepareStackTrace = void 0; try{if(t)if(t=function()}{throw} = void 0; try{if(t)if(t=function())}{throw} = void 0; tr
 Error()},Object.defineProperty(t.prototype, "props", {set:function()}throw Error()}}),typeof
 Reflect == "object" \& Reflect.construct) \{try\{Reflect.construct(t,[])\} catch(N) \{varanteelect.construct(t,[])\} \}  i=N\\Reflect.construct(e,[],t)\\else\{try\{t.call()\}catch(N)\{i=N\}e.call(t.prototype)\}else\{try\{throwing the construct (e,[],t)\}else\{try\{throwing the construct (e,[],t)\}else(try(the construct (e,[],t)))else(try(the construct (e,[],t
 ),u=i.stack.split(
  `),p=o.length-1,y=u.length-1;1<=p&&0<=y&&o[p]!==u[y];)y--;for(;1<=p&&0<=y;p--,y--
)if(o[p]!==u[y]){if(p!==1||y!==1)do if(p--,y--,0>y||o[p]!==u[y]){var S=` +o[p].replace(" at new "," at ");return e.displayName&&S.includes("<anonymous>")&&(S=S.replace("<anonymous>",e.displayName)),S}while(1<=p&&0<=y);break}}}finally{\square=!1,Error.prepareStackTrace=n}return(
 e=e?e.displayName||e.name:"")?L(e):""}function me(e){switch(e.tag){case 5:return L(e.type);case 16:return L("Lazy");case 13:return L("Suspense");case 19:return L("SuspenseList");case 0:case 2:case
15:return e=pe(e.type,!1),e;case 11:return e=pe(e.type.render,!1),e;case 1:return e=pe(e.type,!0),e;default:return""}}function ge(e){if(e==null)return null;if(typeof
 e=="function")return e.displayName||e.name||null;if(typeof e=="string")return e;switch(e){case
H:return"Fragment";case O:return"Portal";case G:return"Profiler";case U:return"StrictMode";case J:return"Suspense";case ce:return"SuspenseList"}if(typeof e=="object")switch(e.□□typeof){case
b:return(e.displayName||"Context")+".Consumer";case
V:return(e._context.displayName||"Context")+".Provider";case re:var t=e.render;return
e=e.displayName,e||(e=t.displayName||t.name||"",e=e!==""?"ForwardRef("+e+")":"ForwardRef"),e;case
 oe:return t=e.displayName||null,t!==null?t:ge(e.type)||"Memo";case
```

```
t=e.type;switch(e.tag){case 24:return"Cache";case
9:return(t.displayName||"Context")+".Consumer";case
10:return(t. context.displayName||"Context")+".Provider";case 18:return"DehydratedFragment";case
11: return
e=t.render,e=e.displayName||e.name||"",t.displayName||(e!==""?"ForwardRef("+e+")":"ForwardRef");case
7:return"Fragment";case 5:return t;case 4:return"Portal";case 3:return"Root";case 6:return"Text";case 16:return ge(t);case 8:return t===U?"StrictMode":"Mode";case
22:return"Offscreen";case 12:return"Profiler";case 21:return"Scope";case 13:return"Suspense";case 19:return"SuspenseList";case 25:return"TracingMarker";case 1:case 0:case 17:case 2:case 14:case
15:if(typeof t=="function")return t.displayName||t.name||null;if(typeof t=="string")return t}return
null}function xe(e){switch(typeof e){case"boolean":case"number":case"string":case"undefined":return
e; case "object": return e; default: return ""}} function Se(e) {var
t=e.type; return(e=e.nodeName)&&e.toLowerCase()==="input"&&(t==="checkbox"||t==="radio")}function
Xe(e){var t=Se(e)?"checked":"value",n=Object.getOwnPropertyDescriptor(e.constructor.prototype,t),i="
  "+e[t];if(!e.has0wnProperty(t)&&typeof n<"u"&&typeof n.get=="function"&&typeof
n.set=="function"){var o=n.get,u=n.set;return
Object.defineProperty(e,t,{configurable:!0,get:function(){return o.call(this)},set:function(p){i=""+
p,u.call(this,p)}}),Object.defineProperty(e,t,{enumerable:n.enumerable}),{getValue:function(){return
i},setValue:function(p){i=""+p},stopTracking:function(){e._valueTracker=null,delete e[t]}}}}function
On(e){e. valueTracker||(e. valueTracker=Xe(e))}function Dn(e){if(!e)return!1;var
t=e. valueTracker;if(!t)return!0;var n=t.getValue(),i="";return
e\&\&(i=Se(e)?e.checked?"true":"false":e.value),e=i,e!==n?(t.setValue(e),!0):!1function
  t(e){if(e=e||(typeof document<"u"?document:void 0),typeof e>"u")return null;try{return
e.activeElement||e.body}catch{return e.body}}function Nn(e,t){var n=t.checked;return
W({},t,{defaultChecked:void 0,defaultValue:void 0,value:void
0,checked:n??e. wrapperState.initialChecked}))function Rr(e,t){var n=t.defaultValue==null?"":t.defau
ltValue,i=t.checked!=null?t.checked:t.defaultChecked;n=xe(t.value!=null?t.value:n),e. wrapperState={
initialChecked:=nutt:t.thecked.t.deradttchecked,h=xe(t.vatue:=nutt:t.vatue:n),e._wrapperstate={
   initialChecked:i,initialValue:n,controlled:t.type==="checkbox"||t.type==="radio"?t.checked!=null:t.v
   alue!=null}}function Tr(e,t){t=t.checked,t!=null&&M(e,"checked",t,!1)}function jr(e,t){Tr(e,t);var n
   =xe(t.value),i=t.type;if(n!=null)i==="number"?(n===0&&e.value===""||e.value!=n)&&(e.value=""+n):e.va
lue!==""+n&@(e.value=""+n);else if(i==="submit"||i==="reset"){e.removeAttribute("value");return}t.ha
sOwnProperty("value")?ts(e,t.type,n):t.hasOwnProperty("defaultValue")&&ts(e,t.type,xe(t.defaultValue)),t.checked==null&&t.defaultChecked!=null&&(e.defaultChecked=!t.defaultChecked)}function
Ua(e,t,n){if(t.hasOwnProperty("value")||t.hasOwnProperty("defaultValue")){var i=t.type;if(!(i!=="submit"&&i!=="reset"||t.value!==void 0&&t.value!==null))return;t=""+e._wrapperSta
te.initialValue,n||t==e.value||(e.value=t),e.defaultValue=t}n=e.name,n!==""\&\&(e.name=""),e.defaultC
\label{eq:hecked} \begin{aligned} &\text{hecked}=!!e. \ &\text{wrapperState.initialChecked,n!}==""\&\&(e.name=n)\} &\text{function ts(e,t,n)} &\text{(t!=="number"}|_{t(e.ownerDocument)!}==)\&\&(n==null?e.defaultValue=""+e. \ &\text{wrapperState.initialValue:e.defaultValue!}==""+n\&\&(e.name=n)] &\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ownerDocument)!}==)&\text{(t!=="number"}|_{t(e.ow
 . defaultValue=""+n)) \} var Pr=Array.isArray; function Jn(e,t,n,i) \{if(e=e.options,t) \{t=\{\}; for(var o=0; o<e,t,n,i) \} \} var Pr=Array.isArray; function Jn(e,t,n,i) \{if(e=e.options,t) \} \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Jn(e,t,n,i) \} var Pr=Array.isArray; function Pr=Array; n.length; o++)t["|"+n[o]]=!0; for(n=0; n<e.length; n++)o=t.hasOwnProperty("|"+e[n].value), e[n].selected!
==0&(e[n].selected=0),o&(e[n].defaultSelected=!0)}elsefor(n=""+xe(n),t=null,o=0;o<e.length;o++
) \{ if(e[o].value===n) \{ e[o].selected=!0, i\&\&(e[o].defaultSelected=!0); return \} t!==null||e[o].disabled||(t=e[o])\} t!==null\&\&(t.selected=!0) \} function ns(e,t) \{ if(t.dangerouslySetInnerHTML!=null) throw \} function is the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the conte
Error(r(91));return W({},t,{value:void 0,defaultValue:void
0,children:""+e._wrapperState.initialValue})}function Wa(e,t){var
n=t.value;if(n==null){if(n=t.children,t=t.defaultValue,n!=null){if(t!=null)throw
Error(r(92));if(Pr(n)){if(1<n.length)throw</pre>
t=e.textContent;t===e.wrapperState.initialValue&&t!==""&&t!==null&&(e.value=t))function Ya(e){switc
h(e){case"svg":return"http://www.w3.org/2000/svg";case"math":return"http://www.w3.org/1998/Math/Math
ML";default:return"http://www.w3.org/1999/xhtml"}}function rs(e,t){return e==null||e===|http://www.w
3.org/1999/xhtml"?Ya(t):e==="http://www.w3.org/2000/svg"&&t==="foreignObject"?"http://www.w3.org/1999/xhtml":e}var Ti,za=function(e){return typeof MSApp<"u"&&MSApp.execUnsafeLocalFunction?function(t,n
 ,i,o){MSApp.execUnsafeLocalFunction(function(){return
e(t,n,i,o)}):e}(function(e,t){if(e.namespaceURI!=="http://www.w3.org/2000/svg"||"innerHTML"in e)e.i
nnerHTML=t;else{for(Ti=Ti||document.createElement("div"),Ti.innerHTML="<svg>"+t.valueOf().toString()
+"</svg>",t=Ti.firstChild;e.firstChild;)e.removeChild(e.firstChild);for(;t.firstChild;)e.appendChild
 (t.firstChild)}});function Or(e,t){if(t){var
n=e.firstChild;if(n&&n===e.lastChild&&n.nodeType===3){n.nodeValue=t;return}}e.textContent=t}var Dr={
animationIterationCount: !0, aspectRatio: !0, borderImageOutset: !0, borderImageSlice: !0, borderImageWidth:
!0,boxFlex:!0,boxFlexGroup:!0,boxOrdinalGroup:!0,columnCount:!0,columns:10,flex:!0,flexGrow:10,flexP
ositive:!0,flexShrink:!0,flexNegative:!0,flexOrder:!0,gridArea:!0,gridRow:!0,gridRowEnd:!0,gridRowSpan:!0,gridRowStart:!0,gridColumn:!0,gridColumnEnd:!0,gridColumnSpan:!0,gridColumnStart:!0,fontWeight
:!0,lineClamp:!0,lineHeight:!0,opacity:!0,order:!0,orphans:!0,tabSize:!0,widows:!0,zIndex:!0,zoom:!0
,fillOpacity:!0,floodOpacity:!0,stopOpacity:!0,strokeDasharray:!0,strokeDashoffset:!0,strokeMiterlimit:!0,strokeOpacity:!0,strokeWidth:!0},lp=["Webkit","ms","Moz","0"];0bject.keys(Dr).forEach(function
(e) { lp.forEach(function(t) { t=t+e.charAt(0).toUpperCase()+e.substring(1),Dr[t]=Dr[e]}) }); function
Xa(e,t,n) { return t==null||typeof t=="boolean"||t===""?"":n||typeof
t!="number"||t===0||Dr.hasOwnProperty(e)&&Dr[e]?(""+t).trim():t+"px"} function
Ga(e,t){e=e.style;for(var n in t)if(t.hasOwnProperty(n)){var
i=n.index0f("--")===0,o=Xa(n,t[n],i);n==="float"&&(n="cssFloat"),i?e.setProperty(n,o):e[n]=o}
```

```
=W({menuitem:!0},{area:!0,base:!0,br:!0,col:!0,embed:!0,hr:!0,img:!0,input:!0,keygen:!0,link:!0,meta
 :!0,param:!0,source:!0,track:!0,wbr:!0});function
 is(e.t){if(t){if(sp[e]&&(t.children!=null||t.dangerouslySetInnerHTML!=null))throw
Error(r(137,e));if(t.dangerouslySetInnerHTML!=null){if(t.children!=null)throw Error(r(60));if(typeof t.dangerouslySetInnerHTML!="object"||!("_html"in t.dangerouslySetInnerHTML))throw Error(r(61))}if(t.style!=null&&typeof t.style!="object")throw Error(r(62))}}function
ls(e,t){if(e.index0f("-")===-1)return typeof t.is=="string";switch(e){case"annotation-
xml":case"color-profile":case"font-face-src":case"font-face-uri":case"font-face-
 format":case"font-face-name":case"missing-glyph":return!1;default:return!0}}var ss=null;function
 os(e) {return e=e.target||e.srcElement||window,e.correspondingUseElement&&(e=e.correspondingUseElement
 t),e.nodeType===3?e.parentNode:e}var as=null,qn=null, n=null;function Ka(e){if(e=ei(e)){if(typeof
 as!="function")throw Error(r(280)); var t=e.stateNode; t&&(t=qi(t),as(e.stateNode,e.type,t))}}function
 Za(e){qn? n? n.push(e): n=[e]:qn=e}function Ja(){if(qn){var}
e=qn,t=_n;if(_n=qn=null,Ka(e),t)for(e=0;e<t.length;e++)Ka(t[e])}function qa(e,t){return e(t)}function _a(){}var us=!1;function \Boxa(e,t,n){if(us)return e(t,n);us=!0;try{return qa(e,t,n)}finally{us=!1,(qn!==null)|_n!==null)&&(_a(),Ja())}function Nr(e,t){var
n=e.stateNode;if(n===null)return null;var i=qi(n);if(i===null)return null;n=i[t];e:switch(t){case"on Click":case"onClickCapture":case"onDoubleClick":case"onDoubleClickCapture":case"onMouseDown":case"on
MouseDownCapture":case"onMouseMove":case"onMouseMoveCapture":case"onMouseUpCapture":case"onMouseEnter":(i=!i.disabled)||(e=e.type,i=!(e==="button"||e==="input"||e==="select"||e==="text"|
 area")),e=!i;break e;default:e=!1}if(e)return null;if(n&&typeof n!="function")throw
Error(r(231,t,typeof n));return n}var cs=!1;if(m)try{var Mr={};0bject.defineProperty(Mr,"passive",{get:function(){cs=!0}}),window.addEventListener("test",Mr,Mr),window.removeEventListener("test",Mr,Mr)
)} catch{cs=!1} function op(e,t,n,i,o,u,p,y,S){var N=Array.prototype.slice.call(arguments,3); try{t.apply(n,N)} catch(X){this.onError(X)}} var
 Br=!1,ji=null,Pi=!1,fs=null,ap={onError:function(e){Br=!0,ji=e}};function
 up(e,t,n,i,o,u,p,y,S){Br=!1,ji=null,op.apply(ap,arguments)}function
 cp(e,t,n,i,o,u,p,y,S) \{ if(up.apply(this,arguments),Br) \{ if(Br) \{ var \ N=ji;Br=!1,ji=null \} else \ throw \ Error(r(198));Pi||(Pi=!0,fs=N) \} \} function \ Mn(e) \{ var \ N=ji;Br=!1,ji=null \} \} 
 t=e,n=e;if(e.alternate)for(;t.return;)t=t.return;else{e=t;do
 t=e,(t.flags\&4098)!==0\&\&(n=t.return),e=t.return; while(e)\}return t.tag===3?n:null\}function
 eu(e){if(e.tag===13){var
 t=e.memoizedState;if(t===null&&(e=e.alternate,e!==null&&(t=e.memoizedState)),t!==null)return
t.dehydrated}return null}function tu(e)\{if(Mn(e)!==e)throw\ Error(r(188))\}function\ fp(e)\{vart=e.alternate;if(!t)\{if(t=Mn(e),t===null)throw\ Error(r(188));return\ t!==e?null:e\}for(vart)
 n=e,i=t;;){var o=n.return;if(o===null)break;var u=o.alternate;if(u===null){if(i=o.return,i!==null){n
 =i;continue}break}if(o.child===u.child){for(u=o.child;u;){if(u===n)return tu(o),e;if(u===i)return
 tu(o),t;u=u.sibling throw Error(r(188)) if (n.return!=i.return) n=0,i=u;else for (var p=!1,y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.child;y=0.c
;){if(y===n){p=!0,n=o,i=u;break}if(y===i){p=!0,i=o,n=u;break}y=y.sibling}if(!p){for(y=u.child;y;){if(y===n){p=!0,n=u,i=o;break}if(y===i){p=!0,i=u,n=o;break}y=y.sibling}if(!p)throw

Error(r(189))}}if(n.alternate!==i)throw Error(r(190))}if(n.tag!==3)throw Error(r(188));return
 n.stateNode.current===n?e:t}function nu(e){return e=fp(e),e!==null?ru(e):null}function
 ru(e) {if(e.tag===5||e.tag===6)return e;for(e=e.child;e!==null;) {var t=ru(e);if(t!==null)return}
 t;e=e.sibling\return null\return iu=s.unstable scheduleCallback,lu=s.unstable cancelCallback,dp=s.unsta
 ble shouldYield,pp=s.unstable requestPaint,De=s.unstable now,hp=s.unstable qetCurrentPriorityLevel,d
 s=s.unstable_ImmediatePriority,su=s.unstable_UserBlockingPriority,Oi=s.unstable_NormalPriority,mp=s.
 unstable\_Low\overline{P}riority, ou=s. unstable\_IdlePrior\overline{i}ty, Di=null, \overline{P}t=null; function \ gp(e) \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{i}f(Pt\&typeoflet)\} \\ \{\overline{
 Pt.onCommitFiberRoot=="function")try{Pt.onCommitFiberRoot(Di,e,void
 0,(e.current.flags&128)===128)}catch{}}var
 St=Math.clz 32? Math.clz 32: xp, vp=Math.log, yp=Math.LN2; function \ xp(e) \{returnder (a) = (a) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (b) + (
 e>>=0, e===0?32:31-(vp(e)/yp|0)|0}var Ni=64,Mi=4194304;function Hr(e){switch(e&-e){case 1:return}}
 1; case 2:return 2; case 4:return 4; case 8:return 8; case 16:return 16; case 32:return 32; case 64:case
 128:case 256:case 512:case 1024:case 2048:case 4096:case 8192:case 16384:case 32768:case 65536:case
 131072:case 262144:case 524288:case 1048576:case 2097152:return e&4194240;case 4194304:case
 8388608:case 16777216:case 33554432:case 67108864:return e&130023424;case 134217728:return
 134217728; case 268435456: return 268435456; case 536870912: return 536870912; case 1073741824: return
 1073741824;default:return e}}function Bi(e,t){var n=e.pendingLanes;if(n===0)return 0;var
 i=0,o=e.suspendedLanes,u=e.pingedLanes,p=n&268435455;if(p!==0){var}
 y=p\&-o;y!==0?i=Hr(y):(u\&=p,u!==0\&\&(i=Hr(u)))else
 p=n\&-o, p!==0?i=Hr(p):u!==0\&\&(i=Hr(u));if(i===0)return
 0; if(t! == 0 \& \& t! == i \& \& (t\& o) == = 0 \& \& (o = i\& -i, u = t\& -t, o >= u | |o == = 16 \& (u\& 4194240)! == 0)) return \ t; if((i\& 4)! == 0 \& \& (o = i\& -i, u = t\& -t, o >= u | |o == = 16 \& (u\& 4194240)! == 0)) return \ t; if((i\& 4)! == 0 \& \& (o = i\& -i, u = t\& -t, o >= u | |o == = 16 \& (u\& 4194240)! == 0)) return \ t; if((i\& 4)! == 0 \& (o = i\& -i, u = t\& -t, o >= u | |o == = 16 \& (u\& -t, o = u)| = 0 \& (o = i\& -i, u = t\& -t, o = u)| = 0 \& (o = i\& -i, u = t\& -t, o = u)| = 0 \& (o = i\& -i, u = t\& -t, o = u)| = 0 \& (o = i\& -i, u = t\& -t, o = u)| = 0 \& (o = i\& -i, u = t\& -t, o = u)| = 0 \& (o = i\& -i, u = t\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t, o = u)| = 0 \& (o = i\& -t,
 i = n\&16), t=e.entangledLanes, t! = 0) for (e=e.entanglements, t\&=i;0< t;) n=31-
 St(t), o=1<<n,i|=e[n],t\&=\sim o; return i} function wp(e,t) {switch(e) {case 1:case 2:case 4:return i} function wp(e,t) {switch(e) {case 1:case 4:return i} function wp(e,t) {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} function i} function {switch(e) {case 4:return i} functi
 t+250; case 8: case 16: case 32: case 64: case 128: case 256: case 512: case 1024: case 2048: case 4096: case
 8192:case 16384:case 32768:case 65536:case 131072:case 262144:case 524288:case 1048576:case
 2097152:return t+5e3;case 4194304:case 8388608:case 16777216:case 33554432:case
 67108864:return-1; case 134217728:case 268435456:case 536870912:case
 1073741824: return-1; default: return-1}} function Ap(e,t){for(var
 n=e.suspendedLanes,i=e.pingedLanes,o=e.expirationTimes,u=e.pendingLanes;0<u;){var p=31-
 St(u), y=1 << p, S=o[p]; S==
 1?((y\&n) = = 0) | (y\&i)! = = 0) \& (o[p] = wp(y,t)) : S < t \& (e.expired Lanes | = y), u &= -y} function ps(e) {return}
 e=e.pendingLanes\&-1073741825,e!==0?e:e\&1073741824?1073741824:0\} function \ au() \{var\ e=Ni; returned authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors authors
 Ni <<=1, (Ni\&4194240) ===0\&\&(Ni=64), e}function hs(e)\{for(var\ t=[], n=0; 31>n; n++)t.push(e); return
```

```
tfunction Lr(e,t,n){e.pendingLanes|=t,t!==536870912&{(e.suspendedLanes=0,e.pingedLanes=0),e=e.event
  Times,t=31-St(t),e[t]=n}function Ep(e,t){var n=e.pendingLanes&~t;e.pendingLanes=t,e.suspendedLanes=0
     e.pingedLanes=0,e.expiredLanes&=t,e.mutableReadLanes&=t,e.entangledLanes&=t,t=e.entanglements;var
  i=e.eventTimes;for(e=e.expirationTimes;0<n;){var</pre>
  o=31-St(n), u=1<<0; t[o]=0, i[o]=-1, e[o]=-1, n&=\sim u} function ms(e,t) {var
  n=e.entangledLanes|=t;for(e=e.entanglements;n;){var
  i=31-St(n), o=1<< i; o&t|e[i]&t&&(e[i]]=t), n&=~o} var Ae=0; function uu(e){return
  e&=-e.1<e?4<e?(e&268435455)!==0?16:536870912:4:1}var
  \verb|cu,gs,fu,du,pu,vs=!1,Hi=[],[]t=null,en=null,fr=new Map,Qr=new Map,nn=[],Sp="mousedown mouseup"| | Compared to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context 
  touchcancel touchend touchstart auxclick dblclick pointercancel pointerdown pointerup dragend
dragstart drop compositionend compositionstart keydown keypress keyup input textInput copy cut paste click change contextmenu reset submit".split(" ");function hu(e,t){switch(e){case"focusin":case"focusin":case"focusin":lt=null;break;case"mouseover":case"mouseout":tn=null;break;case"pointerover":case"pointerout":Fr.delete(t.pointerId);break;case"gotpointercapture":case"lostpointercapture":case"pointerout":Tr.delete(t.pointerId);function Ur(e,t),i,o,u){return e===null|e.nativeEv
  ent!==u?(e={blockedOn:t,domEventName:n,eventSystemFlags:i,nativeEvent:u,targetContainers:[o]},t!==nu
  ll\&(t=ei(t),t!==null\&gs(t)),e):(e.eventSystemFlags=i,t=e.targetContainers,o!==null\&\&t.indexOf(o)=i)
  ==-1&&t.push(o),e)}function Cp(e,t,n,i,o){switch(t){case"focusin":return
  | t=Ur(| t,e,t,n,i,o),!0;case | dragenter | : return en=Ur(en,e,t,n,i,o),!0;case | mouseover | : return tn=Ur(tn,e,t,n,i,o),!0;case | pointerover | : var u=o.pointerId; return |
  \label{lem:fr.get} Fr. set(u, Ur(Fr.get(u) | | null, e, t, n, i, o)), !0; case "gotpointercapture": return
  u=o.pointerId,Qr.set(u,Ur(Qr.get(u)||null,e,t,n,i,o)),!0}return!1}function mu(e){var
  t=Bn(e.target); if(t!==null) \\ \{var\ n=Mn(t); if(n!==null) \\ \{if(t=n.tag,t===13) \\ \{if(t=eu(n),t!==null) \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.block\} \\ \{e.bl
  ed0n=t, pu(e.priority, function()\{fu(n)\}); return\}\} else if (t===3\&\&n.stateNode.current.memoizedState.isD) if (t===3\&\&n.stateNode.current.memoizedState.isD) is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState.isD is the stateNode.current.memoizedState
  ehydrated){e.blocked0n=n.tag===3?n.stateNode.containerInfo:null;return}}}e.blocked0n=null}function
  Li(e){if(e.blockedOn!==null)return!1;for(var t=e.targetContainers;0<t.length;){var
  n=xs(e.domEventName,e.eventSystemFlags,t[0],e.nativeEvent);if(n===null){n=e.nativeEvent;var i=new}
  n.constructor(n.type,n);ss=i,n.target.dispatchEvent(i),ss=null}else return
 t=ei(n),t!==null\&\&gs(t),e.blockedOn=n,!1;t.shift()\}return!0\}function\\gu(e,t,n)\{Li(e)\&\&n.delete(t)\}function\\ kp()\{vs=!1,\exists t!==null\&\&Li(\exists t)\&\&(\exists t=null),en!==null\&\&Li(en)\&\&(en)\&\&(en),en!==null\&\&Li(en)\&\&(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!==null\&\&Li(en),en!
  = \text{null}, \\ \text{tn!} = \text{null\&\&Li(tn)\&\&(tn=null),} \\ \text{forEach(gu),} \\ \text{Qr.forEach(gu)} \\ \text{function Wr(e,t)} \\ \text{\{e.blockedOn===t\&\& u.h.,} \\ \text{The problem of the proble
   (e.blockedOn=null,vs||(vs=!0,s.unstable scheduleCallback(s.unstable NormalPriority,kp)))}function
  Vr(e){function t(o){return Wr(o,e)}if(0<Hi.length){Wr(Hi[0],e);for(var n=1;n<Hi.length;n++){var i=Hi</pre>
 [n]; i.blocked0n = = e&(i.blocked0n = null)} for ([t!==null&&Wr([t,e),e]), en!==null&&Wr(en,e), tn!==null&&Wr(tn,e), for Each(t), n=0; n<nn.length; n++) i=nn[n], i.blocked0n===e&&(i.blocked0n=null); for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
   (;0<nn.length\&\&(n=nn[0],n.blocked0n===null);) \\ mu(n),n.blocked0n===null\&\&nn.shift() \\ \} varable (;0<nn.length\&\&(n=nn[0],n.blocked0n===null);) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n===null) \\ mu(n),n.blocked0n==null) \\
  \Boxn=B.ReactCurrentBatchConfig,Fi=!0;function Ip(e,t,n,i){var}
  o=Ae, u=[n.transition; [n.transition=null; try\{Ae=1, ys(e,t,n,i)\} finally\{Ae=o, [n.transition=u]\} function for the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property 
  Rp(e,t,n,i){var
  o=Ae, u=[n.transition; [n.transition=null; try{Ae=4, ys(e,t,n,i)}] finally{Ae=0, [n.transition=u]} function for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the stat
 ys(e,t,n,i)\{if(Fi)\{var\ o=xs(e,t,n,i);if(o==null)Hs(e,t,i,0i,n),hu(e,i);else\ if(Cp(o,e,t,n,i))i.stopPropagation();else\ if(hu(e,i),t&4&&-1<Sp.index0f(e))\{for(;o!==null);\}\{var\ u=ei\}
   (o); if (u!==null\&\&cu(u), u=xs(e,t,n,i), u===null\&\&Hs(e,t,i,Qi,n), u===o) break; o=u \\ o!==null\&\&i.stopPropag \\ o!=null\&\&i.stopPropag \\ o!=null\&i.stopPropag \\ o!=null\&i.st
  ation()}else Hs(e,t,i,null,n)}}var Qi=null;function
  xs(e,t,n,i) {if(Qi=null,e=os(i),e=Bn(e),e!==null)if(t=Mn(e),t===null)e=null;else
  if(n=t.tag,n===13){if(e=eu(t),e!==null)return e;e=null}else
  if(n===3){if(t.stateNode.current.memoizedState.isDehydrated)return
  t.tag === 3?t.stateNode.containerInfo:null; e=null} else t! == e\& (e=null); return Qi = e, null} function vu(e) \\ \{switch(e)\{case"cancel": case"click": case"close": case"contextmenu": case"copy": case"cut": case"auxclick ": case"dlick": case"dragend": case"dragstart": case"drop": case"focusin": case"focusout": case"input": case"dragend": case"drag
  ase"invalid":case"keydown":case"keypress":case"keyup":case"mousedown":case"mouseup":case"paste":case
       'pause":case"play":case"pointercancel":case"pointerdown":case"pointerup":case"ratechange":case"reset
":case"resize":case pointerdown :case release pointerdown :case release pointerdown :case release pointerdown :case release 
 screenchange":case"focus":case"hashchange":case"popstate":case"select":case"selectstart":return 1;ca
se"drag":case"dragenter":case"dragexit":case"dragleave":case"dragover":case"mousemove":case"mouseout
":case mouseover":case pointermove":case pointerout":case pointerover":case mouseover e"touchmove":case mouseenter case pointerout case pointerover case pointer enter case enter enter enter case enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter enter e
  ou:return 536870912;default:return 16}default:return 16}}var rn=null,ws=null,Ui=null;function
  yu(){if(Ui)return Ui;var e,t=ws,n=t.length,i,o="value"in
   rn?rn.value:rn.textContent,u=o.length;for(e=0;e<n&&t[e]===o[e];e++);var
  p=n-e; for(i=1;i <= p\&\&t[n-i]===o[u-i];i++); return \ Ui=o.slice(e,1 < i?1-i:void \ 0) \} function \ Wi(e) \{varantee = varantee = v
  t=e.keyCode;return"charCode"in
  e?(e=e.charCode, e===0\&\&t===13\&\&(e=13)): e=t, e===10\&\&(e=13), 32<=e||e===13?e:0| function
  Vi(){return!0}function xu(){return!1}function ut(e){function t(n,i,o,u,p){this. reactName=n,this. ta
  rgetInst=o,this.type=i,this.nativeEvent=u,this.target=p,this.currentTarget=null;for(var y in
 e)e.hasOwnProperty(y)&&(n=e[y],this[y]=n?n(u):u[y]);return this.isDefaultPrevented=(u.defaultPrevent ed!=null?u.defaultPrevented:u.returnValue===!1)?Vi:xu,this.isPropagationStopped=xu,this}return
  W(t.prototype,{preventDefault:function(){this.defaultPrevented=!0;var
  n=this.nativeEvent;n&&(n.preventDefault?n.preventDefault():typeof n.returnValue!="unknown"&&(n.retur
  nValue=!1),this.isDefaultPrevented=Vi)},stopPropagation:function(){var
```

```
n=this.nativeEvent;n&&(n.stopPropagation?n.stopPropagation():typeof n.cancelBubble!="unknown"&&(n.ca
ncelBubble=!0),this.isPropagationStopped=Vi)},persist:function(){},isPersistent:Vi}),t}var
er={eventPhase:0,bubbles:0,cancelable:0,timeStamp:function(e){return e.timeStamp||Date.now()},defaul
eenX:0,screenY:0,clientX:0,clientY:0,pageX:0,pageY:0,ctrlKey:0,shiftKey:0,altKey:0,metaKey:0,getModi
fierState:ks,button:0,buttons:0,relatedTarget:function(e){return e.relatedTarget===void 0?e.fromElem
ent===e.srcElement?e.toElement:e.fromElement:e.relatedTarget},movementX:function(e){return"movementX
 "in e?e.movementX:(e!==Yr&&(Yr&&e.type==="mousemove"?(Es=e.screenX-Yr.screenX,Ss=e.screenY
Yr.screenY):Ss=Es=0,Yr=e),Es)},movementY:function(e){return"movementY"in e?e.movementY:Ss}}),wu=ut(b
i), jp=W(\{\}, bi, \{dataTransfer: 0\}), Pp=ut(jp), Op=W(\{\}, br, \{relatedTarget: 0\}), Cs=ut(Op), Dp=W(\{\}, er, \{animate, br, \{relatedTarget: 0\}\}), Cs=ut(Op), Dp=W(\{\}, er, \{animate, br, \{anima
ionName:0,elapsedTime:0,pseudoElement:0}),Np=ut(Dp),Mp=W({},er,{clipboardData:function(e){return"cli
pboardData"in e?e.clipboardData:window.clipboardData\}\}), Bp=ut(Mp), Hp=W(\{\},er,\{data:0\}), Au=ut(Hp), Lp=ut(Mp), Au=ut(Hp), Au=ut(H
pboardData"in e?e.clipboardData:window.clipboardData}}),Bp=ut(Mp),Hp=W({},er,{data:0}),Au=ut(Hp),Lp={Esc:"Escape",Spacebar:" ",Left:"ArrowLeft",Up:"ArrowUp",Right:"ArrowRight",Down:"ArrowDown",Del:"Delete",Win:"OS",Menu:"ContextMenu",Apps:"ContextMenu",Scroll:"ScrollLock",MozPrintableKey:"Unidentified"},Fp={8:"Backspace",9:"Tab",12:"Clear",13:"Enter",16:"Shift",17:"Control",18:"Alt",19:"Pause",20: "CapsLock",27:"Escape",32:" ",33:"PageUp",34:"PageDown",35:"End",36:"Home",37:"ArrowLeft",38:"ArrowUp",39:"ArrowRight",40:"ArrowDown",45:"Insert",46:"Delete",112:"F1",113:"F2",114:"F3",115:"F4",116:"F5",117:"F6",118:"F7",119:"F8",120:"F9",121:"F10",122:"F11",123:"F12",144:"NumLock",145:"ScrollLock",224:"Meta"},Qp={Alt:"altKey",Control:"ctrlKey",Meta:"metaKey",Shift:"shiftKey"};function Up(e){var tethis.nativeEvent;return t.getModifierState?t.getModifierState(e):(e=Qp[e])?!!t[e]:!1}function
ks() \{ return \ Up \} var \ Wp=W(\{\},br,\{key:function(e)\{if(e.key)\} \} \} 
t=Lp[e.key]||e.key;if(t!=="Unidentified")return t}return e.type==="keypress"?(e=Wi(e),e===13?"Enter"
 :String.fromCharCode(e)):e.type==="keydown"||e.type==="keyup"?Fp[e.keyCode]||"Unidentified":""},code
 :0,location:0,ctrlKey:0,shiftKey:0,altKey:0,metaKey:0,repeat:0,locale:0,getModifierState:ks,charCode
:function(e){return e.type==="keypress"?Wi(e):0},keyCode:function(e){return
e.type==="keydown"||e.type==="keyup"?e.keyCode:0}, which:function(e) {return e.type==="keypress"?Wi(e)
:e.type==="keydown"||e.type==="keyup"?e.keyCode:0}), Vp=ut(Wp), bp=W({}, bi, {pointerId:0, width:0, heigh
t:0,pressure:0,tangentialPressure:0,tiltX:0,tiltY:0,twist:0,pointerType:0,isPrimary:0}),Eu=ut(bp),Yp
=W({},br,{touches:0,targetTouches:0,changedTouches:0,altKey:0,metaKey:0,ctrlKey:0,shiftKey:0,getModifierState:ks}),zp=ut(Yp),Xp=W({},er,{propertyName:0,elapsedTime:0,pseudoElement:0}),Gp=ut(Xp),Kp=W({}
},bi,{deltaX:function(e){return"deltaX"in e?e.deltaX:"wheelDeltaX"in e?-e.wheelDeltaX:0},deltaY:function(e){return"deltaY"in e?e.deltaY:"wheelDeltaY"in
e?-e.wheelDeltaY:"wheelDelta"in
e?-e.wheelDelta:0, deltaZ:0, deltaMode:0), Zp=ut(Kp), Jp=[9,13,27,32], Is=m\&\&"CompositionEvent"in
window,zr=null;m&&"documentMode"in document&&(zr=document.documentMode);var qp=m&&"TextEvent"in
                                                                                                          ", ku=!1; function Iu(e,t){switch(e){case "keyup": return
window&\&!zr,Su=m\&\&(!Is||zr\&\&8<zr\&\&11>=zr),Cu="
Jp.indexOf(t.keyCode)!==-1; case"keydown": return
t.keyCode!==229;case"keypress":case"mousedown":case"focusout":return!0;default:return!1}}function
Ru(e){return e=e.detail,typeof e=="object"&&"data"in e?e.data:null}var tr=!1;function
  p(e,t){switch(e){case"compositionend":return Ru(t);case"keypress":return
t.which!==32?null:(ku=!0,Cu);case"textInput":return e=t.data,e===Cu&&ku?null:e;default:return
null}function [p(e,t){if(tr)return
e==="compositionend"||!Is&&Iu(e,t)?(e=yu(),Ui=ws=rn=null,tr=!1,e):null;switch(e){case"paste":return
null;case"keypress":if(!(t.ctrlKey||t.altKey||t.metaKey)||t.ctrlKey&t.altKey){if(t.char&&1
ength)return t.char;if(t.which)return String.fromCharCode(t.which)}return
null;case"compositionend":return Su&&t.locale!=="ko"?null:t.data;default:return null}}var
eh={color:!0,date:!0,datetime:!0,"datetime-local":!0,email:!0,month:!0,number:!0,password:!0,range:!
0,search:!0,tel:!0,text:!0,time:!0,url:!0,week:!0};function Tu(e){var
t=e&&e.nodeName&&e.nodeName.toLowerCase();return t==="input"?!!eh[e.type]:t==="textarea"}function
ju(e,t,n,i){Za(i),t=Ki(t,"onChange"),0<t.length&&(n=new
As("onChange", "change", null, n,i),e.push({event:n,listeners:t}))}var Xr=null,Gr=null;function th(e){Gu(e,0)}function Yi(e){var t=sr(e);if(Dn(t))return e}function nh(e,t){if(e==="change")return
t}var Pu=!1;if(m){var Rs;if(m){var Ts="oninput"in document;if(!Ts){var Ou=document.createElement("div");Ou.setAttribute("oninput","return;"),Ts=typeof
Ou.oninput=="function"}Rs=Ts}else
Rs=!1;Pu=Rs&&(!document.documentMode||9<document.documentMode)}function
Du(){Xr&&(Xr.detachEvent("onpropertychange", Nu), Gr=Xr=null)}function
Nu(e){if(e.propertyName==="value"&&Yi(Gr)){var t=[];ju(t,Gr,e,os(e)),□a(th,t)}}function rh(e,t,n){e= =="focusin"?(Du(),Xr=t,Gr=n,Xr.attachEvent("onpropertychange",Nu)):e==="focusout"&&Du()}function ih(e){if(e==="selectionchange"||e==="keyup"||e==="keyup"|return Yi(Gr)}function
lh(e,t){if(e==="click")return Yi(t)}function sh(e,t){if(e==="input"||e==="change")return
Yi(t) function oh(e,t){return e===t&&(e!==0||1/e===1/t)||e!==e&&t!==t}var Ct=typeof
Object.is=="function"?Object.is:oh;function Kr(e,t){if(Ct(e,t))return!0;if(typeof
e!="object"||e===null||typeof t!="object"||t===null)return!1;var
n=Object.keys(e),i=Object.keys(t);if(n.length!==i.length)return!1;for(i=0;i<n.length;i++){var</pre>
o=n[i];if(!g.call(t,o)||!Ct(e[o],t[o]))return!1}return!0}function
Mu(e){for(;e&&e.firstChild;)e=e.firstChild;return e}function Bu(e,t){var n=Mu(e);e=0;for(var i;n;){i
f(n.nodeType===3){if(i=e+n.textContent.length,e<=t&&i>=t)return{node:n,offset:t-
e};e=i}e:{for(;n;){if(n.nextSibling){n=n.nextSibling;break e}n=n.parentNode}n=void
0n=Mu(n)}}function Hu(e,t){return
e\&t?e===t?!0:e\&e.nodeType===3?!1:t\&t.nodeType===3?Hu(e,t.parentNode):"contains"in
e?e.contains(t):e.compareDocumentPosition?!!(e.compareDocumentPosition(t)&16):!1:!1}function
Lu(){for(var e=window,t=_t();t instanceof e.HTMLIFrameElement;){try{var n=typeof
```

```
t.contentWindow.location.href=="string"}catch{n=!1}if(n)e=t.contentWindow;else
 \label{eq:break} break; t= t(e.document) \} return \ t \\ \ t=e&&e.nodeName&e.nodeName.toLowerCase(); return \\ \ t&&(t==="input"&&(e.type==="text"||e.type==="search"||e.type==="text"||e.type==="pass"||e.type==="text"||e.type==="pass"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type==="text"||e.type===
 word")||t==="textarea"||e.contentEditable==="true")}function ah(e){var t=Lu(),n=e.focusedElem,i=e.se
 lectionRange; if(t!==n\&n\&n.\&n.ownerDocument\&Hu(n.ownerDocument.documentElement,n)) \{if(i!==null\&\&is(n),n)\}
 ){if(t=i.start,e=i.end,e===void 0&&(e=t), "selectionStart"in
 n)n.selectionStart=t,n.selectionEnd=Math.min(e,n.value.length);else
 if(e=(t=n.ownerDocument||document)&&t.defaultView||window,e.getSelection){e=e.getSelection();var
 o=n.textContent.length,u=Math.min(i.start,o);i=i.end===void
 0?u:Math.min(i.end,o),!e.extend&&u>i&&(o=i,i=u,u=o),o=Bu(n,u);var p=Bu(n,i);o&&p&&(e.rangeCount!==1|
  |e.anchorNode!==o.node||e.anchorOffset!==o.offset||e.focusNode!==p.node||e.focusOffset!==p.offset)&&
  (t=t.createRange(),t.setStart(o.node,o.offset),e.removeAllRanges(),u>i?(e.addRange(t),e.extend(p.nod
 e,p.offset)):(t.setEnd(p.node,p.offset),e.addRange(t)))}}for(t=[],e=n;e=e.parentNode;)e.nodeType===1
 &&t.push({element:e,left:e.scrollLeft,top:e.scrollTop});for(typeof n.focus=="function"&&n.focus(),n=
 0; n < t.length; n++)e = t[n], e.element.scrollLeft=e.left, e.element.scrollTop=e.top}\} var
 uh=m\&\&"documentMode"in document\&\&11>=document.documentMode,nr=null,Ps=null,Zr=null,Os=!1;function
 Fu(e,t,n){var i=n.window===n?n.document:n.nodeType===9?n:n.ownerDocument;0s||nr==null||nr!== t(i)||(
 i=nr, "selectionStart"in i&&js(i)?i={start:i.selectionStart,end:i.selectionEnd}:(i=(i.ownerDocument&&
 i.ownerDocument.defaultView||window).getSelection(),i={anchorNode:i.anchorNode,anchorOffset:i.anchor
 Offset, focusNode: i.focusOffset:i.focusOffset), Zr&&Kr(Zr,i)||(Zr=i,i=Ki(Ps, "onSelect"),0<i
 As("onSelect", "select", null,t,n),e.push({event:t,listeners:i}),t.target=nr)))}function zi(e,t){var n={};return n[e.toLowerCase()]=t.toLowerCase(),n["Webkit"+e]="webkit"+t,n["Moz"+e]="moz"+t,n}var rr=
 {animationend:zi("Animation","AnimationEnd"),animationiteration:zi("Animation","AnimationIteration"),animationstart:zi("Animation","AnimationStart"),transitionend:zi("Transition","TransitionEnd")},Ds= {},Qu={};m&&(Qu=document.createElement("div").style,"AnimationEvent"in window||(delete
 rr.animationend.animation, delete rr.animationiteration.animation, delete
 rr.animationstart.animation), "TransitionEvent"in window||delete
 rr.transitionend.transition);function Xi(e){if(Ds[e])return Ds[e];if(!rr[e])return e;var
  t=rr[e], n; for (n in t) if (t.has 0 wn Property (n) \& wn in Qu) return Ds[e] = t[n]; return e \} var Uu=Xi("animation end"), Wu=Xi("animationiteration"), Vu=Xi("animationstart"), bu=Xi("transitionend"), Yu=new 
 Map,zu="abort auxClick cancel canPlay canPlayThrough click close contextMenu copy cut drag dragEnd
 dragEnter dragExit dragLeave dragOver dragStart drop durationChange emptied encrypted ended error
 gotPointerCapture input invalid keyDown keyPress keyUp load loadedData loadedMetadata loadStart
 lostPointerCapture mouseDown mouseMove mouseOut mouseOver mouseUp paste pause play playing
 pointerCancel pointerDown pointerMove pointerOut pointerOver pointerUp progress rateChange reset
  resize seeked seeking stalled submit suspend timeUpdate touchCancel touchEnd touchStart volumeChange
scroll toggle touchMove waiting wheel".split(" ");function ln(e,t){Yu.set(e,t),f(t,[e])}for(var Ns=0;Ns<zu.length;Ns++){var Ms=zu[Ns],ch=Ms.toLowerCase(),fh=Ms[0].toUpperCase()+Ms.slice(1);ln(ch,"on"+fh)}ln(Uu,"onAnimationEnd"),ln(Wu,"onAnimationIteration"),ln(Vu,"onAnimationStart"),ln("dblclick ","onDoubleClick"),ln("focusin","onFocus"),ln("focusout","onBlur"),ln(bu,"onTransitionEnd"),d("onMouseEnter",["mouseout","mouseover"]),d("onPointerEnter",["pointerout","pointerover"]),d("onPointerLeave",["pointerout","pointerover"]),f("onChange","change click focusin focusout input keydown keyup selectionchange".split(" ")),f("onSelect","focusout contextmenu dragend focusin keydown keyup mousedown mouseup selectionchange".split(" ")),f("onBefore Input",["compositionend", "keypress", "textInput", "paste"]),f("onCompositionEnd", "compositionend focusout keydown keypress keyup mousedown".split(" ")),f("onCompositionDydate", "compositionupdate focusout keydown keypress keyup mousedown".split(" ")),f("onCompositionUpdate", "compositionupdate focusout keydown keypress keyup mousedown".split(" "));var Jr="abort canplay canplaythrough durationchange emptied encrypted ended error loadeddata loadedmetadata loadstart pause play playing
 scroll toggle touchMove waiting wheel".split(""); function ln(e,t){Yu.set(e,t),f(t,[e])}for(var
 durationchange emptied encrypted ended error loadeddata loadedmetadata loadstart pause play playing
 progress ratechange resize seeked seeking stalled suspend timeupdate volumechange waiting".split(
"),dh=new Set("cancel close invalid load scroll toggle".split(" ").concat(Jr));function
 Xu(e,t,n){var i=e.type||"unknown-event";e.currentTarget=n,cp(i,t,void
 0,e), e. currentTarget=null}function Gu(e,t){t=(t&4)!==0; for(var n=0;n< e. length; n++){var n=0}
 i=e[n],o=i.event;i=i.listeners;e:{var u=void 0;if(t)for(var p=i.length-1;0<=p;p--){var
y=i[p],S=y.instance,N=y.currentTarget;if(y=y.listener,S!==u&&o.isPropagationStopped())break
e;Xu(o,y,N),u=S}else for(p=0;p<i.length;p++){if(y=i[p],S=y.instance,N=y.currentTarget,y=y.listener,S!==u&&o.isPropagationStopped())break e;Xu(o,y,N),u=S}}}if(Pi)throw e=fs,Pi=!1,fs=null,e}function
ke(e,t){var n==tvs};n===void 0&&(n=t|V|s)=new Set);var
 i=e+"\_bubble";n.has(i)||(Ku(t,e,2,!1),n.add(i)))function Bs(e,t,n)\{var i=0;t&&(i|=4),Ku(n,e,i,t)\}var Gi="\_reactListening"+Math.random().toString(36).slice(2);function qr(e) <math display="block"> (i+e) = (Gi) + (Gi) = (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) + (Gi) +
 )});var
 Ku(e,t,n,i){switch(vu(t)){case 1:var o=Ip;break;case
 4:o=Rp;break;default:o=ys}n=o.bind(null,t,n,e),o=void
0,!cs||t!=="touchstart"&&t!=="touchmove"&&t!=="wheel"||(o=!0),i?o!==void
 0?e.addEventListener(t,n,{capture:!0,passive:o}):e.addEventListener(t,n,!0):o!==void
 0?e. add EventListener(t,n, \{passive:o\}): e. add EventListener(t,n,!1)\} function \ Hs(e,t,n,i,o) \{varance extension \ Hs(e,t,n,i,o)\} function \ Hs(e,t,n,
 u=i; if((t&1)===0&&(t&2)===0&&i!==null)e: for(;;){if(i===null)return; var p=i.tag; if(p===3||p===4){var p=i.tag; if(p===5||p===4){var p=i.tag; if(p===5||p===4){var p=i.tag; if(p===5||p===4){var p=i.tag; if(p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||p===5||
 y = i.stateNode.containerInfo; if (y === o | | y.nodeType === 8 \& y.parentNode === o) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) break; if (p === 4) for (p = i.return == 0) for (p = i.return == 0) for (p = i.return == 0) for (p = i.return 
 p!==null; var S=p.tag; if((S===3)|S===4)\&\&(S=p.stateNode.containerInfo,S===0)|S.nodeType===8&&S.par
 entNode===o))return;p=p.returnfor(y)==null;f(p=Bn(y),p===null)return;if(S=p.tag,S===5)|S===6){i
```

```
=u=p; continue e}y=y.parentNodeyi=i.returny[a(function()yvar y=u, X=os(n), K=[]; e:y=var
z=Yu.get(e);if(z!==void 0){var q=As,te=e;switch(e){case"keypress":if(Wi(n)===0)break e;case"keydown" :case"keyup":q=Vp;break;case"focusin":te="focus",q=Cs;break;case"focusout":te="blur",q=Cs;break;case"beforeblur":case"afterblur":q=Cs;break;case"click":if(n.button===2)break e;case"auxclick":case"dblclick":case"mousedown":case"mousemove":case"mouseout":case"mouseover":case"contextmenu":q=wu;break;case"dragend":case"dragend":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender":case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:case"dragender:cas
ase"dragstart":case"drop":q=Pp;break;case"touchcancel":case"touchend":case"touchmove":case"touchstar
t":q=zp;break;case Uu:case Wu:case Vu:q=Np;break;case bu:q=Gp;break;case"scroll":q=Tp;break;case"whe
el":q=Zp;break;case"copy":case"cut":case"paste":q=Bp;break;case"gotpointercapture":case"lostpointercapture":case"pointerdown":case"pointermove":case"pointerout":case"pointerover":c
 ase"pointerup":q=Eu}var
 ne=(t&4)!==0,Ne=!ne&&e==="scroll",P=ne?z!==null?z+"Capture":null:z;ne=[];for(var
 C=N,D;C!==nuil; D=C;var Z=D.stateNode; D=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1,D:C=1
   .push( r(C,Z,D)))),Ne)break;C=C.return}0<ne.length&&(z=new q(z,te,null,n,X),K.push({event:z,listener
 ,z&&n!==ss&&(te=n.relatedTarget||n.fromElement)&&(Bn(te)||te[Qt]))break e;if((q||z)&&(z=X.window===X
  ?X:(z=X.ownerDocument)?z.defaultView||z.parentWindow:window,q?(te=n.relatedTarget||n.toElement,q=N,t
 e=te?Bn(te):null,te!==null&&(Ne=Mn(te),te!==Ne||te.tag!==5)&&e.tag!==6)&&(te=null)):(q=null,te=N),q!
==te;Bn(te):nut;,te:==nutt&&(we=|nn(te),te:==ne||te.tag:==>&&(te:nutt)):(q=nutt):(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=nutt);(q=
 X), ne.target=D, ne.relatedTarget=Ne, Z=ne), Ne=Z, q\&\deltate)t:{for(ne=q, P=te, C=0, D=ne; D; D=ir(D))C++; for(D=0, D=0, D=0)}
 Z=P;Z;Z=ir(Z))D++;for(;0<C-D;)ne=ir(ne),C--;for(;0<D-C;)P=ir(P),D--;for(;C-
   ;){if(ne===P||P!==null&&ne===P.alternate)break t;ne=ir(ne),P=ir(P)}ne=null}else ne=null;q!==null&&Zu
   (\mathsf{K},\mathsf{z},\mathsf{q},\mathsf{ne},!1),\mathsf{te}! == \mathsf{null\&Ne}! == \mathsf{null\&Ne}! == \mathsf{null\&Ne}! = \mathsf{ne},!0) \} \} e: \{\mathsf{if}(\mathsf{z=N?sr(N)}: \mathsf{window}, \mathsf{q=z}. \mathsf{nodeName\&\&z}. \mathsf{nodeNameNe}) \} e: \{\mathsf{if}(\mathsf{z=N?sr(N)}: \mathsf{window}, \mathsf{q=z}. \mathsf{nodeName\&\&z}. \mathsf{nodeNameNe}) \} e: \{\mathsf{if}(\mathsf{z=N?sr(N)}: \mathsf{window}, \mathsf{q=z}. \mathsf{nodeName\&\&z}. \mathsf{nodeNameNe}) \} e: \{\mathsf{if}(\mathsf{z=N?sr(N)}: \mathsf{window}, \mathsf{q=z}. \mathsf{nodeNameNe}) \} e: \{\mathsf{if}(\mathsf{x=N}: \mathsf{q=z}. \mathsf{nodeNameNe}) \} e: \{\mathsf{if}(\mathsf{x=N}: \mathsf{q=z}. \mathsf{nodeNameNe}) \} e: \{\mathsf{if}(\mathsf{x=N}
 me.toLowerCase(),q==="select"||q==="input"&&z.type==="file")var le=nh;else
 \label{eq:checkbox} $$ \frac{1}{z}.type==="radio") \& (le=lh); if (le& (le=le(e,N))) \{ju(K,le,n,X); break e\} ae \& ae(e,z,N), e==="focusout" & (ae=z. wrapperState) & ae. controlled & z.type==="number" & ts(z,"number", z.value) \} switch (ae=N ?sr(N): window, e) {case "focusin": (Tu(ae) | |ae. contentEditable==="true") & (nr=ae, Ps=N, Zr=null); break; case | ts(z, z, z, z) | ts(z, z) | ts
 e"focusout":Zr=Ps=nr=null;break;case"mousedown":0s=!0;break;case"contextmenu":case"mouseup":case"dra
 qend":0s=!1,Fu(K,n,X);break;case"selectionchange":if(uh)break;case"keydown":case"keyup":Fu(K,n,X)}va
  r ue;if(Is)e:{switch(e){case"compositionstart":var fe="onCompositionStart";break
 e; case "compositionend": fe="onCompositionEnd"; break
 e;case"compositionupdate":fe="onCompositionUpdate";break e}fe=void 0}else tr?Iu(e,n)&&(fe="onComposi
 e!=="onCompositionStart"?fe==="onCompositionEnd" \& tr \& (ue=yu()): (rn=X, ws="value"in the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the con
 rn?rn.value:rn.textContent,tr=!0)),ae=Ki(N,fe),0<ae.length&&(fe=new Au(fe,e,null,n,X),K.push({event:
fe,listeners:ae}),ue?fe.data=ue:(ue=Ru(n),ue!==null&&(fe.data=ue)))),(ue=qp?_p(e,n):□p(e,n))&&(N=Ki(N,"onBeforeInput",null,n,X),K.push({event:X,lis
 teners:N}),X.data=ue))}Gu(K,t)})}function
      r(e,t,n){return{instance:e,listener:t,currentTarget:n}}function Ki(e,t){for(var
 n=t+"Capture",i=[];e!==null;){var o=e,u=o.stateNode;o.tag===5&&u!==null&&(o=u,u=Nr(e,n),u!=null&&i.u
nshift(r(e,u,o)),u=Nr(e,t),u!=null&&i.push(r(e,u,o))),e=e.return} return i}function ir(e){if(e===null)return null;do e=e.return;while(e&&e.tag!==5);return e||null}function
 Zu(e,t,n,i,o) \{for(var\ u=t\_reactName,p=[];n!==null\&\&n!==i,) \{var\ y=n,S=y.alternate,N=y.stateNode;if(S,n,i,o)\} \}
  !==null\&S===i)break;y.tag===5\&N!==null\&(y=N,o?(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,u),S!=null\&p.unshift(r(n,S,y))):o||(S=Nr(n,S,y),S!=null\&p.unshift(r(n,S,y),S!=null\&p.unshift(r(n,S,y),S!=null\&p.unshift(r(n,S,y),S!=null\&p.unshift(r(n,S,y),S!=null\&p.unshift(r(n,S,y),S!=null\&p.unshift(r(n,S,y),S!=null\&p.unshift
 (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y))), (r(n,S,y)))
 ph=/rn?/g, hh=/u0000|uFFFD/g; function Ju(e){return(typeof e=="string"?e:""+e).replace(ph, function Ju(e)){return(typeof e=="string"?e:""+e).replace(ph, function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function f
       ).replace(hh,"")}function Zi(e,t,n){if(t=Ju(t),Ju(e)!==t&&n)throw Error(r(425))}function Ji(){}var
 Ls=null, Fs=null; function Qs(e,t){return e==="textarea"||e==="noscript"||typeof
t.children=="string"||typeof t.children=="number"||typeof t.dangerouslySetInnerHTML=="object"&&t.dangerouslySetInnerHTML!==null&&t.dangerouslySetInnerHTML.__html!=null}var Us=typeof
 setTimeout=="function"?setTimeout:void 0,mh=typeof clearTimeout=="function"?clearTimeout:void
 0,qu=typeof Promise=="function"?Promise:void 0,gh=typeof
 queueMicrotask=="function"?queueMicrotask:typeof qu<"u"?function(e){return</pre>
 qu.resolve(null).then(e).catch(vh)}:Us;function vh(e){setTimeout(function(){throw e})}function
 "){if(i===0){e.removeChild(o),Vr(t);return}i--}else
n!=="\| "&&n!==\| "!"||i++;n=o}while(n);Vr(t)}function sn(e){for(;e!=null;e=e.nextSibling){var}
t=e.nodeType;if(t===1||t===3)break;if(t===8){if(t=e.data,t===\| "||t===\| !"||t===\| !"||t==\| !"||t=\| !"|t=\| !"||t=\| !"|t=\| !"||t=\| !"|t=\|
n = = "/\square" \& t + + e = e.previous Sibling \} return null \} var lr = Math.random().to String(36).slice(2), 0 t = "_n triangle for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string for the string 
Fiber "+lr, | r=" reactProps | "+lr, | 0t=" reactContainer | "+lr, | vs=" reactEvents | "+lr, | yh=" reactListene rs | "+lr, xh=" reactHandles | "+lr; function Bn(e) {var t=e[0t]; if(t) return t; for(var n=e.parentNode; n;) {
if(t=n[Qt]||n[Ot])\{if(n=t.alternate,t.child!==null||n!==null&&n.child!==null)for(e=\_u(e);e!==null;)\{if(n=e[Ot])return \ n;e=\_u(e)\}return \ t\}e=n,n=e.parentNode\}return \ null\}function \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ null \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,n=e.parentNode\}return \ ei(e)\{return \ t\}e=n,
 e=e[0t]||e[0t]|, e||e.tag!==5\&\&e.tag!==6\&\&e.tag!==13\&\&e.tag!==3?null:e]function
 sr(e) {if(e.tag===5||e.tag===6)return e.stateNode;throw Error(r(33))} function qi(e){return
 e[[r]||null}var bs=[],or=-1;function on(e){return{current:e}}function
 Ie(e){0>or||(e.current=bs[or],bs[or]=null,or--)}function
 Ce(e,t){or++,bs[or]=e.current,e.current=t}var an={},Ge=on(an),nt=on(!1),Hn=an;function ar(e,t){var}
```

```
n=e.type.contextTypes;if(!n)return an;var
                                                                             reactInternalMemoizedUnmaskedChildContext===t)return
 i=e.stateNode;if(i&&i.
  \hbox{i.\_\_reactInternalMemoizedMaskedChildContext; var o={}, u; for (u in n)o[u]=t[u]; return i\&{(e=e.stateNode)} } \\
,e.__reactInternalMemoizedUnmaskedChildContext=t,e.__reactInternalMemoizedMaskedChildContext=o),o}fu
nction rt(e){return e=e.childContextTypes,e!=null}function _i(){Ie(nt),Ie(Ge)}function
_u(e,t,n){if(Ge.current!==an)throw Error(r(168));Ce(Ge,t),Ce(nt,n)}function ec(e,t,n){var
i=e.stateNode;if(t=t.childContextTypes,typeof i.getChildContext!="function")return
n;i=i.getChildContext();for(var o in i)if(!(o in t))throw Error(r(108,Ee(e)||"Unknown",o));return
 W({},n,i)}function □i(e){return e=(e=e.stateNode)&&e.__reactInternalMemoizedMergedChildContext||an,H
 n=Ge.current,Ce(Ge,e),Ce(nt,nt.current),!0}function tc(e,t,n){var i=e.stateNode;if(!i)throw Error(r(
169));n?(e=ec(e,t,Hn),i.__reactInternalMemoizedMergedChildContext=e,Ie(nt),Ie(Ge),Ce(Ge,e)):Ie(nt),Ce(nt,n)}var Ut=null,el=!1,Ys=!1;function nc(e){Ut===null?Ut=[e]:Ut.push(e)}function wh(e){el=!0,nc(e)}function un(){if(!Ys&&Ut!==null){Ys=!0;var e=0,t=Ae;try{var}}
 n=Ut; for (Ae=1; e< n. length; e++) {var i=n[e]; do i=i(!0); while (i!==null)} Ut=null, el=!1} catch (o){throw (i!=null)} Ut=null, el=!1} catch (o){throw (i!=null)}
 \begin{array}{ll} \mbox{Ut} := & \mbox{null} \& (\mbox{Ut} = \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mbox{Ut} - \mb
 Fn(e,t){ur[cr++]=nl,ur[cr++]=tl,tl=e,nl=t}function
 rc(e,t,n){ht[mt++]=Wt,ht[mt++]=Vt,ht[mt++]=Ln,Ln=e;var i=Wt;e=Vt;var
 o=32-St(i)-1;i\&=\sim(1<< o),n+=1;var u=32-St(t)+o;if(30< u){var}
 p=0-0\%5; u=(i\&(1<<p)-1). toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), toString(32), 
 Wt=1<<u|n<<o|i,Vt=e\} function zs(e)\{e.return!==null&&(Fn(e,1),rc(e,1,0))\} function Xs(e)\{for(;e===tl;)\}
 mt],ht[mt]=null,Wt=ht[--mt],ht[mt]=null}var ct=null,ft=null,Te=!1,kt=null;function ic(e,t){var n=xt(
5,null,null,0);n.elementType="DELETED",n.stateNode=t,n.return=e,t=e.deletions,t===null?(e.deletions=[n],e.flags|=16):t.push(n)}function lc(e,t){switch(e.tag){case 5:var n=e.type;return t=t.nodeType!==
 1||n.toLowerCase()!==t.nodeName.toLowerCase()?null:t,t!==null?(e.stateNode=t,ct=e,ft=sn(t.firstChild
 ),!0):!1;case 6:return
 t=e.pendingProps===""||t.nodeType!==3?null:t,t!==null?(e.stateNode=t,ct=e,ft=null,!0):!1;case
13:return t=t.nodeType!==8?null:t,t!==null?(n=Ln!==null?{id:Wt,overflow:Vt}:null,e.memoizedState={de hydrated:t,treeContext:n,retryLane:1073741824},n=xt(18,null,null,0),n.stateNode=t,n.return=e,e.child
 =n,ct=e,ft=null,!0):!1;default:return!1}}function
 Gs(e) {return(e.mode&1)!==0&&(e.flags&128)===0} function Ks(e) {if(Te){var t=ft;if(t){var}}
 n=t;if(!lc(e,t)){if(Gs(e))throw Error(r(418));t=sn(n.nextSibling);var
 i=ct;t\&\&lc(e,t)?ic(i,n):(e.flags=e.flags\&-4097|2,Te=!1,ct=e)\}\}else\{if(Gs(e))throw
 Error(r(418));e.flags=e.flags&-4097|2,Te=!1,ct=e}}}function
 sc(e) \{ for(e=e.\,return;e!==null\&\&e.\,tag!==5\&\&e.\,tag!==3\&\&e.\,tag!==13;)\,e=e.\,return;ct=e \} function \} 
  rl(e) \{if(e!==ct) \ return! \ 1; if(!Te) \ return \ sc(e), Te=!0, !1; var \ t; if((t=e.tag!==3) \&\&! (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.tag!==5) \&\& (t=e.
8)); for(;t;)ic(e,t),t=sn(t.nextSibling)}if(sc(e),e.tag===13){if(e=e.memoizedState,e=e!==null?e.dehyd
rated:null,!e)throw Error(r(317));e:{for(e=e.nextSibling,t=0;e)}{if(e.nodeType===8){var
n=e.data;if(n==="/||"){if(t===0){ft=sn(e.nextSibling);break e}t--}else
n!=="||"&&n!=="||!"&&n!=="||!"|t++}e=e.nextSibling)ft=null}}else
 ft=ct?sn(e.stateNode.nextSibling):null;return!0}function oc(){for(var
 e=ft;e;)e=sn(e.nextSibling)}function fr(){ft=ct=null,Te=!1}function
 Zs(e){kt===null?kt=[e]:kt.push(e)}var Ah=B.ReactCurrentBatchConfig;function
 ti(e,t,n){if(e=n.ref,e!==null&&typeof e!="function"&&typeof
e!="object") \\ \{if(n.\_owner) \\ \{if(n=n.\_owner,n) \\ \{if(n.tag!==1) \\ throw \\ Error(r(309)); varisen. \\ stateNode \\ \{if(!i) \\ throw \\ Error(r(147,e)); varisen. \\ o=i,u=""+e; return \\ t!==null \\ \& t.ref!==null \\
t.ref=="function"&&t.ref._stringRef===u?t.ref:(t=function(p){var y=o.refs;p===null?delete
y[u]:y[u]=p},t._stringRef=u,t)}if(typeof e!="string")throw Error(r(284));if(!n._owner)throw
 Error(r(290,e))}return e}function il(e,t){throw
 e=Object.prototype.toString.call(t),Error(r(31,e==="[object Object]"?"object with keys
                                                                                      ")+"}":e))}function ac(e){var t=e. init;return t(e. payload)}function
 {"+0bject.keys(t).join(",
 uc(e){function t(P,C){if(e){var
 D=P.deletions;D===null?(P.deletions=[C],P.flags|=16):D.push(C)}}function n(P,C){if(!e)return
 null; for(;C!==null;)t(P,C), C=C.sibling; return null \} function i(P,C) \{ for(P=new P,C), C=C.sibling; return null \} \} 
 Map;C!==null;)C.key!==null?P.set(C.key,C):P.set(C.index,C),C=C.sibling;return P}function
 o(P,C){return P=vn(P,C),P.index=0,P.sibling=null,P}function u(P,C,D){return P.index=D,e?(D=P.alterna
te,D!==null?(D=D.index,D<C?(P.flags|=2,C):D):(P.flags|=2,C)):(P.flags|=1048576,C)}function
p(P){return e&P.alternate===null&&(P.flags|=2),P}function y(P,C,D,Z){return
C===null||C.tag!==6?(C=Wo(D,P.mode,Z),C.return=P,C):(C=o(C,D),C.return=P,C)}function S(P,C,D,Z){var
 le=D.type;return le===H?X(P,C,D.props.children,Z,D.key):C!==null&&(C.elementType===le||typeof le=="o
bject"&&le!==null&&le.\_\text{Typeof===ie&&ac(le)===C.type})?(Z=o(C,D.props),Z.ref=ti(P,C,D),Z.return=P,Z):
(Z=Tl(D.type,D.key,D.props,null,P.mode,Z),Z.ref=ti(P,C,D),Z.return=P,Z)}function N(P,C,D,Z){return C}
===null||C.tag!==4||C.stateNode.containerInfo!==D.containerInfo||C.stateNode.implementation!==D.impl
 ementation?(C=Vo(D,P.mode,Z),C.return=P,C):(C=o(C,D.children||[]),C.return=P,C)}function
 X(P,C,D,Z,le){return
C===null||C.tag!==7?(C=Xn(D,P.mode,Z,le),C.return=P,C):(C=o(C,D),C.return=P,C)}function
K(P,C,D){if(typeof C=="string"&&C!=="||typeof C=="number")return
C=Wo(""+C,P.mode,D),C.return=P,C;if(typeof C=="object"&&C!==null){switch(C.□typeof){case Q:return=P,C;if(typeof C=="object"&&C!==null)}
 D=Tl(C.type,C.key,C.props,null,P.mode,D),D.ref=ti(P,null,C),D.return=P,D;case 0:return
C=Vo(C,P.mode,D),C.return=P,C;case\ ie:var\ Z=C.\ init;return 
 K(P,Z(C.\ payload),D)\}if(Pr(C)||ee(C))return\ C=Xn(C,P.mode,D,null),C.return=P,C;il(P,C)\}return
```

```
[null] function z(P,C,D,Z) \{var le=C!==null?C.key:null; if(typeof D=="string"&&D!==""||typeof D=="string" | typeof D==string" | typeof D==str
D=="number")return le!==null?null:y(P,C,""+D,Z);if(typeof)
D=="object"&&D!==null){switch(D.□typeof){case Q:return D.key===le?S(P,C,D,Z):null;case 0:return
D.key===le?N(P,C,D,Z):null;case ie:return le=D._init,z(P,C,le(D._payload),Z)}if(Pr(D)||ee(D))return le!==null?null:X(P,C,D,Z,null);il(P,D)}return null}function q(P,C,D,Z,le){if(typeof Z=="string"&&Z!==""||typeof Z=="number")return P=P.get(D)||null,y(C,P,""+Z,le);if(typeof
 Z=="object"&&Z!==null){switch(Z. □□typeof){case Q:return
 P=P.get(Z.key===null?D:Z.key)||null,S(C,P,Z,le);case 0:return
P=P.get(Z.key===null?D:Z.key)||null,N(C,P,Z,le);case ie:var ae=Z._init;return
q(P,C,D,ae(Z._payload),le)}if(Pr(Z)||ee(Z))return P=P.get(D)||null,X(C,P,Z,le,null);il(C,Z)}return
 \begin{array}{l} \text{null} \\ \text{function te(P,C,D,Z)} \\ \text{for(var le=null,ae=null,ue=C,fe=C=0,Ue=null;ue!==null&&fe<D.length;fe++)} \\ \text{e.index>fe?(Ue=ue,ue=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null)&&(ue=Ue);bre ak} \\ \text{e&&ue&&we.alternate===null&&t(P,ue),C=u(we,C,fe),ae===null?le=we:ae.sibling=we,ae=we,ue=Ue} \\ \text{if(fe=beautoness)} \\ \text{for(var le=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null)} \\ \text{for(var le=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null)} \\ \text{for(var le=null,ae=null,ae=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null) \\ \text{for(var le=null,ae=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null) \\ \text{for(var le=null,ae=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null) \\ \text{for(var le=null,ae=null,ae=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null) \\ \text{for(var le=null,ae=null,ae=null,ae=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null) \\ \text{for(var le=null,ae=null,ae=null,ae=null,ae=null):Ue=ue.sibling;var we=z(P,ue,D[fe],Z);if(we===null) \\ \text{for(var le=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=null,ae=nul
 ==D.length)return n(P,ue),Te&&Fn(P,fe),le;if(ue===null){for(;fe<D.length;fe++)ue=K(P,D[fe],Z),ue!==n
 ull&&(C=u(ue,C,fe),ae===null?le=ue:ae.sibling=ue,ae=ue);return Te&&Fn(P,fe),le}for(ue=i(P,ue);fe<D.l
 ength; fe++)Ue=q(ue, P, fe, D[fe], Z), Ue!==null&&(e&&Ue.alternate!==null&&ue.delete(Ue.key===null?fe:Ue.key===null?fe:Ue.key===null.
ey),C=u(Ue,C,fe),ae===null?le=Ue:ae.sibling=Ue,ae=Ue);return e&&ue.forEach(function(yn){return t(P,yn)}),Te&&Fn(P,fe),le}function ne(P,C,D,Z){var le=ee(D);if(typeof le!="function")throw
 Error(r(150)); if(D=le.call(D),D==null)throw Error(r(151)); for(var ae=le=null,ue=C,fe=C=0,Ue=null,we=
 D.next();ue!==null&&!we.done;fe++,we=D.next()){ue.index>fe?(Ue=ue,ue=null):Ue=ue.sibling;var yn=z(P,
 ue, we.value, Z); if (yn===null \& \& (ue=Ue); break \} e \& ue \& \& yn.alternate ===null \& \& (P,ue), C=u(yn,C,f) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue,ve) = (ue
 e),ae===null?le=yn:ae.sibling=yn,ae=yn,ue=Ue}if(we.done)return n(P,ue),Te&&Fn(P,fe),le;if(ue===null)
 {for(;!we.done;fe++,we=D.next())we=K(P,we.value,Z),we!==null&&(C=u(we,C,fe),ae===null?le=we:ae.sibli
ng=we,ae=we);return Te&&Fn(P,fe),le}for(ue=i(P,ue);!we.done;fe++,we=D.next())we=q(ue,P,fe,we.value,Z),we!==null&&(e&&we.alternate!==null&&ue.delete(we.key===null?fe:we.key),C=u(we,C,fe),ae===null?le=we:ae.sibling=we,ae=we);return e&&ue.forEach(function(e1){return t(P,e1)}),Te&&Fn(P,fe),le}function
 D=="object"&&D!==null){switch(D.□typeof){case Q:e:{for(var le=D.key,ae=C;ae!==null;){if(ae.key===le
){if(le=D.type,le===H){if(ae.tag===7){n(P,ae.sibling),C=o(ae,D.props.children),C.return=P,P=C;break e}}else if(ae.elementType===le||typeof le=="object"&&le!==null&&le.□□typeof===ie&&ac(le)===ae.type){
n(P,ae.sibling),C=o(ae,D.props),C.ref=ti(P,ae,D),C.return=P,P=C;break e}n(P,ae);break}else t(P,ae);a e=ae.sibling}D.type===H?(C=Xn(D.props.children,P.mode,Z,D.key),C.return=P,P=C):(Z=Tl(D.type,D.key,D.
 props,null,P.mode,Z),Z.ref=ti(P,C,D),Z.return=P,P=Z)}return p(P);case 0:e:{for(ae=D.key;C!==null;){i
 f(C.key===ae)if(C.tag===4&&C.stateNode.containerInfo===D.containerInfo&&C.stateNode.implementation==
=D.implementation){n(P,C.sibling),C=o(C,D.children||[]),C.return=P,P=C;break
e}else{n(P,C);break}else t(P,C);C=C.sibling}C=Vo(D,P.mode,Z),C.return=P,P=C}return p(P);case ie:return ae=D. init,Ne(P,C,ae(D._payload),Z)}if(Pr(D))return te(P,C,D,Z);if(ee(D))return ne(P,C,D,Z);il(P,D)}return typeof D=="string"&&D!==""||typeof D=="number"?(D=""+D,C!==null&&C.tag===
6?(n(P,C.sibling),C=o(C,D),C.return=P,P=C):(n(P,C),C=Wo(D,P.mode,Z),C.return=P,P=C),p(P)):n(P,C)}ret urn Ne}var dr=uc(!0),cc=uc(!1),ll=on(null),sl=null,pr=null,Js=null;function
ildLanes = 1):i!==null&(i.childLanes)!==t&(i.childLanes = 1),e===n)break;e=e.return}function hr(
 e,t){sl=e,Js=pr=null,e=e.dependencies,e!==null&&e.firstContext!==null&&((e.lanes&t)!==0&&(it=!0),e.f
 irstContext=null)}function qt(e){var
 t=e. currentValue;if(Js!==e)if(e={context:e,memoizedValue:t,next:null},pr===null){if(sl===null)throw
 Error(r(308));pr=e,sl.dependencies={lanes:0,firstContext:e}}else pr=pr.next=e;return t}var
 Qn=null; function \ eo(e) \{Qn===null?Qn=[e]: Qn.push(e)\} function \ fc(e,t,n,i) \{var \ o=t.interleaved; return \ o=t.interleaved\} function \ fc(e,t,n,i) \{var \ o=t.interleaved; return \ o=t.interleaved\} function \ fc(e,t,n,i) \{var \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved\} function \ fc(e,t,n,i) \{var \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; return \ o=t.interleaved; retur
o===null?(n.next=n,eo(t)):(n.next=o.next,o.next=n),t.interleaved=n,bt(e,i)}function
bt(e,t){e.lanes|=t;var n=e.alternate;for(n!==null&&(n.lanes|=t),n=e,e=e.return;e!==null;)e.childLane
 s|=t,n=e.alternate,n!==null\&\&(n.childLanes|=t),n=e,e=e.return; return \ n.tag===3?n.stateNode:null} varantee and the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of
 cn=!1;function to(e){e.updateQueue={baseState:e.memoizedState,firstBaseUpdate:null,lastBaseUpdate:nu
 ll, shared: \{pending: null, interleaved: null, lanes: 0\}, effects: null\} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null\} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null\} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null\} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null\} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null\} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ dc(e,t) \\ \{e=e.updateQueue, t.uell, lanes: 0\}, effects: null \} function \ d
 pdateQueue = = = e\&(t.updateQueue = \{baseState:e.baseState, firstBaseUpdate:e.firstBaseUpdate, lastBaseUpdate\} \} 
 te:e.lastBaseUpdate,shared:e.shared,effects:e.effects})}function
 Yt(e,t)\{return\{eventTime:e,lane:t,tag:0,payload:null,callback:null,next:null\}\} function \ fn(e,t,n)\{varantee,lane:t,tag:0,payload:null,callback:null,next:null\}\} function \ fn(e,t,n)\{varantee,lane:t,tag:0,payload:null,callback:null,next:null\}\} function \ fn(e,t,n)\{varantee,lane:t,tag:0,payload:null,callback:null,next:null\}\} function \ fn(e,t,n)\{varantee,lane:t,tag:0,payload:null,callback:null,next:null\}\} function \ fn(e,t,n)\{varantee,lane:t,tag:0,payload:null,callback:null,next:null,next:null,lane:t,tag:0,payload:null,callback:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,next:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,tag:0,payload:null,lane:t,
 i=e.updateQueue;if(i===null)return null;if(i=i.shared,(ve&2)!==0){var o=i.pending;return
 o===null?t.next=t:(t.next=o.next,o.next=t),i.pending=t,bt(e,n)}return
 o=i.interleaved,o===null?(t.next=t,eo(i)):(t.next=o.next,o.next=t),i.interleaved=t,bt(e,n)}function
 ol(e,t,n) \{ if(t=t.updateQueue,t!==null&&(t=t.shared,(n&4194240)!==0) \} \{ var_{t} \} \}
i=t.lanes; i\&=e.pendingLanes, n|=i,t.lanes=n, ms(e,n)\} \\ function pc(e,t) \\ \{varn=e.updateQueue, i=e.alternate; if(i!==null\&\&(i=i.updateQueue, n===i)) \\ \{varnete, i=e.alternate; if(i!==null\&\&(i=i.updateQueue, n==i)) \\ \{varnete, i=e.alternate; if(i!==nullue, n=i)) \\ \{varnete, i=e.alternate, i=e
 o=null, u=null; if (n=n.firstBaseUpdate, n!==null) \\ \{do\{var\ p=\{eventTime:n.eventTime,lane:n.lane,tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.tag:n.t
    payload:n.payload,callback:n.callback,next:null};u===null?o=u=p:u=u.next=p,n=n.next}while(n!==null,
   ;u===null?o=u=t:u=u.next=t}else o=u=t;n={baseState:i.baseState,firstBaseUpdate:o,lastBaseUpdate:u,sh
ared:i.shared,effects:i.effects},e.updateQueue=n;return}e=n.lastBaseUpdate,e===null?n.firstBaseUpdate=t:e.next=t,n.lastBaseUpdate=t}function al(e,t,n,i){var o=e.updateQueue;cn=!1;var
 u=o.firstBaseUpdate,p=o.lastBaseUpdate,y=o.shared.pending;if(y!==null) \\ \{o.shared.pending=null;varS=y,N=S.next=null,p===null?u=N:p.next=N,p=S;varX=e.alternate;X!==null&&(X=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,y=X.updateQueue,
 lastBaseUpdate, y! == p\& (y == -null?X.firstBaseUpdate = N:y.next = N, X.lastBaseUpdate = S)) \\ if (u! == -null) \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{var_i = -null\} \\ \{va
\label{eq:KeolosseState} K=o.baseState; p=0, X=N=S=null, y=u; do\{var\ z=y.lane, q=y.eventTime; if((i\&z)===z)\{X!==null\&\&(X=X.next=\{eventTime:q,lane:0,tag:y.tag,payload:y.payload:y.callback:y.callback,next:null\}); e:\{var,payload:y.payload:y.payload:y.payload:y.callback:y.callback,next:null\}); e:\{var,payload:y.payload:y.payload:y.payload:y.callback:y.callback,next:null\}); e:\{var,payload:y.payload:y.payload:y.payload:y.callback:y.callback,next:null\}); e:\{var,payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.payload:y.paylo
 te=e, ne=y; switch(z=t, q=n, ne.tag) { case 1:if(te=ne.payload, typeof
```

```
te=="function"){K=te.call(q,K,z);break e}K=te;break e;case 3:te.flags=te.flags&-65537|128;case
0:if(te=ne.payload,z=typeof te=="function"?te.call(q,K,z):te,z==null)break e;K=W({},K,z);break e;case 2:cn=!0}}y.callback!==null&&y.lane!==0&&(e.flags|=64,z=o.effects,z===null?o.effects=[y]:z.pus
h(y))}else q={eventTime:q,lane:z,tag:y.tag,payload:y.payload,callback:y.callback,next:null},X===null
?(N=X=q,S=K):X=X.next=q,p|=z;if(y=y.next,y===null){if(y=o.shared.pending,y===null)break;z=y,y=z.next
,z.next=null,o.lastBaseUpdate=z,o.shared.pending=null}}while(!0);if(X===null&&(S=K),o.baseState=S,o.
 firstBaseUpdate=N,o.lastBaseUpdate=X,t=o.shared.interleaved,t!==null){o=t;do
 p|=o.lane,o=o.next;while(o!==t)}else
 u===null&&(o.shared.lanes=0); Vn|=p,e.lanes=p,e.memoizedState=K}}function
 hc(e,t,n){if(e=t.effects,t.effects=null,e!==null)for(t=0;t<e.length;t++){var</pre>
 i=e[t],o=i.callback;if(o!==null){if(i.callback=null,i=n,typeof o!="function")throw
Error(r(191,o));o.call(i)}}var ni={},Dt=on(ni),ri=on(ni);function Un(e){if(e===ni)throw
Error(r(174));return e}function no(e,t){switch(Ce(ii,t),Ce(ri,e),Ce(Dt,ni),e=t.nodeType,e){case
9:case 11:t=(t=t.documentElement)?t.namespaceURI:rs(null,"");break;default:e=e===8?t.parentNode:t,t=
 e.namespaceURI||null,e=e.tagName,t=rs(t,e)}Ie(Dt),Ce(Dt,t)}function
 mr(){Ie(Dt),Ie(ri),Ie(ii)}function mc(e){Un(ii.current);var
 t=Un(Dt.current), n=rs(t,e.type); t!==n&&(Ce(ri,e),Ce(Dt,n))}function
 ro(e){ri.current===e\&(Ie(Dt),Ie(ri))}var je=on(0);function ul(e){for(var)}
 t=e;t!==null;){if(t.tag===13){var
 n=t.memoizedState;if(n!==null&&(n=n.dehydrated,n===null||n.data==="[]"||n.data==="[]!"))return t}else
 if(t.tag===19&&t.memoizedProps.revealOrder!==void 0){if((t.flags&128)!==0)return t}else if(t.child!=
 =null){t.child.return=t,t=t.child;continue}if(t===e)break;for(;t.sibling===null;){if(t.return===null
  ||t.return===e)return null;t=t.return}t.sibling.return=t.return,t=t.sibling}return null}var
  io=[];function lo(){for(var
 e=0;e<io.length;e++)io[e]._workInProgressVersionPrimary=null;io.length=0}var cl=B.ReactCurrentDispat
 cher, so=B.ReactCurrentBatchConfig, Wn=0, Pe=null, He=null, Fe=null, fl=!1, li=!1, si=0, Eh=0; function
 Ke(){throw Error(r(321))}function oo(e,t){if(t===null)return!1;for(var
 n=0;n< t.length\&\&n< e.length;n++)if(!Ct(e[n],t[n]))return!1;return!0}function ao(e,t,n,i,o,u){if(Wn=u,t)}function ao(e,t,u){if(Wn=u,t)}function ao(e
 Pe=t,t.memoizedState=null,t.updateQueue=null,t.lanes=0,cl.current=e===null||e.memoizedState===null?I
 h:Rh,e=n(i,0),li) {u=0;do\{if(li=!1,si=0,25<=u)throw Error(r(301));u+=1,Fe=He=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t.updateQueue=null,t
 !1,t)throw Error(r(300));return e}function uo(){var e=si!==0;return si=0,e}function Nt(){var
 e={memoizedState:null,baseState:null,baseQueue:null,queue:null,next:null};return
 Fe===null?Pe.memoizedState=Fe=e:Fe=Fe.next=e,Fe}function vt(){if(He===null){var
 e=Pe.alternate; e=e!==null?e.memoizedState:null}else e=He.next; var
 t=Fe===null? Pe.memoized State: Fe.next; if (t!==null) Fe=t, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e===null) throw \ Error(r(310)); He=e, He=e; else \{if (e==null) throw \ Error(r(310)); He=e, He=e; else \{if (e==null) throw \ Error(r(310)); He=e, He=e;
   ,e={memoizedState:He.memoizedState,baseState:He.baseState,baseQueue:He.baseQueue,queue:He.queue,next
  :null},Fe===null?Pe.memoizedState=Fe=e:Fe=Fe.next=e}return Fe}function oi(e,t){return typeof
 t=="function"?t(e):t}function co(e){var t=vt(),n=t.queue;if(n===null)throw
 Error(r(311));n.lastRenderedReducer=e;var
 i=He, o=i.baseQueue, u=n.pending; if (u!==null) \{if (o!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{if (o!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{if (o!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{if (o!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{if (o!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next, u.next=p\} i.baseQueue, u=n.pending; if (u!==null) \{var \ p=o.next; o.next=u.next; o.next=u.next, u.next=u.next; o.next=u.next; o
 ueue=o=u,n.pending=null}if(o!==null){u=o.next,i=i.baseState;var y=p=null,S=null,N=u;do{var X=N.lane;
 if((Wn\&X)===X)S!==null\&\&(S=S.next=\{lane:0,action:N.action,hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.hasEagerState:N.ha
   .eagerState,next:null}),i=N.hasEagerState?N.eagerState:e(i,N.action);else{var K={lane:X,action:N.act
 ion, has Eager State: N. has Eager State, eager State: N. eager State, next: null}; S===null?(y=S=K,p=i): S=S. next=K
  , Pe.lanes[=X,Vn[=X]N=N.next}while(N!==null&&N!==u); S===null?p=i:S.next=y,Ct(i,t.memoizedState)||(it=!0),t.memoizedState=i,t.baseState=p,t.baseQueue=S,n.lastRenderedState=i}if(e=n.interleaved,e!==null)
 {o=e;do u=o.lane,Pe.lanes|=u,Vn|=u,o=o.next;while(o!==e)}else
 o===null\&\&(n.lanes=0); return[t.memoizedState,n.dispatch]\} function fo(e){var}
 t=vt(),n=t.queue;if(n===null)throw Error(r(311));n.lastRenderedReducer=e;var
 i=n.dispatch,o=n.pending,u=t.memoizedState;if(o!==null){n.pending=null;var p=o=o.next;do u=e(u,p.act
 ion), p=p.next; while (p!=0); Ct(u,t.memoizedState)||(it=10), t.memoizedState=u,t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue==null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue===null&&(t.baseQueue==null&&(t.baseQueue===null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQueue==null&&(t.baseQ
 aseState=u), \\ n.lastRenderedState=u\} \\ return[u,i] \\ function \\ gc() \\ \{\} \\ function \\ vc(e,t) \\ \{var \\ n=Pe,i=vt(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o=t(),o
 u=!Ct(i.memoizedState,o); if(u\&\&(i.memoizedState=o,it=!0), i=i.queue,po(wc.bind(null,n,i,e),[e]),i.get
 Snapshot!==t||u||Fe!==null\&Fe.memoizedState.tag\&1) {if (n.flags|=2048,ai(9,xc.bind(null,n,i,o,t),void)}
 0, \\ \text{null}), \\ \text{Qe} === \\ \text{null}) \\ \text{throw } \\ \text{Error}(r(349)); \\ \text{(Wn\&30)!} == \\ 0 \\ | \\ \text{yc}(n,t,o) \\ \text{)} \\ \text{return o} \\ \text{)} \\ \text{function } \\ \text{yc}(e,t,n) \\ \text{\{e.flags}|=16, c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f., c.f
 384,e={getSnapshot:t,value:n},t=Pe.updateQueue,t===null?(t={lastEffect:null,stores:null},Pe.updateQu
 eue=t,t.stores=[e]):(n=t.stores,n===null?t.stores=[e]:n.push(e)))function
 xc(e,t,n,i) {t.value=n,t.getSnapshot=i,Ac(t)&&Ec(e)} function wc(e,t,n) {return
 n(function(){Ac(t)\&\&Ec(e)}))function Ac(e){var t=e.getSnapshot;e=e.value;try{var t=e.getSnapshot;e=e.value;try{var}})
interleaved:null,lanes:0,dispatch:null,lastRenderedReducer:oi,lastRenderedState:e},t.queue=e,e=e.dis
 patch=kh.bind(null,Pe,e),[t.memoizedState,e]\} function \ ai(e,t,n,i) \{return \ e=\{tag:e,create:t,destroy:nemoizedState,e\}\} function \ ai(e,t,n,i) \{return \ e=\{tag:e,create:t,destroy:nemoizedState,
  ,deps:i,next:null},t=Pe.updateQueue,t===null?(t={lastEffect:null,stores:null},Pe.updateQueue=t,t.las
 tEffect=e.next=e):(n=t.lastEffect,n===null?t.lastEffect=e.next=e:(i=n.next,n.next=e,e.next=i,t.lastE
 ffect=e)),e}function Cc(){return vt().memoizedState}function dl(e,t,n,i){var
o=Nt(); Pe.flags|=e,o.memoizedState=ai(1|t,n,void 0,i===void 0?null:i)} function pl(e,t,n,i){var o=vt();i=i===void 0?null:i;var u=void 0;if(He!==null){var p=He.memoizedState;if(u=p.destroy,i!==null
 \& oo(i,p.deps)) \\ \{o.memoizedState=ai(t,n,u,i); return\} \\ Pe.flags|=e,o.memoizedState=ai(1|t,n,u,i)\} \\ function for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the cont
 on kc(e,t){return dl(8390656,8,e,t)}function po(e,t){return pl(2048,8,e,t)}function Ic(e,t){return
 pl(4,2,e,t)}function Rc(e,t){return pl(4,4,e,t)}function Tc(e,t){if(typeof t=="function")return
 e=e(),t(e),function(){t(null)};if(t!=null)return
```

```
e=e(),t.current=e,function(){t.current=null}}function jc(e,t,n){return
 n=n!=null?n.concat([e]):null,pl(4,4,Tc.bind(null,t,e),n)}function ho(){}function Pc(e,t){var
 n=vt():t=t===void 0?null:t:var i=n.memoizedState:return
  i! = null \& t! = null \& (t,i[1])? i[0]: (n.memoized State = [e,t],e) \} function \ Oc(e,t) \{ var \ n=vt(); t=t===void \} \} 
 0?null:t;var i=n.memoizedState;return
 i! = null \& t! = null \& oo(t, i[1])? i[0]: (e=e(), n. memoized State = [e,t], e) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} function \ Dc(e,t,n) \{ return(Wn \& 21) \} functi
 ===0?(e.baseState\&\&(e.baseState=!1,it=!0),e.memoizedState=n):(Ct(n,t)||(n=au(),Pe.lanes|=n,Vn|=n,e.b)
 aseState=!0,t)}function Sh(e,t){var n=Ae;Ae=n!==0&&4>n?n:4,e(!0);var
 i=so.transition; so.transition=\{\}; try\{e(!1),t()\} finally\{Ae=n,so.transition=i\}\} function \ Nc()\{return \} function \ Nc
 vt().memoizedState}function Ch(e,t,n){var
 i=mn(e);if(n={lane:i,action:n,hasEagerState:!1,eagerState:null,next:null},Mc(e))Bc(t,n);else
 if(n=fc(e,t,n,i),n!==null)\{var o=[e();jt(n,e,i,o),Hc(n,t,i)\}\}function kh(e,t,n)\{var o=[e(),f(n,e,i,o),Hc(n,t,i)\}\}function kh(e,t,n)\{var o=[e(),f(n,e,i,o),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),Hc(n,t,i),
 i=mn(e),o={lane:i,action:n,hasEagerState:!1,eagerState:null,next:null};if(Mc(e))Bc(t,o);else{var
 =null?(o.next=o,eo(t)):(o.next=S.next,S.next=o),t.interleaved=o;return}}catch{}finally{}n=fc(e,t,o,i
 ),n!==null\&\&(o=[e(),jt(n,e,i,o),Hc(n,t,i)))}function Mc(e){var t=e.alternate;return
 e===Pe||t!==null\&t===Pefunction Bc(e,t)\{li=fl=!0; var\}
 n=e.pending;n===null?t.next=t:(t.next=n.next,n.next=t),e.pending=t}function
 Hc(e,t,n){if((n\&4194240)!==0){var i=t.lanes;i&=e.pendingLanes,n|=i,t.lanes=n,ms(e,n)}}var hl={readCo}
 ntext:gt,useCallback:Ke,useContext:Ke,useEffect:Ke,useImperativeHandle:Ke,useInsertionEffect:Ke,useL
 ayoutEffect:Ke,useMemo:Ke,useReducer:Ke,useRef:Ke,useState:Ke,useDebugValue:Ke,useDeferredValue:Ke,u
 seTransition:Ke,useMutableSource:Ke,useSyncExternalStore:Ke,useId:Ke,unstable isNewReconciler:!1},Ih
 ={readContext:qt,useCallback:function(e,t){return Nt().memoizedState=[e,t===void
0?null:t],e},useContext:gt,useEffect:kc,useImperativeHandle:function(e,t,n){return n=n!=null?n.concat([e]):null,dl(4194308,4,Tc.bind(null,t,e),n)},useLayoutEffect:function(e,t){return dl(4194308,4,e,t)},useInsertionEffect:function(e,t){return dl(4,2,e,t)},useMemo:function(e,t){var
 n=Nt(); return t=t===void 0?null:t,e=e(),n.memoizedState=[e,t],e},useReducer:function(e,t,n){var}
 i=Nt();return t=n!==void 0?n(t):t,i.memoizedState=i.baseState=t,e={pending:null,interleaved:null,lan
 es:0,dispatch:null,lastRenderedReducer:e,lastRenderedState:t},i.queue=e,e=e.dispatch=Ch.bind(null,Pe
  ,e),[i.memoizedState,e]},useRef:function(e){var t=Nt();return
 e={current:e},t.memoizedState=e},useState:Sc,useDebugValue:ho,useDeferredValue:function(e){return
 Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e\}, use Transition: function() \{var \ e^{-}Sc(!1), t = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized State = e[0]; return \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), Nt(). memoized \ e = Sh.bind(null, e[1]), 
 memoizedState=e,[t,e]}, useMutableSource:function(){}, useSyncExternalStore:function(e,t,n){var
 i=Pe,o=Nt();if(Te){if(n===void 0)throw Error(r(407));n=n()}else{if(n=t(),Qe===null)throw}
 \label{lem:condition} Error(r(349)); (\mbox{Wn}\&30)! == 0 \mbox{$|||| yc(i,t,n)$} o. \mbox{$||| we moized State=n; var u={value:n,getSnapshot:t}; return to the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of t
 o.queue=u,kc(wc.bind(null,i,u,e),[e]),i.flags|=2048,ai(9,xc.bind(null,i,u,n,t),void
dContext:gt,useCallback:Pc,useContext:gt,useEffect:po,useImperativeHandle:jc,useInsertionEffect:Ic,u
 seLayoutEffect:Rc,useMemo:Oc,useReducer:co,useRef:Cc,useState:function(){return
 co(oi)},useDebugValue:ho,useDeferredValue:function(e){var t=vt();return
 Dc(t, He.memoizedState, e)\}, use Transition: function() \{var \ e=co(oi)[0], t=vt().memoizedState; return[e,t]\}\}
 ,useMutableSource:gc,useSyncExternalStore:vc,useId:Nc,unstable_isNewReconciler:!1},Th={readContext:g
 t,useCallback:Pc,useContext:gt,useEffect:po,useImperativeHandle:jc,useInsertionEffect:Ic,useLayoutEf
 fect:Rc,useMemo:Oc,useReducer:fo,useRef:Cc,useState:function(){return
 fo(oi)},useDebugValue:ho,useDeferredValue:function(e){var t=vt();return
 He===null?t.memoizedState=e:Dc(t,He.memoizedState,e)},useTransition:function(){var e=fo(oi)[0],t=vt(
 ).memoizedState;return[e,t]},useMutableSource:gc,useSyncExternalStore:vc,useId:Nc,unstable isNewReco
 nciler: 1; function It(e,t) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) = for (e,k) 
 e)t[n]===void 0\&\&(t[n]=e[n]); return t}return t}function mo(e,t,n,i){t=e.memoizedState,n=n(i,t),n=n==
 null?t: W(\{\},t,n), e.memoizedState=n,e.lanes===0\&\&(e.updateQueue.baseState=n)\} var ml=\{isMounted:functing a substitution of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of 
on(e){return(e=e._reactInternals)?Mn(e)===e:!1}, enqueueSetState:function(e,t,n){e=e._reactInternals; var i=[e(),o=mn(e),u=Yt(i,o);u.payload=t,n!=null&&(u.callback=n),t=fn(e,u,o),t!==null&&(jt(t,e,o,i),t!=null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!==null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t!=null&&(i.callback=n),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,u,o),t=fn(e,
ol(t,e,o))}, enqueueReplaceState: function(e,t,n){e=e._reactInternals;var i=[pe(),o=mn(e),u=Yt(i,o);u.tag=1,u.payload=t,n!=null&&(u.callback=n),t=fn(e,u,o),t!==null&&(jt(t,e,o,i),ol(t,e,o))}, enqueueForce
&t.prototype.isPureReactComponent?!Kr(n,i)||!Kr(o,u):!0}function Fc(e,t,n){var i=!1,o=an,u=t.contextType;return typeof u=="object"&&u!==null?u=gt(u):(o=rt(t)?Hn:Ge.current,i=t.con
textTypes,u=(i=i!=null)?ar(e,o):an),t=new t(n,u),e.memoizedState=t.state!==null&&t.state!==void 0?t.state:null,t.updater=ml,e.stateNode=t,t._reactInternals=e,i&&(e=e.stateNode,e.__reactInternalMemoizedUnmaskedChildContext=o,e.__reactInternalMemoizedMaskedChildContext=u),t}function
 Qc(e,t,n,i){e=t.state,typeof
 t.componentWillReceiveProps=="function"&&t.componentWillReceiveProps(n,i),typeof t.UNSAFE componentW
 illReceiveProps=="function"&&t.UNSAFE componentWillReceiveProps(n,i),t.state!==e&&ml.enqueueReplaceS
 tate(t,t.state,null)) function go(e,t,\overline{n},i) {var
 o=e.stateNode;o.props=n,o.state=e.memoizedState,o.refs={},to(e);var u=t.contextType;typeof u=="objec
 t"&&u!==null?o.context=gt(u):(u=rt(t)?Hn:Ge.current,o.context=ar(e,u)),o.state=e.memoizedState,u=t.g
 etDerivedStateFromProps,typeof u=="function"&&(mo(e,t,u,n),o.state=e.memoizedState),typeof
 t.getDerivedStateFromProps=="function"||typeof o.getSnapshotBeforeUpdate=="function"||typeof
```

```
o.UNSAFE componentWillMount!="function"&\typeof o.componentWillMount!="function"||(t=o.state,typeof
 o.componentWillMount=="function"&&o.componentWillMount().typeof o.UNSAFE componentWillMount=="functi
 on"&&o.UNSAFE componentWillMount(),t!==o.state&&ml.enqueueReplaceState(o,o.state,null),al(e,n,o,i),o
  .state=e.memoizedState),typeof o.componentDidMount=="function"&&(e.flags|=4194308)}function
gr(e,t){try{var n="",i=t;do n+=me(i),i=i.return;while(i);var o=n}catch(u){o=
Error generating stack: `+u.message+`
     +u.stack}return{value:e,source:t,stack:o,digest:null}}function
 vo(e,t,n){return{value:e,source:null,stack:n??null,digest:t??null}}function
 yo(e,t){try{console.error(t.value)}catch(n){setTimeout(function(){throw n})}}var jh=typeof
 WeakMap=="function"?WeakMap:Map;function Uc(e,t,n){n=Yt(-1,n),n.tag=3,n.payload={element:null};var
i=t.value;return n.callback=function(){El||(El=!0,No=i),yo(e,t)},n}function
 Wc(e,t,n){n=Yt(-1,n),n.tag=3;var i=e.type.getDerivedStateFromError;if(typeof i=="function"){var
o=t.value;n.payload=function(){return i(o)},n.callback=function(){yo(e,t)}}var u=e.stateNode;return u!==null&to(e,t)}var u=e.stateNode;return u!=e.stateNode;return u!=e.st
 i!="function"&&(pn===null?pn=new Set([this]):pn.add(this));var
 p=t.stack;this.componentDidCatch(t.value,{componentStack:p!==null?p:""})}),n}function Vc(e,t,n){var
i=e.pingCache;if(i===null){i=e.pingCache=new jh;var o=new Set;i.set(t,o)}else o=i.get(t),o===void 0&&(o=new Set,i.set(t,o));o.has(n)||(o.add(n),e=bh.bind(null,e,t,n),t.then(e,e))}function
 bc(e) \{do\{var\ t; if((t=e.tag===13)\&\&(t=e.memoizedState, t=t!==null?t.dehydrated!==null:!0), t\} return
 e;e=e.return}while(e!==null);return null}function Yc(e,t,n,i,o){return(e.mode&1)===0?(e===t?e.flags|
 =65536: (e.flags|=128,n.flags|=131072,n.flags&=-52805,n.tag===1&&(n.alternate===null?n.tag=17:(t=Yt(-
 1,1),t.tag=2,fn(n,t,1))),n.lanes|=1),e):(e.flags|=65536,e.lanes=0,e)}var
 Ph=B.ReactCurrentOwner,it=!1;function
    e(e,t,n,i){t.child=e===null?cc(t,null,n,i):dr(t,e.child,n,i)}function zc(e,t,n,i,o){n=n.render;var
 u=t.ref;return hr(t,o),i=ao(e,t,n,i,u,o),n=uo(),e!==null&&!it?(t.updateQueue=e.updateQueue,t.flags&=
  -2053,e.lanes\&=\sim 0,zt(e,t,o)): (Te\&\&n\&\&zs(t),t.flags|=1,_e(e,t,i,o),t.child)\} function
\label{eq:compare} Xc(e,t,n,i,o) \\ \{if(e===null) \\ \{var\ u=n.type; return\ typeof\ u=="function" \\ \&\&!Uo(u) \\ \&\&u.defaultProps===void\ 0 \\ \&\&n.compare===null \\ \&&n.defaultProps===void\ 0 \\ (t.tag=15,t.type=u,Gc(e,t,u,i,o)): \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) \\ (e=Tl(n.type,null,i,t)) 
  ,t.mode,o), e.ref=t.ref, e.return=t, t.child=e) if(u=e.child, if(u=e.child, if(u=e.child) if(u=e.child, if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child) if(u=e.child)
 p=u.memoizedProps;if(n=n.compare,n=n!==null?n:Kr,n(p,i)&&e.ref===t.ref)return zt(e,t,o)}return
 t.flags|=1,e=vn(u,i),e.ref=t.ref,e.return=t,t.child=e}function Gc(e,t,n,i,o){if(e!==null){var u=e.me
\label{eq:moizedProps} \begin{tabular}{ll} moizedProps; if $(Kr(u,i)\&\&e.ref===t.ref)$ if $(it=!1,t.pendingProps=i=u,(e.lanes\&o)!==0)$ (e.flags&131072)!==0&&(it=!0); else return t.lanes=e.lanes,zt(e,t,o)$ return $xo(e,t,n,i,o)$ function $Kc(e,t,n)$ (var i=t.pe)$ (var
 nding Props, o=i.children, u=e!==null?e.memoized State:null; if (i.mode==="hidden") if ((t.mode\&1)===0)t.mem
 oizedState={baseLanes:0,cachePool:null,transitions:null},Ce(yr,dt),dt|=n;else{if((n&1073741824)===0)}
 return e=u!==null?u.baseLanes|n:n,t.lanes=t.childLanes=1073741824,t.memoizedState={baseLanes:e,cache
 hePool:null,transitions:null},i=u!==null?u.baseLanes:n,Ce(yr,dt),dt|=i}else
 u!==null?(i=u.baseLanes|n,t.memoizedState=null):i=n,Ce(yr,dt),dt|=i;return
    e(e,t,o,n),t.child}function Zc(e,t){var
 n=t.ref;(e===null&&n!==null||e!==null&&e.ref!==n)&&(t.flags|=512,t.flags|=2097152)}function
 xo(e,t,n,i,o) {var u=rt(n)?Hn:Ge.current;return u=ar(t,u),hr(t,o),n=ao(e,t,n,i,u,o),i=uo(),e!==null&&
 !it?(t.updateQueue=e.updateQueue,t.flags&=
 2053, e. lanes &=\sim0, zt(e, t, o)): (Te&&i&&zs(t), t. flags|=1, e(e, t, n, o), t. child)} function
Jc(e,t,n,i,o){if(rt(n)){var u=!0; □i(t)}else
u=!1;if(hr(t,o),t.stateNode===null)vl(e,t),Fc(t,n,i),go(t,n,i,o),i=!0;else if(e===null){var
 \verb|p=t.stateNode,y=t.memoizedProps;p.props=y;var S=p.context,N=n.contextType;typeofiles a context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the conte
 N=="object"\&\&N!==null?N=gt(N):(N=rt(n)?Hn:Ge.current,N=ar(t,N));var
 X=n.getDerivedStateFromProps,K=typeof X=="function"||typeof
p.getSnapshotBeforeUpdate=="function";K||typeof
p.UNSAFE_componentWillReceiveProps!="function"&typeof
\label{eq:proposed} $$ p.componentWillReceiveProps!="function"||(y!==i||S!==N)\&Qc(t,p,i,N),cn=!1; var z=t.memoizedState; p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z!==S||nt.current||cn?(typeof) $$ for the proposed state $$ p.state=z,al(t,i,p,o),S=t.memoizedState,y!==i||z|||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current||cn.current
 X = \text{"function"} \& \& (\text{mo(t,n,X,i)}, \text{S=t.memoizedState}), (y = \text{cn} | \text{Lc(t,n,y,i,z,S,N)})? (K|| \text{typeof p.UNSAFE}_componentWillMount!} = \text{"function"} \& \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!} = \text{"function"} \& \text{typeof p.componentWillMount!
 p.UNSAFE_componentWillMount=="function"&&p.UNSAFE_componentWillMount()), typeof
 p.componentDidMount=="function"&&(t.flags|=4194308)):(typeof p.componentDidMount=="function"&&(t.fla
 gs|=4194308),t.memoizedProps=i,t.memoizedState=S),p.props=i,p.state=S,p.context=N,i=y):(typeof p.com
 ponentDidMount == "function" \& (t.flags | = 4194308), i = !1) \} else \{p = t.stateNode, dc(e,t), y = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedProps, N = t.memoizedPr
 t.type===t.elementType?y:It(t.type,y),p.props=N,K=t.pendingProps,z=p.context,S=n.contextType,typeof
 S=="object"&&S!==null?S=gt(S):(S=rt(n)?Hn:Ge.current,S=ar(t,S));var
q=n.getDerivedStateFromProps;(X=typeof q=="function"||typeof
p.getSnapshotBeforeUpdate=="function")||typeof
 p.UNSAFE_componentWillReceiveProps!="function"&typeof p.componentWillReceiveProps!="function"||(y!=
 =K||z!==\overline{S}|\&\&Qc(t,p,i,S),cn=!1,z=t.memoizedState,p.state=z,al(t,i,p,o);var
 te=t.memoizedState;y!==K||z!==te||nt.current||cn?(typeof
 q = \text{"function"} \& \& (\text{mo(t,n,q,i),te=t.memoizedState}), (\text{N=cn}|\text{Lc(t,n,N,i,z,te,S)}||!1)?(\text{X}||\text{typeof p.UNSAFE}\_componentWillUpdate}! = \text{"function"} \& \& \text{typeof p.componentWillUpdate}! = \text{"function"} \& \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{"function"} & \& \text{p.componentWillUpdate}! = \text{p.componentWillUpdate}! = \text{p.componentWillUpdate}! = \text{p.componentWillUpdate}! = \text{p.component
 p.UNSAFE componentWillUpdate=="function"&p.UNSAFE componentWillUpdate(i,te,S)),typeof
 p.componentDidUpdate=="function"&&(t.flags|=4),typeof
 p.getSnapshotBeforeUpdate=="function"&&(t.flags|=1024)):(typeof
```

```
tSnapshotBeforeUpdate!="function"||y===e.memoizedProps&&z===e.memoizedState||(t.flags|=1024),t.memoi
 zedProps=i,t.memoizedState=te),p.props=i,p.state=te,p.context=S,i=N):(typeof
 p.componentDidUpdate!="function"||y===e.memoizedProps\&\&z===e.memoizedState||(t.flags|=4),typeof p.ge tSnapshotBeforeUpdate!="function"||y===e.memoizedProps&&z===e.memoizedState||(t.flags|=1024),i=:1)}r
eturn wo(e,t,n,i,u,o)}function wo(e,t,n,i,o,u){Zc(e,t);var p=(t.flags&128)!==0;if(!i&&!p)return o&&tc(t,n,!1),zt(e,t,u);i=t.stateNode,Ph.current=t;var y=p&&typeof n.getDerivedStateFromError!="function"?null:i.render();return t.flags|=1,e!==null&&p?(t.child=dr(t,e))
  .c\dot{h}ild,null,u),t.child=dr(t,null,y,u)):\underline{e(e,t,y,u)},t.memoizedState=\dot{i}.state,o\&\&tc(t,n,!0),t.child\\fun=b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.child+b(t,n,l),t.chi
 ction qc(e){var t=e.stateNode;t.pendingContext?[u(e,t.pendingContext,t.pendingContext!==t.context):t
  .context&&@u(e,t.context,!1),no(e,t.containerInfo)}function _c(e,t,n,i,o){return
fr(),Zs(o),t.flags|=256,_e(e,t,n,i),t.child}var
Ao={dehydrated:null,treeContext:null,retryLane:0};function
 Eo(e) \{return\{baseLanes: e, cachePool: null, transitions: null\}\} \\ function \ \ \Box c(e,t,n) \{var \ i=t.pendingProps, o=t.pendingProps, o=
 je.current, u=!1, p=(t.flags&128)!==0, y; if((y=p)||(y=e!==null&e.memoizedState===null?!1:(o&2)!==0), y?
 (u=!0,t.flags\&=-129):(e===null)|e.memoizedState!==null)\&\&(o|=1),Ce(je,o\&1),e===null)return Ks(t),e=t
  .memoizedState,e!==null&&(e=e.dehydrated,e!==null)?((t.mode&1)===0?t.lanes=1:e.data==="∏!"?t.lanes=8
  :t.lanes=1073741824,null):(p=i.children,e=i.fallback,u?(i=t.mode,u=t.child,p={mode:"hidden",children
 :p, (i\&1)===0\&\&u!==null?(u.childLanes=0,u.pendingProps=p):u=jl(p,i,0,null),e=Xn(e,i,n,null),u.return
 =t,e.return=t,u.sibling=e,t.child=u,t.child.memoizedState=Eo(n),t.memoizedState=Ao,e):So(t,p));if(o=
 e.memoizedState,o!==null&&(y=o.dehydrated,y!==null))return
0h(e,t,p,i,y,o,n); if(u) \\ \{u=i.fallback,p=t.mode,o=e.child,y=o.sibling; var\ S=\{mode:"hidden",children:i.children\}; return(p&1)===0&t.child!==o?(i=t.child,i.childLanes=0,i.pendingProps=S,t.deletions=null):
 (\texttt{i=} \forall \texttt{vn(o,S),i.subtreeFlags=o.subtreeFlags\&14680064)}, \texttt{y!==} \texttt{null?u=} \forall \texttt{vn(y,u):} (\texttt{u=Xn(u,p,n,null),u.flags|=2),} \\
 u.return=t,i.return=t,i.sibling=u,t.child=i,i=u,u=t.child,p=e.child.memoizedState,p=p===null?Eo(n):{
 baseLanes:p.baseLanes|n,cachePool:null,transitions:p.transitions},u.memoizedState=p,u.childLanes=e.c
\label{linear_continuous} hildLanes\&-n,t.memoizedState=Ao,i\\ return u=e.child,e=u.sibling,i=vn(u,\{mode:"visible",children:i.children\}),(t.mode\&1)===0\&\&(i.lanes=n),i.return=t,i.sibling=null,e!==null\&\&(n=t.deletions,n===null?(t.deletions)),
 eletions = [e], t.flags | = 16): n.push(e)), t.child = i, t.memoizedState = null, i\} function So(e,t) \{return the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first substitution of the first 
 t=jl({mode: "visible",children:t},e.mode,0,null),t.return=e,e.child=t}function gl(e,t,n,i){return i!=
 =null&&Zs(i),dr(t,e.child,null,n),e=So(t,t.pendingProps.children),e.flags|=2,t.memoizedState=null,e} function Oh(e,t,n,i,o,u,p){if(n)return t.flags&256?(t.flags&=-
257,i=vo(Error(r(422))),gl(e,t,p,i)):t.memoizedState!==null?(t.child=e.child,t.flags|=128,null):(u=i.fallback,o=t.mode,i=jl({mode:"visible",children:i.children},o,0,null),u=Xn(u,o,p,null),u.flags|=2,i
  .return=t,u.return=t,i.sibling=u,t.child=i,(t.mode&1)!==0&&dr(t,e.child,null,p),t.child.memoizedStat
 e=Eo(p),t.memoizedState=Ao,u);if((t.mode&1)===0)return
 ql(e,t,p,null);if(o.data==="\(\frac{1}{2}\)\){if(i=o.nextSibling&o.nextSibling.dataset,i)var y=i.dgst;return
 i=y,u=Error(r(419)),i=vo(u,i,void
 0), gl(e,t,p,i)\} if(y=(p\&e.childLanes)!==0,it||y) \{if(i=Qe,i!==null) \{switch(p\&-p) \{case \ 4:o=2;break;case \ 4:o=2;break\} \} \} f(y=(p\&e.childLanes)!==0,it||y|) \{if(i=Qe,i!==null) \{switch(p\&-p) \{case \ 4:o=2;break\} \} \} f(y=(p\&e.childLanes)!=0,it||y|) \{if(i=Qe,i!==null) \{switch(p\&-p) \{case \ 4:o=2;break\} \} f(y=(p\&e.childLanes)!=0,it||y|) \{if(i=Qe,i!==null) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switch(p\&-p) \{switc
 16:o=8;break;case 64:case 128:case 256:case 512:case 1024:case 2048:case 4096:case 8192:case
 16384:case 32768:case 65536:case 131072:case 262144:case 524288:case 1048576:case 2097152:case
 4194304:case 8388608:case 16777216:case 33554432:case 67108864:o=32;break;case 536870912:o=268435456
 (i,e,o,-1) return (o(),i=vo(Error(r(421))),gl(e,t,p,i)) return o.data==="[]?"?(t.flags]=128,t.chil
 d=e.child,t=Yh.bind(null,e),o._reactRetry=t,null):(e=u.treeContext,ft=sn(o.nextSibling),ct=t,Te=!0,k
 t=null, e!==null&&(ht[mt++]=Wt,ht[mt++]=Vt,ht[mt++]=Ln,Wt=e.id,Vt=e.overflow,Ln=t),t=So(t,i.children)
  ,t.flags|=4096,t)}function ef(e,t,n){e.lanes|=t;var
 i=e.alternate; i!==null\&\&(i.lanes|=t), \ [s(e.return,t,n)] function Co(e,t,n,i,o) \ var u=e.memoizedState; u=e.alternate; i!==null\&\&(i.lanes|=t), \ [s(e.return,t,n)] \ function Co(e,t,n,i,o) \ var u=e.memoizedState; u=e.alternate; i!==null\&\&(i.lanes|=t), \ [s(e.return,t,n)] \ function Co(e,t,n,i,o) \ var u=e.memoizedState; u=e.alternate; u=e.alter
 === null?e.memoizedState = \{isBackwards:t, rendering:null, renderingStartTime:0, last:i, tail:n, tailMode:o\}\}
  :(u.isBackwards=t,u.rendering=null,u.renderingStartTime=0,u.last=i,u.tail=n,u.tailMode=o)}function
 tf(e,t,n){var i=t.pendingProps,o=i.revealOrder,u=i.tail;if( e(e,t,i.children,n),i=je.current,(i&2)!=
 =0)i=i&1|2,t.flags|=128;else{if(e!==null&&(e.flags&128)!==0)e:for(e=t.child;e!==null;){if(e.tag===13
 )e.memoizedState!==null&&ef(e,n,t);else if(e.tag===19)ef(e,n,t);else
 if(e.child!==null){e.child.return=e,e=e.child;continue}if(e===t)break
 e;for(;e.sibling===null;){if(e.return===null||e.return===t)break e;e=e.return}e.sibling.return=e.ret
 urn, e=e.sibling}i6=1}if(Ce(je,i),(t.mode&1)===0)t.memoizedState=null;else switch(o){case"forwards":f
 or(n=t.child, o=null; n!==null;)e=n.alternate, e!==null&&ul(e)===null&&(o=n), n=n.sibling; n=o, n===null?(o=n), n=n.sibling; n=o, n==null?(o=n), n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; n=o, n=n.sibling; 
 o=t.child,t.child=null):(o=n.sibling,n.sibling=null),Co(t,!1,o,n,u);break;case"backwards":for(n=null
  , o=t.child, t.child=null; o!==null;) \\ \{if(e=o.alternate, e!==null\&\&ul(e)===null)\\ \{t.child=o; break\}e=o.sibles \\ (e)==enull \\ (e)=enull ing, o.sibling = n, n = o, o = e\} Co(t, !0, n, null, u); break; case "together" : Co(t, !1, null, null, void to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context 
 0);break;default:t.memoizedState=null}return t.child}function
 \label{eq:vlean} $$vl(e,t)_{(t.mode\&1)===0\&\&e!==null\&\&(e.alternate=null,t.alternate=null,t.flags|=2)}$$function $$vl(e,t)_{(t.mode\&1)===0\&\&e!==null\&\&(e.alternate=null,t.alternate=null,t.flags|=2)}$$
 zt(e,t,n) {if (e!==null&&(t.dependencies=e.dependencies), Vn |=t.lanes, (n&t.childLanes)===0) return
 ndingProps),t.child=n,n.return=t;e.sibling!==null;)e=e.sibling,n=n.sibling=vn(e,e.pendingProps),n.re
 turn=t; n.sibling=nullreturn t.childfunction Dh(e,t,n){switch(t.tag){case 3:qc(t),fr();break;case}
 5:mc(t);break;case 1:rt(t.type)&&□i(t);break;case 4:no(t,t.stateNode.containerInfo);break;case
 10:var i=t.type._context,o=t.memoizedProps.value;Ce(ll,i._currentValue),i._currentValue=o;break;case 13:if(i=t.memoizedState,i!==null)return i.dehydrated!==null?(Ce(je,je.current&1),t.flags|=128,null):
 ,je.current&1);break;case 19:if(i=(n&t.childLanes)!==0,(e.flags&128)!==0){if(i)return tf(e,t,n);t.fl
 ags = 128 if (o=t.memoizedState,o!==null&&(o.rendering=null,o.tail=null,o.lastEffect=null),Ce(je,je.cu
 rrent),i)break;return null;case 22:case 23:return t.lanes=0,Kc(e,t,n)}return zt(e,t,n)}var
```

```
nf,ko,rf,lf;nf=function(e,t){for(var
 n=t.child;n!==null;){if(n.tag===5||n.tag===6)e.appendChild(n.stateNode);else if(n.tag!==4&&n.child!=
 =null){n.child.return=n,n=n.child;continue}if(n===t)break;for(;n.sibling===null;){if(n.return===null
  ||n.return===t)return;n=n.return}n.sibling.return=n.return,n=n.sibling}},ko=function(){},rf=function
   (e,t,n,i){var o=e.memoizedProps;if(o!==i){e=t.stateNode,Un(Dt.current);var
 u=null; switch(n) {case input : o=Nn(e,o), i=Nn(e,i), u=[]; break; case select : o=W({},o,{value:void
 0}),i=W({},i,{value:void 0}),u=[];break;case"textarea":o=ns(e,o),i=ns(e,i),u=[];break;default:typeof
o.onClick!="function"&\&typeof i.onClick=="function"&\&(e.onclick=Ji)}is(n,i);var p;n=null;for(N in o)if(!i.hasOwnProperty(N)&\&o.hasOwnProperty(N)&\&o[N]!=null)if(N==="style"){var y=o[N];for(p in y)y.hasOwnProperty(p)&\&(n||(n={}),n[p]="")}else N!=="dangerouslySetInnerHTML"&\&N!=="children"&\&N!=="suppressContentEditableWarning"&\&N!=="suppressHydrationWarning"&\&N!=="autoFocus"&\&(c.hasOwnProperty()
 N)?u||(u=[]):(u=u||[]).push(N,null));for(N in i){var S=i[N];if(y=o!=null?o[N]:void
 0,i.hasOwnProperty(N)\&\&S!==y\&\&(S!=null||y!=null))if(N==="style")if(y){for(p in model)}
 y)!y.hasOwnProperty(p)||S&&S.hasOwnProperty(p)||(n||(n={}),n[p]="");for(p in the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the
 S)S.has0wnProperty(p)\&\&y[p]!==S[p]\&\&(n||(n={}),n[p]=S[p])\\ \}else \ n||(u||(u=[]),u.push(N,n)),n=S;else
N = = \text{"dangerouslySetInnerHTML"?(S=S?S.\_html:void 0,y=y?y.\_html:void 0,S!=null&&y!==S&&(u=u||[]).push(N,S)):N===\text{"children"?typeof S!="string"&&typeof S!="number"||(u=u|| 1,S) = \text{"children"}
 []).push(N,""+S):N!=="suppressContentEditableWarning"&&N!=="suppressHydrationWarning"&&(c.hasOwnProp
 .push("style",n);var
 N=u; (t.updateQueue=N)\&\{(t.flags|=4)\}\}, lf=function(e,t,n,i)\{n!==i\&\{(t.flags|=4)\}\}, function\{(t.updateQueue=N)\&\{(t.flags|=4)\}\}, function\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{(t.updateQueue=N)\&\{
ui(e,t){if(!Te)switch(e.tailMode){case"hidden":t=e.tail;for(var n=null;t!==null;)t.alternate!==null&
&(n=t),t=t.sibling;n===null?e.tail=null:n.sibling=null;break;case"collapsed":n=e.tail;for(var i=null)
 ;n!==null;)n.alternate!==null&&(i=n),n=n.sibling;i===null?t||e.tail===null?e.tail=null:e.tail.siblin
 g=null:i.sibling=null}}function Ze(e){var
 t=e.alternate!==null&&e.alternate.child===e.child,n=0,i=0;if(t)for(var o=e.child;o!==null;)n|=o.lane
 s|o.childLanes,i|=o.subtreeFlags&14680064,i|=o.flags&14680064,o.return=e,o=o.sibling;else for(o=e.ch
 ild;o!==null;)n|=o.lanes|o.childLanes,i|=o.subtreeFlags,i|=o.flags,o.return=e,o=o.sibling;return
 e.subtreeFlags|=i,e.childLanes=n,t\} function \ Nh(e,t,n) \\ \{var\ i=t.pendingProps;switch(Xs(t),t.tag)\} \\ \{case,childLanes=n,t\} \\ \{case,childLanes=n,
 2:case 16:case 15:case 0:case 11:case 7:case 8:case 12:case 9:case 14:return Ze(t),null;case
 1:return rt(t.type)&& i(),Ze(t),null;case 3:return i=t.stateNode,mr(),Ie(nt),Ie(Ge),lo(),i.pendingCo
 ntext\&\&(i.context=i.pendingContext,i.pendingContext=null), (e===null)\\ \&\&(rl(t)?t.flags)
 |=4:e===null||e.memoizedState.isDehydrated&&(t.flags&256)===0||(t.flags|=1024,kt!==null&&(Ho(kt),kt=
 [null])),[ko(e,t),Ze(t),null;case 5:ro(t);var o=Un(ii.current);if(n=t.type,e!==null&&t.stateNode!=null)
 rf(e,t,n,i,o),e.ref!==t.ref\&\&(t.flags|=512,t.flags|=2097152);else\{if(!i)\{if(t.stateNode===null)throllowerset.eta]
w Error(r(166)); return Ze(t), null}if(e=Un(Dt.current), rl(t)){i=t.stateNode, n=t.type; var u=t.memoized Props; switch(i[Ot]=t,i[□r]=u,e=(t.mode&1)!==0,n){case"dialog":ke("cancel",i),ke("close",i);break; case e"iframe":case"object":case"embed":ke("load",i);break; case"video":case"audio":for(=0;o<1)r.length;o+
 +)ke(Jr[o],i);break;case"source":ke("error",i);break;case"img":case"image":case"link":ke("error",i),
ke("load",i);break;case"details":ke("toggle",i);break;case"input":Rr(i,u),ke("invalid",i);break;case
"select":i._wrapperState={wasMultiple:!!u.multiple},ke("invalid",i);break;case"textarea":Wa(i,u),ke(
 "invalid",i) is (n,u), o=null; for (var p in u) if (u.has0wnProperty(p)) \{var y=u[p]; p==="children"? type of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
y=="string"?i.textContent!==y&&(u.suppressHydrationWarning!==!0&&Zi(i.textContent,y,e),o=["children",y]):typeof y=="number"&&i.textContent!==""+y&&(u.suppressHydrationWarning!==!0&&Zi(i.textContent,y,e),o=["children",""+y]):c.hasOwnProperty(p)&&y!=null&&p==="onScroll"&&ke("scroll",i)}switch(n){case"input":On(i),Ua(i,u,!0);break;case"textarea":On(i),ba(i);break;case"select":case"option":break;defau
lt:typeof u.onClick=="function"&&(i.onclick=Ji)}i=o,t.updateQueue=i,i!==null&&(t.flags|=4)}else{p=o.nodeType===9?o:o.ownerDocument,e==="http://www.w3.org/1999/xhtml"&&(e=Ya(n)),e==="http://www.w3.org/1999/xhtml"?n==="script"?(e=p.createElement("div"),e.innerHTML="<script><\/script>",e=e.removeChild(e.firstChild)):typeof i.is=="string"?e=p.createElement(n,{is:i.is}):(e=p.createElement(n),n==="selection")
  \texttt{t"\&\&(p=e,i.multiple=!0:i.size\&\&(p.size=i.size))):e=p.createElementNS(e,n),e[0t]=t,e[\_r]=i.size))} ) : \texttt{e=p.createElementNS(e,n),e[0t]=t,e[\_r]=i.size)} 
nf(e,t,!1,!1),t.stateNode=e;e:{switch(p=ls(n,i),n){case"dialog":ke("cancel",e),ke("close",e),o=i;break;case"iframe":case"object":case"embed":ke("load",e),o=i;break;case"video":case"audio":for(o=0;o<Jr.length;o++)ke(Jr[o],e);o=i;break;case"source":ke("error",e),o=i;break;case"img":case"image":case"link":ke("error",e),ke("load",e),o=i;break;case"img":case"iput":Rr(e,i),o=Nn(e,i),ke("invalid",e);break;case"option":o=i;break;case"select":e._wrapperState={wasMultiple:!!</pre>
 i.multiple},o=W({},i,{value:void 0}),ke("invalid",e);break;case"textarea":Wa(e,i),o=ns(e,i),ke("invalid",e);break;default:o=i}is(n,o),y=o;for(u in y)if(y.hasOwnProperty(u)){var
S=y[u]; u==="style"?Ga(e,S): u==="dangerouslySetInnerHTML"?(S=S?S.__html:void
0,S!=null&&za(e,S)): u==="children"?typeof S=="string"?(n!=="textarea"||S!=="")&&Or(e,S):typeof S=="n
 se"input":On(e), Ua(e,i,!1); break; case"textarea":On(e), ba(e); break; case"option":i.value!=null&&e.setA
ttribute("value",""+xe(i.value));break;case"textarea":on(e),ba(e);break;case"option":1.value!=nutl&&e.setA
ttribute("value",""+xe(i.value));break;case"select":e.multiple=!!i.multiple,u=i.value,u!=null?Jn(e,!
!i.multiple,u,!1):i.defaultValue!=nutl&&Jn(e,!!i.multiple,i.defaultValue,!0);break;default:typeof o.
onClick=="function"&&(e.onclick=Ji)}switch(n){case"button":case"input":case"select":case"textarea":i
=!!i.autoFocus;break e;case"img":i=!0;break
e;default:i=!1}}i&&(t.flags|=4)}t.ref!==nutl&&(t.flags|=512,t.flags|=2097152)}return Ze(t),nutl;case
6:if(e&&t.stateNode!=null)lf(e,t,e.memoizedProps,i);else{if(typeofi!="string"&&t.stateNode===null)throw Error(r(166));if(n=Un(ii.current),Un(Dt.current),rl(t)){if(i=t
   . \verb|stateNode|, \verb|n=t.memoizedProps|, \verb|i[Ot]=t|, (\verb|u=i.nodeValue!==n)| \& (e=ct,e!==null) ) \\ switch (e.tag) \\ \{case to extend the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended in the extended
 3:Zi(i.nodeValue,n,(e.mode&1)!==0);break;case 5:e.memoizedProps.suppressHydrationWarning!==!0&&Zi(i.
 nodeValue, n, (e.mode\&1)!==0) u\&\&(t.flags|=4) else
```

```
i=(n.nodeType===9?n:n.ownerDocument).createTextNode(i),i[0t]=t,t.stateNode=i}return Ze(t),null;case
 13:if(Ie(je), i=t.memoizedState,e===null||e.memoizedState!==null&&e.memoizedState.dehydrated!==null){
 if(Te\&ft!==null\&\&(t.mode\&1)!==0\&\&(t.flags\&128)===0)oc(),fr(),t.flags|=98560,u=!1;else
 if(u=rl(t),i!==null&&i.dehydrated!==null){if(e===null){if(!u)throw
 Error(r(318));if(u=t.memoizedState,u=u!==null?u.dehydrated:null,!u)throw Error(r(317));u[0t]=t}else
 fr(), (t.flags\&128) ===0\&\&(t.memoizedState=null), t.flags[=4;Ze(t),u=!1]else
 kt!==null\&\&(Ho(kt),kt=null),u=!0;if(!u)return t.flags\&65536?t:null\}return(t.flags&128)!==0?(t.lanes=
 n,t):(i=i!==null,i!==(e!==null\&\&e.memoizedState!==null)\&\&i\&\&(t.child.flags|=8192,(t.mode\&1)!==0\&\&(e=n,t)
 ==null||(je.current\&1)!==0?Le===0\&\&(Le=3):Qo())),t.updateQueue!==null\&&(t.flags|=4),Ze(t),null);case
 4: return mr(), ko(e,t), e===null\&\&qr(t.stateNode.containerInfo), Ze(t), null; case 10: return
      s(t.type. context), Ze(t), null; case 17: return rt(t.type) & i(), Ze(t), null; case
19:if(Ie(je), u=t.memoizedState, u===null) return \ Ze(t), null; if(i=(t.flags&128)!==0, p=u.rendering, p===null) if(i)ui(u,!1); else{if(Le!==0||e!==null&&(e.flags&128)!==0) for(e=t.child; e!==null;) {if(p=ul(e),p!=null) } if(i)ui(u,ll); else{if(Le!==0||e!==null) } if(i)ui(u,ll); 
 ==null){for(t.flags|=128,ui(u,!1),i=p.updateQueue,i!==null&&(t.updateQueue=i,t.flags|=4),t.subtreeFl
 ags=0, i=n, n=t.child; n!==null;)u=n, e=i, u.flags\&=14680066, p=u.alternate, p===null?(u.childLanes=0, u.lanes=0, u.lan
 es=e,u.child=null,u.subtreeFlags=0,u.memoizedProps=null,u.memoizedState=null,u.updateQueue=null,u.de
 pendencies=null,u.stateNode=null):(u.childLanes=p.childLanes,u.lanes=p.lanes,u.child=p.child,u.subtr
 eeFlags=0,u.deletions=null,u.memoizedProps=p.memoizedProps,u.memoizedState=p.memoizedState,u.updateQ
 ueue=p.updateQueue,u.type=p.type,e=p.dependencies,u.dependencies=e===null?null:{lanes:e.lanes,firstC
 ontext:e.firstContext}),n=n.sibling;return Ce(je,je.current&1|2),t.child}e=e.sibling}u.tail!==null&&
 De()>xr&&(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)\}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,ui(u,!1),ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,ui(u,!1),ui(u,!1),t.lanes=4194304)}else{if(!i)if(e=ul(p),e!==null)}{if(t.flags|=128,ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1),ui(u,!1)
8,i=!0,n=e.updateQueue,n!==null&&(t.updateQueue=n,t.flags|=4),ui(u,!0),u.tail===null&&u.tailMode==="hidden"&&!p.alternate&&!Te)return Ze(t),null}else 2*De()-u.renderingStartTime>xr&&n!==1073741824&&(t.flags|=128,i=!0,ui(u,!1),t.lanes=4194304);u.isBackwards?
  (p.sibling=t.child,t.child=p):(n=u.last,n!==null?n.sibling=p:t.child=p,u.last=p)}return u.tail!==nul
 l?(t=u.tail,u.rendering=t,u.tail=t.sibling,u.renderingStartTime=De(),t.sibling=null,n=je.current,Ce(
 je,i?n&1|2:n&1),t):(Ze(t),null);case 22:case 23:return Fo(),i=t.memoizedState!==null,e!==null&&e.mem
 oizedState!==null!==i&&(t.flags|=8192),i&&(t.mode&1)!==0?(dt&1073741824)!==0&&(Ze(t),t.subtreeFlags&
 6&&(t.flags|=8192)):Ze(t),null;case 24:return null;case 25:return null}throw
 Error(r(156,t.tag))}function Mh(e,t){switch(Xs(t),t.tag){case 1:return
 rt(t.type)&& i(),e=t.flags,e&65536?(t.flags=e&-65537|128,t):null;case 3:return
 mr(), Ie(nt), \overline{Ie(Ge)}, lo(), e=t.flags, (e\&65536)!==0\&\&(e\&128)===0?(t.flags=e\&-65537|128,t):null; case
 5: return ro(t), null; case
 13: if (Ie(je), e=t.memoizedState, e!==null \& e.dehydrated!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e=t.memoizedState, e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t.alternate===null) throw if (Ie(je), e!==null) \\ \{if (t
 Error(r(340));fr()return e=t.flags,e&65536?(t.flags=e&-65537|128,t):null;case 19:return
Ie(je), null; case 4: return mr(), null; case 10: return _s(t.type._context), null; case 22: case 23: return
Fo(), null; case 24: return null; default: return null} var yl=!1, Je=!1, Bh=typeof
WeakSet=="function"? WeakSet: Set, _=null; function vr(e,t) {var n=e.ref; if(n!==null) if(typeof)
 n=\text{"function"})try\{n(\text{null})\}catch(\overline{i}){0e(e,t,i)}else n.current=null}function
Io(e,t,n)\{try\{n()\}catch(i)\{0e(e,t,i)\}\} \  \  sf=!1; function \\ Hh(e,t)\{if(Ls=Fi,e=Lu(),js(e))\{if("selectionStart"in e)var \} 
 n={start:e.selectionStart,end:e.selectionEnd};else
 e:{n=(n=e.ownerDocument)&&n.defaultView||window;var
 i=n.getSelection (); if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; variation (); if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount!==0) \\ \{n=i.anchorNode; if (i\&\&i.rangeCount.==0) \\ \{n=i.ancho
 o=i.anchorOffset,u=i.focusNode;i=i.focusOffset;try{n.nodeType,u.nodeType}catch{n=null;break e}var
 p=0, y=-1, S=-1, N=0, X=0, K=e, z=null; t: for(;;) \{for(var q; K!==n||o!==0&&K.nodeType!==3||(y=p+o), K!==u||i!|) \}
= -0\&\&K. nodeType! = -3||(S=p+i), K. nodeType = -3\&\&(p+=K. nodeValue.length), (q=K. firstChild)! = -null;)z=K, K=q;for(;;) \{if(K==e)break t;if(z==n\&\&++N===o\&\&(y=p),z===u\&\&++X===i\&\&(S=p),(q=K. nextSibling)! = -null)b
 reak; K=z, z=K.parentNode}K=q}n=y===-1||S===-1?null:{start:y,end:S}}else
 n=null}n=n||{start:0,end:0}}else n=null;for(Fs={focusedElem:e,selectionRange:n},Fi=!1, =t; !==null;)
 if(t= ,e=t.child,(t.subtreeFlags&1028)!==0&&e!==null)e.return=t, =e;else for(; !==null;){t= ;try{var
te=t.alternate;if((t.flags&1024)!==0)switch(t.tag){case 0:case 11:case 15:break;case 1:if(te!==null){var ne=te.memoizedProps,Ne=te.memoizedState,P=t.stateNode,C=P.getSnapshotBeforeUpdat
e(t.elementType===t.type?ne:It(t.type,ne),Ne);P.__reactInternalSnapshotBeforeUpdate=C}break;case 3:var D=t.stateNode.containerInfo;D.nodeType===1?D.textContent="":D.nodeType===9&&D.documentElement&
 &D.removeChild(D.documentElement);break;case 5:case 6:case 4:case 17:break;default:throw Error(r(163
 ))}}catch(Z){0e(t,t.return,Z)}if(e=t.sibling,e!==null){e.return=t.return,_=e;break}_=t.return}return te=sf,sf=!1,te}function ci(e,t,n){var i=t.updateQueue;if(i=i!==null?i.lastEffect:null,i!==null){var
 o=i=i.next; do\{if((o.tag\&e)===e)\{var\ u=o.destroy; o.destroy=void\ 0, u!==void\ 0, u!=void\ 0, u
 0\&E(t,n,u) o=o.next} while(o!==i)}} function
 xl(e,t){if(t=t.updateQueue,t=t!==null?t.lastEffect:null,t!==null){var
 n=t=t.next; do\{if((n.tag\&e)===e)\{var i=n.create;n.destroy=i()\}n=n.next\} while(n!==t)\}\} function
 Ro(e) {var t=e.ref;if(t!==null) {var n=e.stateNode;switch(e.taq){case 5:e=n;break;default:e=n}typeof
 t = \text{"function"}?t(e):t.current=e\} \\ \text{function of(e)} \\ \{var \ t=e.alternate; t!==null\&\&(e.alternate=null,of(t)), the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the 
 e.child=null, e.deletions=null, e.sibling=null, e.tag===5\&\&(t=e.stateNode, t!==null\&\&(delete)) = 0.5\% (t=e.stateNode, t!=null\&\&(delete)) = 0.5\% (t=e
 t[0t], delete t[\Box r], delete t[Vs], delete t[yh], delete t[xh])), e. stateNode=null, e. return=null, e. depende
 ncies=null,e.memoizedProps=null,e.memoizedState=null,e.pendingProps=null,e.stateNode=null,e.updateQu
 eue=null}function af(e){return e.tag===5||e.tag===3||e.tag===4}function
 uf(e){e:for(;;){for(;e.sibling===null;){if(e.return===null||af(e.return))return null;e=e.return}for(
 e.sibling.return = e.return, e = e.sibling; e.tag! = = 5\&e.tag! = = 18;) \{if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = = nulled | e.sibling; e.tag! = 18;) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18;)) \} (if(e.flags\&2||e.child = 18
 l||e.tag===4)continue e;e.child.return=e,e=e.child}if(!(e.flags&2))return e.stateNode}}function
 To(e,t,n) {var i=e.tag; if(i===5) | i===6) e=e.stateNode,t?n.nodeType===8?n.parentNode.insertBefore(e,t):
 n.insertBefore(e,t):(n.nodeType===8?(t=n.parentNode,t.insertBefore(e,n)):(t=n,t.appendChild(e)),n=n.
```

```
reactRootContainer,n!=null||t.onclick!==null||(t.onclick=Ji));else
 if(i!==4&&(e=e.child.e!==null))for(To(e.t.n).e=e.sibling;e!==null;)To(e.t.n).e=e.sibling}function
 jo(e,t,n){var i=e.tag;if(i===5||i===6)e=e.stateNode,t?n.insertBefore(e,t):n.appendChild(e);else
 if(i!==4\&\&(e=e.child,e!==null)) for(jo(e,t,n),e=e.sibling;e!==null;) jo(e,t,n),e=e.sibling\} variable for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
 be=null,Rt=!1;function dn(e,t,n){for(n=n.child;n!==null;)cf(e,t,n),n=n.sibling}function
 cf(e,t,n){if(Pt&&typeof
 Pt.onCommitFiberUnmount=="function")try{Pt.onCommitFiberUnmount(Di,n)}catch{}switch(n.tag){case
 5:Je||vr(n,t);case 6:var i=be,o=Rt;be=null,dn(e,t,n),be=i,Rt=o,be!==null&&(Rt?(e=be,n=n.stateNode,e.
 nodeType===8?e.parentNode.removeChild(n):e.removeChild(n)):be.removeChild(n.stateNode));break;case 1
 8:be!==null&&(Rt?(e=be,n=n.stateNode,e.nodeType===8?Ws(e.parentNode,n):e.nodeType===1&Ws(e,n),Vr(e)
 ):Ws(be,n.stateNode));break;case
 4:i=be,o=Rt,be=n.stateNode.containerInfo,Rt=!0,dn(e,t,n),be=i,Rt=o;break;case 0:case 11:case 14:case
 15:if(!Je&&(i=n.updateQueue,i!==null&&(i=i.lastEffect,i!==null))){o=i=i.next;do{var
 u=o,p=u.destroy;u=u.tag,p!==void
 0\&\&((u\&2)!==0||(u\&4)!==0)\&\&Io(n,t,p),o=o.next\\while(o!==i)\\dn(e,t,n);break;case
 1: if(!Je\&\&(vr(n,t),i=n.stateNode,typeof\ i.componentWillUnmount=="function")) try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try\{i.props=n.memoizedPrace(interval)\} try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.memoizedPrace(interval)] try[i.props=n.m
 ops,i.state=n.memoizedState,i.componentWillUnmount()}catch(y){0e(n,t,y)}dn(e,t,n);break;case
 21:dn(e,t,n);break;case 22:n.mode&1?(Je=(i=Je)||n.memoizedState!==null,dn(e,t,n),Je=i):dn(e,t,n);break;case 22:n.mode&1?(Je=(i=Je)||n.memoizedState!==null,dn(e,t,n),Je=i):dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n);dn(e,t,n)
ak; default: dn(e,t,n)\} function \ ff(e) \{var \ t=e.updateQueue; if(t!==null) \{e.updateQueue=null; var \ n=e.stateNode; n===null \& (n=e.stateNode=new Bh), t.forEach(function(i) \{var \ t=e.updateQueue=null; var \ t=e.updateQueue=null; var \ n=e.stateNode; n===null & (n=e.stateNode=new Bh), t.forEach(function(i) \{var \ t=e.updateQueue=null; var \ t=e.updateQueue=null; var \ n=e.stateNode; n===null & (n=e.stateNode=new Bh), t.forEach(function(i) \{var \ t=e.updateQueue=null; var \ n=e.stateNode; n===null & (n=e.stateNode=new Bh), t.forEach(function(i) \{var \ t=e.updateQueue=null; var \ n=e.stateNode; n==null & (n=e.stateNode=new Bh), t.forEach(function(i) \{var \ t=e.updateQueue=null; var \ n=e.stateNode=new Bh), t.forEach(function(i) \{var \ t=e.updateQueue=n
 o=zh.bind(null,e,i);n.has(i) \mid\mid (n.add(i),i.then(o,o))\})\} \\ function \ Tt(e,t) \\ \{varable equation \ Tt(e,t), \ Tt(e,t)\} \\ function \ Tt(e,t) \\ \{varable equation \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t)\} \\ function \ Tt(e,t) \\ \{varable equation \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt(e,t), \ Tt
 n=t.deletions;if(n!==null)for(var i=0;i<n.length;i++){var o=n[i];try{var
u=e,p=t,y=p;e:for(;y!==null;){switch(y.tag){case 5:be=y.stateNode,Rt=!1;break e;case
3:be=y.stateNode.containerInfo,Rt=!0;break e;case 4:be=y.stateNode.containerInfo,Rt=!0;break
e}y=y.return}if(be===null)throw Error(r(160));cf(u,p,o),be=null,Rt=!1;var S=o.alternate;S!==null&&(S)
  . return = null), o. return = null\} catch(N) \\ \{0e(o,t,N)\} \\ if(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;) \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t] \\ df(t.subtreeFlags\&12854) \\ for(t=t.child;t!==null;t] \\ df(t.subtreeFlags\&128
     e),t=t.sibling}function df(e,t){var n=e.alternate,i=e.flags;switch(e.tag){case 0:case 11:case,
 14: case 15:if(\bar{T}t(t,e),Mt(e),i\&4)\{try\{ci(3,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e,e.return),xl(3,e)\}catch(ne)\{\bar{D}e(e,e.return,ne)\}try\{ci(5,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return)\}try\{ci(5,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.return),xl(3,e.ret
   ,e.return)}catch(ne){Oe(e,e.return,ne)}}break;case
 1:Tt(t,e),Mt(e),i&512&&n!==null&&vr(n,n.return);break;case
 5:if(Tt(t,e),Mt(e),i\&512\&\&n!==null\&\&vr(n,n.return),e.flags\&32){var
 o=e.stateNode;try{Or(o,"")}catch(ne){Oe(e,e.return,ne)}}if(i&4&&(o=e.stateNode,o!=null)){var u=e.mem
 oizedProps,p=n!==null?n.memoizedProps:u,y=e.type,S=e.updateQueue;if(e.updateQueue=null,S!==null)try{
 y==="input"&&u.type==="radio"&&u.name!=null&&Tr(o,u),ls(y,p);var
N=ls(y,u);for(p=0;p<S.length;p+=2){var X=S[p],K=S[p+1];X==="style"?Ga(o,K):X==="dangerouslySetInnerH
 TML"?za(o,K):X==="children"?0r(o,K):M(o,X,K,N)\}switch(y)\{case"input":jr(o,u);break;case"textarea":Value = (o,K):X==="children":properties of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
 (o,u);break;case"select":var
 z=o. wrapperState.wasMultiple;o. wrapperState.wasMultiple=!!u.multiple;var q=u.value;q!=null?Jn(o,!!
  u.multiple,q,!1):z!==!!u.multiple&\&(u.defaultValue!=null?]n(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,q,!1):z!==!!u.multiple&&(u.defaultValue!=null?]n(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,!0):Jn(o,!!u.multiple,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.defaultValue,u.default
  !u.multiple,u.multiple?[]:"",!1))}o[[r]=u}catch(ne){0e(e,e.return,ne)}}break;case
 6:if(Tt(t,e),Mt(e),i&4){if(e.stateNode===null)throw Error(r(162));o=e.stateNode,u=e.memoizedProps;tr
 v\{0.nodeValue=u\} catch(ne)\{0e(e,e.return,ne)\} break; case 3:if(Tt(t,e),Mt(e),i\&4\&\&n!==null\&\&n.memoized)
 State.isDehydrated)try{Vr(t.containerInfo)}catch(ne){Oe(e,e.return,ne)}break;case
 4:Tt(t,e),Mt(e); break; case 13:Tt(t,e),Mt(e),o=e. child, o.flags&8192&&(u=o.memoizedState!==null,o.stat
 eNode.isHidden=u,!u||o.alternate!==null\&\&o.alternate.memoizedState!==null||(Do=De())),i\&4\&\&ff(e); breaking and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state
 ak; case \ 22: if (X=n!==null\&n.memoizedState!==null,e.mode\&1?(Je=(N=Je)||X,Tt(t,e),Je=N):Tt(t,e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt(e),Mt
 i&8192){if(N=e.memoizedState!==null,(e.stateNode.isHidden=N)&&!X&&(e.mode&1)!==0)for(=e,X=e.child;X
  !==null;){for(K=_=X;_!==null;){switch(z=_,q=z.child,z.tag){case 0:case 11:case 14:case
 15:ci(4,z,z.return);break;case 1:vr(z,z.return);var te=z.stateNode;if(typeof te.componentWillUnmount
 =="function"){i=z,n=z.return;try{t=i,te.props=t.memoizedProps,te.state=t.memoizedState,te.componentW
 illUnmount()}catch(ne){0e(i,n,ne)}}break;case 5:vr(z,z.return);break;case 22:if(z.memoizedState!==nu
ll){mf(K);continue}}q!==null?(q.return=z,_=q):mf(K)}X=X.sibling}e:for(X=null,K=e;;){if(K.tag===5){if(X===null){X=K;try{o=K.stateNode,N?(u=o.style,typeof u.setProperty=="function"?u.setProperty("display","none","important"):u.display="none"):(y=K.stateNode,S=K.memoizedProps.style,p=S!=null&&S.hasOwnProperty("display")?S.display:null,y.style.display=Xa("display",p))}catch(ne){0e(e,e.return,ne)}}}elseif(K.tag===6){if(X===null)*Try{K.stateNode.nodeValue=N?"":K.memoizedProps.catch(ne){0e(e,e.return,ne)}}}elseif(K.tag===6){if(X==null)*Try{K.stateNode.nodeValue=N?"":K.memoizedProps.catch(ne){0e(e,e.return,ne)}}}
 e)}}else if((K.tag!==22&&K.tag!==23||K.memoizedState===null||K===e)&&K.child!==null)\{K.child.return=1, K.child.return=1, K=K.child;continue}if(K===e)break e;for(;K.sibling===null;){if(K.return===null||K.return===e)break
e;X===K&&(X=null),K=K.return}X===K&&(X=null),K.sibling.return=K.return,K=K.sibling}}break;case
 19:Tt(t,e),Mt(e),i\&4\&&ff(e);break;case 21:break;default:Tt(t,e),Mt(e)} function Mt(e) {var
t=e.flags;if(t&2){try{e:for(var n=e.return;n!==null;)}{if(af(n)){var i=n;break e}n=n.return}throw Error(r(160))}switch(i.tag){case 5:var o=i.stateNode;i.flags&32&&(0r(o,""),i.flags&--33);var
 u=uf(e);jo(e,u,o);break;case 3:case 4:var
 p=i.stateNode.containerInfo,y=uf(e);To(e,y,p);break;default:throw
 \label{lem:condition} Error(r(161))\} \\ catch(S) \\ \{0e(e,e.return,S)\} \\ e.flags\& = -3 \\ t\& 4096\& \& (e.flags\& = -4097) \\ \} \\ function
 Lh(e,t,n) {\_=e,pf(e)} function pf(e,t,n) {for(var^i=(e.mode\&1)!==0; \_!==null;) {var^i=(e.mode\&1)!==0; \_!==null;}
o=_,u=o.child;if(o.tag===22&&i){var p=o.memoizedState!==null||yl;if(!p){var y=o.alternate,S=y!==null&&y.memoizedState!==null||Je;y=yl;var N=Je;if(yl=p,(Je=S)&&!N)for(_=o;_!==null;)p=_,S=p.child,p.tag===22&&p.memoizedState!==null?gf(o):S!==null?(S.return=p,_=S):gf(o);for(;u!==
 \begin{array}{lll} \text{null;} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text{prior} & \text
 1:var i=t.stateNode;if(t.flags&4&&!Je)if(n===null)i.componentDidMount();else{var o=t.elementType===t
```

```
.type?n.memoizedProps:It(t.type,n.memoizedProps);i.componentDidUpdate(o,n.memoizedState,i. reactInt
 ernalSnapshotBeforeUpdate)}var u=t.updateQueue;u!==null&&hc(t,u,i);break;case 3:var
 p=t.updateQueue;if(p!==null){if(n=null,t.child!==null)switch(t.child.tag){case
 5:n=t.child.stateNode;break;case 1:n=t.child.stateNode}hc(t,p,n)}break;case 5:var y=t.stateNode;if(n===null&&t.flags&4){n=y;var S=t.memoizedProps;switch(t.type){case"button":case"inp
 ut":case"select":case"textarea":S.autoFocus&&n.focus();break;case"img":S.src&&(n.src=S.src)}}break;c
 ase 6:break; case 4:break; case 12:break; case 13:if(t.memoizedState===null) {var
 N=t.alternate:if(N!==null){var X=N.memoizedState:if(X!==null){var
ull;break}if(n=t.sibling,n!==null){n.return=t.return, =n;break} =t.return}}function
 mf(e)\{for(; !==null;)\{var t= ;if(t===e)\{ =null;break\}\overline{var}\}
 n=t.sibling;if(n!==null){n.return=t.return, =n;break} =t.return}}function gf(e){for(; !==null;){var
 t=_;try{switch(t.tag){case 0:case 11:case 15:var
 n=\overline{t}.return;try\{xl(4,t)\}catch(S)\{0e(t,n,S)\}break;case\ 1:var\ i=t.stateNode;if(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typeof(typ
 i.component DidMount == "function") \{var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount()\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} \} var o = t.return; try \{i.component DidMount(S)\} catch(S) \{0e(t,o,S)\} catch(S) \{0e(
 u=t.return;try{Ro(t)}catch(S){0e(t,u,S)}break;case 5:var
 p=t.return; try{Ro(t)} catch(S){0e(t,p,S)}} catch(S){0e(t,t.return,S)} if(t===e){\_=null}; break} variable for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 y=t.sibling;if(y!==null)\{y.return=t.return, =y;break\}=t.return\}\}var Fh=Math.ceil,wl=B.ReactCurrentDispatcher,Po=B.ReactCurrentOwner,yt=B.ReactCurrentBatchConfig,ve=0,Qe=null,Be=null,Ye=0,dt=0,yr=on(0)
 ),Le=0,fi=null,Vn=0,Al=0,Oo=0,di=null,lt=null,Do=0,xr=1/0,Xt=null,El=!1,No=null,pn=null,Sl=!1,hn=nul
 l,Cl=0,pi=0,Mo=null,kl=-1,Il=0;function pe(){return(ve&6)!==0?De():kl!==-1?kl:kl=De()}function mn(e)
  \{\text{return}(e.mode\&1) === 0?1: (ve\&2)! == 0\&\&Ye! == 0?Ye\&-
 0?16: vu(e.type)), e) \} function \ jt(e,t,n,i) \\ \{if(50 < pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(185)); Lr(e,n,i), ((ve\&2), Pi)throw \ pi=0, Mo=null, Error(r(
 ===0 \mid |e!==Qe \& ((ve \& 2)===0 \& (Al|=n), Le===4 \& gn(e,Ye)), st(e,i), n===1 \& \& ve===0 \& (t.mode \& 1)===0 \Leftrightarrow (e,Ye), n===1 \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===0 \Leftrightarrow (e,Ye), n===1 \& \& ve===1 \& \& ve=
 \&\&(xr=De()+500,el\&\&un())) function st(e,t) {var n=e.callbackNode; Ap(e,t); var
 i=Bi(e,e===0e?Ye:0); if(i===0)n!==null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=i=0)n!==null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!==null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackNode=null,e.callbackPriority=0;else if(t=i&-i=0)n!=null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i=0)null&u(n),e.callbackPriority=0;else if(t=i&-i
i.e. callbackPriority! == t) \{ if(n! = null&\&lu(n), t === 1)e. tag === 0?wh(yf.bind(null,e)) : nc(yf.bind(null,e)), gh(function()\{(ve\&6) === 0\&un()\}), n=null; else\{switch(uu(i))\{case 1: n=ds; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; break; case 4: n=su; brea
 16:n=0i;break;case 536870912:n=ou;break;default:n=Oi}n=If(n,vf.bind(null,e))}e.callbackPriority=t,e.
 callbackNode=n}function vf(e,t){if(kl=-1,Il=0,(ve\&6)!==0)throw Error(r(327));var
 n=e.callbackNode;if(wr()&&e.callbackNode!==n)return null;var i=Bi(e,e===Qe?Ye:0);if(i===0)return
 [null;if((i\&30)!==0]](i\&e.expiredLanes)!==0][t]t=Rl(e,i);else{t=i;var o=ve;ve]=2;var}
 u=wf();(Qe!==e||Ye!==t)&&(Xt=null,xr=De()+500,Yn(e,t));do try{Wh();break}catch(y){xf(e,y)}while(!0);
 \label{eq:continuity} $$qs(), wl.current=u, ve=o, Be!==null?t=0: (Qe=null, Ye=0, t=Le) if(t!==0) \{if(t===2\&\&(o=ps(e), o!==0\&\&(i=o, t=0))\} \} $$ if(t==2\&\&(o=ps(e), o!==0\&\&(i=o, t=0)) \} $$ if(t==0) \{if(t==0), o!==0\&\&(i=o, t=0)\} \} $$ if(t==0) \{if(t==0), o!==0\&\&(i=o, t=0)\} \} $$ if(t=0) $$ if(t=0) $$ if(t=0) $$ if(t=0), o!==0\&\&(i=o, t=0) $$ if(t=0) $$ if(t=0) $$ if(t=0) $$ if(t=0) $$ if(t=0), o!==0\&\&(i=o, t=0) $$ if(t=0) $$ if(t=0), o!==0\&\&(i=o, t=0) $$ if(t=0), o!==0\&\&(i=0), o!==0\&\&(i=o, t=0) $$ if(t=0), o!==0\&\&(i
 Bo(e,o))), t===1) \\ throw \ n=fi, \\ Yn(e,0), \\ gn(e,i), \\ st(e,De()), \\ n; \\ if(t===6) \\ gn(e,i); \\ else \\ \{if(o=e.current.altername(e,i), \\ st(e,De()), \\ n; \\ if(t===6) \\ gn(e,i); \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ else \\ four \\ four \\ else \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\ four \\
 te,(i\&30)===0\&\&!Qh(o)\&\&(t=Rl(e,i),t===2\&\&(u=ps(e),u!==0\&\&(i=u,t=Bo(e,u))),t===1))throw
 n=fi,Yn(e,0),gn(e,i),st(e,De()),n;switch(e.finishedWork=o,e.finishedLanes=i,t){case 0:case 1:throw
 Error(r(345)); case 2:zn(e,lt,Xt); break; case 3:if(gn(e,i),(i&130023424)===i&&(t=Do+500-1); case 2:zn(e,lt,Xt); break; case 3:if(gn(e,i),(i&130023424)===i&(t=Do+500-1); case 2:zn(e,lt,Xt); break; case 3:zn(e,lt,Xt); break; case 3:z
 \label{eq:decomposition} De(), 10 < t)) \\ \{ if (Bi(e, 0)! == 0) break; if (o=e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes | = e.suspended Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i)! == i) \\ \{ \Box e(), e.pinged Lanes, (o\&i
 es&o;break}e.timeoutHandle=Us(zn.bind(null,e,lt,Xt),t);break}zn(e,lt,Xt);break;case
 4:if(gn(e,i),(i\&4194240)===i)break; for(t=e.eventTimes,o=-1;0<i;){var p=31-}
St(i);u=1<<p,p=t[p],p>o&&(o=p),i&=~u}if(i=o,i=De()-i,i=(120>i?120:480>i?480:1080>i?1080:1920>i?1920:3e3>i?3e3:4320>i?4320:1960*Fh(i/1960))-
 5:zn(e,lt,Xt);break;default:throw Error(r(329))}}}return
 st(e,De()),e.callbackNode===n?vf.bind(null,e):null}function Bo(e,t){var n=di;return e.current.memoiz
 edState.isDehydrated&&(Yn(e,t).flags|=256),e=Rl(e,t),e!==2&&(t=lt,lt=n,t!==null&&Ho(t)),e}function
 Ho(e)\{t===nuil?t==:t.push.apply(it,e)\} function Qh(e)\{for(var t=e;;)\} if (t.flags\&16384)\{var t=e; t.push.apply(it,e)\}
n=t.updateQueue; if (n!==null&&(n=n.stores,n!==null)) for (var i=0; i < n.length; i++) \{var o=n[i], u=o.getSnapshot; o=o.value; try{if(!Ct(u(),o)) return!1} catch{return!1}\} \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null) \} if (n=t.child,t.subtreeFlags&16384&&n!==null
 ull)n.return=t,t=n;else{if(t===e)break;for(;t.sibling===null;){if(t.return===null||t.return===e)retu
 rn!0;t=t.return}t.sibling.return=t.return,t=t.sibling}}return!0}function
 gn(e,t) {for(t&=~00,t&=~Al,e.suspendedLanes|=t,e.pingedLanes&=~t,e=e.expirationTimes;0<t;){var
 n=31-St(t), i=1<< n; e[n]=-1, t&=~i\} function yf(e)\{if((ve\&6)!==0)throw\ Error(r(327)); wr(); variable for each of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the secon
 \begin{array}{ll} \text{t=Bi(e,0);} & \text{if((t\&1)===0)} & \text{return st(e,De()),null;} \\ \text{var n=Rl(e,t);} & \text{i=ps(e);} & \text{i==0\&\&(t=i,n=Bo(e,i))} & \text{if(n===1)} \\ \text{throw n=fi,Yn(e,0),gn(e,t),st(e,De()),n;} & \text{i==s()} \\ \text{throw n=fi,Yn(e,0),gn(e,De()),st(e,De()),n;} & \text{i==s()} \\ \text{throw n=fi,Yn(e,0),gn(e,De()),st(e,De()),st(e,De()),st(e,De()),st(e,De()),st(e,De()),st(e,De()
 Error(r(345)); return
 e.finishedWork=e.current.alternate,e.finishedLanes=t,zn(e,lt,Xt),st(e,De()),null}function
 Lo(e,t) \{var \ n=ve; ve|=1; try\{return \ e(t)\} finally\{ve=n, ve===0\&\&(xr=De()+500, el\&\&un())\}\} function \}
 bn(e) \{hn! = null \& hn. tag = = 0 \& (ve \& 6) = = 0 \& wr(); var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t = ve; ve | = 1; var t
 n=yt.transition,i=Ae;try{if(yt.transition=null,Ae=1,e)return
 e()\} finally \{Ae=i,yt.transition=n,ve=t,(ve\&6)===0\&\&un()\} function\ Fo() \{dt=yr.current,Ie(yr)\} function\ 
 Yn(e,t){e.finishedWork=null,e.finishedLanes=0;var
 n=e.timeoutHandle; if(n!==-1&&(e.timeoutHandle=-1,mh(n)), Be!==null)for(n=Be.return; n!==null;){var}
 i=n;switch(Xs(i),i.tag){case 1:i=i.type.childContextTypes,i!=null&&_i();break;case
 3:mr(),Ie(nt),Ie(Ge),lo();break;case 5:ro(i);break;case 4:mr();break;case 13:Ie(je);break;case 19:Ie(je);break;case 10:_s(i.type._context);break;case 22:case 23:Fo()}n=n.return}if(Qe=e,Be=e=vn(e.
 current, null), Ye=dt=t, Le=0, fi=null, Oo=Al=Vn=0, lt=di=null, Qn!==null) \{for(t=0; t<Qn.length; t++) if(n=Qn[t=0; t<Qn]t++) if(n=Qn[t=0; t<Qn.length; t++) if(n=Qn[t=0; t<Qn.length; t
 t],i=n.interleaved,i!==null){n.interleaved=null;var o=i.next,u=n.pending;if(u!==null){var
 p=u.next;u.next=o,i.next=p}n.pending=i}Qn=null}return e}function xf(e,t){do{var
 n=Be;try{if(qs(),cl.current=hl,fl){for(var i=Pe.memoizedState;i!==null;){var o=i.queue;o!==null&&(o.
```

```
pending=null),i=i.next}fl=!1}if(Wn=0,Fe=He=Pe=null,li=!1,si=0,Po.current=null,n===null||n.return===n
 ull){Le=1,fi=t,Be=null;break}e:{var u=e,p=n.return,y=n,S=t;if(t=Ye,y.flags|=32768,S!==null&&typeof
 S=="object"&&typeof S.then=="function"){var
 N=S, X=y, K=X. \ tag; if ((X.mode\&1)===0\&(K===0||K===11||K===15)) \{ var \ z=X. \ alternate; z?(X.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.updateQueue=z.u
 ateQueue, X. memoizedState = z. memoizedState, X. lanes = z. lanes): (X. updateQueue = null, X. memoizedState = null)\}
\label{eq:controlled} $$  \text{var } q=bc(p); if(q!==null)_{q.flags\&=-257,Yc(q,p,y,u,t),q.mode\&1\&\&Vc(u,N,t),t=q,S=N;var te=t.updateQueue;if(te===null)_{var }  \text{ne=new } Set;ne.add(S),t.updateQueue=ne}_{e}else_{if((t&1)===0)}_{Vc(u,N,t),Qo();break} e}  \text{e}S=Error(r(426))_{e}else_{if(Te\&\&y.mode\&1)}_{var}  \text{for } f
 Ne=bc(p);if(Ne!==null){(Ne.flags&65536)===0&&(Ne.flags|=256),Yc(Ne,p,y,u,t),Zs(gr(S,y));break
 e}u=S=gr(S,y),Le!==4&&(Le=2),di===null?di=[u]:di.push(u),u=p;do{switch(u.tag){case}}
 3:u.flags = 65536,t\&=-t,u.lanes = t;var P=Uc(u,S,t);pc(u,P);break e;case 1:y=S;var
C=u.type,D=u.stateNode;if((u.flags&128)===0&&(typeof C.getDerivedStateFromError=="function"||D!==null&&typeof
 Z=Wc(u,y,t);pc(u,Z);break\ e\}\}u=u.return\}while(u!==null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null\&\&(Be=null)\}Ef(n)\}catch(le)\{t=le,Be===n\&n!==null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===n\&n!==null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===n\&n!==null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===n\&n!==null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be==null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===null)\}Ef(n)\{t=le,Be===
 =n.return);continue}break}while(!0)}function wf(){var e=wl.current;return
 wl.current=hl,e===null?hl:e}function Qo(){(Le===0||Le===3||Le===2)&&(Le=4),Qe===null||(Vn&268435455)
 ===0\&\{(Al\&268435455)===0||gn(Qe,Ye)\}function Rl(e,t)\{var n=ve;ve|=2;var i=wf();(Qe!==e||Ye!==t)\&\{(Xt=null,Yn(e,t));do\}\}
 try\{Uh();break\}catch(o)\{xf(e,o)\}while(!0);if(qs(),ve=n,wl.current=i,Be!==null)throw
 Error(r(261));return Qe=null,Ye=0,Le}function Uh(){for(;Be!==null;)Af(Be)}function
 Wh(){for(;Be!==null\&\&!dp();)Af(Be)}function Af(e){var}
 t=kf(e.alternate,e,dt); e.memoizedProps=e.pendingProps, t===null?Ef(e):Be=t,Po.current=null}function
Ef(e)\{var \ t=e; do\{var \ n=t.alternate; if(e=t.return,(t.flags\&32768)===0)\{if(n=Nh(n,t,dt),n!==null)\{Be=n; return\}\} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree\} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree\} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!==null)\{n.flags\&=32767,Be=n; return\}if(e!==null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!==null)\}if(n=Nh(n,t),n!=null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!=null)\}if(n=Nh(n,t),n!=null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!=null)\}if(n=Nh(n,t),n!=null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!=null)\}if(n=Nh(n,t),n!=null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!=null)\}if(n=Nh(n,t),n!=null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!=null)e.flags|=32768,e.subtree} \\ else\{if(n=Nh(n,t),n!
 Flags=0,e.deletions=null;else{Le=6,Be=null;return}}if(t=t.sibling,t!==null){Be=t;return}Be=t=e}while
  (t!==null); Le===0&&(Le=5) function zn(e,t,n) {var
i=Ae, o=yt.transition; try\{yt.transition=null, Ae=1, Vh(e,t,n,i)\} finally\{yt.transition=o, Ae=i\} return null\} function Vh(e,t,n,i)\{do wr(); while(hn!==null); if((ve\&6)!==0) throw
 Error(r(327)); n=e.finishedWork; var o=e.finishedLanes; if(n===null) return
 null;if(e.finishedWork=null,e.finishedLanes=0,n===e.current)throw
 Error(r(177));e.callbackNode=null,e.callbackPriority=0;var u=n.lanes|n.childLanes;if(Ep(e,u),e===Qe&
 &(Be=Qe=null,Ye=0),(n.subtreeFlags&2064)===0&&(n.flags&2064)===0||Sl||(Sl=!0,If(0i,function(){return})
 wr(), null\})), u=(n.flags\&15990)!==0, (n.subtreeFlags\&15990)!==0||u|\} (u=yt.transition,yt.transition=null) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.transition) (u=yt.trans
  ;var p=Ae;Ae=1;var y=ve;ve|=4,Po.current=null,Hh(e,n),df(n,e),ah(Fs),Fi=!!Ls,Fs=Ls=null,e.current=n,
 Lh(n),pp(),ve=y,Ae=p,yt.transition=uelse e.current=n;if(Sl\&\&(Sl=!1,hn=e,Cl=o),u=e.pendingLanes,u===
 0&&(pn=null),qp(n.stateNode),st(e,De()),t!==null)for(i=e.onRecoverableError,n=0;n<t.length;n++)o=t[n
],i(o.value,{componentStack:o.stack,digest:o.digest});if(El)throw El=!1,e=No,No=null,e;return(Cl&1)! ==0&&e.tag!==0&&wr(),u=e.pendingLanes,(u&1)!==0?e===Mo?pi++:(pi=0,Mo=e):pi=0,un(),null}function
 wr(){if(hn!==null){var
 e=uu(Cl),t=yt.transition,n=Ae;try{if(yt.transition=null,Ae=16>e?16:e,hn===null)var
 i=!1;else\{if(e=hn,hn=null,Cl=0,(ve\&6)!==0)throw Error(r(331));var
o=ve;for(ve|=4,_=e.current;_!==null;){var u=_,p=u.child;if((_.flags&16)!==0){var
y=u.deletions;if(y!==null){for(var S=0;S<y.length;S++){var N=y[S];for(_=N;_!==null;){var
X=_;switch(X.tag){case 0:case 11:case 15:ci(8,X,u)}var K=X.child;if(K!==null)K.return=X,_=K;else
 for(; !==null;){X= ;var
 z=X.siblinq,q=X.return;if(of(X),X===N){ =null;break}if(z!==null){z.return=q, =z;break} =q}}var
 te=u.alternate;if(te!==null){var ne=te.child;if(ne!==null){te.child=null;do{var Ne=ne.sibling;ne.sib
\label{ling-null} $$\lim_{n\to\infty} \frac{1}{n} = \mathbb{N}^{-1} \left( (u.subtreeFlags&2064)! = 0&p! = null \right) p. return=u, =p; else e: for(;_!==null;) {if(u=_,(u.flags&2048)!==0) switch(u.tag) {case 0:case 11:case} $$
 15:ci(9,u,u.return)}var P=u.sibling;if(P!==null){P.return=u.return, =P;break e} =u.return}}var
C=e.current;for(_=C;_!==null;){p=_;var
D=p.child;if((p.subtreeFlags&2064)!==null)D.return=p,_=D;else
e:for(p=C;_!==null;){if(y=_,(y.flags&2048)!==0)try{switch(y.tag)}{case 0:case 11:case 15:xl(9,y)}}catch(le){0e(y,y.return,le)}if(y===p){_=null;break e}var
Z=y.sibling;if(Z!==null){Z.return=y.return,_=Z;break e}_=y.return}}if(ve=o,un(),Pt&typeof
Pt.onPostCommitFiberRoot=="function")try{Pt.onPostCommitFiberRoot(Di,e)}catch{}i=!0}return
 i}finally{Ae=n,yt.transition=t}}return!1}function
 Sf(e,t,n)\{t=gr(n,t)\,,t=Uc(e,t,1)\,,e=fn(e,t,1)\,,t=[e()\,,e!==null\&\&(Lr(e,1,t)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=Uc(e,t,1)\,,e=fn(e,t,1)\,,t=[e()\,,e!==null\&\&(Lr(e,1,t)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=Uc(e,t,n)\,,e=fn(e,t,n)\,,t=[e()\,,e!==null\&\&(Lr(e,n)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=Uc(e,t,n)\,,e=fn(e,t,n)\,,t=[e()\,,e!==null\&\&(Lr(e,n)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=Uc(e,t,n)\,,t=[e()\,,e!==null\&\&(Lr(e,n)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=[e()\,,e!==null\&\&(Lr(e,n)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=[e()\,,e!==null\&\&(Lr(e,n)\,,st(e,t))\}\\ function(e,t,n)\{t=gr(n,t)\,,t=[e()\,,e!==null\&\&(Lr(e,n)\,,st(e,t))]\\ function(e,t,n)\{t=gr(n,t)\,,st(e,t)\}\\ function(e,t,n)\{t=gr(n,t)\,,st(e,t)\,,st(e,t)\}\\ function(e,t,n)\{t=gr(n,t)\,,st(e,t)\}\\ function(e,t,n)\{t=gr(n,
 Oe(e,t,n){if(e.tag===3)Sf(e,e,n);else for(;t!==null;){if(t.tag===3){Sf(t,e,n);break}else}
 if(t.tag===1){var i=t.stateNode;if(typeof t.type.getDerivedStateFromError=="function"||typeof i.comp
\label{eq:continuous_property} onentDidCatch=="function"&&(pn===null||!pn.has(i))) \\ \{e=gr(n,e),e=Wc(t,e,1),t=fn(t,e,1),e=[]e(),t!==null&&(Lr(t,1,e),st(t,e));\\ break\}\\ t=t.return\}\\ function bh(e,t,n)\\ \{var\ i=e.pingCache;i!==null&&i.delete(t)\}\\ \}
   t=□e(),e.pingedLanes|=e.suspendedLanes&n,Qe===e&&(Ye&n)===n&&(Le===4||Le===3&&(Ye&130023424)===Ye&,
 500 > De() - Do?Yn(e,0):0o|=n), st(e,t) function
 Cf(e,t) {t===0\&\&((e.mode\&1)===0?t=1:(t=Mi,Mi<<=1,(Mi\&130023424)===0\&\&(Mi=4194304)));var
  n = \exists e(); e = bt(e,t), e! = = null \& (Lr(e,t,n),st(e,n)) \} function \ Yh(e) \{varantee = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t), e! = st(e,t),
 t=e.memoizedState, n=0; t!==null\&\&(n=t.retryLane), Cf(e,n)\}function zh(e,t){var n=0; switch(e.tag){case}}
 13:var i=e.stateNode,o=e.memoizedState;o!==null&&(n=o.retryLane);break;case
 19:i=e.stateNode;break;default:throw Error(r(314)))i!==nulledicki.delete(t),Cf(e,n)}var kf;kf=function(the context of the co
 e,t,n {if (e!==null) if (e.memoizedProps!==t.pendingProps||nt.current) it =!0; e!se{if ((e.lanes\&n)===0\&\&(t.pendingProps||nt.current) it =!0; e!se{if ((e.lanes\&n)==0\&\&(t.pendingProps||nt.current) it =!0; e!se{if ((e.lanes\&n)=0\&\&(t.pendingProps||nt.current) it =!0; e!se{if ((e.lanes\&n)=0\&\&(t.pend
```

```
i=t.type;vl(e,t),e=t.pendingProps;var o=ar(t,Ge.current);hr(t,n),o=ao(null,t,i,e,o,n);var
u=uo();return t.flags|=1,typeof o=="object"&&o!==null&&typeof
o.render=="function"&&o.∏typeof===void 0?(t.tag=1,t.memoizedState=null,t.updateOueue=null,rt(i)?(u=
!0, \exists i(t):u=!1, t.memoized\overline{S}tate=o.state!==null&\&o.state!==void 0?o.state:null,to(t),o.updater=ml,t.st
ateNode=o,o.\ reactInternals=t,go(t,i,e,n),t=wo(null,t,i,!0,u,n)):(t.tag=0,Te\&\&u\&\&zs(t),\ e(null,t,o,n),t=wo(null,t,i,ll)
),t=t.child),t;case 16:i=t.elementType;e:{switch(vl(e,t),e=t.pendingProps,o=i.init,i=o(i.payload),
t.type=i,o=t.tag=Gh(i),e=It(i,e),o){case 0:t=xo(null,t,i,e,n);break e;case
1:t=Jc(null,t,i,e,n);break e;case 11:t=zc(null,t,i,e,n);break e;case
14:t=Xc(null,t,i,It(i.type,e),n);break e}throw Error(r(306,i,""))}return t;case 0:return i=t.type,o=t.pendingProps,o=t.elementType===i?o:It(i,o),xo(e,t,i,o,n);case 1:return
i=t.type,o=t.pendingProps,o=t.elementType===i?o:It(i,o),Jc(e,t,i,o,n);case
3:e:{if(qc(t),e===null)throw
Error(r(387)); i=t.pendingProps.u=t.memoizedState.o=u.element.dc(e,t).al(t,i,null,n); var p=t.memoizedState.o=u.element.dc(e,t).al(t,i,null,n); var p=t.memoizedState.o=u.element.dc(e,t).
State; if(i=p.element,u.isDehydrated)if(u={element:i,isDehydrated:!1,cache:p.cache,pendingSuspenseBou
ndaries:p.pendingSuspenseBoundaries,transitions:p.transitions},t.updateQueue.baseState=u,t.memoizedS
tate=u,t.flags\&256){o=gr(Error(r(423)),t),t=c(e,t,i,n,o);break e}else
if(i!==o){o=gr(Error(r(424)),t),t= c(e,t,i,n,o);break e}else for(ft=sn(t.stateNode.containerInfo.fir
stChild),ct=t,Te=!0,kt=null,n=cc(t,null,i,n),t.child=n;n;)n.flags=n.flags&-
3|4096, n=n.sibling; else{if(fr(),i===0)}{t=zt(e,t,n); break e}_{e(e,t,i,n)}t=t.child} return t; case
5: return mc(t), e===null\&\&Ks(t), i=t. type, o=t. pending Props, u=e!==null?e. memoized Props: null, p=o. childre
\label{eq:continuity} n, Qs(i,o)?p=null:u!==null&Qs(i,u)&&(t.flags|=32), Zc(e,t), \\ \_e(e,t,p,n), t. child; case 6: return \\ \end{tabular}
e===null&&Ks(t),null;case 13:return □c(e,t,n);case 4:return no(t,t.stateNode.containerInfo),i=t.pend
ingProps,e===null?t.child=dr(t,null, 1,n): e(e,t,i,n),t.child; case 11:return
i=t.type,o=t.pendingProps,o=t.elementType===i?o:It(i,o),zc(e,t,i,o,n);case 7:return
_e(e,t,t.pendingProps,n),t.child;case 8:return _e(e,t,t.pendingProps.children,n),t.child;case 
12:return _e(e,t,t.pendingProps.children,n),t.child;case 10:e:{if(i=t.type._context,o=t.pendingProps
,u=t.memoizedProps,p=o.value,Ce(ll,i._currentValue),i._currentValue=p,u!==null)if(Ct(u.value,p)){if(u.children===o.children&{}!nt.current){t=zt(e,t,n);break e}}else
for(u=t.child,u!==null\&\&(u.return=t);u!==null;)\{var\ y=u.dependencies;if(y!==null)\{p=u.child;for(var\ S=y.firstContext;S!==null;)\{if(S.context===i)\{if(u.tag===1)\{S=Yt(-1,n\&-n),S.tag=2;var\}\}
N=u.updateQueue;if(N!==null){N=N.shared;var X=N.pending;X===null?S.next=S:(S.next=X.next,X.next=S),N
 .pending=S}u.lanes|=n,S=u.alternate,S!==null&&(S.lanes|=n),\prods(u.return,n,t),y.lanes|=n;break}S=S.ne
xt}}else if(u.tag===10)p=u.type===t.type?null:u.child;else
if(u.tag===18){if(p=u.return,p===null)throw
p=u.child;if(p!==null)p.return=u;else for(p=u;p!==null;){if(p===t){p=null;break}if(u=p.sibling,u!==n
ull){u.return=p.return,p=u;break}p=p.return}u=p} e(e,t,o.children,n),t=t.child}return t;case
9:return
o=t.type, i=t.pendingProps.children, hr(t,n), o=gt(o), i=i(o), t.flags \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.child; case \\|=1,\_e(e,t,i,n), t.c
14:return i=t.type,o=It(i,t.pendingProps),o=It(i.type,o),Xc(e,t,i,o,n);case 15:return
Gc(e,t,t.type,t.pendingProps,n); case 17: return i=t.type,o=t.pendingProps,o=t.elementType===i?o:It(i,
o),vl(e,t),t.tag=1,rt(i)?(e=!0,[i(t)):e=!1,hr(t,n),Fc(t,i,o),go(t,i,o,n),wo(null,t,i,!0,e,n); case 19:return tf(e,t,n); case 22:return tf(e,t,n); case 22:return tf(e,t,n); case 23:troup = troup = tr
iu(e,t)}function Xh(e,t,n,i){this.tag=e,this.key=n,this.sibling=this.child=this.return=this.stateNod
e=this.type=this.elementType=null,this.index=0,this.ref=null,this.pendingProps=t,this.dependencies=t
\verb|his.memoizedState=this.updateQueue=this.memoizedProps=null, this.mode=i, this.subtreeFlags=this.flags=index of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control
0,this.deletions=null,this.childLanes=this.lanes=0,this.alternate=null}function xt(e,t,n,i){return
new Xh(e,t,n,i)}function Uo(e){return e=e.prototype,!(!e||!e.isReactComponent)}function
Gh(e){if(typeof e=="function")return Uo(e)?1:0;if(e!=null){if(e=e.□□typeof,e===re)return 11;if(e===oe)return 14}return 2}function vn(e,t){var n=e.alternate;return n===null?(n=xt(e.tag,t,e.k
ey, e.mode), n. element Type = e. element Type, n. type = e. type, n. state Node = e. state Node, n. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e. alternate = e, e.
te=n):(n.pendingProps=t,n.type=e.type,n.flags=0,n.subtreeFlags=0,n.deletions=null),n.flags=e.flags&1
4680064, n.childLanes=e.childLanes, n.lanes=e.lanes, n.child=e.child, n.memoizedProps=e.memoizedProps, n.
ull:{lanes:t.lanes,firstContext:t.firstContext},n.sibling=e.sibling,n.index=e.index,n.ref=e.ref,n}fu nction Tl(e,t,n,i,0,u){var p=2;if(i=e,typeof e=="function")Uo(e)&&(p=1);else if(typeof
e=="string")p=5;else e:switch(e){case H:return Xn(n.children,o,u,t);case U:p=8,o|=8;break;case
G:return e=xt(12,n,t,o|2),e.elementType=G,e.lanes=u,e;case J:return
e=xt(13,n,t,o),e.elementType=J,e.lanes=u,e;case ce:return
e=xt(19,n,t,o),e.elementType=ce,e.lanes=u,e;case de:return jl(n,o,u,t);default:if(typeof
e=="object"&&e!==null)switch(e. | typeof) {case V:p=10; break e; case b:p=9; break e; case re:p=11; break e; case oe:p=14; break e; case ie:p=16, i=null; break e} throw Error(r(130, e==null?e:typeof e, ""))} return
t=xt(p,n,t,o),t.elementType=e,t.type=i,t.lanes=u,t}function Xn(e,t,n,i){return
e=xt(7,e,i,t),e.lanes=n,e}function jl(e,t,n,i){return} e=xt(22,e,i,t),e.elementType=de,e.lanes=n,e.stateNode={isHidden:!1},e}function Wo(e,t,n){return}
e=xt(6,e,null,t),e.lanes=n,e}function Vo(e,t,n){return t=xt(4,e.children!==null?e.children:[],e.key,t),t.lanes=n,t.stateNode={containerInfo:e.containerInfo,pendingChildren:null,implementation:e.implem
entation},t}function Kh(e,t,n,i,o){this.tag=t,this.containerInfo=e,this.finishedWork=this.pingCache=
this.current=this.pendingChildren=null,this.timeoutHandle=-
1,this.callbackNode=this.pendingContext=this.context=null,this.callbackPriority=0,this.eventTimes=hs
(0),this.expirationTimes=hs(-
1),this.entangledLanes=this.finishedLanes=this.mutableReadLanes=this.expiredLanes=this.pingedLanes=t
his.suspendedLanes=this.pendingLanes=0,this.entanglements=hs(0),this.identifierPrefix=i,this.onRecov
```

```
erableError=o, this.mutableSourceEagerHydrationData=null function bo(e,t,n,i,o,u,p,y,S) {return e=new
Kh(e,t,n,y,S), t===1?(t=1,u===!0\&\&(t|=8)):t=0,u=xt(3,null,null,t), e.current=u,u.stateNode=e,u.memoize
dState={element:i,isDehydrated:n,cache:null,transitions:null,pendingSuspenseBoundaries:null},to(u),e
}function Zh(e,t,n){var i=3<arguments.length&&arguments[3]!==void 0?arguments[3]:null;return{□□typeo f:0,key:i==null?null:""+i,children:e,containerInfo:t,implementation:n}}function Rf(e){if(!e)return
an; e=e. reactInternals; e:\{if(Mn(e)!==e||e.tag!==1)throw Error(r(170)); var t=e; do{switch(t.tag)}{case}
3:t=t.stateNode.context;break e;case
1:if(rt(t.type)){t=t.stateNode.
                                                                                             reactInternalMemoizedMergedChildContext:break
e}}t=t.return}while(t!==null);throw Error(r(171))}if(e.tag===1){var n=e.type;if(rt(n))return
ec(e,n,t) return t function Tf(e,t,n,i,o,u,p,y,S) {return e=bo(n,i,!0,e,o,u,p,y,S), e.context=Rf(null)
 n=e.current, i=[n](), o=mn(n), u=Yt(i,o), u.callback=t??null, fn(n,u,o), e.current.lanes=o, Lr(e,o,i), st(e,o,i), st(e,
i),e}function Pl(e,t,n,i){var o=t.current,u=□e(),p=mn(o);return
n=Rf(n),t.context===null?t.context=n:t.pendingContext=n,t=Yt(u,p),t.payload={element:e},i=i====void
0?null:i,i!==null\&\&(t.callback=i),e=fn(o,t,p),e!==null\&\&(jt(e,o,p,u),ol(e,o,p)),p}function \\ ol(e)\{if(e=e.current,!e.child)return null;switch(e.child.tag)\{case 5:return \}
e.child.stateNode;default:return e.child.stateNode}}function
jf(e,t){if(e=e.memoizedState,e!==null&&e.dehydrated!==null){var
n=e.retryLane;e.retryLane=n!==0\&\&n<t?n:t\} function Yo(e,t) {if(e,t),(e=e.alternate) &if(e,t)} function
Jh(){return null}var Pf=typeof
reportError=="function"?reportError:function(e){console.error(e)};function
zo(e){this._internalRoot=e}Dl.prototype.render=zo.prototype.render=function(e){var
t=this. internalRoot;if(t===null)throw
Error(r(409)); Pl(e,t,null,null), Dl.prototype.unmount=zo.prototype.unmount=function(){var}
e=this._internalRoot;if(e!==null){this._internalRoot=null;var
t=e.containerInfo;bn(function(){Pl(null,e,null,null)}),t[Qt]=null}};function
Dl(e){this. internalRoot=e}Dl.prototype.unstable scheduleHydration=function(e){if(e){var
t=du();e={blocked0n:null,target:e,priority:t};for(var
n=0; n< n. length\&\&t! == 0\&\&t < nn[n].priority; n++); nn.splice(n,0,e), n=== 0\&\&mu(e)}; function
Xo(e) {return!(!e||e.nodeType!==1&&e.nodeType!==9&&e.nodeType!==11)} function
\label{lem:nodeType} $$N(e)_{return!(!e||e.nodeType!==1\&\&e.nodeType!==9\&\&e.nodeType!==8||e.nodeValue!=="aliential orange of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of 
react-mount-point-unstable "))}function Of(){}function qh(e,t,n,i,o){if(o){if(typeof i=="function"){var u=i;i=function(){var N=Ol(p);u.call(N)}}var p=Tf(t,i,e,0,null,!1,!1,"",Of);return
e. reactRootContainer=p,e[Qt]=p.current,qr(e.nodeType===8?e.parentNode:e),bn(),p}for(;o=e.lastChild;
e._reactRootContainer=p,e[qt]=p.current,qr(e.noderype===0:e.parentNode.e/,bir(),p}ror(),u=e.tastCnItd,

)e.removeChild(o);if(typeof i=="function"){var y=i;i=function(){var N=0l(S);y.call(N)}}var

S=bo(e,0,!1,null,null,!1,!1,"",of);return e._reactRootContainer=S,e[Qt]=S.current,qr(e.nodeType===8?

e.parentNode:e),bn(function(){Pl(t,S,n,i)}),S}function Ml(e,t,n,i,o){var

u=n._reactRootContainer;if(u){var p=u;if(typeof o=="function"){var y=o;o=function(){var
S=Ol(p); y. call(S)\} Pl(t,p,e,o)\} else p=qh(n,t,e,o,i); return Ol(p)\} cu=function(e) \{switch(e.tag)\} case for each of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
3:var t=e.stateNode;if(t.current.memoizedState.isDehydrated){var
n=Hr(t.pendingLanes); n!==0\&\&(ms(t,n|1),st(t,De()),(ve\&6)===0\&\&(xr=De()+500,un()))\} break; case
13:bn(function(){var i=bt(e,1);if(i!==null){var
o=[e();jt(i,e,1,o)]), Yo(e,1)}, ys=function(e){if(e.tag===13){var t=bt(e,134217728);if(t!==null){var t=bt(e,134217728)}}
n = [e(); jt(t,e,134217728,n)]Yo(e,134217728)], fu=function(e){if(e.tag===13){var}
t=mn(e),n=bt(e,t);if(n!==null){var i=[e();jt(n,e,t,i)}Yo(e,t)}},du=function(){return
Ae},pu=function(e,t){var n=Ae;try{return Ae=e,t()}finally{Ae=n}},as=function(e,t,n){switch(t){case"i}}
nput":if(jr(e,n),t=n.name,n.type==="radio"&&t!=null){for(n=e;n.parentNode;)n=n.parentNode;for(n=n.querySelectorAll("input[name="+JSON.stringify(""+t)+'][type="radio"]'),t=0;t<n.length;t++){vari=n[t];if(i!==e&&i.form){var o=qi(i);if(!o)throw Error(r(90));Dn(i),jr(i,o)}}}brak;case"te
xtarea":Va(e,n); break; case "select":t=n.value,t!=null\&Jn(e,!!n.multiple,t,!1)}, qa=Lo, a=bn; var h={
usingClientEntryPoint:!1,Events:[ei,sr,qi,Za,Ja,Lo]},hi={findFiberByHostInstance:Bn,bundleType:0,ver
sion: "18.3.1", rendererPackageName: "react-dom"}, □h={bundleType:hi.bundleType, version:hi.version, rendererPackageName:hi.rendererConfig:hi.rendererConfig, overrideHookState:null, overri
deHookStateDeletePath:null,overrideHookStateRenamePath:null,overrideProps:null,overridePropsDeletePa
th:null,overridePropsRenamePath:null,setErrorHandler:null,setSuspenseHandler:null,scheduleUpdate:nul
l,currentDispatcherRef:B.ReactCurrentDispatcher,findHostInstanceByFiber:function(e){return e=nu(e),e
===null?null:e.stateNode},findFiberByHostInstance:hi.findFiberByHostInstance||Jh,findHostInstancesFo
rRefresh: null, schedule Refresh: null, schedule Root: null, set Refresh Handler: null, get Current Fiber: null, record from the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of
oncilerVersion: "18.3.1-next-f1338f8080-20240426"};if(typeof
                                                                                                                                                                            REACT DEVTOOLS GLOBAL HOOK <"u"){var
Bl= REACT DEVTOOLS GLOBAL HOOK ;if(!Bl.isDisabled&&Bl.supportsFiber)try{Di=Bl.inject(∏h),Pt=Bl}cat
ch{}}return
ot. SECRET INTERNALS_DO_NOT_USE OR_YOU_WILL_BE_FIRED= h,ot.createPortal=function(e,t){var n=2<arguments.length&&arguments[2]!==void 0?arguments[2]:var n=2
Zh(e,t,null,n)},ot.createRoot=function(e,t){if(!Xo(e))throw Error(r(299));var n=!1,i="",o=Pf;return
t!=null&&(t.unstable_strictMode===!0&&(n=!0),t.identifierPrefix!==void
0&&(i=t.identifierPrefix),t.onRecoverableError!==void 0&&(o=t.onRecoverableError)),t=bo(e,1,!1,null,
null,n,!1,i,o),e[Qt]=t.current,qr(e.nodeType===8?e.parentNode:e),new
zo(t)},ot.findDOMNode=function(e){if(e==null)return null;if(e.nodeType===1)return e;var
t=e._reactInternals;if(t===void 0)throw typeof
e.render=="function"?Error(r(188)):(e=Object.keys(e).join(","),Error(r(268,e)));return
e=nu(t),e=e===null?null:e.stateNode,e},ot.flushSync=function(e){return
bn(e)},ot.hydrate=function(e,t,n){if(!Nl(t))throw Error(r(200));return
\label{eq:model} $$M(\operatorname{null},e,t,!0,n)$, ot.hydrateRoot=function(e,t,n){if(!Xo(e))throw} \ Error(r(405)); var \ i=n!=null&&n.hyd ratedSources||null,o=!1,u="",p=Pf;if(n!=null&&(n.unstable_strictMode===!0&&(o=!0),n.identifierPrefix |
```

```
!==void 0\&\&(u=n.identifierPrefix),n.onRecoverableError!==void <math>0\&\&(p=n.onRecoverableError)),t=Tf(t,nu
 ll,e,1,n??null,o,!1,u,p),e[0t]=t.current,qr(e),i) for (e=0;e<i.length;e++)n=i[e],o=n. getVersion,o=o(n
   . source),t.mutableSourceEagerHydrationData==null?t.mutableSourceEagerHydrationData=[n.ol:t.mutableS
 \overline{\text{ourceEagerHydrationData.push}(\text{n,o})}; \text{return new Dl(t)}, \text{ot.render=function}(e,t,n) \{ if(!Nl(t)) \text{throw } t \in \mathbb{R}^{n} \} 
 Error(r(200)); return Ml(null,e,t,!1,n), ot.unmountComponentAtNode=function(e){if(!Nl(e))throw}
 Error(r(40)); return e. reactRootContainer?(bn(function(){Ml(null,null,e,!1,function(){e. reactRootCo
 Error(r(38)); return Ml(e,t,n,!1,i)}, ot.version="18.3.1-next-f1338f8080-20240426", ot}var Nd; function
 Om(){if(Nd)return ia.exports;Nd=1;function l(){if(!(typeof
        REACT_DEVTOOLS_GLOBAL_HOOK__>"u"||typeof
                                                                                                                                             REACT DEVTOOLS GLOBAL HOOK .checkDCE!="function"))try{
 REACT_DEVTOOLS_GLOBAL_HOOK__.checkDCE(l)}catch(s){console.error(s)}}return
l(),ia.exports=Pm(),ia.exports}var Md;function Dm(){if(Md)return Ul;Md=1;var l=Om();return
 Ul.createRoot=l.createRoot,Ul.hydrateRoot=l.hydrateRoot,Ul}var Nm=Dm();class Jl{constructor(){Gt(this, "project",[]);Gt(this, "status",[]);Gt(this, "text",[]);Gt(this, "labels",[]);Gt(this, "annotations",[])}empty(){return this.project.length+this.status.length+this.text.length+this.labels.length+this.an
;continue}f.push({name:A.toLowerCase(),not:E}))const g=new Jl;return
 g.text=f,g.project=[...a],g.status=[...c],g.labels=[...d],g.annotations=[...m],g}static
 \label{tokenize} tokenize(s) \{const \ r=[]; let \ a,c=[]; for(let \ f=0;f<s.length;++f) \{const \ d=s[f]; if(a&d=="\"&s[f+1]=== a) \{c.push(a),++f; continue\} if(d===""||d==="") \{a===d?(r.push(c.join("").toLowerCase()),c=[],a=void \} = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c) = (a,c
 0):a?c.push(d):a=d;continue}if(a){c.push(d);continue}if(d==="
"){c.length&&(r.push(c.join("").toLowerCase()),c=[]);continue}c.push(d)}return
 c.length&&r.push(c.join("").toLowerCase()),r}matches(s){const
 r=Mm(s);if(this.project.length&&!!!this.project.find(c=>{const f=r.project.includes(c.name);return
 c.not?!f:f}))return!1;if(this.status.length){if(!!!this.status.find(c=>{const
f=r.status.includes(c.name);return c.not?!f:f}))return!1}else if(r.status==="skipped")return!1;return
 n!(this.text.length&&!this.text.every(c=>{if(r.text.includes(c.name))return!c.not;const[f,d,m]=c.name.split(":");return r.file.includes(f)&&r.line===d&&(m===void
 0||r.column===m)?!c.not:!!c.not})||this.labels.length&&!this.labels.every(c=>{const
 f=r.labels.includes(c.name); return
 c.not?!f:f})||this.annotations.length&&!this.annotations.every(c=>{const
 f=r.annotations.some(d=>d.includes(c.name));return c.not?!f:f}))}}const
 Bd=Symbol("searchValues");function Mm(l){const s=l[Bd];if(s)return s;let r="passed";l.outcome==="une
xpected "&&(r="failed"), l.outcome==="flaky"&&(r="flaky"), l.outcome==="skipped"&&(r="skipped"); const a={text:(r+" "+l.projectName+" "+l.tags.join(" ")+" "+l.location.file+" "+l.path.join(" ")+" "+l.tit le).toLowerCase(), project:l.projectName.toLowerCase(), status:r,file:l.location.file, line:String(l.location.file, 
cation.line),column:String(l.location.column),labels:l.tags.map(c=>c.toLowerCase()),annotations:l.an notations.map(c=>{var f;return c.type.toLowerCase()+"="+((f=c.description)==null?void 0:f.toLocaleLowerCase())})};return l[Bd]=a,a}const Bm=/("[^"]*"|"[^"]*"|"\ship)/g;function
 Si(l,s,r) {const a=[...l.matchAll(Bm)].map(d=>{const m=d[0];return m.startsWith('"')&m.endsWith('"')}
 &&m.length>1?m.slice(1,m.length-
\label{eq:constrain} % \end{array} $$ (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1):m, := (-1)
 component":"true",className:"octicon subnav-search-
icon",children:h.jsx("path",{fillRule:"evenodd",d:"M11.5 7a4.499 4.499 0 11-8.998 0A4.499 4.499 0
icon", children:h.jsx("path", {fillRule:"evenodd",d:"M11.5 7a4.499 4.499 0 11-8.998 0A4.499 4.499 0 0111.5 7zm-.82 4.74a6 6 0 111.06-1.06l3.04 3.04a.75.75 0 11-1.06 1.06l-3.04-3.04z"})}), _|l=()=>h.jsx("svg", {"aria-hidden":"true",height:"16",viewBox:"0 0 16 16",version:"1.1",width:"16",className:"octicon color-fg-muted",children:h.jsx("path", {fillRule:"evenodd",d:"M12.78 6.22a.75.75 0 010 1.06l-4.25 4.25a.75.75 0 01-1.06 0L3.22 7.28a.75.75 0 011.06-1.06L8 9.94l3.72-3.72a.75.75 0 011.06 02"})}), kr=()=>h.jsx("svg", {"aria-hidden":"true",height:"16",viewBox:"0 0 16 16",version:"1.1",width:"16", "data-view-component":"true",className:"octicon color-fg-muted",children:h.jsx("path",{fillRule:"evenodd",d:"M6.22 3.22a.75.75 0 011.06 014.25 4.25a.75.75 0 010-1.06l-4.25 4.25a.75.75 0 01-1.06-1.06L9.94 8 6.22 4.28a.75.75 0 011.06 014.25 4.25a.75.75 0 010-1.06z"})}),X0=()=>h.jsx("svg",{"aria-hidden":"true",height:"16",viewBox:"0 0 16 16",version:"1.1",width:"16","data-view-component":"true",className:"octicon color-text-warning",children:h.jsx("path",{fillRule:"evenodd",d:"M8.22 1.754a.25.25 0 00-.44 0L1.698 13.132a.25.25 0 00.22.368h12.164a.25.25 0 00.22-.368L8.22 1.754zm-1.763-.707c.659-1.234 2.427-1.234 3.086 016.082 11.378A1.75 1.75 0 0114.082 15H1.918a1.75 1.75 0 01-1.543-2.575L6.457 1.047zM9 11a1 1 0 11-2 0 1 1 0 012 0zm-.25-5.25a.75.75 0 00-1.5 0v2.5a.75.75 0 001.5
0 11-2 0 1 1 0 012 0zm-.25-5.25a.75.75 0 00-1.5 0v2.5a.75.75 0 001.5 0v-2.5z"})}), GO=()=>h.jsx("svg",{"aria-hidden":"true",height:"16",viewBox:"0 0 16 16",version:"1.1",width:"16","data-view-component":"true",className:"octicon color-fg-muted",children:h.jsx("path",fillRule:"evenodd",d:"M3.5 1.75a.25.25 0 01.25-.25h3a.75.75 0 000 1.5h.5a.75.75 0 000-1.5h2.086a.25.25 0 01.173.0014
 01-.25.25h-.5a.75.75 0 000 1.5h.5A1.75 1.75 0 0014
 13.25V4.664c0-.464-.184-.909-.513-1.237L10.573.513A1.75 1.75 0 009.336 0H3.75A1.75 1.75 0 002
```

```
1.75v11.5c0 .649.353 1.214.874 1.515a.75.75 0 10.752-1.298.25.25 0 01-.126-.217V1.75zM8.75 3a.75.75 0 000 1.5h.5a.75.75 0 000-1.5h-.5zM6 5.25a.75.75 0 01.75-.75h.5a.75.75 0 010 1.5h-.5A.75.75 0 016 5.25zm2 1.5A.75.75 0 018.75 6h.5a.75.75 0 010 1.5h-.5A.75.75 0 018 6.75zm-1.25.75a.75.75 0 000 1.5h.5a.75.75 0 000-1.5h-.5zM8 9.75A.75.75 0 018.75 9h.5a.75.75 0 010 1.5h-.5A.75.75 0 018 9.75zm-.75.75a1.75 1.75 0 00-1.75 1.75v3c0 .414.336.75.75.75h2.5a.75.75 0 00.75-.75v-3a1.75 1.75 0 00-1.75-1.75h-.5zM7 12.25a.25.25 0 01.25-.25h.5a.25.25 0 01.25-.25h.5a.25.25 0 01.25-.25h.75.75 0 00-1.75-1.75h-.5zM7 12.25a.25.25 0 01.25-.25h.5a.25.25 0 01.25-.25h.5a.25-.25 0 01.25-.25h.5a.25-.25 0 01.25-.25h.5a.25-.25 0 01.25-.25h.5a.25-.25 0 01.25-.25h.5a.25-.
hidden":"true",children:h.jsx("path",{fillRule:"evenodd",d:"M3.72 3.72a.75.75 0 011.06 0L8 6.94l3.22-3.22a.75.75 0 111.06 1.06L9.06 8l3.22 3.22a.75.75 0 11-1.06 1.06L8 9.06l-3.22 3.22a.75.75 0 01-1.06-1.06L6.94 8 3.72 4.78a.75.75 0 010-1.06z"})}),Z0=()=>h.jsx("svg",{"aria-hidden":"true",height:"16",viewBox:"0 0 16 16",version:"1.1",width:"16","data-view-
 component": "true", className: "octicon color-icon-
 success",children:h.jsx("path",{fillRule:"evenodd",d:"M13.78 4.22a.75.75 0 010 1.06l-7.25 7.25a.75.75 0 01-1.06 0L2.22 9.28a.75.75 0 011.06-1.06L6 10.94l6.72-6.72a.75.75 0 011.06
0z"})}),Lm=()=>h.jsx("svg",{"aria-hidden":"true",height:"16",viewBox:"0 0 16 16",version:"1.1",width:"16","data-view-component":"true",className:"octicon color-text-danger",children:h.jsx("path",{fillRule:"evenodd",d:"M5.75.75A.75.75 0 016.5 0h3a.75.75 0 010 1.5h-.75v1|-.001.041a6.718 6.718 0 013.464 1.4351.007-.006.75-.75a.75.75 0 111.06
 1.06l-.75.75-.006.007a6.75 6.75 0 11-10.548 0L2.72 5.03l-.75-.75a.75.75 0
 011.06-1.061.75.75.007.006A6.718 6.718 0 017.25 2.541a.756.756 0 010-.041v-1H6.5a.75.75 0 01-.75-.75zM8 14.5A5.25 5.25 0 108 4a5.25 5.25 0 000 10.5zm.389-6.711.33-1.33a.75.75 0 111.061
 1.06L9.45 8.861A1.502 1.502 0 018 10.75a1.5 1.5 0 11.389-2.95z"})}),Fm=()=>h.jsx("svg",{"aria-hidden":"true",viewBox:"0 0 16 16",width:"16",height:"16","data-view-
Component": "true", className: "octicon color-fg-muted", children:h.jsx("path", {d:"M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm9.78-2.22-5.5 5.5a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734l5.5-5.5a.751.751 0 0 1 1.042.018.751.751 0 0 1 .018
1.042Z"})}),Qm=()=>h.jsx("svg",{className:"octicon",viewBox:"0 0 48 48",version:"1.1",width:"20",height:"20","aria-hidden":"true",children:h.jsx("path",{xmlns:"http://www.w3.org/2000/svg",d:"M11.85 32H36.2l-7.35-9.95-6.55 8.7-4.6-6.45ZM7 40q-1.2 0-2.1-.904 38.2 4 37V11q0-1.2.9-2.1Q5.8 8 7 8h34q1.2
 0 2.1.9.9.9.9 2.1v26q0 1.2-.9 2.1-.9.9-2.1.9Zm0-29v26-26Zm34
26V11H7v26Z"})}),Um=()=>h.jsx("svg",{className:"octicon",viewBox:"0 0 48 48",version:"1.1",width:"20",height:"20","aria-hidden":"true",children:h.jsx("path",{xmlns:"http://www.w3.org/2000/svg",d:"m19.6 32.35 13-8.45-13-8.45ZM7 40q-1.2 0-2.1-.904 38.2 4 37V11q0-1.2.9-2.105.8 8 7 8h34q1.2 0 2.1.9.9.9.9
 2.1v26q0 1.2-.9 2.1-.9.9-2.1.9Zm0-3h34V11H7v26Zm0
0V11v26Z"})}),Wm=()=>h.jsx("svg",{className:"octicon",viewBox:"0 0 48 48",version:"1.1",width:"20",height:"20","aria-hidden":"true",children:h.jsx("path",{xmlns:"http://www.w3.org/2000/svg",d:"M7 37h9.35V117v26Zm12.3 0H3V1h-9.3v26Zm12.3 0H3V1h-9.35v26ZM7 40q-1.2 0-2.1-.9Q4 38.2 4
 37V11q0-1.2.9-2.1Q5.8 8 7 8h34q1.2 0 2.1.9.9.9.9 2.1v26q0 1.2-.9
14.25Z"}),h.jsx("path",{d:"M5 1.75C5 .784 5.784 0 6.75 0h7.5C15.216 0 16 .784 16 1.75v7.5A1.75 1.75 0 0 1 14.25 11h-7.5A1.75 1.75 0 0 1 5 9.25Zm1.75-.25a.25.25 0 0 0-.25.25v7.5c0
  .138.112.25.25.25h7.5a.25.25 0 0 0 .25-.25v-7.5a.25.25 0 0 0-.25-
.138.112.25.25.25h7.5a.25.25 0 0 0 .25-.25v-7.5a.25.25 0 0 0-.25-.25z"})]}), J0=({value:l})=>{const[s,r]=se.useState("copy"), a=se.useCallback(()=>{navigator.clipboard .writeText(l).then(()=>{r("check"),setTimeout(()=>{r("copy")},3e3)},()=>{r("cross")}}),[l]),c=s==="c heck"?Z0():s==="cross"?K0():Vm();return h.jsx("button",{className:"copy-icon",title:"Copy to clipboard","aria-label":"Copy to clipboard",onClick:a,children:c})},Na=({children:l,value:s})=>h.jsxs("span",{className:"copy-value-container",children:[l,h.jsx("span",{className:"copy-button-container",children:h.jsx(J0,{value:s})})]});function bm(l,s,r,a){const[c,f]=Ft.useState(r);return Ft.useEffect(()=>{let d=!1;return l().then(m=>{d||f(m)}),()=>{d=!0}},s),c}function q0(){const l=Ft.useRef(null).fs.rl=Ft.useState(new DOMRect(0.0.10.10)):return Ft.useLayoutEffect(()=>{const
 l=Ft.useRef(null),[s,r]=Ft.useState(new DOMRect(0,0,10,10));return Ft.useLayoutEffect(()=>{const
 a=l.current;if(!a)return;const c=a.getBoundingClientRect();r(new
 DOMRect(0,0,c.width,c.height));const f=new ResizeObserver(d=>{const
 m=d[d.length-1];m&&m.contentRect&&r(m.contentRect)});return
 f.observe(a),()=>f.disconnect()\},[l]),[s,l]\} class \ Ym\{constructor()\{this.onChangeEmitter=new EventTarget\}getString(s,r)\{return localStorage[s]||r\}setString(s,r)\{var\}
 a;localStorage[s]=r,this.onChangeEmitter.dispatchEvent(new
 Event(s)), (a=window.saveSettings) == null | |a.call(window)| get0bject(s,r){if(!localStorage[s])} return
 r;try{return JSON.parse(localStorage[s])}catch{return r}}setObject(s,r){var
a;localStorage[s]=JSON.stringify(r),this.onChangeEmitter.dispatchEvent(new Event(s)),(a=window.saveSettings)==null||a.call(window)}}new Ym;function At(...l){return l.filter(Boolean).join(" ")}const Ld="\u0000-\u0020\u007f-\u009f",zm=new RegExp("(?:[a-zA-Z][a-zA-Z0-9+.-]{2,}:\\/\\/|www\\.][^\\s"+Ld+'"]{2,}[^\\s'+Ld+`"')}\\],;;!?]`,"ug");function Xm(){const[l,s]=Ft.useState(1),r=Ft.useCallback(()=>{const a=[];return s(c=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeout()=>(a.push(setTimeou
 s(!1), 1e3), c?(a.push(setTimeout(()=>s(!0),50)), !1):!0)), ()=>a.forEach(clearTimeout)), [s]); return[l, 1], [s]); return[l, 1], [s])
 r]}function Ci(l){const s=[];let r=0,a;for(;(a=zm.exec(l))!==null;){const
```

```
f=l.substring(r,a.index);f\&s.push(f);const d=a[0];s.push(Gm(d)),r=a.index+d.length\}const
 c=l.substring(r);return c&&s.push(c),s)function Gm(l){let s=l;return s.startsWith("www.")&&(s="https://"+s),h.jsx("a",{href:s,target:"_blank",rel:"noopener
  noreferrer",children:l})}const Km=({summary:l,children:s,className:r,style:a})=>{const[c,f]=Ft.useSt
  ate(!1),d=m=>{f(m.currentTarget.open)};return
  h.jsxs("details",{style:a,className:r,onToggle:d,children:[h.jsxs("summary",{className:"expandable-
  summary",children:[c?[](():kr(),l]}),s]});function
Ir(l){if(!isFinite(l))return"-";if(l===0)return"0ms";if(l<1e3)return l.toFixed(0)+"ms";const</pre>
 s=1/1e3; if(s<60) \text{ return } s.toFixed(1)+"s"; const r=s/60; if(r<60) \text{ return } r.toFixed(1)+"m"; const a=r/60; return a<24?a.toFixed(1)+"h":(a/24).toFixed(1)+"d"} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){let s=0; for(let s=0)} function Zm(l){
  r=0; r<1.length; r++)s=1.charCodeAt(r)+((s<<8)-s); return Math.abs(s%6)} const
 Ma=({label:l,href:s,onClick:r,colorIndex:a,trimAtSymbolPrefix:c})=>{const
f=h.jsx("span",{className:At("label","label-color-"+(a!==void 0?a:Zm(l))),onClick:r?d=>r(d,l):void
0,children:c&&l.startsWith("@")?l.slice(1):l});return s?h.jsx("a",{className:"label-anchor",href:s,children:f}):f},_0=({projectNames:l,activeProjectName:s,otherLabels:r,useLinks:a,style:c})=>(l.length>0||r.length>0)&&h.jsxs("span",{className:"label-row",style:c??{},children:[h.jsx(_m,{projectNames:l})]
   projectName:s), a?h.jsx(qm,{labels:r}):h.jsx(Jm,{labels:r})]}), <math>Jm=({labels:l})=>\{constructions, constructions, construct
  s=se.useContext(Et), r=se.useCallback((a,c)=>{var d;a.preventDefault();const}
  f=((d=s.get("q"))==null?void 0:d.toString())||"";Rn(Si(f,c,a.metaKey||a.ctrlKey))},[s]);return h.jsx (h.Fragment,{children:l.map(a=>h.jsx(Ma,{label:a,trimAtSymbolPrefix:!0,onClick:r},a))})},qm=({labels
  :l})=>h.jsx(h.Fragment,{children:l.map((s,r)=>h.jsx(Ma,{label:s,trimAtSymbolPrefix:!0,href:`#?q=□{s}
  },r))});function Rn(l){window.history.pushState({},"",l);const s=new
PopStateEvent("popstate");window.dispatchEvent(s)}const Fd=({predicate:l,children:s})=>{const
r=se.useContext(Et);return l(r)?s:null},jn=({click:l,ctrlClick:s,children:r,...a})=>h.jsx("a",{...a, style:{textDecoration:"none",color:"var(--color-fg-default)",cursor:"pointer"},onClick:c=>{l&&(c.pre ventDefault(),Rn((c.metaKey||c.ctrlKey)&&s||l))},children:r}),Ba=({className:l,...s})=>h.jsx(jn,{...
ventDefault(),Rn((c.metaKey||c.ctrlKey)&&s||l))},children:r}),Ba=({className:l,...s})=>h.jsx(jn,{...s,className:At("link-badge",s.dim&&"link-badge-dim",l)}),_m=({projectNames:l,projectName:s})=>{const r=encodeURIComponent(s),a=s===r?s:`"[{r.replace(/%22/g, "%5C%22")}"`;return h.jsx(jn,{href:`#?q=p:[]{a}}`,children:h.jsx(Ma,{label:s,colorIndex:l.index0f(s)%6})})},Wl=({attachment:l,result:s,href:r,linkN ame:a,openInNewTab:c})=>{const[f,d]=Xm();Ha("attachment-"+s.attachments.index0f(l),d);const m=h.jsxs("span",{children:[l.contentType===tg?X0():G0(),l.path&&(c?h.jsx("a",{href:r||l.path,target:"_blank",rel:"noreferrer",children:a||l.name}))h.jsx("a",{href:r||l.path,download:eg(l),children:a||l.name})),!l.path&&(c?h.jsx("a",{href:URL.createObjectURL(new Blob([l.body],{type:l.contentType})),target:"_blank",rel:"noreferrer",onClick:g=>g.stopPropagation(),children:l.name}):h.jsx("span",{children:Ci(l.name})))]});return l.body?h.jsx(Km,{style:{lineHeight:"32px"},className:At(f&&"flash"),summary:m,children:h.jsxs("div", {className:"attachment.bndv",children:h.jsx("l0,fvalue:l.bndv)});}
ildren:h.jsxs("div", \{className: "attachment-body", children:[h.jsx(J0, \{value:l.body\}), Ci(l.body)]\})\}): h.jsxs("div", \{style: \{lineHeight: "32px", whiteSpace: "nowrap", paddingLeft: 4\}, className: At(f&&"flash"), children:[h.jsx("span", \{style: \{visibility: "hidden"\}, children:kr()\}), m]})\}, $$ D=({test:l,trailingSeparat}).
  or:s,dim:r})=>{const
  a=l.results.map(c=>c.attachments.filter(f=>f.name==="trace")).filter(c=>c.length>0)[0];if(a)return
  h.jsxs(h.Fragment,{children:[h.jsxs(Ba,{href:ep(a),title:"View Trace",className:"button trace-
link",dim:r,children:[Wm(),h.jsx("span",{children:"View
Trace"})]}),s&&h.jsx("div",{className:"trace-link-
separator",children:"|"})]}),Et=se.createContext(new
URLSearchParams(window.location.hash.slice(1))), [m=({children:l})=>{const[s,r]=se.useState(new
   \label{lem:url_searchParams} \textbf{Window.location.hash.slice(1)));} \textbf{return se.useEffect(()=>\{const a=()=>r(new all of a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a constant a
  URLSearchParams(window.location.hash.slice(1)));return window.addEventListener("popstate",a),()=>win
dow.removeEventListener("popstate",a)},[]),h.jsx(Et.Provider,{value:s,children:l})};function
eg(l){if(l.name.includes(".")||!l.path)return l.name;const s=l.path.indexOf(".");return
s===-1?l.name:l.name+l.path.slice(s,l.path.length)}function
  ep(l){return`trace/index.html?[[{l.map((s,r)=>`trace=[[{new}
URL(s.path,window.location.href)}`).join("&")}`}const tg="x-playwright/missing";function Ha(l,s){const r=se.useContext(Et),a=ng(l);se.useEffect(()=>{if(a)return s()},[a,s,r])}function ng(l){const r=se.useContext(Et).get("anchor");return r===null||typeof l>"u"?!1:typeof l=="string"?l===r:Array.isArray(l)?l.includes(r):l(r)}function yi({id:l,children:s}){const
  r=se.useRef(null),a=se.useCallback(()=>{var
  c;(c=r.current)==null||c.scrollIntoView({block:"start",inline:"start"})},[]);return
Ha(l,a),h.jsx("div",{ref:r,children:s})}function qt({test:l,result:s,anchor:r}){const a=new URLSearchParams;return l&&a.set("testId",l.testId),l&&s&&a.set("run",""+l.results.indexOf(s)),r&&a.set("anchor",r),"#?"+a}function es(l){switch(l){case"failed":case"unexpected":return
  KO(); case "passed": case "expected": return ZO(); case "timedOut": return Lm(); case "flaky": return
  X0();case"skipped":case"interrupted":return Fm()}}const
  La=({title:l,leftSuperHeader:s,rightSuperHeader:r})=>h.jsxs("div",{className:"header-
  view",children:[h.jsxs("div",{className:"hbox header-
 superheader",children:[s,h.jsx("div",{style:{flex:"auto"}}),r]}),l&&h.jsx("div",{className:"header-title",children:Ci(l)})]}),rg=({stats:l,filterText:s,setFilterText:r})=>{const
a=se.useContext(Et);return se.useEffect(()=>{const c=a.get("q");r(c?`[{c.trim()} `:"")},[a,r]),h.jsx (h.Fragment,{children:h.jsxs("div",{className:"pt-3",children:[h.jsx("div",{className:"header-view-status-container ml-2 pl-2 d-flex",children:h.jsx(ig,{stats:l})}),h.jsxs("form",{className:"subnav-search",onSubmit:c=>{c.preventDefault();const f=new URL(window.location.href),d=new FormData(c.target).get("q");f.hash=d?"?"+new URLSearchParams({q:d}):"",Rn(f)},children:[Hm(),h.jsx("input",{name:"q",spellCheck:!1,className:"form-control subnav-search-input input-contrast width-full ",value:s,onChange:c=>{r(c.target.value)}})]})]})]))}),ig=({stats:l})=>h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children:[h.jsxs("nav",{children
```

```
jn,{className:"subnav-item",href:"#?",children:[h.jsx("span",{className:"subnav-item-
label",children:"All"}),h.jsx("span",{className:"d-inline counter",children:l.total-
l.skipped})]]),h.jsx(Vl,{token:"passed",count:l.expected}),h.jsx(Vl,{token:"failed",count:l.unexpect
ed}),h.jsx(Vl,{token:"flaky",count:l.flaky}),h.jsx(Vl,{token:"skipped",count:l.skipped})]}),Vl=({token:l,count:s})=>{var g;const a=((g=se.useContext(Et).get("q"))==null?void 0:g.toString())||"",c=`s:[]
\{l\}, f=Si(a,c,!1), d=Si(a,c,!0), m=l.charAt(0).toUpperCase()+l.slice(1); return
h.jsxs(jn,{className:"subnav-
item", href:f,click:f,ctrlClick:d,children:[s>0&&es(l),h.jsx("span",{className:"subnav-item-
label",children:m}),h.jsx("span",{className:"d-inline
counter",children:s})]})},lg=({tabs:l,selectedTab:s,setSelectedTab:r})=>{const a=se.useId();return
counter",children:s})]})},lg=({tabs:l,selectedTab:s,setSelectedTab:r})=>{const a=se.useId();return
h.jsx("div",{className:"tabbed-pane",children:h.jsxs("div",{className:"vbox",children:[h.jsx("div",{className:"tabbed-pane-tab-strip",role:"tablist",children:l.map(c=>h.jsx("div",{className:At("tabbed-pane-tab-element",s===c.id&&"selected"),onClick:()=>r(c.id),id:`[{a}-[{c.id}`,role:"tab","aria-selected":s===c.id,children:h.jsx("div",{className:"tabbed-pane-tab-label",children:c.title})},c.id))})},l.map(c=>{if(s===c.id)return h.jsx("div",{className:"tab-content",role:"tabpanel","aria-labelledby":`[{a}-[{c.id}`,children:c.render()},c.id)})]})}),tp=({header:l,expanded:s,setExpanded:r,children:a,noInsetscd_dataTestId:fb)=>{const_d=se.useId():return h.jsxs("div",{className:"chip"."data-
ts:c,dataTestId:f})=>{const d=se.useId();return h.jsxs("div",{className:"chip","data-testid":f,children:[h.jsxs("div",{role:"button","aria-expanded":!!s,"aria-controls":d,className:At("chip-header",r&&" expanded-"+s),onClick:()=>r==null?void
0:r(!s),title:typeof l=="string"?l:void 0,children:[r&&!!s&&[l(),r&&!s&&kr(),l]}),(!r||s)&&h.jsx("displays")
v",{id:d,role:"region",className:At("chip-body",c&&"chip-body-no-insets"),children:a})]})},Bt=({head
er:l,initialExpanded:s,noInsets:r,children:a,dataTestId:c,revealOnAnchorId:f})=>{const[d,m]=se.useSt ate(s??!0),g=se.useCallback(()=>m(!0),[]);return Ha(f,g),h.jsx(tp,{header:l,expanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpanded:d,setExpande
 noInsets:r,dataTestId:c,children:a})},sg=({title:l,loadChildren:s,onClick:r,expandByDefault:a,depth,
 :c,style:f,flash:d})=>{const[m,g]=se.useState(a||!1);return
h.jsxs("div",{role:"treeitem",className:At("tree-item",d&&"yellow-
flash"), style: f, children: [h.jsxs("span", {className: "tree-item-title", style: {whiteSpace: "nowrap", padd ingLeft: c*22+4}, onClick: () => {r==null||r(),g(!m)}, children: [s&&!!m&&[l(),s&&!m&&kr(),!s&&h.jsx("span", span", sketchildren)]
 ,{style:{visibility:"hidden"},children:kr()}),l]}),m&&(s==null?void 0:s())]})},og="data:image/png;ba
 se64,iVB0Rw0KGgoAAÁANSUhEUgAÁAYgAAADqCAYAAAC4CNLDAAAMa2lDQ1BJQ0MgUHJvZmlsZQÁAŚÍmVVwdYU8kWnlŭSkJDQAqF
ICb0J0quUEFoEAamCjZAEEkqMCÜHFhqio4NpFFCu6KqLoWqBZVMReFsXeFwsqK+tiQVFU3oQEdN1Xvne+b+7898yZ/5Q7c+8dADR
 7uRJJLgoF0J44XxofÉcIcm5rGJHUAMiABV0AMSFyeTMKKi4sGUAb7v8v7mwBR9NecFFz/HP+vosMXyHgAI0MhzuDLeHk0Nw0Ab+B
JpPkAEBV6y6n5EqUuqlhXCq0EeLUCZynxLgX0U0KmAZvEeDbEVwBQo3K50iwAN05DPb0AlwV5ND5D7CLmi8QAaA6H0JAn5PIhVsQ
+PC9vsgJXQGwH7SUQw3iAT8Z3nFl/488Y4udys4awMq8BUQsVySS530n/Z2n+t+Tlygd92MBGFUoj4xX5wxrezpkcpcBUiLvEGTG xilpD3CviK+s0AEoRyiOTlPaoMU/GhvUDDIhd+NzQKIiNIQ4X58ZEq/QZmaJwDsRwtaDTRPmcRIgNIF4kKlUlqGySCfHq3yhdZl
SNkulP8eVDvhV+HoozOliqfjfCAUcFT+mUShMTIGYArFVgSg5BmINiJ1lOQlRKpuRhUJ2zKCNVB6viN8K4niBOCJEyY8VZErD41X
2pXmywXyxLUIRJ0aFD+QLEy0V9cF08bqD8cNcsCsCMStpkEcqGxs9mAtfEBqmzB17IRAnJah4eiX5IfHKuThFkhunssctBLkRCr0
FxB6yggTVXDw5Hy50JT+eKcmPS1TGiRdmc0fFKePBl4NowAahgAnksGWAySAbiFq76rvgnXIkHHCBFGQBAXBSaQZnpAyMi0E1ARS
CPyESANnQvJCBUQEogPovQ1rl1QlkDowWDMzIAc8gzgNRIBfeywdmiYe8JYOnUCP6h3cubDwYby5sivF/rx/Uft0woCZapZEPemRqDloSw4ihxEhiONEeN8IDcX88Gl6DYXPDfXDfwTy+2R0eEdoIjwk3C02E05NExdIfohwN2iF/uKoWGd/XAreBnJ54CB4A2SEzzsC
NgBPuAf2w8CDo2RNq2aq4FVVh/sD9twy+exoq07ILGSXrk4PJdj/01HDQ8BxiUdT6+/ooY80Yqjd7a0RH/+zvqs+HfdSPltgi7CB
2FjuBnceasHrAxI5jDdgl7KgCD62upw0ra9Bb/EA80ZBH9A9/XJVPRSVlLjUunS6flWP5gmn5io3HniyZLhVlCf0ZLPh1EDĀ5Yp7
zcKabi5srAIpvjfL19ZYx8A1BGBe+6YrfARDA7+/vb/qmi4Z7/dACuP2ffdPZHo0vCX0AzpXx5NICpQ5XXAjwLaEJd5ohMAWWwA7
m4wa8gD8IBmFgFIgFiSAVTIRVFsJ1LgVTwUwwF5SAMrAcrAHrwWawDewCe8EBUA+awAlwBlwEV8ANcA+ung7wEnSD96APQRASQkP
oiCFihlqjjoqb4oMEImFINBKPpCLpSBYiRuTITGQeUoasRNYjW5Fq5BfkCHICOY+0IXeQR0qn8qb5hGIoFdVFTVAbdATqq7LQKDQ
RnYBmoVPQQnQ+uhStQKvQPWgdegK9iN5A29GXaA8GMHWMgZljTpgPxsZisTQsE5Nis7FSrByrwmqxRvicr2HtWBf2ESfidJyJ08E
VHIkn4Tx8Cj4bX4Kvx3fhdfgp/Br+C0/GvxJoBG0CI8GPwCGMJWQRphJKC0WEHYTDhNNwL3UQ3h0JRAbRlugN92IqMZs4g7iEuJG
4j9hMbCM+IfaQSCRDkiMpqBRL4pLySSWkdaQ9p00kq6Q0Uq+aupqZmptauFqamlitWK1cbbfaMbWras/V+shaZGuyHzmWZCdPJy8
jbyc3ki+T08h9FG2KLSWAkkjJpsylVFBqKacp9ylv1dXVLdR91ceoi9SL1CvU96ufU3+k/pGqQ3WgsqnjqXLqUup0ajP1DvUtjUazoQXT0mj5tKW0atpJ2kNarwZdw1mDo8HXmKNRqVGncVXjlSZZ01qTpTlRs1CzXP0g5mXNLi2ylo0WW4urNVurUuuI1i2tHm26tqt
2rHae9hLt3drntV/okHRsdMJ0+DrzdbbpnNR5QsfolnQ2nUefR990P03v0CXq2upydLN1y3T36rbqduvp6HnoJetN06vU06rXzsA
YNqwOI5exjHGAcZPxSd9En6Uv0F+sX6t/Vf+DwTCDYAOBQanBPoMbBp8MmYZhhjmGKwzrDR8Y4UYORmOMphptMjpt1DVMd5j/MN6
w0mEHht01Ro0dj00NZxhvM75k3GNiahJhIjFZZ3LSpMuUYRpsmm262vSYaacZ3SzQTGS22uy42R9MPSaLmcusYJ5idpsbm0eay82
3mrea91nYWiRZFFvss3hgSbH0scy0XG3ZYtltZWY12mqmVY3VXWuytY+10Hqt9VnrDza2Nik2C23qbV7YGthybAtta2zv29Hsquy
m2FXZXbcn2vvY59hvtL/igDp40ggdKh0u06K0Xo4ix420bcMJw32Hi4dXDb/lRHVi0RU41Tg9cmY4RzsX09c7vxphNSJtxIoRZ0d
8dfF0yXXZ7nLPVcd1lGuxa6PrGzčHN55bpdt1d5p7uPsc9wb31x60HgKPTR63Pemeoz0XerŽ4fvHy9pJ61Xp1elt5p3tv8L7lo+s
T57PE55wvwTfEd45vk+9HPy+/fL8Dfn/50/nn+0/2fzHSdqRg5PaRTwIsArgBWwPaA5mB6YFbAtuDzIO4QVVBj4Mtg/nB04Kfs+x
Z2aw9rFchLiHSkMMhH9h+7Fns5lAsNCK0NLQ1TCcsKWx92MNwi/Cs8Jrw7gjPiBkRzZGEyKjIFZG30CYcHqea0z3Ke9SsUaeiqFE
JUeujHkc7REujG0ejo0eNXjX6fox1jDimPhbEcmJXxT6Is42bEvfrG0KYuĎGVY57Fu8bPjD+bQE+YlLA74X1iS0KyxHtJdknypJZ
kzeTxydXJH1JCU1amt18dMXbW2IupRqmi1IY0Ulpy2o60nnFh49aM6xjv0b5k/M0Jth0mTTg/0Whi7sSjkzQncScdTCekp6TvTv/
MjeVWcXsyOBkbMrp5bN5a3kt+MH81v1MQIFqpeJ4ZkLky80VWQNagrE5hkLBc2CVii9aLXmdHZm/O/pATm7Mzpz83JXdfnlpeet4
RsY44R3xqsunkaZPbJI6SEkn7FL8pa6Z0S60k02SIbIKsIV8X/tRfktvJF8gfFQQWVBb0Tk2eenCa9jTxtEvTHaYvnv68MLzw5xn
4DN6MlpnmM+f0fDSLNWvrbGR2xuyW0ZZz5s/pKIoo2jWXMjdn7m/FLsUri9/NS5nX0N9kftH8JwsiFtSUaJRIS24t9F+4eRG+SLS
odbH74nWLv5bySy+UuZSVl31ewlty4SfXnyp+6l+aubR1mdeyTcuJy8XLb64IWrFrpfbKwpVPVo1eVbeaubp09bs1k9acL/co37y
Wsla+tr0iuqJhndW65es+rxeuv1EZUrlvg/GGxRs+b0RvvLopeFPtZpPNZZs/bRFtub01YmtdlU1V+TbitoJtz7Ynbz/7s8/P1Tu
MdpTt+LJTvLN9V/yuU9Xe1dW7jXcvq0Fr5DWde8bvubI3dG9DrVPt1n2MfWX7wX75/j9+Sf/l5oGoAy0HfQ7WHrI+t0Ew/XBpHVI
3va67Xljf3pDa0HZk1JGWRv/Gw786/7qzybyp8qje0WXHKMfmH+s/Xni8p1nS3HUi68STlkkt9060PXn91JhTraejTp87E37m5Fn
W2ePnAs41nfc7f+SCz4X6i14X6y55Xjr8m+dvh1u9Wusue19uu0J7pbFtZNuxq0FXT1wLvXbm0uf6xRsxN9puJt28fWv8rfbb/Ns
v7uTeeX234G7fvaL7hPulD7QelD80flj1u/3v+9q92o8+Cn106XHC43tPeE9ePpU9/dwx/xntWflzs+fVL9xeNHWGd175Y9wfHS8
lL/u6Sv7U/nPDK7tXh/4K/utS99jujtfS1/1vlrw1fLvznce7lp64nofv8973fSjtNezd9dHn49lPKZ+e9039TPpc8cX+S+PXqK/
3+/P6+yVcKXfgVwCDDc3MB0DNTgBoqQDQ4bmNMk55FhwQRHl+HUDgP2HleXFAvACohZ3iN57dDMB+2GyKIHcwAIpf+MRggLq7DzW
```

VyDLd3ZRcVHgSIvT29781AYDUCMAXaX9/38b+/i/bYbB3AGieojyDKoQIzwxbghXohgG/CPwgyvPpdzn+2ANFBB7gx/5fCGaPbNi ir/8AAACKZVhJZk1NACoAAAAIAAQBGqAFAAAAAQAAAAHGwAFAÁAAAQAAEYBKAADAÁAAAQACAACHaQAEAAAAAQAÁAE4AAAAAAAA AKAAAAAEAAACOAAAAAOADkoYABwAAABIAAAB4oAIABAAAAAEAAAGIoAMABAAAAEAAADgAAAAAEFTOOlJAAAAU2NvZWVuc2hvdHG OMr4AAAAJcEhZcwAAFiUAABYlAUlSJPAAAAHWaVRYdFhNTDpjb20uYWRvYmUueGlwAAAAAAA8eDp4bXBtZXRhIHhtbG5zOng9ImF kb2Jl0m5z0m1ldGEvIiB40nhtcHRrPSJYTVAgQ29yZSA2LjAuMCI+CiAgIDxyZGY6UkRGIHhtbG5z0nJkZj0iaHR0cDovL3d3dy5 3My5vcmcvMTk50S8wMi8yMi1yZGYtc3ludGF4LW5źIyI+CiAgICAgIDxyZGY6RGVzY3JpcHRpb24gcmRm0mFib3V0PSIiCiAgIĆA qICAqICAqIHhtbG5z0mV4aWY9Imh0dHA6Ly9ucy5hZG9iZS5jb20vZXhpZi8xLjAvIj4KICAqICAqICAqICAqPGV4aWY6UGl4ZWxZRGl ťZW5zaW9úPjIzNDwvZXhpZjpQaXhlbflEaW1lbnNpb24+CiAqICAqICAqIDxleGlmOĺBpeGVsWERpbWVúc2lvbj4z0TI8L2V4aWY 6UGl4ZWxYRGltZW5zaW9uPgoglCAglCAglCA8ZXhpZjpVc2VyQ29tbWVudD5TY3JlZW5zaG90PC9leGlm0lVzZXJDb21tZW50Pgo gICAgICA8L3JkZjpEZXNjcmlwdGlvbj4KICAgPC9yZGY6UkRGPgo8L3g6eG1wbWV0YT4KmnX00wAAABxpRE9UAAAAAgAAAAAAAAA ĬAAAĂKAAAAHUAAÁB1AAB×IC1bFLAAAÉAASURĎVHgĎ7L13tF/HcĕdZL+ĕInAECIAmQIMAkikESRSUqi6Ngj23ZK8u2rĽFlr3c8Zz2 7Pp7dtXf0n0M/PDN0s+u8li3ZEiVKJCVKlJgpBpÄERQIkkXPGw8s57fdT99XDxQ+/38PDCwBI3gZ+797bt7uqu7q6qro63KKXXnx p9LFHH70tW7daX2+fjY606memvzZxiPdFShb36Rz54okj5EufvMn+ZhTIKJBRIKNAPgrkk6mkyxefK2vj+Vy4ReTX/+KiIquoqLA . VK1fY+97/Plu9ZrUV/ec/+s+jzzz9jLWePq2co1ailIjvYf0d4WYMbrGuJcU8F9nwcCgRPR0ATwL9HyUT+fhlIaPANChQJF4rLi5 2oyXAJAbM5JiL/PxGRkY8ezwHDJ65Bwf3BNISN5kQeeIa+SeTNOuTUeCSUaAAe9MD40XqmmrbdP0m+4XP/4IVffbffHb0xPETNjo 0ZHWlxba0stwG1UE09Q1Y9/C10bVQDLVVxbZsHurD70CpYevsGTG9dqVQonfl80qtqKzIBk402XCXOpmUSBYyCkyHAmVlZTZ//nz r6+uz/v5+47mjo0MGyvB5wcLodXV1nranp8eFfnl5udXU1DgM3peUlNjAwICnq62tdeXQ2trquM6HgPxYW6Wl4nvdA5vraRlaoZD OByN7n1FgRimQFrmJvZMffDpdKkVkoV/Qd37rd37Lij7+kY+Ptp5utSZpgc8uarINdVU2oFHAM21d9t0T7dYri6q2ssg+9+5qe+d VdÁKzzTsH70uP91hHj6yv8iJrur3G6jZW+X3PngFreaTTBk+fvx0nypbdŽhQ4hwJVVVX23ve+13p7e62rg8sFb0tLiwtlhD4C0QQ OSoNnrP/KykobksGD0Edgw+wIbRTNVVddZQcPHvRRA/EvvfSSzZ07166++mprb2+37u5uVyoopMiPIkAB8H70nDkG7uPHj1tzc7M tWLDA8fKe+F0nTll9fb3jpRz8KDujlIaGBk8z0Djo8ce0HXN851Q8i8gocKEUyCf0Q+LnwsqXVmki0f2IvveLX/hFK/ro3R8dbW9 rt5WVZfaHaxdbtRQFA40WgSH799sPWcfQsM2pK7Y//XeN1lzrPiYphhH7zb9stRNt18boYcVvzbWyphLGJzbSP2KH/u609e4dyC1 W9pxR4IIogLX/kY98xBUEwndrH4UA8yJcly1b5sIXwb1kyRJ/19nZ6a0EvXv3umKA2RHYCPkd03bÝ2rVr/Z78WEpPPfWUj0w2btxoR48etdWrVzsehHpTU5PDRLmgmHhGESDgN2/ePJ4P+IcOHfJyVVdXuzKgvOAkD7gY/aAgUEC8Q6G9/PLLRnmzkFFg2hQoIPTHpX4 aQYGOaQWBYfO5f/u5MwpiRUWp/cGaxdZYVuIK4kDvgP3BriPjCuKPv9hgi+dICQjj8bZh+w9/0zauIJb+arNVLi5zBThcPWyH/6H VevdnCiLdJtn9hVMgFMSWLVvc7YPw5oeAfe2119zq379/vx04cMDuuusuF9yMEvg988wzPlpAoCPAGQ28/vrrLqQZBTCyoBM8+eS Triiuu+46VxBXXHGFjwJQ0Aj0gMfIgPLg8iLviy++6K0VW2+91ZXGrl27bPHixQ4TxXPy5El/xmWFkjh8+LABm7zAZBRDuVE2Wcg oMG0KFBD6DjckPw8TpItkGFX0jc/8zGf0KIhqvb29qdbeM6f05x5+eKrDXu6U1\$Z3U6XcSLfIvfShGys102328EvqgG8MWE//qBW ValJjTbk1vrPGSmqKrXNLr3X8tNeGu5OJwWlXPAPwtqUAowWENFZ2DHthXNxIWPU333yzbdu2zS100hHPD/cSIwBGGo2NjbZRwn9 Y6Z977jm33BHgWPBY9QjsgB2uH2CjWMAPLGCShnvwc2XUQsBNxXvykod0wEUJcCU+nlfS4GUkhAuLK7iykFfg2hSYQPBPFnZaQVR UVtg9n77njIIoGlWnkJ+0Vi4mZq+6YGQpB/CiFMo1AV1b5QuirLN31AaG6KR6qXfFeldcqZUqGmAMy/00Oqh8Gd9Ptl2ydF0qAEI X4c+kNc12X0BYI+RJhzBm5JFZ7PkolcW96SkwCwrik/d80oo+8qGP+BxEriUzGurkTU+5rAIZBTIKZBR4i1NgFhTExz75MSu6811 3juInzRTEW5yBsuplFMgo8NalwDQVRHo8wIq7cRfTsqXLRlmhMTySLUt963JPVrOMAhkFMgpMjgLFRcU+f/cbv/kbVqRVGaOs0Mg dÓUwOVJYqo0BGgYwCGQXeShRg7o7l2l/5ylcyBfFWatisLhkFMgpkFJguBUJB/MZvZCO16dlyý59RIKNARoG3FAVCQXz5y1/0P4Ĭ oLimz0opKK6/SrlDd93V32GBPp2k7hB/gx1lNWcgokFEgo0BGgbceBUJBf0lLX8qvIGqaF9ui6+60q265SbuqS+31R79nB1/8kd1 YW2I7uwetdWh2NznERqa3HumzGmUUyCiQUeDypkAoiF/7tV+zonnz5vkqpvQkddOCK2zZpvfb+q992BrnNtuL3/66bbn/r+2m6mL b2ztoxwfPVRDr1q2zz3zmM75x6bHHHvMjCdra2mz79u2+kYkdpASQ84vALlRCxKMcPv3pT9sDDzzgZ/DwbuHChX5o29e+9jXficq RBRzgxvk36XKTNgsZBTIKZBTIKDB1CoSC+NVf/dUCCqK2ya689n3WeNsHrbF+xJq0Pmf7tj5ldac7bMuxTtvV2nM0dk7d/Nmf/Vl79tln/bwcDkZDQYAMJcDhaQh6DkTjzBo0LUMZcKAZyo0VVEuXLvUza6688ko/AkHKy/Nz3g5K45FHHrEjR47Yhz/8YYfzj//4j37 swTmFySIyCmQUyCiQUWBKFAgF8Su/8iv5FcS8snJb1TDHiq661ZYtn2u3zztsi5fV2f6t+2zza0ftG5v3n4P4/e9/v+Gz4hA1Nt5 xBAJn6HB65sqVK/3wtPXr1/s7TrfkADPecWYNowF0tuR0zu9///vG0IZzazhw7V3vepd94xvfsA9+8IP29NNP+wFsnLHz05/+106 9997s6IRzWiKLyCiOUSCiwNOpEArii1/8Yn4FsUgnuy6uKLPXdcTNtSub7T9+5mpbfMVCe/En0+wbTx2wR7cfPwc7I4iPf/zi9id /8id+7g3Pa9as8VEBB6Lt3r3bhT5xf/u3f2u33367Kw7ecdomp2Nyvg4K4vd///d9He4rr7xi7373u+2f/umf7KabbnKF8KlPfcq PU37jjTfsW9/6VqYgzmmJLCKjQEaBjAJTp8B5FUSTvix3ZU2ZvdgxoC0+a+0Ld66yxuY6e33HMbvvpcN2oqPvH0wrVqwwfj/5yU/ cdbRq1So/iZMrh6kxX3D99de7cP/2t7/tiiMmo9mUgYuJgCK54447bNGiRX6cM26pv/iLv3CFgVLgwy4cvMb7Bx980N1T5xQmi8g okFEgo0BGgSlRIBTEL//yL+cfQZQVaSddSZF16puiFWWltmJuna1b2mzP7zpmx9t7bci/NTo53CBjDoJjkj/5yU/6kcucg3++yWX O/b/tttv8Qy2c2Z99WGVy9M5SZRTIKJBRYDoUCAXxhS98Ib+CADjrjFhfJPmuez4ez8ffdcT3FPdAqJQRA4rhfMoB/BwYXY/AJHa sdvKI7E9GgYwCGQUyCswKBSalIGYFcwY0o0BGgYwCGQUuawpkCuKybp6scBkFMgpkFLh0FDhLQSxYsOCcjXKXrmgZ5owCGQUyCmQ UuJQUwLXPVoJf+qVfsiLtMxhlAjjXx88zP7QJv4sVMrwXi9KaY8ra+KIQ+1LRmcpdKtwZ3ovCWo5kNmjNoiL2thXt2rVrFAUAktz AJjZ20l9MBUEZWBYbH4DPLdNsPVN/vlfMN4xjcny2cKXhgpdluxe7vlGGS0XrS1HnaGP221xMno42pi9dinCp2pj+dClofanwwtN vlTZGBj7++0NWpEqN0ogRhoaG/JYEMBYVnqrApG0kz2Di0UK6g3Ifz+n0FHGRZ7LXwBv5WTUV0HiXrg/xxPGj7tAi/X6y0ElXCG+ 8YxVXbgi801EQwKCOXCNEvXgOOsQ1HRfCY6p1DnzpK+WIMgE37ql/lCs6U7pMaRhTvY9VcuAKvOAIvLTxdGhdqFxpvKQJGkR6hNZ sGFuBh2s6RJ2Ji348k7Q0vNQ72niU+1QbU+eZpjV4g9cvdhvHasrAm0vz2WrjqC9tGbSmLNGfZquNOcHiLAVBQV7YvNkLcbU036M wDDW4XmgAFuctbXnpJWue06weY378xiKdw3To0EGbN2++H7cBX0BztEYIDeKm05kQAuy1YARUV1dn27XB7iptsDtx4qSqbZU271E +fjU1NYŐXkQPMPB0FAYNwBlWfjg5Zon0lXn/9NVuyZKk6aJ9vBLzhhhs0ShlyYQUeykmnZaPgdDoSeA8ePKDzqY6Z5pRÖnMlpwU1 oevjwYd/RDo4QGuCiM1er7sHUUŽljJ2aeP9SLHfLQm82TnL91ROW44cYbXXCGlTWdNs6D1qM45mXXzp22cdMmPwtMI2Sd/bVI7Vx rlTJ2yvmp/jMpLEEM3q2vvmq3au80nZfjZHp7e2z0nLnOU/Sj2agvwp/zyeDl0XPm2D6deQYvLxfdCfiSaQ/wz2SdgXlS7dve3j5 +hhplpolHVP8K4SPMdJ3p02ym7ddlw3XXic5Hbafa+8orr3Jcs9XG0Jcz4fhxqgPPyJUaya15c9XG4qnZamP68AHhXbFyhc2d08/7FnHsFaPf0sbw3EzT+iwFgTbkTKTnn3/empubrbGx0a8IlqkIDwiIgjh+/Lg3IvdLly6zffv2SmCtdcZq0e7puvo6pevxyh6TIFm n85rA0VWGph4w0Q9/+E0rl3Lo0PzKMglrLBsYuKqq0mEjqFE0HChYLmGN4lqyZMm0FAR4f/DQQy6AVkoJcR7V3r17XGiXlyeCCeX BXpKGhgyJzi02dMlSW63jR2jkqXZg8KKI2zva1SWLXCB2dXZZj3CtWrXS0LIExdHV1eVKGeVRJiFCGVFU0HoqbSxkeQNtj9Bi9zx MjNJEITVLgKE42A0P7afaxnmRjkUiqDdvft7e8547fXMl/Nfe3uYGygLtyudAyNlQEJwE8MwzP7G77/6wnTx50tj1T4elPCt1Fhl GŚSjpicp/oe8Q1KGAFy9ZbE8+8aSfMtCos84InHxMG0+Hv/KViTbGCGtpOeV127Z1m/P67bff4YbBWh24idE300ILIxLeOnjwoN1 yyy0ywl5PjMDtb3gdl0nGLNWZbjPdxsqVe0lVGQEoCPpLq3iZ9kWuoJCXL1/udZ5qP85HZ+KAf/p0i2hZ6UbAT3VuHX1+rq4zLZV cu0J9DKNgpvvT0QoC4rNrGWHSJAUBk01VQUBQ4D388MM6Ym0TE3bFipUuFNGCAwP9duL4CVuoIzPoUBydgfCAyByvMVWGBi/wHpK gpmNwKOBcCabaulrX/ggmtG11dY208VzbtnWr4ybPe++6a9oK4qmnnvLGQsFinXOKLXXDqqqXUiCup6fHGUnmtHem03QgISOdqTI WSuenUgLUZ+vWV23F8hWuLPj40AJx8wubbc3qNXZKnbmpqdnPvmppaXHBRTlnWkHA1Cx8wNLDqsXagaFpWzo2p/lSrplmaPD29fX ali1bbMOG61z579+/T0pqjd0ZctylNp5p4QFe2vS55561W2+9zQ+sRDnSngsWzPdy3Hzz09womElFDF4C/eyll14Uny32foYRhDE GT3P2GWedTbU/JRjy/21ra1V7Hv123r17lw0PDbvM6JRhBC+uknKaaQVB/9kpg4P6zJec2rlzh4zZJhkh29XP53qd79Q5cDPdxsg VDB0UI6NiZMhL0j80gxa+QlFs3LjR5c1Mt/GBA/vdCFi//hrr0IgNGYNhcKMUFaM4yjAbBtdZCiJYAIsXK5T0D0PRwF0pMIRES0z Zs9sa6hvcnUHlaFQ0IqMUiF5ZWeE+Uvxpra1trhy4n47wAC5Db5iJsu+RoELDU55E0VS7IkCBMEQ0gY0yIW4q9YV+wMatwkiM+h0 +fEgn1C63XgmPUxLI0JQ0w8ND8h+W0j0j+VEg0+ĺIwIRBwc0R6V2qZwkWhdruqIbgCAvw0J5l0jplYGDQR3fghVZTbePgmXxXGLh bI5Zu1R1BSfkYoTFqhAcoz3TqnA8ncdAijplnBAfe5uYmrzMWLe0y08IDvNQXXCGIqRsjNkYWpaUlUhQLp8XT4CgUgu8YCXdppE7

fw7CDrzG2CNPpT4XwhrETqyCh0ycynxavz58/30pVnpluY/o1Rhe4MTR4RhGu1CiNK4JyNtoYmuLGpT1RxPA0+0ApykJfm6c6R/s XotlU4hmpMYJAEVI3aNrT0y28Q2e18UzT0q+CoLJUHiGN1QfSqQhMBA+/NDyITAA+v3QqbQ0623QrG/DACTzqA06eqU/q5zmddjo KAjh01qjARhBy5RdliPekJQ+/6Qqt8qcOYAd9ieMdeCMEDXiGDiqNcE+ljQMmvmvUK122qD9xM9HGk8Wbrhs0mQ6t8+EkLl3fwEd c8APX6fL0RLiBT9tG0UjLM2WhD852nYP/vI2hh36Uaabxgge4XMFFfQncE8cz15nGC1x4FtzgSgfeQWvezUYbB17a0unr7YxMSep OfBjzlGOmQl4FkQaOgoDQwfDpd7N1D7GxCmaD0B0VGbyJhT31EcRE8Au9C7wzzdCF8KXjg9aXoo1DMc0kQ6frlu/+UtE66DxVniY /QgJBD4zojzxzjxGSL5AHYcl76FyI1iFYcwUfMHnHj3ćBLwR/4KUcBIyrCBPRmnfkIX/UnT4PDuJCAZCOHyHeBfxC14nwFsozE/H qvŘRyi7LPFu5MQaQ4Ixhr0i0IFLhJ3wbeTEFMmmRTTnipaB0d0ARorqDmfTqkhXkIaNyy/NauXS03Rp0LBVwcvMfVqqAFTsACBi6 ŘMn38i/mAtPAnTRoHypg5oVWaSI80ZeOdk704I5kcrpDBuF2++GuuucbdHaTHxUTZrrrgKi8PecGRNaKiXKTnft++fT4PBU1I/4I WFqxbpwUqchHt2bPH501w/2KklqhuK1U23EfnC7l4z5d+pt6D962mIL75zW+evcw1l1jZCCKXIjP/fKkYmpoEU2cjiJlv1zRE6Mw qvvvv/65Wj5XZ07T6hqWZQ7Kir5RQ5WNZo6MjErBX+9JofNw33MC3U0rsR1rkUasFDKx6YwXqdddt9MUWzHMh0Jn34KTl22673f3 jTz/9lBTGÉl/0wEIEVsrhF1+zZq1WVr1uixYu8rmRPi29vummm32ugqWi37nvPnufds4e2H9ÅvinTyr9l1qS5m23bWJ201+68870 égmBxwdOaJGXZ+KuvvuKK6frrb/AyVVdXSYkc9YlaVqodP87qm1atĬFviOI+oLJVaiVM5tiwTujDJúljvWR3U0FBvV6690n748A 1Jcl3ex1YIt7R3uHLlplf01+4VP0p+tJUR4nnq9dE72cLdzaCSFE9GCsbQaSIMku3QeuLPWq6lHiZsP7bv/0b26T9GXL2+Iq94xK OWOJY2qzMWaT9GkwsM6F86623+jLpXbt2+wiBPRVbteIOYcyyVgT1gNwyz8vy/sQnPuGLIbZt2+pLi1nifNPNN7vFz3JmYDJ5zUQqS6FH9D2XBq1eY0IZIxC3Dp/33bDhWs/DqISFDc8//5yvysKi52Nf3d1dvt8AVxPW/UMPfV8jmivFJaMqa6cvK29TPKMZFp/Qvu1 tyXMixLQ0UysYUYpPPPGEKwCW4e7atdNHINdvul7fmhk2lnF+Qt+OYQUcYbP2ZqFkWBV1vnAp2/itNoLIFESK24KxMgWRIsos3Qa t3y4KAoHLCÓLP/vS/+34bhPyjjz7qI4gPfuhDbomz0uaaa671UQLLNVnxxmqvx5QOy3rxkqVaPrtNCuZ627F9uw2PDGs/yTpfYok Cu0eee/xrjq/rm/C4Yq5YfYVGJebuJdbrs+S4V8qA1U0IdJZAr1u/zlfk4PNn/87KVSvt4IGDPrJk1R/upFYtZWWUsuHaDT6CYOS AAjsht9NXv/qPWq20wG7U5jhGRKxiGhwa9L0XJ0+clEBnn025vbzlJXcdbdy4yVfYse/n8ccf8/kUYFPevt5k4xurc9joeP0NN7r LChZEmVypfRWxIou4QuFS8lamIAq1ygzG08CXgtDBWJmCmMHGLAAqaP12URDUFyH+7LPP+iYrhDT7YuR8d/89AhTh/a53vUtCs9I ne/HLExDe3PND0UQ877gHNhZ7TCKzhJqNkDHnwPv4kT8dT7703AXpRqR4In/kAxf3LLdk+Sp7dlhC/Kr23tz8jnc4jEhDujYJ/Rf kNuPTwelln1EProxC2MDJCKamptqVHX0v4ESdqD+uMfZQsaT0fAH86bmP86WfqffgvRRyi/LPFu5sBJHijmCsTEGkiDJLt0HrqSo IhAZCgA4JrMkG0rJ6hjZ0C9rJ5p9q0vBSVoQiPuq0ICQ0YVtRUe7KAXdPumzkTT+nywCcNLz0u/R9KJZCcNJpC90H7YABXujILxm RNJOLOR9Onsgnj9LkxwiCdCiFCNAFGMy1ONa8C7pFmnzXKCdpp1PffLAnigNvKCbaEPyzsfckXxnAPRnlBB9A1+DFfLAwIOiXtEc 2SZ2iUDQwDZtm1FSSWbkNvFMVltMpVDAWuN9MdUYAcSQMvnGYfrKB+ka42MJjpvFSfjZ2YqWzSmmigEC42Pw1Xb6mjZkX4eyjN1s bI1yZs1k3dp7dRG0zE++iH0+kjMGDcmC12nPPPeeK0R9uY0AyZEVapiBSFAqGzhREiiizdBu0nqrQwuLmKBWYHaZ/ÓwYU0sékf0A DH7CVK1cWJMFkhUdBAFN8Md02ZhL8wQcf9ElzRoxvpsDIYc0GDToP7D3jLr3ZLP9k2xhD4TXNUT399NM+J5avTJSdhRS40++9995 smWsQKRg6UxBBkdm7Bq2nqiCY8H3kkUdcQbzZhMdMUTUUxJ133ulHmBSCO1nhUSj/VONnoo05cJMVW2+2NsYKR0Fwm0DFGJlPto1 x2bGYgJEZrr18AQVxnU7JvVmr4CZUEEPDo7bzcLsNjrJLM5kwywdw5uPkTxvQ0QAX2YfIyo4BnW1SpnNzmKS7aAHfpVZ+UN+LS2d qCK11ĬIZWmkzW5eKcoD9Lmiusvlo7X7UGfzJheFTnVHXqCOyhXs0bjIz7qFnyOdlAuyyo1dlCA8N2fM8u07LzDR0Qd/YIgnoUl1d a9ZKVVuQ0PRs6wiYmas9+M7tPjHTwTc9c0DEeRcPWVywf/chAYbDir5gPUCMXTjfNN0CuEN2vWbHBaiprfJVU+0Qny1vpInT3ddu eg7tsz+HdvmIr/e5898NaxltSchH78FiBgrcwMtlvMker0RbWLbLK0kobHBmy411HtcprgrY6X8XyvVebVpZUWENRnVl7qw33d0Z LZcXaf1NS12hdct3t3/aK9fjJz+cmRRZwsnWz9pw8+PRzhUcQvQMj9nv/vNt0dXFe0LmAZjNmRAIEproQ4THd8lBFrfdwcXVx8Sa rTBB+s9d9C1NnSrRWQX/m1nn2wQ1NVlU+uY7YP9Rvf/38n1l7b6u009fxDWKq4gsUWKXFpfbBKz9uV9UstxPf/bq1b33JRnI6HHQ srau3db/7X3Rt0Kvi07VqzwJ2AQ+TtfAuAKQvJ3394Db78/v+qx04sf9Css5KWvprfXWD/c5n/oNtWn2jlZeWj0/aTkVBdPZ32Pd ev8/2nNYpsRKuFxKmwlsXAr9Q2jReZEipDuT8zHW/YCuaVtmRjkN236v/Yh39HMk/c4Hlyg3lDfYzyz5hLfd/zbr37BDwcwV2gXb fz3nHnVYxb5Ed/cE3bbDtdMFC0IdKamrtpfoVhRVEd9+wfe6/v26nuy6scQpizV68pSjwS+9eYD93+zyrr5qcVdw72Gv/18P/q9H xCbDwhSrEEimIT6z/jN1Yd7Ud/pv/Zu3bpCAGz7bIgFlcWW03/um/WnljstEKfIS3koIYG0y3LbtfcgVxsj35EFZSy0v3t1ojh1/ /6G/aHRvebZXlVdNSEK29Lfb/vfBXU1IQU+GtmaDauXiL7Ndv/W27ct56292yw7764l9be5++TTLDobakxn57zRfs+Ff/0rp2vpY XemlNnc297S6rXrbaDt379zbQPpGC0Chcy61fW3trYQXBC0Irf7/TTnYM5dFHecswc5EMWS7QupwJ5AiQqVg708V9qfB6uadAa4T w59813z6yqdmqK84+2bIQLQY0gvizp//YTveedhfTmc40eTXBCOLj6z9t62pW2dFv/J21vbLZRuWeOyuIb8o0crj2P/2plda+xUc OB7bZ//PAn9mJ1uMXv4+eRXS6g76MWFFtX/r4b9gNa2+ekRHEt7f+i+06lWwKzEE3wSN+gDA+Js9bEwCc5KvAm+BEfJUWl9kv3PB FW9ksodx+wP7l5X+wjr7EQJok0PMmg+7NFY32+RWftZPqE9173sibp0Tfv5n/ng/7C0Lwd75qg3JHFQyCWVpday8vXFdYQQw0aoP KLn3KsFSfqpRv8eKF/HMQDN8GNS8yrCNuS0uKrHzGfYyXZg4C5YCPuLz88piDG07tduVcIiu8UID5F1Q0WU0NvukwiQPUgMP0X3y w/UN97mIKv/iFuPMYTs+tmW8VozraubPdBjRMHhXcs4IKV1xeYdWLV/g1/e6tNILgSIpjrS22efszdqTloPpEuqape0lLf0PJt6J T8TN8SzvWVzfabdd+y0bq+y9V5cn3R6a6EGFgeMBHmx197W5QFCouLsZRze8UsX9ELh0My0K8NaJNhPB3SWWVfPLlhUB0KR71wHd W6Mecwj04pC90anC7as5ia5RwHhoetBPdxzXf2H8W/CElxltTVVE8JZmGqqjQHER9Ua0VdbTZcHeB0Qj1CUYRJZLlA20tNtzfe1Y 54gH5qikcG5Ex9sNnJpiDGNYhWa/+0f9sS//N/2SN190S+Wf9CqF904cqiLbmGdG8uLfTHtnaZl/+wGKbV3/ma0GZKFQIaiYSL8b KgyjzpRJa4Hda92mNvFZdxHzAkYe+aT37d9qaL/3HKGLe69Hvfd0GTx2zK77w03nf54tk7oH6emcaX5s/uTmMgIeSwEYDjrQDlTq 7uAEnccWmKzRZKlwqWoPXeVp0TvN0qmgXfNs/q0/H7+mwVw502qffMccaqtlglweM6M0Bd7TxT0H0g8XbpHdg1P63fz1qX3zPItu 0MvnW+1QVhHMJvEI7TxD6xYN7/v6/2sĬP3GP1V290o6DQ5Pig3Cq7/vqPbdmnPm+1q9dPAPXCX7HwggUfrGDq6R+x7//ðtP3lj47 a//0zV9jtaxuc50mTW53W7iH74wc02ufvWGDrlhQ2ys5XokEWm2gi2nkgH8l44T9BQoPlFmQMQVf/sD36WpsdaR20kiNPFB5BDOv TjVv/z9+wZZ/9FWu+4bbzlW/G3hfqTD0g+L070u3Hr7bZb9292BYOzrAFIILBWG/3Za6HvvtVKYhdduVX/o8J2/Tgt/70+k8dtzW /9nsTpsv38lIK6kLCI185ZyguEE9PBz4K4tndnfbg/m6fC2ggGRM00UBnA3cOivHHbvXR3/gH3fbrdy2ym1bXTms0YhzoeW76Thy x3X/1x7bo7k9bwzU3uu+8UBsPaMS188//0JZ/7les7sprzwP5wl6n6dzVN2LffbHF/vzhI/Zf/u0qe/fVZ7s605BbOgftD791wH7lvQvt2uXnP848nTfu07inawR09A7bw6+22pHT+ibPsQkUxIi+Gf3Gf/tPtuRjP2sN6zZFWWb9WqiyfeoQW/Z12U92dNgX3rPQmms nNzk62QKDN1MQZscffcB6Du21VZ//yoSk0/aj+6y/5YSt+JlfmzBdvpdB66lal/lgTibuUuKd6REELoxXD3bbtkPd9smb5lhdZf4 RRKH+NBl6XWga+ugfSdj97G3z7Jql1RdFQQyÓnrL9X/sf8q9/x0rWXq0lzYVXTw3JLbnvn//SlUnNirUXWr0J06fp3Cs6YMh+7Zm T9rsfXWo3rCp8hlRHz7D9hRTJZ26Za2sWVk2Io9DLN07pKggM8ae2d9jx9gEb2vdo4RHEqI4waNuz3WoXLrGy2vpCZZvx+EKVZQ6 iW0039p4hW9BQbmWah5jJAN5MQWiLgfz6I3JJVC5YPCF58W00agURy+YuNAStMwVxoZQ7kx4vAb5rhBHGUqH9KIX60xlIM3fHJzA PtPS7+7day58LWfIzh1HeEvEgbqbyhmZfvYYbpRBe5ir6Th6x8qZ5Pg8xk+VI05m2QU4dbR2w5XMrra6q0ASRjr/Qv0qRtgGbV1c 26SXjueVO456ugmAOolOjCEaoj/7gOxMoCAnMPu1Yraiq1ATXzFrruRVMPxeqLG41Fcl9kvjLcafNZABvpiBEX441wF2pj9VMFCa bLh+MoHWmIPJRZ/JxdObErVy4PxTqT5PHMvmU9FHK5P1TXvdCgnryECeRcmxeywWjiIGMKIhXL+HbIha4aC5rJkOazjQKypLJ3lK h4YNOhQLldZopzQTJCmX3+DTu6SoIykM7AvPe7ItyZ+g0QTIFcYYes3kXtM4UxGxS0YE9k8LjQkr7dmtjDhREfpzvwLwLoeFk085 WGO/6uO/paqXJVpROl5KxxpfHzfTwZAICRH1hrIsdgrFYucVSyPTBd7Q5loSbZ0MFy7WESBFxnjrJ4/mSV/E2SZekcQtL5lWVRqd eBnUsMkL28+MdwwlgBzcGMx7BrXAGb/LMX1JSz1otžY26YzGN482BdwZK4KCAAIpnóKaKMfY6iŤ2TFvconxfls6EIEvhs/IRSkJ8 FLh4cUQLKh3RpREm0p+QPSccvZ/DyCmueuqKMwZm/jcmdAsRj3uAYzy6u0o2hH7tL0kBU3NQcB870XMrg0Nzil2lNvT1ncvVHxUw3gAVas2qLY1gQ2l6is9osaAQ23sazpzxTv+RxvIKUlBDR3I/HKXJIe3Lq6+u9rrQxR36cCZGLHKl7f4xnvTlz0541a00v+KM8gZc 7ŘijQt0xtDM1p4/G0aVzjENM3CcKz8I7Bv//++wu7mADBkbsze35MumCF7+NME1K4wDir9IXzTfcNHYglrqEQE6aeLtTz50/jvVg 4o1TQms9Efv1fvqHPPh53zkNZ8aF4ysVvGLqwvHSMERE6UWYvr56BAy+y38HjEr6z0rJSh1WsYf3w0LCE45CvFd9w7bX6n0UttmX Ly/bU08+o0BJiwssqMserzjWkdeucmwRuAnCBX6o4hA4ft6ETIoAJPĆehyM/iSfImim5Qa9QpwxKdM/PZT99je/fts3u/9R0lT4Q nh50xkUzbU1+C84KnEGzhIT9x1JW06C4e0YR6ec9Wx+I9eIHD5z75EBDp6Uf//nd+W1+A02IPfu/7/sl00vFBnQEJE2gKXupI52e Z7qjcFJQveBK3Bf/8Y0NKlQh70iQ90jm/DPzFqsuA4+XTnx+++0P6GtsCu++++++2ovhMNPBQGbZzQNGlnb20VAxyUP93G7H0gPQh /7AoZWlJueJh6q4J036ij86fe80x7siT1TIC+C0KEXvE0GoV8BGap6vCVf/dl03jokD3+5JN2Ql/Voy2hMTxKen6K8GenmfLRnqQ ZRLCP8d4Z30Ip398hHoTPCF6WBDcw+0DS++680z/m9L2HfmDH9LU/4Hg/Ur1BSTovg0pE+9LW4CT0ZmedaaYMZdrPUadviBdJw47 SKfMFPtYB4GB4r1y+hDMY58Qcq1y6AWYQRV5QgZcrv0I0yZt5GpHgImBxBMOMM9I04E4mK7hhDj4V+Wd/+f9aiz5NCfNwlomZdKj eiDYTiZXEw0Y8gGCGyWAuF3oS/jA3who4dL4hŌleKycuUBsFBBxqŠkB3Q6jhoe400FP7A++5SR3rKnnjqaS8um7KLRsWsvgCBjVY jrkzA61wu3KFgŏBGbxRDcTkG9oбwevAPpAzPsaZGwQDgg/KHvihXL7Rd//úds+46d9s//8q+eXNXV0RDF1jXQow5fpbormk7i68o Ť/z6wEWQuSOjĬwqd+YA5pUymCnMB7Fxp6pJ496kMoLmĎ9wf/+e7Zfn/T8xje/ZR2dnarriEYzlfpedJs6ZK0NjyI8EnzAoIMjYKB vCDDqHbzCNQICvFxCOXqX4462QFB/+p5P6h0my+wv/sdf2amWFodZWa621Kat0ZKypI0lD+nntJ038VhbUocoP8oZGtDW423sdEr 2DpEfJYLVzqFvt7zjJrv7qx9QudhoS03MWvbtss0vPWXFa3s1uf5exTQ4vZIvz2GcJZREyCfCl5rlBEVAByiezHecnQIBjtJ6fvM L9t0Hv++HfyIU3UhQ+cvKMDoSuN6uwlVCvVR2eAW6Jq15Bi8YaANomryU4BWt4G+eS4QPWv3e7/4vbnz88MeP2pGjx7ztUPwodyz 9Mk1KeGnFP9CEfMG3KPWQB2cwax5DdIUX4DfyUndvK/hbMKtlZHzsox+2pYuX2Fe/9nU7cbLF0zte9Q+Cb8QVXeBXYHF0lBtUgqV dQvmT1nlJBsSihfP0ryAoDA0F4IsRIBAEoxIELJ2LES4V3qgbHRoaX0xag5v0jCHQ26erysD05N5D0+zIgaeteNVynbW0QXFlbuH hmoEfPPql1XkjPnk79jfpBEnSsXx6qxCql0CCaTlBt7sn2dXZe3S/te14ĬlpX6lvKNfqUpU6opHPU60Aw8owH4RqHlhdvkjLwcqU kCAU6ea0+8Uxn70zSrnEFzqXp2PyQnVoxrBM4b9NEZp23RWNDo+fxRPxJ4x179ndJNcduJTj4N5aWVwTatrGhzq1T6ktnH9Jqsc6 tT9qRkZ22a00HbHiwXvlK3AWGu2Ć8lm0VTS5jDwlYerMH+Jf6RRkdr/4gSGpr9YlTtSunI6ĆwE049B97QiPEFK9W3pxuq1ikfKwP 1FTS5/cbbeAwHKBCGjgocZ4Wk8rnvGMVUarNrTU2VhKB0Eh1b6LL1UKtt3rXdPjX3CRuZ/0kbsibnecrPD9xcE4MiGXm5UEM4jtW P5+IyCTZp8oaqehfuÚŠQUQWK0mL7U12nHTp627kFGC9rIphVD0BQ6LWxUmcbgRV4hdvqd/cxTUiYUR7/6SInkIXSlnFjafdpsijH CaK25scFHAqdb261VS1qZZWIYDY110cjwadTpA6zwohxJG/nfPHjH6Cwc8Ap9k3IzSqF+9J1BKSugoFwb6sVbiu/r1+qpUzrVVYY Go2tsF5QIZ6bVV2kgQJŎJSb0N3acfkijyPPHEY5evgqCyMESmIJÍGm42/MDgKwq0bMTwdAabavXuH7dj2HVu/TmctNb5XzF3l7eA WnfJER3UrBsGBhSuG0qvxAB+0FCUWS0WpdvHqXzrEERnkYYRB2LfvoL5T/LRdveINq5v3KRu2eS48sMwc5xgfozTAjaAgnnpQdgJ 4R6VLRnS8eFWZjlRQ2dIBQami6j0dJ8F7QkLk6ScetzXLXrC5Sz6l/EscUKVcXgnA5AK+BG/iQjqDm/eqoQTAwHC/4+XcqNwwouM WgIcSIH13T5+9uPknNtj9Pdtw/edsaHSR6lLiQhphkNRK6VVgBBB5KEMSxurs8DQCHR30Y6WxDHMDR0wgEZLViLTxs03avs327nj Qrrx6oVXW3yEhVCGlXZUIa6WGRpQ160xC0U8bD6uNEeaF2lggVCcs5aRcPVLMXfoWQflot5VV1MnqrnQBCP0AK3FRJoqN72uXSrl QFNwvXCvkCvR2132+kFYQjC6lE8Tjyeh8SG0PfYAD/0FPLHiMUWDiGqMM7koVq4SRipsUGPB/qdKnA3w91hIOL9qYOvfKAEAxMiL z+im/u4lkyePGZSQGXtqDQpE2RmbqpmykoUzj7UrhFSi7I/YH3QKDCPE7Cos+BY8D2+effHTEiLw8wafU4GZETr3ARz2ZvwEffep 7Dz4w00VBBn4XI1AwKsUPIm0KYvaoHqqCK8LD/fq6P9nRZa2n99lSbX8prlomr4f81WI80p8HtcsYnzojJ0oCY02fxxsJYf3jEcs OHQ+cYGiYGCFAaOnq1Q70FltZcdBKatdIUGvEwr8xkPADZR2HpfhEWESaJ0FokXhICqK8RP7tlIIYFx7CBRwsW0KnDs3ZdbLdlpf ttMraK3SuD5Z8goUaK2lSt8DP0/0ITjvhcAtbcUMS1NS3RErg7CBLUGv2SYdigmaMnvafbrfy3h02t3m58DZ6f0Qbr+8YPlwnodR CqHk5Ha/cWGpDXCW5gclTxFi6jY+1dVpn215bUq/yqI01VvdKJtVS3cYq7c/UX+VWpNcXnNCVq3qqX89pY+VHGYf4RMkTsMIHJTi pC0KvRPGjCVKHQ71wjXjdsfildPnn7aUyoGi8zq7t3D+kQ7EQEp97MmldrHxwjo+y9M7bzduCulL1ZM4F5eD4xupK0sl6jQbaRHt 9e0HfduDsI4wU8iqngMaCDK4xVvavML6cx3q0DniV42a4xzWFYeb1JE4BmsKiBPDiPG3v7dBfCXa5e2vKalwZn8GbpCU9qi2pU4l cRrhTxQfCR1wi8JNjPsLII4+Qu0KibXGtUT8UMWXkLKyH5J477xwEhckUhJNzVv9cChcTzAMT0205gkiYfUCCjE8+lohhqnSwGVY YViKdB6sMnqATw2wDsgixdJhkpPNGBzwfsRgm01Ng8XÁ/MFnb1d0l5TGgYTPHDiTWMnARcggUzrtB2GDtESo0rKcck8WbGB5JBwy 8g6oTnzEdGtSZRWU6l0rwUFp+vo0sPYQatPAOLqFHKJ0PHev075V+MoZMWkEgDIZEwy7tNert6VLd5MaTr95p0lZHa0TCwa0+CU4 JPKY1bkDJvYAbqkI/OnqEM3dJDPQd9hNvERQSri40zHpkZba1dwgvfnThljsIXsCKpFFG5b7BTeRGg8rpLj4Bp86UEbzQY6KQtDF ySiMq4SAqyHBzEaiLKx7KL14kINR75IJj7iQWFoAPxVHpcxlJOngwEZSezf/wDC9TRq78MEBwJ7piGYNPecDHoqiv1xkQ59yBjaP qf7zzMRfg6xdcbQ3FdVZTVe10IIPTXLiBS39wuog21CNkJyNzcDFCgnZRnnMQpiIY8Tyz/3k/AbapqtE2zFnnfIly8fqPpYWGTDJ7P5ZiAC90h0aJEkoS0p60c0K7FCLdJvTSwiQpuF4ds3S874Q9/+gzmYIIMkEg0h6MSJhMh4+8M3G91AoCZoo0h0ChPCKJ+zz9oLe xSkInhttunalT9PT2uA+U1wq9mF/RBUN04qA1z+PCQ3gHhNetY4SQBEKUCYAopW7cExL0PuksK47JSMpShethAsRpvElnSFYvAbd vYMjaO7u9k/Dsq7jGRhc8q/voxNA+LyeKiY4LPgRRlcpIxysUovzgjIlyBB6Cl/q0dnQ7rcEJz/kGxTH6YdWVaNIeIU4dWQlUW1s j+iRfxZvoK4RBCmWTgkuMAOicWLHyz3fLCOhK/NooWdoujGHQlxWFUixKyqcOiZWpNpbwLtTE6fqGAiUu2hgjqDkvgrez8PoHpEQ Ĺ2g/XCKuIcOWwRBZmÕuiCkIn+np5ú76esOuMX+IDHfbofÚ/dhwR8cSvo0MBadpAP0oC2UNW/wdpNFfrKixdĺ8zfrwĎiuvsW90CKX AdBiJtwNB7TTWCHJgArwYW9A8Xf50AVBMGAQnWk963WtlqNXA920GUZnyo3BI531XV8pK4tNtHRpzJLTEqEri/ZVeo9zLvN9EpWk HjCHMNQxAeA1X6eM/ejhTECKbhzRjEfF2UxDUF8aGDjAIjJLOpcRSEz+eE0jLD2b3AH8qwHDceocXzAh0hujECA/S8Ry05hmhmQT SĴjAiPlfwnRPG0FPmpĎy4cdT5xhKm8YZi4lXgBSdHyŚtzkkOlXdkIADCS3xm8dCQXNLxQtNcXOihf2hUbeAFKudIKwoWIFAATmOC PtNTZYQdeucucEMrvdUsS0F6esRB58NEB5RkLwCeQJkaJ422sePI5Xmo3ni+54W+gCRg8BwXGk/MyJ0Q9wBuWPHGhIBitIbD12o8 HwXOdhkfa8XoKdjxDc+I7uyX8hqCQXCIa7VVoRZLPFaXSRhtDGo2DfDREHEhRKml65hTfH13qp144X0pYUxaMqZ7efk1465htWfI Nmvwlnh8hDL1RWfKcTcWS0N6EcvYHlYP654Y0HN5R51Cy8C0Ks1sr+3Bv1VezTDjBC1185ZWuuBF7NFHtc3zQWGUsZTu3ENM/fC6 H8jpyURH+0kgdfikbM3Sc1iLeA/fflykIp5P+Q0RgL0JCeMT72b4GY2FdRueebZzU0Vd4oBy65JPv6k3W5lMG0jGHwUWAucjrHc1 5TwJKHYI4rEwsXYbUdFwEF9ZgD0XpBKTLpyC6+wfdsqXzJ/2nyI+xdlEnpAlTJx3HH/QCvC4uKLfcNcMSPoxicAFheYfADrz52rh PVllbV2Jle91Uv9pKrShDyQTŠqDzXYgQyCshLpvr2qIPiiy/2kQV1DRdCCA6y5bYxyqFN8y5DCEy9B1elBB5Cz9F6RxYt/CUJ9H+ sztBwW0XuYX+B3mNtwze4+xAmqZd0uW1MWWhnnxAdr+C5FeVV0pZyRDmBMdZ1fht/PI/+RBtzpSyhILrFW21d/VJQKr0+qZB8cCo ZzUWZIQR4qQV05pMIxPWJ1sh6zY1bmVZcJQsWknYqv9NlzB0Aquqf0TuN/rBhaD0+m+1wBctdeNAB4KkAz7iBoDjeATNx [6lcAsQ qNOhXzShGo6kIpMMI8HqoLdp7tHCgJBHo4wpCid2gEAFy8Xr7KV8E3vseG6WEt3D99mk0Rb9ik+l4GYU32hgFQd/V9LbThlVW3gc EDCUS7j1lERHlcpIC8WXoog2jcWjMO1Z0fee+TEFEW5zFWES+XRUEVmWr3C09Pcm+AbpIuZRWaYm4RpwTygsGYoiNa6RMH4eBgUn LKo6ubgk9WU/lYtYSMSguiQoj7BAWXPMpiA51PFwuvvxQ0ICPwAQvnRrc4xaVGLqyutInZuFqhF1HZ5vwMuzXTytyklQulAUhV3g QF23cJYsQFx0dHlwotHJNjoKfydQQXMmoSvMy1cmGPuIxwDp7WuUakwDSbGax11XLRXF/j0EFFyFXQQzIIjyl5ZDAxaKng6LUigÜ 06Aw0XA1cfc5B9A4ZMqCPvnRpJVSxhCAKqbxĆtFZ9EQhRZmgdwmN8BDEWF6t7ijSZj7BgŤgSpxQe5+JBNuŚxP6IALiPL0DWhKWu9 ZrgnLuDDxyukPopYPeVGHaONo81AQ/QO9ErDiLbk6mNdRtTwfrpCkzEAWDuohnOQfF+F6xcQ+ARWCdUx+6EwgP+nDCEBB9A4LxmC 38zD7BdJ01R3p18R9rpFG/Bm+Y2URCitp1xRUl1Cy4MN3wa2yt3b2u4Kok1sw2hNcUT7u14CDdnNhHpG61tQJUTfvd0JEGcdeOC2 YowNGkVbPseiiSC4i8AbdeQcfdI0t7YY2lIll30Wa/6qpYpkzdVHNlJbVTd/5TqYgnCBBlHTDhfAYTzDLN7nCY5bR0fhgGq5p4YG gwLqlE8KYflKoD0VTpRrrV7yPTkenwTryzXKCSUdxSzqVZpzR87iYwJus7U46RCJAkCAJssgbpUjjdqbm62KScQgM1otHuSIdafK iceJiGnNPKbdPSKvMLv0DGdc8dUZ4MWczzIobJWGC0zlaijKQPbeNUUjQapj66T+C2ecCAhGZKEeq/mfgURfNh9B0KCbv7CgGMiW dn2u+No54rklIMoUgpt2TyurqtyjoRPhCgtRbzx5xASspciJUwU/eEFS9UjI90oUW5VujEQR1PicofZ5YJ8PJNo0gUGRKgRKu0oa /Su2JoLxRxmhjhGDŤmIKokmLFmÍmQywsRz3VCBYHgb+90pUmfqdHX4sBLnŚlFsoqJB6XŤHE9tpeZSMBZIoDAR3lwFQdpQŤOTt1EK K1tbTqneVVWtPEnxXpFVVlSpDaVHiQgsFUVo0ZHVKE4oJWCgbRj/Qh0CZt0b0GmsFQ8ZUBNIysX///d/NXExpogRjEfd2VhDtPQN u/bDJp0YM3lzHRCyW/Bi14HXdw/PsNOCwJ0yva0XpkoWI4G01BZ0Y3yZClxCd0N8Iokub9U62Jy6TMs3+NdeymU7W7ZgEcrRjeIV ZVm4yISh+9mW47VqeS5mFxSdzsWTjG0zAm6+NmaQ+2d7r8xDgmFtfrslnr0qolYowhpeYoRF1TKxf3csG8xETli2jACaRGba7cqM kKRi5CgLhfqq9Rz5jrD/TJqpyq9f06nQe6kIokoJmcjoIDfYBlRsXEzVm5IAATEYgZ/DS2XNHEA5wlv+Ec0NKfUJBdIq32jqTYzc QnpK3HryW+pPQOaGtj0zlzotK407s6mXOJjE+RqQYq7TprKo8aHTuCGJAo6tRnQpQKfqk+zTlghe45gZ4PQQr7yIt98xPdPcxooM tkzmJmAvgmtYQHbLka1Q+X601xgfAwojilxvAmTuCoJ+Qh5Hs6ZOHbceOXVI4Gh3X1NuQRgQVNXNs7uKlmgsRNKXDxdTdh4tpWMp L+4DGCAwMRgV9WmKcjIASHhnSSK5eI2LmUyKQFp757nczBRE0GWeCaLg0M40nmsWbX0Exi6jGQQcjcKW+MBNWLXMQpzq0ckRCGMu iRvMPw3Q0YvQe4c0Ha5j7wlcvlvd/WLI6u8F0d7N1n3kJlsMW2Rydu1MtSw88IajzKQgY+0SHhIcEQLlcSwg73EQgxuWBa2MAuEK

TxovVzb4DygxeJfW0VicBVKdJRDp04M2nIFgZckKKiclTjhnB+quWu6ZEiDgXv1xxXBFD4C2WA5z1/8XCCe5unZ/fKasY3NWiFQq xkU+AKn1a20e2Me6CVvnj0y00yYNLp1J4VVz/+eS/7rGYeYcwHNKqJmCimGiDDn13oE/zHxWiL2WZW4drBosW7MC5vBREryZ0280 ftCW8pOp5WRGu0A+ioQAq5G6rluAv9WVCiSLmHSuaEj6idskcESNVrH6EN++ijeGDQfGjDWv5Mi44jI2xQDr6OtcICVyE/hkXHe8 CJjTl1yEFAU6ywqeVahs9el362aSmukhSiy80X6DRTa6CCNyBN3DkUxChxEZliLW0HLA9uw55XZvnzNFRGEt9ot73WshYAq5PUstwKBaf1MilllYQKAaWicN3BMqsxbfq31KeuQpCo437MwXhdPI/wQSZgtAks/yoWBveUUSdxBefKAd6RZxJA4Pht0yWPepBgU7P98P p5Agqns0XHR0MWudTEH1iyl51MFw0SQcUrjELiHaJ1VLJmvKkI1ekXEk9wosiQYHI0BdezZHol8Ybwo0yhsDoF94+dRzsVmoR0Em D/538KrILF0ZHm0x0hQoBFFAe/RLWBL1S2WXRS6lQB/JGyFUQCH7mP4oArkC9SU98lAP81BdDm3ZqcjJgsiII3IxcoDVQUCLgjTp A68tpBMFIC1dHMr+0zG2o0i5dKSsV97ZXXZJdxaqLiJr4+s327HxDvaWcNZqqqGlU3eTn156E+fqwGXV092MUxMCIhP1In4+wAoz Ae4Cnor9HHNdx/34qEr4hgKNHS62hNQsDwp3oL/XnzCR1ieamBtzFĺCxHjhQJH+XDC+xot0gdCoI2Z7ky/ZJRefBupIs2jklqFBP LWYNXKC9LtNnjkB5BjBRzKJ+WWEshR3CeuRAFkeuTC0CzcY0GhjBULpcQs4ETmIE3Gu5i4Y365AqPiJ/NqzM3vcylAAAw4ElEQVS CBCNXF3hiUAQ6k6dY077WWtI20myUhXYhT4SkfzMMllWmfB2dHb6ahw7JMJz0pGFlUXTifAoCvP36IYSxKN0SCy56IjQJqZmRC8H h6+3pltPu1kp0Bk2sQIR1aQpvPgÚxKF4DN1VKu8McOPDHbs7g1Z0iiUelsMm0uicrWpLUg/IP19QkZ0kFnNw2xsU04HMxj15ww52 xRBMo/E2sbAoHfuqYoV/KpU+z4+zJiDah/Zjwxd0UcSE8oo0j/2xeoUe4RyhHuJi6ZH23a8UYwlvV9ZEWI7TxRlWh4BFvU9VVYMb rDMwtzz6hlW7dduj112ze0mWu2Fevv8bWX7PJDRrSRBszIOnXHIQN9riwpP7AjRDCN565kt9HI6l0AdPLJHD9vSekWDQKknHiLiG l7R+QW7FEnxaVQnchr9Eco0NGnLi30oI/Fy/wCcBKpyMOGhIozvBQhxRiV7KYQbgJ/UNsIpTLSSMA4IzPQWgVEy4mL5/SgYFFCV1dXf5AXZyjdIXvhjUarpFbtVwjdvo7ZbzvQlYxpQlLwWYrUMnQ7FxziRbli0tMlS0YAHjgBX4Ql7jAF1fiZiqA01Yr5IMZNJgN30B 1xlJ9CQgYLB/cHhUaOrPeGouZAH46xXgX0w2L9ZiH8M1OWNuDOqrj6CE7fvygziTS9x60qqJCQ9258xdaI596RGkIR3QSYNIHYVb 3T3drVY4wcLgYE5gwNvj8ZFYkSgRFDqqTkg945bKE9sm6ZJVMb1ur1c1dqJVFvTZnwUJbuGi5d7zAGyDCUuR8oFb5xRl9NAovJ24 SSE+aRNG5qnMacO4RdOKfxIKdPnHCWuQf1njJejp7rLqe7z4M2boNNzte6ggsaI0AgAbEoZiOnda6fúm5Bh2kNm7FqW50WqeL8pG WICprdJH4zaFRn1aknDh2UH7lHvV+zYGIctV1tbZk+WqttDozQRlt7G03BssBzuKffLSmLbvEV6zugX4UhVVSFbJ2g0Zc2cVeU4n 1qzqLt5KJe/GaFOozTz7uk7PHd++0hjkLtEppyNZcs97Wr99wFm9RNVwpveJHNjnCSUwoQ9PAFTyYS4bobxFPXRDU5JPclxXeqd3vcltJ80M+oqAlHCcjf35slINr27Sar1g8Wldb064ggRXyLQ2fe/DyS4eQCxhLg6oHAh5+5IA+YJXoCA6UAnN/itB94toaUj/AcKi WkiCQlk2K3V3iFdGVZ444wfXmgbqpcsxl4TZzBfGd831jlBMExagUMjRZAm32/zKMwvKJzUU0TgRvqNRzxM/EFbzUNY46vxh4YRi Gq1wZvubSGqY0oTITdQwYQUfqY92GIIE5+BEY3sf5P6T3DjYGAJ9vYvHQ9RXEdMBoP33K2rTaY\RWdJk6UIVcAHU6GbVG3zZPwwp aU18YFqsbJlZfVoBhqem3wot1xUR5IjAd7xmW8HSnjh3WpK0mfWXRV7IvQHnqG5ussXGuOs4ZoR+0pqzQnCWCWPLA1n/hTQBTJur rCoIXCqwZP4v1FN/Z3mYdUkr9mgDsF/5qCYRy8dGiJSu805Ev2ph7+JpnhD0+YUllkCZ1JYFu0wrCo4LWwifKqJwjfkRHu45qZ+JxUEeUUN8aKac5UsZl2kQW7csV5UCb5vIWsGcrgDe3jZlnYF0iU1N/fCSh+kb1oTykRmnQZNBovD2U+MiBfV432qZcfKWPUjuP1dc 3nUmnd7QxdHZ3EAAV4BnnX5ApuJAce+cRY38Snk7HJ03n5VBWXH60H5Y2cUCnvQjgBW7IruChNMxCeIEVdXVg+kPaCChV2pA0KE2 MMngz6sSVjXBMlHPFqEornITX1dccILg4ZkX8HAhSV3D94KGHCq9iomAIDbQkgPldrAATM0SmDEGQ2cYduGIYGgLyYuBFUAVjgTf NFIE/l3EifrrXoHVuG6fLUAh3vnjysdoG/7FunZlJx/yBW4K6JwRe7oPWaZzEnxPIK6D58JLWaed4xavg1A+cCHUC8EkTyx2pM3H nwwscTwNMh3T2H4cjWHRYJXTcCI0464m86TYex0tXTXrr20DzPOWrcwJHdZDqTMonIThW33T6oDVpvH0xArSmPxHG25iHvdRZhIb WqJKgOvfJ5rbkHW1M4BKGB3WkvmFh00/QJmMhTZeIu9Cr0zqdiQKk2phX4E3TekbwAni8Lgl1Am7QmrIFrUke77kn5JY9932SKvn 7HUYQ8p+OonlyA4BgaiyPixnASwNfCrwQdjYs9YnoN5n6RqNO1JgT4Sj0LnCHBVIo3UzHB95L0cbw1tulvrRb0PpS1Jn+lE+2UK6 Z5mVgEggveI03eL4YIegcCvFi4Y26pWXmT0H2Za6nTp0axXrNF0A0Ww2ZD1/EZXiDEskVS4TRXKF20jv1hT1ltL4wek019aWiM+W 9VLjz4UWQIVMKKY6p0jedLx/e9PvZur9UeKnPb0D2EQQKolY+07SPbLYImMGdGgUYyXVr5UZdXfKls0uhtKdW8ixXRoGzKRDLQLH wMz4+mzaX2903v/1tK8oUx0XWL0eWJxREfT2TvMlk2LmpspiMApc/BTIFcfm3UZRwQqXBkIUVAPjU0PbJhNiZSS7exzAxbQlwzzt COj6QZtcLp8D5FAT0Jg1tRFuFEsEXG+1GW0V8ugTTaaNYJQJ0Jn5jxQTx/BiZ5gbKCs7p4A2Y1A08wAJu+J6pJ7/AMZM4A3d2nRo FJqsgaEt40r2f142RNs3Hz+k0k7kHDjxEucAV/SR4KmAED8Vz+hp8lo4rdA/P4mYLeFxj3oJ31JsyTAQzTZuZoEGhsk6oIGicJ55 4wq655hqbP3++uzgAdOTIEWtoaPAKIACoFCsGSE/FiU0xUMlYLVKoAFn85CgAbXExFRpB8J520WjQrr76aqc9bcG8xeHDh739aJc Q4FzJQxvBnBMx40QlBPauXbu8ndeuXetLGoG5f/9+0336tF1//fXe+VjqCFPDK3QImJq4qeKlTMBhKfKrr75qy5cv9y/gUSfmaXD FhXKifnT+MHQmqk/2bvYpMFkFQdu+8cYbtnHjRi8UQhz+QaYAg/anrafDQwCmn+zdu9f3FwB7xYoVzqs10ui0d/QVcIE/LYwximK VJ/eTLQdwDh48aGlanrx06VLtFzpuV111le0ij9CPly1b5oYeeMFPvcGFnKVMyIKjR48afY734J+NUFBBUIlDhw55R0cZUEAKRqd DKCxevNg7J/F0SqhLq1JY0mLE3XDDDWcRdTYq8XaACT0nUhDQfuvWrS6U16xZ48xDW5EPhrviiiu8bbinfZqamuyENnfBWLfddps riqnQkY712muveX6MiNbWVscDXhQFDA2PENjgQxoUB3V5//vf73wz2Y6VWz74ER6FH+LIdF7qHHTauX0nP9PZK0c73/l07YdozAW TPV9kCkxWQcAvmzdvtve85z06g6jFXn75ZecXhOru3budnz72sY9NWzgilOk7COCVK1favn37nJeQZZSB0N698sor3o/4FC/9h3r wHkWCEoPXJxPIh+Jj9z38evLkSYeBUY2spQ/RX7miRLiHz4FPmVAozc3NrsToOxjws8XXBRUEAufFF1/0Tk5HpKCbNm3y+lNYCkQ F6PxLlixxKw5CQjq6I/FUCAWBoMjC9ChwPqXR2dnp7YWQJC0MtGjRIheWMPzChQu9vbCsqzFRFAjrW2+9dcptxEiB9oZxKQNtDlz KQcehM8ybN08nU07wMlGu7du30z7wkmY6CmLbtm1eH+oBH6IM4Et4lq69YMECN2bof0vXr590J55ea2W5J6LAhSiIZ5991m655Ra 3uMmHXGLkiQGLoLz77rtdaUyE73zv4BWENDwETIwmRqTE8UNAh8GMYYw8q49RKhjG8Pt111036RWG1IP+QD3AR3+kD+AdINCXkKX wNvekC+WFhwDDDQWAkmEEhXKKv0er64W+L6ggYggDQY4d0+YEQknQAakgPwiFMKKCCAEKS4fHSkVY8MzQiUp0VQhcaIXequnPpyA QgAw5sUBgIKwiGB8BeeDAAW8fGJl3CG8YnI6ABcSIg7ipBHiDEQR4gYmlB7PSceAP4C0w586d68+kY3gNT+AK4zrVQB2xJ0foVEu sÕoQHHRvehSfBDXx4mA6GkpytofhU6/B2zIfsQB7QFhPJBdoTJQ9vYngif7iHp+F1fh/84AdnREEgsxiJYviCA2WBgQUfwU+Mf0l j4MZApi+F9Y/sY1QzWUOYvoxioJ/QN1BCwAI+OOmjGDvUF4OLNFyJBxe8DE8TT1mRs5RrNkJBBcGQnVEABeDKj8aMBuV9biAtgbQ E0hIXeTwy+zMlCpxPQUR7BXCeg+6596SJd9FGke9Cr7Q1gjrgpWFzn+aTdBreTUc5B0zgtXj0x40Bl2vckz4Ll4YCk1UQtG26fa0 0CMjXX3/dFQ0jwskK5sife4VH+YEL/gieTd+TJ3iH9+l33F+InAt85Is6cs+PEPD9YexPukzpe04Df278TDwXVBAzATyDMXMUQEF gJTPcDCE4c9DzQ4LxGAlcLHz5S5HFvtUogEWOUTFVwc7IGMGK0MSSD8FaiE68Z7SCQXK+tIVgvF3jXUFoiJNtlLvM0QAFgauIYfD FYnIUw8033+yd8DInT1a8NxEFcEviGgxLeraLjmJgHgH3zHRHrbNd1ssNvh/3rQYbxTK9WILnciPCm6E8WFx79uzxiasYbs52uVE Q+Hjxf2Yho8BMUAAZg5HDiiQmfi8GLzNSYRIZv/5URyOzUfc3Gwz6/wMPPJDspM4UxOXdfAypmcQiXIxOBR46M8ohs7qgRhZmggL wFJPPjIqvVkDQ4YpCOWRG80SpDt38LCb5tkens9wwH8oQYukGIW5Ec9vikbHje20i05mcIb5Q4POVyu55+UIYqWcqRD6eeZfGOUI +peFjGx0AB9xZwT8GkwMP+MQT+LzjhQTKz48P4Pi/C8vuPlssrsyavxCqZ2kvRwqEcsgE9uXY0meX6d577020+w4FgRAPAZu+j2zp0NLxnI6Le4QZDIAWioBobekc0sfgtYtWnxjkoyH+zWIJTj63GBIc2UnacRmqm0On+vWFKb6hVaTvpyYfu0jSR+L59jEfhx9WOXr 6R6ypRh/ISAnvkx36ml0VvpksfEQDFxkf0PSYuk+w8m5AHwRp7RrSB+A5tiJJRb6jrf02R3HAS2L94nDj0YFydnxLpza6qbzz6su sSvXnQyMXEnAxZQriQiiWpb1cKQAfIzsmqyCQKbkhZFRuPCNtQlru5KbJfQ74+WB05l3AS+efKF+k5zpR0t7xC7jp+3Qcc0KZ+0I hcPGe90nndJ6IJ803v/nNREEwBG0VDG4M1hwjkHhmjXms0iAN2p93rLsFAGvNec8qAQBzz1piNtmxBI0Gw33l64tLyu3FvVqbLtm 4oLHcth7qtsW6Hmjpt43La9zCBiZCHsHeIMHP91xL1OHHW7UHo1krap0XBVCmuAp9nP3oaX0aU4J3cV057TvZZ9curXEFVK5PRvb 0 D9 u2 wz 1 wX1 lqS + e UW3 NtmT5B0GoHpWyaavUdV5UXhbWwscy6pVzae/SREcGs1k86S8pgwJULwpy0c5S/Vx + ILyvlU4JD1qxyDvC1 wyby0c5S/Vx y0c5S/Wyby0c5S/WyhepUJuErmyiopuz4dqHKeaB+0uVIKrx/p8TLv0NprH9nU7Ioi3Sjnu88UxPkolL1/s1AgV0EgN+IXdeBZ3cn7HUepxAY19gbEngN cn6xoQmaEQmBugy/tXXfdxvE4ZFC4SYFLiCv3zz/3nG3QHAVyCqVFX+M9MNmYxj4D3vFMPD/gIfvYKMrmU+RhrJRCRh7UgpJmyU7 2/bjSIo9gU17gŘHn4GiBffkPmRpmoD4G9ZMAiP7jYk4EcBReýmPh92gTLfgrkNHAjL3VIP5MW3OwdYTDQqHLxOVb2dICbfRghY1h E0NPTbfPmzrPHHn88URAAhrgUIDZkxLEMuDUAygYnAvcrV67ÓtBxnwFJIdtOySgBkKBY2f3CmCQqDdc/riq2zxuZ59uwufX9XbXR Mlnh1RYktbaqw/S19fj0uK5vPDBL30r4uu2pRtYSyPvcoQbvzRK/VKf2prkEJ8RIX0Asayu1Y24A+tF3sima3FES7BPe1S6utWVb+a1I0fRphYLXj3tm0otZ0a1Rw4HS/C2vGACiaI4KBMJ8rXMelmPqkBK5ZUmNdUjDbJdhRWPPqy62zV2cbSSFUSEGgvMqUh/IsUXl 3q3wol1VzK+35vZ22VMoM91aNynxI+EiP4qFMH72+2Sj7hYRovMzFdCFUy9JejhTIVRAIwc0HD2luos8/lVklgcwnM3v1PXGUATv

vTxw/Yddpx3CnhCT7IEgzZ06zbzijn7HpslpyilU3a3Q+ESIWgVgvQdgjGXT1uqslhwZst84Nq2+o93dtbRjAzbb5+c22cdNG62j vsDoJWwzCYQlUhPsTTzxuN954k+NE8VRV6sw5wb36as50GrZXfvpTmyu51yvDmjxsxuyWMD+kiXi+VT1HG0ST0ZcBycsmLy8bSpG fhJdeekmf5tXRGquv8I1xtbV1rox69dnalpbTrrBIj3w+JZm6QPCpz5C+w11WVu7ydVx5CX+laMCmVN8cqyub6UplvJeVlfo9ZRg cHLDBAZ2bJxjHjx23puYml+nQv7MzUUKUGZr++Mc/ThQE2uunqiw7UWNnLBoIbUIBKQQKAgVAo6EUKDRKBG24T5qMvFQcrYqm5x4 FgeZjR/WceQvs1f3d7ip69WC3C0kE6V4Jdj4U3yJhWy4h2qT7do0K+07rmgVVdlQCHAF7vĞPAhXJbj0Y3svaXzKmQ0B6W1V5iCyV wserfONpjq+ZV+gfvXxEOhPk1S6rtkEYDKyS8qSf5+4dkVRQV2QIpj80S6ŎQH195Tfe5GWq17FAjKAwXB+53Hex0fH1lfLyXUImX TL4WxZkGlvby/y91mC6RIWnq0U7JtUGUocZib93R6mZqlqF450G13XdPo9XE0meSfTEFMklBZssueArkKAoH/8stbJLx3+3fDkRv syD8g0XL7Hbf7prhyCcMrr7zSlQVjgPkSyiOtp2Q9N7iMYQSwVKuUfvCDH9hC7UY+degky6ijR4/ZmtWrXbkwGnjooe/bqlWr/Ji KĆlnhTZJtCNE6CeZŤgsfnWpdJjiGvšKoffvhhWy3hTZmRHYcPH7FNUlQoHORjUpdi+/GPfmTHjh+zDRuuk6E81w3mBQsW+nLeYSm UtvY2F9ws7123br2nQS6Sn4Blj6JEzjZJiCNfS0pLvAy8R+4uWbzEP537vQcf9FHEEeWZ03e0f24Wox54KEToh4Bv0zfSkcPIDo7j60zo9FH00WNHXVb3dPd4+VC8fEudduAb1XGuFKMUX+YqwD7uYijH6ABBT2IIxzNDHSrCEIpMaGa03ED4844RAwHNRSFpSArMcI3 3WL0MEUtKy+TX1yFuErCtEua4gdD+zEUca9fHxWWxI2BXSMBv09RjS5oTK3v3iT67QnEoiisXVtmWA136sP2IrVusoZ9GE/j35zd orkBlaJfCYH4Dt9V8CX/CMbl5lsvFNChh3iBhv/d4n1xc2jijEQDKCZiMMGorNWyUYsLt1DswbCvnV1pv/4iVCx6jgw6NIKSkhbP Ydh3rNZQIkw+NNSW2RzAh4lIprddVdlxowNsul9K6xVVirsQ1hhJEcTCPcSEhUxAXQq0s7eVMqUSonpmD4Hn37l1u9SJfGhsa/Yi NRglFLPX9+/arvw918K2yw3KJIJMQ7F2SLQjcPgm39773vZJbK+wnP/mJH4uxb99et5IR8suWL5M3Y6Ufn3Hw4AEJzXaNFtpdJiF QX9dRMfN0lAYGb2VlhadDltXX1dtLW7a4P0zu7rL+Pp0IXFHu3pCFCxe5gkBpINgfuP9+H33gRSmVwTyg0GTe5s3PuwFdXS0Xuiz 2igoZqRIiCGXKhgcGRYjlX6NREfAQ7i066oPRSJEaslzKAjfSaik6wn36iA+ymJfgw1vT3DzHRycNGh2xHP7nf/4XfIlqfX2du6c 2XrfRejQqQUidlPJkNIXyQDDddvvtPrXAyOe0ZD6HWlI25PsDD9yfjCDQWPi5EOY0EgVFKEE0FABuIkYSjBaIQ/jj10IhAIh3Mel E4ckLDHSoWn5F+qEQIuiVV5I4Jpjx8+OSQYEqzBHqJEEwI/Tx8+OWOiyXDc9Y9swHAId0Su4BIc6kNa4pYPIeWBCUe/Axr6ERo79 PVhYlMACAwqI89WOT4QnUM3+pAmUhXzK3XqS5CI4lORS6cAyp7LwjAKtcZYRm0IKyiQxJec6AP09dpiDOS6IswZuEArkKAjmCUIX 4qoFMQaAmLhE+IzCoPqNjt/UufP3IpGeeeUZ9uVgH+r3TrWwMUmQUvn3kTU1NteSSFoZIrmHYIkwR4BWy1JFduJHAi+xql5UPPvo aygelATz6LrhIU6V85MXŚJ55Avz4mq3xwUC4tCXLwIEMpJzKVvCStlHsKeK7gpPwoZ5/caMflPiMfdUYwAzdkL3PCITvYx8H9T55 +2ŭc3muUaYmTFXAJwmSvBe40L7MabbvK6ggNY465plbW9o922bd3m5b5KbiTmNKiD11vlZT6DsicjrocSBREF8xpnfy47CtB4MPJ 40192JcwKlFFqchQIRRAG5eRynZuKPoGQBw4CG6H2VqshuFEM/M64tZLjQ3Lri+eHPIXkB09QYLGnCsUE3NwQk9p+11aI7Edt5Eu YmzF7vjQUyBTEpaF7hnXmKTBTCmLmS5ZBzKXAN77xjWwEkUuUy/E5UxCXY6tkZZoKBTIFMRWqXZo8M6YqEGAMXxiF4Pci8MxQxec fGMboeVR+RSXSL5mTYMKG4K0XPEMdf6k/oyPDpHK/YsQ5PMUXyTdJII3fTwiHiYcEFsvWfFJA5SUfPsvxoHeU7XzwxtOf58brCT7wTFC+s8BAL/2YLGElxIB8nNXyUWYho8CbmQJTURDIEfpCyJZ0/b2PKGLS/Sqdeew+4I/LqjxpkHHgIA04J8IX8hD3F7ADPs/k5Tc Rrjzox60ATchHi/FEqRtwkSfwURbKHj9cTtwHPNKShvRn7aROwTzvbRAH5ADDp0XDM1nC/gcCkzPEMxHkyCXoBlpP2ZDW2lYtXm5 FJSKWFMZgR6uV1Tf5s0o6hpvpqDP35BnRRFV505wz8RL0A+1aK1yliR35H/tPHbeKuZr5dwVFfsIZGDwNawPIQNtpK2tosp5De12 pVM7TCqsqTWbVnBG+oyJa/8ljVrloqYqUMIRDGyufC3wHzZ/ARQpC0i7BP9St8ss/WCIcxeVaIuxKLScfjUbewKGGGuxo83oPqtw jolfD0hUJiuxvRoE3KQUmUhAhPKNqPCNr2NDFyqJYXs/7eAc8hFkIuMhLHCEEIukJIbuSfpssHkFWndBHfFjiGu8DPnmAwZJ+JoZ ZkcSkerosgStwsGwV/35MjrNFgMnjpVr9SeC9r+zE0FV80n+Ul3TAo15c4xdLV6FHp0EKnMCfvmeVFatKmWemTCw6YkFNg1aLgXe 7vky3RFsXKCv5kk/4ssG5yh555JHÉxcQED8taEehslgMRBWFGm7iYmQcZFWAJFsBBRj4C8bHrkNl73qMwqAhKoqq8zHoOJkIZgT6 ipWullTXWd/yQVUphIAzLG1EAWv3T3mrlzfNsuK/HRoVzuF+rHFpOWNXSVVZWq5UHbSOuaAfaTllZXaO/79m/y5o23WpDPV1WpJU LqquE65CVVtfaqJRLsZaYDSpfx45XreGaG637wG6rXXWVFassQ1pBAMMwiiiprLZ+4eo5uNvmv/vDTov+k0d9+VGlFBDKAeVSWlt vIlpiR11QIkPdWkHhiqZ0+Y8Lb53Kq0W1ne2ufEY18Fs2P2GNG96RKDHB4f2IGBzcFX01mkBxpTWa0BJTjAz0q6xbnQbVK9a6Am5 YshzyZCGjwJuWAhMpCCZZ+doaaeq1Q5n9EDUSbK+//po+s3mtZFKrrzRi49cxbfJi9eSrr77iJ7Uie9AB7Gwm37JlSyWDSnwvF7I I2UVÁHrFCp640g1Ab0LTskw1q03Zst2uFg1VGXZIHrCoCJoLzqJTD/gP79dnl6x3nt7/1LV8eilxEgLM1APgoDmQncg+Bf0LEcYdNvVh6u1h7GZC1e/fssRtuvNFlbFVVpS/RRTgja/maHaugkpVcw35UuSswwerW3gVgDQkXG/QITNCThyWv4KVMi9iwJ1jARLY8//z z2r+2zMu+QxsPUQhshGNEs1972BCWyPGmpkZfOuzl1LuntWy4iElqALGTGoWApgQZWg4AVJTfPgApQMCVK50d1KxDhogUmrSh6VE IxLHsio11bDypREFIiKMYuvZut9rV6/wZgVwswTogoYp1DYFrlq32dB3bX5HArrLqJSt9hIAbqWLeIhf4vYf3WfXyNS6AEbT9J45 aldL1HT2qChdbxfxFrhyA0dTV4a0U8ua5LsilzQzYKAiUSM/BPa6QEMrDUjBljc3We+SALfrAPZ6+7dUXXFA333SHFb0f4+VnpSA alGa/lFGpVcyRcJcC6D91zKqXrXKF0acRTVl9g49aSmukLFSPrj1vWNXCZZ6WhiMwkqL8ZQ36ELlw1191nSsjRjEoHR+taDlbn+rQIEWahYwCb2YKTKQgEHBPPflk4hLR8lV2N2OpJ/sgVvrOZYQZx/gg3JFFyKuFCxe4fELQEwalY05417tcBj311FMug/ZIViHA12qfFruSq5VXoHxj2nFZ2AhWlAd5kXcvvviCBHWFf/8Zg3efZNldd93lshEFsUA4EfbAv000BBeCn7S4aVatWmVPPf2UC//Tp1vcgF6 9eo21SDkd0XLY1q2/xvdBg0/nfv7nHQ47qxH4yMyt2pe2a9cu+/Uvf9k3BfJ9bvIjV9lRzvJW9oUs1vJXlsv0nTPXTpw84cuBoQ9 7KVAOwHKlovpxrAijiPlaŽlqr+qP80BZp3vx5Xj4UJ/RmOW9XV7cdFm1dQSCU2UnNBjq+hq0QBD47qRH2IEJhoLFJA2HIA0DW0TK EIQ1DKZQMhSIvDY72e5caq0JaHwUxrA0b3ft2WK0s/Y7Xt7jgxP2CQMdSx+3UeN0tNnD6pAtuRhclsv4ZTTDKQJCiF7t2v2G1a9drVCA3k0YJfRL0uJhGNNpgtIDgrZQy6RPMwdYWK58zzxrWbfJ5AJRR94E9VrdmnfUe0zb/w/utds164TzlZahassJHCQvu/KhfKTP pGq+9yUo0xETQM9pgpMPzyIBGEqXlnrZmxRor0yiAOtasvNIVSOf0bVIcV6gsR6y8YY7cTdLuUjS4zSgzv2MPf8tHNqRD0aBAGB2 hgHAx9cg916ByZSGjwJuZAudTEBiiyI1du3baqpWr3ADF0Fy5aqU20x3UM0f/1Eou1fveg66uTn3LebFt3brVRwW4aRHwGzdtckG KXFukTWvILzbCkRerH8GIYlm16grbpQ1rCJUrrljtoxW+H/HC5hdctnH8BsqDUcz73/8Bj3v4hz9Q0Wr8fCUUxK233uow2aMwLC0 2SgYv37E+rZEMRjMjGMINN9xgBŽRZb9/evdqNvUŽ17HK5SX5GD9SdzXzrtdv6NX1Wde/ePfalL/26jxCeeupJ5b/RvTYoRXZX856 6sőfitde2uWx2mJLPrfIAoWzAidzGI8TGNzbcofhWaiqgSK6mRx951EdAHEGCwY9sxegnPzvRXUFQeAgMYVEACHUAkpArGoh7tAv EokCkQV0iJFAIBIZFpCG0UQgjE1xPFLRKuxBREMw59Mnar16+Wtb0UremRzRk6j9xxCoWLHYLHUu8atEyF8DDcuNUzFvoBvfIkNx SUgYIdOYRiivkNxPxezVqwK9ftWi5BPlBH3VgtZdUqRHZvShl5sMtai/DHZgoktI6HVolBhvu7fYRASOIgOcjFwlr0nbv2ynXj85 Jmb/YBTsjEt7HCIJ5DdxN1UtXOszeQ/t8RIKJ4nMjKj8jGfBQTvLDkV4HjQ4o1KnnHrOmjbeo/nI7SXGo0IIxVy6wcuvVfEifýtm Oaq3SnhuoXxYyClxuFPA+l10oiRQE79hZjHsEHz2H3rHbGflRW1sjAbZHBmiz7uv8OIuVK1f6Ao40KRRwcYYTfn5cMOzERlYhv3C b79mTjCBQCFj6c+ayIUxGrXBg7Z02Vu4p5BqyjhEHsozzlBDoCFBcL5TlgNxNWN8nTpz0K+UAf7iHcDdhMGNs444vkYxCruA+q50 MZfSCEb5PCgFjGw8LfZgfMhVlwXlK3G/YsEHxyRxIu0ZUwIN0JzVaSGRypRvoy7Vj/NSpFq/Htdde6+WhTPGjTChJlAtKAqXB00YznDHFmU3Ib8pQqmM+BnRe020PPZYoCAiBJuRKgQkUDgAMmSgQFUIT8kMDExD+pG00kQ4hsEjLvRdSCXChIHARiMwlY0XrpQtDX6m k9D4prFEEBNVLn0j2iWfSEZCFIpjDlbAlwvGpLJ5ujNAIYoCR+cg7FnDbeLT+uAsnXnDVVmlf4aRb3Em897IprcMkj/An5VBaWQz DGuJh6SPMKYPDpN7UX/ASXNBCeB1XAiPqiNuNeZZSKTSniafRH8epM180j8EqplptqY8QNI7n7JpR4HKlAP0/wkQKIuRJkpaOPtZ byK/+hFsFWQPvkzZ9Tx7wMBlMvwmrnXTcIyC5R74hswjIsZBzkR4YwEdh8D5w8Z5n3vMuAu8pB/HA50oYEQ7SFStPwA5cuXBQJhE CH2m55106LmBFvXjHjzJEuZDjuYE0wCQNaaMMwOFdhPT9t+RK8xEEI4eoWCTMrpcPBWhY0hZWCyHdiLmlnOhdbtrsOaPATFJgIhk S7yZSEDNZlgzW9CkwY/sgpl+UDMJEFAgFwfA2HXKVQe5z0m12n1HgYlAgFEHgyn3Gkicur05Il10vPwpkCuLya508JUJB4BvŇN4J IK4X0fV5AWWRGgYtAgbRSiPu4MoLATZipiIvQENNEMW0FgeDiR4ABwk8nH4j75ln6yT4D0ePdh5j48pMJm3xld98+PnsxkAC0J4l5gmCyEISJD3882Zkbx695grH5CVYFeV78gTHvMZY65hMcG3inE8Cr+ZPxHd0p0pwPLPnG64XvVcv8mI8h4DcMF10k4Zq+J108c5+ FjAKXggLRR9PXuKc8MYJgLiDig5fDEEK08Iv50HQ6YPDML3z+5Gc0lcldJqTxr5M/4EZ68pKHQPoOnWzKCa747IknjrxM/pIn8nu GST+KŸ9EOgT4JvtyQxpf77s30PK4gWE9MqCBULn1PXG6A+BAqNrXQ6MCggZqh1OvfEzCk5ZnV7JrWpAiTugw2qtRKpaISlIbwMNl L8HsJPAnCPq3YqWiepxVKTLSQJhG67JpmiSvPQ51tWi2knYDA9fIqHcUeL+qoNqudT0IU3aNVRWVahcR+Cza7jSstvWPSfLhHH9P Q8lPguTICnCa5XaEFT0gAjkDkZeaZeL3QhfQsqWWZLRPWxbiExunnmZ00ZFNwWo/VvefwPs/HKq+Sch0prFVcPkmu/HQcmBEXU7R HMG9cgRfvcu95zkJGgdmkQMiN9JX730dQEIwgQogz0mYFUJnitujjQaw0atXzOq3nZ5EMApt+RDq+nYCApi8ELGTRK69o0auWfLK 8dECrEVnpBHx0fCU/8omy8AU3Pv/JKiA+AMSeAcqCEcZHiEpkQAIDwQ98NgMzUUwa5Bt4n3vuWVu5cpUrE5abxson0nPPUv9QbrN J89mGPa4qqAxLU0MDq5iddWwcYekTxCMNBEAILdJXm4jbtm2bE5M0EAYYd999t+9+doGnVUCx67liznxrf22L1azQJjq1YHmzGlI 7mxGbbEzjaIsiCdUeLWGt0JEa7KRG0LKruUzLUdnPwH6BQe2eHtK+BDbPJbuvtcFM8Eq0jNRXDGltb7EEbNfeHRLyQNdPjFK1YEm ypFZLZX0XNyuGVKe+Iwddr9RfucGTosTYzVyp9MDvbzmW7N7Wvoyyeu3aFn0y3La8aa7DYzc35WKvBPsb2GHNkR7t2uMx5+b3WL/2L7A6ySuqEQHKiaNFW0paLprESqkTjz3gSqFGm//aXnnemja905fpQu+wrGI0gg4RiiGutFn6nucsZBS4mBTIVQY85/6QIQjuUBA YPqzh37tnr+9/YB8BX13jyAeW02/RR3tYQcnmLfLyKVKsfjaHqWu425WdzMgiFMyqK67wJap8/AbhT7pD2p91zz3/P3tn19vEEYX hUUiK62ClaYIDFTRulBCoA6rSkPYGIYEUVY0Eq0IP9Nf0X/QX5A4JLir1hnDBh7jgM6SuIz6S1CU4QrYLrjHp+5z1bNaWWyIRRw3 akezdnZ2vnd0975vz8575wRbfuXLlsvIkbRotoEJduNl00zXls78xDXTUTWlNhSVNb71x47q1lSmxH+ndZfr+3Xt3tTDauÉ0bhdV t750sHxD6MA0Pjx+1hdN2su87UVcIENxEmNQgJ/Nv2TJfFnULohw3iNWPSMeMp0wmY/Ew/Tifz+ctDa0A2dlZAYRWiN0oHc1h7dovRkKDN/C6sGx8AhjCgASCFUEL76EmDQHTDMGY0wIGuAq9YjtDN0vWiACyXO+hEfdK5TDS7urZK+GbNN7AJyemxcaWliBxjwCGucy IHsY1gh7/T9U1MSaVL5mR6wqN9P9eF6NSQAOHITU2YWWWcg+MqZ0+/b25zCjnH1k73mpeMFoNbUiNZY2oB48CjaTyJGcaAxpTQoQ /OA8AFDwPCHrV5wVxP5bdwNQpaVHPBH6DRq7blxk3k0JJhxgIrwPto3jrqgBC5BuRcQjexIQqzMMIQAAavDDNYEHqTdMTR3GIe2A neqDZQGqGBMxETKnkh8k0mCLKlqEnW7QBZA8L9iBz8BHEspeQbqEPRvAMjBD+DEyxWiCPFhcX5W5iUAsAdbsj4hHAQsZcPDo6Zqa iBRHNPocMpmblfsu58xcuWFvm568Zb4v3htXkyAuhDcJvVfXhimLy60k3MXFcZLmbtvAOpDEcZk6dnOIKjVMBTyMvXqbcCVxbsCI na0sjD0mTzWbpjl0dQoBA6MA4hPBGx+PPBLUKYgX7oD3aAeQK0Brg4MfNAzBYWJy0ASBmZmYaALFknIDCr5fEjJ42YQeBbI+Ibpi KyhL6k0ESEqIVXF2I+Aa7+LUIc6R/ef+28Sb6sp02jz09WqVsbGhcdbwRNyA1ckzzjWsmXAe+PeNeiGzGd4/k4Yzbp3P4YCr9/tB G60jlcu5hUKbKx70Gv74vJ83pX0qs7L/kn4k2sN0vP0xo0FWBEeatx0BBE+r4YeoTo5r24TwwKf9QaAtJARf0C0EzoAWUVS/gh+s Nrq9aWHEHv7tobkaKt+bdgbPnAm1DmgdaBKQ5DYgM0NsBhKnXelE80BSL6w4XAcy3thEMj6LuI2VwHIbIbhgX78Q9sB09EGCČlSR dAbkYAAQxksxwEjC3p0XKwWsMXoPwAAEIMNCEIJceSiudlqOWbMFMxNKedySXcCfByBxgwOREuQ8k3Bk44TaCZY4hpQFGaB2sGok fpJSWDVidXZFrjŤVzk/GxTE3X5W4C/0dD6cADBPkBHRjZYwIXykTWsSob3iAAHiwpgMDCowUT/Ph6op28ZwBcQemyE1m7dpYVBfg AnN0eQoDgQlDRAANAgpsGAxG7XdT0BGgwcgXJ6RhuMnFQ49knHx2DCQdneGgJJTmcS8mNBW4nYBLjTM+0B5lXvIkp8dmwq0joY56 B/YxJCS2DhwxQScostVEXCUWqKQIawYwbCtxZADA6Yd8tmm6I8qJBUB8fphH8mHUADTQMBDllvvrjiXwpockMWBz1cT5xQA+argd WM98TytIsuvXAVaQZYH4CGDiPSar3iyMNT7Ua7ag9pKcuAzy560iRE0IY3ZjZ6Be0i/6vYE3jKLBk6UlDe2Fe4yiwLyu3HtK0eÅi jGgQAUdNDDBivrBaawcA6IEaEpucgPtjBHoggRgPW/WIsDOnwY57xGgQmJuQFW0J0QE0aaPDnovGM5vE1hEbNABVAaZeOpUBxHwE ÝDĞcyVifpfFl+v11e0hDvz9Gm1nzĔ+fP+HHĞĔ1uMqdnf9z83NBUQ5VDhGqNw0kJ4AÈHCRfNkH9T2Zjjh/Q3wnRDuJm86HXsxDCFe 8se7hA7HKJiCU9R8wjht1qEBLh6CHiUy5VqbKYXaPfeS2GT18sKZderBIo/KNPe1Z01ZD5E830AzcbA6IU14LxFG+6qRugh3rPIx mawNpSce1SIV9q37CXIbw14UG7WFfwp3rDtjhVlSQT+2lPuIBOAM+ncZJYTRwjvrMg63yAA6+DQAE94cXwmsQXEbk6qJFxftxD/xveoDXh7cNucAPucI2ChA01suSrTSc9ySYTLL5jaNdPt4bZBcyDZlFvXHYeg+EGoQX/lvPGqfsZA8YMDUqYN8DBNoaAMEPQ0HD2bY FaX31P5/a9xiALwxyjlZNyU9LXZ5l3WZ8d5dGb4m0S/T0h0njnbgHWnvgjQZWmEE9QPAsI6zfByBa64iP09MDMUB0pl/fu1QPEDZ S+heA6JLW1CPA2K6wUSq69Z9/crXlJX0VD3znW9n6iPd4esAtVG66+samD5revZ+6b0Z+dM0DpyyZb+u72hNqh5GE8cqu0hkf2C6 08+po6VIlAAYPEAx2iPOag9/+1+XziPl00f12eThP80nbpel03Lva60tvTbedbW8t29e5lS0A808AAAD//8ED5cAAAEAASURBVOv 9V3CdSZbfmfDeewIgLwy9d+V9l7paquqe0UgTI21opYfd7X3QRmyEnrT7KIUepQiNNvSwD7uzMbuKlaZH1d3V3VVtq6rLsByr6D0 BkCAI74ELD+j/03nz4hÍFkgAJy0KSF9+9+aŬ355/n5DmZSUNDQ3Ó5ubkuKSnJbbmN0QJzc3NWEJ58pqen3cTEhEtPT3czMzNudnb WJScnu/SMzBUr8Nxgj+v9D/+bm7x9w81NT86nu3+/a3q+3F0YPeWm56bi/rmZpe6lXf/cNZR/z/z6+wfcr3/zG3fw4EHX0dHhKis qXHFJsZWTANQjOSnŽfs/Ozri2u3fd8PCwKyOpdfv27Y2nu/XlyWqBqalJN6PxC31JSUmx8cuTsYxfoDvhuVjtGe+Mez6pqak2lvA LaSwWZ2RkxMJmZj54jjCvKA/pLseF0Uq5E7+HNCjf50SkS0tLs/SD/8In4cbHx11GRobNDerIb8qDH79t7mi+U87l00J0TU3F0+H 3wjajjNSBci50f/M3f+0SVgMgKAg0IkYBcRSCSic0BBoHRzi+8y7xPQ1DWjRMor9F0h/eJ6axWJgQdjM9w4DjyQeAYNDQudSXNkl Wm2SsJEAMdLuev/yXbur2dTenSR13Bw64my+Uu/0jn94DEHmZZQKI/8U1VrxuQfv6+tz/95/+f5efn6/yTrnCoiLzHx2NCgRKXFd 318vNyVV9Zl1WVpŹrvXPHQISB+dabfy+e3daXJ6sFpkSAGA/MceZxmM/0035hzvKEVkCwG0+8w+HHu9HRUTcw0G+LjJycHJek91l ZmaIpaTYvonoPfcnU2GKO/PrX77mjR4+570wsl6NxRzqAVVlZuS22SI/w58+fd42NjZZfdna2hZuYGFdZU628lHNsbEzpZMfnIaB z61aLq6ra5srLy92VK5etDKWlZRa2sLDQynzlyhWLV1paau9Fa11BQYEjPvlTx0kBVF9/n/wLrdzJyUlK+5blVVtT61JSU1x3d4/ btm2b2mbCFRYWWVqhbUiH+kIboBG0MXUeGho22nHzxq0Xqauz999884179tlnrYyUqXj9/f369LkjR45au0SjUWsX+undd9/1AEH lcRCj0GGLfccPRyH4Hn6bZ8Kf5uZmNV6V+bS1tVnBK1hRFs+vKCkcg8FWkWrA7u5ue0/a0BgPQrIaLSsrs0KTXxg4xKfT8evg6nL V1dXxd5ZALI0QPvhthmdoV558q0e30QgBxENWR8up69xjAgQD9dKly65XQMHKhw+DjQmWl5fn7rbfdRm2akx2UU24HI05+oxj89T JE8sp6lbYTdQCELXpKQj+tzkI5magNzwhVrdFH0+2t2sxkePytNi4e7fN6ABj5VbLLdGSMVdf3+B6e3vduAg5i44S0Q/iTYievP7 660ZvfvGLd0T4d9rcobkAndzcHPfyy6+4a9euuatXrxix7enpcSVawHjimmxPgIOy0JG7/eKgW++0GjHNzc3TPBy3tKBXhw4ddid OnHD/5T//Z5uL6Rrr0K/t03a4Hfr87ne/dVOTfoFcUVlphLmgIN8d03Zcc+WiLfAg4KVlparnXVck4o8053brbTcsAl8kepmenub SBIKUjzl27Phxt337dqN1LMq++uortUWP2717j+tQu40oDGXuGek2kOgU/aypqXHZak9Azd4JcCgni8zBwQH7/tZbP3RtWrRdvXr VTQpIAciWlhYPEExiCDFIGdCPzEE+CkXjEgZChQPNIN4Qd+JA+HlCEEB3nvzmfbsKfVyVKtKKks6AsJMH+ZHmuXPn3AsvvOAuXLi gSu62uBAXVqIMms70TlepxiUuRJLvpAu4DA402mqURiVfBk1YBVBmgIX0D4PQCr8J/iQCB01FXb4NEMkxgFgZ0eDjAgRlpqwz+oQ ShXZnWWF10hd1adzxHiKxGUE8XomtLw9sAQ8Q3+Yggqgj9D1jgXl96tSnNudJ9PjxE+7SxYu0RebBQwfd+JgXxWRphcwiFA6hre2 OvYfoXlTYV199RQuSfK1+f2XiS2jA9RvXrYxPP/2MOY+f/vRtm09wshDwWXG10CtojkaoOyCuGWI6Fh0z2kH+LHLKystcbe1213T zhghxVHTredHCavfRR3+0sjHGK6sqRRtn3Z49e9zHH39kNPTq1WtuZGTYlRSXi0gXueeff8EADe6lobFBC9xuy39a9BVaevv2ba0 XR44ede+9967Fg3DD6dTU1qh8B20B1tLS7N5//30DEECAuABNjughdLNfNBy6e/TYMXfnTqu7ITCC9iLqNVqqRTy0nPq9+uqrBpq XLl6ysAcPHnItĂl0TMdE5Z86csVV/U10TY7VPJDqPDPhcvnzZGgŤiHIlErMÉg6iAb6E6GyP2MSAg8yBhwoSMh/KÁeecBikR/v4DJ 4HwCDOBB9CCLhgnyMcAANnVhbW2vgArqBhgACaE5nMxjgJgC3OrFVABBP0HIzuYcBB0AM+nv5agLFfYxKTkdHXefvf+4me7vcrNI PLr063EUb013n2AUtqKaDt7iBQtdQ+YYrKThsfqzeevv6JW+esXZPSRGApYuLGIvGQYBy4wCMTC0CJjU5ETkxoVLFSrMAoa8QHUx p1cmYMlGaOA/iTur93OychQWIFNlliYtisrKoOLCy8UcapDmh1Svvp1UmykOA8XHt5WhclJWWWDpWoKO/q9YCywEI+huxDH0FXUG Ec+7sWStbXX29LTLaRQBZjQ+JTuDH6plxxAKyW2LMN954wwDirOJBQwgPwWQlXhepc7ki9NCOZtG5MomHoCnQDhasFRXlGj9zRs+ 6RUcY04yr062txqXA9bKqJyzEPDsn2+3du8/Sq9NJ1aob7hhCDq29d0mSaFGv5k06cQYsYC0indAk6NzNmzfFDdXbyp94iMmKtaC Fq4YGQn/hepJiBJ06E35IQMpeH2kAiuzpVQuo0lVW8mCuDAwMKJ4X690AiHmhk0Yj1U6IwxD/Acr5aqdDhw65pqabAoc2AWPU7VA 5T58+7QECgkSDQqAh2KzGQXgaAuRkwtEBIBRIBeEFCFrU0IBHQDyAAj8KSEMAArx77rnnjJh9/vnn1lCkDzFAfndHbA2/AQ8qT6d C5KkcAAEXAxcAGFGZvXv32pPGhT0hLIAH5aVspEe+hCM+flsA8fD5H52ccX/9db/rHNKmoiZJcI0ls+7vFn/qMod0aW3l0UjepaQ VuPSaf+iSC49ZUAZ4e2eXWPNB+52ZkW5Eu01uh/o+I75iY6yNaSVYUV7qBgaH1H+pmhCjmoiSSWsiJEkUwaQY1CSxTW2NA8bHoFh uACJP75CvMnFhpyvEnt0/U5p0w8MiGi8ar8kprn9q0CZY0X6uG9VKkAk3LdDIFmAQt6a6yvK2wm79WbUWQMY+Pb00DiIsLpn700q IQIHIhw8Ek35kDPGduW/EU0KgDz78wAjvvn1+0Yg/NIbwfvGQFCeY0AXekw5jJ+RLeiHv0CCEY5Pd3inP4PAnLIs0xE4AS7J+Mw6
hRZSX/PkQDj8AEP8g/ydfysCHMuEIhz/l5knYUG/AjLCAly4tuvl0+wBWiJsJhx/xQr7kR9o8+eAIzwy3eaPv1I02onzUC4ff22+
/7QECD9A0FguCSoKgE6tzWBUILoSaREgAMY+t7lQgKgTnQGagTyCCIywEHX/8aCRAhoKTFnkQl99wJYAClaMRjA2KdQbx+MDBWBA g8yM//EgHtKXilBX2KuTFb9KjgQm7mRzlxoXOZrDQ3rRXGDjJIoLUT2Vbkar1jc+6f/XHYXdrQIN6noFwT5VH3f9Y9o4r7nvXJc9 ŐxPNKyiȟxabt+7FzZa3E/ykv56HMGK87qQhn1LvSDDxdb1SvMtMZUquKE9+Fp8fWHGlo6sScTqD4PfonhiZPoCMP7+FMvV6bFEnP Z+n6/FgAgm0NwBYwL6AdPxjL9EsbJg/rwfmkn+of+TfTb+v54LRDXYoLQ0IkBZWhsJiGdBmFi0sOG8TuxUx0zJzwuhCENPgwA/HA BdcNv/EJ44vMhDqMo0eEPUhKf1SQuh00JI51QhsRBl5iXBdwEf0KdeFKntQSIloFpAcQ8B/F0AIjeX7nkuQSASAcg/mfnyj1AMH7 YXJzVKr20FPGNX/Eh6qH76RPqE/qG0vGdcPQ344wNbtj4sJLjfSAqdDMbnaQRxgxdGdoKrZY5xo/3tDCWscIzbhBVscLz4dkw9Xs

fiMVYuCCCQDUXdp70ySukTx/wIY0UqwfjzeeNqAtxGe/hYFi850Xlar5k+zBKhJT800Sb+pTK8E1xQr0IRZrB+SAxcJMnZTdQVPz RqagbmRzRNz8+SDMlmdWhnkkpriiryKWlaDW8AaBwrQAitNvWc+VawACirbN/LkOD2Q/jlUt8K6VHb4FA9HhCTOYkY3Qzk64gF3m 6ZzÍXi4N4VICAwF/RRhqEkqUH5UzXHsSY9iBYXIh2SUbKqlFyVYE8YILn7l27bDV5S6JÍOMTIjohrkZqSlhnCXiwRJkoPiJcORwF ApIMYifeQWoAEgo4MGA7UyqB9DMoAkUQrIzOmEowIANAplY0Gi40vvjwt8cSH7odvvWnp8Y70oNXJAhHmxYQWJ8i52RwFwEiXviE cYq59e/dYP6FG0DU1bWJZAAdNkDQBINwyHDXlAvxQt5xQepSVtgB4QAoDQ/U1T7j2bdp7GxAnr1e2b1KuTdIUtUH/uFQTR/rd2KT fRI10RF1uZq5Egz0uKEd7hrnShklTumrr9XZbALHePfDo+RtA/N+/a5q70yTZnmcAHj21rZir0gIQorTkOfdcfbp7enfxqgFE//i c+9cfDUnEJA4iYQ/iqbIx9z9IxFTU+94iHMT/JBHTq1ZviCbEDKLNJjAbfBBECDnEG8LJXqQEFz3tAe0RsKouKio0oonhHCtxxIu 8q9qBOinZOUZIOOcnbOMaiSfOPMEBAHADcCoACMSUsmOIRCDqRpRFrCGWpMk7Nq4h2BDrdu2zIU5l/wwqslW66o8KJe/5mAxXxJ4 VPnr3liMPAEL92Ddjs71Lm4Cj16MGPNRtZmbapSo+3/lHGNKn1GNS1wQsTfU3xq0ASnBicE0AHXmz0U6lAF0TKYrm940JIKL9Bny knaoyjE+NK9kkV5BV4Mrzylx2WvamBgjair60tl09cGHhhN9Cxzv8eYbviWEWxglpEYbUWGjggn9ICz8WAg9yi8UhfGI5wvdQDn6 HeCH9ECY8QxqLhUsME8LxDOn7Gvl2mvcjxNKdAcS/+L/Oz51rl8bHdGiipSewFXINWkDdkiu6+t89XeD+wTMVqwYQw1Nz7j+eHnV tg9MipPP10ldy4f686Pcuf+AjAcT8JnVŚWr5Lifxj54pOWmAGbBjI+iq3+HgKgzUMcH7zgeCG74lp4TefricC86W795sP6/N0jMd 376u/Khy/q5+BjrzDbwtowRbPi3ChPIRNTAsw8u9I/14CEdINT9ooViz7YkTKN5wFCeWx9ChvLC9eSuAlMeCUtZm9kB/hiJOeoq1 SiZtCfMKvp1s0B0EdaEP6BNBGSQYNyNDGvM0F33wnDqQ2jB/AHMMvtIiiUk5Ay6m62iuqwJlZeyoe4TFIK5fmIxwunDp7mGwARyI RM/QMCjso08Q5S7Uxjvh8AHwWHTjjÁOWHQxMIBZ2GxKZbÝFAXNDDZeyEOCwHUŤlEMYoFBGpQtpÉcdfbhJd01qsrXSAiUc8fggymT BEPaFh7UXC0daqvqQzi2p6UYiXpMz7PdYwZbxxwDin/+f5+b0tElbQATiURzNlZLiBzApTMfk1yyKWDmiEaPyLupSYiunRK2ZxQJ anyiNxZLx3eXfkV4Ae8pBvsTFHy2DhIXxYtnE/SgWcaZjZV+YBr+RCSc60mWp6SfGW8r3/Mwk9ó+fLXB/8XzĺqgHEp0Ze27BW7Vo oJNYjP33alacNuLTJXtGiB0RITncuq0JL6sKlVGErzAq3gEb3ohMCwrKR3HIAArEayjKI90C8IHqoYEL4UHWH2MPloYCSn19g3xF hokLfervVNOCwSL4mUeffe/NNiwfRHxoaNE4UzR+IOuqwNB96/qikogWJkgRW2DdkMwHXWlBYICI8alwvatK4w4cPx2wlU0q5qL2 rXlMbvX37lpWHMmKshkNd9QtpbQIK28SdAhZoc+XJ2K5S4dplOHr3brvZgKFsg5amiWMzs4x7hVNFaQhbhjap0GI7wW+0TSl8v/b OsMugrJ0CNbh2FHbQKs2UeJX2wACPttu3b5/2Bb2xsRVuiX/iAHHurnTM1QYQxkAcwneGG2MuEFuefoUJcsPeJrm8LDVuWrIrvU9 1F29HLfusjGSXL/+uQamaxYg14cP4JZ3tpRluaGzGDUWFngmFDvkFop6htNMEQuNT2iikLApLfBz5p6Uluai0cOorMt2w0ivKTXU 306QSpvcQ+rL8NDcw0i2Zrd8wtbh6GUvCykQ9+U36+VmpLj01yfW0eFRn0tWVZ7hb3RPWPhnKj3YqzUtzg2PTkvumutYeaWusEhe 2FqChqm+5rRZY8RZYDkBqS/DLX/5SczDZrKjZn7kk7cV8qdpDcAEGQAMCywr67Nkzpt8Ph4C9DTr+UdnEMI9fefll40KuXrtqAAA hffHFF82i+Pe/+52J8aKy/dm1a7cZ6xbLgA1tylbZPDQ0NFhcxKKs1rHSZv/ptde+5+rqvF3VX/3VX9kxGWh0QsAPHjgoOpQqM4E W0+Y8+dRTsXjZpraN+j22Zfky4sPyG5EmmpsnThyXGn+prK5/Z6DB8TmAFko5cDDPPP0MgdbJk0/Z3tbf/u1PXLb2j0EmagQ+pHF VtiNwE6RZJY6kqanJbCrQQEWcu0e2Gk+pPCaiXEYPxwHiSvecqyrMcNki6n0iiqzoIardQ1JBzdRBViL0kyJ+GSKaNH5L14R+z7ptxemuX0FYafMB0EbHZwwwKEeWCPugCPZtEc9xEefSvFRXViCki864MRH7w7WyhxB4dCof4hWI0ELIC7JTDFSIB1HfUZbpju7Icd/ cGlG50gUC0kt01QZhLK9DSufDy4MuIsAZlN90AcUXNwmb5rIUjj3AW0orMz3ZgGx0YjYWlz0gZLSlcpIvdQXUxlW3frVDRWG6Bmu SQGzaHYvkuuaucavPoe057vMbQ66+TBadPeNud1WW++z6sBsU0K2G2wKI1WjVrTTXogWWAxAc+3D69NeuUMQPjpzV78joiK2Kscf iXC+MyVhxYyfTJ7V6viMCgviyfzU0PGScBStuQARRCxwARmbHpSKPGvypU58aAJSXVwhUSkWY0xxWycZNaFUP98K+FgQVsRHEmtU7XAsgRD6ffPKJrdo5kBIr57q6euMAbly/YfHq6usFPGcNEHZKEaOrq1Pl7TOiDtC1SBGDY0MoJ3lcFAcBGI2KQ8KSG04JwzaMVmm DF14QuCne5cuXJEIbMFEVS1qOMaGtgro/NmOIHQFKXI7shigbbYTIajkuDhBNfc4d2ZFnxO6giG1b34RW97IfUAE6xQFAwJ9qyDM QgLjf6BxzfcNTbpcIY/vApCsUYYc7qCvLMI7hdu+EEdtnGvNEqIfdtfYxA5jGyky3rzrHw0KT60PuqAgtxJgVe5cMtHZWZrmeYW0 waoU013FV8WqLM7QhN61D4TiESzI6gRWgcXdgwtK6eEdGcdXZ7uKdqAEboAbBB2ŚKs6UxosbbpXS/ahp2EQFNtdL750qQqy5KdwM i/GW5nHWS5AYFEDzTNDDaB3UWiepDnt36DmdQofA9SntG6eUJSD5XvQAXwPRoJEdtMu7a+xMQuVtOTzwk7FoCBDJcHIMpbJ49pHj 3vGawJrqFlo/wfqF/Ypz7fSfuUuKFPCgJnGFiHONK1XFwqWgP8f5BLqRFmMR0HhTnYe9CmiuV3sPyW8/3ywEI5PDYTkGQOTBDDRg 1YsYkBNrk9PqdorGJqTh2JCyracIwXtmnQLkBI0A77xHtoMQAJ4J2HHkQPuwH8JtxwDv8yQd6xkkAKAwE5QWIM0mSH35YK4d9Abg HxhagRL8at6N0yYPvGNuNq1zkwxlTwdKZeqGMwNlPlBewgJMJexykx/sQDlsz6k2avG0ekjZjGX/KTljABoe4jn0Jwi13vMUBokX nUh2J5LlbIuwN5Tq6Q0IarE6rtIIeOoocYl1RIAIpUID4ww1Aq0EI+mzFn+omxBHUiwB3iYh2iKjCWWRq9Q6h/t2FQcm2Z93J+lx bkRdkp7pTWoE3inADNBDrfPnBvcAZILYpk5jo3G2dA6W8yetATY4R534BFHkV56S4QgHAdYHVThHyK+06ByojxV0XqEC0GwVepSL +NBqcSXP3uNtRkuFyMlPdl8r7oMDpQqu0+xDnBBLXChAvt+nIBoEEdQJkjoprIK/2PiwRZeg3IlXHdB2Sp/J83TJiQAWQvLA7311 SXMBpNdxaAgRyWVZuNWJXw7lKDFpvH+CPsmCyscIKjomJzBStHrR4gp4/x2dkS65LfBwr0SYsv4nPIGbQhoFr0KL+4jdhEkGKuExeNKHCJPbl8pvGTChWfExSVpqkgaYTExeWnPwYC2M6ao0jCph0eSJClIdyBuKiiFZWZNLkjzYWx3Ng/4CYAbVVq4vyY/VGcMpBXUi fdPTwyGRfgujS14kInP9DeCY55XuS3XIAYq03A2MMIv4oxHaj122x8sUBAg6ClX23CPRtiUwyRKThCqITM7ZPwAr/jrgKgEHj393 tnzIZfboIZYnk8HAcbF9mi6h0iqAXi7gHURUEFCLL5idEHTHOhDbEETEBp5N62h6DwuXoHWIjiDNEhv0LRFCkUaS4whi3TWDSLwI OIYiqPHq4HImOyHe/OIkzt0YNjGok/kJE1CuOpF0ARfhSqRZ7FoQFw0BscJAEysB+CHsPiMsId3RHronLLt+NmviIcrMhnycq4kq KOAvA62R9njsrMK09Vs0tJUB8pfNXIPZFYqMvasMQYoyWBys6JgcrFI7KSJPqaKZWR6yKeL9jBloWhe66WGxWM6yw2JDbubPe1Ep pF9jnzu5eUÚyJKxU/WOnn64RLDmKjH6CtEFpkwhGdiImWBr/ZMOzSpmDNtkrXLPa8S8d6cMYOaSESYGV1/PgxI77nLlyUdkq5VFj bXWÍNjduuA84434l0hpU0x4JA8HEcFsnGnm3yCThQtcXGpFCblGw6divPTuXFirKxoV6rszyLRzoAESCUqzŇ5bt5sspÚrMl9k1xÁ RVq60JecRpes8HspbJpFId7fu3tDm4549u2xVGwDSEn7C/jxJAPGEdc1DqxMHiAsdcAx+gxriyERl/mg+2eYwBJo9BxwEGWKLQz6 PLY7ohk0+88TPvsT89JuJycwPm9Sxnz4DwipCXCuIpPWbMGYkpqeSsDRtZUl+9i5kEnsqDBvZcBzE47utIhXYtKQsDWk56Uk5KBN 7JjiyJEN76quCWFxEXfwDpGqXK5QKQxqkSRkpG2Ipfls+pLXCbi0BoqmpWYR81NVFIkaU+T4yL0tqEUaIH0w7NqZjWnlz1DK/IYa cn5QpDYw+yUcBFcQDrNIrKsrsSXtjpNYn7QtbOccIaJeIJcSbvkJuOiiNE069ZLWOkRxpW1wRXVZwGMmx6icseWNPQHrIail8iTC 9vf123gzGdbyr1CFsYaXOuUzEZ6UfzoiCE0CDxjpefUrevAckh4d1D4Fk43BQ1AUbChz5RAVqjCW4DWwg0KIZK3ISmhI4MEDYdAR YAUzApEqbmiMjUQHVsH1H40RD6Il1WwCxebvWAOJ//+uLcxc7dViUVsNbbm02gCRp7s9P5rkfnSi3FTwEh1UuMtMVWX2KkGGYJKo XF5WwKofAIWaC2J0Pz4snr8J4gbx50Qrv4TBMxAR4ingikkkSAWUlQYwQL4h0wm9annqx+EAcxHvLEzQ0WREo5nzYGMLLj7DEISg y2SAeww+gCo78KB+l9vXxZfKLHp9R8A9lBAyoNMZrQbRGOqHslibtJD/iJDrSCmF9ur69KB/AQviQX2K8J+X7agBEYt/TtrQfC4n FHO/pP9o59E2Is1h40uY97kF9Q5p8CM8+Q0h7sTQT/ULZg3g0vLMxph/4bxRnAPHJhY45bddIvr9RirVVDpgV7/RFg1XnTbqK3DlXXyVFAQiwBiUAwfG+K+KUx1xUN1ANcxJrPPMVSZpEksR5JBVoZS1xy5b7brWAv1G0403mz9WCCAbjrUBYA5AytoMLhDwQ7BAGzhH 1ThYCvOP4b8ScIS1b7GgJQHj2erBBwFaCfAnPHGLRwPvET3iHxlG21GLZLF4IEoTHjzRZ/HBkDHYGiEITy064hY704a7RuIpEIgn lnTNuGGM6VGw3ij0A60@fnMtSYyxWoY1S009U0cAEiLRhg1/tzs5IH1ty70ysjDhAsGJCfKK0e/zm0cA1F56Pn+K3UwjlDM9vh9j yeQJbYFz7PRBFiCoEmpXy/QAC0R+2EByRglor+0qcfYU/J/6yD4YmEeO+tfW2NHSkbal9Kg5H7JUKKdo7xMMIjfwgtpwHhuEcLKN dOCSuGwtm7j/AgI59M2wZKBfAMyw1Wc775hNXgBptlvKC+HtxpL+/GbChnJwdduH8BffmW29ZfIzyAB80nbAEJx7ÅhYYSZQMgMKR rkeot9g3sg7H/hfiRMBjs/cmf/MmGGQUGEGrwÖZByJQGCxqYx6CQQHMd3iFpiPoTjN+9AX74nvsePMAvjhRYkj4DapJEYN4TZjE/ qhQv1Y9AxeFl1BQ4iAMRK1Zkc7XRRy3nj/zFYZOzo49sJWI0B3X2KTxzGCY6QYeyYxxL/3JMG4y/WV/eLrhGtP08d1/cL+yT6oxG3VIBA3fTjjz4SGHBuV5apkEJYr8hYDmtkiCh6/rdEYFnhMycQ0+GHXcSIiDs3vKE4cfHiBfcXf/GPlE6m7jX4r9o/qrTTepubm22 8kB7A0yVjspdfecUI+YcffGCGdCgwdMhfAW28sCeFgRv7RhjxvfGDH7gvv/xCQJcqbuC0rjn903YiMNeHwplwvS4gw/4Se1uIJrE IR7V1u4zbmlQG5i/jgtvvGJPQYE4V/rM/+7MNMwziAAEiB21UJhCTh+/484EQhWdg1RLfJdbq+vXrdq8EfrBiDBKs/0jIQNBIn4F Do4HgoCfGHCH/sNgAHeM9DUqckDffg2ohcbkDNqQdykpYPpvN0a44ntRztQGC3GDX1YCWJ3lDCP1ewr1El19hHNBXob+Is+YuNi7 ZP2CFGcYj5QhlTBwTfNd/IyqozVIX2jcxntWBQFZtP+7DPPDxpa4aI/hsurN5Tf8k5hfCWd4qI+IVxu930S0XIKAXAAWGa/v27dc qPF1XfDbZ7ZFYRdfU1NpxHBirARCMU1bsAAFnK1VUVpg190VLl92Pf/xj4wAACG5+g6P4500PTcuuRtptAARGbm/pJF/um/7ZT39 qdAS60nqnVVprjWYHMSPA4ggQ7oyGzhzSkRtfffWlOJpc40K0HTtuIi84HrThzspAbnvtdru97vLlS8q30biJ89KY47iPpps3bTx

EIhHbKxsY6JdxYKEdmfGjH/1owwyT0EAweDExpzMx/AAFQTMI0gjIBMAvrARoXCYEiI6xBgScTqXDYKmIQyPDDiJX4+Y30oLYMyH Dd8JyZR7sFhcCNcrEHHaL8tDp0Iq/+fGkfLB3sG+E4zdp8AGBKQ9sHeUkHwCHQ7tsom6YZn94QWhbHM81AQjlYwRTG9Wob0IQsQ2 qH2H3TfdfM5HrRNlcpX1RB0X7CEvW9XKBuBsngj0Z1Fdh8zmiAZVaxgLjCDk4Y4QxjHyaVSeAAnFHNAEaoLIKIccfTSVUVRn31JE 54bW2ciwNsVoeP6ziSe5mU5MBCqq/LEiwBCYuq18DC4Um7++iWw5AMK44koIziaApnFVEG8I50wfQGGgI5xupI20s0qa0LTSDePTb11+fNvHT93X9KGIpxgSiJ2gEC1L0N+LqUSyVoQ9YRzPmERmFBSXA09TcpPwLLD/CogkHKJDmgGgN6tz0cwAr6B/xeUL3UHn2N27 qXCTNE8YjdIz41IvvLJyZZ9DRAvlVi9ZtFBcHCAqEPjjEF6Skc+gICBQNSOU4657K08igKB1GHICAMExWGp8nHzqRit8UWu7cud0 BllwrCjjQqDQs+cDy0WBs0tFYEHni48eAoVHpQAALxEc3nQ4n3pEjR0weSWdAADqZkUYHycmTTiff00kbpeEfVo71AQiJsQQGHLV tR10LILiaE6MyylMqNVdYZSYF99ZWVVWaDn9NTfXDqrNq7xknlC0AB0MFQz/GV2vrHY21Ylt5IjpjHHFHA9xGagwIAIimpmZdTzp gqryo6nKBEE/ŚÁBQwGNypi+UhdBACGOsLAOLS5StuUO1G+hyQhq0D4RnrOPFlWwChuUjb0Vc8F9ukDrQjjH9ru6R7xX0EwTG3Ex1 ÄTDŹGQFgoQoQBDhsfek+cxDwIz/uQVkg7LCi5mhNNPGxZCBvKRfkJG34vjJ8YNrGM9l3paNVgnI9fBvoQxCEdyrNRXBwgKBynBEL oMV6CXaORaGjETzQIRJcJwqocPxodQgIQwH2AlHyIT+MBEKAiYZ5++mkbEFyCTdrEoSMBHgg6oAPYEMfQWR0WxgJ8SJNVIMAFR8J d03AQsKIAB0ÚEPCAAhK0ccBe7du2yPÃANyr+ZXBh4PGlLwBSCtVp7E0RjK2o1EqtwVmEYsjĞQsS9AphssoinPo06SxrgNu4hgX7A e7QuxVxFtLOqbPRlXcD1cysOiqTZjLPEhLA4OAvEQpJvwjDPGM+2sprBJCqcxrPFbojHF2GKc+TSY3H6Skz+OviE+jtVsyI8nCRJ 3PdvJCrZ0f5bDQaxTEbeyvU8LxAGCAXxFJwJCjFnVM1Fg5yDmsHx8R8zDRIFAsDJiUjEBmBAQZNKAgAe2GiRkcECcgx+Aw0QCIMg joDsT0XA0TDbYQdKGcIUnoig4lJMnTxonQX4AFlwKeVBW2EDyIg6/iR9WKvdpgw3pTblxPNcCIMgLYhfy5fdmccHoEYBLkPssXnw ĎBBuQjA9EZbTtQ+MsSEnDziŘ49AWR28PajHGK6Io8v4tuCyAŹbĞ//5Cc/cUloMUGgw0APq20mD4ŎbJ5/gj18g2lSd38QN8fkdHH7 8Dn4hzfCeZ3jPu5D0wsmEP8BCmERZ7sJy8B6XGD/kbS82yZ/Qljyp02pzEDSLsuIvfzalW0rxE4am1dHXeXnVXW4aC8MvL7f1CM1 8Xbl8twBi5dpyrVOKcxCIeDYjIV3rBlur/NYLILyB0VrVciufjdgCYcG2UmVbLkCwIEIqwKIICQG/A21iXoRFYfgeyhnmTOLvxHh IJticxr4BsSKicha9iemFuod4Ia3v6nMLIDZoz4fBznOt0IgN2hQbrlihb0LBlktMFsYP6WyU53Lr87ByLwcgkBIgpkZdFYDAQhn NIoCCdHiPCJnvvGcPk/Zkrx0iz0IXcTjGdSgYUBfEe3a6rwr65VdfWRzSY78V0Ajib/Y12f/E6I5N6S3n3BZAbNBREIgIzy2A2Fi dRJ+w34FmVKIGzFJLaX2qNDaiQ7IEUV1JkFg0QLAP+cEH75sxGgCANl2xDm5EKQYtSjTndu7cZVd5Ykz3T/7Jf297ob/4xTtuW9U 26xf2mNB6PC1V10ikzqyhAQH0LU0ZhXdYQdfpHQo07Fvu3LXTuu00lG3+5E//1PLciP2z1mVaEYBgwIPsPBlYQU0LwsYHNi4+4Jg YJt9cRMgZJo3SwDEBkYknSb/9u+ZoS5wRE7UDk4XVzmpqMaHeek0GjkwgjH3oU+53sImqU0s5/hrbAlRD0fPnlFfC0KF+z2f0tJt 4R7+jJYR/qRQaBrQ6oz85XZXxE0qCZq/2FxhDcaS2aUpJvZZzpsiXVSFjByLD6pAjwGkTtKy4CIXyeU2mJCkloMaq00t0PLcC2aU y2HLqNyh13VGtMlkdEpc0M+SPSiontvryW5M/9A8aUheuXNN1k5MiShWK7y9noV6MfWxGRmInzWKPkao6Bn+6lbZhDqALtREdYkb aIz5nH70QywEICDgWypzme0cWysTFyIwnavc7ZSdFe54/d94UZV7StaKMwTNnvjGFgY70Drs3muM1PvvsM13necJhcFemo985QgMuge9YP++WwRr3mnAXNKra9F+z7FkACO5v3nIJHETYpKaxaShc+M6E5M0ACc8AAoRhIgcWjxUA6qWEw2YBf9hAwnMkwvTIkJ3smaw OnNMKwIi//JnQMzJy4dTPZB2PjCHSLESxp8NlVtZqKkEwYxOK8HzngbfCEl+jmtknf0095cdNUPE4+raZH02H4wlBWQuAi0oY7N+ //4H0/rcZgeBYbojdpNRF0QhD0QAizQXpHBfAGTvNEgXAlkNsIf5chJ0juxE44prjBohz60AB2bh02zHfaL5xg1e2wnBtIh1IHUn 3yrXruj8ixzTiWDHa/QkKx3HgdpxCaYne66atWY1RAÕj2GYgTOBIcA7Wx6Lirq9uh04yv2NWOHKsNgHB3BXY0tCH5YDTHuMTm5sC Bfa4iJou2Bl/CHy4c+uSzL22clQgwKspKrL1uNDVbX1XJkhfC06k658hQCgDca/c+5NowpT+D5lXIbjnEeDlhQ/rLeTKn1wsgoBn Xrl0zGyfAgP2CGzeuu/379htxN7sSze803fPBJU5oNFJeVPQZW5FIxK7krJUVM+MTuy60M0EU9u3fZ8exc7YS46ZU44nFDgfzQf9 Qt0d9+5VXXjEty+W02ZMaNs5BQMBbdAkLSI0KKqsuWC86BBVWGp/Jzoo0AMFeAaIBqoP6x0d3mIRMQCY+nYdqLB2XJeTv/eqPLiV DN4zphq9p3b0aWVljoJEiwBhpue7ScqVbX1TiZlgdym+09abLbdjrZnXmf7LSmdWBdYBKsvTv04vL3NSg1GbHddWo3qcXlrjJvi6 lneuyq3e4lJy8GEhsvu5ba4AILRTsCsLv+z3DYoH+5TgOs7S+X2D5h/ALg0xoFc75NoAMltkQVsYbK33iQEy5WAeuJGivLZYW7RW 4EogbvwmH4zvimvG5kFMIYRaW60G/mQs3mmSMp7lQpXsmAAH8EDvxAeRIF8BF/q2nwCVDzBsVxepE0SqvIAeXwXzD4cd8CY7yGse BhyL5Gnk120cpe0j3Qc/1BAjKFcb+wjIm1jeEWcyPeHF/NbhfavnUgn/i+OANAMLhfxW6oxpL5jDWfKzv7t84QNAEGKrV1dXZE2t lkJfByXc2dL744gsDAlZhWFJjM9EiUAEsME5jkhAHU0E9mginTp0yIzmzoRC7P3T1nHE0/Wc+dxlFpS6nfo+bGuh1afmFbkbyxtScXJdRWilaGNdAmbXwWVW1bqytxWVV17mJ3k6XrA2kZE2o7Jp6F5X/yM3LLi1PoFZSIbAZNA6kYN9RAU2p51A2Yf+GCcCTPlhtDuJ xmmjhZFt0WoH4MXH5kBafQMhD/fkdJvf90n9Q0XiHe1ga90s70R8QtcuA50ltKvwR0nBDuJBHLEv99n6+fvMAYUBz46ZdsITo46m Tx437ASRyNA94FsgYEe7Lc0hjIlypNh/37d0TBxXLdAX/rDdArGBVlpwU84uPSTo01sL4W3ICT2jA0EAwgWDTkD8jJmJFgx8aBbB fNBiaBHAXiIvMVRcqhPdwFqAuSAxw8D5wHqDFsWPHXJbkzNE7zcY5iHfcERBUiAsod9HbN1xqfpE4Cxm2SXwwp46aFVik6PCsvd5 ul7Wt1jiHie40l1FW5aaGdZyHxB4ZRWVusr/bTUs0lSFwACQm+3tMTJUpUMHPi5k2X+8FgsZzrQAi5Ln5WmvjlzgRNOhPREw8EX1 x3hCc1M7Gerve1AiVuI0+zUPmFJwHc4gjH/I1J7jZD/HZaq1yv4sAsfFH0PqUMA4QDGBkf6z+AQkGKYMSoOAYDVY4kUgkzv6iJsZ AYhWE0IkjLkiD3wxo/JAjg8iEYzAjp0YcBHHXmspNDUknWZfIMPDZwExK0dWSoLjETBB29ihmtBGq2aSwAyaWmpvW0eHKBxET+xk p2RJFsKEZHTHxF0mzkEsrLDZ0w5Zv6902j5VrINZrDRBh1ftYhd+K/K0W0JC1+UH7BoAIoPGtwDEP+j6ESfx+v/Ar5b+RA0Jh9U5 8n/j9QW2x1HCkQVhc6Af7sUp/Hjevx42/WLXiAAGXEFxgr0JDMmD47mWoftAmhvEDfl4EEApKejRsSMd/Z0M5lpNAQTvXRvCDHxN JFN8HiHWOSRFjZ954IawCxd4pA4UNCcb89WDzyb+L5bXJHqENedK+ADYiBwCb7/gBvoDwWgzeTdZ8G7a4DNulAsR6VWKjAASLTco SzsFa2B7MDfaWmBPQIyQW7DMxLxZztDsfpB2kCT0LjrT4BLoW/Nk0x488luPIB7cwvQelQV2Yy9RhuS7Ui/xYjAe6u1idlpN2HCA QCW0RmuU03eqGpWNxPOn8LYBY3fZeq9TpVk88ZC08OeIGRntdfmaRS5rVpFYhUkTcm0Atnd2uUBpcKdqH47hxNADZ+8D4Cy0xGxf a0IcgQBBZP7V09LvS/Cxp/03axjnElTmNWqg9xaGzaf4wt54AwTiH0PNB04gP2mYshNA+w6HZNIEIWvU5q90hDxw4YHs07e0dJt5 GGpeXM6bjHgcuFoLoXr9+zb5zyGejNKQ47w2woA3ZQyVvToDmiQSENuOuCDShaGMW0bQNZWMviIuDsK0IwETZiEc4R02ohXN5EXU IInjCQmtxfKde5EeZ0RgS4KJc5MM4CUpDLA4Jh4QH4ES6wxP7DkCM9tCK2A7W5Bri0PdoZnEHBnlRB+rEB6UQXF+fbsyTwlAAlgg kNmjdsQBH2+udd97xZzFtAYS114b5swUQG6YrVrQqASBm56bd9Y5L7ldnfuJe3fuWK8/Yrjslml1dZIdLE0H7j7/4g3v98B63vTB HxmKcTjupSc+qdC6u6ouaZ4Y0/Sory11qepb7N//vn+7vP6cj7icGDEQsjiZ7jrSqAJjamm1GkB5WofUECAgsN8pB5LBb4MpP7ps uKSk162oIIkepc5kPN7F16pj/cinQ7N2zx2wh0J6+pLTELt+5eOmiEUIuCqqvr3e//c1vXJFE4VxmBhHGD0LbLmI0oHD675tvvmX qrl988bm0ty+QPcuoKej09vZYHyBahyB3dnjVW065wY4Co726ujoTx/M+TSJwjPqee+559+GHH1ocCDMADbBFlS631AFcbTo6n71 dgCVTH57YYxQoL8CF0yWwuYHjOab8SOfX771nYLIjEhG49Vi4oqJiS+ec9pJzpQXIhUUA3FHt/17SQafkgSo67ceFR6T9yScfG5h qa8LR+Jy2jYr6UGxL4bzqZof1bQHEw6bN2r7fAoi1be+1yi0AhPqI1zfa467cPed2Vux3ydMZWsUl2YUxU2IHPjp/xe2prXJFIq5 šVrPCYw+PVSTiDlaXECJWoNxdkZSc6v54ptkdaqhw2ele3MIqF66DsBgRQngwgHyYW0+A4KoAuAKIGnufI1KBztYKl50mMbxEq4t 7qHkPkf/p22+bVtczzz7rPnj/fds/rdWK/7KuBpgV98UtcSjVHDx40Azn0MjErqJS149iiAfRvXb1mqvXKhtNS8Kd0vWpa2m55fM SYSafVnEdHG9fqBvlIiLKEF6M0uH20P4skj0MgMM1qS3NTUbo9+/fLw3P7e4Pf/iDcUGndcxHgbgKuAKA7sSJk7rP+rzuI2lyxSL OadLOBBRYxY8MezMB+ipVedD3aM4dP37C+vPLL790x9UGv/3tb3Un93YZ/e1xP//5z+xoEriGgwcPKY1hu2OHBQJ3laCOPilÓ5Ie 6sY5xc/XqFdMyJW0AqkuvADXMGwAJHGk9NkBAzBhUPEG3IANkY0IfWBvYFtuqVhq2ljGKQ2vJthA00WzfwIr17T9sXiuAxYm/JT0 1Gpvb0Da1k8VGxfcw4gFjXxQeVi4Y6JnGlMqXok4l7Qc6y0uGfSrztzSjSFd5h/onga0tvKoY35fjKJ/4RBsE1jYIHpQGhGE19yB mREgGolOua4ib+CSvULasOuNO5UqekIyUeoqlnspEJEmz8QexCX2vokLkstNcWV66XcsZj7/1xVpAQ8X6lraancOGxMuqU5Lm2X8 FSYubWG2mChjgHAgfd/wgITnaH/Bg8o9PCjykSs51qGGBQRiCoghCf1p/4fkAt54AAfG8KjBAlIaF08SRS5hY6Yfb5RCz3JX9Far 3EDNWxtw0x6VhEF7ed3d3+dW8jCQbd+40q2lW5YAqYjziAEaslKlvpYADjUzurcGu67wIN9wC7QVA3JI6f6G0M7FnYaXeLiNQDDn hdLgQjfQqVR4u0+qWISmiJziSQ4cOG7ih+EP5+CAyG5fdFkalxSorIi9EPnzIi3JhJsDBgoBknYCHaw5Y8XP/DaK2D3R3dtW2KhN hcbMdnA4Go3Aq/f19Arta43jqLmqTAK+oqFD0b864B4ANbdXTp7+ydsRynPu09+7bp/rcMJEU4rFPP/3UAwSri0SCHoq+xB1/Pqz EMPDCRgiEK8jEYGnRdkK+Rzg6g0rR0IRH+jne2eYmZfeQG+HsEwbyrPPqq5WMdjUwBF7+SjdJgx3wgGh0DWEQJ20nim0GLkY8Vdk JGcah9YRtBDYR0dsbmA33DH/TiFI+ANDUsG5LUxkwpBu9fdPSz9t1Q0H9hCMdD2JKQ+Ww2cVbARFlg0CnSSUXIz7iUE5ACk0+8R7 ZaKieuZFdbqT5qsssp6zavFccazcRfgMz0o05r5WlMIAlIKu0JjH+G9NVn4N9Lru2waUVe62y1QSIyelZ19w15i60jbj+YR2Ili3

ilEL/+GZIUt9WXPnMlZz9yPXvPu4u73tdEzfFZWeo7KpLe9+UKymQnFar1x0lmW5XleS+aff2Q6jzk/SkX6dmtTBRnxrxVXsxT/R r0WrSnn4usSk6gT6PCnAztACQtp/G0Y40mchYgduwVNpwF+laVLmxCY01gXi25Myp9BHH2Hi9f0BlJdx6AgRtE2gK7Uj9aErahEV IKFtoJ/9+HhCJqyOdD0VEAcZDhw6JiyizuNy7DkDQ07Q3tCssaImHyIf8+ZBnUMzhNxwZbR16Foph5SUN6Jv1uzzVX5QTx54CF27 Z3e76DY1knJAnABL6jvDkRRrkC72kbISnTDzxB0TgDAAlOJZs/SYcoAE4BJfYDqRNfPKE++RJGYgHICcqAfA0uk19yfenuqPb0Ah ekCkvQRwigc6or7LBQQTCkBEVAeFIAIRjg4d3gAzvEVeB+L5T/f0NbJSYHcStGxr8Uo8VEQQcUrJyTJU1raBI9hHDRuw5cmN0jZd RVinDuC7rkCSh9djdW2YMlyXr6/H0u5Y06q7J6WpA2U0Md8pI7+QrbrxbbBGNrXfkBdGfFtuWlqczd7QaGWkSeyggGRURz9q2w6U XFFuc2Umx7DK+43gP4jFJU8XeAgDTAhY6HiKekp3n8ncfMGIPyEwqPyzCo3dvixvJdsXHnzfjPVRwx2T3kV5SbnYcM1FdwFS1ndFuthypSmdS9d0ocKkK06s0g5uZnRIR0HfyxVo8szpi7b+aADE6Mes+ujTo3j8/4EYnZBEsWpWRKr377BRtpM643KlR9/3f/ju3s+0 M6v6qdf/Pn/5bbQymuooire7GZl1rr+xgBCileanu6V157pUDhS43U5P7CXdT4qg6Rzq1atc91FmFbmBs0JVmF4uwQYRihEsUJQC Gut6ISlKSFlZjzW586CPn0k+61k5k7iMGBGwScoMfK0Jk24AEc6t0K9TpL6+46DfX3NTrR91wLvcwp5kFekV5qc3HlWjuQIQN8FY gQYgQdAGiBe0IxBBiRR6BmK1UfitQ5K0kYi0QvzCI38jSWP1//fXXJtfDKpr0RDaH7A52AyAAAIIlNcfyRiIRAxMGAYCBzA90Y8P pj3/8o3vxxRctfoYQ0CqAwGIa47iSp1913Z/8RvYLBS5VRm7R202yghbC6XfhgRNuTMZ0A+e/tKM5cut1sJZsHAARCHS67ByGLp9 xÓVgtj3fpkno90ZYj0S1Dx210W/Wyt9d7AzgstLUi5wq0M8YTMMEĺŤGrFP3jpĞ9liFFsczm/KEmcx3n5Hxnc6BkQcA0lifJclig2 HAqAhxoITANSGLp+VtfdZAdNLArNuew9A9H7xocsUwA1e/Nrl7txn6WPLkVu32/Ie72gz7gL7DfLFqA+jwIJDJxSvysB1+MYlA8y 1AIjxyVn32fUh19QVFeusw/Em5lzv4LTbs11aGgKPjDnd035TdfnmY3ej4pCbful1rcQQf3CyKathNbkIIRzEbnEPu6p0HtMTwEF MazMZ4p6SdC/YqcYu0j3mBieHbCExNjPuMlMz3Pi0rKDTtEjIkGaSmqRnos/GYnFGoctM4YbDBA5iVhvP0zqbLDlHbej3Cyyw/iB 6AnRwiFvYqEzT6nUuqqtNR3RmWaEWF0KwPYFl890vPi3CY/7ZAojHbMAnKHpczZXVPpbUEHfEQrA4DBSIPJwCKI/MCu4CS2lkbgA C7wkLqwV4IGNDdhfYItqY0BDYvMBBwCGMtFzTKvyQ0AlNIA1u02tJnAAiFlbvEGdW7GNalU0IAQ30YZoeHTKCPi1iC8GFoJvxHWy RwIPfcB0sy0E6sLbG8npam11p0krIrq3XhNR9xDqSY1RnPxngkK8mJJyG+Hov5hEosHpHZAVQwZEAKhwDwgRkzwFQG7xw2rihvN0 H9ZQxn9qKeg1c+Mriw42Qd4a4CDgbf4xI1EAta1tElEBiJ+XL2VTUjzLkNu5TG+je5ytnVY88l1mz+hwEIqb+4XHXM8RZV5A2qcy JmKUk+b0FdbBLCZwNwkKxtrDH5mgPvWcMIQrJy0rV5qpWtxJ5Q0hshah3nF0EKIbfYbVIHP+h6f0Kk+Mr1tPNaG+AD5g3PoNuuvT gk7Xa9ZWlvxJ4uNFpqTsmefFhRoo2ESVqIt6UQAVBRFqyzi6b1XhWHYsEEKkCGX21uUI7eUcu4TtD3n8nTnB8D/7mF48i6JqPGoI . Í9nMLIB67CZ+YB0IAwaTFkpr9AjZ5GCQQdog/XAKbJIiJIPw4gAJQAAAQJ4UNHURRpAVbSVhWNgE80uTPURsQSkAC2T9nMDH40bn VREwQdgENVtLsLcwhahHhtIP3FM4IuVbvdigsygbHqJuW+IbZB5DALTBzED2lwMZC+Bc4k/UP9JkYJ1NHfgA2lIHj0vj0WU/JEve k6mDBKZWFsiGKSlKe5pjAqs+0VPEQTSG+YlXJngNiJkDL9k4kSgPgABdAEG4FkKOs1J39BkCBPY0ZcROADocZzijŚwLkvTXSVIfE V7bqaIib6u1069xPKF/1u5BpZqn+PNsrQfAl9CJGfUH9wwByEy+SXInCUDbGIHRMu0JvVxqppQoiAQcNStNrlpEz6Gr1+QAC5LGkQloPvcA11EY0b36fmsQ5/IPJwDtBhSfet/DMC0hXd/CgSdYKzSNXmsm8vfL0jPm/Zh0YdnyBiIgRtjbuH6JvPxviDrJ/9jJUq360ImBgX4RMWFPy+n60sie8Zr4nx+E0Y/AgX6jb/nfzm+yQxLfJMTD98D2FIExd+h7SDX/gd3t/PP4QL6RNu4Xf8cCGtxPcL/UN6FuE R/8QBArWn4EIjUggyoXH5HhoCv5A5/onvQhr44UI4+64/thELIfUvFcAPRAtPnFjaEFe+m0vw9x4LGohpS3axcLFIiq608xmFaPN PhQVsiOc3sUnDE3jzV0qf36+0/TtPFixN8pNbWG7zpNyWvk9TFMLymU+fyLQtq1VlkPPffXvrh/lbW2myzmkArjpAqL17dbz36Ij AVQ4ggAOwjVMV11QMpWHRLyUE+hQijnZNgbQ6IACAA8252csoAABAAElEQVQPQPAdgkgYRCOcaooqJo6jt7kbgnhRxePmr2HlaSC kBHZsrzGZugVexz9q9SXlnkj4lxRBgRgzpimmPGizjeLCdG0eJ87bxy3fcgDCtw0b1V02oEDNcu/evVYEypUIrpSRMntA8/eH4Id kA02kbdu22QKXxQvpEB8NIuYSC1/yIj0kH7Nw8pqPYY8kAEp4T7rE4z3x+GAMx94QUpfgR5iwiCYuv0k/lIt80VJiYeWN1eZsgc17DPp4sjfDwpvyEpc0SJ+8cYl5BZVnwv0e/WDSJX3yCnEs4iP8iQPElh3EI7TeKkZhE0B4MlgZJKvJQfh80N5gJe81Yzy6zhMxxCJ MRv6xKKZ8lLh48GqxgGhwfiJ5ggPR8eIVLuwhDZxNOKXJxEC0xT/ywZhoXgzj0wttQthEF/žxW/guMdxG+U55qf29tdgopfPlWMl 2XA5AILJGxRR9fTSDKE5A8EijWgS/u6c77ldQUKjvI7oHZMxhMIakgzGIMdy1a1fdW2/900bNGdlVDEr8W6jwLHzQRkKFs6mpycY k+66trXdM3Z0900uyoUDMniqulotKWTx7Yp1itgpdUmPldF2M4YLkpEtEP0d7s1gmV+lm0/Ztb91qkQhee58i9FxM1SFLbxy0ljt VeAIAPaoTEhkObGQ+IMXhkqPDh4/Yvdmcos3lWNhqoB7Loamc9ss9FrQBi0zIBX3GkeXcnQEgYmDI3TyAyKO6LYB41JZb5XiB6PF cC4CQPEz5SDd7rEUiroiIvz/PBTGQraJEsHkiKmLAM5ABrdY7dzVoJ1x93XZ7z6RhAlJmNleŠFKi8HDVdŤUzFZUJExUW06QRTDHR KZGAEp4E/YqaWFnTCs2XtWWJ54I9jVRi4GQ84fkLgRxuh7sh3e6fw8wTYk2HAjDA+7vqSZspJ+6xvKaxZF/0DoVnJdlo0QHAV6C9 /+UtbqGDdDBG9GLMCRqsLe4dh2StqA4DdAteQQlDhFlhAlevyp2FZUyMVeOmll2xPlDtrGLM8sTNIlyIMXC32FnTCD37wA3f6q9N mH4ChHJbPlSKuX8uqGk10RKr7RHOhtlhhE480AK660pRxho34c7EWdS0tKXUvKu9vvvlaHEuNGe2Rb5XK+MXnn7tIXZ3DruLFl14 OGwhuT+Q+FZSDsK7esSNiqqzfe/11A6e//Mt/b+DW0Nhg/dXTLatu5UX9ibtr506BR73VAa6hQYD3kZSDjp84rmNIDlo5F+3oJXh uAcQSGmk9gqw1QMxJo2Yiqms0Rz53M2kvu7Z0qVfKYYCTow30DBFxVkMQ7MqKMleuFREiprtSSiBMqVZtgAHnz0DcAY1LslCFKHN DHVeVFkmxÄav03t4+7WkNcgDgKpJN/FQqS1LC3GlrN/Ya4MAQqbS02MrR1HzLbpaDcAEonqXmsELddMcejvwpB0QXcABQADFEABA OjmBAfFWhC35Md95SXfs/lAlwiNtNrH0RHpojC4H1AgjsqCD6EF+I0gSaq20BCpRjWNGzN8o+KUZu/QP9pjBTVVllIh8slQEIxsL zzz9vHAaEd0YLFEQ/Qalmm0RN7TJ24zqNwAXwYJxA2NHmxAiP+6npL/oKTqabA9pmTPunRbKo5r5sLKvhFBobdxrXAdEmvVLNgc9 OfWZtzTjkOBC4D0rDyp4VPuUjD8AMjmVQ+7x2Ba4M8XpkYoC10AQfS+wCgSUAc/3aNVe7Xbc5an4hTgomCXAsHLExJg5j+3YZ2Um hiPS4khVwelT3WAABEWMVySewpDQGlYLnYdOXzWCuEKURvB+WzxJhCPkWc2gwafnqw6tjjAdUQOTx5vDDKX0caS3qyF+aRogsYMF MQ0gbwWyAQ5Qe5kwrR/FNsynkSSTY0ZWFumFnYV5MK0qcGM7eP0CPymd15Ul6yovN6VCftQYI4yDmxlUvWZb05YkVp7/8XkTYsLR Vr9q0/QKsWykjZ7vQ/+j9G6ch7oH+5zuTAVsSCDq9xYSH8LCfwSRHjR00BAIP10E6DHyuF0V20VtZyR/Hio949H7QsqK5AyHDn/L prT3DxGZcUk64E25+C7r3CrguTkUx0RzlDX0cVuyJv0Ph8Ev0D/XhfZhzIexKPdcTIBgDEGMAHnCn7vQrexLI6CkbfvQ7/nwnLAA . S5Pb444f4h+8Qbd6RHr/5DgARRgmYPyDEPdakw7jFkRccAcCCsRtjPSw4yJ/FEmJQ7iñHDGVll4gsXwshygXnw7lHHJ/h7ynX+Us qA46wEG4rg36HJ/VEfEQ5yZd8AA/Cs1/H/p6VR+/xpx6EYc5RVus7jXnmCmOd/IweW67L/xMHCBIicQpCglQwfF/YKWTDJgjvMRP H0aikwQqAy4HUoqai6q2fqz0oiIiMNF2JWTuLjZUGEidP4iDEaPpAmKN3WqTmWuVVVRkIYvEgvqiMpkvjCM0m1G05Qc4IhuKag2L g9AAYMFwDmFJ19ejIzUsWPrumzoOWBoPJ7lQHs25Wff3Gu0IqDppMaBVlSNOW2wl5mhaSDUhŽb493tbu8nQdMrXVUth2ozzLYĬPB 2/IfSsONEKL+IP++wug53cQMKZteh1Qj+E7LlKDr2vAcaVYF8cDwZLLT1au5BWGZr+MfXT70U67I1zHpds6Jb6U/1rJ3eyaSGu+E YBAg+75j0yNX5Tjv5z6xNeER+x0EcIBY6nE0EoVpJsDAiw/hdoc6hvBBACBkLSNLnGcAaf9xK5WeJrfMf6kj/UU/qtVnrFgcIBhl qrhAhUBRiz2YMltR0MASKytLRAAhH4FJpNpSQ+6E1QBo833zzTb0EhtCjYjpw/guzA8iujjiMvzKKyzToJR0WSipEHw4jXcdXjMk SmlX0pNRPIcppumOalTkGbalSI4Wgon7KJUIzOhfIbpdTWGwMUEXlTmostFUw2SCUmgqq+E0WAmaRzdWlZpCncln6Uj+d7081rmJ 09UrV6ZAAAwCDqirlxyCv6MgzBiID57/SvNbk1so3Kgvq0udeN7VYwCdZYhisrTPLtgmYtFlGnaTSCjiN3rquZ75UWrlatcjNCfA wFqS8TH4AiSNDio8+ZwDC2PYE9MkFiHWev+uWfQAIxn93d4+7Jpk2ezVwWnBGnD/ECaldEjEw7+CwSjQHIThwQYj5wFRECxxlfej gAZujzM2VclsAsVItufnTuceSGmLPeeicFIgcDUtq2DHAgN8ff/yxgQMAgiU16l3I7vzJgFdNFsg0+70Aker6Tn/s8vccMsK0lTN EmiMmIMYQX7iCIVk02xEbiJg02IsOPW0WylMCgIrXfuQ6fvu2GZ4BEkVHnrWzjiDMmaXbjKAj7il9/nWzj2CypSCikB4/4io4E6y t+8+cchzTqfEdIJK366B9n9YZS7niBrJrtDmk+63z9xy286KwcQDAKGOyAKP3sz8IxNrEATXq/Kh2Awju0KZ+GPZx7AZGcsPXL9h Nd9hxAHx9X39iwAdRgIMAnAAIrK+xzEYMN3Dx9LoDRHy1uvnH9YaqAdyshpstqAJA8JsVZlhphgKzmubj/QUaCscBcNY3Cg9I2MpbaSLe8GK0lVvtU44tgAi9sfWMcxAMQCyp4RjgIhikcA2sYhAn8ZuND+RmWFGzYcR7AASAQMUM4EDex4mInKUUbW1GS0y6P/6Ny5d RHOcVcVAeox6CblbM4hgADOTxiHRSkDNiRCdrYs5MMotlGc8BDN7KWZyMuBv0VsJRrhQR4hlpEhQcPKHzla6ZqCi9qMTEVExIÓyB QwMQhgZzvZCClFT1sPuIdfmfvkBGgiPzQ1Qta7efa6h5REWdBURY4h8EL2uwSYUf8BaeSv/+oEf4hWTynF5Va+naWkiYx1tvZVdv dpMCHc60yKqtN1IRxHG2DdTXHhGCtTd0Gznzuik+8sK4cxBZA2JBa8T+s+IOYIQCEqfBqHojmyyb7Xkd4GF+c1jdxbpLf+mkcBE/ SOmknceDxfhrTBJQLwERaIT3/5sF/NzpAIMWgPR8mW4c+EW4p3FUAa+ZAENnhF/qN5/0ccWizpeZ1v3Q2on8cICCON27cMHERxJ/ GARxorKamJr0k3r17t4EFDQEY0AFGoG0iJ77TWAAGxDXa2iQQGDH5esG+o0YMIfgzAiD2KDjMbkZnHiHf5zymyYEeA45kgQYAQhq ER3SDNTLhcNMivhZG4iY4DMQ4dlyFNnWYFgsdHAQcC2c4IbLi/COOtqAMM2LvEQelaGUPmAFa7En401qVktoBsRb0xFGKb9bb8ge

oNCrcrEADrgXCn6Sw/tgQbYgrnWkd6YH4iTYD+BCV8Z66ASp+v6Nf3M1nrvSZ1+L50o44nvQFbf0k7UFY5b6Df+hW+h0AEH/gxqb 8WVYAAQ46xAh010GJuCmdczU57Yk+R6njCDoxpTGhd8W5UqrQtNBPbUxqr0jlmM7V4iTeNKUBqHDoIp+luvUECNqG/HHMGdrDGxX 63/hzqQ0SDVRRCcMc4cN3nP/uZJCm0S/ahKQj1D7WzHHQID8cB5MC0GqXYRcBLeP0CNKEHkIHw1xMzAsD0xQrcBwz1NB0f095ST9 weRZok/2JAwREPTgaB0dDhCffgz9+oTMswII/9i7Waay8lZAisGl7b7qEC3kgf7VNYnWlxaezSYPpoFEf4pKVxdFrVkiIbewb4fk s5kiHgaA8fBw/mCxtK5v3Jyppf6tuli5p+PaIv7fs9Ic0bNrG/lLdWFkoH98tiEL577F04u2hskll1DSY4vF8GMrDINsCCHpn8zv GAf0JQIi+uyGdhHuuJarLg9AEE2et/q/WCbn1ldL8U3VbeybdtfYxC49HusKMjrN57Vxhboo72ShuV35jQojPro24cT31094DFId 3SFe/UpcF6QBG0luKW0+AQA21ubnJNumxb8BmBC03EtkWIL5mYfr73//0Pfvscya9QJqBFAPJBRv9KMlqi8M847dpv+k985+wPVI NBTOAAOh3S30zGc+hEOSOTKIOo5biOh5UY7nvAZVaAIk5vGGkLNOoGxbR5HP9+iW7bwItKKOtqAlxkLiO1+SFZGYzuihAOPBUdst tjBYIwLlWAGGES3+EU7YyZbFq90HQHCJG+m/+DBFGCStbLqbhiG9WqltuaS2QCBBaithqH5CY0mGJvEvTkh/NXo5Kp1WjIvJj0k2 XtYm1vTynxSkAMHAZeVlSE9b+9IT8+oZ1N4nC0S/B5WTKzkSfNPktdXqvJ0D0SskFQzX20CHALbIxYEMe4zHsFl599TX3q1/90vZ FIchciAMh51Y1bGsyZMB2+9ZtAwOuHu3q6o6Lw7EtiEQi7q64hKeeOqn2TXKXL1+2k6YBDmx4PvvsMwuDNTThubbOqZNPucNHjhh HcerUKcW5JBuGF0xSgup2s6yeGxt3StJy08CnUjYZABXW3BwTQl0o/2akr1sAEWbSBnuuNUAgroDAdAxMuba+SVck0UWZ7nbgqG8 uBWI10jyOnNU3VK/CcrR3o1a628vW93C9DdZ1DyxOIkDQmAAtoiGA2RBBBJ6+tz2KWErECY6vdIFsDA0q4DhIq/4jCUNyBSCMxdM XOIoMAQ9xQv8R9H5uPQECovzer99zR48cNSUZQALr5lShJiKc733vdfeLX7xjx1lQl1u6KQ17B8TfrVKgQeMLÜTKLXqySe3p6XUQ EmlV/i6yXkRpw/eb33/i+2e4YQMqqu0N3THMjHNeNVsvorL6+wcLTD3AXb7zxAzNM49q07nd+TkZuABdAQNq1tbXGScDNcH0n2px td1plnX1EYJVvFtWJEpj7tf1G898CiI3WI7HyrDVAAARfXB92V+6Mm5iCVSsr1f07pIDQNe5ytVLNz051t7snDEgQgeTpMqEjkWy 3p8Yb/2zQptxQxUoECNF0Xc4059r7J92wuAj2C9Tk1v7poubsG0yLJeA6WIABbg0w4JknDmNbMde60gdY941ob08IAdh1gmL3Ug+ N+ePVcwXwNaU60DFdG7YK/zC3ngDBNZunZfnMaj4SqTPRULuAgUP2mB0IbsJ+AVqWqNizd5Cl/UdssfhuRpgSHyFKCjetIerhGtJ Lly4LfJPdM888Y1wGR3sQDxEWaWCkxyGS7D+w8icN2iPYbHA3NbYoNTXVArA2Sw0xEvEIw4fzkKp11hNqwflMlAnjts3IQcTVXFd axÍS8jq6lqdE68KsiWeGqARMbisbHhÝ7qXSLS0rGkdb+NHtJNTCMx7YdNhI38nnrheIY2WM1NaqhPhzqHHKIlfneKm2qQEPAdwsJ q9WbnuIk89qoUCMelQHAYT6KzsaXxxzl0LM3TUvz5VIvVlbCxHlM7+fbAz26Es1V8uE5yfg9idk77CeLM2nRdKwSe8CbWU0KIiXL Urmpy168b/aZF/YtydB3kJJyCrvNVvBMNugBLWXHj3w31CyCPOCkdpFEaiJvGJmfECaa5HeV+H2KjAwRzHeUY6AQ0gfkcAAu6wIf 5ED4hjBpvsW65xw9LaAg5aaCNyQkBHBeDIx81tblwvlc87Zg//U0+PHnH/iLZkh5+0L5TBzgPGwekG/vEktlUjzgHgWEciEfl6Bw qz09gMc3v0Dl8D5bXoaMq4HwnPoiJhTWsH53Ld9JB6wAqwtHAAAefoDmAqixnipAO6YU0ec9KAcc7ykc+lCN0eDqDhTITD0fe5Ev 4zeaoG45naNfVBAqmCmb8yHMxziLPyakZrap0L4ZmDu8x39coUKkk/9amJ2caoWES+ouy8s9PEE8kqYM/qE9aILF39H18Uqma+JM WNWZSMSa4PIj0uNidc6CQ9Ya0mMmmNSYPjkCAijIhrcn0B3EEiVFe/Dm2g7FAenagn8KbZoye6Qo7KqtlHMchcFCglVPaKaMTOvJ BmmmjUkPOlhiMflaeAFEq3yoAYTxw+DJPzciWJTrkMnUHSbY+HBcCyRmUX3Qi6mqKq1VHNGHmAYJ2nBT4oqXEFa/BBUJFlfkeo2H htYmTABKAWQ/dYkff+D0iAACCRPnIS1/FmXgtJjgPfj/MBYJMOivhTPjWp6oQfU/6PJmX5MFYwK1UfitR5q00fAvEAYIOu3LlinU kpv5oNWFJjYoXHUyn0oEQYDoW9ou05Ux02LH6+nqTuzEJScvYPD2R3yFH5PgNdv7JgzBoBaA+C8t49epVd/ToUbPkxigPlo/80DA LhzEelxVxZzaAgLwRjQY+lAWwomyUm/d8J3+AijSC1bev8ub4SxvheK4FQHAE9522u7oTos/ak36G1d5eU21PSBXtTVtzFhMGW9z 1aNUvclaOwevRIXv0Ob8htAADRBoizwVDubmvTo+daRTYcp7cEVEkkOKH9VVVVuhIZ1mci1j3aVwxxjhDiTEFm86l040vKSkvg2L KiAMECMORyT6NHvsNEDTU7XB3dHosIGRnPbHyY3mttq2t2eauXL9pdSqUrHjXzkY3plvkeqN90gzSYWwZ+cY50BujU1FXpvumGV/ TAoCJmQk3Ni3xW1q06472uixdKcrFQnbuzsSÍy8vIE/el+aLb6IqyCiQy4nÍXeYAgnY3otgBiI/bK+pQpDhBkzymGwZKa06jZFIJ YQ2D5/cknn9iKnM0ZVvpwCGza4PCD0KDaBXFh8NfV1RnB5ggP0gVUMMaDaENECA9otGjzi08AEps9AA6DF0JB/oAUeZE2q2jiAEw ABkZ5gBnySAgIQAUnwkmH+/fvt9VsJBIxYmEF3SR/lhogACHalvPy0XyM9sfRlxBfjjeGuEKEKRsrc8JB+Dk5M0+cIU9W79MCG4C bMMQJK0QIJ/JbfnOLHMtjiDbgBK1kzJA2N87BsUTV98QJXC3kFMAxjkXxGD0UDz/KC2BBgEmLJw71xmyBFecdhfzgkro1Pjh1ljE GiBCHwwEBIwNlEXo4hCAmIMGe8T43oVNvuTo0LVkANt7vSrJ0N/rUiKvN3mZhWbn3jAlIUzNd93iPq87ZJoCQ7Qxq3lY/DxDkZwW yJ983gIu1GfWGY608K+G20IiVaMX1SSM0EEwKiDfEmMnG4IAtDGINJjWEGxERH1b+vMcPcGCVj54x6TBpmcSACkAAYedOaojGhQs XLG2IPGmTH5tOpMFFHfiTN/HJE+KAvJD3nMXOKhbVMQCAdPft22fpwDmwuiUeZQBYACTKgngKwraZHHXA8aROtEPoC77jhygNcFy piQzxNpGRnrHsjdKSPh+In2i+6Cw6/IECK4jKGegdP/iNDB0/S1Nh+eXTkKcc70gL5xfzpC5/5cNeh0+Ft5TJ+9svyqYvIZyVSn5 IaPCzlwSUI6SVAm8rA2H4DpEmFf22cnoRldXN8rZX9/whLbgGUvU1E1jpWtIUEX7SAwR8/Xx/+VKqHQQmVq6E1PwYlQfV3GhOdaE JsDtageItFvDCmGd026JF4x0bBVtYaDCgIYRdA0uE4Eec8B36RTzeI0mAftAH4RPCWn8pHi0C+wsWmM0JtIJ+Cgui8H1hX2607lv p8sQBgoZgRc7gHkJPg9DI+KM2BmFmRc6Ki46AMBEGx+9AtHgCBKEh+U0awY804x0dETgKNCB2YTDQweQT0pAnfnArDDa4BvImPgB AB4c0SZ+0+FAu/Mmf52Zy1A3Hk7rSjrQP7RjaeuUBQpuasuz1FrmsqufbjG9qRpch0Ta0Fb17ikj5K0k9YRUYeTd6+mxwI20PE2T Ijv5DjL0kVUMavCdccAAEeWEARuITehfk8PLx+emp7nWZyoNRaHJ8he09Cm0BApH2Xt5mA80g0pqQ3B7tIBzyfNLBnsPim+/Wn5V qgeUABPMcYEA0zZMFKOAATYKI8/z0008ksj5ui0vmALQJGsBik0Ujm8+XL1123PnAYhbRM8Z2eTqMk0UtY5Z0oEHMJYzfiIfYm3f EÖRxT2n8K3xFtsodKH0jKd8XFAYJGDC5MdhqL70YEYt8Jq1/wD3Eé9kxMc2HYB71LDBvKcb80WgxMIe3EdDbDd+qK47kWAEFuEFk OZq7eHZcG06QryBGVlqYN7yD2Edk7lOZL5CMCe7N9PK55QzwMsngSGPuIfbXZplGD3xfXddyKnlYXvSet0mnV1Er1Eg7jjqyFr9z VXgIZiUJj/LVD7yoLdQS8vDr7p0xLB+LNxixaO3nKr64i05UVoByhfareSdfcxbHwHnzwAyew38iRSmi6qrJrW5bZd4ALF1ujph4 6Kťu0/Srr9tJ0hzoocVbbAZb+BIDVzunR0mf03G+0PUqKywEIiP3HH33kKiV9ACS4dwRjN9qrokJKLqJTH338kaurq30vvfY9U2P 9VMZr586ddSd0nLRyTwsskFxEFIZLhbqk3sqFQqTX3Nzs9kgCgciafU0uJ+K+kjapr0KQNgwiTCgzwNSnfTU00QArrv18fvy47Cv mT514lPbYTHHiAAFSblZiupkafKllXWuAoFysqEekl98vlcsJcRKsqBEVQcR5Zovwo0bJYr93SGdkKfyMfuhhYeEKiJclQlsocMm UppMUoVz34JSBB2mwqodDKZTKZrG0iiDuqNQzh6ISC+iYCFQ0SQe7C/LCjehoiegEqp6s9r22Dvsb2ALkZWk/Q2kMKj5pUGZ+Ex0 uBIJPvqRJngAM9eyR7QCqouAwQFio/NDMUrBVdeQH4FOujTrfKF/qvleiMZYDEFhSc5o013ti+AbHzE1sUzq77MCBq7bix5gN8fU K9F1xWwCxQXt6PQBCtMsIJkSM74kuEE4ILQ6QeJAjHEHjaSYEpm6884ARyzPhPV95H/KC40MSs+Q9zrh9vSBM4nv/9t6/9ytTyGs tuIcAEAAc7WBtoYwTwQK/lVzBJ7YCaUPwaCtrQ/Lmn/9hT8Qr6wUQiFE5H4k9zUhdnUQ6qaa1RvE40mKfVvEDEqexr4ARGuJj04x UnWqk4ELcvHzd/ywAuXnjpnEiEHT2NyORiBsXoDRKYQYOg31NRNJff33auJMKcQ+EQwGH+pMeHAfxUdU/efKkiavI87vitgBig/Y 0ExkHa41Iwu9B6JIhqZWu1h6Ez8+LFS3zJf6JE5slhv8uB6NbIdDAGSq/wyPDupDey8NplyAjR+SbCBor1WYQ/34dNQEB5PKhfBF TbqdjhY4lMf7rCRArVc+tdFamBVbNkvphxbNjv3X8NfcncFQ3S1eOwDbtCRkU3c+htsjdERZOaonBmT/xY2kR5lv3SYfAepI/eUK IucJUy1kZZ0kTRZteD30JeVG0RGfvtLllSzGWZUo/fg+2X6YlBr/vd9KhPfxH1xcqnwmpg2ZoEq8GQExJfjMwEnVnm25JJl8lK94
MqaxKpVXgBMGIr5pUJVRTUSKgHB2d3fp0uYb6HWZLENoDNVaM3VinciSyV/PUJrfKj3Fby21/GVVpiW7dU5tDDCF0qJnyHZXZ4eF RyYrzTSXWDOdUFgzXMDhDFZZ4XGLfrvxTJXuqkHiBzUr8kV3zJJ32ji4RvvwjxKRD+dlshFCjqkt+qPeySsURBlC2MsmTcHzXH/W nAuhBe5i/fvCd/C2MpXD/Pxo0Fo+EuiVOaWm5berdyMGx4cjNldqwCPeJ48e0qi23Nrl/ast/g0rxjaZmAwPsTTjxtKZa8vmhEbU 100XvFqcvllKfpZRqOSKmpaS3FWbtWiD00aDixeTiw3c/eSbteyBITASIB07tIRzhYQuJwzvCEo7BxZMVESwa6fG0lRGDizsRBi9 85XLqdtsdCBAWbnrjop9w1wNyg9kp6dHrfog5GRxxjzMTdKT5qi7b2WnXgnIXQxKTXc/J/h67Y4E7IrhNLlX3TXCEdpKAhDshCMc 9viTCPdfRtlsus6LabpHjTghuirO7H2JEfVZ1SxaRAWxmVQ/CACxcMjTeOaYLkGQdq8uKACIuEuJmOPIavnHR7oLIOSVEU5KF+rs sRFVETMKx5txLAQgYtVF+Vj7lRbvNqGzJssYdu9uiOun6VV2i5FSXufxil8nVpsqf9oQArpSa65Ta9tzNVvfBucvuz549ateiIt8 lDxx68WZhLcLPiZm1NdVWjpvNt6Sm3KMD0WrN0C2sQCHiEGGcJ8ZebFEpogcos4pta2uXbLdcBLzTNh9ZyVZUeDVngKdL6WLIhpU 8dhGMMTYQ7SJ4rXzhpliBd3XpRE+Vn43HMS06sJaukjYedhEBIAAFxiHh8vJzXaHEC4zbnt5+Xfk5ZkCIJTllzVT9ČGvjVGlFZZg H4aTcE7Lr4B1pD0izhTAV5WwuQ0VZCkFVEjGA0H4NY1bjqpeNUPUphoK2F6g2q9IBcrQH6a+k8/NaCyI59oMoM30F9vE99B/PpdR nKWXbAoiltNLGDBMHCIg58jcIPsQfQo7hGpMOmwIGMAOG96wesTGAOLE5xCCHkAQAQK5HONTGsFfgHenjv2fPHpP9zer4gqFLZ3R 5jy7oEVE14itCzHWcRjT13VbjmlHcwgZ4cD0n909zxWdW9Q6Xp2tCh3WbW5L0f8+uqdMFRTftWl0a0r0q1m6S4zIhborjnmjuiOY

HdCNdp8pc4YZ1lSngk5wgIgW652xv0D3U3ZaWKmgXJc3ČIZToDHwR0W7ZA6C4cCi9tFIbwlrFFpa7TMldVwMq2Ige0wg2g3/IVRT pti0Io/qLYy6QUZvRmIqGHAXEEmINwYSoQqDQLmEc+JW4XxwAKKisYlFtxEcr8wy1Ad8hVBBYiKAt0kSqeMc4wZEuxBh0qVUveak YeiocBDwGPuGeZgCMMqFxkqL+gYMgLd4jysH5caizihSX7wAJeXBGD+WEY0JPfdkjUEEtHmXFj7Qpuz/2Q0aAKiM0q3HS5N3DH0UnPdJfGJ46LuZnqyJKsCB9axNluND/QWUgjs//gBAf2xEgAj1Tazfg+pu/aY2e1CYxLT4HvJYLM7Cdwt/h7Tu5x/eh+fDwj3sfUj nYU/S4U0dQr0Wpr3wd0gzDhAESLyTml17AILJj3Uz9hGcĬQ44ABoQf4xV0CFGNQx1McKwwcN57oTBH/1iVkU4NoY4cgMdZDc5bgD BXdF5uo507E6LVv068VCTelrqaFNDrJy10tM1oqzYubaUlXh2Tb1xCna3s4qLVIPrPdN09/0IVu4FB04YqZ3SVZ9R3RGdqpvquDI UMU96YYkRXbWSqKHCVv6IcLqSdPiaBeNkxitalZaMcARKnstoMW4luzqi06dvGJDAKURV3vTiUqvDPdR935vvG/Tv6ve68Z524wD w51Y9wGzo8hkDwTRxH0065zqvYZ8A6rYRnhlxSeMCK8Asg+tMxQFl1URcdm29qif0qu00GWmtJKDQP4wB06uI1WPsN/60l1FmfP3 /ewYa8e438Cx+wp8QDq8wgRNe3500aKmVg/fKgr/6MMgpkv7goxd8cMHPfsR+J75PDENYn+R8fIsnf59ySGX+afkkvE/Md2He87H u/UZRFwIE6YS2IJ2QFvtP0xob0zryIzU9W+A1b18EYA08MxqLaQJWuIDgQnqAXhD58Q7RHvN5aIgN2gJT11yMQ9mIAEH7s0hkcRQ 4QeoJPVqsDrxDZZbFLgvZpTjiYGtBHBYKiY53qLqSX+CMWUARjvIE96AÖQhiehKMvKDsLm4W0+lJXuFzKvxTAThxDIT36knwoK+m EvS0Wc6TNZj+034SlLGH84X8PQGBJDfFm5UUFAudAq1BAjFbIqAaE+JMpIEID0VC8Q3eYozWIq1U0HATpABjEr6urM2CZ1Up88MJ pv8LWCpkrQ0Ei/HWcWjFqtcZvpiuEeEziIH7DDUD8uc4T8Q7+TALuu54Q4Z1lVafVGdd5jrWL2GslTvwkHY0ASLA6JzxE04ieIN6 IeEjPOAy9ZwXPFagzalzuoIYL4NpSC8e90pqYKSLocxIHZW3b4fq+/sTKnFW13cqH2ClLoDLR3e7SxfVE4UzEkZAWV5fCrVDe0XV MmsRqgAKipDRdSWr1E1eU27DXuKhRAR0S8qRicRA5q8NBMBi230q3gKZVHCAA0yZpb0+3u6E5k5uXK5XLHaZ00S0R6u1b59zVS6d clmyay9ZibHvDEVe5rVEiyHHXKxGn7V+Icz3w6t91tfW7pSKcaiK4GzpxgKNnWLA1NDZq7nFlZoq7f0Gsuyqx7o0bN12x7mb/0z/ 4odseqY8R2HlYXE+AAAQC3THCrwYzDk9zGn+sqClfSXEJKwKjPSYWFGEbligyVXQH0kSYd9/9ldlGwE0CiIEosrqlLewioGUQYt5 BHDl06IguB4JwBrCgHCxur1y5LDXXA0YjSf/ChfN2URBlJjw0kzTx50IhwIRTIvxRNRKH6h15kJ69E+1MFq2FcI8KmPJFeyHyjAn SRL2Xdxj8QWupJ3SW79Bc0qCMGAhCsy/qngq+UxbqBy0mrc9kJ8LlSUVFxZ7TV9qUA9oNI0D9aVfy5oQMFv4B90IAQQZNTU2mHhYqS60BJhB80JjjMkIFeVIIzmsKhaLiNBKVs87VfCNzKkaD8qHzeDejK/36vv5YnZxsq/JUEUeIvsn4YeW1WmIFpT/+fmoRYgaE3RU tP5xt5Jq8Xq1b4rJnIfGQMvDcgVZfpMnGNXsPiVd6WgKWhsql06opB2GViH+lPFhxsVcAkJC3WlCvtQ8S0lJIW6FZfaL6of/kR9j wCWVV09jGuNLiFX/gjELatvEey5+9liTJ10kLQBoUgKUUlLg5fTI1YGhT0pPBwgBKRHxf+Ef7S9/FivtoCWzFum8L+0GAaus8QNC HHe0d7puvPne/ffs/uZ0Nda7h8LPu6RdfETHpcr/6xf/hBntuuRxXJe5y2m0XCJx4/s/deF+bu33+G3fhm8uu6+IZ98qP/1e34/B zrkQE5sqlC+6XulCnp6PdgKFxz173/Msv217P2//lr13m9IDr6+5w/dEp9+Ibf98df+olzWk0pub30pinzNGVGlesYKElpAmdIX2 eECHyCLSC79AZ7BBa77TqfK88W1i23vEKDYi1b9++5SYlCo1EIkbgxrWPg4SitLRMgHpL+0VR99ZbPzTa9M477+hstjqjR4gpUZYoKCh0r732miQeX7tuGeBVCSw4oQEaxhE+b7/9ttqqwr300stmsQ2biX9Tc70A9boZyu3evcfUaTHAq6urMzVbiPW2bdWuU/QQ0vp P/9k/s3q9/fZ/FUBkuhNSkQVgaIvy8grVq0ALg14j5hB2xLGHDh7Sfly7FtKDdqYcKrvQ2Z27dkrdtsWIOBIarkUlHSzD0TxDpRe V3J//7Gcm2WnW2XaU5/XXX7e2/vnPfur2Cdgg09S1XPuAnFnX1NRsihsAMAuIHu350ScvvPiiLS4YzHGAgHCHAcETYpHo+B3e478 wTOK7hXETw8bDKb0QTtmRov33fD+/ExwBQn\left\(\text{8}\text{YP8y+PEr+Ac/0gxVC098rG//DXG+/cb7hPIlhluY5j3viGaR5lNMfD/ve99voeg}\) GgiIkgAIybzp+dQEi5Hzfom29eIQWYNz7eeABguHDAgsi8Id3/tYNt5x19Q07XVpJjTv4wvfd55//2l04/75GUYo72viUa+0WN5y d7k6eeN5Fh++49o919aUUCvoHR9wLP/qHbsdLP3JJU60uTbYCty6ec4V0ezgyeR/RSbPbGne5l1991X38wXtuvL/DTeoI8hHtUz/ z6g/cnn3HXHGJDhpkcRJz6wkQrLI5SoPVLfTh+LHjtjfarutGWb2zIuaeaPaumpqbRLBPmJi7Q4R137792h09IgD4nu1zvvvuu7auppersKLtWq+0q1qyaG45ieCq2aCccRQqyqL/239s49tqsju+PH+IXBNoRHINiAf2AMBAMJEN4km2xIQ7ZJ2iS72+5qq0jblaqqVfNX1ap qpVatKvXv/pXu/lFtqyYbQrJJSoAqgU2gCa9sM0ZlsHkZm4fBGNv4gY37/cz1wPUvDmAw+FJmrJ/vvXPnzsw9M/d8Z86cc0bbiq5 evdox688++0xMUh4DNOLGYC9fIFVSŬiJvw6PdNbOPlJhrldZem5vZB3uMY9zUlW1Pi4sn25bNm+2VV14R088SQ/6tuz9l8hRnnIc j0dnyH1etspctW+Y02XjXQo36MfJjs6GTJ07a9373e3ZMu+Uxs5ggw0K7xzYEZY255eXunQFZlDAwE0S3c+c0RzMG7Wx7ytLAKCl jbNmyxfmsw6u2pxkzD1wrAbosAzDĹ4pk2zU6wYk+lUq43DJmaq++M4dg/BTx4cmSkCSi4j0MIf7cAov+ahNjBpADjBNoTgGDx/Lg Ä4v0P3raGKrmK0D7Jk0rnWN7kR23zb35tu3ZuV+I8WzJvoSzFmy1//Gi3J/P29//LDm3eIDcQDdbWk2lFM2faI6tWS7trjMSgjdŽ af8ry01tkSd5tLc0kPps/xn7vtdds17ZPrf7YYa1bS0kkI9eekogppTWzseMna0SfDIBgpgHj9gZyqPqyvkn9YFoimx3XLII9o1k TwFq6UZp+zBDOnj3jqGX16uccsz9wYL8bZWPs9rA0zVingWliYHdae8wAGuSDaAr1aRx/nhBzZjSNSJyRPaIpRHXMCpjpIFqvlxV 2vha6Pp80o20FzevB2TxrsmiMLVv0UDXNsDox9ZbWFac0zIwYob0lKeJ2wAZAPHWa1m2JaCsPZiV40F68eLHzSt0ta0aaw37X2RI 7A1ŠIjthDGyBnxjKjrMzNIoŠp5tĆhQQflMcMAPJHesĎc278naE70EKQIFeAkir0ECWpYBMBJ8aMxDiu90tEPURLg2g3DqdfTaEBJ BgQAQiWiGQa9EHCBghrViKJU7ttru9W/bs9990h559Amtp5XZMa0/bNrw31ax57hN1wfNQnTJj0n2gz/4gb35j39v+7Z+ao2SG6M ZVzRNI8XUZFvz/Z9aR3OTHav8WkoPJ+WqJNvatA9FYcks+501a2z7ts12pGKHGGKTTZK4ClHW1NRsyb7Hi/lF2m088FD0IABPyve SBq5RBwYgEKmi/QUYEGDYxJGGNYLt2790AFBaOsOtLRCPuJsBFSNwAvnyDAyS++TBfZ+XS6R/iKN4FqbMtxidR7YzPBfVBXsZbGm i9QtfXmSDE2m1IaZmTs47kQ6AoCzyiDT8urTF6m4BRYsTXyHepz6kI5AnTJ7yOffacuTJNWm5T31IQ0A0D41YX6Esyo4HaMCzfvA J10dUTloCMxN/HqDCkSR5/4YCIGBedDxftv9IHXV08yo3FRhHkJY07oZ0iuvzDDe5R1p+0am7ftD/QRo+TqdGK2I0Nl60wxIJbfq Pf7UlC+ZY0a0LbdKcpfpIuyVT/pV98P5GLby0s0JJE2xaL0CcqDpsG//z5/bJx5tcg80pL7MFa16x1/7ojyWHr7Zf/uJNqz2430b m5VjZ40/YK3/4Exs/cZJ9tfNz+2zj+3ZUsvTFTz9nT313jU0VeMS1o2ifoQSIB71/J039A0AkrUV66+MZLkc/UvAiJj5gfowaBmu RGsd25y9dsTrtj3yiocPGaB/jhwuyrEneTvPlp0+yH0m1ymle7yDDzjbJ6FG07/CCirfUY/Kk2tzWbb0K8uy0PMHm50aL8Y88lG1 jCzXCwXV3CA5YPUAAwLTjWcnXd3/+P9pUq9QeLplphdLAq/Mj+jgoWffp+jPuXvHkYrcg2y45ce3RGtu6aY0TH696drXNKJ9no8e Oc0aFhw4esg0fb5Rl+Tj7zjPf0drGdLeR02mVc/hghe3bs9tSUsFesGiJRCYT3ag63jSDDRCstdB3GZXebJE6Xo9wPvQUCAAx9G3 QbwluBhAwGQCCaWSfkX6/ud08Ek+qXx9ttePn0p2XUzydMmMoE8M/ca7DeVbFS2ud3Gpfb02yorFaKNT1BAFApzy4HpH771EjIgv 60xc6bfaUPDt6WrLUGSNtltxpsz9ECNHMKw4QyNEP7N9v/7tNxp+SYa9YuVJb6s5yg4ImiR3ÓX2i0OnkkZW+CUmk5FRUVW82RKtv 0wTrLaJKluTRiUP+etWSlFc8qt4rffm2bP/3STpyUiqRAev6CcntuzT0yb+m2tWvfUTlSx5YIoqRkmr362qu2d0mybzRLAIhvk0S BjQgAkdCmv9cAwb4NtZo5dElLAmb0df1FuVieMsK559Z6nBMpHTjVpplEtz2ektab5MHss4C4pEl7NJAGU0nEbXf2MDfLmDYxV+C S6e7djNQAnX9vn7a/OH/vhkfllURIShcxoVmCtg1rgDBmZM/Pa70AH1MntRiKbH3vrp3WKYv6PBl6vvrDH9o//d3fWIPczaxZssh KtPh68UKDNXRl2MynX7KdMlKdWjRJC7FjnQuRai2Szn6s3C61Ntmbb77pFj0xdXpGqp54J2WRNz0MNUCk9wFfP9pT3etaH+lvYAT 4Epit+L5DfhEoR3Hp70c67vtnXQb6x2yH0F8frn3weXPtnlfb4Y2A4MvmnGf9L36PZwjUhfvk7e0I92XGyyE+PVA/0vhn/XPUwZ+nPxPP05/H39/Xn7h16zQQka+bnrBInU7Gob32jcuRHwtQcRETjTeYMwgV4TprsxhTFKJ0lzecxTIYd++iltKhM5+tfRtYCKNeAAR 10Q1t4KL9oTVaZeGM/aT5DtyzQg7qTFo+I7/nMYtsQhqJoK7r3WPNTSLf8ckD9T7P8XH8x4dFIgyNCCwA4mIDR3tAA+XQ0fklKUB nTweOqCRu3brV2QdFuu0FtmTpUquXf6mz8tHU2nLJPt2O3lovnrMn5j9u85Y9aX/7F39qi1PF9vismdYmdyXQ52Sr/DqNK7FuuXZ Z/Nh8zSwLNdOT/YGOYLplY10tY8t6ae7AiGpqauyNN97Q7GGpm4HGGR+0Smegd0o/REy0D+1JWeTP0S/YEk/wzIo+Qb/iPn3f0Ut paGv0K/futTJpbl3rd2pv0tPnamtPOvsPZtaU0Z70FfVSNJDwnHtcrruLpEGEGir3e05/XxqXdkoURl5o+qDJq2Y0KrWomBfJYM3 Xk2d4J/o9P8SBqJCy2I/WE/yUumPXcUXp2DcdjaUZM6IFdMqlb6JuukvqtMuWL3cL6dSZ56gzZXAN/Tj3t0DIsxyxa8B9Ee8LbaA t6qvlUoX19S0d/1F/6Mo98iB/+ArXX2lvDAYPOAm7EPoJcQEgXLMn6x8NSvANyOdDR6Fx6QROhsEFiMhi9VDVEffRjJHKG07rcKo Hc4ah85HQoehYzveSxB7duHtQXVD5Azj4uNT3naoeHwHpsSTlA2HbRry38jzpeAe3GZHSdOs+VrBogNBZUQEdqzogYkGXG31vPJ4 CSrw3aagTTKNAHlDPyLlfxBS0XqKPCzfWhbJMRi2Q8m43QH/cWhDI53bmJb4toQfNynvD3DjClNjPgPfhPkwJw6xT0uuvl7pqi5j KNunVVx86aE/On2tL16+0f/iXf7bFpVNtwbRpdvlSs7WrHS7IFce4mY9bYbfWf6Bjdp58a8mJpiy065ov2wG5oYFJwrhQ+1wuhvT 66687RgDd4jS6WwBBGfQHDxAwPUdTOowC7w+j3r17t+sH+fIagAPDiDYm5lrmVFrZmwG1zZaWZrcGM1k2BtgL0Bc0H65y9hJsPIR fsClTJssO4byAuN6J06DvBx984DYQApwxNHtCKqWUqUYZzBLGOEr9BtuwCnmXmCkGzAZD5XPmaP0h0vdNlpZOl5roWbcGOFZqp7x LRUWFe7dUqsRtVIR9AxsQoRbLTHGE8kPdFhCh7WfIyr1060KI/ebNf0y73k208WL0vJ8HCECFAMPG0M4bxxE3Ru+CDQN9BDVdVHJ

Jh/oqNhXQmb5HHqjGYrfBd1WkGSbGeHyzfEv4I+MbRh129qzZLv1i2YtgV3HqVF0ACIidt0CZCkd+AER/MwgsLfmw7jRQBowV0QY +fnCI57yhtrS6zqzzb5fXU7q/HxV66u3tnS5dBApieMqDeJqoHzr5waCJa1Y+dM7x48b2qo1GVW7UJ0e0WThybH0qqoUp2lE42U0 lr02gCMC4zq6XJM656BaD5a15d2iANSgqhTAgvK/CgCl7pOT6fAi3G7quyg+YZP35w/P1u25M0pD8mtvl30feebPk7kUkugYQ0BxmgI8zPlSYJfr3ixYt0jtctkMH9tpp6eJ/8unn1ijaLywush/9+Ef2y40fWlbLBRul2UGu8rwikeDZ3JH245/+mZ2u0Wot8vElh+b OPXyPwLVgwiTNRuqdTjtlAEjYA7z44ovuhy4/8T4MNkD4ESptFQcIBjvE+f7LEZcPO3bskHfgqc6auk39AtuAkqklDqgZ4eIgtEh 2BzBBdoRDTMbsKEd9lrqnSljuVobrEtJhaHZO+v/YOWBX8cknn7jvaaryxDL7+efX0EeRPAujzBe5ItEa80Y3f958N9NjgyE8/14 SKE90thHVskGY6UbwDXKpcey47BAEMBjaMYDavm07M4ajb1+820hmCGVKzwqfAFuodj6l/PfJUI861Ch+vqDlK9l9zJ1b7r4HD00 AxjNnTtsxzWZK9G4ACZsnQcvp00udBTnAxXaojZqxVFcfEU2mulkWMxQACuM37EQAJwCD8pkpZGtABsCyDgbIUD7gMUX9o2JvhYC xPgCE/zCSdIR5EDjyiw0EG3mrI9NBBgsg/LtTFusI6cGptCqSW75u/aXRNx4xwd76p6fx16SDwYs79L6jv3P9KB5PAhfh5bvX7/Y 9ixiNp1faPV36+33v3PyqXUZltU11NnbEGCvMlWt31Ze8bjUw+9h35qCVPDTFCnIRO1wHCPLBCAyDLD+a5rhKrg7Qhz8mtxl73nn bNladsAlFxfbsqmW28oU1YkJtVvXlZ1b5xVbr0D40hbKUnr38KSuXCOrwwSrbrxH4RPkV68mW51ox1MllZQ7I33rrLVu/fr1jUID Qyy+/bC+88IJjXPF3uhsA4QcRABH503f7AwgGFocEYDA0fEoxa6ZuAFqdQKBUo+5Dmk3hi+lcg3xYyahuRqnENhoIkC8jb/wLYfw FÓŹd2BG0ESfPÓzCC2bdvgXG5cuHBezZhhT8kVCd8RqW8Lp6WMuAEdDN0QLVHWCIngAAwGTzqdrZebFEbwiHM0HjjgwJ3nC1QultK V+yrtpZdednliIT1abj4QjTEoAAjpSwwMyBOXH+zNkSefdDBw6IXtBgZlBAY7zEjwyzR0g6yaGg0ElK587lyXlwW9LxbaABVl4Xq Eb4aBEu/G9eGqKmdEVyp6UW9mGoAEs3uM+/BWz0wVLTjicOHBbC6ImFwTJOtfnAlz7kVMdBo+B0I8QAxWzRHzX5b2UocWaNlrmsC 2oKiostdzjpYZ2H0aBewu3fegQTrS5Lg0cqqmNNxn72d+gAAslR+5wvgzlT4v02K2aFBRpl7JBSV3achvuJgcKriX0yRfVf0Y6F5 L15ufq5/yy1X92mUr5PbKVrnUgZClAtHAYo9sJbtp60qRkdRVycCHZdvZy+ckx5evmkyJQ1Sxbt0ryNZsQi4sVG0Xl387QasbgTr RlOUj8uYr8v0lZCNky5CdNoOA8TGC/VwLywf2fqWF5Tx7TK40li5bIVHQSLnUkFz8aJWdOY+TzHxLTSu1cdJagnlgWbthw8d2oeG sLVvxpKywF2t2Nl6uEjTCFV05rJEjM7NCMZZ8MSzq3tBQJ6ZW7frPsJ4r8t8zy8Y+PEX3VFeI3hsGGyAQ3/ADHDxAc0wPICqba2D ERfR53pVAWqIAS16Ih/ZI/o5IhpkB74cLDhq0AU03zEzWB6LZKd8KKuEc0RzjiGYYI2pESVz7wCyA74u8qA0BesFUASxENLnSH0M cBs8PRjpJDJV6k9cuKRZQ3ooVKx3A8R7MZDG8Iy/3niqH9/Flwcg5p1+Qt6cP53z3/puHdgAps4CpJVNVu2iQRV7Ulx91gE4+D67 JhzwoByAljrx4Xw+QiHgx2tsrcdkCzUg++uijABCuByTwH41J4Eij05B0FDouPxqY68EIlATjP9/cbYfPq00LqbbIrmHE8GE2Ki/TJo/LdQwW5r+/9rIDCuwgYN6ASKY6dVnRcDFpPSd7CewiYNReowkQgFFmaXEbXjQ2X24PZEMBWyJ9tcpslnbUCNlckB9h+oThVpg 3TAzarKquTekk+hJqEPAzBGjpW7MxI608uAbAqurarU0PtQns3EKm8ls4faSNVN7Z1/mAy6e/f+3dHdbSJdf0mTnWIZl+QdZIAzQ 6rmptpEueNAUcI7I0YlUcNR2WES2G0k6dSs9Hl5epTa40e+CZkZly1S1wINCkER0LXEv/4uf/Zht+/Y6VT8h3z53rHm7ff/1ntnL FCjH6s26Bs6dL9ijNjZYltdXUtFny5HrWdkokcFg0+3pUh6takF60aLE9s2K5Y35upCiAoD4smKZSJSq4w47s+cQ6Wxst9ehjWjy t1ztlW8nsZ6U0Kw+jNEpvgHnxDvFZhb9300cYFf2X/MjXMzAYGtc+DKQ8vgWYHIyNfPgW7maAljB56gsgpAfuRe0atS805H0Gy04 pvTwPMrz7Q0iWnk9/17QP74KSydp33w0A0R+RkhBHpyŘw9ADBB0HjEUdn9Ř3Ep72TeovniklfdÓZvgĂU/8kWffmxBpuToWgDWSL7 hkkYpYv4w8mgmEZU6cbR2Y9Movbld22k2XRGz7HGzCpjPFQ3/WevN0X3eCiAYVyi5u+61Ks+zSu/EŠLpJHPljZFco2wrsLBqaVab yII6vrzQalUĞfngwrEIiMGilxm8CDvCqb0AGsKCtXZU58SGsq0t7qcoQq2AFAVka0ppJ0164ejdIEDASAIgoApdwv6EUBFFguaXw 60rgqoWlwmgAACU9JREFU6z4MpbKy0v76r/7SRl+9ZD9ZPt8xnvWVki0Xz7Q//50fid0wEK/yu/OsoVFg0XNZ/nLG2lebNlu0/PN ktGq/AzH3mktav5HPpVefX201EiOwpoBohXBMcuspMrDr7jxju9b/u+WIcaUWPm05E1N2/OJliRSW2rRxowRg1xk1cnja4E4Zj3+ed00HCN93PUD4tK7S4V9iKBDsIBLTFN+siGf6HP2U1E81iYvf960XeFw8Rx8fj0s/h5nCwGDALv/eBDBjRuLiGb33r69TwAQJ3HN pdE4+iKjEy108913ghtLxDFINZh1cUJ4TRUWprv0HgBzf0n0Il+J1upZIJ+n1Iy/yJPQWoRGm8qLgAQRESJH460YPpaflmvBtz9N eyJdZmBye2W0TtIsf79ckGVmHQGlKcZGrM1vddmukrx6gHzMiqUY2Nmk7XYm4ujpdKZ0CyR4RdLQÕtxAt0UfoLzDliBFrIbujRXu tŚCVWf90SkXVkoOmUrbWOUbJ6j8RnN3/Lb6aIM3Z/Hj96AOBJzrl3vV7XR7/+mW+WEGKGKgIBIIaS+rdQtmfsfFRM1dMBws8m/JE sHSOF08eCzycWFU6HmAK0GYwcSPUjeEAVcMGmI0JXF9Gnpg58aN5ewHNNLcbrmGxvu8fbG5Dk0ppPSdvM5RalRzttoMDpK5P01P0 1R//zoOCPxPvZhJ/9kp9/lud9oyPPE/oT9fCenq7cjwNUep6khf7xuqWnSb+mbJ7h2bhoK710Pk1/daR+fo1kI0+dXpd7cR0A4l5Q+Q7KoCMS6HB+MYm49B+djuDj3UXsn88nFhV0AwXuiAL9MTfifLw/jzNg4uKyfJ/GV8Qzd/qrv+fPfZqvpfmFxo5TqWYqquDTsNs azJpFXLSZYNDkw/fj86MM1ix4BvsGtJ1YqKae/juKAwvpCOTFAjdeY4uKip3NAXYHBLSdciX+RcNIFLBaXaOyTL5APgEwJn/ck3N kfYhF8iSHABBJbp3eutFB6eDMIFiD4Nr/SOLPOfprdxL+BQrcYwrAhAn+6BmtZ84cAQi0/Y3w0dtHvZW+jkoquvnYvaCG+bAYKvc vSpsIVdIGqZ6Szxipv0KSBCPAL7/8wh6T0RlM/7zUWCkfZn5Aaqjcx2YCQzj2YoC5sw7EngvsNIdqK1plnKPhxGZAhH0yw0BrqUz qwtXVR9y2pKtWPemsrp02kICjQHkzs800CA20muoaZ/hJeQzs2rWgjiorm/6ck7oqu7rNVz29dpYrKIH/AkAksFH6qxKjIj4aFh8 9IJAu/dw/68HCX4djoMC9oAAMmxA/pp/Tj4mLi5h83XBN8YX2UC6Wvj+2DGx+A/OHeWMpzMgfLS023UFDaN++SjkxLHU7szmFB21 lPHt2ZA/AbAJQwVUGQMCG00Xlc+03W7bYnPI5lkpF08Nh4UwZ10no0Ro38kcllK1BW1W+t5j+fe0SV1d3Siqsu21aKuWM1/x+Eby LJg7axOmC29MZUKBsAIetTUeMlKW73oEZC08BiCxYsDAAhG/4cLwzCsQBgpw8AKQffSk+3l+HY6DAvaCABwPK8ufpxxsBRJMW7jF UwxdSZeVeWe3jB6ndudZg5M8oni1C2R6zqUl7aVQddpbMGJBhIMZsY5aM0TBEw70FBnaFMhY8LitnXHdM1ogeGwgM5JYvX+H2vwZ sGNlXVOyRId4MGdW10vEUFs8RSLQ6pj9PRmmNqh871WF4hnUzsxBcVSAywgYCtzDMVhBvlaRKHDAh7sLAD3A7eOcgA45RowodWDl quRcNc5tlhBnEbRLuXj8WFzHFy44DQfycN0nX8efCeaDAYFLAg4DPM34dP+d+XMTU3z3ESPjdQlyDcRqiKHyD4YcL0RHaX87L7d4 KJ/qZJaeFbsSuET9H8sTFCmmwCMYSmjxh0DBkVH9h4KwRMMtAbItxHr7G8Nk0fnzkrI7nEUsBNNQBy2IWl1vkNoZ8cMKXJTcyV1H h1nvhT+y8ZkC4A8E9zPC84S7/Tm3jCbAAVgAXdSQv8vYi0E+3pB0DQCStRb6lPh4gvIipv2QBEPqjSogbKgqkM3/qQZyfQcB009P Qh30/9uccYaSk5cclecBoyYMfKtYs+PpnETdhz0H60BPmPt8SYEE81z5PZgH8u0fjqLPPk/j4tbuI/evh+Vhd/S1ABfkT5VE2gX0 fn4tI6L8AEAltmPRqxQHC3/Md11+HY6BAkikA0yXcCCCSXP8HsW4BI06TVŭ8PI0JVD2ARpOY4TwIFPCCk1yUARDpFknsdACK5bd0 nZicDiD6Jw0WqQIIpEAAiwY2TVrUAEGkESeplAIiktkyo10ApEABioBQbuvQBIIaO9gMqOQDEgMgVEieYAgEgEtw4aVULAJFGkKR eBoBIasuEeg2UAgEgBkqxoUu/du3a40576Mh/6yUHgLh1WoWUyaZAAIhkt0+8dmEGEadGgs8DQCS4cULVBkSBABADIteQJg4ziCE l/60XHgDi1mkVUiabAgEgkt0+8doFgIhTI8HnASAS3DihagOiQACIAZFrSBMHgBhS8t964QEgbp1WIWWyKRAAItntE6/du2FP6jg 5knseAČK5bRNqNjAKBĬAŸGL2GMnUAİKGk/gDKDgAxAGKFpĬmmQACIRDdPn8qt₩7f0Mmpra3vÿ5Jp2W0/2fX1ShIshpQC7VAEOBQ̈́W FztMk3lxDCBS4nynQ3Nxs7MTmtgxll52Ehiy59GZTorg32IRW9a5V67333rMMbfHXM/qh0dooPdrf9a6VFjIeMAVwwodb41HyXY/ L4AAQAyZheCBhFGCPh0716dzcnŤTVrG9190m5zYbuB7fcfWt+51fwHVyff/jhh5axa+f0nlSqJPHb3935a99/0dBIbGRSqBkEm5I EgLj/2jDUuC8F2PCHzXbYF0jbPL72feLeX8Egu7QREBsUPYgAgdQCIN+5c6dlCCV6nnhikduF6d43RSjxRhSgo7Zpt6sAEDeiUrh3P1HgfgIItgZlI6IHLSC1Y0vUuro6y5Cuaw+bhI8bP85yc3Ki3ZSgCHMsDu5fdH7tmhMfogT+SkfkikT6o7/l5Y3X87qepr+0Sc/ j7tcPgGBRj430KY3tEUMIFLifKXDpUpMTm+bAa67xiIF8//fgu4PAKqZAM4j/T2sQ/c3YfBxH+E27BqRst1pZWekkFv8Hec4VhyV OonOAAAAASUVORK5CYII=",ag=({cursor:l,onPaneMouseMove:s,onPaneMouseUp:r,onPaneDoubleClick:a})=>(Ft.us eEffect(()=>{const c=document.createElement("div");return c.style.position="fixed",c.style.top="0",c.style.right="0",c.style.bottom="0",c.style.left="0",c.style.zIndex="9999",c.style.cursor=l,document.body.appendChild(c),s&&c.addEventListener("mousemove",s),r&&c.addEventListener("mouseup",r),a&&docu ment.body.addEventListener("dblclick",a),()=>{s&&c.removeEventListener("mousemove",s),r&&c.removeEventListener("mousemove",r),a&&document.body.removeEventListener("dblclick",a),document.body.removeChild (c)},[l,s,r,a]),h.jsx(h.Fragment,{})),ug={position: "absolute",top:0,right:0,bottom:0,left:0},cg=({o $\label{localization} rientation:l, offsets:s, setOffsets:r, resizerColor:a, resizerWidth:c, minColumnWidth:f\}) => \{constd=f||0,[m,g]=Ft.useState(null),[A,E]=q0(),k=\{position:"absolute",right:l==="horizontal"?void for the context of the context$ 0:0,bottom:l==="horizontal"?0:void 0,width:l==="horizontal"?7:void 0,height:l==="horizontal"?void 0:7,borderTopWidth:l==="horizontal"?void 0:(7-c)/2,borderRightWidth:l==="horizontal"?(7-c)/2:void

```
0, borderBottomWidth: l = == "horizontal"?void 0: (7-c)/2, borderLeftWidth: l = == "horizontal"?(7-c)/2:void
0,borderColor:"transparent",borderStyle:"solid",cursor:l==="horizontal"?"ew-resize":"ns-
resize"};return h.jsxs("div",{style:{position:"absolute",top:0,right:0,bottom:0,left:-(7-
c)/2,zIndex:100,pointerEvents:"none"},ref:E,children:[!!m&&h.jsx(ag,{cursor:l==="horizontal"?"ew-
resize":"ns-resize",onPaneMouseUp:()=>g(null),onPaneMouseMove:I=>{if(!I.buttons)g(null);else
 if(m){const T=l==="horizontal"?I.clientX-m.clientX:I.clientY-
m.clientY,F=m.offset+T,x=m.index>0?s[m.index-
1]:0,v=l==="horizontal"?A.width:A.height,w=Math.min(Math.max(x+d,F),v-d)-s[m.index];for(let j=m.inde
x;j<s.length;++j)s[j]=s[j]+w;r([...s])}}),s.map((I,T)=>h.jsx("div",{style:{...k,top:l==="horizontal"?0:I,left:l==="horizontal"?1:0,pointerEvents:"initial"},onMouseDown:F=>g({clientX:F.clientX,clientY:F.clientY,offset:I,index:T}),children:h.jsx("div",{style:{...ug,background:a}})},T))]})};async function oa(l){const s=new Image;return l&&(s.src=l,await new
 Promise((r,a)=>{s.onload=r,s.onerror=r})),s}const wa={backgroundImage:`linear-gradient(45deg, #80808020 25%, transparent 25%),
                                                                 linear-gradient(-45deg, #80808020 25%, transparent 25%),
                                                                linear-gradient(45deg, transparent 75%, #80808020 75%),
linear-gradient(-45deg, transparent 75%, #80808020 75%)`,backgroundSize:"20px
 20px",backgroundPosition:"0 0, 0 10px, 10px -10px, -10px 0px",boxShadow: rgb(0 0 0 / 10%) 0px 1.8px
 1.9px.
                                              rgb(0 0 0 / 15%) 0px 6.1px 6.3px,
                                             rgb(0 0 0 / 10%) 0px -2px 4px,
rgb(0 0 0 / 15%) 0px -6.1px 12px,
rgb(0 0 0 / 25%) 0px 6px 12px, np=({diff:l,noTargetBlank:s,hideDetails:r})=>{const[a, c]=se.useState(l.diff?"diff":"actual"),[f,d]=se.useState(!1),[m,g]=se.useState(null),[A,E]=se.useState("Expected"),[k,I]=se.useState(null),[T,F]=se.useState(null),[x,v]=q0();se.useEffect(()=>{(async())})
 =>{var G,V,b,re;g(await oa((G=l.expected)==null?void
 0:G.attachment.path)),E(((V=l.expected)==null?void 0:V.title)||"Expected"),I(await
 oa((b=l.actual)==null?void 0:b.attachment.path)),F(await oa((re=l.diff)==null?void
0:re.attachment.path))})()},[l]);const w=m&&k&&T,j=w?Math.max(m.naturalWidth,k.naturalWidth,200):500,M=w?Math.max(m.naturalHeight,k.naturalHeight,200):500,B=Math.min(1,(x.width-
30)/j),Q=Math.min(1,(x.width-50)/j/2),O=j*B,H=M*B,U={flex:"none",margin:"0
10px",cursor:"pointer",userSelect:"none"};return h.jsx("div",{"data-testid":"test-result-image-misma tch",style:{display:"flex",flexDirection:"column",alignItems:"center",flex:"auto"},ref:v,children:w&
tch", style: {display: "flex", flexDirection: "column", alignItems: "center", flex: "auto"}, ref:v, children: & &h.jsxs(h.Fragment, {children: [h.jsxs("div", {"data-testid": "test-result-image-mismatch-tabs", style: {display: "flex", margin: "l0px 0 20px"}, children: [l.diff&&h.jsx("div", {style: {...U, fontWeight: a==="diff"?600: "initial"}, onClick: ()=>c("diff"), children: "Diff"}), h.jsx("div", {style: {...U, fontWeight: a==="actual"?600: "initial"}, onClick: ()=>c("actual"), children: "Actual"}), h.jsx("div", {style: {...U, fontWeight: a==="expected"?600: "initial"}, onClick: ()=>c("expected"), children: "Side by side"}), h.jsx("div", {style: {...U, fontWeight: a==="sxs"?600: "initial"}, onClick: ()=>c("sxs"), children: "Side by side"}), h.jsx("div", {style: {...U, fontWeight: a==="slider"?600: "initial"}, onClick: ()=>c("slider"), children: "Slider"})]}), h.jsx("div", {style: {display: "flex", justifyContent: "center", flex: "auto", minHeight: H+60}, children: [l.diff&&a==="diff"&&h.jsx(Kt, {image: T, alt: "Diff", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&a==="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff&a=="actual"&&h.jsx(Kt, {image: R, alt: "Actual", hideSize: r, canvasWidth: 0, canvasHeight: H, scale: R]}), diff(antilent) diff(antilent) diff(ant
  .diff&&a==="actual"&&h.jsx(Kt,{image:k,alt:"Actual",hideSize:r,canvasWidth:0,canvasHeight:H,scale:B}
 ),l.diff&&a==="expected"&&h.jsx(Kt,{image:m,alt:A,hideSize:r,canvasWidth:0,canvasHeight:H,scale:B}),
 l.diff&&a==="slider"&&h.jsx(fg,{expectedImage:m,actualImage:k,hideSize:r,canvasWidth:0,canvasHeight:
H,scale:B,expectedTitle:A}),l.diff&&a==="sxs"&&h.jsxs("div",{style:{display:"flex"},children:[h.jsx(Kt,{image:m,title:A,hideSize:r,canvasWidth:Q*j,canvasHeight:Q*M,scale:Q}),h.jsx(Kt,{image:f?T:k,title:f?"Diff":"Actual",onClick:()=>d(!f),hideSize:r,canvasWidth:Q*j,canvasHeight:Q*M,scale:Q})]}),!l.diff&&a==="actual"&&h.jsx(Kt,{image:k,title:"Actual",hideSize:r,canvasWidth:0,canvasHeight:H,scale:B})
  ,!l.diff&&a==="expected"&&h.jsx(Kt,{image:m,title:A,hideSize:r,canvasWidth:0,canvasHeight:H,scale:B}
),!l.diff&&a=== expected &&m:jsx(kt,{image:m,titte:A,nidesize:T,canvasMidth:O,canvasheight:H,scate:B})
),!l.diff&&a=== expected &&m:jsx(kt,{image:m,title:A,canva}),!l.diff&&a=== [h.jsx(Kt,{image:m,title:A,canva}], children:[h.jsx(Kt,{image:m,title:A,canva}], children:[h.jsx("div",scale:Q}),h.jsx(Kt,{image:k,title:"Actual",canvasWidth:Q*j,canvasHeight:Q*M,scale:Q})],])]),!r&&h.jsx("div",{style:{alignSelf:"start",lineHeight:"18px",marginLeft:"15px"}, children:[h.jsx("div",{children:l.diff&&h.jsx("a",{target:"_blank",href:l.diff.attachment.path,rel:"noreferrer",children:l.diff.attachment.name})}),h.jsx("div",{children:h.jsx("a",{target:specific attachment.name}]}),h.jsx("div",{children:h.jsx("a",{target:specific attachment.name}]}),h.jsx("div",{children:h.jsx("a",{target:specific attachment.name}]}),h.jsx("div",{children:h.jsx("a",{target:specific attachment.name}]}),h.jsx("div",{children:h.jsx("a",{target:specific attachment.name}]}),h.jsx("a",{target:specific attachment.name}]}),h.jsx("a",{target:s
 ",href:l.actual.attachment.path,rel:"noreferrer",children:l.actual.attachment.name})}),h.jsx("div",{
children:h.jsx("a",{target:s?"":"_blank",href:l.expected.attachment.path,rel:"noreferrer",children:l
cnitdren:n.jsx("a",{target:s?"":"_btank",nrer:t.expected.attachment.path,ret:"norererrer",cnitdren:t
.expected.attachment.name})})]})})}),fg=({expectedImage:l,actualImage:s,canvasWidth:r,canvasHeight
:a,scale:c,expectedTitle:f,hideSize:d})=>{const m={position:"absolute",top:0,left:0},[g,A]=se.useSta
te(r/2),E=l.naturalWidth===s.naturalWidth&&l.naturalHeight===s.naturalHeight;return h.jsxs("div",{st
yle:{flex:"none",display:"flex",alignItems:"center",flexDirection:"column",userSelect:"none"},children:[!d&\&h.jsxs("span",{style:{flex:"none",margin:"0}
5px"},children: "Expected
"}),h.jsx("span",{children:l.naturalWidth}),h.jsx("span",{style:{flex:"none",margin:"0 5px"},childre
 n:"x"}),h.jsx("span",{children:l.naturalHeight}),!E&&h.jsx("span",{style:{flex:"none",margin:"0 5px
                      "},children:"Actual
 "}),!E&&h.jsx("span",{children:s.naturalWidth}),!E&&h.jsx("span",{style:{flex:"none",margin:"0 5px"}
```

```
canvasWidth:c,canvasHeight:f,scale:d,onClick:m})=>h.jsxs("div",{style:{flex:"none",display:"flex",al
ignItems:"center",flexDirection:"column"},children:[!a&&h.jsxs("div",{style:{margin:5},children:[s&&
h.jsx("span",{style:{flex:"none",margin:"0 5px"},children:s}),h.jsx("span",{children:l.naturalWidth})
),h.jsx("span",{style:{flex:"none",margin:"0 5px"},children:"x"}),h.jsx("span",{children:l.naturalHe
ight})]}),h.jsx("div",{style:{display:"flex",flex:"none",width:c,height:f,margin:15,...wa},children:
  h.jsx("img",{width:l.naturalWidth*d,height:l.naturalHeight*d,alt:s||r,style:{cursor:m?"pointer":"ini
  tial"},draggable:"false",src:l.src,onClick:m})})]});function dg(l,s){const r=/((d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m)|([(d+(;d+)*)m))|([(d+(;d+)*)m)|([(d+(;d+)*)m))|([(d+(;d+)*)m)|([(d+(;d+)*)m))|([(d+(;d+)*)m)|([(d+(;d+)*)m))|([(d+(;d+)*)m)|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m)|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+)*)m))|([(d+(;d+
r=/(\xib\[(\d+(;\d+)*)m)|([^\xib]+)/g,a=[];let c,t={},d=!1,m=s==null?void 0:s.fg,g=s==null?void 0:s.bg;for(;(c=r.exec(l))!==null;){const[,,A,,E]=c;if(A){const k=+A;switch(k){case 0:f={};break;case 1:f["font-weight"]="bold";break;case 2:f.opacity="0.8";break;case 3:f["font-style"]="italic";break;case 4:f["text-decoration"]="underline";break;case 7:d=!0;break;case 8:f.display="none";break;case 9:f["text-decoration"]="line-through";break;case 22:delete f["font-weight"],delete f["font-style"],delete f.opacity,delete f["text-decoration"];break;case 23:delete f["font-weight"],delete f["font-style"],delete f.opacity;break;case 24:delete f["text-decoration"];break;case 27:d=!1;break;case 30:case 31:case 32:case 33:case 34:case 35:case 36:case 37:m=0d[k-30]:break;case 39:m=s==null?void 0:s forbreak;case 41:case 41:case 42:case 43:case 44:case 
  37:m=Qd[k-30];break;case 39:m=s==null?void 0:s.fg;break;case 40:case 41:case 42:case 43:case 44:case
  45:case 46:case 47:g=Qd[k-40];break;case 49:g=s==null?void 0:s.bg;break;case 53:f["text-
  decoration"]="overline";break;case 90:case 91:case 92:case 93:case 94:case 95:case 96:case
  97:m=Ud[k-90];break;case 100:case 101:case 102:case 103:case 104:case 105:case 106:case
  107:g=Ud[k-100]; break} else if (E) {const k={...f}, I=d?g:m; I!==void 0\& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!==void 0& (k.color=I); const k={...f}, I=d?g:m; I!=void 
 T=d?\bar{m}:g;T!==void\ 0\&\&(k["background-color"]=T),a.push(\bar{s}) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a,b) = (a
  T=d?m:g;T!==void 0&&(k["background-color"]=T),a.push(`<span
  Fa=({code:l,children:s,testId:r})=>{const a=se.useMemo(()=>vg(l),[l]);return
 h.jsxs("div",{className:"test-error-container test-error-text","data-testid":r,children:[s,h.jsx("div",{className:"test-error-view",dangerouslySetInnerHTML:{__html:a||""
testid":r,cnitdren:[s,n.]sx( div ,{classwame: test-error-view ,dangerodstysectime:nime.___nem
}})]}),mg=({prompt:l})=>{const[s,r]=se.useState(!1);return
h.jsx("button",{className:"button",style:{minWidth:100},onClick:async()=>{await
navigator.clipboard.writeText(l),r(!0),setTimeout(()=>{r(!1)},3e3)},children:s?"Copied":"Copy
prompt"})},gg=({diff:l})=>h.jsx("div",{"data-testid":"test-screenshot-error-view",className:"
error-view",children:h.jsx(np,{diff:l,hideDetails:!0},"image-diff")});function vg(l){return}
  dg(l||"",{bg:"var(--color-canvas-subtle)",fg:"var(--color-fg-default)"})}const yg=
  # Instructions
  - Following Playwright test failed.
         Explain why, be concise, respect Playwright best practices.
   - Provide a snippet of code with the fix, if possible.
        .trimStart();async function
  xg({testInfo:l,metadata:s,errorContext:r,errors:a,buildCodeFrame:c,stdout:f,stderr:d}){var k;const
  m=new Set(a.filter(I=>I.message&&!I.message.includes()
     `)).map(I=>I.message));for(const I of a)for(const T of
  m.keys())(k=I.message)!=null&&k.includes(T)&&m.delete(T);const
  g=a.filter(I=>!(!I.message||!I.message.includes()
`)}const`wg=new RegExp("([\\u001B\\u009B][[\\]()#;?]*(?:(?:(?:[a-zA-Z\\d]*(?:;[-a-zA-
//tonst wg-iner kegLxp( ([\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\doobb\\doobb\\doobb\doobb\\doobb\\doobb\doobb\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\\doobb\doobb\doobb\doobb\\doobb\doobb\doobb\\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\doobb\
  E \mid (E = \{name: A, anchors: [`attachment-[\{d\}`]\}, r.set(A, E)), E.anchors.push(`attachment-[\{d\}`]\}, r.set(A, E))
 f''&&(E.diff=\{attachment:c\})\} for (const[c,f]of\ r)!f.actual||!f.expected?r.delete(c):(l.delete(f.actual))|
    .attachment),l.delete(f.expected.attachment),l.delete((a=f.diff)==null?void
  0:a.attachment));return[...r.values()]}const Eg=({test:l,result:s,testRunMetadata:r})=>{const{screen}}
  shots:a,videos:c,traces:f,otherAttachments:d,diffs:m,errors:g,otherAttachmentAnchors:A,screenshotAnc
  hors:E,errorContext:k}=se.useMemo(()=>{const
  T=s.attachments.filter(H=>!H.name.startsWith(" ")),F=new Set(T.filter(H=>H.contentType.startsWith("i
  mage/")), x=[...F].map(H=>`attachment-
```

```
[T.indexOf(H)}`),v=T.filter(H=>H.contentType.startsWith("video/")),w=T.filter(H=>H.name==="trace"),
 j=T.find(H=>H.name==="error-context"),M=new Set(T);[...F,...v,...w].forEach(H=>M.delete(H));const B=
 [...M].map(H=>`attachment-
 \boxed{\{\text{T.indexOf(H)}\}`), \text{Q=Ag(F,s)}, \text{O=s.errors.map(H=>H.message)}; \text{return}\{\text{screenshots:}[\dots F], \text{videos:} v, \text{traces:} w\}}
  otherAttachments:M,diffs:Q,errors:O,otherAttachmentAnchors:B,screenshotAnchors:x,errorContext:j}},[
 s]),I=bm(async()=>{const T=s.attachments.find(w=>w.name==="stdout"),F=s.attachments.find(w=>w.name==
 ="stderr"),x=T!=null&&T.body&&T.contentType==="text/plain"?T.body:void
[[{l.location.file}:[[{l.location.line}:[[{l.location.column}`].join(`
     ),metadata:r,errorContext:k!=null&&k.path?await fetch(k.path).then(w=>w.text()):k==null?void
0:k.body,errors:s.errors,buildCodeFrame:async w=>w.codeframe,stdout:x,stderr:v})},[l,k,r,s],void
0);return h.jsxs("div",{className:"test-result",children:[!!g.length&&h.jsxs(Bt,{header:"Errors",children:[I&&h.jsxs("div",{style:{position:"absolute",right:"16px",padding:"10px",zIndex:1},children:h.j
 sx(mg,{prompt:I})}),g.map((T,F)=>{const x=Sg(T,m);return
 h.jsxs(h.Fragment,{children:[h.jsx(Fa,{code:T},"test-result-error-
 message-"+F), x\&\&h.jsx(gg, \{diff:x\})]\}), !!s.steps.length\&\&h.jsx(Bt, \{header: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children: "Test Steps", children
 s.steps.map((T,F)=>h.jsx(rp,{step:T,result:s,test:l,depth:0},`step-
 ∏{F}`))}), m.map((T,F)=>h.jsx(yi,{id:T.anchors,children:h.jsx(Bt,{dataTestId:"test-results-image-
 diff",header:`Image mismatch: [{T.name}`,revealOnAnchorId:T.anchors,children:h.jsx(np,{diff:T})})},`
 \begin{tabular}{ll} $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & $--- & 
 ∏{s.attachments.indexOf(T)}`,children:[h.jsx("a",{href:T.path,children:h.jsx("img",{className:"scree
 nshot",src:T.path})}),h.jsx(Wl,{attachment:T,result:s})]},`screenshot-
 [\{F\}^{\}))\}),!!f.length\&h.jsx(yi,{id:"attachment-
trace",children:h.jsx(Bt,{header:"Traces",revealOnAnchorId:"attachment-trace",children:h.jsxs("div",{children:h.jsx("a",{href:ep(f),children:h.jsx("img",{className:"screenshot",src:og,style:{width:19 2,height:117,marginLeft:20}})}),f.map((T,F)=>h.jsx(Wl,{attachment:T,result:s,linkName:f.length===1?"
trace":`trace-[\{F+1\}`\},`trace-[\{F\}`))]\})\}!!c.length&&h.jsx(yi,{id:"attachment-video",children:h.jsx(Bt,{header:"Videos",revealOnAnchorId:"attachment-video",children:c.map(T=>h.jsx("div",{children:[h.jsx("video",{controls:!0,children:h.jsx("source",{src:T.path,type:T.contentTyp
e})}),h.jsx(Wl,{attachment:T,result:s})]},T.path))})),!!d.size&&h.jsx(Bt,{header:"Attachments",reve alOnAnchorId:A,dataTestId:"attachments",children:[...d].map((T,F)=>h.jsx(yi,{id:`attachment-
s.find(a=>l.includes(a.name))}const
 rp=({test:l,step:s,result:r,depth:a})=>h.jsx(sg,{title:h.jsxs("span",{"aria-label":s.title,children:
 [h.jsx("span",{style:{float:"right"},children:Ir(s.duration)}),s.attachments.length>0&&h.jsx("a",{st
yle:{float:"right"},title:"reveal attachment",href:qt({test:l,result:r,anchor:`attachment-

[{s.attachments[0]}`}),onClick:c=>{c.stopPropagation()},children:G0()}),es(s.error||s.duration===-
1?"failed":s.skipped?"skipped":"passed"),h.jsx("span",{children:s.title}),s.count>1&h.jsxs(h.Fragme nt,{children:[" × ",h.jsx("span",{className:"test-result-counter",children:s.count})]}),s.location&&h.jsxs("span",{className:"test-result-path",children:["—
",s.location.file,":",s.location.line]})]}),loadChildren:s.steps.length||s.snippet?()=>{const c=s.snippet?[h.jsx(Fa,{testId:"test-snippet",code:s.snippet},"line")]:[],f=s.steps.map((d,m)=>h.jsx(rp,{step:d,depth:a+1,result:r,test:l},m));return c.concat(f)}:void 0,depth:a}),Cg=({projectNames:l,t
est:s,testRunMetadata:r,run:a,next:c,prev:f})=>{const[d,m]=se.useState(a),g=se.useContext(Et),A=g.has("q")?"&q="+g.get("q"):"",E=s.annotations.filter(k=>!k.type.startsWith("_"))??[];return
s("q")?"&q="+g.get("q"):"",E=s.annotations.filter(k=>!k.type.startsWith("_"))??[];return
h.jsxs(h.Fragment,{children:[h.jsx(La,{title:s.title,leftSuperHeader:h.jsx("div",{className:"test-case-path",children:s.path.join(" > ")}),rightSuperHeader:h.jsxs(h.Fragment,{children:[h.jsx("div",{className:At(!f&&"hidden"),children:h.jsx(jn,{href:qt({test:f})+A,children:"« previous"})}),h.jsx("div",{style:{width:10}}),h.jsx("div",{className:At(!c&&"hidden"),children:h.jsx(jn,{href:qt({test:c})+A,children:"next >"})})]}),h.jsxs("div",{className:"hbox",style:{lineHeight:"24px"},children:[h.jsx("div",{className:"test-case-location.file}:[]{s.location.file}:[]{s.location.line}}`,children:[s.location.file,":",s.location.line]})}),h.jsx("div",{style:{flex:"auto"}}),h.jsx([]0,{test:s,trailingSeparator:!0}),h.jsx("div",{className:"test-case-duration",children:Ir(s.duration)})]),h.jsx(_0,{style:{marginLeft:"6px"},projectNames:l,activeProjectName:s.projectName,otherLabels:stans}),s.results.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.length==0&E.le
 s.tags}),s.results.length===0&&E.length!==0&&h.jsx(Bt,{header:"Annotations",dataTestId:"test-case-an
notations", children: E.map((k,I)=>h.jsx(Wd,{annotation:k},I))}), h.jsx(lg,{tabs:s.results.map((k,I)=>({id:String(I),title:h.jsxs("div",{style:{display:"flex",alignItems:"center"},children:[es(k.status)," ",kg(I),s.results.length>1&&h.jsx("span",{className:"test-case-run-duration",children:Ir(k.duration)})]}), render:()=>{const}
T=k.annotations.filter(F=>!F.type.startsWith("_")); return
:r})]}))}))|[],selectedTab:String(d),setSelectedTab:k=>m(+k)})]});function
Wd({annotation:{type:l,description:s}}){return h.jsxs("div",{className:"test-case-annotation",children:[h.jsx("span",{style:{fontWeight:"bold"},children:[}),s&&h.jsxs(Na,{value:s,children:[":
",Ci(s)]})]})}function kg(l){return l?`Retry #[{l}`:"Run"}const
Ig=({file:l,projectNames:s,isFileExpanded:r,setFileExpanded:a})=>{const
 c=se.useContext(Et),f=c.has("q")?"&q="+c.get("q"):"";return h.jsx(tp,{expanded:r(l.fileId),noInsets:
```

```
!0,setExpanded:d=>a(l.fileId,d),header:h.jsx("span",{className:"chip-header-allow-
 selection",children:l.fileName}),children:l.tests.map(d=>h.jsxs("div",{className:At("test-file-
 test"."test-file-test-
outcome-"+d.outcome),children:[h.jsxs("div",{className:"hbox",style:{alignItems:"flex-start"},children:[h.jsxs("div",{className:"hbox",children:[h.jsx("span",{className:"test-file-test-status-icon",children:es(d.outcome)}),h.jsxs("span",{children:[h.jsx(jn,{href:qt({test:d})+f,title:[...d.path,d.title].join(" > "),children:h.jsx("span",{className:"test-file-title",children:[...d.path,d.title].join(" > ")})}),h.jsx(_0,{style:{marginLeft:"6px"},projectNames:
title",cnildren:[...d.patn,d.title].join(" > ")}}),n.jsx(_0,{style:{marginLeft:"6px"},projectNames:
s,activeProjectName:d.projectName,otherLabels:d.tags})]})],h.jsx("span",{"data-testid":"test-durat
ion",style:{minWidth:"50px",textAlign:"right"},children:Ir(d.duration)})]}),h.jsx("div",{className:"
test-file-details-row",children:h.jsxs("div",{className:"test-file-details-row-
items",children:[h.jsx(jn,{href:qt({test:d}),title:[...d.path,d.title].join(" > "),className:"test-
file-path-link",children:h.jsxs("span",{className:"test-file-path",children:[d.location.file,":",d.l
ocation.line]})}),Rg(d),Tg(d),h.jsx(\[ 0,{test:d,dim:!0})]})})]}),`test-\[ [d.testId}`))});function
Rg(l){for(const s of l.results)for(const r of
s attachments)if(r contentType startsWith("image(")\&&r name match(/c(expected_actual_idiff)/))return
 s.attachments)if(r.contentType.startsWith("image/")&&r.name.match(/-(expected|actual|diff)/))return
h.jsx(Ba,{href:qt({test:l,result:s,anchor:`attachment-□{s.attachments.indexOf(r)}`}),title:"View images",dim:!0,children:Qm()})}function Tg(l){const
 s=l.results.find(r=>r.attachments.some(a=>a.name==="video"));return
s?h.jsx(Ba,{href:qt({test:l,result:s,anchor:"attachment-video"}),title:"View
video",dim:!0,children:Um()}):void 0}class jg extends se.Component{constructor(){super(...arguments)}
 ;Gt(this, "state", {error:null, errorInfo:null})}componentDidCatch(r,a){this.setState({error:r,errorInf
 o:a})}render(){var r,a,c;return
this.state.error||this.state.errorInfo?h.jsxs("div",{className:"metadata-view p-3",children:[h.jsx("p",{children:"An error was encountered when trying to render metadata."}),h.jsx("p",{children:h.jsxs("pre",{style:{overflow:"scroll"},children:[(r=this.state.error)==null?void 0:r.message,h.jsx("br",{}),(c=this.state.error)==null?void 0:a.stack,h.jsx("br",{}),(c=this.state.errorInfo)==null?void
 0:c.componentStack[])))))):this.props.children}}const
 Pg=l=>h.jsx(jg,{children:h.jsx(0g,{metadata:l.metadata})}),0g=l=>{const
 s=se.useContext(Et),r=l.metadata,a=s.has("show-metadata-other")?Object.entries(l.metadata).filter(([f])=>!ip.has(f)):[];if(r.ci||r.gitCommit||a.length>0)return h.jsxs("div",{className:"metadata-view",
 children:[r.ci&&!r.gitCommit&&h.jsx(Dg,{info:r.ci}),r.gitCommit&&h.jsx(Ng,{ci:r.ci,commit:r.gitCommi
 t}),a.length>0&&(r.gitCommit||r.ci)&&h.jsx("div",{className:"metadata-
[[{l.commitHash}], r=l.prHref||l.commitHref; return h.jsx("div", {className: "metadata-section", role: "list", children:h.jsx("div", {role: "listitem", children:h.jsx("a", {href:r, target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "_blank", rel: "noopener", target: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", rel: "noopener", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target: "blank", target:
noreferrer",title:s,children:s})})}),Ng=({ci:l,commit:s})=>{const r=(l==null?void 0:l.prTitle)||s.subject,a=(l==null?void 0:l.prHref)||(l==null?void 0:l.commitHref),c=`<[{s.author.email}>`,f=`[{s.author.name}][{c}`,d=Intl.DateTimeFormat(void 0,{dateStyle:"medium"}).format(s.commitHref),c=`
0,{dateStyle:"medium"}).Tormat(s.committer.time), m=Intl.DateIlmeFormat(void
0,{dateStyle:"full", timeStyle:"long"}).format(s.committer.time); return!
h.jsxs("div", {className:"metadata-section", role:"list", children:[h.jsxs("div", {role:"listitem", children:[h.jsxs("div", {role:"listitem", children:r}), !a&&h.jsx("
span", {title:r, children:r})]}), h.jsxs("div", {role:"listitem", className:"hbox", children:[h.jsx("span", {className:"mr-1", children:f}), h.jsxs("span", {title:m, children:[" on ",d]})]})]})], ip=new
Set(["ci", "gitCommit", "gitDiff", "actualWorkers"]), Mg=l=>{const s=Object.entries(l).filter(([r])=>!ip.has(r)); return!l.ci&&!l.gitCommit&&!s.length}, Bg=({tests:l,expandedFiles:s,setExpandedFiles:r,proje}
 ctNames:a})=>{const c=se.useMemo(()=>{const f=[];let d=0;for(const m of l)d+=m.tests.length,f.push({file:m,defaultExpanded:d<200});return f},[l]);return h.jsx(h.Fragment,{c
 \label{line:hildren:c.map} \\ \text{hildren:c.map}((\{\tilde{f}ile:f,defaultExpanded:d\}) => h.jsx(Ig,\{file:f,projectNames:a,isFileExpanded:m=>\{constants,defaultExpanded:m=> files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files files file
 g=s.get(m); return g===void 0?d:!!g}, setFileExpanded: (m,g)=>\{const A=new Map(s); A.set(m,g), r(A)\}\}, `fi
s("div", {className:At("metadata-toggle",!f&&"metadata-toggle-second-line"),role:"button",onClick:a,title:r?"Hide metadata":"Show
metadata",children:[r?[]():kr(),"Metadata"]}),m=h.jsxs("div",{className:"test-file-header-
info",children:[c&h.jsxs("div",{"data-testid":"project-name",children:["Project:
",l.projectNames[0]]}),s&h.jsxs("div",{"data-testid":"filtered-tests-count",children:["Filtered:
 ",s.total,
      ,
!!s.total&&"("+Ir(s.duration)+")"]}),f&&d]}),g=h.jsxs(h.Fragment,{children:[h.jsx("div",{"data-
testid":"overall-time",style:{marginRight:"10px"},children:l?new
Date(l.startTime).toLocaleString():""}),h.jsxs("div",{"data-testid":"overall-duration",children:["Total time: ",Ir(l.duration??0)]})]});return h.jsxs(h.Fragment,{children:[h.jsx]
(La,{title:l.title,leftSuperHeader:m,rightSuperHeader:g}),!f&&d,r&&h.jsx(Pg,{metadata:l.metadata}),!
!l.errors.length&&h.jsx(Bt,{header:"Errors",dataTestId:"report-
errors",children:l.errors.map((A,E)=>h.jsx(Fa,{code:A},"test-report-error-
```

```
message-"+E))\})], Lg=l=>!l.has("testId"), Fg=l=>l.has("testId"), Qg=(\{report:l\})=>\{var j, M; constlete | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the properties | M; find the pr
s=se.useContext(Et),[r,a]=se.useState(new Map),[c,f]=se.useState(s.get("q")||""),[d,m]=se.useState(!
1),g=s.get("testId"),A=((j=s.get("q"))==null?void
0:j.toString())||"",E=A?"&q="+A:"",k=(M=l==null?void 0:l.json())==null?void
   0:M.title,I=se.useMemo(()=>{const B=new Map;for(const Q of(l==null?void
   0:l.json().files)||[])for(const 0 of Q.tests)B.set(0.testId,Q.fileId);return
 B\},[l]),T=se.useMemo(()=>Jl.parse(c),[c]),F=se.useMemo(()=>T.empty()?void 0:Wg((l==null?void 0:l.json().files)||[],T),[l,T]),x=se.useMemo(()=>\{const B=\{files:[],tests:[]\};for(const Q 0:Wg((l==null?void 0:Wg((l==null?void 0:Wg((l==null?void 0:Vg((l==null?void    of(l==null?void 0:1.json().files)||[]){const
   0=Q.tests.filter(H=>T.matches(H)); 0.length\&\&B.files.push({...Q,tests:0}), B.tests.push({...0}) return
   B},[l,T]),{prev:v,next:w}=se.useMemo(()=>{const
 B=x.tests.findIndex(H=>H.testId===g),Q=B>0?x.tests[B-1]:void
0,0=B<x.tests.length-1?x.tests[B+1]:void 0;return{prev:Q,next:0}},[g,x]);return</pre>
   se.useEffect(()) = \sqrt{const B = Q} = \sqrt{if(!(Q.target instanceof HTMLInputElement) | Q.target instanceof HTMLTex}
 tAreaElement||Q.shiftKey||Q.ctrlKey||Q.metaKey||Q.altKey))switch(Q.key){case"a":Q.preventDefault(),Rn("#?");break;case"p":Q.preventDefault(),Rn(Si(A,"s:passed",!1));break;case"f":Q.preventDefault(),Rn
      (Si(A, "s:failed",!1));break;case"ArrowLeft":v&&(Q.preventDefault(),Rn(qt({test:v})+E));break;case"Ar
   rowRight": w\&\&(Q.preventDefault(),Rn(qt(\{test:w\})+E)); break\}\}; return\ document.addEventListener("keydo") and the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum 
wn",B),()=>document.removeEventListener("keydown",B)},[v,w,E,A]),se.useEffect(()=>{k?document.title=
k:document.title="Playwright Test Report"},[k]),h.jsx("div",{className:"htmlreport vbox px-4
pb-4",children:h.jsxs("main",{children:[(l==null?void 0:l.json())&&h.jsx(rg,{stats:l.json().stats,fi
lterText:c,setFilterText:f}),h.jsxs(Fd,{predicate:Lg,children:[h.jsx(Hg,{report:l==null?void 0:l.json().stats,fi
   n(),filteredStats:F,metadataVisible:d,toggleMetadataVisible:()=>m(B=>!B)}),h.jsx(Bg,{tests:x.files,e
   xpandedFiles:r,setExpandedFiles:a,projectNames:(l==null?void 0:l.json().projectNames)||[]})],h.jsx
      (Fd,{predicate:Fg,children:!!l&&h.jsx(Ug,{report:l,next:w,prev:v,testId:g,testIdToFileIdMap:I})})]})
   })},Ug=({report:l,testIdToFileIdMap:s,next:r,prev:a,testId:c})=>{const
   f=se.useContext(Et), [d,m]=se.useState("loading"), g=+(f.get("run")||"0"); return se.useEffect(()=>{(async()=>{if(!c||typeof d=="object"&&c===d.testId)} return; const
   A=s.get(c); if(!A)\{m("not-found"); return\} const \ E=await \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return\} const \ E=await \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return\} const \ E=await \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return\} const \ E=await \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), found"); return \ l.entry(` [\{A\}.json`); m((E==null?void), fou
   0:E.tests.find(k=>k.testId===c))||"not-
found")})()},[d,l,c,s]),d==="loading"?h.jsx("div",{className:"test-case-column"}):d==="not-found"?h.jsxs("div",{className:"test-case-column",children:[h.jsx(La,{title:"Test not found"}),h.jsxs("div",{className:"test-case-location",children:["Test ID:
",c]})]}):h.jsx("div",{className:"test-case-column",children:h.jsx(Cg,{projectNames:l.json().projectNames,testRunMetadata:l.json().metadata,next:r,prev:a,test:d,run:g})});function Wg(l,s){const
   r={total:0,duration:0};for(const a of l){const
 c=a.tests.filter(f=>s.matches(f));r.total+=c.length;for(const f of c)r.duration+=f.duration}return r}const Vg="data:image/svg+xml,%3csvg%20width='400'%20height='400'%20viewBox='0%200%20400%20400'%20f
 ill='none'%20xmlns='http://www.w3.org/2000/svg'%3e%3cpath%20d='M136.444%20221.556C123.558%20225.213%20115.104%20231.625%20109.535%20238.032C114.869%20233.364%20122.014%20229.08%20131.652%20226.348C141
          0136.444\% 20221.556 \text{ZM} \\ 108.946\% 20175.876 \text{L} \\ 61.0895\% 20188.484 \text{C} \\ 61.0895\% 20188.484\% \\ 20188.484\% \\ 20176.9617\% \\ 20189.716\% \\ 2063.596 \text{L} \\ 61.0895\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 20189.716\% \\ 201
   767 \% 20191.36 L104.153 \% 20180.668 C104.153 \% 20180.668 \% 20103.578 \% 20188.077 \% 2098.5847 \% 20194.705 C108.03 \% 20188.077 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 20198.07 \% 201
    7.559 \% 20108.946 \% 20175.876 \% 20108.946 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 2046.0272 \% 20228.44 \% 20108.946 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20306.486 \% 20175.876 ZM149.005 \% 20288.347 C81.6582 \% 20288.347 C81.6582 \% 20288.347 C81.6582 \% 20288.347 C81.6582 \% 20288.347 C81.6582 \% 20288.347 C81.6582 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20288 \% 20
   .4665\%20144.179\%2027.5336\%20143.446C24.04\%20143.657\%2022.3674\%20145.473\%2022.7077\%20150.721C23.2876\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%20146.179\%2014
   20159.855\%2025.4633\%20174.016\%2030.4473\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.2721C41.2301\%20233.225\%2076.8659\%20311.273\%20144.213\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2301\%20192.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.2721C41.27
   293.134 \\ C158.872 \\ \times 20289.185 \\ \times 20169.885 \\ \times 20281.992 \\ \times 20178.152 \\ \times 20272.81 \\ C170.532 \\ \times 20279.692 \\ \times 20160.995 \\ \times 20285.112 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995 \\ \times 20160.995
   12 \% 20149.005 \% 20288.347 ZM 161.661 \% 20128.11 V 132.903 H 188.077 C 187.535 \% 20131.206 \% 20186.989 \% 20129.677 \% 20186.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.000 \% 189.0000 \% 189.0000 \% 189.000000 \% 189.000 \% 189.0000 \% 189.0000 \% 189.0000 \% 189.0000 \% 189.00
       .447%20128.11H161.661Z'%20fill='%232D4552'/%3e%3cpath%20d='M193.981%20167.584C205.861%20170.958%2021
   2.144\% 20179.287\% 20215.465\% 20186.658 L228.711\% 20190.420228.711\% 20190.42\% 20226.904\% 20164.623\% 20203.57\% 20164\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 20164.623\% 201
   .268%20193.981%20167.584ZM299.422%20186.777C277.573%20180.547%20264.145%20198.916%20262.535%20201.25
   1.307 \% 20215.436 L324.572 \% 20219.212 C324.572 \% 20219.212 \% 20322.736 \% 20193.41 \% 20299.422 \% 20186.777 ZM286.262 \% 20193.41 \% 20299.422 \% 20186.777 ZM286.262 \% 20193.41 \% 20299.422 \% 20186.777 ZM286.262 \% 20193.41 \% 20299.422 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41 \% 20193.41
   5 C 282.255 \% 20259.386 \% 20286.262 \% 20254.795 \% 20286.262 \% 20254.795 ZM 209.867 \% 20321.102 C 122.618 \% 20297.71 \% 201320 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM 20120 ZM
   3.166 \% 20186.543 \% 20147.284 \% 20133.865 C153.097 \% 20112.156 \% 20159.073 \% 2096.0203 \% 20164.029 \% 2085.204 C161.072
    *2084.5953 *20158.623 *2086.1529 *20156.203 *2091.0746C150.941 *20101.747 *20144.212 *20119.124 *20137.7 *20141.2012 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *20119.124 *
   43.45 \\ C123.586 \\ \$20196.127 \\ \$20113.038 \\ \$20307.29 \\ \$20200.283 \\ \$20330.682 \\ C241.406 \\ \$20341.699 \\ \$20273.442 \\ \$20324.955 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 1278 \\ 
   %20297.323%20298.659C274.655%20319.19%20245.714%20330.701%20209.867%20321.102Z'%20fill='%232D4552'/%3e%3cpath%20d='M161.661%20262.296V239.863L99.3324%20257.537C99.3324%20257.537%20103.938%20230.777%20
 \frac{136.444820221.556C146.302820218.762820154.713820218.781820161.661820220.123V128.11H192.869C189.471820117.61820186.184820109.526820183.423820103.909C178.85682094.612820174.174820100.775820163.545820109
          047.5752 \% 20140.911 C33.9601 \% 20138.562 \% 2026.8387 \% 20135.572 \% 2027.5049 \% 20145.928 C28.0847 \% 20155.062 \% 2030.0847 \% 20145.928 C28.0847 \% 20155.062 \% 2030.0847 \% 20145.928 C28.0847 \% 20145.928 \% 20145.928 C28.0847 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145.928 \% 20145
   2605 \% 20169 . 224 \% 2035 . 2445 \% 20187 . 928C46 . 0272 \% 20228 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 662 \% 20228 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 602 \% 2028 . 433 \% 2081 . 663 \% 20306 . 481 \% 20149 . 01 \% 20288 . 342C166 . 0272 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 . 433 \% 2028 \% 2028 . 433 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 2028 \% 202
   0283.602 \times 20179.019 \times 20274.233 \times 20187.626 \times 20262.291 + 1161.661 \times 262.2962 + 20181.0848 \times 20188.484 + 1108.946 \times 20175.876 \times 20181.0848 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 20188.484 \times 201888.484 \times 20188
   61.0848%20188.484Z'%20fill='%23E2574C'/%3e%3cpath%20d='M341.786%20129.174C329.345%20131.355%20299.49
   8 \% 20134.072 \% 20262.612 \% 20124.185 C225.716 \% 20114.304 \% 20201.236 \% 2097.0224 \% 20191.537 \% 2088.8994 C177.788 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 \% 20124 
   77.3834 \% 20171.74 \% 2069.3802 \% 20165.788 \% 2081.4857 C160.526 \% 2092.163 \% 20153.797 \% 20109.54 \% 20147.284 \% 20133.8857 C160.526 \% 2092.163 \% 20153.797 \% 20109.54 \% 20147.284 \% 20133.8857 C160.526 \% 2092.163 \% 20153.797 \% 20109.54 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.284 \% 20147.28
   66C133.171\%20186.543\%20122.623\%20297.706\%20209.867\%20321.098C297.093\%20344.47\%20343.53\%20242.92\%2035
```

```
7.644 \% 20190.238 C364.157 \% 20165.917 \% 20367.013 \% 20147.5 \% 20367.799 \% 20135.625 C368.695 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20359.455 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 20122.173 \% 2012
  20126.078 \times 20341.786 \times 20129.174 \times 20126.078 \times 20172.756 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20180.246 \times 20151.372 \times 20203.565 \times 20203.246 \times 20151.372 \times 20203.246 \times 20151.372 \times 20203.246 \times 20151.372 \times 20203.246 \times 20151.372 \times 20203.246 \times 20151.372 \times 20203.246 \times 20151.372 \times 20203.246 \times 20151.246 \times 2015
  58C226.899\%20164.628\%20228.706\%20190.425\%20228.706\%20190.425\%20228.706\%20190.4251166.497\%20172.756ZM223.42\%20268.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713C182.713
      .403%20256.698%20176.077%20223.99%20176.077%20223.99L286.262%20254.796C286.262%20254.791%20264.021%2
  0280.578\% 20223.42\% 20268.7132 M262.377\% 20201.495 C262.377\% 20201.495\% 20276.107\% 20180.126\% 20299.422\% 20186.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 20180.107\% 201
   .773C322.736%20193.411%20324.572%20219.208%20324.572%20219.208L262.377%20201.495Z'%20fill='%232EAD33
           /%3e%3cpath%20d='M139.88%20246.04L99.3324%20257.532C99.3324%20257.532%20103.737%20232.44%20133.607%
  20222.496L110.647\% 20136.33L108.663\% 20136.933C80.1918\% 20144.611\% 2057.1742\% 20142.574\% 2047.5704\% 20140.9126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.19126.1
  . 2397%20187. 929C46. 0225%20228. 433%2081. 6583%20306. 481%20149. 005%20288. 342L150. 989%20287. 719L139. 88%2
  0246.042 \\ \text{M} 61.0848 \\ \text{\%} 20188.485 \\ \text{L} 108.946 \\ \text{\%} 20175.876 \\ \text{C} 108.946 \\ \text{\%} 20175.876 \\ \text{\%} 20107.551 \\ \text{\%} 20194.288 \\ \text{\$} 2089.6087 \\ \text{\%} 20199.009 \\ \text{\$} 108.009 \\ \text{\$} 109.009 8C71.6615%20203.743%2061.0848%20188.485%2061.0848%20188.485Z'%20fill='%23D65348'/%3e%3cpath%20d='M2
  25.27 \times 20269.163 L223.415 \times 20268.712 C182.398 \times 20256.698 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 L232.89 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20176.072 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99 \times 20223.99
  39.872 L 262.971 \% 20124.281 L 262.607 \% 20124.185 C 225.711 \% 20114.304 \% 20201.232 \% 2097.0224 \% 20191.532 \% 2088.8994
  \texttt{C177.783} \times 2077.3834 \times 20171.735 \times 2069.3802 \times 20165.783 \times 2081.4857 \times C160.526 \times 2092.163 \times 20153.797 \times 20109.54 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147 \times 20147
       .284 \% 20133 .866 C133 .171 \% 20186 .543 \% 20122 .623 \% 20297 .706 \% 20209 .867 \% 20321 .097 L211 .655 \% 20321 .5 L225 .27 \% 2026 Model and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the 
  9.1632 \\ \text{M} \\ 166.497 \\ \text{\%} \\ 20172.756 \\ \text{C} \\ 166.497 \\ \text{\%} \\ 20172.756 \\ \text{\%} \\ 20180.246 \\ \text{\%} \\ 20151.372 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20158 \\ \text{C} \\ 226.899 \\ \text{\%} \\ 20164.628 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20151.372 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20151.372 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20151.372 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20151.372 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20151.372 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203.565 \\ \text{\%} \\ 20203
  28.706%20190.425%20228.706%20190.425L166.497%20172.756Z'%20fill='%231D8D22'/%3e%3cpath%20d='M141.946
   *20245.451L131.072 *20248.537C133.641 *20263.019 *20138.169 *20276.917 *20145.276 *20289.195C146.513 *20288.195C146.513 *20288.195C146.513 *20288.195C146.513 *20288.195C146.513 *20288.195C146.513 *20288.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.195C146.
      .922 \% 20147.74 \% 20288.687 \% 20149 \% 20288.342 C152.302 \% 20287.451 \% 20155.364 \% 20286.348 \% 20158.312 \% 20285.145 C152.302 \% 20147.74 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 201580.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.312 \% 20158.31
  0.371 \times 20273.361 \times 20145.118 \times 20259.789 \times 20141.946 \times 20245.451 \times 20143.451   *20194.326 *20128.489 *20224.436 C130.952 *20223.367 *20133.554 *20222.371 *20136.444 *20221.551 L138.457 *20221.351 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 10122 + 1012
  21.101C136.003 \times 20188.939 \times 20141.308 \times 20156.165 \times 20147.284 \times 20133.866 \\ C148.799 \times 20128.225 \times 20150.318 \times 20122.918 \times 20128.225 \times 20150.318 \times 20122.918 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.1011 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times 20121.101 \times
  78\% 20151.832\% 20118.085 C149.393\% 20119.637\% 20146.767\% 20121.228\% 20143.776\% 20122.867 C141.759\% 20129.093\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.637\% 20129.73\% 20129.637\% 20129.637\% 20129.637\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 20129.73\% 2012
  0139.722%20135.898%20137.7%20143.451Z'%20fill='%23C04B41'/%3e%3c/svg%3e",ua=Rm,Qa=document.createEle
  ment("link");Qa.rel="shortcut icon";Qa.href=Vg;document.head.appendChild(Qa);const
  bq=()=>{const[l,s]=se.useState();return se.useEffect(()=>{const r=new Yg;r.load().then(()=>{var a;(a
  =document.getElementById("playwrightReportBase64"))==null||a.remove(),s(r)})},[]),h.jsx(\mathbb{m},{children:h.jsx(Qg,{report:l})})};window.onload=()=>{Nm.createRoot(document.querySelector("#root")).render(h.
  jsx(bg, \{\bar{j})); const Vd="playwrightReportStorageForHMR"; class Yg{constructor(){Gt(this,"_entries", new fixed by the constructor().
  Map);Gt(this," json")}async load(){const s=await new Promise(a=>{const
  c=document.getElementById("playwrightReportBase64");if(c!=null&&c.textContent)return
a(c.textContent);if(window.opener){const f=d=>{d.source===window.opener&(localStorage.setItem(Vd,d.data),a(d.data),window.removeEventListener("message",f))};window.addEventListener("message",f),window.opener.postMessage("ready","*")}else{const f=localStorage.getItem(Vd);if(f)return
  a(f);alert("couldnt find report, something with HMR is broken")}}),r=new ua.ZipReader(new
  ua.Data64URIReader(s), {useWebWorkers:!1}); for(const a of await
  r.getEntries())this._entries.set(a.filename,a);this._json=await
  this.entry("report.json")}json(){return this._json}async entry(s){const r=this._entries.get(s),a=new
  ua.TextWriter;return await r.getData(a), JSON.parse(await a.getData())}}
                                       <style type='text/css'>:root{--color-canvas-default-transparent: rgba(255,255,255,0);--color-
 marketing-icon-primary: #218bff;--color-marketing-icon-secondary: #54aeff;--color-diff-blob-addition-num-text: #24292f;--color-diff-blob-addition-num-bg:
 #CCFFD8; --color-diff-blob-addition-line-bg: #E6FFEC; --color-diff-blob-addition-word-bg: #ABF2BC; --color-diff-blob-deletion-num-text: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-deletion-fg: #24292f; --color-diff-blob-del
  diff-blob-deletion-num-bq: #FFD7D5;--color-diff-blob-deletion-line-bq: #FFEBE9;--color-diff-blob-
deletion-word-bg: rgba(255,129,130,.4);--color-diff-blob-hunk-num-bg: rgba(84,174,255,.4);--color-diff-blob-expander-icon: #57606a;--color-diff-blob-selected-line-highlight-mix-blend-mode: multiply;--color-diffstat-deletion-border: rgba(27,31,36,.15);--color-diffstat-addition-border:
  rgba(27,31,36,.15);--color-diffstat-addition-bg: #2da44e;--color-search-keyword-hl: #fff8c5;--color-
  prettylights-syntax-comment: #6e7781;--color-prettylights-syntax-constant: #0550ae;--color-
  prettylights-syntax-entity: #8250df;--color-prettylights-syntax-storage-modifier-import:
  #24292f;--color-prettylights-syntax-entity-tag: #116329;--color-prettylights-syntax-keyword:
  #cf222e;--color-prettylights-syntax-string: #0a3069;--color-prettylights-syntax-variable:
  #953800;--color-prettylights-syntax-brackethighlighter-unmatched: #82071e;--color-prettylights-
  syntax-invalid-illegal-text: #f6f8fa;--color-prettylights-syntax-invalid-illegal-bg:
  #82071e;--color-prettylights-syntax-carriage-return-text: #f6f8fa;--color-prettylights-syntax-
  carriage-return-bg: #cf222e;--color-prettylights-syntax-string-regexp: #116329;--color-prettylights-
 syntax-markup-list: #3b2300;--color-prettylights-syntax-markup-heading: #0550ae;--color-prettylights-syntax-markup-italic: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--color-prettylights-syntax-markup-bold: #24292f;--co
  prettylights-syntax-markup-deleted-text: #82071e;--color-prettylights-syntax-markup-deleted-bg:
  #FFEBE9;--color-prettylights-syntax-markup-inserted-text: #116329;--color-prettylights-syntax-
  markup-inserted-bg: #dafbel;--color-prettylights-syntax-markup-changed-text: #953800;--color-
 prettylights-syntax-markup-changed-bg: #ffd8b5;--color-prettylights-syntax-markup-ignored-text: #eaeef2;--color-prettylights-syntax-meta-
  diff-range: #8250df;--color-prettylights-syntax-brackethighlighter-angle: #57606a;--color
 prettylights-syntax-sublimelinter-gutter-mark: #8c959f;--color-prettylights-syntax-constant-other-reference-link: #0a3069;--color-codemirror-text: #24292f;--color-codemirror-bg: #ffffff;--color-
  codemirror-gutters-bg: #ffffff;--color-codemirror-guttermarker-text: #ffffff;--color-codemirror-
guttermarker-subtle-text: #6e7781;--color-codemirror-linenumber-text: #57606a;--color-codemirror-cursor: #24292f;--color-codemirror-selection-bg: rgba(84,174,255,.4);--color-codemirror-activeline-bg: rgba(234,238,242,.5);--color-codemirror-matchingbracket-text: #24292f;--color-codemirror-lines-
```

```
bg: #ffffff;--color-codemirror-syntax-comment: #24292f;--color-codemirror-syntax-constant:
#0550ae; -- color-codemirror-syntax-entity: #8250df; -- color-codemirror-syntax-keyword:
#cf222e; --color-codemirror-syntax-storage: #cf222e; --color-codemirror-syntax-string:
#0a3069;--color-codemirror-syntax-support: #0550ae;--color-codemirror-syntax-variable:
#953800; --color-checks-bg: #24292f; --color-checks-run-border-width: 0px; --color-checks-container-
border-width: 0px;--color-checks-text-primary: #f6f8fa;--color-checks-text-secondary:
#8c959f;--color-checks-text-link: #54aeff;--color-checks-btn-icon: #afb8c1;--color-checks-btn-hover-
icon: #f6f8fa; --color-checks-btn-hover-bg: rgba(255,255,255,.125); --color-checks-input-text:
#eaeef2;--color-checks-input-placeholder-text: #8c959f;--color-checks-input-focus-text: #8c959f;--color-checks-input-bg: #32383f;--color-checks-input-shadow: none;--color-checks-donut-
error: #fa4549;--color-checks-donut-pending: #bf8700;--color-checks-donut-success: #2da44e;--color-
checks-donut-neutral: #afb8c1;--color-checks-dropdown-text: #afb8c1;--color-checks-dropdown-bg:
#32383f;--color-checks-dropdown-border: #424a53;--color-checks-dropdown-shadow:
rgba(27,31,36,.3);--color-checks-dropdown-hover-text: #f6f8fa;--color-checks-dropdown-hover-bg:
#424a53; -- color-checks-dropdown-btn-hover-text: #f6f8fa; -- color-checks-dropdown-btn-hover-bg:
#32383f;--color-checks-scrollbar-thumb-bg: #57606a;--color-checks-header-label-text:
#d0d7de;--color-checks-header-label-open-text: #f6f8fa;--color-checks-header-border:
#32383f;--color-checks-header-icon: #8c959f;--color-checks-line-text: #d0d7de;--color-checks-line-
num-text: rgba(140,149,159,.75);--color-checks-line-timestamp-text: #8c959f;--color-checks-line-hover-bg: #32383f;--color-checks-line-selected-bg: rgba(33,139,255,.15);--color-checks-line-selected-num-text: #54aeff;--color-checks-line-dt-fm-text: #24292f;--color-checks-line-dt-fm-bg: #9a6700;--color-checks-gate-bg: rgba(125,78,0,.15);--color-checks-gate-text: #d0d7de;--color-checks-gate-bg: rgba(125,78,0,.15);--color-checks-gate-text: #d0d7de;--color-checks-gate-text: #d0d7de;-
#9ab/00; --color-checks-gate-bg: rgba(125,78,0,.15); --color-checks-gate-text: #d0d/de; --color-checks-gate-waiting-text: #afb8c1; --color-checks-step-header-open-bg: #32383f; --color-checks-step-error-text: #ff8182; --color-checks-step-warning-text: #d4a72c; --color-checks-logline-text: #8c959f; --color-checks-logline-num-text: rgba(140,149,159,.75); --color-checks-logline-debug-text: #c297ff; --color-checks-logline-error-text: #d0d7de; --color-checks-logline-error-num-text: #ff8182; --color-checks-logline-error-bg: rgba(164,14,38,.15); --color-checks-logline-warning-text: #d0d7de; --color-checks-logline-warning-num-text: #d4a72c; --color-checks-logline-warning-bg: rgba(125,78,0,.15); --color-checks-logline-section-text: #4a208f; -color-checks-logline-section-text: #daggine-section-text: #dag
#4ac26b;--color-checks-ansi-black: #24292f;--color-checks-ansi-black-bright: #32383f;--color-checks-
ansi-white: #d0d7de; --color-checks-ansi-white-bright: #d0d7de; --color-checks-ansi-gray:
#8c959f;--color-checks-ansi-red: #ff8182;--color-checks-ansi-red-bright: #ffaba8;--color-checks-
ansi-green: #4ac26b;--color-checks-ansi-green-bright: #6fdd8b;--color-checks-ansi-yellow:
#d4a72c;--color-checks-ansi-yellow-bright: #eac54f;--color-checks-ansi-blue: #54aeff;--color-checks-ansi-blue-bright: #80ccff;--color-checks-ansi-magenta: #c297ff;--color-checks-ansi-magenta-bright:
#d8b9ff;--color-checks-ansi-cyan: #76e3ea;--color-checks-ansi-cyan-bright: #b3f0ff;--color-project-
header-bg: #24292f;--color-project-sidebar-bg: #ffffff;--color-project-gradient-in: #ffffff;--color-
project-gradient-out: rgba(255,255,255,0);--color-mktg-success: rgba(36,146,67,1);--color-mktg-info: rgba(19,119,234,1);--color-mktg-bg-shade-gradient-top: rgba(27,31,36,.065);--color-mktg-bg-shade-gradient-bottom: rgba(27,31,36,0);--color-mktg-btn-bg-top: hsla(228,82%,66%,1);--color-mktg-btn-bg-top:
bottom: #4969ed;--color-mktg-btn-bg-overlay-top: hsla(228,74%,59%,1);--color-mktg-btn-bg-overlay
bottom: #3355e0;--color-mktg-btn-text: #ffffff;--color-mktg-btn-primary-bg-top:
hsla(137,56%,46%,1);--color-mktg-btn-primary-bg-bottom: #2ea44f;--color-mktg-btn-primary-bg-overlay-top: hsla(134,60%,38%,1);--color-mktg-btn-primary-bg-overlay-bottom: #22863a;--color-mktg-btn-
primary-text: #ffffff; -color-mktg-btn-enterprise-bg-top: hsla(249,100%,72%,1); -color-mktg-btn-
enterprise-bg-bottom: #6f57ff;--color-mktg-btn-enterprise-bg-overlay-top:
hsla(248,65%,63%,1);--color-mktg-btn-enterprise-bg-overlay-bottom: #614eda;--color-mktg-btn-
enterprise-text: #ffffff; --color-mktg-btn-outline-text: #4969ed; --color-mktg-btn-outline-border:
rgba(73,105,237,.3);--color-mktg-btn-outline-hover-text: #3355e0;--color-mktg-btn-outline-hover-border: rgba(51,85,224,.5);--color-mktg-btn-outline-focus-border: #4969ed;--color-mktg-btn-outline-
focus-border-inset: rgba(73,105,237,.5);--color-mktg-btn-dark-text: #ffffff;--color-mktg-btn-dark-
border: rgba(255,255,255,.3);--color-mktg-btn-dark-hover-text: #ffffff;--color-mktg-btn-dark-hover-border: rgba(255,255,255,.5);--color-mktg-btn-dark-focus-border: #ffffff;--color-mktg-btn-dark-
focus-border-inset: rgba(255,255,255,.5); --color-avatar-bg: #ffffff; --color-avatar-border:
rgba(27,31,36,.15);--color-avatar-stack-fade: #afb8c1;--color-avatar-stack-fade-more:
#d0d7de;--color-avatar-child-shadow: -2px -2px 0 rgba(255,255,255,.8);--color-topic-tag-border:
rgba(0,0,0,0);--color-select-menu-backdrop-border: rgba(0,0,0,0);--color-select-menu-tap-highlight:
rgba(175,184,193,.5);--color-select-menu-tap-focus-bg: #b6e3ff;--color-overlay-shadow: 0 1px 3px rgba(27,31,36,.12), 0 8px 24px rgba(66,74,83,.12);--color-header-text: rgba(255,255,255,.7);--color-header-bg: #24292f;--color-header-logo: #ffffff;--color-header-search-bg: #24292f;--color-header-search-bg: #27606a;--color-sidenay-select-menu-bg: #ffffff;--color-menu-bg: #color-sidenay-select-menu-bg: #ffffff;--color-menu-bg: #color-sidenay-search-bg: #color-s
rgba(0,0,0,0);--color-input-disabled-bg: rgba(175,184,193,.2);--color-timeline-badge-bg: #eaeef2;--color-ansi-black: #24292f;--color-ansi-black-bright: #57606a;--color-ansi-white:
#6e7781;--color-ansi-white-bright: #8c959f;--color-ansi-gray: #6e7781;--color-ansi-red:
#cf222e;--color-ansi-yellow: #4d2d00;--color-ansi-yellow-bright: #05325;--color-ansi-green-bright: #1a7f37;--color-ansi-yellow: #4d2d00;--color-ansi-yellow-bright: #0552df: -color-ansi-bue:
#0969da;--color-ansi-blue-bright: #218bff;--color-ansi-magenta: #8250df;--color-ansi-magenta-bright: #a475f9;--color-ansi-cyan: #1b7c83;--color-ansi-cyan-bright: #3192aa;--color-btn-text:
#24292f;--color-btn-bg: #f6f8fa;--color-btn-border: rgba(27,31,36,.15);--color-btn-shadow: 0 1px 0
rgba(27,31,36,.04);--color-btn-inset-shadow: inset 0 1px 0 rgba(255,255,255,.25);--color-btn-hover-
bg: #f3f4f6;--color-btn-hover-border: rgba(27,31,36,.15);--color-btn-active-bg: hsla(220,14%,93%,1);--color-btn-active-border: rgba(27,31,36,.15);--color-btn-selected-bg: hsla(220,14%,94%,1);--color-btn-focus-bg: #f6f8fa;--color-btn-focus-border:
```

```
rgba(27,31,36,.15);--color-btn-focus-shadow: 0 0 0 3px rgba(9,105,218,.3);--color-btn-shadow-active:
inset 0 .15em .3em rqba(27,31,36,.15);--color-btn-shadow-input-focus: 0 0 0 .2em
rgba(9,105,218,.3);--color-btn-counter-bg: rgba(27,31,36,.08);--color-btn-primary-text:
#ffffff;--color-btn-primary-bg: #2da44e;--color-btn-primary-border: rgba(27,31,36,.15);--color-btn-primary-shadow: 0 lpx 0 rgba(27,31,36,.1);--color-btn-primary-inset-shadow: inset 0 lpx 0
rgba(255,255,255,.03);--color-btn-primary-hover-bg: #2c974b;--color-btn-primary-hover-border:
rgba(27,31,36,.15);--color-btn-primary-selected-bg: hsla(137,55%,36%,1);--color-btn-primary-
selected-shadow: inset 0 1px 0 rgba(0,45,17,.2);--color-btn-primary-disabled-text:
rgba(255,255,255,.8);--color-btn-primary-disabled-bg: #94d3a2;--color-btn-primary-disabled-border: rgba(27,31,36,.15);--color-btn-primary-focus-bg: #2da44e;--color-btn-primary-focus-border: rgba(27,31,36,.15);--color-btn-primary-focus-shadow: 0 0 0 3px rgba(45,164,78,.4);--color-btn-
primary-icon: rgba(255,255,255,255,8);--color-btn-primary-counter-bg: rgba(255,255,255,255,2);--color-btn-
outline-text: #6969da;--color-btn-outline-hover-text: #ffffff;--color-btn-outline-hover-bg: #0969da;--color-btn-outline-hover-shadow: 0 1px
0 rgba(27,31,36,.1);--color-btn-outline-hover-inset-shadow: inset 0 1px 0
rgba(255,255,255,.03);--color-btn-outline-hover-counter-bg: rgba(255,255,255,.2);--color-btn-outline-selected-text: #fffffff;--color-btn-outline-selected-bg: hsla(212,92%,42%,1);--color-btn-
outline-selected-border: rgba(27,31,36,.15);--color-btn-outline-selected-shadow: inset 0 1px 0
rgba(0,33,85,.2);--color-btn-outline-disabled-text: rgba(9,105,218,.5);--color-btn-outline-disabled-
bg: #f6f8fa;--color-btn-outline-disabled-counter-bg: rgba(9,105,218,.05);--color-btn-outline-focus-
border: rgba(27,31,36,.15);--color-btn-outline-focus-shadow: 0 0 0 3px rgba(5,80,174,.4);--color-
btn-outline-counter-bg: rgba(9,105,218,.1);--color-btn-danger-text: #cf222e;--color-btn-danger-
hover-text: #ffffff;--color-btn-danger-hover-bg: #a40e26;--color-btn-danger-hover-border:
rgba(27,31,36,.15);--color-btn-danger-hover-shadow: 0 1px 0 rgba(27,31,36,.1);--color-btn-danger-
hover-inset-shadow: inset 0 1px 0 rgba(255,255,255,.03); -color-btn-danger-hover-counter-bg:
rgba(255,255,255,.2);--color-btn-danger-selected-text: #ffffff;--color-btn-danger-selected-bg: hsla(356,72%,44%,1);--color-btn-danger-selected-border: rgba(27,31,36,.15);--color-btn-danger-selected-border
selected-shadow: inset 0 1px 0 rgba(76,0,20,.2);--color-btn-danger-disabled-text:
rgba(207,34,46,.5);--color-btn-danger-disabled-bg: #f6f8fa;--color-btn-danger-disabled-counter-bg: rgba(207,34,46,.05);--color-btn-danger-focus-border: rgba(27,31,36,.15);--color-btn-danger-focus-shadow: 0 0 0 3px rgba(164,14,38,.4);--color-btn-danger-counter-bg: rgba(207,34,46,.1);--color-btn-danger-icon: #cf222e;--color-btn-danger-hover-icon: #fffff;--color-underlinenav-icon: #6e7781;--color-underlinenav-broder-hover: rgba(175,184,193,.2);--color-fg-default: #24292f;--color-fg-default: #24292f;--col
fg-muted: #57606a; --color-fg-subtle: #6e7781; --color-fg-on-emphasis: #ffffff; --color-canvas-default:
#ffffff;--color-canvas-overlay: #ffffff;--color-canvas-inset: #f6f8fa;--color-canvas-subtle:
#f6f8fa;--color-border-default: #d0d7de;--color-border-muted: hsla(210,18%,87%,1);--color-border-
subtle: rgba(27,31,36,.15);--color-shadow-small: 0 1px 0 rgba(27,31,36,.04);--color-shadow-medium: 0
3px 6px rgba(140,149,159,.15);--color-shadow-large: 0 8px 24px rgba(140,149,159,.2);--color-shadow-
extra-large: 0 12px 28px rgba(140,149,159,.3);--color-neutral-emphasis-plus: #24292f;--color-neutral-emphasis: #6e7781;--color-neutral-muted: rgba(175,184,193,.2);--color-neutral-subtle:
rgba(234,238,242,.5);--color-accent-fg: #0969da;--color-accent-emphasis: #0969da;--color-accent-
muted: rgba(84,174,255,.4);--color-accent-subtle: #ddf4ff;--color-success-fg: #1a7f37;--color-success-emphasis: #2da44e;--color-success-muted: rgba(74,194,107,.4);--color-success-subtle: #ddf4ff;--color-attention-fg: #9a6700;--color-attention-emphasis: #bf8700;--color-attention-muted:
rgba(212,167,44,.4);--color-attention-subtle: #fff8c5;--color-severe-fg: #bc4c00;--color-severe-
emphasis: #bc4c00;--color-severe-muted: rgba(251,143,68,.4);--color-severe-subtle: #fff1e5;--color-
danger-fg: #cf222e;--color-danger-emphasis: #cf222e;--color-danger-muted: rgba(255,129,130,.4);--color-danger-subtle: #FFEBE9;--color-done-fg: #8250df;--color-done-emphasis: #8250df;--color-done-muted: rgba(194,151,255,.4);--color-done-subtle: #fbefff;--color-sponsors-fg:
#bf3989;--color-sponsors-emphasis: #bf3989;--color-sponsors-muted: rgba(255,128,200,.4);--color-
sponsors-subtle: #ffeff7; --color-primer-canvas-backdrop: rgba(27,31,36,.5); --color-primer-canvas-
sticky: rgba(255,255,255,.95);--color-primer-border-active: #FD8C73;--color-primer-border-contrast:
rgba(27,31,36,.1);--color-primer-shadow-highlight: inset 0 1px 0 rgba(255,255,255,25);--color
primer-shadow-inset: inset 0 1px 0 rgba(208,215,222,.2);--color-primer-shadow-focus: 0 0 0 3px rgba(9,105,218,.3);--color-scale-black: #1b1f24;--color-scale-white: #ffffff;--color-scale-gray-0:
#f6f8fa;--color-scale-gray-1: #eaeef2;--color-scale-gray-2: #d0d7de;--color-scale-gray-3: #afb8c1;--color-scale-gray-4: #8c959f;--color-scale-gray-5: #6e7781;--color-scale-gray-6:
#57606a; --color-scale-gray-7: #424a53; --color-scale-gray-8: #32383f; --color-scale-gray-9: #24292f; --color-scale-blue-0: #ddf4ff; --color-scale-blue-1: #b6e3ff; --color-scale-blue-2: #80ccff; --color-scale-blue-3: #54aeff; --color-scale-blue-4: #218bff; --color-scale-blue-5: #002166: #0550ae; --color-scale-blue-7: #0346b1; --color-scale-blue-8:
#0a3069;--color-scale-blue-9: #002155;--color-scale-green-0: #dafbe1;--color-scale-green-1:
#aceebb;--color-scale-green-2: #6fdd8b;--color-scale-green-3: #4ac26b;--color-scale-green-4:
#2da44e;--color-scale-green-5: #1a7f37;--color-scale-green-6: #116329;--color-scale-green-7: #044f1e;--color-scale-green-8: #003d16;--color-scale-green-9: #002d11;--color-scale-yellow-0:
#fff8c5;--color-scale-yellow-1: #fae17d;--color-scale-yellow-2: #eac54f;--color-scale-yellow-3:
#d4a72c;--color-scale-yellow-4: #bf8700;--color-scale-yellow-5: #9a6700;--color-scale-yellow-6: #7d4e00;--color-scale-yellow-7: #633c01;--color-scale-yellow-8: #4d2d00;--color-scale-yellow-9:
#3b2300;--color-scale-orange-0: #fffle5;--color-scale-orange-1: #ffd8b5;--color-scale-orange-2:
#ffb77c;--color-scale-orange-3: #fb8f44;--color-scale-orange-4: #e16f24;--color-scale-orange-5: #bc4c00;--color-scale-orange-6: #953800;--color-scale-orange-7: #762c00;--color-scale-orange-8: #5c2200;--color-scale-orange-9: #471700;--color-scale-red-0: #FFEBE9;--color-scale-red-1: #ffcecb;--color-scale-red-2: #ffaba8;--color-scale-red-3: #ff8182;--color-scale-red-4:
```

```
#fa4549;--color-scale-red-5: #cf222e;--color-scale-red-6: #a40e26;--color-scale-red-7:
#82071e; --color-scale-red-8: #660018; --color-scale-red-9: #4c0014; --color-scale-purple-0:
#fbefff; --color-scale-purple-1: #ecd8ff; --color-scale-purple-2: #d8b9ff; --color-scale-purple-3: #c297ff; --color-scale-purple-4: #a475f9; --color-scale-purple-5: #8250df; --color-scale-purple-6: #6639ba; --color-scale-purple-7: #51297; --color-scale-purple-8: #3e1f79; --color-scale-purple-9:
#2e1461;--color-scale-pink-0: #ffeff7;--color-scale-pink-1: #ffd3eb;--color-scale-pink-2:
#ffadda;--color-scale-pink-3: #ff80c8;--color-scale-pink-4: #e85aad;--color-scale-pink-5:
#bf3989; --color-scale-pink-6: #99286e; --color-scale-pink-7: #772057; --color-scale-pink-8:
#611347;--color-scale-pink-0: #99280e;--color-scale-pink-7: #772037;--color-scale-pink-8: #611347;--color-scale-pink-9: #4d0336;--color-scale-coral-0: #FFF0EB;--color-scale-coral-1: #FFD6CC;--color-scale-coral-2: #FFB4A1;--color-scale-coral-3: #FD8C73;--color-scale-coral-4: #EC6547;--color-scale-coral-5: #C4432B;--color-scale-coral-6: #9E2F1C;--color-scale-coral-7: #801F0F;--color-scale-coral-8: #691105;--color-scale-coral-9: #510901 }@media (prefers-color-scheme:
dark){:root{--color-canvas-default-transparent: rgba(13,17,23,0);--color-marketing-icon-primary:
#79c0ff;--color-marketing-icon-secondary: #1f6feb;--color-diff-blob-addition-num-text: #c9d1d9;--color-diff-blob-addition-num-bg:
rgba(63,185,80,.3);--color-diff-blob-addition-line-bg: rgba(46,160,67,.15);--color-diff-blob-
addition-word-bg: rgba(46,160,67,.4);--color-diff-blob-deletion-num-text: #c9d1d9;--color-diff-blob-
deletion-fg: #c9d1d9; --color-diff-blob-deletion-num-bg: rgba(248,81,73,.3); --color-diff-blob-
deletion-line-bg: rgba(248,81,73,.15);--color-diff-blob-deletion-word-bg:
rgba(248,81,73,.4);--color-diff-blob-hunk-num-bg: rgba(56,139,253,.4);--color-diff-blob-expander-
icon: #8b949e;--color-diff-blob-selected-line-highlight-mix-blend-mode: screen;--color-diffstat-deletion-border: rgba(240,246,252,.1);--color-diffstat-addition-border:
rgba(240,246,252,.1);--color-diffstat-addition-bg: #3fb950;--color-search-keyword-hl:
rgba(210,153,34,.4);--color-prettylights-syntax-comment: #8b949e;--color-prettylights-syntax-
constant: #79c0ff; --color-prettylights-syntax-entity: #d2a8ff; --color-prettylights-syntax-storage-
modifier-import: #c9d1d9;--color-prettylights-syntax-entity-tag: #7ee787;--color-prettylights-syntax-keyword: #ff7b72;--color-prettylights-syntax-string: #a5d6ff;--color-prettylights-syntax-variable: #ffa657;--color-prettylights-syntax-brackethighlighter-unmatched: #f85149;--color-
prettylights-syntax-invalid-illegal-text: #f0f6fc;--color-prettylights-syntax-invalid-illegal-bg: #8e1519;--color-prettylights-syntax-carriage-return-text: #f0f6fc;--color-prettylights-syntax-
carriage-return-bg: #b62324;--color-prettylights-syntax-string-regexp: #7ee787;--color-prettylights-
syntax-markup-list: #f2cc60;--color-prettylights-syntax-markup-heading: #1f6feb;--color-
prettylights-syntax-markup-italic: #c9d1d9;--color-prettylights-syntax-markup-bold: #c9d1d9;--color-prettylights-syntax-markup-deleted-text: #ffdcd7;--color-prettylights-syntax-markup-deleted-bg: #67060c;--color-prettylights-syntax-markup-inserted-text: #aff5b4;--color-prettylights-syntax-
markup-inserted-bg: #033a16;--color-prettylights-syntax-markup-changed-text: #ffdfb6;--color-
prettylights-syntax-markup-changed-bg: #5ale02;--color-prettylights-syntax-markup-ignored-text:
#c9dld9;--color-prettylights-syntax-markup-ignored-bg: #1158c7;--color-prettylights-syntax-meta-
diff-range: #d2a8ff;--color-prettylights-syntax-brackethighlighter-angle: #8b949e;--color-
prettylights-syntax-sublimelinter-gutter-mark: #484f58;--color-prettylights-syntax-constant-other-
reference-link: #a5d6ff;--color-codemirror-text: #c9d1d9;--color-codemirror-bg: #0d1l17;--color-
codemirror-gutters-bg: #0d1117; --color-codemirror-guttermarker-text: #0d1117; --color-codemirror-
guttermarker-subtle-text: #484f58;--color-codemirror-linenumber-text: #8b949e;--color-codemirror-cursor: #c9d1d9;--color-codemirror-selection-bg: rgba(56,139,253,.4);--color-codemirror-activeline-bg: rgba(10,118,129,.1);--color-codemirror-matchingbracket-text: #c9d1d9;--color-codemirror-lines-
bg: #0d1117;--color-codemirror-syntax-comment: #8b949e;--color-codemirror-syntax-constant:
#79c0ff;--color-codemirror-syntax-entity: #d2a8ff;--color-codemirror-syntax-keyword:
#ff7b72;--color-codemirror-syntax-storage: #ff7b72;--color-codemirror-syntax-string:
#a5d6ff;--color-codemirror-syntax-support: #79c0ff;--color-codemirror-syntax-variable:
#ffa657;--color-checks-bg: #010409;--color-checks-run-border-width: 1px;--color-checks-container-border-width: 1px;--color-checks-text-primary: #c9d1d9;--color-checks-text-secondary:
#8b949e;--color-checks-text-link: #58a6ff;--color-checks-btn-icon: #8b949e;--color-checks-btn-hover-icon: #c9d1d9;--color-checks-btn-hover-bg: rgba(110,118,129,.1);--color-checks-input-text:
#8b949e;--color-checks-input-placeholder-text: #484f58;--color-checks-input-focus-text:
#c9d1d9; --color-checks-input-bg: #161b22; --color-checks-input-shadow: none; --color-checks-donut-
error: #f85149; --color-checks-donut-pending: #d29922; --color-checks-donut-success: #2ea043; --color-
checks-donut-neutral: #8b949e;--color-checks-dropdown-text: #c9d1d9;--color-checks-dropdown-bg:
#161b22;--color-checks-dropdown-border: #30363d;--color-checks-dropdown-shadow: rgba(1,4,9,.3);--color-checks-dropdown-hover-text: #c9d1d9;--color-checks-dropdown-hover-bg:
rgba(110,118,129,.1);--color-checks-dropdown-btn-hover-text: #c9d1d9;--color-checks-dropdown-btn-
hover-bg: rgba(110,118,129,.1); --color-checks-scrollbar-thumb-bg: rgba(110,118,129,.4); --color-
checks-header-label-text: #8b949e; --color-checks-header-label-open-text: #c9d1d9; --color-checks-
header-border: #21262d;--color-checks-header-icon: #8b949e;--color-checks-line-text: #8b949e;--color-checks-line-num-text: #484f58;--color-checks-line-timestamp-text: #484f58;--color-checks-line-tim
checks-line-hover-bg: rgba(110,118,129,.1);--color-checks-line-selected-bg:
rgba(56,139,253,.15);--color-checks-line-selected-num-text: #58a6ff;--color-checks-line-dt-fm-text:
#f0f6fc;--color-checks-line-dt-fm-bg: #9e6a03;--color-checks-gate-bg: rgba(187,128,9,.15);--color-checks-gate-text: #8b949e;--color-checks-gate-waiting-text: #d29922;--color-checks-step-header-open-
bg: #161b22; -- color-checks-step-error-text: #f85149; -- color-checks-step-warning-text:
#d29922;--color-checks-logline-text: #8b949e;--color-checks-logline-num-text: #484f58;--color-
checks-logline-debug-text: #a371f7;--color-checks-logline-error-text: #8b949e;--color-checks-
logline-error-num-text: #484f58;--color-checks-logline-error-bg: rgba(248,81,73,.15);--color-checks-logline-warning-text: #8b949e;--color-checks-logline-warning-num-text: #d29922;--color-checks-
```

```
logline-warning-bg: rgba(187,128,9,.15);--color-checks-logline-command-text: #58a6ff;--color-checks-
logline-section-text: #3fb950;--color-checks-ansi-black: #0d1117;--color-checks-ansi-black-bright:
#161b22;--color-checks-ansi-white: #b1bac4;--color-checks-ansi-white-bright: #b1bac4;--color-checks-ansi-gray: #6e7681;--color-checks-ansi-red: #ff7b72;--color-checks-ansi-red-bright: #ffa198;--color-checks-ansi-red-bright: #ffa198;--color-checks-ansi-gray:
checks-ansi-green: #3fb950;--color-checks-ansi-green-bright: #56d364;--color-checks-ansi-yellow:
#d29922;--color-checks-ansi-yellow-bright: #e3b341;--color-checks-ansi-blue: #58a6ff;--color-checks-
ansi-blue-bright: #79c0ff; --color-checks-ansi-magenta: #bc8cff; --color-checks-ansi-magenta-bright:
#d2a8ff;--color-checks-ansi-cyan: #76e3ea;--color-checks-ansi-cyan-bright: #b3f0ff;--color-project-
header-bg: #0d1117;--color-project-sidebar-bg: #161b22;--color-project-gradient-in: #161b22;--color-project-gradient-out: rgba(22,27,34,0);--color-mktg-success: rgba(41,147,61,1);--color-mktg-info: rgba(42,123,243,1);--color-mktg-bg-shade-gradient-top: rgba(1,4,9,.065);--color-mktg-bg-shade-
gradient-bottom: rgba(1,4,9,0); --color-mktg-btn-bg-top: hsla(228,82%,66%,1); --color-mktg-btn-bg-
bottom: #4969ed; --color-mktg-btn-bg-overlay-top: hsla(228,74%,59%,1); --color-mktg-btn-bg-overlay-
bottom: #3355e0;--color-mktg-btn-text: #f0f6fc;--color-mktg-btn-primary-bg-top: hsla(137,56%,46%,1);--color-mktg-btn-primary-bg-bottom: #2ea44f;--color-mktg-btn-primary-bg-overlay-
top: hsla(134,60%,38%,1);--color-mktg-btn-primary-bg-overlay-bottom: #22863a;--color-mktg-btn-
primary-text: #f0f6fc; -color-mktg-btn-enterprise-bg-top: hsla(249,100%,72%,1); --color-mktg-btn-
enterprise-bg-bottom: #6f57ff;--color-mktg-btn-enterprise-bg-overlay-top:
hsla(248,65%,63%,1);--color-mktg-btn-enterprise-bg-overlay-bottom: #614eda;--color-mktg-btn-
enterprise-text: #f0f6fc;--color-mktq-btn-outline-text: #f0f6fc;--color-mktq-btn-outline-border:
rgba(240,246,252,.3);--color-mktg-btn-outline-text: #f0f6fc;--color-mktg-btn-outline-hover-border: rgba(240,246,252,.5);--color-mktg-btn-outline-focus-border: #f0f6fc;--color-mktg-btn-outline-focus-border: #f0f6fc;--color-mktg-btn-outline-focus-border-inset: rgba(240,246,252,.5);--color-mktg-btn-dark-text: #f0f6fc;--color-mktg-btn-dark-text: #f0f6fc;--
btn-dark-border: rgba(240,246,252,.3);--color-mktg-btn-dark-hover-text: #f0f6fc;--color-mktg-btn-
dark-hover-border: rgba(240,246,252,.5);--color-mktg-btn-dark-focus-border: #f0f6fc;--color-mktg-
btn-dark-focus-border-inset: rgba(240,246,252,.5);--color-avatar-bg: rgba(240,246,252,.1);--color-avatar-border: rgba(240,246,252,.1);--color-avatar-stack-fade: #30363d;--color-avatar-stack-fade-
more: #21262d;--color-avatar-child-shadow: -2px -2px 0 #0d1117;--color-topic-tag-border
 rgba(0,0,0,0);--color-select-menu-backdrop-border: #484f58;--color-select-menu-tap-highlight:
rgba(48,54,61,.5);--color-select-menu-tap-focus-bg: #0c2d6b;--color-overlay-shadow: 0 0 1px
#30363d, 0 16px 32px rgba(1,4,9,.85);--color-header-text: rgba(240,246,252,.7);--color-header-bg: #161b22;--color-header-logo: #f0f6fc;--color-header-search-bg: #0d1117;--color-header-search-border:
#30363d;--color-sidenav-selected-bg: #21262d;--color-menu-bg-active: #161b22;--color-input-disabled-bg: rgba(110,118,129,0);--color-timeline-badge-bg: #21262d;--color-ansi-black: #484f58;--color-ansi-
black-bright: #6e7681; --color-ansi-white: #blbac4; --color-ansi-white-bright: #f0f6fc; --color-ansi-
gray: #6e7681; --color-ansi-red: #ff7b72; --color-ansi-red-bright: #ffa198; --color-ansi-green:
#3fb950;--color-ansi-green-bright: #56d364;--color-ansi-yellow: #d29922;--color-ansi-yellow-bright:
#e3b341;--color-ansi-blue: #58a6ff;--color-ansi-blue-bright: #79c0ff;--color-ansi-magenta: #bc8cff;--color-ansi-magenta-bright: #d2a8ff;--color-ansi-cyan: #39c5cf;--color-ansi-cyan-bright:
#56d4dd;--color-btn-text: #c9d1d9;--color-btn-bg: #21262d;--color-btn-border:
rgba(240,246,252,.1);--color-btn-shadow: 0 0 transparent;--color-btn-inset-shadow: 0 0
transparent; -- color-btn-hover-bg: #30363d; -- color-btn-hover-border: #8b949e; -- color-btn-active-bg:
hsla(212,12%,18%,1);--color-btn-active-border: #6e7681;--color-btn-selected-bg: #161b22;--color-btn-focus-bg: #21262d;--color-btn-focus-border: #8b949e;--color-btn-focus-shadow: 0 0 3px
rgba(139,148,158,.3);--color-btn-shadow-active: inset 0 .15em .3em rgba(1,4,9,.15);--color-btn-
shadow-input-focus: 0 0 0 .2em rgba(31,111,235,.3);--color-btn-counter-bg: #30363d;--color-btn-
primary-text: #ffffff;--color-btn-primary-bg: #238636;--color-btn-primary-border:
rgba(240,246,252,.1);--color-btn-primary-shadow: 0 0 transparent;--color-btn-primary-inset-shadow: 0 transparent;--color-btn-primary-hover-bg: #2ea043;--color-btn-primary-hover-border: rgba(240,246,252,.1);--color-btn-primary-selected-bg: #238636;--color-btn-primary-selected-shadow: 0
O transparent; --color-btn-primary-disabled-text: rgba(240,246,252,.5); --color-btn-primary-disabled-
bg: rgba(35,134,54,.6);--color-btn-primary-disabled-border: rgba(240,246,252,.1);--color-btn-
primary-focus-bg: #238636;--color-btn-primary-focus-border: rgba(240,246,252,.1);--color-btn-primary-focus-shadow: 0 0 3px rgba(46,164,79,.4);--color-btn-primary-counter-bg: rgba(240,246,252,.2);--color-btn-outline-text: #58a6ff;--color-btn-outline-
hover-text: #58a6ff;--color-btn-outline-hover-bg: #30363d;--color-btn-outline-hover-border:
rgba(240,246,252,.1);--color-btn-outline-hover-shadow: 0 1px 0 rgba(1,4,9,.1);--color-btn-outline-
hover-inset-shadow: inset 0 1px 0 rgba(240,246,252,.03);--color-btn-outline-hover-counter-bg: rgba(240,246,252,.2);--color-btn-outline-selected-text: #f0f6fc;--color-btn-outline-selected-bg:
#0d419d;--color-btn-outline-selected-border: rgba(240,246,252,.1);--color-btn-outline-selected-
shadow: 0 0 transparent;--color-btn-outline-disabled-text: rgba(88,166,255,.5);--color-btn-outline-
disabled-bg: #0d1117;--color-btn-outline-disabled-counter-bg: rgba(31,111,235,.05);--color-btn-
outline-focus-border: rgba(240,246,252,.1);--color-btn-outline-focus-shadow: 0 0 0 3px
rgba(17,88,199,.4);--color-btn-outline-counter-bg: rgba(31,111,235,.1);--color-btn-danger-text:
#f85149; --color-btn-danger-hover-text: #f0f6fc; --color-btn-danger-hover-bg: #da3633; --color-btn-danger-hover-border: #f85149; --color-btn-danger-hover-shadow: 0 0 transparent; --color-btn-danger-hover-branent; --color-btn-danger-hover-shadow: 0 0 transparent; --color-btn-danger-hover-branent; --color-btn-danger-hover-shadow: 0 0 transparent; --color-btn-danger-hover-branent; --color-btn-danger-hover-shadow: 0 0 transparent; --color-btn-danger-hover-branent; --color-btn-danger-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-hover-branent; --color-btn-danger-branent; --color-btn-dan
hover-inset-shadow: 0 0 transparent; --color-btn-danger-hover-icon: #f0f6fc; --color-btn-danger-hover-counter-bg: rgba(255,255,255,2); --color-btn-danger-selected-text: #ffffff; --color-btn-danger-selected-border: #f6f7b72; --color-btn-danger-selected-shadow: 0 0 transparent; --color-btn-danger-disabled-text: rgba(248,81,73,.5); --color-btn-danger-disabled-bg: #0d1117; --color-btn-danger-disabled-counter-bg: rgba(218,54,51,05); --color-btn-danger-focus-bnadow: 0 0 3px rgba(248,81,73,.4); --color-btn-danger-counter-bg: rgba(218,54,51,13,.4); --color-btn-danger-focus-shadow: 0 0 0 3px rgba(248,81,73,.4); --color-btn-danger-counter-bg: rgba(218,54,51,13,.4); --color-btn-danger-focus-shadow: 0 0 0 3px rgba(248,81,73,.4); a(218,54,51,.1);--color-btn-danger-icon: #f85149;--color-underlinenav-icon: #484f58;--color-
```

```
underlinenav-border-hover: rgba(110,118,129,.4);--color-fg-default: #c9d1d9;--color-fg-muted:
 #8b949e;--color-fg-subtle: #484f58;--color-fg-on-emphasis: #f0f6fc;--color-canvas-default:
#009496;--cotor-rg-subtle: #464136;--cotor-rg-on-emphasis: #101016;--cotor-canvas-oral enautt: #001117;--color-canvas-overlay: #161b22;--color-canvas-inset: #010409;--color-canvas-subtle: #161b22;--color-border-default: #30363d;--color-border-muted: #21262d;--color-border-subtle: rgba(240,246,252,.1);--color-shadow-small: 0 0 transparent;--color-shadow-medium: 0 3px 6px
 #010409;--color-shadow-large: 0 8px 24px #010409;--color-shadow-extra-large: 0 12px 48px
 #010409; -- color-neutral-emphasis-plus: #6e7681; -- color-neutral-emphasis: #6e7681; -- color-neutral-
 muted: rgba(110.118.129..4);--color-neutral-subtle: rgba(110.118.129..1);--color-accent-fg:
#58a6ff;--color-accent-emphasis: #1f6feb;--color-accent-muted: rgba(56,139,253,.4);--color-accent-subtle: rgba(56,139,253,.15);--color-success-fg: #3fb950;--color-success-emphasis: #238636;--color-success-emphasis: #238656;--color-success-emphasis: #238656;--color-success-empha
success-muted: rgba(46,160,67,.4);--color-success-subtle: rgba(46,160,67,.15);--color-attention-fg: #d29922;--color-attention-emphasis: #9e6a03;--color-attention-muted: rgba(187,128,9,.4);--color-
 attention-subtle: rgba(187,128,9,.15);--color-severe-fg: #db6d28;--color-severe-emphasis:
#bd561d;--color-severe-muted: rgba(219,109,40,.4);--color-severe-subtle: rgba(219,109,40,.15);--color-danger-fg: #f85149;--color-danger-fg: #f85149;--color-
 muted: rgba(248,81,73,.4);--color-danger-subtle: rgba(248,81,73,.15);--color-done-fg:
 #a371f7;--color-done-emphasis: #8957e5;--color-done-muted: rgba(163,113,247,.4);--color-done-subtle:
 rgba(163,113,247,.15);--color-sponsors-fg: #db61a2;--color-sponsors-emphasis: #bf4b8a;--color-
 sponsors-muted: rgba(219,97,162,.4);--color-sponsors-subtle: rgba(219,97,162,.15);--color-primer-canvas-backdrop: rgba(1,4,9,.8);--color-primer-canvas-sticky: rgba(13,17,23,.95);--color-primer-
 border-active: #F78166;--color-primer-border-contrast: rgba(240,246,252,.2);--color-primer-shadow-
 highlight: 0 0 transparent; -- color-primer-shadow-inset: 0 0 transparent; -- color-primer-shadow-focus:
 0 0 3px #0c2d6b;--color-scale-black: #010409;--color-scale-white: #f0f6fc;--color-scale-gray-0:
 #f0f6fc; --color-scale-gray-1: #c9d1d9; --color-scale-gray-2: #b1bac4; --color-scale-gray-3:
 #8b949e;--color-scale-gray-4: #6e7681;--color-scale-gray-5: #484f58;--color-scale-gray-6:
#30363d;--color-scale-gray-7: #21262d;--color-scale-gray-8: #161b22;--color-scale-gray-9: #0d1117;--color-scale-blue-0: #cae8ff;--color-scale-blue-1: #a5d6ff;--color-scale-blue-2:
#79coff;--color-scale-blue-3: #58a6ff;--color-scale-blue-4: #388bfd;--color-scale-blue-5: #1f6feb;--color-scale-blue-6: #1158c7;--color-scale-blue-7: #0d419d;--color-scale-blue-8:
 #0c2d6b;--color-scale-blue-9: #051d4d;--color-scale-green-0: #aff5b4;--color-scale-green-1:
#7ee787; --color-scale-green-2: #56d364; --color-scale-green-3: #3fb950; --color-scale-green-4: #2ea043; --color-scale-green-5: #238636; --color-scale-green-6: #196c2e; --color-scale-green-7: #0f5323; --color-scale-green-8: #033a16; --color-scale-green-9: #04260f; --color-scale-yellow-0: #f8e3a1; --color-scale-yellow-1: #f2cc60; --color-scale-yellow-2: #e3b341; --color-scale-yellow-3:
 #d29922;--color-scale-yellow-4: #bb8009;--color-scale-yellow-5: #9e6a03;--color-scale-yellow-6:
 #845306;--color-scale-yellow-7: #693e00;--color-scale-yellow-8: #4b2900;--color-scale-yellow-9:
 #341a00; -- color-scale-orange-0: #ffdfb6; -- color-scale-orange-1: #ffc680; -- color-scale-orange-2:
#ffa657;--color-scale-orange-3: #f0883e;--color-scale-orange-4: #db6d28;--color-scale-orange-5: #bd561d;--color-scale-orange-6: #9b4215;--color-scale-orange-7: #762d0a;--color-scale-orange-8:
 #5ale02;--color-scale-orange-9: #3d1300;--color-scale-red-0: #ffdcd7;--color-scale-red-1:
 #ffc1ba;--color-scale-red-2: #ffa198;--color-scale-red-3: #ff7b72;--color-scale-red-4:
 #f85149; -- color-scale-red-5: #da3633; -- color-scale-red-6: #b62324; -- color-scale-red-7:
#8e1519;--color-scale-red-8: #67060c;--color-scale-red-9: #490202;--color-scale-purple-0: #eddeff;--color-scale-purple-1: #e2c5ff;--color-scale-purple-2: #d2a8ff;--color-scale-purple-3: #bc8cff;--color-scale-purple-4: #a371f7;--color-scale-purple-5: #8957e5;--color-scale-purple-6:
 #6e40c9;--color-scale-purple-7: #553098;--color-scale-purple-8: #3c1e70;--color-scale-purple-9:
 #271052;--color-scale-pink-0: #ffdaec;--color-scale-pink-1: #ffbedd;--color-scale-pink-2:
#ff9bce; --color-scale-pink-3: #f778ba; --color-scale-pink-4: #db6la2; --color-scale-pink-5: #bf4b8a; --color-scale-pink-6: #9e3670; --color-scale-pink-7: #7d2457; --color-scale-pink-8: #5e103e; --color-scale-pink-9: #42062a; --color-scale-coral-0: #FFDD2; --color-scale-coral-1: #FFC2B2; --color-scale-coral-3: #FF8166; --color-scale-coral-3: #FF8166; --color-scale-coral-3: #FF8166; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF81662B; --color-scale-coral-3: #FF816462B; --color-scale-cor
 #EA6045;--color-scale-coral-5: #CF462D;--color-scale-coral-6: #AC3220;--color-scale-coral-7:
 #872012;--color-scale-coral-8: #640D04;--color-scale-coral-9: #460701 }}:root{--box-shadow: rgba(0,
0, 0, .133) Opx 1.6px 3.6px Opx, rgba(0, 0, 0, .11) Opx .3px .9px Opx;--box-shadow-thick: rgb(0 0 0 / 10%) Opx 1.8px 1.9px, rgb(0 0 0 / 15%) Opx 6.1px 6.3px, rgb(0 0 0 / 10%) Opx -2px 4px, rgb(0 0 0 / 15%) Opx 6.1px 6.3px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12px | 12
 height:0}svg{fill:currentColor}.vbox{display:flex;flex-direction:column;flex:auto;position:relative}
   .hbox{display:flex;flex:auto;position:relative}.hidden{visibility:hidden}.d-
 flex{display:flex!important}.d-inline{display:inline!important}.m-1{margin:4px}.m-2{margin:8px}.m-
3{margin:16px}.m-4{margin:24px}.m-5{margin:32px}.mx-1{margin:0 4px}.mx-2{margin:0 8px}.mx-3{margin:0 16px}.mx-4{margin:0 24px}.mx-5{margin:0 32px}.my-1{margin:4px 0}.my-2{margin:8px 0}.my-3{margin:16px 0}.my-4{margin:24px 0}.my-5{margin:32px 0}.mt-1{margin:4px 0}.mt-2{margin:4px 0}.mt-3{margin:16px 0}.my-4{margin:24px 0}.mt-3{margin:24px 0}.mt-
 top:16px}.mt-4{margin-top:24px}.mt-5{margin-top:32px}.mr-1{margin-right:4px}.mr-2{margin-
 right:8px}.mr-3{margin-right:16px}.mr-4{margin-right:24px}.mr-5{margin-right:32px}.mb-1{margin-
 bottom: 4px}.mb-2{margin-bottom:8px}.mb-3{margin-bottom:16px}.mb-4{margin-bottom:24px}.mb-5{margin-
 bottom:32px].ml-1{margin-left:4px}.ml-2{margin-left:8px}.ml-3{margin-left:16px}.ml-4{margin-
 left:24px}.ml-5{margin-left:32px}.p-1{padding:4px}.p-2{padding:8px}.p-3{padding:16px}.p-
4{padding:24px}.p-5{padding:32px}.px-1{padding:0 4px}.px-2{padding:0 8px}.px-3{padding:0
 16px}.px-4{padding:0 24px}.px-5{padding:0 32px}.py-1{padding:4px 0}.py-2{padding:8px
 0}.py-3{padding:16px 0}.py-4{padding:24px 0}.py-5{padding:32px 0}.pt-1{padding-
 top:4px}.pt-2{padding-top:8px}.pt-3{padding-top:16px}.pt-4{padding-top:24px}.pt-5{padding-
 top:32px}.pr-1{padding-right:4px}.pr-2{padding-right:8px}.pr-3{padding-right:16px}.pr-4{padding-
right:24px}.pr-5{padding-right:32px}.pb-1{padding-bottom:4px}.pb-2{padding-bottom:8px}.pb-3{padding-
```

```
bottom:16px}.pb-4{padding-bottom:24px}.pb-5{padding-bottom:32px}.pl-1{padding-
left:4px}.pl-2{padding-left:8px}.pl-3{padding-left:16px}.pl-4{padding-left:24px}.pl-5{padding-left:32px}.no-wrap{white-space:nowrap!important}.float-left{float:left!important}article,aside,detai
ls, figcaption, figure, footer, header, main, menu, nav, section{display:block}.form-control,.form-
select{padding:5px 12px;font-size:14px;line-height:20px;color:var(--color-fg-default);vertical-
align:middle;background-color:var(--color-canvas-default);background-repeat:no-repeat;background-
position:right 8px center;border:1px solid var(--color-border-default);border-
radius:6px;outline:none:box-shadow:var(--color-primer-shadow-inset)}.input-contrast{background-
color:var(--color-canvas-inset)}.subnav-search{position:relative;flex:auto;display:flex}.subnav-search-input{flex:auto;padding-left:32px;color:var(--color-fg-muted)}.subnav-search-
icon{position:absolute;top:9px;left:8px;display:block;color:var(--color-fg-muted);text-
align:center;pointer-events:none}.subnav-search-context+.subnav-search{margin-left:-1px}.subnav-
item{flex:none; position: relative; float:left; padding:5px 8px; font-weight:500; line-
height:20px;color:var(--color-fg-default);border:1px solid var(--color-border-default);-webkit-user-select:none;user-select:none}.subnav-item:hover{background-color:var(--color-canvas-subtle)}.subnav-
item:first-child{border-top-left-radius:6px;border-bottom-left-radius:6px}.subnav-item:last
child{border-top-right-radius:6px;border-bottom-right-radius:6px}.subnav-item+.subnav-item{margin-
left:-1px}.subnav-item .octicon,.subnav-item-label{margin-right:8px}.counter{display:inline-
block;min-width:20px;padding:0 6px;font-size:12px;font-weight:500;line-
height:18px;color:var(--color-fg-default);text-align:center;background-color:var(--color-neutral-
muted);border:1px solid transparent;border-radius:2em}.color-icon-success{color:var(--color-success-fg)!important}.color-text-danger{color:var(--color-danger-fg)!important}.color-text-
warning{color:var(--color-checks-step-warning-text)!important}.color-fg-muted{color:var(--color-fg-
muted)!important}.octicon{display:inline-block;overflow:visible!important;vertical-align:text-
bottom; fill:currentColor; margin-right:7px; flex:none}.button{flex:none; height:24px; border:1px solid
var(--color-btn-border);outline:none;color:var(--color-btn-text);background:var(--color-btn-
bg);padding:4px;cursor:pointer;display:inline-flex;align-items:center;justify-content:center;border-
radius:4px}.button:not(:disabled):hover{border-color:var(--color-btn-hover-border);background-
color:var(--color-btn-hover-bg)}@media only screen and (max-width: 600px){.subnav-item,.form-
control{border-radius:0!important}.subnav-item{border:none}.subnav-search-input{border
left:0;border-right:0}}.header-view-status-container{float:right}.header-view{padding:12px 8px
0}.header-view div{flex-shrink:0;flex-wrap:wrap}.header-superheader{color:var(--color-fg
muted)}.header-title{flex:none;font-weight:400;font-size:32px;line-height:1.25}@media only screen
and (max-width: 600px){.header-view{padding:0}.header-view div{flex-shrink:1}.header-view-status-
container{float:none;margin:0 0 10px!important;overflow:hidden}.header-view-status-container
.subnav-search-input{border-left:none;border-right:none}.header-title,.header-superheader{margin:0
8px}}.copy-icon{flex:none;height:24px;width:24px;border:none;outline:none;color:var(--color-fg-
muted);background:transparent;padding:4px;cursor:pointer;display:inline-flex;align-
items:center;justify-content:center;border-radius:4px}.copy-icon svg{margin:0}.copy-
icon:not(:disabled):hover{background-color:var(--color-border-default)}.copy-button-
container{visibility:hidden;display:inline-flex;margin-left:8px;vertical-align:bottom}.copy-value-
container: hover .copy-button-container{visibility: visible}.attachment-body{white-space:pre-
wrap;background-color:var(--color-canvas-subtle);margin-left:24px;line-
height:normal;padding:8px;font-family:monospace;position:relative}.attachment-body .copy-
icon{position:absolute;right:5px;top:5px}.link-badge{flex:none;background-color:transparent;border-
color:transparent;-webkit-user-select:none;user-select:none}.link-badge-dim span{color:var(--color-
fg-muted)}.link-badge:hover{cursor:pointer}.link-badge svg{fill:var(--color-fg-default)}.link-badge-
dim svg{fill:var(--color-fg-muted)}.link-badge-dim:hover svg{fill:var(--color-fg-muted)}.trace-
link{margin-right:3px}.trace-link-separator{color:var(--color-fg-muted);-webkit-user-
select:none;user-select:none).expandable-summary{cursor:pointer;list-style:none;white-
space:nowrap;padding-left:4px}.label{display:inline-block;padding:0 8px;font-size:12px;font-
weight:500; line-height:18px; border:1px solid transparent; border-radius:2em; background-
color:var(--color-scale-gray-4);color:#fff;margin:0 10px;flex:none;font-
weight:600;cursor:pointer}.label-anchor{text-decoration:none;color:var(--color-fg-default)}@media
(prefers-color-scheme: light){.label-color-0{background-color:var(--color-scale-blue-0);color:var(--color-scale-blue-6);border:1px solid var(--color-scale-blue-4)}.label-
color-1{background-color:var(--color-scale-yellow-0);color:var(--color-scale-yellow-6);border:1px
solid var(--color-scale-yellow-4)}.label-color-2{background-color:var(--color-scale-
purple-0);color:var(--color-scale-purple-6);border:1px solid var(--color-scale-purple-4)}.label-
color-3{background-color:var(--color-scale-pink-0);color:var(--color-scale-pink-6);border:1px solid
var(--color-scale-pink-4)}.label-color-4{background-color:var(--color-scale-
coral-0);color:var(--color-scale-coral-6);border:1px solid var(--color-scale-coral-4)}.label-
color-5{background-color:var(--color-scale-orange-0);color:var(--color-scale-orange-6);border:1px
solid var(--color-scale-orange-4)}}@media (prefers-color-scheme: dark){.label-color-0{background-
color:var(--color-scale-blue-9);color:var(--color-scale-blue-2);border:1px solid var(--color-scale-blue-4)}.label-color-1{background-color:var(--color-scale-yellow-9);color:var(--color-scale-yellow-2);border:1px solid var(--color-scale-yellow-4)}.label-color-2{background-color:var(--color-scale-yellow-4)}.
scale-purple-9);color:var(--color-scale-purple-2);border:1px solid var(--color-scale-
purple-4)}.label-color-3{background-color:var(--color-scale-pink-9);color:var(--color-scale-
pink-2);border:1px solid var(--color-scale-pink-4)}.label-color-4{background-color:var(--color-
scale-coral-9);color:var(--color-scale-coral-2);border:1px solid var(--color-scale-coral-4)}.label-
color-5{background-color:var(--color-scale-orange-9);color:var(--color-scale-orange-2);border:1px
solid var(--color-scale-orange-4)}.label-row .label{margin:0}.label-row .label:not(:first-
```

```
child){margin-left:6px}html,body{width:100%;height:100%;padding:0;margin:0;overscroll-
behavior-x:none}body{overflow:auto;max-width:1024px;margin:0 auto;width:100%}.test-file-
test:not(:first-child){border-top:1px solid var(--color-border-default)}@media only screen and (max-
width: 600px){.htmlreport{padding:0!important}}.tabbed-
pane{display:flex;flex:auto;overflow:hidden}.tabbed-pane-tab-strip{display:flex;align-
items:center;padding-right:10px;flex:none;width:100%;z-index:2;font-size:14px;line-
height:32px;color:var(--color-fg-default);height:48px;min-width:70px;box-shadow:inset 0 -1px 0
var(--color-border-muted)!important}.tabbed-pane-tab-strip:focus{outline:none}.tabbed-pane-tab-
element{padding:4px 8px 0;margin-right:4px;cursor:pointer;display:flex;flex:none;align-items:center;justify-content:center;-webkit-user-select:none;user-select:none;border-bottom:2px
solid transparent; outline: none; height: 100%}.tabbed-pane-tab-label{max-width: 250px; white-
space:pre;overflow:hidden;text-overflow:ellipsis;display:inline-block}.tabbed-pane-tab-
element.selected{border-bottom-color:#666}.tabbed-pane-tab-element:hover{color:#333}.chip-
header{border:1px solid var(--color-border-default);border-top-left-radius:6px;border-top-right-radius:6px;background-color:var(--color-canvas-subtle);padding:0 8px;border-bottom:none;margin-
top:12px;font-weight:600;line-height:38px;white-space:nowrap;overflow:hidden;text-
overflow:ellipsis;-webkit-user-select:none;user-select:none}.chip-header-allow-selection{-webkit-
user-select:text;user-select:text}.chip-header.expanded-false{border:1px solid var(--color-border-
default);border-radius:6px}.chip-header.expanded-false,.chip-header.expanded-
true{cursor:pointer}.chip-body{border:1px solid var(--color-border-default);border-bottom-left-
radius:6px;border-bottom-right-radius:6px;padding:16px;margin-bottom:12px}.chip-body-no-insets{padding:0}@media only screen and (max-width: 600px){.chip-header{border-radius:0;border-
right:none;border-left:none}.chip-body{border-radius:0;border-right:none;border-
left:none;padding:8px}.chip-body-no-insets{padding:0}}.test-case-column{border-radius:6px;margin-
bottom:24px}.test-case-column .tab-element.selected{font-weight:600;border-bottom-color:var(--color-
primer-border-active)}.test-case-column .tab-element{border:none;color:var(--color-fg-
default);border-bottom:2px solid transparent}.test-case-column .tab-element:hover{color:var(--color-
fg-default)}.test-case-location,.test-case-duration{flex:none;align-items:center;padding:0 8px
8px}.test-case-run-duration{color:var(--color-fg-muted);padding-left:8px}.header-view .test-case-
path{flex:none;flex-shrink:1;align-items:center;padding-right:8px}.test-case-
annotation{flex:none;align-items:center;padding:0 8px;line-height:24px;white-space:pre-wrap}@media
only screen and (max-width: 600px){.test-case-column{border-
radius:0!important;margin:0!important}}.tree-item{text-overflow:ellipsis;overflow:hidden;white-
space:nowrap;line-height:38px}.tree-item-title{cursor:pointer}.tree-item-body{min-
height:18px}.yellow-flash{animation:yellowflash-bg 2s}@keyframes yellowflash
bg{0%{background:var(--color-attention-subtle)}to{background:transparent}}body{--vscode-font-family: system-ui, "Ubuntu", "Droid Sans", sans-serif;--vscode-font-weight: normal;--vscode-font-size: 13px;--vscode-editor-font-family: "Droid Sans Mono", "monospace", monospace;--vscode-editor-font-weight: normal;--vscode-editor-font-size: 14px;--vscode-foreground: #616161;--vscode-
weight: normal; --vscode-editor-font-size: 14px; --vscode-foreground: #616161; --vscode-disabledForeground: rgba(97, 97, 97, .5); --vscode-errorForeground: #a1260d; --vscode-descriptionForeground: #717171; --vscode-icon-foreground: #424242; --vscode-focusBorder: #0090f1; --vscode-textSeparator-foreground: rgba(0, 0, 0, .18); --vscode-textLink-foreground: #006ab1; --vscode-textLink-activeForeground: #006ab1; --vscode-textPreformat-foreground: #a31515; --vscode-textBlockQuote-background: rgba(127, 127, 127, 127, .1); --vscode-textBlockQuote-border: rgba(0, 122, 204, .5); --vscode-textCodeBlock-background: rgba(220, 220, 220, .4); --vscode-widget-shadow: rgba(0, 0, 0, .16); --vscode-input-background: #ffffff; --vscode-input-foreground: #616161: --vscode-input-foreground: rgba(184)
#616161;--vscode-inputOption-activeBorder: #007acc;--vscode-inputOption-hoverBackground: rgba(184, 184, .31);--vscode-inputOption-activeBackground: rgba(0, 144, 241, .2);--vscode-inputOption-activeForeground: #000000;--vscode-input-placeholderForeground: #767676;--vscode-inputValidation-
infoBackground: #d6ecf2;--vscode-inputValidation-infoBorder: #007acc;--vscode-inputValidation-
warningBackground: #f6f5d2;--vscode-inputValidation-warningBorder: #b89500;--vscode-inputValidation-
errorBackground: #f2dede;--vscode-inputValidation-errorBorder: #be1100;--vscode-dropdown-background: #ffffff;--vscode-dropdown-border: #cecece;--vscode-checkbox-background: #ffffff;--vscode-button-foreground: #ffffff;--vscode-button-separator: rgba(255, 255, 255,
 .4);--vscode-button-background: #007acc;--vscode-button-hoverBackground: #0062a3;--vscode-button-
secondaryForeground: #fffffff;--vscode-button-secondaryBackground: #5f6a79;--vscode-button-
secondaryHoverBackground: #4c5561;--vscode-badge-background: #c4c4c4;--vscode-badge-foreground: #333333;--vscode-scrollbar-shadow: #dddddd;--vscode-scrollbarSlider-background: rgba(100, 100, 100,
.4);--vscode-scrollbarSlider-hoverBackground: rgba(100, 100, 100, .7);--vscode-scrollbarSlider-activeBackground: rgba(0, 0, 0, .6);--vscode-progressBar-background: #0e70c0;--vscode-editorError-foreground: #e51400;--vscode-editorWarning-foreground: #bf8803;--vscode-editorInfo-foreground:
#1a85ff;--vscode-editorHint-foreground: #6c6c6c;--vscode-sash-hoverBorder: #0090f1;--vscode-editor-background: #ffffff;--vscode-editor-foreground: #000000;--vscode-editorStickyScroll-background: #ffffff;--vscode-editorStickyScrollHover-background: #f0f0f0;--vscode-editorWidget-background:
#f3f3f3;--vscode-editorWidget-foreground: #616161;--vscode-editorWidget-background: #c8c8c8;--vscode-quickInput-background: #f3f3f3;--vscode-quickInput-foreground: #616161;--vscode-quickInputTitle-background: rgba(0, 0, 0, .06);--vscode-pickerGroup-foreground: #0066bf;--vscode-pickerGroup-border: #cccedb;--vscode-keybindingLabel-background: rgba(221, 221, .4);--vscode-keybindingLabel-background: #0066bf;--vscode-keybindingLabel-background: #0066bf;--vscode-keybinding
foreground: #555555;--vscode-keybindingLabel-border: rgba(204, 204, 204, .4);--vscode-
keybindingLabel-bottomBorder: rgba(187, 187, 187, .4);--vscode-editor-selectionBackground: #add6ff;--vscode-editor-inactiveSelectionBackground: #e5ebf1;--vscode-editor-
selectionHighlightBackground: rgba(173, 214, 255, .5);--vscode-editor-findMatchBackground: #a8ac94;--vscode-editor-findMatchHighlightBackground: rgba(234, 92, 0, .33);--vscode-editor-
```

```
findRangeHighlightBackground: rgba(180, 180, 180, .3);--vscode-searchEditor-findMatchBackground:
rgba(234, 92, 0, .22);--vscode-editor-hoverHighlightBackground: rgba(173, 214, 255, .15);--vscode-editorHoverWidget-background: #f3f3f3;--vscode-editorHoverWidget-foreground: #616161;--vscode-
editorHoverWidget-background: #131313,--vscode-editorHoverWidget-statusBarBackground: #e7e7e7;--vscode-editorLink-activeForeground: #0000ff;--vscode-editorInlayHint-foreground: rgba(51, 51, 51, .8);--vscode-editorInlayHint-background: rgba(196, 196, .3);--vscode-editorInlayHint-
typeForeground: rgba(51, 51, 51, .8);--vscode-editorInlayHint-typeBackground: rgba(196, 196, 196, .3);--vscode-editorInlayHint-parameterForeground: rgba(51, 51, .8);--vscode-editorInlayHint-
parameterBackground: rgba(196, 196, 196, .3);--vscode-editorLightBulb-foreground: #ddb100;--vscode-editorLightBulbAutoFix-foreground: #007acc;--vscode-diffEditor-insertedTextBackground: rgba(156,
204, 44, .4);--vscode-diffEditor-removedTextBackground: rgba(255, 0, 0, .3);--vscode-diffEditor-
insertedLineBackground: rgba(155, 185, 85, .2);--vscode-diffEditor-removedLineBackground: rgba(255, 0, 0, .2);--vscode-diffEditor-diagonalFill: rgba(34, 34, 34, .2);--vscode-list-focusOutline: #0090f1;--vscode-list-focusAndSelectionOutline: #90c2f9;--vscode-list-activeSelectionBackground: #0060c0;--vscode-list-activeSelectionForeground: #fffffff;--vscode-list-
activeSelectionIconForeground: #ffffff;--vscode-list-inactiveSelectionBackground: #e4e6f1;--vscode-list-hoverBackground: #e8e8e8;--vscode-list-dropBackground: #d6ebff;--vscode-list-
highlightForeground: #0066bf;--vscode-list-focusHighlightForeground: #bbe7ff;--vscode-list-invalidItemForeground: #b89500;--vscode-list-errorForeground: #b01011;--vscode-list-
warningForeground: #855f00; -- vscode-listFilterWidget-background: #f3f3f3; -- vscode-listFilterWidget-
outline: rgba(0, 0, 0, 0);--vscode-listFilterWidget-noMatchesOutline: #bel100;--vscode-
listFilterWidget-shadow: rgba(0, 0, 0, .16);--vscode-list-filterMatchBackground: rgba(234, 92, 0, .33);--vscode-tree-indentGuidesStroke: #a9a9a9;--vscode-tree-tableColumnsBorder: rgba(97, 97, 97,
.13);--vscode-tree-tableOddRowsBackground: rgba(97, 97, .04);--vscode-list-deemphasizedForeground: #8e8e90;--vscode-quickInputList-focusForeground: #ffffff;--vscode-
quickInputList-focusIconForeground: #ffffff;--vscode-quickInputList-focusBackground:
#0060c0;--vscode-menu-foreground: #616161;--vscode-menu-background: #fffffff;--vscode-menu-
selectionForeground: #ffffff;--vscode-menu-selectionBackground: #0060c0;--vscode-menu-separatorBackground: #d4d4d4;--vscode-toolbar-hoverBackground: rgba(184, 184, 184, .31);--vscode-
toolbar-activeBackground: #d4d4d4;--vscode-tootbar-noverBackground: rgba(184, 184, 184, 184, 181);--vscode-toolbar-activeBackground: rgba(166, 166, 166, 166, 181);--vscode-editor-snippetTabstopHighlightBackground: rgba(10, 50, 100, .2);--vscode-breadcrumb-foreground: rgba(97, 97, 97, .8);--vscode-breadcrumb-background: #ffffff;--vscode-breadcrumb-focusForeground: #4e4e4e;--vscode-breadcrumb-iockground: #4e4e4e;--vscode-breadcrumb-iockground: #4e5e66;--vscode-breadcrumb-iockground: #4e5e666;--vscode-breadcrumb-iockground: #4e5e6666;--vscode-breadcrumb-iockground: #4e5e6666;--vscode-breadcrumb-iockground: #4e5e6666;--vscode-breadcrumb-iockground: #4e5e6666
#f3f3f3;--vscode-merge-currentHeaderBackground: rgba(64, 200, 174, .5);--vscode-merge-
currentContentBackground: rgba(64, 200, 174, .2); --vscode-merge-incomingHeaderBackground: rgba(64, 166, 255, .5); --vscode-merge-incomingContentBackground: rgba(64, 166, 255, .2); --vscode-merge-commonHeaderBackground: rgba(96, 96, .4); --vscode-merge-commonContentBackground: rgba(96, 96, .16); --vscode-editorOverviewRuler-currentContentForeground: rgba(64, 200, 174, .5); --vscode-
editorOverviewRuler-incomingContentForeground: rgba(64, 166, 255, .5);-vscode-editorOverviewRuler-
commonContentForeground: rgba(96, 96, .4);--vscode-editorOverviewRuler-findMatchForeground: rgba(209, 134, 22, .49);--vscode-editorOverviewRuler-findMatchForeground: rgba(209, 134, 22, .49);--vscode-editorOverviewRuler-selectionHighlightForeground: rgba(160, 160, 160, .8);--vscode-minimap-findMatchHighlight: #d18616;--vscode-minimap-selectionOccurrenceHighlight: #c9c9c9;--vscode-minimap-selectionHighlight: #add6ff;--vscode-minimap-errorHighlight: rgba(255, 18, 18, .7);--vscode-minimap-warningHighlight: #bf8803;--vscode-minimap-foregroundOpacity: #000000;--vscode-minimapSlider-background: rgba(100, 100, 100, .2);--vscode-minimapSlider-
#388a34;--vscode-charts-purple: #652d90;--vscode-editor-lineHighlightBorder: #eeeeee;--vscode-
editor-rangeHighlightBackground: rgba(253, 255, 0, .2);--vscode-editor-symbolHighlightBackground: rgba(234, 92, 0, .33);--vscode-editorCursor-foreground: #000000;--vscode-editorWhitespace-foreground: rgba(51, 51, 51, .2);--vscode-editorIndentGuide-background: #d3d3d3;--vscode-editorIndentGuide-background: #d3d3d3d3;--vscode-editorIndentGuide-background: #d3d3d3d3;--vscode-editorIndentGuide-background: #d3d3d3d3;--vscode-editorIndentGuide-background: #d3d3d3d3-editorIndentGuide-background: #d3d3d3d3-editorIndentGuide-bac
editorIndentGuide-activeBackground: #939393;--vscode-editorLineNumber-foreground: #237893;--vscode-editorActiveLineNumber-foreground: #0b216f;--vscode-editorLineNumber-activeForeground:
#0b216f;--vscode-editorRuler-foreground: #d3d3d3;--vscode-editorCodeLens-foreground:
#919191;--vscode-editorBracketMatch-background: rgba(0, 100, 0, .1);--vscode-editorBracketMatch-background: rgba(127, 127, .3);--vscode-editorGutter-background: #ffffff;--vscode-editorUnnecessaryCode-opacity: rgba(0, 0, 0, .47);--vscode-
editorGhostText-foreground: rgba(0, 0, 0, .47); --vscode-editorOverviewRuler-rangeHighlightForeground: rgba(0, 122, 204, .6); --vscode-editorOverviewRuler-errorForeground: rgba(255, 18, 18, .7); --vscode-editorOverviewRuler-warningForeground: #bf8803; --vscode-
editorOverviewRuler-infoForeground: #la85ff;--vscode-editorBracketHighlight-foreground1: #0431fa;--vscode-editorBracketHighlight-foreground2: #319331;--vscode-editorBracketHighlight-
foreground3: #7b3814;--vscode-editorBracketHighlight-foreground4: rgba(0, 0, 0);--vscode-editorBracketHighlight-foreground5: rgba(0, 0, 0, 0);--vscode-editorBracketHighlight-foreground6: rgba(0, 0, 0, 0);--vscode-editorBracketHighlight-unexpectedBracket\.foreground: rgba(255, 18, 18,
0);--vscode-editorBracketPairGuide-background4: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-
background5: rgba(0, 0, 0);--vscode-editorBracketPairGuide-background6: rgba(0, 0, 0,
```

```
0);--vscode-editorBracketPairGuide-activeBackground1: rgba(0, 0, 0, 0);--vscode-
editorBracketPairGuide-activeBackground2: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-activeBackground3: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-activeBackground4: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-activeBackground5: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-activeBackground6: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-activeBackground6: rgba(0, 0, 0, 0);--vscode-editorUnicodeHighlight-border: #cea33d;--vscode-editorUnicodeHighlight-background: rgba(206, 163, 61, .08);--vscode-symbolIcon-
 arrayForeground: #616161; --vscode-symbolIcon-booleanForeground: #616161; --vscode-symbolIcon
 classForeground: #d67e00;--vscode-symbolIcon-colorForeground: #616161;--vscode-symbolIcon-
 constantForeground: #616161; --vscode-symbolIcon-constructorForeground: #652d90; --vscode-symbolIcon-
 enumeratorForeground: #d67e00;--vscode-symbolIcon-enumeratorMemberForeground: #007acc;--vscode-
 symbolIcon-eventForeground: #d67e00;--vscode-symbolIcon-fieldForeground: #007acc;--vscode-
 symbolIcon-fileForeground: #616161; --vscode-symbolIcon-folderForeground: #616161; --vscode-
 symbolIcon-functionForeground: #652d90;--vscode-symbolIcon-interfaceForeground: #007acc;--vscode-
symbolicon-keyForeground: #616161;--vscode-symbolicon-keywordForeground: #616161;--vscode-symbolicon-methodForeground: #616161;--vscode-symbolicon-moduleForeground: #616161;--vscode-symbolicon-moduleForegro
 symbolIcon-namespaceForeground: #616161; --vscode-symbolIcon-nullForeground: #616161; --vscode-
 symbolIcon-numberForeground: #616161; --vscode-symbolIcon-objectForeground: #616161; --vscode-
 symbolicon-operatorForeground: #616161;--vscode-symbolicon-packageForeground: #616161;--vscode-symbolicon-propertyForeground: #616161;--vscode-symbolicon-referenceForeground: #616161;-
 symbolIcon-snippetForeground: #616161; --vscode-symbolIcon-stringForeground: #616161; --vscode-
 symbolicon-structForeground: #616161; --vscode-symbolicon-textForeground: #616161; --vscode-symbolicon-typeParameterForeground: #616161; --vscode-symbolicon-unitForeground: #616161; --vscode-symbolicon-typeParameterForeground: #616161; --vscode-symbolicon-unitForeground: #616161; --vscode-symbolicon-typeParameterForeground: #616161; --vscode-symbolicon-typeParameterFore
 symbolIcon-variableForeground: #007acc; -- vscode-editorHoverWidget-highlightForeground:
 #0066bf;--vscode-editorOverviewRuler-bracketMatchForeground: #a0a0a0;--vscode-editor-foldBackground: rgba(173, 214, 255, .3);--vscode-editorGutter-foldingControlForeground: #424242;--vscode-editor-
linkedEditingBackground: rgba(255, 0, 0, .3);--vscode-editor-wordHighlightBackground: rgba(87, 87, 87, .25);--vscode-editor-wordHighlightStrongBackground: rgba(14, 99, 156, .25);--vscode-
editorOverviewRuler-wordHighlightForeground: rgba(160, 160, 160, .8);--vscode-editorOverviewRuler-wordHighlightStrongForeground: rgba(192, 160, 192, .8);--vscode-peekViewTitle-background: rgba(26, 133, 255, .1);--vscode-peekViewTitleLabel-foreground: #000000;--vscode-peekViewTitleDescription-
 foreground: #616161; --vscode-peekView-border: #1a85ff; --vscode-peekViewResult-background:
 #f3f3f3;--vscode-peekViewResult-lineForeground: #646465;--vscode-peekViewResult-fileForeground:
#lelele; --vscode-peekViewResult-selectionBackground: rgba(51, 153, 255, .2); --vscode-peekViewResult-
selectionForeground: #6c6c6c; --vscode-peekViewEditor-background: #f2f8fc; --vscode-
peekViewEditorGutter-background: #f2f8fc; --vscode-peekViewResult-matchHighlightBackground: rgba(234,
92, 0, .3);--vscode-peekViewEditor-matchHighlightBackground: rgba(245, 216, 2, .87);--vscode-editorMarkerNavigationError-background: #e51400;--vscode-editorMarkerNavigationError-headerBackground: rgba(229, 20, 0, .1);--vscode-editorMarkerNavigationWarning-background: #bf8803;--vscode-editorMarkerNavigationMarkerNavigationMarkerNavigationMarkerNavigationInfo-background: #la85f9;--vscode-editorMarkerNavigationInfo-headerBackground: #la85f9;--vscode-editorMarkerNavigationInfo-headerBackground:
 rgba(26, 133, 255, .1);--vscode-editorMarkerNavigation-background: #ffffff;--vscode-
editorSuggestWidget-background: #f3f3f3;--vscode-editorSuggestWidget-border: #c8c8c8;--vscode-editorSuggestWidget-foreground: #000000;--vscode-editorSuggestWidget-selectedForeground: #ffffff;--vscode-editorSuggestWidget-selectedIconForeground: #ffffff;--vscode-editorSuggestWidget-
selectedBackground: #0066bf;--vscode-editorSuggestWidget-highlightForeground: #0066bf;--vscode-editorSuggestWidget-highlightForeground: #0066bf;--vscode-editorSuggestWidgetStatus-foreground: #0066bf;--vscode-editorSuggestWidgetStatus-foreground: rgba(0, 0, 0, .5);--vscode-tab-activeBackground: #ffffff;--vscode-tab-unfocusedActiveBackground:
#ffffff;--vscode-tab-inactiveBackground: #ecece;--vscode-tab-inactiveForeground: #g333333;--vscode-tab-inactiveForeground: rgba(51, 51, 51,
 .7);--vscode-tab-unfocusedActiveForeground: rgba(51, 51, 51, .7);--vscode-tab-
unfocusedInactiveForeground: rgba(51, 51, .35);--vscode-tab-border: #f3f3f3;--vscode-tab-
lastPinnedBorder: rgba(97, 97, 19); --vscode-tab-activeModifiedBorder: #33aaee; --vscode-tab-inactiveModifiedBorder: rgba(51, 170, 238, .5); --vscode-tab-unfocusedActiveModifiedBorder: rgba(51, 170, 238, .7); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .7); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238, .25); --vscode-tab-unfocusedInactiveModifiedBorder: rgba(51, 170, 238
editorPane-background: #ffffff;--vscode-editorGroupHeader-tabsBackground: #f3f3f3;--vscode-editorGroupHeader-noTabsBackground: #ffffff;--vscode-editorGroup-border: #e7e7e7;--vscode-
 editorGroup-dropBackground: rgba(38, 119, 203, .18); -- vscode-editorGroup-dropIntoPromptForeground:
 #616161;--vscode-editorGroup-dropIntoPromptBackground: #f3f3f3;--vscode-sideBySideEditor-
horizontalBorder: #e7e7e7; --vscode-sideBySideEditor-verticalBorder: #e7e7e7; --vscode-panel-background: #ffffff; --vscode-panel-border: rgba(128, 128, 128, .35); --vscode-panelTitle-activeForeground: #424242; --vscode-panelTitle-inactiveForeground: rgba(66, 66, 66, .75); --vscode-
panelTitle-activeBorder: #424242;--vscode-panelInput-border: #dddddd;--vscode-panel-dropBorder: #424242;--vscode-panelSection-dropBackground: rgba(38, 119, 203, .18);--vscode-panelSectionHeader-background: rgba(128, 128, .2);--vscode-panelSection-border: rgba(128, 128, .35);--vscode-panelSection-border: banner-background: #004386;--vscode-banner-foreground: #ffffff;--vscode-banner-iconForeground: #1885ff;--vscode-statusBar-foreground: #1885ff;--vscode-statusBar-foreground: #1885ff;--vscode-statusBar-foreground:
#ffffff;--vscode-statusBar-background: #007acc;--vscode-statusBar-noFolderBackground: #68217a;--vscode-statusBar-focusBorder: #ffffff;--vscode-statusBarItem-activeBackground: rgba(255,
 255, 255, .18);--vscode-statusBarItem-focusBorder: #ffffff;--vscode-statusBarItem-hoverBackground:
 rgba(255, 255, 255, .12);--vscode-statusBarItem-compactHoverBackground: rgba(255, 255, 255,
 .2);--vscode-statusBarItem-prominentForeground: #ffffff;--vscode-statusBarItem-prominentBackground: rgba(0, 0, 0, .5);--vscode-statusBarItem-prominentHoverBackground: rgba(0, 0, 0, .3);--vscode-
 statusBarItem-errorBackground: #c72e0f; --vscode-statusBarItem-errorForeground: #ffffff; --vscode-
```

```
statusBarItem-warningBackground: #725102;--vscode-statusBarItem-warningForeground: #ffffff;--vscode-
activityBar-background: #2c2c2c; --vscode-activityBar-foreground: #ffffff; --vscode-activityBar-
inactiveForeground: #2c2c2c; --vscode-activityBar-Toreground: #TTTTTT; --vscode-activityBar-inactiveForeground: rgba(255, 255, 255, .4); --vscode-activityBar-activeBorder: #ffffff; --vscode-activityBarBadge-background: #007acc; --vscode-activityBarBadge-foreground: #ffffff; --vscode-statusBarItem-remoteBackground: #16825d; --vscode-statusBarItem-remoteForeground: #ffffff; --vscode-extensionBadge-remoteForeground: #ffffff; --vscode-sideBar-background: #f3f3f3; --vscode-sideBarTitle-
foreground: #6f6f6f;--vscode-sideBar-dropBackground: rgba(38, 119, 203, .18);--vscode-sideBarFectionHeader-background: rgba(0, 0, 0, 0);--vscode-sideBarSectionHeader-border: rgba(97, 97, .19);--vscode-titleBar-activeForeground: #333333;--vscode-titleBar-inactiveForeground: rgba(51,
51, 51, .6);--vscode-titleBar-activeBackground: #dddddd;--vscode-titleBar-inactiveBackground:
rgba(221, 221, .6);--vscode-menubar-selectionForeground: #333333;--vscode-menubar-selectionBackground: rgba(184, 184, .31);--vscode-notifications-foreground: #616161;--vscode-
notifications-background: #f3f3f3;--vscode-notificationLink-foreground: #006ab1;--vscode-notificationCenterHeader-background: #e7e7e7;--vscode-notifications-border: #e7e7e7;--vscode-notificationsErrorIcon-foreground: #e51400;--vscode-notificationsWarningIcon-foreground:
#bf8803;--vscode-notificationsInfoIcon-foreground: #la85ff;--vscode-commandCenter-foreground:
#333333; --vscode-commandCenter-activeForeground: #333333; --vscode-commandCenter-activeBackground:
rgba(184, 184, 184, .31);--vscode-commandCenter-border: rgba(128, 128, 128, .35);--vscode-editorCommentsWidget-resolvedBorder: rgba(97, 97, 97, .5);--vscode-editorCommentsWidget-unresolvedBorder: #1a85ff;--vscode-editorCommentsWidget-rangeBackground: rgba(26, 133, 255,
 .1);--vscode-editorCommentsWidget-rangeBorder: rgba(Ž6, 133, 255, .4);--vscode-editorCommentsWidget-
rangeActiveBackground: rgba(26, 133, 255, .1); -- vscode-editorCommentsWidget-rangeActiveBorder:
rgba(26, 133, 255, .4);--vscode-editorGutter-commentRangeForeground: #d5d8e9;--vscode-debugToolBar-background: #f3f3f3;--vscode-debugIcon-startForeground: #388a34;--vscode-editor-
stackFrameHighlightBackground: rgba(255, 255, 102, .45);--vscode-editor-focusedStackFrameHighlightBackground: rgba(206, 231, 206, .45);--vscode-mergeEditor-
change\.background: rgba(155, 185, 85, .2);--vscode-mergeEditor-change\.word\.background: rgba(156, 204, 44, .4);--vscode-mergeEditor-conflict\.unhandledUnfocused\.border: rgba(255, 166, 0,
.48);--vscode-mergeEditor-conflict\.unhandledFocused\.border: #ffa600;--vscode-mergeEditor-
conflict\.handledUnfocused\.border: rgba(134, 134, 134, .29);--vscode-mergeEditor-conflict\.handledFocused\.border: rgba(193, 193, .8);--vscode-mergeEditor-conflict\.handled\.minimapOverViewRuler: rgba(173, 172, 168, .93);--vscode-mergeEditor-conflict\.unhandled\.minimapOverViewRuler: #fcba03;--vscode-mergeEditor-
conflictingLines\.background: rgba(255, 234, 0, .28);--vscode-settings-headerForeground: #4444444;--vscode-settings-modifiedItemIndicator: #66afe0;--vscode-settings-headerBorder: rgba(128,
128, 128, .35);--vscode-settings-modified remindicator: #obaleo;--vscode-settings-meader bolder. rgb (128, 128, .35);--vscode-settings-dropdownBackground: #ffffff;--vscode-settings-dropdownBorder: #cecece;--vscode-settings-dropdownListBorder: #c8c8c8;--vscode-settings-checkboxBackground: #ffffff;--vscode-settings-
checkboxBorder: #cecece; --vscode-settings-textInputBackground: #ffffff; --vscode-settings-
textInputForeground: #616161; --vscode-settings-textInputBorder: #cecece; --vscode-settings-
#add6ff;--vscode-terminal-inactiveSelectionBackground: #e5ebf1;--vscode-terminalCommandDecoration-
defaultBackground: rgba(0, 0, 0, .25); -- vscode-terminalCommandDecoration-successBackground:
#2090d3;--vscode-terminalCommandDecoration-errorBackground: #e51400;--vscode-terminalOverviewRuler-cursorForeground: rgba(160, 160, 160, .8);--vscode-terminal-border: rgba(128, 128, .35);--vscode-terminal-findMatchHackground: #a8ac94;--vscode-terminal-findMatchHighlightBackground:
rgba(234, 92, 0, .33);--vscode-terminalOverviewRuler-findMatchForeground: rgba(209, 134, 22,
 .49);--vscode-terminal-dropBackground: rgba(38, 119, 203, .18);--vscode-testing-iconFailed:
#f14c4c;--vscode-testing-iconErrored: #f14c4c;--vscode-testing-iconPassed: #73c991;--vscode-testing-iconUnset:
#848484;--vscode-testing-iconSkipped: #848484;--vscode-testing-peekBorder: #e51400;--vscode-testing-
peekHeaderBackground: rgba(229, 20, 0, .1);--vscode-testing-message\.error\.decorationForeground:
#e51400;--vscode-testing-message\.error\.lineBackground: rgba(255, 0, 0, .2);--vscode-testing-
message\.info\.decorationForeground: rgba(0, 0, 0, .5);--vscode-welcomePage-tileBackground: #f3f3f3;--vscode-welcomePage-tileShadow: rgba(0,
0, 0, .16);--vscode-welcomePage-progress\.background: #ffffff;--vscode-welcomePage-
progress\.foreground: #006ab1;--vscode-debugExceptionWidget-border: #a31515;--vscode-
debugExceptionWidget-background: #fldfde;--vscode-ports-iconRunningProcessForeground:
#369432;--vscode-statusBar-debuggingBackground: #cc6633;--vscode-statusBar-debuggingForeground:
#fffffff;--vscode-editor-inlineValuesForeground: rgba(0, 0, 0, .5);--vscode-editor-
inlineValuesBackground: rgba(255, 200, 0, .2);--vscode-editorGutter-modifiedBackground: #2090d3;--vscode-editorGutter-addedBackground: #48985d;--vscode-editorGutter-deletedBackground:
#e51400; --vscode-minimapGutter-modifiedBackground: #2090d3; --vscode-minimapGutter-addedBackground:
#48985d; --vscode-minimapGutter-deletedBackground: #e51400; --vscode-editorOverviewRuler-
modifiedForeground: rgba(32, 144, 211, .6);--vscode-editorOverviewRuler-addedForeground: rgba(72,
152, 93, .6);--vscode-editorOverviewRuler-deletedForeground: rgba(229, 20, 0, .6);--vscode-debugIcon-breakpointForeground: #e51400;--vscode-debugIcon-breakpointDisabledForeground:
#848484;--vscode-debugIcon-breakpointUnverifiedForeground: #848484;--vscode-debugIcon
breakpointCurrentStackframeForeground: #be8700; -- vscode-debugIcon-breakpointStackframeForeground:
```

```
#89d185;--vscode-notebook-cellBorderColor: #e8e8e8;--vscode-notebook-focusedEditorBorder:
#0090f1; --vscode-notebookStatusSuccessIcon-foreground: #388a34; --vscode-notebookStatusErrorIcon-
foreground: #a1260d:--vscode-notebookStatusRunningIcon-foreground: #616161:--vscode-notebook
cellToolbarSeparator: rgba(128, 128, 128, .35);--vscode-notebook-selectedCellBackground: rgba(200, 221, 241, .31);--vscode-notebook-selectedCellBorder: #e8e8e8;--vscode-notebook-focusedCellBorder:
#0090f1;--vscode-notebook-inactiveFocusedCellBorder: #e8e8e8;--vscode-notebook-
#fffffff;--vscode-keybindingTable-headerBackground: rgba(97, 97, 97, .04);--vscode-keybindingTable-
rowsBackground: rgba(97, 97, 97, .04); --vscode-scm-providerBorder: #c8c8c8; --vscode-searchEditor-
textInputBorder: #cecece; --vscode-debugTokenExpression-name: #9b46b0; --vscode-debugTokenExpression-
value: rgba(108, 108, 108, .8);--vscode-debugTokenExpression-string: #a31515;--vscode-
debugTokenExpression-boolean: #0000ff;--vscode-debugTokenExpression-number: #098658;--vscode-
debugTokenExpression-error: #e51400;--vscode-debugView-exceptionLabelForeground: #ffffff;--vscode-
debugView-exceptionLabelBackground: #a31515; -vscode-debugView-stateLabelForeground: #ririri, vscode-debugView-stateLabelBackground: rgba(136, 136, 136, .27);--vscode-debugView-valueChangedHighlight: #569cd6;--vscode-debugConsole-infoForeground: #1a85ff;--vscode-debugConsole-
warningForeground: #bf8803;--vscode-debugConsole-errorForeground: #a1260d;--vscode-debugConsole-sourceForeground: #616161;--vscode-debugConsoleInputIcon-foreground: #616161;--vscode-debugConsoleInputIcon-foregr
pauseForeground: #007acc; -- vscode-debugIcon-stopForeground: #a1260d; -- vscode-debugIcon
disconnectForeground: #a1260d; --vscode-debugIcon-restartForeground: #388a34; --vscode-debugIcon-
stepOverForeground: #007acc; -vscode-debugIcon-stepIntoForeground: #007acc; -vscode-debugIcon-
stepOutForeground: #007acc; --vscode-debugIcon-continueForeground: #007acc; --vscode-debugIcon-stepBackForeground: #007acc; --vscode-extensionButton-prominentBackground: #007acc; --vscode-
extensionButton-prominentForeground: #ffffff;--vscode-extensionButton-prominentHoverBackground: #0062a3;--vscode-extensionIcon-starForeground: #df6100;--vscode-extensionIcon-verifiedForeground: #006ab1;--vscode-extensionIcon-preReleaseForeground: #1d9271;--vscode-extensionIcon-
sponsorForeground: #b51e78;--vscode-terminal-ansiBlack: #000000;--vscode-terminal-ansiRed:
#cd3131;--vscode-terminal-ansiGreen: #00bc00;--vscode-terminal-ansiYellow: #949800;--vscode-
terminal-ansiBlue: #0451a5;--vscode-terminal-ansiMagenta: #bc05bc;--vscode-terminal-ansiCyan:
#0598bc;--vscode-terminal-ansiWhite: #555555;--vscode-terminal-ansiBrightBlack: #666666;--vscode-
terminal-ansiBrightRed: #cd3131;--vscode-terminal-ansiBrightGreen: #14ce14;--vscode-terminal-
ansiBrightYellow: #b5ba00; -- vscode-terminal-ansiBrightBlue: #0451a5; -- vscode-terminal
ansiBrightMagenta: #bc05bc; --vscode-terminal-ansiBrightCyan: #0598bc; --vscode-terminal-
ansiBrightWhite: #a5a5a5; --vscode-interactive-activeCodeBorder: #la85ff; --vscode-interactive-inactiveCodeBorder: #e4e6f1; --vscode-gitDecoration-addedResourceForeground: #587c0c; --vscode-
gitDecoration-modifiedResourceForeground: #895503; -- vscode-gitDecoration-deletedResourceForeground:
#ad0707;--vscode-gitDecoration-renamedResourceForeground: #007100;--vscode-gitDecoration-
untrackedResourceForeground: #007100; --vscode-gitDecoration-ignoredResourceForeground:
#8e8e90;--vscode-gitDecoration-stageModifiedResourceForeground: #895503;--vscode-gitDecoration-
stageDeletedResourceForeground: #ad0707; --vscode-gitDecoration-conflictingResourceForeground: #ad0707; --vscode-gitDecoration-submoduleResourceForeground: #1258a7}body.dark-mode{--vscode-font-
family: system-ui, "Ubuntu", "Droid Sans", sans-serif;--vscode-font-weight: normal;--vscode-editor-font-size: 13px;--vscode-editor-font-family: "Droid Sans Mono", "monospace", monospace;--vscode-editor-font-weight: normal;--vscode-editor-font-size: 14px;--vscode-foreground: #ccccc;--vscode-disabledForeground: rgba(204, 204, 204, .5);--vscode-errorForeground: #f48771;--vscode-descriptionForeground: rgba(204, 204, 204, .7);--vscode-icon-foreground: #c5c5c5;--vscode-focusBorder: #007fd4;--vscode-textSeparator-foreground: rgba(255, 255, .18);--vscode-textLink-foreground: #2704ff;--vscode-textLink-foreground: #2704ff;--vscode-foreground: #cforeground: #cfor
foreground: #3794ff;--vscode-textLink-activeForeground: #3794ff;--vscode-textPreformat-foreground: #3794ff;--vscode-textLink-activeForeground: #3794ff;--vscode-textPreformat-foreground: #3794ff;--vscode-textBlockQuote-background: rgba(0, 12, 204, .5);--vscode-textCodeBlockGround: rgba(12, 12, 12, .1);--vscode-textBlockQuote-background: rgba(0, 12, 204, .5);--vscode-textCodeBlock-background: rgba(10, 10, .4);--vscode-widget-
shadow: rgba(0, 0, 0, .36);--vscode-input-background: #3c3c3c;--vscode-input-foreground:
#cccccc;--vscode-inputOption-activeBorder: #007acc;--vscode-inputOption-hoverBackground: rgba(90,
93, 94, .5);--vscode-inputOption-activeBackground: rgba(0, 127, 212, .4);--vscode-inputOption-activeForeground: #a6a6a6;--vscode-inputValidation-infoBackground: #063b49;--vscode-inputValidation-infoBorder: #007acc;--vscode-inputValidation-
warningBackground: #352a05;--vscode-inputValidation-warningBorder: #b89500;--vscode-inputValidation-
errorBackground: #5aldld;--vscode-inputValidation-errorBorder: #bel100;--vscode-dropdown-background:
#3c3c3c;--vscode-dropdown-foreground: #f0f0f0;--vscode-dropdown-border: #3c3c3c;--vscode-checkbox-
background: #3c3c3c;--vscode-checkbox-foreground: #f0f0f0;--vscode-checkbox-border: #3c3c3c;--vscode-button-foreground: #ffffff;--vscode-button-separator: rgba(255, 255, 255, .4);--vscode-button-background: #0e639c;--vscode-button-hoverBackground: #1177bb;--vscode-button-
.4);--vscode-button-background: #ve639c;--vscode-button-noverbackground: #1177bb;--vscode-button-secondaryForeground: #ffffff;--vscode-button-secondaryBackground: #3a3d41;--vscode-button-secondaryHoverBackground: #45494e;--vscode-badge-background: #4d4d4d;--vscode-badge-foreground: #ffffff;--vscode-scrollbar-shadow: #000000;--vscode-scrollbarSlider-background: rgba(121, 121, 121, 4);--vscode-scrollbarSlider-hoverBackground: rgba(100, 100, 100, .7);--vscode-scrollbarSlider-
activeBackground: rgba(191, 191, 191, .4);--vscode-progressBar-background: #0e70c0;--vscode-editorError-foreground: #f14c4c;--vscode-editorWarning-foreground: #cca700;--vscode-editorInfo-
foreground: #3794ff;--vscode-editorHint-foreground: rgba(238, 238, 238, .7);--vscode-sash-hoverBorder: #007fd4;--vscode-editor-background: #1elele;--vscode-editor-foreground:
```

```
#d4d4d4;--vscode-editorStickyScroll-background: #lelele;--vscode-editorStickyScrollHover-background:
#2a2d2e; --vscode-editorWidget-background: #252526; --vscode-editorWidget-foreground: #ccccc; --vscode-editorWidget-border: #454545; --vscode-quickInput-background: #252526; -
quickInput-foreground: #ccccc;--vscode-quickInputTitle-background: rgba(255, 255, 255,
keybindingLabel-background: #3794ff;--vscode-pickerGroup-border: #3f3f46;--vscode-keybindingLabel-foreground: #3794ff;--vscode-keybindingLabel-foreground: #ccccc;--vscode-keybindingLabel-border: rgba(51, 51, .6);--vscode-keybindingLabel-bottomBorder: rgba(68, 68, 68, .6);--vscode-editor-selectionBackground: #264f78;--vscode-editor-
inactiveSelectionBackground: #3a3d41;--vscode-editor-selectionHighlightBackground: rgba(173, 214,
255, .15);--vscode-editor-findMatchBackground: #515c6a;--vscode-editor-findMatchHighlightBackground:
rgba(234, 92, 0, .33);--vscode-editor-findRangeHighlightBackground: rgba(58, 61, 65, .4);--vscode-
searchEditor-findMatchBackground: rgba(234, 92, 0, .22);--vscode-editor-hoverHighlightBackground: rgba(38, 79, 120, .25);--vscode-editorHoverWidget-background: #252526;--vscode-editorHoverWidget-foreground: #ccccc;--vscode-editorHoverWidget-border: #454545;--vscode-editorHoverWidget-statusBarBackground: #2c2c2d;--vscode-editorLink-activeForeground: #494ce;--vscode-editorInlayHint-
foreground: rgba(255, 255, 255, .8); -- vscode-editorInlayHint-background: rgba(77, 77, 77,
 .6);--vscode-editorInlayHint-typeForeground: rgba(255, 255, 255, .8);--vscode-editorInlayHint-
typeBackground: rgba(77, 77, 77, .6); --vscode-editorInlayHint-parameterForeground: rgba(255, 255,
255, .8);--vscode-editorInlayHint-parameterBackground: rgba(77, 77, .6);--vscode-editorLightBulb-foreground: #ffcc00;--vscode-editorLightBulbAutoFix-foreground: #75beff;--vscode-
diffEditor-insertedTextBackground: rgba(156, 204, 44, .2);--vscode-diffEditor-removedTextBackground: rgba(255, 0, 0, .4);--vscode-diffEditor-insertedLineBackground: rgba(155, 185, 85, .2);--vscode-
diffEditor-removedLineBackground: rgba(255, 0, 0, .2);--vscode-diffEditor-diagonalFill: rgba(204, 204, .2);--vscode-list-focusOutline: #007fd4;--vscode-list-activeSelectionBackground:
#04395e; -- vscode-list-activeSelectionForeground: #fffffff; -- vscode-list-
activeSelectionIconForeground: #fffffff;--vscode-list-inactiveSelectionBackground: #37373d;--vscode-list-hoverBackground: #2a2d2e;--vscode-list-dropBackground: #383b3d;--vscode-list-
highlightForeground: #2aaaff;--vscode-list-focusHighlightForeground: #2aaaff;--vscode-list-invalidItemForeground: #b89500;--vscode-list-errorForeground: #f88070;--vscode-list-
warningForeground: #cca700;--vscode-listFilterWidget-background: #252526;--vscode-listFilterWidget-
outline: rgba(0, 0, 0);--vscode-listFilterWidget-noMatchesOutline: #be1100;--vscode-listFilterWidget-noMatchesOutline: #be1100;--vscode-listFilterWidget-shadow: rgba(0, 0, 0, .36);--vscode-list-filterMatchBackground: rgba(234, 92, 0, .33);--vscode-tree-indentGuidesStroke: #585858; 2024 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2024, 2
.13); --vscode-tree-tableOddRowsBackground: rgba(204, 204, 204, .04); --vscode-list-deemphasizedForeground: #8c8c8c; --vscode-quickInputList-focusForeground: #ffffff; --vscode-
quickInputList-focusIconForeground: #ffffff;--vscode-quickInputList-focusBackground:
#04395e;--vscode-menu-foreground: #ccccc;--vscode-menu-background: #303031;--vscode-menu-
selectionForeground: #ffffff;--vscode-menu-selectionBackground: #04395e;--vscode-menu-separatorBackground: #606060;--vscode-toolbar-hoverBackground: rgba(90, 93, 94, .31);--vscode-
toolbar-activeBackground: rgba(99, 102, 103, .31);--vscode-editor-snippetTabstopHighlightBackground:
rgba(124, 124, 124, .3);--vscode-editor-snippetFinalTabstopHighlightBorder: #525252;--vscode
breadcrumb-foreground: rgba(204, 204, 204, .8);--vscode-breadcrumb-background: #lelele;--vscode-breadcrumb-focusForeground: #e0e0e0;--vscode-breadcrumb-activeSelectionForeground: #e0e0e0;--vscode-breadcrumbPicker-background: #252526;--vscode-merge-currentHeaderBackground: rgba(64, 200, 174,
 .5);--vscode-merge-currentContentBackground: rgba(64, 200, 174, .2);--vscode-merge-
incomingHeaderBackground: rgba(64, 166, 255, .5);--vscode-merge-incomingContentBackground: rgba(64, 166, 255, .2);--vscode-merge-commonHeaderBackground: rgba(96, 96, 96, .4);--vscode-merge-
commonContentBackground: rgba(96, 96, 96, .16);--vscode-editorOverviewRuler-currentContentForeground: rgba(64, 200, 174, .5);--vscode-editorOverviewRuler-incomingContentForeground: rgba(64, 166, 255, .5);--vscode-editorOverviewRuler-commonContentForeground: rgba(96, 96, 96, .4);--vscode-editorOverviewRuler-findMatchForeground:
rgba(209, 134, 22, .49); --vscode-editorOverviewRuler-selectionHighlightForeground: rgba(160, 160,
160, .8);--vscode-minimap-findMatchHighlight: #d18616;--vscode-minimap-selectionOccurrenceHighlight: #676767;--vscode-minimap-selectionHighlight: #264f78;--vscode-minimap-errorHighlight: rgba(255, 18,
18, .7);--vscode-minimap-warningHighlight: #cca700;--vscode-minimap-foregroundOpacity: #000000;--vscode-minimapSlider-background: rgba(121, 121, 121, .2);--vscode-minimapSlider-
hoverBackground: rgba(100, 100, 100, .35);--vscode-minimapSlider-activeBackground: rgba(191, 191, 191, .2);--vscode-problemsErrorIcon-foreground: #f14c4c;--vscode-problemsWarningIcon-foreground: #cca700;--vscode-problemsInfoIcon-foreground: #3794ff;--vscode-charts-foreground: #ccccc;--vscode-
charts-lines: rgba(204, 204, 204, .5);--vscode-charts-red: #f14c4c;--vscode-charts-blue: #3794ff;--vscode-charts-yellow: #cca700;--vscode-charts-orange: #d18616;--vscode-charts-green: #89d185;--vscode-charts-purple: #b180d7;--vscode-editor-lineHighlightBorder: #282828;--vscode-editor-rangeHighlightBackground: rgba(255, 255, .04);--vscode-editor-symbolHighlightBackground:
rgba(234, 92, 0, .33);--vscode-editorCursor-foreground: #aeafad;--vscode-editorWhitespace-foreground: rgba(227, 228, 226, .16);--vscode-editorIndentGuide-background: #404040;--vscode-editorIndentGuide-activeBackground: #707070;--vscode-editorLineNumber-foreground: #858585;--vscode-editorActiveLineNumber-Foreground: #66666;--vscode-editorLineNumber-activeForeground:
#c6c6c6;--vscode-editorRuler-foreground: #5a5a5a;--vscode-editorCodeLens-foreground:
#999999;--vscode-editorBracketMatch-background: rgba(0, 100, 0, .1);--vscode-editorBracketMatch-border: #888888;--vscode-editorOverviewRuler-border: rgba(127, 127, .3);--vscode-editorGutter-background: #1elele;--vscode-editorUnnecessaryCode-opacity: rgba(0, 0, 0, .67);--vscode-editorGhostText-foreground: rgba(255, 255, .34);--vscode-editorOverviewRuler-rangeHighlightForeground: rgba(0, 122, 204, .6);--vscode-editorOverviewRuler-errorForeground:
```

```
rgba(255, 18, 18, .7); --vscode-editorOverviewRuler-warningForeground: #cca700; --vscode-
 editorOverviewRuler-infoForeground: #3794ff;--vscode-editorBracketHighlight-foreground1:
 #ffd700:--vscode-editorBracketHighlight-foreground2: #da70d6:--vscode-editorBracketHighlight-
foreground3: #179fff;--vscode-editorBracketHighlight-foreground4: rgba(0, 0, 0, 0);--vscode-editorBracketHighlight-foreground5: rgba(0, 0, 0, 0);--vscode-editorBracketHighlight-foreground6: rgba(0, 0, 0, 0);--vscode-editorBracketHighlight-unexpectedBracket\.foreground: rgba(255, 18, 18, 18,
  .8);--vscode-editorBracketPairGuide-background1: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-
 background2: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-background3: rgba(0, 0, 0,
0);--vscode-editorBracketPairGuide-activeBackground1: rgba(0, 0, 0, 0);--vscode-
 editorBracketPairGuide-activeBackground2: rgba(0, 0, 0, 0); --vscode-editorBracketPairGuide-
 activeBackground3: rgba(0, 0, 0, 0); --vscode-editorBracketPairGuide-activeBackground4: rgba(0, 0, 0, 0,
0);--vscode-editorBracketPairGuide-activeBackground5: rgba(0, 0, 0, 0);--vscode-editorBracketPairGuide-activeBackground6: rgba(0, 0, 0, 0);--vscode-editorUnicodeHighlight-border: #bd9b03;--vscode-editorUnicodeHighlight-background: rgba(189, 155, 3, .15);--vscode-symbolIcon-
 arrayForeground: #ccccc;--vscode-symbolIcon-booleanForeground: #cccccc;--vscode-symbolIcon
 classForeground: #ee9d28;--vscode-symbolicon-colorForeground: #ccccc;--vscode-symbolicon-
 constantForeground: #ccccc;--vscode-symbolIcon-constructorForeground: #b180d7;--vscode-symbolIcon-
 enumeratorForeground: #ee9d28; --vscode-symbolIcon-enumeratorMemberForeground: #75beff; --vscode-
 symbolIcon-eventForeground: #ee9d28;--vscode-symbolIcon-fieldForeground: #75beff;--vscode-symbolIcon-fileForeground: #ccccc;--vscode-symbolIcon-folderForeground: #ccccc;--vscode-symbolIcon-fileForeground: #ccccc;--vscode-symbolIcon-fileForeground: #ccccc;--vscode-symbolIcon-fileForeground: #cccccc;--vscode-symbolIcon-fileForeground: #ccccccc;--vscode-symbolIcon-fileForeground: #ccccccc-fileForeground: #ccccccc-fileForeground: #ccccccc-fileForegr
 symbolIcon-functionForeground: #b180d7;--vscode-symbolIcon-interfaceForeground: #75beff;--vscode-
symbolIcon-keyForeground: #ccccc;--vscode-symbolIcon-keywordForeground: #ccccc;--vscode-symbolIcon-methodForeground: #b180d7;--vscode-symbolIcon-moduleForeground: #ccccc;--vscode-symbolIcon-moduleForeground: #ccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #ccccccc;--vscode-symbolIcon-moduleForeground: #ccccccc;--vscode-symbolIcon-moduleForeground: #ccccccc;--vscode-symbolIcon-moduleForeground: #ccccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #cccccc;--vscode-symbolIcon-moduleForeground: #ccccccc-moduleForeground: #ccccccc-moduleForeground: #cccccc-moduleForeground: #cccccc
 symbolicon-namespaceForeground: #cccccc;--vscode-symbolicon-nullForeground: #cccccc;--vscode-symbolicon-numberForeground: #ccccc;--vscode-symbolicon-objectForeground: #cccccc;--vscode-symbolicon-objectForeground: #ccccccc;--vscode-symbolicon-objectForeground: #ccccccc;--vscode-symbolicon-objectForeground: #ccccccc;--vscode-symbolicon-objectForeground: #ccccccc;--vscode-symbolicon-objectForeground: #ccccccc;--vscode-symbolicon-objectForeground: #cccccc;--vscode-symbolicon-objectForeground: #ccccccc;--vscode-symbolicon-objectForeground: #ccccccc;--v
 symbolicon-operatorForeground: #cccccc;--vscode-symbolicon-packageForeground: #cccccc;--vscode-symbolicon-propertyForeground: #cccccc;--vscode-symbolicon-referenceForeground: #ccccccc;--vscode-symbolicon-referenceForeground: #ccccccc;--vscode-symbolicon-referenceFore
 symbolIcon-snippetForeground: #ccccc; --vscode-symbolIcon-stringForeground: #ccccc; --vscode-
symbolicon-structForeground: #cccccc;--vscode-symbolicon-textForeground: #ccccc;--vscode-symbolicon-unitForeground: #ccccc;--vscode-symbolicon-unitForeground: #ccccc;--vscode-symbolicon-variableForeground: #75beff;--vscode-editorHoverWidget-highlightForeground:
#2aaaff;--vscode-editorOverviewRuler-bracketMatchForeground: #a0a0a0;--vscode-editor-foldBackground: rgba(38, 79, 120, .3);--vscode-editorGutter-foldingControlForeground: #c5c5c5;--vscode-editor-
linkedEditingBackground: rgba(255, 0, 0, .3);--vscode-editor-wordHighlightBackground: rgba(87, 87, 87, .72);--vscode-editor-wordHighlightStrongBackground: rgba(0, 73, 114, .72);--vscode-editorOverviewRuler-wordHighlightForeground: rgba(160, 160, .8);--vscode-editorOverviewRuler-wordHighlightStrongForeground: rgba(192, 160, 192, .8);--vscode-peekViewTitle-background: rgba(55, 148, 255, .1);--vscode-peekViewTitleLabel-foreground: #ffffff;--vscode-peekViewTitleDescription-
 foreground: rgba(204, 204, 204, .7); --vscode-peekView-border: #3794ff; --vscode-peekViewResult-
 background: #252526; -- vscode-peekViewResult-lineForeground: #bbbbbb; -- vscode-peekViewResult-
fileForeground: #ffffff;--vscode-peekViewResult-selectionBackground: rgba(51, 153, 255, .2);--vscode-peekViewResult-selectionForeground: #ffffff;--vscode-peekViewEditor-background: #001f33;--vscode-peekViewEditorGutter-background: #001f33;--vscode-peekViewResult-
matchHighlightBackground: rgba(234, 92, 0, .3);--vscode-peekViewEditor-matchHighlightBackground: rgba(255, 143, 0, .6);--vscode-editorMarkerNavigationError-background: #f14c4c;--vscode-
editorMarkerNavigationError-headerBackground: rgba(241, 76, 76, .1);--vscode-editorMarkerNavigationWarning-background: #cca700;--vscode-editorMarkerNavigationWarning-headerBackground: rgba(204, 167, 0, .1);--vscode-editorMarkerNavigationInfo-background:
 #3794ff;--vscode-editorMarkerNavigationInfo-headerBackground: rgba(55, 148, 255, 1);--vscode-
 editorMarkerNavigation-background: #1elele; -- vscode-editorSuggestWidget-background:
 #252526;--vscode-editorSuggestWidget-border: #454545;--vscode-editorSuggestWidget-foreground:
 #d4d4d4;--vscode-editorSuggestWidget-selectedForeground: #ffffff;--vscode-editorSuggestWidget-
 selectedIconForeground: #ffffff;--vscode-editorSuggestWidget-selectedBackground: #04395e;--vscode-
 editorSuggestWidget-highlightForeground: #2aaaff;--vscode-editorSuggestWidget-focusHighlightForeground: #2aaaff;--vscode-editorSuggestWidgetStatus-foreground: rgba(212, 212, 212, .5);--vscode-tab-activeBackground: #lelele;--vscode-tab-unfocusedActiveBackground: #lelele;--vscode-
 tab-inactiveBackground: #2d2d2d;--vscode-tab-unfocusedInactiveBackground: #2d2d2d;--vscode-tab-
 activeForeground: #ffffff;--vscode-tab-inactiveForeground: rgba(255, 255, 255, .5);--vscode-tab-
unfocusedActiveForeground: rgba(255, 255, 255, .5);--vscode-tab-unfocusedInactiveForeground: rgba(255, 255, 255, .25);--vscode-tab-border: #252526;--vscode-tab-lastPinnedBorder: rgba(204, 204,
 204, .2);--vscode-tab-activeModifiedBorder: #3399cc;--vscode-tab-inactiveModifiedBorder: rgba(51,
 153, 204, .5); --vscode-tab-unfocusedActiveModifiedBorder: rgba(51, 153, 204, .5); --vscode-tab-
unfocusedInactiveModifiedBorder: rgba(51, 153, 204, .25);--vscode-editorPane-background: #252526;--vscode-editorGroupHeader-tabsBackground: #252526;--vscode-editorGroupHeader-
 noTabsBackground: #1e1e1e;--vscode-editorGroup-border: #444444;--vscode-editorGroup-dropBackground:
 rgba(83, 89, 93, .5);--vscode-editorGroup-dropIntoPromptForeground: #ccccc;--vscode-editorGroup dropIntoPromptBackground: #252526;--vscode-sideBySideEditor-horizontalBorder: #4444444;--vscode-
 sideBySideEditor-verticalBorder: #4444444;--vscode-panel-background: #1e1e1e;--vscode-panel-border: rgba(128, 128, 128, .35);--vscode-panelTitle-activeForeground: #e7e7e7;--vscode-panelTitle-
inactiveForeground: rgba(231, 231, 231, .6);--vscode-panelTitle-activeBorder: #e7e7e7;--vscode-panel-dropBorder: #e7e7e7;--vscode-panelSection-dropBackground: rgba(83, 89, 93, .5);--vscode-
```

```
panelSectionHeader-background: rgba(128, 128, 128, .2);--vscode-panelSection-border: rgba(128, 128,
128, .35);--vscode-banner-background: #04395e;--vscode-banner-foreground: #ffffff;-
iconForeground: #3794ff:--vscode-statusBar-foreground: #ffffff:--vscode-statusBar-
noFolderForeground: #3/94Tf;--vscode-statusBar-Toreground: #TTTTT;--vscode-statusBar-noFolderForeground: #ffffff;--vscode-statusBar-background: #007acc;--vscode-statusBar-noFolderBackground: #68217a;--vscode-statusBar-focusBorder: #ffffff;--vscode-statusBarItem-activeBackground: rgba(255, 255, .18);--vscode-statusBarItem-focusBorder: #ffffff;--vscode-statusBarItem-hoverBackground: rgba(255, 255, .255, .12);--vscode-statusBarItem-prominentForeground:
#ffffff;--vscode-statusBarItem-prominentBackground: rgba(0, 0, 0, .5);--vscode-statusBarItem-prominentHoverBackground: rgba(0, 0, 0, .3);--vscode-statusBarItem-errorBackground: #c72e0f;--vscode-statusBarItem-errorForeground: #ffffff;--vscode-statusBarItem-warningBackground:
#7a6400;--vscode-statusBarItem-warningForeground: #fffffff;--vscode-activityBar-background:
#780400;--vscode-statusbalitem-warning-foreground: #11111;--vscode-activityBar-background: #333333;--vscode-activityBar-foreground: #ffffff;--vscode-activityBar-dropBorder: #ffffff;--vscode-activityBar-dropBorder: #ffffff;--vscode-activityBarBadge-background: #007acc;--vscode-activityBarBadge-foreground: #ffffff;--vscode-statusBarItem-remoteBackground: #007acc;--vscode-statusBarItem-remoteForeground: #ffffff;--vscode-extensionBadge-remoteForeground: #007acc;--vscode-extensionBadge-remoteForeground: #007acc;--vscode-extensionBadge-remoteFore
#ffffff;--vscode-sideBar-background: #252526;--vscode-sideBarTitle-foreground: #bbbbbb;--vscode-sideBar-dropBackground: rgba(83, 89, 93, .5);--vscode-sideBarSectionHeader-background: rgba(0, 0, 0, 0);--vscode-sideBarSectionHeader-border: rgba(204, 204, 204, .2);--vscode-titleBar-activeForeground: #ccccc;--vscode-titleBar-inactiveForeground: rgba(204, 204, 204, .6);--vscode-titleBar-activeBackground: #3c3c3c;--vscode-titleBar-inactiveBackground: #3c3c3c;--vscode-titleBar-activeBackground: #3c3c3c;--vsc
menubar-selectionForeground: #cccccc;--vscode-menubar-selectionBackground: rgba(90, 93, 94,
.31);--vscode-notifications-foreground: #ccccc;--vscode-notifications-background: #252526;--vscode-notificationLink-foreground: #3794ff;--vscode-notificationCenterHeader-background: #303031;--vscode-
notifications-border: #303031;--vscode-notificationsErrorIcon-foreground: #f14c4c;--vscode-notificationsWarningIcon-foreground: #cca700;--vscode-notificationsInfoIcon-foreground:
#cccccc;--vscode-commandCenter-activeBackground: rgba(90, 93, 94, .31);--vscode-commandCenter-border: rgba(128, 128, 128, .35);--vscode-editorCommentsWidget-resolvedBorder: rgba(204, 204, 204, 204,
  .5);--vscode-editorCommentsWidget-unresolvedBorder: #3794ff;--vscode-editorCommentsWidget-
rangeBackground: rgba(55, 148, 255, .1);--vscode-editorCommentsWidget-rangeBorder: rgba(55, 148, 255, .4);--vscode-editorCommentsWidget-rangeActiveBackground: rgba(55, 148, 255, .1);--vscode-
editorCommentsWidget-rangeActiveBorder: rgba(55, 148, 255, .4); --vscode-editorGutter-commentRangeForeground: #37373d; --vscode-debugToolBar-background: #333333; --vscode-debugIcon-
startForeground: #89d185; --vscode-editor-stackFrameHighlightBackground: rgba(255, 255, 0, .2);--vscode-editor-focusedStackFrameHighlightBackground: rgba(122, 189, 122, .3);--vscode-
mergeEditor-change\.background: rgba(155, 185, 85, .2);--vscode-mergeEditor-change\.word\.background: rgba(156, 204, 44, .2);--vscode-mergeEditor-conflict\.unhandledUnfocused\.border: rgba(255, 166, 0, .48);--vscode-mergeEditor-
conflict\.unhandledFocused\.border: #ffa600; --vscode-mergeEditor-conflict\.handledUnfocused\.border:
rgba(134, 134, 134, .29);--vscode-mergeEditor-conflict\.handledFocused\.border: rgba(193, 193, 193,
.8);--vscode-mergeEditor-conflict\.handled\.minimapOverViewRuler: rgba(173, 172, 168, .93);--vscode-mergeEditor-conflict\.unhandled\.minimapOverViewRuler: #fcba03;--vscode-mergeEditor-
conflictingLines\.background: rgba(255, 234, 0, .28);--vscode-settings-headerForeground: #e7e7e7;--vscode-settings-modifiedItemIndicator: #0c7d9d;--vscode-settings-headerBorder: rgba(128,
128, 128, .35);--vscode-settings-sashBorder: rgba(128, 128, .35);--vscode-settings-dropdownBackground: #3c3c3c;--vscode-settings-dropdownForeground: #f0f0f0;--vscode-settings-
dropdownBorder: #3c3c3c;--vscode-settings-dropdownListBorder: #454545;--vscode-settings
checkboxBackground: #3c3c3c; --vscode-settings-checkboxForeground: #f0f0f0; --vscode-settings-
checkboxBorder: #3c3c3c;--vscode-settings-textInputBackground: #3c3c3c;--vscode-settings-
textInputForeground: #ccccc; --vscode-settings-numberInputBackground: #3c3c3c; --vscode-settings-
numberInputForeground: #cccccc; -- vscode-settings-focusedRowBackground: rgba(42, 45, 46,
.6);--vscode-settings-rowHoverBackground: rgba(42, 45, 46, .3);--vscode-settings-focusedRowBorder: rgba(255, 255, .12);--vscode-terminal-foreground: #ccccc;--vscode-terminal-selectionBackground: #264f78;--vscode-terminal-inactiveSelectionBackground: #3a3d41;--vscode-
terminalCommandDecoration-defaultBackground: rgba(255, 255, 255, .25);--vscode-terminalCommandDecoration-successBackground: #1b81a8;--vscode-terminalCommandDecoration-
errorBackground: #f14c4c; -- vscode-terminalOverviewRuler-cursorForeground: rgba(160, 160, 160,
.8);--vscode-terminal-border: rgba(128, 128, .35);--vscode-terminal-findMatchHighlightBackground: rgba(234, 92, 0, .33);--vscode-
terminalOverviewRuler-findMatchForeground: rgba(209, 134, 22, .49);--vscode-terminal-dropBackground: rgba(83, 89, 93, .5);--vscode-testing-iconFailed: #f14c4c;--vscode-testing-iconErrored:
#f14c4c;--vscode-testing-iconPassed: #73c991;--vscode-testing-runAction: #73c991;--vscode-testing-
iconQueued: #cca700;--vscode-testing-iconUnset: #848484;--vscode-testing-iconSkipped: #848484;--vscode-testing-peekBorder: #f14c4c;--vscode-testing-peekHeaderBackground: rgba(241, 76,
76, .1);--vscode-testing-message\.error\.decorationForeground: #f14c4c;--vscode-testing-
message\.error\.lineBackground: rgba(255, 0, 0, .2);--vscode-testing-message\.info\.decorationForeground: rgba(212, 212, .5);--vscode-welcomePage-tileBackground: #252526;--vscode-welcomePage-tileHoverBackground: #2c2c2d;--vscode-welcomePage-tileShadow: rgba(0,
0, 0, .36);--vscode-welcomePage-progress\.background: #3c3c3c;--vscode-welcomePage-
progress\.foreground: #3794ff;--vscode-debugExceptionWidget-border: #a31515;--vscode-
debugExceptionWidget-background: #420b0d;--vscode-ports-iconRunningProcessForeground:
```

```
#369432; --vscode-statusBar-debuggingBackground: #cc6633; --vscode-statusBar-debuggingForeground: #ffffff; --vscode-editor-inlineValuesForeground: rgba(255, 255, 255, .5); --vscode-editor-inlineValuesBackground: rgba(255, 200, 0, .2); --vscode-editorGutter-modifiedBackground: #487e02; --vscode-editorGutter-addedBackground: #487e02; --vscode-editor-addedBackground: #487e02; --vscode-editor-addedBackground: #487e
#f14c4c;--vscode-minimapGutter-modifiedBackground: #1b81a8;--vscode-minimapGutter-addedBackground:
#487e02;--vscode-minimapGutter-deletedBackground: #f14c4c;--vscode-editorOverviewRuler-
modifiedForeground: rgba(27, 129, 168, .6);--vscode-editorOverviewRuler-addedForeground: rgba(72,
126. 2. .6):--vscode-editorOverviewRuler-deletedForeground: rgba(241. 76. 76. .6):--vscode
debugIcon-breakpointForeground: #e51400; --vscode-debugIcon-breakpointDisabledForeground:
#848484;--vscode-debugIcon-breakpointUnverifiedForeground: #848484;--vscode-debugIcon-
breakpointCurrentStackframeForeground: #ffcc00; -- vscode-debugIcon-breakpointStackframeForeground:
#89d185;--vscode-notebook-cellBorderColor: #37373d;--vscode-notebook-focusedEditorBorder:
#007fd4; --vscode-notebookStatusSuccessIcon-foreground: #89d185; --vscode-notebookStatusErrorIcon-
foreground: #f48771; --vscode-notebookStatusRunningIcon-foreground: #ccccc; --vscode-notebook-cellToolbarSeparator: rgba(128, 128, 128, .35); --vscode-notebook-selectedCellBackground: #37373d; --vscode-notebook-focusedCellBorder: #37373d; --vscode-notebook-focusedCellBorder:
#007fd4;--vscode-notebook-inactiveFocusedCellBorder: #37373d;--vscode-notebook-
cellStatusBarItemHoverBackground: rgba(255, 255, 255, .15);--vscode-notebook-cellInsertionIndicator: #007fd4;--vscode-notebookScrollbarSlider-background: rgba(121, 121, .4);--vscode-notebookScrollbarSlider-hoverBackground: rgba(100, 100, .7);--vscode-notebookScrollbarSlider-hoverBackground: rgba(100, 100, .7);--vscode-notebookScrollbarSlider-hoverBackground: rgba(100, 100, .7);--vscode-notebookScrollbarSlider-hoverBackground: rgba(100, .7);--
activeBackground: rgba(191, 191, 191, .4);--vscode-notebook-symbolHighlightBackground: rgba(255, 255, .04);--vscode-notebook-cellEditorBackground: #252526;--vscode-notebook-editorBackground:
#lelele;--vscode-keybindingTable-headerBackground: rgba(204, 204, 204, .04);--vscode-keybindingTable-rowsBackground: rgba(204, 204, .04);--vscode-scm-providerBorder: #454545;--vscode-debugTokenExpression-name: #c586c0;--vscode-debugTokenExpression-value: rgba(204,
204, 204, .6);--vscode-debugTokenExpression-string: #ce9178;--vscode-debugTokenExpression-boolean:
#4e94ce; --vscode-debugTokenExpression-number: #b5cea8; --vscode-debugTokenExpression-error: #f48771; --vscode-debugView-exceptionLabelForeground: #ccccc; --vscode-debugView-
exceptionLabelBackground: #6c2022; --vscode-debugView-stateLabelForeground: #ccccc; --vscode-
debugView-stateLabelBackground: rgba(136, 136, 136, .27);--vscode-debugView-valueChangedHighlight: #569cd6;--vscode-debugConsole-infoForeground: #3794ff;--vscode-debugConsole-warningForeground:
#cca700;--vscode-debugConsole-errorForeground: #f48771;--vscode-debugConsole-sourceForeground:
#cccccc;--vscode-debugConsoleInputIcon-foreground: #ccccc;--vscode-debugIcon-pauseForeground: #75beff;--vscode-debugIcon-stopForeground: #f48771;--vscode-debugIcon-disconnectForeground:
#f48771;--vscode-debugIcon-restartForeground: #89d185;--vscode-debugIcon-stepOverForeground:
#75beff;--vscode-debugIcon-stepIntoForeground: #75beff;--vscode-debugIcon-stepOutForeground:
#75beff; --vscode-debugIcon-continueForeground: #75beff; --vscode-debugIcon-stepBackForeground:
#75beff;--vscode-extensionButton-prominentBackground: #0e639c;--vscode-extensionButton-prominentForeground: #ffffff;--vscode-extensionButton-prominentHoverBackground: #1177bb;--vscode-extensionButton-prominentHoverBackground: #10e639c;--vscode-extensionButton-prominentHoverBackground: #1177bb;--vscode-extensionButton-prominentHoverBackground: #117bb;--vscode-extensionButton-prominentHoverBac
extensionIcon-starForeground: #ff8e00;--vscode-extensionIcon-verifiedForeground: #3794ff;--vscode-
extensionIcon-preReleaseForeground: #1d9271; -- vscode-extensionIcon-sponsorForeground:
#d758b3:--vscode-terminal-ansiBlack: #000000;--vscode-terminal-ansiRed: #cd3131;--vscode-terminal-
ansiGreen: #0dbc79;--vscode-terminal-ansiYellow: #e5e510;--vscode-terminal-ansiBlue: #2472c8;--vscode-terminal-ansiMagenta: #bc3fbc;--vscode-terminal-ansiCyan: #11a8cd;--vscode-
terminal-ansiWhite: #e5e5e5;--vscode-terminal-ansiBrightBlack: #666666;--vscode-terminal-
ansiBrightRed: #f14c4c; -- vscode-terminal-ansiBrightGreen: #23d18b; -- vscode-terminal
ansiBrightYellow: #f5f543; -- vscode-terminal-ansiBrightBlue: #3b8eea; -- vscode-terminal
ansiBrightMagenta: #d670d6; --vscode-terminal-ansiBrightCyan: #29b8db; --vscode-terminal-
ansiBrightWhite: #e5e5e5;--vscode-interactive-activeCodeBorder: #3794ff;--vscode-interactive-
inactiveCodeBorder: #37373d;--vscode-gitDecoration-addedResourceForeground: #81b88b;--vscode-
gitDecoration-modifiedResourceForeground: #e2c08d; --vscode-gitDecoration-deletedResourceForeground:
#c74e39;--vscode-gitDecoration-renamedResourceForeground: #73c991;--vscode-gitDecoration-
untrackedResourceForeground: #73c991; -- vscode-gitDecoration-ignoredResourceForeground:
#8c8c8c;--vscode-gitDecoration-stageModifiedResourceForeground: #e2c08d;--vscode-gitDecoration-
stageDeletedResourceForeground: #c74e39; -- vscode-gitDecoration-conflictingResourceForeground:
#e4676b;--vscode-gitDecoration-submoduleResourceForeground: #8db9e2}.test-error-
container{position:relative;white-space:pre;flex:none;padding:0;background-color:var(--color-canvas-
subtle);border-radius:6px;line-height:initial;margin-bottom:6px}.test-error
view{overflow:auto;padding:16px}.test-error-text{font-family:monospace}.test-
result{flex:auto;display:flex;flex-direction:column;margin-bottom:24px}.test-result>div{flex:none}.test-result video,.test-result img.screenshot{flex:none;box-shadow:var(--box-
shadow-thick);margin:24px auto;min-width:200px;max-width:80%}.test-result-path{padding:0 0 0
5px;color:var(--color-fg-muted)}.test-result-counter{border-radius:12px;color:var(--color-canvas-
default);padding:2px 8px}@media (prefers-color-scheme: light){.test-result-
counter{background:var(--color-scale-gray-5)}}@media (prefers-color-scheme: dark){.test-result-counter{background:var(--color-scale-gray-3)}}@media only screen and (max-width: 600px){.test-
result{padding:0!important}}.test-file-test{line-height:32px;align-items:center;padding:2px
8px;overflow:hidden;text-overflow:ellipsis}.test-file-test:hover{background-color:var(--color-
canvas-subtle)}.test-file-title{font-weight:600;font-size:16px}.test-file-details-row{padding:0 0
6px 8px;margin:0 0 0 15px;line-height:16px;font-weight:400;color:var(--color-fg-
muted);display:flex;align-items:center}.test-file-details-row-items{display:flex;height:16px}.test-
file-details-row-items>.link-badge{margin-top:-2px}.test-file-details-row-items>.trace-link{margin-
top:-4px}.test-file-path{text-overflow:ellipsis;overflow:hidden;color:var(--color-fg-muted)}.test-
```

```
file-path-link{margin-right:10px}.test-file-test-outcome-skipped{color:var(--color-fg-muted)}.test-
file-test-status-icon{flex:none}.test-file-header-info{display:flex;align-items:center;gap:4px
8px;color:var(--color-fg-muted)}.test-file-header-br{flex-
basis:100%;height:0}#root{color:var(--color-fg-default);font-size:14px;font-family:-apple-system,BlinkMacSystemFont,Segoe UI,Helvetica,Arial,sans-serif,"Apple Color Emoji","Segoe UI Emoji";-webkit-font-smoothing:antialiased}.metadata-toggle{cursor:pointer;-webkit-user-
select:none;user-select:none;color:var(--color-fg-default)}.metadata-toggle-second-line{margin-
top:8px:margin-left:8px}.metadata-view{border:1px solid var(--color-border-default):border
radius:6px;margin-top:12px}.metadata-view .metadata-section{margin:8px 10px 8px 32px}.metadata-view span:not(.copy-button-container),.metadata-view a{display:inline-block;line-height:24px}.metadata-properties{display:flex;flex-direction:column;align-items:normal;gap:8px}.metadata-
properties>div{height:24px}.metadata-separator{height:1px;border-bottom:1px solid var(--color-
border-default)}.metadata-view a{color:var(--color-fq-default)}.copyable-property{white-
space:pre}.copyable-property>span{display:flex;align-items:center}
</style>
   </head>
   <body>
      <div id='root'></div>
   </body>
</html>
<script id="playwrightReportBase64" type="application/zip">data:application/zip;base64,UEsDBBQAAAgIA
Hx9KVtNMBzq/QqAAJYeAAAZAAAAZDk1M2M2MmYzYmZlNjdmNjlhMDQuanNvbtVZ627cxhV+lcEgyHLTvfCyVwYSYgsxnMaIDUdp0
YoOMCJntaxIDk3O2hIkAbLcSwoYNRAYMlA06J/+r+zKjSPb8isMX8FPUsxwqB2uKGltB0mz+rEkZ87tO+d8Z7jagiM/wJ950Ibes
Gu5PXNkrY5wrz/qDZHegQ2x/qUKMbQhxSlN29jEzVFA7rbSGLstmm7ARr4C7ZUtcXWmuqY+9FYRMqf6AHlWp4OsHupxcZ8G3ICLK
ArIGnjz529BnBBv4lJx7aJEXoyxu04m+Q1JPJwAl0QjPwkR9UkEGzB0yB+wS6XHsAED4uZr9paI5dw4Aj/C0LYa0CXBJJygbew0o
DdJpAbDshoORRGh4aGP+FYDUr0mr8iEukOYnkR4I8YuxR73CdFxviHB6SSOSM2oTSlK6LIvpE3d7Db1YVMfLhum3bHsbr/VHXZ+D
7kGmmxCW+cC0JaYS/gu4xFJMLhKyHoK59E44Bqnfpi6VaX2ir9BJwkGDlxNyN0UJw6cQ3vP0MvaB4Mq5dfQJHLHQGqeS681o7c71
XurARGlyB2H0KLygUsmEYW20YDpuh/H2IP2CAUp3nmrzY0qPFwSUbxB58Nj0Cz7PayCYynBiGIgFc+htq8bZbX9nw2NGK3huaDo6
7NQmOdgwdXOo3S23obGT4HEu8L2Bbrjr/HwKAE0bM+F20CfKX3r/Ajfgfq6CvX1dhoQJwlJoA0/5d+2yEVrjVBigxsJocQlARBbg
HaDL0UyqroNlgRPgkiJ04/uoMD3wFc3rznREgoCEJA124mcia4bqytmCECzEPCjtRNoGuAu8sWTSUT9ADgwIMhzYCFnhg6n/rNgb
8A04vcU2hBImaEeAtAB2/LWGoaAf6ar7TZgf2cH2R47YC/YMfvPdKcTlbR0z9Ji9ULEHVdWRYvIWytsTVc4plpxa4a1dm26Vp9Kf
HymF6DkRXFphPLKyD2bfr5WwJvqzK/0WeU9VTlUy/jSi0Jk7okz0PszE6eSBN+BUk5pftfmf2+eH+izU7Wa3AKSvg3PD8z+W/X+z
8tuvyXJ0k7AUoBRNInnCc/qlcPrdH+808jAmsGuY/5E4AluzEMIcZrySfYL4FLxV1CBSgRWiWT4LFE5631P77VTRGRZYaOC1XohSjcjV1nRtgScYKcOpqILi8q0rTKlvTP1VzDr4jlUym39nwyIWSeUT0VQ1f0hpLI0FcpL/Qvg/Sd7lu1m37ADwI7YQbab7fFvoLHX7
Bh4iKImLy7fA+yAPWHHQDwfJ3hUP8vi4ByQXRKlKsgjP0npEko8tVjmSgKmlzeXxRtuReE3XZR41WlRdAjjWrGmh6WWBQBRcMV2n
HRM4lZAXMcRJzbHOXVks7u20ZsmSZx/PDxK8hdfAIABtoEfxiShYEv0agPk76RqB4wSEoLaJ3GANu8m/tgYtvmG2sd0BAAwwbb4t
sB23uPv39kNIDpW7d0FRdGT4hQm8nW67aJFcboSq6JRppyp1dq1eu4ukDvUww348TkW5Mcg/t1XPH6PSuaqBlKVKFGlMBek60rBl
cus3ioKiasZKhi0SKIJYXH8J4lWQyvc4NcLDmzL7LUdeGuqIgfS0PPwDGM2PPYs+xM7Zofs0XvJQ3jFo32d7fJn2X12l00J0b0UqhsJCf0Ut1AQaCti3VKcFA7yfVdI8tXNa1rbcQrfHKfd+lW73hAyHUXmBJ2WG/juuia3FBVyS4Yhs2T0S3X1ih2z1yI1b3b/wR6Jc
HitPQfsKU/dcfYNe8603ux+J4TLeUGet0yWUEIv06gyNcjzmpTwzNCayIhRmRÉhc5MEWKutTigVjbEFIhRiG7TZ4VlObSPP4/XI1
bd9sCMTZuolwPPm1lRf6y1KLuPf+Km/GmBNShnzSXOaodUAe4WUJAXTUlHN9tmL7AE7yvaze9le9kDs6JSgu003P4viCa2E7Tbdb
Pp8tVavwiiN/UjiVIRcpoNCeWvkB4FWMyOlmLIETLUEvsuRze6JPn0kKjnbB9lf2DPlCXuS3WeH2YNm9lDg/xiwp9k+0+Rtm19l+
0pm2IGwU64W7hqH8lLsF1HLSr+J05hEKdYSsLAoJNUySVqTJNDqLT9yg4mHU63WRrHfzosKfPghWKnduP7lcq1Ru3Fpeelq7dZ0Z
9JK800J5+p6K8R0TDytLurQKmqk3nIRdceaJpg3mgRBjpVl5FhZ5e5V66Fot3y/VdqnxJovd6S6rgL9v9lR9lc09yM0XbkTvxXoH
mW77Hle+Gorguw+yPbYsaiuffBm9xEQ+TsW2++JUfEDz1t2L3sozPZKmSAxjrh3lcXHF5W0tfpv37FPz3R+m2ufbVirXCdjlF7nu
xYkloW3LfFGodVbdIwjLRL5AotAl0qKkvFHQJMq6vko7ehKCLM6lRx2CgrYAThIsRQ2FWGetX+xY/aCPeHtYQP2Aztkz07on7N/9
pC9z04LUeuUXXVQ5xjnlqty2BF33bxY0r0SVUsIxUq/iqy4ck5SV9EdXAwPbuSDtrQy0EuqqIANqrWzXXbAvmfH70U2JRQFbb9ex
ZedYe5kVy+TycmZRywapcwWS9f8aL2y9tZIs9iTV1/XvKD6Aj9aL9XecfZH0Qcv89rbLvQp9dYt9+qpidxVp2vVRC50fiDHcberC
KhBliZyt0innMjdvkRwoCD4mBcR51T2KvtbQccyoryqusOS96dBxCHyA2VynJx3xEhZ4UAt0FDsEseduhwT/ED2Cd5AYRzglktCW
Zs9/QJ76diPYz9aa3LN59v9aMGB/Ltk99dkHBW2jHltuT7dvNgW31Wy9fmmf6ewZc5rC31ecrEtvqtk60uaYExBMX17Vp7uXvkgE
AfIxdf5q8FZhyxoyneHvK6HXYfmpKFjvwNZJt9zw54XbGn7AV7xl6xV9nD7dm+UdqlJ48Nvf75bdMbXNA2wrx6j02pY74ERKlx+
nq5cfpyNvfNefjsd2SSFJE/ror8JZ9QnLwP+XmNvRDvWc/5SZ4fa/bYU3HWP2T/LUTOYMQ+p5UdeS3nfZ+nqt2G/EevlCI6SaENR
8gPxD9AT/3Ld0ZHNC5F1k9+N9v5H1BLAwQUAAAICAB8fSlbWVgDq14BAAC/AgAACwAAAHJlcG9ydC5qc29urVFBTsMwEPxKtWe3J
HGatP4BF05IHFA0W3tDQ5w4sjeiqOqVB/BEXoKchKoXOOHTrHc9szM+Q0eMBhlBnQE1j2ifnG/JB1DpRUBg9PzYdAQqLbdlnqU7W
ZRlJsCMHrlxPag0zYpNXsjk52QC6sZSAPV8ntC9AQVmv5W6yGp5qKko62KPSQ7z5ANGAWAKH04oo3Vt3dsmDKQ3HE4g5s5EF9Gvd
Otkbw6I2S7ZoZF5jrLAIj5v2EYBjYzWvay+Pj5Xg3dm1DxhjX4BR9KtG+fCeUN+pV1fN76bvQoYvHslzcvGIMA6veQwe/3Th216A
iUFaGfHrp8zvklSSgHY946ni+i4EsD4siA3snaT8NjTaSDNZOJ0yMdloAVVow0kwFMY7RIaMqM+dtRPdXWpLtX0tbE8AztGCyoVc
OVUİbİVİL3aYvs+NÜLbDMMydBW8RMqbcKIQwP/LCCDvnZ99fANQSwECPwMUAAAICAB8fSlbTTAc6v0IAACWHgAAGQAAAAAAAAAAAA
AAATIEAAAAAZDk1M2M2MmYZYmZlNjdmNjlhMDQuanNvblBLAQI/AxQAAAqIAHx9KVtZWAOrXqEAAL8CAAALAAAAAAAAAAAAAAAAAAAACOq
TQJAAByZXBvcnQuanNvblBLBQYAAAAAAgACAIAAAAC7CgAAAAA=</script>
```

public\favicon.svg

```
<svg width="166" height="166" viewBox="0 0 166 166" fill="none" xmlns="http://www.w3.org/2000/svg">
76.4442 160.847 76.6678L131.462 93.5935V127.141C131.462 128.054 130.977 128.897 130.186 129.357L68.8474 164.683C68.707 164.763 68.5538 164.814 68.4007 164.868C68.3432 164.887 68.289
164.922 68.2284 164.938C67.7996 165.051 67.3489 165.051 66.9201 164.938C66.8499 164.919 66.7861 164.881 66.7191 164.855C66.5787 164.804 66.4319 164.76 66.2979 164.683L4.97219 129.357C4.58261
129.133 4.2589 128.81 4.0337 128.421C3.8085 128.032 3.68976 127.591 3.68945 127.141L3.68945
22.0634C3.68945 21.8336 3.72136 21.6101 3.7788 21.393C3.79794 21.3196 3.84262 21.2526 3.86814 21.1791C3.91601 21.0451 3.9668 20.9078 4.03088 20.7833C4.07874 20.7003 4.14894 20.6333 4.20638
20.5566C4.27977 20.4545 4.34678 20.3491 4.43293 20.2598C4.50632 20.1863 4.60205 20.1321 4.68501
20.0682C4.77755 19.9916 4.86051 19.9086 4.96581 19.848L35.6334 2.18492C36.0217 1.96139 36.4618
1.84375 36.9098 1.84375C37.3578 1.84375 37.7979 1.96139 38.1862 2.18492L68.8506
19.848H68.857C68.9591 19.9118 69.0452 19.9916 69.1378 20.065C69.2207 20.1289 69.3133 20.1863 69.3867
20.2566C69.476 20.3491 69.5398 20.4545 69.6164 20.5566C69.6707 20.6333 69.7441 20.7003 69.7887 20.7833C69.8621 20.911 69.9036 21.0451 69.9546 21.1791C69.9802 21.2526 70.0248 21.3196 70.044 21.3962C70.1027 21.6138 70.1328 21.8381 70.1333 22.0634V87.6941L95.686 72.9743V39.423C95.686 39.1997 95.7179 38.9731 95.7753 38.7592C95.7977 38.6826 95.8391 38.6155 95.8647 38.5421C95.9157
38.408 95.9604 38.2708 96.0306 38.1463C96.0785 38.0633 96.1487 37.9962 96.2029 37.9196C96.2795
37.8175 96.3433 37.7121 96.4326 37.6227C96.506 37.5493 96.5986 37.495 96.6815 37.4312C96.7773
37.3546 96.8602 37.2716 96.9623 37.2109L127.633 19.5479C128.021 19.324 128.461 19.2062 128.91 19.2062C129.358 19.2062 129.798 19.324 130.186 19.5479L160.85 37.2109C160.959 37.2748 161.042
37.3546 161.137 37.428C161.217 37.4918 161.31 37.5493 161.383 37.6195C161.473 37.7121 161.536 37.8175 161.613 37.9196C161.67 37.9962 161.741 38.0633 161.785 38.1463C161.859 38.2708 161.9 38.408
161.951 38.5421C161.98 38.6155 162.021 38.6826 162.041 38.7592ZM157.018 72.9743V43.8477L146.287
50.028L131.462 58.5675V87.6941L157.021 72.9743H157.018ZM126.354 125.663V96.5176L111.771
104.85L70.1301 128.626V158.046L126.354 125.663ZM8.80126 26.4848V125.663L65.0183
158.043V128.629L35.6494 112L35.6398 111.994L35.6271 111.988C35.5281 111.93 35.4452 111.847 35.3526 111.777C35.2729 111.713 35.1803 111.662 35.1101 111.592L35.1038 111.582C35.0208 111.502 34.9634
111.403 34.8932 111.314C34.8293 111.228 34.7528 111.154 34.7017 111.065L34.6985 111.055C34.6411
110.96 34.606 110.845 34.5645 110.736C34.523 110.64 34.4688 110.551 34.4432 110.449C34.4113 110.328
34.4049 110.197 34.3922 110.072C34.3794 109.976 34.3539 109.881 34.3539
109.785V109.778V41.2045L19.5322 32.6619L8.80126 26.4848ZM36.913 7.35007L11.3635 22.0634L36.9066 36.7768L62.4529 22.0602L36.9066 7.35007H36.913ZM50.1999 99.1736L65.0215 90.6374V26.4848L54.2906
32.6651L39.4657 41.2045V105.357L50.1999 99.1736ZM128.91 24.713L103.363 39.4264L128.91 54.1397L154.453 39.4232L128.91 24.713ZM126.354 58.5675L111.529 50.028L100.798
43.8477V72.9743L115.619 81.5106L126.354 87.6941V58.5675ZM67.5711 124.205L105.042 102.803L123.772
92.109L98.2451 77.4053L68.8538 94.3341L42.0663 109.762L67.5711 124.205Z" fill="#FF2D20"/>
```

http://localhost:5173

public\index.php

```
<svg width="1991" height="500" viewBox="0 0 1991 500" fill="none"</pre>
xmlns="http://www.w3.org/2000/svg">
<mask id="path-1-outside-1 1 7" maskUnits="userSpaceOnUse" x="765" y="175" width="253" height="226"</pre>
fill="black">
<rect fill="white" x="765" y="175" width="253" height="226"/>
<path d="M971.537 248.894C968.887 247.988 966.217 247.145 963.529 246.365C963.975 244.551 964.386</pre>
242.726 964.763 240.892C970.827 211.403 966.862 187.646 953.33 179.825C940.374 172.321 919.125
180.141 897.69 198.84C895.582 200.685 893.518 202.585 891.496 204.541C890.149 203.242 888.767 201.97
887.35 200.727C864.884 180.732 842.365 172.31 828.849 180.157C815.893 187.677 812.042 210.009 817.499 237.958C818.045 240.722 818.658 243.474 819.339 246.214C816.152 247.121 813.073 248.09 810.13 249.117C783.823 258.316 767 272.739 767 287.696C767 303.15 785.056 318.646 812.488
328.042C814.713 328.799 816.959 329.502 819.225 330.152C818.489 333.085 817.838 336.051 817.271
339.05C812.089 366.518 816.131 388.321 829.062 395.795C842.417 403.511 864.822 395.582 886.661
376.458C888.389 374.945 890.116 373.347 891.844 371.664C894.027 373.775 896.273 375.824 898.581 377.811C919.726 396.043 940.607 403.408 953.517 395.914C966.862 388.171 971.2 364.746 965.566 336.246C965.134 334.07 964.637 331.848 964.074 329.582C965.649 329.115 967.192 328.633 968.702 328.136C997.206 318.667 1015.78 303.358 1015.78 287.711C1015.76 272.682 998.403 258.165 971.537
248.894ZM904.681 206.873C923.043 190.854 940.208 184.531 948.033 189.05C956.362 193.865 959.601
213.279 954.367 238.741C954.021 240.399 953.648 242.053 953.247 243.701C942.289 241.208 931.177
239.449 919.985 238.435C913.577 229.204 906.553 220.417 898.959 212.133C900.818 210.33 902.722
208.576 904.671 206.873H904.681ZM840.453 300.476C842.702 304.829 845.053 309.129 847.507 313.376C850.005 317.708 852.608 321.977 855.317 326.182C847.616 325.345 839.963 324.111 832.389
322.487C834.586 315.376 837.292 307.991 840.453 300.476ZM840.453 275.429C837.343 268.074 834.711
260.84 832.55 253.853C839.65 252.262 847.216 250.962 855.104 249.977C852.461 254.102 849.918 258.288
847.475 262.534C845.033 266.781 842.687 271.079 840.437 275.429H840.453ZM846.102 287.955C849.377
281.124 852.905 274.425 856.685 267.857C860.461 261.292 864.481 254.878 868.745 248.614C876.146 248.054 883.733 247.759 891.398 247.759C899.063 247.759 906.697 248.054 914.093 248.619C918.311
254.869 922.307 261.261 926.08 267.795C929.853 274.328 933.427 280.996 936.803 287.799C933.472 294.654 929.906 301.381 926.106 307.981C922.336 314.545 918.363 320.978 914.186 327.281C906.801 327.799 899.156 328.084 891.382 328.084C883.609 328.084 876.109 327.84 868.859 327.369C864.564
321.084 860.511 314.642 856.7 308.043C852.89 301.444 849.352 294.748 846.087
287.955H846.102ZM935.305 313.303C937.81 308.957 940.215 304.553 942.519 300.093C945.678 307.255
948.467 314.576 950.874 322.025C943.21 323.751 935.462 325.074 927.661 325.99C930.293 321.813 932.842 317.584 935.305 313.303ZM942.416 275.434C940.121 271.063 937.736 266.744 935.258
262.477C932.84 258.269 930.319 254.113 927.697 250.008C935.632 251.013 943.245 252.35 950.381 253.983C948.087 261.262 945.428 268.421 942.416 275.434ZM891.502 219.747C896.677 225.401 901.563
231.314 906.143 237.461C896.347 236.994 886.545 236.994 876.736 237.461C881.572 231.066 886.521
225.131 891.502 219.747ZM834.198 189.366C842.521 184.536 860.924 191.439 880.323 208.682C881.561
209.786 882.81 210.941 884.054 212.139C876.422 220.421 869.348 229.201 862.878 238.42C851.711
239.426 840.621 241.157 829.678 243.602C829.046 241.059 828.476 238.499 827.968 235.922C823.278 211.962 826.382 193.901 834.198 189.366ZM822.065 319.89C819.992 319.299 817.945 318.658 815.924 317.967C803.796 313.821 793.779 308.411 786.901 302.518C780.744 297.237 777.624 291.966 777.624
287.696C777.624 278.621 791.13 267.043 813.654 259.191C816.483 258.207 819.337 257.307 822.215
256.4910825.561 267.242 829.612 277.759 834.343 287.9760829.555 298.333 825.454 308.994 822.065
319.89ZM879.659 368.436C870.004 376.894 860.333 382.89 851.808 385.911C844.148 388.622 838.048 388.7 834.363 386.569C826.517 382.035 823.252 364.523 827.704 341.035C828.232 338.271 828.837 335.507
829.518 332.743C840.57 335.124 851.771 336.75 863.044 337.609C869.577 346.876 876.71 355.706 884.396 364.041C882.852 365.559 881.271 367.021 879.659 368.436ZM891.797 356.402C886.76 350.955 881.732
344.927 876.83 338.449C881.594 338.636 886.445 338.729 891.382 338.729C896.451 338.729 901.468 338.62 906.412 338.397C901.849 344.643 896.971 350.652 891.797 356.402ZM956.331 371.219C954.849
379.221 951.869 384.559 948.184 386.694C940.342 391.244 923.577 385.331 905.5 369.736C903.427 367.954 901.354 366.041 899.244 364.036C906.781 355.668 913.747 346.803 920.094 337.501C931.429
336.54 942.685 334.8 953.781 332.292C954.289 334.344 954.738 336.355 955.128 338.325C957.621 350.918
957.979 362.31 956.331 371.219ZM965.349 318.024C963.991 318.475 962.591 318.911 961.171 319.336C957.692 308.535 953.483 297.983 948.572 287.753C953.299 277.659 957.343 267.26 960.679
256.626C963.224 257.367 965.696 258.145 968.075 258.969C991.096 266.908 1005.14 278.663 1005.14
287.696C1005.14 297.335 989.971 309.846 965.349 318.024Z"/>
</mask>
<path d="M971.537 248.894C968.887 247.988 966.217 247.145 963.529 246.365C963.975 244.551 964.386
242.726 964.763 240.892C970.827 211.403 966.862 187.646 953.33 179.825C940.374 172.321 919.125</pre>
180.141 897.69 198.84C895.582 200.685 893.518 202.585 891.496 204.541C890.149 203.242 888.767 201.97 887.35 200.727C864.884 180.732 842.365 172.31 828.849 180.157C815.893 187.677 812.042 210.009
817.499 237.958C818.045 240.722 818.658 243.474 819.339 246.214C816.152 247.121 813.073 248.09
817.499 237.958C818.045 240.722 818.658 243.474 819.339 246.214C816.152 247.121 813.073 248.09 810.13 249.117C783.823 258.316 767 272.739 767 287.696C767 303.15 785.056 318.646 812.488 328.042C814.713 328.799 816.959 329.502 819.225 330.152C818.489 333.085 817.838 336.051 817.271 339.05C812.089 366.518 816.131 388.321 829.062 395.795C842.417 403.511 864.822 395.582 886.661 376.458C888.389 374.945 890.116 373.347 891.844 371.664C894.027 373.775 896.273 375.824 898.581 377.811C919.726 396.043 940.607 403.408 953.517 395.914C966.862 388.171 971.2 364.746 965.566 336.246C965.134 334.07 964.637 331.848 964.074 329.582C965.649 329.115 967.192 328.633 968.702
328.136C997.206 318.667 1015.78 303.358 1015.78 287.711C1015.76 272.682 998.403 258.165 971.537
248.894ZM904.681 206.873C923.043 190.854 940.208 184.531 948.033 189.05C956.362 193.865 959.601 213.279 954.367 238.741C954.021 240.399 953.648 242.053 953.247 243.701C942.289 241.208 931.177 239.449 919.985 238.435C913.577 229.204 906.553 220.417 898.959 212.133C900.818 210.33 902.722
```

```
208.576 904.671 206.873H904.681ZM840.453 300.476C842.702 304.829 845.053 309.129 847.507
313.376C850.005 317.708 852.608 321.977 855.317 326.182C847.616 325.345 839.963 324.111 832.389 322.487C834.586 315.376 837.292 307.991 840.453 300.476ZM840.453 275.429C837.343 268.074 834.711
260.84 832.55 253.853C839.65 252.262 847.216 250.962 855.104 249.977C852.461 254.102 849.918 258.288 847.475 262.534C845.033 266.781 842.687 271.079 840.437 275.429H840.453ZM846.102 287.955C849.377 281.124 852.905 274.425 856.685 267.857C860.461 261.292 864.481 254.878 868.745 248.614C876.146
248.054 883.733 247.759 891.398 247.759C899.063 247.759 906.697 248.054 914.093 248.619C918.311
254.869 922.307 261.261 926.08 267.795C929.853 274.328 933.427 280.996 936.803 287.799C933.472
294.654 929.906 301.381 926.106 307.981C922.336 314.545 918.363 320.978 914.186 327.281C906.801 327.799 899.156 328.084 891.382 328.084C883.609 328.084 876.109 327.84 868.859 327.369C864.564
321.084 860.511 314.642 856.7 308.043C852.89 301.444 849.352 294.748 846.087 287.955H846.102ZM935.305 313.303C937.81 308.957 940.215 304.553 942.519 300.093C945.678 307.255
948.467 314.576 950.874 322.025C943.21 323.751 935.462 325.074 927.661 325.99C930.293 321.813
932.842 317.584 935.305 313.303ZM942.416 275.434C940.121 271.063 937.736 266.744 935.258
262.477C932.84 258.269 930.319 254.113 927.697 250.008C935.632 251.013 943.245 252.35 950.381
253.983C948.087 261.262 945.428 268.421 942.416 275.434ZM891.502 219.747C896.677 225.401 901.563 231.314 906.143 237.461C896.347 236.994 886.545 236.994 876.736 237.461C881.572 231.066 886.521
225.131 891.502 219.747ZM834.198 189.366C842.521 184.536 860.924 191.439 880.323 208.682C881.561
209.786 882.81 210.941 884.054 212.139C876.422 220.421 869.348 229.201 862.878 238.42C851.711
239.426 840.621 241.157 829.678 243.602C829.046 241.059 828.476 238.499 827.968 235.922C823.278 211.962 826.382 193.901 834.198 189.366ZM822.065 319.89C819.992 319.299 817.945 318.658 815.924 317.967C803.796 313.821 793.779 308.411 786.901 302.518C780.744 297.237 777.624 291.966 777.624
287.696C777.624 278.621 791.13 267.043 813.654 259.191C816.483 258.207 819.337 257.307 822.215 256.491C825.561 267.242 829.612 277.759 834.343 287.976C829.555 298.333 825.454 308.994 822.065
319.89ZM879.659 368.436C870.004 376.894 860.333 382.89 851.808 385.911C844.148 388.622 838.048 388.7 834.363 386.569C826.517 382.035 823.252 364.523 827.704 341.035C828.232 338.271 828.837 335.507
829.518 332.743C840.57 335.124 851.771 336.75 863.044 337.609C869.577 346.876 876.71 355.706 884.396
364.041C882.852 365.559 881.271 367.021 879.659 368.436ZM891.797 356.402C886.76 350.955 881.732 344.927 876.83 338.449C881.594 338.636 886.445 338.729 891.382 338.729C896.451 338.729 901.468
338.62 906.412 338.397C901.849 344.643 896.971 350.652 891.797 356.402ZM956.331 371.219C954.849 379.221 951.869 384.559 948.184 386.694C940.342 391.244 923.577 385.331 905.5 369.736C903.427
367.954 901.354 366.041 899.244 364.036C906.781 355.668 913.747 346.803 920.094 337.501C931.429
336.54 942.685 334.8 953.781 332.292C954.289 334.344 954.738 336.355 955.128 338.325C957.621 350.918
957.979 362.31 956.331 371.219ZM965.349 318.024C963.991 318.475 962.591 318.911 961.171
319.336C957.692 308.535 953.483 297.983 948.572 287.753C953.299 277.659 957.343 267.26 960.679 256.626C963.224 257.367 965.696 258.145 968.075 258.969C991.096 266.908 1005.14 278.663 1005.14
287.696C1005.14 297.335 989.971 309.846 965.349 318.024Z" fill="#FF2D20"/> <path d="M971.537 248.894C968.887 247.988 966.217 247.145 963.529 246.365C963.975 244.551 964.386
242.726 964.763 240.892C970.827 211.403 966.862 187.646 953.33 179.825C940.374 172.321 919.125
180.141 897.69 198.84C895.582 200.685 893.518 202.585 891.496 204.541C890.149 203.242 888.767 201.97 887.35 200.727C864.884 180.732 842.365 172.31 828.849 180.157C815.893 187.677 812.042 210.009
817.499 237.958C818.045 240.722 818.658 243.474 819.339 246.214C816.152 247.121 813.073 248.09 810.13 249.117C783.823 258.316 767 272.739 767 287.696C767 303.15 785.056 318.646 812.488
328.042C814.713 328.799 816.959 329.502 819.225 330.152C818.489 333.085 817.838 336.051 817.271
339.05C812.089 366.518 816.131 388.321 829.062 395.795C842.417 403.511 864.822 395.582 886.661
376.458C888.389 374.945 890.116 373.347 891.844 371.664C894.027 373.775 896.273 375.824 898.581 377.811C919.726 396.043 940.607 403.408 953.517 395.914C966.862 388.171 971.2 364.746 965.566 336.246C965.134 334.07 964.637 331.848 964.074 329.582C965.649 329.115 967.192 328.633 968.702
328.136C997.206 318.667 1015.78 303.358 1015.78 287.711C1015.76 272.682 998.403 258.165 971.537
248.894ZM904.681 206.873C923.043 190.854 940.208 184.531 948.033 189.05C956.362 193.865 959.601
213.279 954.367 238.741C954.021 240.399 953.648 242.053 953.247 243.701C942.289 241.208 931.177 239.449 919.985 238.435C913.577 229.204 906.553 220.417 898.959 212.133C900.818 210.33 902.722
208.576 904.671 206.873H904.681ZM840.453 300.476C842.702 304.829 845.053 309.129 847.507
313.376C850.005 317.708 852.608 321.977 855.317 326.182C847.616 325.345 839.963 324.111 832.389 322.487C834.586 315.376 837.292 307.991 840.453 300.476ZM840.453 275.429C837.343 268.074 834.711
260.84 832.55 253.853C839.65 252.262 847.216 250.962 855.104 249.977C852.461 254.102 849.918 258.288
847.475 262.534C845.033 266.781 842.687 271.079 840.437 275.429H840.453ZM846.102 287.955C849.377
281.124 852.905 274.425 856.685 267.857C860.461 261.292 864.481 254.878 868.745 248.614C876.146 248.054 883.733 247.759 891.398 247.759C899.063 247.759 906.697 248.054 914.093 248.619C918.311 254.869 922.307 261.261 926.08 267.795C929.853 274.328 933.427 280.996 936.803 287.799C933.472
294.654 929.906 301.381 926.106 307.981C922.336 314.545 918.363 320.978 914.186 327.281C906.801 327.799 899.156 328.084 891.382 328.084C883.609 328.084 876.109 327.84 868.859 327.369C864.564
321.084 860.511 314.642 856.7 308.043C852.89 301.444 849.352 294.748 846.087
287.955H846.102ZM935.305 313.303C937.81 308.957 940.215 304.553 942.519 300.093C945.678 307.255
948.467 314.576 950.874 322.025C943.21 323.751 935.462 325.074 927.661 325.99C930.293 321.813
932.842 317.584 935.305 313.303ZM942.416 275.434C940.121 271.063 937.736 266.744 935.258 262.477C932.84 258.269 930.319 254.113 927.697 250.008C935.632 251.013 943.245 252.35 950.381
253.983C948.087 261.262 945.428 268.421 942.416 275.434ZM891.502 219.747C896.677 225.401 901.563 231.314 906.143 237.461C896.347 236.994 886.545 236.994 876.736 237.461C881.572 231.066 886.521
225.131 891.502 219.747ZM834.198 189.366C842.521 184.536 860.924 191.439 880.323 208.682C881.561
209.786 882.81 210.941 884.054 212.139C876.422 220.421 869.348 229.201 862.878 238.42C851.711
239.426 840.621 241.157 829.678 243.602C829.046 241.059 828.476 238.499 827.968 235.922C823.278 211.962 826.382 193.901 834.198 189.366ZM822.065 319.89C819.992 319.299 817.945 318.658 815.924
```

```
317.967C803.796 313.821 793.779 308.411 786.901 302.518C780.744 297.237 777.624 291.966 777.624 287.696C777.624 278.621 791.13 267.043 813.654 259.191C816.483 258.207 819.337 257.307 822.215
256.4910825.561 267.242 829.612 277.759 834.343 287.9760829.555 298.333 825.454 308.994 822.065
319.89ZM879.659 368.436C870.004 376.894 860.333 382.89 851.808 385.911C844.148 388.622 838.048 388.7 834.363 386.569C826.517 382.035 823.252 364.523 827.704 341.035C828.232 338.271 828.837 335.507 829.518 332.743C840.57 335.124 851.771 336.75 863.044 337.609C869.577 346.876 876.71 355.706 884.396
364.041C882.852 365.559 881.271 367.021 879.659 368.436ZM891.797 356.402C886.76 350.955 881.732
344.927 876.83 338.449C881.594 338.636 886.445 338.729 891.382 338.729C896.451 338.729 901.468 338.62 906.412 338.397C901.849 344.643 896.971 350.652 891.797 356.402ZM956.331 371.219C954.849
379.221 951.869 384.559 948.184 386.694C940.342 391.244 923.577 385.331 905.5 369.736C903.427 367.954 901.354 366.041 899.244 364.036C906.781 355.668 913.747 346.803 920.094 337.501C931.429
336.54 942.685 334.8 953.781 332.292C954.289 334.344 954.738 336.355 955.128 338.325C957.621 350.918
957.979 362.31 956.331 371.219ZM965.349 318.024C963.991 318.475 962.591 318.911 961.171 319.336C957.692 308.535 953.483 297.983 948.572 287.753C953.299 277.659 957.343 267.26 960.679 256.626C963.224 257.367 965.696 258.145 968.075 258.969C991.096 266.908 1005.14 278.663 1005.14 287.696C1005.14 297.335 989.971 309.846 965.349 318.024Z" stroke="#FF2D20" stroke-width="4"
mask="url(#path-1-outside-1_1_7)"/>
<path d="M891.382 309.96C895.793 309.974 900.109 308.679 903.783 306.24C907.457 303.8 910.325</pre>
300.324 912.023 296.253C913.721 292.182 914.172 287.699 913.321 283.372C912.469 279.044 910.352
275.066 907.239 271.943C904.125 268.819 900.154 266.689 895.829 265.823C891.504 264.957 887.02 265.394 882.944 267.079C878.867 268.764 875.383 271.62 872.931 275.286C870.479 278.953 869.17 283.264 869.17 287.675C869.164 290.597 869.733 293.492 870.847 296.193C871.96 298.895 873.595
301.351 875.658 303.421C877.72 305.49 880.171 307.133 882.869 308.255C885.567 309.377 888.46 309.957 891.382 309.96Z" fill="#FF2D20"/>
485.178 115.157V222.481C485.178 223.859 484.815 225.212 484.125 226.404C483.435 227.596 482.443
228.584 481.25 229.27L391.267 281.132V383.926C391.267 386.724 389.782 389.306 387.359
390.715L199.527 498.958C199.097 499.202 198.628 499.359 198.159 499.525C197.984 499.584 197.817 499.691 197.632 499.74C196.319 500.087 194.939 500.087 193.626 499.74C193.411 499.682 193.215
499.564 193.01 499.486C192.58 499.33 192.131 499.193 191.72 498.958L3.92801 390.715C2.73502 390.029 1.74377 389.04 1.05416 387.848C0.364547 386.656 0.000945257 385.304 0 383.926L0 61.9554C0 61.2511
0.0977118 \ 60.5664 \ 0.273593 \ 59.9012 \\ \text{CO}.33222 \ 59.6762 \ 0.469016 \ 59.4708 \ 0.547186 \ 59.2459 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 58.835 \\ \text{CO}.693753 \ 
0.83055 58.4144 1.04552 58.0329C1.19208 57.7786 1.40705 57.5732 1.58293 57.3384C1.80767 57.0254 2.01286 56.7026 2.27668 56.4288C2.50142 56.2038 2.79456 56.0375 3.04861 55.8419C3.33197 55.6071
3.58602 55.3528 3.90847 55.1669L97.8192 1.04537C99.0082 0.360469 100.356 0 101.728 0C103.099 0 104.447 0.360469 105.636 1.04537L199.537 55.1669H199.557C199.869 55.3626 200.133 55.6071 200.417
55.8321C200.671 56.0277 200.954 56.2038 201.179 56.419C201.452 56.7026 201.648 57.0254 201.882 57.3384C202.048 57.5732 202.273 57.7786 202.41 58.0329C202.635 58.4242 202.762 58.835 202.918 59.2459C202.996 59.4708 203.133 59.6762 203.192 59.911C203.371 60.5776 203.463 61.2649 203.465
61.9554V263.055L281.713 217.952V115.148C281.713 114.463 281.81 113.768 281.986 113.113C282.055 112.878 282.182 112.673 282.26 112.448C282.416 112.037 282.553 111.617 282.768 111.235C282.915
110.981 283.13 110.775 283.296 110.541C283.53 110.228 283.726 109.905 283.999 109.631C284.224
109.406 284.507 109.24 284.761 109.044C285.054 108.809 285.309 108.555 285.621 108.369L379.542
54.2475C380.73 53.5616 382.078 53.2006 383.45 53.2006C384.822 53.2006 386.17 53.5616 387.359
54.2475L481.26 108.369C481.592 108.565 481.846 108.809 482.139 109.034C482.383 109.23 482.667 109.406 482.891 109.621C483.165 109.905 483.36 110.228 483.595 110.541C483.771 110.775 483.986 110.981 484.123 111.235C484.347 111.617 484.474 112.037 484.631 112.448C484.719 112.673 484.846 112.878 484.904 113.113ZM469.524 217.952V128.705L436.664 147.642L391.267 173.808V263.055L469.534
217.952H469.524ZM375.623 379.397V290.091L330.969 315.621L203.455 388.475V478.622L375.623
379.397ZM15.6534 75.5029V379.397L187.802 478.612V388.485L97.8681 337.532L97.8388 337.513L97.7997
337.493C97.4968 337.317 97.2427 337.063 96.9594 336.847C96.7151 336.652 96.4317 336.495 96.2167
336.28L96.1972 336.251C95.9432 336.006 95.7673 335.703 95.5523 335.429C95.3569 335.165 95.1224
334.94 94.966 334.666L94.9563 334.637C94.7804 334.343 94.6729 333.991 94.5459 333.659C94.4188 333.365 94.2527 333.091 94.1746 332.778C94.0769 332.407 94.0573 332.006 94.0182 331.624C93.9791 331.331 93.901 331.037 93.901 330.744V120.606L48.5139 94.4303L15.6534 75.5029ZM101.737
16.872L23.4997 61.9554L101.718 107.039L179.946 61.9456L101.718 16.872H101.737ZM142.425
298.23L187.812 272.074V75.5029L154.951 94.44L109.554 120.606V317.177L142.425 298.23ZM383.45
70.0741L305.222 115.157L383.45 160.241L461.668 115.148L383.45 70.0741ZM375.623 173.808L330.227
147.642L297.366 128.705V217.952L342.753 244.108L375.623 263.055V173.808ZM195.619 374.927L310.362 309.351L367.719 276.583L289.549 231.529L199.547 283.401L117.518 330.675L195.619 374.927Z"
fill="#FF2D20"/>
 <path fill-rule="evenodd" clip-rule="evenodd" d="M661.371</pre>
63V345.115H763.474V393.787H607V63H661.371ZM1047.57
393.787V173.576H1187.5V224.268H1099.09V393.811H1047.57V393.787ZM1374.22
203.347V173.576H1425.75V393.799H1374.22V364.016C1367.29 375.045 1357.45 383.712 1344.68 390.004C1331.92 396.308 1319.08 399.454 1306.15 399.454C1289.45 399.454 1274.17 396.394 1260.3 390.249C1246.79 384.36 1234.64 375.751 1224.61 364.958C1214.66 354.224 1206.81 341.728 1201.45
328.112C1195.88 313.965 1193.07 298.88 1193.17 283.675C1193.17 268.251 1195.93 253.513 1201.45 239.484C1206.77 225.777 1214.62 213.193 1224.6 202.393C1234.64 191.605 1246.79 183 1260.3
177.114C1274.17 170.969 1289.45 167.909 1306.15 167.909C1319.07 167.909 1331.92 171.055 1344.68 177.359C1357.45 183.663 1367.29 192.318 1374.22 203.347ZM1369.5 310.619C1372.67 301.995 1374.27 292.875 1374.22 283.688C1374.22 274.225 1372.63 265.252 1369.5 256.757C1366.54 248.576 1362.06
241.035 1356.27 234.538C1350.5 228.166 1343.5 223.021 1335.7 219.408C1327.67 215.638 1318.75 213.74
```

public\logo.svg

```
1308.99 213.74C1299.22 213.74 1290.39 215.638 1282.52 219.408C1274.81 223.064 1267.9 228.206 1262.19
234.538C1256.42 241.001 1252 248.551 1249.2 256.744C1246.17 265.399 1244.65 274.508 1244.7 283.675C1244.7 293.126 1246.18 302.111 1249.2 310.606C1252.18 319.126 1256.52 326.52 1262.19
263.673C1244.7 293.126 1246.16 302.111 1249.2 310.600C1232.16 319.126 1236.32 326.32 1202.19 332.824C1267.9 339.159 1274.81 344.302 1282.52 347.955C1290.39 351.737 1299.22 353.623 1308.99 353.623C1318.75 353.623 1327.67 351.737 1335.7 347.955C1343.51 344.346 1350.5 339.2 1356.27 332.824C1362.06 326.332 1366.54 318.795 1369.5 310.619ZM1632.33 173.576H1684.52L1599.96 393.799H1535.18L1450.61 173.576H1502.8L1567.57 342.214L1632.33 173.576ZM1796.91 167.909C1867.06
167.909 1914.91 230.07 1905.92 302.821H1734.98C1734.98 321.819 1754.17 358.544 1799.74
167.909 1914.91 230.07 1905.92 302.821n1734.96C1734.96 321.619 1734.17 336.344 1799.74 358.544C1838.92 358.544 1865.19 324.084 1865.2 324.06L1900.01 350.991C1868.89 384.202 1843.4 399.467 1803.49 399.467C1732.19 399.467 1683.85 354.369 1683.85 283.688C1683.85 219.751 1733.82 167.909 1796.91 167.909ZM1735.11 264.542H1858.6C1858.22 260.307 1851.52 208.819 1796.49 208.819C1741.45 208.819 1735.51 260.307 1735.11 264.542ZM1939.47 393.787V63H1991V393.787H1939.47Z" fill="#FF2D20"/>
56.574C1477.06 59.01 1475.71 61.9197 1474.62 65.303C1473.54 68.551 1472.93 72.3403 1472.8 76.671V126H1454.53V27.342H1472.8V35.462Z" fill="black"/>
115.782 1601.36 118.895C1597.03 122.008 1591.89 124.444 1585.93 126.203C1580.11 127.962 1573.82
128.842 1567.05 128.842C1559.88 128.842 1553.11 127.489 1546.75 124.782C1540.39 122.075 1534.84
118.354 1530.11 113.617C1525.37 108.88 1521.65 103.332 1518.94 96.971C1516.23 90.6103 1514.88 83.8437 1514.88 76.671C1514.88 69.4983 1516.23 62.7317 1518.94 56.371C1521.65 50.0103 1525.37 44.5293 1530.11 39.928C1534.84 35.1913 1540.39 31.4697 1546.75 28.763C1553.11 26.0563 1559.88 24.703 1567.05 24.703C1574.09 24.703 1580.99 26.0563 1587.76 28.763C1594.52 31.4697 1600.41 35.3943 1605.42
40.537C1610.43 45.6797 1614.15 52.108 1616.58 59.822C1619.15 67.4007 1619.76 76.062 1618.41 85.806H1534.37C1534.37 88.242 1535.25 90.881 1537.01 93.723C1538.77 96.565 1541.07 99.2717 1543.91
101.843C1546.89 104.279 1550.34 106.377 1554.26 108.136C1558.32 109.76 1562.59 110.572 1567.05 110.572C1570.98 110.572 1574.63 110.166 1578.01 109.354C1581.53 108.542 1584.58 107.459 1587.15 106.106C1589.72 104.617 1591.75 102.926 1593.24 101.031C1594.73 99.1363 1595.47 97.1063 1595.47
94.941H1615.77ZM1599.53 67.536C1599.13 65.3707 1598.04 62.9347 1596.28 60.228C1594.52 57.386 1592.22 54.6793 1589.38 52.108C1586.54 49.5367 1583.22 47.3713 1579.43 45.612C1575.65 43.8527 1571.52 42.973
1567.05 42.973C1562.59 42.973 1558.39 43.8527 1554.47 45.612C1550.68 47.3713 1547.36 49.5367 1544.52
52.108C1541.68 54.6793 1539.38 57.386 1537.62 60.228C1535.86 62.9347 1534.77 65.3707 1534.37
67.536H1599.53Z" fill="black"/>
128.842 1676.02 128.842C1668.85 128.842 1662.08 127.489 1655.72 124.782C1649.36 122.075 1643.81
118.354 1639.08 113.617C1634.34 108.88 1630.62 103.332 1627.91 96.971C1625.21 90.6103 1623.85
83.8437 1623.85 76.671C1623.85 69.4983 1625.21 62.7317 1627.91 56.371C1630.62 50.0103 1634.34
44.4617 1639.08 39.725C1643.81 34.9883 1649.36 31.2667 1655.72 28.56C1662.08 25.8533 1668.85 24.5 1676.02 24.5C1680.62 24.5 1684.68 24.906 1688.2 25.718C1691.72 26.53 1694.83 27.545 1697.54 28.763C1700.25 29.981 1702.55 31.3343 1704.44 32.823C1706.47 34.3117 1708.23 35.7327 1709.72 37.086V27.342H1727.99V126H1709.72ZM1642.12 76.671C1642.12 80.8663 1643.07 84.994 1644.96
89.054C1646.99 93.114 1649.57 96.768 1652.68 100.016C1655.93 103.129 1659.58 105.7 1663.64
107.73C1667.7 109.625 1671.83 110.572 1676.02 110.572C1680.22 110.572 1684.35 109.625 1688.41
107.73C1692.47 105.7 1696.05 103.129 1699.16 100.016C1702.28 96.768 1704.78 93.114 1706.68
89.054C1708.71 84.994 1709.72 80.8663 1709.72 76.671C1709.72 72.4757 1708.71 68.348 1706.68 64.288C1704.78 60.228 1702.28 56.6417 1699.16 53.529C1696.05 50.281 1692.47 47.7097 1688.41
45.815C1684.35 \  \, 43.785 \  \, 1680.22 \  \, 42.77 \  \, 1676.02 \  \, 42.77C1671.83 \  \, 42.77 \  \, 1667.7 \  \, 43.785 \  \, 1663.64 \  \, 45.815C1659.58
47.7097 1655.93 50.281 1652.68 53.529C1649.57 56.6417 1646.99 60.228 1644.96 64.288C1643.07 68.348
1642.12 72.4757 1642.12 76.671Z" fill="black"/>
<path d="M1836.68 85.806C1836.68 91.7607 1835.32 97.377 1832.62 102.655C1829.91 107.798 1826.25</pre>
112.331 1821.65 116.256C1817.05 120.045 1811.57 123.09 1805.21 125.391C1798.98 127.692 1792.35 128.842 1785.32 128.842C1778.14 128.842 1771.38 127.489 1765.02 124.782C1758.79 122.075 1753.31 118.354 1748.57 113.617C1743.84 108.88 1740.11 103.332 1737.41 96.971C1734.7 90.6103 1733.35 83.8437
1733.35 76.671C1733.35 69.4983 1734.7 62.7317 1737.41 56.371C1740.11 50.0103 1743.84 44.5293 1748.57 39.928C1753.31 35.1913 1758.79 31.4697 1765.02 28.763C1771.38 26.0563 1778.14 24.703 1785.32
24.703C1792.35 24.703 1798.98 25.8533 1805.21 28.154C1811.57 30.3193 1817.05 33.3643 1821.65
37.289C1826.25 41.2137 1829.91 45.815 1832.62 51.093C1835.32 56.2357 1836.68 61.7167 1836.68 67.536H1818C1818 64.1527 1817.12 60.9723 1815.36 57.995C1813.74 55.0177 1811.44 52.4463 1808.46
50.281C1805.48 47.9803 1802.03 46.221 1798.11 45.003C1794.18 43.6497 1789.92 42.973 1785.32 42.973C1780.58 42.973 1776.18 43.8527 1772.12 45.612C1768.06 47.3713 1764.47 49.8073 1761.36
52.92C1758.38 55.8973 1756.02 59.4837 1754.26 63.679C1752.5 67.739 1751.62 72.0697 1751.62 76.671C1751.62 81.4077 1752.5 85.806 1754.26 89.866C1756.02 93.926 1758.38 97.5123 1761.36
100.625C1764.47 103.738 1768.06 106.174 1772.12 107.933C1776.18 109.692 1780.58 110.572 1785.32 110.572C1789.92 110.572 1794.18 109.963 1798.11 108.745C1802.03 107.392 1805.48 105.632 1808.46 103.467C1811.44 101.166 1813.74 98.5273 1815.36 95.55C1817.12 92.5727 1818 89.3247 1818
85.806H1836.68Z" fill="black"/>
<path d="M1862.21</pre>
126V45.612H1843.94V27.342H1862.21V5.418H1880.48V27.342H1898.75V45.612H1880.48V126H1862.21Z"
fill="black"/>
</svg>
```

public\robots.txt

User-agent: *
Disallow:

```
/*! tailwindcss v4.1.11 | MIT License | https://tailwindcss.com */
@layer properties{@supports (((-webkit-hyphens:none)) and (not (margin-trim:inline))) or ((-moz-
orient:inline) and (not (color:rgb(from red r g b)))){*,:before,:after,::backdrop{--tw-font-weight:initial;--tw-shadow:0 0 #0000;--tw-shadow-color:initial;--tw-shadow-alpha:100%;--tw-inset-
shadow:0 0 #0000;--tw-inset-shadow-color:initial;--tw-inset-shadow-alpha:100%;--tw-ring-
color:initial;--tw-ring-shadow:0 0 #0000;--tw-inset-ring-color:initial;--tw-inset-ring-shadow:0 0
#0000; --tw-ring-inset:initial; --tw-ring-offset-width:0px; --tw-ring-offset-color:#fff; --tw-ring-
offset-shadow: 0 0 #0000:--tw-tracking:initial:--tw-duration:initial:--tw-translate-x:0:--tw-
translate-y:0;--tw-translate-z:0;--tw-divide-y-reverse:0;--tw-border-style:solid;--tw-leading:initial;--tw-scale-x:1;--tw-scale-y:1;--tw-scale-z:1;--tw-ease:initial;--tw-
rotate-x:initial;--tw-rotate-y:initial;--tw-rotate-z:initial;--tw-skew-x:initial;--tw-
skew-y:initial;--tw-space-y-reverse:0;--tw-divide-x-reverse:0;--tw-content:"";--tw-outline-
style:solid: --tw-space-x-reverse:0}}}@layer theme{:root,:host{--font-mono:var(--mono-font-
family), ui-monospace, SFMono-Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier New", monospace; --color-sky-400:oklch(74.6% .16 232.661); --color-gray-200:var(--gray-200); --color-gray-300:var(--gray-300); --color-gray-400:var(--gray-600); --color-gray-600; var(--gray-600); --color-gray-700; var(--gray-950); --color-gray-600; var(--gray-950); --color-gray-700; var(--gray-950); --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-600; --color-gray-60
black:#000;--color-white:#fff;--spacing:.25rem;--breakpoint-sm:40rem;--breakpoint-
md:48rem; --breakpoint-lg:64rem; --breakpoint-
xl:80rem; --breakpoint-2xl:96rem; --container-3xs:16rem; --container-xs:20rem; --container-
sm:24rem; --container-md:28rem; --container-lg:32rem; --container-xl:36rem; --container-2xl:42rem; --
container-3xl:48rem; --container-4xl:56rem; --container-5xl:64rem; --container-6xl:72rem; --container-
7xl:80rem;--text-xs:.75rem;--text-xs--line-height:calc(1/.75);--text-sm:.875rem;--text-sm--line-
height:calc(1.25/.875);--text-base:1rem;--text-base--line-height:calc(1.5/1);--text-lg:1.125rem;--text-lg--line-height:calc(1.75/1.125);--text-xl:1.25rem;--text-xl--line-
height:calc(1.75/1.25);--text-2xl:1.5rem;--text-2xl--line-height:calc(2.25/1.875);--font-weight-thin:100;--font-weight-extralight:200;--font-weight-light:300;--font-weight-normal:400;--font-weight-medium:500;--font-weight-semibold:600;--font-weight-bold:700;--font-weight-
extrabold:800; --font-weight-black:900; --tracking-tighter: -.05em; --tracking-tight: -.025em; --leading-
loose:2;--radius-md:.375rem;--radius-lg:.5rem;--radius-xl:.75rem;--ease-in:cubic-bezier(.4,0,1,1);--ease-out:cubic-bezier(0,0,.2,1);--ease-in-out:cubic-bezier(.4,0,.2,1);--animate-spin:spin 1s linear infinite;--animate-pulse:pulse 2s cubic-bezier(.4,0,.6,1)infinite;--default-transition-duration:.15s;--default-transition-timing-function:cubic-bezier(.4,0,.2,1);--default-
font-family:var(--font-family),ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji", "Segoe UI
Emoji", "Segoe UI Symbol", "Noto Color Emoji"; --default-mono-font-family:var(--mono-font-family),ui-
monospace, SFMono-Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier New", monospace; -- color-
primary-400:var(--primary-400)}@layer base{*,:after,:before,::backdrop{box-sizing:border-box;border:0 solid;margin:0;padding:0}::file-selector-button{box-sizing:border-box;border:0
solid;margin:0;padding:0}html,:host{-webkit-text-size-adjust:100%;tab-size:4;line-height:1.5;font-
family:var(--default-font-family,ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color Emoji");font-feature-settings:var(--default-font-feature-
settings, normal); font-variation-settings: var(--default-font-variation-settings, normal); -webkit-tap-highlight-color:transparent}hr{height:0;color:inherit;border-top-
width: Ipx}abbr: where([title]){-webkit-text-decoration: underline dotted; text-decoration: underline
dotted}h1,h2,h3,h4,h5,h6{font-size:inherit;font-weight:inherit}a{color:inherit;-webkit-text
decoration:inherit;-webkit-text-decoration:inherit;-webkit-text-decoration:inherit;text-decoration:inherit;b,strong{font-weight:bolder}code,kbd,samp,pre{font-family:var(--default-mono-font-family,ui-monospace,SFMono-Regular,Menlo,Monaco,Consolas,"Liberation Mono","Courier New",monospace);font-feature-settings:var(--default-mono-font-feature-settings,normal);font-
variation-settings:var(--default-mono-font-variation-settings,normal);font-size:lem}small{font-
size:80%}sub,sup{vertical-align:baseline;font-size:75%;line-
height:0;position:relative}sub{bottom:-.25em}sup{top:-.5em}table{text-indent:0;border-
color:inherit;border-collapse:collapse}:-moz-focusring{outline:auto}progress{vertical-
align:baseline}summary{display:list-item}ol,ul,menu{list
style:none}img,svg,video,canvas,audio,iframe,embed,object{vertical-
align:middle;display:block}img,video{max-
width:100%; height:auto}button,input,select,optgroup,textarea{font:inherit;font-feature-
settings:inherit;font-variation-settings:inherit;letter-
spacing:inherit;color:inherit;opacity:1;background-color:#0000;border-radius:0}::file-selector-
button{font:inherit;font-feature-settings:inherit;font-variation-settings:inherit;letter-
spacing:inherit;color:inherit;opacity:1;background-color:#0000;border-
radius:0}:where(select:is([multiple],[size])) optgroup{font-
weight:bolder}:where(select:is([multiple],[size])) optgroup option{padding-inline-start:20px}::file-
selector-button{margin-inline-end:4px}::placeholder{opacity:1}@supports (not ((-webkit-
appearance:-apple-pay-button))) or (contain-intrinsic-
size:1px){::placeholder{color:currentColor}@supports (color:color-mix(in lab, red,
red)){::placeholder{color:color-mix(in oklab,currentcolor
50%, transparent)}}}textarea{resize:vertical}::-webkit-search-decoration{-webkit-
appearance:none}::-webkit-date-and-time-value{min-height:1lh;text-align:inherit}::-webkit-datetime-
edit{display:inline-flex}::-webkit-datetime-edit-fields-wrapper{padding:0}::-webkit-datetime-
edit{padding-block:0}::-webkit-datetime-edit-year-field{padding-block:0}::-webkit-datetime-edit-
month-field{padding-block:0}::-webkit-datetime-edit-day-field{padding-block:0}::-webkit-datetime-
```

```
edit-hour-field{padding-block:0}::-webkit-datetime-edit-minute-field{padding-block:0}::-webkit-
datetime-edit-second-field{padding-block:0}::-webkit-datetime-edit-millisecond-field{padding-
block:0}::-webkit-datetime-edit-meridiem-field{padding-block:0}:-moz-ui-invalid{box-
shadow:none}button,input:where([type=button],[type=reset],[type=submit]){appearance:button}::file-selector-button{appearance:button}::-webkit-inner-spin-button{height:auto}::-webkit-outer-spin-button{height:auto}[hidden]:where(:not([hidden=until-found])){display:none!important}button:not(:display:none!important)
abled),[role=button]:not(:disabled){cursor:pointer}:root.dark{color-scheme:dark}[data-field-
wrapper]{scroll-margin-top:8rem}}@layer components{.tippy-box[data-animation=fade][data-state=hidden]{opacity:0}[data-tippy-root]{max-width:calc(100vw - 10px)}.tippy-box{color:#fff;white-space:normal;background-color:#333;border-radius:4px;outline:0;font-size:14px;line-
height:1.4; transition-property: transform, visibility, opacity; position: relative}.tippy-box[data-
placement^=top]>.tippy-arrow{bottom:0}.tippy-box[data-placement^=top]>.tippy-arrow:before{border-
width:8px 8px 0;border-top-color:initial;transform-origin:top;bottom:-7px;left:0}.tippy-box[data-
placement^=bottom]>.tippy-arrow{top:0}.tippy-box[data-placement^=bottom]>.tippy-arrow:before{border-width:0 8px 8px;border-bottom-color:initial;transform-origin:bottom;top:-7px;left:0}.tippy-box[data-placement^=left]>.tippy-arrow{right:0}.tippy-box[data-placement^=left]>.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{border-width:0}.tippy-arrow:before{borde
width:8px 0 8px 8px;border-left-color:initial;transform-origin:0;right:-7px}.tippy-box[data
placement^=right]>.tippy-arrow{left:0}.tippy-box[data-placement^=right]>.tippy-arrow:before{border-
width:8px 8px 0;border-right-color:initial;transform-origin:100%;left:-7px}.tippy-box[data-
inertia][data-state=visible]{transition-timing-function:cubic-bezier(.54,1.5,.38,1.11)}.tippy-arrow{color:#333;width:16px;height:16px}.tippy-arrow:before{content:"";border-style:solid;border-color:#0000;position:absolute}.tippy-content{z-index:1;padding:5px 9px;position:relative}.tippy-
box[data-theme~=light]{color:#26323d;background-color:#fff;box-shadow:0 0 20px 4px #9aalb126,0 4px
80px -8px #24282f40,0 4px 4px -2px #5b5e6926}.tippy-box[data-theme~=light][data-
placement^=top]>.tippy-arrow:before{border-top-color:#fff}.tippy-box[data-theme~=light][data-placement^=bottom]>.tippy-arrow:before{border-bottom-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light]]>.tippy-box[data-theme~=light][data-placement^=left]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light]]>.tippy-arrow:before{border-left-color:#fff}.tippy-box[data-theme~=light]]>.tippy-box[data-theme~=light]
placement^=right]>.tippy-arrow:before{border-right-color:#fff}.tippy-box[data-theme~=light]>.tippy-
backdrop{background-color:#fff}.tippy-box[data-theme~=light]>.tippy-svg-arrow{fill:#fff}.fi-
avatar{width:calc(var(--spacing)*8);height:calc(var(--spacing)*8);border-radius:var(--radius
md);background-color:var(--gray-50);min-width:1.5rem;padding-inline:calc(var(--spacing)*2);padding-
block:calc(var(--spacing)*1);font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs-
line-height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-600);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
color:var(--gray-600);display:inline-flex}@supports (color:color-mix(in lab, red, red)){.fi-
badge{--tw-ring-color:color-mix(in oklab,var(--gray-600)10%,transparent)}}.fi-badge{--tw-ring-
inset:inset}.fi-badge:where(.dark,.dark *){background-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-badge:where(.dark,.dark *){background-color:color-mix(in
oklab, var(--gray-400)10%, transparent)}}.fi-badge:where(.dark,.dark *){color:var(--gray-200);--tw-
ring-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-badge:where(.dark,.dark
*){--tw-ring-color:color-mix(in oklab,var(--gray-400)20%,transparent)}}.fi-badge:not(.fi-
wrapped) {text-overflow:ellipsis;white-space:nowrap;overflow:hidden}.fi-badge.fi-disabled,.fi-
badge[disabled]{cursor:default;opacity:.7}:is(.fi-badge.fi-disabled,.fi-
badge[disabled]):not([x-tooltip]){pointer-events:none}.fi-badge .fi-badge-label-
\verb|ctn{display:grid}.fi-badge .fi-badge-label.fi-wrapped{text-wrap:wrap;word-break:break-word}.fi-badge .fi-badge .
 .fi-badge-label:not(.fi-wrapped){text-overflow:ellipsis;white-space:nowrap;overflow:hidden}.fi-badge
 .fi-icon{flex-shrink:0}.fi-badge.fi-size-xs{min-width:1rem;padding-
inline:calc(var(--spacing)*.5);padding-block:calc(var(--spacing)*0);--tw-tracking:var(--tracking-
tighter); letter-spacing; var(--tracking-tighter)}.fi-badge.fi-size-sm{min-width:1.25rem; padding-inline:calc(var(--spacing)*1.5); padding-block:calc(var(--spacing)*.5); --tw-tracking:var(--tracking-tight); letter-spacing: var(--tracking-tight)}.fi-badge.fi-color{background-
color:var(--color-50);color:var(--text);--tw-ring-color:var(--color-600)}@supports (color:color-mix(in lab, red, red)){.fi-badge.fi-color{--tw-ring-color:color-mix(in
oklab,var(--color-600)10%,transparent)}}.fi-badge.fi-color:where(.dark,.dark *){background-
color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-badge.fi-
color:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--color-400)10%,transparent)}}.fi-badge.fi-color:where(.dark,.dark *){color:var(--dark-
text);--tw-ring-color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-badge.fi-
color:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-400)30%,transparent)}}.fi-badge.fi-color .fi-badge-delete-btn>.fi-icon{color:var(--color-700)}@supports (color:color-mix(in lab, red, red)){.fi-badge.fi-color .fi-badge-delete-btn>.fi-icon{color:color-mix(in lab, red, red))}
oklab,var(--color-700)50%,transparent)}}.fi-badge.fi-color .fi-badge-delete-btn>.fi-
icon:where(.dark,.dark *){color:var(--color-300)}@supports (color:color-mix(in lab, red, red)){.fi-
badge.fi-color .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *){color:color-mix(in
oklab,var(--color-300)50%,transparent)}}.fi-badge:not(.fi-color) .fi-icon{color:var(--gray-400)}.fi-
badge:not(.fi-color) .fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-badge .fi-badge-delete-
btn{margin-block:calc(var(--spacing)*-1);padding:calc(var(--spacing)*1);transition-
```

```
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow.transform.translate.scale.rotate.filter.-webkit-backdrop-filter.backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-duration: var(--tw-ease)
duration,var(--default-transition-duration));--tw-duration:75ms;--tw-outline-style:none;outline-
style:none; justify-content:center; align-items:center; margin-inline-
start:calc(var(--spacing)*-1);margin-inline-end:calc(var(--spacing)*-2);transition-
duration:75ms;display:flex}.fi-badge .fi-badge-delete-btn>.fi-icon{color:var(--gray-700)}@supports (color:color-mix(in lab, red, red)){.fi-badge .fi-badge-delete-btn>.fi-icon{color:color-mix(in oklab,var(--gray-700)50%,transparent)}}.fi-badge .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *){color:var(--gray-300)}@supports (color:color-mix(in lab, red, red)){.fi-badge .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *){.fi-badge .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *){.fi-badge .fi-badge >.fi-icon:where(.dark,.dark *){color:color-mix(in oklab,var(--gray-300)50%,transparent)}}.fi-
badge:not(.fi-disabled):not([disabled]) .fi-badge-delete-btn>.fi-icon:focus-
visible{color:var(--gray-700)}@supports (color:color-mix(in lab, red, red)){.fi-badge:not(.fi-
disabled):not([disabled]) .fi-badge-delete-btn>.fi-icon:focus-visible{color:color-mix(in
oklab, var(--gray-700)75%, transparent)}}@media (hover:hover){.fi-badge:not(.fi-
disabled):not([disabled]) .fi-badge-delete-btn>.fi-icon:where(.dark,.dark
*):hover{color:var(--gray-300)}@supports (color:color-mix(in lab, red, red)){.fi-badge:not(.fi-disabled):not([disabled]) .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *):hover{color:color-
mix(in oklab,var(--gray-300)75%,transparent)}}}.fi-badge:not(.fi-disabled):not([disabled]) .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *):focus-visible{color:var(--gray-300)}@supports
(color:color-mix(in lab, red, red)){.fi-badge:not(.fi-disabled):not([disabled]) .fi-badge-delete-
btn>.fi-icon:where(.dark,.dark *):focus-visible{color:color-mix(in
oklab, var(--gray-300)75%, transparent)}}@media (hover:hover){.fi-badge:not(.fi-
disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:hover{color:var(--color-700)}@supports (color:color-mix(in lab, red, red)){.fi-badge:not(.fi-
disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:hover{color:color-mix(in
oklab, var(--color-700)75%, transparent)}}}. Ťi-badge:not(.fi-disabled):not([disabled]).fi-color .fi-
badge-delete-btn>.fi-icon:focus-visible{color:var(--color-700)}@supports (color:color-mix(in lab,
red, red)){.fi-badge:not(.fi-disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:focus-visible{color:color-mix(in oklab,var(--color-700)75%,transparent)}}@media (hover:hover){.fi-
badge:not(.fi-disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:where(.dark,.dark
*):hover{color:var(--color-300)}@supports (color:color-mix(in lab, red, red)){.fi-badge:not(.fi-
disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:where(.dark,.dark
 ):hover{color:color-mix(in oklab,var(--color-300)75%,transparent)}}}.fi-badge:not(.fi
disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *):focus-
visible{color:var(--color-300)}@supports (color:color-mix(in lab, red, red)){.fi-badge:not(.fi-disabled):not([disabled]).fi-color .fi-badge-delete-btn>.fi-icon:where(.dark,.dark *):focus-
visible{color:color-mix(in oklab,var(--color-300)75%,transparent)}}.fi-breadcrumbs ol{align-
items:center;column-gap:calc(var(--spacing)*2);flex-wrap;wrap;display:flex}.fi-breadcrumbs ol
li{align-items:center;column-gap:calc(var(--spacing)*2);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium); font-weight: var(--font-weight-medium); color: var(--gray-500); display: flex}.fi-breadcrumbs ol
li:where(.dark,.dark *){color:var(--gray-400)}.fi-breadcrumbs ol li a{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration)); --tw-duration:75ms; transition-duration:75ms}@media
(hover:hover){.fi-breadcrumbs ol li a:hover{color:var(--gray-700)}.fi-breadcrumbs ol li
a:where(.dark,.dark *):hover{color:var(--gray-200)}}.fi-breadcrumbs ol li .fi-
icon{color:var(--gray-400);display:flex}.fi-breadcrumbs ol li .fi-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-breadcrumbs ol li .fi-icon:fi-ltr:where(:dir(rtl),[dir=rtl],
*),.fi-breadcrumbs ol li .fi-icon.fi-rtl:where(:dir(ltr),[dir=ltr],[dir=ltr],
*)
btn{justify-content:center;align-items:center;gap:calc(var(--spacing)*1.5);border-
radius:var(--radius-lg);padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);transition-property:color,background-color,border-color,outline-color,text-decoration-
color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;--tw-outline-style:none;outline-style:none;grid-auto-flow:column;transition-duration:75ms;display:inline-grid;position:relative}.fi-
btn:not(.fi-disabled):not([disabled]):focus-visible{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(2px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow)}.fi-btn.fi-disabled,.fi-btn.fi-disabled,.fi-
btn[disabled]):not([x-tooltip]){pointer-events:none}.fi-btn>.fi-
icon{color:var(--gray-400);transition-property:color,background-color,border-color,outline-
```

```
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration));--tw-duration:75ms;transition-duration:75ms}.fi-
btn>.fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-btn.fi-size-
xs{gap:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*2);padding-
block:calc(var(--spacing)*1.5);font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--
line-height))}.fi-btn.fi-size-sm{gap:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*2.5);padding-block:calc(var(--spacing)*1.5);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-btn.fi-size-
lg{gp:calc(var(--spacing)*1.5); padding-inline:calc(var(--spacing)*3.5); padding-block:calc(var(--spacing)*2.5); font-size:var(--text-sm); line-height:var(--tw-leading,var(--text-sm--
line-height))}.fi-btn.fi-size-xl{gap:calc(var(--spacing)*1.5);padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-btn.fi-outlined{color:var(--gray-950);--tw-
shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-
color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color:var(--gray-300)}.fi-btn.fi-outlined:where(.dark,.dark *){color:var(--color-
white); -- tw-ring-color:var(--gray-700)}@media (hover:hover){.fi-btn.fi-outlined:not(.fi-
disabled):not([disabled]):hover{background-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-btn.fi-outlined:not(.fi-disabled):not([disabled]):hover{background-color:color-mix(in
oklab,var(--gray-400)10%,transparent)}}}.fi-btn.fi-outlined:not(.fi-disabled):not([disabled]):focus-visible{--tw-ring-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-btn.fi-
outlined:not(.fi-disabled):not([disabled]):focus-visible{--tw-ring-color:color-mix(in
oklab, var(--gray-400)40%, transparent)}}.fi-btn.fi-outlined.fi-color(color:var(--text);--tw-ring-
color:var(--color-600)}.fi-btn.fi-outlined.fi-color:where(.dark,.dark *){color:var(--dark-
text); --tw-ring-color:var(--color-500)}@media (hover:hover){.fi-btn.fi-outlined.fi-color:not(.fi-
disabled):not([disabled]):hover{background-color:var(--color-500)}@supports (color:color-mix(in lab, red, red)){.fi-btn.fi-outlined.fi-color:not(.fi-disabled):not([disabled]):hover{background-
color:color-mix(in oklab,var(--color-500)10%,transparent)}}}.fi-btn.fi-outlined.fi-color:not(.fi-
disabled):not([disabled]):focus-visible{--tw-ring-color:var(--color-500)}@supports (color:color-
mix(in lab, red, red)){.fi-btn.fi-outlined.fi-color:not(.fi-disabled):not([disabled]):focus
visible{--tw-ring-color:color-mix(in oklab,var(--color-500)40%,transparent)}}@media
(hover:hover){.fi-btn.fi-outlined.fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark
*):hover{background-color:var(--color-600)}@supports (color:color-mix(in lab, red, red)){.fi-btn.fi-
outlined.fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark *):hover{background-
color:color-mix(in oklab,var(--color-600)10%,transparent)}}}.fi-btn.fi-outlined.fi-color:not(.fi-
disabled):not([disabled]):where(.dark,.dark *):focus-visible{--tw-ring-
color:var(--color-400)}@supports (color:mix(in lab, red, red)){.fi-btn.fi-outlined.fi-
color:not(.fi-disabled):not([disabled]):where(.dark,.dark *):focus-visible{--tw-ring-color:color-
mix(in oklab,var(--color-400)40%,transparent)}}.fi-btn.fi-outlined.fi-color>.fi-
icon{color:var(--color-600)}.fi-btn.fi-outlined.fi-color>.fi-icon:where(.dark,.dark
*){color:var(--color-400)}.fi-btn:not(.fi-outlined){background-color:var(--color
white);color:var(--gray-950)}.fi-btn:not(.fi-outlined):where(.dark,.dark *){background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-btn:not(.fi-
outlined):where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-btn:not(.fi-outlined):where(.dark,.dark *){color:var(--color-white)5%,transparent)}
white)}@media (hover:hover){.fi-btn:not(.fi-outlined):not(.fi
disabled):not([disabled]):hover{background-color:var(--gray-50)}.fi-btn:not(.fi-outlined):not(.fi-
disabled):not([disabled]):where(.dark,.dark *):hover{background-color:#ffffffla}@supports
(color:color-mix(in lab, red, red)){.fi-btn:not(.fi-outlined):not(.fi-
disabled):not([disabled]):where(.dark,.dark *):hover{background-color:color-mix(in
oklab, var(--color-white) 10\%, transparent)\}\} input: checked + \bar{l}abel. fi-btn: not(.fi-outlined) \{background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-backgrou
color:var(--gray-400);color:var(--color-white);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}input:checked+label.fi-btn:not(.fi-outlined):where(.dark,.dark *){background-
color:var(--gray-600)}@media (hover:hover){input:checked+label.fi-btn:not(.fi-outlined):not(.fi-
disabled):not([disabled]):hover{background-color:var(--gray-300)}input:checked+label.fi-btn:not(.fi-
outlined):not(.fi-disabled):not([disabled]):where(.dark,.dark *):hover{background-
color:var(--gray-500)}}.fi-btn:not(.fi-outlined).fi-color:not(label){background-
color:var(--gray-500);.ii=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i=bth.not(::i
bg);color:var(--hover-text)}}.fi-btn:not(.fi-outlined).fi-color:not(label):not(.fi-
disabled):not([disabled]):focus-visible{--tw-ring-color:var(--color-500)}@supports (color:color-
mix(in lab, red, red)){.fi-btn:not(.fi-outlined).fi-color:not(label):not(.fi-
disabled):not([disabled]):focus-visible{--tw-ring-color:color-mix(in
oklab, var(--color-500)50%, transparent)}}@media (hover:hover){.fi-btn:not(.fi-outlined).fi-
```

```
color:not(label):not(.fi-disabled):not([disabled]):where(.dark,.dark *):hover{background-
color:var(--dark-hover-bg);color:var(--dark-hover-text)}}.fi-btn:not(.fi-outlined).fi-
color:not(label):not(.fi-disabled):not([disabled]):where(.dark,.dark *):focus-visible{-
color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-btn:not(.fi-outlined).fi-
color:not(label):not(.fi-disabled):not([disabled]):where(.dark,.dark *):focus-visible{--tw-ring-
color:color-mix(in oklab,var(--color-400)50%,transparent)}}.fi-btn:not(.fi-outlined).fi-
color:not(label)>.fi-icon{color:var(--text)}.fi-btn:not(.fi-outlined).fi-color:not(label)>.fi-
icon:where(.dark..dark *){color:var(--dark-text)}input:checked+:is(label.fi-btn:not(.fi-
outlined).fi-color){background-color:var(--bg);color:var(--text);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
ring-shadow), var(--tw-shadow)}input:checked+:is(label.fi-btn:not(.fi-outlined).fi-
color):where(.dark,.dark *){background-color:var(--dark-bg);color:var(--dark-text)}@media
 (hover:hover){input:checked+label.fi-btn:not(.fi-outlined).fi-color:not(.fi-
disabled):not([disabled]):hover{background-color:var(--hover-bg);color:var(--hover-
text)}input:checked+label.fi-btn:not(.fi-outlined).fi-color:not(.fi-
disabled):not([disabled]):where(.dark,.dark *):hover{background-color:var(--dark-hover-
bg);color:var(--dark-hover-text)}}input:focus-visible+label.fi-btn:not(.fi-outlined).fi-
color:not(.fi-disabled):not([disabled]){z-index:10;--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(2px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){input:focus-shadow}
visible+label.fi-btn:not(.fi-outlined).fi-color:not(.fi-disabled):not([disabled]){--tw-ring
color:color-mix(in oklab,var(--gray-950)10%,transparent)}}input:focus-visible+label.fi-btn:not(.fi-
outlined).fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark *){--tw-ring-
color:#fff3}@supports (color:color-mix(in lab, red, red)){input:focus-visible+label.fi-btn:not(.fi-
outlined).fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark *){--tw-ring-color:color-
mix(in oklab,var(--color-white)20%,transparent)}}input:checked:focus-visible+label.fi-btn:not(.fi-
outlined).fi-color:not(.fi-disabled):not([disabled]){--tw-ring-color:var(--color-500)}@supports
 (color:color-mix(in lab, red, red)){input:checked:focus-visible+label.fi-btn:not(.fi-outlined).fi-
color:not(.fi-disabled):not([disabled]){--tw-ring-color:color-mix(in
oklab,var(--color-500)50%,transparent)}}input:checked:focus-visible+label.fi-btn:not(.fi-
outlined).fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark *){--tw-ring-
color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){input:checked:focus-
visible+label.fi-btn:not(.fi-outlined).fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark
 *){--tw-ring-color:color-mix(in oklab,var(--color-400)50%,transparent)}}label.fi-
btn{cursor:pointer}label.fi-btn>.fi-icon:is(:checked+label>.fi-icon){color:var(--text)}label.fi-
btn>.fi-icon:is(:checked+label>.fi-icon):where(.dark,.dark *){color:var(--dark-text)}.fi-
btn:not(.fi-color),label.fi-btn{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-inset))
ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-
inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-btn:not(.fi-color),label.fi-
btn{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}:is(.fi-btn:not(.fi-
color),label.fi-btn):where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab,
red, red)){:is(.fi-btn:not(.fi-color),label.fi-btn):where(.dark,.dark *){--tw-ring-color:btn-color-mix(in lab,
red, red)){:is(.fi-btn:not(.fi-color),label.fi-btn):where(.dark,.dark *){--tw-ring-color-mix(in lab,
red, red)){:is(.fi-btn:not(.fi-color),label.fi-btn):where(.dark,.dark *){--tw-ring-color-mix(in lab,
red, red),fixed-mix(in l
mix(in oklab,var(--color-white)20%,transparent)}}.fi-btn.fi-labeled-from-sm,.fi-btn.fi-labeled-from-
md,.fi-btn.fi-labeled-from-lg,.fi-btn.fi-labeled-from-xl,.fi-btn.fi-labeled-from-2xl{display:none}@media (min-width:40rem){.fi-btn.fi-labeled-from-sm{display:inline-
qrid}}@media (min-width:48rem){.fi-btn.fi-labeled-from-md{display:inline-grid}}@media (min-
width:64rem){.fi-btn.fi-labeled-from-lg{display:inline-grid}}@media (min-width:80rem){.fi-btn.fi-labeled-from-xl{display:inline-grid}}@media (min-width:96rem){.fi-btn.fi-labeled-
from-2xl{display:inline-grid}}.fi-btn .fi-btn-badge-ctn{inset-inline-
start:100\%; top:calc(var(--spacing)*0); z-index:1; --tw-translate-x:calc(calc(1/2*100%)*-1); width:max-
content; translate: var(--tw-translate-x) var(--tw-translate-y); --tw-
translate-y:calc(calc(1/2*100%)*-1);translate:var(--tw-translate-x)var(--tw-translate-y);border-
radius:var(--radius-md);background-color:var(--color-white);position:absolute}.fi-btn .fi-btn-badge-ctn:where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-translate-x:calc(1/2*100%);translate:var(--tw-
translate-x)var(--tw-translate-y)}.fi-btn .fi-btn-badge-ctn:where(.dark,.dark *){background-
color:var(--gray-900)}.fi-btn-group{border-radius:var(--radius-lg);--tw-shadow:0 1px 3px 0 var(--tw-
shadow-color, #0000001a), 0 1px 2px -1px var(--tw-shadow-color, #0000001a); box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow), var(--tw-ring-offset-width)) var(--tw-ring-color, currentcolor); box-shadow:var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-i
ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color: var(--gray-950); grid-
auto-flow:column;display:grid}@supports (color:color-mix(in lab, red, red)){.fi-btn-group{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-btn-group:where(.dark,.dark *){--tw-
ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-btn-group:where(.dark,.dark
*){--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}.fi-btn-group>.fi-
btn{border-radius:0;flex:1}.fi-btn-group>.fi-btn:nth-child(1 of .fi-btn){border-start-start-
radius:var(--radius-lg);border-end-start-radius:var(--radius-lg)}.fi-btn-group>.fi-btn:nth-last-
child(1 of .fi-btn){border-start-end-radius:var(--radius-lg);border-end-end-radius:var(--radius-
lg)}.fi-btn-group>.fi-btn:not(:nth-child(1 of .fi-btn)){--tw-shadow:-lpx 0 0 0 var(--tw-shadow-color,var(--color-gray-200));box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-ins
```

```
ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow)}.fi-btn-group>.fi-btn:not(:nth-child(1 of
 .fi-btn)):where(.dark,.dark *){--tw-shadow:-1px 0 0 0 var(--tw-shadow-color,#fff3);box-
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
ring-shadow),var(--tw-shadow)}.fi-btn-group>.fi-btn:not(:nth-last-child(1 of .fi-btn)){margin-
inline-end:1px}.fi-btn-group>.fi-btn.fi-processing:enabled{cursor:wait;opacity:.7}.fi-btn-group>.fi-
btn:not(.fi-outlined){--tw-shadow:0 0 #0000;box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-btn-group>.fi-
btn:not(.fi-color),label:is(.fi-btn-group>.fi-btn){--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)
shadow) } . fi-dropdown-
header{gap:calc(var(--spacing)*2);width:100%;padding:calc(var(--spacing)*3);font-size:var(--text-
sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium);font-weight:var(--font-weight-medium);display:flex}.fi-dropdown-header .fi-
icon{color:var(--gray-400)}.fi-dropdown-header .fi-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-dropdown-header span{text-overflow:ellipsis;white-space:nowrap;text-
align:start;color:var(--gray-700);flex:1;overflow:hidden}.fi-dropdown-header span:where(.dark,.dark
*){color:var(--gray-200)}.fi-dropdown-header.fi-color .fi-icon{color:var(--color-500)}.fi-dropdown-
header.fi-color.fi-icon:where(.dark,.dark *){color:var(--color-400)}.fi-dropdown-header.fi-color span{color:var(--text)}.fi-dropdown-header.fi-color span:where(.dark,.dark *){color:var(--dark-
text)}:scope .fi-dropdown-trigger{cursor:pointer;display:flex}:scope .fi-dropdown-
panel{z-index:10;border-radius:var(--radius-lg);background-color:var(--color-white);--tw-shadow:0
10px 15px -3px var(--tw-shadow-color,#0000001a),0 4px 6px -4px var(--tw-shadow-
color,#0000001a);width:100vw;box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-rin
0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-
inset-shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-
shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950);position:absolute;max-
width:14rem!important}@supports (color:color-mix(in lab, red, red)){:scope .fi-dropdown-panel{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}:scope .fi-dropdown-panel{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration,var(--default-transition-duration))}:scope .fi-dropdown-panel:where(.dark,.dark
*){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab,
red, red)){:scope .fi-dropdown-panel:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}:where(:scope .fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-panel:not(.fi-dropdown-pane
list)>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-
top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-
bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-100)):where(:scope .fi-dropdown-panel:not(.fi-dropdown-list):where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){:where(:scope .fi-dropdown-panel:not(.fi-dropdown-list):where(.dark,.dark *)>:not(:last-
child)){border-color:color-mix(in oklab,var(--color-white)5%,transparent)}}:scope .fi-dropdown-
panel.fi-opacity-0{opacity:0}:scope .fi-dropdown-panel.fi-width-xs{max-width:var(--container-
xs)!important}:scope .fi-dropdown-panel.fi-width-sm{max-width:var(--container-sm)!important}:scope
.fi-dropdown-panel.fi-width-md{max-width:var(--container-md)!important}:scope .fi-dropdown-panel.fi-
width-lg{max-width:var(--container-lg)!important}:scope .fi-dropdown-panel.fi-width-xl{max-
width:var(--container-xl)!important}:scope .fi-dropdown-panel.fi-width-2xl{max-
width:var(--container-2xl)!important}:scope .fi-dropdown-panel.fi-width-3xl{max-
width:var(--container-3xl)!important}:scope .fi-dropdown-panel.fi-width-4xl{max-
width:var(--container-4xl)!important}:scope .fi-dropdown-panel.fi-width-5xl{max-
width:var(--container-5xl)!important}:scope .fi-dropdown-panel.fi-width-6xl{max-width:var(--container-6xl)!important}:scope .fi-dropdown-panel.fi-width-7xl{max-
width:var(--container-7xl)!important}:scope .fi-dropdown-panel.fi-scrollable{overflow-y:auto}.fi-
dropdown-list{padding:calc(var(--spacing)*1);gap:1px;display:grid}.fi-dropdown-list-item{align-
items:center;gap:calc(var(--spacing)*2);border-radius:var(--radius-
md);width:100%;padding:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));white-space:nowrap;transition-property:color,background-
color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to;transition-timing-function:var(--tw-ease,var(--default-transition-timing-
function)); transition-duration: var(--tw-duration, var(--default-transition-duration)); --tw-
duration:75ms;--tw-outline-style:none;outline-style:none;transition-
duration:75ms;display:flex;overflow:hidden}@media (hover:hover){.fi-dropdown-list-item:not(.fi-
disabled):not([disabled]):hover{background-color:var(--gray-50)}}.fi-dropdown-list-item:not(.fi-disabled):not([disabled]):focus-visible{background-color:var(--gray-50)}@media (hover:hover){.fi-
dropdown-list-item:not(.fi-disabled):not([disabled]):where(.dark,.dark *):hover{background-
color:#ffffff0d@supports (color:color-mix(in lab, red, red)){.fi-dropdown-list-item:not(.fi-
disabled):not([disabled]):where(.dark,.dark *):hover{background-color:color-mix(in
oklab, var(--color-white)5%, transparent)}}}.fi-dropdown-list-item:not(.fi-
disabled):not([disabled]):where(.dark,.dark *):focus-visible{background-color:#ffffff0d}@supports
```

```
(color:color-mix(in lab, red, red)){.fi-dropdown-list-item:not(.fi-
disabled):not([disabled]):where(.dark,.dark *):focus-visible{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-dropdown-list-item:not(.fi-
disabled):not([disabled]).fi-selected{background-color:var(--gray-50)}.fi-dropdown-list-
item:not(.fi-disabled):not([disabled]).fi-selected:where(.dark,.dark *){background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-dropdown-list-item:not(.fi-disabled):not([disabled]).fi-selected:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--color-white)5%,transparent)}}.fi-dropdown-list-item.fi-disabled,.fi-dropdown-list-item[disabled]{cursor:default;opacity:.7}:is(.fi-dropdown-list-item.fi-disabled,.fi-dropdown-list-item[disabled]):not([x-tooltip]){pointer-events:none}.fi-dropdown-list-item.fi-icon{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function:var(--tw-ease, var(--default-transition-timing-function)); transition-duration:var(--tw-ease)
duration, var(--default-transition-duration)); --tw-duration:75ms; transition-duration:75ms}.fi-
dropdown-list-item .fi-dropdown-list-item-
image{width:calc(var(--spacing)*5);height:calc(var(--spacing)*5);background-position:50%;background-
size:cover;border-radius:3.40282e38px}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-dropdown-list-item>.fi-icon{color:var(--gray-400)}.fi-icon{color:var(--gray-400)}.fi-icon{color:var(--gray-400)}.f
icon.fi-color{color:var(--color-500)}.fi-dropdown-list-item>.fi-icon.fi-color:where(.dark,.dark)
 *){color:var(--color-400)}@media (hover:hover){.fi-dropdown-list-item.fi-color:not(.fi-
disabled):not([disabled]):hover{background-color:var(--color-50)}}.fi-dropdown-list-item.fi-color:not(.fi-disabled):not([disabled]):focus-visible{background-color:var(--color-50)}@media
 (hover:hover){.fi-dropdown-list-item.fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark
*):hover{background-color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fidropdown-list-item.fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color-400)10%,transparent)}}}.fidropdown-list-item.fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark *):focus-visible{background-color:disabled}):where(.dark,.dark *):focus-visible(.dark,.dark *):focus-visible(.dark,.dark *):focus-visibled}):where(.dark,.dark *):focus-visibled}):where(.dark,.dark *)
color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-dropdown-list-item.fi-
color:not(.fi-disabled):not([disabled]):where(.dark,.dark *):focus-visible{background-color:color-
mix(in oklab,var(--color-400)10%,transparent)}}.fi-dropdown-list-item.fi-color:not(.fi-
disabled):not([disabled]).fi-selected{background-color:var(--color-50)}.fi-dropdown-list-item.fi-color:not(.fi-disabled):not([disabled]).fi-selected:where(.dark,.dark *){background-
color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-dropdown-list-item.fi-
color:not(.fi-disabled):not([disabled]).fi-selected:where(.dark,.dark *){background-color:color-
mix(in oklab,var(--color-400)10%,transparent)}}.fi-dropdown-list-item.fi-color .fi-dropdown-list-
item-label{color:var(--text)}@media (hover:hover){.fi-dropdown-list-item.fi-color .fi-dropdown-list-
item-label:hover{color:var(--hover-text)}}.fi-dropdown-list-item.fi-color .fi-dropdown-list-item-
label:where(.dark,.dark *){color:var(--dark-text)}@media (hover:hover){.fi-dropdown-list-item.fi-color .fi-dropdown-list-item-label:where(.dark,.dark *):hover{color:var(--dark-hover-text)}}.fi-
dropdown-list-item.fi-color .fi-dropdown-list-item-label.fi-selected{color:var(--hover-text)}.fi-dropdown-list-item.fi-color .fi-dropdown-list-item-label.fi-selected:where(.dark,.dark
*){color:var(--dark-hover-text)}.fi-dropdown-list-item .fi-badge{min-width:1.25rem;padding-inline:calc(var(--spacing)*1.5);padding-block:calc(var(--spacing)*.5);--tw-tracking:var(--tracking-tight);letter-spacing:var(--tracking-tight)}.fi-dropdown-list-item-label{text-
overflow:ellipsis;white-space:nowrap;text-
align:start;color:var(--gray-700);flex:1;overflow:hidden}.fi-dropdown-list-item-
label:where(.dark,.dark *){color:var(--gray-200)}.fi-fieldset>legend{padding-
inline:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));--tw-leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950);margin-
inline-start:calc(var(--spacing)*-2)}.fi-fieldset>legend:where(.dark,.dark *){color:var(--color-
white)}.fi-fieldset>legend .fi-fieldset-label-required-mark{--tw-font-weight:var(--font-weight-
medium);font-weight:var(--font-weight-medium);color:var(--danger-600)}.fi-fieldset>legend .fi-
fieldset-label-required-mark:where(.dark,.dark *){color:var(--danger-400)}.fi-fieldset.fi-fieldset-
label-hidden>legend{clip:rect(0,0,0,0);white-space:nowrap;border
width:0;width:1px;height:1px;margin:-1px;padding:0;position:absolute;overflow:hidden}.fi-
fieldset:not(.fi-fieldset-not-contained){border-radius:var(--radius-xl);border-style:var(--tw-
border-style);border-width:1px;border-color:var(--gray-200);padding:calc(var(--spacing)*6)}.fi-fieldset:not(.fi-fieldset-not-contained):where(.dark,.dark *){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fieldset:not(.fi-fieldset-not-contained):where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fieldset.fi-fieldset-not-contained)
contained{padding-top:calc(var(--spacing)*6)}.fi-grid:not(.fi-grid-direction-col){grid-template-
columns:var(--cols-default);display:grid}@media (min-width:40rem){.fi-grid:not(.fi-grid-direction-col).sm\:fi-grid-cols{grid-template-columns:var(--cols-sm)}}@media (min-width:48rem){.fi-
grid:not(.fi-grid-direction-col).md\:fi-grid-cols{grid-template-columns:var(--cols-md)}}@media (min-
width:64rem){.fi-grid:not(.fi-grid-direction-col).lg\:fi-grid-cols{grid-template-columns:var(--cols-
width:64rem)
lg)}}@media (min-width:80rem){.fi-grid:not(.fi-grid-direction-col).xl\:fi-grid-cols{grid-template-
columns:var(--cols-xl)}}@media (min-width:96rem){.fi-grid:not(.fi-grid-direction-col).\32 xl\:fi-
grid-cols{grid-template-columns:var(--cols-2xl)}}@supports (container-type:inline-size){@container
(min-width:16rem){.fi-grid:not(.fi-grid-direction-col).\@3xs\:fi-grid-cols{grid-template-
columns:var(--cols-c3xs)}}@container (min-width:18rem){.fi-grid:not(.fi-grid-direction-
```

```
col).\@2xs\:fi-grid-cols{grid-template-columns:var(--cols-c2xs)}}@container (min-width:20rem){.fi-
grid:not(.fi-grid-direction-col).\@xs\:fi-grid-cols{grid-template-columns:var(--cols-
cxs)}}@container (min-width:24rem){.fi-grid:not(.fi-grid-direction-col).\@sm\;fi-grid-cols{grid-
template-columns:var(--cols-csm)}}@container (min-width:28rem){.fi-grid:not(.fi-grid-direction-
col).\@md\:fi-grid-cols{grid-template-columns:var(--cols-cmd)}}@container (min-width:32rem){.fi-
grid:not(.fi-grid-direction-col).\@lg\:fi-grid-cols{grid-template-columns:var(--cols-
clg)}}@container (min-width:36rem){.fi-grid:not(.fi-grid-direction-col).\@xl\:fi-grid-cols{grid-
template-columns:var(--cols-cxl)}}@container (min-width:42rem){.fi-grid:not(.fi-grid-direction-
col).\@2xl\:fi-grid-cols{grid-template-columns:var(--cols-c2xl)}}@container (min-width:48rem){.fi-grid:not(.fi-grid-direction-col).\@3xl\:fi-grid-cols{grid-template-
columns:var(--cols-c3xl)}}@container (min-width:56rem){.fi-grid:not(.fi-grid-direction-
col).\@4xl\:fi-grid-cols{grid-template-columns:var(--cols-c4xl)}}@container (min-width:64rem){.fi-
grid:not(.fi-grid-direction-col).\@5xl\:fi-grid-cols{grid-template-
columns:var(--cols-c5xl)}}@container (min-width:72rem){.fi-grid:not(.fi-grid-direction-
col).\@6xl\:fi-grid-cols{grid-template-columns:var(--cols-c6xl)}}@container (min-width:80rem){.fi-
grid:not(.fi-grid-direction-col).\@7xl\:fi-grid-cols{grid-template-
columns:var(--cols-c7xl)}}}@supports not (container-type:inline-size){@media (min-width:40rem){.fi-
grid:not(.fi-grid-direction-col).\!\@sm\:fi-grid-cols{grid-template-columns:var(--cols-ncsm)}}@media
(min-width:48rem){.fi-grid:not(.fi-grid-direction-col).\!\@md\:fi-grid-cols{grid-template-columns:var(--cols-ncmd)}}@media (min-width:64rem){.fi-grid-direction-col).\!\@lg\:fi-
grid-cols{grid-template-columns:var(--cols-nclg)}}@media (min-width:80rem){.fi-grid-in-grid-direction-col).\!\@xl\:fi-grid-cols{grid-template-columns:var(--cols-ncxl)}}@media (min-
width:96rem){.fi-grid:not(.fi-grid-direction-col).\!\@2xl\:fi-grid-cols{grid-template-
columns:var(--cols-nc2xl)}}}.fi-grid.fi-grid-direction-col{columns:var(--cols-default)}@media (min-width:40rem){.fi-grid.fi-grid-direction-col.sm\:fi-grid-cols{columns:var(--cols-sm)}}@media (min-
width:48rem){.fi-grid.fi-grid.direction-col.md\:fi-grid-cols{columns:var(--cols-md)}}@media (min-width:64rem){.fi-grid.fi-grid-direction-col.lg\:fi-grid-cols{columns:var(--cols-lg)}}@media (min-width:64rem){.fi-grid.fi-grid-direction-col.lg\:fi-grid-cols{columns:var(--cols-lg)}}
width:80rem){.fi-grid.fi-grid-direction-col.xl\:fi-grid-cols{columns:var(--cols-xl)}}@media (min-
width:96rem){.fi-grid.fi-grid.direction-col.\32 xl\:fi-grid-cols{columns:var(--cols-2xl)}}@supports
(container-type:inline-size){@container (min-width:16rem){.fi-grid.fi-grid-direction-col.\@3xs\:fi-
grid-cols{columns:var(--cols-c3xs)}}@container (min-width:18rem){.fi-grid.fi-grid-direction-
col.\@2xs\:fi-grid-cols{columns:var(--cols-c2xs)}}@container (min-width:20rem){.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-grid.fi-g
direction-col.\@xs\:fi-grid-cols{columns:var(--cols-cxs)}}@container (min-width:24rem){.fi-grid.fi-
grid-direction-col.\@sm\:fi-grid-cols{columns:var(--cols-csm)}}@container (min-width:28rem){.fi-
grid.fi-grid-direction-col.\@md\:fi-grid-cols{columns:var(--cols-cmd)}}@container (min-
width:32rem){.fi-grid.fi-grid-direction-col.\@lg\:fi-grid-cols{columns:var(--cols-clg)}}@container
(min-width:36rem){.fi-grid.fi-grid-direction-col.\@xl\:fi-grid-cols{columns:var(--cols-
cxl)}}@container (min-width:42rem){.fi-grid.fi-grid-direction-col.\@2xl\:fi-grid-
cols{columns:var(--cols-c2xl)}}@container (min-width:48rem){.fi-grid.fi-grid.direction-
col.\@3xl\:fi-grid-cols{columns:var(--cols-c3xl)}}@container (min-width:56rem){.fi-grid.fi-grid-
direction-col.\@4xl\:fi-grid-cols{columns:var(--cols-c4xl)}}@container (min-width:64rem){.figrid.fi-grid-direction-col.\@5xl\:fi-grid-cols{columns:var(--cols-c5xl)}}@container (min-width:64rem){.fi
width:72rem){.fi-grid.fi-grid-direction-col.\@6xl\:fi-grid-cols{columns:var(--cols-c6xl)}}@container
(min-width:80rem) {.fi-grid.fi-grid-direction-col.\@7xl\:fi-grid-
cols{columns:var(--cols-c7xl)}}}@supports not (container-type:inline-size){@media (min-
width:40rem){.fi-grid.fi-grid-direction-col.\!\@sm\:fi-grid-cols{columns:var(--cols-ncsm)}}@media
(min-width:48rem){.fi-grid.fi-grid.direction-col.\!\@md\:fi-grid-cols{columns:var(--cols-
ncmd)}}@media (min-width:64rem){.fi-grid.fi-grid-direction-col.\!\@lg\:fi-grid-cols{columns:var(--cols-nclg)}}@media (min-width:80rem){.fi-grid.fi-grid.direction-col.\!\@xl\:fi-
grid-cols{columns:var(--cols-ncxl)}}@media (min-width:96rem){.fi-grid.fi-grid-direction-
col.\!\@2xl\:fi-grid-cols{columns:var(--cols-nc2xl)}}}@supports (container-type:inline-size){.fi-
grid-ctn{container-type:inline-size}}.fi-grid-col{grid-column:var(--col-span-default)}@media (min-
width:40rem){.fi-grid-col.sm\:fi-grid-col-span{grid-column:var(--col-span-sm)}}@media (min-
width:48rem){.fi-grid-col.md\:fi-grid-col-span{grid-column:var(--col-span-md)}}@media (min-
width:64rem){.fi-grid-col.lg\:fi-grid-col-span{grid-column:var(--col-span-lg)}}@media (min-
width:80rem){.fi-grid-col.xl\:fi-grid-col-span{grid-column:var(--col-span-xl)}}@media (min-
width:96rem){.fi-grid-col.\32 xl\:fi-grid-col-span{grid-column:var(--col-span-2xl)}}@supports
(container-type:inline-size){@container (min-width:16rem){.fi-grid-col.\@3xs\:fi-grid-col-span{grid-column:var(--col-span-c3xs)}}@container (min-width:18rem){.fi-grid-col.\@2xs\:fi-grid-col-span{grid-column:var(--col-span-c2xs)}}@container (min-width:20rem){.fi-grid-col.\@xs\:fi-grid-col-span{grid-column:var(--col-span-cxs)}}@container (min-width:24rem){.fi-grid-col.\@xs\:fi-grid-col-span{grid-column:var(--col-span-cxs)}}@container (min-width:24rem){.fi-grid-col.\@xs\:fi-grid-col-span{grid-column:var(--col-span-cxs)}}
column:var(--col-span-clg)}}@container (min-width:36rem){.fi-grid-col.\@x\\:fi-grid-col-span{grid-
column:var(--col-span-cxl)}}@container (min-width:42rem){.fi-grid-col.\@2xl\:fi-grid-col-span{grid-column:var(--col-span-c2xl)}}@container (min-width:48rem){.fi-grid-col.\@3xl\:fi-grid-col-span{grid-column:var(--col-span-c2xl)}}
column:var(--col-span-c3xl)}}@container (min-width:56rem){.fi-grid-col.\@4xl\:fi-grid-col-span{grid-
column:var(--col-span-c4xl)}}@container (min-width:64rem){.fi-grid-col.\@5xl\:fi-grid-col-span{grid-
column:var(--col-span-c5xl)}}@container (min-width:72rem){.fi-grid-col.\@6xl\:fi-grid-col-span{grid-
column:var(--col-span-c6xl)}}@container (min-width:80rem){.fi-grid-col.\@7xl\:fi-grid-col-span{grid-column:var(--col-span-c7xl)}}}@supports not (container-type:inline-size){@media (min-
width:40rem){.fi-grid-col.\!\@sm\:fi-grid-col-span{grid-column:var(--col-span-ncsm)}}@media (min-
width:48rem){.fi-grid-col.\!\@md\:fi-grid-col-span{grid-column:var(--col-span-ncmd)}}@media (min-
```

```
width:64rem){.fi-grid-col.\!\@lg\:fi-grid-col-span{grid-column:var(--col-span-nclg)}}@media (min-
width:80rem){.fi-grid-col.\!\@x[\:fi-grid-col-span{grid-column:var(--col-span-ncx[)}}@media (min-
width:96rem){.fi-grid-col.\!\@2xl\:fi-grid-col-span{grid-column:var(--col-span-nc2xl)}}}.fi-grid-
col.fi-grid-col-start{grid-column-start:var(--col-start-default)}@media (min-width:40rem){.fi-grid-
col.sm\:fi-grid-col-start{grid-column-start:var(--col-start-sm)}}@media (min-width:48rem){.fi-grid-col.md\:fi-grid-col-start{grid-column-start:var(--col-start-md)}}@media (min-width:64rem){.fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col.md\:fi-grid-col
col.lg\:fi-grid-col-start{grid-column-start:var(--col-start-lg)}}@media (min-width:80rem){.fi-grid-
col.xl\:fi-grid-col-start{grid-column-start:var(--col-start-xl)}}@media (min-width:96rem){.fi-grid-
col.\32 xl\:fi-grid-col-start{grid-column-start:var(--col-start-2xl)}}@supports (container-type:inline-size){@container (min-width:16rem){.fi-grid-col.\@3xs\:fi-grid-col-start{grid-column-
start:var(--col-start-c3xs)}}@container (min-width:18rem){.fi-grid-col.\@2xs\:fi-grid-col-start{grid-column-start:var(--col-start-c2xs)}}@container (min-width:20rem){.fi-grid-col.\@xs\:fi-
grid-col-start{grid-column-start:var(--col-start-cxs)}}@container (min-width:24rem){.fi-grid-
col.\@sm\:fi-grid-col-start{grid-column-start:var(--col-start-csm)}}@container (min-
width:28rem){.fi-grid-col.\@md\:fi-grid-col-start{grid-column-start:var(--col-start-cmd)}}@container
(min-width:32rem){.fi-grid-col.\@lg\\:fi-grid-col-start{grid-column-start:var(--col-start
clg)}}@container (min-width:36rem){.fi-grid-col.\@xl\:fi-grid-col-start{grid-column-start:var(--col-
start-cxl)}}@container (min-width:42rem){.fi-grid-col.\@2xl\:fi-grid-col-start{grid-column-
start:var(--col-start-c2xl)}}@container (min-width:48rem){.fi-grid-col.\@3xl\:fi-grid-col.\e3xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col.\e4xl\:fi-grid-col
grid-col-start{grid-column-start:var(--col-start-c4xl)}}@container (min-width:64rem){.fi-grid-
col.\@5xl\:fi-grid-col-start{grid-column-start:var(--col-start-c5xl)}}@container (min-
width:72rem){.fi-grid-col.\@6xl\:fi-grid-col-start{grid-column-start:var(--col-
start-c6xl)}}@container (min-width:80rem){.fi-grid-col.\@7xl\:fi-grid-col-start{grid-column-
start:var(--col-start-c7xl)}}}@supports not (container-type:inline-size){@media (min-
width:40rem){.fi-grid-col.\!\@sm\:fi-grid-col-start{grid-column-start:var(--col-start-ncsm)}}@media
(min-width:48rem){.fi-grid-col.\!\@md\:fi-grid-col-start{grid-column-start:var(--col-start-
ncmd)}}@media (min-width:64rem){.fi-grid-col.\!\@lg\:fi-grid-col-start{grid-column-start:var(--col-
start-nclg)}}@media (min-width:80rem){.fi-grid-col.\!\@xl\:fi-grid-col-start{grid-column-
start:var(--col-start-ncxl)}}@media (min-width:96rem){.fi-grid-col.\!\@2xl\:fi-grid-col-start{grid-
column-start:var(--col-start-nc2xl)}}.fi-grid-col.fi-grid-col-order{order:var(--col-order-default)}@media (min-width:40rem){.fi-grid-col.sm\:fi-grid-col-order{order:var(--col-order-default)}.
sm)}}@media (min-width:48rem){.fi-grid-col.md\:fi-grid-col-order{order:var(--col-order-md)}}@media
(min-width:64rem){.fi-grid-col.lg\:fi-grid-col-order{order:var(--col-order-lg)}}@media (min-width:80rem){.fi-grid-col.xl\:fi-grid-col-order{order:var(--col-order-xl)}}@media (min-
width:96rem){.fi-grid-col.\32 xl\:fi-grid-col-order{order:var(--col-order-2xl)}}@supports
(container-type:inline-size){@container (min-width:16rem){.fi-grid-col.\@3xs\:fi-grid-col-
order{order:var(--col-order-c3xs)}}@container (min-width:18rem){.fi-grid-col.\@2xs\:fi-grid-col-order{order:var(--col-order-c2xs)}}@container (min-width:20rem){.fi-grid-col.\@xs\:fi-grid-col-
order{order:var(--col-order-cxs)}}@container (min-width:24rem){.fi-grid-col.\@sm\:fi-grid-col-
order{order:var(--col-order-csm)}}@container (min-width:28rem){.fi-grid-col.\@md\:fi-grid-col-
order{order:var(--col-order-cmd)}}@container (min-width:32rem){.fi-grid-col.\@lg\:fi-grid-col.
order{order:var(--col-order-clg)}}@container (min-width:36rem){.fi-grid-col.\@xl\:fi-grid-col-order{order:var(--col-order-cxl)}}@container (min-width:42rem){.fi-grid-col.\@2xl\:fi-grid-col-order-cxl)}}
order{order:var(--col-order-c2xl)}}@container (min-width:48rem){.fi-grid-col.\@3xl\:fi-grid-col-
order{order:var(--col-order-c3xl)}}@container (min-width:56rem){.fi-grid-col.\@4xl\:fi-grid-col-
order{order:var(--col-order-c4xl)}}@container (min-width:64rem){.fi-grid-col.\@5xl\:fi-grid-col-
order{order:var(--col-order-c5xl)}}@container (min-width:72rem){.fi-grid-col.\@6xl\:fi-grid-col-order{order:var(--col-order-c6xl)}}@container (min-width:80rem){.fi-grid-col.\@7xl\:fi-grid-col-
order{order:var(--col-order-c7xl)}}}@supports not (container-type:inline-size){@media (min-
width:40rem){.fi-grid-col.\!\@sm\:fi-grid-col-order{order:var(--col-order-ncsm)}}@media (min-
width:48rem){.fi-grid-col.\!\@md\:fi-grid-col-order{order:var(--col-order-ncmd)}}@media (min-
width:64rem){.fi-grid-col.\!\@lg\:fi-grid-col-order{order:var(--col-order-nclg)}}@media (min-
width:80rem){.fi-grid-col.\!\@xl\:fi-grid-col-order{order:var(--col-order-ncxl)}}@media (min-
width:96rem){.fi-grid-col.\!\@2xl\:fi-grid-col-order{order:var(--col-order-nc2xl)}}}.fi-grid-col.fi-
hidden{display:none}.fi-icon{width:calc(var(--spacing)*5);height:calc(var(--spacing)*5)}.fi-icon.fi-
size-xs{width:calc(var(--spacing)*3);height:calc(var(--spacing)*3)}.fi-icon.fi-size-
sm{width:calc(var(--spacing)*4);height:calc(var(--spacing)*4)}.fi-icon.fi-size-
md{width:calc(var(--spacing)*5);height:calc(var(--spacing)*5)}.fi-icon.fi-size-
lg{width:calc(var(--spacing)*6);height:calc(var(--spacing)*6)}.fi-icon.fi-size-
xl{width:calc(var(--spacing)*7);height:calc(var(--spacing)*7)}.fi-icon.fi-
size-2xl{width:calc(var(--spacing)*8);height:calc(var(--spacing)*8)}.fi-icon-btn{margin:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:calc(var(--spacing)*-2);width:cal
lg);color:var(--gray-500);transition-property:color,background-color,border-color,outline-
color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-filter, backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration));--tw-duration:75ms;--tw-outline-style:none;outline-
style:none; justify-content:center; align-items:center; transition-
duration:75ms;display:flex;position:relative}.fi-icon-btn:where(.dark,.dark
*){color:var(--gray-500)}@media (hover:hover){.fi-icon-btn:not(.fi-
disabled):not([disabled]):hover{color:var(--gray-600)}}.fi-icon-btn:not(.fi-
```

```
disabled):not([disabled]):focus-visible{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px +
var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)
shadow);var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-ling-shadow),var(--tw-
icon-btn.fi-disabled,.fi-icon-btn[disabled]{cursor:default;opacity:.7}:is(.fi-icon-btn.fi-
disabled, .fi-icon-btn[disabled]):not([x-tooltip]){pointer-events:none}.fi-icon-btn.fi-size-
xs{width:calc(var(--spacing)*7);height:calc(var(--spacing)*7)}.fi-icon-btn.fi-size-xs:has(.fi-
icon.fi-size-sm){margin:calc(var(--spacing)*-1.5)}.fi-icon-btn.fi-size-xs:has(.fi-icon.fi-size-
md){margin:calc(var(--spacing)*-1)}.fi-icon-btn.fi-size-xs:has(.fi-icon.fi-size-lg){margin:calc(var(--spacing)*-.5)}.fi-icon-btn.fi-size-
sm{width:calc(var(--spacing)*8);height:calc(var(--spacing)*8)}.fi-icon-btn.fi-size-sm:has(.fi-
icon.fi-size-sm){margin:calc(var(--spacing)*-2)}.fi-icon-btn.fi-size-sm:has(.fi-icon.fi-size-md){margin:calc(var(--spacing)*-1.5)}.fi-icon-btn.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size-sm:has(.fi-icon.fi-size
lg) {margin:calc(var(--spacing)*-1)}.fi-icon-btn.fi-size-md:has(.fi-icon.fi-size-
sm){margin:catc(var(--spacing)*-1/;:11-1con-btn:fi-size-md:has(:fi-icon.fi-size-lg){margin:calc(var(--spacing)*-2.5)}.fi-icon-btn.fi-size-lg){margin:calc(var(--spacing)*-1.5)}.fi-icon-btn.fi-size-
lg{width:calc(var(--spacing)*10); height:calc(var(--spacing)*10)}.fi-icon-btn.fi-size-lg:has(.fi-
icon.fi-size-sm){margin:calc(var(--spacing)*-3)}.fi-icon-btn.fi-size-lg:has(.fi-icon.fi-size-
md){margin:calc(var(--spacing)*-2.5)}.fi-icon-btn.fi-size-lg:has(.fi-icon.fi-size-
lg){margin:calc(var(--spacing)*-2)}.fi-icon-btn.fi-size-
xl{width:calc(var(--spacing)*11);height:calc(var(--spacing)*11)}.fi-icon-btn.fi-size-xl:has(.fi-
icon.fi-size-sm){margin:calc(var(--spacing)*-3.5)}.fi-icon.btn.fi-size-xl:has(.fi-icon.fi-size-
md){margin:calc(var(--spacing)*-3)}.fi-icon-btn.fi-size-xl:has(.fi-icon.fi-size-
lg){margin:calc(var(--spacing)*-2.5)}.fi-icon-btn.fi-color{color:var(--text)}.fi-icon-btn.fi-color:where(.dark,.dark *){color:var(--dark-text)}@media (hover:hover){.fi-icon-btn.fi-
color:not(.fi-disabled):not([disabled]):hover{color:var(--hover-text)}}.fi-icon-btn.fi-
color:not(.fi-disabled):not([disabled]):focus-visible{--tw-ring-color:var(--color-600)}@media
(hover:hover){.fi-icon-btn.fi-color:not(.fi-disabled):not([disabled]):where(.dark,.dark
  *):hover{color:var(--dark-hover-text)}}.fi-icon-btn.fi-color:not(.fi-
disabled):not([disabled]):where(.dark,.dark *):focus-visible{--tw-ring-color:var(--color-500)}.fi-
icon-btn>.fi-icon-btn-badge-ctn{inset-inline-start:100%;top:calc(var(--spacing)*1);z-index:1;--tw-translate-x:calc(calc(1/2*100%)*-1);width:max-content;translate:var(--tw-translate-x)var(--tw-
translate-y);--tw-translate-y:calc(calc(1/2*100%)*-1);translate:var(--tw-translate-x)var(--tw-
translate-y);border-radius:var(--radius-md);background-color:var(--color-
white);position:absolute}.fi-icon-btn>.fi-icon-btn-badge-ctn:where(:dir(rtl),[dir=rtl],[dir=rtl]
*){--tw-translate-x:calc(1/2*100%);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-icon-btn-badge-ctn:where(.dark,.dark *){background-color:var(--gray-900)}@media (min-
width:40rem){.fi-icon-btn:has(+.fi-btn.fi-labeled-from-sm){display:none}}@media (min-
width:48rem){.fi-icon-btn:has(+.fi-btn.fi-labeled-from-md){display:none}}@media (min-
width:64rem){.fi-icon-btn:has(+.fi-btn.fi-labeled-from-lq){display:none}}@media (min-
width:04rem){.fi-icon-btn:has(+.fi-btn.fi-labeled-from-xl){display:none}}@media (min-
width:96rem){.fi-icon-btn:has(+.fi-btn.fi-labeled-from-2xl){display:none}}input[type=checkbox].fi-
checkbox-input{width:calc(var(--spacing)*4);height:calc(var(--spacing)*4);appearance:none;--tw-
border-style:none;background-color:var(--color-white);vertical-
align:middle;color:var(--primary-600);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px
2px -lpx var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow);
shadow; var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-width))
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950);border-
style:none;border-radius:.25rem}@supports (color:color-mix(in lab, red,
red)){input[type=checkbox].fi-checkbox-input{--tw-ring-color:color-mix(in
oklab,var(--gray-950)10%,transparent)}}input[type=checkbox].fi-checkbox-input:checked{background-
color:var(--primary-600);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-
shadow)}input[type=checkbox].fi-checkbox-input:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(2px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)
shadow);--tw-ring-color:var(--primary-600);--tw-ring-offset-width:0px;--tw-ring-offset-shadow:var(--tw-ring-inset,)0 0 0 var(--tw-ring-offset-width)var(--tw-ring-offset-color);--tw-
outline-style:none;outline-style:none}input[type=checkbox].fi-checkbox-input:checked:focus{--tw-
ring-color:var(--primary-500)}@supports (color:color-mix(in lab, red, red)){input[type=checkbox].fi-
checkbox-input:checked:focus{--tw-ring-color:color-mix(in
oklab, var(--primary-500)50%, transparent)}}input[type=checkbox].fi-checkbox-input:disabled{pointer-
events:none;background-color:var(--gray-50);input[type=checkbox].fi-checkbox-input:disabled:checked{background-
color:var(--gray-400);color:var(--gray-400)}input[type=checkbox].fi-checkbox-input:where(.dark,.dark
*){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){input[type=checkbox].fi-checkbox-input:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}input[type=checkbox].fi-checkbox-input:where(.dark,.dark
```

```
*){color:var(--primary-500);--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red,
red)){input[type=checkbox].fi-checkbox-input:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}input[type=checkbox].fi-checkbox-input:where(.dark,.dark
*):checked{background-color:var(--primary-500)}input[type=checkbox].fi-checkbox-input:where(.dark,.dark *):focus{--tw-ring-color:var(--primary-500)}input[type=checkbox].fi-checkbox-input:where(.dark,.dark *):checked:focus{--tw-ring-color:var(--primary-400)}@supports
(color:color-mix(in lab, red, red)){input[type=checkbox].fi-checkbox-input:where(.dark,.dark
*):checked:focus{--tw-ring-color:color-mix(in
oklab,var(--primary-400)50%,transparent)}}input[type=checkbox].fi-checkbox-input:where(.dark,.dark
*):disabled{--tw-ring-color:#ffffff1a;background-color:#0000}@supports (color:color-mix(in lab, red, red)){input[type=checkbox].fi-checkbox-input:where(.dark,.dark *):disabled{--tw-ring-color:color-mix(in lab, red, red))
mix(in oklab,var(--color-white)10%,transparent)}}input[type=checkbox].fi-checkbox-
input:where(.dark,.dark *):disabled:checked{background-
color:var(--gray-600)}input[type=checkbox].fi-checkbox-input:checked{background-
image:url("data:image/svg+xml;charset=utf-8,%3Csvg viewBox='0 0 16 16' fill='%23fff' xmlns='http://www.w3.org/2000/svg'%3E%3Cpath d='M12.207 4.793a1 1 0 0 1 0 1.414l-5 5a1 1 0 0 1-1.414 0l-2-2a1 1 0 0 1 1.414-1.414L6.5 9.086l4.293-4.293a1 1 0 0 1 1.414
0z'/%3E%3C/svg%3E")}input[type=checkbox].fi-checkbox-input:indeterminate{background-
color:var(--primary-600);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}input[type=checkbox].fi-checkbox-input:indeterminate:where(.dark,.dark *){background-
color:var(--primary-500)}input[type=checkbox].fi-checkbox-input:indeterminate{background-
color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--primary-500)}@supports (color:color-mix(in lab, red, red)){input[type=checkbox].fi-checkbox-input:indeterminate:focus{--tw-
ring-color:color-mix(in oklab,var(--primary-500)50%,transparent)}}input[type=checkbox].fi-checkbox-input:indeterminate:focus:where(.dark,.dark *){--tw-ring-color:var(--primary-400)}@supports
(color:color-mix(in lab, red, red)){input[type=checkbox].fi-checkbox-
input:indeterminate:focus:where(.dark,.dark *){--tw-ring-color:color-mix(in
oklab,var(--primary-400)50%,transparent)}}input[type=checkbox].fi-checkbox-
input:indeterminate:disabled{background-color:var(--gray-400)}input[type=checkbox].fi-checkbox-
input:indeterminate:disabled:where(.dark,.dark *){background-
color:var(--gray-600)}input[type=checkbox].fi-checkbox-input.fi-
invalid{color:var(--danger-600);--tw-ring-color:var(--danger-600)}input[type=checkbox].fi-checkbox-
input.fi-invalid:checked{background-color:var(--danger-600)}input[type=checkbox].fi-checkbox-
input.fi-invalid:focus{--tw-ring-color:var(--danger-600)}input[type=checkbox].fi-checkbox-input.fi-
invalid:checked:focus{--tw-ring-color:var(--danger-500)}@supports (color:color-mix(in lab, red,
red)){input[type=checkbox].fi-checkbox-input.fi-invalid:checked:focus{--tw-ring-color-mix(in oklab,var(--danger-500)50%,transparent)}}input[type=checkbox].fi-checkbox-input.fi-invalid:where(.dark,.dark *){color:var(--danger-500);--tw-ring-
color:var(--danger-500)}input[type=checkbox].fi-checkbox-input.fi-invalid:where(.dark,.dark
*):checked{background-color:var(--danger-500)}input[type=checkbox].fi-checkbox-input.fi-
invalid:where(.dark,.dark *):focus{--tw-ring-color:var(--danger-500)}input[type=checkbox].fi-
checkbox-input.fi-invalid:where(.dark,.dark *):checked:focus{--tw-ring-
color:var(--danger-400)}@supports (color:color-mix(in lab, red, red)){input[type=checkbox].fi-
checkbox-input.fi-invalid:where(.dark,.dark *):checked:focus{--tw-ring-color:color-mix(in
oklab,var(--danger-400)50%,transparent)}}input[type=checkbox].fi-checkbox-input.fi-
invalid:indeterminate{background-color:var(--danger-600)}input[type=checkbox].fi-checkbox-input.fi-
invalid:indeterminate:where(.dark,.dark *){background-
color:var(--danger-500)}input[type=checkbox].fi-checkbox-input.fi-invalid:indeterminate:focus{--tw-ring-color:var(--danger-500)}@supports (color:color-mix(in lab, red, red)){input[type=checkbox].fi-
checkbox-input.fi-invalid:indeterminate:focus{--tw-ring-color:color-mix(in
oklab,var(--danger-500)50%,transparent)}}input[type=checkbox].fi-checkbox-input.fi-
invalid:indeterminate:focus:where(.dark,.dark *){--tw-ring-color:var(--danger-400)}@supports
(color:color-mix(in lab, red, red)){input[type=checkbox].fi-checkbox-input.fi-invalid:indeterminate:focus:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--danger-400)50%,transparent)}}input.fi-input{appearance:none;--tw-border-
style:none;background-color:#0000;border-style:none;width:100%;display:block}@supports (color:color-
mix(in lab, red, red)){input.fi-input{background-color:color-mix(in oklab,var(--color-
white)0%, transparent)}}input.fi-input{padding-inline:calc(var(--spacing)*3); padding-block:calc(var(--spacing)*1.5); text-align:start; font-size:var(--text-sm); line-height:var(--tw-
leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);color:var(--gray-950);transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;transition-
```

```
duration:75ms}input.fi-input::placeholder{color:var(--gray-400)}input.fi-input:focus{--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-
color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-outline-style: none; outline-
style:none}input.fi-input:disabled{color:var(--gray-500);-webkit-text-fill-color:var(--color-
gray-500)}input.fi-input:disabled::placeholder{-webkit-text-fill-color:var(--color-
gray-400)}input.fi-input:where(.dark,.dark *){color:var(--color-white)}input.fi-
input:where(.dark,.dark *)::placeholder{color:var(--gray-500)}input.fi-input:where(.dark,.dark *):disabled{color:var(--gray-400)}:nput.fi-
input:where(.dark,.dark *):disabled::placeholder{-webkit-text-fill-color:var(--color-gray-400)}:nput.fi-
input:where(.dark,.dark *):disabled::placeholder{-webkit-text-fill-color:var(--color-gray-400)}:nput.fi-
input:where(.dark,.dark *):disabled::placeholder{-webkit-text-fill-color:var(--color-gray-400)}:nput.fi-
input:where(.dark,.dark *):disabled::placeholder{-webkit-text-fill-color:var(--color-gray-400)}:nput.fi-
input:where(.dark,.dark *):disabled::placeholder{-webkit-text-fill-color:var(--color-gray-400)}:nput.fi-
gray-500)}input.fi-input.fi-input-has-inline-prefix{padding-inline-
start:calc(var(--spacing)*0)}input.fi-input.fi-input-has-inline-suffix{padding-inline-
end:calc(var(--spacing)*0)}input.fi-input.fi-align-center{text-align:center}input.fi-input.fi-align-
end{text-align:end}input.fi-input.fi-align-left{text-align:left}input.fi-input.fi-align-right{text-align:end}input.fi-input.fi-align-justify,input.fi-align-between{text-
align:justify}input[type=text].fi-one-time-code-input{inset-block:calc(var(--spacing)*0);--tw-
border-style:none; padding-inline: calc(var(--spacing)*3); font-family: var(--mono-font-family), ui-
monospace, SFMono-Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier New", monospace; -- tw-
tracking:1.72rem;letter-spacing:1.72rem;color:var(--gray-950);transition-property:color,background-
color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-
filter,backdrop-filter,display,visibility,content-visibility,overlay,pointer-events;transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;background-
color:#0000;border-style:none;transition-duration:75ms;display:block;position:absolute;inset-inline-
start:calc(var(--spacing)*0);inset-inline-end:calc(var(--spacing)*-8)}input[type=text].fi-one-time-
code-input::placeholder{color:var(--gray-400)}input[type=text].fi-one-time-code-input:focus{--tw-
ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-outline-style:none; outline-
style:none}input[type=text].fi-one-time-code-input:disabled{color:var(--gray-500);-webkit-text-fill-color:var(--color-gray-500)}input[type=text].fi-one-time-code-input:disabled::placeholder{-webkit-text-fill-color:var(--color-gray-500)}
text-fill-color:var(--color-gray-400)}input[type=text].fi-one-time-code-input:where(.dark,.dark
*){color:var(--color-white)}input[type=text].fi-one-time-code-input:where(.dark,.dark
*)::placeholder{color:var(--gray-500)}input[type=text].fi-one-time-code-input:where(.dark,.dark
*):disabled{color:var(--gray-400)}:nput[type=text].fi-one-time-code-input:where(.dark,.dark *):disabled::placeholder{-webkit-text-fill-color:var(--color-
gray-500)}input[type=text].fi-one-time-code-input.fi-valid{caret-color:#0000}.fi-one-time-code
input-ctn{height:calc(var(--spacing)*12);position:relative}.fi-one-time-code-input-ctn>.fi-one-time-
code-input-digit-field{height:100%;width:calc(var(--spacing)*8);border-radius:var(--radius-
lg);border-style:var(--tw-border-style);border-width:1px;border-
color:var(--gray-950);display:inline-block}@supports (color:color-mix(in lab. red. red)){.fi-one-
time-code-input-ctn>.fi-one-time-code-input-digit-field{border-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-one-time-code-input-ctn>.fi-one-time-code-input-digit-
field{background-color:var(--color-white)}.fi-one-time-code-input-ctn>.fi-one-time-code-input-digit-
field:where(.dark,.dark *){border-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-one-
time-code-input-ctn>.fi-one-time-code-input-digit-field:where(.dark,.dark *){border-color:color-
mix(in oklab,var(--color-white)20%,transparent)}}.fi-one-time-code-input-ctn>.fi-one-time-code-input-digit-field:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab,
red, red)){.fi-one-time-code-input-ctn>.fi-one-time-code-input-digit-field:where(.dark,.dark
*){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-one-time-code-input-
ctn>.fi-one-time-code-input-digit-field.fi-active{border-style:var(--tw-border-style);border-
width:2px;border-color:var(--primary-600)}.fi-one-time-code-input-ctn>.fi-one-time-code-input-digit-field.fi-active:where(.dark,.dark *){border-color:var(--primary-500)}input[type=radio].fi-radio-input{width:calc(var(--spacing)*4);height:calc(var(--spacing)*4);appearance:none;--tw-border-
style:none;background-color:var(--color-white);color:var(--primary-600);--tw-shadow:0 1px 3px 0
var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow);--tw-ring-shadow);--tw-ring-shadow)
color:var(--gray-950);border-style:none;border-radius:3.40282e38px}@supports (color:color-mix(in
lab, red, red)){input[type=radio].fi-radio-input{--tw-ring-color:color-mix(in
oklab,var(--gray-950)10%,transparent)}}input[type=radio].fi-radio-input:checked{background-
color:var(--primary-600);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}input[type=radio].fi-radio-input:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-
shadow);--tw-ring-color:var(--primary-600);--tw-ring-offset-width:0px;--tw-ring-offset-
shadow:var(--tw-ring-inset,)0 0 0 var(--tw-ring-offset-width)var(--tw-ring-offset-color);--tw-
outline-style:none;outline-style:none}input[type=radio].fi-radio-input:checked:focus{--tw-ring-
```

```
color:var(--primary-500)}@supports (color:color-mix(in lab, red, red)){input[type=radio].fi-radio-
input:checked:focus{--tw-ring-color:color-mix(in
oklab,var(--primary-500)50%,transparent)}}input[type=radio].fi-radio-input:disabled{background-
color:var(--gray-50);color:var(--gray-50)}input[type=radio].fi-radio-
input:disabled:checked{background-color:var(--gray-400);color:var(--gray-400)}input[type=radio].fi-
radio-input:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){input[type=radio].fi-radio-input:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--color-white)5%,transparent)}}input[type=radio].fi-radio-input:where(.dark,.dark *){color:var(--primary-500);--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){input[type=radio].fi-radio-input:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}input[type=radio].fi-radio-input:where(.dark,.dark
*):checked{background-color:var(--primary-500)}input[type=radio].fi-radio-input:where(.dark,.dark
*):focus{--tw-ring-color:var(--primary-500)}input[type=radio].fi-radio-input:where(.dark,.dark
*):checked:focus{--tw-ring-color:var(--primary-400)}@supports (color:color-mix(in lab, red, red)){input[type=radio].fi-radio-input:where(.dark,.dark *):checked:focus{--tw-ring-color:color-mix(in lab, red, red))
mix(in oklab,var(--primary-400)50%,transparent)}}input[type=radio].fi-radio-input:where(.dark,.dark
*):disabled{--tw-ring-color:#ffffffla;background-color:#0000}@supports (color:color-mix(in lab, red,
red)){input[type=radio].fi-radio-input:where(.dark,.dark *):disabled{--tw-ring-color:color-mix(in
oklab,var(--color-white)10%,transparent)}}input[type=radio].fi-radio-input:where(.dark,.dark
*):disabled:checked{background-color:var(--gray-600)}input[type=radio].fi-radio-
input:checked{background-image:url("data:image/svg+xml;charset=utf-8,%3Csvg viewBox='0 0 16 16' fill='%23fff' xmlns='http://www.w3.org/2000/svg'%3E%3Ccircle cx='8' cy='8'
r='3'/%3E%3C/svg%3E")}input[type=radio].fi-radio-input.fi-invalid{color:var(--danger-600);--tw-ring-
color:var(--danger-600)}input[type=radio].fi-radio-input.fi-invalid:checked{background-
color:var(--danger-600))input[type=radio].fi-radio-input.fi-invalid:focus{--tw-ring-
color:var(--danger-600)}input[type=radio].fi-radio-input.fi-invalid:checked:focus{--tw-ring-color:var(--danger-500)}@supports (color:color-mix(in lab, red, red)){input[type=radio].fi-radio-input.fi-invalid:checked:focus{--tw-ring-color:var(--danger-500)}@supports (color:color-mix(in lab, red, red)){input[type=radio].fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-input.fi-radio-inpu
input.fi-invalid:checked:focus{--tw-ring-color:color-mix(in
oklab,var(--danger-500)50%,transparent))}}input[type=radio].fi-radio-input.fi-
invalid:where(.dark,.dark *){color:var(--danger-500);--tw-ring-
color:var(--danger-500)}input[type=radio].fi-radio-input.fi-invalid:where(.dark,.dark
 checked{background-color:var(--danger-500)}input[type=radio].fi-radio-input.fi-
invalid:where(.dark,.dark *):focus{--tw-ring-color:var(--danger-500)}input[type=radio].fi-radio-
input.fi-invalid:where(.dark,.dark *):checked:focus{--tw-ring-color:var(--danger-400)}@supports
(color:color-mix(in lab, red, red)){input[type=radio].fi-radio-input.fi-invalid:where(.dark,.dark).
*):checked:focus{--tw-ring-color:color-mix(in oklab,var(--danger-400)50%,transparent)}}select.fi-
select-input{appearance:none; --tw-border-style:none; width: 100%; padding-
block:calc(var(--spacing)*1.5); font-size:var(--text-sm); line-height:var(--tw-leading,var(--text-sm--line-height)); --tw-leading:calc(var(--spacing)*6); line-
height:calc(var(--spacing)*6);color:var(--gray-950);transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;background-
color:#0000;border-style:none;padding-inline-start:calc(var(--spacing)*3);padding-inline-
end:calc(var(--spacing)*8);transition-duration:75ms;display:block}select.fi-select-input:focus{--tw-
ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-outline-style:none;outline-
style:none}select.fi-select-input:disabled{color:var(--gray-500);-webkit-text-fill-
color:var(--color-gray-500)}select.fi-select-input:where(.dark,.dark *){color:var(--color-
white)}select.fi-select-input:where(.dark,.dark *):disabled{color:var(--gray-400);-webkit-text-fill-
color:var(--color-gray-400)}select.fi-select-input optgroup{background-color:var(--color-
white)}select.fi-select-input optgroup:where(.dark,.dark *){background-
color:var(--gray-900)}select.fi-select-input option{background-color:var(--color-white)}select.fi-
select-input option:where(.dark,.dark *){background-color:var(--gray-900)}select.fi-select-
input{background-image:url("data:image/svg+xml;charset=utf-8,%3Csvg
xmlns='http://www.w3.org/2000/svg' fill='none' viewBox='0 0 20 20'%3E%3Cpath stroke='%236b7280'
stroke-linecap='round' stroke-linejoin='round' stroke-width='1.5' d='m6 8 4 4 4-4'/%3E%3C/svg%3E");background-position:right .5rem center;background-repeat:no-repeat;background-
size:1.5em 1.5em}:dir(rtl) :is(select.fi-select-input){background-position:.5rem}select.fi-select-
input.fi-select-input-has-inline-prefix{padding-inline-start:calc(var(--spacing)*0)}.fi-select-input
 .fi-select-input-ctn{position:relative}.fi-select-input div[x-ref=select]{min-
height:calc(var(--spacing)*9)}.fi-select-input .fi-select-input-btn{min-height:calc(var(--spacing)*9);border-radius:var(--radius-lg);width:100%;padding-
block:calc(var(--spacing)*1.5);text-align:start;font-size:var(--text-sm);line-height:var(--tw-
leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);color:var(--gray-950);padding-inline-
start:calc(var(--spacing)*3);padding-inline-end:calc(var(--spacing)*8);display:flex}.fi-select-input
 .fi-select-input-btn:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-offset-shadow)
```

```
style:none;outline-style:none}.fi-select-input .fi-select-input-btn:where(.dark,.dark
*){color:var(--color-white)}.fi-select-input .fi-select-input-btn{background-image:url("data:image/svg+xml;charset=utf-8,%3Csvg xmlns='http://www.w3.org/2000/svg' fill='none'
viewBox='0 0 20 20'%3E%3Cpath stroke='%236b7280' stroke-linecap='round' stroke-linejoin='round' stroke-width='1.5' d='m6 8 4 4 4-4'/%3E%3C/svg%3E");background-position:right .5rem
center; background-repeat: no-repeat; background-size: 1.5em 1.5em 1.5em 1:dir(rtl) : is(.fi-select-input .fi-
select-input-btn){background-position:.5rem}.fi-select-input .fi-select-input-value-ctn{text-
wrap:wrap:word-break:break-word:align-items:center:width:100%;display:flex}.fi-select-input .fi
select-input-value-badges-ctn{gap:calc(var(--spacing)*1.5);flex-wrap;wrap;display:flex}.fi-select-
input .fi-select-input-value-label{flex:1}.fi-select-input .fi-select-input-value-remove-
btn{color:var(--gray-500);margin-inline-start:calc(var(--spacing)*2)}@media (hover:hover){.fi-
select-input .fi-select-input-value-remove-btn:hover{color:var(--gray-600)}}.fi-select-input .fi-
select-input-value-remove-btn:focus-visible{color:var(--gray-600);--tw-outline-style:none;outline-
style:none}@media (hover:hover){.fi-select-input .fi-select-input-value-remove-btn:where(.dark,.dark
*):hover{color:var(--gray-300)}}.fi-select-input .fi-select-input-value-remove-btn:where(.dark,.dark)
*):focus-visible{color:var(--gray-300)}.fi-select-input .fi-dropdown-panel{max-
height:calc(var(--spacing)*60);max-width:100%!important}:where(.fi-select-input .fi-select-input-
options-ctn>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-
style);border-top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-
reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-100)}:where(.fi-select-input .fi-select-input-options-ctn:where(.dark,.dark*)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){:where(.fi-select-input .fi-select-input-options-ctn:where(.dark,.dark *)>:not(:last-
child)){border-color:color-mix(in oklab,var(--color-white)5%,transparent)}}:where(.fi-select-input
.fi-select-input-option-group>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-
style:var(--tw-border-style);border-top-style:var(--tw-border-style);border-top-
width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-
reverse)));border-color:var(--gray-100)}:where(.fi-select-input .fi-select-input-option-group:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-mix(in
lab, red, red)){:where(.fi-select-input .fi-select-input-option-group:where(.dark,.dark
*)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-select-input .fi-select-input-search-ctn{top:calc(var(--spacing)*0);z-index:10;background-
color:var(--color-white);position:sticky}.fi-select-input .fi-select-input-search-
ctn:where(.dark,.dark *){background-color:var(--gray-900)}.fi-select-input .fi-select-input-
option{text-wrap:wrap;word-break:break-word;min-width:1px}.fi-select-input .fi-disabled{cursor:not-
allowed; opacity: .7} .fi-select-input .fi-select-input-message { padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-select-input .fi-select-input-message:where(.dark,.dark *){color:var(--gray-400)}.fi-select-input .fi-select-input-ctn.fi-select-input-ctn-option-labels-not-wrapped .fi-select-input-value-ctn>span{text-
overflow:ellipsis;white-space:nowrap;text-wrap:nowrap;overflow-wrap:normal;word-
break:normal;overflow:hidden}.fi-select-input .fi-select-input-ctn.fi-select-input-ctn.gr
labels-not-wrapped .fi-select-input-option>span{text-overflow:ellipsis;white-
space:nowrap;overflow:hidden}.fi-input-wrp{border-radius:var(--radius-lq);background-
color:var(--color-white);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
color:var(--gray-950);display:flex}@supports (color:color-mix(in lab, red, red)){.fi-input-wrp{--tw-
ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-input-wrp{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function: var(--tw-ease, var(--default-transition-timing-function)); transition-duration: var(--tw-ease, var(--tw-ease, var(--tw-ease))); transition-timing-function)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-timing-function(--tw-ease)); transition-tw-ease); transition-timing-function(--tw-ease)); transition-tw-e
duration, var(--default-transition-duration)); --tw-duration:75ms; transition-duration:75ms}.fi-input-wrp:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(n) ab, red,
red)){.fi-input-wrp:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-input-wrp:where(.dark,.dark *){--tw-ring-color:#fff3}@supports
(color:color-mix(in lab, red, red)){.fi-input-wrp:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}.fi-input-wrp:not(.fi-disabled):not(:has(.fi-ac-
action:focus)):focus-within{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
color:var(--primary-600)}.fi-input-wrp:not(.fi-disabled):not(:has(.fi-ac-action:focus)):where(.dark,.dark *):focus-within{--tw-ring-color:var(--primary-500)}.fi-input-wrp:not(.fi-disabled):not(:has(.fi-ac-action:focus)).fi-invalid:focus-within{--tw-ring-sinadow,,var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),var(--tw-sinadow),v
color:var(--danger-600)}.fi-input-wrp:not(.fi-disabled):not(:has(.fi-ac-action:focus)).fi-
invalid:where(.dark,.dark *):focus-within{--tw-ring-color:var(--danger-500)}.fi-input-wrp.fi-
disabled{background-color:var(--gray-50)}.fi-input-wrp.fi-disabled:where(.dark,.dark *){background-color:#0000}.fi-input-wrp.fi-disabled:not(.fi-invalid):where(.dark,.dark *){--tw-ring-
```

```
color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-input-wrp.fi-disabled:not(.fi-
invalid):where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-input-wrp.fi-invalid{--tw-ring-color:var(--danger-600)}.fi-input-wrp.fi-
invalid:where(.dark,.dark *){--tw-ring-color:var(--danger-500)}.fi-input-wrp .fi-input-wrp-
prefix{align-items:center;column-gap:calc(var(--spacing)*3);padding-inline-
start:calc(var(--spacing)*3);display:none}.fi-input-wrp .fi-input-wrp-prefix.fi-input-wrp-prefix.
has-content{display:flex}.fi-input-wrp .fi-input-wrp-prefix.fi-inline{padding-inline-
end:calc(var(--spacing)*2)}.fi-input-wrp .fi-input-wrp-prefix.fi-inline.fi-input-wrp-prefix-has-
label{padding-inline-end:calc(var(--spacing)*1)}.fi-input-wrp .fi-input-wrp-prefix:not(.fi-inline){border-inline-end-style:var(--tw-border-style);border-inline-end-width:1px;border-
color:var(--gray-200);padding-inline-start:calc(var(--spacing)*3);padding-inline-
end:calc(var(--spacing)*3)}.fi-input-wrp .fi-input-wrp-prefix:not(.fi-inline):where(.dark,.dark
*){border-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-input-wrp .fi-input-wrp-prefix:not(.fi-inline):where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-input-wrp .fi-input-wrp-content-ctn,.fi-input-wrp:not(:has(.fi-input-wrp-content-ctn))>*{min-width:calc(var(--spacing)*0);flex:1}:is(.fi-input-wrp .fi-input-wrp-content-ctn))>*{min-width:calc(var(--spacing)*0);flex:1}:is(.fi-input-wrp .fi-input-wrp-content-ctn))*
ctn,.fi-input-wrp:not(:has(.fi-input-wrp-content-ctn))>*).fi-input-wrp-content-ctn-ps{padding-
inline-start:calc(var(--spacing)*3)}.fi-input-wrp .fi-input-wrp-suffix{align-items:center; column-gap:calc(var(--spacing)*3); padding-inline-end:calc(var(--spacing)*3); display:flex}.fi-input-wrp .fi-input-wrp-suffix.fi-inline{padding-inline-start:calc(var(--spacing)*2)}.fi-input-wrp .fi-input-wrp-
suffix.fi-inline.fi-input-wrp-suffix-has-label{padding-inline-start:calc(var(--spacing)*1)}.fi-
input-wrp .fi-input-wrp-suffix:not(.fi-inline){border-inline-start-style:var(--tw-border-
style);border-inline-start-width:1px;border-color:var(--gray-200);padding-inline-
start:calc(var(--spacing)*3)}.fi-input-wrp .fi-input-wrp-suffix:not(.fi-inline):where(.dark,.dark
*){border-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-input-wrp .fi-input-wrp-suffix:not(.fi-inline):where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-input-wrp .fi-input-wrp-actions{align-items:center;gap:calc(var(--spacing)*3);display:flex).fi-input-wrp .fi-input-wrp-label{font-input-wrp-label{font-input-wrp-label}}
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));white-
space:nowrap;color:var(--gray-500)}.fi-input-wrp .fi-input-wrp-label:where(.dark,.dark *),:is(.fi-
input-wrp .fi-input-wrp-prefix,.fi-input-wrp .fi-input-wrp-suffix) .fi-
icon{color:var(--gray-400)}:is(.fi-input-wrp .fi-input-wrp-prefix,.fi-input-wrp .fi-input-wrp-prefix)
suffix) .fi-icon:where(.dark,.dark *){color:var(--gray-500)}:is(.fi-input-wrp .fi-input-wrp-prefix,.fi-input-wrp .fi-input-wrp-suffix) .fi-icon.fi-color{color:var(--color-500)}.fi-link{justify-content:center;align-items:center;gap:calc(var(--spacing)*1.5);--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-700);--tw-
outline-style:none;outline-style:none;display:inline-flex;position:relative}.fi-
link:where(.dark,.dark *){color:var(--gray-200)}@media (hover:hover){.fi-link:not(.fi-
disabled):not([disabled]):hover{text-decoration-line:underline}}.fi-link:not(.fi-
disabled):not([disabled]):focus-visible{text-decoration-line:underline}.fi-link.fi-disabled,.fi-
link[disabled]{cursor:default;opacity:.7}:is(.fi-link.fi-disabled,.fi-
link[disabled]):not([x-tooltip]){pointer-events:none}.fi-link.fi-size-
xs{gap:calc(var(--spacing)*1);font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--
line-height))}.fi-link.fi-size-sm{gap:calc(var(--spacing)*1);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-link.fi-size-md,.fi-link.fi-size-lg,.fi-
link.fi-size-xl{gap:calc(var(--spacing)*1.5);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-link.fi-font-thin{--tw-font-weight:var(--font-weight-
thin); font-weight: var(--font-weight:thin)}.fi-link.fi-font-extralight{--tw-font-weight:var(--font-weight-extralight)}.fi-link.fi-font-light{--tw-font-weight-extralight}.
weight-extratignt); font-weight:var(--font-weight-extratignt);.fi-link.fi-font-light{--tw-font-weight:var(--font-weight)}.fi-link.fi-font-normal{--tw-font-weight:var(--font-weight:var(--font-weight-normal)}.fi-link.fi-font-semibold{--tw-font-weight:var(--font-weight-semibold)}.fi-
link.fi-font-bold{--tw-font-weight:var(--font-weight-bold);font-weight:var(--font-weight-bold)}.fi-
link.fi-font-extrabold{--tw-font-weight:var(--font-weight-extrabold);font-weight:var(--font-weight-bold)}
extrabold)}.fi-link.fi-font-black{--tw-font-weight:var(--font-weight-black);font-weight:var(--font-weight-black)}.fi-link.fi-color;var(--text)}.fi-link.fi-color:where(.dark,.dark
*){color:var(--dark-text)}.fi-link:not(.fi-color)>.fi-icon{color:var(--gray-400)}.fi-link:not(.fi-
color)>.fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-link .fi-link-badge-ctn{inset-inline-
start:100%;top:calc(var(--spacing)*0);z-index:1;--tw-translate-x:calc(calc(1/4*100%)*-1);width:max-
content; translate: var(--tw-translate-x) var(--tw-translate-y); --tw-
translate-y:calc(calc(3/4*100%)*-1);translate:var(--tw-translate-x)var(--tw-translate-y);border-
radius:var(--radius-md);background-color:var(--color-white);--tw-font-weight:var(--font-weight-normal);font-weight:var(--font-weight-normal);position:absolute}@media (hover:hover){.fi-link .fi-
link-badge-ctn:hover{text-decoration-line:none}}.fi-link .fi-link-badge-ctn:focus-visible{text-
decoration-line:none}.fi-link .fi-link-badge-ctn:where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-
translate-x:calc(1/4*100%);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-link .fi-link-
badge-ctn:where(.dark,.dark *){background-color:var(--gray-900)}p>.fi-link,span>.fi-link{vertical-align:middle;text-align:inherit;padding-bottom:2px}.fi-loading-indicator{animation:var(--animate-
spin)}.fi-loading-section{animation:var(--animate-pulse)}:is(.fi-modal.fi-modal-slide-over,.fi-
modal.fi-width-screen)>.fi-modal-window-ctn>.fi-modal-window{height:100dvh}:is(.fi-modal.fi-modal-
slide-over, .fi-modal.fi-width-screen)>.fi-modal-window-ctn>.fi-modal-window .fi-modal-
content{flex:1}.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-window{margin-inline-
start:auto;overflow-y:auto}.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-window.fi-
```

```
transition-enter-start,.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-window.fi-
transition-leave-end{--tw-translate-x:100%;translate:var(--tw-translate-x)var(--tw-
translate-y)}:is(.fi-modal.fi-modal-slide-over>.fi-modal-window.fi-transition-
enter-start,.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-window.fi-transition-leave-end):where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-translate-x:-100%;translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-
window.fi-transition-enter-end,.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-
window.fi-transition-leave-start{--tw-translate-x:calc(var(--spacing)*0);translate:var(--tw-
translate-x)var(--tw-translate-y)}.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-
window .fi-modal-header{column-gap:calc(var(--spacing)*3)}.fi-modal.fi-modal-slide-over>.fi-modal-
window-ctn>.fi-modal-window .fi-modal-icon-bg{margin-
block:calc(var(--spacing)*-2);padding:calc(var(--spacing)*2);margin-inline-start:calc(var(--spacing)*-2)}.fi-modal.fi-modal-slide-over>.fi-modal-window-ctn>.fi-modal-window
.fi-modal-close-btn{inset-inline-end:calc(var(--spacing)*6);top:calc(var(--spacing)*6)}.fi-
modal:not(.fi-modal-slide-over):not(.fi-width-screen)>.fi-modal-window-ctn{overflow-y:auto}.fi-modal:not(.fi-modal-slide-over):not(.fi-width-screen)>.fi-modal-window-ctn .fi-modal-footer.fi-
sticky{border-bottom-right-radius:var(--radius-xl);border-bottom-left-radius:var(--radius-xl)}.fi-
modal:not(.fi-modal-slide-over)>.fi-modal-window-ctn>.fi-modal-window.fi-transition-enter-start,.fi-
modal:not(.fi-modal-slide-over)>.fi-modal-window.ctn>.fi-modal-window.fi-transition-leave-end{--tw-
scale-x:95%; --tw-scale-y:95%; --tw-scale-z:95%; scale:var(--tw-scale-x)var(--tw-
scale-y);opacity:0}.fi-modal:not(.fi-modal-slide-over)>.fi-modal-window-ctn>.fi-modal-window.fi-
transition-enter-end,.fi-modal:not(.fi-modal-slide-over)>.fi-modal-window-ctn>.fi-modal-window.fi-
transition-leave-start{--tw-scale-x:100%;--tw-scale-y:100%;--tw-scale-z:100%;scale:var(--tw-
scale-x)var(--tw-scale-y);opacity:1}.fi-modal:not(.fi-modal-slide-over)>.fi-modal-window-ctn>.fi-
modal-window .fi-modal-close-btn{inset-inline-
end:calc(var(--spacing)*4);top:calc(var(--spacing)*4)}.fi-modal.fi-align-start>.fi-modal-window-
ctn>.fi-modal-window-has-icon:not(.fi-modal-window-has-sticky-header) .fi-modal-content,.fi-
modal.fi-align-start>.fi-modal-window-ctn>.fi-modal-window-has-icon:not(.fi-modal-window-has-sticky-
header) .fi-modal-footer:not(.fi-align-center){padding-inline-start:5.25rem;padding-inline-
end:calc(var(--spacing)*6)}.fi-modal:not(.fi-align-start)>.fi-modal-window-ctn>.fi-modal-window .fi-
modal-content,.fi-modal:not(.fi-align-start)>.fi-modal-window-ctn>.fi-modal-window .fi-modal
footer{padding-inline:calc(var(--spacing)*6)}.fi-modal>.fi-modal-close-
overlay{inset:calc(var(--spacing)*0);z-index:40;background-color:var(--gray-950);position:fixed}@supports (color:color-mix(in lab, red, red)){.fi-modal-close-overlay{background-color:color-mix(in oklab,var(--gray-950)50%,transparent)}}.fi-
modal>.fi-modal-close-overlay:where(.dark,.dark *){background-color:var(--gray-950)}@supports
(color:color-mix(in lab, red, red)){.fi-modal>.fi-modal-close-overlay:where(.dark,.dark)
*){background-color:color-mix(in oklab,var(--gray-950)75%,transparent)}}.fi-modal-window-ctn{inset:calc(var(--spacing)*0);z-index:40;grid-template-rows:1fr auto 1fr;justify-
items:center;min-height:100%;display:grid;position:fixed}@media (min-width:40rem){.fi-modal>.fi-
modal-window-ctn{grid-template-rows:1fr auto 3fr}}.fi-modal>.fi-modal-window-ctn.fi-
clickable{cursor:pointer}.fi-modal:not(.fi-modal-slide-over):not(.fi-width-screen)>.fi-modal-window-
ctn{padding:calc(var(--spacing)*4)}.fi-modal:not(.fi-modal-slide-over):not(.fi-width-screen)>.fi-
modal-window-ctn .fi-modal-window{border-radius:var(--radius-xl);margin-inline:auto}.fi-
modal:not(.fi-modal-slide-over):not(.fi-width-screen)>.fi-modal-window-ctn .fi-modal-window .fi-
modal-header.fi-sticky{border-top-left-radius:var(--radius-xl);border-top-right-radius:var(--radius-
xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window{pointer-events:auto;cursor:default;background-
color:var(--color-white);--tw-shadow:0 20px 25px -5px var(--tw-shadow-color,#0000001a),0 8px 10px -6px var(--tw-shadow-color,#0000001a);width:100%;box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950);flex-direction:column;grid-row-start:2;display:flex;position:relative}@supports (color:color-mix(in lab,
red, red)){.fi-modal-.fi-modal-window-ctn>.fi-modal-window{--tw-ring-color:color-mix(in
oklab, var(--gray-950)5%, transparent)}}.fi-modal-.fi-modal-window-ctn>.fi-modal-
window:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffff1a}@supports
(color:color-mix(in lab, red, red)){.fi-modal>.fi-modal-window-ctn>.fi-modal-
window:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white) 10%, transparent) }}. fi-modal > . fi-modal - window - ctn > . fi-modal - window {contain: layout} . fi-
modal>.fi-modal-window.ctn>.fi-modal-window .fi-modal-header{padding-
inline:calc(var(--spacing)*6);padding-top:calc(var(--spacing)*6);display:flex}.fi-modal>.fi-modal-
window-ctn>.fi-modal-window .fi-modal-header.fi-vertical-align-center{align-items:center}.fi-
modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-header.fi-
sticky{top:calc(var(--spacing)*0);z-index:10;border-bottom-style:var(--tw-border-style);border-
bottom-width:1px;border-color:var(--gray-200);background-color:var(--color-white);padding-
bottom:calc(var(--spacing)*6);position:sticky}.fi-modal-window-ctn>.fi-modal-window .fi-modal-header.fi-sticky:where(.dark,.dark *){border-color:#ffffffla}@supports (color:color-mix(in
lab, red, red)){.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-header.fi-
sticky:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-
modal-.fi-modal-window-ctn>.fi-modal-window .fi-modal-header.fi-sticky:where(.dark,.dark
odal-window-cth>.fi-modal-xi-modal-xi-modal-window-cth>.fi-modal-window .fi-modal-
heading{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height));--tw-
```

```
leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-weight:var(--font-
 weight-semibold); font-weight:var(--font-weight-semibold); color:var(--gray-950)}.fi-modal>.fi-modal-
 window-ctn>.fi-modal-window .fi-modal-heading:where(.dark,.dark *){color:var(--color-white)}.fi-
 modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-description{margin-
 top:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));color:var(--gray-500)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-description:where(.dark,.dark *){color:var(--gray-400)}.fi-modal>.fi-modal>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-moda
 window .fi-modal-content{row-gap:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*6);flex-
direction:column;display:flex}:is(.fi-modal-window-ctn>.fi-modal-window-fi-align-
start,.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-align-left)
 qap:calc(var(--spacing)*5)}:is(.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-align-start,.fi-
 modal>.fi-modal-window-ctn>.fi-modal-window.fi-align-left) .fi-modal-icon-
 bg{padding:calc(var(--spacing)*2)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-align-center
.fi-modal-header{text-align:center;flex-direction:column}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-windo
 content:center;align-items:center;display:flex}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-
 align-center .fi-modal-icon-bg{padding:calc(var(--spacing)*3)}.fi-modal>.fi-modal-window-ctn>.fi-
 modal-window.fi-hidden{display:none}.fi-modal-,fi-modal-window-ctn>.fi-modal-window.fi-width-xs{max-
 width:var(--container-xs)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-sm{max-
 width:var(--container-sm)).fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-md{max-
 width:var(--container-md)).fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-lg{max-
 width:var(--container-lg)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-xl{max-
 width:var(--container-xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-2xl{max-
 width:var(--container-2xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-3xl{max-
 width:var(--container-3xl)).fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-4xl{max-
width:var(--container-4xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-5xl{max-width:var(--container-5xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-6xl{max-
 width:var(--container-6xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-7xl{max-
 width:var(--container-7xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-full{max-
 width:100%}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-min{max-width:min-content}.fi-
 modal.fi-modal-window.fi-modal-window.fi-width-max{max-width:max-content}.fi-modal.fi-modal.fi-modal
 window-ctn>.fi-modal-window.fi-width-fit{max-width:fit-content}.fi-modal>.fi-modal-window-ctn>.fi-
 modal-window.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-width-prose \\ \{max-width: 65ch\}.fi-modal-window-ctn>.fi-width-prose \\ \{max-window-ctn>.fi-width-prose \\ \{max-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-window-ctn>.fi-wi
 screen-sm\{max-width:var(--breakpoint-sm)\}. fi-modal-window-ctn>. fi-modal-window.fi-width-window-ctn>. fi-modal-window-ctn>. fi-mo
 screen-md{max-width:var(--breakpoint-md)}.fi-modal-.fi-modal-window.ctn>.fi-modal-window.fi-width-
 screen-lg{max-width:var(--breakpoint-lg)}.fi-modal-.fi-modal-window.ctn>.fi-modal-window.fi-width-screen-xl{max-width:var(--breakpoint-xl)}.fi-modal-.fi-modal-window-ctn>.fi-modal-window.fi-width-
 screen-2xl{max-width:var(--breakpoint-2xl)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-width-
 screen{inset:calc(var(--spacing)*0);position:fixed}.fi-modal>.fi-modal-window-ctn>.fi-modal-
 window.fi-transition-enter,.fi-modal>.fi-modal-window-ctn>.fi-modal-window.fi-transition-leave{--tw-
 duration:.3s;transition-duration:.3s}.fi-modal-.fi-modal-window-ctn>.fi-modal-window:not(.fi-modal-
 window-has-content) .fi-modal-footer:not(.fi-sticky){margin-top:calc(var(--spacing)*6)}.fi-
 modal>.fi-modal-window-ctn>.fi-modal-window:not(.fi-modal-window-has-content):not(.fi-modal-window-
has-footer) .fi-modal-header{padding-bottom:calc(var(--spacing)*6)}:is(.fi-modal-window-ctn>.fi-modal-window-has-icon), .fi-modal-window-ctn>.fi-modal-window-has-icon), .fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-modal-window-ctn>.fi-moda
 modal-window:not(.fi-modal-window-has-icon),.fi-modal-.fi-modal-window.ctn>.fi-modal-window.fi-
 modal-window-has-sticky-header) .fi-modal-footer{padding-inline:calc(var(--spacing)*6)}.fi-
 modal-.fi-modal-window-ctn>.fi-modal-window.fi-modal-window-has-close-btn.fi-align-center:not(.fi-
 modal-window-has-icon) .fi-modal-heading{margin-inline-start:calc(var(--spacing)*6)}:is(.fi-
 modal-.fi-modal-window.fi-modal-window.fi-modal-window.has-close-btn:not(.fi-modal-window-has-
 icon) \verb| fi-modal-window-ctn+| fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-has-close-btn.fi-align| | fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-modal-window-fi-moda
 start, .fi-modal-window-ctn>.fi-modal-window.fi-modal-window.has-close-btn.fi-align-left)
  .fi-modal-heading{margin-inline-end:calc(var(--spacing)*6)}.fi-modal>.fi-modal-window-ctn>.fi-modal-
 window .fi-modal-close-btn{position:absolute}.fi-modal-.fi-modal-window-ctn>.fi-modal-window .fi-
 modal-footer{width:100%}.fi-modal-window-ctn>.fi-modal-window .fi-modal-footer.fi-
sticky{bottom:calc(var(--spacing)*0);border-top-style:var(--tw-border-style);border-top-width:1px;border-color:var(--gray-200);background-color:var(--color-white);padding-block:calc(var(--spacing)*5);position:sticky}.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-
 modal-footer.fi-sticky:where(.dark,.dark *){border-color:#ffffff1a}@supports (color:color-mix(in
 lab, red, red)){.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-footer.fi-
sticky:where(.dark,.dark *){border-color:mix(in oklab,var(--color-white)10%,transparent)}}.fi-
modal>.fi-modal-window-ctn>.fi-modal-footer.fi-sticky:where(.dark,.dark
 *){background-color:var(--gray-900)}.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-
 footer:not(.fi-sticky){padding-bottom:calc(var(--spacing)*6)}.fi-modal>.fi-modal-window-ctn>.fi-
modal-window .fi-modal-footer:is(.fi-modal-slide-over .fi-modal-footer){margin-top:auto}.fi-modal-window.ctn>.fi-modal-window .fi-modal-footer .fi-modal-footer-actions{gap:calc(var(--spacing)*3)}:is(.fi-modal-xi-modal-window-ctn>.fi-modal-window .fi-modal-window-ctn>.fi-modal-window .fi-modal-window er.fi-align-start,.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-footer.fi-align-
 left) .fi-modal-footer-actions{flex-wrap:wrap;align-items:center;display:flex}.fi-modal>.fi-modal-
 window-ctn>.fi-modal-window .fi-modal-footer.fi-align-center{padding-
 inline:calc(var(--spacing)*6)}.fi-modal-.fi-modal-window-ctn>.fi-modal-window .fi-modal-footer.fi-
 align-center .fi-modal-footer-actions{flex-direction:column-reverse;display:flex}:is(.fi-modal>.fi-
```

```
modal-window-ctn>.fi-modal-window .fi-modal-footer.fi-align-end,.fi-modal>.fi-modal-window-ctn>.fi-
modal-window .fi-modal-footer.fi-align-right) .fi-modal-footer-actions{flex-flow:row-reverse wrap;align-items:center;display:flex}.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-icon-
bg{background-color:var(--gray-100);border-radius:3.40282e38px}.fi-modal-window-ctn>.fi-modal-window .fi-modal-icon-bg:where(.dark,.dark *){background-color:var(--gray-500)}@supports (color:color-mix(in lab, red, red)){.fi-modal-window-ctn>.fi-modal-window .fi-modal-icon-
bg:where(.dark,.dark *){background-color:color-mix(in oklab,var(--gray-500)20%,transparent)}}.fi-modal-window-ctn>.fi-modal-window .fi-modal-icon-bg>.fi-icon{color:var(--gray-500)}.fi-modal-window-ctn>.fi-modal-window .fi-modal-icon-bg>.fi-icon:where(.dark,.dark *){color:var(--gray-400)}.fi-modal-window-ctn>.fi-modal-window .fi-modal-window .fi-modal-icon-bg.fi-color{background-color:var(--color-100)}.fi-modal-window-ctn>.fi-modal-window .fi-modal-window .fi-mo
icon-bg.fi-color:where(.dark,.dark *){background-color:var(--color-500)}@supports (color:color-
mix(in lab, red, red)){.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-icon-bg.fi-
color:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-500)20%,transparent)}}.fi-modal-window-ctn>.fi-modal-window .fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>.fi-modal-window.ctn>
icon-bg.fi-color>.fi-icon{color:var(--color-600)}.fi-modal-.fi-modal-window-ctn>.fi-modal-window
  fi-modal-icon-bg.fi-color>.fi-icon:where(.dark,.dark *){color:var(--color-400)}@supports.
 (container-type:inline-size){.fi-modal>.fi-modal-window-ctn>.fi-modal-window{container-type:inline-
size}@container (min-width:24rem){.fi-modal>.fi-modal-window-ctn>.fi-modal-window .fi-modal-
footer.fi-align-center .fi-modal-footer-actions{grid-template-columns:repeat(auto-
fit,minmax(0,1fr));display:grid}}}@supports not (container-type:inline-size){@media (min-width:40rem){.fi-modal-.fi-modal-window-ctn>.fi-modal-window .fi-modal-footer.fi-align-center .fi-
modal-footer-actions{grid-template-columns:repeat(auto-fit,minmax(0,1fr));display:grid}}};scope .fi-
modal-trigger{display:flex}.fi-pagination{align-items:center;column-gap:calc(var(--spacing)*3);grid-
template-columns:1fr auto 1fr;display:grid}.fi-pagination:empty{display:none}.fi-pagination .fi-
pagination-previous-btn{justify-self:flex-start}.fi-pagination .fi-pagination-overview{font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-700);display:none}.fi-pagination .fi-pagination-overview:where(.dark,.dark
*){color:var(--gray-200)}.fi-pagination .fi-pagination-records-per-page-select-ctn{grid-column-
start:2; justify-self:center}.fi-pagination .fi-pagination-records-per-page-select:not(.fi-compact){display:none}.fi-pagination .fi-pagination-next-btn{grid-column-start:3; justify-self:flex-
end}.fi-pagination .fi-pagination-items{border-radius:var(--radius-lg);background-color:var(--color-
white);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-
color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color: var(--gray-950); justify-self:flex-end; display:none}@supports (color:color-
mix(in lab, red, red)){.fi-pagination .fi-pagination-items{--tw-ring-color:color-mix(in
oklab,var(--gray-950)10%,transparent)}}.fi-pagination-items;where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-pagination .fi-pagination-items:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-pagination .fi-pagination-items:where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-pagination-items:where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-pagination .fi-pagination-items:where(.dark,.dark *){--tw-ring-color-mix(in lab, red, red)){.fi-pagination .fi-pagination-items:where(.dark,.dark *){.fi-pagination .fi-pagination 
items:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)20%, transparent)}}.fi-pagination .fi-pagination-item{border-inline-style:var(--tw-border-
style);border-inline-width:.5px;border-color:var(--gray-200)}.fi-pagination .fi-pagination-item:first-child{border-inline-start-style:var(--tw-border-style);border-inline-start-width:0}.fi-
pagination .fi-pagination-item:last-child{border-inline-end-style:var(--tw-border-style);border-
inline-end-width:0].fi-pagination .fi-pagination-item:where(.dark,.dark *){border-
color:#fffffffaa@supports (color:color-mix(in lab, red, red)){.fi-pagination .fi-pagination-
item:where(.dark, .dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-pagination.fi-pagination-item.fi-active .fi-pagination-item-btn{background-
color:var(--gray-50)}.fi-pagination .fi-pagination-item.fi-active .fi-pagination-item-
btn:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-pagination .fi-pagination-item.fi-active .fi-pagination-item-btn:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-pagination .fi-
pagination-item.fi-active .fi-pagination-item-label{color:var(--primary-700)}.fi-pagination .fi-
pagination-item.fi-active .fi-pagination-item-label:where(.dark,.dark
*){color:var(--primary-400)}.fi-pagination .fi-pagination-item:first-of-type .fi-pagination-item-
btn{border-start-radius:var(--radius-lg);border-end-start-radius:var(--radius-lg)}.fi-
pagination .fi-pagination-item:last-of-type .fi-pagination-item-btn{border-start-end-
radius:var(--radius-lg);border-end-end-radius:var(--radius-lg)}.fi-pagination .fi-pagination-
item.fi-disabled .fi-pagination-item-label{color:var(--gray-500)}.fi-pagination .fi-pagination-item.fi-disabled .fi-pagination-item-label:where(.dark,.dark *){color:var(--gray-400)}.fi-pagination .fi-pagination-item-btn{padding:calc(var(--spacing)*2);transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;--tw-outline-
style:none;outline-style:none;transition-
```

```
duration:75ms;display:flex;position:relative;overflow:hidden}@media (hover:hover){.fi-pagination
.fi-pagination-item-btn:enabled:hover{background-color:var(--gray-50)}}.fi-pagination ifi-pagination-item-btn:enabled:focus-visible{z-index:10;--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(2px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color: var(--primary-600)}@media (hover:hover){.fi-pagination .fi-pagination-item-btn:enabled:where(.dark,.dark *):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-pagination .fi-pagination-item-btn:enabled:where(.dark,.dark *):hover{background-color:where(.dark,.dark or:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-pagination .fi-pagination-item-btn:enabled:where(.dark,.dark *):focus-visible{--tw-ring-color:var(--primary-500)}.fi-pagination
 .fi-pagination-item-btn:hover .fi-icon{color:var(--gray-500)}.fi-pagination .fi-pagination-item-
btn:hover .fi-icon:where(.dark,.dark *){color:var(--gray-400)}.fi-pagination .fi-pagination-item-btn
 .fi-icon{color:var(--gray-400);transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration)); --tw-duration:75ms; transition-duration:75ms}.fi-
pagination .fi-pagination-item-btn .fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-pagination .fi-pagination-item-btn .fi-pagination-item-label{padding-
inline:calc(var(--spacing)*1.5);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm)
 --line-height));--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-
semibold);color:var(--gray-700)}.fi-pagination .fi-pagination-item-btn .fi-pagination-item-
label:where(.dark,.dark *){color:var(--gray-200)}@supports (container-type:inline-size){.fi-
pagination{container-type:inline-size}@container (min-width:28rem){.fi-pagination .fi-pagination-
records-per-page-select:not(.fi-compact){display:inline}.fi-pagination .fi-pagination-records-per-page-select.fi-compact{display:none}}@container (min-width:56rem){.fi-pagination:not(.fi-simple)
 .fi-pagination-previous-btn,.fi-pagination:not(.fi-simple) .fi-pagination-next-btn{display:none}.fi-
pagination .fi-pagination-overview{display:inline}.fi-pagination .fi-pagination
items{display:flex}}}@supports not (container-type:inline-size){@media (min-width:40rem){.fi-
pagination .fi-pagination-records-per-page-select:not(.fi-compact){display:inline}.fi-pagination .fi-pagination-records-per-page-select.fi-compact{display:none}}@media (min-width:48rem){.fi-
pagination:not(.fi-simple) .fi-pagination-previous-btn, .fi-pagination:not(.fi-simple) .fi-
pagination-next-btn{display:none}.fi-pagination .fi-pagination-overview{display:inline}.fi-pagination .fi-pagination .fi-pagination-items{display:flex}}}.fi-section:not(.fi-section-not-contained):not(.fi-
divided)>.fi-section-content-ctn>.fi-section-content,.fi-section:not(.fi-section-not-contained).fi-
divided>.fi-section-content-ctn>.fi-section-content>*{padding:calc(var(--spacing)*6)}.fi-
section:not(.fi-section-not-contained)>.fi-section-content-ctn>.fi-section-footer{border-top-
style:var(--tw-border-style);border-top-width:1px;border-color:var(--gray-200);padding-
inline:calc(var(--spacing)*6);padding-block:calc(var(--spacing)*4)}.fi-section:not(.fi-section-not-
contained)>.fi-section-content-ctn>.fi-section-footer:where(.dark,.dark *){border-
color:#ffffffla@supports (color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-
contained)>.fi-section-content-ctn>.fi-section-footer:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-section:not(.fi-section-not-contained):not(.fi-
aside){border-radius:var(--radius-xl);background-color:var(--color-white);--tw-shadow:0 1px 3px 0
var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-
contained):not(.fi-aside){--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-
section:not(.fi-section-not-contained):not(.fi-aside):where(.dark,.dark *){background-
color:var(--gray-900);--tw-ring-color:#fffffffla@supports (color:color-mix(in lab, red, red)){.fi-
section:not(.fi-section-not-contained):not(.fi-aside):where(.dark,.dark *){--tw-ring-color:color-
mix(in oklab,var(--color-white)10%,transparent)}}.fi-section:not(.fi-section-not-contained):not(.fi-
aside). fi-compact \{border-radius: var(--radius-lg)\}. fi-section: not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contained): not(.fi-section-not-contai
aside).fi-secondary{background-color:var(--gray-50)}.fi-section:not(.fi-section-not
contained):not(.fi-aside).fi-secondary:where(.dark,.dark *){background-color:#ffffff0d}@supports
(color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-contained):not(.fi-aside).fi-
secondary:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-section:not(.fi-section-not-contained):not(.fi-aside)>.fi-section-
header{padding-inline:calc(var(--spacing)*6);padding-block:calc(var(--spacing)*4)}.fi
section:not(.fi-section-not-contained):not(.fi-aside).fi-section-has-header:not(.fi-collapsed)>.fi-
section.not(:fi-section-indt-contained).not(:fi-aside).fi-section-inds-neadef.not(:fi-cottapsed)>
section-content-ctn{border-top-style:var(--tw-border-style);border-top-width:lpx;border-
color:var(--gray-200)}.fi-section:not(.fi-section-not-contained):not(.fi-aside).fi-section-has-
header:not(.fi-collapsed)>.fi-section-content-ctn:where(.dark,.dark *){border-
color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-
color:#fffffla}@supports
contained):not(.fi-aside).fi-section-has-header:not(.fi-collapsed)>.fi-section-content-
ctn:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-
section:not(.fi-section-not-contained).fi-aside>.fi-section-content-ctn{border-radius:var(--radius-
xl);background-color:var(--color-white);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0
lpx 2px -lpx var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
```

```
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow;var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-contained).fi-aside>.fi-section-
content-ctn{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}@media (min-
width:48rem){.fi-section:not(.fi-section-not-contained).fi-aside>.fi-section-content-ctn{grid-
column:span 2/span 2}}.fi-section:not(.fi-section-not-contained).fi-aside>.fi-section-content-
ctn:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-contained).fi-aside>.fi-section-content-ctn:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-section:not(.fi-section-not-contained).fi-aside.fi-compact>.fi-section-
content-ctn{border-radius:var(--radius-lq)}.fi-section:not(.fi-section-not-contained).fi-aside.fi-
secondary>.fi-section-content-ctn{background-color:var(--gray-50)}.fi-section:not(.fi-section-not-
contained).fi-aside.fi-secondary>.fi-section-content-ctn:where(.dark,.dark *){background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-section:not(.fi-section-not-
contained).fi-aside.fi-secondary>.fi-section-content-ctn:where(.dark,.dark *){background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-section:not(.fi-section-not-
contained).fi-compact:not(.fi-aside)>.fi-section-header{padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*2.5)}.fi-section:not(.fi-section-
not-contained).fi-compact:not(.fi-divided)>.fi-section-content-ctn>.fi-section-content-ctn>.fi-section-not(.fi-section-not-contained).fi-compact.fi-divided>.fi-section-content-ctn>.fi-section-
content>*{padding:calc(var(--spacing)*4)}.fi-section:not(.fi-section-not-contained).fi-compact>.fi-
section-footer{padding-inline:calc(var(--spacing)*4); padding-block:calc(var(--spacing)*2.5)}.fi-
section.fi-section-not-contained:not(.fi-aside),.fi-section.fi-section-not-contained:not(.fi-
aside)>.fi-section-content-ctn{row-gap:calc(var(--spacing)*4);display:grid}.fi-section.fi-section-
not-contained:not(.fi-aside).fi-divided>.fi-section-content-ctn>.fi-section-content>*{padding-
block:calc(var(--spacing)*6)}.fi-section.fi-section-not-contained:not(.fi-aside).fi-compact,.fi-
section.fi-section-not-contained:not(.fi-aside).fi-compact>.fi-section-content-ctn{row-
gap:calc(var(--spacing)*2.5)}.fi-section.fi-section-not-contained:not(.fi-aside).fi-compact.fi-
divided>.fi-section-content-ctn>.fi-section-content>*{padding-
block:calc(var(--spacing)*4)}:where(.fi-section.fi-divided>.fi-section-content-ctn>.fi-section-
content>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-
style);border-top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-
reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-
color:var(--gray-200)}:where(.fi-section.fi-divided>.fi-section-content-ctn>.fi-section-
content:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffffla}@supports (color:color-mix(in
lab, red, red)){:where(.fi-section.fi-divided>.fi-section-content-ctn>.fi-section-content:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-content:where(.dark,.dark *)>:not(:last-child))
white)10%, transparent)}}.fi-section.fi-aside{align-items:flex-start;column-
gap:calc(var(--spacing)*6);row-gap:calc(var(--spacing)*4);grid-template-
columns:repeat(1,minmax(0,1fr));display:grid}@media (min-width:48rem){.fi-section.fi-aside{grid-
template-columns:repeat(3,minmax(0,1fr))}}.fi-section.fi-collapsible>.fi-section-header{cursor:pointer}.fi-section.fi-collapsed>.fi-section-header>.fi-section-collapse-
btn{rotate:180deg}.fi-section.fi-collapsed>.fi-section-content-
ctn{visibility:hidden;height:calc(var(--spacing)*0);--tw-border-style:none;border-
style:none; position:absolute; overflow: hidden}@media (min-width: 48rem) { .fi-section.fi-section-has-
content-before>.fi-section-content-ctn{order:-9999}}.fi-section>.fi-section-header{align-
items:center;gap:calc(var(--spacing)*3);display:flex}.fi-section>.fi-section-header>.fi-
icon{color:var(--gray-400);flex-shrink:0}.fi-section>.fi-section-header>.fi-icon:where(.dark,.dark)
*){color:var(--gray-500)}.fi-section>.fi-section-header>.fi-icon.fi-
color{color:var(--color-500)}.fi-section>.fi-section-header>.fi-icon.fi-color:where(.dark,.dark
*){color:var(--color-400)}.fi-section>.fi-section-header>.fi-icon.fi-size-sm{margin-
top:calc(var(--spacing)*1)}.fi-section>.fi-section-header>.fi-icon.fi-size-md{margin-
top:calc(var(--spacing)*.5)}.fi-section>.fi-section-header>.fi-section-header-after-ctn .fi-sc-
text,.fi-section>.fi-section-header>.fi-section-header-after-ctn .fi-link{--tw-
leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6)}.fi-section>.fi-section-
header>.fi-section-header-after-ctn .fi-btn.fi-size-xs{margin-block:calc(var(--spacing)*-.5)}.fi-
section>.fi-section-header>.fi-section-header-after-ctn .fi-btn.fi-size-sm{margin-
block:calc(var(--spacing)*-1)}.fi-section>.fi-section-header>.fi-section-header-after-ctn .fi-
btn.fi-size-md{margin-block:calc(var(--spacing)*-1.5)}.fi-section>.fi-section-header>.fi-section-
header-after-ctn .fi-btn.fi-size-lg{margin-block:calc(var(--spacing)*-2)}.fi-section>.fi-section-
header>.fi-section-header-after-ctn .fi-btn.fi-size-xl{margin-block:calc(var(--spacing)*-2.5)}.fi-
section>.fi-section-header>.fi-section-collapse-btn{margin-block:calc(var(--spacing)*-1.5);flex-
shrink:0}.fi-section .fi-section-header-text-ctn{row-
gap:calc(var(--spacing)*1);flex:1;display:grid}.fi-section .fi-section-header-heading{font-
size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height));--tw-leading:calc(var(--spacing)*6);line-height:var(--font-weight:var(--font-weight));--tw-font-weight:var(--font-weight)
weight-semibold);font-weight:var(--font-weight-semibold);color:var(--gray-950)}.fi-section .fi-
section-header-heading:where(.dark,.dark *){color:var(--color-white)}.fi-section .fi-section-header-description{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));overflow-wrap:break-word;color:var(--gray-500);overflow:hidden}.fi-section .fi-section-header-description:where(.dark,.dark *){color:var(--gray-400)}.fi-tabs{column-
```

```
gap:calc(var(--spacing)*1);max-width:100%;display:flex;overflow-x:auto}.fi-tabs.fi-contained{border-
bottom-style:var(--tw-border-style);border-bottom-width:1px;border-color:var(--gray-200);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2.5)}.fi-tabs.fi-contained:where(.dark,.dark *){border-color:#ffffffa}@supports (color:color-mix(in lab, red, red)){.fi-tabs.fi-contained:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-mix))}.fi-tabs.fi-contained:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-mix))}.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-tabs.fi-ta
white) 10%, transparent) }}.fi-tabs:not(.fi-contained) {border-radius:var(--radius-xl);background-
color:var(--color-white);padding:calc(var(--spacing)*2);--tw-shadow:0 1px 3px 0 var(--tw-shadow-
color,#0000001a).0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow;var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)),var(--tw-ring-shadow),var(--tw-ring-inset)) 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-inset)
ring-color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-ring-shadow)
ring-ottor, current cottor), box-shadow.var(--tw-Inset-shadow), var(--tw-Inset-shadow), var(--tw-Inset-shadow), var(--tw-Inset-shadow), var(--tw-Inset-shadow), var(--tw-Inset-shadow), var(--gray-950); margin-inline:auto}@supports (color:color-mix(in oklab, var(--gray-950)5%, transparent))}.fi-tabs:not(.fi-contained) {--tw-ring-color:dark,.dark *){background-color:var(--gray-900); --tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-tabs:not(.fi-contained):where(.dark,.dark *){--tw-ring-color:color-mix(in oklab, var(--color-white)10%, transparent)}}.fi-tabs:fi-vertical{column-color:color-mix(in oklab, var(--color-white)10%, transparent)}.fi-tabs:fi-vertical{column-color:color-mix(in oklab, var(--color-white)10%, transparent)}.fi-tabs:fi-vertical{co
gap:calc(var(--spacing)*0);row-gap:calc(var(--spacing)*1);flex-direction:column;overflow:hidden
auto}.fi-tabs.fi-vertical.fi-contained{border-inline-end-style:var(--tw-border-style);border-inline-
end-width:1px;border-bottom-style:var(--tw-border-style);border-bottom-width:0}.fi-tabs.fi-
vertical:not(.fi-contained){margin-inline:calc(var(--spacing)*0)}.fi-tabs.fi-vertical .fi-tabs-
item{justify-content:flex-start}.fi-tabs-item{justify-content:center;align-items:center;column-
gap:calc(var(--spacing)*2);border-radius:var(--radius-lg);padding-
 inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium);font-weight:var(--font-weight-medium);white-space:nowrap;transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
 shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration)); --tw-duration:75ms; --tw-outline-style:none; outline-style:none; transition-duration:75ms; display:flex}@media (hover:hover){.fi-tabs-item:hover{background-color:var(--gray-50)}}, fi-tabs-item:focus-visible{background-
color:var(--gray-50)}@media (hover:hover){.fi-tabs-item:where(.dark,.dark *):hover{background-
color:#ffffff0d@supports (color:color-mix(in lab, red, red)){.fi-tabs-item:where(.dark,.dark
*):hover{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-tabs-
item:where(.dark,.dark *):focus-visible{background-color:#ffffff0d}@supports (color:color-mix(in
lab, red, red)){.fi-tabs-item:where(.dark,.dark *):focus-visible{background-color:color-mix(in
oklab, var(--color-white)5%, transparent)}}.fi-tabs-item.fi-active{background-
color:var(--gray-50)}.fi-tabs-item.fi-active:where(.dark,.dark *){background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-tabs-item.fi-active.where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-active.fi-tabs-item.fi-tabs-item.fi-active.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs
icon \{color: var(--primary-700)\}: is (.fi-tabs-item.fi-active .fi-tabs-item-label,.fi-tabs-item.fi-active .fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.fi-tabs-item.
active .fi-icon):where(.dark,.dark *){color:var(--primary-400)}.fi-tabs-item :not(.fi-active):hover
   .fi-tabs-item-label,.fi-tabs-item :not(.fi-active):hover .fi-tabs-item-
label:is(:where(.group):focus-visible *){color:var(--gray-700)}.fi-tabs-item :not(.fi-active):hover .fi-tabs-item-label:where(.dark,.dark *),.fi-tabs-item :not(.fi-active):hover .fi-tabs-item-
label:where(.dark,.dark *):is(:where(.group):focus-visible *){color:var(--gray-200)}.fi-tabs-item
:not(.fi-active):focus-visible .fi-tabs-item-label{color:var(--gray-700)}.fi-tabs-item :not(.fi-
active):focus-visible .fi-tabs-item-label:where(.dark,.dark *){color:var(--gray-200)}.fi-tabs-item
 .fi-tabs-item-label{color:var(--gray-500);transition-property:color,background-color,border
color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-
gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;transition-duration:75ms}.fi-tabs-item .fi-tabs-item-label:where(.dark,.dark *){color:var(--gray-400)}.fi-tabs-
item .fi-icon{color:var(--gray-400);transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration,var(--default-transition-duration));--tw-duration:75ms;flex-shrink:0;transition-
duration:75ms}.fi-tabs-item .fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-tabs-item .fi-
badge{width:max-content}.fi-
toggle{height:calc(var(--spacing)*6);width:calc(var(--spacing)*11);cursor:pointer;border-
style:var(--tw-border-style);background-color:var(--gray-200);transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to; transition-timing-function: var(--tw-ease, var(--default-transition-timing-
function));transition-duration:var(--tw-duration,var(--default-transition-duration));--tw-
duration:.2s;--tw-ease:var(--ease-in-out);transition-duration:.2s;transition-timing-
```

```
function:var(--ease-in-out);--tw-outline-style:none;border-width:2px;border-color:#0000;border-
radius:3.40282e38px;outline-style:none;flex-shrink:0;display:inline-flex;position:relative}.fi-
toggle:focus-visible{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px + var(--tw-ring-offset-
width))var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-inset-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow);--tw-ring-color:var(--primary-600);--tw-ring-offset-width:lpx;--tw-ring-offset-shadow:var(--tw-ring-inset,)0 0
0 var(--tw-ring-offset-width)var(--tw-ring-offset-color)}.fi-toggle:disabled{pointer-
events:none;opacity:.7}.fi-toggle:where(.dark,.dark *){background-color:var(--gray-700)}.fi-toggle:where(.dark,.dark *):focus-visible{--tw-ring-color:var(--primary-500);--tw-ring-offset-color:var(--gray-900)}.fi-toggle:disabled,.fi-toggle[disabled]{pointer-events:none;opacity:.7}.fi-
toggle.fi-color{background-color:var(--bg)}.fi-toggle.fi-color:where(.dark,.dark *){background-
color:var(--dark-bg)}.fi-toggle.fi-color .fi-icon{color:var(--text)}.fi-toggle.fi-
hidden{display:none}.fi-toggle>:first-child{pointer-
events:none; width:calc(var(--spacing)*5); height:calc(var(--spacing)*5); transform: var(--tw-rotate-x,)var(--tw-rotate-y,)var(--tw-rotate-z,)var(--tw-skew-y,); background-
color:var(--cw-shadow-color,#0000001a); box-shadow:var(--tw-shadow),var(--tw-inset-shadow),var(--tw-inset-ring-
shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:.2s;--tw-
ease:var(--ease-in-out);transition-duration:.2s;transition-timing-function:var(--ease-in-
out);border-radius:3.40282e38px;display:inline-block;position:relative}.fi-toggle>:first-
child>*{inset:calc(var(--spacing)*0); width:100%; height:100%; transition-property:opacity; transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration)); justify-content:center;align-
items:center;display:flex;position:absolute}.fi-toggle .fi-icon{color:var(--gray-400)}.fi-toggle
.fi-icon:where(.dark,.dark *){color:var(--gray-700)}.fi-toggle.fi-toggle-on>:first-child{--tw-translate-x:calc(var(--spacing)*5);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-toggle.fi-toggle-on>:first-child:where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-
translate-x:calc(var(--spacing)*-5);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-
toggle.fi-toggle-on>:first-child>:first-child{opacity:0;--tw-duration:.ls;--tw-ease:var(--ease-
out);transition-duration:.1s;transition-timing-function:var(--ease-out)}.fi-toggle-fi-toggle-
on>:first-child>:last-child{opacity:1;--tw-duration:.2s;--tw-ease:var(--ease-in);transition-duration:.2s;transition-timing-function:var(--ease-in)}.fi-toggle.fi-toggle-off>:first-child{--tw-
translate-x:calc(var(--spacing)*0);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-
toggle.fi-toggle-off>:first-child>:first-child{opacity:1;--tw-duration:.2s;--tw-ease:var(--ease-
in);transition-duration:.2s;transition-timing-function:var(--ease-in)}.fi-toggle.fi-toggle-off>:first-child>:last-child{opacity:0;--tw-duration:.1s;--tw-ease:var(--ease-out);transition-duration:.1s;transition-timing-function:var(--ease-out)}.fi-sortable-ghost{opacity:.3}.fi-ac{gap:calc(var(--spacing)*3)}.fi-ac:not(.fi-width-full){flex-wrap:wrap;align-
items:center;display:flex}.fi-ac:not(.fi-width-full).fi-align-start,.fi-ac:not(.fi-width-full).fi-
align-left{justify-content:flex-start}.fi-ac:not(.fi-width-full).fi-align-center{justify-content:center}.fi-ac:not(.fi-width-full).fi-align-end,.fi-ac:not(.fi-width-full).fi-align-end,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between,.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-align-between.fi-ac:not(.fi-width-full).fi-a
full).fi-align-justify{justify-content:space-between}.fi-ac.fi-width-full{grid-template-
columns: repeat (auto-
fit,minmax(0,1fr));display:grid}.CodeMirror{color:#000;direction:ltr;height:300px;font-
family:monospace}.CodeMirror-lines{padding:4px 0}.CodeMirror pre.CodeMirror-line,.CodeMirror
pre.CodeMirror-line-like{padding:0 4px}.CodeMirror-gutter-filler,.CodeMirror-scrollbar-
filler{background-color:#ffff}.CodeMirror-gutters{white-space:nowrap;background-color:#f7f7f7;border-
right:1px solid #ddd}.CodeMirror-linenumber{text-align:right;color:#999;white-space:nowrap;min-
width:20px;padding:0 3px 0 5px}.CodeMirror-guttermarker{color:#000}.CodeMirror-guttermarker-
subtle{color:#999}.CodeMirror-cursor{border-left:1px solid #000;border-
right:none;width:0}.CodeMirror div.CodeMirror-secondarycursor{border-left:1px solid silver}.cm-fat-
cursor .CodeMirror-cursor{background:#7e7;width:auto;border:0!important}.cm-fat-cursor
\label{lem:codeMirror-cursors} \ div. Code Mirror-line:: selection \{background: 0\ 0\}. cm-fat-line:: selecti
cursor .CodeMirror-line>span::selection{background:0 0}.cm-fat-cursor .CodeMirror-
line>span>span::selection{background:0 0}.cm-fat-cursor .CodeMirror-line::-moz-
selection{background:0 0}.cm-fat-cursor .CodeMirror-line>span::-moz-selection{background:0 0}.cm-fat-cursor .CodeMirror-line>span>span::-moz-selection{background:0 0}.cm-fat-cursor{caret-
color:#0000}@keyframes blink{50%{background-color:#0000}}.cm-tab{-webkit-text-
decoration:inherit;-webkit-text-decoration:inherit;-webkit-text-decoration:inherit;-webkit-text-
decoration:inherit;text-decoration:inherit;display:inline-block}.CodeMirror-
rulers{position:absolute;inset:-50px 0 0;overflow:hidden}.CodeMirror-ruler{border-left:1px solid
#ccc;position:absolute;top:0;bottom:0}.cm-s-default .cm-header{color:#00f}.cm-s-default .cm-
quote{color:#090}.cm-negative{color:#d44}.cm-positive{color:#292}.cm-header,.cm-strong{font-weight:700}.cm-em{font-style:italic}.cm-link{text-decoration:underline}.cm-strikethrough{text-
```

```
decoration:line-through).cm-s-default .cm-keyword{color:#708}.cm-s-default .cm-atom{color:#219}.cm-
s-default .cm-number{color:#164}.cm-s-default .cm-def{color:#00f}.cm-s-default .cm-variable-2{color:#05a}.cm-s-default .cm-type,.cm-s-default .cm-variable-3{color:#085}.cm-s-default
 .cm-comment{color:#a50}.cm-s-default .cm-string{color:#a11}.cm-s-default .cm-
string-2{color:#f50}.cm-s-default .cm-meta,.cm-s-default .cm-qualifier{color:#555}.cm-s-default .cm-
builtin{color:#30a}.cm-s-default .cm-bracket{color:#997}.cm-s-default .cm-tag{color:#170}.cm-s-
default .cm-attribute{color:#00c}.cm-s-default .cm-hr{color:#999}.cm-s-default .cm-
link{color:#00c}.cm-s-default .cm-error,.cm-invalidchar{color:red}.CodeMirror-composing{border-
bottom:2px solid}div.CodeMirror span.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror span.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matchingbracket{color:#0b0}div.CodeMirror-matching
matchingtag{background:#ff96004d}.CodeMirror-activeline-background{background:#e8f2ff}.CodeMirror{background}
ckground:#fff;position:relative;overflow:hidden}.CodeMirror
scroll{z-index:0;outline:0;height:100%;margin-bottom:-50px;margin-right:-50px;padding-
bottom:50px;position:relative;overflow:scroll!important}.CodeMirror-sizer{border-right:50px solid #00000;position:relative}.CodeMirror-filler,.CodeMirror-hscrollbar,.CodeMirror-sizer{border-right:50px solid #00000;position:relative}.
filler,.CodeMirror-vscrollbar{z-index:6;outline:0;display:none;position:absolute}.CodeMirror-
vscrollbar{top:0;right:0;overflow:hidden scroll}.CodeMirror-
hscrollbar{bottom:0;left:0;overflow:scroll hidden}.CodeMirror-scrollbar-
filler{bottom:0;right:0}.CodeMirror-gutter-filler{bottom:0;left:0}.CodeMirror-gutters{z-index:3;min-height:100%;position:absolute;top:0;left:0}.CodeMirror-gutter{white-space:normal;vertical-
align:top; height:100%; margin-bottom:-50px; display:inline-block}. CodeMirror-gutter-wrapper{z-index:4; position:absolute; background:0 0!important; border:none!important}. CodeMirror-
gutter-background{z-index:4;position:absolute;top:0;bottom:0}.CodeMirror-gutter-
elt{cursor:default;z-index:4;position:absolute}.CodeMirror-qutter-wrapper ::selection{background-
color:#0000}.CodeMirror-lines{cursor:text;min-height:1px}.CodeMirror pre.CodeMirror-line,.CodeMirror
pre.CodeMirror-line-like{font-family:inherit;font-size:inherit;white-space:pre;word-wrap:normal;line-height:inherit;color:inherit;z-index:2;-webkit-tap-highlight-
color:transparent;-webkit-font-variant-ligatures:contextual;font-variant-
ligatures:contextual;background:0 0;border-width:0;border-
radius:0;margin:0;position:relative;overflow:visible}.CodeMirror-wrap pre.CodeMirror-
line,.CodeMirror-wrap pre.CodeMirror-line-like{word-wrap:break-word;white-space:pre-wrap;word-
break:normal}.CodeMirror-linebackground{z-index:0;position:absolute;inset:0}.CodeMirror
linewidget{z-index:2;padding:.1px;position:relative}.CodeMirror-code{outline:0}.CodeMirror-
gutter, .CodeMirror-gutters, .CodeMirror-linenumber, .CodeMirror-scroll, .CodeMirror-sizer{box-
sizing:content-box}.CodeMirror-
measure{visibility:hidden;width:100%;height:0;position:absolute;overflow:hidden}.CodeMirror-
cursor{pointer-events:none; position: absolute}.CodeMirror-measure pre{position: static}div.CodeMirror-
cursors{visibility:hidden;z-index:3;position:relative}div.CodeMirror-dragcursors,.CodeMirror-focused div.CodeMirror-cursors{visibility:visible}.CodeMirror-selected{background:#d9d9d9}.CodeMirror-focused .CodeMirror-selected{background:#d7d4f0}.CodeMirror-crosshair{cursor:crosshair}.CodeMirror-
line::selection{background:#d7d4f0}.CodeMirror-line>span::selection{background:#d7d4f0}.CodeMirror-
line>span>span::selection{background:#d7d4f0}.CodeMirror-line::-moz
selection{background:#d7d4f0}.CodeMirror-line>span::-moz-selection{background:#d7d4f0}.CodeMirror-line>span>span::-moz-selection{background:#d7d4f0}.cm-force-
border{padding-right:.1px}@media print{.CodeMirror div.CodeMirror-cursors{visibility:hidden}}.cm-tab-wrap-hack:after{content:""}span.CodeMirror-selectedtext{background:00}.EasyMDEContainer{display:block}.CodeMirror-rtl pre{direction:rtl}.EasyMDEContainer.sided--no-
fullscreen{flex-flow:wrap;display:flex}.EasyMDEContainer .CodeMirror{box-sizing:border-
box;height:auto;font:inherit;z-index:0;word-wrap:break-word;border:1px solid #ced4da;border-bottom-
right-radius:4px;border-bottom-left-radius:4px;padding:10px}.EasyMDEContainer .CodeMirror-
scroll{cursor:text}.EasyMDEContainer .CodeMirror-
fullscreen{z-index:8;background:#fff;height:auto;inset:50px 0 0;border-right:none!important;border-
bottom-right-radius:0!important;position:fixed!important}.EasyMDEContainer .CodeMirror-sided{width:50%!important}.EasyMDEContainer.sided--no-fullscreen .CodeMirror-sided{border-bottom-
right-radius:0;flex:auto;position:relative;border-right:none!important}.EasyMDEContainer .CodeMirror-placeholder{opacity:.5}.EasyMDEContainer .CodeMirror-focused .CodeMirror-
selected{background:#d9d9d9}.editor-toolbar{-webkit-user-select:none;user-select:none;-o-user-
select:none;border-top:1px solid #ced4da;border-left:1px solid #ced4da;border-right:1px solid
#ced4da; border-top-left-radius:4px; border-top-right-radius:4px; padding:9px
10px;position:relative}.editor-toolbar.fullscreen{box-sizing:border-box;opacity:1;z-index:9;background:#fff;border:0;width:100%;height:50px;padding-top:10px;padding-
bottom:10px;position:fixed;top:0;left:0}.editor-toolbar.fullscreen:before{background:-o-linear-
gradient(270deg,#fff 0,#fff0 100%);background:-ms-linear-gradient(left,#fff 0,#fff0
100%);background:linear-gradient(90deg,#fff
0,#fff0);width:20px;height:50px;margin:0;padding:0;position:fixed;top:0;left:0}.editor-
toolbar.fullscreen:after{background:-o-linear-gradient(270deg,#fff0 0,#fff 100%);background:-ms-
linear-gradient(left,#fff0 0,#fff 100%);background:linear-gradient(90deg,#fff0 0,#fff);width:20px;he
ight:50px;margin:0;padding:0;position:fixed;top:0;right:0}.EasyMDEContainer.sided--no-fullscreen
 .editor-toolbar{width:100%}.editor-toolbar .easymde-dropdown,.editor-toolbar button{text-
align:center;cursor:pointer;background:0 0;border:1px solid #0000;border
radius:3px;height:30px;margin:0;padding:0;display:inline-block;text
decoration:none!important}.editor-toolbar button{white-space:nowrap;min-width:30px;padding:0
6px; font-weight: 700}.editor-toolbar button.active,.editor-toolbar
```

```
button:hover{background:#fcfcfc;border-color:#95a5a6}.editor-toolbar i.separator{color:#0000;text-
indent:-10px;border-left:1px solid #d9d9d9;border-right:1px solid #fff;width:0;margin:0
6px:display:inline-block}.editor-toolbar button:after{vertical-align:text-bottom;font-
family:Arial, Helvetica Neue, Helvetica, sans-serif; font-size:65%; position: relative; top:2px}.editor-toolbar button.heading-1:after{content:"1"}.editor-toolbar
button.heading-2:after{content:"2"}.editor-toolbar button.heading-3:after{content:"3"}.editor-
toolbar button.heading-bigger:after{content:"▲"}.editor-toolbar button.heading-smaller:after{content:"▼"}.editor-toolbar.disabled-for-preview button:not(.no-
disable){opacity:.6;pointer-events:none}@media only screen and (max-width:700px){.editor-toolbar i.no-mobile{display:none}}.editor-statusbar{color:#959694;text-align:right;padding:8px 10px;font-
size:12px}.EasyMDEContainer.sided--no-fullscreen .editor-statusbar{width:100%}.editor-statusbar
span{min-width:4em;margin-left:1em;display:inline-block}.editor-statusbar
lines:before{content:"lines: "}.editor-statusbar .words:before{content:"words: "}.editor-statusbar .characters:before{content:"characters: "}.editor-preview-full{z-index:7;box-sizing:border-box;width:100%;height:100%;display:none;position:absolute;top:0;left:0;overflow:auto}.editor-
preview-side{z-index:9;box-sizing:border-box;word-wrap:break-word;border:1px solid
#ddd;width:50%;display:none;position:fixed;top:50px;bottom:0;right:0;overflow:auto}.editor-preview-
active-side{display:block}.EasyMDEContainer.sided--no-fullscreen .editor-preview-active-
side{flex:auto;height:auto;position:static}.editor-preview-active{display:block}.editor-
preview{background:#fafafa;padding:10px}.editor-preview>p{margin-top:0}.editor-preview
pre{background:#eee;margin-bottom:10px}.editor-preview table td,.editor-preview table th{border:1px
solid #ddd;padding:5px}.cm-s-easymde .cm-tag{color:#63a35c}.cm-s-easymde .cm-
attribute{color:#795da3}.cm-s-easymde .cm-string{color:#183691}.cm-s-easymde .cm-header-1{font-
size:calc(1.375rem + 1.5vw)}.cm-s-easymde .cm-header-2{font-size:calc(1.325rem + .9vw)}.cm-s-easymde
.cm-header-3{font-size:calc(1.3rem + .6vw)}.cm-s-easymde .cm-header-4{font-size:calc(1.275rem +
.3vw)}.cm-s-easymde .cm-header-5{font-size:1.25rem}.cm-s-easymde .cm-header-6{font-size:1rem}.cm-s-easymde .cm-header-1,.cm-s-easymde .cm-header-2,.cm-s-easymde .cm-header-3,.cm-s-easymde .cm-header-3.
header-4,.cm-s-easymde .cm-header-5,.cm-s-easymde .cm-header-6{margin-bottom:.5rem;line
height:1.2}.cm-s-easymde .cm-comment{background:#0000000d;border-radius:2px}.cm-s-easymde .cm-
link{color:#7f8c8d}.cm-s-easymde .cm-url{color:#aab2b3}.cm-s-easymde .cm-quote{color:#7f8c8d;font-
style:italic}.editor-toolbar .easymde-dropdown{background:linear-gradient(to bottom right,#fff 0 84%,#333 50% 100%);border:lpx solid #fff;border-radius:0;position:relative}.editor-toolbar .easymde-
dropdown:hover{background:linear-gradient(to bottom right,#fff 0 84%,#333 50% 100%)}.easymde-dropdown-content{visibility:hidden;z-index:2;background-
color:#f9f9f9;padding:8px;display:block;position:absolute;top:30px;box-shadow:0 8px 16px
#0003}.easymde-dropdown:active .easymde-dropdown-content,.easymde-dropdown:focus .easymde-dropdown-
content,.easymde-dropdown:focus-within .easymde-dropdown-content{visibility:visible}.easymde
dropdown-content button{display:block}span[data-img-src]:after{content:"";background-image:var(--bg-image);max-width:100%;height:0;max-height:100%;padding-
top:var(--height);width:var(--width);background-repeat:no-repeat;background-
size:contain;display:block}.CodeMirror .cm-spell-error:not(.cm-url):not(.cm-comment):not(.cm-
tag):not(.cm-word){background:#ff000026}.cropper-container{-webkit-touch-callout:none;-ms-touch-
action:none;touch-action:none;-webkit-user-select:none;user-select:none;direction:ltr;font-size:0;line-height:0;position:relative}.cropper-container img{backface-visibility:hidden;image-
orientation: Odeg; width: 100%; height: 100%; display: block; min-width: 0! important; max-
width:none!important;min-height:0!important;max-height:none!important}.cropper-canvas,.cropper-crop-
box,.cropper-drag-box,.cropper-modal,.cropper-wrap-box{position:absolute;inset:0}.cropper-
canvas,.cropper-wrap-box{overflow:hidden}.cropper-drag-box{opacity:0;background-color:#fff}.cropper-
modal{opacity:.5; background-color:#000}.cropper-view-box{outline:1px solid
#3399ffbf;width:100%; height:100%; display:block; overflow:hidden}.cropper-dashed{opacity:.5; border:0
dashed #eee;display:block;position:absolute}.cropper-dashed.dashed-h{border-top-width:1px;border-
bottom-width:1px;width:100%;height:33.3333%;top:33.3333%;left:0}.cropper-dashed.dashed-v{border-
left-width:1px;border-right-width:1px;width:33.333%;height:100%;top:0;left:33.3333%}.cropper-
center{opacity:.75;width:0;height:0;display:block;position:absolute;top:50%;left:50%}.cropper-
center:after,.cropper-center:before{content:" ";background-
color: #eee; display: block; position: absolute }. cropper-
center:before{width:7px;height:1px;top:0;left:-3px}.cropper-
center:after{width:lpx;height:7px;top:-3px;left:0}.cropper-face,.cropper-line,.cropper-
point{opacity:.1;width:100%;height:100%;display:block;position:absolute}.cropper-face{background-
color:#fff;top:0;left:0}.cropper-line{background-color:#39f}.cropper-line.line-e{cursor:ew
resize; width:5px; top:0; right:-3px}.cropper-line.line-n{cursor:ns-
resize; height:5px; top:-3px; left:0}.cropper-line.line-w{cursor:ew-resize; width:5px; top:0; left:-3px}.cropper-line.line-s{cursor:ns-
resize; height:5px; bottom:-3px; left:0}.cropper-point{opacity:.75; background-
color:#39f;width:5px;height:5px}.cropper-point.point-e{cursor:ew-resize;margin-
top:-3px;top:50%;right:-3px}.cropper-point.point-n{cursor:ns-resize;margin-
left:-3px;top:-3px;left:50%}.cropper-point.point-w{cursor:ew-resize;margin-
top:-3px;top:50%;left:-3px}.cropper-point.point-s{cursor:s-resize;margin-
left:-3px;bottom:-3px;left:50%}.cropper-point.point-ne{cursor:nesw-
resize;top:-3px;right:-3px}.cropper-point.point-nw{cursor:nwse-resize;top:-3px;left:-3px}.cropper-
point.point-sw{cursor:nesw-resize;bottom:-3px;left:-3px}.cropper-point.point-se{cursor:nwse-
resize; opacity:1; width:20px; height:20px; bottom:-3px; right:-3px} @media (min-width:768px) { .cropper-
point.point-se{width:15px;height:15px}}@media (min-width:992px){.cropper-point.point-
```

```
se{width:10px;height:10px}}@media (min-width:1200px){.cropper-point.point-
se{opacity:.75; width:5px; height:5px}}.cropper-point.point-se:before{content:"
 :opacity:0:background-
color:#39f;width:200%;height:200%;display:block;position:absolute;bottom:-50%;right:-50%}.cropper-
BAAAAAQAQMAAAA1PWOiÁAAAA3NCSVQĬČAjb4Ŭ/gAAAABlBMVEXMzMz////TjRV2AAAACXBIWXMAAArrAAAK6wGCiwlaAAAAHHRFW
HRTb2Z0d2FyZQBBZG9iZSBGaXJld29ya3MgQ1M26LyyjAAAABFJREFUCJlj+M/AgBVhF/0PAH6/D/HkDx0GAAAAAElFTkSuQmCC)
}.cropper-hide{width:0;height:0;display:block;position:absolute}.cropper-
hidden{display:none!important}.cropper-move{cursor:move}.cropper-crop{cursor:crosshair}.cropper-
disabled .cropper-drag-box,.cropper-disabled .cropper-face,.cropper-disabled .cropper-line,.cropper-disabled .cropper-point{cursor:not-allowed}.filepond--assistant{clip:rect(1px,1px,1px,1px);clip-
path:inset(50%);white
space:nowrap;border:0;width:1px;height:1px;padding:0;position:absolute;overflow:hidden}.filepond--
browser.filepond--browser{opacity:0;width:calc(100% - 2em);margin:0;padding:0;font-
size:0;position:absolute;top:1.75em;left:1em}.filepond--data{visibility:hidden;pointer-events:none;c
ontain:strict;border:none;width:0;height:0;margin:0;padding:0;position:absolute}.filepond-
drip{opacity:.1; pointer-events: none; background: #00000003; border-
radius:.5em;position:absolute;inset:0;overflow:hidden}.filepond--drip-blob{transform-
origin:50%; background:#292625; border-radius:50%; width:8em; height:8em; margin-top:-4em; margin-
left:-4em}.filepond--drip-blob,.filepond--drop-label{will-
change:transform,opacity;position:absolute;top:0;left:0}.filepond--drop-label{color:#4f4f4f;-webkit-
user-select:none;user-select:none;justify-content:center;align-
items:center;height:0;margin:0;display:flex;right:0}.filepond--drop-label.filepond--drop-label
label{margin:0;padding:.5em;display:block}.filepond--drop-label label{cursor:default;text-
align:center;font-size:.875em;font-weight:400;line-height:1.5}.filepond--label-action{-webkit-text-
decoration-skip:ink;-webkit-text-decoration-skip-ink:auto;text-decoration-skip-ink:auto;cursor:pointer;-webkit-text-decoration:underline #a7a4a4;text-decoration:underline
#a7a4a4}.filepond--root[data-disabled] .filepond--drop-label label{opacity:.5}.filepond--file-action-button.filepond--file-action-button{width:1.625em;height:1.625em;font-family:inherit;font-
size:1em;line-height:inherit;will-
change:transform,opacity;border:none;outline:none;margin:0;padding:0}.filepond--file-action-
button.filepond--file-action-button span{clip:rect(1px,1px,1px,1px);clip-path:inset(50%);white-
space:nowrap;border:0;width:1px;height:1px;padding:0;position:absolute;overflow:hidden}.filepond--
file-action-button.filepond--file-action-button svg{width:100%;height:100%}.filepond--file-action-button.filepond--file-action-button:";position:absolute;inset:-.75em}.filepond--file-
action-button{cursor:auto;color:#fff;background-color:#00000080;background-image:none;border
radius:50%; transition:box-shadow .25s ease-in; box-shadow:0 0 #ffff0}.filepond--file-action-button:focus, filepond--file-action-button:focus, filepond--file-action-button[disabled] {color:#ffffff80; background-color:#00000040}.filepond--file-action-
button[hidden]{display:none}.filepond--file-info{will-change:transform,opacity;pointer
events:none;-webkit-user-select:none;user-select:none;flex-direction:column;flex:1;align-items:flex-
start;min-width:0;margin:0 .5em 0 0;display:flex;position:static}.filepond--file-info
*{margin:0}.filepond--file-info .filepond--file-info-main{text-overflow;ellipsis;white-
space:nowrap;width:100%;font-size:.75em;line-height:1.2;overflow:hidden}.filepond--file-info
 filepond--file-info-sub{opacity:.5;white-space:nowrap;font-size:.625em;transition:opacity .25s.
ease-in-out}.filepond--file-info .filepond--file-info-sub:empty{display:none}.filepond--file-
status{text-align:right;will-change:transform,opacity;pointer-events:none;-webkit-user-
select:none; user-select:none; flex-direction:column; flex-grow:0; flex-shrink:0; align-items:flex-
end;min-width:2.25em;margin:0;display:flex;position:static}.filepond--file-status *{white-
space:nowrap;margin:0}.filepond--file-status .filepond--file-status-main{font-size:.75em;line-height:1.2}.filepond--file-status .filepond--file-status-sub{opacity:.5;font-
size:.625em;transition:opacity .25s ease-in-out}.filepond--file-wrapper.filepond--file-
wrapper{border:none;min-width:0;height:100%;margin:0;padding:0}.filepond--file-wrapper.filepond--
file-wrapper>legend{clip:rect(1px,1px,1px);clip-path:inset(50%);white-
space:nowrap;border:0;width:1px;height:1px;padding:0;position:absolute;overflow:hidden}.filepond--
file{color:#fff;border-radius:.5em;align-items:flex-
start;height:100%;padding:.5625em;display:flex;position:static}.filepond--file .filepond--file-
status{margin-left:auto;margin-right:2.25em}.filepond--file .filepond--processing-complete-
indicator{pointer-events:none;-webkit-user-select:none;user-select:none;z-index:3}.filepond--file
.filepond--file action-button,.filepond--file .filepond--processing-complete-indicator,.filepond--file .filepond--progress-indicator{position:absolute}.filepond--file [data-
align*=left]{left:.5625em}.filepond--file [data-align*=right]{right:.5625em}.filepond--file [data-align*=center]{left:calc(50% - .8125em)}.filepond--file [data-align*=bottom]{bottom:1.125em}.filepond--file [data-align=center]{top:calc(50% - .8125em)}.filepond
  -file .filepond--progress-indicator{margin-top:.1875em}.filepond--file .filepond--progress-
indicator[data-align*=right]{margin-right: .1875em}.filepond--file .filepond--progress-
indicator[data-align*=left]{margin-left:.1875em}[data-filepond-item-state*=error] .filepond--file-
info,[data-filepond-item-state*=invalid] .filepond--file-info,[data-filepond-item-state=cancelled]
 .filepond--file-info{margin-right:2.25em}[data-filepond-item-state~=processing] .filepond--file-
status-sub{opacity:0}[data-filepond-item-state~=processing] .filepond--action-abort-item-
processing~.filepond--file-status .filepond--file-status-sub{opacity:.5}[data-filepond-item-state=processing-error] .filepond--file-status-sub{opacity:0}[data-filepond-item-state=processing-error] .filepond--action-retry-item-processing~.filepond--file-status .filepond--file-status-
```

```
sub\{opacity:.5\} [data-filepond-item-state=processing-complete] \ .filepond--action-revert-item-state=processing-complete] rocessing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-complete-processing-comp
processing svg{animation:.5s linear .125s both fall}[data-filepond-item-state=processing-complete] .filepond--file-status-sub{opacity:.5}[data-filepond-item-state=processing-complete] .filepond--
file-info-sub,[data-filepond-item-state=processing-complete] .filepond--processing-complete
indicator:not([style*=hidden])~.filepond--file-status .filepond--file-status-sub{opacity:0}[data-
filepond-item-state=processing-complete] .filepond--action-revert-item-processing~.filepond--file-
info .filepond--file-info-sub{opacity:.5}[data-filepond-item-state*=error] .filepond--file-
wrapper,[data-filepond-item-state*=error] .filepond--panel,[data-filepond-item-state*=invalid]
.filepond--file-wrapper,[data-filepond-item-state*=invalid] .filepond--panel{animation:.65s linear
both shake}[data-filepond-item-state*=busy] .filepond--progress-indicator svg{animation:1s linear
infinite spin}@keyframes spin{0%{transform:rotate(0)}to{transform:rotate(1turn)}}@keyframes shake{10
%,90%{transform:translate(
 .0625em)}20%,80%{transform:translate(.125em)}30%,50%,70%{transform:translate(-
 .25em)}40%,60%{transform:translate(.25em)}}@keyframes fall{0%{opacity:0;animation-timing-
function:ease-out; transform:scale(.5)}70%{opacity:1; animation-timing-function:ease-in-
out;transform:scale(1.1)}to{animation-timing-function:ease-out;transform:scale(1)}}.filepond--hopper[data-hopper-state=drag-over]>*{pointer-events:none}.filepond--hopper[data-hopper-state=drag-over]>*
over]:after{content:"";z-index:100;position:absolute;inset:0}.filepond--progress-
indicator{z-index:103}.filepond--file-action-button{z-index:102}.filepond--file-
status{z-index:101}.filepond--file-info{z-index:100}.filepond--item{z-index:1; will-
change:transform,opacity;touch-
action:auto;margin:.25em;padding:0;position:absolute;top:0;left:0;right:0}.filepond--item>.filepond
 --panel{z-index:-1}.filepond--item>.filepond--panel .filepond--panel-bottom{box-shadow:0 .0625em .125em -.0625em #00000040}.filepond--item>.filepond--file-wrapper,.filepond--item>.filepond--
panel{transition:opacity .15s ease-out}.filepond--item[data-drag-state]{cursor:-webkit
grab;cursor:grab}.filepond--item[data-drag-state]>.filepond--panel{transition:box-shadow .125s ease-
in-out;box-shadow:0 0 #0000}.filepond--item[data-drag-state=drag]{cursor:-webkit-
grabbing;cursor:grabbing}.filepond--item[data-drag-state=drag]>.filepond--panel{box-shadow:0 .125em
  3125em #00000053}.filepond--item[data-drag-state]:not([data-drag-state=idle]){2-index:2}.filepond--
item-panel{background-color:#64605e}[data-filepond-item-state=processing-complete] .filepond--item-
panel{background-color:#369763}[data-filepond-item-state*=error] .filepond--item-panel,[data-
filepond-item-state*=invalid] .filepond--item-panel{background-color:#c44e47}.filepond--item-
panel{border-radius:.5em;transition:background-color .25s}.filepond--list-scroller{will-
change:transform;margin:0;position:absolute;top:0;left:0;right:0}.filepond--list-scroller[data-
state=overflow] .filepond--list{bottom:0;right:0}.filepond--list-scroller[data-
state=overflow]{-webkit-overflow-scrolling:touch;overflow:hidden scroll;-webkit-mask:linear-
gradient(#000 calc(100% - .5em),#0000);mask:linear-gradient(#000 calc(100% - .5em),#0000)}.filepond --list-scroller::-webkit-scrollbar{background:0 0}.filepond--list-scroller::-webkit-scrollbar:vertical{width:1em}.filepond--list-scroller::-webkit-scrollbar:vertical{height:0}.filepond--list-scroller::-webkit-scrollbar-thumb{background-
color:#0000004d;background-clip:content-box;border:.3125em solid #0000;border
radius:99999px}.filepond--list.filepond--list{will-change:transform;margin:0;padding:0;list-style-
type:none;position:absolute;top:0}.filepond--list{left:.75em;right:.75em}.filepond--root[data-style-panel-layout~=integrated]{width:100%;max-width:none;height:100%;margin:0}.filepond--root[data-style-panel-layout~=integrated]
panel-layout~=circle] .filepond--panel-root,.filepond--root[data-style-panel-layout~=integrated]
 .filepond--panel-root{border-radius:0}.filepond--root[data-style-panel-layout~=circle] .filepond-
panel-root>*,.filepond--root[data-style-panel-layout~=integrated] .filepond--panel-
root>*{display:none}.filepond--root[data-style-panel-layout~=circle] .filepond--drop-label,.filepond
--root[data-style-panel-layout~=integrated] .filepond--drop-label{z-index:7;justify-
content:center;align-items:center;height:auto;display:flex;bottom:0}.filepond--root[data-style-panel-layout~=circle] .filepond--item-panel,.filepond--root[data-style-panel-layout~=integrated]
 .filepond--item-panel{display:none}.filepond--root[data-style-panel-layout~=compact] .filepond--
list-scroller,.filepond--root[data-style-panel-layout~=integrated] .filepond--list-scroller{height:100%;margin-top:0;margin-bottom:0;overflow:hidden}.filepond--root[data-style-panel-
layout~=compact] .filepond--list,.filepond--root[data-style-panel-layout~=integrated] .filepond-
list{height:100%;left:0;right:0}.filepond--root[data-style-panel-layout~=compact] .filepond--
item,.filepond--root[data-style-panel-layout~=integrated] .filepond--item{margin:0}.filepond-
root[data-style-panel-layout-=compact] .filepond--file-wrapper,.filepond--root[data-style-panel-layout-=compact] .filepond--file-wrapper,.filepond--root[data-style-panel-layout-=compact] .filepond--drop-label,.filepond--root[data-style-panel-layout-=integrated] .filepond--drop-label{z-index:7}.filepond--root[data-style-panel-layout-=circle]{border-
radius:99999rem;overflow:hidden}.filepond--root[data-style-panel-layout~=circle]>.filepond--
panel{border-radius:inherit}.filepond--root[data-style-panel-layout~=circle]>.filepond--
panel>*,.filepond--root[data-style-panel-layout~=circle] .filepond--file-info,.filepond--root[data-style-panel-layout~=circle]
style-panel-layout~=circle] .filepond--file-status{display:none}@media not all and (min-
resolution:.001dpcm){@supports ((-webkit-appearance:none)) and (stroke-color:transparent){.filepond
 --root[data-style-panel-layout~=circle]{will-change:transform}}}.filepond--panel-root{background-
color:#f1f0ef;border-radius:.5em}.filepond--panel{pointer-
events:none;margin:0;position:absolute;top:0;left:0;right:0;height:100%!important}.filepond-
panel:not([data-scalable=false]){height:auto!important}.filepond--panel[data-
scalable=false]>div{display:none}.filepond--panel[data-scalable=true]{-webkit-transform-
style:preserve-3d;transform-style:preserve-3d;background-
color:#0000!important;border:none!important}.filepond--panel-bottom,.filepond--panel-
```

```
center,.filepond--panel-top{margin:0;padding:0;position:absolute;top:0;left:0;right:0}.filepond--
panel-bottom, .filepond--panel-top{height:.5em}.filepond--panel-top{border-
bottom:none!important:border-bottom-right-radius:0!important:border-bottom-left-
radius:0!important}.filepond--panel-top:after{content:"";background-color:inherit;height:2px;position:absolute;bottom:-lpx;left:0;right:0}.filepond--panel-
bottom, filepond--panel-center{will-change:transform;backface-visibility:hidden;transform-origin:0
0; transform: translateY(.5em)}.filepond--panel-bottom{border-top:none!important;border-top-left-radius:0!important;border-top-right-radius:0!important}.filepond--panel-
bottom:before{content:"";background-color:inherit;height:2px;position:absolute;top:-1px;left:0;right:0}.filepond--panel-center{border-
top:none!important;border-bottom:none!important;border-
radius:0!important;height:100px!important}.filepond--panel-
center:not([style]){visibility:hidden}.filepond--progress-indicator{color:#fff;pointer-
events:none;will-
change:transform,opacity;width:1.25em;height:1.25em;margin:0;position:static}.filepond--progress-
indicator svg{vertical-align:top;transform-box:fill-box;width:100%;height:100%}.filepond--progress-
indicator path{fill:none;stroke:currentColor}.filepond--list-scroller{z-index:6}.filepond--drop-
label{z-index:5}.filepond--drip{z-index:3}.filepond--root>.filepond--panel{z-index:2}.filepond--
browser{z-index:1}.filepond--root{box-sizing:border-box;text-align:left;text-
rendering:optimizeLegibility;contain:layout style size;direction:ltr;margin-bottom:lem;font-
family:-apple-system,BlinkMacSystemFont,Segoe UI,Roboto,Helvetica,Arial,sans-serif,Apple Color Emoji,Segoe UI Emoji,Segoe UI Symbol;font-size:1rem;font-weight:450;line-
height:normal;position:relative}.filepond--root *{box-sizing:inherit;line-height:inherit}.filepond--
root :not(text){font-size:inherit}.filepond--root[data-disabled]{pointer-events:none}.filepond-
root[data-disabled] .filepond--list-scroller{pointer-events:all}.filepond--root[data-disabled]
.filepond--list{pointer-events:none}.filepond--root .filepond--drop-label{min-height:4.75em}.filepond--root .filepond--list-scroller{margin-top:lem;margin-bottom:lem}.filepond--
root .filepond--credits{opacity:.4;color:inherit;z-index:3;font-size:11px;line-height:.85;text-
decoration:none;position:absolute;bottom:-14px;right:0}.filepond--root .filepond-
credits[style]{margin-top:14px;top:0;bottom:auto}.filepond--action-edit-item.filepond--action-edit-
item{width:2em; height:2em; padding:.1875em}.filepond--action-edit-item.filepond--action-edit-
item[data-align*=center]{margin-left:-.1875em}.filepond--action-edit-item.filepond--action-edit-
item[data-align*=bottom]{margin-bottom:-.1875em}.filepond--action-edit-item-alt{line-
height:inherit;color:inherit;pointer-events:all;background:0 0;border:none;outline:none;margin:0 0 0
.25em;padding:0;font-family:inherit;position:absolute}.filepond--action-edit-item-alt
svg{width:1.3125em;height:1.3125em}.filepond--action-edit-item-alt span{opacity:0;font-
size:0}.filepond--root[data-style-panel-layout~=circle] .filepond--action-edit-
item{opacity:1!important;visibility:visible!important}.filepond--image-preview-
markup{position:absolute;top:0;left:0}.filepond--image-preview-wrapper{z-index:2}.filepond--image-
preview-overlay{opacity:0;z-index:2;pointer-events:none;-webkit-user-select:none;user-
select:none;width:100%;min-height:5rem;max-
height:7rem; margin:0; display:block; position:absolute; top:0; left:0}.filepond--image-preview-overlay
svg{width:100%;height:auto;color:inherit;max-height:inherit}.filepond--image-preview-overlay-
idle{mix-blend-mode:multiply;color:#282828d9}.filepond--image-preview-overlay-success{mix-blend-
mode:normal;color:#369763}.filepond--image-preview-overlay-failure{mix-blend-
mode:normal;color:#c44e47}@supports (-webkit-marquee-repetition:infinite) and ((-o-object-fit:fill)
or (object-fit:fill)){.filepond--image-preview-overlay-idle{mix-blend-mode:normal}}.filepond--image-
preview-wrapper{-webkit-user-select:none; user-select:none; background:#00000003; border-radius:.45em; height:100%; margin:0; position:absolute; top:0; left:0; right:0; overflow: hidden}.filepond--
image-preview{z-index:1;pointer-events:none;will-change:transform,opacity;background:#222;align-
items:center;width:100%;height:100%;display:flex;position:absolute;top:0;left:0).filepond--image-
clip{margin:0 auto;position:relative;overflow:hidden}.filepond--image-clip[data-transparency
indicator=grid] img, filepond--image-clip[data-transparency-indicator=grid] canvas{background-
color:#fff;background-image:url("data:image/svg+xml,%3Csvg viewBox='0 0 100 100' xmlns='http://www.w3.org/2000/svg' fill='%23eee'%3E%3Cpath d='M0 0 H50 V50 H0'/%3E%3Cpath d='M50 50 H100 V100 H50'/%3E%3C/svg%3E");background-size:1.25em 1.25em}.filepond--image-bitmap,.filepond--
image-vector{will-change:transform;position:absolute;top:0;left:0}.filepond--root[data-style-panel-
layout~=integrated] .filepond--image-preview-wrapper{border-radius:0}.filepond--root[data-style-
panel-layout~=integrated] .filepond--image-preview{justify-content:center;align-
items:center;height:100%;display:flex}.filepond--root[data-style-panel-layout~=circle] .filepond--image-preview-wrapper{border-radius:99999rem}.filepond--root[data-style-panel-layout~=circle]
.filepond--image-preview-overlay{top:auto;bottom:0;transform:scaleY(-1)}.filepond--root[data-style-
panel-layout~=circle] .filepond--file .filepond--file-action-button[data-align*=bottom]:not([data-align*=center]){margin-bottom:.325em}.filepond--root[data-style-panel-layout~=circle] .filepond--
file [data-align*=left]{left:calc(50% - 3em)}.filepond--root[data-style-panel-layout~=circle]
 filepond--file [data-align*=right]{right:calc(50% - 3em)}.filepond--root[data-style-panel-
layout~=circle] .filepond--progress-indicator[data-align*=bottom][data-align*=left],.filepond--
root[data-style-panel-layout~=circle] .filepond--progress-indicator[data-align*=bottom][data-align*=right]{margin-bottom:.5125em}.filepond--root[data-style-panel-layout~=circle] .filepond--
progress-indicator[data-align*=bottom][data-align*=center]{margin-top:0;margin-
bottom:.1875em;margin-left:.1875em}.filepond--media-preview audio{display:none}.filepond--media-preview .audioplayer{width:calc(100% - 1.4em);margin:2.3em auto auto}.filepond--media-preview
.playpausebtn{float:left;cursor:pointer;background-position:50%;background-repeat:no-
```

```
repeat; border: none; border-radius: 25px; outline: none; width: 25px; height: 25px; margin-top:.3em; margin-
right:.3em}.filepond--media-preview .playpausebtn:hover{background-color:#00000080}.filepond--media-
preview .play{background-image:url(data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAABQAAAAUCAYAAACNiR0
NAAAAYELEQVQ4T9XUsWoCQRRG4XPaFL5SfIy8gKYKBCysrax8Ahs7qzQ2qVIFOwsrsbEWLEK6EBFGBrIQhN2d3dnGgalm+Jh7789
Ix8u0Pe4YDCH0gZ66atKW0pJDCE/AEngDXtRjCpwCRucbGANzNVTBqWBhfAJDdV+GNgWj8wtM41bPt3AbsDB2f69d/0dzwC0wUDe
54A8wAWbqJbfkĎ+BZPeQO5QsYqYu6LKĎOMIb7VT3VYfG8CnwEHtT3FKi4c8e/TZMyk3LÝFrwCgMdHFbRDKS8AAAAASUVORK5CYII
=)}.filepond--media-preview .pause{background-image:url(data:image/png;base64,iVB0Rw0KGgoAAAANSUhEUg
AAABQAAAAUCAYAAACNiR0NAAAAh0lEQVQ4T+2UsQkCURBE30PLMbAMMResQrAPsQ0TK9AqDKxGZeTLD74aGNwlhzfZssvADDMrPc
Oe+RqqYZIJcG2s2KinMidZAvu6u6uzT8u+JCeZArfmcKUeK+EaONTdQy23bxqJX8aPHvIHsSnVuzTx36rn2pQFsGuqN//ZlK7vbI
Dvq6vkJ9yteBXzecYbAAAAAElFTkSuQmCC)}.filepond--media-preview
.timeline{float:left;background:#ffffff4d;border-radius:15px;width:calc(100%
2.5em); height: 3px; margin-top: lem}.filepond--media-preview .playhead{background: #fff; border-radius: 50%; width: 13px; height: 13px; margin-top: -5px}.filepond--media-preview-wrapper{pointer-
events:auto;background:#00000003;border-
radius:.45em;height:100%;margin:0;position:absolute;top:0;left:0;right:0;overflow:hidden}.filepond--media-preview-wrapper:before{content:" ";width:100%;height:2em;filter:progid:DXImageTransform.Microsoft.gradient(startColorstr="#000000",endColorstr="#0000000",GradientType=0);z-
index:3;background:linear-gradient(#000,#0000);position:absolute}.filepond--media-
preview{z-index:1;transform-origin:50%;will-
change:transform,opacity;width:100%;height:100%;display:block;position:relative}.filepond--media-preview video,.filepond--media-preview audio{will-change:transform;width:100%}.noUi-target,.noUi-
target *{-webkit-touch-callout:none;-webkit-tap-highlight-color:#0000;-webkit-user-select:none;user-
select:none;-ms-touch-action:none;touch-action:none;box-sizing:border-box}.noUi-
target{position:relative}.noUi-base,.noUi-
connects{z-index:1;width:100%;height:100%;position:relative}.noUi-
connects{z-index:0;overflow:hidden}.noUi-connect,.noUi-origin{will-change:transform;z-index:1;transform-origin:0 0;width:100%;height:100%;-webkit-transform-
style:preserve-3d;transform-style:flat;position:absolute;top:0;right:0}.noUi-txt-dir-rtl.noUi-
horizontal .noUi-origin{left:0;right:auto}.noUi-vertical .noUi-origin{width:0;top:-100%}.noUi-horizontal .noUi-origin{height:0}.noUi-handle{backface-visibility:hidden;position:absolute}.noUi-
touch-area{width:100%;height:100%}.noUi-state-tap .noUi-connect,.noUi-state-tap .noUi-origin{transition:transform .3s}.noUi-state-drag *{cursor:inherit!important}.noUi-
horizontal{height:18px}.noUi-horizontal .noUi
handle{width:34px;height:28px;top:-6px;right:-17px}.noUi-vertical{width:18px}.noUi-vertical .noUi-
handle{width:28px;height:34px;bottom:-17px;right:-6px}.noUi-txt-dir-rtl.noUi-horizontal .noUi-
handle{left:-17px;right:auto}.noUi-target{background:#fafafa;border:1px solid #d3d3d3;border-radius:4px;box-shadow:inset 0 1px 1px #f0f0f0,0 3px 6px -5px #bbb}.noUi-connects{border-
radius:4px;box-shadow:inset 0 1px 1px #T0T0T0,0 3px 6px -spx #bbb].noUi-connects{border-radius:3px}.noUi-connects{border-gound:#3fb8af}.noUi-draggable{cursor:ew-resize}.noUi-vertical .noUi-draggable{cursor:ns-resize}.noUi-handle{cursor:default;background:#fff;border:1px solid #d9d9d9;border-radius:3px;box-shadow:inset 0 0 1px #fff,inset 0 1px 7px #ebebeb,0 3px 6px -3px #bbb}.noUi-active{box-shadow:inset 0 0 1px #fff,inset 0 1px 7px #ddd,0 3px 6px -3px #bbb}.noUi-handle:before,.noUi-handle:after{content:"";background:#e8e7e6;width:1px;height:14px;display:block;p
osition:absolute;top:6px;left:14px}.noUi-handle:after{left:17px}.noUi-vertical .noUi-handle:before,.noUi-vertical .noUi-handle:after{width:14px;height:1px;top:14px;left:6px}.noUi-
vertical .noUi-handle:after{top:17px}[disabled] .noUi-connect{background:#b8b8b8}[disabled].noUi-
target,[disabled].noUi-handle,[disabled] .noUi-handle{cursor:not-allowed}.noUi-pips,.noUi-pips
*{box-sizing:border-box}.noUi-pips{color:#999;position:absolute}.noUi-value{white-space:nowrap;text-
align:center;position:absolute}.noUi-value-sub{color:#ccc;font-size:10px}.noUi-marker{background:#ccc;position:absolute}.noUi-marker-sub,.noUi-marker-large{background:#aaa}.noUi-
pips-horizontal{width:100%;height:80px;padding:10px 0;top:100%;left:0}.noUi-value-
horizontal{transform:translate(-50%,50%)}.noUi-rtl .noUi-value
horizontal{transform:translate(50%,50%)}.noUi-marker-horizontal.noUi-
marker{width:2px;height:5px;margin-left:-1px}.noUi-marker-horizontal.noUi-marker-
sub{height:10px}.noUi-marker-horizontal.noUi-marker-large{height:15px}.noUi-pips-
vertical{height:100%;padding:0 10px;top:0;left:100%}.noUi-value-vertical{padding-
left:25px;transform:translateY(-50%)}.noUi-rtl .noUi-value-vertical{transform:translateY(50%)}.noUi-
marker-vertical.noUi-marker{width:5px;height:2px;margin-top:-1px}.noUi-marker-vertical.noUi-marker-
sub{width:10px}.noUi-marker-vertical.noUi-marker-large{width:15px}.noUi-tooltip{color:#000;text-
align:center;white-space:nowrap;background:#fff;border:1px solid #d9d9d9;border
radius:3px;padding:5px;display:block;position:absolute}.noUi-horizontal .noUi-tooltip{bottom:120%;left:50%;transform:translate(-50%)}.noUi-vertical .noUi-tooltip{top:50%;right:120%;transform:translateY(-50%)}.noUi-horizontal .noUi-origin>.noUi-tooltip{bottom:10px;left:auto;transform:translate(50%)}.noUi-vertical .noUi-origin>.noUi-tooltip{bottom:10px;left:auto;transform:translate(50%)}.noUi-vertical .noUi-origin>.noUi-
tooltip{top:auto;right:28px;transform:translateY(-18px)}.fi-fo-builder{row-
\verb|gap:calc(var(--spacing)*4); grid-template-columns: repeat(1, minmax(0, 1fr)); display: grid}. fi-fo-builder and the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substi
 .fi-fo-builder-actions{column-gap:calc(var(--spacing)*3);display:flex}.fi-fo-builder .fi-fo-builder
actions.fi-hidden{display:none}:where(.fi-fo-builder .fi-fo-builder-items>:not(:last-child)){--tw-space-y-reverse:0;margin-block-start:calc(calc(var(--spacing)*4)*var(--tw-space-y-reverse));margin-block-end:calc(var(--spacing)*4)*calc(1 - var(--tw-space-y-reverse)))}.fi-fo-builder .fi-fo-
builder-item{border-radius:var(--radius-xl);background-color:var(--color-white);--tw-shadow:0 1px
2px 0 var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-offset-width))
```

```
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-fo-builder .fi-fo-builder-item{--tw-ring-color:color-mix(in
oklab,var(--gray-950)5%,transparent)}}.fi-fo-builder .fi-fo-builder-item:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-builder .fi-fo-
builder-item:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-fo-builder .fi-fo-builder-item:where(.dark,.dark *){--tw-ring-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fo-builder .fi-fo-builder-item:where(.dark,.dark *){--tw-ring-color:mix(in oklab,var(--color-white))10%, transparent)}}.fi-fo-builder .fi-fo-builder-item.fi-collapsed .fi-fo-builder-collapsible-actions{rotate:-180deg}.fi-fo-builder .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-builder-item.fi-collapsed .fi-fo-b
item-header-collapse-action,.fi-fo-builder .fi-fo-builder-item:not(.fi-collapsed) .fi-fo-builder-
item-header-expand-action{pointer-events:none;opacity:0}.fi-fo-builder .fi-fo-builder-item-
header{align-items:center;column-gap:calc(var(--spacing)*3);padding-inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);display:flex;overflow:hidden}.fi-
fo-builder.fi-collapsible .fi-fo-builder-item-header{cursor:pointer;-webkit-user-select:none;user-select:none}.fi-fo-builder .fi-fo-builder-item-header-start-actions{align-items:center;column-
gap:calc(var(--spacing)*3);display:flex}.fi-fo-builder .fi-fo-builder-item-header
icon{color:var(--gray-400)}.fi-fo-builder .fi-fo-builder-item-header-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-fo-builder .fi-fo-builder-item-header-label{font-size:var(--text-
sm); line-height: var(--tw-leading, var(--text-sm--line-height)); --tw-font-weight: var(--font-weight-medium); font-weight: var(--font-weight-medium); color: var(--gray-950)}. fi-fo-builder .fi-fo-builder-item-header-label: where (.dark,.dark *) {color: var(--color-white)}. fi-fo-builder .fi-fo-builder-item-header-label.fi-truncated {text-overflow: ellipsis; white-space: nowrap; overflow: hidden}. fi-fo-builder
 .fi-fo-builder-item-header-end-actions{align-items:center;column-qap:calc(var(--spacing)*3);margin-
inline-start:auto;display:flex}.fi-fo-builder .fi-fo-builder-item-header-collapsible-
actions{transition-property:color,background-color,border-color,outline-color,text-decoration-
color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration)); position: relative}.fi-fo-builder .fi-fo-builder-item-
header-collapse-action{transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow, transform, translate, scale, rotate, filter, webkit-backdrop-filter, backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration))}.fi-fo-builder .fi-fo-builder-item-header-expand-action{inset:calc(var(--spacing)*0);transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration));position:absolute;rotate:180deg}.fi-fo-builder .fi-fo-
builder-item-content{border-top-style:var(--tw-border-style);border-top-width:1px;border-
color:var(--gray-100);position:relative}.fi-fo-builder .fi-fo-builder-item-content:where(.dark,.dark)
*){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fo-builder .fi-fo-
builder-item-content:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-builder .fi-fo-builder-item-content:not(.fi-fo-builder-item-content-
has-preview){padding:calc(var(--spacing)*4)}.fi-fo-builder .fi-fo-builder-item-preview:not(.fi-interactive){pointer-events:none}.fi-fo-builder .fi-fo-builder-item-preview-edit-overlay{inset:calc(var(--spacing)*0);z-index:1;cursor:pointer;position:absolute}.fi-fo-builder .fi-
fo-builder-add-between-items-ctn{top:calc(var(--spacing)*-6);margin-block:calc(var(--spacing)*0);height:calc(var(--spacing)*0);position:relative}.fi-fo-builder .fi-fo-
builder-add-between-items{opacity:0;width:100%;transition-property:color,background-color,border-
color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-
gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop
filter,backdrop-filter,display,visibility,content-visibility,overlay,pointer-events;transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;justify-
content:center;transition-duration:75ms;display:flex}@media (hover:hover){.fi-fo-builder .fi-fo-builder .fi-fo-builder .fi-fo-builder.add-between-items:hover{opacity:1}}.fi-fo-builder .fi-fo-builder-block-picker-ctn{border-radius:var(--radius-lg);background-color:var(--color-white)}.fi-fo-builder .fi-fo-builder.block-
picker-ctn:where(.dark,.dark**){background-color:var(--gray-900)}.fi-fo-builder .fi-fo-builder-
label-between-items-ctn{border-top-style:var(--tw-border-style);border-top-width:1px;border
color:var(--gray-200);position:relative}.fi-fo-builder .fi-fo-builder-label-between-items-
ctn:where(.dark,.dark *){border-color:#fffffffla}@supports (color:color-mix(in lab, red, red)){.fi-fo-builder.label-between-items-ctn:where(.dark,.dark *){border-color:color-mix(in
oklab,var(--color-white)10%,transparent)}}.fi-fo-builder .fi-fo-builder-label-between-
items{top:calc(var(--spacing)*-3);left:calc(var(--spacing)*3);padding-
inline:calc(var(--spacing)*1);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);position:absolute}.fi-fo-builder .fi-fo-builder-block-picker{justify-
```

```
content:center;display:flex}.fi-fo-builder .fi-fo-builder-block-picker.fi-align-start,.fi-fo-builder
 .fi-fo-builder-block-picker.fi-align-left{justify-content:flex-start}.fi-fo-builder .fi-fo-builder
block-picker.fi-align-end,.fi-fo-builder .fi-fo-builder-block-picker.fi-align-right{justify-content:flex-end}.fi-fo-checkbox-list .fi-fo-checkbox-list-search-input-wrp{margin-
bottom:calc(var(--spacing)*4)}.fi-fo-checkbox-list .fi-fo-checkbox-list-actions{margin-bottom:calc(var(--spacing)*2)}.fi-fo-checkbox-list .fi-fo-checkbox-list-
options{gap:calc(var(--spacing)*4)}.fi-fo-checkbox-list .fi-fo-checkbox-list-options.fi-grid-
direction-col{margin-top:calc(var(--spacing)*-4)}.fi-fo-checkbox-list .fi-fo-checkbox-list
options.fi-grid-direction-col .fi-fo-checkbox-list-option-ctn{break-inside:avoid;padding-top:calc(var(--spacing)*4)}.fi-fo-checkbox-list .fi-fo-checkbox-list-option{column-
qap:calc(var(--spacing)*3);display:flex}.fi-fo-checkbox-list .fi-fo-checkbox-list-option .fi-
checkbox-input{margin-top:calc(var(--spacing)*1);flex-shrink:0}.fi-fo-checkbox-list .fi-fo-checkbox-
list-option .fi-fo-checkbox-list-option-text{font-size:var(--text-sm);line-height:var(--tw-
leading, var(--text-sm--line-height)); --tw-leading:calc(var(--spacing)*6); line-height:calc(var(--spacing)*6); display:grid}.fi-fo-checkbox-list .fi-fo-checkbox-list-option .fi-fo-
checkbox-list-option-label{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);overflow-wrap:break-word;color:var(--gray-950);overflow:hidden}.fi-fo-checkbox-list .fi-fo-
checkbox-list-option .fi-fo-checkbox-list-option-label:where(.dark,.dark *){color:var(--color-
white)}.fi-fo-checkbox-list .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option description{color:var(--gray-500)}.fi-fo-checkbox-list .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi-fo-checkbox-list-option .fi
list-option-description:where(.dark,.dark *){color:var(--gray-400)}.fi-fo-checkbox-list .fi-fo-checkbox-list-no-search-results-message{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-fo-checkbox-list .fi-fo-checkbox-list-no-search-results-message:where(.dark,.dark *){color:var(--gray-400)}.fi-fo-code-
editor{overflow:hidden}.fi-fo-code-editor .cm-editor.cm-focused{--tw-outline-
style:none!important;outline-style:none!important}.fi-fo-code-editor .cm-editor .cm-gutters{min-
height:calc(var(--spacing)*48)!important;border-inline-end-
color:var(--gray-300)!important;background-color:var(--gray-100)!important}.fi-fo-code-editor .cm-editor .cm-gutters:where(.dark,.dark *){border-inline-end-
color:var(--gray-800)!important;background-color:var(--gray-950)!important}.fi-fo-code-editor .cm-
editor .cm-gutters .cm-gutter.cm-lineNumbers .cm-gutterElement{border-start-start-
radius:var(--radius-md);border-end-start-radius:var(--radius-md);margin-inline-
start:calc(var(--spacing)*1)}.fi-fo-code-editor .cm-editor .cm-gutters .cm-gutter.cm-lineNumbers
.cm-gutterElement.cm-activeLineGutter{background-color:var(--gray-200)!important}.fi-fo-code-editor
.cm-editor .cm-gutters .cm-gutter.cm-lineNumbers .cm-gutterElement.cm-
activeLineGutter:where(.dark,.dark *){background-color:var(--gray-800)!important}.fi-fo-code-editor
 .cm-editor .cm-gutters .cm-gutter.cm-foldGutter .cm-gutterElement.cm-activeLineGutter{background-
color:var(--gray-200)!important}.fi-fo-code-editor .cm-editor .cm-gutters .cm-gutter.cm-foldGutter
.cm-gutterElement.cm-activeLineGutter:where(.dark,.dark *){background-color:var(--gray-800)!important}.fi-fo-code-editor .cm-editor .cm-scroller{min-
height:calc(var(--spacing)*48)!important}.fi-fo-code-editor .cm-editor .cm-line{border-start-end-
radius:var(--radius-md);border-end-end-radius:var(--radius-md);margin-inline-
end:calc(var(--spacing)*1)}.fi-fo-code-editor.fi-disabled .cm-editor .cm-gutters .cm-gutter.cm-lineNumbers .cm-gutterElement.cm-activeLineGutter,.fi-fo-code-editor.fi-disabled .cm-editor .cm-
gutters .cm-gutter.cm-foldGutter .cm-gutterElement.cm-activeLineGutter,.fi-fo-code-editor.fi-
disabled .cm-editor .cm-line.cm-activeLine{background-color:#0000!important}.fi-fo-color-picker .fi-input-wrp-content{display:flex}.fi-fo-color-picker .fi-fo-color-picker-
preview{width:calc(var(--spacing)*5);height:calc(var(--spacing)*5);-webkit-user-select:none;user-select:none;border-radius:3.40282e38px;flex-shrink:0;margin-block:auto;margin-inline-
end:calc(var(--spacing)*3)}.fi-fo-color-picker .fi-fo-color-picker-preview.fi-empty{--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color: var(--gray-200); --tw-ring-
inset:inset}.fi-fo-color-picker .fi-fo-color-picker-preview.fi-empty:where(.dark,.dark *){--tw-ring-
color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fo-color-picker .fi-fo-color-picker-preview.fi-empty:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-color-picker .fi-fo-color-picker-panel{z-index:10;border-
radius:var(--radius-lg);--tw-shadow:0 10px 15px -3px var(--tw-shadow-color,#0000001a),0 4px 6px -4px
var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow), var(--tw-ring-offset-shadow), var(--tw-
shadow); display:none; position: absolute}.fi-fo-date-time-picker input::-webkit-datetime-
edit{padding:0;display:block}.fi-fo-date-time-picker .fi-fo-date-time-picker-trigger{width:100%}.fi-
fo-date-time-picker .fi-fo-date-time-picker-display-text-input{--tw-border-
style:none;width:100%;padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*1.5);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);color:var(--gray-950);--tw-outline-style:none;background-color:#0000;border-style:none;outline-style:none}@media (forced-colors:active){.fi-fo-date-time-
picker .fi-fo-date-time-picker-display-text-input{outline-offset:2px;outline:2px solid #0000}}.fi-
fo-date-time-picker .fi-fo-date-time-picker-display-text-input{transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-
```

```
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;transition-
duration:75ms}.fi-fo-date-time-picker .fi-fo-date-time-picker-display-text-
input::placeholder{color:var(--gray-400)}.fi-fo-date-time-picker .fi-fo-date-time-picker-display-
text-input:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow)}. fi-fo-date-time-picker
  .fi-fo-date-time-picker-display-text-input:disabled{color:var(--gray-500);-webkit-text-fill
color:var(--color-gray-500)}.fi-fo-date-time-picker .fi-fo-date-time-picker-display-text-
input:where(.dark,.dark *){color:var(--color-white)}.fi-fo-date-time-picker .fi-fo-date-time-picker-
display-text-input:where(.dark,.dark *)::placeholder{color:var(--gray-500)}.fi-fo-date-time-picker-
  .fi-fo-date-time-picker-display-text-input:where(.dark,.dark)
*):disabled{color:var(--gray-400);-webkit-text-fill-color:var(--color-gray-400)}.fi-fo-date-time-
picker .fi-fo-date-time-picker-panel{z-index:10; position:absolute}: where(.fi-fo-date-time-picker .fi-fo-date-time-picker-panel>: not(:last-child)){--tw-space-y-reverse:0; margin-block-start:calc(calc(var(--spacing)*3)*var(--tw-space-y-reverse)); margin-block-end:calc(calc(var(--spacing)*3)*calc(1 - var(--tw-space-y-reverse)))}.fi-fo-date-time-picker .fi-fo-date-time-picker .fi-fo-date-
date-time-picker-panel{border-radius:var(--radius-lg);background-color:var(--color-white);padding:calc(var(--spacing)*4);--tw-shadow:0 10px 15px -3px var(--tw-shadow-
color,#0000001a),0 4px 6px -4px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-inset)
ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-
 ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color:var(--gray-950)}@supports
 (color:color-mix(in lab, red, red)){.fi-fo-date-time-picker .fi-fo-date-time-picker-panel{--tw-ring-
color:color-mix(in oklab, red, red)/(.ii-io-date-time-picker .fi-fo-date-time-picker picker)}}.fi-fo-date-time-picker .fi-fo-date-time-picker .fi-fo-date-time-picker.panel:where(.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-fo-date-time-picker .fi-fo-date-time-picker .f
time-picker-panel:where(.dark,.dark*){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-date-time-picker .fi-fo-date-time-picker-panel .fi-fo-date-time-
picker-panel-header{justify-content:space-between;align-items:center;display:flex}.fi-fo-date-time-
picker .fi-fo-date-time-picker-month-select{cursor:pointer;--tw-border-
style:none;padding:calc(var(--spacing)*0);font-size:var(--text-sm);line-height:var(--tw-
leading, var(--text-sm--line-height)); --tw-font-weight:var(--font-weight-medium); font-weight:var(--font-weight-medium); color:var(--gray-950); background-color:#0000; border-
style:none; flex-grow: 1}.fi-fo-date-time-picker .fi-fo-date-time-picker-month-select: focus{--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-fo-date-time-picker .fi-fo-date-time-
picker-month-select:where(.dark,.dark *){background-color:var(--gray-900);color:var(--color-
white)}.fi-fo-date-time-picker .fi-fo-date-time-picker-year-input{width:calc(var(--spacing)*0);text-
align:right;font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-950);background-color:#0000;border-style:none}.fi-fo-date-time-picker .fi-
fo-date-time-picker-year-input:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px +
var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-fo-date-time-picker .fi-fo-date-time-picker-year-input:where(.dark,.dark *){color:var(--color-white)}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar-
header{gap:calc(var(--spacing)*1);grid-template-columns:repeat(7,minmax(0,1fr));display:grid}.fi-fo-
date-time-picker .fi-fo-date-time-picker-calendar-header .fi-fo-date-time-picker-calendar-header-
day{text-align:center;font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--line-
height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-500)}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar-header .fi-
fo-date-time-picker-calendar-header-day:where(.dark,.dark *){color:var(--gray-400)}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar{grid-template-
columns:repeat(7,minmax(calc(var(--spacing)*7),1fr));gap:calc(var(--spacing)*1);display:grid}.fi-fo-
date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-picker-calendar day{text-
align:center;font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));--tw-leading:var(--leading-loose);line-height:var(--leading-loose);transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-filter, backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration:75ms;border-radius:3.40282e38px;transition-duration:75ms}.fi-fo-date-time-picker.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-fo-date-time-picker-calendar.fi-
date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-picker-calendar-day:not(.fi-
disabled) {cursor:pointer}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-
picker-calendar-day.fi-selected{background-color:var(--gray-50);color:var(--primary-600)}.fi-fo-date-time-picker.fi-fo-date-time-picker-calendar.day.fi-selected:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red,
```

```
red)){.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-picker-calendar-
day.fi-selected:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-
picker-calendar-day.fi-selected:where(.dark,.dark *){color:var(--primary-400)}.fi-fo-date-time-picker .fi-fo-date-time-picker calendar .fi-fo-date-time-picker.calendar.day.fi-focused:not(.fi-
selected):not(.fi-disabled){background-color:var(--gray-100)}.fi-fo-date-time-picker .fi-fo-date-
time-picker-calendar .fi-fo-date-time-picker-calendar-day.fi-focused:not(.fi-selected):not(.fi-
disabled):where(.dark,.dark *){background-color:#fffffffa}@supports (color:color-mix(in lab, red,
red)){.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-picker-calendar-day.fi-focused:not(.fi-selected):not(.fi-disabled):where(.dark,.dark *){background-color:color-
mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-date-time-picker .fi-fo-date-time-picker-
calendar .fi-fo-date-time-picker-calendar-day.fi-fo-date-time-picker-calendar-day.today:not(.fi-
focused):not(.fi-selected):not(.fi-disabled){color:var(--primary-600)}.fi-fo-date-time-picker .fi-
fo-date-time-picker-calendar .fi-fo-date-time-picker-calendar-day.fi-fo-date-time-picker-calendar-
day-today:not(.fi-focused):not(.fi-selected):not(.fi-disabled):where(.dark,.dark
*){color:var(--primary-400)}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-date-time-picker-calendar-day:not(.fi-fo-date-time-picker-calendar-day):not(.fi-
selected){color:var(--gray-950)}.fi-fo-date-time-picker .fi-fo-date-time-picker-calendar .fi-fo-
date-time-picker-calendar-day:not(.fi-fo-date-time-picker-calendar-day-today):not(.fi-
selected):where(.dark,.dark *){color:var(--color-white)}.fi-fo-date-time-picker .fi-fo-date-time-
picker-time-inputs{justify-content:center;align-items:center;display:flex}.fi-fo-date-time-picker
.fi-fo-date-time-picker-time-inputs:where(:dir(rtl),[dir=rtl],[dir=rtl] *){flex-direction:row-
reverse}.fi-fo-date-time-picker .fi-fo-date-time-picker-time-inputs
input{width:calc(var(--spacing)*10);--tw-border-style:none;padding:calc(var(--spacing)*0);text-
align:center;font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));color:var(--gray-950);background-color:#0000;border-style:none;margin-inline-
end:calc(var(--spacing)*1)}.fi-fo-date-time-picker .fi-fo-date-time-picker-time-inputs input:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow)}.fi-fo-date-time-picker
.fi-fo-date-time-picker-time-inputs input:where(.dark,.dark *){color:var(--color-white)}.fi-fo-date-time-picker .fi-fo-date-time-picker.time-inputs .fi-fo-date-time-picker-time-input-separator{font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-500)}.fi-fo-
date-time-picker .fi-fo-date-time-picker-time-inputs .fi-fo-date-time-picker-time-input-
separator:where(.dark,.dark *){color:var(--gray-400)}.fi-fo-field{row-
gap:calc(var(--spacing)*2);display:grid@media (min-width:40rem){.fi-fo-field.fi-fo-field-has-
inline-label{align-items:flex-start;column-gap:calc(var(--spacing)*4);grid-template-
columns:repeat(3,minmax(0,1fr))}.fi-fo-field.fi-fo-field-has-inline-label .fi-fo-field-content-
col{grid-column:span 2/span 2}}.fi-fo-field .fi-fo-field-label-ctn,.fi-fo-field .fi-fo-field-
label{align-items:flex-start;column-gap:calc(var(--spacing)*3);display:flex}:is(.fi-fo-field .fi-fo-field-label-ctn,.fi-fo-field .fi-fo-field-label)>.fi-checkbox-input{margin-
top:calc(var(--spacing)*.5)}:is(.fi-fo-field .fi-fo-field-label-ctn,.fi-fo-field .fi-fo-field-
label)>.fi-toggle{margin-block:calc(var(--spacing)*-.5)}:is(.fi-fo-field .fi-fo-field-label-ctn,.fi-
fo-field .fi-fo-field-label)>.fi-sc:first-child{flex-grow:0}:is(.fi-fo-field .fi-fo-field-label-ctn,.fi-fo-field .fi-fo-field-label).fi-hidden{display:none}.fi-fo-field .fi-fo-field-label-
content{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-
font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-950)}.fi-fo-field .fi-fo-field-label-content:where(.dark,.dark
*){color:var(--color-white)}.fi-fo-field .fi-fo-field-label-content .fi-fo-field-label-required-mark{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);
medium);color:var(--danger-600)}.fi-fo-field .fi-fo-field-label-content .fi-fo-field-label-required-mark:where(.dark,.dark *){color:var(--danger-400)}.fi-fo-field .fi-fo-field-label-col{row-gap:calc(var(--spacing)*2);grid-auto-columns:minmax(0,1fr);display:grid}@media (min-
width:40rem){.fi-fo-field .fi-fo-field-label-col.fi-vertical-align-start{align-items:flex-start}.fi-
fo-field .fi-fo-field-label-col.fi-vertical-align-center{align-items:center}.fi-fo-field .fi-fo-
field-label-col.fi-vertical-align-end{align-items:flex-end}}.fi-fo-field .fi-fo-field-content-
col{row-gap:calc(var(--spacing)*2);grid-auto-columns:minmax(0,1fr);display:grid}.fi-fo-field .fi-fo-
field-label-col.fi-fo-field .fi-fo-
field-content-ctn{align-items:center;column-gap:calc(var(--spacing)*3);width:100%;display:flex}.fi-
fo-field .fi-fo-field-content{width:100%}.fi-fo-field .fi-fo-field-wrp-error-message{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));color:var(--danger-600)}.fi-fo-field .fi-fo-field-wrp-error-message:where(.dark,.dark *){color:var(--danger-400)}.fi-fo-field .fi-fo-field-wrp-error-list{list-style-type:disc;list-style-
position:inside}:where(.fi-fo-field .fi-fo-field-wrp-error-list>:not(:last-child)){--tw-space-y
reverse:0;margin-block-start:calc(calc(var(--spacing)*.5)*var(--tw-space-y-reverse));margin-block-
end:calc(var(--spacing)*.5)*calc(1 - var(--tw-space-y-reverse)))}.fi-fo-file-upload{row-gap:calc(var(--spacing)*2);flex-direction:column;display:flex}.fi-fo-file-upload.fi-align-start,.fi-fo-file-upload.fi-align-left{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-center{align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start}.fi-fo-file-upload.fi-align-items:flex-start
items:center}.fi-fo-file-upload.fi-align-end,.fi-fo-file-upload.fi-align-right{align-items:flex-
end}.fi-fo-file-upload .fi-fo-file-upload-input-ctn{width:100%;height:100%}.fi-fo-file-upload.fi-fo-
file-upload-avatar .fi-fo-file-upload-input-ctn{height:100%;width:calc(var(--spacing)*32)}.fi-fo-
file-upload .fi-fo-file-upload-error-message{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));color:var(--danger-600)}.fi-fo-file-upload .fi-fo-file-upload-
```

```
error-message:where(.dark,.dark *){color:var(--danger-400)}.fi-fo-file-upload .filepond--
root{margin-bottom:calc(var(--spacing)*0);border-radius:var(--radius-lg);background-
color:var(--color-white);font-family:var(--font-family),ui-sans-serif,system-ui,sans-serif,"Apple
Color Emoji", "Segoe UI Emoji", "Segoe UI Symbol", "Noto Color Emoji"; --tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow)var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)
shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-
ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-
ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color:var(--gray-950); overflow:hidden}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-
upload .filepond--root{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-fo-
file-upload .filepond--root:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-upload .filepond--root:where(.dark,.dark *){background-
mix(in tab, red, red)){.fi-fo-file-upload .filepond--root:where(.dark,.dark *){background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-fo-file-upload .filepond--
root:where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-
fo-file-upload .filepond--root:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)20%,transparent)}}.fi-fo-file-upload .filepond--root[data-disabled=disabled]{background-
color:var(--gray-50)}.fi-fo-file-upload .filepond--root[data-disabled=disabled]:where(.dark,.dark
 *){--tw-ring-color:#ffffffla;background-color:#0000}@supports (color:color-mix(in lab, red,
red)){.fi-fo-file-upload .filepond--root[data-disabled=disabled]:where(.dark,.dark *){--tw-ring-
color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-file-upload .filepond--
root[data-style-panel-layout=compact\ circle]{border-radius:3.40282e38px}.fi-fo-file-upload
.filepond--panel-root{background-color:#0000}.fi-fo-file-upload .filepond--drop-label label{font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));color:var(--gray-600);padding:calc(var(--spacing)*3)!important}.fi-fo-file-upload .filepond --drop-label label:where(.dark,.dark *){color:var(--gray-400)}.fi-fo-file-upload .filepond--label-action{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--primary-600);transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-duration: var(--tw-ease, var(--default-transition-timing-function));
duration, var(--default-transition-duration)); --tw-duration:75ms; text-decoration-line:none; transition-duration:75ms}@media (hover:hover){.fi-fo-file-upload .filepond--label-
action:hover{color:var(--primary-500)}}.fi-fo-file-upload .filepond--label-action:where(.dark,.dark *){color:var(--color-white)}@media (hover:hover){.fi-fo-file-upload .filepond--label-action:where(.dark,.dark *):hover{color:var(--primary-500)}}.fi-fo-file-upload .filepond--drip-blob{background-color:var(--gray-400)}.fi-fo-file-upload .filepond--drip-blob:where(.dark,.dark *){background-color:var(--gray-500)}.fi-fo-file-upload .filepond--root[data-style-panel-layout=grid]
 .filepond--item{width:calc(50% -
                                                    .5rem);display:inline}@media (min-width:64rem){.fi-fo-file-upload
  filepond--root[data-style-panel-layout=grid] .filepond--item{width:calc(33.33% -
                                                                                                                                  .5rem)}}.fi-fo
file-upload .filepond--download-icon{pointer-
events:auto;width:calc(var(--spacing)*4);height:calc(var(--spacing)*4);background-color:var(--color-white);vertical-align:bottom;margin-inline-end:calc(var(--spacing)*1);display:inline-block}@media
(hover:hover){.fi-fo-file-upload .filepond--download-icon:hover{background-color:#ffffffb3}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-upload .filepond--download-icon:hover{background-
color:color-mix(in oklab,var(--color-white)70%,transparent)}}}.fi-fo-file-upload .filepond--
download-icon{-webkit-mask-image:url(data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vc
mcvMjAwMC9zdmciIHdpZHRoPSIyNCIgaGVpZ2h0PSIyNCIgdmlld0JveD0iMCAwIDI0ID10IiBmaWxsPSJub25lIiBzdHJva2U9I
mN1cnJlbnRDb2xvciIgc3Ryb2tlLXdpZHRoPSIyIiBzdHJva2UtbGluZWNhcD0icm91bmQiIHN0cm9rZS1saW5lam9pbj0icm91b
mQiIGNsYXNzPSJmZWFÕaGVýIGZlYXRoZXItZG93bmxvYWQiPjxwYXRoIGQ9Ik0yMSAxNXY0YTIgMiAwIDAgMS0yIDJINWEyIDIgM
CAWIDEtMi0ydi00Ij48L3BhdGg+PHBvbHlsaW5lIHBvaW50cz0iNyAxMCAxMiAxNSAxNyAxMCI+PC9wb2x5bGluZT48bGluZSB4M
T0iMTIiIHkxPSIxNSIgeDI9IjEyIiB5Mj0iMyI+PC9saW5lPjwvc3ZnPg==);mask-image:url(data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmciIHdpZHRoPSIyNCIgaGVpZ2h0PSIyNCIgdmlld0JveD0iMC
AWIDI0IDI0IiBmaWxsPSJub25liiBzdHJva2U9ImN1cnJlbnRDb2xvciIgc3Ryb2tlLXdpZHRoPSIyIiBzdHJva2UtbGluZWNhcD0icm91bmQiIHN0cm9rZS1saW5lam9pbj0icm91bmQiIGNsYXNzPSJmZWF0aGVyIGZlYXRoZXItZG93bmxvYWQiPjxwYXRoIGQ9Ik
OyMSAxNXYOYTIgMiAwIDAgMSOyIDJINWEyIDIgMCAwIDEtMiOydi00Ij48L3BhdGg+PHBvbHlsaW5lIHBvaW50czOiNyAxMCAxMi
AxNSAxNyAxMCI+PC9wb2x\bar{5}bGluZT48bGluZSB\bar{4}MT0iMTIiIHkxPSIxN\bar{S}IgeDI9Ij\bar{E}yIiB5Mj0iMyI+PC9saW5lPjwvc3ZnPg==);
 -webkit-mask-size:100%;mask-size:100%;-webkit-mask-repeat:no-repeat;mask-repeat:no-repeat}.fi-fo-
file-upload .filepond--open-icon{pointer
events:auto;width:calc(var(--spacing)*4);height:calc(var(--spacing)*4);background-color:var(--color-
white); vertical-align: bottom; margin-inline-end: calc(var(--spacing)*1); display: inline-block}@media
(hover:hover){.fi-fo-file-upload .filepond--open-icon:hover{background-color:#ffffffb3}@supports
(color:color-mix(in lab, red, red)){.fi-fo-file-upload .filepond--open-icon:hover{background-
color:color-mix(in oklab,var(--color-white)70%,transparent)}}}.fi-fo-file-upload .filepond--open-
icon{-webkit-mask-image:url(data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC
9zdmciIGNsYXNzPSJoLTYgdy02IiBmaWxsPSJub25lIiB2aWV3Qm94PSIwIDAgMjQgMjQiIHN0cm9rZT0iY3VycmVudENvbG9yIi
BzdHJva2Utd2lkdg0g9IjIiPgogIDxwYXR0IHN0cm9rZS1saW5lY2FwPSJyb3VuZCIgc3Ryb2tlLWxpbmVqb2luPSJyb3VuZCIgZD
0iTTEwIDZINMEyJDIgMCAwMC0yIDJ2MTBhMiAyIDAgMDAyIDJ0MTBhMiAyIDAgMDAyLTJ2LTRNMTQgNGg2bTAgMY2bTAtNkwMC
AxNCIgLz4KPC9zdmc+Cg==); mask-image:url(data:image/svg+xml; base64, PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5
vcmcvMjAwMC9zdmciIGNsYXNzPSJoLTYgdy02IiBmaWxsPSJub25lIiB2aWV3Qm94PSIwIDAgMjQgMjQiIHN0cm9rZT0iY3VycmV
udENvbG9yIiBzdHJva2Utd2lkdGq9IjIiPqoqIDxwYXRoIHN0cm9rZS1saW5lY2FwPSJyb3VuZCIqc3Ryb2tlLWxpbmVqb2luPSJ
yb3VuZCIqZD@iTTEwIDZINmEyIDIqMCAwMC@yIDJ2MTBhMiAyIDAqMDAyIDJ0MTBhMiAyIDAqMDAyLTJ2LTRNMTQqNGq2bTAqMHY
```

```
2bTAtNkwxMCAxNCIgLz4KPC9zdmc+Cg==);-webkit-mask-size:100%;mask-size:100%;-webkit-mask-repeat:no-
 repeat; mask-repeat: no-repeat}.fi-fo-file-upload .filepond--file-action-button.filepond--action-edit-item{background-color:#00000080}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-upload
.filepond--file-action-button.filepond--action-edit-item{background-color:color-mix(in oklab,var(--color-black)50%,transparent)}}.fi-fo-file-upload .fi-fo-file-upload-editor{inset:calc(va
 r(--spacing)*0);isolation:isolate;z-index:50;width:100vw;height:100dvh;padding:calc(var(
spacing)*2);position:fixed}@media (min-width:40rem){.fi-fo-file-upload .fi-fo-file-upload-
editor{padding:calc(var(--spacing)*10)}}@media (min-width:48rem){.fi-fo-file-upload .fi-fo-file-
upload-editor{padding:calc(var(--spacing)*20)}}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-
file-upload-editor-overlay{inset:calc(var(--spacing)*0);cursor:pointer;background-
 color:var(--gray-950);width:100%;height:100%;position:fixed}@supports (color:color-mix(in lab, red,
 red)){.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-overlay{background-
 color:color-mix(in oklab,var(--gray-950)50%,transparent)}}.fi-fo-file-upload .fi-fo-file-upload-
editor .fi-fo-file-upload-editor-overlay:where(.dark,.dark *){background-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-upload .fi-fo-file-upload-editor-overlay:where(.dark,.dark *){background-color:color-mix(in oklab,var(--gray-950)75%,transparent)}}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor.
 upload-editor-overlay{will-change:transform}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-
file-upload-editor-window{isolation:isolate; border-radius:var(--radius-xl); background-color:var(--color-white); --tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color, currentcolor); width:100%; height:100%; box-shadow:var(--tw-inset-shadow), var(--tw-ring-shadow), var(-
 shadow);--tw-ring-color:var(--gray-900);flex-direction:column;margin-
inline:auto;display:flex;overflow:hidden}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-window{--tw-ring-color:color-mix(in
oklab,var(--gray-900)10%,transparent)}}@media (min-width:64rem){.fi-fo-file-upload .fi-fo-file-upload .fi-fo
 upload-editor .fi-fo-file-upload-editor-window:where(.dark,.dark *){background-
color:var(--gray-800);--tw-ring-color:var(--gray-50)}@supports (color:color-mix(in lab, red,
red)){.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-
window:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--gray-50)10%,transparent)}}.fi-
fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-image-
 ctn{width:100%;height:100%;padding:calc(var(--spacing)*4);flex:1;overflow:auto}.fi-fo-file-upload
  fi-fo-file-upload-editor .fi-fo-file-upload-editor-image{width:auto;height:100%}.fi-fo-file-upload
  .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel{background-
 color:var(--gray-50);flex-
 direction:column;flex:1;width:100%;height:100%;display:flex;overflow-y:auto}@media (min-
width:64rem){.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel{max-width:var(--container-xs)}}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-
 upload-editor-control-panel:where(.dark,.dark *){background-color:var(--gray-900)}@supports
 (color:color-mix(in lab, red, red)){.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-
 editor-control-panel:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--gray-900)30%,transparent)}}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .f
 upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-
 control-panel-main>:not(:last-child)){--tw-space-y-reverse:0;margin-block-
start:calc(calc(var(--spacing)*6)*var(--tw-space-y-reverse));margin-block-
end:calc(var(--spacing)*6)*calc(1 - var(--tw-space-y-reverse)))}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .main{padding:calc(var(--spacing)*4);overflow:auto}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-fo-file-upload-editor .fi-f
 group{gap:calc(var(--spacing)*3);display:grid}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-
 file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel-group .fi-btn-
 group{width:100%}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-
panel .fi-fo-file-upload-editor-control-panel-group .fi-btn.fi-active{background-color:var(--gray-50)}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-
 panel .fi-fo-file-upload-editor-control-panel-group .fi-btn.fi-active:where(.dark,.dark
   ) background-color:var(--gray-700)}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-
editor-control-panel .fi-fo-file-upload-editor-control-panel-group .fi-fo-file-upload-editor-control-panel-group-title{font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--line-height));color:var(--gray-950)}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel-group .fi-fo-file-upload-editor-control-panel-group).
 control-panel-group-title:where(.dark,.dark *){color:var(--color-white)}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-upload-editor-control-panel .fi-fo-file-upload-editor-control-panel .
footer{align-items:center;gap:calc(var(--spacing)*3);padding-inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);display:flex}.fi-fo-file-upload .fi-fo-file-upload-editor .fi-fo-file-
upload-editor-control-panel fi-fo-file-upload-editor-control-panel-reset-action{margin-left:auto}.fi-fo-file-upload-editor .cropper-drag-box.cropper-crop.cropper-
 modal{background-color:var(--gray-100)}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-
 upload .fi-fo-file-upload-editor .cropper-drag-box.cropper-crop.cropper-modal{background-
 color:color-mix(in oklab,var(--gray-100)50%,transparent)}}.fi-fo-file-upload .fi-fo-file-upload
editor .cropper-drag-box.cropper-crop.cropper-modal{opacity:1}.fi-fo-file-upload .fi-fo-file-upload-editor .cropper-drag-box.cropper-crop.cropper-modal:where(.dark,.dark *){background-
```

```
color:var(--gray-900)}@supports (color:color-mix(in lab, red, red)){.fi-fo-file-upload .fi-fo-file-
upload-editor .cropper-drag-box.cropper-crop.cropper-modal:where(.dark,.dark *){background-color:color-mix(in oklab,var(--gray-900)80%,transparent)}}.fi-fo-file-upload .fi-fo-file-upload
editor.fi-fo-file-upload-editor-circle-cropper .cropper-view-box,.fi-fo-file-upload .fi-fo-file-
upload-editor.fi-fo-file-upload-editor-circle-cropper .cropper-face{border-radius:50%}:where(.fi-fo-key-value .fi-fo-key-value-table-ctn>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-
style:var(--tw-border-style);border-top-style:var(--tw-border-style);border-top-
width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-
reverse)));border-color:var(--gray-200)}:where(.fi-fo-key-value .fi-fo-key-value-table-ctn:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff1a}@supports (color:color-mix(in
lab, red, red)){:where(.fi-fo-key-value .fi-fo-key-value-table-ctn:where(.dark,.dark *)>:not(:last-
child)){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-key-value .fi-fo-
key-value-table{table-layout:auto;width:100%}:where(.fi-fo-key-value .fi-fo-key-value
table>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-
top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-
bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}:where(.fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-value_fi-fo-key-val
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){:where(.fi-fo-key-value .fi-fo-key-value-table:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-fo-key-value .fi-fo-key-value-table>thead>tr>th{padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);text-align:start;font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-700)}.fi-fo-
key-value fi-fo-key-value-table>thead>tr>th:where(.dark,.dark *){color:var(--gray-200)}.fi-fo-key-
value .fi-fo-key-value-table>thead>tr>th.fi-has-
action{width:calc(var(--spacing)*9);padding:calc(var(--spacing)*0)}:where(.fi-fo-key-value .fi-fo-
key-value-table>tbody>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-
border-style);border-top-style:var(--tw-divide-y-reverse.0,border-bottom-style:var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}:where(.fi-fo-key-value .fi-fo-key-value-table>tbody:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){:where(.fi-fo-key-value .fi-fo-key-value-table>tbody:where(.dark,.dark *)>:not(:last-
child)){border-color-mix(in oklab,var(--color-white)5%,transparent)}}:where(.fi-fo-key-value .fi-fo-key-value-table>tbody>tr>:not(:last-child)){--tw-divide-x-reverse:0;border-inline-
style:var(--tw-border-style);border-inline-start-width:calc(1px*var(--tw-divide-x-reverse));border-
inline-end-width:calc(1px*calc(1 - var(--tw-divide-x-reverse)));border-
color:var(--gray-200)}:where(.fi-fo-key-value .fi-fo-key-value-
table>tbody>tr:where(:dir(rtl),[dir=rtl],[dir=rtl] *)>:not(:last-child)){--tw-divide-x-
reverse:1}:where(.fi-fo-key-value .fi-fo-key-value-table>tbody>tr:where(.dark,.dark *)>:not(:last-
child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){:where(.fi-fo-key-value .fi-fo-key-value-table>tbody>tr:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in
oklab,var(--color-white)5%,transparent)}}.fi-fo-key-value .fi-fo-key-value-
table>tbody>tr>td{width:50%;padding:calc(var(--spacing)*0)}.fi-fo-key-value .fi-fo-key-value-
table>tbody>tr>td.fi-has-action{width:auto;padding:calc(var(--spacing)*.5)}.fi-fo-key-value .fi-fo-
key-value-table>tbody>tr>td.fi-has-action(wluth.auto,pauding.tate(var(--spating)*.5);.11-10-key-value key-value-table>tbody>tr>td.fi-has-action .fi-fo-key-value-table-row-sortable-handle{display:flex}.fi-fo-key-value .fi-fo-key-value-table>tbody>tr>td .fi-input{font-family:var(--mono-font-family),ui-monospace,SFMono-Regular,Menlo,Monaco,Consolas,"Liberation Mono","Courier New",monospace}.fi-fo-key-value .fi-fo-key-value-add-action-ctn{padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);justify-
content:center;display:flex}@media (min-width:40rem){.fi-fo-key-value-wrp.fi-fo-field-has-inline-
label .fi-fo-field-label-col{padding-top:calc(var(-'spacing)*1.5)}}.fi-fo-markdown-editor{--color-
cm-red:#991b1b;--color-cm-orange:#9a3412;--color-cm-amber:#92400e;--color-cm-yellow:#854d0e;--color-cm-lime:#3f6212;--color-cm-green:#166534;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-teal:#115e59;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-cm-emerald:#065f46;--color-c
cm-cyan:#155e75;--color-cm-sky:#075985;--color-cm-blue:#1e40af;--color-cm-indigo:#3730a3;--color-cm-
violet: #5b21b6; --color-cm-purple: #6b21a8; --color-cm-fuchsia: #86198f; --color-cm-pink: #9d174d; --color-
cm-rose:#9f1239; --color-cm-gray:#18181b; --color-cm-gray-muted:#71717a; --color-cm-gray-background:#e4e4e7}.fi-fo-markdown-editor:not(.fi-disabled){max-width:100%;font-family:var(--mono-font-family),ui-monospace,SFMono-Regular,Menlo,Monaco,Consolas,"Liberation Mono", "Courier
New", monospace; font-size: var(--text-sm); line-height: var(--tw-leading, var(--text-sm--line-
height));color:var(--gray-950);overflow:hidden}.fi-fo-markdown-editor:not(.fi-
disabled):where(.dark,.dark *){color:var(--color-white)}.fi-fo-markdown-editor.fi-disabled{border-
radius:var(--radius-lg);background-color:var(--gray-50);width:100%;padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*3);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500);--tw-shadow:0 1px 2px 0
var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-ring-
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow);--tw-ring-
color:var(--gray-950);display:block}@supports (color:color-mix(in lab, red, red)){.fi-fo-markdown-
editor.fi-disabled{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-fo-
markdown-editor.fi-disabled:where(.dark,.dark *){color:var(--gray-400);--tw-ring
color:#ffffffla;background-color:#0000}@supports (color:color-mix(in lab, red, red)){.fi-fo-
```

```
markdown-editor.fi-disabled: where (.dark,.dark *) \{--tw-ring-color: color-mix(in oklab, var(--color-mix)) \} the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitutio
white)10%,transparent)}}.fi-fo-markdown-editor .EasyMDEContainer .CodeMirror{padding
inline:calc(var(--spacing)*4)!important;padding-block:calc(var(--spacing)*3)!important}.fi-fo-
markdown-editor .cm-s-easymde .cm-comment{color:var(--color-cm-gray-muted);background-color:#0000}.fi-fo-markdown-editor .EasyMDEContainer .CodeMirror-cursor{border-
color:currentColor}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-
keyword{color:var(--color-cm-violet)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-
atom{color;var(--color-cm-blue)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm
number{color:var(--color-cm-blue)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-def{color:var(--color-cm-blue)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-
variable{color:var(--color-cm-yellow)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-variable-2{color:var(--color-cm-blue)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-
variable-3{color:var(--color-cm-emerald)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-
property,.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-operator{color:var(--color-cm-
gray)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-string,.fi-fo-markdown-editor
 EasyMDEContainer .cm-s-easymde .cm-string-2{color:var(--color-cm-rose)}.fi-fo-markdown-editor.
EasyMDEContainer .cm-s-easymde .cm-meta{color:var(--color-cm-gray-muted)}.fi-fo-markdown-editor
 .EasyMDEContainer .cm-s-easymde .cm-error{color:var(--color-cm-red)}.fi-fo-markdown-editor
.EasyMDEContainer .cm-s-easymde .cm-error(cotor.var(--cotor-cm-gray-muted)).fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-builtin(color:var(--color-cm-violet)).fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-bracket,.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-hr{color:var(--color-cm-gray-muted)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-
easymde .cm-formatting-quote{color:var(--color-cm-sky)}.fi-fo-markdown-editor .EasyMDEContainer .cm
s-easymde .cm-formatting-quote+.cm-quote{color:var(--color-cm-gray-muted)}.fi-fo-markdown-editor
.EasyMDEContainer .cm-s-easymde .cm-formatting-list,.fi-fo-markdown-editor .EasyMDEContainer .cm-s-
easymde .cm-formatting-list+.cm-variable-2,.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-tab+.cm-variable-2{color:var(--color-cm-gray)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-
easymde .cm-link{color:var(--color-cm-blue)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde
.cm-tag{color:var(--color-cm-red)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-attribute{color:var(--color-cm-amber)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-
attribute+.cm-string{color:var(--color-cm-green)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-
easymde .cm-formatting-code+.cm-comment:not(.cm-formatting-code){background-color:var(--color-cm-
gray-background);color:var(--color-cm-gray)}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde
.cm-header-1{font-size:var(--text-3xl);line-height:var(--tw-leading,var(--text-3xl)-line-
height))}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-header-2{font-
size:var(--text-2xl);line-height:var(--tw-leading,var(--text-2xl--line-height))}.fi-fo-markdown-
editor .EasyMDEContainer .cm-s-easymde .cm-header-3{font-size:var(--text-xl);line-height:var(--tw-
leading, var(--text-xl--line-height))}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-header-4{font-size:var(--text-lg);line-height:var(--tw-leading,var(--text-lg--line-height))}.fi-fo-
markdown-editor .EasyMDEContainer .cm-s-easymde .cm-header-5{font-size:var(--text-base);line-
height:var(--tw-leading,var(--text-base--line-height))}.fi-fo-markdown-editor .EasyMDEContainer .cm-
s-easymde .cm-header-6{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height))}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-comment{background-
image:none}.fi-fo-markdown-editor .EasyMDEContainer .cm-s-easymde .cm-formatting-code-block,.fi-fo-
markdown-editor .EasyMDEContainer .cm-s-easymde .cm-tab+.cm-comment{color:inherit;background-color:#0000}.fi-fo-markdown-editor .EasyMDEContainer .CodeMirror{--tw-border-style:none;padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*1.5);color:inherit;background-
color:#0000;border-style:none}.fi-fo-markdown-editor .EasyMDEContainer .CodeMirror
scroll{height:auto}.fi-fo-markdown-editor .EasyMDEContainer .editor-
toolbar{gap:calc(var(--spacing)*1);border-style:var(--tw-border-style);border-width:0;border-bottom-style:var(--tw-border-style);border-bottom-width:1px;border-color:var(--gray-200);padding-
inline:calc(var(--spacing)*2.5);padding-block:calc(var(--spacing)*2);border-radius:0;flex-
wrap:wrap;display:flex}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar:where(.dark,.dark
*){border-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-fo-markdown-editor
EasyMDEContainer .editor-toolbar:where(.dark,.dark *){border-color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar button{width:calc(var(--spacing)*8);height:calc(var(--spacing)*8);border-radius:var(--radius-lg);--tw-border-style:none;padding:calc(var(--spacing)*);transition-property:color-background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;border-
style:none;place-content:center;transition-duration:75ms;display:grid}@media (hover:hover){.fi-fo-
markdown-editor .EasyMDEContainer .editor-toolbar button:hover{background-color:var(--gray-50)}}.fi-
fo-markdown-editor .ÉasyMDEContainer .editor-toolbar button:focus-visible{background-
color:var(--gray-50)}@media (hover:hover){.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar button:where(.dark,.dark *):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar button:where(.dark,.dark
*):hover{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-fo-markdown-
editor .EasyMDEContainer .editor-toolbar button:where(.dark,.dark *):focus-visible{background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar button:where(.dark,.dark *):focus-visible{background-color:color-
```

```
mix(in oklab,var(--color-white)5%,transparent)}}.fi-fo-markdown-editor .EasyMDEContainer .editor-
toolbar button.active{background-color:var(--gray-50)}.fi-fo-markdown-editor .EasyMDEContainer
 .editor-toolbar button.active:where(.dark,.dark *){background-color:#fffff0d}@supports
(color:color-mix(in lab, red, red)){.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar button.active:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar
button:before{width:calc(var(--spacing)*5);height:calc(var(--spacing)*5);background-color:var(--gray-700);content:"";display:block;-webkit-mask-position:50%;mask-position:50%;-webkit-mask-repeat:no-repeat;mask-repeat:no-repeat}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar button.active:before{background-color:var(--primary-600)}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .editor-toolbar .separator{width:calc(var(--spacing)*1);--tw-border-style:none;border-
style:none;margin:calc(var(--spacing)*0)!important}.fi-fo-markdown-editor .EasyMDEContainer .editor-
toolbar .bold:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M4 3a1 1 0 0 1 1-1h6a4.5 4.5 0 0 1 3.274 7.587A4.75 4.75 0 0 1 11.25 18H5a1 1 0 0 1-1-1V3Zm2.5 5.5v-4H11a2 2 0 1 1 0 4H6.5Zm0 2.5v4.5h4.75a2.25 2.25 0 0 0 0-4.5H6.5Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A"); mask-image:url("data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M4 3a1 1 0 0 1 1-1h6a4.5 4.5 0 0 1 3.274 7.587A4.75 4.75 0 0 1 11.25 18H5a1 1 0 0 1-1-1V3Zm2.5 5.5v-4H11a2 2 0 1 1 0 4H6.5Zm0 2.5v4.5h4.75a2.25 2.25 0 0 0 0-4.5H6.5Z' clip-
rule='evenodd' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .italic:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M8 2.75A.75.75 0 0 1 8.75 2h7.5a.75.75 0 0 1 0 1.5h-3.215l-4.483 13h2.698a.75.75 0 0 1 0
1.5h-7.5a.75.75 0 0 1 0-1.5h3.215l4.483-13H8.75A.75.75 0 0 1 8 2.75Z' clip-rule='evenodd'
/%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M8
2.75A.75.75 0 0 1 8.75 2h7.5a.75.75 0 0 1 0 1.5h-3.215l-4.483 13h2.698a.75.75 0 0 1 0 1.5h-7.5a.75.75 0 0 1 0-1.5h3.215l4.483-13H8.75A.75.75 0 0 1 8 2.75Z' clip-rule='evenodd'
/%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar
 .strikethrough:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M11.617 3.963c-1.186-.318-2.418-.323-3.416.015-.992.336-1.49.91-1.642 1.476-.152.566-.007 1.313.684 2.1.528.6 1.273 1.1 2.128 1.446h7.879a.75.75 0 0 1 0 1.5H2.75a.75.75 0
0 1 0-1.5h3.813a5.976 5.976 0 0 1-.447-.456C5.18 7.479 4.798 6.231 5.11 5.066c.312-1.164 1.268-2.055
2.61-2.509 1.336-.451 2.877-.42 4.286-.043.856.23 1.684.592 2.409 1.074a.75.75 0 1 1-.83 1.25 6.723
6.723 0 0 0-1.968-.875Zm1.909 8.123a.75.75 0 0 1 1.015.309c.53.99.607 2.062.18 3.01-.421.94-1.289
1.648-2.441 2.038-1.336.452-2.877.42-4.286.043-1.409-.377-2.759-1.121-3.69-2.18a.75.75 0 1 1 1.127-.99c.696.791 1.765 1.403 2.952 1.721 1.186.318 2.418.323 3.416-.015.853-.288 1.34-.756 1.555-1.232.21-.467.205-1.049-.136-1.69a.75.75 0 0 1 .308-1.014Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A"); mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M11.617
3.963c-1.186-.318-2.418-.323-3.416.015-.992.336-1.49.91-1.642 1.476-.152.566-.007 1.313.684
2.1.528.6 1.273 1.1 2.128 1.446h7.879a.75.75 0 0 1 0 1.5H2.75a.75.75 0 0 1 0-1.5h3.813a5.976 5.976 0
2.1.528.6 1.273 1.1 2.128 1.44617.8794.73.75 0 0 1 0 1.5H2.754.73.75 0 0 1 0-1.5H3.81343.976 3.976 0 1-.447-.456C5.18 7.479 4.798 6.231 5.11 5.066c.312-1.164 1.268-2.055 2.61-2.509 1.336-.451 2.877-.42 4.286-.043.856.23 1.684.592 2.409 1.074a.75.75 0 1 1-.83 1.25 6.723 6.723 0 0 0-1.968-.875Zm1.909 8.123a.75.75 0 0 1 1.015.309c.53.99.607 2.062.18 3.01-.421.94-1.289 1.648-2.441
2.038 - 1.336.452 - 2.877.42 - 4.286.043 - 1.409 - .377 - 2.759 - 1.121 - 3.69 - 2.18a.75.75 \ 0 \ 1 \ 1 \ 1.127 - .99c.696.791
1.765 1.403 2.952 1.721 1.186.318 2.418.323 3.416-.015.853-.288 1.34-.756
1.555-1.232.21-.467.205-1.049-.136-1.69a.75.75 0 0 1 .308-1.014Z' clip-rule='evenodd
/%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .link:before{-webkit-
/%3E%3C/SVg%3E%0A )}.11-10-markdown-editor .EasyMDEContainer .editor-tootbar .tink:belore{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath d='M12.232 4.232a2.5 2.5 0 0 1 3.536 3.536l-1.225 1.224a.75.75 0 0 0 1.061 1.0611.224-1.224a4 4 0 0 0-5.656-5.656l-3 3a4 4 0 0 0 .225 5.865.75.75 0 0 0 .977-1.138 2.5 2.5 0 0 1-.142-3.667l3-3Z' /%3E%3Cpath d='M11.603 7.963a.75.75 0 0 0-.977 1.138 2.5
2.5 0 0 1 .142 3.667l-3 3a2.5 2.5 0 0 1-3.536-3.536l1.225-1.224a.75.75 0 0 0-1.061-1.06l-1.224
1.224a4 4 0 1 0 5.656 5.656l3-3a4 4 0 0 0-.225-5.865Z' /%3E%3C/svg%3E%0A"); mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20'
fill='currentColor' class='size-5'%3E%3Cpath d='M12.232 4.232a2.5 2.5 0 0 1 3.536 3.536l-1.225 1.224a.75.75 0 0 0 1.061 1.06l1.224-1.224a4 4 0 0 0-5.656-5.656l-3 3a4 4 0 0 0 .225 5.865.75.75 0 0 0 .977-1.138 2.5 2.5 0 0 1-.142-3.667l3-3Z' /%3E%3Cpath d='M11.603 7.963a.75.75 0 0 0-.977 1.138 2.5
0 .9//-1.138 2.5 2.5 0 0 1-.142-3.66/13-32' /%3E%3Cpath d='M11.603 /.963a./5./5 0 0 0-.9// 1.138 2.5 2.5 0 0 1 .142 3.667l-3 3a2.5 2.5 0 0 1-3.536-3.536l1.225-1.224a.75.75 0 0 0-1.06l-1.06l-1.224 1.224a4 4 0 1 0 5.656 5.656l3-3a4 4 0 0 0-.225-5.865Z' /%3E%3C/svg%3E%0A")}, fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .heading:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M2.75 4a.75.75 0 0 1 .75.75v4.5h5v-4.5a.75.75 0 0 1 1.5 0v10.5a.75.75 0 0 1-1.5 0v-4.5h-5v4.5a.75.75 0 0 1 .75.75v5.75h1.75a.75.75 0 0 1 .75.75v5.75h1a.75.75 0 0 1 .75.75v5.75h1a.75.75 0 0 1 .75.75v5.75h1a.75.75 0 0 1 .75.75v6.81% image.url("data:image/svg.xml) %3Csvg
0 1-.75-.75Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M2.75 4a.75.75 0 0 1 .75.75v4.5h5v-4.5a.75.75 0 0 1 1.5 0v10.5a.75.75 0 0 1-1.5 0v-4.5h-5v4.5a.75.75 0 0 1
 .75-.75h1.75a.75.75 0 0 1 .75.75v5.75h1a.75.75 0 0 1 0 1.5h-3.5a.75.75 0 0 1 0-1.5h1v-5h-1a.75.75 0
```

```
0 1-.75-.75Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .quote:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20' fill='currentColor' class='size-5'%3E%3Cpath
fill-rule='evenodd' d='M10 2c-2.236 0-4.43.18-6.57.524C1.993 2.755 1 4.014 1 5.426v5.148c0 1.413.993 2.67 2.43 2.902 1.168.188 2.352.327 3.55.414.28.02.521.18.642.413l1.713 3.293a.75.75 0 0 0 1.33
0l1.713-3.293a.783.783 0 0 1 .642-.413 41.102 41.102 0 0 0 3.55-.414c1.437-.231 2.43-1.49
2.43-2.902V5.426c0-1.413-.993-2.67-2.43-2.902A41.289 41.289 0 0 0 10 2ZM6.75 6a.75.75 0 0 0 0
1.5h6.5a.75.75 0 0 0 0-1.5h-6.5Zm0 2.5a.75.75 0 0 0 0 1.5h3.5a.75.75 0 0 0 0-1.5h-3.5Z' clip-
rule='evenodd' /%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath
fill-rule='evenodd' d='M10 2c-2.236 0-4.43.18-6.57.524C1.993 2.755 1 4.014 1 5.426v5.148c0 1.413.993
2.67 2.43 2.902 1.168.188 2.352.327 3.55.414.28.02.521.18.642.413l1.713 3.293a.75.75 0 0 0 1.33
0l1.713-3.293a.783.783 0 0 1 .642-.413 41.102 41.102 0 0 0 3.55-.414c1.437-.231 2.43-1.49
2.43-2.902V5.426c0-1.413-.993-2.67-2.43-2.902A41.289 41.289 0 0 0 10 2ZM6.75 6a.75.75 0 0 0 0 1.5h6.5a.75.75 0 0 0 0-1.5h-6.5Zm0 2.5a.75.75 0 0 0 0 1.5h3.5a.75.75 0 0 0 0-1.5h-3.5Z' clip-
rule='evenodd' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar
.code:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M6.28 5.22a.75.75 0 0 1 0 1.06L2.56 10l3.72 3.72a.75.75 0 0 1-1.06 1.06L.97 10.53a.75.75 0 0 1
0-1.06l4.25-4.25a.75.75 0 0 1 1.06 0Zm7.44 0a.75.75 0 0 1 1.06 0l4.25 4.25a.75.75 0 0 1 0 1.06l-4.25
4.25a.75.75 0 0 1-1.06-1.06L17.44 10l-3.72-3.72a.75.75 0 0 1 0-1.06ZM11.377 2.011a.75.75 0 0 1 .612.867l-2.5 14.5a.75.75 0 0 1-1.478-.255l2.5-14.5a.75.75 0 0 1 .866-.612Z' clip-rule='evenodd'
.012.8071-2.5 14.3a.75.75 0 0 1-1.476-.253t2.5-14.3a.75.75 0 0 1 .000-.0122 Ctip-rute= evenloud /%3E%3C/svg%3E%0A"); mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M6.28 5.22a.75.75 0 0 1 0 1.06L2.56 10l3.72 3.72a.75.75 0 0 1-1.06 1.06L.97 10.53a.75.75 0 0 1 0-1.06l4.25-4.25a.75.75 0 0 1 1.06 0Zm7.44 0a.75.75 0 0 1 1.06 0l4.25 4.25a.75.75 0 0 1 0 1.06l-4.25
4.25a.75.75 0 0 1-1.06-1.06L17.44 10l-3.72-3.72a.75.75 0 0 1 0-1.06ZM11.377 2.011a.75.75 0 0 1
.612.867l-2.5 14.5a.75.75 0 0 1-1.478-.255l2.5-14.5a.75.75 0 0 1 .866-.612Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .unordered-
list:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M6
4.75A.75.75 0 0 1 6.75 4h10.5a.75.75 0 0 1 0 1.5H6.75A.75.75 0 0 1 6 4.75ZM6 10a.75.75 0 0 1 .75-.75h10.5a.75.75 0 0 1 0 1.5H6.75A.75.75 0 0 1 0 1.5H6.75A.75.75 0 0 1 1 1 1v.01a1 1 0 0 1-1 1h-.01a1
1\ 0\ 0\ 1\text{-}1\text{-}1\text{v}\text{-}.01\text{ZM1}.99\ 15.25\text{a}1\ 1\ 0\ 0\ 1\ 1\text{-}1\text{H}3\text{a}1\ 1\ 0\ 0\ 1\ 1\ 1\text{v}.01\text{a}1\ 1\ 0\ 0\ 1\text{-}1\ 1\text{h}\text{-}.01\text{a}1\ 1\ 0\ 0
1-1-1v-.01ZM1.99 10a1 1 0 0 1 1-1H3a1 1 0 0 1 1 1v.01a1 1 0 0 1-1 1h-.01a1 1 0 0 1-1-1V10Z' clip-
rule='evenodd' /%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg
1-1 1h-.01a1 1 0 0 1-1-1v-.01ZM1.99 10a1 1 0 0 1 1-1H3a1 1 0 0 1 1 1v.01a1 1 0 0 1-1 1h-.01a1 1 0 0
1-1-1V10Z' clip-rule='evenodd' /%3E%3C/svq%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-
toolbar .ordered-list:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath d='M3 1.25a.75.75 0 0 0 0 1.5h.25v2.5a.75.75 0 0 0 1.5 0V2A.75.75 0 0 0 4 1.25H3ZM2.97 8.654a3.5 3.5 0 0 1 1.524-.12.034.034 0 0 1-.012.012L2.415 9.579A.75.75 0 0 0 2 10.25v1c0 .414.336.75.75.75h2.5a.75.75 0 0 0 0-1.5H3.927l1.225-.613c.52-.26.848-.79.848-1.371
0 - .647 - .429 - 1.327 - 1.193 - 1.451 a 5.03 \phantom{0} 5.03 \phantom{0} 0 \phantom{0} 0 - 2.277.155.75.75 \phantom{0} 0 \phantom{0} 0 \phantom{0} .44 \phantom{0} 1.434 ZM7.75 \phantom{0} 3a.75.75 \phantom{0} 0 \phantom{0} 0 \phantom{0} 0
1.5h9.5a.75.75 0 0 0 0-1.5h-9.5ZM7.75 9.25a.75.75 0 0 0 0 1.5h9.5a.75.75 0 0 0 0-1.5h-9.5ZM7.75
15.5a.75.75 0 0 0 0 1.5h9.5a.75.75 0 0 0 0-1.5h-9.5ZM2.625 13.875a.75.75 0 0 0 0 1.5h1.5a.125.125 0
0 1 0 .25H3.5a.75.75 0 0 0 0 1.5h.625a.125.125 0 0 1 0 .25h-1.5a.75.75 0 0 0 0 1.5h1.5a1.625 1.625 0 0 0 1.37-2.5 1.625 1.625 0 0 0-1.37-2.5h-1.5Z' /%3E%3C/svg%3E%0A"); mask-
image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20'
fill='currentColor' class='size-5'%3E%3Cpath d='M3 1.25a.75.75 0 0 0 0 1.5h.25v2.5a.75.75 0 0 0 1.5h
0V2A.75.75 0 0 0 4 1.25H3ZM2.97 8.654a3.5 3.5 0 0 1 1.524-.12.034.034 0 0 1-.012.012L2.415 9.579A.75.75 0 0 0 2 10.25v1c0 .414.336.75.75.75h2.5a.75.75 0 0 0
0-1.5H3.927l1.225-.613c.52-.26.848-.79.848-1.371 0-.647-.429-1.327-1.193-1.451a5.03 5.03 0 0 0-2.277.155.75.75 0 0 0 .44 1.434ZM7.75 3a.75.75 0 0 0 0 1.5h9.5a.75.75 0 0 0 0-1.5h-9.5ZM7.75
9.25a.75.75 \ 0 \ 0 \ 0 \ 0 \ 1.5h9.5a.75.75 \ 0 \ 0 \ 0 \ 0 \ -1.5h-9.5ZM7.75 \ 15.5a.75.75 \ 0 \ 0 \ 0 \ 0 \ 1.5h9.5a.75.75 \ 0 \ 0 \ 0
0-1.5h-9.5ZM2.625 13.875a.75.75 0 0 0 0 1.5h1.5a.125.125 0 0 1 0 .25H3.5a.75.75 0 0 0 0
1.5h.625a.125.125 0 0 1 0 .25h-1.5a.75.75 0 0 0 0 1.5h1.5a1.625 1.625 0 0 0 1.37-2.5 1.625 1.625 0 0
0-1.37-2.5h-1.5Z' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .table:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M.99 5.24A2.25 2.25 0 0 1 3.25 3h13.5A2.25 2.25 0 0 1 19 5.25l.01 9.5A2.25 2.25 0 0 1 16.76 17H3.26A2.267 2.267 0 0 1 1 1.74l-.01-9.5Zm8.26 9.52v-.625a.75.75 0 0 0-.75-.75H3.25a.75.75 0 0 0 -.75-.75H3.25a.75.75  0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.75-.75H3.25a.75 0 0 0 -.
.75-.75ZM17.5 7.5v-.625a.75.75 0 0 0-.75-.75H11.5a.75.75 0 0 0-.75.75V7.5c0
```

```
.414.336.75.75.75h5.25a.75.75 0 0 0 .75-.75Zm-8.25 0v-.625a.75.75 0 0 0-.75-.75H3.25a.75.75 0 0
0-.75.75V7.5c0 .414.336.75.75.75H8.5a.75.75 0 0 0 .75-.75Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M.99 5.24A2.25 2.25 0 0 1 3.25 3h13.5A2.25 2.25 0 0 1 19 5.25l.01 9.5A2.25 2.25 0 0 1 16.76 17H3.26A2.267
2.267 0 0 1 1 14.74l-.01-9.5Zm8.26 9.52v-.625a.75.75 0 0 0-.75-.75H3.25a.75.75 0 0 0-.75.75v.615c0
 .414.336.75.75.75h5.373a.75.75 0 0 0 .627-.74Zm1.5 0a.75.75 0 0 0 .627.74h5.373a.75.75 0 0 0
 .75-.75v-.615a.75.75 0 0 0-.75-.75H11.5a.75.75 0 0 0-.75.75v.625Zm6.75-3.63v-.625a.75.75 0 0
0-.75-.75H11.5a.75.75 0 0 0-.75.75v.625c0 .414.336.75.75.75h5.25a.75.75 0 0 0 .75-.75zm-8.25
0v-.625a.75.75 0 0 0-.75-.75H3.25a.75.75 0 0 0-.75-.75H1.5a.75.75 0 0 0-.75.75V7.5c0
.75-.75ZM17.5 7.5v-.625a.75.75 0 0 0-.75-.75H11.5a.75.75 0 0 0-.75.75V7.5c0
.414.336.75.75.75h5.25a.75.75 0 0 0 .75-.75Zm-8.25 0v-.625a.75.75 0 0 0-.75-.75H3.25a.75.75 0 0
0-.75.75V7.5c0 .414.336.75.75.75H8.5a.75.75 0 0 0 .75-.75Z' clip-rule='evenodd'
/%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .upload-
image:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M1 5.25A2.25 2.25 0 0 1 3.25 3h13.5A2.25 2.25 0 0 1 19 5.25v9.5A2.25 2.25 0 0 1 16.75 17H3.25A2.25 2.25 0 0 1 1 14.75v-9.5Zm1.5 5.81v3.69c0 .414.336.75.75.75h13.5a.75.75 0 0 0 .75-.75v-2.69l-2.22-2.219a.75.75 0 0
0-1.06 0l-1.91 1.909.47.47a.75.75 0 1 1-1.06 1.06L6.53 8.091a.75.75 0 0 0-1.06 0l-2.97 2.97ZM12 7a1
1 0 1 1-2 0 1 1 0 0 1 2 0Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A");mask-
image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M1 5.25A2.25 2.25 0 0 1 3.25
3h13.5A2.25 2.25 0 0 1 19 5.25v9.5A2.25 2.25 0 0 1 16.75 17H3.25A2.25 2.25 0 0 1 1 14.75v-9.5Zm1.5 5.81v3.69c0 .414.336.75.75.75h13.5a.75.75 0 0 0 .75-.75v-2.69l-2.22-2.219a.75.75 0 0 0-1.06 0l-1.91
1.909.47.47a.75.75 0 1 1-1.06 1.06L6.53 8.09la.75.75 0 0 0-1.06 0l-2.97 2.97ZM12 7a1 1 0 1 1-2 0 1 1 0 0 1 2 0Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-editor .EasyMDEContainer .editor-toolbar .undo:before{-webkit-mask-image:url("data:image/svg+xml,%3Csvg
.editor-toolbar .undo:betore{-webkit-mask-image:uri( data:image/svg+xmit,%5csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M7.793 2.232a.75.75 0 0 1-.025 1.06L3.622 7.25h10.003a5.375 5.375 0 0 1 0 10.75H10.75a.75.75 0 0 1 0-1.5h2.875a3.875 3.875 0 0 0 0-7.75H3.622l4.146 3.957a.75.75 0 0 1-1.036
1.085l-5.5-5.25a.75.75 0 0 1 0-1.085l5.5-5.25a.75.75 0 0 1 1.06.025Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg'
viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M7.793 2.232a.75.75 0 0 1-.025 1.06L3.622 7.25h10.003a5.375 5.375 0 0 1 0 10.75H10.75a.75.75 0 0 1 0-1.5h2.875a3.875 3.875 0 0 0 0-7.75H3.622l4.146 3.957a.75.75 0 0 1-1.036 1.085l-5.5-5.25a.75.75 0 0 1 0-1.085l5.5-5.25a.75.75 0 0 1 1.06.025Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A")}.fi-fo-markdown-
editor .EasyMDEContainer .editor-toolbar .redo:before{-webkit-mask-
image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20'
fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M12.207 2.232a.75.75 0 0 0 .025
1.0614.146 3.958H6.375a5.375 5.375 0 0 0 0 10.75H9.25a.75.75 0 0 0 0-1.5H6.375a3.875 3.875 0 0 1 0-7.75h10.0031-4.146 3.957a.75.75 0 0 0 1.036 1.085l5.5-5.25a.75.75 0 0 0 0-1.085l-5.5-5.25a.75.75 0
0 0-1.06.025Z' clip-rule='evenodd' /%3E%3C/svg%3E%0A");mask-image:url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 20 20' fill='currentColor' class='size-5'%3E%3Cpath fill-rule='evenodd' d='M12.207 2.232a.75.75 0 0 0 .025 1.06l4.146 3.958H6.375a5.375 5.375 0 0 0
/\%3E\%3C/svg\%3E\%0A")\}. fi-fo-markdown-editor . EasyMDEContainer .editor-statusbar\{display:none\}. fi-fo-markdown-editor . EasyMDEContainer .editor-statusbar{display:none}. fi-fo-markdown-editor . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDEContainer . EasyMDE
markdown-editor:where(.dark,.dark *){--color-cm-red:#f87171;--color-cm-orange:#fb923c;--color-cm-amber:#fbbf24;--color-cm-yellow:#facc15;--color-cm-lime:#a3e635;--color-cm-green:#4ade80;--color-cm-
emerald:#4ade80;--color-cm-teal:#2dd4bf;--color-cm-cyan:#22d3ee;--color-cm-sky:#38bdf8;--color-cm-
blue:#60a5fa;--color-cm-indigo:#818cf8;--color-cm-violet:#a78bfa;--color-cm-purple:#c084fc;--color-
cm-fuchsia:#e879f9;--color-cm-pink:#f472b6;--color-cm-rose:#fb7185;--color-cm-gray:#fafafa;--color-cm-gray-background:#52525b}.fi-fo-markdown-editor:where(.dark,.dark *)
 .EasyMDEContainer .cm-s-easymde span.CodeMirror-selectedtext{filter:invert()}.fi-fo-markdown-
editor:where(.dark,.dark *) .EasyMDEContainer .editor-toolbar button:before{background-
color:var(--gray-300)}.fi-fo-markdown-editor:where(.dark,.dark *) .EasyMDEContainer .editor-toolbar
button.active:before{background-color:var(--primary-400)}.fi-fo-modal-table-select:not(.fi-fo-modal-table-select-multiple){align-items:flex-start;column-gap:calc(var(--spacing)*3);--tw-
leading:calc(var(--spacing)*5);line-height:calc(var(--spacing)*5);display:flex}.fi-fo-modal-table-
select.fi-fo-modal-table-select-multiple{gap:calc(var(--spacing)*2);display:grid}.fi-fo-modal-table-
select.fi-fo-modal-table-select-multiple .fi-fo-modal-table-select-badges-
\verb|ctn{gap:calc(var(--spacing)*1.5);flex-wrap:wrap;display:flex}|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-fo-modal-table-select|.fi-
table-select-placeholder{color:var(--gray-400)}.fi-fo-modal-table-select .fi-fo-modal-table-select-
placeholder:where(.dark,.dark *){color:var(--gray-500)}.fi-fo-radio{gap:calc(var(--spacing)*4)}.fi-
 fo-radio.fi-inline{flex-wrap:wrap;display:flex}.fi-fo-radio:not(.fi-inline).fi-grid-direction-
col{margin-top:calc(var(--spacing)*-4)}.fi-fo-radio:not(.fi-inline).fi-grid-direction-col>.fi-fo-
radio-label{break-inside:avoid;padding-top:calc(var(--spacing)*4)}.fi-fo-radio>.fi-fo-radio-
label{column-gap:calc(var(--spacing)*3);align-self:flex-start;display:flex}.fi-fo-radio>.fi-fo-
radio-label>.fi-radio-input{margin-top:calc(var(--spacing)*1);flex-shrink:0}.fi-fo-radio>.fi-fo-
 radio-label>.fi-fo-radio-label-text{font-size:var(--text-sm);line-height:var(--tw-
leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-
weight-medium); color:var(--gray-950); display:grid}.fi-fo-radio-.fi-fo-radio-label>.fi-fo-radio-
```

```
label-text:where(.dark,.dark *){color:var(--color-white)}.fi-fo-radio>.fi-fo-radio-label .fi-fo-
radio-label-description{--tw-font-weight:var(--font-weight-normal);font-weight:var(--font-weight-normal);
normal);color:var(--gray-500)}.fi-fo-radio>.fi-fo-radio-label .fi-fo-radio-label-
description:where(.dark,.dark *){color:var(--gray-400)}.fi-fo-repeater{row-gap:calc(var(--spacing)*4);display:grid}.fi-fo-repeater .fi-fo-repeater-actions{column-
gap:calc(var(--spacing)*3);display:flex}.fi-fo-repeater .fi-fo-repeater-actions.fi-
hidden{display:none}.fi-fo-repeater .fi-fo-repeater-items{align-items:flex-
start;gap:calc(var(--spacing)*4)}:where(.fi-fo-repeater .fi-fo-repeater-item>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-
style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-
width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-100)}.fi-fo-repeater
.fi-fo-repeater-item{border-radius:var(--radius-xl);background-color:var(--color-white);--tw-shadow:0 lpx 2px 0 var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow)
inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color, currentcolor); box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-fo-repeater .fi-fo-repeater-item{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}:where(.fi-fo-repeater .fi-fo-repeater-
item:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){:where(.fi-fo-repeater .fi-fo-repeater-item:where(.dark,.dark *)>:not(:last-
child)){border-color:mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-repeater .fi-fo-
repeater-item:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab,
red, red)){.fi-fo-repeater .fi-fo-repeater-item:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-fo-repeater .fi-fo-repeater-item:where(.dark,.dark
*){--tw-ring-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fo-repeater .fi-fo-repeater-item:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-fo-repeater .fi-fo-repeater-item.fi-collapsed .fi-fo-repeater-item-
header-collapsible-actions{rotate:-180deg}.fi-fo-repeater .fi-fo-repeater-item.fi-collapsed .fi-fo-repeater-item-header-collapse-action,.fi-fo-repeater .fi-fo-repeater-item:not(.fi-collapsed) .fi-fo-repeater-item:not(.fi-collapsed)
repeater-item-header-expand-action{pointer-events:none;opacity:0}.fi-fo-repeater .fi-fo-repeater-item-header{align-items:center;column-gap:calc(var(--spacing)*3);padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);display:flex;overflow:hidden}.fi-fo-repeater.fi-collapsible .fi-fo-repeater-item-header{cursor:pointer;-webkit-user-select:none;user-
select:none}.fi-fo-repeater .fi-fo-repeater-item-header-start-actions{align-items:center;column-
qap:calc(var(--spacing)*3);display:flex}.fi-fo-repeater .fi-fo-repeater-item-header
icon{color:var(--gray-400)}.fi-fo-repeater .fi-fo-repeater-item-header-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-fo-repeater .fi-fo-repeater-item-header-label{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950)}.fi-fo-repeater .fi-fo-repeater-
item-header-label:where(.dark,.dark *){color:var(--color-white)}.fi-fo-repeater .fi-fo-repeater
item-header-label.fi-truncated{text-overflow:ellipsis;white-space:nowrap;overflow:hidden}.fi-fo-
repeater .fi-fo-repeater-item-header-end-actions{align-items:center;column-gap:calc(var(--spacing)*3);margin-inline-start:auto;display:flex}.fi-fo-repeater .fi-fo-repeater-
item-header-collapsible-actions{transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-duration: var(--tw-duration, var(--default-transition-duration)); position: relative}. fi-fo-repeater .fi-fo-repeater-item-
header-collapse-action{transition-property:color,background-color,border-color,outline-color,text-
decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration))}.fi-fo-repeater .fi-fo-repeater-item-header-expand-
action{inset:calc(var(--spacing)*0);transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-duration: var(--tw-ease)
duration, var(--default-transition-duration)); position: absolute; rotate: 180deg}.fi-fo-repeater .fi-fo-
repeater-item-content{padding:calc(var(--spacing)*4)}.fi-fo-repeater .fi-fo-repeater-add-between-items-ctn{justify-content:center;width:100%;display:flex}.fi-fo-repeater .fi-fo-repeater-add-
between-items{border-radius:var(--radius-lg);background-color:var(--color-white)}.fi-fo-repeater
 .fi-fo-repeater-add-between-items:where(.dark,.dark *){background-color:var(--gray-900)}.fi-fo-
repeater .fi-fo-repeater-label-between-items.ctn{border-top-style:var(--tw-border-style);border-top-width:lpx;border-color:var(--gray-200);position:relative}.fi-fo-repeater .fi-fo-repeater-label-between-items-ctn:where(.dark,.dark *){border-color:#ffffff1a}@supports (color:color-mix(in lab,
red, red)){.fi-fo-repeater .fi-fo-repeater-label-between-items-ctn:where(.dark,.dark *){border
color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-repeater .fi-fo-repeater-label-
between-items{top:calc(var(--spacing)*-3);left:calc(var(--spacing)*3);padding-inline:calc(var(--spacing)*1);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
```

```
line-height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);position:absolute}.fi-fo-repeater .fi-fo-repeater-add{justify-content:center;width:100%;display:flex}.fi-fo-repeater .fi-fo-repeater-add.fi-align-start,.fi-fo-
repeater .fi-fo-repeater-add.fi-align-left{justify-content:flex-start}.fi-fo-repeater .fi-fo-
repeater-add.fi-align-end,.fi-fo-repeater .fi-fo-repeater-add.fi-align-right{justify-content:flex-
end}.fi-fo-simple-repeater{row-gap:calc(var(--spacing)*4);display:grid}.fi-fo-simple-repeater .fi-
fo-simple-repeater-items{qap:calc(var(--spacing)*4)}.fi-fo-simple-repeater .fi-fo-simple-repeater
item{justify-content:flex-start;column-gap:calc(var(--spacing)*3);display:flex}.fi-fo-simple
repeater .fi-fo-simple-repeater-item-content{flex:1}.fi-fo-simple-repeater .fi-fo-simple-repeater-item-actions{align-items:center;column-gap:calc(var(--spacing)*1);display:flex}.fi-fo-simple-
repeater .fi-fo-simple-repeater-add{justify-content:center;width:100%;display:flex}.fi-fo-simple-repeater .fi-fo-simple-repeater.add.fi-align-start,.fi-fo-simple-repeater .fi-fo-simple-repeater.
add.fi-align-left{justify-content:flex-start}.fi-fo-simple-repeater .fi-fo-simple-repeater-add.fi-
align-end, fi-fo-simple-repeater .fi-fo-simple-repeater add.fi-align-right{justify-content:flex-end}.fi-fo-table-repeater{gap:calc(var(--spacing)*3);display:grid}.fi-fo-table-repeater>table{width:100%;display:block}:where(.fi-fo-table-repeater>table>:not(:last-child)){--tw-display:grid}.fi-fo-table-repeater>table-repeater>table-repeater>table-repeater>table-repeater>table-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeater-repeat
divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-style:var(--tw-border
style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1
var(--tw-divide-y-reverse)));border-color:var(--gray-200)},fi-fo-table-repeater>table{border-
radius:var(--radius-xl);background-color:var(--color-white);--tw-shadow:0 lpx 3px 0 var(--tw-shadow-
color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow)
shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-
ring-color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-inset-ring-s
ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color: var(--gray-950)}@supports
(color:color-mix(in lab, red, red)){.fi-fo-table-repeater>table{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}:where(.fi-fo-table-repeater>table:where(.dark,.dark)
*)>:not(:last-child)){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){:where(.fi-fo-table-repeater>table:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-table-repeater>table:where(.dark,.dark
 *){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab,
red, red)){.fi-fo-table-repeater>table:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)]0%,transparent)}}.fi-fo-table-repeater>table>thead{white-
space:nowrap;display:none}.fi-fo-table-repeater>table>thead>tr>th{border-
color:var(--gray-200);background-color:var(--gray-50);padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-
semibold);color:var(--gray-950)}.fi-fo-table-repeater>table>thead>tr>th:first-of-type{border-top-
left-radius:var(--radius-xl)}.fi-fo-table-repeater>table>thead>tr>th:last-of-type{border-top-right-
radius:var(--radius-xl)}.fi-fo-table-repeater>table>thead>tr>th:where(.dark,.dark *){border-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-table-
repeater>table>thead>tr>th:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-fo-table-repeater>table>thead>tr>th:where(.dark,.dark *){background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-table-
repeater>table>thead>tr>th:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-mix))}
white)5%,transparent)}}.fi-fo-table-repeater>table>thead>tr>th:where(.dark,.dark
 *){color:var(--color-white)}.fi-fo-table-repeater>table>thead>tr>th:not(:first-of-type){border-
inline-start-style:var(--tw-border-style);border-inline-start-width:1px}.fi-fo-table-
repeater>table>thead>tr>th:not(:last-of-type){border-inline-end-style:var(--tw-border-style);border-
inline-end-width:1px}.fi-fo-table-repeater>table>thead>tr>th.fi-align-start,.fi-fo-table-
repeater>table>thead>tr>th.fi-align-left{text-align:start}.fi-fo-table-
repeater>table>thead>tr>th.fi-align-end,.fi-fo-table-repeater>table>thead>tr>th.fi-align-right{text-
align:end}.fi-fo-table-repeater>table>thead>tr>th.fi-wrapped{white-space:normal}.fi-fo-table-
repeater>table>thead>tr>th:not(.fi-wrapped){white-space:nowrap}.fi-fo-table-
repeater>table>thead>tr>th.fi-fo-table-repeater-empty-header-cell{width:calc(var(--spacing)*1)}.fi-fo-table-repeater>table>tbody{display:block}:where(.fi-fo-table-repeater>table>tbody>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));border-bottom-style:var(--tw-divide-y-reverse));
width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200));where(.fi-fo-
table-repeater>table>tbody:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports
(color:color-mix(in lab, red, red)){:where(.fi-fo-table-repeater>table>tbody:where(.dark,.dark
*)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-fo-
table-
repeater>table>tbody>tr{gap:calc(var(--spacing)*6);padding:calc(var(--spacing)*6);display:grid}.fi-
fo-table-repeater>table>tbody>tr>td{display:block}.fi-fo-table-repeater>table>tbody>tr>td.fi-
hidden{display:none}.fi-fo-table-repeater>table .fi-fo-table-repeater-header-required-mark{--tw-
font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--danger-600)}.fi-fo-table-repeater>table .fi-fo-table-repeater-header-required-
mark:where(.dark,.dark *){color:var(--danger-400)}.fi-fo-table-repeater>table .fi-fo-table-repeater-actions{align-items:center;column-gap:calc(var(--spacing)*3);height:100%;display:flex}@supports
(container-type:inline-size){.fi-fo-table-repeater{container-type:inline-size}@container (min-
width:36rem) { . fi-fo-table-repeater>table{display:table} . fi-fo-table-
repeater>table>thead{display:table-header-group}.fi-fo-table-repeater>table>tbody{display:table-row-
```

```
group}.fi-fo-table-repeater>table>tbody>tr{padding:calc(var(--spacing)*0);display:table-row}.fi-fo-
table-repeater>table>tbody>tr>td{padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*2);display:table-cell}.fi-fo-table-repeater>table>tbody>tr>td.fi-
hidden{display:table-cell}.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field,.fi-fo-table-repeater>table>tbody>tr>td .fi-in-entry{row-gap:calc(var(--spacing)*0)}.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-field-label-content
in-entry-label-content{display:none}.fi-fo-table-repeater>table .fi-fo-table-repeater
actions{padding-inline:calc(var(--spacing)*3); padding-block:calc(var(--spacing)*2)}}}@supports not
(container-type:inline-size){@media (min-width:64rem){.fi-fo-table-repeater>table{display:table}.fi-fo-table-repeater>table>thead{display:table-header-group}.fi-fo-table-
repeater>table>tbody{display:table-row-group}.fi-fo-table-
repeater>table>tbody>tr{padding:calc(var(--spacing)*0);display:table-row}.fi-fo-table-
repeater>table>tbody>tr>td{padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*2);display:table-cell}.fi-fo-table-repeater>table>tbody>tr>td.fi-hidden{display:table-cell}.fi-fo-table-repeater>table>tbody>tr>td.fi-
repeater>table>tbody>tr>td .fi-in-entry{row-gap:calc(var(--spacing)*0)}.fi-fo-table>repeater>table>tbody>tr>td .fi-fo-field-label-content,.fi-fo-table-repeater>table>tbody>tr>td .fi-
in-entry-label-content{display:none}.fi-fo-table-repeater>table .fi-fo-table-repeater
actions{padding-inline:calc(var(--spacing)*3); padding-block:calc(var(--spacing)*2)}}}.fi-fo-table-
repeater .fi-fo-table-repeater-add{justify-content:center;width:100%;display:flex}.fi-fo-table-
repeater .fi-fo-table-repeater-add.fi-align-start,.fi-fo-table-repeater .fi-fo-table-repeater-add.fi-align-left{justify-content:flex-start}.fi-fo-table-repeater .fi-fo-table-repeater-add.fi-
align-end, fi-fo-table-repeater .fi-fo-table-repeater-add.fi-align-right{justify-content:flex-
end}.fi-fo-rich-editor .fi-fo-rich-editor-uploading-file{pointer}
events:none; cursor: wait; opacity: .5} . fi-fo-rich-editor .fi-fo-rich-editor-toolbar{column-
gap:calc(var(--spacing)*3);row-gap:calc(var(--spacing)*1);border-bottom-style:var(--tw-border-style);border-bottom-width:1px;border-color:var(--gray-200);padding-
inline:calc(var(--spacing)*2.5);padding-block:calc(var(--spacing)*2);flex-
wrap:wrap;display:flex;position:relative}.fi-fo-rich-editor .fi-fo-rich-editor-
toolbar:where(.dark,.dark *){border-color:#fffffffla}@supports (color:color-mix(in lab, red,
red)){.fi-fo-rich-editor .fi-fo-rich-editor-toolbar:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-floating-
toolbar{visibility:hidden;z-index:20;margin-top:calc(var(--spacing)*-1);column-gap:calc(var(--spacing)*3);row-gap:calc(var(--spacing)*1);border-radius:var(--radius-lg);border-style:var(--tw-border-style);border-width:1px;border-color:var(--gray-300);background-color:var(--color-white);padding:calc(var(--spacing)*1);--tw-shadow:0 1px 3px 0 var(--tw-shadow-
color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), 
color:var(--gray-800)}.fi-fo-rich-editor .fi-fo-rich-editor-toolbar-group{column-
gap:calc(var(--spacing)*1);display:flex}.fi-fo-rich-editor .fi-fo-rich-editor-
tool{height:calc(var(--spacing)*8);min-width:calc(var(--spacing)*8);border-radius:var(--radius-
lg);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-semibold);font-weight:var(--font-weight-
semibold);color:var(--gray-700);transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration));--tw-duration:75ms; justify-content:center; align-
items:center;transition-duration:75ms;display:flex}@media (hover:hover){.fi-fo-rich-editor .fi-fo-
rich-editor-tool:hover{background-color:var(--gray-50)}.fi-fo-rich-editor .fi-fo-rich-editor-tool:focus-visible{background-color:var(--gray-50)}.fi-fo-rich-editor .fi-fo-rich-editor-tool:where(.dark *){color:var(--gray-200)}@media (hover:hover){.fi-fo-rich-editor .fi-fo-rich-editor-tool:where(.dark,.dark *):hover{background-color:#fffffdd}@supports (color:color-mix(in lab, .dark)).fi-fo-rich-editor-tool:where(.dark,.dark).hover{background-color:#fffffdd}@supports (color:color-mix(in lab, .dark).hover{background-color:#fffffdd}@supports (color:color-mix(in lab, .dark).hover{background-color:#fffffdd}.dark).hover{background-color:#fffffdd}@supports (color:color-mix(in lab, .dark).hover{background-color:#fffffdd}.dark).hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#ffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#ffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#fffffdd}.hover{background-color:#ffffffdd}.hover{background-color:#ffffffdd}.hover{background-color:#ffffffdd}.hover{background-
red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-tool:where(.dark,.dark *):hover{background-color:where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-fo-rich-editor .fi-fo-rich-editor-tool:where(.dark,.dark *):focus-visible{background-color:#ffffff0d}@supports (color:color-mix(in
lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-tool:where(.dark,.dark *):focus-visible{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-fo-rich-editor
.fi-fo-rich-editor-tool.fi-active{background-color:var(--gray-50);color:var(--primary-600)}.fi-fo-rich-editor .fi-fo-rich-editor-tool.fi-active:where(.dark,.dark *){background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-
tool.fi-active:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-tool.fi-active:where(.dark,.dark
*){color:var(--primary-400)}.fi-fo-rich-editor .fi-fo-rich-editor-main{flex-direction:column-reverse;display:flex}.fi-fo-rich-editor .fi-fo-rich-editor-content{min-height:calc(var(--spacing)*12);width:100%;padding-inline:calc(var(--spacing)*5);padding-
block:calc(var(--spacing)*3);flex:1}.fi-fo-rich-editor span[data-type=mergeTag]:before{--tw-font-
weight:var(--font-weight-normal);font-weight:var(--font-weight-
normal);opacity:.6;content:"{{";margin-inline-end:calc(var(--spacing)*1)}.fi-fo-rich-editor
span[data-type=mergeTag]:after{--tw-font-weight:var(--font-weight-normal);font-weight:var(--font-
```

```
weight-normal);opacity:.6;content:"}}";margin-inline-start:calc(var(--spacing)*1)}.fi-fo-rich-editor
 .fi-fo-rich-editor-panels{border-bottom-style:var(--tw-border-style);border-bottom-width:1px;border-
color:var(--gray-200);background-color:var(--gray-50);width:100%}.fi-fo-rich-editor .fi-fo-rich-
editor-panels:where(.dark,.dark *){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-panels:where(.dark,.dark *){border-color:mix(in
oklab, var(--color-white)10%, transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-
panels:where(.dark,.dark *){background-color:var(--gray-900)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-panels:where(.dark,.dark *){background-color:color-
mix(in oklab,var(--gray-900)30%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-panel-
header{align-items:flex-start;gap:calc(var(--spacing)*3);padding
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);display:flex}.fi-fo-rich-editor
.fi-fo-rich-editor-panel-heading{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm
 --line-height));--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-
semibold);color:var(--gray-950);flex:1}.fi-fo-rich-editor .fi-fo-rich-editor-panel-heading:where(.dark,.dark *){color:var(--color-white)}.fi-fo-rich-editor .fi-fo-rich-editor-panel-
close-btn-ctn{flex-shrink:0}.fi-fo-rich-editor .fi-fo-rich-editor-panel{display:grid}:where(.fi-fo-
rich-editor .fi-fo-rich-editor-panel>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-
style:var(--tw-border-style);border-top-style:var(--tw-border-style);border-top-
width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-
reverse)));border-color:var(--gray-200)}:where(.fi-fo-rich-editor .fi-fo-rich-editor-
panel:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){:where(.fi-fo-rich-editor .fi-fo-rich-editor-panel:where(.dark,.dark *)>:not(:last-
child)){border-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-rich-editor .fi-
fo-rich-editor-merge-tags-list{gap:calc(var(--spacing)*2);padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);flex-wrap:wrap;display:flex}.fi-
fo-rich-editor fi-fo-rich-editor-merge-tag-btn{cursor:move;border-radius:var(--radius-
lg);background-color:var(--color-white);padding:calc(var(--spacing)*1);text-align:start;font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-600)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor.merge-tag-btn{--tw-ring-color:color-mix(in oklab,var(--gray-600))0%,transparent)}}.fi-fo-
rich-editor .fi-fo-rich-editor-merge-tag-btn:where(.dark,.dark *){background-
color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-
editor-merge-tag-btn:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--gray-400)10%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-merge-tag-
btn:where(.dark,.dark *){color:var(--gray-200);--tw-ring-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-merge-tag-
btn:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--gray-400)20%,transparent)}}.fi-fo-
rich-editor .fi-fo-rich-editor-custom-blocks-list{gap:calc(var(--spacing)*2);padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);flex-wrap:wrap;display:flex}.fi-
fo-rich-editor .fi-fo-rich-editor-custom-block-btn{cursor:move;gap:calc(var(--spacing)*1.5);border-radius:var(--radius-lg);background-color:var(--color-white);padding-
inline:calc(var(--spacing)*2);padding-block:calc(var(--spacing)*1);text-align:start;font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));color:var(--gray-600);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
color:var(--gray-600);display:flex}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor
 .fi-fo-rich-editor-custom-block-btn{--tw-ring-color:color-mix(in
oklab,var(--gray-600)10%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-
btn:where(.dark,.dark *){background-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-btn:where(.dark,.dark *){background-
color:color-mix(in oklab,var(--gray-400)10%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-btn:where(.dark,.dark *){color:var(--gray-200);--tw-ring-color:var(--gray-400)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor .fi-fo-
editor-custom-block-btn:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--gray-400)20%,transparent)}}.fi-fo-rich-editor .tiptap{height:100%}.fi-fo-rich-editor
 .tiptap:focus{--tw-outline-style:none;outline-style:none}div:is(.fi-fo-rich-editor .tiptap:focus
 .ProseMirror-selectednode)[data-type=customBlock],img:is(.fi-fo-rich-editor .tiptap:focus
 .ProseMirror-selectednode){--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
color:var(--primary-600)}:is(div:is(.fi-fo-rich-editor .tiptap:focus .ProseMirror-
selectednode)[data-type=customBlock],img:is(.fi-fo-rich-editor .tiptap:focus .ProseMirror-
selectednode)):where(.dark,.dark *){--tw-ring-color:var(--primary-500)}.fi-fo-rich-editor .tiptap
p.is-editor-empty:first-child:before{pointer-events:none;float:inline-
start; height:calc(var(--spacing)*0); color:var(--gray-400); content:attr(data-placeholder)}.fi-fo-
rich-editor .tiptap p.is-editor-empty:first-child:where(.dark,.dark
 *):before{color:var(--gray-500)}.fi-fo-rich-editor .tiptap [data-type=details]{margin-
block:calc(var(--spacing)*6);gap:calc(var(--spacing)*1);border-radius:var(--radius-md);border-style:var(--tw-border-style);border-width:1px;border-color:var(--gray-950);display:flex}@supports
```

```
(color:color-mix(in lab, red, red)){.fi-fo-rich-editor .tiptap [data-type=details]{border-color:color-mix(in oklab,var(--gray-950)20%,transparent)}}.fi-fo-rich-editor .tiptap [data-
type=details|{padding:calc(var(--spacing)*4)}.fi-fo-rich-editor .tiptap [data-
type=details]; where(.dark,.dark *){border-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .tiptap [data-type=details]:where(.dark,.dark *){border-color:mix(in lab, red, red)){.fi-fo-rich-editor .tiptap [data-type=details]:where(.dark,.dark *){border-color:mix(in lab, red, red)){.fi-fo-rich-editor .tiptap [data-type=details]:where(.dark,.dark *){.fi-fo-rich-editor .tiptap [data-type=details]:where(.dark *){.fi-fo-rich-editor .tiptap [data-type=details]:where(.dark *){.fi-fo-rich-editor .tiptap [data-type=details]:where(.dark *){.fi-fo-rich-editor .tiptap [data-type=details]:whe
oklab,var(--color-white)20%,transparent)}}.fi-fo-rich-editor .tiptap [data-type=details]>div:first-
of-type{margin-top:calc(var(--spacing)*0)!important}.fi-fo-rich-editor .tiptap [data-type=details]
summary{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);list-style-
type:none}.fi-fo-rich-editor .tiptap [data-type=details]>button{margin-top:lpx;margin-
right:calc(var(--spacing)*2);width:calc(var(--spacing)*5);height:calc(var(--spacing)*5);border-
radius:var(--radius-md);padding:calc(var(--spacing)*1);font-size:var(--text-xs);line-
height:var(--tw-leading,var(--text-xs--line-height));--tw-leading:1;background-color:#0000;justify-
content:center;align-items:center;line-height:1;display:flex}@media (hover:hover){.fi-fo-rich-editor
tiptap [data-type=details]>button:hover{background-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .tiptap [data-type=details]>button:hover{background-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-fo-rich-editor .tiptap [data-type=details]>button:where(.dark,.dark *):hover{background-color:#fffff0d}@supports (color:color-dark)){.fi-fo-rich-editor .tiptap [data-type=details]>button:where(.dark,.dark *):hover{background-color:#ffffff0d}@supports (color:color-dark)){.fi-fo-rich-editor .tiptap [data-type=details]>button:where(.dark,.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.dark *):hover{background-color:dark.d
mix(in lab, red, red)){.fi-fo-rich-editor .tiptap [data-type=details]>button:where(.dark,.dark
 *):hover{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-fo-rich-editor
.tiptap [data-type=details]>button:before{content:"▶"}.fi-fo-rich-editor .tiptap [data-
type=details].is-open>button:before{transform:rotate(90deg)}.fi-fo-rich-editor .tiptap [data-type=details]>div{gap:calc(var(--spacing)*4);flex-direction:column;width:100%;display:flex}.fi-fo-
rich-editor .tiptap [data-type=details]>div>[data-type=detailsContent]{margin-
top:calc(var(--spacing)*0)!important}.fi-fo-rich-editor .tiptap [data-type=details]>div>[data-type=detailsContent]>:last-child{margin-bottom:calc(var(--spacing)*4)}.fi-fo-rich-editor .tiptap
table{margin:calc(var(--spacing)*0);table-layout:fixed;border-collapse:collapse;width:100%;overflow:hidden}.fi-fo-rich-editor .tiptap table:first-child{margin-
top:calc(var(--spacing)*0)}.fi-fo-rich-editor .tiptap table td,.fi-fo-rich-editor .tiptap table
th{border-style:var(--tw-border-style);border-width:1px;border-color:var(--gray-300);min-
width:lem;padding-block:calc(var(--spacing)*2);vertical-align:top;position:relative;padding-
inline:calc(var(--spacing)*2)!important}:is(.fi-fo-rich-editor .tiptap table td,.fi-fo-rich-editor .tiptap table th):where(.dark,.dark *){border-color:var(--gray-600)}:is(.fi-fo-rich-editor .tiptap
table td, fi-fo-rich-editor .tiptap table th)>*{margin-bottom:calc(var(--spacing)*0)}.fi-fo-rich-
editor .tiptap table th{background-color:var(--gray-100);text-align:start;--tw-font-
weight:var(--font-weight-bold);font-weight:var(--font-weight-bold)}.fi-fo-rich-editor .tiptap table
th:where(.dark,.dark *){background-color:var(--gray-800);color:var(--color-white)}.fi-fo-rich-editor
 .tiptap table .selectedCell:after{pointer-events:none;inset-inline-
start:calc(var(--spacing)*0);inset-inline-end:calc(var(--spacing)*0);top:calc(var(--
spacing)*0);bottom:calc(var(--spacing)*0);z-index:2;background-
color:var(--gray-200);position:absolute}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-
editor .tiptap table .selectedCell:after{background-color:color-mix(in
oklab,var(--gray-200)80%,transparent)}}.fi-fo-rich-editor .tiptap table .selectedCell:after{--tw-
content:"";content:var(--tw-content)}.fi-fo-rich-editor .tiptap table .selectedCell:where(.dark,.dark *):after{background-color:var(--gray-800)}@supports (color:color-
mix(in lab, red, red)){.fi-fo-rich-editor .tiptap table .selectedCell:where(.dark,.dark
*):after{background-color:color-mix(in oklab,var(--gray-800)80%,transparent)}}.fi-fo-rich-editor
 .tiptap table .column-resize-handle{pointer-events:none;inset-inline-end:calc(var(-
spacing)*0);top:calc(var(--spacing)*0);bottom:calc(var(--spacing)*0);width:calc(var(--
spacing)*1);background-
color:var(--primary-600);position:absolute;margin:calc(var(--spacing)*0)!important}.fi-fo-rich-editor .tiptap .tableWrapper{overflow-x:auto}.fi-fo-rich-editor .tiptap .resize-cursor{cursor:col-
resize; cursor: ew-resize}.fi-fo-rich-editor img{display:inline-block}.fi-fo-rich-editor img.fi-
loading{animation:var(--animate-pulse)}.fi-fo-rich-editor div[data-
type=customBlock]{display:grid}:where(.fi-fo-rich-editor div[data-type=customBlock]>:not(:last-
child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-style:var(--tw-divide-y-reverse));border-bottom-
width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}.fi-fo-rich-editor
div[data-type=customBlock]{border-radius:var(--radius-lg);--tw-shadow:0 1px 3px 0 var(--tw-shadow
color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-inset)
ring-color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow); --tw-ring-
color:var(--gray-950);overflow:hidden}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-
editor div[data-type=customBlock]{--tw-ring-color:color-mix(in
oklab,var(--gray-950)10%,transparent)}}:where(.fi-fo-rich-editor div[data-
type=customBlock]:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff1a}@supports
(color:color-mix(in lab, red, red)){:where(.fi-fo-rich-editor div[data-
type=customBlock]:where(.dark,.dark*)>:not(:last-child)){border-color:color-mix(in
oklab, var(--color-white)10%, transparent)}}.fi-fo-rich-editor div[data-
type=customBlock]:where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red,
red)){.fi-fo-rich-editor div[data-type=customBlock]:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-
```

```
header{align-items:flex-start;gap:calc(var(--spacing)*3);background-color:var(--gray-50);padding-
inline:calc(var(--spacing)*4);padding-block;calc(var(--spacing)*3);display:flex}.fi-fo-rich-editor
 .fi-fo-rich-editor-custom-block-header:where(.dark,.dark *){background-
color:var(--gray-900)}@supports (color:color-mix(in lab, red, red)){.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-header:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--gray-900)30%,transparent)}}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-
heading{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-
font-weight: var(--font-weight-semibold): font-weight: var(--font-weight-
semibold);color:var(--gray-950);flex:1}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-heading:where(.dark,.dark *){color:var(--color-white)}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-edit-btn-ctn,.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-delete-btn-ctn{flex-
shrink:0}.fi-fo-rich-editor .fi-fo-rich-editor-custom-block-preview{padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3)}@supports (container-type:inline-
size){.fi-fo-rich-editor{container-type:inline-size}@container (min-width:42rem){.fi-fo-rich-editor .fi-fo-rich-editor .fi-fo-rich-editor-panels{max-
width:var(--container-3xs);border-inline-start-style:var(--tw-border-style);border-inline-start-
width:1px;border-bottom-style:var(--tw-border-style);border-bottom-width:0;border-end-end-
radius:var(--radius-lg)}}}@supports not (container-type:inline-size){@media (min-width:48rem){.fi-
fo-rich-editor .fi-fo-rich-editor-main{flex-direction:row}.fi-fo-rich-editor .fi-fo-rich-editor
panels{max-width:var(--container-3xs);border-inline-start-style:var(--tw-border-style);border-
inline-start-width:1px;border-bottom-style:var(--tw-border-style);border-bottom-width:0;border-end-end-radius:var(--radius-lg)}}}.fi-fo-select .fi-hidden{display:none}.fi-fo-
slider{gap:calc(var(--spacing)*4);border-radius:var(--radius-lg);border-style:var(--tw-border-
style);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color, #0000001a),0 1px 2px -1px var(--tw-shadow-
color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950);background-color:#0000;border-width:0}@supports
 (color:color-mix(in lab, red, red)){.fi-fo-slider{--tw-ring-color:color-mix(in
oklab,var(--gray-950)10%,transparent)}}.fi-fo-slider:where(.dark..dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider:where(.dark,.dark *){--tw-
ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}.fi-fo-slider .noUi-connect{background-color:var(--primary-500)}.fi-fo-slider .noUi-connect:where(.dark,.dark *){background-color:var(--primary-600)}.fi-fo-slider .noUi-connects{border-radius:var(--radius-
lg);background-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider
.noUi-connects{background-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-fo-slider
.noUi-connects:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider .noUi-connects:where(.dark,.dark *){background-color:color-mix(in
oklab, var(--color-white)5%, transparent)}}.fi-fo-slider .noUi-handle{border-radius:var(--radius-
lg);border-style:var(--tw-border-style);border-width:1px;border-
color:var(--gray-950);position:absolute}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider
.noUi-handle{border-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-fo-slider .noUi-handle{background-color:var(--color-white);--tw-shadow:0 0 #0000;box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); backface-visibility:hidden}.fi-fo-slider .noUi-handle:focus{outline-style:var(--tw-outline-style)
style); outline-width: 2px; outline-color: var(--primary-600)}. fi-fo-slider .noUi-handle: where(.dark,.dark *){border-color: #fff3}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider .noUi-handle: where(.dark,.dark *){border-color: color-mix(in oklab, var(--color-white)20%, transparent)}}. fi-fo-slider .noUi-handle: where(.dark,.dark *){background-
color:var(--gray-700)}.fi-fo-slider .noUi-handle:where(.dark,.dark *):focus{outline-
color:var(--primary-500)}.fi-fo-slider .noUi-handle:before,.fi-fo-slider .noUi-handle:after{border-
style:var(--tw-border-style);background-color:var(--gray-400);border-width:0}.fi-fo-slider .noUi-
tooltip{border-radius:var(--radius-md);border-style:var(--tw-border-style);background-
color:var(--color-white);color:var(--gray-950);--tw-shadow:0 1px 3px 0 var(--tw-shadow-
color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-
shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-
ring-color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-in
ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-color:var(--gray-950); border-width:0}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider .noUi-tooltip{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-fo-slider .noUi-tooltip:where(.dark, .dark *){background:color:var(--gray-800); color:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:var(--color-white);--tw-ring-color:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2lor:wfff2
color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-fo-slider .noUi-
tooltip:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)20%,transparent)}}.fi-fo-slider .noUi-pips .noUi-value{color:var(--gray-950)}.fi-fo-slider
.noUi-pips .noUi-value:where(.dark,.dark *){color:var(--color-white)}.fi-fo-slider.fi-fo-slider-vertical{margin-top:calc(var(--spacing)*4);height:calc(var(--spacing)*40)}.fi-fo-slider.fi-fo-
slider-vertical.fi-fo-slider-has-tooltips{margin-inline-start:calc(var(--spacing)*10)}.fi-fo-
slider:not(.fi-fo-slider-vertical).fi-fo-slider-has-pips{margin-bottom:calc(var(--spacing)*8)}.fi-
fo-slider:not(.fi-fo-slider-vertical).fi-fo-slider-has-tooltips{margin-
top:calc(var(--spacing)*10)}.fi-fo-slider:not(.fi-fo-slider-vertical) .noUi-pips .noUi-value{margin-top:calc(var(--spacing)*1)}.fi-fo-tags-input.fi-disabled .fi-badge-delete-btn{display:none}.fi-fo-
```

```
tags-input .fi-fo-tags-input-tags-ctn{gap:calc(var(--spacing)*1.5);border-top-style:var(--tw-border-
style);border-top-width:1px;border-top-
color:var(--gray-200);width:100%;padding:calc(var(--spacing)*2);flex-wrap:wrap;display:flex}.fi-fo-
tags-input .fi-fo-tags-input-tags-ctn:where(.dark,.dark *){border-top-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-fo-tags-input .fi-fo-tags-input-tags-ctn:where(.dark,.dark
*){border-top-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-fo-tags-input .fi-fo-
tags-input-tags-ctn>template{display:none}.fi-fo-tags-input .fi-fo-tags-input-tags-ctn>.fi-badge.fi-
reorderable{cursor:move}.fi-fo-tags-input .fi-fo-tags-input-tags-ctn>.fi-badge .fi-badge.label-
ctn{text-align:start;-webkit-user-select:none;user-select:none}@media (min-width:40rem){.fi-fo-tags-input-wrp.fi-fo-field-has-inline-label .fi-fo-field-label-col{padding-
top:calc(var(--spacing)*1.5)}}.fi-fo-text-input{overflow:hidden}.fi-fo-text-input input.fi-
revealable::-ms-reveal{display:none}@media (min-width:40rem){.fi-fo-text-input-wrp.fi-fo-field-has-inline-label .fi-fo-field-label-col{padding-top:calc(var(--spacing)*1.5)}}.fi-fo-
textarea{overflow:hidden}.fi-fo-textarea textarea{--tw-border-
style:none;width:100%;height:100%;padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*1.5);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);color:var(--gray-950);background-color:#0000;border-
style:none;display:block}.fi-fo-textarea textarea::placeholder{color:var(--gray-400)}.fi-fo-textarea textarea:focus{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-outline-
style:none;outline-style:none}.fi-fo-textarea textarea:disabled{color:var(--gray-500);-webkit-text-
fill-color:var(--color-gray-500)}.fi-fo-textarea textarea:disabled::placeholder{-webkit-text-fill-color:var(--color-gray-400)}.fi-fo-textarea textarea:where(.dark,.dark *){color:var(--color-gray-400)}.
white)}.fi-fo-textarea textarea:where(.dark,.dark *)::placeholder{color:var(--gray-500)}.fi-fo-textarea textarea:where(.dark,.dark *):disabled{color:var(--gray-400);-webkit-text-fill-
color:var(--color-gray-400)}.fi-fo-textarea textarea:where(.dark,.dark
 *):disabled::placeholder{-webkit-text-fill-color:var(--color-gray-500)}.fi-fo-textarea.fi-
autosizable textarea{resize:none}@media (min-width:40rem){.fi-fo-textarea-wrp.fi-fo-field-has-
inline-label .fi-fo-field-label-col{padding-top:calc(var(--spacing)*1.5)}}.fi-fo-toggle-buttons.fi-
btn-group{width:max-content}.fi-fo-toggle-buttons:not(.fi-btn-group){gap:calc(var(--spacing)*3)}.fi-
fo-toggle-buttons:not(.fi-btn-group).fi-inline{flex-wrap:wrap;display:flex}.fi-fo-toggle-
buttons:not(.fi-btn-group):not(.fi-inline).fi-grid-direction-col{margin-
top:calc(var(--spacing)*-3)}.fi-fo-toggle-buttons:not(.fi-btn-group):not(.fi-inline).fi-grid-
direction-col .fi-fo-toggle-buttons-btn-ctn{break-inside:avoid;padding-
top:calc(var(--spacing)*3)}.fi-fo-toggle-buttons .fi-fo-toggle-buttons-input{pointer-
events:none;opacity:0;position:absolute}@media (min-width:40rem){.fi-fo-toggle-buttons-wrp.fi-fo-field-has-inline-label .fi-fo-field-label-col{padding-top:calc(var(--spacing)*1.5)}}.fi-in-code
 .phiki{border-radius:var(--radius-lg);padding-inline:calc(var(--spacing)*4);padding-
block:calc(var(--spacing)*3);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px 2px -1px
var(--tw-shadow-color,#0000001a);box-shadow;var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
color:var(--gray-950);overflow-x:auto}@supports (color:color-mix(in lab, red, red)){.fi-in-code
.phiki{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-in-code
.phiki:where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-in-code .phiki:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-mix(in )20%,transparent)}}.fi-in-code:where(.dark,.dark *) .phiki,.fi-in-code:where(.dark,.dark *)
 .phiki span{color:var(--phiki-dark-color)!important;background-color:var(--phiki-dark-background-
color)!important;font-style:var(--phiki-dark-font-style)!important;font-weight:var(--phiki-dark-
font-weight)!important;-webkit-text-decoration:var(--phiki-dark-text-decoration)!important;-webkit-text-decoration)!important;-webkit-text-decoration:var(--phiki-dark-text-decoration)
decoration)!important}.fi-in-code.fi-copyable{cursor:pointer}.fi-in-
color{gap:calc(var(--spacing)*1.5); width: 100%; display: flex}.fi-in-color.fi-wrapped{flex-
wrap:wrap}.fi-in-color.fi-align-start,.fi-in-color.fi-align-left{justify-content:flex-start}.fi-in-
color.fi-align-center{justify-content:center}.fi-in-color.fi-align-end,.fi-in-color.fi-align-end
right{justify-content:flex-end}.fi-in-color.fi-align-justify,.fi-in-color.fi-align-between{justify-content:space-between}.fi-in-color-
item{width:calc(var(--spacing)*6);height:calc(var(--spacing)*6);border-radius:var(--radius-md)}.fi-
in-color>.fi-in-color-item.fi-copyable{cursor:pointer}.fi-in-entry{row-
gap:calc(var(--spacing)*2);display:grid}@media (min-width:40rem){.fi-in-entry.fi-in-entry.has-
inline-label{align-items:flex-start;column-gap:calc(var(--spacing)*4);grid-template-
columns:repeat(3,minmax(0,1fr))}.fi-in-entry.fi-in-entry-has-inline-label .fi-in-entry-content-col{grid-column:span 2/span 2}}.fi-in-entry .fi-in-entry-label-ctn{align-items:flex-start;column-gap:calc(var(--spacing)*3);display:flex}.fi-in-entry .fi-in-entry-label-ctn>.fi-sc:first-child{flex-grow:0}.fi-in-entry .fi-in-entry-label{font-size:var(--text-sm);line-height:var(--tw-
leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-medium);font-
weight:var(--font-weight-medium);color:var(--gray-950)}.fi-in-entry .fi-in-entry-label:where(.dark,.dark *){color:var(--color-white)}.fi-in-entry .fi-in-entry-label.fi-hidden{display:none}.fi-in-entry .fi-in-entry-label-col,.fi-in-entry .fi-in-entry-content-col{row-
```

```
gap:calc(var(--spacing)*2);grid-auto-columns:minmax(0,1fr);display:grid}.fi-in-entry .fi-in-entry-
content-ctn{align-items:center;column-gap:calc(var(--spacing)*3);width:100%;display:flex}.fi-in-
entry .fi-in-entry-content{text-align:start;width:100%;display:block}.fi-in-entry .fi-in-entry-
content.fi-align-center{text-align:start,width.loo%,disptay.btock}.fi-in-entry .fi-in-entry entry .fi-in-entry-content.fi-align-between{text-align:justify}.fi-in-entry .fi-in-placeholder{font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));color:var(--gray-400)}.fi-in-entry .fi-in-placeholder:where(.dark,.dark
*){color:var(--gray-500)}.fi-in-key-value{table-layout:auto;width:100%}:where(.fi-in-key-
value>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-
top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-
bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}.fi-in-key-
value{border-radius:var(--radius-lg);background-color:var(--color-white);--tw-shadow:0 1px 2px 0
var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-in-key-value{--tw-ring-color:color-mix(in
oklab,var(--gray-950)5%,transparent)}}:where(.fi-in-key-value:where(.dark,.dark *)>:not(:last-
child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){:where(.fi-in-key-
value:where(.dark,.dark *)>:not(:last-child)){border-color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-in-key-value:where(.dark,.dark *){background-color:#ffffff0d}@supports
(color:color-mix(in lab, red, red)){.fi-in-key-value:where(.dark,.dark *){background-color:color-
mix(in oklab,var(--color-white)5%,transparent)}}.fi-in-key-value:where(.dark,.dark *){--tw-ring-color:#fffffla}@supports (color:color-mix(in lab, red, red)){.fi-in-key-value:where(.dark,.dark
*){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-in-key-value th{padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);text-align:start;font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-700)}.fi-in-key-value th:where(.dark,.dark *){color:var(--gray-200)}:where(.fi-in-key-value tbody>:not(:last-
child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-
style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-
width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}.fi-in-key-value
tbody{font-family:var(--mono-font-family),ui-monospace,SFMono-
Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier New", monospace; font-size: var(--text-
base);line-height:var(--tw-leading,var(--text-base--line-height))}@media (min-width:40rem){.fi-in-key-value tbody{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));--tw-leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6)}}:where(.fi-in-key-
value tbody:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color
mix(in lab, red, red)){:where(.fi-in-key-value tbody:where(.dark,.dark *)>:not(:last-child)){border-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}:where(.fi-in-key-value tr>:not(:last-child)){--tw-divide-x-reverse:0;border-inline-style:var(--tw-border-style);border-inline-start-
width:calc(1px*var(--tw-divide-x-reverse));border-inline-end-width:calc(1px*calc(1 - var(--tw-
divide-x-reverse)));border-color:var(--gray-200)}:where(.fi-in-key-value
tr:where(:dir(rtl),[dir=rtl],[dir=rtl] *)>:not(:last-child)){--tw-divide-x-reverse:1}:where(.fi-in-
key-value tr:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){:where(.fi-in-key-value tr:where(.dark,.dark *)>:not(:last-child)){border-color:mix(in oklab,var(--color-white)5%,transparent)}}.fi-in-key-value td{width:50%;padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*1.5);overflow-wrap:anywhere}.fi-in-
key-value td.fi-in-placeholder{width:100%;padding-block:calc(var(--spacing)*2);text-
align:center;font-family:var(--font-family),ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color Emoji"}.fi-in-
icon{gap:calc(var(--spacing)*1.5);width:100%;display:flex}.fi-in-icon.fi-wrapped{flex-wrap:wrap}.fi-in-icon.fi-in-icon.fi-align-start,.fi-in-icon.fi-
align-left{justify-content:flex-start}.fi-in-icon.fi-align-center{justify-content:center}.fi-in-
icon.fi-align-end,.fi-in-icon.fi-align-right{justify-content:flex-end}.fi-in-icon.fi-align-
justify,.fi-in-icon.fi-align-between{justify-content:space-between}.fi-in-icon>.fi-
icon{color:var(--gray-400)}.fi-in-icon>.fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-in-icon>.fi-icon.fi-color:where(.dark,.dark
*){color:var(--dark-text)}.fi-in-image{align-
items:center;gap:calc(var(--spacing)*1.5);width:100%;display:flex}.fi-in-image img{object-
fit:cover;object-position:center;max-width:none}.fi-in-image.fi-circular img{border
radius:3.40282e38px}.fi-in-image.fi-in-image-ring img,.fi-in-image.fi-in-image-ring .fi-in-image-
limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow)
color:var(--color-white)}:is(.fi-in-image.fi-in-image-ring img,.fi-in-image.fi-in-image-ring .fi-in-
image-limited-remaining text):where(.dark,.dark *){--tw-ring-color:var(--gray-900)}.fi-in-image.fi-in-image-ring.fi-in-image-ring-l img,.fi-in-image-fi-in-image-ring.fi-in-image-ring-l .fi-in-image-
limited-remaining-text{~-tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
```

```
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-in-image.fi-in-
 image-ring.fi-in-image-ring-2 img,.fi-in-image.fi-in-image-ring.fi-in-image-ring-2 .fi-in-image-
limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px + var(--tw-ring-offset-
width))var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow),var(--tw-shadow)
image-ring.fi-in-image-ring-4 img,.fi-in-image.fi-in-image-ring.fi-in-image-ring-4 .fi-in-image-
limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(4px + var(--tw-ring-offset-
width))var(--tw-ring-color.currentcolor);box-shadow;var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-in-image.fi-in-image-overlap-1{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image-
overlap-1>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-1)*var(--tw-space-x-reverse));margin-inline-
end:calc(calc(var(--spacing)*-1)*calc(1 - var(--tw-space-x-reverse)))}.fi-in-image.fi-in-image
overlap-2{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image-overlap-2>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-2)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-2)*calc(1 - var(--tw-space-x-reverse)))}.fi-in-image.fi-in-image-overlap-3{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image-
overlap-3>:not(:last-child)){--tw-space-x-reverse:0;margin-inline
start:calc(calc(var(--spacing)*-3)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-3)*calc(1 - var(--tw-space-x-reverse)))}.fi-in-image-fi-in-image-
overlap-4{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image-overlap-4>:not(:last-
child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-4)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-4)*calc(1 - var(--tw-space-x-reverse)))}.fi-
in-image.fi-in-image-overlap-5{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in
overlap-5>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-5)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-5)*calc(1 - var(--tw-space-x-reverse)))}.fi-in-image.fi-in-image-
overlap-6{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image-overlap-6>:not(:last-
child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-6)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-6)*calc(1 - var(--tw-space-x-reverse)))}.fi-
in-image.fi-in-image-overlap-7{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in-image.fi-in
overlap-7>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-7)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-7)*calc(1 - var(--tw-space-x-reverse)))}.fi-in-image-fi-in-image-
overlap-8{column-gap:calc(var(--spacing)*0)}:where(.fi-in-image.fi-in-image-overlap-8>:not(:last-
child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-8)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-8)*calc(1 - var(--tw-space-x-reverse)))}.fi-in-image.fi-wrapped{flex-wrap:wrap}.fi-in-image.fi-align-start,.fi-in-image.fi-align-left{justify-
content:flex-start}.fi-in-image.fi-align-center{justify-content:center}.fi-in-image.fi-align-
end,.fi-in-image.fi-align-right{justify-content:flex-end}.fi-in-image.fi-align-justify,.fi-in-
image.fi-align-between{justify-content:space-between}.fi-in-image.fi-stacked .fi-in-image-limited-
remaining-text{background-color:var(--gray-100);border-radius:3.40282e38px}.fi-in-image.fi-stacked
.fi-in-image-limited-remaining-text:where(.dark,.dark *){background-color:var(--gray-800)}.fi-in-
image .fi-in-image-limited-remaining-text{font-size:var(--text-sm);line-height:var(--tw-
leading, var(--text-sm--line-height)); --tw-font-weight:var(--font-weight-medium); font-
weight:var(--font-weight-medium);color:var(--gray-500);justify-content:center;align-
items:center;display:flex}.fi-in-image .fi-in-image-limited-remaining-text:where(.dark,.dark
*){color:var(--gray-400)}.fi-in-image .fi-in-image-limited-remaining-text.fi-size-xs{font-
size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--line-height))}.fi-in-image .fi-in-
image-limited-remaining-text.fi-size-base,.fi-in-image .fi-in-image-limited-remaining-text.fi-size-
md{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height))}.fi-in-
image .fi-in-image-limited-remaining-text.fi-size-lq{font-size:var(--text-lq);line-height:var(--tw-
leading,var(--text-lg--line-height)) } ul.fi-in-repeatable{gap:calc(var(--spacing)*4)}.fi-in-
repeatable .fi-in-repeatable-item{display:block}.fi-in-repeatable.fi-contained .fi-in-repeatable-
item \{border\text{-}radius\text{-}var(\text{--}radius\text{-}xl)\text{;}background\text{-}color\text{:}var(\text{--}color\text{-}var)\}\}
white);padding:calc(var(--spacing)*4);--tw-shadow:0 1px 2px 0 var(--tw-shadow-color,#0000000d);box-
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-in-repeatable.fi-contained
.fi-in-repeatable-item{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-in-repeatable.fi-contained .fi-in-repeatable-item:where(.dark,.dark *){background-color:#fffff0d}@supports (color:color-mix(in lab, red, red)){.fi-in-repeatable.fi-contained .fi-in-
repeatable-item:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-in-repeatable.fi-contained .fi-in-repeatable-item:where(.dark,.dark
*){--tw-ring-color:#fffff1a}@supports (color:color-mix(in lab, red, red)){.fi-in-repeatable.fi-contained .fi-in-repeatable-item:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-in-text{width:100%}.fi-in-text.fi-in-text-
affixed{gap:calc(var(--spacing)*3);display:flex}.fi-in-text .fi-in-text-affixed-content{min-width:calc(var(--spacing)*0);flex:1}.fi-in-text .fi-in-text-affix{align-
items:center;gap:calc(var(--spacing)*3);align-self:stretch;display:flex}.fi-in-text.fi-in-text-list-limited{flex-direction:column;display:flex}.fi-in-text.fi-in-text-list-limited.fi-in-text-has-
```

```
badges{row-gap:calc(var(--spacing)*2)}.fi-in-text.fi-in-text-list-limited:not(.fi-in-text-has-
badges){row-gap:calc(var(--spacing)*1)}ul.fi-in-text.fi-bulleted,.fi-in-text.fi-bulleted ul{list-
style-type:disc;list-style-position:inside}ul.fi-in-text:not(.fi-in-text-has-line-breaks).fi-in-
text-has-badges, fi-in-text:not(.fi-in-text-has-line-breaks).fi-in-text-has-badges ul{column-
qap:calc(var(--spacing)*1.5);display:flex}:is(ul.fi-in-text:not(.fi-in-text-has-line-breaks).fi-in-
text-has-badges,.fi-in-text:not(.fi-in-text-has-line-breaks).fi-in-text-has-badges ul).fi-
wrapped,:is(ul.fi-in-text:not(.fi-in-text-has-line-breaks).fi-in-text-has-badges,.fi-in-
text:not(.fi-in-text-has-line-breaks).fi-in-text-has-badges ul):is(.fi-wrapped ul){row-
gap:calc(var(--spacing)*1);flex-wrap:wrap}:is(ul.fi-in-text.fi-in-text-has-badges,.fi-in-text.fi-in-text.has-badges ul).fi-in-text-has-line-breaks,:is(ul.fi-in-text.fi-in-text.has-badges,.fi-in-
text.fi-in-text-has-badges ul):is(.fi-in-text-has-line-breaks ul){row-
gap:calc(var(--spacing)*1);flex-direction:column;display:flex}:is(ul.fi-in-text.fi-in-text-has-
badges,.fi-in-text.fi-in-text-has-badges ul):not(ul.fi-in-text-has-line-breaks),:is(ul.fi-in-
text.fi-in-text-has-badges,.fi-in-text.fi-in-text-has-badges ul):not(.fi-in-text-has-line-breaks ul){column-gap:calc(var(--spacing)*1.5);display:flex}:is(:is(ul.fi-in-text.fi-in-text-has-
badges,.fi-in-text.fi-in-text-has-badges ul):not(ul.fi-in-text-has-line-breaks),:is(ul.fi-in-
text.fi-in-text-has-badges,.fi-in-text.fi-in-text-has-badges ul):not(.fi-in-text-has-line-breaks
ul)).fi-wrapped,:is(:is(ul.fi-in-text.fi-in-text-has-badges,.fi-in-text.fi-in-text-has-badges ul):not(ul.fi-in-text-has-line-breaks),:is(ul.fi-in-text.fi-in-text-has-badges ul):not(.fi-in-text-has-line-breaks ul)):is(.fi-wrapped ul){row-
gap:calc(var(--spacing)*1);flex-wrap:wrap}.fi-in-text.fi-wrapped:not(.fi-in-text-has-badges.fi-in-
text-has-line-breaks){white-space:normal;overflow-wrap:break-word}.fi-in-text.fi-wrapped:not(.fi-in-
text-has-badges.fi-in-text-has-line-breaks) .fi-badge,.fi-in-text.fi-wrapped:not(.fi-in-text-has-
badges.fi-in-text-has-line-breaks) .fi-in-text-list-limited-message{white-space:nowrap}.fi-in-
text>.fi-in-text-list-limited-message{font-size:var(--text-sm);line-height:var(--tw-
leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-in-text>.fi-in-text-list-limited-
message:where(.dark,.dark *){color:var(--gray-400)}.fi-in-text.fi-align-center{text-
align:center}ul.fi-in-text.fi-align-center,.fi-in-text.fi-align-center ul{justify-content:center}.fi-in-text.fi-align-end,.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-align-right{text-align:end}ul:is(.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-text.fi-in-tex
text.fi-align-end,.fi-in-text.fi-align-right),:is(.fi-in-text.fi-align-end,.fi-in-text.fi-align-right) ul{justify-content:flex-end}.fi-in-text.fi-align-justify,.fi-in-text.fi-align-between{text-align:justify}ul:is(.fi-in-text.fi-align-justify,.fi-in-text.fi-align-between),:is(.fi-in-text.fi-align-justify)
align-justify, fi-in-text.fi-align-between) ul{justify-content:space-between}.fi-in-text-item{color:var(--gray-950)}.fi-in-text-item:where(.dark,.dark *){color:var(--color-white)}@media
 (hover:hover){.fi-in-text-item a:hover{text-decoration-line:underline}}.fi-in-text-item a:focus-
visible{text-decoration-line:underline}.fi-in-text-item:not(.fi-bulleted li.fi-in-text-
item){-webkit-line-clamp:var(--line-clamp,none);-webkit-box-orient:vertical;display:-webkit-box;overflow:hidden}.fi-in-text-item.fi-copyable{cursor:pointer}.fi-in-text-item.fi-size-xs{font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--line-height))}.fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height))}.fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm).fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm).fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--text-sm).fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--text-sm).fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--text-sm).fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--text-sm).fi-in-text-sm).fi-in-text-item.fi-size-sm{font-size:var(--text-sm);line-height:var(--text-sm).fi-in-text-sm).fi-in-text-sm).fi-in-text-sm{font-size:var(--text-sm);line-height:var(--text-sm).fi-in-text-sm).fi-in-text-sm).fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text-sm).fi-in-text-sm].fi-in-text-sm{font-size:var(--text
text-item.fi-size-md{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-
height))}.fi-in-text-item.fi-size-lq{font-size:var(--text-lq);line-height:var(--tw-
leading, var(--text-lg--line-height))}.fi-in-text-item.fi-font-thin{--tw-font-weight:var(--font-weight-thin)}.fi-in-text-item.fi-font-extralight{--tw-font-weight-thin}
weight:var(--font-weight-extralight);font-weight:var(--font-weight-extralight)}.fi-in-text-item.fi-
font-light{--tw-font-weight:var(--font-weight-light);font-weight:var(--font-weight-light)}.fi-in-
text-item.fi-font-normal{--tw-font-weight:var(--font-weight-normal);font-weight:var(--font-weight-
normal)}.fi-in-text-item.fi-font-medium{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium)}.fi-in-text-item.fi-font-semibold{--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-semibold)}.fi-in-text-item.fi-font-bold{--tw-font-weight-semibold}
weight:var(--font-weight-bold);font-weight:var(--font-weight-bold)}.fi-in-text-item.fi-font-
extrabold{--tw-font-weight:var(--font-weight-extrabold);font-weight:var(--font-weight-extrabold);
extrabold(--tw-font-weight.var(--font-weight.var(--font-weight.var(--font-weight.var(--font-weight.var(--font-weight.var(--font-weight.var(--font-weight.var(--font-family),ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji", "Segoe UI Emoji", "Segoe UI Symbol", "Noto Color
Emoji"}.fi-in-text-item.fi-font-serif{font-family:var(--serif-font-family),ui-serif,Georgia,Cambria,"Times New Roman",Times,serif}.fi-in-text-item.fi-font-mono{font-
family:var(--mono-font-family),ui-monospace,SFMono-Regular,Menlo,Monaco,Consolas, Liberation
Mono", "Courier New", monospace}.fi-in-text-item.fi-color(color:var(--text)).fi-in-text-item.fi-
color:where(.dark,.dark *){color:var(--dark-text)}li.fi-in-text-item.fi-
color:marker{color:var(--gray-950)}li.fi-in-text-item.fi-color:where(.dark,.dark)
*)::marker{color:var(--color-white)}.fi-in-text-item.fi-color-gray{color:var(--gray-500)}.fi-in-text-item.fi-color-gray{color:var(--gray-500)}.fi-in-text-item.fi-color-gray:where(.dark,.dark *){color:var(--gray-400)}li.fi-in-text-item.fi-color-gray::marker{color:var(--gray-950)}.fi-in-text-item>.fi-icon{color:var(--gray-400);flex-shrink:0}.fi-in-text-item>.fi-icon.fi-color:var(--gray-500)}.fi-in-text-item>.fi-icon.fi-color(color:var(--color-500)).fi-in-text-item>.fi-icon{margin-icon.fi-icon{margin-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi-icon.fi
top:calc(var(--spacing)*-1);display:inline-block}.fi-no-database{display:flex}.fi-no-database .fi-
modal-heading{display:inline-block; position: relative}.fi-no-database .fi-modal-heading .fi-
badge{inset-inline-start:100%;top:calc(var(--spacing)*-1);width:max-content;margin-inline-
start:calc(var(--spacing)*1);position:absolute}.fi-no-database .fi-modal-header .fi-ac{margin-
top:calc(var(--spacing)*2)}.fi-no-database .fi-modal-content{margin-
inline:calc(var(--spacing)*-6);margin-top:calc(var(--spacing)*-6);row-
gap:calc(var(--spacing)*0)}:where(.fi-no-database .fi-modal-content>:not(:last-child)){--tw-divide-
```

```
y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-style:var(--tw-border-
style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 -
var(--tw-divide-y-reverse)));border-color:var(--gray-200)}:where(.fi-no-database .fi-modal-
content:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){:where(.fi-no-database .fi-modal-content:where(.dark,.dark *)>:not(:last-
child)){border-color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-no-database .fi-modal-window:not(.fi-modal-window-has-footer) .fi-modal-content{margin-
bottom:calc(var(--spacing)*-6)}.fi-no-database .fi-modal-window.fi-modal-window-has-footer .fi-
modal-content{border-bottom-style:var(--tw-border-style);border-bottom-width:1px;border-color:var(--gray-200)}.fi-no-database .fi-modal-window.fi-modal-window-has-footer .fi-modal-
content:where(.dark,.dark *){border-color:#ffffffla}@supports (color:color-mix(in lab, red,
red)){.fi-no-database .fi-modal-window.fi-modal-window-has-footer .fi-modal-
content:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-
white)10%, transparent)}}.fi-no-database .fi-no-notification-unread-ctn{position:relative}.fi-no-database .fi-no-notification-unread-ctn{position:relative}.fi-no-database .fi-no-notification-unread-ctn:before{content:var(--tw-content);content:var(--tw-content)}
content);content:var(--tw-content);content:var(--tw-
content);height:100%;width:calc(var(--spacing)*.5);content:var(--tw-content);background-
color:var(--primary-600);position:absolute;inset-inline-start:calc(var(--spacing)*0)}.fi-no-database
.fi-no-notification-unread-ctn:where(.dark,.dark *):before{content:var(--tw-content);background-
color:var(--primary-500)}.fi-no-notification{pointer-events:auto;visibility:hidden;gap:calc(var(--
spacing)*3);width:100%;padding:calc(var(--spacing)*4);transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from-color,text-decoration-color,fill,stroke,--tw-gradient-from-color,text-decoration-color,fill,stroke,--tw-gradient-from-color,text-decoration-color,fill,stroke,--tw-gradient-from-color,text-decoration-color,fill,stroke,--tw-gradient-from-color,text-decoration-color,fill,stroke,--tw-gradient-from-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-decoration-color,text-d
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:.3s;flex-
shrink:0; transition-duration: .3s; display:flex; overflow:hidden}.fi-no-notification .fi-no-notification-icon{color:var(--gray-400)}.fi-no-notification .fi-no-notification-icon.fi-color{color:var(--color-400)}.fi-no-notification .fi-no-notification-main{margin-
top:calc(var(--spacing)*.5);gap:calc(var(--spacing)*3);flex:1;display:grid}.fi-no-notification .fi-
no-notification-text{gap:calc(var(--spacing)*1);display:grid}.fi-no-notification .fi-no-notification-title{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950)}.fi-no-notification .fi-no-notification-title:where(.dark,.dark *){color:var(--color-white)}.fi-no-notification .fi-no-notification-date{font-size:var(--text-
sm);line-height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-no-
notification .fi-no-notification-date:where(.dark,.dark *){color:var(--gray-400)}.fi-no-notification .fi-no-notification body{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));text-wrap:pretty;overflow-wrap:break-word;color:var(--gray-500);overflow-hidden}.fi-no-notification body:where(.dark,.dark *){color:var(--gray-400)}.fi-no-notification
 .fi-no-notification-body>p:not(:first-of-type){margin-top:calc(var(--spacing)*1)}.fi-no-
notification:not(.fi-inline){max-width:var(--container-sm);qap:calc(var(--spacing)*3);border-
radius:var(--radius-xl);background-color:var(--color-white);padding:calc(var(--spacing)*4);--tw-shadow:0 10px 15px -3px var(--tw-shadow-color,#0000001a),0 4px 6px -4px var(--tw-shadow-
color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-color:var(--gray-950); display: flex}@supports (color:color-mix(in lab, red,
red)){.fi-no-notification:not(.fi-inline){--tw-ring-color:color-mix(in
oklab, var(--gray-950)5%, transparent)}}.fi-no-notification:not(.fi-inline):where(.dark,.dark
*){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-no-notification:not(.fi-inline):where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-no-notification:not(.fi-inline).fi-color{--tw-ring-color}
color:var(--color-600)}@supports (color:color-mix(in lab, red, red)){.fi-no-notification:not(.fi-inline).fi-color{--tw-ring-color:color-mix(in oklab,var(--color-600)20%,transparent)}}.fi-no-notification:not(.fi-inline).fi-color:where(.dark,.dark *){--tw-ring-
color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-no-notification:not(.fi-
inline).fi-color:where(.dark,.dark *){--tw-ring-color:color-mix(in
oklab, var(--color-400)30%, transparent)}}.fi-no-notification:not(.fi-inline).fi-transition-leave-
end{--tw-scale-x:95%;--tw-scale-y:95%;--tw-scale-z:95%;scale:var(--tw-scale-x)var(--tw-scale-y)}.fi-
no-notification.fi-color{background-color:var(--color-50)}.fi-no-notification.fi-color:where(.dark,.dark *){background-color:var(--color-400)}@supports (color:color-mix(in lab, red,
red)){.fi-no-notification.fi-color:where(.dark,.dark *){background-color:color-mix(in
oklab, var(--color-400)10%, transparent)}}.fi-no-notification.fi-transition-enter-start,.fi-no-
notification.fi-transition-leave-end{opacity:0}:is(.fi-no.fi-align-start,.fi-no.fi-align-left) .fi-
no-notification.fi-transition-enter-start{--tw-translate-x:calc(var(--spacing)*-12);translate:var(--tw-translate-x)var(--tw-translate-y)}:is(.fi-
no.fi-align-end,.fi-no.fi-align-right) .fi-no-notification.fi-transition-enter-start{--tw
translate-x:calc(var(--spacing)*12);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-no.fi-
align-center.fi-vertical-align-start .fi-no-notification.fi-transition-enter-start{--tw-
translate-y; calc(var(--spacing)*-12); translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-no.fi-align-center.fi-vertical-align-end .fi-no-notification.fi-transition-enter-start{--tw-
```

```
translate-y:calc(var(--spacing)*12);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-
no{pointer_events:none;inset:calc(var(--spacing)*4);z-index:50;gap:calc(var(--spacing)*3);margin-
inline:auto;display:flex;position:fixed}.fi-no.fi-align-start,.fi-no.fi-align-left{align-items:flex-
start}.fi-no.fi-align-center{align-items:center}.fi-no.fi-align-end,.fi-no.fi-align-right{align-
items:flex-end}.fi-no.fi-vertical-align-start{flex-direction:column-reverse; justify-content:flex-
end}.fi-no.fi-vertical-align-center{flex-direction:column; justify-content:center}.fi-no.fi-vertical-
align-end{flex-direction:column; justify-content:flex-end}.fi-sc-
actions{gap:calc(var(--spacing)*2); flex-direction:column; height:100%; display:flex}.fi-sc-actions
fi-sc-actions-label-ctn{align-items:center;column-gap:calc(var(--spacing)*3);display:flex}.fi-sc-actions .fi-sc-actions-label-ctn .fi-sc-actions-label{font-size:var(--text-sm);line-height:var(--tw-
leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6); --tw-font-weight:var(--font-weight-medium); font-weight:var(--font-
weight-medium);color:var(--gray-950)}.fi-sc-actions .fi-sc-actions-label-ctn .fi-sc-actions-
label:where(.dark,.dark *){color:var(--color-white)}.fi-sc-actions.fi-sticky .fi-
ac{bottom:calc(var(--spacing)*0);margin-
inline:calc(var(--spacing)*-4);width:100%;transform:var(--tw-rotate-x,)var(--tw-rotate-y,)var(--tw-
rotate-z,)var(--tw-skew-x,)var(--tw-skew-y,);background-color:var(--color-
white);padding:calc(var(--spacing)*4);--tw-shadow:0 10px 15px -3px var(--tw-shadow-
color,#0000001a),0 4px 6px -4px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)),var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),
ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
color:var(--gray-950);position:fixed}@supports (color:color-mix(in lab, red, red)){.fi-sc-
actions.fi-sticky .fi-ac{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-sc-
actions.fi-sticky .fi-ac{transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration))}@media (min-width:48rem){.fi-sc-actions.fi-sticky .fi-ac{bottom:calc(var(--spacing)*4);border-radius:var(--radius-xl)}}.fi-sc-actions.fi-sticky .fi-ac:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports
(color:color-mix(in lab, red, red)){.fi-sc-actions.fi-sticky .fi-ac:where(.dark,.dark *){--tw-ring-
color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-sc-actions.fi-vertical-align-
start{justify-content:flex-start}.fi-sc-actions.fi-vertical-align-center{justify-content:center}.fi-
sc-actions.fi-vertical-align-end{justify-content:flex-end}.fi-sc-
flex{gap:calc(var(--spacing)*6);display:flex}.fi-sc-flex.fi-dense{gap:calc(var(--spacing)*3)}.fi-sc-flex>.fi-hidden{display:none}.fi-sc-flex>.fi-growable{flex:1;width:100%}.fi-sc-flex.fi-from-
default{align-items:flex-start}.fi-sc-flex.fi-from-default.fi-vertical-align-center{align-
items:center}.fi-sc-flex.fi-from-default.fi-vertical-align-end{align-items:flex-end}.fi-sc-flex.fi-
from-sm{flex-direction:column}@media (min-width:40rem){.fi-sc-flex.fi-from-sm{flex-
direction:row;align-items:flex-start}.fi-sc-flex.fi-from-sm.fi-vertical-align-center{align-items:center}.fi-sc-flex.fi-from-sm.fi-vertical-align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-sm.fi-vertical-align-end{align-items:flex-end}}
md{flex-direction:column}@media (min-width:48rem){.fi-sc-flex.fi-from-md{flex-direction:row;align-
items:flex-start}.fi-sc-flex.fi-from-md.fi-vertical-align-center{align-items:center}.fi-sc-flex.fi-
from-md.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-lq{flex-
direction:column}@media (min-width:64rem){.fi-sc-flex.fi-from-lg{flex-direction:row;align-items:flex-start}.fi-sc-flex.fi-from-lg.fi-vertical-align-center{align-items:center}.fi-sc-flex.fi-
from-lg.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-xl{flex-
direction:column}@media (min-width:80rem){.fi-sc-flex.fi-from-xl{flex-direction:row;align-
items:flex-start}.fi-sc-flex.fi-from-xl.fi-vertical-align-center{align-items:center}.fi-sc-flex.fi-
from-xl.fi-vertical-align-end{align-items:flex-end}}.fi-sc-flex.fi-from-2xl{flex-
direction:column}@media (min-width:96rem){.fi-sc-flex.fi-from-2xl{flex-direction:row;align-
items:flex-start}.fi-sc-flex.fi-from-2xl.fi-vertical-align-center{align-items:center}.fi-sc-flex.fi-
from-2xl.fi-vertical-align-end{align-items:flex-end}}.fi-sc-form{gap:calc(var(--spacing)*6);flex-
direction:column;display:flex}.fi-sc-form.fi-dense{gap:calc(var(--spacing)*3)}.fi-sc-fused-
group>.fi-sc{--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a)
shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sc-fused-
group>.fi-sc{--tw-ring-color:color-mix(in oklab,var(--gray-950)10%,transparent)}}.fi-sc-fused-
group>.fi-sc:focus-within{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--primary-600)}.fi-sc-fused-group>.fi-sc:where(.dark,.dark *){--tw-ring-
color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-sc-fused-group>.fi-
sc:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}.fi-
sc-fused-group>.fi-sc:where(.dark,.dark *):focus-within{--tw-ring-color:var(--primary-500)}.fi-sc-
fused-group .fi-sc{border-radius:var(--radius-lg);background-color:var(--gray-950);gap:1px}@supports (color:color-mix(in lab, red, red)){.fi-sc-fused-group .fi-sc{background-color:color-mix(in
```

```
oklab,var(--gray-950)10%,transparent)}}.fi-sc-fused-group .fi-sc:where(.dark,.dark *){background-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-sc-fused-group .fi-sc:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)20%,transparent)}}.fi-
sc-fused-group .fi-sc .fi-sc-component, .fi-sc-fused-group .fi-sc .fi-sc-component .fi-fo-field, .fi-sc-fused-group .fi-sc .fi-sc-component .fi-input{height:100%}.fi-sc-fused-group .fi-sc>:first-child
.fi-input-wrp{border-top-left-radius:var(--radius-lg);border-top-right-radius:var(--radius-lg)}.fi-
sc-fused-group .fi-sc>:last-child .fi-input-wrp{border-bottom-right-radius:var(--radius-lg);border-
bottom-left-radius:var(--radius-lq)}@media (min-width:40rem){.fi-sc-fused-group .fi-sc.sm\.fi-grid-
cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-
lg)}.fi-sc-fused-group .fi-sc.sm\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-
radius:var(--radius-lg);border-end-start-radius:0}}@media (min-width:48rem){.fi-sc-fused-group .fi-
sc.md\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.md\:fi-grid-cols>:last-child .fi-input-wrp{border-
start-end-radius:var(--radius-lg);border-end-start-radius:0}}@media (min-width:64rem){.fi-sc-fused-
group .fi-sc.lg\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.lg\:fi-grid-cols>:last-child .fi-input-wrp{border-
start-end-radius:var(--radius-lg);border-end-start-radius:0}}@media (min-width:80rem){.fi-sc-fused-
group .fi-sc.xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.xl\:fi-grid-cols>:last-child .fi-input-wrp{border-
start-end-radius:var(--radius-lg);border-end-start-radius:0}}@media (min-width:96rem){.fi-sc-fused-
group .fi-sc.\32 xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-
start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\32 xl\:fi-grid-cols>:last-child .fi-input-
wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@supports (container-
type:inline-size){@container (min-width:16rem){.fi-sc-fused-group .fi-sc.\@3xs\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-
group .fi-sc.\@3xs\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-
lg);border-end-start-radius:0}}@container (min-width:18rem){.fi-sc-fused-group .fi-sc.\@2xs\:fi-
grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-
lg)}.fi-sc-fused-group .fi-sc.\@2xs\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min-width:20rem){.fi-sc-fused-group
 .fi-sc.\@xs\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\@xs\:fi-grid-cols>:last-child .fi-input-
wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min
width:24rem){.fi-sc-fused-group .fi-sc.\@sm\:fi-grid-cols>:first-child .fi-input-wrp{border-start-
end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\@sm\:fi-grid-
cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-
radius:0}}@container (min-width:28rem){.fi-sc-fused-group .fi-sc.\@md\:fi-grid-cols>:first-child
.fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group
.fi-sc.\@md\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-
end-start-radius:0}}@container (min-width:32rem){.fi-sc-fused-group .fi-sc.\@lg\:fi-grid-
cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-
lg)}.fi-sc-fused-group .fi-sc.\@lg\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min-width:36rem){.fi-sc-fused-group
 .fi-sc.\@xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\@xl\:fi-grid-cols>:last-child .fi-input-
wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min-
width:42rem){.fi-sc-fused-group .fi-sc.\@2xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-
end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\@2xl\:fi-grid-
cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min-width:48rem){.fi-sc-fused-group .fi-sc.\@3xl\:fi-grid-cols>:first-child
 .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group
 fi-sc.\@3xl\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius
lg);border-end-start-radius:0}}@container (min-width:56rem){.fi-sc-fused-group .fi-sc.\@4xl\:fi-
grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-
lg)}.fi-sc-fused-group .fi-sc.\@4xl\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min-width:64rem){.fi-sc-fused-group
 .fi-sc.\@5xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\@5xl\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}@container (min-width:72rem){.fi-sc-fused-group .fi-sc.\@6xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-
end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\@6xl\:fi-grid-
cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-
radius:0}}@container (min-width:80rem){.fi-sc-fused-group .fi-sc.\@7x\\:fi-grid-cols>:first-child
.fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group
 .fi-sc.\@7xl\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius
\label{localization} $$ \lg(s) : border-end-start-radius: 0 \} $$ example : not (container-type:inline-size) $$ example : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : localization of the container-type : l
width:40rem){.fi-sc-fused-group .fi-sc.\!\@sm\:fi-grid-cols>:first-child .fi-input-wrp{border-start-
end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\!\@sm\:fi-grid-
cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-end-start-
radius:0}}@media (min-width:48rem){.fi-sc-fused-group .fi-sc.\!\@md\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-
sc.\!\@md\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-lg);border-
end-start-radius:0}}@media (min-width:64rem){.fi-sc-fused-group .fi-sc.\!\@lg\:fi-grid-cols>:first-
```

```
child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-
group .fi-sc.\!\@lg\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-radius:var(--radius-
lg);border-end-start-radius:0}}@media (min-width:80rem){.fi-sc-fused-group .fi-sc.\!\@xl\:fi-grid-
cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\!\@x\\:fi-grid-cols>:last-child .fi-input-wrp{border-start-end-
radius:var(--radius-lg);border-end-start-radius:0}}@media (min-width:96rem){.fi-sc-fused-group .fi-
sc.\!\@2xl\:fi-grid-cols>:first-child .fi-input-wrp{border-start-end-radius:0;border-end-start-
radius:var(--radius-lg)}.fi-sc-fused-group .fi-sc.\!\@2xl\:fi-grid-cols>:last-child .fi-input-
wrp{border-start-end-radius:var(--radius-lg);border-end-start-radius:0}}}.fi-sc-fused-group .fi-
input-wrp{--tw-shadow:0 0 #0000;box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);border-radius:0}.fi-sc-fused-group .fi-input-wrp:where(.dark,.dark *){background-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sc-fused-group .fi-input-wrp:where(.dark,.dark *){background-color:color-mix(in
oklab,var(--gray-950)75%,transparent)}}.fi-sc-fused-group .fi-input-wrp:not(.fi-disabled):not(:has(.fi-ac-action:focus)):focus-within,.fi-sc-fused-group .fi-input-wrp:not(.fi-
disabled):not(:has(.fi-ac-action:focus)).fi-invalid:focus-within{--tw-ring-shadow:var(--tw-ring-
inset,)0 0 0 calc(0px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
ring-shadow), var(--tw-shadow)}.fi-sc-icon{color:var(--gray-400)}.fi-sc-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-sc-icon.fi-color{color:var(--color-500)}.fi-sc-icon.fi-
color:where(.dark,.dark *){color:var(--color-400)}.fi-sc-image{border-radius:var(--radius-lg);border-style:var(--tw-border-style);border-width:1px;border-color:var(--gray-300)}.fi-sc-
image:where(.dark,.dark *){border-color:#0000}.fi-sc-image.fi-align-center{margin-inline:auto}.fi-
sc-image.fi-align-end, .fi-sc-image.fi-align-right{margin-inline-start:auto}.fi-sc-
section{gap:calc(var(--spacing)*2);flex-direction:column;display:flex}.fi-sc-section .fi-sc-section-
label-ctn{align-items:center;column-gap:calc(var(--spacing)*3);display:flex}.fi-sc-section .fi-sc-
section-label-ctn .fi-sc-section-label{font-size:var(--text-sm);line-height:var(--tw-
leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-
weight-medium);color:var(--gray-950)}.fi-sc-section .fi-sc-section-label-ctn .fi-sc-section-label:where(.dark,.dark *){color:var(--color-white)}.fi-sc-tabs{flex-
direction:column;display:flex}.fi-sc-tabs .fi-sc-tabs-tab{--tw-outline-style:none;outline-
style:none}@media (forced-colors:active){.fi-sc-tabs .fi-sc-tabs-tab{outline-offset:2px;outline:2px
solid #0000}}.fi-sc-tabs .fi-sc-tabs-tab.fi-active{margin-top:calc(var(--spacing)*6)}.fi-sc-tabs
 .fi-sc-tabs-tab:not(.fi-active){visibility:hidden;height:calc(var(--spacing)*0);padding:calc(var(--
spacing)*0);position:absolute;overflow:hidden}.fi-sc-tabs.fi-contained{border-radius:var(--radius-
xl);background-color:var(--color-white);--tw-shadow:0 1px 2px 0 var(--tw-shadow-
color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow)
shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sc-
tabs.fi-contained{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-sc-tabs.fi-
contained:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffff1a}@supports
(color:color-mix(in lab, red, red)){.fi-sc-tabs.fi-contained:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-sc-tabs.fi-contained .fi-sc-tabs-
tab.fi-active{margin-top:calc(var(--spacing)*0);padding:calc(var(--spacing)*6)}.fi-sc-tabs.fi-
vertical{flex-direction:row}.fi-sc-tabs.fi-vertical .fi-sc-tabs-tab.fi-active{margin-inline-
start:calc(var(--spacing)*6);margin-top:calc(var(--spacing)*0);flex:1}.fi-sc-text.fi-
copyable{cursor:pointer}.fi-sc-text.fi-font-sans{font-family:var(--font-family),ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color
Emoji"}.fi-sc-text.fi-font-serif{font-family:var(--serif-font-family),ui-serif,Georgia,Cambria,"Times New Roman",Times,serif}.fi-sc-text.fi-font-mono{font-family:var(--mono-
font-family), ui-monospace, SFMono-Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier
New", monospace}.fi-sc-text:not(.fi-badge){font-size:var(--text-sm);line-height:var(--tw-
leading, var(--text-sm--line-height)); overflow-wrap:break-word; color:var(--gray-600); display:inline-
block}.fi-sc-text:not(.fi-badge):where(.dark,.dark *){color:var(--gray-400)}.fi-sc-text:not(.fi-badge).fi-font-thin{--tw-font-weight:var(--font-weight-thin);font-weight:var(--font-weight-thin);
thin)}.fi-sc-text:not(.fi-badge).fi-font-extralight{--tw-font-weight:var(--font-weight-
extralight); font-weight: var(--font-weight-extralight)}.fi-sc-text: not(.fi-badge).fi-font-light{--tw-
font-weight:var(--font-weight-light); font-weight:var(--font-weight-light)}.fi-sc-text:not(.fi-
badge).fi-font-normal{--tw-font-weight:var(--font-weight-normal); font-weight:var(--font-weight-
normal)}.fi-sc-text:not(.fi-badge).fi-font-medium{--tw-font-weight:var(--font-weight-medium); font-
weight:var(--font-weight-medium)}.fi-sc-text:not(.fi-badge).fi-font-semibold{--tw-font-
weight:var(--font-weight-semibold); font-weight:var(--font-weight-semibold)}.fi-sc-text:not(.fi-
badge).fi-font-bold{--tw-font-weight:var(--font-weight-bold);font-weight:var(--font-weight-
bold)}.fi-sc-text:not(.fi-badge).fi-font-extrabold{--tw-font-weight:var(--font-weight-extrabold)}.fi-sc-text:not(.fi-badge).fi-font-black{--tw-font-weight:var(--font-black{--tw-font-black})}.fi-sc-text:not(.fi-badge).fi-font-black{--tw-font-black}
font-weight:var(--font-weight-black);font-weight:var(--font-weight-black)}.fi-sc-text:not(.fi-badge).fi-size-lg{font-size:var(--text-lg);line-height:var(--tw-leading,var(--text-lg--line-
```

```
height))}.fi-sc-text:not(.fi-badge).fi-color-neutral{color:var(--gray-950)}.fi-sc-text:not(.fi-
badge).fi-color-neutral:where(.dark,.dark *){color:var(--color-white)}.fi-sc-text:not(.fi-badge).fi-
color:not(.fi-color-neutral){color:var(--text)}.fi-sc-text:not(.fi-badge).fi-color:not(.fi-color-neutral)
neutral):where(.dark,.dark *){color:var(--dark-text)}.fi-sc-text:not(.fi-badge).fi-size-xs{font-
height))}.fi-sc-unordered-list{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));margin-inline-start:calc(var(--spacing)*3);list-style-type:disc}@media (min-
width:40rem){.fi-sc-unordered-list{columns:2}}.fi-sc-unordered-list.fi-size-xs{font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--line-height))}.fi-sc-unordered-list.fi-size-md{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height))}.fi-sc-unordered-
list.fi-size-lg{font-size:var(--text-lg);line-height:var(--tw-leading,var(--text-lg--line-
height))}.fi-sc-wizard{flex-direction:column;display:flex}.fi-sc-wizard .fi-sc-wizard
header{display:grid}@media (min-width:48rem){.fi-sc-wizard .fi-sc-wizard-header{grid-auto-flow:column;overflow-x:auto}}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-
step{display:flex;position:relative}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header
step:not(.fi-active){display:none}@media (min-width:48rem){.fi-sc-wizard .fi-sc-wizard-header .fi-
sc-wizard-header-step:not(.fi-active){display:flex}}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
wizard-header-step .fi-sc-wizard-header-step-btn{align-items:center;column-
qap:calc(var(--spacing)*4);height:100%;padding-inline:calc(var(--spacing)*6);padding-
block:calc(var(--spacing)*4);text-align:start;display:flex}.fi-sc-wizard .fi-sc-wizard-header .fi-
sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-
\verb|ctn|| width: calc(var(--spacing)*10); height: calc(var(--spacing)*10); border-radius: 3.40282e38px; flex-radius: 3.40284px; flex-radius: 3.40284px; flex-radius: 3.40284px; flex-radius: 3.40284px; flex-radius: 3.40284px; flex-radius: 
shrink:0; justify-content:center; align-items:center; display:flex}.fi-sc-wizard .fi-sc-wizard-header
.fi-sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-sc-
wizard-header-step-number{font-size:var(--text-sm); line-height:var(--tw-leading, var(--text-sm--line-
height)); --tw-font-weight:var(--font-weight-medium); font-weight:var(--font-weight-medium)}.fi-sc-
wizard .fi-sc-wizard-header .fi-sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-
header-step-text{justify-items:start;display:grid}@media (min-width:48rem){.fi-sc-wizard .fi-sc-
wizard-header .fi-sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step
text{width:max-content;max-width:calc(var(--spacing)*60)}}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-text .fi-sc-wizard-
header-step-label{font-size:var(--text-sm); line-height:var(--tw-leading,var(--text-sm--line-height)); --tw-font-weight:var(--font-weight-medium)}.fi-sc-
wizard .fi-sc-wizard-header .fi-sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-
header-step-text .fi-sc-wizard-header-step-description{text-align:start;font-size:var(--text-
sm);line-height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-sc-wizard
 fi-sc-wizard-header .fi-sc-wizard-header-step .fi-sc-wizard-header-step-btn .fi-sc-wizard-header.
step-text .fi-sc-wizard-header-step-description:where(.dark,.dark *){color:var(--gray-400)}.fi-sc-
wizard .fi-sc-wizard-header .fi-sc-wizard-header-step .fi-sc-wizard-header-step-separator{height:100
%;width:calc(var(--spacing)*5);color:var(--gray-200);display:none;position:absolute;inset-inline-
end:calc(var(--spacing)*0)}@media (min-width:48rem){.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
wizard-header-step .fi-sc-wizard-header-step-separator{display:block}}.fi-sc-wizard .fi-sc-wizard
header .fi-sc-wizard-header-step
separator:where(:dir(rtl),[dir=rtl],[dir=rtl] *){rotate:180deg}.fi-sc-wizard .fi-sc-wizard-header
  fi-sc-wizard-header-step .fi-sc-wizard-header-step-separator:where(.dark,.dark
*){color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-sc-wizard .fi-sc-wizard-header
 .fi-sc-wizard-header-step .fi-sc-wizard-header-step-separator:where(.dark,.dark *){color:color-
mix(in oklab,var(--color-white)5%,transparent)}}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-
header-step.fi-completed .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn{background-color:var(--primary-600)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-
step.fi-completed .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn:where(.dark,.dark
*){background-color:var(--primary-500)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-
step.fi-completed .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-
icon{color:var(--color-white)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-step.fi-
completed .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-text .fi-sc-wizard-header-step-
label{color:var(--gray-950)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-step.fi-
completed .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-text .fi-sc-wizard-header-step-
label:where(.dark,.dark *){color:var(--color-white)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
wizard-header-step:not(.fi-completed) .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-
ctn{border-style:var(--tw-border-style);border-width:2px}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
wizard-header-step:not(.fi-completed).fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-icon{color:var(--primary-600)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header-step:not(.fi-completed).fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-
icon-ctn .fi-icon:where(.dark,.dark *){color:var(--primary-500)}.fi-sc-wizard .fi-sc-wizard-header
 .fi-sc-wizard-header-step:not(.fi-completed):not(.fi-active) .fi-sc-wizard-header-step-btn .fi-sc-
wizard-header-step-icon-ctn .fi-icon{color:var(--gray-500)}.fi-sc-wizard-header-step-icon-ctn .fi-icon{color:var(--gray-500)}.fi-sc-wizard-header-step:not(.fi-completed):not(.fi-sc-wizard-header-step-icon-ctn .fi-icon:where(.dark *){color:var(--gray-400)}.fi-sc-wizard .fi-sc-wizard-header-step-icon-ctn .fi-icon:where(.dark *){color:var(--gray-400)}.fi-sc-wizard .fi-sc-wizard .f
sc-wizard-header .fi-sc-wizard-header-step.fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-
header-step-icon-ctn{border-color:var(--primary-600)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
wizard-header-step.fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn:where(.dark,.dark *){border-color:var(--primary-500)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
```

```
wizard-header-step.fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-
sc-wizard-header-step-number{color:var(--primary-600)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-
wizard-header-step.fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-
sc-wizard-header-step-number:where(.dark,.dark *){color:var(--primary-500)}.fi-sc-wizard .fi-sc-
wizard-header .fi-sc-wizard-header-step.fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-
header-step-text .fi-sc-wizard-header-step-label{color:var(--primary-700)}.fi-sc-wizard .fi-sc-
wizard-header .fi-sc-wizard-header-step.fi-active .fi-sc-wizard-header-step-btn .fi-sc-wizard-
header-step-text .fi-sc-wizard-header-step-label:where(.dark,.dark *){color:var(--primary-400)}.fi-
sc-wizard fi-sc-wizard-header fi-sc-wizard-header-step:not(fi-active) fi-sc-wizard-header-step-btn fi-sc-wizard-header-step:not(fi-active) fi-sc-wizard-header-step-icon-ctn{border-color:var(-gray-300)}.fi-sc-wizard fi-sc-wizard-header-step:not(fi-active) fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-step-btn fi-sc-wizard-header-st
step-icon-ctn:where(.dark,.dark *){border-color:var(--gray-600)}.fi-sc-wizard .fi-sc-wizard-header
 .fi-sc-wizard-header-step:not(.fi-active) .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-
icon-ctn .fi-sc-wizard-header-step-number{color:var(--gray-500)}.fi-sc-wizard .fi-sc-wizard-header
fi-sc-wizard-header-step:not(.fi-active) .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-sc-wizard-header-step-number:where(.dark,.dark *){color:var(--gray-400)}.fi-sc-wizard
 .fi-sc-wizard-header .fi-sc-wizard-header-step:not(.fi-active) .fi-sc-wizard-header-step-btn .fi-sc-
wizard-header-step-icon-ctn .fi-sc-wizard-header-step-text .fi-sc-wizard-header-step-
label{color:var(--gray-500)}.fi-sc-wizard .fi-sc-wizard-header .fi-sc-wizard-header .step:not(.fi-
active) .fi-sc-wizard-header-step-btn .fi-sc-wizard-header-step-icon-ctn .fi-sc-wizard-header-step-
text .fi-sc-wizard-header-step-label:where(.dark,.dark *){color:var(--gray-400)}.fi-sc-wizard .fi-sc-wizard-step{--tw-outline-style:none;outline-style:none}@media (forced-colors:active){.fi-sc-
wizard .fi-sc-wizard-step{outline-offset:2px;outline:2px solid #0000}}.fi-sc-wizard .fi-sc-wizard
step:not(.fi-active){visibility:hidden;height:calc(var(--spacing)*0);padding:calc(var(-
spacing)*0);position:absolute;overflow:hidden}.fi-sc-wizard:not(.fi-sc-wizard-header-hidden) .fi-sc-
wizard-step.fi-active{margin-top:calc(var(--spacing)*6)}.fi-sc-wizard .fi-sc-wizard-footer{justify-
content:space-between;align-items:center;column-gap:calc(var(--spacing)*3);display:flex}.fi-sc-
wizard .fi-sc-wizard-footer>.fi-hidden{display:none}.fi-sc-wizard .fi-sc-wizard-footer>.fi-disabled{pointer-events:none;opacity:.7}.fi-sc-wizard.fi-contained{border-radius:var(--radius-
xl);background-color:var(--color-white);--tw-shadow:0 1px 2px 0 var(--tw-shadow-
color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-shadow: var(--tw-ring-inset,)0 0 0 calc(1px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow)
shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sc-
wizard.fi-contained{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-sc-
wizard.fi-contained:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-
color:#fffffla}@supports (color:color-mix(in lab, red, red)){.fi-sc-wizard.fi-contained:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-mix))
white)10%,transparent)}}.fi-sc-wizard.fi-contained .fi-sc-wizard-header{border-bottom-
style:var(--tw-border-style);border-bottom-width:1px;border-color:var(--gray-200)}.fi-sc-wizard.fi-
contained .fi-sc-wizard-header:where(.dark,.dark *){border-color:#ffffff1a}@supports (color:color-
mix(in lab, red, red)){.fi-sc-wizard.fi-contained .fi-sc-wizard-header:where(.dark,.dark *){border-
color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-sc-wizard.fi-contained .fi-sc-
wizard-step.fi-active{margin-top:calc(var(--spacing)*0);padding:calc(var(--spacing)*6)}.fi-sc-wizard.fi-contained .fi-sc-wizard-footer{padding-inline:calc(var(--spacing)*6);padding-
bottom:calc(var(--spacing)*6)}.fi-sc-wizard:not(.fi-contained) .fi-sc-wizard-header{border-
radius:var(--radius-xl);background-color:var(--color-white);--tw-shadow:0 1px 2px 0 var(--tw-shadow-
color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-
shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sc-
wizard:not(.fi-contained) .fi-sc-wizard-header{--tw-ring-color:color-mix(in
oklab, var(--gray-950)5%, transparent)}}.fi-sc-wizard:not(.fi-contained) .fi-sc-wizard-
header:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-sc-wizard:not(.fi-contained) .fi-sc-wizard-header:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-mix))}
white)10%,transparent)}}.fi-sc-wizard:not(.fi-contained) .fi-sc-wizard-footer{margin-
top:calc(var(--spacing)*6)}.fi-sc{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-
sm--line-height))}.fi-sc.fi-inline{flex-wrap:wrap;flex-grow:1;align-items:center;display:flex}.fi-
sc.fi-sc-has-gap{gap:calc(var(--spacing)*6)}.fi-sc.fi-sc-has-gap.fi-sc-
dense{gap:calc(var(--spacing)*3)}.fi-sc.fi-align-start,.fi-sc.fi-align-left{justify-content:flex-
start}.fi-sc.fi-align-center{justify-content:center}.fi-sc.fi-align-end,.fi-sc.fi-align-
right{justify-content:flex-end}.fi-sc.fi-align-between,.fi-sc.fi-align-justify{justify-
content:space-between}.fi-sc>.fi-hidden{display:none}.fi-sc>.fi-grid-col.fi-width-xs{max-
width:var(--container-xs)}.fi-sc>.fi-grid-col.fi-width-sm{max-width:var(--container-sm)}.fi-sc>.fi-
grid-col.fi-width-md{max-width:var(--container-md)}.fi-sc>.fi-grid-col.fi-width-lg{max-
width:var(--container-lg)}.fi-sc>.fi-grid-col.fi-width-xl{max-width:var(--container-xl)}.fi-sc>.fi-
grid-col.fi-width-2xl{max-width:var(--container-2xl)}.fi-sc>.fi-grid-col.fi-width-3xl{max-width:var(--container-3xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-grid-col.fi-width-4xl{max-width:var(--container-4xl)}.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>.fi-sc>
sc>.fi-grid-col.fi-width-5xl{max-width:var(--container-5xl)}.fi-sc>.fi-grid-col.fi-width-6xl{max-width:var(--container-6xl)}.fi-sc>.fi-grid-col.fi-width-7xl{max-width:var(--container-7xl)}.fi-
```

```
sc>.fi-grid-col>.fi-sc-component{height:100%}.fi-ta-actions{justify-content:flex-end;align-
items:center;gap:calc(var(--spacing)*3);flex-shrink:0;max-width:100%;display:flex}.fi-ta-
actions>*{flex-shrink:0}.fi-ta-actions.fi-wrapped{flex-wrap:wrap}@media (min-width:40rem){.fi-ta-
actions.sm\:fi-not-wrapped{flex-wrap:nowrap}}.fi-ta-actions.fi-align-center{justify-content:center}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-align-start{justify-content:flex-start}.fi-ta-actions.fi-ta-actions.fi-ta-actions.fi-ta-actions.fi-ta-actions.fi-ta-actions.fi-ta-actions.fi-ta-actions.fi-ta-acti
between{justify-content:space-between}@media (min-width:48rem){.fi-ta-actions.md\:fi-align-
end{justify-content:flex-end}}.fi-ta-cell{padding:calc(var(--spacing)*0)}.fi-ta-cell:first-of-
type{padding-inline-start:calc(var(--spacing)*1)}.fi-ta-cell:last-of-type{padding-inline-
end:calc(var(--spacing)*1)}@media (min-width:40rem){.fi-ta-cell:first-of-type{padding-inline-start:calc(var(--spacing)*3)}.fi-ta-cell:last-of-type{padding-inline-
end:calc(var(--spacing)*3)}}, fi-ta-cell.fi-vertical-align-start{vertical-align:top}.fi-ta-cell.fi-
vertical-align-end{vertical-align:bottom}@media (min-width:40rem){.fi-ta-cell.sm\:fi
hidden{display:none}}@media (min-width:48rem){.fi-ta-cell.md\:fi-hidden{display:none}}@media (min-
width:64rem){.fi-ta-cell.lg\:fi-hidden{display:none}}@media (min-width:80rem){.fi-ta-cell.xl\:fi-
hidden{display:none}}@media (min-width:96rem){.fi-ta-cell.\32 xl\:fi-hidden{display:none}}.fi-ta-
cell.sm\:fi-visible{display:table-
cell}}.fi-ta-cell.md\:fi-visible{display:none}@media (min-width:48rem){.fi-ta-cell.md\:fi-
visible{display:table-cell}}.fi-ta-cell.lg\:fi-visible{display:none}@media (min-width:64rem){.fi-ta-
cell.lg\:fi-visible{display:table-cell}}.fi-ta-cell.xl\:fi-visible{display:none}@media (min-
width:80rem){.fi-ta-cell.xl\:fi-visible{display:table-cell}}.fi-ta-cell.\32 xl\:fi-
visible{display:none}@media (min-width:96rem){.fi-ta-cell.\32 xl\:fi-visible{display:table-
cell}}.fi-ta-cell>.fi-ta-col{text-align:start;justify-content:flex-
start; width: 100%; display: flex}.fi-ta-cell>.fi-ta-col: disabled {pointer-events: none}.fi-ta-
cell:has(.fi-ta-reorder-handle){width:calc(var(--spacing)*1);padding-
inline:calc(var(--spacing)*3)}.fi-ta-cell:has(.fi-ta-reorder-handle):first-of-type{padding-inline-
start:calc(var(--spacing)*4)}.fi-ta-cell:has(.fi-ta-reorder-handle):last-of-type{padding-inline-end:calc(var(--spacing)*4)}@media (min-width:40rem){.fi-ta-cell:has(.fi-ta-reorder-handle):first-of-
type{padding-inline-start:calc(var(--spacing)*6)}.fi-ta-cell:has(.fi-ta-reorder-handle):last-of-
type{padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-actions){padding-inline-end:calc(var(--spacing)*6)}}
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4);white-space:nowrap}.fi-ta-
cell:has(.fi-ta-actions):first-of-type{padding-inline-start:calc(var(--spacing)*4)}.fi-ta-
cell:has(.fi-ta-actions):last-of-type{padding-inline-end:calc(var(--spacing)*4)}@media (min-
width:40rem){.fi-ta-cell:has(.fi-ta-actions):first-of-type{padding-inline-
start:calc(var(--spacing)*6)}.fi-ta-cell:has(.fi-ta-actions):last-of-type{padding-inline-
end:calc(var(--spacing)*6)}}.fi-ta-cell:has(.fi-ta-record-
checkbox){width:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*4)}.fi-ta-cell:has(.fi-ta-record-checkbox):first-of-type{padding-inline-
start:calc(var(--spacing)*4)}.fi-ta-cell:has(.fi-ta-record-checkbox):last-of-type{padding-inline-end:calc(var(--spacing)*4)}@media (min-width:40rem){.fi-ta-cell:has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.fi-ta-record-checkbox):first-order.has(.
of-type{padding-inline-start:calc(var(--spacing)*6)}.fi-ta-cell:has(.fi-ta-record-checkbox):last-of-type{padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell .fi-ta-placeholder{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-
leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);color:var(--gray-400)}.fi-ta-cell
.fi-ta-placeholder:where(.dark,.dark *){color:var(--gray-500)}.fi-ta-cell.fi-ta-summary-row-heading-
cell{padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4);font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950)}.fi-ta-
cell.fi-ta-summary-row-heading-cell:where(.dark,.dark *){color:var(--color-white)}.fi-ta-cell.fi-align-start{text-align:start}.fi-ta-cell.fi-align-center{text-align:center}.fi-ta-cell.fi-align-end{text-align:end}.fi-ta-cell.fi-align-left{text-align:left}.fi-ta-cell.fi-align-right{text-
align:right}.fi-ta-cell.fi-align-justify,.fi-ta-cell.fi-align-between{text-align:justify}.fi-ta-
cell.fi-ta-summary-header-cell{padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-950)}@media (min-width:40rem){.fi-ta-cell.fi-ta-summary-header-cell:first-of-type{padding-inline-start:calc(var(--spacing)*6)}}.fi-ta-cell.fi-ta-summary-header-cell:where(.dark,.dark *){color:var(--color-white)}.fi-ta-cell.fi-ta-summary-header-cell.fi-
wrapped, .fi-ta-cell.fi-ta-summary-header-cell:not(.fi-wrapped){white-space:nowrap}.fi-ta-cell.fi-ta-
individual-search-cell{min-width:calc(var(--spacing)*48);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2)}.fi-ta-cell .fi-ta-reorder-
handle{cursor:move}.fi-ta-cell.fi-ta-selection-cell{width:calc(var(--spacing)*1);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}.fi-ta-cell.fi-ta-selection-
cell:first-of-type{padding-inline-start:calc(var(--spacing)*4)}.fi-ta-cell.fi-ta-selection-
cell:last-of-type{padding-inline-end:calc(var(--spacing)*4)}@media (min-width:40rem){.fi-ta-cell.fi-
ta-selection-cell:first-of-type{padding-inline-start:calc(var(--spacing)*6)}.fi-ta-cell.fi-ta-selection-cell:last-of-type{padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-cell.fi-ta-group-
selection-cell{width:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*3)}.fi-ta-cell.fi-ta-
group-selection-cell:first-of-type{padding-inline-start:calc(var(--spacing)*4)}.fi-ta-cell.fi-ta-
group-selection-cell:last-of-type{padding-inline-end:calc(var(--spacing)*4)}@media (min-
width:40rem){.fi-ta-cell.fi-ta-group-selection-cell:first-of-type{padding-inline
start:calc(var(--spacing)*6)}.fi-ta-cell.fi-ta-group-selection-cell:last-of-type{padding-inline-
end:calc(var(--spacing)*6)}}.fi-ta-checkbox{width:100%}.fi-ta-checkbox:not(.fi-inline){padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}.fi-ta-checkbox.fi-align-
```

```
center{text-align:center}.fi-ta-checkbox.fi-align-end,.fi-ta-checkbox.fi-align-right{text-
block:calc(var(--spacing)*4)}.fi-ta-color.fi-align-start,.fi-ta-color.fi-align-left{justify-
content:flex-start}.fi-ta-color.fi-align-center{justify-content:center}.fi-ta-color.fi-align-
end,.fi-ta-color.fi-align-right{justify-content:flex-end}.fi-ta-color.fi-align-justify,.fi-ta-
color.fi-align-between{justify-content:space-between}.fi-ta-color>.fi-ta-color
item{width:calc(var(--spacing)*6);height:calc(var(--spacing)*6);border-radius:var(--radius-md)}.fi-
ta-color>.fi-ta-color-item.fi-copyable{cursor:pointer}.fi-ta-icon{gap:calc(var(--spacing)*1.5);width:100%;display:flex}.fi-ta-icon.fi-wrapped{flex-wrap:wrap}.fi-
ta-icon.fi-ta-icon-has-line-breaks{flex-direction:column}.fi-ta-icon:not(.fi-inline){padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}.fi-ta-icon.fi-align-start,.fi-
ta-icon.fi-align-left{justify-content:flex-start}.fi-ta-icon.fi-align-center{justify-
content:center}.fi-ta-icon.fi-align-end,.fi-ta-icon.fi-align-right{justify-content:flex-end}.fi-ta-
icon.fi-align-justify,.fi-ta-icon.fi-align-between{justify-content:space-between}.fi-ta-icon>.fi-
icon{color:var(--gray-400)}.fi-ta-icon>.fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-ta-
icon>.fi-icon.fi-color(color:var(--text)).fi-ta-icon>.fi-icon.fi-color:where(.dark,.dark)
*){color:var(--dark-text)}.fi-ta-image{align-
items:center;gap:calc(var(--spacing)*1.5);width:100%;display:flex}.fi-ta-image img{object-fit:cover;object-position:center;max-width:none}.fi-ta-image.fi-circular img{border-
radius:3.40282e38px}.fi-ta-image.fi-ta-image-ring img,.fi-ta-image.fi-ta-image-ring .fi-ta-image-limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--color-white)}:is(.fi-ta-image.fi-ta-image-ring img,.fi-ta-image.fi-ta-image-ring .fi-ta-
image-limited-remaining-text):where(.dark,.dark *){--tw-ring-color:var(--gray-900)}.fi-ta-image.fi-
ta-image-ring.fi-ta-image-ring-1 img,.fi-ta-image.fi-ta-image-ring.fi-ta-image-ring-1 .fi-ta-image-
limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-ta-image.fi-ta-
image-ring.fi-ta-image-ring-2 img,.fi-ta-image.fi-ta-image-ring.fi-ta-image-ring-2 .fi-ta-image-
limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(2px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-ta-image.fi-ta-
image-ring.fi-ta-image-ring-4 img,.fi-ta-image.fi-ta-image-ring.fi-ta-image-ring-4 .fi-ta-image-
limited-remaining-text{--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(4px + var(--tw-ring-offset-
width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.fi-ta-image.fi-ta-image-overlap-1{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-
overlap-1>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-1)*var(--tw-space-x-reverse));margin-inline-
end:calc(calc(var(--spacing)*-1)*calc(1 - var(--tw-space-x-reverse)))}.fi-ta-image.fi-ta-image-
overlap-2{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-overlap-2>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-2)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-2)*calc(1 - var(--tw-space-x-reverse)))}.fi-
ta-image.fi-ta-image-overlap-3{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta
overlap-3>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-3)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-3)*calc(1 - var(--tw-space-x-reverse)))}.fi-ta-image.fi-ta-image-overlap-4{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-overlap-4>:not(:last-image-overlap-4)*.
child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-4)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-4)*calc(1 - var(--tw-space-x-reverse)))}.fi-
ta-image.fi-ta-image-overlap-5{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-overlap-5>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-5)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-5)*calc(1 - var(--tw-space-x-reverse)))}.fi-ta-image.fi-ta-image-
overlap-6{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-overlap-6>:not(:last-
child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-6)*var(--tw-space-x-
reverse));margin-inline-end:calc(calc(var(--spacing)*-6)*calc(1 - var(--tw-space-x-reverse)))}.fi-
ta-image.fi-ta-image-overlap-7{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-overlap-7>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-
start:calc(calc(var(--spacing)*-7)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-7)*calc(1 - var(--tw-space-x-reverse)))}.fi-ta-image.fi-ta-image-
overlap-8{column-gap:calc(var(--spacing)*0)}:where(.fi-ta-image.fi-ta-image-overlap-8>:not(:last-
child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*-8)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*-8)*calc(1 - var(--tw-space-x-reverse)))}.fi-ta-image.fi-wrapped{flex-wrap:wrap}.fi-ta-image:not(.fi-inline){padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}.fi-ta-image.fi-align-start,.fi-
ta-image.fi-align-left{justify-content:flex-start}.fi-ta-image.fi-align-center{justify-
content:center}.fi-ta-image.fi-align-end,.fi-ta-image.fi-align-right{justify-content:flex-end}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between{justify-content:space-between}.fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-align-between[justify-content:space-between].fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-image.fi-ta-i
image.fi-stacked .fi-ta-image-limited-remaining-text{background-color:var(--gray-100);border-
radius:3.40282e38px}.fi-ta-image.fi-stacked .fi-ta-image-limited-remaining-text:where(.dark,.dark
```

```
*){background-color:var(--gray-800)}.fi-ta-image .fi-ta-image-limited-remaining-text{font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-500);justify-content:center;align-items:center;display:flex}.fi-ta-image
.fi-ta-image-limited-remaining-text:where(.dark,.dark *){color:var(--gray-400)}.fi-ta-image .fi-ta-image-limited-remaining-text.fi-size-xs{font-size:var(--text-xs);line-height:var(--tw-
leading,var(--text-xs--line-height))}.fi-ta-image .fi-ta-image-limited-remaining-text.fi-size-
base,.fi-ta-image .fi-ta-image-limited-remaining-text.fi-size-md{font-size:var(--text-base);line-
height:var(--tw-leading,var(--text-base--line-height))}.fi-ta-image .fi-ta-image-limited-remaining-text.fi-size-lg{font-size:var(--text-lg);line-height:var(--tw-leading,var(--text-lg--line-
height))}.fi-ta-select{width:100%;min-width:calc(var(--spacing)*48)}.fi-ta-select:not(.fi-
inline){padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}.fi-ta-
text{width:100%}.fi-ta-text.fi-ta-text-has-descriptions,.fi-ta-text.fi-ta-text-list-limited{flex-
direction:column;display:flex}:is(.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-text.fi-ta-tex
gap:calc(var(--spacing)*1)}.fi-ta-text:not(.fi-inline){padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}ul.fi-ta-text.fi-bulleted,.fi-ta-
text.fi-bulleted ul{list-style-type:disc;list-style-position:inside}ul.fi-ta-text:not(.fi-ta-text-has-line-breaks).fi-ta-text-has-badges,.fi-ta-text:not(.fi-ta-text-has-line-breaks).fi-ta-text-has-
badges ul{column-gap:calc(var(--spacing)*1.5);display:flex}:is(ul.fi-ta-text:not(.fi-ta-text-has-
line-breaks).fi-ta-text-has-badges,.fi-ta-text:not(.fi-ta-text-has-line-breaks).fi-ta-text-has-
badges ul).fi-wrapped,:is(ul.fi-ta-text:not(.fi-ta-text-has-line-breaks).fi-ta-text-has-badges,.fi-
ta-text:not(.fi-ta-text-has-line-breaks).fi-ta-text-has-badges ul):is(.fi-wrapped ul){row-
qap:calc(var(--spacing)*1);flex-wrap:wrap}:is(ul.fi-ta-text.fi-ta-text.has-badges,.fi-ta-text.fi-ta-
text-has-badges ul).fi-ta-text-has-line-breaks,:is(ul.fi-ta-text.fi-ta-text-has-badges,.fi-ta-text.fi-ta-text-has-badges ul):is(.fi-ta-text-has-line-breaks ul){row-
gap:calc(var(--spacing)*1);flex-direction:column;display:flex}:is(ul.fi-ta-text.fi-ta-text-has-
badges,.fi-ta-text.fi-ta-text-has-badges ul):not(ul.fi-ta-text-has-line-breaks),:is(ul.fi-ta-
text.fi-ta-text-has-badges,.fi-ta-text.fi-ta-text-has-badges ul):not(.fi-ta-text-has-line-breaks
ul){column-gap:calc(var(--spacing)*1.5);display:flex}:is(:is(ul.fi-ta-text.fi-ta-text-has-badges,.fi-ta-text.fi-ta-text-has-badges ul):not(ul.fi-ta-text-has-line-breaks),:is(ul.fi-ta-
text.fi-ta-text-has-badges,.fi-ta-text.fi-ta-text-has-badges ul):not(.fi-ta-text-has-line-breaks ul)).fi-wrapped,:is(:is(ul.fi-ta-text.fi-ta-text-has-badges,.fi-ta-text.fi-ta-text-has-badges
ul):not(ul.fi-ta-text-has-line-breaks),:is(ul.fi-ta-text.fi-ta-text-has-badges,.fi-ta-text.fi-ta-
text-has-badges ul):not(.fi-ta-text-has-line-breaks ul)):is(.fi-wrapped ul){row-gap:calc(var(--spacing)*1);flex-wrap:wrap}.fi-ta-text.fi-wrapped:not(.fi-ta-text-has-badges.fi-ta-text-has-line-breaks){white-space:normal}.fi-ta-text.fi-wrapped:not(.fi-ta-text-has-badges.fi-ta-text-has-line-breaks).fi-badge,.fi-ta-text.fi-wrapped:not(.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-badges.fi-ta-text-has-bad
line-breaks) .fi-ta-text-list-limited-message{white-space:nowrap}.fi-ta-text>.fi-ta-text-
description, .fi-ta-text>.fi-ta-text-limited-message{font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}:is(.fi-ta-text>.fi-ta-
text-description,.fi-ta-text>.fi-ta-text-list-limited-message):where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-text.fi-align-center{text-align:center}ul.fi-ta-text.fi-align-
center, .fi-ta-text.fi-align-center ul{justify-content:center}.fi-ta-text.fi-align-end, .fi-ta-
text.fi-align-right{text-align:end}ul:is(.fi-ta-text.fi-align-end,.fi-ta-text.fi-align-
right),:is(.fi-ta-text.fi-align-end,.fi-ta-text.fi-align-right) ul{justify-content:flex-end}.fi-ta-
text.fi-align-justify,.fi-ta-text.fi-align-between{text-align:justify}ul:is(.fi-ta-text.fi-align-justify,.fi-ta-text.fi-align-between)
ul{justify-content:space-between}.fi-ta-text-item{color:var(--gray-950)}.fi-ta-text-
item:where(.dark,.dark *){color:var(--color-white)}@media (hover:hover){.fi-ta-text-item
a:hover{text-decoration-line:underline}}.fi-ta-text-item a:focus-visible{text-decoration-
line:underline}.fi-ta-text-item:not(.fi-bulleted li.fi-ta-text-item){-webkit-line-clamp:var(--line-
clamp, none); -webkit-box-orient:vertical;display: -webkit-box; overflow: hidden}.fi-ta-text-item.fi-
copyable{cursor:pointer}.fi-ta-text-item.fi-size-xs{font-size:var(--text-xs);line-height:var(--tw-leading,var(--text-xs--line-height))}.fi-ta-text-item.fi-size-sm{font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6)}.fi-ta-text-item.fi-size-md{font-size:var(--text-base);line-
height:var(--tw-leading,var(--text-base--line-height))}.fi-ta-text-item.fi-size-lg{font-
size:var(--text-lg);line-height:var(--tw-leading,var(--text-lg--line-height))}.fi-ta-text-item.fi-
font-thin{--tw-font-weight:var(--font-weight-thin); font-weight:var(--font-weight-thin)}.fi-ta-text-
item.fi-font-extralight{--tw-font-weight:var(--font-weight-extralight);font-weight:var(--font-
weight-extralight)}.fi-ta-text-item.fi-font-light{--tw-font-weight:var(--font-weight-light);font-
weight:var(--font-weight-light)}.fi-ta-text-item.fi-font-normal{--tw-font-weight:var(--font-weight-light)}.
normal); font-weight:var(--font-weight-normal)}.fi-ta-text-item.fi-font-medium{--tw-font-weight:var(--font-weight-medium); font-weight-medium)}.fi-ta-text-item.fi-font-weight-medium)
semibold{-.tw-font-weight:var(-.font-weight-semibold);font-weight:var(.-font-weight-semibold)}.fi-
ta-text-item.fi-font-bold{-.tw-font-weight:var(-.font-weight-bold);font-weight:var(-.font-weight-
bold)}.fi-ta-text-item.fi-font-extrabold{--tw-font-weight:var(--font-weight-extrabold);font-
weight:var(--font-weight-extrabold)}.fi-ta-text-item.fi-font-black{--tw-font-weight:var(--font-
weight.var(--font-weight:var(--font-weight-black)}.fi-ta-text-item.fi-font-sans{font-
family:var(--font-family),ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji","Segoe UI
Emoji","Segoe UI Symbol","Noto Color Emoji"}.fi-ta-text-item.fi-font-serif{font-family:var(--serif-
```

```
font-family),ui-serif,Georgia,Cambria,"Times New Roman",Times,serif}.fi-ta-text-item.fi-font-
mono{font-family:var(--mono-font-family),ui-monospace,SFMono-
Regular, Menlo, Monaco, Consolas, "Liberation Mono", "Courier New", monospace).fi-ta-text-item.fi-
color{color:var(--text)}.fi-ta-text-item.fi-color:where(.dark,.dark *){color:var(--dark-text)}li.fi-
ta-text-item.fi-color::marker{color:var(--gray-950)}li.fi-ta-text-item.fi-color:where(.dark,.dark
*)::marker{color:var(--color-white)}.fi-ta-text-item.fi-color-gray{color:var(--gray-500)}.fi-ta-
text-item.fi-color-gray:where(.dark,.dark *){color:var(--gray-400)}li.fi-ta-text-item.fi-color-gray:marker{color:var(--gray-950)}li.fi-ta-text-item.fi-color-gray:where(.dark,.dark
*)::marker{color:var(--color-white)}.fi-ta-text-item>.fi-icon{color:var(--gray-400);flex-shrink:0}.fi-ta-text-item>.fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-ta-text-item>.fi-
icon.fi-color{color:var(--color-500)}.fi-ta-text-item>.fi-icon{margin-
top:calc(var(--spacing)*-1);display:inline-block}@media (hover:hover){.fi-ta-col-has-column-url .fi-
ta-text-item:hover{text-decoration-line:underline}}.fi-ta-col-has-column-url .fi-ta-text-item:focus-
visible{text-decoration-line:underline}@media (hover:hover){.fi-ta-col-has-column-url .fi-ta-text-
item>.fi-icon:hover{text-decoration-line:none}}.fi-ta-col-has-column-url .fi-ta-text-item>.fi-
icon: focus-visible \{ text-decoration-line: none \} \\ @media \ (hover: hover) \{ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-ta-col-has-column-url \ .fi-t
text-item>.fi-badge:hover{text-decoration-line:none}}.fi-ta-col-has-column-url .fi-ta-text-item>.fi-
badge:focus-visible{text-decoration-line:none}.fi-ta-text-input{width:100%;min-
width:calc(var(--spacing)*48)}.fi-ta-text-input:not(.fi-inline){padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*4)}.fi-ta-toggle{width:100%}.fi-ta-
toggle:not(.fi-inline){padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*4)}.fi-ta-toggle.fi-align-center{text-align:center}.fi-ta-toggle.fi-align-
end,.fi-ta-toggle.fi-align-right{text-align:end}.fi-ta-grid.fi-gap-
sm{gap:calc(var(--spacing)*1)}@media (min-width:40rem){.fi-ta-grid.sm\:fi-gap-
sm{gap:calc(var(--spacing)*1)}}@media (min-width:48rem){.fi-ta-grid.md\:fi-gap-
sm{gap:calc(var(--spacing)*1)}}@media (min-width:64rem){.fi-ta-grid.lg\:fi-gap-
sm{gap:calc(var(--spacing)*1)}}@media (min-width:80rem){.fi-ta-grid.xl\:fi-gap-
sm{gap:calc(var(--spacing)*1)}}@media (min-width:96rem){.fi-ta-grid.\32 xl\:fi-gap-
sm{gap:calc(var(--spacing)*1)}}.fi-ta-grid.fi-gap-lg{gap:calc(var(--spacing)*3)}@media (min-
width:40rem){.fi-ta-grid.sm\:fi-gap-lg{gap:calc(var(--spacing)*3)}}@media (min-width:48rem){.fi-ta-
grid.md\:fi-gap-lg{gap:calc(var(--spacing)*3)}}@media (min-width:64rem){.fi-ta-grid.lg\:fi-gap-
lg{gap:calc(var(--spacing)*3)}}@media (min-width:80rem){.fi-ta-grid.xl\:fi-gap-
lg{gap:calc(var(--spacing)*3)}}@media (min-width:96rem){.fi-ta-grid.\32 xl\:fi-gap-lg{gap:calc(var(--spacing)*3)}}.fi-ta-panel{border-radius:var(--radius-lg);background-
color:var(--gray-50);padding:calc(var(--spacing)*4);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0
calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow)
shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-ta-panel{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-ta-panel{--tw-ring-inset:inset}.fi-ta-panel:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in oklab,var(--gray-950)5%,transparent)}
mix(in lab, red, red)){.fi-ta-panel:where(.dark,.dark *){background-color:color-mix(in
oklab, var(--color-white)5%, transparent)}}.fi-ta-panel:where(.dark,.dark *){--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-ta-panel:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent))}.fi-ta-split{display:flex}.fi-ta-split.default\:fi-ta-split{align-
items:center;gap:calc(var(--spacing)*3)}.fi-ta-split.sm\:fi-ta-split.fi-ta-split.md\:fi-ta-
split,.fi-ta-split.lq\:fi-ta-split,.fi-ta-split.xl\:fi-ta-split,.fi-ta-split.\32 xl\:fi-ta-
split{gap:calc(var(--spacing)*2);flex-direction:column}@media (min-width:40rem){.fi-ta-split.sm\:fi-
ta-split{align-items:center;gap:calc(var(--spacing)*3);flex-direction:row}}@media (min-
width:48rem){.fi-ta-split.md\:fi-ta-split{align-items:center;gap:calc(var(--spacing)*3);flex-
direction:row}}@media (min-width:64rem){.fi-ta-split.lg\:fi-ta-split{align-
items:center;gap:calc(var(--spacing)*3);flex-direction:row}}@media (min-width:80rem){.fi-ta-
split.xl\:fi-ta-split{align-items:center;gap:calc(var(--spacing)*3);flex-direction:row}}@media (min-
width:96rem){.fi-ta-split.\32 xl\:fi-ta-split{align-items:center;gap:calc(var(--spacing)*3);flex-
direction:row}}.fi-ta-stack{flex-direction:column;display:flex}.fi-ta-stack.fi-align-start,.fi-ta-
stack.fi-align-left{align-items:flex-start}.fi-ta-stack.fi-align-center{align-items:center}.fi-ta-
stack.fi-align-end,.fi-ta-stack.fi-align-right{align-items:flex-end}:where(.fi-ta-stack.fi-gap-
sm>:not(:last-child)){--tw-space-y-reverse:0;margin-block-
start:calc(calc(var(--spacing)*1)*var(--tw-space-y-reverse));margin-block-
end:calc(var(--spacing)*1)*calc(1 - var(--tw-space-y-reverse)))}:where(.fi-ta-stack.fi-gap-
md>:not(:last-child)){--tw-space-y-reverse:0;margin-block-
start:calc(calc(var(--spacing)*2)*var(--tw-space-y-reverse));margin-block-
end:calc(calc(var(--spacing)*2)*calc(1 - var(--tw-space-y-reverse)))}:where(.fi-ta-stack.fi-gap-
lg>:not(:last-child)){--tw-space-y-reverse:0;margin-block-start:calc(calc(var(--spacing)*3)*var(--tw-space-y-reverse));margin-block-end:calc(var(--spacing)*3)*calc(1 - var(--tw-space-y-reverse)))}.fi-ta-icon-count-summary{row-
gap:calc(var(--spacing)*1.5);padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*4);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));color:var(--gray-500);display:grid}.fi-ta-icon-count-summary:where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-icon-count-summary>.fi-ta-icon-count-summary-label{--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950)}.fi-ta-
icon-count-summary>.fi-ta-icon-count-summary-label:where(.dark,.dark *){color:var(--color-white)}.fi-ta-icon-count-summary>ul{row-gap:calc(var(--spacing)*1.5);display:grid}.fi-ta-icon-count-
```

```
summary>ul>li{justify-content:flex-end;align-items:center;column-
qap:calc(var(--spacing)*1.5);display:flex}.fi-ta-icon-count-summary>ul>li>.fi-
icon{color:var(--gray-400)}.fi-ta-icon-count-summary>ul>li>.fi-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-ta-icon-count-summary>ul>li>.fi-icon.fi-color(color:var(--text)).fi-ta-
icon-count-summary>ul>li>.fi-icon.fi-color:where(.dark,.dark *){color:var(--dark-text)}.fi-ta-range-
summary{row-gap:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*4);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));color:var(--gray-500);display:grid}.fi-ta-range-summary:where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-range-summary-label{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950)}.fi-ta-
range-summary>.fi-ta-range-summary-label:where(.dark,.dark *){color:var(--color-white)}.fi-ta-text-
summary{row-gap:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*4);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));color:var(--gray-500);display:grid}.fi-ta-text-summary:where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-text-summary-label{--tw-font-weight:var(--font-
weight-medium); font-weight:var(--font-weight-medium); color:var(--gray-950)}.fi-ta-text-summary>.fi-
ta-text-summary-label:where(.dark,.dark *){color:var(--color-white)}.fi-ta-values-summary{row-
qap:calc(var(--spacing)*1);padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*4);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));color:var(--gray-500);display:grid}.fi-ta-values-summary:where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-values-summary>.fi-ta-values-summary-label{--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-950)}.fi-ta-
values-summary>.fi-ta-values-summary-label:where(.dark,.dark *){color:var(--color-white)}.fi-ta-
values-summary>ul.fi-bulleted{list-style-type:disc;list-style-position:inside}:where(.fi-ta
ctn>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-
top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-
bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}.fi-ta-
ctn{border-radius:var(--radius-xl);background-color:var(--color-white);--tw-shadow:0 1px 3px 0
var(--tw-shadow-color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-
shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-
ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950);overflow:hidden}@supports (color:color-mix(in lab, red, red)){.fi-ta-ctn{--tw-shadow}
ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}:where(.fi-ta-ctn:where(.dark,.dark
*)>:not(:last-child)){border-color:#ffffffla}@supports (color:color-mix(in lab, red,
red)){:where(.fi-ta-ctn:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in
oklab,var(--color-white)10%,transparent)}}.fi-ta-ctn:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-
ta-ctn:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-ta-ctn.fi-loading{animation:var(--animate-pulse)}.fi-ta-ctn .fi-ta-
header-ctn{margin-top:-1px}.fi-ta-ctn .fi-ta-
header{gap:calc(var(--spacing)*3);padding:calc(var(--spacing)*4);flex-
direction:column;display:flex}@media (min-width:40rem){.fi-ta-ctn .fi-ta-header{padding-
inline:calc(var(--spacing)*6)}.fi-ta-ctn .fi-ta-header.fi-ta-header-adaptive-actions-position{flex-
direction:row;align-items:center}.fi-ta-ctn .fi-ta-header.fi-ta-header-adaptive-actions-position
.fi-ta-actions{margin-inline-start:auto}}.fi-ta-ctn .fi-ta-header.fi-ta-header-adaptive-actions-
position:not(:has(.fi-ta-header-heading)):not(:has(.fi-ta-header-description)) .fi-ta-
actions{margin-inline-start:auto}.fi-ta-ctn .fi-ta-header .fi-ta-header-heading{font-
size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height));--tw-
leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-weight:var(--font-
weight-semibold);font-weight:var(--font-weight-semibold);color:var(--gray-950)}.fi-ta-ctn .fi-ta-
header .fi-ta-header-heading:where(.dark,.dark *){color:var(--color-white)}.fi-ta-ctn .fi-ta-header .fi-ta-header-description{margin-top:calc(var(--spacing)*1);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-600)}.fi-ta-ctn .fi-ta-header .fi-ta-header-description:where(.dark,.dark *){color:var(--gray-400)}.fi-ta-ctn .fi-ta-header-
toolbar{justify-content:space-between;align-items:center;gap:calc(var(--spacing)*4);border-top-
style:var(--tw-border-style);border-top-width:1px;border-color:var(--gray-200);padding
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*3);flex-
wrap:wrap;display:flex}@media (min-width:40rem){.fi-ta-ctn .fi-ta-header-toolbar{padding-inline:calc(var(--spacing)*6)}}.fi-ta-ctn .fi-ta-header-toolbar:where(.dark,.dark *){border-
color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-ta-ctn .fi-ta-header-
toolbar:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-
white)10%, transparent)}}.fi-ta-ctn .fi-ta-header-toolbar>*{align-items:center;column-
qap:calc(var(--spacing)*4);display:flex}.fi-ta-ctn .fi-ta-header-toolbar>:first-child{flex-
shrink:0}.fi-ta-ctn .fi-ta-header-toolbar>:nth-child(2){margin-inline-start:auto}@media (min-
width:40rem){.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-grouping-settings .fi-dropdown.sm\:fi-hidden{display:none}}.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-grouping-settings .fi-dropdown .fi-ta-
grouping-settings-fields{row-
qap:calc(var(--spacing)*6);padding:calc(var(--spacing)*6);display:grid}.fi-ta-ctn .fi-ta-header-
toolbar .fi-ta-grouping-settings .fi-dropdown .fi-ta-grouping-settings-fields label{row-gap:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-
```

```
weight:var(--font-weight-medium);font-weight:var(--font-weight-
medium);color:var(--gray-950);display:grid}.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-grouping-settings
 .fi-dropdown .fi-ta-grouping-settings-fields label:where(.dark,.dark *){color:var(--color
white)}.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-grouping-settings>.fi-ta-grouping-settings-fields{align-items:center;column-gap:calc(var(--spacing)*3);display:none}@media (min-width:40rem){.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-grouping-settings>.fi-ta-grouping-settings-
fields{display:flex}}.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-filters-dropdown .fi-ta-filters,.fi-ta-ctn .fi-ta-header-toolbar .fi-ta-col-manager-dropdown .fi-ta-col-
manager{padding:calc(var(--spacing)*6)}.fi-ta-ctn .fi-ta-filters{row-gap:calc(var(--spacing)*4);display:grid}.fi-ta-ctn .fi-ta-filters.fi-ta-filters-below-content{padding:calc(var(--spacing)*4)}@media (min-width:40rem){.fi-ta-ctn .fi-ta-filters.fi-ta-ctn .fi-ta-ctn .fi-ta-filters.fi-ta-ctn .fi-ta-ctn ilters-below-content{padding-inline:calc(var(--spacing)*6)}}.fi-ta-ctn .fi-ta-filters .fi-ta-
filters-header{justify-content:space-between;align-items:center;display:flex}.fi-ta-ctn .fi-ta-
filters .fi-ta-filters-header .fi-ta-filters-heading{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-semibold);color:var(--gray-950)}.fi-ta-ctn .fi-ta-filters .fi-ta-filters-header .fi-ta-
filters-heading:where(.dark,.dark *){color:var(--color-white)}.fi-ta-ctn .fi-ta-filters .fi-ta-
filters-header .fi-loading-indicator{color:var(--gray-400)}.fi-ta-ctn .fi-ta-filters-header .fi-loading-indicator:where(.dark,.dark *){color:var(--gray-500)}.fi-ta-ctn .fi-ta-filters-
above-content-ctn{border-top-style:var(--tw-border-style);border-top-width:1px;border-color:var(--gray-200);padding-inline:calc(var(--spacing)*4);padding-
block:calc(var(--spacing)*4);display:grid}@media (min-width:40rem){.fi-ta-ctn .fi-ta-filters-above-
content-ctn{padding-inline:calc(var(--spacing)*6)}}.fi-ta-ctn .fi-ta-filters-above-content-ctn:where(.dark,.dark *){border-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-ta-ctn .fi-ta-filters-above-content-ctn:where(.dark,.dark *){border-color:mix(in oklab,var(--color-white)10%,transparent)}}.fi-ta-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-filters-above-content-ctn .fi-ta-
filters-trigger-action-ctn{margin-inline-start:auto}.fi-ta-ctn .fi-ta-filters-above-content-ctn.fi-
open .fi-ta-filters-trigger-action-ctn{margin-top:calc(var(--spacing)*3)}.fi-ta-ctn .fi-ta-filters-
above-content-ctn.fi-open:has(.fi-ta-filters-apply-action-ctn) .fi-ta-filters-trigger-action-
ctn{margin-top:calc(var(--spacing)*-7)}.fi-ta-ctn .fi-ta-reorder-indicator{column-
gap:calc(var(--spacing)*3);background-color:var(--gray-50);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*1.5);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-leading:calc(var(--spacing)*6);line-
height:calc(var(--spacing)*6);--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-
weight-medium);color:var(--gray-700);display:flex}@media (min-width:40rem){.fi-ta-ctn .fi-ta-
reorder-indicator{padding-inline:calc(var(--spacing)*6)}}.fi-ta-ctn .fi-ta-reorder-
indicator:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-ctn .fi-ta-reorder-indicator:where(.dark,.dark *){background-color:color-mix(in lab, red, red))}
oklab,var(--color-white)5%,transparent)}}.fi-ta-ctn .fi-ta-reorder-indicator:where(.dark,.dark
  *){color:var(--gray-200)}.fi-ta-ctn .fi-ta-reorder-indicator .fi-loading
indicator{color:var(--gray-400)}.fi-ta-ctn .fi-ta-reorder-indicator .fi-loading-
indicator:where(.dark,.dark *){color:var(--gray-500)}.fi-ta-ctn .fi-ta-selection-indicator{justify-content:space-between;row-gap:calc(var(--spacing)*1);background-color:var(--gray-50);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);flex-
direction:column;display:flex}@media (min-width:40rem) { .fi-ta-ctn .fi-ta-selection-
indicator{padding-inline:calc(var(--spacing)*6); padding-block:calc(var(--spacing)*1.5); flex-
direction:row;align-items:center}}.fi-ta-ctn .fi-ta-selection-indicator:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-ctn .fi-ta-selection-indicator:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--color-wix(in oklab,var(--colo
white)5%,transparent)}}.fi-ta-ctn .fi-ta-selection-indicator .fi-loading-
indicator{color:var(--gray-400)}.fi-ta-ctn .fi-ta-selection-indicator .fi-loading-
indicator:where(.dark,.dark *){color:var(--gray-500)}.fi-ta-ctn .fi-ta-selection-indicator .fi-ta-
selection-indicator-actions-ctn, .fi-ta-ctn .fi-ta-selection-indicator>*{column-
gap:calc(var(--spacing)*3);display:flex}.fi-ta-ctn .fi-ta-selection-indicator>:first-child{font-
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-
leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-weight:var(--font-
weight-medium); font-weight: var(--font-weight-medium); color: var(--gray-700)}.fi-ta-ctn .fi-ta-
selection-indicator>:first-child:where(.dark,.dark *){color:var(--gray-200)}.fi-ta-ctn .fi-ta-
selection-indicator>:nth-child(2){margin-inline-start:auto}.fi-ta-ctn .fi-ta-filter-
indicators{justify-content:space-between;align-items:flex-start;column-
gap:calc(var(--spacing)*3);background-color:var(--gray-50);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*1.5);display:flex}@media (min-
width:40rem){.fi-ta-ctn .fi-ta-filter-indicators{padding-inline:calc(var(--spacing)*6)}}.fi-ta-ctn
.fi-ta-filter-indicators:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-ctn .fi-ta-filter-indicators:where(.dark,.dark *){background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-ctn .fi-ta-filter
indicators>:first-child{column-gap:calc(var(--spacing)*3);row-gap:calc(var(--spacing)*1);flex-
direction:column;display:flex}@media (min-width:40rem){.fi-ta-ctn .fi-ta-filter-indicators>:first-
child{flex-direction:row}}.fi-ta-ctn .fi-ta-filter-indicators>:first-child .fi-ta-filter-indicators-
label{font-size:var(--text-sm); line-height:var(--tw-leading,var(--text-sm--line-height)); --tw-
leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);white-space:nowrap;color:var(--gray-700)}.fi-
```

```
ta-ctn .fi-ta-filter-indicators>:first-child .fi-ta-filter-indicators-label:where(.dark,.dark
 fi-ta-filter-indicators: {\danger} \text{filter-indicators} \text{first-child} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-filter-indicators} \text{fi-ta-f
badges-ctn{gap:calc(var(--spacing)*1.5);flex-wrap:wrap;display:flex}.fi-ta-ctn .fi-ta-filter-indicators indicators>:nth-child(2).fi-icon-btn{margin-top:calc(var(--spacing)*-1)}.fi-ta-ctn .fi-pagination{padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*3)}@media (min-width:40rem){.fi-ta-ctn .fi-pagination{padding-inline:calc(var(--spacing)*6)}}.fi-ta-ctn .fi-ta-
table-loading-ctn{height:calc(var(--spacing)*32);justify-content:center;align-
items:center;display:flex}.fi-ta-content-ctn{position:relative}:where(.fi-ta-content-ctn>:not(:last-
child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-
style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-
width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}.fi-ta-content-
ctn{overflow-x:auto}:where(.fi-ta-content-ctn:where(.dark,.dark *)>:not(:last-child)){border-
color:#fffffffla@supports (color:color-mix(in lab, red, red)){:where(.fi-ta-content
ctn:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
white)10%, transparent)}}.fi-ta-content-ctn:where(.dark,.dark *){border-top-color:#ffffff1a}@supports
(color:color-mix(in lab, red, red)){.fi-ta-content-ctn:where(.dark,.dark *){border-top-color:color
mix(in oklab,var(--color-white)10%,transparent)}}.fi-ta-content-ctn .fi-ta-content-header{align-
items:center;gap:calc(var(--spacing)*4);column-gap:calc(var(--spacing)*6);background-
color:var(--gray-50);padding-inline:calc(var(--spacing)*4);display:flex}@media (min-
width:40rem){.fi-ta-content-ctn .fi-ta-content-header{padding-inline:calc(var(--spacing)*6)}}.fi-ta-
content-ctn .fi-ta-content-header:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content-header:where(.dark,.dark
*){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-content-ctn .fi-ta-
content-header .fi-ta-page-checkbox{margin-block:calc(var(--spacing)*4);flex-shrink:0}.fi-ta-
content-ctn .fi-ta-content-header .fi-ta-sorting-settings{column-gap:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*3);display:flex}.fi-ta-content-ctn:not(.fi-ta-ctn-with-header .fi-ta-
content-ctn) {border-top-style:var(--tw-border-style);border-top-width:0}.fi-ta-content-ctn .fi-ta-
content.fi-ta-content-grid{gap:calc(var(--spacing)*4);padding:calc(var(--spacing)*4)}@media (min-
width:40rem){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid{padding-
inline:calc(var(--spacing)*6)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid.fi-ta-content-
grouped{padding-top:calc(var(--spacing)*0)}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-group-header{margin-inline:calc(var(--spacing)*-4);border-block-style:var(--tw-border-
style);border-block-width:1px;border-color:var(--gray-200);width:calc(100% + 2rem)}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-group-header:first-child{border-top-style:var(--tw-
border-style);border-top-width:0}@media (min-width:40rem){.fi-ta-content-ctn .fi-ta-content.fi-ta-
content-grid .fi-ta-group-header{margin-inline:calc(var(--spacing)*-6);width:calc(100% + 3rem)}}.fi-
ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-group-header:where(.dark,.dark *){border
color:#ffffff0d@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-
ta-content-grid .fi-ta-group-header:where(.dark,.dark *){border-color:color-mix(in
oklab,var(--color-white)5%,transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-
ta-record{border-radius:var(--radius-xl);--tw-shadow:0 1px 3px 0 var(--tw-shadow-color,#0000001a),0
lpx 2px -lpx var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-
color, currentcolor); box-shadow: var(--tw-inset-shadow), var(--tw-inset-ring-shadow), var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-
record{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record:where(.dark,.dark *){background-color:#ffffff0d}@supports
(color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-
record:where(.dark,.dark *){--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red,
red)){.fi-ta-content.ctn .fi-ta-content.fi-ta-content.grid .fi-ta-record:where(.dark,.dark *){--tw-
ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}@media (hover:hover){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-clickable:where(.dark,.dark
 *):hover{background-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn
 .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-clickable:where(.dark,.dark *):hover{background-
color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-
ta-content-grid .fi-ta-record.fi-clickable:where(.dark,.dark *):hover{--tw-ring-color:#fff3}@supports (color:mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-clickable:where(.dark,.dark *):hover{--tw-ring-color:color-mix(in oklab,var(--color-white)20%,transparent)}}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi
ta-record.fi-selected:where(.dark,.dark *){background-color:#ffffffla}@supports (color:color-mix(in
lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-selected:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)10%, transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-selected:where(.dark,.dark *){--tw-ring-color:#fff3}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-
selected:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)20%, transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record:not(.fi-
selected){background-color:var(--color-white)}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid
.fi-ta-record:not(.fi-selected):where(.dark,.dark *){background-color:#ffffff0d}@supports
```

```
(color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-
record:not(.fi-selected):where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record:not(.fi-
selected):where(.dark,.dark *){--tw-ring-color:#ffffff1a}@supports (color:color-mix(in lab, red,
red)){.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record:not(.fi-
selected):where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-ta-
record-with-content-prefix .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content.fi-ta-content
grid .fi-ta-record.fi-ta-record-with-content-prefix .fi-ta-actions{padding-inline-
start:calc(var(--spacing)*2)}.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record.fi-
ta-record-with-content-suffix .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content.fi-ta-content-grid .fi-ta-record-with-content-suffix .fi-ta-actions{padding-inline-
end:calc(var(--spacing)*2)}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid){background-
color:var(--gray-200);row-gap:lpx}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid):where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid):where(.dark,.dark *){background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}@media (hover:hover){.fi-ta-content-ctn
 .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-clickable:where(.dark,.dark
*):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn
.fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-clickable:where(.dark,.dark
*):hover{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-ta-content-ctn
.fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-selected:before{content:var(--tw-content);content:var(--tw-content);inset-block:calc(var(--spacing)*0);content:var(--tw-content)
content);content:var(--tw-content);width:calc(var(--spacing)*.5);content:var(--tw-content);background-color:var(--primary-600);position:absolute;inset-inline-
start:calc(var(--spacing)*0)}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-selected:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-
selected:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-
selected:where(.dark,.dark *):before{content:var(--tw-content);background-
color:var(--primary-500)}@media (min-width:48rem){.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-
content-grid) .fi-ta-record .fi-ta-record-content-ctn{flex-direction:row;align-items:center}}@media
 (min-width:40rem){.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-record:not(.fi-
ta-record-with-content-prefix) .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-
content-grid) .fi-ta-record:not(.fi-ta-record-with-content-prefix) .fi-ta-actions{padding-inline-start:calc(var(--spacing)*6)}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-
record:not(.fi-ta-record-with-content-suffix) .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content-suffix) .fi-ta-record-with-content-suffix) .fi-ta-record-with-content-suffix) .fi-ta-
actions{padding-inline-end:calc(var(--spacing)*6)}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-
content-grid) .fi-ta-record.fi-ta-record-with-content-prefix{padding-inline-
start:calc(var(--spacing)*3)}}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-
record.fi-ta-record-with-content-prefix .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content-prefix .fi-ta-record-with-content-prefix .fi-ta-record-with-content-prefix .fi-ta-
actions{padding-inline-start:calc(var(--spacing)*3)}@media (min-width:40rem){.fi-ta-content-ctn .fi-
ta-content:not(.fi-ta-content-grid) .fi-ta-record.fi-ta-record-with-content-suffix{padding-inline-
end:calc(var(--spacing)*3)}}.fi-ta-content-ctn .fi-ta-content:not(.fi-ta-content-grid) .fi-ta-
record.fi-ta-record-with-content-suffix .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content-suffix .fi-ta-record-with-content-suffix .fi-ta-
actions{padding-inline-end:calc(var(--spacing)*3)}@media (min-width:48rem){.fi-ta-content-ctn .fi-
ta-content:not(.fi-ta-content-grid) .fi-ta-record .fi-ta-actions{padding-inline-
start:calc(var(--spacing)*3)}}.fi-ta-content-ctn .fi-ta-content .fi-ta-group-header{align-
items:center;column-gap:calc(var(--spacing)*3);background-color:var(--gray-50);width:100%;padding-
inline:calc(var(--spacing)*1);padding-block:calc(var(--spacing)*2);grid-
column:1/-1;display:flex}@media (min-width:40rem){.fi-ta-content.ctn .fi-ta-content .fi-ta-group-header{padding-inline:calc(var(--spacing)*3)}}.fi-ta-content-ctn .fi-ta-content .fi-ta-group-
header:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-content-ctn .fi-ta-content .fi-ta-group-header:where(.dark,.dark *){background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-content-ctn .fi-ta-content .fi-
ta-group-header.fi-collapsible{cursor:pointer}.fi-ta-content-ctn .fi-ta-content .fi-ta-group-header.fi-collapsible.fi-collapsed .fi-icon-btn{rotate:-180deg}.fi-ta-content-ctn .fi-ta-content
 .fi-ta-group-header .fi-ta-group-heading{font-size:var(--text-sm);line-height:var(--tw-
leading, var(--text-sm--line-height)); --tw-font-weight:var(--font-weight-medium); font-weight:var(--font-weight-medium); color:var(--gray-950)}.fi-ta-content-ctn .fi-ta-content .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-group-header .fi-ta-g
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-ta-content-ctn .fi-
ta-content .fi-ta-group-header .fi-ta-group-description:where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-content-ctn .fi-ta-content .fi-ta-group-header .fi-ta-group-
checkbox{margin-inline:calc(var(--spacing)*3)}.fi-ta-content-ctn .fi-ta-content .fi-ta-table{grid-column:1/-1}.fi-ta-content-ctn .fi-ta-content .fi-ta-record{background-color:var(--color-
white);height:100%;transition-property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
```

```
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration));--tw-duration:75ms;align-items:center;transition-duration:75ms;display:flex;position:relative}.fi-ta-content-ctn .fi-ta-content .fi-ta-
record:where(.dark,.dark *){background-color:var(--gray-900)}.fi-ta-content-ctn .fi-ta-content .fi-
ta-record.fi-ta-record-with-content-prefix{padding-inline-start:calc(var(--spacing)*1)}.fi-ta-
content-ctn .fi-ta-content .fi-ta-record.fi-ta-record-with-content-suffix{padding-inline-
end:calc(var(--spacing)*1)}@media (hover:hover){.fi-ta-content-ctn .fi-ta-content .fi-ta-record.fi-clickable:hover{background-color:var(--gray-50)}}.fi-ta-content-ctn .fi-ta-content .fi-ta-record.fi-collapsed{display:none}.fi-ta-content-ctn .fi-ta-record.fi-selected{background-
color:var(--gray-50)}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-reorder-handle{margin-
inline:calc(var(--spacing)*1);margin-block:calc(var(--spacing)*2)}.fi-ta-content-ctn .fi-ta-content
.fi-ta-record .fi-ta-record-checkbox{margin-inline:calc(var(--spacing)*3);margin-block:calc(var(--spacing)*4);flex-shrink:0}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-record .fi-ta-recor
record-content-ctn{row-gap:calc(var(--spacing)*3);width:100%;height:100%;padding-
block:calc(var(--spacing)*4);flex-direction:column;display:flex}.fi-ta-content-ctn .fi-ta-content
 .fi-ta-record .fi-ta-record-content-ctn>:first-child{flex:1}.fi-ta-content-ctn .fi-ta-content .fi-
ta-record .fi-ta-record-content-ctn .fi-ta-record-content width:100%; display:block}.fi-ta-content-ctn .fi-ta-record-content-ctn .fi-ta-record-content-ctn .fi-ta-record-content.fi-collapsible{margin-top:calc(var(--spacing)*3)}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-
ta-record-content-ctn .fi-ta-record-content .fi-growable{flex:1;width:100%}@media (min-
width:40rem){.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-
record-content .sm\:fi-hidden{display:none}}@media (min-width:48rem){.fi-ta-content-ctn .fi-ta-
content .fi-ta-record .fi-ta-record-content .md\:fi-
hidden{display:none}}@media (min-width:64rem){.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-record .fi-ta-record-content .lg\:fi-hidden{display:none}}@media (min-
width:80rem){.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-
record-content .xl\:fi-hidden{display:none}}@media (min-width:96rem){.fi-ta-content-ctn .fi-ta-
content .fi-ta-record .fi-ta-record-content .\32 xl\:fi-
hidden{display:none}}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-
ta-record-content .sm\:fi-visible{display:none}@media (min-width:40rem){.fi-ta-content-ctn .fi-ta-
content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-record-content .sm\:fi-
visible{display:block}}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn
 .fi-ta-record-content .md\:fi-visible{display:none}@media (min-width:48rem){.fi-ta-content-ctn .fi-
ta-content .fi-ta-record .fi-ta-record-content .md\:fi-
visible{display:block}}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record .content-ctn
 .fi-ta-record-content .lg\:fi-visible{display:none}@media (min-width:64rem){.fi-ta-content-ctn .fi-
ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-record-content .lg\:fi-visible{display:block}}.fi-ta-content-ctn .fi-ta-record .fi-ta-record-content-ctn
 .fi-ta-record-content .xl\:fi-visible{display:none}@media (min-width:80rem){.fi-ta-content-ctn .fi-
ta-content .fi-ta-record .fi-ta-record-content .xl\:fi-
visible{display:block}}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record.content-ctn
.fi-ta-record-content .\32 xl\:fi-visible{display:none}@media (min-width:96rem){.fi-ta-content-ctn
 .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-record-content .\32 xl\:fi-
visible{display:block}}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record.content-ctn
 .fi-ta-record-content .fi-ta-col{text-align:start;justify-content:flex-start;display:flex}.fi-ta-
content-ctn .fi-ta-content .fi-ta-record .fi-ta-record .content-ctn .fi-ta-record-content .fi-ta-
col:disabled{pointer-events:none}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record
content-ctn .fi-ta-record-content .fi-ta-col.fi-growable{width:100%}.fi-ta-content-ctn .fi-ta-
content .fi-ta-record .fi-ta-record-content.ctn .fi-ta-record-content .fi-ta-col.fi-align-
center{text-align:center; justify-content:center}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-
ta-record-content-ctn .fi-ta-record-content .fi-ta-col.fi-align-end{text-align:end; justify-
content:flex-end}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-
record-content .fi-ta-col.fi-align-left{text-align:left;justify-content:flex-start}.fi-ta-content-
ctn .fi-ta-content .fi-ta-record .fi-ta-record .content .fi-ta-record .content .fi-ta-col.fi-
align-right{text-align:right; justify-content:flex-end}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-record-content-ctn .fi-ta-record-content-ctn .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .fi-ta-content .
ctn .fi-ta-content .fi-ta-record .fi-ta-record.content-ctn .fi-ta-record-content .fi-ta-col.fi-
align-between{text-align:justify;justify-content:space-between}.fi-ta-content-ctn .fi-ta-content
 .fi-ta-record .fi-ta-record-collapse-btn{margin-inline:calc(var(--spacing)*1);margin-
block:calc(var(--spacing)*2);flex-shrink:0}.fi-ta-content-ctn .fi-ta-content .fi-ta-record .fi-ta-actions.fi-ta-actions-before-columns-position{order:-9999}.fi-ta-content-ctn .fi-ta-content .fi-ta-
record: not (.fi-ta-record-with-content-prefix) . fi-ta-record-content, .fi-ta-content-ctn .fi-ta-record-content, .fi-ta-content-ctn .fi-ta-record-content, .fi-ta-content-ctn .fi-ta-record-content, .fi-ta-content-ctn .fi-ta-record-content, .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn .fi-ta-content-ctn
content .fi-ta-record:not(.fi-ta-record-with-content-prefix) .fi-ta-actions{padding-inline-
start:calc(var(--spacing)*4)}.fi-ta-content-ctn .fi-ta-content .fi-ta-record:not(.fi-ta-record-with-
content-suffix) .fi-ta-record-content,.fi-ta-content-ctn .fi-ta-content .fi-ta-record:not(.fi-ta-record-with-content-suffix) .fi-ta-actions{padding-inline-end:calc(var(--spacing)*4)}.fi-ta-content-
ctn .fi-ta-content .fi-ta-record.fi-ta-record-collapsed .fi-ta-record-collapse-
btn{rotate:180deg}.fi-ta-empty-state{padding-inline:calc(var(--spacing)*6);padding-
block:calc(var(--spacing)*12)}.fi-ta-empty-state .fi-ta-empty-state-content{max-
width:var(--container-lg);text-align:center;justify-items:center;margin-
inline:auto;display:grid}.fi-ta-empty-state .fi-ta-empty-state-icon-bg{margin-
```

```
bottom:calc(var(--spacing)*4);background-
color:var(--gray-100);padding:calc(var(--spacing)*3);border-radius:3.40282e38px}.fi-ta-empty-state
 .fi-ta-empty-state-icon-bg:where(.dark..dark *){background-color:var(--gray-500)}@supports
(color:color-mix(in lab, red, red)){.fi-ta-empty-state .fi-ta-empty-state-icon-bg:where(.dark,.dark
*){background-color:color-mix(in oklab,var(--gray-500)20%,transparent)}}.fi-ta-empty-state .fi-ta-
empty-state-icon-bg .fi-icon{color:var(--gray-500)}.fi-ta-empty-state .fi-ta-empty-state-icon-bg
 .fi-icon:where(.dark,.dark *){color:var(--gray-400)}.fi-ta-empty-state .fi-ta-empty-state
heading{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height));--tw-leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-semibold);color:var(--gray-950)}.fi-ta-empty-state
.fi-ta-empty-state-heading:where(.dark,.dark *){color:var(--color-white)}.fi-ta-empty-state .fi-ta-empty-state-description{margin-top:calc(var(--spacing)*1);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-ta-empty-state .fi-
ta-empty-state-description:where(.dark,.dark *){color:var(--gray-300)}.fi-ta-empty-state .fi-ta-actions{margin-top:calc(var(--spacing)*6)}.fi-ta-header-cell{padding-inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*3.5);text-align:start;font-size:var(--text-sm);line-height:var(--tw-leading-var(--text-sm--line-height));--tw-font-weight-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-var(-fort-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable-variable
weight:var(--font-weight-semibold);font-weight:var(--font-weight-
semibold);color:var(--gray-950)}@media (min-width:40rem){.fi-ta-header-cell:first-of-type{padding-inline-start:calc(var(--spacing)*6)}.fi-ta-header-cell:last-of-type{padding-inline-
end:calc(var(--spacing)*6)}}.fi-ta-header-cell:where(.dark,.dark *){color:var(--color-white)}.fi-ta-header-cell.fi-growable{width:100%}.fi-ta-header-cell.fi-growable{width:100%}.fi-ta-header-cell.fi-growable{width:100%}.fi-
ta-header-cell.fi-grouped:where(.dark,.dark *){border-color:#ffffff0d}@supports (color:color-mix(in
lab, red, red)){.fi-ta-header-cell.fi-grouped:where(.dark,.dark *){border-color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-header-cell.fi-grouped:not(:first-of-type){border-
inline-start-style:var(--tw-border-style);border-inline-start-width:1px}.fi-ta-header-cell.fi-
grouped:not(:last-of-type){border-inline-end-style:var(--tw-border-style);border-inline-end-
width:1px}.fi-ta-header-cell.fi-align-center{text-align:center}.fi-ta-header-cell.fi-align-center
 .fi-ta-header-cell-sort-btn{justify-content:center}.fi-ta-header-cell.fi-align-end{text-
align:end}.fi-ta-header-cell.fi-align-end .fi-ta-header-cell-sort-btn{justify-content:flex-end}.fi-
ta-header-cell.fi-align-left{text-align:left}.fi-ta-header-cell.fi-align-left .fi-ta-header-cell-
sort-btn{justify-content:flex-start}.fi-ta-header-cell.fi-align-left .fi-ta-header-cell-sort-
btn:where(:dir(rtl),[dir=rtl],[dir=rtl] *){flex-direction:row-reverse}.fi-ta-header-cell.fi-align-right{text-align:right}.fi-ta-header-cell.fi-align-right .fi-ta-header-cell-sort-btn{justify-
content:flex-end}.fi-ta-header-cell.fi-align-right .fi-ta-header-cell-sort-
btn:where(:dir(rtl),[dir=rtl] *){flex-direction:row-reverse}.fi-ta-header-cell.fi-align-justify,.fi-ta-header-cell.fi-align-between{text-align:justify}:is(.fi-ta-header-cell.fi-align-
justify,.fi-ta-header-cell.fi-align-between(lext dign.justify).sitty.is(:Fi-ta-header-cell.fi-align-between) .fi-ta-header-cell-sort-btn{justify-content:space-between}.fi-ta-header-cell.fi-ta-header-cell.sorted .fi-icon(color:var(--gray-950)).fi-ta-header-cell.fi-ta-header-cell.sorted .fi-icon:where(.dark,.dark *){color:var(--color-white)}.fi-ta-header-
cell:not(.fi-ta-header-cell-sorted) .fi-icon{color:var(--gray-400)}.fi-ta-header-cell:not(.fi-ta-
header-cell-sorted) .fi-icon:where(.dark,.dark *),.fi-ta-header-cell:not(.fi-ta-header-cell-sorted)
.fi-ta-header-cell-sort-btn:hover .fi-icon{color:var(--gray-500)}.fi-ta-header-cell:not(.fi-ta-header-cell-sort-btn:hover .fi-icon:where(.dark,.dark
*){color:var(--gray-400)}.fi-ta-header-cell:not(.fi-ta-header-cell-sorted) .fi-ta-header-cell-sorted) .fi-ta-header-cell-sorted) .fi-ta-header-cell-sorted) .fi-ta-header-cell-sorted) .fi-ta-header-cell-sort-btn:focus-visible .fi-icon:where(.dark,.dark *){color:var(--gray-400)}@media
(min-width:40rem){.fi-ta-header-cell.sm\:fi-hidden{display:none}}@media (min-width:48rem){.fi-ta-header-cell.sm\:fi-hidden{display:none}}@media (min-width:48rem){.fi-ta-header-cell.lg\:fi-
(min-width:96rem){.fi-ta-header-cell.\32 xl\:fi-hidden{display:none}}.fi-ta-header-cell.sm\:fi
visible{display:none}@media (min-width:40rem){.fi-ta-header-cell.sm\:fi-visible{display:table-
cell}}.fi-ta-header-cell.md\:fi-visible{display:none}@media (min-width:48rem){.fi-ta-header
cell.md\:fi-visible{display:table-cell}}.fi-ta-header-cell.lg\:fi-visible{display:none}@media (min-
width:64rem){.fi-ta-header-cell.lg\:fi-visible{display:table-cell}}.fi-ta-header-cell.xl\:fi-
visible{display:none}@media (min-width:80rem){.fi-ta-header-cell.xl\:fi-visible{display:table-
cell}}.fi-ta-header-cell.\32 xl\:fi-visible{display:none}@media (min-width:96rem){.fi-ta-header-
cell.\32 xl\:fi-visible{display:table-cell}}.fi-ta-header-cell.fi-wrapped{white-space:normal}.fi-ta-
header-cell:not(.fi-wrapped){white-space:nowrap}.fi-ta-header-cell .fi-ta-header-cell-sort-
btn{cursor:pointer; justify-content:flex-start; align-items:center; column-gap:calc(var(--spacing)*1); width:100%; display:flex}.fi-ta-header-cell .fi-icon{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter,display,visibility,content-visibility,overlay,pointer-events;transition-timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-ease)
duration,var(--default-transition-duration));--tw-duration:75ms;flex-shrink:0;transition-duration:75ms}.fi-ta-header-group-cell{border-color:var(--gray-200);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
semibold);font-weight:var(--font-weight-semibold);color:var(--gray-950)}@media (min-
width:40rem){.fi-ta-header-group-cell:first-of-type{padding-inline-start:calc(var(--spacing)*6)}.fi-ta-header-group-cell:last-of-type{padding-inline-end:calc(var(--spacing)*6)}}.fi-ta-header-group-
```

```
cell:where(.dark,.dark *){border-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-
ta-header-group-cell:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-ta-header-group-cell:where(.dark,.dark *){color:var(--color-white)}.fi-
ta-header-group-cell:not(:first-of-type){border-inline-start-style:var(--tw-border-style);border-inline-start-width:1px}.fi-ta-header-group-cell:not(:last-of-type){border-inline-end-style:var(--tw-border-inline-end-style:var(--tw-border-inline-end-style)
border-style);border-inline-end-width:1px}.fi-ta-header-group-cell.fi-align-start{text-
align:start}.fi-ta-header-group-cell.fi-align-center{text-align:center}.fi-ta-header-group-cell.fi-
align-end{text-align:end}.fi-ta-header-group-cell.fi-align-left{text-align:left}.fi-ta-header-group-cell.fi-align-injustify,.fi-ta-header-group-cell.fi-align-justify,.fi-ta-header-group-cell.fi-align-between{text-align:justify}@media (min-width:40rem){.fi-ta-header-group-cell.sm\:fi-
hidden{display:none}}@media (min-width:48rem){.fi-ta-header-group-cell.md\:fi-hidden{display:none}}@media (min-width:64rem){.fi-ta-header-group-cell.lg\:fi-
hidden{display:none}}@media (min-width:80rem){.fi-ta-header-group-cell.xl\:fi-
hidden{display:none}}@media (min-width:96rem){.fi-ta-header-group-cell.\32 xl\:fi-hidden{display:none}}.fi-ta-header-group-cell.sm\:fi-visible{display:none}@media (min-
width:40rem){.fi-ta-header-group-cell.sm\:fi-visible{display:table-cell}}.fi-ta-header-group-
cell.md\:fi-visible{display:none}@media (min-width:48rem){.fi-ta-header-group-cell.md\:fi-
visible{display:table-cell}}.fi-ta-header-group-cell.lg\:fi-visible{display:none}@media (min-
width:64rem){.fi-ta-header-group-cell.lg\:fi-visible{display:table-cell}}.fi-ta-header-group-
cell.xl\:fi-visible{display:none}@media (min-width:80rem){.fi-ta-header-group-cell.xl\:fi-visible{display:table-cell}}.fi-ta-header-group-cell.\32 xl\:fi-visible{display:none}@media (min-
width:96rem) {.fi-ta-header-group-cell.\32 xl\:fi-visible{display:table-cell}}.fi-ta-header-group-
cell.fi-wrapped{white-space:normal}.fi-ta-header-group-cell:not(.fi-wrapped){white-space:nowrap}.fi-
ta-empty-header-cell{width:calc(var(--spacing)*1)}@media (hover:hover){.fi-ta-row{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-filter, backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration)); --tw-duration:75ms; transition-duration:75ms}.fi-ta-
row.fi-clickable:hover{background-color:var(--gray-50)}.fi-ta-row.fi-clickable:where(.dark,.dark
*):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-row.fi-
clickable:where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}}.fi-ta-row.fi-striped{background-color:var(--gray-50)}.fi-ta-row.fi-
striped:where(.dark,.dark *){background-color:#ffffffdd}@supports (color:color-mix(in lab, red,
red)){.fi-ta-row.fi-striped:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-row.fi-collapsed{display:none}.fi-ta-row.fi-ta-group-header-
row>td{background-color:var(--gray-50)}.fi-ta-row.fi-ta-group-header-row>td:where(.dark,.dark
*){background-color:#fffffffdd}@supports (color:color-mix(in lab, red, red)){.fi-ta-row.fi-ta-group-
header-row>td:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-ta-row .fi-ta-group-header{align-items:center;column
qap:calc(var(--spacing)*3);width:100%;padding-inline:calc(var(--spacing)*3);padding-
block:calc(var(--spacing)*2);display:flex}.fi-ta-row .fi-ta-group-header.fi-
collapsible{cursor:pointer}.fi-ta-row .fi-ta-group-header.fi-collapsible.fi-collapsed .fi-icon-
btn{rotate:-180deg}.fi-ta-row .fi-ta-group-header .fi-ta-group-heading{font-size:var(--text-
sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium); font-weight: var(--font-weight-medium); color: var(--gray-950)}.fi-ta-row .fi-ta-group-header .fi-ta-group-heading: where (.dark,.dark *) {color: var(--color-white)}.fi-ta-row .fi-ta-group-header .fi-ta-group-description {font-size: var(--text-sm); line-height: var(--tw-leading, var(--text-sm--line-
height));color:var(--gray-500)}.fi-ta-row .fi-ta-group-header .fi-ta-group-
description:where(.dark,.dark *){color:var(--gray-400)}.fi-ta-row.fi-selected:not(.fi-
striped){background-color:var(--gray-50)}.fi-ta-row.fi-selected:not(.fi-striped):where(.dark,.dark
*){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-ta-row.fi-selected:not(.fi-striped):where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-mix)
white)5%, transparent)}}.fi-ta-row.fi-selected>:first-child{position:relative}.fi-ta-row.fi-
selected>:first-child:before{inset-
block:calc(var(--spacing)*0);width:calc(var(--spacing)*.5);background-
color:var(--primary-600);content:"";position:absolute;inset-inline-start:calc(var(--spacing)*0)}.fi-ta-row.fi-selected>:first-child:where(.dark,.dark *):before{background-color:var(--primary-500)}.fi-ta-reordering .fi-ta-row:not(.fi-ta-row-not-reorderable){cursor:move}.fi-ta-table{table-layout:auto;width:100%}:where(.fi-ta-table>:not(.last-child)){--tw-divide-y-reverse:0;border-bottom-
style:var(--tw-border-style);border-top-style:var(--tw-border-style);border-top-
width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-
reverse)));border-color:var(--gray-200)}.fi-ta-table{text-align:start}:where(.fi-ta-
table:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){:where(.fi-ta-table:where(.dark,.dark *)>:not(:last-child)){border-color:color-
mix(in oklab,var(--color-white)5%,transparent)}/:where(.fi-ta-table>thead>:not(:last-child)){--tw-
divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-style:var(--tw-border-
style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 -
var(--tw-divide-y-reverse)));border-color:var(--gray-200)}:where(.fi-ta-
table>thead:where(.dark,.dark *)>:not(:last-child)){border-color:#ffffff0d}@supports (color:color-
mix(in lab, red, red)){:where(.fi-ta-table>thead:where(.dark,.dark *)>:not(:last-child)){border-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-table>thead>tr{background-
```

```
color:var(--gray-50)}.fi-ta-table>thead>tr:where(.dark,.dark *){background-color:#ffffff0d}@supports
 (color:color-mix(in lab, red, red)){.fi-ta-table>thead>tr:where(.dark,.dark *){background
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-ta-table>thead>tr.fi-ta-table-head-
groups-row{background-color:var(--gray-100)}.fi-ta-table>thead>tr.fi-ta-table-head-groups
row:where(.dark,.dark *){background-color:#0000}:where(.fi-ta-table>tbody>:not(:last-child)){--tw-
divide-y-reverse:0;border-bottom-style:var(--tw-border-style);border-top-style:var(--tw-border-
style);border-top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 -
var(--tw-divide-y-reverse)));border-color:var(--gray-200)}.fi-ta-table>tbody{white-
space:nowrap}:where(.fi-ta-table>tbody:where(.dark,.dark *)>:not(:last-child)){border-
color:#fffff0d}@supports (color:color-mix(in lab, red, red)){:where(.fi-ta-
table>tbody:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child)){border-color:color-mix(in oklab,var(--color-
dark).dark *)>:not(:last-child).dark *)
white)5%, transparent)}}.fi-ta-table>tfoot{background-color:var(--gray-50)}.fi-ta-
table>tfoot:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){.fi-ta-table>tfoot:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}.fi-ta-col-manager{row-gap:calc(var(--spacing)*4);display:grid}.fi-ta-col-
manager .fi-ta-col-manager-ctn{gap:calc(var(--spacing)*4);display:grid}.fi-ta-col-manager .fi-ta-col-manager   .fi-ta-col-manager-heading{font-size:var(--text-base);line-height:var(--tw-leading,var(--text-base--
line-height));--tw-leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-
weight:var(--font-weight-semibold);font-weight:var(--font-weight-semibold);color:var(--gray-950)}.fi-ta-col-manager .fi-ta-col-manager-heading:where(.dark,.dark*){color:var(--color-white)}.fi-ta-col-manager .fi-ta-col-manager-items{margin-
top:calc(var(--spacing)*-6);column-gap:calc(var(--spacing)*6)}.fi-ta-col-manager .fi-ta-col-manager
item{break-inside:avoid;align-items:center;gap:calc(var(--spacing)*3);padding-
top:calc(var(--spacing)*6);display:flex}.fi-ta-col-manager .fi-ta-col-manager-item .fi-ta-col-
manager-label{align-items:center;column-gap:calc(var(--spacing)*3);width:100%;font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium);font-weight:var(--font-weight-medium);color:var(--gray-950);flex:1;display:flex}.fi-ta-col-manager .fi-ta-col-manager-item .fi-ta-col-manager-label:where(.dark,.dark *){color:var(--color-white)}.fi-ta-col-manager .fi-ta-col-manager-item .fi-ta-col-manager-label .fi-checkbox-input{flex-
shrink:0}.fi-ta-col-manager .fi-ta-col-manager-item .fi-ta-col-manager-reorder-
handle{cursor:move}.fi-ta-col-manager .fi-ta-col-manager-group{break-inside:avoid}.fi-ta-col-manager
.fi-ta-col-manager-group .fi-ta-col-manager-group-items{padding-inline-
start:calc(var(--spacing)*8)}.fi-wi-chart .fi-wi-chart-filter.fi-input-wrp{width:max-content}@media
 (min-width:40rem){.fi-wi-chart .fi-wi-chart-filter.fi-input-wrp{margin-
block:calc(var(--spacing)*-2)}}.fi-wi-chart .fi-wi-chart-filter.fi-dropdown .fi-wi-chart-filter-content{padding:calc(var(--spacing)*6)}.fi-wi-chart .fi-color .fi-wi-chart-bg-color{color:var(--color-50)}.fi-wi-chart .fi-color .fi-wi-chart-bg-color:var(--color-50)}.fi-wi-chart bg-color:var(--color-50)}.fi-wi-chart-bg-color:var(--color-50)}.fi-wi-chart-bg-color:var(--color-50)}.fi-wi-chart-bg-color:var(--color-50)}.fi-wi-chart-bg-color:var(--color-50)}.fi-wi-chart-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color-bg-color
*){color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-wi-chart .fi-color .fi-wi-chart-bg-color:where(.dark,.dark *){color:color-mix(in
oklab,var(--color-400)10%,transparent)}}.fi-wi-chart .fi-color .fi-wi-chart-border-color{color:var(--color-500)}.fi-wi-chart .fi-color .fi-wi-chart-border-color:where(.dark,.dark
*){color:var(--color-400)}.fi-wi-chart .fi-wi-chart-bg-color{color:var(--gray-100)}.fi-wi-chart .fi-wi-chart-bg-color:where(.dark,.dark *){color:var(--gray-800)}.fi-wi-chart .fi-wi-chart-bg-color:var(--gray-800)}.fi-wi-chart .fi-wi-chart .
color{color:var(--gray-400)}.fi-wi-chart .fi-wi-chart-grid-color{color:var(--gray-200)}.fi-wi-chart
.fi-wi-chart-grid-colór:whére(.dark,.dark *){color:var(--gray-800)}.fi-wi-chart .fi-wi-chart-text-color{color:var(--gray-500)}.fi-wi-chart .fi-wi-chart-text-color:where(.dark,.dark
*){color:var(--gray-400)}.fi-wi-stats-overview-stat{border-radius:var(--radius-xl);background-color:var(--color-white);padding:calc(var(--spacing)*6);--tw-shadow:0 lpx 3px 0 var(--tw-shadow-
color,#0000001a),0 1px 2px -1px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow)
shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-
ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-
ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring-
color:var(--gray-950);display:block;position:relative}@supports (color:color-mix(in lab, red,
red)){.fi-wi-stats-overview-stat{--tw-ring-color:color-mix(in
oklab,var(--gray-950)5%,transparent)}}.fi-wi-stats-overview-stat:where(.dark,.dark *){background-
color:var(--gray-900);--tw-ring-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-
wi-stats-overview-stat:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white)10%, transparent)}}.fi-wi-stats-overview-stat .fi-icon{color:var(--gray-400)}.fi-wi-stats-overview-stat .fi-icon:var(--gray-500)}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat -wi-stats-overview-stat-label-ctn{align-items:center;column-
gap:calc(var(--spacing)*2);display:flex}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-
label{font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);color:var(--gray-500)}.fi-wi-
stats-overview-stat .fi-wi-stats-overview-stat-label:where(.dark,.dark*){color:var(--gray-400)}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-value{font-size:var(--text-3xl);line-
height:var(--tw-leading,var(--text-3xl--line-height));--tw-font-weight:var(--font-weight-
semibold); font-weight: var(--font-weight-semibold); --tw-tracking: var(--tracking-tight); letter-
spacing:var(--tracking-tight);color:var(--gray-950)}.fi-wi-stats-overview-stat .fi-wi-stats-
overview-stat-value:where(.dark,.dark *){color:var(--color-white)}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-description{align-items:center;column-gap:calc(var(--spacing)*1);font-
```

```
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-
height));color:var(--gray-500);display:flex}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat
description:where(.dark,.dark *){color:var(--gray-400)}.fi-wi-stats-overview-stat .fi-wi-stats-
overview-stat-description.fi-color(color:var(--text)).fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-description.fi-color:where(.dark,.dark *)(color:var(--dark-text)).fi-wi-stats-
overview-stat .fi-wi-stats-overview-stat-description.fi-color .fi-icon{color:var(--color-500)}.fi-
wi-stats-overview-stat .fi-wi-stats-overview-stat-chart{inset-
inline:calc(var(--spacing)*0);bottom:calc(var(--spacing)*0);border-bottom-right-radius:var(--radius-
xl);border-bottom-left-radius:var(--radius-xl);position:absolute;overflow:hidden}.fi-wi-stats-
overview-stat .fi-wi-stats-overview-stat-chart>canvas{height:calc(var(--spacing)*6)}.fi-wi-stats-
overview-stat .fi-wi-stats-overview-stat-chart .fi-wi-stats-overview-stat-chart-bg
color{color:var(--gray-100)}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-chart .fi-wi-
stats-overview-stat-chart-bg-color:where(.dark,.dark *){color:var(--gray-800)}.fi-wi-stats-overview-
stat .fi-wi-stats-overview-stat-chart .fi-wi-stats-overview-stat-chart-border-color{color:var(--gray-400)}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-chart.fi-color
.fi-wi-stats-overview-stat-chart-bg-color{color:var(--color-50)}.fi-wi-stats-overview-stat .fi-wi-
stats-overview-stat-chart.fi-color fi-wi-stats-overview-stat-chart-bg-color:where(.dark,.dark
*){color:var(--color-400)}@supports (color:color-mix(in lab, red, red)){.fi-wi-stats-overview-stat
.fi-wi-stats-overview-stat-chart.fi-color .fi-wi-stats-overview-stat-chart.bg-
color:where(.dark,.dark *){color:color-mix(in oklab,var(--color-400)10%,transparent)}}.fi-wi-stats-
overview-stat .fi-wi-stats-overview-stat-chart.fi-color .fi-wi-stats-overview-stat-chart.fi-color color{color:var(--color-500)}.fi-wi-stats-overview-stat .fi-wi-stats-overview-stat-chart.fi-color
.fi-wi-stats-overview-stat-chart-border-color:where(.dark,.dark *){color:var(--color-400)}.fi-
wi{gap:calc(var(--spacing)*6)}.fi-global-search-ctn{align-items:center;display:flex}@media (min-
width: 40rem) { .fi-global-search{position:relative}} .fi-global-search-results-ctn{inset-
inline:calc(var(--spacing)*4);z-index:10;margin-top:calc(var(--spacing)*2);max-
height:calc(var(--spacing)*96);border-radius:var(--radius-lg);background-color:var(--color-
white);--tw-shadow:0 10px 15px -3px var(--tw-shadow-color,#0000001a),0 4px 6px -4px var(--tw-shadow-color,#0000001a);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-
shadow);--tw-ring-color:var(--gray-950);position:absolute;overflow:auto}@supports (color:color-mix(in lab, red, red)){.fi-global-search-results-ctn{--tw-ring-color:color-mix(in
oklab, var(--gray-950)5%, transparent)}}.fi-global-search-results-ctn{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-filter,display,visibility,content-visibility,overlay,pointer-events;transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration))}@media (min-width:40rem){.fi-global-search-results-
ctn{width:100vw;inset-inline:auto;max-width:var(--container-sm);inset-inline-
end:calc(var(--spacing)*0)}}.fi-global-search-results-ctn:where(.dark,*){background-
color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-
global-search-results-ctn:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-
white) 10%, transparent) }}.fi-global-search-results-ctn{transform:translateZ(0)}.fi-global-search-
results-ctn.fi-transition-enter-start, .fi-global-search-results-ctn.fi-transition-leave-
end{opacity:0}.fi-global-search-no-results-message{padding-inline:calc(var(--spacing)*4);padding-
block:calc(var(--spacing)*4);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--
line-height));color:var(--gray-500)}.fi-global-search-no-results-message:where(.dark,.dark
*){color:var(--gray-400)}:where(.fi-global-search-results>:not(:last-child)){--tw-divide-y
reverse:0;border-bottom-style:var(--tw-border-style);border-top-style:var(--tw-border-style);border-
top-width:calc(1px*var(--tw-divide-y-reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-
mix(in oklab,var(--color-white)10%,transparent)}}.fi-global-search-result-group-
header{top:calc(var(--spacing)*0);z-index:10;border-bottom-style:var(--tw-border-style);border-
bottom-width:1px;border-color:var(--gray-200);background-color:var(--gray-50);padding-
inline:calc(var(--spacing)*4);padding-block:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-semibold);font-weight:var(--font-weight-semibold);
transform:capitalize;position:sticky}.fi-global-search-result-group-header:where(.dark,.dark
*){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){.fi-global-search-result-
group-header:where(.dark,.dark *){border-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-global-search-result-group-header:where(.dark,.dark *){background-
color:var(--gray-800);color:var(--color-white)}:where(.fi-global-search-result-group-
results>:not(:last-child)){--tw-divide-y-reverse:0;border-bottom-style:var(--tw-border-
style);border-top-style:var(--tw-border-style);border-top-width:calc(1px*var(--tw-divide-y-
reverse));border-bottom-width:calc(1px*calc(1 - var(--tw-divide-y-reverse)));border-color:var(--gray-200)}:where(.fi-global-search-result-group-results:where(.dark,.dark *)>:not(:last-
child)){border-color:#ffffff1a}@supports (color:color-mix(in lab, red, red)){:where(.fi-global-search-result-group-results:where(.dark,.dark *)>:not(:last-child)){border-color:color-mix(in
```

public\css\filament\filament\app.css

```
oklab,var(--color-white)10%,transparent)}}.fi-global-search-result{scroll-margin-
top:calc(var(--spacing)*9);transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration)); --tw-duration:75ms; transition-duration:75ms}.fi-qlobal-
search-result:focus-within{background-color:var(--gray-50)}@media (hover:hover){.fi-global-search-
result:hover{background-color:var(--gray-50)}}.fi-global-search-result:where(.dark,.dark *):focus-within{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-global-search-
result:where(.dark,.dark *):focus-within{background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}@media (hover:hover){.fi-global-search-result:where(.dark,.dark
*):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-global-search-
result:where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color
white)5%, transparent)}}}.fi-global-search-result.fi-global-search-result-has-actions .fi-global-
search-result-link{padding-bottom:calc(var(--spacing)*0)}.fi-global-search-result-
link{padding:calc(var(--spacing)*4);--tw-outline-style:none;outline-style:none;display:block}@media (forced-colors:active){.fi-global-search-result-link{outline-offset:2px;outline:2px solid
#0000}}.fi-global-search-result-heading{font-size:var(--text-sm);line-height:var(--tw-
leading, var(--text-sm--line-height)); --tw-font-weight:var(--font-weight-medium); font-weight:var(--font-weight-medium); color:var(--gray-950)}.fi-global-search-result-
heading:where(.dark,.dark *){color:var(--color-white)}.fi-global-search-result-details{margin-
top:calc(var(--spacing)*1)}.fi-global-search-result-detail{font-size:var(--text-sm);line}
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-global-search-result-
detail:where(.dark,.dark *){color:var(--gray-400)}.fi-global-search-result-detail-label{--tw-font-
weight:var(--font-weight-medium);font-weight:var(--font-weight-medium);display:inline}.fi-global-search-result-detail-value{display:inline}.fi-global-search-result-actions{margin-
top:calc(var(--spacing)*3);column-gap:calc(var(--spacing)*3);padding-
inline:calc(var(--spacing)*4);padding-bottom:calc(var(--spacing)*4);display:flex}.fi-
header{gap:calc(var(--spacing)*4);flex-direction:column;display:flex}@media (min-width:40rem){.fi-
header{flex-direction:row;justify-content:space-between;align-items:center}}.fi-header .fi-breadcrumbs{margin-bottom:calc(var(--spacing)*2);display:none}@media (min-width:40rem){.fi-header
.fi-breadcrumbs{display:block}.fi-header.fi-header-has-breadcrumbs .fi-header-actions-ctn{margin-top:calc(var(--spacing)*7)}}.fi-header-heading{font-size:var(--text-2xl);line-height:var(--tw-leading,var(--text-2xl)-line-height));--tw-font-weight:var(--font-weight-bold);font-
weight:var(--font-weight-bold);--tw-tracking:var(--tracking-tight);letter-spacing:var(--tracking-
tight);color:var(--gray-950)}@media (min-width:40rem){.fi-header-heading{font-
size:var(--text-3xl);line-height:var(--tw-leading,var(--text-3xl--line-height))}.fi-header-heading:where(.dark,.dark *){color:var(--color-white)}.fi-header-subheading{margin-
top:calc(var(--spacing)*2);max-width:var(--container-2xl);font-size:var(--text-lg);line-
height:var(--tw-leading,var(--text-lg--line-height));color:var(--gray-600)}.fi-header subheading:where(.dark,.dark *){color:var(--gray-400)}.fi-header-actions-ctn{align-
items:center;gap:calc(var(--spacing)*3);flex-shrink:0;display:flex}.fi-simple-header{flex-direction:column;align-items:center;display:flex}.fi-simple-header .fi-logo{margin-
bottom:calc(var(--spacing)*4)}.fi-simple-header-heading{text-align:center;font-
size:var(--text-2xl);line-height:var(--tw-leading,var(--text-2xl--line-height));--tw-font-
weight:var(--font-weight-bold);font-weight:var(--font-weight-bold);--tw-tracking:var(--tracking-
leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-simple-header-
subheading:where(.dark,.dark *){color:var(--gray-400)}html.fi{min-height:100dvh}.fi-body{background-
color:var(--gray-50);--tw-font-weight:var(--font-weight-normal);min-height:100dvh;font-
weight:var(--font-weight-normal);color:var(--gray-950);-webkit-font-smoothing:antialiased;-moz-osx-
font-smoothing:grayscale}.fi-body:where(.dark,.dark *){background-
color:var(--gray-950);color:var(--color-white)}:is(.fi-body.fi-body-has-sidebar-collapsible-on-
desktop fi body has sidebar fully sollarsible on desktop) fi main
desktop, .fi-body.fi-body-has-sidebar-fully-collapsible-on-desktop) .fi-main-
ctn{opacity:0;height:100%;transition-property:all;transition-timing-function:var(--tw-
ease, var(--default-transition-timing-function)); transition-duration: var(--tw-duration, var(--default-
transition-duration))}.fi-body.fi-body-has-navigation:not(.fi-body-has-sidebar-collapsible-on-desktop):not(.fi-body-has-sidebar-fully-collapsible-on-desktop):not(.fi-body-has-top-navigation)
 .fi-main-ctn{opacity:0}:is(.fi-body.fi-body-has-top-navigation,.fi-body:not(.fi-body-has-
navigation)) .fi-main-ctn{display:flex}.fi
layout{width:100%;height:100%;display:flex;overflow-x:clip}.fi-main-ctn{flex-direction:column;flex:1;width:100vw}.fi-main{width:100%;height:100%;padding-inline:calc(var(--spacing)*4);margin-inline:auto}@media (min-width:48rem){.fi-main{padding-inline:auto}@media (min-width)@media (min-width)@media (min-width)@media (min-width)@media (min-width)@media (min-width)@media (min-width)@media (min-width)@media (min-width)@media (
inline:calc(var(--spacing)*6)}}@media (min-width:64rem){.fi-main{padding-
inline:calc(var(--spacing)*8)}}:is(.fi-main,.fi-simple-main).fi-width-xs{max-width:var(--container-
inline:calc(var(--spacing)*8)});
intile.catc(val(--spacing) of first in the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of the strength of th
```

public\css\filament\filament\app.css

```
width-4xl{max-width:var(--container-4xl)}:is(.fi-main,.fi-simple-main).fi-width-5xl{max-
width:var(--container-5xl)}:is(.fi-main,.fi-simple-main).fi-width-6xl{max-
width:var(--container-6xl)}:is(.fi-main,.fi-simple-main).fi-width-7xl{max-
width:var(--container-7xl)}:is(.fi-main,.fi-simple-main).fi-width-full{max-width:100%}:is(.fi-
main,.fi-simple-main).fi-width-min{max-width:min-content}:is(.fi-main,.fi-simple-main).fi-width-
max{max-width:max-content}:is(.fi-main,.fi-simple-main).fi-width-fit{max-width:fit-content}:is(.fi-
main,.fi-simple-main).fi-width-prose{max-width:65ch}:is(.fi-main,.fi-simple-main).fi-width-screen-
sm{max-width:var(--breakpoint-sm)}:is(.fi-main,.fi-simple-main).fi-width-screen-md{max-
width:var(--breakpoint-md)}:is(.fi-main,.fi-simple-main).fi-width-screen-lg{max-
width:var(--breakpoint-lg)}:is(.fi-main,.fi-simple-main).fi-width-screen-xl{max-
width:var(--breakpoint-xl)}:is(.fi-main,.fi-simple-main).fi-width-screen-2xl{max-
width:var(--breakpoint-2xl)}:is(.fi-main,.fi-simple-main).fi-width-
screen{inset:calc(var(--spacing)*0);position:fixed}.fi-simple-layout{flex-direction:column;align-
items:center;min-height:100dvh;display:flex}.fi-simple-layout-header{inset-inline-
end:calc(var(--spacing)*0);top:calc(var(--spacing)*0);height:calc(var(--spacing)*16);align-
items:center;column-gap:calc(var(--spacing)*4);padding-inline-
end:calc(var(--spacing)*4);display:flex;position:absolute}@media (min-width:48rem){.fi-simple-
layout-header{padding-inline-end:calc(var(--spacing)*6)}}@media (min-width:64rem){ fi-simple-layout-
header{padding-inline-end:calc(var(--spacing)*8)}}.fi-simple-main-ctn{flex-grow:1; justify-
content:center;align-items:center;width:100%;display:flex}.fi-simple-main{margin-
block:calc(var(--spacing)*16);background-color:var(--color-white);width:100%;padding-inline:calc(var(--spacing)*6);padding-block:calc(var(--spacing)*12);--tw-shadow:0 1px 2px 0
var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-
shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(lpx + var(--tw-ring-offset-width))var(--tw-ring-offset-width))
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-simple-main{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}@media (min-width:40rem){.fi-simple-main{border-
radius:var(--radius-xl);padding-inline:calc(var(--spacing)*12)}}.fi-simple-main:where(.dark,.dark
*){background-color:var(--gray-900);--tw-ring-color:#fffffffa}@supports (color:color-mix(in lab, red, red)){.fi-simple-main:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-logo{font-size:var(--text-xl);line-height:var(--tw-leading,var(--text-xl)-line-height);--tw-leading:calc(var(--spacing)*5);line-height:calc(var(--spacing)*5);--tw-font-
weight:var(--font-weight-bold);font-weight:var(--font-weight-bold);--tw-tracking:var(--tracking-
tight); letter-spacing:var(--tracking-tight); color:var(--gray-950); display:flex}.fi-
logo:where(.dark,.dark *){color:var(--color-white)}.fi-logo.fi-logo-light:where(.dark,.dark *),.fi-
logo.fi-logo-dark{display:none}.fi-logo.fi-logo-dark:where(.dark,.dark *){display:flex}@media (min-width:48rem){.fi-page-sub-navigation-dropdown{display:none}}.fi-page-sub-navigation-dropdown>.fi-dropdown-trigger>.fi-btn{justify-content:space-between;width:100%}.fi-page-sub-navigation-sidebar-
ctn{width:calc(var(--spacing)*72);flex-direction:column;display:none}@media (min-width:48rem){.fi-
page-sub-navigation-sidebar-ctn{display:flex}}.fi-page-sub-navigation-sidebar{row-
gap:calc(var(--spacing)*7);flex-direction:column;display:flex}.fi-page-sub-navigation-
tabs{display:none}@media (min-width:48rem){.fi-page-sub-navigation-tabs{display:flex}}.fi-page.fi-
height-full,.fi-page.fi-height-full .fi-page-main,.fi-page.fi-height-full .fi-page-header-main-
ctn,.fi-page.fi-height-full .fi-page-content{height:100%}.fi-page.fi-page-has-sub-navigation .fi-
page-main{gap:calc(var(--spacing)*8);flex-direction:column;display:flex}@media (min-
width:48rem){:is(.fi-page.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-navigation.fi-page-has-sub-n
items:flex-start}}.fi-page-header-main-ctn{row-gap:calc(var(--spacing)*8);padding-
block:calc(var(--spacing)*8);flex-direction:column;display:flex}.fi-page-main-sub-navigation-mobile-
menu-render-hook-ctn{display:contents}@media (min-width:48rem){fi-page-main-sub-navigation-mobile-
menu-render-hook-ctn{display:none}}.fi-page-content{row-gap:calc(var(--spacing)*8);flex:1;grid-auto-columns:minmax(0,1fr);display:grid}.fi-simple-page-content{row-gap:calc(var(--spacing)*6);grid-auto-columns:minmax(0,1fr);display:grid}.fi-sidebar-group{row-gap:calc(var(--spacing)*1);flex-
direction:column;display:flex}.fi-sidebar-group.fi-collapsed .fi-sidebar-group-collapse-
btn{rotate:-180deg}.fi-sidebar-group.fi-active .fi-sidebar-group-dropdown-trigger-btn .fi-
icon{color:var(--primary-600)}.fi-sidebar-group.fi-active .fi-sidebar-group-dropdown-trigger-btn
 .fi-icon:where(.dark,.dark *){color:var(--primary-400)}.fi-sidebar-group-btn{align-
items:center;column-gap:calc(var(--spacing)*3);padding-inline:calc(var(--spacing)*2);padding-block:calc(var(--spacing)*2);display:flex}.fi-sidebar-group-btn .fi-icon;var(--gray-400)}.fi-sidebar-group-btn .fi-icon:where(.dark,.dark *){color:var(--gray-500)}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-group-label{font-spacing}.fi-sidebar-gr
size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-
leading:calc(var(--spacing)*6); line-height:calc(var(--spacing)*6); --tw-font-weight:var(--font-
weight-medium); font-weight: var(--font-weight-medium); color: var(--gray-500); flex:1}. fi-sidebar-group-
label:where(.dark,.dark *){color:var(--gray-400)}.fi-sidebar-group-dropdown-trigger-btn{justify-
content:center;align-items:center;column-gap:calc(var(--spacing)*3);border-radius:var(--radius-
lg);padding-inline:calc(var(--spacing)*2);padding-block:calc(var(--spacing)*2);--tw-outline-
style:none;outline-style:none;flex:1;display:flex;position:relative}@media (forced-
colors:active){.fi-sidebar-group-dropdown-trigger-btn{outline-offset:2px;outline:2px solid
#0000}}.fi-sidebar-group-dropdown-trigger-btn{transition-property:color,background-color,border-
color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-
```

```
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration.var(--default-transition-duration)):--tw-duration:75ms:transition-
duration:75ms}@media (hover:hover){.fi-sidebar-group-dropdown-trigger-btn:hover{background-color:var(--gray-100)}}.fi-sidebar-group-dropdown-trigger-btn:focus-visible{background-
color:var(--gray-100))@media (hover:hover){.fi-sidebar-group-dropdown-trigger-btn:where(.dark,.dark
*):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-sidebar-group-dropdown-trigger-btn:where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}}.fi-sidebar-group-dropdown-trigger-btn:where(.dark,.dark *):focus-
visible{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-sidebar-group-
dropdown-trigger-btn:where(.dark,.dark *):focus-visible{background-color:color-mix(in
oklab,var(--color-white)5%,transparent)}}.fi-sidebar-group-dropdown-trigger-btn .fi-
icon{color:var(--gray-400)}.fi-sidebar-group-dropdown-trigger-btn .fi-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-sidebar-group-items{row-gap:calc(var(--spacing)*1);flex-
direction:column;display:flex}:is(.fi-sidebar-group-btn,.fi-sidebar-group-items).fi-transition-
enter{transition-delay:.1s}@media (min-width:64rem){:is(.fi-sidebar-group-btn,.fi-sidebar-group-
items).fi-transition-enter{transition-property:color,background-color,border-color,outline-
color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-
to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration,var(--default-transition-duration))}}:is(.fi-sidebar-group-btn,.fi-sidebar-group-items).fi-
transition-enter-start{opacity:0}:is(.fi-sidebar-group-btn,.fi-sidebar-group-items).fi-transition-
enter-end{opacity:1}.fi-sidebar{inset-block:calc(var(--spacing)*0);z-index:30;background-
color:var(--color-white); height: 100dvh; transition-property: all; transition-timing-function: var(--tw-
ease, var(--default-transition-timing-function)); transition-duration: var(--tw-duration, var(--default-
transition-duration)); flex-direction: column; align-content: flex-
start;display:flex;position:fixed;inset-inline-start:calc(var(--spacing)*0)}@media (min-
width:64rem){.fi-sidebar{z-index:20;background-color:#0000;height:calc(100dvh - 4rem);transition-
property:none;top:4rem}}.fi-sidebar:where(.dark,.dark *){background-color:var(--gray-900)}@media (min-width:64rem){.fi-sidebar:where(.dark,.dark *){background-color:#0000}}.fi-sidebar.fi-sidebar-open{width:var(--sidebar-width);--tw-translate-x:calc(var(--spacing)*0);translate:var(--tw-translate-x)var(--tw-translate-y);--tw-shadow:0 20px 25px -5px var(--tw-shadow-color,#0000001a),0 8px 10px -6px var(--tw-shadow-color,#0000001a);bx-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow),var(--tw-inset-sha
ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-
shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-offset-width))var(--tw-ring-
color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-
offset-shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sidebar.fi-sidebar-open{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}@media (min-width:64rem){.fi-sidebar.fi-sidebar-open{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}
shadow:0 0 #0000;box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(0px
+ var(--tw-ring-offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-
shadow), var(--tw-inset-ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow)
shadow)}}.fi-sidebar.fi-sidebar-open:where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-
translate-x:calc(var(--spacing)*0);translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-
sidebar.fi-sidebar-open:where(.dark,.dark *){--tw-ring-color:#ffffffla}@supports (color:color-mix(in
lab, red, red)){.fi-sidebar.fi-sidebar-open:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-sidebar:not(.fi-sidebar-open){--tw-
translate-x:-100%;translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-sidebar:not(.fi-sidebar-open):where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-translate-x:100%;translate:var(--tw-
translate-x)var(--tw-translate-y)}.fi-sidebar-close-
overlay{inset:calc(var(--spacing)*0);z-index:30;background-
color:var(--gray-950);position:fixed}@supports (color:color-mix(in lab, red, red)){.fi-sidebar-
close-overlay{background-color:color-mix(in oklab,var(--gray-950)50%,transparent)}}.fi-sidebar-close-overlay{transition-property:color,background-color,border-color,outline-color,text-decoration-
color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-
shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-filter, backdrop
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:.5s;transition-duration:.5s}@media (min-
width:64rem){.fi-sidebar-close-overlay{display:none}}.fi-sidebar-close-overlay:where(.dark,.dark
*){background-color:var(--gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-sidebar-close-overlay:where(.dark,.dark *){background-color:color-mix(in
oklab, var(--gray-950)75%, transparent)}}@media (min-width:64rem){.fi-body.fi-body-has-top-navigation
fi-sidebar{--tw-translate-x:-100%;translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-body.fi-body-has-top-navigation .fi-sidebar:where(:dir(rtl),[dir=rtl],[dir=rtl] *){--tw-translate-x:100%;translate:var(--tw-translate-x)var(--tw-translate-y)}.fi-body:not(.fi-body-has-top-navigation) .fi-sidebar.fi-sidebar-open, fi-body:not(.fi-body-has-top-navigation) .fi-body-has-
sidebar-collapsible-on-desktop .fi-sidebar:not(.fi-sidebar-open){position:sticky}.fi-body:not(.fi-
body-has-top-navigation).fi-body-has-sidebar-collapsible-on-desktop .fi-sidebar:not(.fi-sidebar-open),.fi-body:not(.fi-body-has-top-navigation).fi-body-has-sidebar-collapsible-on-desktop .fi-sidebar:not(.fi-body-has-top-navigation).fi-body-has-sidebar-collapsible-on-desktop .fi-sidebar:not(.fi-sidebar-open):where(:dir(rtl),[dir=rtl],[dir=rtl] *),.fi-body:not(.fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-sidebar-collapsible-on-desktop .fi-sidebar-open):where(:dir(rtl),[dir=rtl],[dir=rtl] *),.fi-body:not(.fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-sidebar-collapsible-on-desktop .fi-sidebar-open):where(:dir(rtl),[dir=rtl],[dir=rtl] *),.fi-body:not(.fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-sidebar-open):where(:dir(rtl),[dir=rtl],[dir=rtl] *),.fi-body:not(.fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-sidebar-open):where(:dir(rtl),[dir=rtl],[dir=rtl] *),.fi-body:not(.fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-has-top-navigation).fi-body-ha
```

```
navigation):not(.fi-body-has-sidebar-collapsible-on-desktop):not(.fi-body-has-sidebar-fully-
collapsible-on-desktop) .fi-sidebar, .fi-body:not(.fi-body-has-top-navigation):not(.fi-body-has-sidebar-collapsible-on-desktop):not(.fi-body-has-sidebar-fully-collapsible-on-desktop) .fi-
has-sidebar-fully-collapsible-on-desktop) .fi-sidebar:not(.fi-sidebar-open){width:var(--sidebar-width)}@media (min-width:64rem){.fi-body:not(.fi-body-has-top-navigation):not(.fi-body-has-sidebar-
collapsible-on-desktop):not(.fi-body-has-sidebar-fully-collapsible-on-desktop) .fi-sidebar:not(.fi-sidebar-open){position:sticky}}.fi-body.fi-body-has-sidebar-collapsible-on-desktop .fi-sidebar-nav-
tenant-menu-ctn,.fi-body:not(.fi-body-has-sidebar-collapsible-on-desktop) .fi-sidebar-fi-sidebar-
open .fi-sidebar-nav-tenant-menu-ctn(margin-inline:calc(var(--spacing)*-2)).fi-body:not(.fi-body-has-sidebar-collapsible-on-desktop) .fi-sidebar:not(.fi-sidebar-open) .fi-sidebar-nav-tenant-menu-
ctn{margin-inline:calc(var(--spacing)*-4)}.fi-sidebar-header-ctn{overflow-x:clip}@media (min-
width:64rem){.fi-sidebar-header-ctn{display:none}}.fi-sidebar-
header{height:calc(var(--spacing)*16);background-color:var(--color-white);padding-
inline:calc(var(--spacing)*6);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-
ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-ring-shadow); --tw-ring
color:var(--gray-950);align-items:center;display:flex}@supports (color:color-mix(in lab, red,
red)){.fi-sidebar-header{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}@media (min-width:64rem){.fi-sidebar-header{--tw-shadow:0 1px 2px 0 var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-inset-ring-shadow)
ring-shadow), var(--tw-shadow)}}.fi-sidebar-header:where(.dark,.dark *){background-
color:var(--gray-900);--tw-ring-color:#ffffffla@supports (color:color-mix(in lab, red, red)){.fi-
sidebar-header:where(.dark,.dark *){--tw-ring-color:color-mix(in oklab,var(--color-white)10%,transparent)}}.fi-sidebar-nav{row-gap:calc(var(--spacing)*7);padding-
inline:calc(var(--spacing)*6);padding-block:calc(var(--spacing)*8);scrollbar-gutter:stable;flex-direction:column;flex-grow:1;display:flex;overflow:hidden_auto}.fi-sidebar-nav-groups{margin-
inline:calc(var(--spacing)*-2);row-gap:calc(var(--spacing)*7);flex-
direction:column;display:flex}.fi-sidebar-item.fi-active,.fi-sidebar-item.fi-sidebar-item.fa-active-child-items{row-gap:calc(var(--spacing)*1);flex-direction:column;display:flex}.fi-sidebar-item.fa-active-child-items
item.fi-active>.fi-sidebar-item.btn{background-color:var(--gray-100)}.fi-sidebar-item.fi-active>.fi-sidebar-item.btn:where(.dark,.dark *){background-color:#ffffff0d}@supports (color:color-mix(in lab,
red, red)){.fi-sidebar-item.fi-active>.fi-sidebar-item-btn:where(.dark,.dark *){background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-sidebar-item.fi-active>.fi-sidebar-
item-btn>.fi-icon{color:var(--primary-600)}.fi-sidebar-item.fi-active>.fi-sidebar-item-btn>.fi-
icon:where(.dark,.dark *){color:var(--primary-400)}.fi-sidebar-item.fi-active>.fi-sidebar-item-btn>.fi-sidebar-item-grouped-border>.fi-sidebar-item-grouped-border-part{background-
color:var(--primary-600)}.fi-sidebar-item.fi-active>.fi-sidebar-item-btn>.fi-sidebar-item-grouped-
border>.fi-sidebar-item-grouped-border-part:where(.dark,.dark *){background-
color:var(--primary-400) .fi-sidebar-item.fi-active>.fi-sidebar-item.btn>.fi-sidebar-item.
label{color:var(--primary-600)}.fi-sidebar-item.fi-active>.fi-sidebar-item-btn>.fi-sidebar-item-label:where(.dark,.dark *){color:var(--primary-400)}.fi-sidebar-item.fi-active>.fi-sidebar-item-btn
 .fi-sidebar-item-grouped-border-
part{height:calc(var(--spacing)*1.5); width:calc(var(--spacing)*1.5); border-
radius:3.40282e38px;position:relative}@media (hover:hover){.fi-sidebar-item.fi-sidebar-item-has-
url>.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sidebar-item.fi-sideba
has-url>.fi-sidebar-item-btn:focus-visible{background-color:var(--gray-100)}@media
(hover:hover){.fi-sidebar-item.fi-sidebar-item-has-url>.fi-sidebar-item-btn:where(.dark,.dark
*):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-sidebar-
item.fi-sidebar-item-has-url>.fi-sidebar-item-btn:where(.dark,.dark *):hover{background-color:color-
mix(in oklab,var(--color-white)5%,transparent)}}}.fi-sidebar-item.fi-sidebar-item-has-url>.fi-
sidebar-item-btn:where(.dark,.dark *):focus-visible{background-color:#ffffff0d}@supports
(color:color-mix(in lab, red, red)){.fi-sidebar-item.fi-sidebar-item-has-url>.fi-sidebar-item-btn:where(.dark,.dark *):focus-visible{background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-sidebar-item-btn{justify-content:center;align-items:center;column-
gap:calc(var(--spacing)*3);border-radius:var(--radius-lg);padding-
inline:calc(var(--spacing)*2);padding-block:calc(var(--spacing)*2);--tw-outline-style:none;outline-
style:none;display:flex;position:relative}@media (forced-colors:active){.fi-sidebar-item-btn{outline-offset:2px;outline:2px solid #0000}}.fi-sidebar-item-btn{transition-
property:color,background-color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-
gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-
shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration));--tw-duration:75ms;transition-duration:75ms}.fi-
sidebar-item-btn>.fi-icon{color:var(--gray-400)}.fi-sidebar-item-btn>.fi-icon:where(.dark,.dark
*){color:var(--gray-500)}.fi-sidebar-item-grouped-
border{width:calc(var(--spacing)*6);height:calc(var(--spacing)*6);justify-content:center;align-
items:center;display:flex;position:relative}.fi-sidebar-item-grouped-border-part-not-
first{background-color:var(--gray-300);width:lpx;position:absolute;top:-50%;bottom:50%}.fi-sidebar-item-grouped-border-part-not-first:where(.dark,.dark *){background-color:var(--gray-600)}.fi-
```

```
sidebar-item-grouped-border-part-not-last{background-
color:var(--gray-300);width:lpx;position:absolute;top:50%;bottom:-50%}.fi-sidebar-item-grouped-
border-part-not-last:where(.dark,.dark *){background-color:var(--gray-600)}.fi-sidebar-item-grouped-
border-part{height:calc(var(--spacing)*1.5); width:calc(var(--spacing)*1.5); background-color:var(--gray-400); border-radius:3.40282e38px; position: relative}.fi-sidebar-item-grouped-border-
part:where(.dark,.dark *){background-color:var(--gray-500)}.fi-sidebar-item-label{text-
overflow:ellipsis;white-space:nowrap;font-size:var(--text-sm);line-height:var(--tw-
leading.var(--text-sm--line-height)):--tw-font-weight;var(--font-weight-medium):font-
weight:var(--font-weight-medium);color:var(--gray-700);flex:1;overflow:hidden}.fi-sidebar-item-
label:where(.dark,.dark *){color:var(--gray-200)}@media (min-width:64rem){:is(.fi-sidebar-item-label,.fi-sidebar-item-badge-ctn).fi-transition-enter{transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-
via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));transition-delay:.1s}}:is(.fi-
sidebar-item-label,.fi-sidebar-item-badge-ctn).fi-transition-enter-start{opacity:0}:is(.fi-sidebar-
item-label, .fi-sidebar-item-badge-ctn).fi-transition-enter-end{opacity:1}.fi-sidebar-sub-group-
items{row-gap:calc(var(--spacing)*1);flex-direction:column;display:flex}.fi-tenant-menu-
trigger{justify-content:center;align-items:center;column-gap:calc(var(--spacing)*3);border
radius:var(--radius-lg);width:100%;padding:calc(var(--spacing)*2);font-size:var(--text-sm);line-height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium);font-weight:var(--font-weight-medium);--tw-outline-style:none;outline
style:none;display:flex}@media (forced-colors:active){.fi-tenant-menu-trigger{outline-
offset:2px;outline:2px solid #0000}}.fi-tenant-menu-trigger{transition-property:color,background-
color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-function: var(--tw-ease, var(--default-transition-timing-function)); transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;transition-
duration:75ms}@media (hover:hover){.fi-tenant-menu-trigger:hover{background-
color:var(--gray-100)}}.fi-tenant-menu-trigger:focus-visible{background-color:var(--gray-100)}@media
(hover:hover){.fi-tenant-menu-trigger:where(.dark,.dark *):hover{background-
color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-tenant-menu-
trigger:where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color-
white)5%, transparent)}}}.fi-tenant-menu-trigger:where(.dark,.dark *):focus-visible{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-tenant-menu-trigger:where(.dark,.dark *):focus-visible{background-color:color-mix(in oklab,var(--color-white)5%, transparent)}}.fi-tenant-menu-trigger .fi-tenant-avatar{flex-shrink:0}.fi-tenant-menu-
trigger .fi-
icon{width:calc(var(--spacing)*5);height:calc(var(--spacing)*5);color:var(--gray-400);transition-
property:color.background-color.border-color.outline-color.text-decoration-color.fill,stroke,--tw-
gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-filter,backdrop-
filter, display, visibility, content-visibility, overlay, pointer-events; transition-timing-
function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-
duration, var(--default-transition-duration));--tw-duration:75ms;flex-shrink:0;margin-inline-
start:auto;transition-duration:75ms}@media (hover:hover){.fi-tenant-menu-trigger .fi-icon:is(:where(.group):hover *){color:var(--gray-500)}}.fi-tenant-menu-trigger .fi-
icon:is(:where(.group):focus-visible *),.fi-tenant-menu-trigger .fi-icon:where(.dark,.dark
*){color:var(--gray-500)}@media (hover:hover){.fi-tenant-menu-trigger .fi-icon:where(.dark,.dark
*):is(:where(.group):hover *){color:var(--gray-400)}}.fi-tenant-menu-trigger .fi
icon:where(.dark,.dark *):is(:where(.group):focus-visible *){color:var(--gray-400)}.fi-tenant-menu-
trigger:hover .fi-icon{color:var(--gray-500)}.fi-tenant-menu-trigger:hover .fi-
icon:where(.dark,.dark *){color:var(--gray-400)}.fi-tenant-menu-trigger:focus-visible .fi-
icon{color:var(--gray-500)}.fi-tenant-menu-trigger:focus-visible .fi-icon:where(.dark,.dark)
*){color:var(--gray-400)}.fi-tenant-menu-trigger-text{text-align:start;justify-
items:start;display:grid}.fi-tenant-menu-trigger-current-tenant-label{font-size:var(--text-xs);line-
height:var(--tw-leading,var(--text-xs--line-height));color:var(--gray-500)}.fi-tenant-menu-trigger-current-tenant-label:where(.dark,.dark *){color:var(--gray-400)}.fi-tenant-menu-trigger-tenant-name{color:var(--gray-950)}.fi-tenant-menu-trigger-tenant-name:where(.dark,.dark
 *){color:var(--color-white)}.fi-theme-switcher{column-gap:calc(var(--spacing)*1);grid-auto-
flow:column;display:grid}.fi-theme-switcher-btn{border-radius:var(--radius-
md);padding:calc(var(--spacing)*2);--tw-outline-style:none;outline-style:none;justify
content:center;display:flex}@media (forced-colors:active){.fi-theme-switcher-btn{outline-offset:2px;outline:2px solid #0000}}.fi-theme-switcher-btn{transition-property:color,background-
color,border-color,outline-color,text-decoration-color,fill,stroke,--tw-gradient-from,--tw-gradient-via,--tw-gradient-to,opacity,box-shadow,transform,translate,scale,rotate,filter,-webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;transition-
\label{lem:duration:75ms} $$ \end{a} $$ (hover:hover) {.fi-theme-switcher-btn:hover{background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-background-ba
color:var(--gray-50)}}.fi-theme-switcher-btn:focus-visible{background-color:var(--gray-50)}@media
```

```
(hover:hover){.fi-theme-switcher-btn:where(.dark,.dark *):hover{background-color:#ffffff0d}@supports
 (color:color-mix(in lab, red, red)){.fi-theme-switcher-btn:where(.dark,.dark *):hover{background-
color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-theme-switcher-btn:where(.dark,.dark *):focus-visible{background-color:#ffffff0d}@supports (color:color-mix(in lab,
red, red)){.fi-theme-switcher-btn:where(.dark,.dark *):focus-visible{background-color:color-mix(in
oklab, var(--color-white)5%, transparent)}}.fi-theme-switcher-btn.fi-active{background-
color:var(--gray-50);color:var(--primary-500)}.fi-theme-switcher-btn.fi-active:where(.dark,.dark
*){background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-theme-switcher-
btn.fi-active:where(.dark,.dark *){background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}.fi-theme-switcher-btn.fi-active:where(.dark,.dark
*){color:var(--primary-400)}.fi-theme-switcher-btn:not(.fi-active){color:var(--gray-400)}@media
(hover:hover){.fi-theme-switcher-btn:not(.fi-active):hover{color:var(--gray-500)}}.fi-theme-
switcher-btn:not(.fi-active):focus-visible,.fi-theme-switcher-btn:not(.fi-active):where(.dark,.dark
*){color:var(--gray-500)}@media (hover:hover){.fi-theme-switcher-btn:not(.fi-active):where(.dark,.dark *):hover{color:var(--gray-400)}}.fi-theme-switcher-btn:not(.fi-
active):where(.dark,.dark *):focus-visible{color:var(--gray-400)}.fi-topbar-
ctn{top:calc(var(--spacing)*0);z-index:30;position:sticky;overflow-x:clip}.fi-topbar{min-
height:calc(var(--spacing)*16);background-color:var(--color-white);padding-
inline:calc(var(--spacing)*4);--tw-shadow:0 1px 2px 0 var(--tw-shadow-color,#0000000d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow),var(--tw-shadow);--tw-ring-shadow:var(--tw-ring-inset,)0 0 0 calc(1px + var(--tw-ring-
offset-width))var(--tw-ring-color,currentcolor);box-shadow:var(--tw-inset-shadow),var(--tw-inset-shadow)
ring-shadow), var(--tw-ring-offset-shadow), var(--tw-ring-shadow), var(--tw-shadow); --tw-ring
color:var(--gray-950);align-items:center;display:flex}@supports (color:color-mix(in lab, red,
red)){.fi-topbar{--tw-ring-color:color-mix(in oklab,var(--gray-950)5%,transparent)}}.fi-topbar:where(.dark,.dark *){background-color:var(--gray-900);--tw-ring-color:#ffffffla}@supports (color:color-mix(in lab, red, red)){.fi-topbar:where(.dark,.dark *){--tw-ring-color:color-mix(in lab, red, red)}.
oklab,var(--color-white)10%,transparent)}}.fi-topbar .fi-tenant-menu{display:none}@media (min-width:64rem){.fi-topbar .fi-tenant-menu{display:block}}.fi-topbar-open-sidebar-btn,.fi-topbar-close-
sidebar-btn{margin-inline:calc(var(--spacing)*0)!important}@media (min-width:64rem){.fi-topbar-
close-sidebar-btn{display:none}}.fi-topbar-open-collapse-sidebar-btn{margin-
inline:calc(var(--spacing)*0)!important}.fi-topbar-close-collapse-sidebar-btn{display:none;margin-
inline:calc(var(--spacing)*0)!important)@media (min-width:64rem){.fi-topbar-close-collapse-sidebar-
btn{display:flex}}.fi-topbar-start{align-items:center;margin-inline-
end:calc(var(--spacing)*6);display:none}@media (min-width:64rem){.fi-topbar-start{display:flex}}.fi-
topbar-start .fi-logo{margin-inline-start:calc(var(--spacing)*3)}@media (min-width:64rem){:is(.fi-body.fi-body-has-sidebar-collapsible-on-desktop,.fi-body-nas-sidebar-fully-collapsible-on-desktop)) .fi-topbar-open-sidebar-btn{display:none}.fi-topbar-nav-groups{align-inline-start:calc(var(--spacing)*3)}
items:center;column-gap:calc(var(--spacing)*4);margin-inline-start:calc(var(--spacing)*4);margin-inline-end:calc(var(--spacing)*4);display:none}@media (min-width:64rem){.fi-topbar-nav-
groups{margin-block:calc(var(--spacing)*2);row-gap:calc(var(--spacing)*1);flex-
wrap:wrap:display:flex}},fi-topbar-end{align-items:center;column-gap:calc(var(--spacing)*4);margin-
inline-start:auto;display:flex}.fi-topbar-item-btn{justify-content:center;align-items:center;column-gap:calc(var(--spacing)*2);border-radius:var(--radius-lg);padding-
inline:calc(var(--spacing)*3);padding-block:calc(var(--spacing)*2);--tw-outline-style:none;outline-
style:none;display:flex}@media (forced-colors:active){.fi-topbar-item-btn{outline-
offset:2px;outline:2px solid #0000}}.fi-topbar-item-btn{transition-property:color,background-
color, border-color, outline-color, text-decoration-color, fill, stroke, --tw-gradient-from, --tw-gradient-via, --tw-gradient-to, opacity, box-shadow, transform, translate, scale, rotate, filter, -webkit-backdrop-
filter, backdrop-filter, display, visibility, content-visibility, overlay, pointer-events; transition-
timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-
duration:var(--tw-duration,var(--default-transition-duration));--tw-duration:75ms;transition-
duration:75ms}@media (hover:hover){.fi-topbar-item-btn:hover{background-color:var(--gray-50)}}.fi-
topbar-item-btn:focus-visible{background-color:var(--gray-50)}@media (hover:hover){.fi-topbar-item-btn:where(.dark,.dark *):hover{background-color:#ffffff0d}@supports (color:color-mix(in lab, red,
red)){.fi-topbar-item-btn:where(.dark,.dark *):hover{background-color:color-mix(in oklab,var(--color-white)5%,transparent)}}}.fi-topbar-item-btn:where(.dark,.dark *):focus-
visible{background-color:#ffffff0d}@supports (color:color-mix(in lab, red, red)){.fi-topbar-item-
btn:where(.dark,.dark *):focus-visible{background-color:color-mix(in oklab,var(--color-
white)5%,transparent)}}.fi-topbar-item-btn>.fi-icon{color:var(--gray-400)}.fi-topbar-item-btn>.fi-
icon:where(.dark,.dark *){color:var(--gray-500)}.fi-topbar-item-label{font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));--tw-font-weight:var(--font-weight-
medium);font-weight:var(--font-weight-medium);color:var(--gray-700)}.fi-topbar-item-
label:where(.dark,.dark *){color:var(--gray-200)}.fi-topbar-item.fi-active .fi-topbar-item-
white)5%,transparent)}}.fi-topbar-item.fi-active .fi-topbar-item-btn>.fi-
icon{color:var(--primary-600)}.fi-topbar-item.fi-active .fi-topbar-item-btn>.fi-
icon:where(.dark,.dark *){color:var(--primary-400)}.fi-topbar-item.fi-active .fi-topbar-item-
label{color:var(--primary-600)}.fi-topbar-item.fi-active .fi-topbar-item-label:where(.dark,.dark
*){color:var(--primary-400)}.fi-simple-user-menu-ctn{align-items:center;column-
gap:calc(var(--spacing)*4);display:flex}.fi-user-menu-trigger{flex-shrink:0}.fi-account-widget .fi-
```

```
section-content{align-items:center;column-gap:calc(var(--spacing)*3);display:flex}.fi-account-
widget-logout-form{margin-block:auto}.fi-account-widget-main{flex:1}.fi-account-widget-heading{font-
size:var(--text-base);line-height:var(--tw-leading,var(--text-base--line-height));--tw-
 leading:calc(var(--spacing)*6);line-height:calc(var(--spacing)*6);--tw-font-weight:var(--font-
 weight-semibold); font-weight: var(--font-weight-
 semibold);color:var(--gray-950);flex:1;display:grid}.fi-account-widget-heading:where(.dark,.dark
    *){color:var(--color-white)}.fi-account-widget-user-name{font-size:var(--text-sm);line-
height:var(--tw-leading,var(--text-sm--line-height));color:var(--gray-500)}.fi-account-widget-user-name:where(.dark,.dark *){color:var(--gray-400)}.fi-filament-info-widget .fi-section-content{align-items:center;column-gap:calc(var(--spacing)*3);display:flex}.fi-filament-info-widget-
 main{flex:1}.fi-filament-info-widget-logo{height:calc(var(--spacing)*5);color:var(--gray-950)}.fi-
 filament-info-widget-logo:where(.dark,.dark *){color:var(--color-white)}.fi-filament-info-widget-version{margin-top:calc(var(--spacing)*2);font-size:var(--text-xs);line-height:var(--tw-
leading, var(--text-xs--line-height)); color:var(--gray-500)}. fi-filament-info-widget-version:where(.dark,.dark *){color:var(--gray-400)}.fi-filament-info-widget-links{align-items:flex-end;row-gap:calc(var(--spacing)*1); flex-direction:column; display: flex}}@layer utilities{.fi-color-darection}
 nger{--color-50:var(--danger-50);--color-100:var(--danger-100);--color-200:var(--danger-200);
 color-300:var(--danger-300);--color-400:var(--danger-400);--color-500:var(--danger-500);--color-
 600:var(--danger-600);--color-700:var(--danger-700);--color-800:var(--danger-800);--color-900:var(--
 danger-900);--color-950:var(--danger-950)}.fi-color-gray{--color-50:var(--gray-50);--color-100:var(-
-gray-100);--color-200:var(--gray-200);--color-300:var(--gray-300);--color-400:var(--gray-400);--color-500:var(--gray-500);--color-600:var(--gray-600);--color-700:var(--gray-700);--color-800:var(--gray-800);--color-900:var(--gray-900);--color-950:var(--gray-950)}.fi-color-info{--color-50:var(--gray-950)}.
gray-800);--color-900:var(--gray-900);--color-950:var(--gray-950)}.f1-color-1nfo{--color-50:var(--info-50);--color-100:var(--info-100);--color-200:var(--info-200);--color-300:var(--info-300);--color-400:var(--info-400);--color-500:var(--info-500);--color-600:var(--info-600);--color-950:var(--info-950)}.fi-color-primary{--color-50:var(--primary-50);--color-100:var(--primary-100);--color-200:var(--primary-500);--color-600:var(--primary-500);--color-600:var(--primary-600);--color-700:var(--primary-700);--color-800:var(--primary-800);--color-50:var(--primary-900);--color-950:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color-success{--color-50:var(--primary-950)}.fi-color
 50); --color-100:var(--success-100); --color-200:var(--success-200); --color-300:var(--success-300); -
 color-400:var(--success-400);--color-500:var(--success-500);--color-600:var(--success-600);--color-
700:var(--success-700);--color-800:var(--success-800);--color-900:var(--success-900);--color-950:var(--success-950)}.fi-color-warning{--color-50:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warning-50);--color-100:var(--warni
 100); -- color-200: var(--warning-200); -- color-300: var(--warning-300); -- color-400: var(--warning-400); --
 color-500:var(--warning-500);--color-600:var(--warning-600);--color-700:var(--warning-700);--color-800:var(--warning-800);--color-900:var(--warning-900);--color-950:var(--warning-950)}.fi-bg-
color-50{--bg:var(--color-50)}.fi-bg-color-100{--bg:var(--color-100)}.fi-bg-color-200{--bg:var(--color-200)}.fi-bg-color-300{--bg:var(--color-300)}.fi-bg-color-400{--bg:var(--color-400)}.fi-bg-color-500{--bg:var(--color-500)}.fi-bg-color-600{--bg:var(--color-700)}.fi-bg-color-600{--bg:var(--color-700)}.fi-bg-color-600{--bg:var(--color-700)}.fi-bg-color-600{--bg:var(--color-700)}.fi-bg-color-600{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700{--bg:var(--color-700)}.fi-bg-color-700[--bg:var(--color-700)].fi-bg-color-700[--bg:var(--color-700)].fi-bg-color-700[--bg:var(--color-700)].fi-bg-color-700[--bg:var(--color-700)].fi-bg-color-700[--bg:var(--color-700)].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(--color-700]].fi-bg-color-700[--bg:var(-
 color-800{--bg:var(--color-800)}.fi-bg-color-900{--bg:var(--color-900)}.fi-bg-
 color-950{--bg:var(--color-950)}.hover\:fi-bg-color-50{--hover-bg:var(--color-50)}.hover\:fi-bg-color-100{--hover-bg:var(--color-100)}.hover\:fi-bg-color-200{--hover-
 bg:var(--color-200)}.hover\:fi-bg-color-300{--hover-bg:var(--color-300)}.hover\:fi-bg-
 color-400{--hover-bg:var(--color-400)}.hover\:fi-bg-color-500{--hover
 bg:var(--color-500)}.hover\:fi-bg-color-600{--hover-bg:var(--color-600)}.hover\:fi-bg-
 color-700{--hover-bg:var(--color-700)}.hover\:fi-bg-color-800{--hover-
 bg:var(--color-800)}.hover\:fi-bg-color-900{--hover-bg:var(--color-900)}.hover\:fi-bg-
color-950{--hover-bg:var(--color-950)}.dark\:fi-bg-color-50{--dark-bg:var(--color-50)}.dark\:fi-bg-color-100{--dark-bg:var(--color-100)}.dark\:fi-bg-color-200{--dark-bg:var(--color-200)}.dark\:fi-bg-color-300{--dark-bg:var(--color-300)}.dark\:fi-bg-color-400{--dark-bg:var(--color-400)}.dark\:fi-bg-color-500{--dark-bg:var(--color-500)}.dark\:fi-bg-color-500{--dark-bg:var(--color-500)}.dark\:fi-bg-color-500{--dark-bg:var(--color-500)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-bg-color-600{--dark-bg:var(--color-600)}.dark\:fi-
 color-700{--dark-bg:var(--color-700)}.dark\:fi-bg-color-800{--dark-bg:var(--color-800)}.dark\:fi-bg-
color-900{--dark-bg:var(--color-900)}.dark\:fi-bg-color-950{--dark-
bg:var(--color-950)}.dark\:hover\:fi-bg-color-50{--dark-hover-bg:var(--color-50)}.dark\:hover\:fi-
 bg-color-100{--dark-hover-bg:var(--color-100)}.dark\:hover\:fi-bg-color-200{--dark-hover-
bg:var(--color-200)}.dark\:hover\:fi-bg-color-300{--dark-hover-bg:var(--color-300)}.dark\:hover\:fi-bg-color-400{--dark-hover-bg:var(--color-400)}.dark\:hover\:fi-bg-color-500{--dark-hover-
bg:var(--color-500)}.dark\:hover\:fi-bg-color-600{--dark-hover-bg:var(--color-600)}.dark\:hover\:fi-bg-color-700{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-700)}.dark\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-800)}.dark\:hover\:hover\:fi-bg-color-800{--dark-hover-bg:var(--color-800)}.dark\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hover\:hov
 bg:var(--color-800)}.dark\:hover\:fi-bg-color-900{--dark-hover-bg:var(--color-900)}.dark\:hover\:fi-
bg-color-950{--dark-hover-bg:var(--color-950)}.fi-text-color-0{--text:oklch(100% 0 0)}.fi-text-color-50{--text:var(--color-50)}.fi-text-color-100{--text:var(--color-100)}.fi-text-
 color-200{--text:var(--color-200)}.fi-text-color-300{--text:var(--color-300)}.fi-text-
 color-400(--text:var(--color-400)).fi-text-color-500(--text:var(--color-500)).fi-text-
 color-600{--text:var(--color-600)}.fi-text-color-700{--text:var(--color-700)}.fi-text-color-800{--text:var(--color-800)}.fi-text-color-900{--text:var(--color-900)}.fi-text-
 color-950{--text:var(--color-950)}.hover\:fi-text-color-0{--hover-text:oklch(100% 0 0)}.hover\:fi-
text-color-50{--hover-text:var(--color-50)}.hover\:fi-text-color-100{--hover-text:var(--color-200)}.hover\:fi-text-color-200}.hover\:fi-text-color-200)}.hover\:fi-text-color-300{--hover-text:var(--color-300)}.hover\:fi-text-color-400{--hover-text:var(--color-500)}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-text-color-500}.hover\:fi-tex
```

```
color-600{--hover-text:var(--color-600)}.hover\:fi-text-color-700{--hover-
text:var(--color-700)}.hover\:fi-text-color-800{--hover-text:var(--color-800)}.hover\:fi-text-color-900{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:fi-text-color-950{--hover-text:var(--color-900)}.hover\:
text:var(--color-950)}.dark\:fi-text-color-0{--dark-text:oklch(100% 0 0)}.dark\:fi-text-color-50{--dark-text:var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-text-color-100{--dark-text-var(--color-50)}.dark\:fi-tex
text:var(--color-100)}.dark\:fi-text-color-200{--dark-text:var(--color-200)}.dark\:fi-text-
color-300{--dark-text:var(--color-300)}.dark\:fi-text-color-400{--dark-
text:var(--color-400)}.dark\:fi-text-color-500{--dark-text:var(--color-500)}.dark\:fi-text-
color-600{--dark-text:var(--color-600)}.dark\:fi-text-color-700{--dark-
text:var(--color-700)}.dark\:fi-text-color-800{--dark-text:var(--color-800)}.dark\:fi-text-
color-900{--dark-text:var(--color-900)}.dark\:fi-text-color-950{--dark-
text:var(--color-950)}.dark\:hover\:fi-text-color-0{--dark-hover-text:oklch(100% 0
0)}.dark\:hover\:fi-text-color-50{--dark-hover-text:var(--color-50)}.dark\:hover\:fi-text-
color-100{--dark-hover-text:var(--color-100)}.dark\:hover\:fi-text-color-200{--dark-hover-
text:var(--color-200)}.dark\:hover\:fi-text-color-300{--dark-hover-
text:var(--color-300)}.dark\:hover\:fi-text-color-400{--dark-hover-
text:var(--color-400)}.dark\:hover\:fi-text-color-500{--dark-hover-
text:var(--color-500)}.dark\:hover\:fi-text-color-600{--dark-hover-
text:var(--color-600)}.dark\:hover\:fi-text-color-700{--dark-hover-
text:var(--color-700)}.dark\:hover\:fi-text-color-800{--dark-hover-
text:var(--color-800)}.dark\:hover\:fi-text-color-900{--dark-hover-
text:var(--color-900)}.dark\:hover\:fi-text-color-950{--dark-hover-text:var(--color-950)}.fi-sr-
only{clip:rect(0,0,0,0);white-space:nowrap;border-
width:0;width:1px;height:1px;margin:-1px;padding:0;position:absolute;overflow:hidden}.fi-
prose{--prose-color:var(--color-gray-700);--prose-heading-color:var(--color-gray-950);--prose-
strong-color:var(--color-gray-950);--prose-link-color:var(--color-gray-950);--prose-code-
color:var(--color-gray-950); --prose-marker-color:var(--color-gray-700)}@supports (color:color-mix(in
lab, red, red)){.fi-prose{--prose-marker-color:color-mix(in oklab,var(--color-gray-700)25%,transparent)}}.fi-prose{--prose-link-underline-color:var(--color-primary-400);--prose-
th-borders:var(--color-gray-300);--prose-td-borders:var(--color-gray-200);--prose-hr-color:var(--color-gray-950)}@supports (color:color-mix(in lab, red, red)){.fi-prose{--prose-hr-color:color-mix(in oklab,var(--color-gray-950)5%,transparent)}}.fi-prose{--prose-blockquote-border-
color:var(--color-gray-300)}.fi-prose:where(.dark,.dark *){--prose-color:var(--color-gray-300);--prose-heading-color:var(--color-white);--prose-strong-color:var(--color-white);--prose-link-color:var(--color-white);--prose-color:var(--color-white);--prose-marker-
color:var(--color-gray-300)}@supports (color:color-mix(in lab, red, red)){.fi-
prose:where(.dark,.dark *){--prose-marker-color:color-mix(in oklab,var(--color-gray-300)35%,transparent)}}.fi-prose:where(.dark,.dark *){--prose-link-underline-color:var(--color-sky-400);--prose-th-borders:var(--color-gray-600);--prose-td-borders:var(--color-gray-700);--prose-
hr-color:oklab(100% 0 5.96046e-8/.1)}@supports (color:color-mix(in lab, red, red)){.fi-
prose:where(.dark,.dark *){--prose-hr-color:color-mix(in oklab,var(--color-
white)10%,transparent)}}.fi-prose:where(.dark,.dark *){--prose-blockquote-border-color:var(--color-
gray-600)}.fi-prose{color:var(--prose-color);font-size:var(--text-sm);line-height:1.5}.fi-prose
:where(:not(.fi-not-prose,.fi-not-prose *))+:where(:not(.fi-not-prose,.fi-not-prose *)){margin-
top:calc(var(--spacing)*4)}.fi-prose h1:where(:not(.fi-not-prose,.fi-not-prose *)){font-
size:var(--text-xl);letter-spacing:-.025em;color:var(--prose-code-color);line-height:1.55556;font-
weight:var(--font-weight-bold)}.fi-prose h2:where(:not(.fi-not-prose,.fi-not-prose *)){font-
size:var(--text-lg);letter-spacing:-.025em;color:var(--prose-code-color);line-height:1.55556;font-
weight:var(--font-weight-semibold)}.fi-prose h3:where(:not(.fi-not-prose,.fi-not-prose *)){font-
size:var(--text-base);color:var(--prose-heading-color);line-height:1.55556;font-weight:var(--font-
weight-semibold)}.fi-prose h4:where(:not(.fi-not-prose,.fi-not-prose *)),.fi-prose
h5:where(:not(.fi-not-prose,.fi-not-prose *)),.fi-prose h6:where(:not(.fi-not-prose,.fi-not-prose
*)){font-size:var(--text-sm);color:var(--prose-heading-color);line-height:2;font-weight:var(--font-weight-semibold)}.fi-prose :is(h2,h3,h4,h5,h6):where(:not(.fi-not-prose,.fi-not-prose *)){scroll-
margin-top:calc(var(--spacing)*32)}@media (min-width:64rem){.fi-prose
:is(h2,h3,h4,h5,h6):where(:not(.fi-not-prose,.fi-not-prose*)){scroll-margin-
top:calc(var(--spacing)*18)}}.fi-prose ol:where(:not(.fi-not-prose,.fi-not-prose *)){padding-
left:calc(var(--spacing)*6);list-style-type:decimal}.fi-prose ul:where(:not(.fi-not-prose,.fi-not-prose,.fi-not-prose,.fi-not-prose)
prose *)){padding-left:calc(var(--spacing)*6);list-style-type:disc}.fi-prose ol li:where(:not(.fi-
not-prose,.fi-not-prose *)),.fi-prose ul li:where(:not(.fi-not-prose,.fi-not-prose *)){padding-
left:calc(var(--spacing)*3)}.fi-prose ol li+li:where(:not(.fi-not-prose,.fi-not-prose *)),.fi-prose
ul li+li:where(:not(.fi-not-prose,.fi-not-prose *)){margin-top:calc(var(--spacing)*4)}.fi-prose ol
li:where(:not(.fi-not-prose,.fi-not-prose *))::marker{color:var(--prose-marker-color)}.fi-prose ul
li:where(:not(.fi-not-prose,.fi-not-prose *))::marker{color:var(--prose-marker-color)}.fi-prose
a:not(:where(:is(h2,h3,h4,h5,h6) *)):where(:not(.fi-not-prose,.fi-not-prose *)){color:var(--prose-
link-color);font-weight:var(--font-weight-semibold);text-underline-offset:3px;text-
decoration:underline;-webkit-text-decoration-color:var(--prose-link-underline-color);-webkit-text-decoration-color:var(--prose-link-underline-color);
color);text-decoration-thickness:1px}.fi-prose a:not(:where(:is(h2,h3,h4,h5,h6)'*)):where(:not(.fi-
not-prose,.fi-not-prose *)) code{font-weight:var(--font-weight-semibold)}.fi-prose
a:hover:where(:not(.fi-not-prose,.fi-not-prose *)){text-decoration-thickness:2px}.fi-prose strong:where(:not(.fi-not-prose,.fi-not-prose *)){color:var(--prose-strong-color);font-weight:var(--font-weight-semibold)}.fi-prose code:where(:not(.fi-not-prose,.fi-not-prose *)){font-
```

```
variant-ligatures:none;font-family:var(--font-mono);font-weight:var(--font-weight-
 medium);color:var(--prose-code-color)}.fi-prose :where(h2,h3,h4,h5,h6) code:where(:not(.fi-not-
 prose,.fi-not-prose *)){font-weight:var(--font-weight-semibold)}.fi-prose code:where(:not(.fi-not-
 prose,.fi not prose ')):before,.fi-prose code:where(:not(.fi-not-prose,.fi-not-prose
*)):after{content:"`";display:inline}.fi-prose pre:where(:not(.fi-not-prose,.fi-not-prose)
 *)){margin-top:calc(vár(--spácing)*4);margin-bottom:calc(var(--spacing)*10)}.fi-prose pre code
 *+:where(:not(.fi-not-prose,.fi-not-prose *)){margin-top:0}.fi-prose pre code:where(:not(.fi-not-
 prose, .fi-not-prose *)):before, .fi-prose pre code:where(:not(.fi-not-prose, .fi-not-prose
 *)):after{content:none}.fi-prose pre code:where(:not(.fi-not-prose,.fi-not-prose *)){font-variant-ligatures:none;font-family:var(--font-mono);font-size:var(--text-sm);line-height:2}.fi-prose
 table:where(:not(.fi-not-prose,.fi-not-prose *)){table-layout:auto;width:100%;font-size:var(--text-
 sm);margin-top:2em;margin-bottom:2em;line-height:1.4}.fi-prose thead:where(:not(.fi-not-prose,.fi
 not-prose *)){border-bottom-width:1px;border-bottom-color:var(--prose-th-borders)}.fi-prose thead
 th:where(:not(.fi-not-prose,.fi-not-prose *)){color:var(--prose-heading-color);vertical-align:bottom;padding-inline-end:.6em;padding-bottom:.8em;padding-inline-start:.6em;font-
 weight:600}.fi-prose thead th:first-child:where(:not(.fi-not-prose,.fi-not-prose *)){padding-inline-
 start:0}.fi-prose thead th:last-child:where(:not(.fi-not-prose,.fi-not-prose *)){padding-inline-
 end:0}.fi-prose tbody tr:where(:not(.fi-not-prose,.fi-not-prose *)){border-bottom-width:1px;border-
 bottom-color:var(--prose-td-borders)}.fi-prose tbody tr:last-child:where(:not(.fi-not-prose,.fi-not-prose *)){border-bottom-width:0}.fi-prose tbody td:where(:not(.fi-not-prose,.fi-not-prose
  *)){vertical-align:baseline}.fi-prose tfoot:where(:not(.fi-not-prose,.fi-not-prose *)){border-top-
 width:1px;border-top-color:var(--prose-th-borders)}.fi-prose tfoot td:where(:not(.fi-not-prose,.fi-
 not-prose *)){vertical-align:top}.fi-prose tbody td:where(:not(.fi-not-prose,.fi-not-prose *)),.fi-
 prose tfoot td:where(:not(.fi-not-prose,.fi-not-prose *)){padding-top:.8em;padding-inline-
end:.6em;padding-bottom:.8em;padding-inline-start:.6em].fi-prose tbody td:first-child:where(:not(.fi-not-prose,.fi-not-prose *)),.fi-prose tfoot td:first-child:where(:not(.fi-not-prose,.fi-not-prose,.fi-not-prose *)){padding-inline-start:0}.fi-prose tbody td:last-child:where(:not(.fi-not-prose,.fi-not-prose,.fi-not-prose *))
 prose,.fi-not-prose *)),.fi-prose tfoot td:last-child:where(:not(.fi-not-prose,.fi-not-prose
*)){padding-inline-end:0}.fi-prose th:where(:not(.fi-not-prose,.fi-not-prose *)),.fi-prose
 td:where(:not(.fi-not-prose,.fi-not-prose *)){text-align:start}.fi-prose td code:where(:not(.fi-not-
 prose,.fi-not-prose *)){font-size:.8125rem}.fi-prose hr:where(:not(.fi-not-prose,.fi-not-prose
*)){border-color:var(--prose-hr-color);margin-block:calc(var(--spacing)*8)}.fi-prose
 hr:where(:not(.fi-not-prose,.fi-not-prose *))+h2{margin-top:calc(var(--spacing)*8)}.fi-prose blockquote{border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-color:var(--prose-blockquote-border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem;border-inline-start-width:.25rem
 color);padding-inline-start:calc(var(--spacing)*4);font-style:italic}.fi-prose blockquote p:first-
 of-type:before{content:open-quote}.fi-prose blockquote p:last-of-type:after{content:close-quote}.fi-prose figure:where(:not(.fi-not-prose,.fi-not-prose *)) figcaption:where(:not(.fi-not-prose,.fi-not-prose).fi-not-prose *))
 prose *)){margin-top:calc(var(--spacing)*3);text-align:center;font-size:var(--text-sm);line-
 height:var(--text-sm--line-height);color:var(--prose-color);font-style:italic}@supports
(color:color-mix(in lab, red, red)){.fi-prose figure:where(:not(.fi-not-prose,.fi-not-prose *))
 figcaption:where(:not(.fi-not-prose,.fi-not-prose *)){color:color-mix(in oklab,var(--prose-color)75%,transparent)}}.fi-prose :first-child:where(:not(.fi-not-prose,.fi-not-prose *)){margin-
top:0}.fi-prose :last-child:where(:not(.fi-not-prose,.fi-not-prose *)){margin-bottom:0}.fi-prose
.lead:where(:not(.fi-not-prose,.fi-not-prose *)){font-size:var(--text-base)}}@property --tw-font-
weight{syntax:"*";inherits:false}@property --tw-shadow{syntax:"*";inherits:false;initial-value:0 0
#0000}@property --tw-shadow-color{syntax:"*";inherits:false}@property --tw-shadow-
 alpha{syntax: "<percentage>";inherits:false;initial-value:100%}@property --tw-inset
shadow{syntax: "*";inherits:false;initial-value:0 0 #0000}@property --tw-inset-shadow-
color{syntax: "*";inherits:false}@property --tw-inset-shadow-
alpha{syntax: "";inherits:false}@property --tw-inset-shadow-
color{syntax: "*";inherits:false}@property --tw-ring-
color{syntax: "*";inherits:false}@property --tw-ring-shadow{syntax: "*";inherits:false;initial-value:0
#0000]@property --tw-ring-shadow{syntax: "*";inherits:false;initial-value:0
#0000]@property --tw-ring-shadow{syntax: "*";inherits:false;initial-value:0
0 #0000}@property --tw-inset-ring-color{syntax:"*";inherits:false}@property --tw-inset-ring-shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-ring-inset{syntax:"*";inherits:false}@property --tw-ring-offset-
width{syntax:"<!length>";inherits:false;initial-value:0}@property --tw-ring-offset-
color{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-
shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-
tracking{syntax:"*";inherits:false}@property --tw-duration{syntax:"*";inherits:false}@property --tw-
translate-x{syntax:"*";inherits:false;initial-value:0}@property --tw-
translate-y{syntax:"*";inherits:false;initial-value:0}@property --tw-
translate-z{syntax:"*";inherits:false;initial-value:0}@property --tw-divide-y-
reverse{syntax:"*";inherits:false;initial-value:0}@property --tw-
style{syntax:"*";inherits:false;initial-value:solid}@property --tw-
leading{syntax:"*";inherits:false;@property --tw-scale-x{syntax:"*";inherits:false;initial-
value:1}@property --tw-scale-y{syntax:"*";inherits:false;@property --tw-
csale-z{syntax:"*";inherits:false;@property --tw-
ease{syntax:"*";inherits:false}@property --tw-rotate-x{syntax:"*";inherits:false}@property --tw-
skew-x{syntax:"*";inherits:false}@property --tw-rotate-z{syntax:"*";inherits:false}@property --tw-
skew-x{syntax:"*";inherits:false}@property --tw-skew-y{syntax:"*";inherits:false}@property --tw-
space-y-reverse{syntax:"*";inherits:false;initial-value:0}@property --tw-
divide-x-
reverse{syntax:"*";inherits:false;initial-value:0}@property --tw-
divide-x-
revers
 width{syntax:"<length>";inherits:false;initial-value:0}@property --tw-ring-offset-
reverse{syntax: "*";inherits:false;initial-value:0}@property --tw-content{syntax: "*";inherits:false;initial-value:""}@property --tw-outline-style{syntax: "*";inherits:false;initial-value:solid}@property --tw-space-x-
```

public\css\filament\filament\app.css

reverse{syntax:"*";inherits:false;initial-value:0}@keyframes
spin{to{transform:rotate(360deg)}}@keyframes pulse{50%{opacity:.5}}

public\fonts\filament\filament\inter\index.css

```
@font-face{font-family:Inter Variable;font-style:normal;font-display:swap;font-weight:100
900;src:url("./inter-cyrillic-ext-wght-normal-ASVAGXXE.woff2") format("woff2-variations");unicode-
range:U+0460-052F,U+1C80-1C8A,U+20B4,U+2DE0-2DFF,U+A640-A69F,U+FE2E-FE2F}@font-face{font-
family:Inter Variable;font-style:normal;font-display:swap;font-weight:100 900;src:url("./inter-
cyrillic-wght-normal-EWLSKVKN.woff2") format("woff2-variations");unicode-
range:U+0301,U+0400-045F,U+0490-0491,U+0400-0481,U+2116}@font-face{font-family:Inter Variable;font-
style:normal;font-display:swap;font-weight:100 900;src:url("./inter-greek-ext-wght-
normal-7GGTF7EK.woff2") format("woff2-variations");unicode-range:U+1F00-1FFF}@font-face{font-
family:Inter Variable;font-style:normal;font-display:swap;font-weight:100 900;src:url("./inter-
greek-wght-normal-N43DBLU2.woff2") format("woff2-variations");unicode-
range:U+0370-0377,U+037A-037F,U+0384-038A,U+038C,U+038E-03A1,U+03A3-03FF}@font-face{font-
family:Inter Variable;font-style:normal;font-display:swap;font-weight:100 900;src:url("./inter-
vietnamese-wght-normal-CE5GGD3W.woff2") format("woff2-variations");unicode-range:U+0102-0103,U+0110-
0111,U+0128-0129,U+0168-0169,U+01A0-01A1,U+01AF-01B0,U+0300-0301,U+0303-0304,U+0308-
0309,U+0323,U+0329,U+1EA0-1EF9,U+20AB}@font-face{font-family:Inter Variable;font-style:normal;font-
display:swap;font-weight:100 900;src:url("./inter-latin-ext-wght-normal-HA22NDSG.woff2")
format("woff2-variations");unicode-range:U+0100-02BA,U+02BD-02C5,U+02C7-02CC,U+02CE-02D7,U+02DD-
02FF,U+0304,U+0308,U+0329,U+1D00-1DBF,U+1E00-1E9F,U+1EF2-1EFF,U+2020,U+20A0-20AB,U+20AD-
02C0,U+2113,U+2C60-2C7F,U+A720-A7FF}@font-face{font-family:Inter Variable;font-style:normal;font-
display:swap;font-weight:100 900;src:url("./inter-latin-wght-normal-NRMW37G5.woff2")
format("woff2-variations");unicode-range:U+0100-00FF,U+0131,U+0152-0153,U+02BB-
02BC,U+02C6,U+02DA,U+02DO,U+0304,U+0304,U+0309,U+0309,U+0309,U+0303,U+0309,U+0308-
03BC,U+02C6,U+02DA,U+02DD,U+0304,U+0309,U+0309,U+0309,
```

public\images\no-image.svg

public\js\filament\actions\actions.js

 $(()) = \{ var \ n = (\{ livewireId:e \}) = > (\{ actionNestingIndex:null, init() \{ window.addEventListener("sync-action-modals", t = > \{ t.detail.id = = e&&this.syncActionModals(t.detail.newActionNestingIndex) \}) \}, syncActionModals(t) \{ if(this.actionNestingIndex = = t) \{ this.actionNestingIndex! = = null&&this. = nextTick(() = > this.openModal()) \}, return \} if(this.actionNestingIndex! = = null&&this.closeModal(), this.actionNestingIndex = t, this.actionNestingIndex! = null \} if(!this. = el.querySelector(`# | this.generateModalId(t) \}`)) \{ this. = nextTick(() = > this.openModal()) \}, return \} this.openModal() \}, generateModalId(t) \{ return `fi - | {e} - action - `+t \}, openModal() \{ let t = this.generateModalId(this.actionNestingIndex) ; document.dispatchEvent(new CustomEvent("open-modal", {bubbles:!0, composed:!0, detail: {id:t} })) \}, closeModal() \{ let t = this.generateModalId(this.actionNestingIndex) ; document.dispatchEvent(new CustomEvent("close-modal-quietly", {bubbles:!0, composed:!0, detail: {id:t} })) }) ; document.addEventListener("alpine:init", () = > {window.Alpine.data("filamentActionModals", n)}); }) ();$

```
(()=>{var ee=Object.create,q=Object.defineProperty,te=Object.getPrototypeOf,re=Object.prototype.hasO
   wnProperty,ne=Object.getOwnPropertyNames,ie=Object.getOwnPropertyDescriptor,se=r=>g(r,
  value: !0}), ae=(r,n)=>(|r|(n={exports:{}},r(n.exports,n)),n.exports), oe=(r,n,s)=>\{if(n&&typeofn="object"||typeofn=="function")for(let l of ne(n))!re.call(r,l)&&!=="default"&&q(r,l,{get:()=>n[}))
   l],enumerable:!(s=ie(n,l))||s.enumerable});return
l],enumerable:!(s=ie(n,l))||s.enumerable});return
r},fe=r=>oe(se(q(r!=null?ee(te(r)):{},"default",r&r.__esModule&&"default"in r?{get:()=>r.default,en
umerable:!0}:{value:r,enumerable:!0})),r),le=ae((r,n)=>{(function(s,l,g){if(!s)return;for(var d={8:"}
backspace",9:"tab",13:"enter",16:"shift",17:"ctrl",18:"alt",20:"capslock",27:"esc",32:"space",33:"pa
geup",34:"pagedown",35:"end",36:"home",37:"left",38:"up",39:"right",40:"down",45:"ins",46:"del",91:"
meta",93:"meta",224:"meta"},w={106:"*",107:"+",109:"-
",110:".",111:"/",186:";",187:"=",188:",",189:"-
",190:".",191:"/",192:"`",219:"[",220:"\\",221:"]",222:"'"},b={"~":"`","!":"1","@":"2","#":"3",[]:"4"
,%":"5","^":"6","&":"7","*":"8","(":"9",")":"0",_:'-
","+":"=",":":";","'':"","<":",","":""/","|":"\\"},x={option:"alt",command:"meta",return:"e
nter",escape:"esc",plus:"+",mod:/Mac|iPod|iPhone|iPad/.test(navigator.platform)?"meta":"ctrl"},P,y=1
:v<20:++v)d[111+v]="f"+v:for(y=0:v<=9:++v)d[v+96]=v.toString():function
    y<20;++yd[111+y]="f"+y;for(y=0;y<=9;++y)d[y+96]=y.toString();function
   S(e,t,a){if(e.addEventListener){e.addEventListener(t,a,!1); return}e.attachEvent("on"+t,a)}function
   G(e){if(e.type=="keypress"){var t=String.fromCharCode(e.which);return
   e.shiftKey||(t=t.toLowerCase()),t}return
   \label{eq:decomposition} $$d[e.which]: w[e.which]: String.fromCharCode(e.which).toLowerCase() $$function $$ d[e.which]: w[e.which]: $$fromCharCode(e.which).toLowerCase() $$ function $$ d[e.which]: $$ fromCharCode(e.which).toLowerCase() $$ function $$ d[e.which]: $$ fromCharCode(e.which).toLowerCase() $$ function $$ for $$ for $$ function $$ for $$ function $$ for $$ function $$ for $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ 
  N(e,t)\{return\ e.sort().join(",")==-t.sort().join(",")\}\{function\ V(e)\{var\ t=[];return\ e.shiftKey\&\&t.push("shift"),e.altKey\&\&t.push("alt"),e.ctrlKey\&\&t.push("ctrl"),e.metaKey\&\&t.push("meta"),t\}\{function\ function\   H(e){if(e.preventDefault){e.preventDefault();return}e.returnValue=!1}function
  F(e){if(e.stopPropagation){e.stopPropagation();return}e.cancelBubble=!0}function C(e){return}e=="shift"||e=="ctrl"||e=="meta"}function J(){if(!P){P={}};for(var e in
   d)e>95&&e<112||d.has0wnProperty(e)&&(P[d[e]]=e)}return P}function B(e,t,a){return
 a||(a=J()[e]?"keydown":"keypress"), a=="keypress"&&t.length&&(a="keydown"),a}function X(e)\{return e==="+"?["+"]:(e=e.replace(/\+{2}/g,"+plus"),e.split("+"))}function T(e,t)\{var a,h,k,A=[];for(a=X(e),k=0;k<a.length;++k)h=a[k],x[h]&&(h=x[h]),t&&t!="keypress"&&b[h]&&(h=b[h],A.push("shift")),C(h)&&A.p.
   ush(h); return t=B(h,A,t), {key:h,modifiers:A,action:t}} function U(e,t) {return
   e===null||e===1?!1:e===+7:0:U(e.parentNode,t)\}function v(e){var t=this;if(e=e||l,!(t instanceof tensor))}
  v))return new v(e);t.target=e,t._callbacks={},t._directMap={};var a={},h,k=!1,A=!1,D=!1;function E(i){i=i||{};var f=!1,p;for(p in a){if(i[p]){f=!0};continue}a[p]=0}f||(D=!1)}function
   I(i,f,p,o,c,m) \\ \{var \ u,\_,M=[],0=p.type; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t.\_callbacks[i]) \\ return[];for(0=="keyup"\&\&C(i)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[i]),u=0; if(!t)\&\&(f=[
    u < t.\_callbacks[i].length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&\&\_.seq\&a[\_.seq]!=\_.level)\&\&0 ==\_.action\&\&(length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&\&A[\_.seq]!=\_.seq]!=\_.action\&\&(length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&\&A[\_.seq]!=\_.level)\&\&0 ==\_.action\&\&(length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&\&A[\_.seq]!=\_.level)\&\&0 ==\_.action\&\&(length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&A[\_.seq]!=\_.level)\&\&0 ==\_.action\&\&(length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&A[\_.seq]!=\_.seq]!=\_.action\&\&(length; ++ u) if (\_=t.\_callbacks[i][u], !(!o\&A[\_.seq]!=\_.seq]!=\_.actio
  0 == \text{"keypress"} \&\&!p.\text{metaKey} \&\&!p.\text{ctrlKey} | N(f,\_.\text{modifiers})) \{ \text{var} \\ Z = !o\&\&\_.\text{combo} == c, \Box = o\&\&\_.\text{seq} == o\&\&\_.\text{level} == m; (Z||\Box) \&\&t.\_\text{callbacks}[i].\text{splice}(u,1), M.\text{push}(\_) \} \text{ return} \} 
   M \} function \ L(i,f,p,o) \\ \{\overline{t}.stopCallback(f,f.target||f.srcElement,p,o)||i(f,p)===!1\&\&(H(f),F(f))\}\\ t\_hand \ L(i,f,p,o) \\ \{\overline{t}.stopCallback(f,f.target||f.srcElement,p,o)||i(f,p)===!1\&(H(f),F(f))\}\\ t\_hand \ L(i,f,p,o) \\ L(i,f,p,o) \\ L(i,f,p,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f,o) \\ L(i,f
  leKey=function(i,f,p)\{var\ o=I(i,f,p),c,m=\{\},u=0,\_=!1;for(c=0;c<o.length;++c)o[c].seq\&\&(u=Math.max(u,o[c].level));for(c=0;c<o.length;++c)\{if(o[c].seq)\{if(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,m[o[c].seq]=1,L(o[c].level!=u)continue;=!0,L(o[c].seq]=1,L(o[c].seq]=1,L(o[c].level!=u)continue;=!0,L(o[c].seq]=1,L(o[c].seq]=1,L(o[c].seq]=1,L
  ].callback,p,o[c].combo,o[c].seq);continue}_||L(o[c].callback,p,o[c].combo)}var M=p.type=="keypress"&&A;p.type==D&&!C(i)&&!M&&E(m),A=_&&p.type=="keydown"};function K(i){typeof}
   i.which!="number"&&(i.which=i.keyCode);var
   f=G(i); if(f){if(i.type=="keyup"&k===f){k=!1; return}t.handleKey(f,V(i),i)}}function
 Y()\{\text{clearTimeout}(h), h=\text{setTimeout}(E, le3)\} \text{function } Q(i,f,p,o)\{a[i]=0; \text{function } c(0)\{\text{return function}()\{D=0,++a[i],Y()\}\} \text{function } m(0)\{L(p,0,i),o!=="keyup"\&\&(k=G(0)),\text{setTimeout}(E,10)\} \text{for}(\text{var } u=0; u<f.\ length;++u)\{\text{var } =u+1===f.\ length,M=?m:c(o||T(f[u+1]).action);z(f[u],M,o,i,u)\}\} \text{function } z(i,f,p,o,c)\{t.\_directMap[i+":"+p]=f,i=i.replace(/\s+/g," ");var m=i.split(" "),u;if(m.\ length>1)\{Q(i,f,p,o,c)\}\} \text{function} \}
 ,m,f,p);return}u=T(i,p),t._callbacks[u.key]=t._callbacks[u.key]||[],I(u.key,u.modifiers,{type:u.action},o,i,c),t._callbacks[u.key][o?"unshift":"push"]({callback:f,modifiers:u.modifiers,action:u.action,seq:o,level:c,combo:i})}t._bindMultiple=function(i,f,p){for(var o=0;o<i.length;++o)z(i[o],f,p)},S(e,"keypress",K),S(e,"keydown",K),S(e,"keyup",K)}v.prototype.bind=function(e,t,a){var h=this;return e=e instanceof Array?e:[e],h._bindMultiple.call(h,e,t,a),v.prototype.unbind=function(e,t){var</pre>
 a=this;return a.bind.call(a,e,function(){},t)},v.prototype.trigger=function(e,t){var a=this;return a. directMap[e+":"+t]&&a. directMap[e+":"+t]&&a. directMap[e+":"+t]({},e),a},v.prototype.reset=function(){var e=this;return e. callbacks={},e. directMap={},e},v.prototype.stopCallback=function(e,t){var a=this;if((" "+t.className+" ").indexOf(" mousetrap ")>-1||U(t,a.target))return!1;if("composedPath"in e&&typeof e.composedPath="function"){var h=e.composedPath()[0];h!==e.target&&(t=h)}return t.tagName=="INPUT"|
   |t.tagName=="SELECT"||t.tagName=="TEXTAREA"||t.isContentEditable},v.prototype.handleKey=function(){v
 ar e=this; return e._handleKey.apply(e,arguments)}, v.addKeycodes=function(e){for(var t in e)e.hasOwnProperty(t)&&(d[t]=e[t]); P=null}, v.init=function(){var e=v(l); for(var t in e)t.charAt(0)!=="\_"&&(v[t]=function(a){return function()}{return}
  e[a].apply(e,arguments)\}\}(t))\},v.init(),s.Mousetrap=v,typeof n<"u"&&n.exports&&(n.exports=v),typeof define=="function"&&define.amd&&define(function(){return v})))(typeof window<"u"?window:null,typeof window="function")))
 w=this;if(w.bind(l,g,d),l instanceof Array){for(var
   b=0;b<1.length;b++)n[l[b]]=!0;return]n[l]=!0],r.init()}})(typeof Mousetrap<"u"?Mousetrap:void 0);var
  \begin{array}{l} \text{b-d}, \text{b-t.teligti}, \text{b+f.inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\ \text{inft} \\
```

public\js\filament\filament\app.js

```
)=>({isOpen:window.Alpine. ☐persist(!0).as("isOpen"),isOpenDesktop:window.Alpine. ☐persist(!0).as("isO
 penDesktop"),collapsedGroups:window.Alpine. persist(null).as("collapsedGroups"),init(){this.resize0b server=null,this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener("livewire:navigated",()=>{this.setUpResize0bserver(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),document.addEventListener(),doc
  pResizeObserver()})},setUpResizeObserver(){this.resizeObserver&&this.resizeObserver.disconnect();let
  r=window.innerWidth;this.resizeObserver=new ResizeObserver(()=>{let n=window.innerWidth,s=r>=1024,l=
  n<1024, g=n>=1024; s\&\&l?(this.isOpenDesktop=this.isOpen, this.isOpen\&this.close()): !s\&\&g\&\&(this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDesktop=this.isOpenDes
   =this.isOpenDesktop),r=n}),this.resizeObserver.observe(document.body),window.innerWidth<1024?this.is
  Open&&(this.isOpenDesktop=!0,this.close()):this.isOpenDesktop=this.isOpen},groupIsCollapsed(r){retur
 n this.collapsedGroups.includes(r)},collapseGroup(r){this.collapsedGroups.includes(r)||(this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.collapsedGroups=this.
  dGroups.includes(r)?this.collapsedGroups.filter(n=>n!==r):this.collapsedGroups.concat(r)},close(){th
  is.isOpen=!1,window.innerWidth>=1024&&(this.isOpenDesktop=!1)},open(){this.isOpen=!0,window.innerWid
  th>=1024&&(this.isOpenDesktop=!0)}});document.addEventListener("alpine:init",()=>{let
  r=localStorage.getItem("theme")??getComputedStyle(document.documentElement).getPropertyValue("--
  default-theme
 mode"); window.Alpine.store("theme",r==="dark"||r==="system"&&window.matchMedia("(prefers-color-scheme: dark)").matches?"dark":"light"), window.addEventListener("theme-changed",n=>{let
  s=n.detail;localStorage.setItem("theme",s),s==="system"&&(s=window.matchMedia("(prefers-color-
  \label{light} \verb|dark|"|).matches?" | dark": "light"|, window. Alpine. store("theme", s)|), window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. matchMedia("(prefers-color-light)|, window. window. window. matchMedia("(prefers-color-light)|, window. window. window. window. window. windo
 scheme: dark)").addEventListener("change",n=>{localStorage.getItem("theme")==="system"&&window.Alpin e.store("theme",n.matches?"dark":"light")}),window.Alpine.effect(()=>{window.Alpine.store("theme")==
  ="dark"?document.documentElement.classList.add("dark"):document.documentElement.classList.remove("dark")})));document.addEventListener("DOMContentLoaded",()=>{setTimeout(()=>{let
  r=document.guerySelector(".fi-main-sidebar .fi-sidebar-item.fi-
 active");if((!r||r.offsetParent===null)&(r=document.querySelector(".fi-main-sidebar.fi-sidebar-group.fi-active")),!r||r.offsetParent===null)return;let n=document.querySelector(".fi-main-sidebar-group.fi-active")),
    .fi-sidebar-nav"); n\&\&n.scrollTo(0,r.offsetTop-window.innerHeight/2)\}, 10)\}); window.setUpUnsavedDataCharanteenstate (a.g., a.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., b.g., 
 angesAlert=(\{body:r,livewireComponent:n, | wire:s\}) => \{window.addEventListener("beforeunload", l=> \{window.jsMd5(JSON.stringify(s.data).replace(/\\/g,"")) ===s.savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||s?.__instance?.effects?.redirection | savedDataHash||sventarection ngesAlert = (\{resolveLivewireComponentUsing:r, [wire:n]\}) => \{window.addEventListener("beforeunload", statement of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the c
  => \{if(!(typeof r()>"u")\&\&(n.mountedActions?.length??0)\&\&!n?.\_instance?.effects?.redirect) \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect\} \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect] \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect] \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect] \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect] \\ \{s.preventedActions?.length??0\}\&\&!n?.\_instance?.effects?.redirect] \\ \{s.preventedActions.length.effects?.length.effects.length.effects?.redirects.length.effects?.redirects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length.effects.length
 Default(),s.returnValue=!0;return}});document.addEventListener("alpine:init",()=>{window.Alpine.plu gin(W),window.Alpine.store("sidebar",j())};)();
```

```
(()=>{var Ci=Object.create;var he=Object.defineProperty;var Ti=Object.getOwnPropertyDescriptor;var
  Pi=Object.getOwnPropertyNames;var xi=Object.getPrototypeOf,Oi=Object.prototype.hasOwnProperty;var
  Ai=(l,h)=>()=>(h||l((h=\{exports:\{\}\}).exports,h),h.exports);var Ei=(l,h,a,c)=>\{if(h\&\&typeof
  h=="object"||typeof h=="function")for(let s of
  Pi(h))!0i.call(l,s)&s!==a&he(l,s,{get:()=>h[s],enumerable:!(c=Ti(h,s))||c.enumerable});return
  l; var Li=(l,h,a)=>(a=l!=null?Ci(xi(l)):{},Ei(h||!l||!l. esModule?he(a, "default",{value:l,enumerabl
 e:!0}):a,l));var me=Ai((vt,It)=>{(function(h,a){typeof vt=="object"&&typeof It=="object"?It.exports=a():typeof define=="function"&&define.amd?define([],a):typeof
  vt=="object"?vt.Pusher=a():h.Pusher=a()})(window,function(){return function(l){var h={}};function
  a(c){if(h[c])return h[c].exports;var s=h[c]={i:c,l:!1,exports:{}};return
  l[c].call(s.exports,s,s.exports,a),s.l=!0,s.exports}return a.m=l,a.c=h,a.d=function(c,s,f){a.o(c,s)|
 |Object.defineProperty(c,s,{enumerable:!0,get:f})},a.r=function(c){typeof Symbol<"u"&&Symbol.toStringTag&&Object.defineProperty(c,Symbol.toStringTag,{value:"Module"}),Object.defineProperty(c,"__esModu
le",{value:!0})},a.t=function(c,s){if(s&1&&(c=a(c)),s&8||s&4&&typeofc="object.defineProperty(c,"__esModule";{value:!0})},a.t=function(c,s){if(s&1&&(c=a(c)),s&8||s&4&&typeofc="object.defineProperty(f,"default",{enumerable:!0,value:c}),s&2&&typeofc!="string")for(var d in c)a.d(f,d,function(N){return
c[N]}.bind(null,d));return f},a.n=function(c){var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a string / or (var a
                                                                 extends||function(){var b=function(v,y){return
  c=this&&this.
c=this&&this.__extends||function(){var b=function(v,y){return b=0bject.setPrototype0f||{__proto__:[]}instanceof  
Array&&function(w,0){w.__proto__=0}||function(w,0){for(var I in  
0)0.hasOwnProperty(I)&&(w[I]=0[I])},b(v,y)};return function(v,y){b(v,y);function  
w(){this.constructor=v}v.prototype=y==null?Object.create(y):(w.prototype=y.prototype,new  
w)}();0bject.defineProperty(h,"__esModule",{value:!0});var s=256,f=function(){function  
b(v){v===void 0&&(v="="),this._paddingCharacter=v}return  
b.prototype.encodedLength=function(v){return  
this._paddingCharacter?(v+2)/3*4|0:(v*8+5)/6|0},b.prototype.encode=function(v){for(var  
v="" w=0:w<v length-2:w+=3){var 0=v[w]<<16|v[w+1]<<8|v[w+2]:v+=this_encodeRyte(0>>>3*6&66*)
  y="", w=0; w<v.length-2; w+=3) \{var 0=v[w]<<16|v[w+1]<<8|v[w+2]; y+=this. encodeByte(0>>>3*6&63), y+=this.
      encodeByte(0>>>2*6\&63),y+=this. encodeByte(0>>>1*6\&63),y+=this. encodeByte(0>>>0*6&63)}var
  \overline{I} = v. length-w; if (I>0) \\ \{var\ 0 = v[w] << 16 \\ |\ (I===2?v[w+1] << 8:0); y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeByte(0>>>3*6&63), y+=this.\_encodeBy
 odeByte(0>>>2*6&63), I===2?y+=this._encodeByte(0>>>1*6&63):y+=this._paddingCharacter||"",y+=this._paddingCharacter||""}return y},b.prototype.maxDecodedLength=function(v){return
  this. paddingCharacter?v/4*3|0:(v*6+7)/8|0},b.prototype.decodedLength=function(v){return
  this.maxDecodedLength(v.length-
  this. getPaddingLength(v)), b.prototype.decode=function(v){if(v.length===0)return new
 \label{lintsarray} \begin{tabular}{ll} Uint8Array(0); for (var y=this. getPaddingLength(v), w=v.length-y, 0=new Uint8Array(this.maxDecodedLength(w)), I=0, q=0, M=0, J=0, F=0, z=0, B=0; q< w-this. getPaddingLength(v), w=v.length-y, 0=new Uint8Array(this.maxDecodedLength(w)), I=0, q=0, M=0, J=0, F=0, z=0, B=0; q< w-this. getPaddingLength(v), w=v.length-y, 0=new Uint8Array(this.maxDecodedLength(w)), I=0, q=0, M=0, J=0, F=0, z=0, B=0; q< w-this. getPaddingLength(v), w=v.length-y, 0=new Uint8Array(this.maxDecodedLength(w)), I=0, q=0, M=0, J=0, F=0, z=0, B=0; q< w-this. getPaddingLength(w), w=v.length(w), 4; q+=4) \\ J=this.\_decodeChar(v.charCodeAt(q+0)), \\ F=this.\_decodeChar(v.charCodeAt(q+1)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.charCodeAt(q+0)), \\ z=this.\_decodeChar(v.cha
  ]=z<<6|B,M|=J&s,M|=F&s,M|=z&s,M|=B&s;if(q<w-1)
  1\&\&(J=this.\_decodeChar(v.charCodeAt(q)), F=this.\_decodeChar(v.charCodeAt(q+1)), 0[I++]=J<<2|F>>>4, M|=J
  s, M = Fs, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s, q = -2s,
  3\&\&(B=this. decodeChar(v.charCodeAt(q+3)),0[I++]=z<<6[B,M]=B\&s),M!==0)throw new Error("Base64Coder:
 incorrect characters for decoding"); return 0}, b.prototype._encodeByte=function(v) {var y=v; return y+= 65, y+=25-v>>>8\&6, y+=51-v>>>8\&-75, y+=61-v>>>8&-15, y+=62-
  v >> 8\&3, String.fromCharCode(y)}, b.prototype. decodeChar=function(v){var y=s; return y+=(42-v&v-v)}
 44)>>>8\&-s+v-43+62, y+=(46-v&v-48)>>>8\&-s+v-47+63, y+=(47-v&v-58)>>>8\&-s+v-48+52, y+=(64-v&v-91)>>>8\&-s+v-65+0, y+=(96-v&v-123)>>>8&-s+v-97+26, y}, b.prototype._getPaddingLength=function(v){var}
  y=0;if(this._paddingCharacter){for(var
  w=v.length-1; w>=0\&\&v[w]===this. paddingCharacter; w--)y++; if(v.length<4||y>2)throw new
  Error("Base64Coder: incorrect padding")}return y},b}();h.Coder=f;var d=new f;function N(b){return
  d.encode(b)}h.encode=N;function P(b){return d.decode(b)}h.decode=P;var T=function(b){c(v,b);function
  v(){return b!==null&&b.apply(this,arguments)||this}return v.prototype._encodeByte=function(y){var
 46)>>>8&-s+y-45+62, w+=(94-y&y-96)>>>8&-s+y-95+63, w+=(47-y&y-58)>>>8&-s+y-48+52, w+=(64-y&y-91)>>>8&-
  S.encode(b)h.encodeURLSafe=C;function x(b){return
  S.decode(b)\}h.decodeURLSafe=x,h.encodedLength=function(b)\{return
  d.encodedLength(b)},h.maxDecodedLength=function(b){return
   d.maxDecodedLength(b)\}, h.decodedLength=function(b) \\ \{return\ d.decodedLength(b)\}\}, function(l,h,a) \\ \{"usellow bounds of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of 
trict";Object.defineProperty(h,"__esModule",{value:!0});var c="utf8: invalid string",s="utf8:
invalid source encoding";function f(P){for(var T=new Uint8Array(d(P)),S=0,C=0;C<P.length;C++){var x= P.charCodeAt(C);x<128?T[S++]=x:x<2048?(T[S++]=128|x>>6,T[S++]=128|x&63):x<55296?(T[S++]=224|x>>12,T[S++]=128|x>6,T[S++]=128|x&63);T[S++]=128|x&63);T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S++]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S+1]=128|x>12,T[S
  d(P)\{for(var\ T=0,S=0;S<P.length;S++)\{var\ C=P.charCodeAt(S);if(C<128)T+=1;else\ if(C<2048)T+=2;else\}\}
  if(C<55296)T+=3;else\ if(C<=57343)\{if(S>=P.length-1)throw\ new\ Error(c);S++,T+=4\}else\ throw\ new
 Error(c)}return T}h.encodedLength=d;function N(P){for(var T=[],S=0;S<P.length;S++){var C=P[S];if(C&128){var x=void 0;if(C<224){if(S>=P.length)throw new Error(s);var
  b=P[++S]; if((b\&192)!==128)throw new Error(s); C=(C\&31)<<6|b\&63,x=128\}else
  if(C<240){if(S>=P.length-1)throw new Error(s);var
```

```
b=P[++S], v=P[++S]; if((b\&192)!==128||(v\&192)!==128)throw new
  Error(s); C=(C\&15) << 12|(b\&63) << 6|v\&63, x=2048\} else if (C<248) {if (S>=P.length-2) throw new Error(s); var
  b=P[++S],v=P[++S];if((b&192)!==128||(v&192)!==128||(y&192)!==128)throw new
  Error(s); C=(C\&15) << 18 \mid (b\&63) << 12 \mid (v\&63) << 6 \mid y\&63, x=65536 \} else throw new
  Error(s); if(C < x | C > 55296 \& C < 57343) throw new <math>Error(s); if(C > 65536) \{if(C > 1114111) throw new Error(s); if(C > 65536) \}
  =65536, T. push(String.fromCharCode(55296|C>>10)), C=56320|C&1023}}T.push(String.fromCharCode(C))}retur
  n T.join("")}h.decode=N},function(l,h,a){l.exports=a(3).default},function(l,h,a){"use
  strict"; a.r(h); var c=function(){function e(t,n){this.lastId=0,this.prefix=t,this.name=n}return}
  e.prototype.create=function(t){this.lastId++;var n=this.lastId,r=this.prefix+n,i=this.name+"["+n+"]"
     ,o=!1,u=function(){o||(t.apply(null,arguments),o=!0)};return
,o=!1,u=function(){o||(t.apply(null,arguments),o=!0)};return
this[n]=u,{number:n,id:r,name:i,callback:u}},e.prototype.remove=function(t){delete
this[t.number]},e}(),s=new c("_pusher_script_","Pusher.ScriptReceivers"),f={VERSION:"7.6.0",PROTOCOL
:7,wsPort:80,wssPort:443,wsPath:"",httpHost:"sockjs.pusher.com",httpPort:80,httpsPort:443,httpPath:"
/pusher",stats_host:"stats.pusher.com",authEndpoint:"/pusher/auth",authTransport:"ajax",activityTime
out:12e4,pongTimeout:3e4,unavailableTimeout:1e4,cluster:"mt1",userAuthentication:{endpoint:"/pusher/
user-auth",transport:"ajax"},channelAuthorization:{endpoint:"/pusher/auth",transport:"ajax"},cdn_htt
p:"http://js.pusher.com",cdn_https:"https://js.pusher.com",dependency_suffix:""},d=f,N=function(){fu
nction e(t){this.options=t,this.receivers=t.receivers||s,this.loading={}}}return
  e.prototype.load=function(t,n,r){var
  i=this; if(i.loading[t]&i.loading[t].length>0)i.loading[t].push(r); else{i.loading[t]=[r]; var o=m.cre}
  ateScriptRequest (i.getPath(t,n)), u=i.receivers.create(function(p)\{if(i.receivers.remove(u),i.loading)\} ateScriptRequest(i.getPath(t,n)), u=i.receivers.create(i.getPath(t,n)), u=i.receivers.create(i.getP
                                                      _=i.loading[t];delete i.loading[t];for(var g=function(E){E||o.cleanup()},k=0;k<_.length;k++
   ) [k](p,g)}});o.send(u)}},e.prototype.getRoot=function(t){var
 n,r=m.getDocument().location.protocol;return t&&t.useTLS||r==="https:"?n=this.options.cdn_https:n=this.options.cdn_http.n.replace(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percents(/\/*\percent
  {return this.getRoot(n)+"/"+t+this.options.suffix+".js"},e}(),P=N,T=new
c("_pusher_dependencies","Pusher.DependenciesReceivers"),S=new P({cdn_http:d.cdn_http.cdn_https:d.cd
  n_https,version:d.VERSION,suffix:d.dependency_suffix,receivers:T}),C={baseUrl:"https://pusher.com",u
 rls:{authenticationEndpoint:{path:"/docs/channels/server_api/authenticating_users"},authorizationEndpoint:{path:"/docs/channels/server_api/authorizing-users/"},javascriptQuickStart:{path:"/docs/javasc
  ript_quick_start"},triggeringClientEvents:{path:"/docs/client_api_guide/client_events#trigger-events"},encryptedChannelSupport:{fullUrl:"https://github.com/pusher/pusher-
  js/tree/cc491015371a4bde5743d1c87a0fbac0feb53195#encrypted-channel-support"}}},x=function(e){var
 t="See:",n=C.urls[e];if(!n)return"";var r;return
n.fullUrl?r=n.fullUrl:n.path&&(r=C.baseUrl+n.path),r?t+"
 "+r:""},b={buildLogSuffix:x},v;(function(e){e.UserAuthentication="user-authentication",e.ChannelAuthorization="channel-authorization"})(v||(v={}));var y=function(){var
e=function(t,n){return e=0bject.setPrototype0f||{__proto__:[]}instanceof
Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in
i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function
r(){this.rototype=n===null?Object.create(n):(r.prototype=n.prototype,new
  r)}(),w=function(e){y(t,e);function t(n){var r=this.constructor,i=e.call(this,n)||this;return
  Object.setPrototype0f(i,r.prototype),ireturn t{Error},0=function(e){y(t,e);function t(n){var}
  r=this.constructor,i=e.call(this,n)||this;return Object.setPrototypeOf(i,r.prototype),i}return t}(Error),I=function(e){y(t,e);function t(n){var r=this.constructor,i=e.call(this,n)||this;return
 \label{lem:constructor} Object.setPrototype0f(i,r.prototype),i\\ return t\\ t\\ (Error),q=function(e)\\ \{y(t,e);function\ t(n)\\ \{varrethis.constructor,i=e.call(this,n)\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype),i\\ ||this;return\ Object.setPrototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.prototype0f(i,r.pr
  t}(Error), M=function(e){y(t,e); function t(n){var r=this.constructor,i=e.call(this,n)||this; return
 \label{lem:construction} Object.setPrototypeOf(i,r.prototype),i\} return \ t\} (Error), J=function(e) \{y(t,e); function \ t(n) \{varr=this.constructor,i=e.call(this,n)||this; return \ Object.setPrototypeOf(i,r.prototype),i\} return \ vareful for the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of 
  t\}(Error), F=function(e)\{y(t,e); function\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; return\ t(n)\{var\ r=this.constructor, i=e.call(this,n)||this; r=this.constructor, i=e.call(this,n)||this; r=this.constructor, i=e.call(this,n)||this; r=this.constructor, i=e.call(this,n)||this; r=this.constructor, i=e.call(this,n)||this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r=this; r
  Object.setPrototypeOf(i,r.prototype),i}return t(Error),z=function(e)y(t,e);function t(n){var
  r=this.constructor,i=e.call(this,n)||this;return Object.setPrototypeOf(i,r.prototype),i}return
  t(Error), B-function(e){y(t,e); function t(n,r){var i=this.constructor,o=e.call(this,r)||this; return
 o.status=n,Object.setPrototypeOf(o,i.prototype),o}return t}(Error),ke=function(e,t,n,r,i){var o=m.createXHR();o.open("POST",n.endpoint,!0),o.setRequestHeader("Content-Type","application/x-www-
  form-urlencoded");for(var u in
  n.headers)o.setRequestHeader(u,n.headers[u]); if (n.headersProvider!=null){var}
 p=n.headersProvider();for(var u in p)o.setRequestHeader(u,p[u])}return
o.onreadystatechange=function(){if(o.readyState===4)if(o.status===200){var ==void}
  0,g=!1; try \{\_=JSON.parse (o.response Text), g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch \{i (new B(200,"JSON returned from "+r.toString()+", g=!0\}, g=!0\} catch
 endpoint was invalid, yet status code was 200. Data was:
"+o.responseText),null)}g&&i(null,_)}else{var k="";switch(r){case
v.UserAuthentication:k=b.buildLogSuffix("authenticationEndpoint");break;case
v.ChannelAuthorization:k="Clients must be authorized to join private or presence channels.
"+b.buildLogSuffix("authorizationEndpoint");break}i(new B(o.status, "Unable to retrieve auth string from "+r.toString()+" endpoint - "+("received status: "+o.status+" from "+n.endpoint+".
    "+k)),null)}},o.send(t),o},Se=ke;function Ce(e){return Ee(0e(e))}for(var nt=String.fromCharCode,Z="A
  BCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/", Te={}, ct=0, Pe=Z.length; ct<Pe; ct++)Te[Z.charAt(ct)]=ct; var xe=function(e) {var t=e.charCodeAt(0); return t<128?e:t<2048?nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(192|t>>>6)+nt(19
  28|t\&63):nt(224|t>>>12\&15)+nt(128|t>>>6\&63)+nt(128|t\&63)\}, 0e=function(e)\{return (128|t&63)\}, 0e=function(e)\{return (12
  e.replace(/[^x00-x7F]/g,xe), Ae=function(e){var t=[0,2,1][e.length%3],n=e.charCodeAt(0)<<16|(e.length%3)]
```

```
gth>1?e.charCodeAt(1):0)<<8|(e.length>2?e.charCodeAt(2):0),r=[Z.charAt(n>>>18),Z.charAt(n>>>12&63),t
 >=2?"=":Z.charAt(n>>>6&63),t>=1?"=":Z.charAt(n&63)];return
 r.join(""), Ee=window.btoa||function(e){return e.replace(/[\s\S]{1,3}/g,Ae)}, Le=function(){function}
 e(t,n,r,i){var o=this;this.clear=n,this.timer=t(function(){o.timer&&(o.timer=i(o.timer))},r)}return
 e.prototype.isRunning=function(){return this.timer!==null},e.prototype.ensureAborted=function(){this
  .timer&&(this.clear(this.timer),this.timer=null)),e}(),jt=Le,Nt=function(){var}
e=function(t,n){return e=Object.setPrototypeOf||{__proto__:[]}instanceof
Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in
 i)i.hasOwnProperty(o)&\{(r[o]=i[o])\},e(t,n)};return function(t,n){e(t,n);function r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new
 r)}}();function Re(e){window.clearTimeout(e)}function Ie(e){window.clearInterval(e)}var
 Q=function(e){Nt(t,e); function t(n,r){return e.call(this,setTimeout,Re,n,function(i){return
 r(),null})||this}return t}(jt),je=function(e){Nt(t,e);function t(n,r){return
 e.call(this,setInterval,Ie,n,function(i){return r(),i})||this}return
 t}(jt),Ne={now:function(){return Date.now?Date.now():new Date().valueOf()},defer:function(e){return
 new Q(0,e), method:function(e){for(var t=[],n=1;n<arguments.length;n++)t[n-1]=arguments[n];var
 r=Array.prototype.slice.call(arguments,1);return function(i){return
i[e].apply(i,r.concat(arguments))}}},j=Ne;function U(e){for(var
t=[],n=1;n<arguments.length;n++)t[n-1]=arguments[n];for(var r=0;r<t.length;r++){var i=t[r];for(var o
in i)i[o]&&i[o].constructor&&i[o].constructor===0bject?e[o]=U(e[o]||{},i[o]):e[o]=i[o]}return
 e}function qe(){for(var e=["Pusher"],t=0;t<arguments.length;t++)typeof
 arguments[t]=="string"?e.push(arguments[t]):e.push(ut(arguments[t]));return e.join(" : ")}function
 qt(e,t){var n=Array.prototype.index0f;if(e===null)return-1;if(n&&e.index0f===n)return
e.indexOf(t); for(var r=0,i=e.length; r<i; r++) if(e[r]===t) return r; return-1 \} function W(e,t) \{ for(var n in e) Object.prototype.hasOwnProperty.call(e,n) \& & t(e[n],n,e) \} function Ut(e) \{ var t=[]; return \} \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut(e) \} function Ut
 W(e,function(n,r)\{t.push(r)\}),t\}function Ue(e)\{var\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t=[];return\ t
 W(e,function(n){t.push(n)}),t}function rt(e,t,n){for(var
 r=0; r<e.length; r++)t.call(n||window,e[r],r,e)function Dt(e,t){for(var
 n=[], r=0; r<e.length; r++)n.push(t(e[r],r,e,n)); return n \} function De(e,t) \{var n=\{\}; return w(e,function(r,i)\{n[i]=t(r)\}), n \} function Ht(e,t)\{t=t||function(i)\{return!!i\}; for(var)\} \} function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function 
W(e, function(n,r)\{t.push([r,n])\}),t\} function zt(e,t)\{for(var)\}
 n=0;n<e.length;n++)if(t(e[n],n,e))return!0;return!1}function Me(e,t){for(var
 n=0;n<e.length;n++)if(!t(e[n],n,e))return!1;return!0}function ze(e){return De(e,function(t){return
  typeof t == "object" \& (t = ut(t)), encode URIComponent (Ce(t.toString())) \} \\ function Fe(e) \\ \{varte = Mt(e, function(r) \{return r! == void 0\}), n = Dt(He(ze(t)), j.method("join", "=")).join("&"); return r! == void 0 \\ \{varte = Mt(e, function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), function(r), 
i){case"object":if(!i)return null;for(u=0;u<t.length;u+=1)if(t[u]===i)return{[]return function r(i,o){var u,p, :switch(typeof i){case"object":if(!i)return null;for(u=0;u<t.length;u+=1)if(t[u]===i)return{[]ret:n[u]};if(t.push(i)</pre>
  ,n.push(o),Object.prototype.toString.apply(i)==="[object
\label{eq:continuity} $$Array]")for(_=[],u=0;u<i.length;u+=1)_[u]=r(i[u],o+"["+u+"]");else{_={}};for(p\ in\ i)0bject.prototype.has0wnProperty.call(i,p)&&(_[p]=r(i[p],o+"["+JS0N.stringify(p)+"]"))}return
         case"number":case"string":case"boolean":return i}}(e,"[")}function ut(e){try{return
 \overline{J}SON.stringify(e) \} catch \{return\ JSON.stringify(Be(e))\} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function \} var\ Xe=function() \{function() \{function \} var\ Xe=function() \{function() ()\{this.globalLog=function(t)\{window.console\&\&window.console.log(t)\}\} return
 e.prototype.debug=function() \{for(var t=[],n=0;n< arguments.length;n++)t[n]= arguments[n];this.log(this) \} the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution 
   .globalLog,t), e.prototype.warn=function(){for(var t=[],n=0;n<arguments.length;n++)t[n]=arguments[n]}
  ;this.log(this.globalLogWarn,t)},e.prototype.error=function(){for(var t=[],n=0;n<arguments.length;n+
+)t[n]=arguments[n];this.log(this.globalLogError,t)},e.prototype.globalLogWarn=function(t){window.console&&window.console.warn(t):this.globalLog(t)},e.prototype.globalLogError=function(t)
 tion(t) \{ window.console \& window.console.error ? window.console.error(t) : this.globalLogWarn(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.prototerror(t) \}, e.p
 ype.log=function(t)\{for(var n=[],r=1;r< arguments.length;r++)n[r-1]= arguments[r];var]
  i=qe.apply(this,arguments);if(Pt.log)Pt.log(i);else if(Pt.logToConsole){var
o=t.bind(this);o(i)}},e}(),A=new Xe,Je=function(e,t,n,r,i){(n.headers!==void 0||n.headersProvider!=null)&&A.warn("To send headers with the "+r.toString()+" request, you must use
 AJAX, rather than JSONP."); var o=e.nextAuthCallbackID.toString(); e.nextAuthCallbackID++; var
u=e.getDocument(),p=u.createElement("script");e.auth_callbacks[o]=function(k){i(null,k)};var
="Pusher.auth_callbacks['"+o+"']";p.src=n.endpoint+"?callback="+encodeURIComponent(_)+"&"+t;var g=u
.getElementsByTagName("head")[0]||u.documentElement;g.insertBefore(p,g.firstChild)},We=Je,Ve=functio
 n(){function e(t){this.src=t}return e.prototype.send=function(t){var n=this,r="Error loading "+n.src
 ;n.script=document.createElement("script"),n.script.id=t.id,n.script.src=n.src,n.script.type="text/j avascript",n.script.charset="UTF-
8", n.script.addEventListener? (n.script.onerror=function() \{t.callback(r)\}, n.script.onload=function() \{t.callback(null)\}): n.script.onreadystatechange=function() \{(n.script.readyState==="loaded" | |n.script.readyState==="loaded" | |n.script.readyState===="loaded" | |n.script.readyState==="loaded" | |n.script.readyState===="loaded" | |n.script.readyState====="loaded" | |n.script.readyState======"loaded" | |n.script.readyState====="loaded
 readyState==="complete")&&t.callback(null)},n.script.async===void θ&&document.attachEvent&&/opera/i.
test(navigator.userAgent)?(n.errorScript=document.createElement("script"),n.errorScript.id=t.id+"_error",n.errorScript.text=t.name+"('"+r+"');",n.script.async=n.errorScript.async=!1):n.script.async=!0;var i=document.getElementsByTagName("head")[0];i.insertBefore(n.script,i.firstChild),n.errorScript&
 &i.insertBefore(n.errorScript,n.script.nextSibling)},e.prototype.cleanup=function(){this.script&&(th
 is.script.onload=this.script.onerror=null,this.script.onreadystatechange=null),this.script&&this.scr
 ipt.parentNode&&this.script.parentNode.removeChild(this.script),this.errorScript&&this.errorScript.p
 arentNode&&this.errorScript.parentNode.removeChild(this.errorScript),this.script=null,this.errorScri
 pt=null},e}(),Ge=Ve,Qe=function(){function e(t,n){this.url=t,this.data=n}return
```

```
e.prototype.send=function(t){if(!this.request){var n=Fe(this.data),r=this.url+"/"+t.number+"?"+n;thi
s.request=m.createScriptRequest(r),this.request.send(t)}},e.prototype.cleanup=function(){this.request
t&&this.request.cleanup()},e}(),Ke=Qe,Ye=function(e,t){return function(n,r){var i="http"+(t?"s":"
  "://",o=i+(e.host||e.options.host)+e.options.path,u=m.createJSONPRequest(o,n),p=m.ScriptReceivers.cr
me:"jsonp",getAgent:Ye},Ze=□e;function yt(e,t,n){var
r=e+(t.useTLS?"s":""),i=t.useTLS?t.hostTLS:t.hostNonTLS;return r+"://"+i+n}function qt(e,t){var
n="/app/"+e,r="?protocol="+d.PROTOCOL+"&client=js&version="+d.VERSION+(t?"&"+t:"");return n+r}var tn={getInitial:function(e,t){var n=(t.httpPath||"")+gt(e,"flash=false");return
yt("ws",t,n)}},en={getInitial:function(e,t){var n=(t.httpPath||"/pusher")+gt(e);return
yt("http",t,n)}},nn={getInitial:function(e,t){return
yt("http",t,t.httpPath||"/pusher")},getPath:function(e,t){return gt(e)}},rn=function(){function e(){this._callbacks={}}return e.prototype.get=function(t){return
this.\_callbacks[\_t(t)]\}, e.prototype.add=function(t,n,r)\{var\ i=\_t(t); this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[i]=this.\_callbacks[
ks[i][[],this. callbacks[i].push({fn:n,context:r})),e.prototype.remove=function(t,n,r){if(!T&&!n&&!n}
r){this. callbacks={};return}var i=t?[ t(t)]:Ut(this. callbacks);n||r?this.removeCallback(i,n,r):thi
s.remove \overline{AllCallbacks(i)}, e.prototype.remove Callback=function(t,n,r) \\ \{rt(t,function(i)\{this.\_callbacks,function(i),r\}, e.prototype.remove Callbacks,function(t,n,r), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), function(i), f
[i]=Ht(this. callbacks[i]||[],function(o){return
n\&n!==0.fn||r\&n!==0.context|), this. callbacks[i].length===0&&delete
this. callbacks[i]},this)},e.prototype.removeAllCallbacks=function(t){rt(t,function(n){delete
this._callbacks[n]},this)},e\{(),on=rn;function _t(e)\{return"_"+e\}var sn=function()\{function e(t)\{this.callbacks=new on,this.global_callbacks=[],this.failThrough=t\}return
e.prototype.bind=function(t,n,r){return
this.callbacks.add(t,n,r),this},e.prototype.bind global=function(t){return
this.global callbacks.push(t),this},e.prototype.unbind=function(t,n,r){return
this.callbacks.remove(t,n,r),this},e.prototype.unbind_global=function(t){return
t?(this.global_callbacks=Ht(this.global_callbacks||[],function(n){return
n!==t}),this):(this.global callbacks=[],this)},e.prototype.unbind all=function(){return
this.unbind(), this.unbind \overline{global}(), this}, e.prototype.emit=function(t,n,r){for(var
i=0;i<this.global_callbacks.length;i++)this.global_callbacks[i](t,n);var
o=this.callbacks.get(t),u=[];if(r?u.push(n,r):n&&u.push(n),o&&o.length>0)for(var
i=0;i<o.length;i++)o[i].fn.apply(o[i].context||window,u);else
this.failThrough&&this.failThrough(t,n);return this},e}(),V=sn,an=function(){var
e=function(t,n){return e=Object.setPrototypeOf||{__proto__:[]}instanceof
Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in
i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function
r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new
 r)}}(),cn=function(e){an(t,e);function t(n,r,i,o,u){var p=e.call(this)||this;return p.initialize=m.t
ransportConnectionInitializer,p.hooks=n,p.name=r,p.priority=i,p.key=o,p.options=u,p.state="new",p.ti
meline=u.timeline,p.activityTimeout=u.activityTimeout,p.id=p.timeline.generateUniqueID(),p}return t.
prototype.handlesActivityChecks=function(){return!!this.hooks.handlesActivityChecks},t.prototype.sup
portsPing=function(){return!!this.hooks.supportsPing},t.prototype.connect=function(){var
n=this;if(this.socket||this.state!=="initialized")return!1;var r=this.hooks.urls.getInitial(this.key
  this.options);try{this.socket=this.hooks.getSocket(r,this.options)}catch(i){return,
j.defer(function(){n.onError(i),n.changeState("closed")}),!1}return this.bindListeners(),A.debug("Connecting",{transport:this.name,url:r}),this.changeState("connecting"),!0},t.prototype.close=function
 (){return this.socket?(this.socket.close(),!0):!1},t.prototype.send=function(n){var r=this;return th
is.state==="open"?(j.defer(function(){r.socket&&r.socket.send(n)}),!0):!1},t.prototype.ping=function
(){this.state==="open"&&this.supportsPing()&&this.socket.ping()},t.prototype.onOpen=function(){this.
hooks.beforeOpen&&this.hooks.beforeOpen(this.socket, this.hooks.urls.getPath(this.key, this.options)), this.changeState("open"), this.socket.onopen=void 0}, t.prototype.onError=function(n){this.emit("error ",{type:"WebSocketError",error:n}), this.timeline.error(this.buildTimelineMessage({error:n.toString()}))}, t.prototype.onClose=function(n){n?this.changeState("closed",{code:n.code,reason:n.reason,wasCle an:n.wasClean}):this.changeState("closed"), this.unbindListeners(), this.socket=void 0}, t.prototype.on
Message=function(n){this.emit("message",n)},t.prototype.onActivity=function(){this.emit("activity")}
 ,t.prototype.bindListeners=function(){var n=this;this.socket.onopen=function(){n.onOpen()},this.sock
et.onerror = function(r)\{n.onError(r)\}, this.socket.onclose = function(r)\{n.onClose(r)\}, this.socket.onmes\}
sage=function(r)\{n.onMessage(r)\}, this.supportsPing()\&\{this.socket.onactivity=function()\{n.onActivit\}\}
y(\.)\})\}, t.prototype.unbindListeners=function()\{this.socket\&\&(this.socket.onopen=void, this.socket, this.socket, the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(), the prototype unbindListeners=function(),
0,this.socket.onerror=void 0,this.socket.onclose=void 0,this.socket.onmessage=void
0,this.supportsPing()&&(this.socket.onactivity=void 0))},t.prototype.changeŠtate=function(n,r){this.
state = n, this.timeline.info(this.buildTimelineMessage(\{state:n,params:r\})), this.emit(n,r)\}, t.prototypulled and the state in the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
e.buildTimelineMessage=function(n) \{return\ U(\{cid:this.id\},n)\},t\}(V), un=cn, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function\}, hn=function() \{function() ){this.hooks=t}return e.prototype.isSupported=function(t){return
this.hooks.isSupported(t)\},e.prototype.createConnection=function(t,n,r,i)\{return new
un(this.hooks,t,n,r,i)},e}(),tt=hn,ln=new tt({urls:tn,handlesActivityChecks:!1,supportsPing:!1,isIni
tialized:function(){return!!m.getWebSocketAPI()},isSupported:function(){return!!m.getWebSocketAPI()}
,getSocket:function(e){return m.createWebSocket(e)}}),Ft={urls:en,handlesActivityChecks:!1,supportsP
ing:!0,isInitialized:function(){return!0}},Bt=U({getSocket:function(e){return}}
m.HTTPFactory.createStreamingSocket(e)}},Ft),Xt=U({getSocket:function(e){return}
m.HTTPFactory.createPollingSocket(e)}},Ft),Jt={isSupported:function(){return
m.isXHRSupported()}},fn=new tt(U({},Bt,Jt)),pn=new
tt(U({},Xt,Jt)),dn={ws:ln,xhr streaming:fn,xhr polling:pn},ht=dn,vn=new tt({file:"sockjs",urls:nn,ha
```

```
ndlesActivityChecks:!0,supportsPing:!1,isSupported:function(){return!0},isInitialized:function(){ret
urn window.SockJS!==void 0},getSocket:function(e,t){return new window.SockJS(e,null,{js_path:S.getPath("sockjs",{useTLS:t.useTLS}),ignore_null_origin:t.ignoreNullOrigin})},beforeOpen:function(e,t){e.s
 end(JSON.stringify(\{path:t\}))\}\}), \\Wt=\{\bar{l}sSupported:function(e)\}\\ var\ t=m.isXDRSupported(e.useTLS); \\return\ t=m.isXDRSupported(e.useTLS)\}
 t}},yn=new tt(U({},Bt,Wt)),gn=new
 tt(U({},Xt,Wt));ht.xdr streaming=yn,ht.xdr polling=gn,ht.sockjs=vn;var n=ht,bn=function(){var
e=function(t,n){return e=Object.setPrototype0f||{__proto__:[]}instanceof

Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in

i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function

r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new
 r)}}(),mn=function(e){bn(t,e);function t(){var n=e.call(this)||this,r=n;return
t.prototype.isOnline=function(){return window.navigator.onLine===void
 0?!0:window.navigator.onLine\},t\}(V),wn=new mn,kn=function()\{function e(t,n,r)\{this.manager=t,this.tr
 ansport=n,this.minPingDelay=r.minPingDelay,this.maxPingDelay=r.maxPingDelay,this.pingDelay=void
 0}return e.prototype.createConnection=function(t,n,r,i){var
 o=this; i=U(\{\},i,\{activityTimeout:this.pingDelay\}); var u=this.transport.createConnection(t,n,r,i),p=n
ull,_=function(){u.unbind("open",_),u.bind("closed",g),p=j.now()},g=function(k){if(u.unbind("closed",g),k.code===1002||k.code===1003)o.manager.reportDeath();else if(!k.wasClean&&p){var E=j.now()-
 p;E<2*o.maxPingDelay&&(o.manager.reportDeath(),o.pingDelay=Math.max(E/2,o.minPingDelay))}};return
t=JSON.parse(e.data),n=t.data;if(typeof n=="string")try{n=JSON.parse(t.data)}catch{}var
 r={event:t.event,channel:t.channel,data:n};return t.user id&&(r.user id=t.user id),r}catch(i){throw{
 type: "MessageParseError", error:i, data:e.data}}}, encodeMessage: function(e) {return
 JSON.stringify(e)},processHandshake:function(e){var t=Vt.decodeMessage(e);if(t.event==="pusher:connection_established"){if(!t.data.activity_timeout)throw"No activity timeout specified in handshake";re
 turn\{action: "connected", id:t.data.socket\_id, activity Timeout: t.data.activity\_timeout*1e3\}\} else \{if (t.ext.) | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.ext. | t.e
 vent===="pusher:error")return{action:this.getCloseAction(t.data),error:this.getCloseError(t.data)};th
row"Invalid handshake"}},getCloseAction:function(e){return e.code<4e3?e.code>=1002&&e.code<=1004?"backoff":null:e.code===4e3?"tls_only":e.code<4100?"refused":e.code<4200?"backoff":e.code<4300?"retry":
"refused"},getCloseError:function(e){return e.code!==1e3&&e.code!==1001?{type:"PusherError",data:{code}
 \label{lem:code_message} de:e.code, message:e.reason||e.message\}\}: null\}\}, K=Vt, Cn=function()\{var\ e=function(t,n)\{return(t,n)\}\}, Cn=function(t,n)\{return(t,n)\}\}.
r)}}(),Tn=function(e){Cn(t,e);function t(n,r){var i=e.call(this)||this;return i.id=n,i.transport=r,i.activityTimeout=r.activityTimeout,i.bindListeners(),i}return
 t.prototype.handlesActivityChecks=function(){return
 this.transport.handlesActivityChecks()},t.prototype.send=function(n){return
 this.transport.send(n)},t.prototype.send_event=function(n,r,i){var o={event:n,data:r};return i&&(o.channel=i),A.debug("Event sent",o),this.send(K.encodeMessage(o))},t.prototype.ping=function(){
 this.transport.supportsPing()?this.transport.ping():this.send_event("pusher:ping",{})},t.prototype.c
 lose=function(){this.transport.close()},t.prototype.bindListeners=function(){var
 n=this,r={message:function(o){var u;try{u=K.decodeMessage(o)}catch(p){n.emit("error",{type:"MessageP
 arseError",error:p,data:o.data})}if(u!==void 0){switch(A.debug("Event recd",u),u.event){case"pusher:
error":n.emit("error",{type:"PusherError",data:u.data});break;case"pusher:ping":n.emit("ping");break;case"pusher:pong":n.emit("ping");break;case"pusher:pong":n.emit("ping");break}n.emit("message",u)}},activity:function(){n.emit("activity")},error:function(o){n.emit("error",o)},closed:function(o){i(),o&&o.code&An.handleCloseEvent(o),n.tra
nsport=null, n.emit("closed")\}\}, i=function()\{W(r,function(o,u)\{n.transport.unbind(u,o)\})\}; W(r,function(o,u)\{n.transport.bind(u,o)\})\}, t.prototype.handleCloseEvent=function(n)\{var r=K.getCloseAction(n),interpretation(n),interpretation(n)\}\}, t.prototype.handleCloseEvent=function(n)\{var r=K.getCloseAction(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpretation(n),interpr
=K.getCloseError(n);i&&this.emit("error",i),r&&this.emit(r,{action:r,error:i})},t}(V),Pn=Tn,xn=function(){function e(t,n){this.transport=t,this.callback=n,this.bindListeners()}return e.prototype.close
 = function() \{this.unbindListeners(), this.transport.close()\}, e.prototype.bindListeners= function() \{varanteelisteners (), this.transport.close(), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), e.prototype.bindListeners (), 
 t=this; this.onMessage=function(n)\{t.unbindListeners(); var r; try\{r=K.processHandshake(n)\}catch(i)\{t.fourthis; this.onMessage=function(n) = this; this is the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of the result of
 inish("error",{error:i}),t.transport.close();return}r.action==="connected"?t.finish("connected",{con
nection:new Pn(r.id,t.transport),activityTimeout:r.activityTimeout}):(t.finish(r.action,{error:r.error}),t.transport.close())},this.onClosed=function(n){t.unbindListeners();var r=K.getCloseAction(n)||
 \label{losse} "backoff", i=K.getCloseError(n); t.finish(r, \{error:i\})\}, this.transport.bind("message", this.onMessage), this.transport.bind("closed", this.onClosed)\}, e.prototype.unbindListeners=function() \{this.transport.unbindListeners=function(), this.transport.unbindListeners=function(), this.transport.unbindListeners=
 nbind("message",this.onMessage),this.transport.unbind("closed",this.onClosed)},e.prototype.finish=fu
\label{localization} $$ nction(t,n){this.callback(U({transport:this.transport,action:t},n))},e}(),on=xn,An=function(){function e(t,n){this.timeline=t,this.options=n||{}}} return e.prototype.send=function(t,n){this.timeline.isE} $$ and $$ and $$ are the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitut
mpty()||this.timeline.send(m.TimelineTransport.getAgent(this,t),n)},e}(),En=An,Ln=function(){var
e=function(t,n){return e=0bject.setPrototype0f||{__proto__:[]}instanceof
Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in
i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new)
 r)}(),Rn=function(e){Ln(t,e);function t(n,r){var i=e.call(this,function(o,u){A.debug("No callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to callbacks to call
               "+n+" for "+o)})||this;return
 i.name=n,i.pusher=r,i.subscribed=!1,i.subscriptionPending=!1,i.subscriptionCancelled=!1,i}return
```

```
t.prototype.authorize=function(n,r){return
 r(null,{auth:""})},t.prototype.trigger=function(n,r){if(n.index0f("client-")!==0)throw new w("Event '"+n+"' does not start with 'client-'");if(!this.subscribed){var
                                   does not start with 'client-'");if(!this.subscribed){var
 i=b.buildLogSuffix("triggeringClientEvents");A.warn("Client event triggered before channel
 'subscription_succeeded' event . "+i)}return this.pusher.send_event(n,r,this.name)},t.prototype.disc onnect=function(){this.subscribed=!1,this.subscriptionPending=!1},t.prototype.handleEvent=function(n
 ){var r=n.event,i=n.data;if(r==="pusher internal:subscription succeeded")this.handleSubscriptionSucc
 eededEvent(n):else
if(r==="pusher_internal:subscription_count")this.handleSubscriptionCountEvent(n);else
if(r.indexOf("pusher_internal:")!==0){var o={};this.emit(r,i,o)}},t.prototype.handleSubscriptionSucc
 eededEvent=function(\overline{n})\{this.subscriptionPending=!1,this.subscribed=!0,this.subscriptionCancelled?thi
 s.pusher.unsubscribe(this.name):this.emit("pusher:subscription succeeded",n.data)},t.prototype.handl
 eSubscriptionCountEvent=function(n)\{n.data.subscription\_count\&\&(this.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.subscriptionCount=n.data.
iption_count), this.emit("pusher:subscription_count", n.data)}, t.prototype.subscribe=function(){var n=
this;this.subscribed||(this.subscriptionPending=!0,this.subscriptionCancelled=!1,this.authorize(this
  .pusher.connection.socket id, function(r,i){r?(n.subscriptionPending=!1,A.error(r.toString()),n.emit(
"pusher:subscription_error",Object.assign({},{type:"AuthError",error:r.message},r instanceof B?{stat us:r.status}:{}))):n.pusher.send_event("pusher:subscribe",{auth:i.auth,channel_data:i.channel_data,channel:n.name}))))},t.prototype.unsubscribe=function(){this.subscribed=!1,this.pusher.send_event("pu
 sher:unsubscribe",{channel:this.name})},t.prototype.cancelSubscription=function(){this.subscriptionC
 ancelled=!0}, t.prototype.reinstateSubscription=function(){this.subscriptionCancelled=!1},t}(V),bt=Rn
in=function(){var e=function(t,n){return e=0bject.setPrototype0f||{__proto__:[]}instanceof
Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in
i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function
r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new
 r)}}(),jn=function(e){In(t,e);function t(){return e!==null&&e.apply(this,arguments)||this}return
 t.prototype.authorize=function(n,r){return this.pusher.config.channelAuthorizer({channelName:this.na
 me,socketId:n},r)},t}(bt),mt=jn,Nn=function(){function e(){this.reset()}return
 e.prototype.get=function(t) \{return\ Object.prototype.has 0 wn Property.call(this.members,t)? \{id:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:t,info:
 his.members[t]:null,e.prototype.each=function(t){var n=this;W(this.members,function(r,i){t(n.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.get(in.ge
 ))}),e.prototype.setMyID=function(t){this.myID=t},e.prototype.onSubscription=function(t){this.membe
rs=t.presence.hash,this.count=t.presence.count,this.me=this.get(this.myID)},e.prototype.addMember=fu nction(t){return this.get(t.user_id)===null&&this.count++,this.members[t.user_id]=t.user_info,this.g
 et(t.user_id)},e.prototype.removeMember=function(t){var n=this.get(t.user_id);return n&&(delete this
   .members[t.user_id],this.count-
 ),n},e.prototype.reset=function(){this.members={},this.count=0,this.myID=null,this.me=null},e}(),qn=
 Nn,Un=function(){var e=function(t,n){return e=0bject.setPrototype0f||{ proto :[]}instanceof
Array&function(r,i){r._proto_=i}||function(r,i){for(var o in i)i.hasOwnProperty(o)&(r[o]=i[o])},e(t,n)}; return function(t,n){e(t,n);function r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new return function(t,n){e(t,n);function r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new return function(t))
 r)}}(),Dn=function(e,t,n,r){function i(o){return o instanceof n?o:new n(function(u){u(o)})}}return
 new(n||(n=Promise))(function(o,u)\{function p(k)\{try\{g(r.next(k))\}catch(E)\{u(E)\}\}function
      (k){try{g(r.throw(k))}catch(E){u(E)}}function
 g(k)\{k.done?o(k.value):i(k.value).then(p,\_)\}g((r=r.apply(e,t||[])).next())\})\}, Hn=function(e,t)\{varantering(e,t), function(e,t), function(e,t)\}\}
 n={label:0,sent:function(){if(o[0]&1)throw o[1];return o[1]},trys:[],ops:[]},r,i,o,u;return
 u={next:p(0),throw:p(1),return:p(2)},typeof
 Symbol=="function"&&(u[Symbol.iterator]=function(){return this}),u;function p(q){return
 function(k){return ([g,k])}}function (g){if(r)throw new TypeError("Generator is already executing.
   ");for(;n;)try{if(r=1,i&&(o=g[0]&2?i.return:g[0]?i.throw||((o=i.return)&&o.call(i),0):i.next)&&!(o=o
   .call(i,g[1])).done)return o;switch(i=0,o&&(g=[g[0]&2,o.value]),g[0]){case 0:case 1:o=g;break;case
 4:return n.label++,\{value:g[1],done:!1\}; case 5:n.label++,i=g[1],g=[0]; continue; case 7:g=n.ops.pop(),
n.trys.pop(); continue; default: if (o=n.trys,!(o=o.length>0\&\&o[o.length-1]) \&\&(g[0]===6||g[0]===2)) \\ \{n=0; continue\} if (g[0]===3\&\&(!o||g[1]>o[0]\&\&g[1]<o[3])) \\ \{n.label=g[1]; break\} if (g[0]===2) \\ \{n-1\} if (g[0]===2) \\ \{n-2\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]===3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3) \\ \{n-1\} if (g[0]==3)
 if(g[0] === 6\&\&n.label < o[1]) \\ \{n.label = o[1], o=g; break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break\} \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break] \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break] \\ if(o\&\&n.label < o[2]) \\ \{n.label = o[2], n.ops.push(g); break] \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2]) \\ if(o\&\&n.label < o[2])
 ak_0[2]&n.ops.pop(),n.trys.pop();continue_g=t.call(e,n)\}catch(k)\{g=[6,k],i=0\}finally\{r=o=0\}if(g[0]&n.ops.pop(),n.trys.pop();continue_g=t.call(e,n)\}catch(k)\{g=[6,k],i=0\}finally\{r=o=0\}if(g[0]&n.ops.pop(),n.trys.pop();continue_g=t.call(e,n)\}catch(k)\{g=[6,k],i=0\}finally\{r=o=0\}if(g[0]&n.ops.pop(),n.trys.pop();continue_g=t.call(e,n)\}catch(k)\{g=[6,k],i=0\}finally\{r=o=0\}if(g[0]&n.ops.pop(),n.trys.pop();continue_g=t.call(e,n)\}catch(k)\{g=[6,k],i=0\}finally\{r=o=0\}if(g[0]&n.ops.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.pop(),n.trys.po
 5) throw g[1]; return{value:g[0]?g[1]:void 0, done:!0}}}, Mn = function(e) \{Un(t,e); function(t,r) \{variation(e), variation(e), i=e.call(this,n,r)||this;return i.members=new qn,i}return t.prototype.authorize=function(n,r){var
 i=this;e.prototype.authorize.call(this,n,function(o,u){return Dn(i,void 0,void 0,function(){var
 p,_;return Hn(this,function(g){switch(g.label){case 0:return o?[3,3]:(u=u,u.channel_data==null?[3,1]
  :(p=JSON.parse(u.channel data),this.members.setMyID(p.user id),[3,3]));case
 1:return[4,this.pusher.user.signinDonePromise]; case 2:if(g.sent(),this.pusher.user_data!=null)t
his.members.setMyID(this.pusher.user_data.id);else return
_=b.buildLogSuffix("authorizationEndpoint"),A.error("Invalid auth response for channel
""+this.name+"', "+("expected 'channel_data' field. "+_+", ")+"or the user should be signed
 in."),r("Invalid auth response"),[2];g.label=3;case 3:return
r(o,u),[2]}})})},t.prototype.handleEvent=function(n){var
r=n.event;if(r.indexOf("pusher_internal:")===0)this.handleInternalEvent(n);else{var i=n.data,o={};n.user_id&&(o.user_id=n.user_id),this.emit(r,i,o)}},t.prototype.handleInternalEvent=function(n){var r=
 n.event,i=n.data;switch(r){case"pusher internal:subscription succeeded":this.handleSubscriptionSucce
ededEvent(n);break;case"pusher_internal:subscription_count":This.handleSubscriptionCountEvent(n);bre
ak;case"pusher internal:member added":var o=this.members.addMember(i);this.emit("pusher:member added")
       , o) ; break; case "pusher\_internal: member\_removed": var u = this.members.removeMember(i); u\& \& this.emit("pusher"); u\& weight of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the cont
 her:member_removed",u);break}},t.prototype.handleSubscriptionSucceededEvent=function(n){this.subscri
```

```
ption Pending = !1, this.subscribed = !0, this.subscription Cancelled? this.pusher.unsubscribe(this.name): (this.subscribed) = !0, this.subscription Cancelled? this.pusher.unsubscribed) = !1, this.subscribed = !0, this.subscription Cancelled? this.pusher.unsubscribed = !0, this.subscribed = !0, this.sub
 is.members.onSubscription(n.data),this.emit("pusher:subscription_succeeded",this.members))},t.prototype.disconnect=function(){this.members.reset(),e.prototype.disconnect.call(this)},t}(mt),zn=Mn,Fn=a(
 1),wt=a(0),Bn=function(){var e=function(t,n){return
r)}(), Xn=function(e){Bn(t,e); function t(n,r,i){var o=e.call(this,n,r)||this; return
 o.key=null,o.nacl=i,o}return t.prototype.authorize=function(n,r){var
 i=this; e.prototype.authorize.call(this,n,function(o,u){if(o)}{r(o,u);return}var
 p=u.shared secret;if(!p){r(new Error("No shared secret key in auth payload for encrypted channel:
      '+i.name), null); return}i.key=Object(wt.decode)(p), delete
u.shared_secret,r(null,u)})},t.prototype.trigger=function(n,r){throw new J("Client events are not currently supported for encrypted channels")},t.prototype.handleEvent=function(n){var r=n.event,i=n.
 data;if(r.indexOf("pusher internal:")===0||r.indexOf("pusher:")===0){e.prototype.handleEvent.call(th
 is,n);return}this.handleEncryptedEvent(r,i)},t.prototype.handleEncryptedEvent=function(n,r){var i=this;if(!this.key){A.debug("Received encrypted event before key has been retrieved from the
authEndpoint");return}if(!r.ciphertext||!r.nonce){A.error("Unexpected format for encrypted event, expected object with `ciphertext` and `nonce` fields, got: "+r);return}var o=Object(wt.decode)(r.ciphertext);if(o.length<this.nacl.secretbox.overheadLength){A.error("Expected
 encrypted event ciphertext length to be "+this.nacl.secretbox.overheadLength+", got:
   "+o.length);return}var
u=Object(wt.decode)(r.nonce);if(u.length<this.nacl.secretbox.nonceLength){A.error("Expected encrypted event nonce length to be "+this.nacl.secretbox.nonceLength+", got: "+u.length);return}var p=this.nacl.secretbox.open(o,u,this.key);if(p===null){A.debug("Failed to decrypt an event, probably
because it was encrypted with a different key. Fetching a new key from the authEndpoint..."), this thorize(this.pusher.connection.socket_id,function(_,g){if(_){A.error("Failed to make a request to
the authEndpoint: "+g+". Unable to fetch new key, so dropping encrypted event"); return}if(p=i.nacl.secretbox.open(o,u,i.key),p===null){A.error("Failed to decrypt event with
 new key. Dropping encrypted event");return}i.emit(n,i.getDataToEmit(p))});return}this.emit(n,this.ge
 tDataToEmit(p))},t.prototype.getDataToEmit=function(n){var r=0bject(Fn.decode)(n);try{return
 JSON.parse(r))catch{return r}},t}(mt),Jn=Xn,Wn=function(){var e=function(t,n){return
e=Object.setPrototypeOf||{__proto__:[]}instanceof
Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in
i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function
r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new
 r)}}(),Vn=function(e){Wn(t,e);function t(n,r){var i=e.call(this)||this;i.state="initialized",i.conne
ction=null,i.key=n,i.options=r,i.timeline=i.options.timeline,i.usingTLS=i.options.useTLS,i.errorCallbacks=i.buildErrorCallbacks(),i.connectionCallbacks=i.buildErrorCallbacks(),i.errorCallbacks),i.h
andshakeCallbacks=i.buildHandshakeCallbacks(i.errorCallbacks);var o=m.getNetwork();return o.bind("on line",function(){i.timeline.info({netinfo:"online"}),(i.state==="connecting"||i.state==="unavailable")&i.retryIn(0)}),o.bind("offline",function(){i.timeline.info({netinfo:"offline"}),i.connection&i.
sendActivityCheck()\}), i.updateStrategy(), i\}return t.prototype.connect=function() \{if(!(this.connection||this.runner))\} \{if(!this.strategy.isSupported())\} \{this.updateState("failed"); return\} this.updateState("failed")\} (this.updateState("failed")) | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("failed") | this.updateState("faile
  ("connecting"), this.startConnecting(), this.setUnavailableTimer()\}\}, t.prototype.send=function(n)\{return for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting for the connecting 
 rn this.connection?this.connection.send(n):!1},t.prototype.send event=function(n,r,i){return this.co
nnection?this.connection.send_event(n,r,i):!1},t.prototype.disconnect=function(){this.disconnectInternally(),this.updateState("disconnected")},t.prototype.isUsingTLS=function(){return this.usingTLS},t.prototype.startConnecting=function(){var n=this,r=function(i,o){i?n.runner=n.strate gy.connect(0,r):o.action==="error"?(n.emit("error",{type:"HandshakeError",error:o.error}),n.timeline
    .error({handshakeError:o.error})):(n.abortConnecting(),n.handshakeCallbacks[o.action](o))};this.runn
 er=this.strategy.connect(0,r), t.prototype.abortConnecting=function(){this.runner&&(this.runner.abor
t(),this.runner=null)},t.prototype.disconnectInternally=function(){if(this.abortConnecting(),this.clearRetryTimer(),this.clearUnavailableTimer(),this.connection){var n=this.abandonConnection();n.close
  ()\}\}, t.prototype.updateStrategy=function()\{this.strategy=this.options.getStrategy(\{key:this.key,timesuparategy=this.options.getStrategy(\{key:this.key,timesuparategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy(\{key:this.key,timesuparategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy(\{key:this.key,timesuparategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStrategy=this.options.getStra
 line: this.timeline, use TLS: this.using TLS\})\}, t.prototype.retry In=function (n) \{var \ r=this; this.timeline. The prototype is the prototype in the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the prototype is the protot
 \inf(\{action: "retry", delay:n\}), n>0\&\&this.emit("connecting_in", Math.round(n/1e3)), this.retryTimer=new
Q(n||0,function(){r.disconnectInternally(),r.connect()})},t.prototype.clearRetryTimer=function(){this.retryTimer&&(this.retryTimer.ensureAborted(),this.retryTimer=null)},t.prototype.setUnavailableTimer r=function(){var n=this;this.unavailableTimer.ensureAborted(),this.retryTimer=null)},t.prototype.setUnavailableTimer.ensureAborted(),this.retryTimer=null)},t.prototype.setUnavailableTimer.ensureAborted(),this.retryTimer=null)},t.prototype.setUnavailableTimer.ensureAborted(),this.retryTimer=null)},t.prototype.setUnavailableTimer.ensureAborted(),this.retryTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=null)},t.prototype.setUnavailableTimer=
 ateState("unavailable")\}), t.prototype.clearUnavailableTimer=function()\{this.unavailableTimer\&\&this.unavailableTimer=function()\{this.unavailableTimer=function(), this.unavailableTimer=function(), this.unavail
 unavailableTimer.ensureAborted()},t.prototype.sendActivityCheck=function(){var
n=this;this.stopActivityCheck(),this.connection.ping(),this.activityTimer=new Q(this.options.pongTimeout,function(){n.timeline.error({pong_timed_out:n.options.pongTimeout}),n.retryIn(0)})},t.prototype
    .resetActivityCheck=function(){var n=this;this.stopActivityCheck(),this.connection&&!this.connection
    . handles Activity Checks () \& \& (this.activity Timer = new \ Q (this.activity Timeout, function () \{n.send Activity Checks () activity Timeout, function () \{n.send Activity Checks () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () activity Timeout, function () 
 eck()}))},t.prototype.stopActivityCheck=function(){this.activityTimer&this.activityTimer.ensureAbor
 ted()},t.prototype.buildConnectionCallbacks=function(n){var r=this;return U({},n,{message:function(i)}r.resetActivityCheck(),r.emit("message",i)},ping:function(){r.send_event("pusher:pong",{})},activi
\label{thm:continuous} ty: function() \{r. resetActivityCheck()\}, error: function(i) \{r. emit("error", i)\}, closed: function() \{r. aband onConnection(), r. shouldRetry()&r. retryIn(1e3)\}\})\}, t. prototype.buildHandshakeCallbacks=function(n) \{v. aband onConnection(), r. shouldRetry()&v. retryIn(1e3)\}\})\}, t. prototype.buildHandshakeCallbacks=function(n) \{v. aband onConnection(), r. shouldRetry()&v. retryIn(1e3)\}\})\}, t. prototype.buildHandshakeCallbacks=function(n) \{v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry()&v. aband onConnection(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRetry(), r. shouldRe
 ar r=this;return U({},n,{connected:function(i){r.activityTimeout=Math.min(r.options.activityTimeout,
```

```
i.activityTimeout, i.connection.activityTimeout||1/0\rangle, r.clearUnavailableTimer(), r.setConnection(i.con
nection),r.socket_id=r.connection.id,r.updateState("connected",{socket_id:r.socket_id}))}})},t.protot
ype.buildErrorCallbacks=function(){var n=this,r=function(i){return function(o){o.error&&n.emit("erro
       , \{type: "WebSocketError", error: o.error\}), i(o)\}\}; return \{tls\_only: r(function()\{n.usingTLS=!0, n.update, the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of
Strategy(),n.retryIn(0)}),refused:r(function(){n.disconnect()}),backoff:r(function(){n.retryIn(1e3)}
),retry:r(function(){n.retryIn(0)})}},t.prototype.setConnection=function(n){this.connection=n;for(va
r r in this.connectionCallbacks)this.connection.bind(r,this.connectionCallbacks[r]);this.resetActivityCheck()},t.prototype.abandonConnection=function(){if(this.connection){this.stopActivityCheck();for
 (var n in this.connectionCallbacks)this.connection.unbind(n,this.connectionCallbacks[n]);var
r=this.connection; return\ this.connection=null,r\},t.prototype.updateState=function(n,r)\{varantering this.connection; return\ this.connection=null,r\}
i=this.state; if (this.state=n,i!==n) \{var\ o=n; o==="connected" \&\& (o+="\ with\ new\ socket\ ID" +r.socket\_id), A.debug("State\ changed",i+" -> "+o), this.timeline.info({state:n,params:r}), this.emit() = this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.state + this.s
"state_change",{previous:i,current:n}),this.emit(n,r)}},t.prototype.shouldRetry=function(){return this.state==="connecting"||this.state==="connected"},t}(V),Gn=Vn,Qn=function(){function
e(){this.channels={}}return e.prototype.add=function(t,n){return
this.channels[t]||(this.channels[t]=Yn(t,n)),this.channels[t]||(this.channels[t])||
Ue(this.channels)},e.prototype.find=function(t){return
this.channels[t]},e.prototype.remove=function(t){var n=this.channels[t];return delete this.channels[
t],n},e.prototype.disconnect=function(){W(this.channels,function(t){t.disconnect()})},e}(),Kn=Qn;function Yn(e,t){if(e.indexOf("private-encrypted-")===0){if(t.config.nacl)return
G.createEncryptedChannel(e,t,t.config.nacl); var n="Tried to subscribe to a private-encrypted-
channel but no nacl implementation available", r=b.buildLogSuffix("encryptedChannelSupport"); throw
new J(n+". "+r)}else{if(e.index0f("private-")===0)return
G.createPrivateChannel(e,t);if(e.indexOf("presence-")===0)return
G.createPresenceChannel(e,t);if(e.indexOf("#")===0)throw new O('Cannot create a channel with name
    '+e+'".');return G.createChannel(e,t)}}var \Boxn={createChannels:function(){return new
Kn, createConnectionManager:function(e,t){return new Gn(e,t)}, createChannel:function(e,t){return new Gn(e,t)}, createChannel:function(e,t){return new Gn(e,t)}
bt(e,t)},createPrivateChannel:function(e,t){return new
mt(e,t)},createPresenceChannel:function(e,t){return new
zn(e,t)},createEncryptedChannel:function(e,t,n){return new
Jn(e,t,n)},createTimelineSender:function(e,t){return new
En(e,t)},createHandshake:function(e,t){return new
On(e,t)},createAssistantToTheTransportManager:function(e,t,n){return new
e(t){this.options=t||{}},this.livesLeft=this.options.lives||1/0}return
e.prototype.getAssistant=function(t){return G.createAssistantToTheTransportManager(this,t,{minPingDe
lay:this.options.minPingDelay,maxPingDelay:this.options.maxPingDelay})},e.prototype.isAlive=function
 (){return this.livesLeft>0},e.prototype.reportDeath=function(){this.livesLeft
=1},e}(),Gt=Zn,tr=function(){function e(t,n){this.strategies=t,this.loop=!!n.loop,this.failFast=!!n.
failFast,this.timeout=n.timeout,this.timeoutLimit=n.timeoutLimit}return
e.prototype.isSupported=function(){return
th?(u\&\&(u=u*2,r.timeoutLimit\&\&(u=Math.min(u,r.timeoutLimit))),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeoutLimit)\}),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeout])),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeout])),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeout])),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeout])),p=r.tryStrategy(i[o],t,\{timeout:u,failantering(u,r.timeout]
Fast:r.failFast}, )):n(!0))};return p=this.tryStrategy(i[o],t,{timeout:u,failFast:this.failFast}, ),
\label{eq:u.abort(),i(!0)})), u=t.connect(n,function(p,\_)\{p\&\&o\&o.isRunning()\&\&!r.failFast||(o\&\&o.ensureAborted)\})), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&\&!r.failFast||(o\&\&o.ensureAborted)\})), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&\&!r.failFast||(o\&\&o.ensureAborted)\})), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&\&!r.failFast||(o\&\&o.ensureAborted)\})), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&\&!r.failFast||(o\&o.ensureAborted)\}), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&.ensureAborted)\}), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&.ensureAborted)\}), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&.ensureAborted)\}), u=t.connect(n,function(p,\_)\{p\&o\&o.isRunning()\&.ensureAborted)\}), u=t.connect(n,function(p,\_)\{p\&o.isRunning()\&.ensureAborted)\}), (),i(p,_))}),{abort:function(){o&&o.ensureAborted(),u.abort()},forceMinPriority:function(p){u.forceM
inPriority(p)}}},e}(),Y=tr,er=function(){function e(t){this.strategies=t}return
e.prototype.isSupported=function(){return
\verb|zt(this.strategies,j.method("isSupported"))||, e.prototype.connect=function(t,n){|return||}
nr(this.strategies,t,function(r,i)\{return\ function(o,u)\{if(i[r].error=o,o)\{rr(i)\&\&n(!0);return\}rt(i,u)\}\}
function(p){p.forceMinPriority(u.transport.priority)}),n(null,u)}})},e}(),kt=er;function
nr(e,t,n){var r=Dt(e,function(i,o,u,p){return i.connect(t,n(o,p))});return{abort:function(){rt(r,ir)}
},forceMinPriority:function(i){rt(r,function(o){o.forceMinPriority(i)})}}function rr(e){return
Me(e, function(t) \{return!!t.error\})\} function ir(e)\{!e.error\&\&!e.aborted\&\&(e.abort(),e.aborted=!0)\} var
or=function(){function e(t,n,r){this.strategy=t,this.transports=n,this.ttl=r.ttl||1800*1e3,this.usin
gTLS=r.useTLS,this.timeline=r.timeline}return e.prototype.isSupported=function(){return
this.strategy.isSupported()},e.prototype.connect=function(t,n){var
 r=this.usingTLS,i=ar(r),o=[this.strategy];if(i&&i.timestamp+this.ttl>=j.now()){var u=this.transports
 [i.transport];u&&(this.timeline.info({cached:!0,transport:i.transport,latency:i.latency}),o.push(new
Y([u],{timeout:i.latency*2+1e3,failFast:!0})))}var p=j.now(),_=o.pop().connect(t,function g(k,E){k?(Qt(r),o.length>0?(p=j.now(),_=o.pop().connect(t,g)):n(k)):(cr(r,E.transport.name,j.now()-
p),n(null,E))});return{abort:function(){_.abort()},forceMinPriority:function(g){t=g, &&_.forceMinPriority(g)}}},e}(),sr=or;function St(e){return"pusherTransport"+(e?"TLS":"NonTLS")}function ar(e){vart=m.getLocalStorage();if(t)try{var n=t[St(e)];if(n)return JSON.parse(n)}catch{Qt(e)}return}
\label{eq:null} null function cr(e,t,n) \{var \ r=m.getLocalStorage(); if(r)try\{r[St(e)]=ut(\{timestamp:j.now(),transport:t,latency:n\})\} catch \{\}\} \{unction \ Qt(e) \{var \ t=m.getLocalStorage(); if(t)try\{delete \ t[St(e)]\} catch \{\}\} var \} \} 
ur=function(){function e(t,n){var r=n.delay;this.strategy=t,this.options={delay:r}}return
e.prototype.isSupported=function(){return
this.strategy.isSupported()},e.prototype.connect=function(t,n){var r=this.strategy,i,o=new Q(this.op
tions.delay,function(){i=r.connect(t,n)});return{abort:function(){o.ensureAborted(),i&i.abort()},fo
```

```
rceMinPriority: function(u) \{t=u, i&&i.forceMinPriority(u)\}\}, e\}(), lt=ur, hr=function() \{function(u), function(u), func
 e(t,n,r){this.test=t,this.trueBranch=n,this.falseBranch=r}return
 e.prototype.isSupported=function(){var t=this.test()?this.trueBranch:this.falseBranch;return
 t.isSupported()},e.prototype.connect=function(t,n){var
 r=this.test()?this.trueBranch:this.falseBranch;return
 r.connect(t,n),e}(),it=hr,lr=function(){function e(t){this.strategy=t}return}
 e.prototype.isSupported=function(){return
 this.strategy.isSupported()},e.prototype.connect=function(t,n){var
 r = this.strategy.connect(t,function(i,o){o&c.abort(),n(i,o)}); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o)); return r},e}(),fr = lr;function(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o){o}(a,c.abort(),n(i,o
 ot(e){return function(){return e.isSupported()}}var pr=function(e,t,n){var r={};function
i(ce,mi,wi,ki,Si){var ue=n(e,ce,mi,wi,ki,Si);return r[ce]=ue,ue}var o=0bject.assign({},t,{hostNonTLS}:e.wsHost+":"+e.wsPort,hostTLS:e.wsHost+":"+e.wsPort,httpPath:e.wsPath}),u=0bject.assign({},t,{hostNonTLS:e.httpHost+":"+e.httpPort,hostTLS:e.httpHost+":"+e.httpsPort,hostTLS:e.httpHost+":"+e.httpsPort
LS:!0}),p=UDject.assign({},t,{nostNonILS:e.httpHost+":"+e.httpPort,nostILS:e.httpHost+":"+e.httpsPort,httpPath:e.httpPath}),_={loop:!0,timeout:15e3,timeoutLimit:6e4},g=new Gt({lives:2,minPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:e.activityTimeout}),k=new Gt({lives:2,minPingDelay:1e4,maxPingDelay:e.activityTimeout}),k=new Gt({lives:2,minPingDelay:1e4,maxPingDelay:e.activityTimeout}),k=new Gt({lives:2,minPingDelay:1e4,maxPingDelay:e.activityTimeout}),k=new Gt({lives:2,minPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:e.activityTimeout}),k=new Gt({lives:2,minPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDelay:1e4,maxPingDe
 it(ot(ae),ae,bi),Ot;return t.useTLS?Ot=new kt([ie,new lt(xt,{delay:2e3})]):Ot=new kt([ie,new
 lt( i, {delay:2e3}), new lt(xt, {delay:5e3})]), new sr(new fr(new
it(ot(E),Ot,xt)),r,{ttl:18e5,timeline:t.timeline,useTLS:t.useTLS})},dr=pr,vr=function(){var e=this;e
.timeline.info(e.buildTimelineMessage({transport:e.name+(e.options.useTLS?"s":"")})),e.hooks.isIniti
alized()?e.changeState("initialized"):e.hooks.file?(e.changeState("initializing"),S.load(e.hooks.fil
e,{useTLS:e.options.useTLS},function(t,n){e.hooks.isInitialized()?(e.changeState("initialized"),n(!0)
 )): (t\&\&e.onError(t), e.onClose(), n(!1))\})): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}, yr=\{getRequest: function(e) \{var\ t=new\}\}): (t\&\&e.onError(t), e.onClose(), n(!1))\}): e.onClose()\}
 window.XDomainRequest; return t.ontimeout=function(){e.emit("error", new I), e.close()}, t.onerror=funct
 ion(n) {e.emit("error",n),e.close()},t.onprogress=function(){t.responseText&&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>0&t.responseText.length>
&e.onChunk(200,t.responseText)},t.onload=function(){t.responseText&t.responseText.length>0&&e.onChunk(200,t.responseText),e.emit("finished",200),e.close()},t},abortRequest:function(e){e.ontimeout=e.o
 nerror=e.onprogress=e.onload=null,e.abort()}},gr=yr, r=function(){var e=function(t,n){return
e=Object.setPrototypeOf||{__proto__:[]}instanceof

Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in

i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function

r(){this.coretype.new
 r)}(),br=256*1024,mr=function(e){ r(t,e); function t(n,r,i){var o=e.call(this)||this; return
 o.hooks=n,o.method=r,o.url=i,o}return t.prototype.start=function(n){var r=this;this.position=0,this.
 xhr=this.hooks.getRequest(this), this.unloader=function() \{r.close()\}, m.addUnloadListener(this.unloader), this.xhr.open(this.method, this.url, !0), this.xhr.setRequestHeader&this.xhr.setRequestHeader("Contone of the contone of t
ent-Type", "application/json"), this.xhr.send(n)},t.prototype.close=function(){this.unloader&&(m.removeUnloadListener(this.unloader),this.unloader=null),this.xhr&&(this.hooks.abortRequest(this.xhr),this
 .xhr=null)},t.prototype.onChunk=function(n,r){for(;;){var
i=this.advanceBuffer(r);if(i)this.emit("chunk",{status:n,data:i});else break}this.isBufferTooLong(r)
 &&this.emit("buffer too long")},t.prototype.advanceBuffer=function(n){var
 r=n.slice(this.position),i=r.indexOf(
        ):return
 i!=-1?(this.position+=i+1,r.slice(0,i)):null\},t.prototype.isBufferTooLong=function(n)\{return this.position+=i+1,r.slice(0,i)\}:null
osition===n.length&&n.length>br},t}(V),wr=mr,Ct;(function(e){e[e.CONNECTING=0]="CONNECTING",e[e.OPEN =1]="0PEN",e[e.CLOSED=3]="CLOSED"})(Ct||(Ct={}));var □=Ct,kr=1,Sr=function(){function e(t,n){this.ho
 oks=t, this.session=Yt(1e3)+"/"+xr(8), this.location=Cr(n), this.readyState= \verb|[].CONNECTING, this.openStreamonth of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the con
 m()\} return \ e.prototype.send=function(t) \{return \ this.sendRaw(JSON.stringify([t]))\}, e.prototype.ping=function(t) \{return \ this.sendRaw(JSON.stringify([t]))\}, e.pro
 unction() \{this.hooks.sendHeartbeat(this)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n) \{this.onClose(t,n,!0)\}, e.prototype.close=function(t,n,!0)\}, e.prototype.close=function(t,n,!0)\}, e.prototype.close=function(t,n,!0)\}, e.prototype.close=function(t,n,!0)\}, e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,!0)], e.prototype.close=function(t,n,
ototype.sendRaw=function(t){if(this.readyState===[.0PEN)try{return
m.createSocketRequest("POST",Kt(Tr(this.location,this.session))).start(t),!0}catch{return!1}else ret
urn!1},e.prototype.reconnect=function(){this.closeStream(),this.openStream()},e.prototype.onClose=function(t,n,r){this.closeStream(),this.onclose&&this.onclose({code:t,reason:
n,wasClean:r})},e.prototype.onChunk=function(t){if(t.status==200){this.readyState===[.0PEN&&this.onActivity();var n,r=t.data.slice(0,1);switch(r){case"o":n=JSON.parse(t.data.slice(1)||"{}"),this.onOpen(n);break;case"a":n=JSON.parse(t.data.slice(1)||"[]");for(var i=0;i<n.length;i++)this.onEvent(n[i]
 );break;case"m":n=JSON.parse(t.data.slice(1)||"null"),this.onEvent(n);break;case"h":this.hooks.onHeartbeat(this);break;case"c":n=JSON.parse(t.data.slice(1)||"[]"),this.onClose(n[0],n[1],!0);break}}},e
 .prototype.onOpen=function(t){this.readyState==_[.CONNECTING?(t&&t.hostname&&(this.location.base=Pr(this.location.base,t.hostname)),this.readyState=[.OPEN,this.onopen&&this.onopen()):this.onClose(1006)
          "Server lost session",!0)},e.prototype.onEvent=function(t){this.readyState===□.OPEN&&this.onmessage
&&this.onmessage({data:t})},e.prototype.onActivity=function(){this.onactivity&&this.onactivity()},e.prototype.onError=function(t){this.onerror&this.onerror(t)},e.prototype.openStream=function(){var to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
=this;this.stream=m.createSocketRequest("POST",Kt(this.hooks.getReceiveURL(this.location,this.session))),this.stream.bind("chunk",function(n){t.onChunk(n)}),this.stream.bind("finished",function(n){t.hooks.onFinished(t,n)}),this.stream.bind("buffer_too_long",function(){t.reconnect()});try{this.stream.bind("buffer_too_long",function()
    .start()}catch(n){j.defer(function(){t.onError(n),t.onClose(1006,"Could not start streaming",!1)})}}
    ,e.prototype.closeStream=function(){this.stream&&(this.stream.unbind all(),this.stream.close(),this.
 stream=null)},e}();function Cr(e){var
```

```
t=/([^{?}]*)/*(^??.*)/.exec(e); return{base:t[1],queryString:t[2]}}function Tr(e,t){return}
e.base+"/"+t+"/xhr_send"}function Kt(e){var t=e.index0f("?")===-1?"?":"&";return e+t+"t="+ +new Date+"&n="+kr++}function Pr(e,t){var n=/(https?:\/\/)([^\/:]+)((\/|:)?.*)/.exec(e);return
n[1]+t+n[3]}function Yt(e){return m.randomInt(e)}function xr(e){for(var
t=[],n=0;n<e;n++)t.push(Yt(32).toString(32));return t.join("")}var</pre>
 Or=Sr,Ar={getReceiveURL:function(e,t){return e.base+"/"+t+"/xhr streaming"+e.queryString},onHeartbea
 \label{t:function} t: function(e) \{e.sendRaw("[]")\}, sendHeartbeat: function(e) \{e.sendRaw("[]")\}, onFinished: function(e,t) \{e.sendRaw("[]")\}, onFinished: function(e,t) \{e.sendRaw("[]")\}, er=Ar, Lr=\{getReceiveURL: function(e,t)\} return e.
base+"/"+t+"/xhr"+e.queryString},onHeartbeat:function(){},sendHeartbeat:function(e){e.sendRaw("[]")},onFinished:function(e,t){t===200?e.reconnect():e.onClose(1006,"Connection interrupted
  ("+t+")",!1)}},Rr=Lr,Ir={getRequest:function(e){var t=m.getXHRAPI(),n=new t;return
 n.onreadystatechange=n.onprogress=function(){switch(n.readyState){case}}
 3:n.responseText&&n.responseText.length>0&&e.onChunk(n.status.n.responseText);break;case 4:n.respons
 eText\&n.responseText.length>0\&e.onChunk(n.status,n.responseText),e.emit("finished",n.status),e.close();break},n\},abortRequest:function(e)\{e.onreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}\},jr=Ir,Nr=\{createStreadystatechange=null,e.abort()\}
 mingSocket:function(e){return this.createSocket(Er,e)},createPollingSocket:function(e){return}
 this.createSocket(Rr,e)},createSocket:function(e,t){return new
 Or(e,t)},createXHR:function(e,t){return
this.createRequest(jr,e,t)},createRequest:function(e,t,n){return new wr(e,t,n)},\Box t=Nr; \Box t.createXDR=function(e,t){return this.createRequest(gr,e,t)};var qr=\Box t,Ur={nextAu}
 thCallbackID:1,auth callbacks:{},ScriptReceivers:s,DependenciesReceivers:T,getDefaultStrategy:dr,Tra
 nsports:_n,transportConnectionInitializer:vr,HTTPFactory:qr,TimelineTransport:Ze,getXHRAPI:function(
 ){return_window.XMLHttpRequest},getWebSocketAPI:function(){return
window.WebSocket||window.MozWebSocket},setup:function(e){var t=this;window.Pusher=e;var n=function()
{t.onDocumentBody(e.ready)};window.JSON?n():S.load("json2",{},n)},getDocument:function(){return
document},getProtocol:function(){return this.getDocument().location.protocol},getAuthorizers:function
 n()\{return\{ajax:Se,jsonp:We\}\}, on Document Body:function(e)\{var\ t=this;document.body?e():setTimeout(function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e),function(e)
 ction()\{t.onDocumentBody(e)\},0)\},createJSONPRequest:function(e,t)\{return new
Ke(e,t)},createScriptRequest:function(e){return new Ge(e)},getLocalStorage:function(){try{return window.localStorage}catch{return}},createXHR:function(){return this.getXHRAPI()?this.createXMLHttpRe
 quest():this.createMicrosoftXHR()},createXMLHttpRequest:function(){var e=this.getXHRAPI();return new
 e},createMicrosoftXHR:function(){return new
 ActiveXObject("Microsoft.XMLHTTP")}, getNetwork:function(){return wn}, createWebSocket:function(e){var
 t=this.getWebSocketAPI();return new
 t(e)},createSocketRequest:function(e,t){if(this.isXHRSupported())return
 this.HTTPFactory.createXHR(e,t);if(this.isXDRSupported(t.indexOf("https:")===0))return this.HTTPFactory.createXDR(e,t);throw"Cross-origin HTTP requests are not
 supported"},isXHRSupported:function(){var e=this.getXHRAPI();return!!e&&new
 e().withCredentials!==void 0},isXDRSupported:function(e){var t=e?"https:":"http:",n=this.getProtocol
 (); return!!window.XDomainRequest&&n===t},addUnloadListener:function(e) {window.addEventListener!==voi
d 0?window.addEventListener("unload",e,!1):window.attachEvent!==void
0&window.attachEvent("onunload",e), removeUnloadListener:function(e) {window.addEventListener!==void
0&window.removeEventListener("unload",e,!1):window.detachEvent!==void
 0\&\& window.detachEvent("onunload",e)\}, randomInt:function(e)\{var\ t=function()\{var\ t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), t=function(), 
 n=window.crypto||window.msCrypto,r=n.getRandomValues(new Uint32Array(1))[0];return
  r/\text{Math.pow(2,32)}; \text{return Math.floor(t()*e)}}, \\ \text{m=Ur,Tt;} (\text{function(e)}\{\text{e[e.ERROR=3]="ERROR",e[e.INF0=6]="INF0",e[e.DEBUG=7]="DEBUG"}\})} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\{\text{this.key=t,this.}\}}) (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt=}\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function e(t,n,r)}\} (\text{Tt}||(\text{Tt}=\{\})); \\ \text{var ft=Tt,Dr=function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{function()}\{\text{functio
 session=n,this.events=[],this.options=r||{},this.sent=0,this.uniqueID=0}return e.prototype.log=funct
ion(t,n){t<=this.options.level&&(this.events.push(U({},n,{timestamp:j.now()})),this.options.limit&&this.events.length>this.options.limit&&this.events.shift())},e.prototype.error=function(t){this.log(f
 t.ERROR, t)\}, e.prototype.info=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)\{this.log(ft.INFO,t)\}, e.prototype.debug=function(t)(this.log(ft.INFO,t))\}, e.prototype.debug=function(t)(this.log(ft.INFO,t))\}, e.prototype.debug=function(t)(this.log(ft.INFO,t))\}, e.prototype.debug=function(t)(this.log(ft.INFO,t)))
  (ft.DEBUG,t)},e.prototype.isEmpty=function(){return
this.events.length===0},e.prototype.send=function((,n){var r=this,i=U({session:this.session,bundle:this.sent+1,key:this.key,lib:"js",version:this.options.version,cluster:this.options.cluster,features:this.options.features,timeline:this.events},this.options.params);return this.events=[],t(i,function(
 o,u)\{o||r.sent++,n\&n(o,u)\}\},!0\},e.prototype.generateUniqueID=function(){return}
 this.uniqueID++, this.uniqueID}, e}(), Hr=Dr, Mr=function() {function
 e(t,n,r,i){this.name=t,this.priority=n,this.transport=r,this.options=i||{}}return
 e.prototype.isSupported=function(){return
 this.transport.is Supported (\{useTLS: this.options.useTLS\})\}, e.prototype.connect = function (t,n) \{varantee this.options.useTLS\})\}, e.prototype.connect = function (t,n) \{varantee this.options.useTLS\})\}, e.prototype.connect = function (t,n) \{varantee this.options.useTLS\})\}, e.prototype.connect = function (t,n) \{varantee this.options.useTLS\})\}, e.prototype.connect = function (t,n) \{varantee this.options.useTLS\})\}
 r=this;if(this.isSupported()){if(this.priority<t)return Zt(new q,n)}else return Zt(new z,n);var i=!1
  o=this.transport.createConnection(this.name,this.priority,this.options.key,this.options),u=null,p=f,
unction(){o.unbind("initialized",p),o.connect()},_=function(){u=G.createHandshake(o,function(X){i=!0},E(),n(null,X)})},g=function(X){E(),n(X)},k=function(){E();var X;X=ut(o),n(new M(X))},E=function(){o.unbind("initialized",p),o.unbind("open",_),o.unbind("error",g),o.unbind("closed",k)};return o.bind("initialized",p),o.bind("open",_),o.bind("error",g),o.bind("closed",k),o.initialize(),{abort:function()}{i||(E(),u?u.close():o.close())},forceMinPriority:function(X){i||r.priority<X&&(u?u.close():o.close())},forceMinPriority:function(X){i||r.priority<X&&(u?u.close():o.close())},forceMinPriority:function(X){i||r.priority<X&&(u?u.close():o.close())},forceMinPriority:function(X){i||r.priority<X&&(u?u.close():o.close())},forceMinPriority:function(X){i||r.priority</pre>
se())}}},e}(),zr=Mr;function Zt(e,t){return
j.defer(function(){t(e)}),{abort:function(){}},forceMinPriority:function(){}}}var
 return p?(i=Object.assign({ignoreNullOrigin:e.ignoreNullOrigin},i), =new zr(t,r,o?o.getAssistan;
 t(u):u,i)):_=Xr,_},Xr={isSupported:function(){return!1},connect:function(e,t){var
```

```
n=j.defer(function()\{t(new\ z)\}); return\{abort:function()\{n.ensureAborted()\},forceMinPriority:function()\} \} and the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proof of the proo
(){}}},Jr=function(){t(new 2r)r},return{abort:runction(){in:ensureAborted()},forcemin*logity.runction(){}}}},Jr=function(e,t){var n="socket_id="+encodeURIComponent(e.socketId);for(var r in t.params)n+=
"&"+encodeURIComponent(r)+"="+encodeURIComponent(t.params[r]);if(t.paramsProvider!=null){var
i=t.paramsProvider();for(var r in i)n+="&"+encodeURIComponent(r)+"="+encodeURIComponent(i[r])}return
n},Wr=function(e){if(typeof m.getAuthorizers()[e.transport]>"u")throw"'"+e.transport+"' is not a
 recognized auth transport"; return function(t,n){var
r=Jr(t,e);m.getAuthorizers()[e.transport](m,r,e,v.UserAuthentication,n)}},Vr=Wr,Gr=function(e,t){var n="socket id="+encodeURIComponent(e.socketId);n+="&channel name="+encodeURIComponent(e.channelName);
for(var r in t.params)n+="&"+encodeURIComponent(r)+"="+encodeURIComponent(t.params[r]);if(t.paramsProvider!=null){var i=t.paramsProvider();for(var r in
i) n+= %"+encodeURIComponent(r)+"="+encodeURIComponent(i[r])} return n}, Qr=function(e){if(typeof m.getAuthorizers()[e.transport]>"u")throw"'"+e.transport+"' is not a recognized auth
 transport"; return function(t,n) {var r=Gr(t,e); m.getAuthorizers()[e.transport](m,r,e,v.ChannelAuthori
zation,n)}},Kr=Qr,Yr=function(e,t,n){var r={authTransport:t.transport,authEndpoint:t.endpoint,auth:{
params:t.params,headers:t.headers}};return function(i,o){var
 u=e.channel(i.channelName),p=n(u,r);p.authorize(i.socketId,o)}},et=function(){return}
 et=Object.assign||function(e){for(var t,n=1,r=arguments.length;n<r;n++){t=arguments[n];for(var i in
 t)Object.prototype.hasOwnProperty.call(t,i)&&(e[i]=t[i])}return
e},et.apply(this,arguments)};function [r(e,t){var n={activityTimeout:e.activityTimeout||d.activityTimeout,cluster:e.cluster||d.cluster,httpPath:e.httpPath||d.httpPath,httpPort:e.httpPort||d.httpPort,h
 ttpsPort:e.httpsPort||d.httpsPort,pongTimeout:e.pongTimeout||d.pongTimeout,statsHost:e.statsHost||d.httpsPort||d.httpsPort,pongTimeout||d.pongTimeout||d.pongTimeout||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.httpsPort||d.http
 stats host,unavailableTimeout:e.unavailableTimeout||d.unavailableTimeout,wsPath:e.wsPath||d.wsPath,w
 sPort:e.wsPort||d.wsPort,wssPort:e.wssPort||d.wssPort,enableStats:ni(e),httpHost:Zr(e),useTLS:ei(e),
wsHost:ti(e), userAuthenticator:ri(e), channelAuthorizer:oi(e,t)}; return"disabledTransports"in e&&(n.disabledTransports=e.disabledTransports), "enabledTransports"in e&&(n.enabledTransports=e.enabledTransports), "ignoreNullOrigin"in e&&(n.ignoreNullOrigin=e.ignoreNullOrigin), "timelineParams"in
e&&(n.timelineParams=e.timelineParams), "nacl"in e&&(n.nacl=e.nacl),n}function Zr(e){return e.httpHost?e.httpHost:e.cluster?"sockjs-"+e.cluster+".pusher.com":d.httpHost}function ti(e){return
 e.wsHost?e.wsHost:e.cluster?te(e.cluster):te(d.cluster)}function
te(e){return"ws-"+e+".pusher.com"}function ei(e){return
m.getProtocol()==="https:"?!0:e.forceTLS!==!1}function ni(e){return"enableStats"in
 e?e.enableStats:"disableStats"in e?!e.disableStats:!1}function ri(e){var
 t=et(et({},d.userAuthentication),e.userAuthentication);return"customHandler"in
 t\&\&t.custom Handler! = null?t.custom Handler: Vr(t) \\ \\ function ii(e,t) \\ \\ \{var\ n; return "channel Authorization" in the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties o
 e?n=et(et(\{\},d.channelAuthorization),e.channelAuthorization):(n=\{transport:e.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTransport||d.authTranspor
 ansport,endpoint:e.authEndpoint||d.authEndpoint\},"auth"in e&&("params"in
 e.auth&&(n.params=e.auth.params), "headers"in e.auth&&(n.headers=e.auth.headers)), "authorizer"in
 e\&\{(n.customHandler=Yr(t,n,e.authorizer))\},n\}function oi(e,t)\{var\ n=ii(e,t);return"customHandler"in
 n&&n.customHandler!=null?n.customHandler:Kr(n)}var si=function(){var e=function(t,n){return
e=0bject.setPrototype0f||{__proto__:[]}instanceof Array&&function(r,i){r.__proto__=i}||function(r,i){for(var o in i)i.hasOwnProperty(o)&&(r[o]=i[o])},e(t,n)};return function(t,n){e(t,n);function r(){this.constructor=t}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new
r)}}(),ai=function(e){si(t,e);function t(n){var r=e.call(this,function(i,o){A.debug("No callbacks on watchlist events for "+i)})||this;return r.pusher=n,r.bindWatchlistInternalEvent(),r}return
 t.prototype.handleEvent=function(n){var r=this;n.data.events.forEach(function(i){r.emit(i.name,i)})}
  ,t.prototype.bindWatchlistInternalEvent=function(){var
 n=this;this.pusher.connection.bind("message",function(r){var
 i=r.event;i==="pusher internal:watchlist events"&&n.handleEvent(r)})},t}(V),ci=ai;function ui(){var
e,t,n=new Promise(function(r,i){e=r,t=i}); return{promise:n,resolve:e,reject:t}} var hi=ui,li=function(){var e=function(t,n){return e=0bject.setPrototype0f||{__proto__:[]}} instance of
 Array\&function(r,i){r.\_proto\_=i}||function(r,i){for(var o in a context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
 i)i.hasOwnProperty(o)\&\&(r[o]=i[o])\}, e(t,n)\}; return function(t,n)\{e(t,n); function r()\{this.constructor=t\}t.prototype=n===null?Object.create(n):(r.prototype=n.prototype,new)
r)}{(),fi=function(e){li(t,e);function t(n){var r=e.call(this,function(i,o){A.debug("No callbacks on user for "+i)})||this;return r.signin_requested=!1,r.user_data=null,r.serverToUserChannel=null,r.sig
 ninDone Promise = null, r.\_signinDone Reso \overline{l}ve = null, r.\_on Author \overline{l}ze = function (i,o) \{if (i) \{A.warn ("Error on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Author on Au
during signin: "+i),r._cleanup();return}r.pusher.send_event("pusher:signin",{auth:o.auth,user_data:o.user_data})),r.pusher=n,r.pusher.connection.bind("state_change",function(i){var o=i.previous,u=i.cu
 rrent; o! = "connected" \& u = = "connected" \& \& (r\_cleanup(), o = = "connected" \& \& u! = "connected" \& \& (r\_cleanup(), o = = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& \& u! = "connected" \& u! = "connected" \& u! = "connected" \& u! = "connected" \& u! = "connected" \& u! = "connected" \& u! = "connected" \& u! = "
 r. newSigninPromiseIfNeeded())}),r.watchlist=new
 ci(n),r.pusher.connection.bind("message",function(i){var o=i.event;o==="pusher:signin success"&&r. o
 nSigninSuccess (i.data), r.serverToUserChannel\&\&r.serverToUserChannel.name === i.channel\&\&r.serverToUserChannel.name === i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel.name == i.channel
 Channel.handleEvent(i)}),r}return t.prototype.signin=function(){this.signin_requested||(this.signin_
requested=!0,this._signin())},t.prototype._signin=function(){this.signin_requested&&(this._newSignin PromiseIfNeeded(),this.pusher.connection.state==="connected"&&this.pusher.config.userAuthenticator({
 socketId:this.pusher.connection.socket id},this. onAuthorize))},t.prototype. onSigninSuccess=functio
n(n){try{this.user_data=JSON.parse(n.user_data)}catch{A.error("Failed parsing user data after signin: "+n.user_data),this._cleanup();return}if(typeof this.user_data.id!="string"||this.user_data.id===""){A.error("user_data doesn't contain an id.
 user_data: "+this.user_data),this._cleanup();return}this._signinDoneResolve(),this._subscribeChannel
 s()},t.prototype.subscribeChannels=function(){var n=this,r=function(i){i.subscriptionPending&&i.sub
```

```
scriptionCancelled?i.reinstateSubscription():!i.subscriptionPending&&n.pusher.connection.state==="co
 nnected"&&i.subscribe()};this.serverToUserChannel=new bt("#server-to-user-
  +this.user data.id,this.pusher),this.serverToUserChannel.bind global(function(i,o){i.indexOf("pushe"
 r_internal:")===0||i.indexOf("pusher:")===0||n.emit(i,o)}),r(this.serverToUserChannel)},t.prototype._cleanup=function(){this.user_data=null,this.serverToUserChannel&&(this.serverToUserChannel.unbind_a
 ll(),this.serverToUserChannel.disconnect(),this.serverToUserChannel=null),this.signin_requested&&thi
 s. \_signinDoneResolve()\}, t.prototype.\_newSigninPromiseIfNeeded=function() \\ \{if(this.signin\_requested\&\&!(this.signinDonePromise\&!this.signinDonePromise.done))\} \\ \{var_i, var_i, =hi(), r=n.promise, i=n.resolve, o=n.reject; r.done=!1; var u=function() \{r.done=!0\}; r.then(u).catch(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=function() \{r.done=!0\}; r.then(u), t=
 his.signinDonePromise=r, this.signinDoneResolve=i\}, t}(V), pi=fi, ee=function(){function e(t,n){var}}
 r=this;if(di(t),n=n||{},!n.cluster&&!(n.wsHost||n.httpHost)){var
 i=b.buildLogSuffix("javascriptQuickStart");A.warn("You should always specify a cluster when connecting. "+i)}"disableStats"in n&&A.warn("The disableStats option is deprecated in favor of enabl
 eStats"), this.key=t, this.config=□r(n, this), this.channels=G.createChannels(), this.global emitter=new
V, this.sessionID=m.randomInt(1e9), this.timeline=new Hr(this.key, this.sessionID, {cluster:this.config.cluster, features:e.getClientFeatures(), params:this.config.timelineParams||{}, limit:50, level:ft.INFO,
version: d. VERSION\}), this. config. enableStats \&\& (this.timelineSender=G.createTimelineSender(this.timeline, \{host:this.config.statsHost,path: "/timeline/v2/"+m.TimelineTransport.name\})); var
 o=function(u){return m.getDefaultStrategy(r.config,u,Br)};this.connection=G.createConnectionManager(
 this.key,{getStrategy:o,timeline:this.timeline,activityTimeout:this.config.activityTimeout,pongTimeo
 ut:this.config.pongTimeout,unavailableTimeout:this.config.unavailableTimeout,useTLS:!!this.config.us
eTLS}), this.connection.bind("connected", function() {r.subscribeAll(), r.timelineSender&r.timelineSender.send(r.connection.isUsingTLS())}), this.connection.bind("message", function(u) {var p=u.event, _=p.indexOf("pusher_internal:")===0; if(u.channel) {var g=r.channel(u.channel); g&&g.handleEv
 ent(u)}_||\overline{\phantom{a}}, global_emitter.emit(u.event,u.data)}),this.connection.bind("connecting",function(){r.cha
 nnels.disconnect() \}), this.connection.bind("disconnected", function() \{r.channels.disconnect()\}), this.c
onnection.bind("error",function(u){A.warn(u)}),e.instances.push(this),this.timeline.info({instances:e.instances.length}),this.user=new pi(this),e.isReady&&this.connect()}return
 e.ready=function(){e.isReady=!0;for(var
 t=0,n=e.instances.length;t<n;t++)e.instances[t].connect()},e.getClientFeatures=function(){return
 Ut(Mt({ws:m.Transports.ws}, function(t){return
 t.isSupported({{}})}))},e.prototype.channel=function(t){return
 this.channels.find(t)},e.prototype.allChannels=function(){return this.channels.all()},e.prototype.co
n.send(t)\})\}\}, e.prototype.disconnect=function()\{this.connection.disconnect(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.timelineSenderTime(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.time(),this.tim
 r&&(this.timelineSenderTimer.ensureAborted(),this.timelineSenderTimer=null)},e.prototype.bind=functi
 on(t,n,r){return this.global_emitter.bind(t,n,r),this},e.prototype.unbind=function(t,n,r){return}
this.global_emitter.unbind(t,n,r),this},e.prototype.bind_global=function(t){return this.global_emitter.bind_global(t),this},e.prototype.unbind_global=function(t){return
 this.global_emitter.unbind_global(t),this},e.prototype.unbind_all=function(t){return
 this.global emitter.unbind all(),this},e.prototype.subscribeAll=function(){var t;for(t in this.chann
 els.channels)this.channels.channels.hasOwnProperty(t)&&this.subscribe(t)},e.prototype.subscribe=func
 tion(t){var n=this.channels.add(t,this);return n.subscriptionPending&An.subscriptionCancelled?n.rein
 stateSubscription():!n.subscriptionPending&&this.connection.state==="connected"&&n.subscribe(),n},e.
 prototype.unsubscribe=function(t) \{var \ n=this.channels.find(t); n\&\&n.subscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionPending?n.cancelSubscriptionP
 ription():(n=this.channels.remove(t),n\&\&n.subscribed\&\&n.unsubscribe())\},e.prototype.send event=funct
 ion(t,n,r){return this.connection.send_event(t,n,r)},e.prototype.shouldUseTLS=function()\overline{\{}return this
.config.useTLS},e.prototype.signin=function(){this.user.signin()},e.instances=[],e.isReady=!1,e.logToConsole=!1,e.Runtime=m,e.ScriptReceivers=m.ScriptReceivers,e.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.DependenciesReceivers=m.Dependencies
ceivers,e.auth_callbacks=m.auth_callbacks,e}(),Pt=h.default=ee;function di(e){if(e==null)throw"You must pass your app key when you instantiate Pusher."}m.setup(ee)}])});function st(l){"@babel/helpers - typeof";return st=typeof Symbol=="function"&&typeof Symbol.iterator=="symbol"?function(h){return typeof h}:function(h){return h&&typeof Symbol=="function"&&h.constructor===Symbol&h!==Symbol.prototype?"symbol":typeof h},st(l)}function L(l,h){if(!(l instanceof h))throw new TypeError("Cannot call a class as a function")}function
 le(l,h){for(var a=0;a<h.length;a++){var</pre>
 c=h[a];c.enumerable=c.enumerable||!1,c.configurable=!0,"value"in
at(){return at=Object.assign||function(l){for(var h=1;h<arguments.length;h++){var
 a = arguments[h]; for(var\ c\ in\ a) Object.prototype.has Own Property.call(a,c) \&\&(l[c]=a[c]) \} return
 l},at.apply(this,arguments)}function D(l,h){if(typeof h!="function"&h!==null)throw new
 TypeError("Super expression must either be null or a function");l.prototype=Object.create(h&&h.proto
 type, {constructor: {value:l,writable:!0, configurable:!0}}), Object.defineProperty(l, "prototype", {writa
 ble: !1}),h&&At(l,h)}function pt(l){return
 pt=Object.setPrototypeOf?Object.getPrototypeOf:function(a){return
             proto__||Object.getPrototypeOf(a)},pt(l)}function At(l,h){return
At=Object.setPrototypeOf||function(c,s){return c._proto_=s,c},At(l,h)}function Ri(){if(typeof Reflect>"u"||!Reflect.construct||Reflect.construct.sham)return!1;if(typeof
Proxy=="function")return!0;try{return Boolean.prototype.valueOf.call(Reflect.construct(Boolean,[],function(){})),!0}catch{return!1}}function Ii(l){if(l===void 0)throw new ReferenceError("this hasn't been initialised - super() hasn't been called");return l}function ji(l,h){if(h&&(typeof
```

```
h=="object"||typeof h=="function"))return h;if(h!==void 0)throw new TypeError("Derived constructors
 may only return object or undefined"); return Ii(l)}function H(l){var h=Ri(); return function(){var
 c=pt(l),s:if(h){var f=pt(this).constructor;s=Reflect.construct(c,arguments,f)}else
s=c.apply(this,arguments);return ji(this,s)}}var Et=function(){function l(){L(this,l)}return
R(l,[{key:"listenForWhisper",value:function(a,c){return
this.listen(".client-"+a,c)}},{key:"notification",value:function(a){return this.listen(".Illuminate\")
\Notifications\\Events\\BroadcastNotificationCreated",a)\},\{key: "stopListeningForWhisper",value: function(a,c)\{return this.stopListening(".client-"+a,c)\}]),l\}(),de=function()\{function l(h)\{L(this,l),this.namespace=h\}return R(l,[\{key: "format",value: function(a)\{return[".","\\"].include s(a.charAt(0))?a.substring(1): (this.pace&&(a=this.pace).
 y: "setNamespace", value: function(a) { this.namespace=a}}]), l}(); function Ni(l) { try{new l}catch(h) { if(h.message.includes("is not a constructor")) return!1} return!0} var
 Lt=function(l){D(a,l); var h=H(a); function a(c,s,f){var d; return
L(this,a),d=h.call(this),d.name=s,d.pusher=c,d.options=f,d.eventFormatter=new de(d.options.namespace),d.subscribe(),d}return R(a,[{key:"subscribe",value:function(){this.subscript ion=this.pusher.subscribe(this.name)}},{key:"unsubscribe",value:function(){this.pusher.unsubscribe(this.name)}},{key:"listen",value:function(s,f){return}
 this.on(this.eventFormatter.format(s),f),this}},{key:"listenToAll",value:function(s){var
f=this;return this.subscription.bind_global(function(d,N){if(!d.startsWith("pusher:")){var P=f.options.namespace.replace(/\./g,"\\"),T=d.startsWith(P)?d.substring(P.length+1):"."+d;s(T,N)}}),this}},{key:"stopListening",value:function(s,f){return f?this.subscription.unbind(this.eventFormatter.format(
 :function(s){return s?this.subscription.unbind global(s):this.subscription.unbind global(),this}},{k
 ey: "subscribed", value: function(s) {return this.on("pusher: subscription succeeded", function() {s()}), th
 is}},{key:"error",value:function(s){return
 this.on("pusher:subscription_error",function(f)\{s(f)\}),this}},{key:"on",value:function(s,f)}{return this.subscription.bind(s,f),this}}]),a}(Et),ve=function(l){D(a,l);var h=H(a);function a()}{return}
 L(this,a),h.apply(this,arguments) return R(a,[\{key:"whisper",value:function(s,f)\} return this.pusher.
 channels.channels[this.name].trigger("client
     .concat(s),f),this}}]),a}(Lt),qi=function(l){D(a,l);var h=H(a);function a(){return
 L(this,a),h.apply(this,arguments)}return R(a,[{key:"whisper",value:function(s,f){return this.pusher.channels.channels[this.name].trigger("client-
channels.channels[this.name].trigger("client-
".concat(s),f),this}]]),a}(Lt),Ui=function(l){D(a,l);var h=H(a);function a(){return L(this,a),h.apply(this,arguments)}return R(a,[{key:"here",value:function(s){return this.on("pusher:subscription_succeeded",function(f){s(Object.keys(f.members).map(function(d){return f.members[d]}))}),this}},{key:"joining",value:function(s){return this.on("pusher:member_added",function(f){s(f.info)}),this}},{key:"whisper",value:function(s,f){return this.pusher.channels.channels[this.on("pusher:member_removed",function(f){s(f.info)}),this}}]),a}(ve),ye=function(l){D(a,l);var h=H(a);function a(c,s,f){var d;return L(this,a),d=h.call(this),d.events={},d.listeners={},d.name=s,d.socket=c,d.options=f,d.event=commatter=new_de/d.options_pagespace),d.subscribe().dlreturn R(a,l/key).
 .socket=c,d.options=f,d.eventFormatter=new de(d.options.namespace),d.subscribe(),d}return R(a,[{key: "subscribe", value: function(){this.socket.emit("subscribe", {channel:this.name,auth:this.options.auth|
  |\{\}\})\}\}, \{key: "unsubscribe", value: function() \{this.unbind(), this.socket.emit("unsubscribe", \{channel: the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of t
 is.name,auth:this.options.auth||{}})}},{key:"listen",value:function(s,f){return this.on(this.eventFormatter.format(s),f),this}},{key:"stopListening",value:function(s,f){return
 this.unbindEvent(this.eventFormatter.format(s),f),this}},{key:"subscribed",value:function(s){return this.on("connect",function(f)\{s(f)\}),this}},{key:"error",value:function(s){return this.on("connect",function(f)\{s(f)\}),this}},
 this}},{key:"on",value:function(s,f){var d=this;return this.listeners[s]=this.listeners[s]||[],this.
 events[s]||(this.events[s]=function(N,P)\{d.name===N\&\&d.listeners[s]\&\&d.listeners[s].forEach(function(N,P),P)\}||
(T){return T(P)})},this.socket.on(s,this.events[s])),this.listeners[s].push(f),this}},{key:"unbind", value:function(){var s=this;0bject.keys(this.events).forEach(function(f){s.unbindEvent(f)})}},{key:"unbindEvent",value:function(s,f){this.listeners[s]=this.listeners[s]||[],f&&(this.listeners[s]=this.
 listeners[s].filter(function(d)\{return\ d!==f\})), (!f||this.listeners[s].length===0) \& (this.events[s] \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (this.events[s]) \& (
 &(this.socket.removeListener(s,this.events[s]),delete this.events[s]),delete
 this.listeners[s])}}]),a}(Et),ge=function(l){D(a,l);var h=H(a);function a(){return
 L(this,a),h.apply(this,arguments)}return R(a,[{key:"whisper",value:function(s,f){return this.socket.emit("client event",{channel:this.name,event:"client-
      .concat(s), data:f\}), this \}\}]), a\} (ye), Di=function(l) \{D(a,l); var\ h=H(a); function\ a() \{return\}\}
 L(this,a),h.apply(this,arguments)return R(a,[{key:"here",value:function(s){return}})
this.on("presence:subscribed", function(f){s(f.map(function(d){return d.user_info}))}, this}}, {key:"joining", value:function(s){return this.on("presence:joining", function(f){return s(f.user_info)}), this}}, {key:"whisper", value:function(s,f){return this.socket.emit("client event", {c hannel:this.name,event:"client-".concat(s), data:f}), this}}, {key:"leaving", value:function(s){return this.name,event:"client-".concat(s), data:f}), this}}, {key:"leaving", function(s){return this.name,event:"client-".concat(s), data:f}), this}}, {key:"leaving", value:function(s){return this.name,event:"client-".concat(s), data:f}), this}}, {key:"leaving", function(s){return this.name,event:"client-".concat(s), data:f}), this}}
 this.on("presence:leaving",function(f){return
s(f.user_info)}),this}}]),a}(ge),dt=function(l){D(a,l);var h=H(a);function a(){return
L(this,a),h.apply(this,arguments)}return R(a,[{key:"subscribe",value:function(){}},{key:"unsubscribe",value:function(){}},{key:"listen",value:function(s,f){return
this}},{key:"listenToAll",value:function(s){return
 this}},{key:"stopListening",value:function(s,f){return
this}},{key:"subscribed",value:function(s){return this}},{key:"error",value:function(s){return this}},{key:"on",value:function(s,f){return this}}]),a}(Et),_e=function(l){D(a,l);var h=H(a);function a(){return L(this,a),h.apply(this,arguments)}return }
```

```
R(a, [\{key: "whisper", value: function(s, f)\{return this\}\}]), a\}(dt), Hi=function(l)\{D(a, l); varantee function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(l) = function(
 h=H(a); function a(){return L(this,a),h.apply(this,arguments)}return
 R(a,[{key:"whisper",value:function(s,f){return this}}]),a}(dt),Mi=function(l){D(a,l);var
h=H(a); function a(){return L(this,a),h.apply(this,arguments)}return
R(a,[{key:"here",value:function(s){return this}},{key:"joining",value:function(s){return this}},{key:"leaving",value:function(s){return this}},{key:"leaving",value:function(s){return this}},
this}}]),a\{(e),Rt=function()\{function l(h)\{L(this,l),this._default0ptions=\{auth:\{headers:\{\}\},authEndpoint:"/broadcasting/auth",userAuthentication:\{endpoint:"/broadcasting/user-auth",headers:\{}\},broadcasting/auth",userAuthentication:\{endpoint:"/broadcasting/user-auth",headers:\{}\},broadcasting/auth",userAuthentication:\{endpoint:"/broadcasting/user-auth",headers:\{}\},broadcasting/auth",userAuthentication:\{endpoint:"/broadcasting/user-auth",headers:\{}\},authEndpoint:"/broadcasting/user-auth",headers:\{}\},authEndpoint:\[endpoint:"/broadcasting/user-auth",headers:\{}\},authEndpoint:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broadcasting/user-auth",headers:\[endpoint:"/broa
 caster: "pusher", csrfToken:null, bearerToken:null, host:null, key:null, namespace: "App. Events"}, this.set0
ptions(h), this.connect()) return
 R(l,[\{key:"setOptions",value:function(a)\{this.options=at(this.defaultOptions,a);var
 c=this.csrfToken();return c&&(this.options.auth.headers["X-CSRF-
 TOKEN"]=c,this.options.userAuthentication.headers["X-CSRF-
 TOKEN"\ j=c)\ , c=this.options.bearerToken\ , c\&\{this.options.auth.headers.Authorization="Bearer Token"\ , c&\{this.options.auth.headers.Authorization="Bearer Token"\ , c&\{this.options.authorization="Bearer Token"\ , c&\{this.options.authorizati
     '+c,this.options.userAuthentication.headers.Authorization="Bearer
 "+c),a}},{key:"csrfToken",value:function(){var a;return typeof window<"u"&&window.Laravel&&window.La
 ravel.csrfToken?window.Laravel.csrfToken:this.options.csrfToken?this.options.csrfToken:typeof
 \label{token-state} document< "u" \& \& type of document. query Selector = "function" \& \& (a=document. query Selector ('meta[name="csrftoken"]')) ? a. get Attribute ("content"): null \}]), \{ (), fe=function (l) \{D(a,l); var h=H(a); function a() \{var h=H(a); function a() \} = (a) \} ). \} \{ (b) \{ (a, b) \} = (a) \} \{ (b) \{ (a, b) \} = (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (b) \{ (a, b) \} = (a) \} \{ (a) \} \{ (b) \{ (a, b) \} = (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} = (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) \} \{ (a) 
 c;return L(this,a),c=h.apply(this,arguments),c.channels={},c}return
R(a,[{key:"connect",value:function(){typeof
this.options.client<"u"?this.pusher=this.options.client:this.options.Pusher?this.pusher=new
this.options.Pusher(this.options.key,this.options):this.pusher=new Pusher(this.options.key,this.options)}},{key:"signin",value:function(){this.pusher.signin()}},{key:"listen",value:function(s,f,d){ret urn this.channel(s).listen(f,d)}},{key:"channel",value:function(s){return
 this.channels[s]||(this.channels[s]=new
 Lt(this.pusher,s,this.options)),this.channels[s]}},{key:"privateChannel",value:function(s){return
 this.channels["private-"+s]||(this.channels["private-"+s]=new ve(this.pusher,"private-
   "+s,this.options)),this.channels["private-
"+s]}},{key:"encryptedPrivateChannel",value:function(s){return this.channels["private-encrypted-"+s]=new qi(this.channels["private-encrypted-"+s,this.options)),this.channels["private-encrypted-"+s,this.options)),this.channels["private-encrypted-"+s,this.options))
encrypted- +s,this.options//,this.channels[ private-
encrypted-"+s]}},{key:"presenceChannel",value:function(s){return
this.channels["presence-"+s]||(this.channels["presence-"+s]=new Ui(this.pusher,"presence-
"+s,this.options)),this.channels["presence-"+s]}},{key:"leave",value:function(s){var
 f=this,d=[s,"private-"+s,"private-encrypted-"+s,"presence-
"+s];d.forEach(function(N,P){f.leaveChannel(N)})}},{key:"leaveChannel",value:function(s){this.channe
 \label{lem:lss} $$ ls[s]&(this.channels[s].unsubscribe(),delete this.channels[s])}, {key: "socketId",value:function(){return this.pusher.connection.socket_id}}, {key: "socketId",value:function(){return this.pusher.connection.socket_id}}, {key: "socketId",value:function(){return this.pusher.connection.socket_id}}.
  "disconnect", value:function(){this.pusher.disconnect()}}]),a}(Rt),pe=function(l){D(a,l);var
h=H(a); function a(){var c; return L(this,a),c=h.apply(this.getSocketIO(); return this.socket=f(this.options.host,this.options), this.socket.on("reconnect",function(){0bject.values(s.channels).forEach(function(){d.subscribe()})}), this.socket}, {key: "getSocketIO", value: function(){if(typeofthis.options.client<"u")return this.options.client<"u")return this.options.clie
 Error("Socket.io client not found. Should be globally available or passed via
 options.client")}},{key:"listen",value:function(s,f,d){return
this.channel(s).listen(f,d)}},{key:"channel",value:function(s){return this.channels[s]||(this.channels[s]=new
ye(this.socket,s,this.options)),this.channels[s]}},{key:"privateChannel",value:function(s){return this.channels["private-"+s]|(this.channels["private-"+s]=new ge(this.socket,"private-
"+s,this.options)),this.channels["private-"+s]}},{key:"presenceChannel",value:function(s){return this.channels["presence-"+s]||(this.channels["presence-"+s]=new Di(this.socket,"presence-"+s,this.options)),this.channels["presence-"+s]}},{key:"leave",value:function(s){var f=this,d=[s,"presence-"+s]}},
 ivate-"+s, "presence-
    +s];d.forEach(function(N){f.leaveChannel(N)})}},{key:"leaveChannel",value:function(s){this.channels"
[s]&&(this.channels[s].unsubscribe(),delete this.channels[s])}},{key:"socketId",value:function(){return this.socket.id}},{key:"disconnect",value:function(){this.socket.disconnect()}}]),a}(Rt),zi=function(){D(a,l);var h=H(a);function a(){var
:runction(){tnis.socket.disconnect()}}]),a}(Rt),zi=Tunction(t){D(a,t);var n=H(a);tunction a(){var c;return L(this,a),c=h.apply(this,arguments),c.channels={},c}return
R(a,[{key:"connect",value:function(){}},{key:"listen",value:function(s,f,d){return new dt}},{key:"channel",value:function(s){return new dt}},{key:"privateChannel",value:function(s){return new e}},{key:"presenceChannel",value:function(s){return new Mi}},{key:"leave",value:function(s){}},{key:"leaveChannel",value:function(s){}},{key:"socketId",value:function(){return"fake-socket-id"}},{key:"disconnect",value:function(){}}]),a}(Rt),be=function(){function (h){L(this,l),this.options-basis connect() this contions withoutTotacentars()}
ons=h,this.connect(),this.options.withoutInterceptors||this.registerInterceptors()}return
R(l,[{key:"channel",value:function(a){return this.connector.channel(a)}},{key:"connect",value:function(a)
on(){if(this.options.broadcaster=="reverb")this.connector=new
fe(at(at({},this.options),{cluster:""}));else
 if(this.options.broadcaster=="pusher")this.connector=new fe(this.options);else
 if(this.options.broadcaster== pusher /this.connector=new re(this.options);else if(this.options.broadcaster=="null")this.connector=new zi(this.options);else if(typeof
```

public\js\filament\filament\echo.js

```
this.options.broadcaster=="function"&\(\)(this.options.broadcaster))this.connector=new
this.options.broadcaster(this.options);else throw new Error("Broadcaster
".concat(st(this.options.broadcaster)," ").concat(this.options.broadcaster," is not supported."))}},
{key: "disconnect", value: function() {this.connector.disconnect()}}, {key: "join", value: function(a) {return this.connector.presenceChannel(a)}}, {key: "leaveChannel(a)}}, {key: "leaveChannel(a)}}, {key: "leaveAllChannels", value: function(a)}
tion(){for(var a in
this.connector.channels)this.leaveChannel(a)}},{key:"listen",value:function(a,c,s){return
this.connector.listen(a,c,s)}},{key:"private",value:function(a){return this.connector.privateChannel(a)}},{key:"encryptedPrivate",value:function(a){if(this.connector
instanceof pe)throw new Error("Broadcaster ".concat(st(this.options.broadcaster),"
").concat(this.options.broadcaster," does not support encrypted private channels."));return
this.connector.encryptedPrivateChannel(a)}},{key:"socketId",value:function(){return
this.connector.socketId()}},{key:"registerInterceptors",value:function(){typeof Vue=="function"&&Vue.http&&this.registerVueRequestInterceptor(),typeof
axios=="function"&this.registerAxiosRequestInterceptor(),typeof
jQuery=="function"&this.registerJQueryAjaxSetup(),(typeof Turbo>"u"?"undefined":st(Turbo))==="objec
t"&this.registerTurboRequestInterceptor()}},{key:"registerVueRequestInterceptor",value:function(){v
ar a=this;Vue.http.interceptors.push(function(c,s){a.socketId()&&c.headers.set("X-Socket-
ID",a.socketId()),s()})}},{key:"registerAxiosRequestInterceptor",value:function(){var
a=this;axios.interceptors.request.use(function(c){return a.socketId()&&(c.headers["X-Socket-
Id"]=a.socketId()),c})}},{key:"registerjQueryAjaxSetup",value:function(){var a=this;typeof
jQuery.ajax<"u"&&jQuery.ajaxPrefilter(function(c,s,f){a.socketId()&&f.setRequestHeader("X-Socket-Id",a.socketId())})}},{key:"registerTurboRequestInterceptor",value:function(){var</pre>
a=this;document.addEventListener("turbo:before-fetch-
request", function(c){c.detail.fetchOptions.headers["X-Socket-Id"]=a.socketId()})}}]),l}();var
we=Li(me(),1); window. EchoFactory=be; window. Pusher=we. default; })();
/*! Bundled license information:
pusher-js/dist/web/pusher.js:
   (*!

* Pusher JavaScript Library v7.6.0
       https://pusher.com/
    * Copyright 2020, Pusher
* Released under the MIT licence.
    *)
```

public\js\filament\forms\components\checkbox-list.js

```
function c({livewireId:s}){return{areAllCheckboxesChecked:!1,checkboxListOptions:[],search:"",visibleCheckboxListOptions:[],init(){this.checkboxListOptions=Array.from(this._root.querySelectorAll(".fi-fo-checkbox-list-option")),this.updateVisibleCheckboxListOptions(),this._nextTick(()=>{this.checkIfAllCheckboxesAreChecked()}),Livewire.hook("commit",({component:e,commit:t,succeed:i,fail:o,respond:h})=>{i(({snapshot:r,effect:l}})=>{this..nextTick(()=>{e.id===s&&(this.checkboxListOptions=Array.from(this._root.querySelectorAll(".fi-fo-checkbox-list-option")),this.updateVisibleCheckboxListOptions(),this.checkIfAllCheckboxesAreChecked()}})},this._watch("search",()=>{this.updateVisibleCheckboxListOptions(),this.checkIfAllCheckboxesAreChecked()}}),checkIfAllCheckboxesAreChecked(){this.areAllCheckboxesAreChecked()}},checkIfAllCheckboxesAreChecked(){this.areAllCheckboxesChecked=this.visibleCheckboxListOptions.length===this.visibleCheckboxListOptions.filter(e=>e.querySelector("input[type=checkbox]:checked();lete=!this.areAllCheckboxesChecked;this.visibleCheckboxListOptions.forEach(t=>{leti=t.querySelector("input[type=checkbox]");i.disabled||(i.checked=e,i.dispatchEvent(new Event("change")))}),this.areAllCheckboxesChecked=e},updateVisibleCheckboxListOptions(){this.visibleCheckboxListOptions=this.checkboxListOptions.filter(e=>["",null,void@].includes(this.search)||e.querySelector(".fi-fo-checkbox-list-option-label")?.innerText.toLowerCase().includes(this.search.toLowerCase())?!@:e.querySelector(".fi-fo-checkbox-list-option-description")?.innerText.toLowerCase().includes(this.search.toLowerCase()))}}}export{case().includes(this.search.toLowerCase()))}}export{case().includes(this.search.toLowerCase())}}}export{case().includes(this.search.toLowerCase())}}}export{case().includes(this.search.toLowerCase())}}}export{case().includes(this.search.toLowerCase())}}}export{case().includes(this.search.toLowerCase()).}}}export{case().includes(this.search.toLowerCase()).}}}export{case().includes(this.search.toLowerCase()).}}}export{ca
```

public\js\filament\forms\components\code-editor.js

[SKIPPED: file too large (938525 bytes)]

```
nt(e[0]+e[0],16),q:parseInt(e[1]+e[1],16),b:parseInt(e[2]+e[2],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length===4?a(parseInt(e[3]+e[1],16),a:e.length==4?a(parseInt(e[3]+e[1],16),a:e.length==4?a(parseInt(e[3]+e[1],16),a:e.length==4?a(parseInt(e[3]+e[1],16),a:e.length==4?a(parseInt(e[3]+e[1],16),a:e.length==4?a(parse
3],16)/255,2):1}:{r:parseInt(e.substring(0,2),16),g:parseInt(e.substring(2,4),16),b:parseInt(e.substring(4,6),16),a:e.length===8?a(parseInt(e.substring(6,8),16)/255,2):1}),nt=(e,t="deg")=>Number(e)*(a
 t[t] = -{let r=/hsla?(?\s*(-?\d*\.?\d+)(deg|rad|grad|turn)?[,\s]+(-?\d*\.?\d+)%?[,\s]+(-?\d*)}
                    \.?\d+)%?,?\s*[/\s]*(-?\d*\.?\d+)?(%)?\s*\)?/i.exec(e);return
 r?lt({h:nt(r[1],r[2]),s:Number(r[3]),l:Number(r[4]),a:r[5]===void 0?1:Number(r[5])/(r[6]?100:1)}):{h
 :0,s:0,v:0,a:1}},J=it,lt=({h:e,s:t,l:r,a:o})=>(t*=(r<50?r:100-r)/100,{h:e,s:t>0?2*t/(r+t)*100:0,v:r+t,a:o}),X=e=>ct(A(e)),Y=({h:e,s:t,v:r,a:o})=>{let
 s=(200-t)*r/100; return\{h:a(e),s:a(s>0\&s<200?t*r/100/(s<=100?s:200-s)*100:0),l:a(s/2),a:a(o,2)\}\}; variable sets the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set
 d=e=>\{let\{h:t,s:r,l:o\}=Y(e);return\hsl([\{t\}, [\{r\}\%],
 [{s})`},A=({h:e,s:t,v:r,a:o})=>{e=e/360*6,t=t/100,r=r/100;let s=Math.floor(e),n=r*(1-t),i=r*(1-(e-s)*t),l=r*(1-(1-
 e+s)*t), q=s\%6; return\{r:a([r,i,n,n,l,r][q]*255), g:a([l,r,r,i,n,n][q]*255), b:a([n,n,l,r,r,i][q]*255), a([n,n,l,r,r,i][q]*255), a([n,n,l,r,i][q]*255), 0?1:Number(r[7])/(r[8]?100:1)):\{h:0,s:0,v:0,a:1\}\}, U=I,b=e=>\{let t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toString(16);return t=e.toStrin
  \begin{array}{l} \text{t.length} < ??"0"+t:t\}, \text{ct=} \{ \text{r:e,g:t,b:r,a:o} \} = \text{let} \\ \text{s=o} < 1?b(a(o*255)):""; \text{return} \#"+b(e)+b(t)+b(r)+s}, \text{G=} (\{ \text{r:e,g:t,b:r,a:o} \}) = \text{let} \\ \text{s=Math.max}(e,t,r), \text{n=s-constant}(e,t,r), 
 Math.min(e,t,r), i=n? s===e? (t-r)/n: s===t? 2+(r-e)/n: 4+(e-r)
 t)/n:0;return{h:a(60*(i<0?i+6:i)),s:a(s?n/s*100:0),v:a(s/255*100),a:o}};var
 L=(e,t)=\{if(e===t) | return!0; for(let r in e)if(e[r]!==t[r]) | return!1; return!0\}, h=(e,t)=>e.replace(/\s/e)
 g,"")===t.replace(/s/g,""),K=(e,t)=>e.toLowerCase()===t.toLowerCase()?!0:L(v(e),v(t));var
 Q={},H=e=>{let t=Q[e];return
 t = (t=0)
 CustomEvent(t,{bubbles:!0,detail:r}))};var m=!1,0=e=>"touches"in
 e,pt=e=>m\&\&(0(e)?!1:(m||(m=0(e)),!0),W=(e,t)=>\{let r=0(t)?t.touches[0]:t,o=e.el.getBoundingClientRec
 t();f(e.el,"move",e.getMove({x:c((r.pageX-(o.left+window.pageX0ffset))/o.width),y:c((r.pageY-
  (0.top+window.pageY0ffset))/o.height)})},ut=(e,t)={let r=t.keyCode;r>40||e.xy&&r<37||r<33||(t.prev)
 entDefault(), f(e.el, "move", e.getMove({x:r===39?.01:r===37?-.01:r===34?.05:r===33?-
.05:r===35?1:r===36?-1:0,y:r===40?.01:r===38?-.01:0},!0)))},u=class{constructor(t,r,o,s){let n=H(`<div role="slider" tabindex="0" part="[[{r}]" [[{o}]><div
 part="□{r}-pointer"></div>`);t.appendChild(n.content.cloneNode(!0));let i=t.querySelector(`[pa
rt=[{r}]`);i.addEventListener("mousedown",this),i.addEventListener("touchstart",this),i.addEventListener("keydown",this),this.el=i,this.xy=s,this.nodes=[i.firstChild,i]}set dragging(t){let r=t?documen t.addEventListener;r(m?"touchmove":"mousemove",this),r(m?"touchend":"mousemove",this)}handleEvent(t){switch(t.type){case=mousedown":case=touchstart":if(t.preventDefault(),!p
 t(t)||!m&&t.button!=0)return;this.el.focus(),W(this,t),this.dragging=!0;break;case"mousemove":case"t
 ouchmove":t.preventDefault(),W(this,t);break;case"mouseup":case"touchend":this.dragging=!1;break;cas
 e"keydown":ut(this,t);break}}style(t){t.forEach((r,o)=>{for(let s in
r)this.nodes[o].style.setProperty(s,r[s])})};var S=class extends
u{constructor(t){super(t,"hue",'aria-label="Hue" aria-valuemin="0" aria-valuemax="360"',!1)}update({
h:t}){this.h=t,this.style([{left:`[{t/360*100}%`,color:d({h:t,s:100,v:100,a:1})}]),this.el.setAttrib
 ute("aria-valuenow",`[{a(t)}`)}getMove(t,r){return\{h:r?c(this.h+t.x*360,0,360):360*t.x}\}}; var T=class extends u{constructor(t){super(t,"saturation",'aria-label="Color"',!0)}update(t){this this period of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the co
                                                                                                                                                                                                                                                                                                                                   ,!0) }update(t) {this.hsva=t
 , this.style([\{top: [\{100-t.v\}\% \}, left: [\{t.s\}\% \}, color: d(t)\}, \{"background-color": d(<math>\{h:t.h,s:100,v:100,a:1\}\})]), this.el.setAttribute("aria-valuetext", `Saturation [\{a(t.s)\}\%,
 Brightness [\{a(t.v)\}\})\}getMove(t,r)\{return\{s:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,100):t.x*100,v:r?c(this.hsva.s+t.x*100,0,0,0,0):t.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v:r.x*100,v
.v-t.y*100,0,100):Math.round(100-t.y*100)}};var Z=':host{display:flex;flex-direction:column;position:relative;width:200px;height:200px;user-select:none;-webkit-user-select:none
 e;cursor:default}:host([hidden]){display:none!important}[role=slider]{position:relative;touch-
 action:none;user-select:none;-webkit-user-select:none;outline:0}[role=slider]:last-child{border-
 radius:0 0 8px 8px}[part∏=pointer]{position:absolute;z-index:1;box-sizing:border-
box;width:28px;height:28px;display:flex;place-content:center center;transform:translate(-50%,-50%);background-color:#fff;border:2px solid #fff;border-
 radius:50%;box-shadow:0 2px 4px
 rgba(0,0,0,.2)}[part□=pointer]::after{content:"";width:100%;height:100%;border-
 radius:inherit;background-color:currentColor}[role=slider]:focus
[part□=pointer]{transform:translate(-50%,-50%) scale(1.1)}';var tt="[part=hue]{flex:0 0
24px;background:linear-gradient(to right,red 0,#ff0 17%,#0f0 33%,#0ff 50%,#00f 67%,#f0f 83%,red 100%)}[part=hue-pointer]{top:50%;z-index:2}";var rt="[part=saturation]{flex-grow:1;border-color:transparent;border-bottom:12px solid #000;border-radius:8px 8px 0 0;background-image:linear-
 gradient(to top,#000,transparent),linear-gradient(to right,#fff,rgba(255,255,255,0));box
  shadow:inset 0 0 0 1px rgba(0,0,0,0,05)}[part=saturation-pointer]{z-index:3}";var w=Symbol("same"),R=
 Symbol("color"),et=Symbol("hsva"), =Symbol("update"),ot=Symbol("parts"),g=Symbol("css"),x=Symbol("sl
iders"),p=class extends HTMLElement{static get
observedAttributes(){return["color"]}get[g](){return[Z,tt,rt]}get[x](){return[T,S]}get
color(){return this[R]}set color(t){if(!this[w](t)){let
```

```
r=this.colorModel.toHsva(t); this[](r), this[R]=t}}constructor(){super(); let t=H(`<style>\sqcap{this[g].jo
in("")}</style>`),r=this.attachShadow({mode:"open"});r.appendChild(t.content.cloneNode(!0)),r.addEve
ntListener("move",this),this[ot]=this[x].map(o=>new
o(r))}connectedCallback(){if(this.hasOwnProperty("color")){let t=this.color;delete
this.color,this.color=t}else
this.color||(this.color=this.colorModel.defaultColor)}attributeChangedCallback(t,r,o){let
s=this.colorModel.fromAttr(o); this[w](s)||(this.color=s)\} handle Event(t) \{letr=this[et],o=\{\dots r,\dots t.detail\}; this[_](o); let
s; L(o,r)\&\&! this [w] (s=this.colorModel.fromHsva(o))&&(this [R]=s,f(this,"color-world-state))
changed",{value:s})))[w](t){return this.color&&this.colorModel.equal(t,this.color)}[ ](t){this[et]=t
 .this[ot].forEach(r=>r.update(t))}}:var dt={defaultColor:"#000".toHsva:F.fromHsva:({h:e.s:t.v:r})=>X
({h:e,s:t,v:r,a:1}),equal:K,fromAttr:e=>e},y=class extends p{get colorModel(){return dt}};var P=class extends y{};customElements.define("hex-color-picker",P);var ht={defaultColor:"hsl(0, 0%,
0%)",toHsva:J,fromHsva:d,equal:h,fromAttr:e=>e},M=class extends p{get colorModel(){return ht}};var
z=class extends M{};customElements.define("hsl-string-color-picker",z);var mt={defaultColor:"rgb(0,
0, 0)",toHsva:U,fromHsva:B,equal:h,fromAttr:e=>e},C=class extends p{get colorModel(){return mt}};var
V=class extends C{}; customElements.define("rgb-string-color-picker",V); var k=class extends u{constructor(t){super(t,"alpha", 'aria-label="Alpha" aria-valuemin="0" aria-valuemax="1"',!1)}update(t){this.hsva=t;let
 r = [(\{...t,a:0\}),o = [(\{...t,a:1\}),s = t.a*100;this.style([\{left:`[\{s\}\%`,color:[](t)\},\{"--location for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the color for the col
gradient": `linear-gradient(90deg, [[{r}, [[{o}`]]);let n=a(s);this.el.setAttribute("aria-valuenow", [[{n}`),this.el.setAttribute("aria-valuetext", [[{n}%`)]getMove(t,r){return{a:r?c(this.hsva.a+t.x):t.x}}};var st=`[part=alpha]{flex:0 0
24px}[part=alpha]::after{display:block;content:"";position:absolute;top:0;left:0;right:0;bottom:0;border-radius:inherit;background-image:var(--gradient);box-shadow:inset 0 0 0 1px
rgba(0,0,0,.05)}[part^=alpha]{background-color:#fff;background-image:url('data:image/svg+xml,<svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill-opacity=".05"><rect x="8" width="8" height="8"/><rect y="8" width="8" height="8"/></svg>')}[part=alpha-pointer]{top:50%}`;var E=class
extends p{get[g](){return[...super[g],st]}get[x](){return[...super[x],k]}};var ft={defaultColor:"rgba(0, 0, 0, 1)",toHsva:I,fromHsva:D,equal:h,fromAttr:e=>e},N=class extends E{get colorModel(){return ft}};var j=class extends N{};customElements.define("rgba-string-color-
picker",j);function gt({isAutofocused:e,isDisabled:t,isLive:r,isLiveDebounced:o,isLiveOnBlur:s,liveDebounce:n,state:i}){return{state:i,init(){this.state===null||this.state====""||this.setState(this.state===="""|")
te),e&&this.togglePanelVisibility(this.[refs.input),this.[refs.input.addEventListener("change",l=>{t
his.setState(l.target.value)}),this.\Boxrefs.panel.addEventListener("color-changed",l=>{this.setState(l.detail.value),!(s||!(r||o))&&setTimeout(()=>{this.state===l.detail.value&&this.commitState()},o?n:2
50)}),(r||o||s)&&new MutationObserver(()=>this.isOpen()?null:this.commitState()).observe(this.∏refs.
panel, {attributes: !0, childList: !0})}, togglePanelVisibility(){t||this.|refs.panel.toggle(this.|refs.i
nput)},setState(l){this.state=l,this.prefs.input.value=l,this.prefs.panel.color=l},isOpen(){return t
his.∏refs.panel.style.display==="block"},commitState(){JSON.stringify(this.∏wire.
                                                                                                                                                                                                 instance.canonica
l)!==JSON.stringify(this.jwire. instance.ephemeral)&&this.jwire.jcommit()}}}export{gt as default};
```

```
var Ii=Object.create;var Dn=Object.defineProperty;var xi=Object.getOwnPropertyDescriptor;var
 Ni=Object.getOwnPropertyNames;var Fi=Object.getPrototypeOf,Ei=Object.prototype.hasOwnProperty;var
 q=(n,t)=>()=>(t)[n((t=\{exports:\{\}\}).exports,t),t.exports); yar Ji=(n,t,a,i)=>\{if(t\&\&typeof
 t=="object"||typeof t=="function")for(let e of
 \label{eq:ni(t)} \begin{tabular}{ll} Ni(t))!Ei.call(n,e)&\&e!==a\&&Dn(n,e,\{get:()=>t[e],enumerable:!(i=xi(t,e))||i.enumerable}\}); return \\ \begin{tabular}{ll} Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabola & Parabo
 n; var de=(n,t,a)=>(a=n!=null?Ii(Fi(n)):{},Ji(t||!n||!n. esModule?Dn(a, "default", {value:n,enumerabl})
e:!0}):a,n));var An=g((je,Te)=>{(function(n,t){typeof je=="object"&&typeof Te<"u"?Te.exports=t():typeof define=="function"&&define.amd?define(t):(n=typeof
 globalThis<"u"?globalThis:n||self).dayjs_plugin_advancedFormat=t()})(je,function(){"use</pre>
 strict"; return function(n,t) {var a=t.prototype,i=a.format; a.format=function(e) {var
 r=this,u=this. \( \text{locale()} \); if(!this.isValid()) return i.bind(this)(e); var d=this. \( \text{lutils()} \), o=(e||"YYYY-
\label{eq:mm-def} $$ MM-DDTHH:mm:ssZ").replace(/\[([^\]]+)]|Q|wo|ww|w|WW|W|zzz|z|gggg|GGGG|Do|X|x|k{1,2}|S/g,function(s){switch(s){case}"Q":return Math.ceil((r.\[M+1)/3);case}"Do":return u.ordinal(r.\[D);case}"gggg":return $$ Math.ceil((r.\[M+1)/3);case$$ and $$ Mind the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the cond
r.weekYear();case"GGGG":return r.isoWeekYear();case"wo":return
u.ordinal(r.week(),"W");case"w":case"ww":return
d.s(r.week(),s==="w"?1:2,"0");case"W":case"WW":return
d.s(r.isoWeek(),s==="w"?1:2,"0");case"k":case"k\tau":return
d.s(r.isoWeek(),s==="w"?1:2,"0");case"k":case"k\tau":return
 d.s(String(r. \square H===0?24: r. \square H), s==="k"?1:2, "0"); case"X": return
Math.floor(r. d.getTime()/le3);case"x":return r. d.getTime();case"z":return"["+r.offsetName()+"]";case"zzz":return"["+r.offsetName("long")+"]";default:return s}});return i.bind(this)(o)}})});varqn=g((He,we)=>{(function(n,t){typeof He=="object"&&typeof we<"u"?we.exports=t():typeof
 define=="function"&&define.amd?define(t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_plugin_customParseFormat=t()})(He,function(){"use
strict";var n={LTS:"h:mm:ss A",LT:"h:mm A",L:"MM/DD/YYYY",LL:"MMMM D, YYYY",LLL:"MMMM D, YYYY h:mm A",LLLL:"dddd, MMMM D, YYYY h:mm A"},t=/(\[[^[]*\])|([-
 _:/.,()\s]+)|(A|a|Q|YYYY|YY?|ww?|MM?M?M?|Do|DD?|hh?|HH?|mm?|ss?|S{1,3}|z|ZZ?)/g,a=/\d/,i=/\d\d/,e=/\d\d?/,r=/\d*[^- :/,()\s\d]+/.u={}.d=function(m){return(m-un)\/ref0233000 0 000)
                                                                             :/,()\s\d]+/,u={},d=function(m){return(m=+m)+(m>68?1900:2e3)},o=function(m){return f
 unction(Y)\{this[m]=+Y\}\}, s=[/[+
L===0?0:D[0]==="+"?-L:L}(m)}],_=function(m){var Y=u[m];return
Y&&(Y.indexOf?Y:Y.s.concat(Y.f))},y=function(m,Y){var D,L=u.meridiem;if(L){for(var
w=1;w<=24;w+=1)if(m.indexOf(L(w,0,Y))>-1){D=w>12;break}}else D=m===(Y?"pm":"PM");return D},l={A:[r,f]}
 unction(m){this.afternoon=y(m,!1)}],a:[r,function(m){this.afternoon=y(m,!0)}],Q:[a,function(m){this.
 month=3*(m-
1)+1}],S:[a,function(m){this.milliseconds=100*+m}],SS:[i,function(m){this.milliseconds=10*+m}],SSS:[/d{3}/,function(m){this.milliseconds=+m}],s:[e,o("seconds")],s:[e,o("seconds")],m:[e,o("minutes")],H:[e,o("hours")],h:[e,o("hours")],D:[e,o("d
,mm.[e,0( minites )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours )],m.[e,0( nours 
 L.slice(0,3))).indexOf(m)+1;if(D<1)throw new Error;this.month=D%12||D}],MMMM:[r,function(m){var}
Y=_("months").indexOf(m)+1;if(Y<1)throw new Error;this.month=Y%12||Y}],Y:[/[+-]?\d+/,o("year")],YY:[i,function(m){this.year=d(m)}],YYYY:[/\d{4}/,o("year")],Z:s,ZZ:s};function f(m){var Y,D;Y=m,D=u&&u.formats;for(var
 L=(m=Y.replace(/([[^{\}]]+])|(LTS?|l\{1,4\}|L\{1,4\})/g,function([,T,U)\{var\ W=U\&\&U.toUpperCase();return)\})
 T[D[U]][n[U]][D[W]] replace(/(\[[^\]]]+]) (MMMM|MM|DD|dddd)/g, function(v,h,c){return}
h||c.slice(1)}})).match(t),w=L.length,S=0;S<w;S+=1){var
C=L[S],A=L[C],I=A&&A[0],x=A&&A[1];L[S]=x?{regex:I,parser:x}:C.replace(/^\[|\][]/g,"")}return
function([]) \{for(var T=\{\},U=0,W=0;U< w;U+=1) \{var v=L[U];if(typeof v=="string")W+=v.length;else\{var h=v.regex,c=v.parser,p=[].slice(W),M=h.exec(p)[0];c.call(T,M),[]=[].replace(M,"")\}\} return
 function(b){var k=b.afternoon;if(k!==void 0){var
 H=b.hours; k?H<12&&(b.hours+=12): H===12&&(b.hours=0), delete b.afternoon} (T), T} return to the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of t
 L=Y. prototype, w=L. parse; L. parse=function(S) \{var\ C=S. date, A=S. utc, I=S. args; this. \\ \square u=A; varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varable varabl
 x=I[1]; if(typeof x=="string") \{var = I[2]===10, T=I[3]===!0, U==||T,W=I[2]; T\&\&(W=I[2]), u=this. = locale(), ||S\&W&\&(u=D.Ls[W]), this. = locale(), ||S&W&&(u=D.Ls[W]), this. = locale(), ||S&W&&(u=D.Ls[W]), this. = locale(), ||S&W&&(u=D.Ls[W]), this. = locale(), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), ||S&W&&(u=D.Ls[W]), |
 e=H.milliseconds, Z=H.zone, J=H.week, R=new
 me,pe=P||0,Le=B||0,De=Q||0,ve=ae||0;return Z?new
 Date(Date.UTC(ee,fe,X,pe,Le,De,ve+60*Z.offset*1e3)):b?new
Date(Date.UTC(ee,fe,X,pe,Le,De,ve)):(me=new Date(ee,fe,X,pe,Le,De,ve),J&&(me=k(me).week(J).toDate()),me)}catch{return new Date("")}}(C,x,A,D),th
 is.init(), W&\&W!==!0\&\&(this.\Box L=this.locale(W).\Box L), U\&\&C!=this.format(x)\&\&(this.\Box d=new), U\&\&C!=this.format(x)&\&(this.\Box d=new), U\&\&C!=this.form
 Date(""))}else w.call(this,S)}})});var In=g(([e,Ce)=>{(function(n,t){typeof [e=="object"&&typeof Ce<"u"?Ce.exports=t():typeof define=="function"&&define.amd?define(t):(n=typeof
 globalThis<"u"?globalThis:n||self).dayjs_plugin_localeData=t()})(\( \text{per}, \text{function}() \{ \text{"use strict"; return} \)</pre>
 function(n,t,a){var i=t.prototype,e=function(s){return
 s&&(s.indexOf?s:s.s)},r=function(s,_,y,l,f){var
```

```
m=s.name?s:s.[locale(),Y=e(m[]),D=e(m[y]),L=Y||D.map(function(S){return S.slice(0,l)});if(!f)return
 L;var w=m.weekStart;return L.map(function(S,C){return L[(C+(w||0))%7]})},u=function(){return
a.Ls[a.locale()]},d=function(s,_){return s.formats[_]||function(y){return y.replace(/(\[[^\]]+])|(MMMM|MM|DD|dddd)/g,function(l,f,m){return
f||m.slice(1)|| (||f||)|| (s.formats[_.toUpperCase()])||,o=function()|| (var s=this; return{months: function(_) { return _ ?_.format("MMM"):r(s,"months")}, monthsShort:function(_) { return _ ?_.format("MMM"):r(s,"monthsShort", "months",3)||, firstDayOfWeek:function() { return _ ?_.format("MMM"):r(s,"monthsShort", "months",3)||, firstDayOfWeek:function() { return _ ?_.format("MMM"):r(s,"monthsShort", "months",3)||, firstDayOfWeek:function() { return _ ?_.formats[_.formats]
 s. [locale().weekStart||0},weekdays:function(_){return
, )},meridiem:this._locale().meridiem,ordinal:this._locale().ordinal}};i.localeData=function(){retur
 n o.bind(this)()},a.localeData=function(){var s=u();return{firstDayOfWeek:function(){return
s.weekStart||0},weekdays:function(){return a.weekdays()},weekdaysShort:function(){return a.weekdaysShort()},weekdaysMin:function(){return a.weekdaysMin()},months:function(){return a.weekdaysMin()},months:function(){return a.weekdaysMin()}
 a.months()), monthsShort:function() \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort()\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:function(\_) \{return\ a.monthsShort(\_)\}, longDateFormat:funct
d(s,_), meridiem:s.meridiem,ordinal:s.ordinal},a.months=function(){return r(u(), "months")},a.monthsShort=function(){return
 r(u(), "monthsShort", "months", 3)}, a.weekdays=function(s){return
r(u(), "weekdays", null, null, s)}, a.weekdaysShort=function(s){return
r(u(), "weekdays", indit, nutt, s;;; a. weekdays3nort=runction(s){return
r(u(), "weekdaysMin", "weekdays", 2, s)}})); var xn=g((0e, ze)=>{(function(n, t){typeof
0e=="object"&&typeof ze<"u"?ze.exports=t():typeof define=="function"&&define.amd?define(t):(n=typeof</pre>
globalThis<"u"?globalThis:n||self).dayjs_plugin_timezone=t()})(Oe,function(){"use strict";var
n={year:0,month:1,day:2,hour:3,minute:4,second:5},t={};return function(a,i,e){var
r,u=function(_,y,l){l===void 0&&(l={});var f=new Date(_),m=function(Y,D){D===void 0&&(D={});var L=D.timeZoneName||"short",w=Y+"|"+L,S=t[w];return S||(S=new Intl.DateTimeFormat("en-US",{hour12:!1,timeZone:Y,year:"numeric",month:"2-digit",day:"2-digit",hour:"2-digit",minute:"2-digit",second:"2-
 digit", timeZoneName:L}), t[w]=S), S}(y, l); return m.formatToParts(f)}, d=function(_,y){for(variable)}
 l=u(_,y),f=[],m=0;m<l.length;m+=1){var
Y=l[m],D=Y.type,L=Y.value,w=n[D];w>=0&&(f[w]=parseInt(L,10))}var
S=f[3],C=S===24?0:S,A=f[0]+"-"+f[1]+"-"+f[2]+" "+C+":"+f[4]+":"+f[5]+":000",I=+_;return(e.utc(A).val
ue0f()-(I-=I%1e3))/6e4},o=i.prototype;o.tz=function(_,y){ ===void 0\&\&(_=r);var l,f=this.utcOffset(),m=this.toDate(),Y=m.toLocaleString("en-US",{timeZone:_}}),D=Math.round((m-new Date(Y))/1e3/60),L=15*-Math.round(mgetTimezoneOffset()/15)-D;if(!Number(L)) l=this.utcOffset(0,y);else
 if(l=e(Y,\{locale:this.\_L\}).\_set("millisecond",this.\_ms).utcOffset(L,!0),y)\{varw=l.utcOffset();l=l.add(f-w,"minute")\}return l.\_x.\_timezone=\_,l\},o.offsetName=function(_)\{varwere_,locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:this.\_locale:
y=this.\( \text{\text{x.}}\) \( \text{\text{timezone}} \) \( \text{\text{lemezone}} \) \( \text{\text{timezone}} \) \( \text{\text{timezone}} \) \( \text{\text{timezone}} \) \( \text{\text{lemezone}} \) \( \text{\text{timezone}} \) \( \text{\text{t
 l=e(this.format("YYYY-MM-DD HH:mm:ss:SSS"),{locale:this.□L});return
s.call(l,_,y).tz(this.\squarex.\squaretimezone,!0)},e.tz=function(_,y,l){var f=l&&y,m=l||y||r,Y=d(+e(),m);if(typeof _!="string")return e(_).tz(m);var D=function(C,A,I){var x=C-60*A*1e3,}\[ \]=d(x,I);if(A===\])return[x,A];var T=d(x-=60*(\]-A)*1e3,I);return \[ \]===T?[x,\[ \]]:[C-60*Math.min(\[ \],T)*1e3,Math.max(\[ \],T)](e.utc(_,f).value0f(),Y,m),L=D[0],w=D[1],S=e(L).utc0ffset(w);ret
 urn S.[x.]timezone=m,S},e.tz.guess=function(){return
Intl.Date TimeFormat().resolved Options().timeZone, e.tz.setDefault=function(_)\{r=_\}\})); var Nn=g((Ae,qe)=>\{(function(n,t)\{typeof Ae=="object"\&\&typeof qe<"u"?qe.exports=t():typeof Ae=="object"&&typeof qe<"u"?qe.exports=t():typeof Ae=="object"&&typeof qe<"u"?qe.exports=t():typeof ine=="function"&&define.amd?define(t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_plugin_utc=t()})(Ae,function(){"use strict";var
n="minute",t=/[+-]\d\d(?::?\d\d)?/g,a=/([+-]|\d\d)/g;return function(i,e,r){var
u=e.prototype;r.utc=function(f){var m={date:f,utc:!0,args:arguments};return new
 e(m)},u.utc=function(f){var m=r(this.toDate(),{locale:this.□L,utc:!0});return
 f?m.add(this.utcOffset(),n):m},u.local=function(){return} \\ r(this.toDate(),{locale:this.__L,utc:!1})};var d=u.parse;u.parse=function(f){f.utc&(this.__u=!0),this} \\
. \\ | utils().u(f.\\ | offset)||(this.\\ | offset=f.\\ | offset),d.call(this,f)\}; var \\ o=u.init;u.init=function() \\ \{if(this.\\ | u)\{var\ f=this.\\ | d;this.\\ | y=f.getUTCFullYear(),this.\\ | m=f.getUTCMonth(),this.\\ | m=f.getUTCMinutes(),this.\\ | m=f
his. s=f.getUTCSeconds(), this. s=f.getUTCMilliseconds()}else o.call(this)};var s=u.utcOffset;u.utcOffset=function(f,m){var Y=this. utils().u;if(Y(f))return
this. \squareu?0:Y(this. \squareoffset)?s.call(this):this. \squareoffset;if(typeof f=="string"&&(f=function(S){S===void 0&&(S="");var C=S.match(t);if(!C)return null;var A=(""+C[0]).match(a)||["-",0,0],I=A[0],x=60*+A[1]+
 +A[2]; return x==-0.0:I==="+"?x:-x}(f), f===null)) return this; var
 D=Math.abs(f)<=16?60*f:f,L=this;if(m)return L.\Boxoffset=D,L.\Boxu=f===0,L;if(f!==0){var w=this.\Boxu?this.to
 Date().getTimezoneOffset():-
1*this.utcOffset();(L=this.local().add(D+w,n)).__offset=D,L.__x.__localOffset=w}else
L=this.utc();return L};var _=u.format;u.format=function(f){var m=f||(this._u?"YYYY-MM-DDTHH:mm:ss[Z]":"");return _.call(this,m)},u.valueOf=function(){var f=this._utils().u(this._offset)?
0:this.\_offset+(this.\_x.\_localOffset||this.\_d.getTimezoneOffset());return this.\_d.valueOf()-6e4*f},u.isUTC=function(){return!!this.\_u},u.toISOString=function(){return}
this.toDate().toISOString()},u.toString=function(){return this.toDate().toUTCString()};vary=u.toDate;u.toDate=function(){return f==="s"&&this._offset?r(this.format("YYYY-MM-DD")
```

```
HH:mm:ss:SSS")).toDate():y.call(this)};var
 l=u.diff; u.diff=function(f,m,Y){if(f\&\&this. | u===f. | u)} return l.call(this,f,m,Y); var
 D=this.local(),L=r(f).local();return\ l.call(D,L,m,Y))\}\}));var\ j=g((Ie,xe)=>\{(function(n,t)\{typeoff(n,t),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),local(),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f),L=r(f
D=this.local(),L=r(f).local();return l.call(D,L,m,Y)}}));var j=g((le,xe)=>{(tunction(n,t){typeot Ie=="object"&&typeof xe<"u"?xe.exports=t():typeof define=="function"&&define.amd?define(t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs=t()})(Ie,function(){"use strict";var n=le3,t=6e4,a=36e5,i=" millisecond",e="second",r="minute",u="hour",d="day",o="week",s="month",_="quarter",y="year",l="date",f="Invalid Date",m=/^(\d{4})[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2})?[-/]?(\d{1,2
gust_September_October_November_December".split("_"),ordinal:function(v){var
h=["th","st","nd","rd"],c=v%100;return"["+v+(h[(c-20)%10]||h[c]||h[0])+"]"}},L=function(v,h,c){var
p=String(v);return!p||p.length>=h?v:""+Array(h+1-p.length).join(c)+v},w={s:L,z:function(v){var h=-
function(v){var h=-
function(v)}
 v.utcOffset(),c=Math.abs(h),p=Math.floor(c/60),M=c%60;return(h<=0?"+":"-
")+L(p,2,"0")+":"+L(M,2,"0")},m:function v(h,c){if(h.date()<c.date())return-v(c,h);var p=12*(c.year())</pre>
 )-h.year())+(c.month()-h.month()), M=h.clone().add(p,s), b=c-M<0, k=h.clone().add(p+(b?-
1:1),s);return+(-(p+(c-M)/(b?M-k:k-M))||0)},a:function(v){return v<0?Math.ceil(v)||0:Math.floor(v)}, p:function(v){return {M:s,y,w:o,d,D:l,h:u,m:r,s:e,ms:i,Q:_}[v]||String(v||"").toLowerCase().replace(/s[/,"")},u:function(v){return v===void 0}},S="en",C={};C[S]=D;var A="[isDayjsObject",I=function(v){return v instanceof U||!(!v||!v[A])},x=function v(h,c,p){var M;if(!h)return S;if(typeof h=="string"){var b=h.toLowerCase();C[b]&&(M=b),c&&(C[b]=c,M=b);var M;if(!M).sif(!MSS!).longth [].sif(!MSS!).longth [].sif(!M
 k=h.split("-");if(!M&&k.length>1)return v(k[0])}else{var
 H=h.name; C[H]=h, M=H} return! p\&\&M\&\&(S=M), M||!p\&\&S|, = function(v,h) \{if(I(v)) return v.clone(); variable function(v,h) (if(I(v)) return v.clone(); variable function(); variable function(v,h) (if(I(v)) return v.clone(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function(); variable function()
 c=typeof h=="object"?h:{};return c.date=v,c.args=arguments,new
 U(c)},T=w;T.l=x,T.i=I,T.w=function(v,h){return
new Date(NaN);if(T.u(M))return new Date;if(M instanceof Date)return new Date(M);if(typeof
 M=="string"\&\&!/Z[]/i.test(M)){var k=M.match(m);if(k){var}}
 H=k[2]-1|[0,q=(k[7]]|"0").substring(0,3);return b?new
Date(Date.UTC(k[1],H,k[3]||1,k[4]||0,k[5]||0,k[6]||0,q)):new Date(k[1],H,k[3]||1,k[4]||0,k[5]||0,k[6]||0,q)}}return new
 ),this.□D=c.getDate(),this.□W=c.getDay(),this.□H=c.getHours(),this.□m=c.getMinutes(),this.□s=c.getSe
 conds(),this. ☐ms=c.getMilliseconds()},h. ☐utils=function(){return T},h.isValid=function(){return
this.\Boxd.toString()!==f},h.isSame=function(c,p){var M=\Box(c);return this.startOf(p)<=M&&M<=this.endOf(p)},h.isAfter=function(c,p){return}
 \square(c) < this.startOf(p), h.isBefore=function(c,p){return}
 this.end0f(p)<\square(c)},h.\squareg=function(c,p,M){return
 T.u(c)?this[p]:this.set(M,c)},h.unix=function(){return
 Math.floor(this.valueOf()/1e3)},h.valueOf=function(){return
 this. [d.getTime()}, h.startOf=function(c,p){var M=this,b=!!T.u(p)||p,k=T.p(c),H=function(Z,J){var
b?H(1,F):H(0,F+1); case o:var Q=this.\Boxlocale().weekStart||0,ae=(N<Q?N+7:N)-Q; return
 H(b?P-ae:P+(6-ae),F);case d:case l:return q(B+"Hours",0);case u:return q(B+"Minutes",1);case
(this.□D,N.daysInMonth())).□d}else H&&this.□d[H](q);return
this.init(),this},h.set=function(c,p){return this.clone().□set(c,p)},h.get=function(c){return
this[T.p(c)]()},h.add=function(c,p){var M,b=this;c=Number(c);var k=T.p(p),H=function(F){var P=\square(b);return T.w(P.date(P.date()+Math.round(F*c)),b)};if(k===s)return
 this.set(s,this.\( \text{M+c}\);if(k===\)return this.set(y,this.\( \text{y+c}\);if(k===\)return H(1);if(k===\)return
 H(7); var q=(M=\{\},M[r]=t,M[u]=a,M[e]=n,M)[k]||1,N=this.dgetTime()+c*q; return
 T.w(N,this), h.subtract=function(c,p){return this.add(-1*c,p)}, h.format=function(c){var}
 p=this,M=this. ☐locale();if(!this.isValid())return M.invalidDate||f;var b=c||"YYYY-MM-DDTHH:mm:ssZ",k
 =T.z(this), H=this. \square H, q=this. \square M, N=this. \square M, F=M. weekdays, P=M. months, B=M. meridiem, Q=function(J,R,X,ee){r}
 eturn J\&(J[R]||J(p,b))||X[R].slice(0,ee), ae=function(J){return
 T.s(H%12||12,J,"0")},Z=B||function(J,R,X){var ee=J<12?"AM":"PM";return X?ee.toLowerCase():ee};return
 b.replace(Y,function(J,R)\{return\ R]|function(X)\{switch(X)\{case"YY":return\ R\}|function(X)\}|
String(p.[y).slice(-2);case"YYYY":return T.s(p.[y,4,"0");case"M":return N+1;case"MM":return T.s(N+1,2,"0");case"MMM":return Q(M.monthsShort,N,P,3);case"MMMM":return Q(P,N);case"D":return p.[D;case"DD":return T.s(p.[D,2,"0");case"d":return String(p.[W);case"dd":return Q(M.weekdaysMin,p.[W,F,3);case"dddd":return Q(M.weekdaysMin,p.[W,F,3);case"dddd":return T.s(p.[D,2,"0");case"dddd":return Q(M.weekdaysMin,p.[W,F,3);case"dddd":return Q(M.weekdaysMin,p.[W,F,3]);case"dddd":return Q(
 F[p.□W];case"H":return String(H);case"HH":return T.s(H,2,"0");case"h":return ae(1);case"hh":return
ae(2);case"a":return Z(H,q,!0);case"M":return Z(H,q,!1);case"m":return String(q);case"mm":return T.s(q,2,"0");case"s":return String(p.□s);case"ss":return T.s(p.□s,2,"0");case"SSS":return T.s(p.□ms,3,"0");case"Z":return k}return
```

```
null}(J)||k.replace(":","")})},h.utcOffset=function(){return
    15*-Math.round(this. \( \text{Id.getTimezoneOffset()/15} \) \\ \( \text{diff=function(c,p,M)} \) \( \text{var} \)
    b, k=this, H=T.p(p), q=||(c), N=(q.utcOffset()-this.utcOffset())*t, F=this-q, P=function(){return
    T.m(k,q)};switch(H){case y:b=P()/12;break;case s:b=P();break;case _:b=P()/3;break;case
    o:b=(F-N)/6048e5; break; case d:b=(F-N)/864e5; break; case u:b=F/a; break; case r:b=F/t; break; case
    e:b=F/n;break;default:b=F}return M?b:T.a(b)},h.daysInMonth=function(){return
  this.endOf(s).\BoxD},h.\Boxlocale=function(){return C[this.\BoxL]},h.locale=function(c,p){if(!c)return this.\BoxL;var M=this.clone(),b=x(c,p,!0);return b&&(M.\BoxL=b),M},h.clone=function(){return this.}
    T.w(this. []d, this)}, h.toDate=function(){return new Date(this.valueOf())}, h.toJSON=function(){return this.isValid()?this.toISOString():null}, h.toISOString=function(){return
 this.lsvatid()/this.tolsostring():nutl},n.tolsostring=runction(){return this.d.tolSostring()},v}(),w=U.prototype;return this.d.tolSostring()},v}(),w=U.prototype;return define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define define de
    globalThis<"u"?globalThis:n||self).dayjs locale am=t(n.dayjs)})(Ne,function(n){"use strict";function</pre>
 t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"am",weekdays:"\u1 245\u1211\u12F5_\u1230\u129E_\u121B\u1230\u129E_\u1228\u1261\u120F_\u127F5_\u1230\u121B\u121B\u12A0\u121B\u12A0\u1245\u121B\u12A5\u121B\u12A5\u121B\u12A5\u121B\u12A5\u121B\u12A5\u121B\u12A6\u12A5\u121B\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12A6\u12
  D\u1230\u1228\u1228\u1261\u1205\u1210\u1219\u1235\u1240\u1220\u1265\u1265\u1245\u1273\u1210\u1210\u1210\u1210\u1210\u1210\u1210\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u1216\u121
    .split("_"),months:"\u1303\u1295\u12CB\u122A_\u134C\u1265\u122F\u122A_\u121B\u122D\u127D_\u127A\u1355\u122A\u136\u1265\u122B_\u1275_\u1234\u1355\u12
  74\u121D\u1260\u122D_\u12A6\u12AD\u1276\u1260\u122D_\u1296\u1260\u121D\u1260\u122D_\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\u127b\
 \u1260\u122D\u35\u122F\u1216\u122D\u127D\u127D\u128\u1225\u122F\u1216\u1225\u122F\u1216\u1225\u1227\u1216\u1225\u1227\u1216\u1225\u1227\u1216\u1275\u1234\u1355\u1227\u1234\u1355\u1274\u1246\u1276\u1276\u1296\u126C\u121D\u1272\u1234\u121D\u325\u1210\u1275\u1235\u1242\u1275\u1236\u1243\u1275\u1236\u1242\u1275\u1236\u1242\u1275\u1236\u1242\u1243\u1275\u1243\u1275\u1243\u1243\u1275\u1243\u1243\u1275\u1243\u1243\u1275\u1236\u1243\u1275\u1236\u1243\u1275\u1236\u1243\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1275\u1236\u1236\u1275\u1236\u1236\u1275\u1236\u1236\u1275\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1236\u1336\u1236\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u1336\u13
     \u1230\u12D3\u1273\u1275",d:"\u12A0\u1295\u12F5\u1240\u1295",dd:"%d
  \u1250\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275\u1275
    HH:mm"},ordinal:function(e){return e+"\u129B"}};return a.default.locale(i,null,!0),i})});var
  En=g((Ee,Je)=>{(function(n,t){typeof Ee=="object"&\typeof Je<"u"?Je.exports=t(j()):typeof define=="function"&\text{define.amd?define(["dayjs"],t):(n=typeof
    globalThis<"u"?globalThis:n||self).dayjs_locale_ar=t(n.dayjs)})(Ee,function(n){"use strict";function</pre>
    \dot{t}(d){return d&&typeof d=="object"&&"default"in \dot{d}?d:{default:d}}var a=t(n),i="\u064A\u0646\u0627\u064
    A\u0631\u0641\u0628\u0631\u0627\u064A\u0631\u0645\u0631\u0631\u0633\u0623\u0628\u0631\u064A\u0644
    \u0645\u0627\u064A\u0648\u064A\u0648\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A\u064A
 \u0648\u0641\u0645\u0628\u0631_\u062F\u0645\u0628\u0631_\u0648\u0645\u0628\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0661".2:"\u0662".3:"\u0663".4:"\u06664".5:"\u0665".6:"\u06666",7:"\u0667".8:"\u0668".9:"\u0669".0:"\u0660",r={"\u0667".7:"\u0668".9:"\u0669".0:"\u0660",r={"\u0669".1","\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1",\u0669".1
  628\u0639\u0627\u0621_\u0627\u0644\u062E\u0645\u0645\u0644\u0633_\u0627\u0644\u0632\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\
 33_\u062C\u0645\u0639\u0629_\u0633\u0628\u062A".split("_"),weekdaysMin:"\u062D_\u0646_\u062B_\u0631_\u062E_\u062E_\u0646_\u062B_\u0631_\u062E_\u062E_\u0633".split("_"),months:i,monthsShort:i,weekStart:6,meridiem:function(d){return d>12?"\u0645":"\u0645\u0635"},relativeTime:{future:"\u0628\u0639\u062F %s",past:"\u0645\u0646\u0630
%s",s:"\u062B\u0627\u0646\u064A\u0629
\u0648\u0627\u062D\u062F\u0629",m:"\u0642\u0642\u0642\u0629
\u0648\u0627\u062D\u062F\u0629",ms:"%d \u062F\u0642\u0642\u0626\u0642",h:"\u0633\u0627\u0639\u0629
\u0648\u0627\u062D\u062F\u0629",hh:"%d \u0633\u0627\u0639\u0627\u062A",d:"\u064A\u0648\u0645
\u0648\u0627\u062D\u062F\u062P",dd:"%d \u0623\u064A\u0627\u0645",M:"\u0634\u0647\u0631
\u0648\u0627\u062D\u062F",dd:"%d \u0623\u0647\u0645",M:"\u0633\u0647\u0631
\u0648\u0627\u062D\u062F",yy:"%d \u0623\u0647\u0647\u0631",y:"\u0639\u0645\u0645\u0645\u0647\u0645\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0645\u0647\u0647\u0645\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u0647\u
    %s",s:"\u062B\u0627\u0646\u064A\u0629
    Jn=g((Ue,We)=>\{(function(n,t)\{typeof Ue=="object"\&xypeof We<"u"?We.exports=t(j()):typeof Ue=="object"&xypeof We<"u".exports=t(j()):typeof Ue=="object"&xypeof We<=t(j()):typeof Ue=="object"&xypeof We<=t(j()):typeof Ue=="object"&xypeof We<=t(j()):typeof Ue=="object"&xypeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typeof We<=t(j()):typ
  define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_bs=t(n.dayjs)})(Ue,function(n){"use strict";function</pre>
  t(e){return e&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"bs",weekdays:"ned jelja_ponedjeljak_utorak_srijeda_\u010Detvrtak_petak_subota".split("_"),months:"januar_februar_mart_april_maj_juni_juli_august_septembar_oktobar_novembar_decembar".split("_"),weekStart:1,weekdaysShort
```

```
:"ned._pon._uto._sri._\u010Det._pet._sub.".split("_"),monthsShort:"jan._feb._mar._apr._maj._jun._jul
._aug._sep._okt._nov._dec.".split("_"),weekdaysMin:"ne_po_ut_sr_\u010De_pe_su".split("_"),ordinal:fu
nction(e){return_e},formats:{LT:"H:mm",LTS:"H:mm:ss",L:"DD.MM.YYYY",LL:"D. MMMM YYYY",LLL:"D. MMMM
  YYYY H:mm",LLLL:"dddd, D. MMMM YYYY H:mm"}}; return a.default.locale(i,null,!0),i})}); var Un=g((Pe,Ge)=>{(function(n,t){typeof Pe=="object"&&typeof Ge<"u"?Ge.exports=t(j()):typeof
   define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
 globalThis<"u"?globalThis:n||self).dayjs_locale_ca=t(n.dayjs)})(Pe,function(n){"use strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"ca",weekdays:"Diu menge_Dilluns_Dimarts_Dimecres_Dijous_Divendres_Dissabte".split("_"),weekdaysShort:"Dg._Dt._Dc._Dj._Dv._Ds.".split("_"),weekdaysMin:"Dg_Dl_Dt_Dc_Dj_Dv_Ds".split("_"),wonths:"Gener_Febrer_Mar\xE7_A
 Dj._Dv._Ds.".split("_"),weekdaysMin:"Dg_Dl_Dt_Dc_Dj_Dv_Ds".split("_"),months:"Gener_Febrer_Mar\xE7_A bril_Maig_Juny_Juliol_Agost_Setembre_Octubre_Novembre_Desembre".split("_"),monthsShort:"Gen._Febr._M ar\xE7_Abr._Maig_Juny_Jul._Ag._Set._Oct._Nov._Des.".split("_"),weekStart:1,formats:{LT:"H:mm",LTS:"H:mm:ss",L:"DD/MM/YYYY",LL:"D MMMM [de] YYYY",LLL:"D MMMM [de] YYYY [a les] H:mm",LLLL:"dddd D MMMM [de] YYYY [a les] H:mm",ll:"D MMM YYYY",ll!:"D MMM YYYY, H:mm",lll:"ddd D MMM YYYY, H:mm"},relativeTime:{future:"d'aqu\xED %s",past:"fa %s",s:"uns segons",m:"un minut",mm:"%d minuts",h:"una hora",hh:"%d hores",d:"un dia",dd:"%d dies",M:"un mes",MM:"%d mesos",y:"un
  any",yy: "%d
anys"},ordinal:function(e){return""+e+(e===1||e===3?"r":e===2?"n":e===4?"t":"\xE8")}};return
  a. default.locale(i,null,!0),i\})\}); var Re=g((Ye,Wn)=>\{(function(n,t)\{typeof Ye=="object"\&\&typeof Wn<"u"?t(Ye,j()):typeof define=="function"\&\&define.amd?define(["exports","dayjs"],t):t((n=typeof Wn,v)):typeof define=="function"&&define.amd?define(["exports","dayjs"],t):t((n=typeof Wn,v)):typeof define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.a
   globalThis<"u"?globalThis:n||self).dayjs locale ku={},n.dayjs)})(Ye,function(n,t){"use</pre>
 globalinis<"u"/globalinis:n||self|.day|s_locale_ku={},n.day|s})(Ye,function(n,t){"use strict";function a(o){return o&&typeof o=="object"&&"default"in o?o:{default:o}}var i=a(t),e={1:"\u0661",2:"\u0662",3:"\u0663",4:"\u0664",5:"\u0665",6:"\u0666",7:"\u0666",8:"\u0666",8:"\u0666",8:"\u0666",9:"\u0666",9:"\u0666",0:"\u0666";"5","\u0666":"6","\u0666":"7","\u0668":"8","\u0666":"9","\u0668":"8","\u0666":"9","\u0668":"8","\u0669":9","\u0668":"8","\u0668\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648
            "\u062A\u06D5\u0645\u0645\u0648\u0648\u0632","\u0626\u0627\u0628","\u0626\u06D5\u06C\u06C4\u0644\u0648\u
  6D5 \u062F\u0648\u0648\u0648\u0665\u0645\u0645\u0645\u06D5 \u0633\u06CE\u0634\u06D5\u0645\u0645\u06D5 \u06
 86\u0648\u0627\u0631\u0634\u06D5\u0645\u0645\u06D5\u0667E\u0667E\u0662C\u0634\u06D5\u0645\u0645\u0665\u06645\u0605\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E\u0667E
\u0605\u0649\u0634\u0605\u0645\u0645\u0645\u0648\u0648\u0648\u0645\u06645\u06645\u06634\u0605\u0645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06646\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\
 %s",past:"\u0644\u06D5\u0645\u06D5\u0648\u067E\u06CE\u06634 %s",s:"\u0686\u06D5\u0646\u062F\u0686\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06A9\u06B5\u06B9\u06B5\u06B9\u06B5\u06B9\u06B5\u06B9\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B5\u06B
 le",{value:!0}}})});var Pn=g((Ze,Ve)=>{(function(n,t){typeof Ze=="object"&&typeof Ve<"u"?Ve.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs_locale_cs=t(n.dayjs)})(Ze,function(n){"use strict";function
 t(u)\{\text{return u\&typeof u=="object"}\&\&"\text{default"in u?u:}\{\text{default:u}\}\}\text{var a=t(n);}\text{function i(u)}\{\text{return u>1}\&u<5\&\&^{-}(u/10)!=1\}\text{function e(u,d,o,s)}\{\text{var }\underline{=}u+"\text{ ";switch(o)}\{\text{case"s":return d||s?"p}\times\text{E1r sekundami";}\text{case"m":return d?"minuta":s?"minutu":"minutou";}\text{case"mm":return}
  d||s?_+(i(u)?"minuty":"minut"):_+"minutami";case"h":return
d?"hodina":s?"hodinu":"hodinou";case"hh":return
 d? NodInd : NodInd ; Case III . return
d||s?_+(i(u)?"hodiny": "hodin"): _+"hodinami"; case"d": return d||s?"den": "dnem"; case"dd": return
d||s?_+(i(u)?"dny": "dn/xED"): _+"dny"; case"M": return
d||s?"m\u011Bs\xEDc": "m\u011Bs\xEDcem"; case"MM": return
d||s?"m\u011Bs\xEDc":"m\u011Bs\xEDcem";case"MM":return
d||s?_+(i(u)?"m\u011Bs\xEDce":"m\u011Bs\xEDc\u016F"):_+"m\u011Bs\xEDci";case"y":return
d||s?"rok":"rokem";case"yy":return d||s?_+(i(u)?"roky":"let"):_+"lety"}}var r={name:"cs",weekdays:"n
ed\u011Ble_pond\u011Bl\xED_\xFAter\xFD_st\u0159eda_\u010Dtvrtek_p\xE1tek_sobota".split("_"),weekdays
Short:"ne_po_\xFAt_st_\u010Dt_p\xE1_so".split("_"),weekdaysMin:"ne_po_\xFAt_st_\u010Dt_p\xE1_so".spl
it("_"),months:"leden_\xFAnor_b\u0159ezen_duben_kv\u011Bten_\u010Dervenec_srpen_z\xE1\u0
159\xED_\u0159\xEDjen_listopad_prosinec".split("_"),monthsShort:"led_\xFAno_b\u0159e_dub_kv\u011B_\u
010Dvn_\u010Dvc_srp_z\xE1\u0159_\u0159\xEDj_lis_pro".split("_"),weekStart:1,yearStart:4,ordinal:func
tion(u){return u+"."},formats:{LT:"H:mm",LTS:"H:mm:ss",L:"DD.MM.YYYY",LL:"D. MMMM YYYY",LLL:"D. MMMM
YYYY H:mm",LLLL:"dddd D. MMMM YYYY H:mm",l:"D. M. YYYY"},relativeTime:{future:"za
%s" past:"p\u0159ed %s" s:e m:e mm:e h:e h:e d:e dd:e M:e M:e v:e v:e}:return
   %s",past:"p\u0159ed %s",s:e,m:e,mm:e,h:e,hh:e,d:e,dd:e,M:e,M:e,y:e,yy:e}};return
```

```
Qe<"u"?Qe.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs locale cy=t(n.dayjs)})(Ke,function(n){"use strict";function
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"cy",weekdays:"Dydd Sul_Dydd Llun_Dydd Mawrth_Dydd Mercher_Dydd Iau_Dydd Gwener_Dydd Sadwrn".split("_"),months:"Ionawr_Chwefror_Mawrth_Ebrill_Mai_Mehefin_Gorffennaf_Awst_Medi_Hydref_Tac
 hwedd_Rhagfyr".split("_"),weekStart:1,weekdaysShort:"Sul_Llun_Maw_Mer_Iau_Gwe_Sad".split("_"),months
Short:"Ion_Chwe_Maw_Ebr_Mai_Meh_Gor_Aws_Med_Hyd_Tach_Rhag".split("_"),weekdaysMin:"Su_Ll_Ma_Me_Ia_Gw
Rn=g((Xe,Be)=>{(function(n,t){typeof Xe=="object"&&typeof Be<"u"?Be.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs_locale_da=t(n.dayjs)})(Xe,function(n){"use strict";function
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"da",weekdays:"s\x F8ndag_mandag_tirsdag_onsdag_torsdag_fredag_l\xF8rdag".split("_"),weekdaysShort:"s\xF8n._man._tirs._ons._tors._fre._l\xF8r.".split("_"),weekdaysMin:"s\xF8._ma._ti._on._to._fr._l\xF8.".split("_"),month s:"januar_februar_marts_april_maj_juni_juli_august_september_oktober_november_december".split("_"),m
s:"januar_februar_marts_april_maj_juni_juli_august_september_oktober_november_december".split("_"),m
onthsShort:"jan._feb._mar._apr._maj_juni_juli_aug._sept._okt._nov._dec.".split("_"),weekStart:1,year
Start:4,ordinal:function(e){return e+"."},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD.MM.YYYY",LL:"D.
MMMM YYYY",LLL:"D. MMMM YYYY HH:mm",LLLL:"dddd [d.] D. MMMM YYYY [kl.]
HH:mm"},relativeTime:{future:"om %s",past:"%s siden",s:"f\xE5 sekunder",m:"et minut",mm:"%d
minutter",h:"en time",hh:"%d timer",d:"en dag",dd:"%d dage",M:"en m\xE5ned",MM:"%d m\xE5neder",y:"et
\xE5r",yy:"%d \xE5r"}};return a.default.locale(i,null,!0),i})});var
Zn=g((et,tt)=>{(function(n,t){typeof et=="object"&&typeof tt<"u"?tt.exports=t(j()):typeof
define=="function"&&define.amd?define(["dayjs],t):(n=typeof
dlobalThis<"u"?qlobalThis:nlself) dayis locale de=t(n dayis)})(et function(n){"use strict":function</pre>
define=="function"&&define.amd?define(["day]s"],t):(n=typeot
globalThis<"u"?globalThis:n||self).dayjs_locale_de=t(n.dayjs)})(et,function(n){"use strict";function
t(u){return u&&typeof u=="object"&&"default"in u?u:{default:u}}var a=t(n),i={s:"ein paar}
Sekunden",m:["eine Minute","einer Minute"],mm:"%d Minuten",h:["eine Stunde","einer Stunde"],hh:"%d
Stunden",d:["ein Tag","einem Tag"],dd:["%d Tage","%d Tagen"],M:["ein Monat","einem Monat"],MM:["%d
Monate","%d Monaten"],y:["ein Jahr","einem Jahr"],yy:["%d Jahre","%d Jahren"]};function e(u,d,o){var</pre>
%s",past:"vor %s",s:e,m:e,mm:e,h:e,hh:e,d:e,dd:e,M:e,MM:e,y:e,yy:e}};return
  a.default.locale(r,null,!0),r})});var Vn=q((nt,it)=>{(function(n,t){typeof nt=="object"&&typeof
  it<"u"?it.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
 39A\u03C5\u03C1\u03B9\u03B1\u03BA\u03AE_\u0394\u03B5\u03C5\u03C4\u03AD\u03C1\u03B1_\u03A4\u03C1\u03A
  F\u03C4\u03B7_\u03A4\u03B5\u03C4\u03AC\u03C1\u03C4\u03B7_\u03A0\u03BD\u03BD\u03C4\u03B7_\u03A0\u03B1\u03C4\u03B7_\u03B1\u03C4\u03B1\u03C3\u03B1\u03C3\u03B5\u03B5\u03A5\u03A5\u03A5\u03A5\u03A5\u03A5\u03B2\u03B1\u03C4\u03BF".split("
\u03BD\u03BF\u03C5\u03AC\u03C1\u03B9\u03BF\u03C2\u03AG\u03B5\u03B5\u03B1\u03C1\u03BF\u03C5\u03AC\u03C1\u03BP\u03C1\u03BP\u03C1\u03BP\u03C1\u03BP\u03C1\u03BP\u03C1\u03BP\u03BP\u03C1\u03BP\u03BP\u03C1\u03BP\u03BP\u03C1\u03BP\u03BP\u03BP\u03C1\u03BP\u03BP\u03BP\u03BP\u03C1\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP\u03BP
  F\u03C2\u039C\u03BP\u03BF\u03C2\u0399\u03BF\u03CD\u03BP\u03BF\u03C2\u0399\u03BF\u03CD
   \u03BB\u03B9\u03BF\u03C2 \u0391\u03CD\u03B3\u03BF\u03C5\u03C3\u03C4\u03BF\u03C2 \u03A3\u03B5\u03C0\u
  03C4 \setminus u03B0 \setminus u03B2 \setminus u\overline{0}3C1 \setminus u03B9 \setminus u03BF \setminus u03C2 \setminus u039F \setminus u03BA \setminus u03C4 \setminus u03CE \setminus u03B2 \setminus u\overline{0}3C1 \setminus u03B9 \setminus u03BF \setminus u03CB \setminus u03BA \setminus u03CB \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03BBA \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u03CB \setminus u0
2_\u039D\u03BF\u03AD\u03BC\u03B2\u03C1\u03B9\u03BF\u03C2_\u0394\u03B5\u03BA\u03AD\u03BC\u03B2\u03C1\u03C1\u03B9\u03C1\u03B1\u03C1\u03B1\u03C1\u03B1\u03B1\u03C1\u03B1\u03B1\u03C1\u03B1\u03C1\u03B1\u03C1\u03B1\u03C1\u03B1\u03C1\u03B1\u03C1\u03C1\u03B1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u03C1\u0
\u0391\u03C0\u03C1_\u039C\u03B1\u03B9_\u0399\u03BF\u03C5\u03BB_\u03C5\u03BB_\u03S5\u03BB_\u03S1\u03S5\u03BB_\u03S1\u03S5\u03BB_\u03S5\u03BB_\u03S5\u03BB_\u03S5\u03BB_\u03S5\u03BB_\u03S5\u03BB_\u03S5\u03BB_\u03BS_\u03BB_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BB_\u03BS_\u03BS_\u03BB_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_\u03BS_
  rt=="object"&&typeof at<"u"?at.exports=t():typeof define=="function"&&define.amd?define(t):(n=typeof
 globalThis<"u"?globalThis:n||self).dayjs_locale_en=t()})(rt,function(){"use strict";return{name:"en"
,weekdays:"Sunday_Monday_Tuesday_Wednesday_Thursday_Friday_Saturday".split("_"),months:"January_Febr</pre>
```

```
uary March April May June July August September October November December".split(" "),ordinal:functi
 on(n){var t=["th","st","nd","rd"],a=n%100; return"["+n+(t[(a-20)\%10]||t[a]||t[a]|+"]"})}));var Qn=g((st,ut)=>{(function(n,t){typeof st=="object"&&typeof ut<"u"?ut.exports=t(j()):typeof
  define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
  globalThis<"u"?globalThis:n||self).dayjs locale es=t(n.dayjs)})(st,function(n){"use strict";function</pre>
  t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"es",monthsShort:"
ene_feb_mar_abr_may_jun_jul_ago_sep_oct_nov_dic".split("_"),weekdays:"domingo_lunes_martes_mi\xE9rco les_jueves_viernes_s\xE1bado".split("_"),weekdaysShort:"dom._lun._mar._mi\xE9._jue._vie._s\xE1b.".sp lit("_"),weekdaysMin:"do_lu_ma_mi_ju_vi_s\xE1".split("_"),months:"enero_febrero_marzo_abril_mayo_jun io_julio_agosto_septiembre_octubre_noviembre_diciembre".split("_"),weekStart:1,formats:{LT:"H:mm",LT
  S:"H:mm:ss",L:"DD/MM/YYYY",LL:"D [de] MMMM [de] YYYY",LLL:"D [de] MMMM [de] YYYY H:mm",LLLL:"dddd, D
[de] MMMM [de] YYYY H:mm"}, relativeTime: {future: "en %s", past: "hace %s", s: "unos segundos", m: "un minuto", mm: "%d minutos", h: "una hora", hh: "%d horas", d: "un d\xEDa", dd: "%d d\xEDas", M: "un mes", MM: "%d meses", y: "un a\xFlo", yy: "%d a\xFlos"}, ordinal: function(e) {return e+"\xBA"}}; return a.default.locale(i,null,!0),i})); var Xn=g((ot,dt)=>{(function(n,t){typeof ot=="object"&&typeof dt<"u"?dt.exports=t(j()): typeof define=="function"&&define.amd?define(["dayjs"],t): (n=typeof
  globalThis<"u"?globalThis:n||self).dayjs locale et=t(n.dayjs)})(ot,function(n){"use strict";function
globalinis<"u"/globalinis:n||self).day|s_locale_et=t(n.day|s)})(ot,Tunction(n){"use strict";Tunction
t(r){return r&&typeof r=="object"&&"default"in r?r:{default:r}}var a=t(n);function i(r,u,d,o){var
s={s:["m\xF5ne sekundi","m\xF5ni sekund","paar sekundit"],m:["\xFChe minuti","\xFCks minut"],mm:["%d
minuti","%d minutit"],h:["\xFChe tunni","tund aega","\xFCks tund"],hh:["%d tunni","%d
tundi"],d:["\xFChe p\xE4eva","\xFCks p\xE4ev"],M:["kuu aja","kuu aega","\xFCks kuu"],MM:["%d
kuu","%d kuud"],y:["\xFChe aasta","aasta","\xFCks aasta"],yy:["%d aasta","%d aastat"]};return
u?(s[d][2]?s[d][2]:s[d][1]).replace("%d",r);(o?s[d][0]:s[d][1]).replace("%d",r)}var e={name:"et",wee</pre>
 kdays:"p\xFChap\xE4ev_esmasp\xE4ev_teisip\xE4ev_kolmap\xE4ev_neljap\xE4ev_reede_laup\xE4ev".split("_"),weekdaysShort:"P_E_T_K_N_R_L".split("_"),weekdaysMin:"P_E_T_K_N_R_L".split("_"),months:"jaanuar_v eebruar_m\xE4rts_aprill_mai_juuni_juuli_august_september_oktoober_november_detsember".split("_"),mon
  thsShort:"jaan_veebr_m\xE4rts_apr_mai_juuni_juuli_aug_sept_okt_nov_dets".split("_"),ordinal:function (r){return r+"."},weekStart:1,relativeTime:{future:"%s p\xE4rast",past:"%s
  tagasi",s:i,m:i,mm:i,h:i,hh:i,d:i,dd:"%d
  \texttt{p} \\ \texttt{XE4eva}'', \texttt{M}: \texttt{i}, \texttt{y}: \texttt{i}, \texttt{y}: \texttt{i}, \texttt{formats}: \\ \{\texttt{LT}: \texttt{"H}: \texttt{mm}'', \texttt{LTS}: \texttt{"H}: \texttt{mm}: \texttt{ss}'', \texttt{L}: \texttt{"DD}. \texttt{MM}. \texttt{YYYY}'', \texttt{LL}: \texttt{"D}. \texttt{MMMM} \\ \texttt{MMMM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}: \texttt{MM}:
 YYYY",LLL:"D. MMMM YYYY H:mm",LLLL:"dddd, D. MMMM YYYY H:mm"}};return
a.default.locale(e,null,!0),e})});var Bn=g(( t,lt)=>{(function(n,t){typeof t=="object"&&typeof
  lt<"u"?lt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof</pre>
 6CC\u06A9\u200C\u0634\u0646\u0628\u0647_\u062F\u0648\u0634\u0646\u0628\u0647_\u0647\u200C\u063
6CC\u06A9\u200C\u0634\u0646\u0628\u0647_\u062F\u0631\u0631\u0646\u0628\u0647_\u06631\u0633\u0647\u200C\u0633\u0646\u0628\u0647_\u06631\u0631\u0631\u0634\u0646\u0628\u0647_\u0646\u062C\u200C\u0634\u0646\u0628\u0647_\u062C\u0645\u0631\u0634\u0646\u0628\u0647_\u062C\u200C\u0634\u0646\u0628\u0647_\u0631\u0634\u0646\u0628\u0647_\u0633\u0647\u200C\u0634\u0646\u0628\u0647_\u0633\u0647\u200C\u0634\u0646\u0628\u0647_\u0633\u0647\u200C\u0634\u0646\u0628\u0647_\u0633\u0647\u200C\u0634\u0646\u0628\u0647_\u0662C\u200C\u0634\u0646\u0628\u0647_\u0646\u0628\u0647_\u0646\u062C\u200C\u0634\u0646\u0628\u0647_\u0647_\u0646\u062C\u200C\u0634\u0646\u0628\u0647_\u0647_\u0646\u062C\u200C\u0634\u0646\u0648\u0647_\u0641\u0648\u0648\u0647_\u0644\u0648\u0648\u0648\u0644\u0648\u0648\u0644\u0648\u0644\u0648\u0648\u0644\u0648\u0648\u0644\u0648\u0644\u0648\u0648\u0644\u0648\u0648\u0644\u0648\u0648\u0644\u0648\u0648\u0644\u0648\u0648\u0644\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u06
 2A\u0627\u0645\u0628\u0631_\u0627\u0645\u0628\u0631_\u0628\u0631_\u0646\u0648\u0627\u0645\u0628\u0631_\u0646\u0648\u0627\u0645\u0648\u0628\u0631_\u0646\u0648\u0648\u0648\u0648\u0647_\u0641_\u0648\u0647_\u0641_\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\
  \u0648\u0631\u06CC\u0647_\u0645\u0627\u0631\u0622\u0648\u0631\u06CC\u0644_\u0645\u0647_\u0698
\u0648\u0626\u0646_\u0698\u0648\u0626\u066CC\u0647_\u0627\u0627\u0648\u062A_\u0633\u067E\u0623\u0645\
   u0628 \setminus u0631 \\ \setminus u0627 \\ \setminus u0649 \setminus u0628 \\ \setminus u0631 \\ \setminus u0646 \\ \setminus u0648 \\ \setminus u0645 \\ \setminus u0645 \\ \setminus u0628 \\ \setminus u0631 \\ \setminus u0627 \\ \setminus u0633 \\ \setminus u0627 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \cup u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\ \setminus u0648 \\
0645\u0628\u0631".split("_"),ordinal:function(e){return e},formats:{LT:"HH:mm",LTS:"HH:mm"ss",L:"DD/MM/YYYY",LL:"D MMMM YYYY",LL:"D MMMM YYYY HH:mm",LLL:"dddd, D MMMM YYYY HH:mm"},relativeTime:{future:"\u062F\u0631 %s",past:"%s \u067E\u066C\u0634",s:"\u0686\u0646\u0645\u062F\u0648\u0646\u0647\u0647",m:"\u066C\u06A9
  \u062F\u0642\u06CC\u0642\u0647",mm:"%d\u062F\u0642\u06CC\u0642\u0667",h:"\u06CC\u06A9
\u0633\u0627\u0639\u062A",hh:"%d \u0633\u0627\u0639\u062A",d:"\u06CC\u06A9 \u0663\u0663\u0662A",d:"\u06CC\u06A9 \u0663T\u0663T\u0648\u0632",M:"\u06CC\u06A9 \u0645\u0627\u0647",MM:"%d \u0663T\u0645\u06627\u0647",y:"\u06CC\u06A9 \u0663T\u0644",yy:"%d \u0633\u0627\u0644"}};return a.default.locale(i,null,!0);));yar ei=g((ft,mt)=>{(function(n,t)}{typeoffine(fine)});yarefaction(ft,mt);yarefaction(fine)
 mt<"u"?mt.exports=t(j()):typeof define=="function"&&define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs_locale_fi=t(n.dayjs)})(ft,function(n){"use strict";function
t(r){return r&&typeof r=="object"&&"default"in r?r:{default:r}}var a=t(n);function i(r,u,d,o){var s={s:"muutama sekunti",m:"minuutti",mm:"%d minuuttia",h:"tunti",hh:"%d tuntia",d:"p\xE4iv\xE4",dd:"%d p\xE4iv\xE4\xE4",M:"kuukausi",MM:"%d kuukautta",y:"vuosi",yy:"%d vuot
 ta",numbers:"nolla_yksi_kaksi_kolme_nelj\xE4_viisi_kuusi_seitsem\xE4n_kahdeksan_yhdeks\xE4n".split("
_")},_={s:"muutaman sekunnin",m:"minuutin",mm:"%d minuutin",h:"tunnin",hh:"%d
tunnin",d:"p\xE4iv\xE4n",dd:"%d p\xE4iv\xE4n",M:"kuukauden",MM:"%d kuukauden",y:"vuoden",yy:"%d vuod
en",numbers:"nollan_yhden_kahden_kolmen_nelj\xE4n_viiden_kuuden_seitsem\xE4n_kahdeksan_yhdeks\xE4n".
split("_")},y=o&&!u?_:s,l=y[d];return r<10?l.replace("%d",y.numbers[r]):l.replace("%d",r)}var e={nam
e:"fi",weekdays:"sunnuntai_maanantai_tiistai_keskiviikko_torstai_perjantai_lauantai".split("_"),week
daysShort:"su_ma_ti_ke_to_pe_la".split("_"),weekdaysMin:"su_ma_ti_ke_to_pe_la".split("_"),months:"ta
mmikuu_helmikuu_maaliskuu_huhtikuu_toukokuu_kes\xE4kuu_hein\xE4kuu_elokuu_syyskuu_lokakuu_marraskuu_
 joulukuu".split("_"),monthsShort:"tammi_helmi_maalis_huhti_touko_kes\xE4_hein\xE4_elo_syys_loka_marr
as_joulu".split("_"),ordinal:function(r){return
```

```
r+"."},weekStart:1,yearStart:4,relativeTime:{future:"%s p\xE4\xE4st\xE4",past:"%s sitten",s:i,m:i,mm:i,h:i,h:i,d:i,d:i,M:i,y:i,yy:i},formats:{LT:"HH.mm",LTS:"HH.mm.ss",L:"DD.MM.YYYY",LL:"D.
MMMM[ta] YYYY",LLL:"D. MMMM[ta] YYYY, [klo] HH.mm",LLLL:"dddd, D. MMMM[ta] YYYY, [klo]
HH.mm",l:"D.M.YYYY",ll:"D. MMM YYYY",lll:"D. MMM YYYY, [klo] HH.mm",llll:"ddd, D. MMM YYYY, [klo]
HH.mm"}};return a.default.locale(e,null,!0),e})});var ti=g((ct,ht)=>{(function(n,t){typeof
   ct=="object"&&typeof ht<"u"?ht.exports=t(j()):typeof
define=="function"&&define.amd?define(["dayjs"],t):(n=typeof</pre>
   qlobalThis<"u"?qlobalThis:n||self).dayis locale fr=t(n.dayis)})(ct,function(n){"use strict";function</pre>
 t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"fr",weekdays:"dim anche_lundi_mardi_mercredi_jeudi_vendredi_samedi".split("_"),weekdaysShort:"dim._lun._mar._mer._jeu._ven._sam.".split("_"),weekdaysMin:"di_lu_ma_me_je_ve_sa".split("_"),months:"janvier_f\xE9vrier_mars
 __ven._sam.".split("_"),weekdaysmin:"di_tu_ma_me_je_ve_sa".split("_"),months:"janvier_fxE9vrier_mars

_avril_mai_juin_juillet_ao\xFBt_septembre_octobre_novembre_d\xE9cembre".split("_"),monthsShort:"janv

. f\xE9vr._mars_avr._mai_juin_juil._ao\xFBt_sept._oct._nov._d\xE9c.".split("_"),weekStart:1,yearStar

t:4,formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD/MM/YYYY",LL:"D MMMM YYYY",LLL:"D MMMM YYYY

HH:mm",LLLL:"dddd D MMMM YYYY HH:mm"},relativeTime:{future:"dans %s",past:"il y a %s",s:"quelques

secondes",m:"une minute",mm:"%d minutes",h:"une heure",hh:"%d heures",d:"un jour",dd:"%d

jours",M:"un mois",MM:"%d mois",y:"un an",yy:"%d

ans"},ordinal:function(e){return""+e+(e===1?"er":"")}};return a.default.locale(i,null,!0),i}));var
 ni=g((Mt,yt)=>{(function(n,t){typeof Mt=="object"&&typeof yt<"u"?yt.exports=t(j()):typeof
define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_hi=t(n.dayjs)})(Mt,function(n){"use strict";function</pre>
   t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"hi",weekdays:"\u0
   930\u0935\u0935\u0935\u0935\u093E\u0930\u0938\u0938\u093E\u0935\u0935\u0936\u0936\u093E\u0902\u0917\u0932\u093
   5 \times 0936 \times 0930 \times 0927 \times 0935 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 0936 \times 093
 \u0941\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0935\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936\u0936
 942\u092C\u0930_\u0928\u0935\u0935\u093F\u092E\u094D\u092C\u0936\u0935\u0935\u094D\u093F\u093F\u0936\u0936\u0936\u093F\u0936\u093F\u0936\u093F\u0936\u093F\u0936\u093F\u0936\u093F\u0936\u093F\u093F\u0936\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u093F\u
 ort:"\u091C\u092B\u092B\u093C\u093C\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\u093E\
   e},formats:{\overline{\tt LT}}:"A h:mm \u092C\u091C\u0947",LTS:"A <math>\overline{\tt h:mm:ss} \u092C\u091C\u0947",L:"DD/MM/YYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LL:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YYY",LT:"DD/MM/YY",LT:"DD/MM/YY",LT:"DD/MM/YY",LT:"DD/MM/YY",LT:"DD/MM/YY",LT:"DD/MM/YYY
  MMMM YYYY",LLL:"D MMMM YYYY, A h:mm \u092C\u091C\u0947",LLLL:"dddd, D MMMM YYYY, A h:mm \u092C\u091C\u0947",LLLL:"dddd, D mMMM YYYY, A h:mm \u092C\u091C\u0947",LLLL:"8s \u092E\u0947\u0902",past:"%s
  \u092C\u091C\u0947^},retativelime:{\u091C\u0947\u0902^,\past: %s \u092A\u0939\u0947\u0902^,\past: %s \u092A\u0939\u0940
\u0915\u094D\u0937\u0923",m:"\u090F\u0915 \u092E\u093F\u0928\u091F",mm: "%d \u092E\u093F\u0928\u091F\u093E",hh: "%d \u0918\u0902\u091F\u0947",d:"\u090F\u0915 \u0926\u093F\u0928",dd: "%d
   \u0926\u093F\u0928",M:"\u090F\u0915\u092E\u0939\u0940\u0928\u0947",MM:"%d
   \u092E\u0939\u0940\u0928\u0947",y:"\u090F\u0915\u0935\u0930\u094D\u0937",yy:"%d\u0935\u0930\u094D\u0937"}}; return a.default.locale(i,null,!0),i})}); var
   define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
   globalThis<"u"?globalThis:n||self).dayjs_locale_hu=t(n.dayjs)})(Yt,function(n){"use strict";function</pre>
globalThis<"u"?globalThis:n||self).dayjs_locale_hu=t(n.dayjs)})(Yt,function(n){"use strict";function
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"hu",weekdays:"vas
\XEIrnap_h\XE9tf\u0151_kedd_szerda_cs\XFCt\XF6rt\XF6k_p\XE9ntek_szombat".split("_"),weekdaysShort:"v
as_h\XE9t_kedd_sze_cs\XFCt_p\XE9n_szo".split("_"),weekdaysMin:"v_h_k_sze_cs_p_szo".split("_"),months
:"janu\XE1r_febru\XE1r_m\XE1rcius_\XE1prilis_m\XE1jus_j\XFAnius_j\XFAlius_augusztus_szeptember_okt\X
F3ber_november_december".split("_"),monthsShort:"jan_feb_m\XE1rc_\XE1pr_m\XE1j_j\XFAn_j\XFAl_aug_sze
pt_okt_nov_dec".split("_"),ordinal:function(e){return e+"."},weekStart:1,relativeTime:{future:"%s
m\XFAlva",past:"%s",s:function(e,r,u,d){return"n\XE9h\XE1ny
m\XE1sodperc"+(d||r?"":"e")},m:function(e,r,u,d){return e+"
perc"+(d||r?"":"e")},h:function(e,r,u,d){return e+"
perc"+(d||r?"":"e")},h:function(e,r,u,d){return e+"
perc"+(d||r?"":"e")},h:function(e,r,u,d){return e+"</pre>
   "+(d||r?"\xF3ra":"\xF3r\xE1ja")},hh:function(e,r,u,d){return e+"
"+(d||r?"\xF3ra":"\xF3r\xE1ja")},d:function(e,r,u,d){return"egy
   "+(d||r?"nap":"napja")},dd:function(e,r,u,d){return e+"
   "+(d||r?"nap": "napja")},M:function(e,r,u,d){return"egy
"+(d||r?"h\xF3nap": "h\xF3napja")},M:function(e,r,u,d){return e+"
"+(d||r?"h\xF3nap": "h\xF3napja")},y:function(e,r,u,d){return eyy
 "+(d||r?"\xE9v":"\xE9ve")},yy:function(e,r,u,d){return ey"
"+(d||r?"\xE9v":"\xE9ve")},yy:function(e,r,u,d){return e+"
"+(d||r?"\xE9v":"\xE9ve")}},formats:{LT:"H:mm",LTS:"H:mm:ss",L:"YYYY.MM.DD.",LL:"YYYY.MMMM
D.",LLL:"YYYY.MMMM D. H:mm",LLLL:"YYYY.MMMM D., dddd H:mm"}};return
a.default.locale(i,null,!0),i})});var ri=g((Lt,Dt)=>{(function(n,t){typeof Lt=="object"&&typeof Dt<"u"?Dt.exports=t(j()):typeof define=="function"&&define(addfine(["dayjs"],t):(n=typeof Lt=="object").
 globalThis<"u"?globalThis:n||self).dayjs_locale_hy_am=t(n.dayjs)})(Lt,function(n){"use strict";function t(e){return e&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"hy-am",weekdays:"\u056F\u056B\u056B\u0565\u0565\u0565\u0565\u0565\u0565\u0568\u0565\u0565\u0568\u0565\u0568\u0565\u0568\u0565\u0568\u0565\u0568\u0565\u0568\u0565\u0568\u0568\u0568\u0568\u0568\u0577\u0561\u0562\u0569\u056B_\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568
```

```
0580 \setminus u0565 \setminus u0584 \setminus u0577 \setminus u0561 \setminus u0562 \setminus u0569 \setminus u0570 \setminus u0568 \setminus u0576 \setminus u0563 \setminus u0577 \setminus u0561 \setminus u0562 \setminus u0569 \setminus u0577 \setminus u0561 \setminus u0562 \setminus u0569 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0579 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568 \setminus u0568
  B_\u0578\u0582\u0580\u0562\u0561\u0569_\u0577\u0561\u0562\u0561\u0569".split("_"),months:"\u0570\u0578\u0582\u0576\u0576\u0578\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576
    \u0580\u057F\u056B\u0561\u057A\u0580\u056B\u056C\u056B\u0574\u0561\u0575\u056B\u057D\u056B\u0570\
    u0578\u0582\u0576\u056B\u056B\u057D\u056B\u0570\u0578\u0578\u056C\u056B\u057D\u056B\u0585\u0585\u0578\u0
    57D\u057F\u0578\u057B\u057D\u056B\u057D\u0565\u057A\u057F\u0565\u0574\u0565\u0565\u0576\u056B\u0570\u057
  ort:"\u056F\u0580\u056F_\u0565\u0580\u056F_\u0565\u0565\u0565\u0565\u0580\u0584_\u0579\u0580\u0584_\u0570\u0576\u0563_\u0578\u0578\u0578\u0580\u0576\u0576\u0562\u0565\u0565\u0565\u0575\u0562\u0577\u0562\u0576\u0575\u0570\u0570\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u0576\u
 \u058b_\u0574\u058b\u057F_\u0561\u057A\u058b_\u0574\u0575\u057D_\u0576\u0576\u0570_\u0570\u0561\u0570\u0561\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0570\u0561\u0577\u0570\u0561\u0577\u0570\u0561\u0577\u0570\u0561\u0577\u0570\u0561\u0577\u0561\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0561\u0577\u0561\u0561\u0577\u0561\u0561\u0570\u0561\u0574\u0568\u0570\u0561\u0570\u0561\u0577\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0568\u0561\u0570\u0561\u0570\u0561\u0570\u0568\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0561\u0570\u0568\u0568\u0561\u0570\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\u0568\
     \u0584\u0561\u0576\u056B
    \u057E\u0561\u0575\u0580\u056F\u0575\u0561\u0576",m:"\u0580\u0578\u057A\u0565",mm:"%d\u0580\u0578\u057A\u0565",h:"\u056A\u0561\u0574",hh:"%d\u056A\u0561\u0574",d:"\u0585\u0580",dd:"%d\u0585\u0580",M:"\u0561\u0574\u0561\u057D",MM:"%d
 \label{locale} $$ \frac{1}{u0561 u0574 u0561 u0576 u0561 u0568 u0576}, y: "%d u057F u0561 u0568 u0568"}; return a.default.locale(i,null,!0),i)); var ai=g((vt,gt)=>{(function(n,t){typeof vt=="object"&&typeof gt<"u"?gt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof gt<"u"?gt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof gt<"u"?gt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof gt<"u"?gt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof gt<"u"?gt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof gt<"u"?gt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof gt<"u"?gt.exports=t(j()):typeof gt<"u"?gt<"u"?gt<"u"?gt<"u"?gt<"u"?
    globalThis<"u"?globalThis:n||self).dayjs locale id=t(n.dayjs)})(vt,function(n){"use strict";function
globalThis<"u"?globalThis:n||self).dayjs_locale_id=t(n.dayjs)})(vt,function(n){"use strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"id",weekdays:"Min ggu_Senin_Selasa_Rabu_Kamis_Jumat_Sabtu".split("_"),months:"Januari_Februari_Maret_April_Mei_Juni_Ju li_Agustus_September_Oktober_November_Desember".split("_"),weekdaysShort:"Min_Sen_Sel_Rab_Kam_Jum_Sab".split("_"),monthsShort:"Jan_Feb_Mar_Apr_Mei_Jun_Jul_Agt_Sep_Okt_Nov_Des".split("_"),weekdaysMin:" Mg_Sn_Sl_Rb_Km_Jm_Sb".split("_"),weekStart:1,formats:{LT:"HH.mm",LTS:"HH.mm.ss",L:"DD/MM/YYYY",LL:"DMMMM YYYY [pukul] HH.mm",relativeTime:{future:"dalam %s",past:"%s yang lalu",s:"beberapa detik",m:"semenit",mm:"%dmenit",h:"sejam",hh:"%d jam",d:"sehari",dd:"%d hari",M:"sebulan",MM:"%d bulan",y:"setahun",yy:"%d tahun"},ordinal:function(e){return e+"."}};return a.default.locale(i,null,!0),i})});var si=g((St,bt)=>{(function(n,t){typeof St=="object"&&typeof bt<"u"?bt.exports=t(j()):typeof define=="function"&&define(["dayis"].t):(n=typeof
    define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
 globalThis<"u"?globalThis:n||self).dayjs_locale_it=t(n.dayjs)})(St,function(n){"use strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"it",weekdays:"dom enica_luned\xEC_marted\xEC_mercoled\xEC_gloved\xEC_venerd\xEC_sabato".split("_"),weekdaysShort:"dom_lun_mar_mer_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".split("_"),weekdaysMin:"do_lu_ma_me_glo_ven_sab".spli
 Start:1,monthsShort: "gen_feb_mar_apr_mag_giu_lug_ago_set_ott_nov_dic".split("_"),formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD/MM/YYYY",LL:"D MMMM YYYY",LLL:"D MMMM YYYY HH:mm",LLLL:"dddd D MMMM YYYY HH:mm"},relativeTime:{future:"tra %s",past:"%s fa",s:"qualche secondo",m:"un minuto",mm:"%d minuti",h:"un ora",hh:"%d ore",d:"un giorno",dd:"%d giorni",M:"un mese",MM:"%d mesi",y:"un anno",yy:"%d anni"},ordinal:function(e){return e+"\xBA"}};return
  a.default.locale(i,null,!0),i\})\}); var \ ui=g((kt,jt)=>\{(function(n,t)\{typeof \ kt=="object"\&\&typeof jt<"u"?jt.exports=t(j()):typeof \ define=="function"\&\&define.amd?define(["dayjs"],t):(n=typeof \ define=="function")\}); var \ ui=g((kt,jt)=>\{(function(n,t)\{typeof \ kt=="object"\&\&typeof \ jt<"u"?jt.exports=t(j()):typeof \ define=="function")\}; var \ ui=g((kt,jt)=>\{(function(n,t)\{typeof \ kt=="object"\&\&typeof \ jt<"u"?jt.exports=t(j()):typeof \ define=="function")\}; var \ ui=g((kt,jt)=>\{(function(n,t)\{typeof \ kt=="object", kk-typeof    global This < "u"? global This : n | | self). day js_locale_ja = t(n.day js) \}) (kt, function (n) \{ "use strict"; function (n) \} (local expression of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the pr
    t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"ja",weekdays:"\u65E5\u66DC\u65E5_\u6708\u66DC\u65E5_\u91D1\u
  66DC\u65E5_\u57IF\u66DC\u65E5".split("_"),weekdaysShort:"\u65E5_\u6708_\u706B_\u6C34_\u6728_\u91D1_\u571F".split("_"),weekdaysMin:"\u65E5_\u6708_\u706B_\u6C34_\u6728_\u91D1_\u571F".split("_"),months:"
 1\u6708_2\u6708_3\u6708_4\u6708_5\u6708_6\u6708_7\u6708_8\u6708_9\u6708_10\u6708_11\u6708_12\u6708_12\u6708_11\u6708_12\u6708_11\u6708_12\u6708_11\u6708_12\u6708_11\u6708_11\u6708_11\u6708_12\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\u6708_11\
    H:mm:ss",L:"YYYY/MM/DD",LL:"YYYY\u5E74M\u6708D\u65E5",LLL:"YYYY\u5E74M\u6708D\u65E5
    HH:mm",LLLL:"YYYY\u5E74M\u6708D\u65E5 dddd
  HH:mm",l:"YYYY\MM/DD",ll:"YYYY\u5E74M\u6708D\u65E5",lll:"YYYY\u5E74M\u6708D\u65E5
HH:mm",llll:"YYYY\u5E74M\u6708D\u65E5(ddd) HH:mm"},meridiem:function(e){return e<12?"\u5348\u524D":"
 t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"ka",weekdays:"\ul
    0D9\u10D5\u10D8\u10E0\u10D0\u10DD\u10E0\u10E0\u10E8\u10D0\u10D1\u10D0\u10DT\u10D0\u10E1\u10D0\u10DB\u10E
    8 \\ \\ u10D0 \\ \\ u10D1 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10DD \\ \\ u10D0 \\ \\ u10EE \\ \\ u10E8 \\ \\ u10D0 \\ \\ u10D1 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10DE \\ \\ u10EE \\ \\ u10EE \\ \\ u10EE \\ \\ u10EE \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\ \\ u10D0 \\
```

```
0E8\u10D0".split(" "),months:"\u10D8\u10D0\u10D5\u10D0\u10E0\u10D8 \u10D7\u10D4\u10D1\u10D4\u1
     0E0 \setminus u10D5 \setminus u10D0 \setminus u1\overline{0}DA \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10D8 \setminus u10
     \u10D0\u10D2\u10D5\u10D8\u10E1\u10E2\u10DD \u10E1\u10D4\u10E5\u10E2\u10D4\u10DB\u10D1\u10D4\u10E0\u
     Tobb \(\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text
    \u10E8\u10D4\u10DB\u10D3\u10D4\u10D2",past:"%s
\u10EC\u10D8\u10D7\u10D8",m:"\u10EC\u10E3\u10D7\u10D8",mm:"%d
\u10EC\u10E3\u10D7\u10D8",h:"\u10E1\u10D0\u10D7\u10D8",hh:"%d
     \u10E1\u10D0\u10D0\u10D7\u10D8\u10E1",d:"\u10D3\u10E6\u10D4\u10E1",dd:"%d \u10D3\u10E6\u10D8\u10E1 \
      \verb"u10D2\u10D0\u10DC\u10DB\u10D0\u10D5\u10DA\u10DD\u10D1\u10D0\u10E8\u10DB", \verb"M:"\u10D7\u10D5\u10D8\u10E1" | \verb"u10D7\u10D5\u10D8\u10DE1" | \verb"u10D7\u10D5\u10DB\u10DE1" | \verb"u10D7\u10D5\u10DB\u10DE1" | \verb"u10D7\u10D5\u10DB\u10DE1" | \verb"u10D7\u10D5\u10DE1" 0DE1" | \verb"u10D7\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\u10D5\
  ",MM: "%d \u10D7\u10D5\u10D8\u10E1",y: "\u10EC\u10D4\u10DA\u10D8",yy: "%d \u10EC\u10DA\u10DB\u10E1"},ordinal:function(e) {return e}}; return a.default.locale(i,null,!0),i})}); var di=g((wt,\Boxt)=>{(function(n,t){typeof wt=="object"&&typeof wt=="object"})}
    a.derautt.tocate(1,nutt,:0),1}/}/,var di=g((wt,||t)=>{\tauttion(n,t){typeof wt== object watypeof wt== object wt== object wt== object wt== object wt== object wt== object wt== object wt== object
     t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"km",weekdays:"\ul
  7A2\u17B6\u1791\u17B7\u17BF\u17D2\u1799_\u1785\u17D0\u1793\u17D2\u1791_\u17A2\u17B4\u17D2\u17B4\u17D2\u17B8\u17D2\u17B8\u17D2\u17B6\u17D2\u17BB\u17D2\u17BB\u17D2\u17BB\u17D2\u17BB\u17D2\u17BB\u17D2\u17D2\u17BB\u17D2\u17BB\u17D2\u17D2\u17BB\u17D2\u17BB\u17D2\u17D2\u17BB\u17D2\u17BB\u17BB\u17D2\u17BB\u17D2\u17D2\u17BB\u17D2\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\u17BB\
               36_\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1
  /B6_\u1798\u1798\u1789\u1789\u1788\u1798\u1780\u1780\u1780\u1780\u1786\u1786\u1798\u1780\u1780\u1780\u1786\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u1780\u
     7BB\u1793",s:"\u1794\u17C9\u17BB\u1793\u17D2\u1798\u17B6\u1793\u17BC\u17BT\u1793\u17B6\u1791\u17B8",
     m: "\u1798\u17BD\u1799\u1793\u17B6\u1791\u17B8", mm: "%d
    "": \u1798\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1798\u1709\u17C4\u1784",hh: "\sd \u1798\u1709\u1709\u1702\u1784\u17C3",dd: "\sd \u1790\u1790\u1702\u1784\u17C3",dd: "\sd \u1790\u1790\u1702\u1784\u17C3",M: "\u1798\u1790\u1799\u1781\u17C2",MM: "\sd \u1790\u1790\u1781\u17C2",MM: "\sd \u1790\u1790\u1790\u1781\u17C2",MM: "\sd \u1790\u1790\u1790\u1781\u17C2",MM: "\sd \u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1781\u17C2",MM: "\sd \u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u1790\u179
     \u1781\u17C2",y:"\u1798\u17BD\u1799\u1786\u17D2\u1793\u17B6\u17C6",yy:"%d\u1786\u17D2\u1793\u17B6\u17C6",j);var
               i=g((Ct,Ot)=>{(function(n,t){typeof Ct=="object"&&typeof Ot<"u"?Ot.exports=t(j()):typeof
    define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_lt=t(n.dayjs)})(Ct,function(n){"use strict";function</pre>
  t(o){return o&&typeof o=="object"&&"default"in o?o:{default:o}}var a=t(n),i="sausio_vasario_kovo_bal and\u017Eio_gegu\u017E\u0117s_bir\u017Eelio_liepos_rugpj\u016B\u010Dio_rugs\u0117jo_spalio_lapkri\u0 10Dio_gruod\u017Eio".split("_"),e="sausis_vasaris_kovas_balandis_gegu\u017E\u0117_bir\u017Eelis_liep a_rugpj\u016Btis_rugs\u0117jis_spalis_lapkritis_gruodis".split("_"),r=/D[oD]?(\[[^\[\]]*\]|\s)+MMMM?(\[[^\[\]]*\]|\s)+D[oD]?/,u=function(o,s){return
|MMMM7(\[[^\[\]]*\]\s)+|foD]?/,u=function(o,s){return
r.test(s)?i[o.month()]:e[o.month()]};u.s=e,u.f=i;var d={name:"lt",weekdays:"sekmadienis_pirmadienis_
antradienis_tre\u010Diadienis_ketvirtadienis_penktadienis_\u0161e\u0161tadienis".split("_"),weekdays
Short:"sek_pir_ant_tre_ket_pen_\u0161e\u0161".split("_"),weekdaysMin:"s_p_a_t_k_pn_\u0161".split("_")
,months:u,monthsShort:"sau_vas_kov_bal_geg_bir_lie_rgp_rgs_spa_lap_grd".split("_"),ordinal:function
(o){return o+"."},weekStart:1,relativeTime:{future:"u\u016F %s",past:"prie\u0161 %s",s:"kelias
sekundes",m:"minut\u0119",mm:"%d minutes",h:"valand\u0105F %s",past:"prie\u0161 %s",s:"kelias
sekundes",m:"minut\u0117nes\u012F",MM:"%d minutes",h:"valand\u0105F,hh:"%d valandas",d:"dien\u0105F,dd:"%d
dienas",M:"m\u0117nes\u012F",MM:"%d m\u0117nesius",y:"metus",yy:"%d
metus"},format:{LT:"HH:mm",LTS:"HH:mm:ss",L:"YYYY-MM-DD",LL:"YYYY [m.] MMMM D [d.], LLL:"YYYY [m.]
MMMM D [d.], HH:mm [val.]",LLLL:"YYYY [m.] MMMM D [d.], dddd, HH:mm [val.]",!:"YYYY-MM-DD",ll:"YYYY
[m.] MMMM D [d.],",lll:"YYYY [m.] MMMM D [d.], HH:mm [val.]",lll:"YYYY [m.] MMMM D [d.], ddd, HH:mm
[val.]"},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"YYYY-MM-DD",LL:"YYYY [m.] MMMM D [d.], ddd, HH:mm
[val.]"},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"YYYY-MM-DD",LL:"YYYY [m.] MMMM D [d.], ddd, HH:mm
[val.]"},formats:{LT:"HY:my:yy [m.] MMMM D [d.], HH:mm [val.]",lll:"YYYY [m.] MMMM D [d.], ddd, HH:mm
[val.]"},rormats:{LT:"YYYY [m.] MMMM D [d.], HH:mm [val.]",lll:"YYYY [m.] MMMM D [d.], ddd, HH:mm
[val.]"};return a.default.locale(d,null,!0),d})});var li=g((zt,At)=>{(function(n,t){typeof}
zt=="object"&&typeof At<"u"?At.exports=t(j()):typeof
define=="function"&&define(["dayjs"],t):(n=typeof
    define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_lv=t(n.dayjs)})(zt,function(n){"use strict";function</pre>
    t(e) \{ return \ e\&typeof \ e=="object"\&\&"default"in \ e?e: \{ default:e \} \} \\ var \ a=t(n), i=\{ name: "lv", weekdays: "sv\setminus u0113tdiena\_pirmdiena\_otrdiena\_tre\setminus u0161diena\_ceturtdiena\_piektdiena\_sestdiena". split("_"), months: "journal of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of 
  anv\u0101ris_febru\u0101ris_marts_apr\u012Blis_maijs_j\u016Bnijs_j\u016Blijs_augusts_septembris_okto bris_novembris_decembris".split("_"),weekStart:1,weekdaysShort:"Sv_P_0_T_C_Pk_S".split("_"),monthsSh ort:"jan_feb_mar_apr_mai_j\u016Bn_j\u016Bl_aug_sep_okt_nov_dec".split("_"),weekdaysMin:"Sv_P_0_T_C_P
```

```
k_S".split("_"),ordinal:function(e){return e},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD.MM.YYYY.",LL:"YYYY. [gada] D. MMMM",LLL:"YYYY. [gada] D. MMMM, HH:mm",LLLL:"YYYY. [gada] D. MMMM, HH:mm",LLLL:"YYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLLL:"YYYYY. [gada] D. MMMM, HH:mm", LLL:"YYYYY.   %s",past:"pirms %s",s:"da\u017E\u0101m sekund\u0113m",m:"min\u016Btes",mm:"%d
min\u016Bt\u0113m",h:"stundas",hh:"%d stund\u0101m",d:"dienas",dd:"%d
dien\u0101m",M:"m\u0113ne\u0161a",MM:"%d m\u0113ne\u0161iem",y:"gada",yy:"%d gadiem"}};return
       a.default.locale(i,null,!0),i})});var fi=g((qt,It)=>{(function(n,t){typeof qt=="object"&&typeof qt=="object"&
       It<"u"?It.exports=t(j()):typeof define=="function"&&define.amd?define(["dayis"],t):(n=typeof
It<"u"?It.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_ms=t(n.dayjs)})(qt,function(n){"use strict";function
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"ms",weekdays:"Aha
d_Isnin_Selasa_Rabu_Khamis_Jumaat_Sabtu".split("_"),weekdaysShort:"Ahd_Isn_Sel_Rab_Kha_Jum_Sab".spli
t("_"),weekdaysMin:"Ah_Is_Sl_Rb_Km_Jm_Sb".split("_"),months:"Januari_Februari_Mac_April_Mei_Jun_Jula
i_Ogos_September_Oktober_November_Disember".split("_"),monthsShort:"Jan_Feb_Mac_Apr_Mei_Jun_Jul_Ogs_Sep_Okt_Nov_Dis".split("_"),weekStart:1,formats:{LT:"HH.mm",LTS:"HH.mm.ss",L:"DD/MM/YYYY",LL:"D_MMMM
YYYY",LLL:"D_MMMM YYYY HH.mm",LLLL:"dddd, D_MMMM YYYY HH.mm"},relativeTime:{future:"dalam
%s",past:"%s yang lepas",s:"beberapa saat",m:"seminit",mm:"%d minit",h:"sejam",hh:"%d
jam",d:"sehari",dd:"%d hari",M:"sebulan",MM:"%d bulan",y:"setahun",yy:"%d
tahun"},ordinal:function(e){return e+"."}};return a.default.locale(i,null,!0),i})});var
mi=g((xt,Nt)=>{(function(n,t){typeof xt=="object"&&typeof Nt<"u"?Nt.exports=t(j()):typeof
define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_my=t(n.dayjs)})(xt,function(n){"use strict";function
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"my",weekdays:"\ul</pre>
       t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"my",weekdays:"\u1
       010\u1014\u1004\u103A\u1039\u1002\u1014\u103D\u1031\u1010\u1014\u1004\u103A\u1039\u101C\u102C\u102
       1 \\  u1004 \\  u1030 \\  u1039 \\  u1002 \\  u102B \\  u1017 \\  u102F \\  u1012 \\  u1039 \\  u1013 \\  u101F \\  u1030 \\  u1038 \\  u1000 \\  u103C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C \\  u102C
     u101E\u1015\u1010\u1031\u1038\u101E\u1031\u102C\u1000\u103C\u102C\u1005\u1014\u1031\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u102C\u1003A\u101D\u102B\u101B\u102E\u1016\u1031\u1016\u1031\u102C\u103A\u101D\u102B\u101B\u102B\u101B\u102B\u101B\u1031\u1016\u1031\u1016\u1031\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1016\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031\u1031
       028 \setminus u1018 \setminus u102E \setminus u1019 \setminus u1010 \setminus u103A \setminus u1027 \setminus u1015 \setminus u1032E \setminus u1019 \setminus u1031 \setminus u1007 \setminus u103D \setminus u1014 \setminus u1003A \setminus u1007 \setminus u1030 \setminus u1012E \setminus u1019 \setminus u1031 \setminus u1007 \setminus u103D \setminus u1003A \setminus u1007 \setminus u1030 \setminus u1012E \setminus u1003C \setminus u1002E \setminus u1003C \setminus u1003E \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A \setminus u1003A
    10 \lor 1004 \lor 1018 \lor 10102 C \lor 101021 \lor 101020 C \lor 101021 \lor 101020 C \lor 101021 \lor 101020 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 C \lor 101021 
     C_\u101E\u1031\u102C_\u1014\u1031".split("_"),monthsShort:"\u1007\u1014\u103A_\u1016\u1031_\u1019\u103A_\u1015\u103E\u103E\u103A_\u1015\u103E\u103E\u1019\u103A_\u1015\u103E\u103E\u1019\u103A_\u1015\u103E\u103E\u1019\u103A_\u1015\u103E\u103E\u1019\u103A_\u1015\u103E\u103E\u1019\u103A_\u1015\u103E\u103E\u1019\u103A_\u1015\u103E\u103E\u103A_\u1015\u103E\u103E\u103E\u103A_\u1015\u103E\u103E\u103A_\u1015\u103E\u103E\u103E\u103E\u103E\u103E\u103A_\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103E\u103
       101E \setminus u1005 \setminus u1005 \setminus u1000 \setminus u1003 \setminus u1021 \setminus u1021 \setminus u1002 \setminus u1000 \setminus u1034 \setminus u1014 \setminus u1020 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012 \setminus u1012
   "_"), weekdaysMin: "\u1014\u103D\u1031\u1031\u102C\u1000\u103A\u101F\u1030\u1038\u1000\u103C\u102C\u1002\u102B\u101F\u1030\u1038\u1000\u103C\u102C\u101E\u1031\u102C\u1014\u103T\u103C\u102C\u101E\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u103T\u10
       005\u103A\u1019\u102D\u1014\u1005\u103A",mm:"%d
       \u1019\u102D\u1014\u1005\u103A",h:"\u1010\u1005\u103A\u1014\u102C\u101B\u102E",hh:"%d\u1014\u102C\u101B\u102E",d:"\u1010\u1005\u103A\u101B\u1000\u103A",dd:"%d
   Et<"u"?Et.exports=t(j()):typeof define=="function"&&define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs_locale_nb=t(n.dayjs)})(Ft,function(n){"use strict";function
 globalThis<"u"?globalThis:n||self).dayjs_locale_nb=t(n.dayjs)})(Ft,function(n){"use strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"nb",weekdays:"s\x F8ndag_mandag_tirsdag_onsdag_torsdag_fredag_l\xF8rdag".split("_"),weekdaysShort:"s\xF8._ma._ti._on._to._fr._l\xF8.".split("_"),weekdaysMin:"s\xF8_ma_ti_on_to_fr_l\xF8".split("_"),months:"januar_februar mars_april_mai_juni_juli_august_september_oktober_november_desember".split("_"),monthsShort:"jan._feb._mars_april_mai_juni_juli_aug._sep._okt._nov._des.".split("_"),ordinal:function(e){return e+"."},weekStart:1,yearStart:4,formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD.MM.YYYY",LL:"D. MMMM
YYYY",LLL:"D. MMMM YYYY [kl.] HH:mm",LLLL:"dddd D. MMMM YYYY [kl.] HH:mm"},relativeTime:{future:"om %s",past:"%s siden",s:"noen sekunder",m:"ett minutt",mm:"%d minutter",h:"en time",hh:"%d
timer",d:"en dag",dd:"%d dager",M:"en m\xE5ned",MM:"%d m\xE5neder",y:"ett \xE5r",yy:"%d
\xE5r"}};return a.default.locale(i,null,!0),i})});var hi=g((Jt,Ut)=>{(function(n,t){typeof} lt=="object"&&typeof} lt="object"&&typeof} lt="object"&&typeof} lt="object"&&typeof} lt="object"&&typeof
     Jt=="object"&&typeof Ut<"u"?Ut.exports=t(j()):typeof
define=="function"&&define.amd?define(["dayjs"],t):(n=typeof</pre>
       globalThis<"u"?globalThis:n||self).dayjs locale nl=t(n.dayjs)})(Jt,function(n){"use strict";function</pre>
       t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"nl",weekdays:"zon
 t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"nl",weekdays:"zon dag_maandag_dinsdag_woensdag_donderdag_vrijdag_zaterdag".split("_"),weekdaysShort:"zo._ma._di._wo._d o._vr._za.".split("_"),weekdaysMin:"zo_ma_di_wo_do_vr_za".split("_"),months:"januari_februari_maart_april_mei_juni_juli_augustus_september_oktober_november_december".split("_"),monthsShort:"jan_feb_mr t_apr_mei_jun_jul_aug_sep_okt_nov_dec".split("_"),ordinal:function(e){return"["+e+(e===1||e===8||e>= 20?"ste":"de")+"]"},weekStart:1,yearStart:4,formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD-MM-YYYY",LL:"D MMMM YYYY",LLL:"D MMMM YYYY HH:mm",trelativeTime:{future:"over %s",past:"%s geleden",s:"een paar seconden",m:"een minuut",mm:"%d minuten",h:"een uur",hh:"%d uur",d:"een dag",dd:"%d dagen",M:"een maand",MM:"%d maanden",y:"een jaar",yy:"%d jaar"}};return a.default.locale(i,null,!0),i});var Mi=g((Wt,Pt)=>{(function(n,t){typeof wt=="object"&&typeof Pt=""typeof define=="function"&&define(!"dayis"! t):(n=typeof
     Pt<"u"?Pt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs_locale_pl=t(n.dayjs)})(Wt,function(n){"use strict";function
```

```
 \begin{tabular}{ll} $t(_)$ (return _&&typeof _=="object"&&"default"in _?_: {default:_} \} var a=t(n); function i(_) {return _%10<5&&_%10>1&&~~(_/10)%10!=1} function e(_,y,l) {var f=_+" ";switch(l) {case"m":return y?"minuta":"minut\u0119";case"mm":return f+(i(_)?"minuty":"minut");case"h":return y?"godzina":"godzin\u0119";case"hh":return f+(i(_)?"godziny":"godzin");case"MM":return f+(i(_)?"miesi\u0105ce":"miesi\u0119cy");case"yy":return f+(i(_)?"lata":"lat")} var r="stycznia_lute go_marca_kwietnia_maja_czerwca_lipca_sierpnia_wrze\u015Bnia_pa\u017Adziernika_listopada_grudnia".spl
    it("_"),u="stycze\u0144_luty_marzec_kwiecie\u0144_maj_czerwiec_lipiec_sierpie\u0144_wrzesie\u0144_pa\u017Adziernik_listopad_grudzie\u0144".split("_"),d=/D MMMM/,o=function(_,y){return d.test(y)?r[_.month()]:u[_.month()]};o.s=u,o.f=r;var s={name:"pl",weekdays:"niedziela_poniedzia\u014
  2ek_wtorek_\u015Broda_czwartek_pi\u0105tek_sobota".split("_"),weekdaysShort:"ndz_pon_wt_\u015Br_czw_pt_sob".split("_"),weekdaysMin:"Nd_Pn_Wt_\u015Ar_Cz_Pt_So".split("_"),months:o,monthsShort:"sty_lut_mar_kwi_maj_cze_lip_sie_wrz_pa\u017A_lis_gru".split("_"),ordinal:function(_){return__+"."},weekStart:1,yearStart:4,relativeTime:{future:"za %s",past:"%s temu",s:"kilka
      sekund",m:e,mm:e,h:e,hh:e,d:"1 dzie\u0144",dd:"%d
    dni",M:"miesi\u0105c",MM:e,y:"rok",yy:e},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD.MM.YYYY",LL:"D
MMMM YYYY",LLL:"D MMMM YYYY HH:mm",LLLL:"dddd, D MMMM YYYY HH:mm"}};return
  a.default.locale(s,null,!0),s})});var yi=g((Gt,Rt)=>{(function(n,t){typeof Gt=="object"&&typeof Rt<"u"?Rt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs_locale_pt=t(n.dayjs)})(Gt,function(n){"use strict";function
      t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var
a=t(n),i={name:"pt",weekdays:"domingo_segunda-feira_ter\xE7a-feira_quarta-feira_quinta-feira_sexta-f
eira_s\xElbado".split("_"),weekdaysShort:"dom_seg_ter_qua_qui_sex_sab".split("_"),weekdaysMin:"Do_2\
xAA_3\xAA_4\xAA_5\xAA_6\xAA_Sa".split("_"),months:"janeiro_fevereiro_mar\xE7o_abril_maio_junho_julho
agosto_setembro_outubro_novembro_dezembro".split("_"),monthsShort:"jan_fev_mar_abr_mai_jun_jul_ago_
set_out_nov_dez".split("_"),ordinal:function(e){return}
e+"\xBA"},weekStart:1,yearStart:4,formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD/MM/YYYY",LL:"D [de] MMMM
[de] YYYY",LLL:"D [de] MMMM [de] YYYY [\xE0s] HH:mm",LLLL:"dddd, D [de] MMMM [de] YYYY [\xE0s]
HH:mm"},relativeTime:{future:"em %s",past:"h\xE1 %s",s:"alguns segundos",m:"um minuto",mm:"%d
minutos",h:"uma hora",hh:"%d horas",d:"um dia",dd:"%d dias",M:"um m\xEAs",MM:"%d meses",y:"um
ano",yy:"%d anos"}};return a.default.locale(i,null,!0),i})});var
Yi=g((Zt,Vt)=>{(function(n,t){typeof Zt=="object"&&typeof Vt<"u"?Vt.exports=t(j()):typeof
define=="function"&&define.amd?define(["day;s"],t):(n=typeof
      define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
      globalThis<"u"?globalThis:n||self).dayjs_locale_pt_br=t(n.dayjs)\}) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)\}) Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,function(n) \{"usellocale_pt_br=t(n.dayjs)]) (Zt,funct
globalThis<"u"?globalThis:n||self).dayjs_locale_pt_br=t(n.dayjs)})(Zt,function(n){"use strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"pt-br",weekdays:"domingo_segunda-feira_ter\xE7a-feira_quarta-feira_quinta-feira_sexta-feira_s\xElbado".split("_"),weekdaysShort:"dom_seg_ter_qua_qui_sex_s\xElb".split("_"),we ekdaysMin:"Do_2\xAA_3\xAA_4\xAA_5\xAA_6\xAA_5\xEl".split("_"),months:"janeiro_fevereiro_mar\xE7o_abr il_maio_juho_julho_agosto_setembro_outubro_novembro_dezembro".split("_"),monthsShort:"jan_fev_mar_a br_mai_jun_jul_ago_set_out_nov_dez".split("_"),ordinal:function(e){return e+"\xBA"},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD/MM/YYYY",LL:"D [de] MMMM [de] YYYY [\xE0s] HH:mm",LLLL:"dddd, D [de] MMMM [de] YYYY [\xE0s] HH:mm"},relativeTime:{future:"em %s",past:"h\xEl %s",s:"poucos segundos",m:"um minuto",mm:"%d minutos",h:"uma hora",hh:"%d horas",d:"um dia",dd:"%d dias",M:"um m\xEAs",MM:"%d meses",y:"um ano",yy:"%d anos"}};return a.default.locale(i,null,!0),i})});var pi=q((Kt,Qt)=>{function(n,t){typeof Kt=="object"&&typeof Qt<"u"?Qt.exports=t(j()):typeof
      pi=q((Kt,Qt)=>{(function(n,t){typeof Kt=="object"&&typeof Qt<"u"?Qt.exports=t(j()):typeof
      define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
  uerine=="Tunction"&&detine.amd/detine(["day]s"],t):(n=typeof
globalThis<"u"?globalThis:n||self).dayjs_locale_ro=t(n.dayjs)})(Kt,function(n){"use strict";function
t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"ro",weekdays:"Dum
inic\u0103_Luni_Mar\u021Bi_Miercuri_Joi_Vineri_S\xE2mb\u0103t\u0103".split("_"),weekdaysShort:"Dum_L
un_Mar_Mie_Joi_Vin_S\xE2m".split("_"),weekdaysMin:"Du_Lu_Ma_Mi_Jo_Vi_S\xE2".split("_"),months:"Ianua
rie_Februarie_Martie_Aprilie_Mai_Iunie_Iulie_August_Septembrie_Octombrie_Noiembrie_Decembrie".split(
"_"),monthsShort:"Ian._Febr._Mart._Apr._Mai_Iun._Iul._Aug._Sept._Oct._Nov._Dec.".split("_"),weekStar
t:1,formats:{LT:"H:mm",LTS:"H:mm:ss",L:"DD.MM.YYYY",LL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LLL:"D_MMMM_YYYY",LL:"D_MMMM_YYYY",LL:"D_MMMM_YYYY",L
  t:1,formats:{Ll:"H:mm",LIS:"H:mm:ss",L:"DD.MM.YYYY",LL:"D MMMM YYYY",LLL:"D MMMM YYYY H:mm",LLLL:"dddd, D MMMM YYYY H:mm"},relativeTime:{future:"peste %s",past:"acum %s",s:"c\xE2teva secunde",m:"un minut",mm:"%d minute",h:"o or\u0103",hh:"%d ore",d:"o zi",dd:"%d zile",M:"o lun\u0103",MM:"%d luni",y:"un an",yy:"%d ani"},ordinal:function(e){return e}};return a.default.locale(i,null,!0),i}));var Li=g((Xt,Bt)=>{(function(n,t){typeof Xt=="object"&&typeof Bt<"u"?Bt.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof Atlanta Thio:"u"?Bt.exports=t(j()):typeof define="function"&&define.amd?define(["dayjs"],t):(n=typeof Atlanta Thio:"u"?Bt.exports=t(j()):typeof define="function"&&define.amd?define(["dayjs"],t):(n=typeof Atlanta Thio:"u"?Bt.exports=t(j()):typeof define="function"&&define.amd?define(["dayjs"],t):(n=typeof Atlanta Thio:"u"?Bt.exports=t(j()):typeof define="function"&define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?define.amd?de
      globalThis<"u"?globalThis:n||self).dayjs_locale_ru=t(n.dayjs)})(Xt,function(n){"use strict";function</pre>
    t(l){return l&&typeof l=="object"&&"default"in l?l:{default:l}}var a=t(n),i="\u044F\u043D\u0432\u0432\u0432\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\
      \u0440\u0435\u0448\u0444\u0442\u0443\u0443\u0441\u0443\u0445\u0442\u0444F\u0443\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u044
      0442 \setminus u044F \setminus u0431 \setminus u0440 \setminus u044F \setminus u043D \setminus u044F \setminus u0431 \setminus u044F \setminus u0434 + F \setminus u0434 \setminus u0435 \setminus u0435 \setminus u0431 \setminus u0431 \setminus u0431 + F \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431
    40 \setminus u044F".split("\_"), e="\setminus u044F\setminus u043D\setminus u0432\setminus u0440\setminus u0446\setminus u0444\setminus u0435\setminus u0432\setminus u0440\setminus u0436\setminus       43D \setminus u044C \setminus u0438 \setminus u044E \setminus u043B \setminus u044C \setminus u0430 \setminus u0433 \setminus u0443 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0435 \setminus u0442 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0442 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 \setminus u0441 
  4F\u0431\u0440\u044C_\u043E\u043A\u0442\u044F\u0431\u044S\u044F\u043E\u044F\u0431\u0446\u044C_\u043E\u044F\u0431\u0446\u044C_\u043E\u044F\u043E\u044F\u043E\u044F\u043E\u044F\u043E\u044F\u043E\u044F\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u044F\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\
```

```
D={mm:f?"\u043C\u0438\u043D\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0
   ",dd:"\u0434\u0435\u0435\u0441\\u0435\u0441\\u0435\u0445\\u0435\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\
   10 = 2\&Y^10 = 4\&(Y^100 < 10 | Y^100 > 20)?\overline{D}[1]:D[2]) var s=function(\(\bar{\text{l}}\), f\(\bar{\text{tr}}\) freturn
d.test(f)?i[l.month()]:e[l.month()]};s.s=e,s.f=i;var _=function(l,f){return
d.test(f)?r[l.month()]:u[l.month()]};_.s=u,_.f=r;var y={name:"ru",weekdays:"\u0432\u043E\u0441\u0435\u0441\u0435\u0442\u0435\u0442\u0435\u0442\u0435\u0443E\u043D\u0435\u0443E\u043D\u0435\u0443E\u043B\u044C\u043D\u043F\u043F\u043F\u043E\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u
   438\u043A\u0432\u0442\u0442\u0440\u043D\u0438\u043A\u0441\u0440\u0435\u0434\u0430\u0437\u0435\u04
   42 \setminus u0432 \setminus u0435 \setminus u0440 \setminus u0433 \setminus u043F \setminus u044F \setminus u0443 \setminus u0436 \setminus u0446 \setminus u0430 \setminus u0441 \setminus u0443 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0436 \setminus u0436 \setminus u0436 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus
   \u0442\u0430".split(" "),weekdaysShort:"\u0432\u0441\u043A\u043F\u043D\u0434\u0432\u0442\u0440\u0
 441\u0440\u043F\u0447\u0442\u0442\u0442\u0441\u0441\u0441\u043F\u0442\u0441\u0441\u0441\u043F\u0441\u0441\u043F\u0441\u0441\u0441\u043F\u0441\u0441\u043F\u0441\u0441\u043F\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0441\u0
       ,months:s,monthsShort: ,weekStart:1,yearStart:4,formats:{LT:"H:mm",LTS:"H:mm:ss",L:"DD.MM.YYYY",LL:"
,months:s,monthssnort: _,weekstart:1,yearstart:4,Tormats:{L1:"H:mm",L15:"H:mm:ss",L:"DD.MM.YYYY",LL:"D MMMM YYYY \u0433.",LLL:"D MMMM YYYY \u0433.", H:mm"},relativeTime:{future:"\u0447\u0435\u0441\u0435\u04437 %s",past:"%s \u043D\u0430\u0437\u0430\u0438\u04430\u0438\u0443\u04438\u04438\u04435\u04438\u04435\u04435\u04438\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u0
   \u0434\u043D\u044F":"\u0432\u0435\u0447\u0435\u0440\u0430"}};return
 a.default.locale(y,null,!0),y\})\}); var \ Di=g((en,tn)=>\{(function(n,t)\{typeof \ en=="object"\&\&typeof \ tn<"u"?tn.exports=t(j()):typeof \ define=="function"\&\&define.amd?define(["dayjs"],t):(n=typeof \ define=="function")\}
   globalThis<"u"?globalThis:n||self).dayjs locale sr cyrl=t(n.dayjs)})(en,function(n){"use</pre>
   strict";function t(r){return r&&typeof r=="object"&&"default"in r?r:{default:r}}var
   a=t(n),i={words:{m:["\u0458\u0435\u0434\u0430\u043D
     \u043C\u0438\u043D\u0443\u0442","\u0458\u0435\u0434\u043D\u043E\u0433
   \u043C\u043B\u043D\u0443\u0442\u0430"],mm:["%d\u043C\u043B\u043D\u0443\u0443\u0442","%d\u043C\u0438\u043D\u0443\u0442\u0430","%d\u043C\u0438\u043D\u0443\u0442\u0430","%d\u043C\u0438\u043D\u0443\u0442\u0430"],h:["\u0458\u0435\u0434\u0430\u043D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0442\u0430"],h:["\u0458\u0435\u0434\u0430\u043D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0442D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0442D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u0443D\u044
   \u0441\u0430\u0442\u0430\u0441\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0441\u0430\u0442\u0430\u0441\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0430\u0442\u0442\u0430\u0442\u0442\u0430\u0442\u0442\u0430\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442\u0442
   \u0441\u0430\u0442\u0438"],d:["\u0458\u0435\u0434\u0430\u043D\u0431\u0430\u043D\u0434\u0430\u0430\u0430\u043D\u0430\u0430\u043D\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u0430\u043
   \u0434\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436
\u043C\u0435\u0441\u0435\u0446\","\u0435\u0435\u0435\u0435\u04435\u0435\u04435\u04435\u04435\u04435\u0446\","%d
\u043C\u0435\u0441\u0435\u0446\u0430\","%d
\u043C\u0435\u0441\u0435\u0446\u0438\","%d
\u043C\u0435\u0441\u0435\u0446\u0438\",y:["\u0458\u0435\u0434\u043D\u0443
\u0433\u0435\u0434\u0438\u0438\u04435\u04435\u0435\u0435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u0
 d==="yy"&&u&&_==="%d \u0433\u043E\u0434\u0438\u043D\u0443"?r+"
 \u0433\u0435\u0434\u0438\u043D\u0430\":_.replace("%d",r)}},e={name:"sr-cyrl",weekdays:"\u041D\u0435\u0434\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0436\u0435\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0
   40 \setminus u0430 \setminus u0431 \setminus u0421 \setminus u0440 \setminus u0435 \setminus u0431 \setminus u0430 \setminus u0431 \setminus u0432 \setminus u0442 \setminus u0432 \setminus u0442 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus u0431 \setminus
F\u0435\u0442\u0430\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u0443\u044
 "), monthsShort:"\u0448\u0430\u0443\u0443D.\u04435\u0443\u04431.\u0441C\u0430\u04440.\u04435\u0443\u04435\u04430\u04430\u0443\u04435\u04430\u04430\u04430\u04435\u04430\u04430\u04430\u04435\u04430\u04430\u04435\u04430\u04430\u04435\u04431.\u04410\u04433\u04433\u04431\u04435\u04435\u04431.\u04433\u04433\u04431\u04435\u04435\u04431\u04435\u04435\u04431\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\u04435\
   elative Time Formatter, \\ d: i.relative Time Formatter, \\ d:
,M:i.relativeTimeFormatter,MM:i.relativeTimeFormatter,y:i.relativeTimeFormatter,yy:i.relativeTimeFormatter,yordinal:function(r){return r+"."},formats:{LT:"H:mm",LTS:"H:mm:ss",L:"D. M. YYYY.",LL:"D. MMMM YYYY.",LLL:"D. MMMM YYYY. H:mm",LLLL:"dddd, D. MMMM YYYY. H:mm"}};return
```

```
rn<"u"?rn.exports=t(j()):typeof define=="function"&&define(["dayjs"],t):(n=typeof globalThis<"u"?globalThis:n||self).dayjs locale sr=t(n.dayjs)})(nn,function(n){"use strict";function
globalinis<"u",globalinis:n||self).day]s_locate_sr=t(n.day]s)}) (nn,function(n){"use strict";function
t(r){return r&&typeof r=="object"&&"default"in r?r:{default:r}}var a=t(n),i={words:{m:["jedan
minut","jednog minuta"],mm:["%d minut","%d minuta"],h:["jedan sat","jednog
sata"],hh:["%d sat","%d sata"],%d:["jedan dan","jednog dana"],dd:["%d dan","%d
dana"],M:["jedan mesec","jednog meseca"],MM:["%d mesec","%d meseca","%d meseci"],y:["jednu
godinu","jedne godine"],yy:["%d godinu","%d
godina"]},correctGrammarCase:function(r,u){return r%10>=1&&r%10<=4&&(r%100<10||r%100>=20)?r%10==1?u[
  0]: \\ \\ u[1]: \\ u[2]\}, \\ relative Time Formatter: \\ function(r,u,d,o) \\ \{var\ s=i.words[d]; \\ if(d.length===1) \\ return(r,u,d,o) \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.words[d]; \\ \{var\ s=i.wor
  d==="y"&&u?"jedna godina":o||u?s[0]:s[1];var =i.correctGrammarCase(r,s);return d==="yy"&&u&& ==="%d
godinu"?r+" godina :o||u!s[0]:s[1];var _=1.correctGammarcase(r,s);return d=== yy &&d&& === %d godinu"?r+" godina":_.replace("%d",r)}},e={name:"sr",weekdays:"Nedelja_Ponedeljak_Utorak_Sreda_\u010 Cetvrtak_Petak_Subota".split("_"),weekdaysShort:"Ned._Pon._Uto._Sre._\u010Cet._Pet._Sub.".split("_"),weekdaysMin:"ne_po_ut_sr_\u010De_pe_su".split("_"),months:"Januar_Februar_Mart_April_Maj_Jun_Jul_Av gust_Septembar_Oktobar_Novembar_Decembar".split("_"),monthsShort:"Jan._Feb._Mar._Apr._Maj_Jun_Jul_Av g._Sep._Okt._Nov._Dec.".split("_"),weekStart:1,relativeTime:{future:"za %s",past:"pre %s",s:"nekoliko sekundi",m:i.relativeTimeFormatter,mm:i.relativeTimeFormatter,h:i.relativeTimeFormatter.
  ter, hh:i.relativeTimeFormatter, d:i.relativeTimeFormatter, dd:i.relativeTimeFormatter, M:i.relativeTime
Formatter,MM:i.relativeTimeFormatter,y:i.relativeTimeFormatter,yy:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.relativeTimeFormatter,y:i.re
  define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
  globalThis<"u"?globalThis:n||self).dayjs_locale_sv=t(n.dayjs)})(an,function(n){"use strict";function</pre>
globalThis<"u"/globalThis:n||self).day]s_locale_sv=t(n.day]s))(an,function(n){"use strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"sv",weekdays:"s\x F6ndag_m\xE5ndag_tisdag_onsdag_torsdag_fredag_l\xF6rdag".split("_"),weekdaysShort:"s\xF6n_m\xE5n_tis_ons_tor_fre_l\xF6r".split("_"),weekdaysMin:"s\xF6_m\xE5_ti_on_to_fr_l\xF6".split("_"),months:"janua ri_februari_mars_april_maj_juni_juli_augusti_september_oktober_november_december".split("_"),monthsShort:"jan_feb_mar_apr_maj_jun_jul_aug_sep_okt_nov_dec".split("_"),weekStart:1,yearStart:4,ordinal:fu
  nction(e){var
ree%10; return"["+e+(r===1||r===2?"a":"e")+"]"}, formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"YYYY-MM-DD",LL:"D MMMM YYYY [kl.] HH:mm",LLLL:"dddd D MMMM YYYY [kl.] HH:mm",lll:"D MMM YYYY HH:mm",lll:"D MMM YYYY HH:mm",lll:"ddd D MMM YYYY HH:mm"}, relativeTime:{future:"om %s",past:"f\xF6r %s sedan",s:"n\xE5gra sekunder",m:"en minut",mm:"%d minuter",h:"en timme",hh:"%d timmar",d:"en dag",dd:"%d dagar",M:"en m\xE5nader",y:"ett \xE5r",yy:"%d \xE5r"}}; return a.default.locale(i,null,!0),i})); var Si=g((un,on)=>{(function(n,t){typeof un=="object"&&typeof
  on<"u"?on.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
  globalThis""?globalThis:n||self).dayjs locale th=t(n.dayjs)})(un,function(n){"use strict";function
 t(e){return e&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"th",weekdays:"\u0E2D\u0E32\u0E17\u0E34\u0E15\u0E22\u0E4C_\u0E08\u0E31\u0E19\u0E17\u0E23\u0E4C_\u0E2D\u0E31\u0E07\u0E0
  4 \\  u0E32 \\  u0E1E \\  u0E18 \\  u0E18 \\  u0E18 \\  u0E24 \\  u0E28 \\  u0E31 \\  u0E2A \\  u0E1A \\  u0E14 \\  u0E35 \\   u0E28 \\  u0E38 \\  u0E018 \\  u0E31 \\  u0E18 \\  u0E18 \\  u0E31 \\  u0E18 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E31 \\  u0E
 \u0E23\u0E4C\u0E40\u0E2A\u0E23\u0E23\u0E4C\u0E3\u0E32\u0E32\u0E17\u0E34\u0E1
5\u0E22\u0E4C\u0E08\u0E31\u0E19\u0E17\u0E23\u0E4C\u0E2D\u0E31\u0E07\u0E04\u0E32\u0E12\u0E33\u0E12\u0E38
 0\overline{\textbf{E}}18 \setminus \textbf{u0} \\ \textbf{E4C} \setminus \textbf{u0} \\ \textbf{E21} \setminus \textbf{u0} \\ \textbf{E35} \setminus \textbf{u0} \\ \textbf{E19} \setminus \textbf{u0} \\ \textbf{E32} \setminus \textbf{u0} \\ \textbf{E24} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E21} \setminus \textbf{u0} \\ \textbf{E22} \setminus \textbf{u0} \\ \textbf{E19} \setminus \textbf{u0} \\ \textbf{E18} \setminus \textbf{u0} \\ \textbf{E24} \setminus \textbf{u0} \\ \textbf{E24} \setminus \textbf{u0} \\ \textbf{E26} \setminus \textbf{u0} \\ \textbf{E27} \setminus \textbf{u0} \\ \textbf{E27} \setminus \textbf{u0} \\ \textbf{E28} \setminus \textbf{u0} \\ \textbf{E29} \setminus \textbf{u0} \\ \textbf{E30} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ \textbf{E40} \setminus \textbf{u0} \\ 
  \texttt{E29} \\ \texttt{u0E20} \\ \texttt{u0E32} \\ \texttt{u0E04} \\ \texttt{u0E21} \\ \texttt{u0E24} \\ \texttt{u0E34} \\ \texttt{u0E16} \\ \texttt{u0E38} \\ \texttt{u0E19} \\ \texttt{u0E32} \\ \texttt{u0E19} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ \texttt{u0E01} \\ 
  u0E19\u0E15\u0E38\u0E25\u0E32\u0E04\u0E21\u0E1E\u0E24\u0E28\u0E08\u0E34\u0E32\u0E32\u0E12\u0E19\u
UUE19_\UUE13\UUE13\UUE38\UUE25\UUE32\UUE4\UUE21_\UUE1E\UUE24\UUE28\UUE08\UUE31\UUE61\UUE32\UUE22\UUE19_\U
0E18\UUE31\UUE19\UUE27\UUE32\UUE64\UUE21".split("_"),monthsShort:"\UUE21.\UUE04._\UUE04._\UUE1E._\UUE
21\UUE35.\UUE04._\UUE40\UUE21.\UUE22._\UUE1E.\UUE04._\UUE21\UUE34.\UUE22._\UUE01.\UUE04._\UUE2A.\UUE
04._\UUE01.\UUE22._\UUE15.\UUE04._\UUE1E.\UUE22._\UUE18.\UUE04.".split("_"),formats:{LT:"H:mm",LTS:"
H:mm:ss",L:"DD/MM/YYYY",LL:"D MMMM YYYY \UUE40\UUE27\UUE25\UUE32
H:mm",LLLL:"\UUE27\UUE31\UUE31\UUE31\UUE35\UUE48\UUE35\UUE48\UUE35\UUE48\UUE27\UUE35\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE48\UUE25\UUE48\UUE48\UUE25\UUE48\UUE48\UUE25\UUE48\UUE25\UUE48\UUE25\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUE48\UUUE48\UUUE48\UUUUE48\UUUE48\UUUE48\UUUE48\UUUUE48\UUUE48\UUUE48\UUUE48\UUUUE48\UUUUE48\UUUE48\UUUE48\UUUE
                           s:"\u0E44\u0E21\u0E48\u0E01\u0E35\u0E48\u0E27\u0E34\u0E19\u0E32\u0E17\u0E35",m:"1,
globalThis<"u"?globalThis:n||self).dayjs locale tr=t(n.dayjs)})(dn,function(n){"use strict";function</pre>
  t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"tr",weekdays:"Paz
ar_Pazartesi_Sal\u0131_\xC7ar\u015Famba_Per\u015Fembe_Cuma_Cumartesi".split("_"),weekdaysShort:"Paz_
Pts_Sal_\xC7ar_Per_Cum_Cts".split("_"),weekdaysMin:"Pz_Pt_Sa_\xC7a_Pe_Cu_Ct".split("_"),months:"0cak_\u015Eubat_Mart_Nisan_May\u0131s_Haziran_Temmuz_A\u011Fustos_Eyl\xFCl_Ekim_Kas\u0131m_Aral\u0131k".
split("_"),monthsShort:"Oca_\u015Eub_Mar_Nis_May_Haz_Tem_A\u011Fu_Eyl_Eki_Kas_Ara".split("_"),weekSt art:1,formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD.MM.YYYY",LL:"D MMMM YYYY",LLL:"D MMMM YYYY HH:mm",LLLL:"dddd, D MMMM YYYY HH:mm"},relativeTime:{future:"%s sonra",past:"%s \xF6nce",s:"birka\xE7 saniye",m:"bir dakika",mm:"%d dakika",h:"bir saat",hh:"%d saat",d:"bir
```

```
 g\xFCn",dd:"%d g\xFCn",M:"bir ay",MM:"%d ay",y:"bir y\u0131l",yy:"%d y\u0131l"},ordinal:function(e){return e+"."}};return a.default.locale(i,null,!0),i}));varki=g((ln,fn)=>{(function(n,t){typeof ln=="object"&&typeof fn<"u"?fn.exports=t(j()):typeof ln==t();typeof ln==t()
   define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
   globalThis<"u"?globalThis:n||self).dayjs_locale_uk=t(n.dayjs)})(ln,function(n){"use strict";function</pre>
   t(s) \{ return \ s\& typeof \ s=="object"\&\&"default"in \ s?s: \{ default:s \} \} \\ var \ a=t(n), i="\u0441\u0456\u0447\u043 \} \\ var \ b=t(n), i="\u0441\u0456\u0447\u0447\u0444 \} \\ var \ b=t(n), i="\u0441\u0456\u0447\u0444 \} \\ var \ b=t(n), i="\u0441\u0456\u0444 \} \\ var \ b=t(n), i="\u0441\u0456\u0444 \} \\ var \ b=t(n), i="\u0441\u0444 \} \\ var \ b=t(n), i="\u0444\u0444 D\u044F\u043B\u044E\u0442\u043E\u0433\u043E\u0431\u0435\u0440\u0435\u0437\u043D\u044F\u043A\u0432
    \u0456\u0442\u043D\u044F\u0442\u0440\u0430\u0432\u043D\u044F\u0447\u0435\u0440\u0432\u043D\u044F\
   u043B\u043F\u043F\u044F\u0445\u0441\u0435\u0441\u0435\u0445\u0441\u0435\u0445\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\
 43D\u044F\u0436\u043E\u043E\u0432\u0442\u043D\u044F\u043B\u0438\u0441\u0442\u043E\u043F\u043F\u0434\u043B\u043F\u043B\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u043F\u0
   44E\u0442\u0443\u0443\u0443\u0443\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0445\u0446\u0445\u0445\u0446\u0445\u0445\u0446\u0435\u0446\u0445\u0446\u0445\u0446\u0445\u0446\u0446\u0445\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0446\u0
    \u043B\u043B\u043F\u043F\u0435\u044D\u044C\u0441\u0435\u0440\u043F\u0435\u0435\u044C\u0432\u0435\u0440\u
 0435 \\ \\ u0441 \\ \\ u0435 \\ \\ u0435 \\ \\ u0436 \\ \\ u0436 \\ \\ u0432 \\ \\ u0442 \\ \\ u0435 \\ \\ u0435 \\ \\ u0436 \\ \\ u0435 \\ \\ u0436 \\ \\ u0432 \\ \\ u0435 \\ \\ u0435 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436 \\ \\ u0436
)+MMMM?/;function u(s,_,y){var l,f;return y==="m"?_?"\u0445\u0432\u0438\u0438\u0438\u0438\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\
      \u0435\u043A\u0443\u043D\u0434\u0438`\u0441\u0435\u043A\u0443\u043D\u0434":"\u0441\u0435\u043A\u0443
 \u043D\u0434\u0443\u0443\u0443\u0435\u043A\u0443\u043D\u0434\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435
   043\overline{2}\setminus u0438\setminus u0434\setminus u0438\setminus u0434\setminus u0434\setminus u0434\setminus u0434\setminus u0434\setminus u0434\setminus u0434\setminus u0434\setminus u0434
   0438\u043D\u0438\u0445\u0432\u0438\u043B\u043B\u043B\u043D",hh: ?"\u0433\u043E\u0434\u0438\u043B\u043D\u0430\u
 0433\u043E\u0434\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u
   10 <= 4\&(1\%100 < 10 | 1\%100 >= 20)?f[1]:f[2]) var d=function(s,_){return}
    r.test(\_)?i[s.month()]:e[s.month()];d.s=e,d.f=i;var o=\{name:"uk",weekdays:"\u043D\u0435\u0434\u0456]
    \u043B\u043F\u043F\u043F\u043E\u043D\u0435\u0434\u0456\u043B\u043E\u043A\u0432\u0456\u0432\u0456\u043E\u
   019\u044F\u0442\u043D\u043B\u0446\u044F\u0441\u0443\u0431\u043E\u0442\u0430".split("
 e:"\u0437\u0430 %s",past:"%s
\u0442\u043E\u043C\u0443",s:"\u0434\u0435\u043A\u0456\u043B\u044C\u043A\u0430 \u0441\u0435\u043A\u04
\u0442\u043E\u043E\u0443\u043E\u043E\u043E\u043E\u043E\u043E\u044E\u043E\u043E\u044E\u043E\u044E\u043E\u043E\u044E\u043E\u044E\u043E\u044E\u043E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E
 t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"ur",weekdays:"\u0627\u062A\u0648\u0627\u0631_\u067E\u06CC\u0631_\u0645\u0646\u06AF\u0644_\u0628\u062F\u06BE_\u062C\u0
645\u0639\u0631\u0627\u062A_\u062C\u0645\u0639\u06C1_\u06C1\u0641\u06C1".split("_"),months:"\u062C\u0646\u0646\u0648\u0631\u06CC_\u0641\u0627\u062T\u062T\u066T".split("_"),months:"\u062C\u0646\u0648\u0648\u0648\u0645\u062T\u0645\u062T\u0645\u062T\u062T\u0645\u062T\u062T\u0645\u062T\u062T\u0645\u062T\u062T\u064T\u064T\u0645\u064T\u0645\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T\u064T
6AF\u0633\u062A\u0633\u062A\u0645\u0628\u0631_\u0627\u06A9\u06A9\u0648\u0628\u0631_\u0646\u0648\u0648\u0648\u0628\u0631_\u0646\u0648\u0648\u0628\u0631_\u0646\u0648\u0648\u0628\u0631_\u0646\u0648\u0648\u0628\u0631_\u0646\u0648\u0648\u0628\u0631_\u0648\u0628\u0631_\u0648\u0628\u0631_\u0648\u0628\u0631_\u0648\u0628\u0631_\u0648\u0648\u0628\u0648\u0628\u0631_\u0648\u0648\u0648\u0628\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0
   631 \\ \\ u0627 \\ u062A \\ \\ u062C \\ u0645 \\ u0645 \\ u06621 \\ \\ u06C1 \\ \\ u0641 \\ \\ u062A \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u062C \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06C1 \\ \\ u06
 646\u0648\u0631\u06CC_\u0641\u0631\u06631\u0662T\u0631\u0627\u0631\u0627\u0631\u06
CC\u0644_\u0645\u0626\u06CC_\u062C\u0648\u0646_\u062C\u0648\u0644\u0627\u0626\u06CC_\u062T\u06AF\u06
 33\u062A\u0633\u062A\u0645\u0628\u0631_\u0627\u06A9\u062A\u0648\u0648\u0645\u0648\u0645\u0628\u0631_\u0646\u0648\u0645\u0628\u0631_\u0628\u0631_\u0628\u0631_\u0628\u0631_\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u06
   E\u06CC\u0631_\u0645\u0646\u0646\u0644_\u0628\u062F\u068E_\u062C\u0645\u0631\u0631\u0627\u062A_\u062
 C\u0645\u0639\u06C1_\u06C1\u0641\u062A\u06C1".split("_"),ordinal:function(e){return e},formats:{LT:"HH:mm",LTS:"HH:mm:ss",L:"DD/MM/YYYY",LL:"D MMMM YYYY",LLL:"D MMMM YYYY
 \begin{tabular}{ll} $$ \u0645\u0627\u06C1",y: \u0627\u06CC\u06A9 \u0633\u0627\u0644",yy: \u0633\u0627\u0644"} ; return a.default.locale(i,null,!0),i)); var Ti=g((hn,Mn)=>\{(function(n,t)\{typeof hn=="object"\&\&typeof hn=="object"&\&typeof hn=="object"&\&typeof hn=="object"&\&typeof hn=="object"&\&typeof hn=="object"&\&typeof hn=="object"&&typeof hn
   Mn<"u"?Mn.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
```

```
globalThis<"u"?globalThis:n||self).dayjs locale vi=t(n.dayjs)})(hn,function(n){"use strict";function</pre>
   t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var
  a=t(n),i={name:"vi",weekdays:"ch\u1EE7 nh\u1EADt_th\u1EE9 hai_th\u1EE9 ba_th\u1EE9 t\u01B0_th\u1EE9 n\u0103m_th\u1EE9 s\xE1u_th\u1EE9 b\u1EA3y".split("_"),months:"th\xE1ng 1_th\xE1ng 2_th\xE1ng
 ph\xFAt",mm:"%d ph\xFAt",h:"m\u1ED9t gi\u1EDD",hh:"%d gi\u1EDD",d:"m\u1ED9t ng\xE0y",dd:"%d ng\xE0y",M:"m\u1ED9t th\xE1ng",MM:"%d th\xE1ng",y:"m\u1ED9t n\u0103m",yy:"%d n\u0103m"}};return a.default.locale(i,null,!0),i})});var Hi=g((yn,Yn)=>{(function(n,t){typeof yn=="object"&typeof Yn<"u"?Yn.exports=t(j()):typeof define=="function"&typeof yn=="object".
   globalThis<"u"?globalThis:n||self).dayjs locale zh cn=t(n.dayjs)})(yn,function(n){"use</pre>
  strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var a=t(n),i={name:"zh-cn",weekdays:"\u661F\u671F\u65E5 \u661F\u671F\u4E8C \u661F\u67
a=t(n),i={name:"zh-cn",weekdays:"\u661F\u671F\u65E5_\u661F\u671F\u4E80_\u661F\u671F\u4E8C_\u661F\u671F\u4E80_\u661F\u671F\u4E8C_\u661F\u671F\u4E80_\u661F\u671F\u4E80_\u661F\u671F\u4E80_\u661F\u671F\u4E80_\u661F\u671F\u4E80_\u5468\u4E80_\u5468\u4E8C_\u5468\u4E80_\u5468\u4E80_\u5468\u56BB_\u5468\u4E94_\u5468\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u5468\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56DB_\u56
 8":u<1800?"\u4E0B\u5348":"\u665A\u4E0A"}}; return a.default.locale(i,null,!0),i})); var wi=g((pn,Ln)=>{(function(n,t){typeof pn=="object"&&typeof Ln<"u"?Ln.exports=t(j()):typeof define=="function"&&define.amd?define(["dayjs"],t):(n=typeof
   globalThis<"u"?globalThis:n||self).dayjs_locale_zh_tw=t(n.dayjs)})(pn,function(n){"use</pre>
   strict";function t(e){return e&&typeof e=="object"&&"default"in e?e:{default:e}}var
   a=t(n),i={name:"zh-tw",weekdays:"\u661F\u671F\u65E5\u661F\u671F\u4E8C\u661F\u671F\u4E8C\u661F\u67
a=t(n),i={name:"zh-tw",weekdays:"\u661F\u671F\u65E5_\u661F\u671F\u4E00_\u661F\u671F\u4E8C_\u661F\u67
1F\u4E09_\u661F\u671F\u56DB_\u661F\u671F\u4E94_\u661F\u671F\u516D".split("_"),weekdaysShort:"\u9031\u65E5_\u9031\u4E00_\u9031\u4E8C_\u9031\u4E09_\u9031\u56DB_\u9031\u4E94_\u9031\u516D".split("_"),weekdaysShort:"\u9031\u65E5_\u9031\u4E00_\u9031\u4E8C_\u9031\u4E09_\u9031\u56DB_\u9031\u4E94_\u9031\u516D".split("_"),months:"\u4E00\u6708_\u4E8C\u6708_\u4E94\u6708_\u516D\u6708_\u4E03\u6708_\u516B\u6708_\u4E5D\u6708_\u5341\u4E00\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u6708_\u5341\u4E8C\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u5708_\u570
  HH:mm",l:"YYYY\M/D",ll:"YYYY\u5E74M\u6708D\u65E5",lll:"YYYY\u5E74M\u6708D\u65E5
HH:mm",lll:"YYYY\u5E74M\u6708D\u65E5dddd
HH:mm", llll:"YYYY\u5E74M\u6708D\u65E5dddd
HH:mm"}, relativeTime:{future:"%s\u5167",past:"%s\u524D",s:"\u5E7E\u79D2",m:"1 \u5206\u9418",mm:"%d \u5206\u9418",h:"1 \u500F\u6642",hh:"%d \u500F\u6642",d:"1 \u5929",dd:"%d \u5929",M:"1 \u590B\u6708",M:"%d \u500B\u6708",y:"1 \u5E74",yy:"%d \u5E74"},meridiem:function(e,r){var u=100*e+r;return u<600?"\u510C\u6668":u<900?"\u65E9\u4E0A":u<1100?"\u4E0A\u5348":u<1300?"\u4E0B\u5348":u\u665A\u4E0A"}};return a.default.locale(i,null,!0),i})});var vn=60,gn=vn*6 0,Sn=gn*24,Ui=Sn*7,se=1e3,ce=vn*se,ge=gn*se,bn=Sn*se,kn=Ui*se,_e="millisecond",te="second",ne="minut e",ie="hour",V="day",oe="week",G="month",he="quarter",K="year",re="date",jn="YYYY-MM-DDTHH:mm:ssZ",Se="Invalid Date",Tn=/^(\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})?[-/](\u641,2})
 ,2}|d{1,4}|H{1,2}|a|a|m{1,2}|s{1,2}|Z{1,2}|Z$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$\frac{1}{1,2}|s$
   be=function(t,a,i){var
   e=String(t);return!e||e.length>=a?t:""+Array(a+1-e.length).join(i)+t},Wi=function(t){var a=-
  t.utcOffset(),i=Math.abs(a),e=Math.floor(i/60),r=i%60;return(a<=0?"+":"-
")+be(e,2,"0")+":"+be(r,2,"0")},Pi=function n(t,a){if(t.date()<a.date())}return-n(a,t);var i=(a.year(
   )-t.year())*12+(a.month()-t.month()),e=t.clone().add(i,G),r=a-e<0,u=t.clone().add(i+(r?-t.month()))
   1:1),G);return+(-(i+(a-e)/(r?e-u:u-e))||0)},Gi=function(t){return
   t<0?Math.ceil(t)||0:Math.floor(t)},Ri=function(t){var
 a={M:G,y:K,w:oe,d:V,D:re,h:ie,m:ne,s:te,ms:_e,Q:he};return
a[t]||String(t||"").toLowerCase().replace(/s□/,"")},Zi=function(t){return t===void
0},Cn={s:be,z:Wi,m:Pi,a:Gi,p:Ri,u:Zi};var le="en",ue={};ue[le]=□n;var
  On="[isDayjsObject", ke=function(t){return t instanceof ye||!!(t&&t[On])},Me=function n(t,a,i){var e;if(!t)return le;if(typeof t=="string"){var r=t.toLowerCase();ue[r]&&(e=r),a&&(ue[r]=a,e=r);var
```

```
u=t.split("-");if(!e&&u.length>1)return n(u[0])}else{var
  d=t.name; ue[d]=t, e=d return! i&&e&&(le=e),e||!i&&le}, E=function(t,a){if(ke(t))return t.clone(); var
 i=typeof a=="object"?a:{};return i.date=t,i.args=arguments,new ye(i)},Vi=function(t,a){return
E(t,{locale:a._DL,utc:a._Du,x:a._Dx,_Doffset:a._Doffset})},z=Cn;z.l=Me;z.i=ke;z.w=Vi;var
  instanceof Date)return new Date(a);if(typeof a=="string"&&!/Z□/i.test(a)){var
  e=a.match(Tn); if(e){var r=e[2]-1||0,u=(e[7]||"0").substring(0,3); return i?new}
  Date(Date.UTC(e[1],r,e[3]||1,e[4]||0,e[5]||0,e[6]||0,u)):new
  Date(e[1],r,e[3]||1,e[4]||0,e[5]||0,e[6]||0,u)\} \\ return new \ Date(a)\}, ye=function() \\ \{function | e[4]||0,e[4]||0,e[5]||0,e[6]||0,u)\} \\ \{function | e[4]||0,e[4]||0,e[5]||0,e[6]||0,u)\} \\ \{function | e[4]||0,e[4]||0,e[4]||0,e[5]||0,e[6]||0,u)\} \\ \{function | e[4]||0,e[4]||0,e[4]||0,e[5]||0,e[6]||0,u)\} \\ \{function | e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,u)\} \\ \{function | e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]||0,e[4]|
  n(a){this.||L=Me(a.locale,null,!0),this.||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this||a.x||{},this
  t=n.prototype; return t.parse=function(i){this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{var} \) i=this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{var} \) i=this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{var} \) i=this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{var} \) i=this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{var} \) i=this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{var} \) i=this. \( \text{id} \) \( \text{this.init}() \) \( \text{t.init} \) \( \text{function}() \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.init} \) \( \text{t.i
  this. p=i.getFullYear(), this. m=i.getMonth(), this. p=i.getDate(), this. w=i.getDay(), this. h=i.getHours(), this. m=i.getMinutes(), this. s=i.getSeconds(), this. ms=i.getMilliseconds(), t. utils=function()
  \{ \texttt{return z} \}, \texttt{t.isValid=function()} \\ \{ \texttt{return this.} \\ \texttt{d.toString()!==Se} \}, \texttt{t.isSame=function(i,e)} \\ \{ \texttt{varn this.} \\ \texttt{d.toString()!==Se} \}, \texttt{t.isSame=function(i,e)} \\ \{ \texttt{varn this.} \\ \texttt{d.toString()!==Se} \}, \texttt{t.isSame=function(i,e)} \\ \{ \texttt{varn this.} \\ \texttt{d.toString()!==Se} \}, \texttt{t.isSame=function(i,e)} \\ \{ \texttt{varn this.} \\ \texttt{d.toString()!==Se} \}, \texttt{d.toString(i,e)} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} \\ \texttt{d.toString(i,e)} \} \\ \{ \texttt{varn this.} 
  r=E(i); return this.startOf(e)<=r\& r<=this.endOf(e)}, t.isAfter=function(i,e){return
  E(i)<this.startOf(e)},t.isBefore=function(i,e){return</pre>
  this.endOf(e)<E(i)},t.\Box g=function(i,e,r){return
tnls.endon(e)<e(1), t.ug=function(1,e,f){return}
z.u(i)?this[e]:this.set(r,i)},t.unix=function(){return}
Math.floor(this.value0f()/le3)},t.value0f=function(){return}
this._d.getTime()},t.startOf=function(i,e){var r=this,u=z.u(e)?!0:e,d=z.p(i),o=function(L,w){var}
S=z.w(r._u?Date.UTC(r._y,w,L):new Date(r._y,w,L),r);return u?S:S.endOf(V)},s=function(L,w){var}
S=[0,0,0,0],C=[23,59,59,999];return z.w(r.toDate()[L].apply(r.toDate("s"),(u?S:C).slice(w)),r)},_=ti
is._w,y=this._m,l=this._D,f="set"+(this._u?"UTC":"");switch(d){case K:return u?o(1,0):o(31,11);case</pre>
is. \[ \] \, y=this. \[ \] \, f="set"+(this. \[ \] \, f"" \] \ \ (1) \; case \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; case \[ \] \; cas
  in(this. D, _.daysInMonth())). d}else o&&this. d[o](s); return
  this.init(),this},t.set=function(i,e){return this.clone(). ☐set(i,e)},t.get=function(i){return}
  this[z.p(i)](), t.add=function(i,e) {var r=this,u;i=Number(i);var d=z.p(e),o=function(l){var}
 f=E(r); return z.w(f.date(f.date()+Math.round(l*i)),r)}; if(d===G) return this.set(G,this.\( \text{M+i}\); if(d===K) return this.set(K,this.\( \text{M+i}\); if(d===V) return o(1); if(d===oe) return
 o(7); var s=(u=\{\},u[ne]=ce,u[ie]=ge,u[te]=se,u)[d]||1,_=this.[d.getTime()+i*s;return z.w(_,this)],t.subtract=function(i,e){return this.add(i*-1,e)},t.format=function(i){var}
  e=this,r=this. \[locale(); if(!this.isValid()) return r.invalidDate||Se; var u=i||jn,d=z.z(this),o=this. \[
C?A.toLowerCase():A},L=function(S){switch(S){case"YY":return
  String(e. | y).slice(-2); case "YYYY": return z.s(e. | y,4,"0"); case "M": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; case "MM": return \_+1; ca
z.s(_+1,2,"0");case"MMM":return m(r.monthsShort, _,l,3);case"MMMM":return m(l,_);case"D":return e._D;case"DD":return z.s(e._D,2,"0");case"d":return String(e._W);case"dd":return m(r.weekdaysMin,e._W,y,2);case"ddd":return m(r.weekdaysShort,e._W,y,3);case"dddd":return y[e._W];case"H":return String(o);case"HH":return z.s(o,2,"0");case"h":return Y(1);case"hh":return
  Ý(2);case"a":return D(o,s,!0);case"A":return D(o,s,!1);case"m":return String(s);case"mm":return
z.s(s,2,"0");case"s":return String(e.\[]s);case"ss":return z.s(e.\[]s,2,"0");case"SSS":return
z.s(e.\[]ms,3,"0");case"Z":return d;default:break}return null\{\};return
u.replace(Hn,function(w,S)\{return S||L(w)||d.replace(":","")\{\}\},t.utcOffset=function()\{return-Math.round(this.\[]d.getTimezoneOffset()/15\{\},t.diff=function(i,e,r)\{\}var
  u=this,d=z.p(e),o=E(i),s=(o.utcOffset()-this.utcOffset())*ce,_=this-o,y=function(){return
z.m(u,o)},l;switch(d){case K:l=y()/12;break;case G:l=y();break;case he:l=y()/3;break;case oe:l=(_-s)/kn;break;case V:l=(_-s)/bn;break;case ie:l=_/ge;break;case ne:l=_/ce;break;case te:l=_/se;break;case je:l=_/ce;break;case te:l=_/se;break;case je:l=_/ce;break;case te:l=_/se;break;case je:l=_/ce;break;case te:l=_/se;break;case je:l=_/se;break;case je:l=_/ce;break;case te:l=_/se;break;case je:l=_/se;break;case his. \( \L; \var r = \text{this.clone}(), \( u = Me(i, e, !0); \) return \( u & & (r. \( \L = u), r \), t. \( clone = \text{function}() \) freturn
  z.w(this.]d,this)},t.toDate=function(){return new Date(this.valueOf())},t.toJSON=function(){return this.isValid()?this.toISOString():null},t.toISOString=function(){return
this. d.toISOString()},t.toString=function(){return this. d.toUTCString()},n}(),zn=ye.prototype;E.prototype=zn;[["dms",e],["ds",te],["dm",ne],["dh",ie],["dw",V],["dm",G],["dy",K],["dD",re]].forEach(function(n){zn[n[1]]=function(t){return this.dg(t,n[0],n[1])}});E.extend=function(n,t){return
 \begin{array}{ll} \text{n.} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} \\ \text{||} 
  ),1),qi=de(Nn(),1);0.extend(Ci.default);0.extend(Oi.default);0.extend(zi.default);0.extend(Ai.default)
  t);0.extend(qi.default);window.dayjs=0;function Qi({defaultFocusedDate:n,displayFormat:t,firstDayOfW
 eek:a,isAutofocused:i,locale:e,shouldCloseOnDateSelection:r,state:u}){let d=0.tz.guess();return{days InFocusedMonth:[],displayText:"",emptyDaysInFocusedMonth:[],focusedDate:null,focusedMonth:null,focusedYear:null,hour:null,isClearingState:!1,minute:null,second:null,state:u,defaultFocusedDate:n,dayLab
 els:[],months:[],init()\{0.locale([i[e]??[i.en),this.[nextTick(()=>\{this.focusedDate??(this.focusedDate=(this.getDefaultFocusedDate()??0()).tz(d)),this.focusedMonth??(this.focusedMonth=this.focusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocusedDate=(this.getDefaultFocused
    .month()),this.focusedYear??(this.focusedYear=this.focusedDate.year())});let o=this.getSelectedDate(
```

```
)??this.getDefaultFocusedDate()??0().tz(d).hour(0).minute(0).second(0);(this.getMaxDate()!==null&&o.
isAfter(this.getMinDate())||this.getMinDate()!==null&&o.isBefore(this.getMinDate()))&&(o=null),this.hour=o?.hour()??0,this.minute=o?.minute()??0,this.second=o?.second()??0,this.setDisplayText(),this.s
etMonths(), this.setDayLabels(), i&&this. nextTick(()=>this.togglePanelVisibility(this.refs.button)), this.nwatch("focusedMonth",()=>{this.focusedMonth=+this.focusedMonth,this.focusedDate.month()!==this
 .focusedMonth&&(this.focusedDate=this.focusedDate.month(this.focusedMonth))}),this.□watch("focusedYe
ar",()=>\{if(this.focusedYear?.length>4\&(this.focusedYear=this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYear.substring(0,4)),!this.focusedYea
usedYear||this.focusedYear?.length!==4)return:let s=+this.focusedYear:Number.isInteger(s)||(s=0().tz
(d).year(),this.focusedYear=s),this.focusedDate.year()!==s&&(this.focusedDate=this.focusedDate.year(s))}),this.□watch("focusedDate",()=>{let s=this.focusedDate.month(),_=this.focusedDate.year();this.focusedMonth!==s&&(this.focusedMonth=s),this.focusedYear!==_&&(this.focusedYear=_),this.setupDaysGrid
 ()}),this. ¬watch("hour",()=>{let s=+this.hour;if(Number.isInteger(s)?s>23?this.hour=0:s<0?this.hour=
23:this.hour=s:this.hour=0,this.isClearingState)return;let _=this.getSelectedDate()??this.focusedDate;this.setState(_.hour(this.hour??0))}),this._watch("minute",()=>{let s=+this.minute;if(Number.isInt
eger(s)?s>59?this.minute=0:s<0?this.minute=59:this.minute=s:this.minute=0,this.isClearingState)retur
n;let =this.getSelectedDate()??this.focusedDate;this.setState( .minute(this.minute??0))}),this.∏wat
ch("second",()=>{let s=+this.second;if(Number.isInteger(s)?s>59?this.second=0:s<0?this.second=59:thi
s.second=s:this.second=0,this.isClearingState)return;let =this.getSelectedDate()??this.focusedDate;
this.setState(_.second(this.second??0))}),this. \[ watch("state",()=>{if(this.state===void 0)return;let
s=this.getSelectedDate();if(s===null){this.clearState();return}this.getMaxDate()!==null&&s?.isAfter(
this.getMaxDate())&&(s=null),this.getMinDate()!==null&&s?.isBefore(this.getMinDate())&&(s=null);let
  _=s?.hour()??0;this.hour!==_&&(this.hour=_);let
=1),this.setDisplayText()})},clearState(){this.isClearingState=!0,this.setState(null),this.hour=0,th
is. refs?.disabledDates&JSON.parse(this. refs.disabledDates.value??[]).some(s=>(s=0(s),s.isValid()?s.isSame(o,"day"):!1))||this.getMaxDate()&&o.isAfter(this.getMaxDate(),"day")||this.getMinDate()&&o.isBefore(this.getMinDate(),"day"))},dayIsDisabled(o){return this.focusedDate??(this.focusedDate=0().tz(d)),this.dateIsDisabled(this.focusedDate.date(o))},dayIsSelected(o){let
s=this.getSelectedDate();return s===null?!1:(this.focusedDate??(this.focusedDate=0().tz(d)),s.date()
====0\&s.month()===this.focusedDate.month()\&s.year()===this.focusedDate.year())}, dayIsToday(o){let}
s=0().tz(d);return this.focusedDate??(this.focusedDate=s),s.date()===o&&s.month()===this.focusedDate
.month()&&s.year()===this.focusedDate.year()},focusPreviousDay(){this.focusedDate??(this.focusedDate = 0().tz(d)),this.focusedDate=this.focusedDate.subtract(1,"day")},focusPreviousWeek(){this.focusedDate e??(this.focusedDate=this.focusedDate=this.focusedDate.subtract(1,"week")},focusPreviousWeek(){this.focusedDate e??(this.focusedDate.subtract(1,"week")},focusPreviousWeek(){this.focusedDate.subtract(1,"week")},focusPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPreviousPre
 {this.focusedDate??(this.focusedDate=0().tz(d)),this.focusedDate=this.focusedDate.add(1,"day")},focu
sNextWeek(){this.focusedDate??(this.focusedDate=0().tz(d)),this.focusedDate=this.focusedDate.add(1,
week")},getDayLabels(){let o=0.weekdaysShort();return
a===0?o:[...o.slice(a),...o.slice(0,a)]},getMaxDate(){let o=0(this.□refs.maxDate?.value);return o.isValid()?o:null},getMinDate(){let o=0(this.□refs.minDate?.value);return
o.isValid()?o:null},getSelectedDate(){if(this.state===void 0||this.state===null)return null;let
o=0(this.state); return
o.isValid()?o:null},getDefaultFocusedDate(){if(this.defaultFocusedDate===null)return null;let
o=O(this.defaultFocusedDate);return o.isValid()?o:null},togglePanelVisibility(){this.isOpen()||(this.focusedDate=this.getSelectedDate()??this.focusedDate??this.getMinDate()??O().tz(d),this.setupDaysGr
ocusedDate? \ref{eq:cusedDate} (this.focusedDate=0().tz(d)), this.setState(this.focusedDate), r\&\&this.togglePanelVisibili
ty(), setDisplayText(){this.displayText=this.getSelectedDate()?this.getSelectedDate().format(t):""},
setMonths(){this.months=0.months()},setDayLabels(){this.dayLabels=this.getDayLabels()},setupDaysGrid
(){this.focusedDate??(this.focusedDate=0().tz(d)),this.emptyDaysInFocusedMonth=Array.from({length:th
is.focusedDate.date(8-
a).day(), (o,s)=>s+1), this.daysInFocusedMonth=Array.from({length:this.focusedDate.daysInMonth()},(o,s)=s+1)
s) = s+1), setFocusedDay(o) \{this.focusedDate=(this.focusedDate??0().tz(d)).date(o)\}, setState(o) \{if(o=1), setFocusedDate??0().tz(d)\}, setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(o=1), setFocusedDate?(
==null){this.state=null,this.setDisplayText();return}this.dateIsDisabled(o)||(this.state=o.hour(this
 .hour??0).minute(this.minute??0).second(this.second??0).format("YYYY-MM-DD
HH:mm:ss"),this.setDisplayText())},isOpen(){return this.prefs.panel?.style.display==="block"}}\var p
i={am:Fn(),ar:En(),bs:Jn(),ca:Un(),ckb:Re(),cs:Pn(),cy:Gn(),da:Rn(),de:Zn(),el:Vn(),en:Kn(),es:Qn(),
et:Xn(),fa:Bn(),fi:ei(),fr:ti(),hi:ni(),hu:ii(),hy:ri(),id:ai(),it:si(),ja:ui(),ka:oi(),km:di(),ku:R
e(),lt:_i(),lv:li(),ms:fi(),my:mi(),nb:ci(),nl:hi(),pl:Mi(),pt:yi(),pt_BR:Yi(),ro:pi(),ru:Li(),sr_Cy
rl:Di(),sr Latn:vi(),sv:qi(),th:Si(),tr:bi(),uk:ki(),ur:ji(),vi:Ti(),zh CN:Hi(),zh TW:wi()};export{0}
i as default};
```

```
var gr=0bject.define Property; var fr=(e,t)=>\{for(var i in t)gr(e,i,\{get:t[i],enumerable:!0\})\}; var na=(e,t)=>\{for(var i in t)gr(e,i,\{get:t[i],enumerable:!0\})\}; var na=(e,t)==(e,t)=>\{for(var i in t)gr(e,i,\{get:t[i],enumerable:!0\})\}; var na=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(e,t)=(
 {}; fr(na, {FileOrigin:()=>Ct, FileStatus:()=>Et, OptionTypes:()=>Gi, Status:()=>nl, create:()=>qt, destroy
   :()=>ft,find:()=>Wi,qetOptions:()=>Hi,parse:()=>Ui,registerPlugin:()=>ve,setOptions:()=>Ft,supported
 :()=>Vi});var hr=e=>e instanceof HTMLElement,br=(e,t=[],i=[])=>{let
 a=\{...e\}, n=[], l=[], o=()=>(\{...a\}), r=()=>\{let g=[...n]; return n.length=0,g\}, s=()=>\{let g=[...l]; l.length=0,g\}, s=()=[...l]; l.length=0
 gth=0,g.forEach((\{type:f,data:h\})=>\{p(f,h)\})\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{p(f,h)\}\}\},p=(g,f,h)=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=>\{if(h\&\&!document.hidden)\{l.push(\{type:g,data:h\})=\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\}=\{if(h\&\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!document.hidden)\}=\{if(h\&!d
 a:f});return}u[g]&&u[g](f),n.push({type:g,data:f})),c=(g,...f)=>m[g]?m[g](...f):null,d={getState:o,p}
rocessActionQueue:r,processDispatchQueue:s,dispatch:p,query:c},m={};t.forEach(g=>{m={...g(a),...m}});let u={};return i.forEach(g=>{u={...g(p,c,a),...u}}),d},Er=(e,t,i)=>{if(typeof i=="function"){e[t]=i;return}Object.defineProperty(e,t,{...i})},te=(e,t)=>{for(let i in
 e)e.has0wnProperty(i)&t(i,e[i]),We=e=>{let t={};return
 te(e,i=>\{Er(t,i,e[i])\}),t\}, se=(e,t,i=null)=>\{if(i===null)return\ e.getAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||e.hasAttribute(t)||
 ;e.setAttribute(t,i)},Tr="http://www.w3.org/2000/svg",Ir=["svg","path"],Pa=e=>Ir.includes(e),li=(e,t
,i={})=>{typeof t=="object"&&(i=t,t=null);let
a=Pa(e)?document.createElementNS(Tr,e):document.createElement(e);return
 t\&\&(Pa(e)?se(a,"class",t):a.className=t),te(i,(n,l)=>\{se(a,n,l)\}),a\},vr=e=>(t,i)=>\{typeof(a,n,l)\})
 i<"u"\&\&e.children[i]?e.insertBefore(t,e.children[i]):e.appendChild(t)}, xr=(e,t)=>(i,a)=>(typeof a<"u=1)
  "?t.splice(a,0,i):t.push(i),i),yr=(e,t)=>i=>(t.splice(t.index0f(i),1),i.element.parentNode&&e.remove
Child(i.element),i),Rr=typeof window<"u"&&typeof window.document<"u",bn=()=>Rr,Sr=bn()?li("svg"):{},_r="children"in
 Sr?e=>e.children.length:e=>e.childNodes.length,En=(e,t,i,a)=>{let n=i[0]||e.left,l=i[1]||e.top,o=n+e
    .width, r = l + e.height*(a[1]||1), s = {element: {...e}, inner: {left:e.left, top:e.top, right:e.right, bottom:e.}
 bottom},outer:{left:n,top:l,right:o,bottom:r}};return t.filter(p=>!p.isRectIgnored()).map(p=>p.rect)
. for Each(p=>\{za(s.inner,\{\dots p.inner\}), za(s.outer,\{\dots p.outer\})\}), 0a(s.inner), s.outer.bottom+=s.element.marginBottom, s.outer.right+=s.element.marginRight, 0a(s.outer), s\}, za=(e,t)=>\{t.top+=e.top,t.right+=s.element.marginBottom, s.outer.right+=s.element.marginBottom, s.outer.right+=s.e
 =e.left,t.bottom+=e.top,t.left+=e.left,t.bottom>e.bottom&&(e.bottom=t.bottom),t.right>e.right&&(e.ri
 ght=t.right)},Oa=e=>{e.width=e.right-e.left,e.height=e.bottom-e.top}, ☐e=e=>typeof e=="number",wr=(e,
 \dot{t},i,a=.001)=>Math.abs(e-t)<a&\text{Math.abs(i)<a,Lr=({stiffness:e=.5,damping:t=.75,mass:i=10}={})=>{let
 a=null, n=null, l=0, o=!1, p=We(\{interpolate: (c,d)=>\{if(o)return; if(!([e(a)\&\&|e(n)))\{o=!0,l=0; return\}\}let
a)*e;l+=m/i,n+=l,l*=t,wr(n,a,l)||d?(n=a,l=0,o=!0,p.onupdate(n),p.oncomplete(n)):p.onupdate(n)},targe t:{set:c=>{if([e(c)\&\&!]e(n)\&\&(n=c),a===null\&\&(a=c,n=c),a=c,n===a||typeof|a>"u")}{o=!0,l=0,p.onupdate(n)}
 n), p.oncomplete(n); return0=!1, get:()=>a0, resting:0, onupdate:c=>0, oncomplete:c=>0, oncomplet
 urn p}; var Mr = e > e < .5?2 * e * e : -1 + (4 - 2 * e) * e, Ar = ({duration : e = 500, easing : t = Mr, delay : i = 0} = {} = 0} = {} = 0
  n, 1, 0 = 0, r = 1, s = null, c = We(\{interpolate: (d, m) = >\{o \mid s = = null\} (a = = null \& (a = d), ! (d - a < i) & (n = d - a - a - a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d > a < d 
 i, n >= e \mid m?(n=1, l=r?0:1, c.onupdate(l*s), c.oncomplete(l*s), o=!0): (l=n/e, c.onupdate((n>=0?t(r?1-l=n/e)))
 l:l):0)*s)))), target:{get:()=>r?0:s,set:d=>{if(s===null){s=d,c.onupdate(d),c.oncomplete(d);return}d}
 <s?(s=1,r=!0):(r=!1,s=d),o=!1,a=null}},resting:{get:()=>o},onupdate:d=>{},oncomplete:d=>{}});return
c},Fa={spring:Lr,tween:Ar},Pr=(e,t,i)=>{let a=e[t]&&typeof
e[t][i]=="object"?e[t][i]:e[t]||e,n=typeof a=="string"?a:a.type,l=typeof
 a=="object"?{...a}:{};return
 Fa[n]?Fa[n](l):null\}, ji=(e,t,i,a=!1)=>\{t=Array.isArray(t)?t:[t],t.forEach(n=>\{e.forEach(l=>\{leto=l,r=()=>i[l],s=p=>i[l]=p;typeofl=="object"&&(o=l,key,r=l.getter||r,s=l.setter||s),!(n[o]&&!a)&&(n=l,r=()=>i[l],s=p=>i[l]=p;typeofl=="object"&&(o=l,key,r=l.getter)|r,s=l.setter||s),!(n[o]&&!a)&&(n=l,r=()=>i[l],s=p=>i[l]=p;typeofl=="object"&&(o=l,key,r=l.getter)|r,s=l.setter)|s),!(n[o]&&!a)&&(n=l,r=()=>i[l],s=p=>i[l]=p;typeofl=="object"&&(o=l,key,r=l.getter)|r,s=l.setter)|s),!(n[o]&&!a)&&(n=l,r=()=>i[l],s=p=>i[l]=p;typeofl==s),!(n[o]=l,key,r=l.getter)|r,s=l.setter)|s),!(n[o]=l,key,r=l.getter)|s|,!(n[o]=l,key,r=l,key,r=l.getter)|s|,!(n[o]=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,key,r=l,k
 [o]={get:r,set:s})})})}),zr=({mixinConfig:e,viewProps:t,viewInternalAPI:i,viewExternalAPI:a})=>{let
 n=\{\ldots t\}, l=[]; return \ te(e,(o,r)=>\{let \ s=Pr(r); if(!s) \ return; s. onupdate=c=>\{t[o]=c\}, s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], ji([o]=c], s. target=n[o], s. target=n[o], ji([o]=c], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. target=n[o], s. targ
 \{ \text{key:o,setter:c=>} \{ \text{s.target!==c\&} \{ \text{s.target=c} \}, \text{getter:()=>t[o]} \} , [\text{i,a}], \text{t,!0}, \text{l.push(s)} \} ), \{ \text{write:o=>} \{ \text{et r=document.hidden,s=!0; return l.forEach(p=>} \{ \text{p.resting} | | (\text{s=!1}), \text{p.interpolate} (\text{o,r)} \} ), \text{s} \}, \text{destroy:()=resting} \} 
 \{\}\}, 0 = e=>(t,i)=>{e.addEventListener(t,i)}, 0 Fr=e=>(t,i)=>{e.removeEventListener(t,i)}, 0 Dr=(0 MixinCon
 fig:e,viewProps:t,viewInternalAPI:i,viewExternalAPI:a,viewState:n,view:l})=>{let
o=[], r=Or(l.element), s=Fr(l.element); return a.on=(p,c)=>\{o.push(\{type:p,fn:c\}), r(p,c)\}, a.off=(p,c)=>\{o.splice(o.findIndex(d=>d.type===p&&d.fn===c),1), s(p,c)\}, \{write:()=>!0, destroy:()=>\{o.forEach(p=>\{s(p.type,p.fn)\})\}\}\}, C=(\{mixinConfig:e,viewProps:t,viewExternalAPI:i\})=>\{ji(e,i,t)\}, ue=e=>e!=null, Br==(p.type,p.fn)\})
  {opacity:1,scaleX:1,scaleY:1,translateX:0,translateY:0,rotateX:0,rotateY:0,rotateZ:0,originX:0,origi
 nY:0},Nr=({mixinConfig:e,viewProps:t,viewInternalAPI:i,viewExternalAPI:a,view:n})=>{let
 l={...t}, o={}; ji(e,[i,a],t); let r=()=>[t.translateX||0,t.translateY||0], s=()=>[t.scaleX||0,t.scaleY||0]
 |0],p=()=>n.rect?En(n.rect,n.childViews,r(),s()):null;return
i.rect={get:p},a.rect={get:p},e.forEach(c=>{t[c]=typeof
 l[c]>"u"?Br[c]:l[c]\}), \\ \{write:()=>\{if(kr(o,t))return\ Vr(n.element,t),0bject.assign(o,\{\ldots t\}),!0\}, dest\}\}
 roy:()=>{}}},kr=(e,t)=>{if(Object.keys(e).length!==Object.keys(t).length)return!0;for(let i in t)if(
 t[i]!==e[i])return!0;return!1},Vr=(e,{opacity:t,perspective:i,translateX:a,translateY:n,scaleX:l,sca
 leY:o,rotateX:r,rotateY:s,rotateZ:p,originX:c,originY:d,width:m,height:u})=>{let
. length\&\&(f+=`transform:[]{g};`), ue(t)\&\&(f+=`opacity:[]{t};`, t===0\&\&(f+="visibility:hidden;"), t<1\&\&(f+="visibility:hidden;"), t<1&&(f+="visibility:hidden;"), t<1&(f+="visibility:hidden;"), 
 ="pointer-events:none;")), ue(u)&&(f+= height:[u]px; ), ue(m)&&(f+= width:[m]px; ); let h=e.elementCurrentStyle||"";(f.length!==h.length||f!==h)&&(e.style.cssText=f,e.elementCurrentStyle=f)},Gr={styles}
  : Nr, listeners: Dr, animations: zr, apis: Cr\}, Da=(e=\{\}, t=\{\}, i=\{\}, 
 eInt(i.paddingTop,10) | |0,e.marginTop=parseInt(i.marginTop,10) | |0,e.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseInt(i.marginRight=parseI
 t,10)||0,e.marginBottom=parseInt(i.marginBottom,10)||0,e.marginLeft=parseInt(i.marginLeft,10)||0,t.l
ayoutCalculated=!0),e.left=t.offsetLeft||0,e.top=t.offsetTop||0,e.width=t.offsetWidth||0,e.height=t.offsetHeight||0,e.right=e.left+e.width,e.bottom=e.top+e.height,e.scrollTop=t.scrollTop,e.hidden=t.of
```

```
fsetParent===null,e), ne=(\{tag:e="div",name:t=null,attributes:i=\{\},read:a=()=>\{\},write:n=()=>\{\},creat,attributes:i=\{\},read:a=()=>\{\},write:n=()=>\{\},creat,attributes:i=\{\},read:a=()=>\{\},write:n=()=>\{\},creat,attributes:i=\{\},read:a=()=>\{\},write:n=()=>\{\},creat,attributes:i=\{\},read:a=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},write:n=()=>\{\},wr
\[ \tag{t}^\,i), h=\tindow.getComputedStyle(f,null), I=Da(), b=null, T=!1, v=[], y=[], E=\{}, _=\{}, x=[n], R=[a], z=[o], P=()=>f, A=()=>v.concat(), B=()=>E, w=k=>(H,Y)=>H(k,Y), O=()=>b||(b=En(I,v,[0,0],[1,1]), b), S=()=>h, L=()=\times_{A}(b) = \times_{A}(b) frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{1}{2} \left( \frac{1}{2} \right)^{1/2} - \frac{
 ee(\{props:g,root:K,actions:H,timestamp:k,should0ptimize:Y\}) ===!1\& \{(oe=\overline{!}1)\}),y.forEach(ee=>\{ee.write(instance)\}) ===!1
 k) = = !1\&(oe=!1)), v.filter(ee=!!ee.element.parentNode).forEach(ee=>{ee.write(k,r(ee,H),Y)||(oe=!1))} 
 )}), v.forEach((ee,dt)=>{ee.element.parentNode||(K.appendChild(ee.element.dt),ee._read(),ee._write(k,r(ee,H),Y),oe=!1)}), T=oe,p({props:g,root:K,actions:H,timestamp:k}),oe},F=()=>{y.forEach(k=>k.destroy)}
  ()),z.forEach(k=>{k({root:K,props:g})}),v.forEach(k=>k._destroy())},G={element:{get:P},style:{get:S}
    childViews:{get:A}},C={...G,rect:{get:O},ref:{get:B},is:k=>t===k,appendChild:vr(f),createChildView;
 w(u),linkView:k=>(v.push(k),k),unlinkView:k=>{v.splice(v.indexOf(k),1)},appendChildView:xr(f,v),remo
 veChildView:yr(f,v),registerWriter:k=>x.push(k),registerReader:k=>R.push(k),registerDestroyer:k=>z.p
 ush(k),invalidateLayout:()=>f.layoutCalculated=!1,dispatch:u.dispatch,query:u.query},q={element:{get
 :P},childViews:{get:A},rect:{get:O},resting:{get:()=>T},isRectIgnored:()=>c,_read:L,_write:D,_destroy:F}, _={...G,rect:{get:()=>I}};Object.keys(m).sort((k,H)=>k==="styles"?1:H==="styles"?-
 1:0).forEach(k=>{let H=Gr[k]({mixinConfig:m[k],viewProps:g,viewState:_,viewInternalAPI:C,viewExternalAPI:q,view:We(\bigcirc)});H&&y.push(H)});let K=We(C);l({root:K,props:g});let pe=_r(f);return
 v.forEach((k,H)=>\{K.appendChild(k.element,pe+H)\}),s(K),We(q)\},Ur=(e,t,i=60)=>\{let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a="_k,let a=
    ; if(window[a]) \{ window[a].readers.push(e), window[a].writers.push(t); return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a] = \{ \overline{readers} : [e], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), return \} window[a], writers.push(t), writers.push(t), return \} window[a], writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), writers.push(t), 
 ters:[t]};let n=window[a],l=le3/i,o=null,r=null,s=null,p=null,c=()=>{document.hidden?(s=()=>window.s
 etTimeout(()=>d(performance.now()),l),p=()=>window.clearTimeout(r)):(s=()=>window.requestAnimationFr
 ame(d), p=()=>window.cancelAnimationFrame(r)); document.addEventListener("visibilitychange",()=>{p&&p}
  (),c(),d(performance.now())); let d=m=>\{r=s(d),o||(o=m);let
 .now()),{pause:()=>{p(r)}}},fe=(e,t)=>({root:i,props:a,actions:n=[],timestamp:l,shouldOptimize:o})=>
 {n.filter(r=>e[r.type]).forEach(r=>e[r.type]({root:i,props:a,action:r.data,timestamp:l,shouldOptimiz
 e:o})),t&&t({root:i,props:a,actions:n,timestamp:l,shouldOptimize:o})},Ca=(e,t)=>t.parentNode.insertB
efore(e,t),Ba=(e,t)=>t.parentNode.insertBefore(e,t.nextSibling),ci=e=>Array.isArray(e),ke=e=>e=null,Wr=e=>e.trim(),di=e=>""+e,Hr=(e,t=",")=>ke(e)?[]:ci(e)?e:di(e).split(t).map(Wr).filter(i=>i.length),Tn=e=>typeof e=="boolean",In=e=>Tn(e)?e:e==="true",ge=e=>typeof e=="string",vn=e=>[e(e)?e:ge(e)?di(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e).split(e
 e).replace(/[a-
 z]+/gi,""):0, \\ \text{ni}=e=>parseInt(vn(e),10), \\ \text{Na}=e=>parseFloat(vn(e)), \\ \text{bt}=e=>[e(e)\&\&isFinite(e)\&\&Math.floor(e),10), \\ \text{print}=e=>parseInt(vn(e),10), \\ \text{print}=e=>p
)===e, ka=(e, t=1e3)=>{if(bt(e))return e;let i=di(e).trim();return/MB[]/i.test(i)?(i=i.replace(/MB[i/, ").trim(),ni(i)*t*t):/KB/i.test(i)?(i=i.replace(/KB[i/, "").trim(),ni(i)*t):ni(i)},Xe=e=>typeofe=="function",jr=e=>{let t=self,i=e.split("."),a=null;for(;a=i.shift();)if(t=t[a],!t)return
tt; /va={process:"POST",patch:"PATCH",revert:"DELETE",fetch:"GET",restore:"GET",load:"GET"},Yr=e=>{let
t={};return t.url=ge(e)?e:e.url||"",t.timeout=e.timeout?parseInt(e.timeout,10):0,t.headers=e.headers
?e.headers:{},te(Va,i=>{t[i]=qr(i,e[i],Va[i],t.timeout,t.headers)}),t.process=e.process||ge(e)||e.ur
l?t.process:null,t.remove=e.remove||null,delete t.headers,t},qr=(e,t,i,a,n)=>{if(t===null)return
null;if(typeof t=="function")return t;let l={url:i==="GET"||i==="PATCH"?`?[{e}=`:"",method:i,headers
   :n,withCredentials:!1,timeout:a,onload:null,ondata:null,onerror:null};if(ge(t))return
 l.url=t,l;if(Object.assign(l,t),ge(l.headers)){let
o=l.headers.split(/:(.+)/);l.headers={header:o[0],value:o[1]}}return l.withCredentials=In(l.withCredentials),l},_{r=e}re=>Yr(e),Xr=e=>e==null,ce=e=>typeof e=="object"&&e!==
null,Kr=e=>ce(e)&&ge(e.url)&&ce(e.process)&&ce(e.revert)&&ce(e.restore)&&ce(e.fetch),zi=e=>ci(e)?"ar
ray":Xr(e)?"null":bt(e)?"int":/^[0-9]+ ?(?:GB|MB|KB)[/gi.test(e)?"bytes":Kr(e)?"api":typeof e,Qr=e=>
e.replace(/{\s*'/g,'{"'}}.replace(/'\s*/g,'"}').replace(/'\s*:/g,'":').replace(/:\s*'/g,':"').replace
e(/,\s*'/g,',"').replace(/'\s*,/g,'",'),Zr={array:Hr,boolean:In,int:e=>zi(e)==="bytes"?ka(e):ni(e),n
umber:Na,float:Na,bytes:ka,string:e=>Xe(e)?e:di(e),function:e=>jr(e),serverapi:[r,object:e=>{try{ret
  urn \ JSON.parse(Qr(e)) \} catch \{return \ null\}\}, \\ Jr=(e,t)=> Zr[t](e), \\ xn=(e,t,i)=> \{if(e===t) \ return \ e; let \ return \ e \} \} \}. 
 a=zi(e);if(a!==i){let n=Jr(e,i);if(a=zi(n),n===null)throw`Trying to assign value with incorrect type
 to "[\{option\}]", allowed type: "[\{i\}]"; e=n}return e}, es=(e,t)=>{[et]
i=e;return{enumerable:!0,get:()=>i,set:a=>{i=xn(a,e,t)}}},ts=e=>{let t={};return te(e,i=>{let a=e[i];t[i]=es(a[0],a[1])}),We(t)},is=e=>({items:[],listUpdateTimeout:null,itemUpdateTimeout:null,processingQueue:[],options:ts(e)}),pi=(e,t="-")=>e.split(/(?=[A-
\label{eq:continuous} (). to String (36). substring (2,11), qi=(e,t)=>e.splice(t,1), os=(e,t)=>\{t?e():document.hidden?Promise.resolve(1).then(e):setTimeout(e,0)\}, mi=()=>\{let e=[],t=(a,n)=>\{qi(e,e.findIndex(l=>l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(l.cb==l.event===a&&(
 = n \mid | \mid ! \mid n))), i = (a, n, l) = \{e.filter(o = > o.event = = a).map(o = > o.cb).forEach(o = > os(() = > o(...n), l))\}; return\{formula = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, long = a, lo
 ireSync:(a,...n)=>\{i(a,n,!0)\},fire:(a,...n)=>\{i(a,n,!1)\},on:(a,n)=>\{e.push(\{event:a,cb:n\})\},on0nce:(a,n)=
 s(e).filter(a=>!i.includes(a)).forEach(a=>0bject.defineProperty(t,a,0bject.getOwnPropertyDescriptor(e,a)))},rs=["fire","process","revert","load","on","off","onOnce","retryLoad","extend","archive","archived","released","released","requestProcessing","freeze"],he=e=>{let t={};return yn(e,t,rs),t},ss=e=>{e.forEach((t,i)=>{t.released&Qqi(e,i)})},U={INIT:1,IDLE:2,PROCESSING_QUEUED:9,PROCESSING:3,PROCESS
```

```
ING COMPLETE:5, PROCESSING ERROR:6, PROCESSING REVERT ERROR:10, LOADING:7, LOAD ERROR:8}, re={INPUT:1, LIM
 \begin{array}{l} \text{Royer} = \{\text{INPOT}: 1, \text{Lim} \\ \text{Bo}: 2, \text{LOCAL}: 3\}, \text{Rn} = \text{e} > /[^0-9] + /. \text{exec}(e), \text{Sn} = () = \text{Rn}(1.1.\text{toLocaleString}())[0], \text{cs} = () = \text{let} \\ \text{e} = \text{Sn}(), \text{t} = \text{le3}.\text{toLocaleString}(); \text{return } \text{t} != \text{"}1000"; \text{Rn}(\text{t})[0] := \text{e} = \text{"."?", ":"."}, \text{M} = \{\text{BOOLEAN}: \text{"boolean", INT:"} \\ \text{int", NUMBER: "number", STRING: "string", ARRAY: "array", OBJECT: "object", FUNCTION: "function", ACTION: "action", SERVER_API: "serverapi", REGEX: "regex"}, \( \] i= [], Ae=(e, t, i) = \text{new Promise}((a, n) = \text{let} \\ \text{l} = []i.\text{filter}(r = \text{r.key} = = e). \text{map}(r = \text{r.cb}); \text{if}(l.\text{length} = = e) \{a(t); \text{return}\} \text{let} \ o= l.\text{shift}(); l.\text{reduce}((r, s) = \text{r.chor.}) \} \\ \text{l} = (a(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t), b(t),
  r.then(p=>s(p,i)),o(t,i)).then(r=>a(r)).catch(r=>n(r))}),tt=(e,t,i)=> \square i.filter(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=>a.key===e).map(a=a.key===e).map(a=a.key===e).map(a=a.key===e).map(a=a.key===e).map(a=a.key===e).map(a=a.key===e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key==e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.key=e).map(a=a.k
a.cb(t,i)),ds=(e,t)=>\(\text{inen(r=>a(r)).catch(r=>h(r))}\),t=(e,t,1)=>\(\text{litter(a=>a.key===e}).\)\),ms=e=>\(\text{toe(e,t)}\),ms=e=>\(\text{toe(e,t)}\),ms=e=>\(\text{toe(e,t)}\),ms=e=>\(\text{toe(e,t)}\),pt=\(\text{id:[null,M.STRING]},name:["filepond",M.STRING]}\),disabled:[!1,M.BOOLEAN],className:[null,M.STRING],required:[!1,M.BOOLEAN],captureMethod:[null,M.STRING]\)
  ING], allowSyncAcceptAttribute:[!0,M.B00LEAN], allowDrop:[!0,M.B00LEAN], allowBrowse:[!0,M.B00LEAN], all
  owPaste:[!0,M.BOOLEAN],allowMultiple:[!1,M.BOOLEAN],allowReplace:[!0,M.BOOLEAN],allowRevert:[!0,M.BO
  OLEAN], allowRemove: [!0, M.BOOLEAN], allowProcess: [!0, M.BOOLEAN], allowReorder: [!1, M.BOOLEAN], allowDirec
  toriesOnly:[!1,M.BOOLEAN],storeAsFile:[!1,M.BOOLEAN],forceRevert:[!1,M.BOOLEAN],maxFiles:[null,M.INT],checkValidity:[!1,M.BOOLEAN],itemInsertLocationFreedom:[!0,M.BOOLEAN],itemInsertLocation:["before"
  ,M.STRING],itemInsertInterval:[75,M.INT],dropOnPage:[!1,M.BOOLEAN],dropOnElement:[!0,M.BOOLEAN],dropValidation:[!1,M.BOOLEAN],ignoredFiles:[[".ds_store","thumbs.db","desktop.ini"],M.ARRAY],instantUplo
  ad:[!0,M.BOOLEAN],maxParallelUploads:[2,M.INT],allowMinimumUploadDuration:[!0,M.BOOLEAN],chunkUpload
 s:[!1,M.BOOLEAN],chunkForce:[!1,M.BOOLEAN],chunkSize:[5e6,M.INT],chunkRetryDelays:[[500,1e3,3e3],M.A RRAY],server:[null,M.SERVER_API],fileSizeBase:[1e3,M.INT],labelFileSizeBytes:["bytes",M.STRING],labe
  lFileSizeKilobytes:["KB",M.\text{STRING}],labelFileSizeMegabytes:["MB",M.\text{STRING}],labelFileSizeGigabytes:["G
  B", M. STRING], label Decimal Separator: [Sn(), M. STRING], label Thousands Separator: [cs(), M. STRING], label Idle and the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the
  :['Drag & Drop your files or <span class="filepond--label-
 action">Browse</span>',M.STRING],labelInvalidField:["Field contains invalid files",M.STRING],labelFileWaitingForSize:["Waiting for
  size",M.STRING],labelFileSizeNotAvailable:["Size not
  available", M. STRING], labelFileCountSingular:["file in list", M. STRING], labelFileCountPlural:["files
  in list", M.STRING], labelFileLoading: ["Loading", M.STRING], labelFileAdded: ["Added", M.STRING], labelFile
  LoadError: ["Error during
load",M.STRING],labelFileRemoved:["Removed",M.STRING],labelFileRemoveError:["Error during
remove",M.STRING],labelFileProcessing:["Uploading",M.STRING],labelFileProcessingComplete:["Upload
complete",M.STRING],labelFileProcessingAborted:["Upload
  cancelled", M.STRING], labelFileProcessingError: ["Error during
  upload",M.STRING],labelFileProcessingRevertError:["Error during
revert",M.STRING],labelTapToCancel:["tap to cancel",M.STRING],labelTapToRetry:["tap to
retry", M.STRING], labelTapToUndo:["tap to undo", M.STRING], labelButtonRemoveItem:["Remove", M.STRING], labelButtonAbortItemLoad:["Abort", M.STRING], labelButtonRetryItemLoad:["Retry", M.STRING], labelButtonAbortItemProcessing:["Cancel", M.STRING], labelButtonUndoItemProcessing:["Undo", M.STRING], labelButtonRetryItemProcessing:["Retry", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:["Upload", M.STRING], labelButtonProcessing:
 131-2.293 2.293a1 1 0 0 0 1.414 1.414L13 14.44142.293 2.293a1 1 0 0 0 1.414-1.414L14.414
1312.293-2.293a1 1 0 0 0-1.414-1.414L13 11.5861-2.293-2.293a1 1 0 0 0-1.414 1.414L11.586 13z"
13l2.293-2.293a1 1 0 0 0-1.414-1.414L13 11.586l-2.293-2.293a1 1 0 0 0-1.414 1.414L11.586 13z" fill="currentColor" fill-rule="nonzero"/></svg>',M.STRING],iconProcess:['<svg width="26" height="26" viewBox="0 0 26 26" xmlns="http://www.w3.org/2000/svg"><path d="M14 10.414v3.585a1 1 0 0 1-2 0v-3.585l-1.293 1.293a1 1 0 0 1-1.414-1.415l3-3a1 1 0 0 1 1.414 0l3 3a1 1 0 0 1-1.414 1.415L14 10.414zM9 18a1 1 0 0 1 0-2h8a1 1 0 0 1 0 2H9z" fill="currentColor" fill-rule="evenodd"/></svg>',M.STRING],iconRetry:['<svg width="26" height="26" viewBox="0 0 26 26" xmlns="http://www.w3.org/2000/svg"><path d="M10.81 9.185l-.038.02A4.997 4.997 0 0 0 8 13.683a5 5 0 0 0 5 5 5 5 0 0 0 5-5 1 1 0 0 1 2 0A7 7 0 1 1 9.722 7.496l-.842-.21a.999.999 0 1 1 .484-1.94l3.23.806c.535.133.86.675.73 1.21l-.804 3.23a.997.997 0 0 1-1.21.73.997.997 0 0 1-73-1.21l.23-.928v-.002z" fill="currentColor" fill-rule="nonzero"/></svg>',M.STRING] iconNindo:['<svg width="26" height="26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" viewBox="0 0 26 26" 
rule="nonzero"/></svg>',M.STRING],iconUndo:['<svg width="26" height="26" viewBox="0 0 26 26" xmlns="http://www.w3.org/2000/svg"><path d="M9.185 10.811.02-.038A4.997 4.997 0 0 1 13.683 8a5 5 0 0 1 5 5 5 5 0 0 1-5 5 1 1 0 0 0 0 2A7 7 0 1 0 7.496 9.7221-.21-.842a.999.999 0 1 0-1.94.4841.806
 3.23c.133.535.675.86 1.21.73l3.233-.803a.997.997 0 0 0 .73-1.21.997.997 0 0 0-1.21-.73l-.928.23-.002-.001z" fill="currentColor" fill-
 rule="nonzero"/></svg>',M.STRING],iconDone:['<a vg width="26" height="26" viewBox="0 0 26 26" xmlns="http://www.w3.org/2000/svg"><path d="M18.293 9.293a1 1 0 0 1 1.414 1.414l-7.002 7a1 1 0 0 1-1.414 0l-3.998-4a1 1 0 1 1 1.414-1.414L12 15.586l6.294-6.293z" fill="currentColor" fill-rule="nonz"
  ero"/></svg>',M.STRING],oninit:[null,M.FUNCTION],onwarning:[null,M.FUNCTION],onerror:[null,M.FUNCTIO
  N], onactivatefile: [null, M. FUNCTION], oninitfile: [null, M. FUNCTION], onaddfilestart: [null, M. FUNCTION], on
  addfileprogress:[null,M.FUNCTION],onaddfile:[null,M.FUNCTION],onprocessfilestart:[null,M.FUNCTION],o
  nprocessfileprogress:[null,M.FUNCTION],onprocessfileabort:[null,M.FUNCTION],onprocessfilerevert:[nul
  l,M.FUNCTION],onprocessfile:[null,M.FUNCTION],onprocessfiles:[null,M.FUNCTION],onremovefile:[null,M.
  FUNCTION], onpreparefile: [null, M.FUNCTION], onupdatefiles: [null, M.FUNCTION], onreorderfiles: [null, M.FUNCTION]
  CTION], beforeDropFile:[null,M.FUNCTION], beforeAddFile:[null,M.FUNCTION], beforeRemoveFile:[null,M.FUN
 CTION], beforePrepareFile:[null,M.FUNCTION], stylePanelLayout:[null,M.STRING], stylePanelAspectRatio:[null,M.STRING], styleItemPanelAspectRatio:[null,M.STRING], styleButtonRemoveItemPosition:["left",M.STRI
 NG],styleButtonProcessItemPosition:["right",M.STRING],styleLoadIndicatorPosition:["right",M.STRING],styleProgressIndicatorPosition:["right",M.STRING],styleButtonRemoveItemAlign:[!1,M.BOOLEAN],files:[[],M.ARRAY],credits:[["https://pqina.nl/","Powered by
  PQINA"], M.ARRAY]\}, Ke=(e,t)=>ke(t)?e[0]||null:bt(t)?e[t]||null:(typeof)
  t = "object" \&\&(t = t.id), e.find(i = > i.id = = t) | |null), n = e = \\ \{if(ke(e)) return e; if(/:/.test(e)) \{ let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.id | let = t.i
```

```
t=e.split(":");return t[1]/t[0]}return parseFloat(e)},Pe=e=>e.filter(t=>!t.archived),wn={EMPTY:0,IDL
 E:1,ERROR:2,BUSY:3,READY:4},Zt=null,us=()=>{if(Zt===null)try{let e=new DataTransfer;e.items.add(new
 File(["hello world"], "This Works.txt")); let t=document.createElement("input"); t.setAttribute("type"
    "file"),t.files=e.files,Zt=t.files.length===1}catch{Zt=!1}return Zt},gs=[U.LOAD_ERROR,U.PROCESSING_E
 RROR, U. PROCESSING REVERT ERROR], fs=[U.LOADING, U.PROCESSING, U.PROCESSING QUEUED, Ū.INIT], hs=[U.PROCESS
 ING COMPLETE], bs=e=>gs.includes(e.status), Es=e=>fs.includes(e.status), Ts=e=>hs.includes(e.status), Ga
 =e=>ce(e.options.server)&&(ce(e.options.server.process)||Xe(e.options.server.process)), is=e=>({GET S
 TATUS:()=>{let t=Pe(e.items),{EMPTY:i,ERROR:a,BUSY:n,IDLE:l,READY:o}=wn;return t.length===0?i:t.some
(bs)?a:t.some(Es)?n:t.some(Ts)?o:l},GET_ITEM:t=>Ke(e.items,t),GET_ACTIVE_ITEM:t=>Ke(Pe(e.items),t),GET_ACTIVE_ITEMS:()=>Pe(e.items),GET_ITEMS:()=>e.items,GET_ITEM_NAME:t=>{let i=Ke(e.items,t);return}
 i?i.filename:null}.GET ITEM SIZE:t=>{let i=Ke(e.items,t);return i?i.fileSize:null}.GET STYLES:()=>0b
 ject.keys(e.options).filter(t=>/^style/.test(t)).map(t=>({name:t,value:e.options[t]})),GET_PANEL_ASP
 ECT RATIO:()=>/circle/.test(e.options.stylePanelLayout)?1: n(e.options.stylePanelAspectRatio),GET IT
 EM PANEL ASPECT RATIO:()=>e.options.styleItemPanelAspectRatio,GET ITEMS BY STATUS:t=>Pe(e.items).fil
ter(i=>i.status===t),GET_TOTAL_ITEMS:()=>Pe(e.items).length,SHOULD_UPDATE_FILE_INPUT:()=>e.options.s
toreAsFile&&us()&&!Ga(e),IS_ASYNC:()=>Ga(e),GET_FILE_SIZE_LABELS:t=>({labelBytes:t("GET_LABEL_FILE_SIZE_BYTES")||void 0,labelKilobytes:t("GET_LABEL_FILE_SIZE_KILOBYTES")||void 0,labelMegabytes:t("GET_LABEL_FILE_SIZE_MEGABYTES")||void 0,labelGigabytes:t("GET_LABEL_FILE_SIZE_GIGABYTES")||void 0})),vs=e=>{let
 t=Pe(e.items).length;if(!e.options.allowMultiple)return t===0;let i=e.options.maxFiles;return i===nu
 |t|/t<1, Ln=(e,t,i)=>Math.max(Math.min(i,e),t),xs=(e,t,i)=>e.splice(t,0,i),ys=(e,t,i)=>ke(t)?null:ty
 peof i = u"?(e.push(t),t): (i=Ln(i,0,e.length), xs(e,i,t),t), 0i=e=>/^s*data: ([a-z]+/[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9-+.]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(;[a-z0-9--]+(
peof 1>"u"?(e.pusn(t),t):(1=Ln(1,0,e.tengtn),xs(e,1,t),t),01=e=>/~\s*data:([a-2]+\/[a-20-9-+.]+(;[a-z-1]+=[a-z0-9-]+)?)?(;base64)?,([a-z0-9!□&',()*+;=\-
._~:@\/?%\s]*)\s*□/i.test(e),Dt=e=>`□{e}`.split("/").pop().split("?").shift(),ui=e=>e.split(".").pop
(),Rs=e=>{if(typeof e!="string")return"";let t=e.split("/").pop();return/svg/.test(t)?"svg":/zip|com
pressed/.test(t)?"zip":/plain/.test(t)?"txt":/msword/.test(t)?"doc":/[a-
z]+/.test(t)?t==="jpeg"?"jpg":t:""},At=(e,t="")=>(t+e).slice(-t.length),Mn=(e=new Date)=>`□{e.getFul
Year()}-□{At(e.getMonth()+1,"00")}-□{At(e.getDate(),"00")}-□{At(e.getHours(),"00")}-□{At(e.getHours(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.getMonth(),"00")}-□{At(e.
  i=="string"?e.slice(0,e.size,i):e.slice(0,e.size,e.type);return n.lastModifiedDate=new Date,e.
ivePath\&\&(n. relativePath) , ge(t) | | (t=Mn()) , t\&\&a===null\&\&ui(t)?n.name=t: (a=a||Rs(n.type), n.name=t+(a?"."+a:"")), n}, Ss=()=>window.BlobBuilder=window.BlobBuilder||window.WebKitBlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=window.BlobBuilder=windo
  ||window.MozBlobBuilder||window.MSBlobBuilder,An=(e,t)=>{let i=Ss();if(i){let a=new i;return
 a.append(e), a.getBlob(t)\} return \ new \ Blob([e], \{type:t\})\}, \_s=(e,t) => \{let \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ left \ i=new \ lef
 ArrayBuffer(e.length), a=new Uint8Array(i); for(let n=0; n<e.length; n++)a[n]=e.charCodeAt(n); return An(
 i,t)),Pn=e=>(/^data:(.+);/.exec(e)||[j)[1]||null,ws=e=>e.split(",")[1].replace(/\s/g,""),Ls=e=>atob(
 ws(e)), Ms=e=>{let t=Pn(e), i=Ls(e); return
 s(i,t), As=(e,t,i)=>ht(Ms(e),t,null,i),Ps=e=>{if(!/^content-disposition:/i.test(e))return null;let t=e.split(/filename=|filename\*=.+''/).splice(1).map(i=>i.trim().replace(/^["']|[;"']{0,2}\Box/g,"")).f
 ilter(i=>i.length);return t.length?decodeURI(t[t.length-1]):null},zs=e=>{if(/content-
length:/i.test(e)){let t=e.match(/[0-9]+/)[0]; return t?parseInt(t,10):null}return null},0s=e=>/x-content-transfer-id:/i.test(e)&&(e.split(":")[1]||"").trim()||null,Xi=e=>{let
 t={source:null,name:null,size:null},i=e.split(
       ); for(let a of i)\{let n=Ps(a); if(n)\{t.name=n; continue\}let l=zs(a); if(l)\{t.size=l; continue\}let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a); if(l)[t.size=l; continue]let l=zs(a)
 o=0s(a);if(o){t.source=o;continue}}return t},Fs=e=>{let t={source:null,complete:!1,progress:0,size:n
ull,timestamp:null,duration:0,request:null},i=()=>t.progress,a=()=>{t.request&t.request.abort&t.request.abort&t.request.abort)},n=()=>{let r=t.source;o.fire("init",r),r instanceof File?o.fire("load",r):r instanceof Blob?o.fire("load",ht(r,r.name)):0i(r)?o.fire("load",As(r)):l(r)},l=r=>{if(!e){o.fire("error",ftype:"error",body:"Can't load URL",code:400});return}t.timestamp=Date.now(),t.request=e(r,s=>{t.request&t.request=e(r,s=>{t.request})}
 t.duration=Date.now()-t.timestamp,t.complete=!0,s instanceof
 Blob&&(s=ht(s,s.name||Dt(r))),o.fire("load",s instanceof
 Blob?s:s?s.body:null)},s=>{o.fire("error",typeof s=="string"?{type:"error",code:0,body:s}:s)},(s,p,c
 )=>{if(c&&(t.size=c),t.duration=Date.now()-
 t.timestamp, !s) {t.progress=null; return}t.progress=p/c,o.fire("progress",t.progress)},()=>{o.fire("ab
 ort")},s=>{let p=Xi(typeof s=="string"?s:s.headers);o.fire("meta",{size:t.size||p.size,filename:p.na
 me,source:p.source})})},o={...mi(),setSource:r=>t.source=r,getProgress:i,abort:a,load:n};return
 o}, Ua=e=>/GET|HEAD/.test(e), Qe=(e,t,i)=>{let a={onheaders:()=>{},onprogress:()=>{},onload:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{},ontoad:()=>{}
imeout:()=>\{\},onerror:()=>\{\},onabort:()=>\{\},abort:()=>\{n=!0,o.abort()\}\},n=!1,l=!1;i=\{method:"POST",headers:\{\},withCredentials:!1,...i\},t=encodeURI(t),Ua(i.method)&&e&&(t=`[t][encodeURIComponent(type of e=="string"?e:JSON.stringify(e))}`);let o=new XMLHttpRequest,r=Ua(i.method)?o:o.upload;return r.o
 nprogress = s = \{n \mid | a.onprogress(s.lengthComputable, s.loaded, s.total)\}, o.onreadystatechange=() = >\{o.readystatechange=() e < 2 \mid |o.readyState = = 4\& \&o.status = = 0 \mid |l| |(l=!0,a.onheaders(o))\}, o.onload = () = > \{o.status > = 200\& \&o.status > = 200\& \&o.status > = 200\& \&o.status > = 200\& &o.status atus < 300? a.onload(o): a.onerror(o)\}, o.onerror() = > a.onerror(o), o.onabort() = > \{n=!0, a.onabort()\}, o.onabort()\}, o.onabort() = > a.onerror(o), o.onabort() = > a.onabort() = > a.on
 \label{timeout}  \mbox{timeout=()=>a.ontimeout(o),o.open(i.method,t,!0),bt(i.timeout)\&\&(o.timeout=i.timeout),Object.keys(i.method,t,!0),bt(i.timeout)&&(o.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout),Object.keys(i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.timeout=i.
 headers).forEach(s=>{let p=unescape(encodeURIComponent(i.headers[s]));o.setRequestHeader(s,p)}),i.re
 sponseType&&(o.responseType=i.responseType),i.withCredentials&&(o.withCredentials=!0),o.send(e),a},i
 e=(e,t,i,a)=>({type:e,code:t,body:i,headers:a}),Ze=e=>t=>{e(ie("error",0,"Timeout",t.getAllResponseH
eaders()))}, Wa=e=>/\?/.test(e), Ot=(...e)=>{let t="";return
e.forEach(i=>{t+=Wa(t)&&Wa(i)?i.replace(/\?/,"&"):i}),t},_i=(e="",t)=>{if(typeof
 t=="function")return t;if(!t||!ge(t.url))return null;let
 i=t.onload \mid (n=>n), a=t.onerror \mid (n=>null); return(n,l,o,r,s,p)=>{let}
c=Qe(n,Ot(e,t.url),{...t,responseType:"blob"});return c.onload=d=>{let m=d.getAllResponseHeaders(),u
=Xi(m).name||Dt(n);l(ie("load",d.status,t.method==="HEAD"?null:ht(i(d.response),u),m))},c.onerror=d=
```

```
>{o(ie("error",d.status,a(d.response)||d.statusText,d.getAllResponseHeaders()))},c.onheaders=d=>{p(i
e("headers",d.status,null,d.getAllResponseHeaders()))},c.ontimeout=Ze(o),c.onprogress=r,c.onabort=s,c}},xe={QUEUED:0,COMPLETE:1,PROCESSING:2,ERROR:3,WAITING:4},Ds=(e,t,i,a,n,l,o,r,s,p,c)=>{let d=[],{c}}
\label{lem:hunkTransferId:m,chunkServer:u,chunkSize:g,chunkRetryDelays:f} = c,h = \{serverId:m,aborted:!1\},I = t.ondat \\ a \mid (w = > w),b = t.onload \mid ((w,0) = > 0 = = "HEAD"?w.getResponseHeader("Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Upload-"Up
 Offset"):w.response),T=t.onerror||(w=>null),v=w=>{let O=new
 FormData; ce(n)&&0.append(i, JSON.stringify(n)); let S=typeof
 \texttt{t.headers} = \texttt{"function"?t.headers(a,n):} \\ \{\dots \texttt{t.headers}, \texttt{"Upload-Length":a.size}\}, \\ \texttt{L=} \\ \{\dots \texttt{t.headers:S}\}, \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)} \\ \texttt{D=Qe(I)
  (0),Ot(e,t.url),L);D.onload=F=>w(b(F,L.method)),D.onerror=F=>o(ie("error",F.status,T(F.response)||F.
 statusText,F.getAllResponseHeaders())),D.ontimeout=Ze(o)},y=w=>{let
 0=0t(e,u.url,h.serverId),L={headers:typeof t.headers=="function"?t.headers(h.serverId):{...t.headers
 }, method: "HEAD"}, D=Qe(null, 0, L); D.onload=F=>w(b(F, L.method)), D.onerror=F=>o(ie("error", F.status, T(F.response))||F.statusText, F.getAllResponseHeaders())), D.ontimeout=Ze(o)}, E=Math.floor(a.size/g); for(le
 t w=0;w<=E;w++){let 0=w*g,S=a.slice(0,0+g,"application/offset+octet-stream");d[w]={index:w,size:S.si
 ze,offset:0,data:S,file:a,progress:0,retries:[...f],status:xe.QUEUED,error:null,request:null,timeout
 :null}}let =()=>l(h.serverId),x=w=>w.status===xe.QUEUED||w.status===xe.ERROR,R=w=>{if(h.aborted)ret
 urn;if(w=w||d.find(x),!w){d.every(C=>C.status===xe.COMPLETE)&& ();return}w.status=xe.PROCESSING,w.pr
 ogress=null:let
O=u.ondata||(C=>C),S=u.onerror||(C=>null),L=u.onload||(()=>{}),D=Ot(e,u.url,h.serverId),F=typeofu.headers=="function"?u.headers(w):{...u.headers,"Content-Type":"application/offset+octet-stream","Upload-Offset":w.offset,"Upload-Length":a.size,"Upload-Name":a.name},G=w.request=Qe(O(w.dat
tus=xe.QUEUED,w.request=null,s()}},z=w=>w.retries.length===0?!1:(w.status=xe.WAITING,clearTimeout(w.
 timeout),w.timeout=setTimeout(()=>{R(w)},w.retries.shift()),!0),P=()=>{let
  w=d.reduce((S,L)=>S===null||L.progress===null?null:S+L.progress,0); if (w===null) return \ r(!1,0,0); let (w==null) return \ r(!1,0,0); let
 0=d.reduce((S,L)=>S+L.size,0);r(!0,w,0), A=()=>\{d.filter(0=>0.status===xe.PROCESSING).length>=1||R()|
 },B=()=>{d.forEach(w=>{clearTimeout(w.timeout),w.request&&w.request.abort()})};return h.serverId?y(w
  =>{h.aborted||(d.filter(0=>0.offset<w).forEach(0=>{0.status=xe.COMPLETE,0.progress=0.size}),A())}):v
  (w=-\{h.aborted | (p(w),h.serverId=w,A())\}),\{abort:()=-\{h.aborted=!0,B()\}\}\},Cs=(e,t,i,a)=-(n,l,o,r,s,p)
   c)=>{if(!n)return;let d=a.chunkUploads,m=d&&n.size>a.chunkSize,u=d&&(m||a.chunkForce);if(n
instanceof Blob&&u)return Ds(e,t,i,n,l,o,r,s,p,c,a);let g=t.ondata||(y=>y),f=t.onload||(y=>y),h=t.onerror||(y=>null),I=typeof
 t.headers == function ? t.headers(n,l)||{}:{...t.headers},b={...t,headers:I}; var T=new
 FormData;ce(l)&&T.append(i,JSON.stringify(l)),(n instanceof Blob?[{name:null,file:n}]:n).forEach(y=> {T.append(i,y.file,y.name===null?y.file.name:`[{y.name}[y.file.name}`)});let
 v=Qe(g(T),Ot(e,t.url),b); return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b); return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponseHead), v=Qe(g(T),Ot(e,t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponse,g(y.t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.response),y.getAllResponse,g(y.t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.t.url),b),y.getAllResponse,g(y.t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.t.url),b),y.getAllResponse,g(y.t.url),b)\}; return v.onload=y=>\{o(ie("load",y.status,f(y.t.url),b),y.getAllResponse,g(y.t.url),b)\}; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0; return v.onload=y=0;
ers()))},v.onerror=y=>{r(ie("error",y.status,h(y.response)||y.statusText,y.getAtlResponseHeaders()))},v.ontimeout=Ze(r),v.onprogress=s,v.onabort=p,v},Bs=(e="",t,i,a)=>typeof
t=="function"?(...n)=>t(i,...n,a):!t||!ge(t.url)?null:Cs(e,t,i,a),Pt=(e="",t)=>{if(typeof
t=="function")return t;if(!t||!ge(t.url))return(n,l)=>l();let
 i=t.onload||(n=>n), a=t.onerror||(n=>null); return(n,l,o)=>\{let r=Qe(n,e+t.url,t); return r.onload=s=>{i=t.onload||(n=>n), a=t.onerror||(n=>null); return(n,l,o)=>{let r=Qe(n,e+t.url,t); return r.onload=s=>{i=t.onload||(n=>n), a=t.onerror||(n=>null); return(n,l,o)=>{let r=Qe(n,e+t.url,t); return r.onload=s=>{i=t.onload||(n=>n), a=t.onerror||(n=>null); return(n,l,o)=>{let r=Qe(n,e+t.url,t); return r.onload=s=>{i=t.onload||(n=>null); return(n,l,o)=>{i=t.onerror||(n=>null); return(n,l,o)=>{i=t.onerror||(n==null); return(n,
 l(ie("load",s.status,i(s.response),s.getAllResponseHeaders()))},r.onerror=s=>{o(ie("error",s.status,")
 a(s.response)||s.statusText,s.getAllResponseHeaders()))},r.ontimeout=Ze(o),r}},zn=(e=0,t=1)=>e+Math.
 s=Date.now()-o,p=zn(a,n);s+p>t&&(p=s+p-t);let
 c=s/t; if(c>=1||document.hidden)\{e(1); return\}e(c), l=setTimeout(r,p)\}; return
 t>0\&(1),{clear:()=>{clearTimeout(1)}}\}, ks=(e,t)=>{let i={complete:!1,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgress:0,perceivedProgr
 erformanceUpdater:null,progress:null,timestamp:null,perceivedDuration:0,duration:0,request:null,resp
onse:null},{allowMinimumUploadDuration:a}=t,n=(c,d)=>{let m=()=>{i.duration===0||i.progress===null|| p.fire("progress",p.getProgress())},u=()=>{i.complete=!0,p.fire("load-perceived",i.response.body)};p.fire("start"),i.timestamp=Date.now(),i.perceivedPerformanceUpdater=Ns(g=>{i.perceivedProgress=g,i.p
 erceivedDuration=Date.now()-
 \verb|i.timestamp,m(),i.response\&i.perceivedProgress===1\&\&!i.complete\&u()\},a?zn(750,1500):0),i.request=example and all the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the complete and the comp
 .perceivedPerformanceUpdater.clear(),p.fire("error",ce(g)?g:{type:"error",code:0,body:`□{g}`})},(g,f
   ,h)=>{i.duration=Date.now()
 i.timestamp,i.progress=g?f/h:null,m()},()=>{i.perceivedPerformanceUpdater.clear(),p.fire("abort",i.r
 vedProgress=0,i.progress=0,i.timestamp=null,i.perceivedDuration=0,i.duration=0,i.request=null,i.resp
 onse=null},r=a?()=>i.progress?Math.min(i.progress,i.perceivedProgress):null:()=>i.progress||null,s=a
?()=>Math.min(i.duration,i.perceivedDuration):()=>i.duration,p={...mi(),process:n,abort:l,getProgres s:r,getDuration:s,reset:o};return p},On=e=>e.substring(0,e.lastIndexOf("."))||e,Vs=e=>{let t=[e.name,e.size,e.type];return e instanceof Blob||Oi(e)?t[0]=e.name||Mn():Oi(e)?(t[1]=e.length,t[2]
 =Pn(e)):ge(e)\&\&(t[0]=Dt(e),t[1]=0,t[2]="application/octet-
stream"), \{name:t[0], size:t[1], type:t[2]\}\}, Je=e=>!!(e instance of File||e instance of Blob&&e.name), Fn=e=>\{if(!ce(e)) return e;let t=ci(e)?[]:\{\}; for(let i in file) for the file for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
 e) \{ if (!e.has0wnProperty(i)) continue; let \ a=e[i]; t[i]=a\&\&ce(a)?Fn(a):a \} return \} \\
 t},Gs=(e=null,t=null,i=null)=>{let a=Yi(),n={archived:!1,frozen:!1,released:!1,source:null,file:i,se
```

```
rverFileReference:t,transferId:null,processingAborted:!1,status:t?U.PROCESSING COMPLETE:U.INIT,activ
eLoader:null,activeProcessor:null},l=null,o={},r=x=>n.status=x,s=(x,...R)=>{n.released||n.frozen||E.fire(x,...R)},p=()=>ui(n.file.name),c=()=>n.file.type,d=()=>n.file.size,m=()=>n.file,u=(x,R,z)=>{if(n.source=x,E.fireSync("init"),n.file){E.fireSync("load-skip");return}n.file=Vs(x),R.on("init",()=>{s("load-init")}),R.on("meta",P=>{n.file.size=P.size,n.file.filename=P.filename,P.source&&(e=re.LIMBO,n.serverFileReference=P.source,n.status=U.PROCESSING_CO
 MPLETE),s("load-meta")}),R.on("progress",P=>{r(U.LOADING),s("load-
 progress",P)}),R.on("error",P=>{r(U.LOAD_ERROR),s("load-request-
 error",P)}),R.on("abort",()=>{r(U.INIT),s("load-abort")}),R.on("load",P=>{n.activeLoader=null;let A=
 w=>{n.file=Je(w)?w:n.file,e===re.LIMB0&&n.serverFileReference?r(U.PROCESSING_COMPLETE):r(U.IDLE),s("
 load")},B=w=>{n.file=P,s("load-meta"),r(U.LOAD ERROR),s("load-file-error",w);if(n.serverFileReferen
 ce) \{A(P); return\}z(P,A,B)\}, R.setSource(x), n.activeLoader=R,R.load()}, g=()=>\{n.activeLoader\&n.activeLoader\}
 Loader.load()\}, f=()=>\{if(n.activeLoader)\{n.activeLoader.abort(); return\}r(U.INIT), s("load-abort")\}, h=(interpretation for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of 
  (x,R) = \{if(n.processingAborted) \{n.processingAborted=!1; return\} if(r(U.PROCESSING), l=null, !(n.file instance of Blob)) \{E.on("load", ()=>\{h(x,R)\}); return\} x.on("load", A=>\{n.transferId=null, n.serverFileRef instance of Blob) \} 
 erence=A}),x.on("transfer",A=>{n.transferId=A}),x.on("load-perceived",A=>{n.activeProcessor=null,n.t
 ransferId=null,n.serverFileReference=A,r(U.PROCESSING COMPLETE),s("process-
 complete", A) }), x.on("start",()=>{s("process-
comptete*,A)}),x.on("start*,()=>{s("process-
start")}),x.on("error",A=>{n.activeProcessor=null,r(U.PROCESSING_ERROR),s("process-
error",A)}),x.on("abort",A=>{n.activeProcessor=null,n.serverFileReference=A,r(U.IDLE),s("process-
abort"),l&&l()}),x.on("progress",A=>{s("process-progress",A)});let z=A=>{n.archived||x.process(A,{...
o})},P=console.error;R(n.file,z,P),n.activeProcessor=x},I=()=>{n.processingAborted=!1,r(U.PROCESSIN
 G_QUEUED)},b=()=>new Promise(x=>{if(!n.activeProcessor){n.processingAborted=!0,r(U.IDLE),s("process-
 abort"),x();return}l=()=>\{x()\},n.activeProcessor.abort()\}),T=(x,R)=>new Promise((z,P)=>\{let A=n.serv,R)=>new Promise((z,P)=>{let A=n.serv,R})=>new rFileReference! == null?n.serverFileReference: n.transferId; if (A===null) \{z(); return\}x(A, ()=> \{n.serverFileReference\} \}
 ileReference=null, n.transferId=null, z()\}, B=>\{if(!R)\{z(); return\}r(U.PROCESSING_REVERT\_ERROR), s("proce to be a substitute of the procession of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the process of the pr
 ss-revert-error"),P(B)),r(U.IDLE),s("process-revert")),v=(x,R,z)=>\{let P=x.split("."),A=P[0],B=P.p
 op(), w=o; P. for Each(0=>w=w[0]), JSON. stringify(w[B])!==JSON. stringify(R)&&(w[B]=R, s("metadata-update"
{key:A, value:o[A], silent:z}))}, E={id:{get:()=>a},origin:{get:()=>e,set:x=>e=x},serverId:{get:()=>n.serverFileReference},transferId:{get:()=>n.transferId},status:{get:()=>n.status},filename:{get:()=>n.
 file.name}, filenameWithoutExtension: {get:()=>On(n.file.name)}, fileExtension: {get:p}, fileType: {get:c}
  ,fileSize:{get:d},file:{get:m},relativePath:{get:()=>n.file._relativePath},source:{get:()=>n.source},
,getMetadata:x=>Fn(x?o[x]:o),setMetadata:(x,R,z)=>{if(ce(x)){let P=x;return}
 \begin{array}{l} \text{Object.keys(P).forEach(A=>\{v(A,P[A],R)\}),x} \text{return } v(x,R,z),R\}, \text{extend:} (x,R) => [x] = R, \text{abortLoad:} f, \text{retry Load:} g, \text{requestProcessing:} I, \text{abortProcessing:} b, \text{load:} u, \text{process:} h, \text{revert:} T, \dots \text{mi()}, \text{freeze:} () => n.frozen = P, \text{mi()}, \text{freeze:} () => n.frozen = P, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi()}, \text{mi(
 0,release:()=>n.released=!0,released:{get:()=>n.released},archive:()=>n.archived=!0,archived:{get:()
 =>n.archived},setFile:x=>n.file=x}, =We(E);return
     , Us=(e,t)=>ke(t)?0:ge(t)?e.findIndex(i=>i.id===t):-1, Ha=(e,t)=>{let i=Us(e,t);if(!(i<0))return}
e[i]||null},ja=(e,t,i,a,n,l)=>{let o=Qe(null,e,{method:"GET",responseType:"blob"});return
o.onload=r=>{let s=r.getAllResponseHeaders(),p=Xi(s).name||Dt(e);t(ie("load",r.status,ht(r.response,
 p),s))},o.onerror=r=>{i(ie("error",r.status,r.statusText,r.getAllResponseHeaders()))},o.onheaders=r=
>{\(ie("headers",r.status,null,r.getAllResponseHeaders()))},o.ontimeout=Ze(i),o.onprogress=a,o.onabort=n,o},Ya=e=>(e.indexOf("//")===0&&(e=location.protocol+e),e.toLowerCase().replace("blob:","").replace(/([a-z])?:\///,"[1").split("/")[0]),Ws=e=>(e.indexOf(":")>-1||e.indexOf("/")>-
\{0,0\}, \{a=(e,...t)=new \ Promise(i=>\{if(!e)return \ i(!0);let \ a=e(...t);if(a==null)return \ i(!e)\}
 i(!0);if(typeof a=="boolean")return i(a);typeof a.then=="function"&&a.then(i)}),Li=(e,t)=>{e.items.s
 ort((i,a) = >t(he(i),he(a)))\}, ye=(e,t) =>(\{query:i,success:a=() => \{\},failure:n=() => \{\},...l\} == \{\} => \{let o=Ke(e.items,i);if(!o)\{n(\{error:ie("error",0,"Item not found"),file:null\});return\}t(o,a,n,l||\{\})\},js == \{let o=Ke(e.items,i);if(!o)\{n(\{error:ie("error",0,"Item not found"),file:null\})\}
 =(e,t,i)=>(\{ABORT\_ALL:()=>\{Pe(i.items).forEach(a=>\{a.freeze(),a.abortLoad(),a.abortProcessing()\})\},D
 ID SET FILES:({value:a=[]})=>{let n=a.map(o=>({source:o.source?o.source:o,options:o.options})),l=Pe(
 i.items);l.forEach(o=>{n.find(r=>r.source===o.source||r.source===o.file)||e("REMOVE ITEM",{query:o,r
emove:!1})}),l=Pe(i.items),n.forEach((o,r)=>{l.find(s=>s.source===o.source||s.file===o.source)||e("ADD_ITEM",{...o,interactionMethod:Re.NONE,index:r})}),DID_UPDATE_ITEM_METADATA:({id:a,action:n,chang
e:\bar{\text{lict}} =>\langle \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} \text{lict} 
       ,{id:o.id,error:null,serverFileReference:o.source});let r=()=>{setTimeout(()=>{e("REQUEST ITEM PROC
 ESSING", {query:a})},32)},s=c=>{o.revert(Pt(i.options.server.url,i.options.server.revert),t("GET_FORC
  \texttt{E\_REVERT")).then(c?r:()=>\{})).catch(()=>\{\})), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c?r:()=>\{\})\}; if(o.status=1), p=c=>\{o.abortProcessing().then(c.status=1), p=c=>\{o.abortProcessing().then(c.status=1), p=c=>\{o.abortProcessing().then(c.status=1), p=c=>\{o.abortProcessing().then(c.status=1), p=c=>\{o.abortProcessing().then(c.status=1), p=c=>\{
 ==U.PROCESSING_COMPLETE)return s(i.options.instantUpload);if(o.status===U.PROCESSING)return
 p(i.options.instantUpload); i.options.instantUpload&&r()\},0))\}, MOVE_ITEM:({query:a,index:n})=>{let}
  l=Ke(i.items,a);if(!l)return;let o=i.items.indexOf(l);n=Ln(n,0,i.items.length-
1),o!==n&&i.items.splice(n,0,i.items.splice(o,1)[0])},SORT:({compare:a})=>{Li(i,a),e("DID_SORT_ITEMS",{items:t("GET_ACTIVE_ITEMS")})},ADD_ITEMS:({items:a,index:n,interactionMethod:l,success:o=()=>{},f
 ailure: r=()=>{}))=>{let s=n; if(n===-1||typeof n>"u"){let}}
 u=t("GET ITEM INSERT LOCATION"),q=t("GET TOTAL ITEMS");s=u==="before"?0:q}let p=t("GET IGNORED FILES
"),c=u=>Je(u)?!p.includes(u.name.toLowerCase()):!ke(u),m=a.filter(c).map(u=>new Promise((g,f)=>{e("A DD_ITEM",{interactionMethod:l,source:u.source||u,success:g,failure:f,index:s++,options:u.options||{}}
 })))));Promise.all(m).then(o).catch(r)},ADD_ITEM:({source:a,index:n=-
 1, interactionMethod: l, success: o=()=>{}, failure: r=()=>{}, options: s={}})=>{if(ke(a))}{r({error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie("error:ie(
```

```
r",0,"No source"),file:null});return}if(Je(a)&&i.options.ignoredFiles.includes(a.name.toLowerCase())
)return;if(!vs(i)){if(i.options.allowMultiple||!i.options.allowMultiple&&!i.options.allowReplace){le
t b=ie("warning",0,"Max
files");e("DID_THROW_MAX_FILES",{source:a,error:b}),r({error:b,file:null});return}let
I=Pe(i.items)[0];if(I.status===U.PROCESSING_COMPLETE||I.status===U.PROCESSING_REVERT_ERROR){let b=t(
"GET FORCE REVERT"); if (I.revert(Pt(i.options.server.url,i.options.server.revert),b).then(()=>{b&&e("
ADD_ITEM", {source:a,index:n,interactionMethod:l,success:o,failure:r,options:s})}).catch(()=>{}),b)return}e("REMOVE_ITEM", {query:I.id})}let p=s.type==="local"?re.LOCAL:s.type==="limbo"?re.LIMBO:re.INPUT,c=Gs(p,p===re.INPUT?null:a,s.file);0bject.keys(s.metadata||{}).forEach(I=>{c.setMetadata(I,s.metadata)}).
ata[I])),tt("DID_CREATE_ITEM",c,{query:t,dispatch:e});let d=t("GET_ITEM_INSERT_LOCATION");i.options .itemInsertLocationFreedom||(n=d==="before"?-1:i.items.length),ys(i.items,c,n),Xe(d)&&a&Li(i,d);let m=c.id;c.on("init",()=>{e("DID_INIT_ITEM",{id:m})}),c.on("load-init",()=>{e("DID_START_ITEM_LOAD",{id:m})}),c.on("load-meta",()=>{e("DID_UPDATE_ITEM_META",{id:m})}),c.on("load-meta",()=>{e("DID_UPDATE_ITEM_META",{id:m})}),c.on("load-
progress",I=>{e("DID_UPDATE_ITEM_LOAD_PROGRESS",{id:m,progress:I})}),c.on("load-request-
error",I=>{let b=Jt(i.options.labelFileLoadError)(I);if(I.code>=400&&I.code<500){e("DID_THROW_ITEM_I</pre>
("DID THROW ITEM LOAD ERROR", {id:m,error:I,status:{main:b,sub:i.options.labelTapToRetry}})}),c.on("l
oad-file-error", I=>{e("DID THROW ITEM INVALID", {id:m,error:I.status,status:I.status}),r({error:I.sta
tus,file:he(c)}))),c.on("load-abort",()=>{e("REMOVE_ITEM",{query:m})}),c.on("load-skip",()=>{c.on("metadata-update",I=>{Je(c.file)&&e("DID_UPDATE_ITEM_METADATA",{id:m,change:I})}),e(
"COMPLETE_LOAD_ITEM",{query:m,item:c,data:{source:a,success:o}})}),c.on("load",()=>{let
I=b=>{if(!b){e("REMOVE_ITEM", {query:m}); return}c.on("metadata-update", T=>{e("DID_UPDATE_ITEM_METADAT
A", {id:m, change:T})}), Ae("SHOULD_PREPARE_OUTPUT",!1, {item:c, query:t}).then(T=>{let
v=t("GET_BEFORE_PREPARE_FILE");v&&(T=v(c,T));let y=()=>{e("COMPLETE_LOAD_ITEM",{query:m,item:c,data:
{source:a,success:o}}),wi(e,i)};if(T){e("REQUEST_PREPARE_OUTPUT",{query:m,item:c,success:E=>{e("DID_PREPARE_OUTPUT",{id:m,file:E}),y()}},!0);return}y()})};Ae("DID_LOAD_ITEM",c,{query:t,dispatch:e}).th
en(() => \overline{qa(t("GET\_BEFORE\_ADD\_FILE"), he(c)).then(I)}).catch(b => \overline{if(!b||!b.error||!b.status)} return
I(!1);e("DID_THROW_ITEM_INVALID",{id:m,error:b.error,status:b.status})}))),c.on("process-
start",()=>{e("DID_START_ITEM_PROCESSING",{id:m})}),c.on("process-
progress",I=>{e("DID_UPDATE_ITEM_PROCESS_PROGRESS",{id:m,progress:I})}),c.on("process-error",I=>{e("
DID_THROW_ITEM_PROCESSING_ERROR", {id:m,error:I,status:{main:Jt(i.options.labelFileProcessingError)(I
), sub:i.options.labelTapToRetry}})}), c.on("process-revert-error", I=>{e("DID_THROW_ITEM_PROCESSING_RE
VERT_ERROR", {id:m,error:I,status:{main:Jt(i.options.labelFileProcessingRevertError)(I),sub:i.options
.labelTapToRetry}}))),c.on("process-complete",I=>{e("DID_COMPLETE_ITEM_PROCESSING",{id:m,error:null,serverFileReference:I}),e("DID_DEFINE_VALUE",{id:m,value:I})}),c.on("process-abort",()=>{e("DID_ABORT_ITEM_PROCESSING",{id:m})}),c.on("process-revert",()=>{e("DID_REVERT_ITEM_PROCESSING",{id:m})})
OCESSING",{id:m}),e("DID DEFINE VALUE",{id:m,value:null})}),e("DID ADD ITEM",{id:m,index:n,interacti
onMethod:[]),wi(e,i);let{url:u,load:g,restore:f,fetch:h}=i.options.server||{};c.load(a,Fs(p===re.INP
en(b).catch(T)})},REQUEST_PREPARE_OUTPUT:({item:a,success:n,failure:l=()=>{}})=>{let
o={error:ie("error",0,"Item not found"),file:null};if(a.archived)return l(o);Ae("PREPARE_OUTPUT",a.f
ile,{query:t,item:a}).then(r=>{Ae("COMPLETE PREPARE OUTPUT",r,{query:t,item:a}).then(s=>{if(a.archiv
ed)return l(o);n(s)})}),COMPLETE_LOAD_ITEM:({item:a,data:n})=>{let{success:l,source:o}=n,r=t("GET_I TEM_INSERT_LOCATION");if(Xe(r)&&o&&Li(i,r),e("DID_LOAD_ITEM",{id:a.id,error:null,serverFileReference")})
:a.origin===re.INPUT?null:o}),l(he(a)),a.origin===re.LOCAL){e("DID_LOAD_LOCAL_ITEM",{id:a.id});retur
n}if(a.origin===re.LIMBO){e("DID_COMPLETE_ITEM_PROCESSING",{id:a.id,error:null,serverFileReference:o
}),e("DID_DEFINE_VALUE",{id:a.id,value:a.serverId||o});return}t("IS_ASYNC")&&i.options.instantUpload &&e("REQUEST_ITEM_PROCESSING",{query:a.id})},RETRY_ITEM_LOAD:ye(i,a=>{a.retryLoad()}),REQUEST_ITEM_PROCESSING",{query:a.id});return}t(i,a,n,l)=>{e("REQUEST_PREPARE_OUTPUT",{query:a.id,item:a,success.co=>{e("DID_PREPARE_OUTPUT",{query:a.id,item:a,success.co=>{e("DID_PREPARE_OUTPUT")}}}
T",{id:a.id,file:o}),n({file:a,output:o})},failure:l},!0)}),REQUEST_ITEM_PROCESSING:ye(i,(a,n,l)=>{if(!(a.status===U.IDLE||a.status===U.PROCESSING_ERROR))}{let r=()=>e("REQUEST_ITEM_PROCESSING",{query:a,success:n,failure:l}),s=()=>document.hidden?r():setTimeout(r,32);a.status===U.PROCESSING_COMPLETE|
|a.status===U.PROCESSING REVERT ERROR?a.revert(Pt(i.options.server.url,i.options.server.revert),t("G
\mathsf{ET}_{\mathsf{FORCE}} REVERT")).then(s).catch(()=>{}):a.status===U.PROCESSING&&a.abortProcessing().then(s);return
}a.status!==U.PROCESSING_QUEUED&&(a.requestProcessing(),e("DID_REQUEST_ITEM_PROCESSING",{id:a.id}),e
("PROCESS_ITEM", {query:a, success:n, failure:l},!0))}), PROCESS_ITEM:ye(i,(a,n,l)=>{let o=t("GET_MAX_PARALLEL_UPLOADS");if(t("GET_ITEMS_BY_STATUS",U.PROCESSING).length===o){i.processingQueue.push({id:a.i
d,success:n,failure:l});return}if(a.status===U.PROCESSING)return;let s=()=>{let c=i.processingQueue.
shift(); if(!c) return; let\{id:d, success:m, failure:u\} = c, g = Ke(i.items,d); if(!g||g.archived)\{s(); return\}e
("PROCESS ITEM", {query:d, success:m, failure:u},!0)};a.onOnce("process-complete",()=>{n(he(a)),s();let
c=i.options.server;if(i.options.instantUpload&a.origin===re.LOCAL&&Xe(c.remove)){let u=()=>{};a.origin=re.LIMBO,i.options.server.remove(a.source,u,u)}t("GET_ITEMS_BY_STATUS",U.PROCESSING_COMPLETE).le
ngth===i.items.length&&e("DID_COMPLETE_ITEM_PROCESSING_ALL")}),a.onOnce("process"
error",c=>{l({error:c,file:he(a)}),s()});let p=i.options;a.process(ks(Bs(p.server.url,p.server.proce
ss,p.name,{chunkTransferId:a.transferId,chunkServer:p.server.patch,chunkUploads:p.chunkUploads.chunk
Force:p.chunkForce,chunkSize:p.chunkRetryDelays:p.chunkRetryDelays}),{allowMinimumUploadDuration:t("GET_ALLOW_MINIMUM_UPLOAD_DURATION")}),(c,d,m)=>{Ae("PREPARE_OUTPUT",c,{query:t,item:a}).then(u=>{e("DID_PREPARE_OUTPUT",{id:a.id,file:u}),d(u)}).catch(m)})}),RETRY_ITEM_PROCESSING:ye(i,a=>{e("REQUEST_ITEM_PROCESSING",{query:a})}),REQUEST_REMOVE_ITEM:ye(i,a=>{qa(t("GET_BEFORE_REMOVE_FILE"),
he(a)).then(n==\{n&&e("REMOVE_ITEM",\{query:a\})\}),RELEASE_ITEM:ye(i,a=>\{a.release()\}),REMOVE_ITEM:ye(i,(a,n,l,o)=>\{let r=()=>\{let p=a.id;Ha(i.items,p).archive(),e("DID_REMOVE_ITEM",\{error:null,id:p,it em:a\}),wi(e,i),n(he(a))\},s=i.options.server;a.origin===re.LOCAL&&s&Xe(s.remove)&&o.remove!==!1?(e("
```

```
DID START ITEM REMOVE", {id:a.id}), s.remove(a.source,()=>r(),p=>{e("DID THROW ITEM REMOVE ERROR", {id:
 a.id,error:ie("error",0,p,null),status:{main:Jt(i.options.labelFileRemoveError)(p),sub:i.options.lab
 elTapToRetry}})))):((o.revert&&a.origin!==re.LOCAL&&a.serverId!==null||i.options.chunkUploads&&a.fil
e.size>i.options.chunkSize||i.options.chunkUploads&&i.options.chunkForce)&&a.revert(Pt(i.options.ser ver.url,i.options.server.revert),t("GET_FORCE_REVERT")),r())}),ABORT_ITEM_LOAD:ye(i,a=>{a.abortLoad()}),ABORT_ITEM_PROCESSING:ye(i,a=>{if(a.serverId){e("REVERT_ITEM_PROCESSING",{id:a.id});return}a.abo
 rtProcessing().then(()=>{i.options.instantUpload&&e("REMOVE_ITEM", {query:a.id})}))), REQUEST_REVERT_I
TEM_PROCESSING:ye(i,a=>{if(!i.options.instantUpload){e("REVERT_ITEM_PROCESSING", {query:a}); return}le
 t n=r=>{r&&e("REVERT_ITEM_PROCESSING", {query:a})}, l=t("GET_BEFORE_REMOVE_FILE"); if(!l)return
 n(!0);let o=l(he(a));if(o==null)return n(!0);if(typeof o=="boolean")return n(o);typeof o.then=="func
 tion (%0.then(n))). REVERT ITEM PROCESSING: ye(i.a=>{a.revert(Pt(i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.options.server.url.i.optio
   .revert),t("GET_FORCE_REVERT")).then(()=>{(i.options.instantUpload||Hs(a))&&e("REMOVE_ITEM",{query:a
   (-id)).catch((-i)->{}))),SET_OPTIONS:((-i)->{let n=Object.keys(a),l=Ys.filter((-i)-n.includes(r
 ));[...l,...Object.keys(a).filter(r=>!l.includes(r))].forEach(r=>{e(`SET ∏{pi(r," ").toUpperCase()}
   ,{value:a[r]})}))}),Ys=["server"],Ki=e=>e,Ve=e=>document.createElement(e),ae=(e,t)=>{let i=e.childNo
 des[0]; i?t! == i.nodeValue\&(i.nodeValue=t): (i=document.createTextNode(t), e.appendChild(i))}, []a=(e,t,i)
  ,a)=>{let
  \begin{array}{l} \text{$(a,360-90)$*Math.PI/180$; return} & \text{$(x:e+i*Math.cos(n),y:t+i*Math.sin(n))}, qs=(e,t,i,a,n,l) => \{let o=|a(e,t,i,n),r=|a(e,t,i,a); return["M",o.x,o.y,"A",i,i,0,l,0,r.x,r.y].join("")}, |s=(e,t,i,a,n) => \{let l=1; return n>a&&n-a<=.5&&(l=0),a>n&&a-\\ \end{array} 
 n>=.5\&\{(1=0), qs(e,t,i,Math.min(.9999,a)*360,Math.min(.9999,n)*360,l)\}, Xs=(\{root:e,props:t\})=>\{t.spin, root:e,props:t\}, xs=(\{root:e,props:t\}, xs=(\{root
 =!1,t.progress=0,t.opacity=0;let i=li("svg");e.ref.path=li("path",{"stroke-width":2,"stroke-linecap":"round"}),i.appendChild(e.ref.path),e.ref.svg=i,e.appendChild(i)},Ks=({root:e,props:t})=>{if(t.opac
 ity === 0) \ return; t.align \& (e.element.dataset.align = t.align); let \ i = parseInt (se(e.ref.path, "stroke-ref.path," stroke-ref.path, "stroke-ref.path"); let \ i = parseInt (se(e.ref.path, "stroke-ref.path"); let \ i = parse
isabled=!0,se(e.element,"disabled","disabled")):!a&&i&&(t.isDisabled=!1,e.element.removeAttribute("disabled"))},Dn=ne({tag:"button",attributes:{type:"button"},ignoreRect:!0,ignoreRectUpdate:!0,name:"f
ile-action-button",mixins:{apis:["label"],styles:["translateX","translateY","scaleX","scaleY","opaci ty"],animations:{scaleX:"spring",scaleY:"spring",translateX:"spring",translateY:"spring",opacity:{ty pe:"tween",duration:250}},listeners:!0},create:Qs,write:Zs}),Cn=(e,t=".",i=le3,a={})=>{let{labelByte s:n="bytes",labelKilobytes:l="KB",labelMegabytes:o="MB",labelGigabytes:r="GB"}=a;e=Math.round(Math.a bs(e));let s=i,p=i*i,c=i*i*i;return e<s?`[{e} [{n}`:e<p?`[{Math.floor(e/s)}]
[{\}`:e<c?`[{Ka(e/p,1,t)} [{o}`:`[{Ka(e/c,2,t)} [{r}`],Ka=(e,t,i)=>e.toFixed(t).split(".").filter(a=>a!=="0").join(i),Js=({root:e,props:t})=>{\text{let} i=Ve("span");i.className="filepond--file-info-main",se(i,"aria-
 hidden", "true"), e.appendChild(i), e.ref.fileName=i;let a=Ve("span");a.className="filepond--file-info-sub", e.appendChild(a), e.ref.fileSize=a, ae(a, e.query("GET_LABEL_FILE_WAITING_FOR_SIZE")), ae(i, Ki(e.qu
 ery("GET_ITEM_NAME",t.id)))},Fi=({root:e,props:t})=>{ae(e.ref.fileSize,Cn(e.query("GET_ITEM_Nt.id))),ae(e.ref.fileName,Ki
id),".",e.query("GET_FILE_SIZE_BASE"),e.query("GET_FILE_SIZE_LABELS",e.query))),ae(e.ref.fileName,Ki
  (e.query("GET_ITEM_NAME",t.id)))},Qa=({root:e,props:t})=>{if(bt(e.query("GET_ITEM_SIZE",t.id)))}Fi({
 D THROW ITEM LOAD ERROR:Qa,DID THROW_ITEM_INVALID:Qa}),didCreateView:e=>{tt("CREATE_VIEW",{...e,view
 :e})},create:Js,mixins:{styles:["translateX","translateY"],animations:{translateX:"spring",translate Y:"spring"}}}),Bn=e=>Math.round(e*100),tc=({root:e})=>{let t=Ve("span");t.className="filepond--file-
 status-main",e.appendChild(t),e.ref.main=t;let i=Ve("span");i.className="filepond--file-status-
 sub",e.appendChild(i),e.ref.sub=i,Nn({root:e,action:{progress:null}})},Nn=({root:e,action:t})=>{let
 i=t.progress===null?e.query("GET_LABEL_FILE_LOADING"): `[{e.query("GET_LABEL_FILE_LOADING")} [Bn(t.p
 rogress) %; ae(e.ref.main,i), ae(e.ref.sub,e.query("GET LABEL TAP TO CANCEL"))}, ic=({root:e,action:t}
i=t.progress===null?e.query("GET_LABEL_FILE_PROCESSING"):`[{e.query("GET_LABEL_FILE_PROCESSING")} [{Bn(t.progress)}%`;ae(e.ref.main,i),ae(e.ref.sub,e.query("GET_LABEL_TAP_TO_CANCEL"))},ac=({root:e})=> {ae(e.ref.main,e.query("GET_LABEL_FILE_PROCESSING")),ae(e.ref.sub,e.query("GET_LABEL_TAP_TO_CANCEL")
  )},nc=({root:e})=>{ae(e.ref.main,e.query("GET_LABEL_FILE_PROCESSING_ABORTED")),ae(e.ref.sub,e.query(
 "GET_LABEL_TAP_TO_RETRY"))},lc=({root:e})=>{ae(e.ref.main,e.query("GET_LABEL_FILE_PROCESSING_COMPLET E")),ae(e.ref.sub,e.query("GET_LABEL_TAP_TO_UNDO"))},Za=({root:e})=>{ae(e.ref.main,""),ae(e.ref.sub,e.query("GET_LABEL_TAP_TO_UNDO"))}
   "")},zt=({root:e,action:t})=>{ae(e.ref.main,t.status.main),ae(e.ref.sub,t.status.sub)},oc=ne({name:
 file-status",ignoreRect:!0,ignoreRectUpdate:!0,write:fe({DID_LOAD_ITEM:Za,DID_REVERT_ITEM_PROCESSING
  :Za,DID REQUEST ITEM PROCESSING:ac,DID ABORT ITEM PROCESSING:nc,DID COMPLETE TEM PROCESSING:lc,DID
:Za,DID_REQUEST_ITEM_PROCESSING:ac,DID_ABORT_ITEM_PROCESSING:nc,DID_COMPLETE_ITEM_PROCESSING:lc,DID_UPDATE_ITEM_PROCESS_PROGRESS:ic,DID_UPDATE_ITEM_LOAD_PROGRESS:Nn,DID_THROW_ITEM_LOAD_ERROR:zt,DID_THROW_ITEM_INVALID:zt,DID_THROW_ITEM_PROCESSING_ERROR:zt,DID_THROW_ITEM_PROCESSING_REVERT_ERROR:zt,DID_THROW_ITEM_REMOVE_ERROR:zt}),didCreateView:e=>{tt("CREATE_VIEW",{...e,view:e})},create:tc,mixins:{styles:["translateX","translateY","opacity"],animations:{opacity:{type:"tween",duration:250},translateX:"spring",translateY:"spring"}}}),Di={AbortItemLoad:{label:"GET_LABEL_BUTTON_ABORT_ITEM_LOAD",action:"ABORT_ITEM_LOAD",className:"filepond--action-abort-item-load",align:"LOAD_INDICATOR_POSITION"},RetryItemLoad:{label:"GET_LABEL_BUTTON_RETRY_ITEM_LOAD",action:"RETRY_ITEM_LOAD",icon:"GET_ICON_RETRY",className:"filepond--action-retry-item-load",align:"BUTTON_PROCESS_ITEM_POSITION"},RemoveItem:{label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label:"Get_label
```

```
el:"GET_LABEL_BUTTON_REMOVE_ITEM",action:"REQUEST_REMOVE_ITEM",icon:"GET_ICON_REMOVE",className:"filepond--action-remove-item",align:"BUTTON_REMOVE_ITEM_POSITION"},ProcessItem:{label:"GET_LABEL_BUTTON_PROCESS_ITEM",action:"REQUEST_ITEM_PROCESSING",icon:"GET_ICON_PROCESS",className:"filepond--action-
 process-item",align:"BUTTON_PROCESS_ITEM_POSITION"},AbortItemProcessing:{label:"GET_LABEL_BUTTON_ABO
RT_ITEM_PROCESSING",action:"ABORT_ITEM_PROCESSING",className:"filepond--action-abort-item-processing
",align: "BUTTON_PROCESS_ITEM_POSITION"},RetryItemProcessing: {label: "GET_LABEL_BUTTON_RETRY_ITEM_PROCESSING", action: "RETRY_ITEM_PROCESSING", icon: "GET_ICON_RETRY", className: "filepond--action-retry-item-processing",align: "BUTTON_PROCESS_ITEM_POSITION"},RevertItemProcessing: {label: "GET_LABEL_BUTTON_UNDO__ITEM_PROCESSING",action: "REQUEST_REVERT_ITEM_PROCESSING",icon: "GET_ICON_UNDO",className: "filepond--
 action-revert-item-
 processing",align:"BUTTON PROCESS ITEM POSITION"}},Ci=[];te(Di,e=>{Ci.push(e)});var
Ie=e=>{if(Bi(e)==="right")return 0;let t=e.ref.buttonRemoveItem.rect.element;return t.hidden?null:t. width+t.left},rc=e=>e.ref.buttonAbortItemLoad.rect.element.width,ei=e=>Math.floor(e.ref.buttonRemove
 Item.rect.element.height/4),sc=e=>Math.floor(e.ref.buttonRemoveItem.rect.element.left/2),sc=e=>e.que
 ry("GET_STYLE_LOAD_INDICATOR_POSITION"),dc=e=>e.query("GET_STYLE_PROGRESS_INDICATOR_POSITION"),Bi=e=
 >e.query("GET STYLE BUTTON REMOVE ITEM POSITION"),pc={buttonAbortItemLoad:{opacity:0},buttonRetryIte
 mLoad:{opacity:0},buttonRemoveItem:{opacity:0},buttonProcessItem:{opacity:0},buttonAbortItemProcessi
 ng:{opacity:0},buttonRetryItemProcessing:{opacity:0},buttonRevertItemProcessing:{opacity:0},loadProg
 ressIndicator:{opacity:0,align:cc},processProgressIndicator:{opacity:0,align:dc},processingCompleteI
 ndicator:{opacity:0,scaleX:.75,scaleY:.75},info:{translateX:0,translateY:0,opacity:0},status:{transl
 ateX:0, translateY:0, opacity:0}}, Ja={buttonRemoveItem:{opacity:1}, buttonProcessItem:{opacity:1}, info:
 \{translateX: Ie\}, status: \{translateX: Ie\}\}, Mi=\{buttonAbortItemProcessing: \{opacity: 1\}, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressInd, processProgressProgressInd, processProgressInd, processProgressInd, processProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressProgressPro
 icator:{opacity:1},status:{opacity:1}},mt={DID_THROW_ITEM_INVALID:{buttonRemoveItem:{opacity:1},info
  :{translateX:Ie},status:{translateX:Ie,opacity:1}},DID START ITEM LOAD:{buttonAbortItemLoad:{opacity
  :1},loadProgressIndicator:{opacity:1},status:{opacity:1}},DID THROW ITEM LOAD ERROR:{buttonRetryItem
 Load: {opacity:1}, buttonRemoveItem: {opacity:1}, info: {translateX: Ie}, status: {opacity:1}}, DID_START_ITE
 M_REMOVE:{processProgressIndicator:{opacity:1,align:Bi},info:{translateX:Ie},status:{opacity:0}},DID
   THROW ITEM REMOVE ERROR: {processProgressIndicator: {opacity:0,align:Bi},buttonRemoveItem: {opacity:1}
  info:{translateX:Te},status:{opacity:1,translateX:Ie}},DID LOAD ITEM:Ja,DID LOAD LOCAL ITEM:{button,
 RemoveItem:{opacity:1},info:{translateX:Ie},status:{translateX:Ie}},DID_START_ITEM_PROCESSING:Mi,DID_REQUEST_ITEM_PROCESSING:Mi,DID_UPDATE_ITEM_PROCESSING:{button_process_ing:mi,Did_update_item_process_ing:mi,Did_update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.update_item_process_ing://did.upd
 R:{buttonRemoveItem:{opacity:1},buttonRetryItemProcessing:{opacity:1},status:{opacity:1},info:{trans
 lateX:Ie}},DID THROW ITEM PROCESSING REVERT ERROR:{buttonRevertItemProcessing:{opacity:1},status:{op
acity:1},info:{opacity:1}},DID_ABORT_ITEM_PROCESSING:{buttonRemoveItem:{opacity:1},buttonProcessItem:{opacity:1},info:{translateX:Ie},status:{opacity:1}},DID_REVERT_ITEM_PROCESSING:]a},mc=ne({create:({root:e})=>{e.element.innerHTML=e.query("GET_ICON_DONE")},name:"processing-complete-indicator",ignoreRect:!0,mixins:{styles:["scaleX","scaleY","opacity"],animations:{scaleX:"spring",scaleY:"spring",opacity:{type:"tween",duration:250}}}}),uc=({croot:e,props:t})=>{let i=0bject.keys(Di).reduce((g,f)=>(g,f)=>(g,f)=)
 [f]={...Di[f]},g),{}),{id:a}=t,n=e.query("GET_ALLOW_REVERT"),l=e.query("GET_ALLOW_REMOVE"),o=e.query("GET_ALLOW_PROCESS"),r=e.query("GET_INSTANT_UPLOAD"),s=e.query("IS_ASYNC"),p=e.query("GET_STYLE_BUT
 TON REMOVE ITEM ALIGN"),c;s?o&&!n?c=g=>!/RevertItemProcessing/.test(g):!o&&n?c=g=>!/ProcessItem|Retr
 yItemProcessing AbortItemProcessing/.test(g):!o&&!n&&(c=g=>!/Process/.test(g)):c=g=>!/Process/.test(
 q);let d=c?Ci.filter(c):Ci.concat();if(r&&n&&(i.RevertItemProcessing.label="GET LABEL BUTTON REMOVE
 ITEM",i.RevertItemProcessing.icon="GET_ICON_REMOVE"),s&&!n){let g=mt.DID_COMPLETE_ITEM_PROCESSING;g.
info.translateX=sc,g.info.translateY=ei,g.status.translateY=ei,g.processingCompleteIndicator={opacit y:1,scaleX:1,scaleY:1}}if(s&&!o&&(["DID_START_ITEM_PROCESSING","DID_REQUEST_ITEM_PROCESSING","DID_UP_DATE_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING_ITEM_PROCESSING
 TON_REMOVE_ITEM_POSITION"; let g=mt.DID_COMPLETE_ITEM_PROCESSING; g.info.translateX=Ie,g.status.transl
 ateY=ei,q.processingCompleteIndicator={opacity:1,scaleX:1,scaleY:1}}||(i.RemoveItem.disabled=!0),te
 (i,(q,f)=>{let h=e.createChildView(Dn,{label:e.query(f.label),icon:e.query(f.icon),opacity:0});d.inc
 lassList.add(f.className), h.on("click", I=>\{I.stopPropagation(), !f.disabled\& \overline{\&}e.dispatch(f.action, \{quention f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence f.equence 
 ry:a})}),e.ref[`button[[g]`]=h}),e.ref.processingCompleteIndicator=e.appendChildView(e.createChildView(mc)),e.ref.processingCompleteIndicator.element.dataset.align=e.query("GET_STYLE_BUTTON_PROCESS_IT
 EM POSITION"),e.ref.info=e.appendChildView(e.createChildView(ec,{id:a})),e.ref.status=e.appendChildV
 iew(e.createChildView(oc,{id:a}));let m=e.appendChildView(e.createChildView(Xa,{opacity:0,align:e.qu
 ery("GET STYLE LOAD INDICATOR POSITION")}));m.element.classList.add("filepond--load-
 indicator"), e.ref.loadProgressIndicator=m; let u=e.appendChildView(e.createChildView(Xa,{opacity:0,al
 ign:e.query("GET_STYLE_PROGRESS_INDICATOR_POSITION")}));u.element.classList.add("filepond--process-i
 ndicator"),e.ref.processProgressIndicator=u,e.ref.activeStyles=[]},gc=({root:e,actions:t,props:i})=>
 {fc({root:e,actions:t,props:i});let a=t.concat().filter(n=>/^DID /.test(n.type)).reverse().find(n=>m
t[n.type]);if(a){e.ref.activeStyles=[];let n=mt[a.type];te(pc,(l,o)=>{let
r=e.ref[l];te(o,(s,p)=>{let c=n[l]&&typeof n[l][s]<"u"?n[l][s]:p;e.ref.activeStyles.push({control:r,
key:s,value:c})})})}e.ref.activeStyles.forEach(({control:n,key:l,value:o})=>{n[l]=typeof o=="function"?o(e):o})},fc=fe({DID_SET_LABEL_BUTTON_ABORT_ITEM_PROCESSING:({root:e,action:t})=>{e.ref.buttonAbortItemProcessing.label=t.value},DID_SET_LABEL_BUTTON_ABORT_ITEM_LOAD:({root:e,action:t})=>{e.ref.buttonAbortItemProcessing.label=t.value},DID_SET_LABEL_BUTTON_ABORT_ITEM_LOAD:({root:e,action:t})=>{e.ref.buttonAbortItemProcessing.label=t.value},DID_SET_LABEL_BUTTON_ABORT_ITEM_LOAD:({root:e,action:t})=>{e.ref.buttonAbortItemProcessing.label=t.value},DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_ABORT_ITEM_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_LABEL_BUTTON_DID_SET_
 tonAbortItemLoad.label=t.value},DID_SET_LABEL_BUTTON_ABORT_ITEM_REMOVAL:({root:e,action:t})=>{e.ref.
 button Abort Item Removal.label = t.value \}, DID\_REQUEST\_ITEM\_PROCESSING: (\{root:e\}) => \{e.ref.processProgressers | ProcessProgressers Indicator.spin=!0,e.ref.processProgressIndicator.progress=0},DID START ITEM LOAD:({root:e})=>{e.ref.
 loadProgressIndicator.spin=!0,e.ref.loadProgressIndicator.progress=0}, \(\bar{DID}\) START ITEM REMOVE:({root:e
```

```
})=>{e.ref.processProgressIndicator.spin=!0,e.ref.processProgressIndicator.progress=0},DID UPDATE IT
 EM LOAD PROGRESS:({root:e,action:t})=>{e.ref.loadProgressIndicator.spin=!1,e.ref.loadProgressIndicat
 or.progress=t.progress},DID UPDATE ITEM PROCESS PROGRESS:({root:e,action:t})=>{e.ref.processProgress}
Indicator.spin=!1,e.ref.processProgressIndicator.progress=t.progress}}),hc=ne({create:uc,write:gc,di}
dCreateView:e=>{tt("CREATE_VIEW",{...e,view:e})},name:"file"}),bc=({root:e,props:t})=>{e.ref.fileNam}
e=Ve("legend"),e.appendChild(e.ref.fileName),e.ref.file=e.appendChildView(e.createChildView(hc,{id:t}))
    .id})),e.ref.data=!1},Ec=({root:e,props:t})=>{ae(e.ref.fileName,Ki(e.query("GET_ITEM_NAME",t.id)))},
 Tc=ne({create:bc,ignoreRect:!0,write:fe({DID_LOAD_ITEM:Ec}),didCreateView:e=>{tt("CREATE_VIEW",{...e
   , view:e), , tag:"fieldset", name:"file-wrapper"}), en={type:"spring", damping: <math>.6, mass:7, Ic=({root:e, proof of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the c
 ps:t})=>{[{name:"top"},{name:"center",props:{translateY:null},scaleY:null},mixins:{animations:{scaleY:en},styles:["translateY","scaleY"]}},{name:"bottom",props:{translateY:null},mixins:{animations:{translateY:null},mixins:{animations:{translateY:null},mixins:{animations:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:{translateY:null},mixins:
 nslateY:en\}, styles: ["translateY"]\}\}]. for Each(i=>\{vc(e,i,t.name)\}), e.element.classList.add(`filepond-instance, instance,      -∐{t.name}`),e.ref.scalable=null},vc=(e,t,i)=>{let a=ne({name:`panel-∐{t.name} filepond-
 [[i] necreateChildView(a,t.props);e.ref[t.name]=e.appendChi [i] necreateChildView(a,t.props);e.ref[t.name]=e.appendChi
   ldView(n)},xc=({root:e,props:t})=>{if((e.ref.scalable===null||t.scalable!==e.ref.scalable)&&(e.ref.s
 calable=Tn(t.scalable)?t.scalable:!0,e.element.dataset.scalable=e.ref.scalable),!t.height)return;let
 i=e.ref.top.rect.element,a=e.ref.bottom.rect.element,n=Math.max(i.height+a.height,t.height);e.ref.ce
 nter.translateY=i.height,e.ref.center.scaleY=(n-i.height-a.height)/100,e.ref.bottom.translateY=n-
a.height},kn=ne({name:"panel",read:({root:e,props:t})=>t.heightCurrent=e.ref.bottom.translateY,write
:xc,create:Ic,ignoreRect:!0,mixins:{apis:["height","heightCurrent","scalable"]}}),yc=e=>{let t=e.map
(a=>a.id),i;return{setIndex:a=>{i=a},getIndex:()=>i,getItemIndex:a=>t.indexOf(a.id)}},tn={type:"spri
ng",stiffness:.75,damping:.45,mass:10},an="spring",nn={DID_START_ITEM_LOAD:"busy",DID_UPDATE_ITEM_LOAD_PROGRESS:"loading",DID_THROW_ITEM_INVALID:"load-invalid",DID_THROW_ITEM_LOAD_ERROR:"load-error",DID_LOAD_ITEM:"idle",DID_THROW_ITEM_REMOVE_ERROR:"remove-
error",DID_START_ITEM_REMOVE: "busy",DID_START_ITEM_PROCESSING: "busy processing",DID_REQUEST_ITEM_PROCESSING: "busy processing",DID_UPDATE_ITEM_PROCESSING: "processing",DID_COMPLETE_ITEM_PROCESSING: omplete", DID_THROW_ITEM_PROCESSING_ERROR: "processing-
 error", DID THROW ITEM PROCESSING REVERT ERROR: "processing-revert-error", DID ABORT ITEM PROCESSING: "c
ancelled",DID_REVERT_ITEM_PROCESSING:"idle"},Rc=({root:e,props:t})=>{if(e.ref.handleClick=a=>e.dispa
tch("DID_ACTIVATE_ITEM",{id:t.id}),e.element.id=`filepond--item-
 ∏{t.id}`,e.element.addEventListener("click",e.ref.handleClick),e.ref.container=e.appendChildView(e.c
 reateChildView(Tc,{id:t.id})),e.ref.panel=e.appendChildView(e.createChildView(kn,{name:"item-panel"}
 )),e.ref.panel.height=null,t.markedForRemoval=!1,!e.query("GET_ALLOW_REORDER"))return;e.element.data
 set.dragState="idle"; let i=a=> \{if(!a.isPrimary) return; let n=!1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageY\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageX, y:a.pageX\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageX, y:a.pageX, y:a.pageX, y:a.pageX, y:a.pageX\}; t.dragOrigin=1, l=\{x:\overline{a}.pageX, y:a.pageX, y:
{x:e.translateX,y:e.translateY},t.dragCenter={x:a.offsetX,y:a.offsetY};let
o=yc(e.query("GET_ACTIVE_ITEMS"));e.dispatch("DID_GRAB_ITEM",{id:t.id,dragState:o});let r=d=>{if(!d.
 isPrimary) return; \overline{d}.stopPropagation(), d.preventDefault(), t.dragOffset={x:d.pageX-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.pageY-l.x,y:d.p
l.y},t.dragOffset.x*t.dragOffset.x+t.dragOffset.y*t.dragOffset.y>16&&!n&&(n=!0,e.element.removeEvent
Listener("click",e.ref.handleClick)),e.dispatch("DID_DRAG_ITEM",{id:t.id,dragState:o})),s=d=>{d.isPr
 imary&&(t.dragOffset={x:d.pageX-l.x,y:d.pageY-
 l.y},c())},p=()=>{c()},c=()=>{document.removeEventListener("pointercancel",p),document.removeEventLi
stener("pointermove",r),document.removeEventListener("pointercanteet ,p),document.removeEventListener("pointermove",r),document.removeEventListener("pointerup",s),e.dispatch("DID_DROP_ITEM",{id:t.id,dragState:o}),n&setTimeout(()=>e.element.addEventListener("click",e.ref.handleClick),0)};document.addEventListener("pointermove",r),document.addEventListener("pointermove",r),document.addEventListener("pointerup",s)};e.element.addEventListener("pointerdown",i)},Sc=fe({DID_UPDATE_PANEL_HEIGHT: ({root:e,action:t})=>{t.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.dragOrigin={x.proj.drag
   :e.translateX,y:e.translateY}},DID DRAG ITEM:({root:e})=>{e.element.dataset.dragState="drag"},DID DR
 OP ITEM:({root:e,props:t})=>{t.dragOffset=null,t.dragOrigin=null,e.element.dataset.dragState="drop"}
 \}, \overline{(\{\texttt{root:e,actions:t,props:i,shouldOptimize:a}\})} = \{e.element.dataset.dragState = = = "drop" \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.scaleX < = 1 \& e.sca
 &(e.element.dataset.dragState="idle");let n=t.concat().filter(o=>/^DID /.test(o.type)).reverse().fin
d(o=>nn[o.type]);n&&n.type!==i.currentState&&(i.currentState=n.type,e.element.dataset.filepondItemSt
ate=nn[i.currentState]||"");let l=e.query("GET_ITEM_PANEL_ASPECT_RATIO")||e.query("GET_PANEL_ASPECT_
RATIO");l?a||(e.height=e.rect.element.width*t):(Sc({root:e,actions:t,props:i}),!e.height&&e.ref.cont
 ainer.rect.element.height > 0\&\&(e.height=e.ref.container.rect.element.height)), a\&\&(e.ref.panel.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.rect.element.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.ref.container.height=e.
null),e.ref.panel.height=e.height}),wc=ne({create:Rc,write:_c,destroy:({root:e,props:t})}=>{e.element .removeEventListener("click",e.ref.handleClick),e.dispatch("RELEASE_ITEM",{query:t.id})},tag:"li",na me:"item",mixins:{apis:["id","interactionMethod","markedForRemoval","spawnDate","dragCenter","dragOr igin","dragOffset"],styles:["translateX","translateY","scaleX","scaleY","opacity","height"],animatio ns:{scaleX:an,scaleY:an,translateX:tn,translateY:tn,opacity:{type:"tween",duration:150}}}})),Qi=(e,t)
 =>Math.max(1,Math.floor((e+1)/t)),Zi=(e,t,i)=>{if(!i)return;let}
 a=e.rect.element.width,n=t.length,l=null;if(n===0||i.top<t[0].rect.element.top)return-1;let
 u=0;u<n;u++){let g=t[u],f=g.rect.outer.top+g.rect.element.height*.5;if(i.top<f)return u}return n}let
u;u!==n-1?l=u:l=null}}return l!==null̈?l:n},ti={height:0,width:0,get getHeight(){return
 this.width\}, set setWidth\{e\}{(this.width===0||e===0)&(this.width=e)}, setDimensions:function(e,t){(this.width=e)}
 is.height === 0 \\ | e === 0) \\ \& (this.height == ), (this.width === 0 \\ | t === 0) \\ \& (this.width =t) \\ \}, Lc = (\{root : e\}) \\ => \{se(this.width =t), (this.width === 0) \\ | t === 0) \\ \& (this.width =t) \\ \}, Lc = (\{root : e\}) \\ => \{se(this.width =t), (this.width === 0) \\ | t === 0) \\ \& (this.width =t) \\ \}, Lc = (\{root : e\}) \\ => \{se(this.width =t), (this.width === 0) \\ | t === 0) \\ \& (this.width =t) \\ \}, Lc = (\{root : e\}) \\ => \{se(this.width =t), (this.width =t), (this.width =t) \\ \}, Lc = (\{root : e\}) \\ => \{se(this.width =t), (this.width =t),
 e.element, "role", "list"), e.ref.lastItemSpanwDate=Date.now()}, Mc=({root:e,action:t})=>{let{id:i,index}}
 :a,interactionMethod:n}=t;e.ref.addIndex=a;let l=Date.now(),o=l,r=1;if(n!==Re.NONE){r=0;let s=e.quer
 y("GET ITEM INSERT INTERVAL"),p=l-e.ref.lastItemSpanwDate;o=p<s?l+(s-
```

```
p):l}e.ref.lastItemSpanwDate=o,e.appendChildView(e.createChildView(wc,{spawnDate:o,id:i,opacity:r,in
 teractionMethod:n}),a)},ln=(e,t,i,a=0,n=1)=>{e.dragOffset?(e.translateX=null,e.translateY=null,e.tra
nslateX=e.dragOrigin.x+e.dragOffset.x,e.translateY=e.dragOrigin.y+e.dragOffset.y,e.scaleX=1.025,e.sc
aleY=1.025): (e.translateX=t,e.translateY=i,Date.now()>e.spawnDate\&\&(e.opacity====0\&\&Ac(e,t,i,a,n),e.s) + (e.translateX=t,e.translateY=i,Date.now()>e.spawnDate\&\&(e.opacity====0&\&Ac(e,t,i,a,n),e.s) + (e.translateX=t,e.translateY=i,Date.now()>e.spawnDate\&\&(e.opacity====0&\&Ac(e,t,i,a,n),e.s) + (e.translateX=t,e.translateY=i,Date.now()>e.spawnDate\&\&(e.opacity====0&\&Ac(e,t,i,a,n),e.s) + (e.translateX=t,e.translateY=i,Date.now()>e.spawnDate\&\&(e.opacity====0&\&Ac(e,t,i,a,n),e.s) + (e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.translateX=t,e.tra
caleX=1,e.scaleY=1,e.opacity=1))},Ac=(e,t,i,a,n)=>{e.interactionMethod===Re.NONE?(e.translateX=null,
e.translateX=t,e.translateY=null,e.translateY=i):e.interactionMethod===Re.DROP?(e.translateX=null,e.
translateX=t-a*20,e.translateY=null,e.translateY=i-
n*10,e.scaleX=.8,e.scaleY=.8):e.interactionMethod===Re.BROWSE?(e.translateY=null,e.translateY=i-
30):e.interactionMethod===Re.API&&(e.translateX=null,e.translateX=t-
30, e.translateY=null)\}, Pc=(\{root:e, action:t\}) => \{let\{id:i\}=t, a=e.childViews.find(n=>n.id===i); a\&\&(a.s)=t. \}
caleX=.9,a.scaleY=.9,a.opacity=0,a.markedForRemoval=!0)},Ai=e=>e.rect.element.height+e.rect.element.
marginBottom*.5+e.rect.element.marginTop*.5,zc=e=>e.rect.element.width+e.rect.element.marginLeft*.5+
e.rect.element.marginRight*.5,0c=({root:e,action:t})=>{let{id:i,dragState:a}=t,n=e.query("GET ITEM",
{id:i}),l=e.childViews.find(h=>h.id===i),o=e.childViews.length,r=a.getItemIndex(n);if(!l)return;let
s={x:l.dragOrigin.x+l.dragOffset.x+l.dragCenter.x,y:l.dragOrigin.y+l.dragOffset.y+l.dragCenter.y},p=
Ai(l), c=zc(l), d=Math.floor(e.rect.outer.width/c); d>o&&(d=o); let
m=Math.floor(o/d+1);ti.setHeight=p*m,ti.setWidth=c*d;var
u={y:Math.floor(s.y/p),x:Math.floor(s.x/c),getGridIndex:function(){return
s.y>ti.getHeight||s.y<0||s.x>ti.getWidth||s.x<0?r:this.y*d+this.x},getColIndex:function(){let I=e.qu
ery("GET_ACTIVE_ITEMS"),b=e.childViews.filter(P=>P.rect.element.height),T=I.map(P=>b.find(A=>A.id===
P.id)), v=T.findIndex(P=>P===1), y=Ai(l), E=T.length, _=E, x=0, R=0, z=0; for(let P=0;P<E;P++)if(x=Ai(T[P]), z=R,R=z+x,s.y<R){if(v>P){if(s.y<z+y){_=P;break}continue}_=P;break}return
   }};let g=d>1?u.getGridIndex():u.getColIndex();e.dispatch("MOVE ITEM",{query:l,index:g});let
f=a.getIndex();if(f===void 0||f!==g){if(a.setIndex(g),f===void 0)return;e.dispatch("DID_REORDER_ITEM S",{items:e.query("GET_ACTIVE_ITEMS"),origin:r,target:g})}},Fc=fe({DID_ADD_ITEM:Mc,DID_REMOVE_ITEM:P
c,DID_DRAG_ITEM:Oc}),Dc=({root:e,props:t,actions:i,shouldOptimize:a})=>{Fc({root:e,props:t,actions:i}
}); let{dragCoordinates:n}=t,l=e.rect.element.width,o=e.childViews.filter(T=>T.rect.element.height),r
=e.query("GET ACTIVE ITEMS").map(T=>o.find(v=>v.id===T.id)).filter(T=>T),s=n?Zi(e,r,n):null,p=e.ref.
addIndex||null;e.ref.addIndex=null;let c=0,d=0,m=0;if(r.length===0)return;let u=r[0].rect.element,g=
 u.marginTop + u.marginBottom, f = u.marginLeft + u.marginRight, h = u.width + f, I = u.height + g, b = Qi(l, h); if(b = = \bar{1}) 
q*.75:R===0?v=q*.75:R===1?v=q*.25:v=0a&&(y.translateX=nuĬl,y.translateY=nuIl),y.markedForRemoval||l
n(y,0,T+v); let x=(y.rect.element.height+g)*(y.markedForRemoval?y.opacity:1); T+=x)) \\ else \\ \{let x=(y.rect.element.height+g)*(y.markedForRemoval?y.opacity:1); T+=x\}) \\ = (y.rect.element.height+g)*(y.markedForRemoval?y.opacity:1); T+=x\}) \\ = (y.rect.element.height+g)*(y.rect.element.height+g)*(y.rect.element.height+g)*(y.rect.element.height+g)*(y.rect.element.height+g)*(y.rect.element.height+g)*(y.rect.elem
T=0, v=0; r. forEach((y,E)=>\{E===s\&\&(c=1), E===p\&\&(m+=1), y.markedForRemoval\&\&y.opacity<.5\&\&(d-=1); let==fixedForRemoval\&\&y.opacity<.5\&\&(d-=1); let==fix
E+m+c+d,x=_%b,R=Math.floor(_/b),z=x*h,P=R*I,A=Math.sign(z-T),B=Math.sign(P-
v);T=z,v=P,y.markedForRemoval&&(a&&(y.translateX=null,y.translateY=null),ln(y,z,P,A,B))}}},Cc=(e,t)
 )=>t.filter(i=>i.data&&i.data.id?e.id===i.data.id:!0),Bc=ne({create:Lc,write:Dc,tag:"ul",name:"list'
  ,didWriteView:({root:e})=>{e.childViews.filter(t=>t.markedForRemoval&&t.opacity===0&&t.resting).forE
ach(t=>\{t.\_destroy(),e.removeChildView(t)\})\}, filterFrameActionsForChild:Cc, mixins: \{apis: ["dragCoordings of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
nates"]}}),Nc=({root:e,props:t})=>{e.ref.list=e.appendChildView(e.createChildView(Bc)),t.dragCoordin
ates=null,t.overflowing=!1},kc=({root:e,props:t,action:i})=>{e.query("GET_ITEM_INSERT_LOCATION_FREED
OM")&&(t.dragCoordinates={left:i.position.scopeLeft-
e.ref.list.rect.element.left,top:i.position.scopeTop-
 (e.rect.outer.top+e.rect.element.marginTop+e.rect.element.scrollTop)})},Vc=({props:e})=>{e.dragCoord
inates=null},Gc=fe({DID_DRAG:kc,DID_END_DRAG:Vc}),Uc=({root:e,props:t,actions:i})=>{if(Gc({root:e,props:t,actions:i})=>{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=>}{if(Gc({root:e,props:t,actions:i})=
ops:t,actions:i}),e.ref.list.dragCoordinates=t.dragCoordinates,t.overflowing&&!t.overflow&&(t.overflowing=!1,e.element.dataset.state="",e.height=null),t.overflow){let a=Math.round(t.overflow);a!==e.he
ight&&(t.overflowing=!0,e.element.dataset.state="overflow",e.height=a)}},Wc=ne({create:Nc,write:Uc,n}
ame:"list-scroller",mixins:{apis:["overflow","dragCoordinates"],styles:["height","translateY"],anima
tions:{translateY:"spring"}}}),ze=(e,t,i,a="")=>{i?se(e,t,a):e.removeAttribute(t)},Hc=e=>{if(!(!e||e.value==""))}{try{e.value==""}}
pendChild(e),t.reset(),a?i.insertBefore(e,a):i.appendChild(e)}}},jc=({root:e,props:t})=>{e.element.i
d=`filepond--browser-∏{t.id}`,se(e.element,"name",e.query("GET NAME")),se(e.element,"aria-
controls", `filepond--assistant-[{t.id}`),se(e.element, "aria-labelledby",`filepond--drop-label-
[{t.id}`),Vn({root:e,action:{value:e.query("GET_ALLOW_MULTIPLE")}}),Un({root:e,action:{value:e.query("GET_ALLOW_DIRECTORIES_ONLY")}}),Ni(
 {root:e}),Wn({root:e,action:{value:e.query("GET_REQUIRED")}}),Hn({root:e,action:{value:e.query("GET_
CAPTURE METHOD")}}),e.ref.handleChange=i=>{if(!e.element.value)return;let a=Array.from(e.element.fil
es).map(n=>(n._relativePath=n.webkitRelativePath,n)); setTimeout(()=>\{t.onload(a),Hc(e.element)\}, 250)
},e.element.addEventListener("change",e.ref.handleChange)},Vn=({root:e,action:t})=>{e.query("GET_ALL
OW_SYNC_ACCEPT_ATTRIBUTE")&&ze(e.element,"accept",!!t.value,t.value?t.value.join(","):"")},Gn=({root
 :e,action:t})=>{ze(e.element,"multiple",t.value)},Un=({root:e,action:t})=>{ze(e.element,"webkitdirectory",t.value)},Ni=({root:e})=>{let t=e.query("GET_DISABLED"),i=e.query("GET_ALLOW_BROWSE"),a=t||!i;
ze(e.element,"disabled",a), Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})=>{t.value?e.query("GET_TOTAL_ITEMS")===0&ze(e.element,"disabled",a)}, Wn=({root:e,action:t})==0&ze(e.element,a)
ement,"required",!0):ze(e.element,"required",!1)},Hn=({root:e,action:t})=>{ze(e.element,"capture",!!
t.value,t.value===!0?"":t.value)},on=({root:e})=>{let{element:t}=e;if(e.query("GET_TOTAL_ITEMS")>0){
    ze(t,"required",!1),ze(t,"name",!1);let i=e.query("GET_ACTIVE_ITEMS"),a=!1;for(let n=0;n<i.length;n+</pre>
+)i[n].status===U.LOAD_ERROR&&(a=!0);e.element.setCustomValidity(a?e.query("GET_LABEL_INVALID_FIELD"
):"")}else ze(t,"name",!0,e.query("GET_NAME")),e.query("GET_CHECK_VALIDITY")&&t.setCustomValidity(""),e.query("GET_RQUIRED")&&ze(t,"required",!0)},yc=({root:e})=>{e.query("GET_CHECK_VALIDITY")&&e.element.setCustomValidity(".query("GET_LABEL_INVALID_FIELD"))},qc=ne({tag:"input",name:"browser",ignore
Rect:!0,ignoreRectUpdate:!0,attributes:{type:"file"},create:jc,destroy:({root:e})=>{e.element.remove
EventListener("change",e.ref.handleChange)},write:fe({DID LOAD ITEM:on,DID REMOVE ITEM:on,DID THROW
```

```
ITEM INVALID:Yc,DID SET DISABLED:Ni,DID SET ALLOW BROWSE:Ni,DID SET ALLOW DIRECTORIES ONLY:Un,DID SE
∏{t.id}``,e.ref.handleKeyDown=a=>{(a.keyCode===rn.ENTER||a.keyCode===rn.SPACE)&&(a.preventDefault(),
 e.ref.label.click())},e.ref.handleClick=a=>{a.target===i||i.contains(a.target)||e.ref.label.click()}
   i.addEventListener("keydown",e.ref.handleKeyDown),e.element.addEventListener("click",e.ref.handleCl,
 ick),jn(i,t.caption),e.appendChild(i),e.ref.label=i},jn=(e,t)=>{e.innerHTML=t;let
i=e.querySelector(".filepond--label-action");return i&&se(i,"tabindex","0"),t},Xc=ne({name:"drop-label",ignoreRect:!0,create:[c,destroy:({root:e})=>{e.ref.label.addEventListener("keydown",e.ref.handle
 KeyDown), e.element.removeEventListener("click", e.ref.handleClick)}, write:fe({DID SET LABEL IDLE:({ro
ot:e,action:t})=>{jn(e.ref.label,t.value)}}), mixins:{styles:["opacity", "translateX", "translateY"], an imations:{opacity:{type:"tween",duration:150},translateX:"spring",translateY:"spring"}}), Kc=ne({nam e:"drip-blob",ignoreRect:!0,mixins:{styles:["translateX","translateY","scaleX","scaleY","opacity"],an imations:{scaleX:"spring",scaleY:"spring",translateX:"spring",translateY:"spring",opacity:{type:"tween",duration:250}}}}), Qc=({root:e})=>{let t=e.rect.element.width*.5,i=e.rect.element.height*.5;e.re
f.blob=e.appendChildView(e.createChildView(Kc,{opacity:0,scaleX:2.5,scaleY:2.5,translateX:t,translateY:i}))},Zc=({root:e,action:t})=>{if(!e.ref.blob){Qc({root:e});return}e.ref.blob.translateX=t.positi
 on.scopeLeft,e.ref.blob.translateY=t.position.scopeTop,e.ref.blob.scaleX=1,e.ref.blob.scaleY=1,e.ref
   .blob.opacity=1\}, Jc=(\{root:e\})=>\{e.ref.blob\&\&(e.ref.blob.opacity=0)\}, ed=(\{root:e\})=>\{e.ref.blob\&\&(e.ref.blob)\}, ed=(\{root:e\})=>\{e.ref.blob&&(e.ref.blob)\}, ed=(\{root:e\})=>\{e.ref.blob)\}, ed=(\{root:e\})==\{e.ref.blob)\}, ed=(\{root:e\})=\{e.ref.blob)\}, ed=(\{root:e\})=\{e.ref.blob)\}, ed=(\{root:e\})=\{e.ref.blob)\}, ed=(\{root:e\})=\{e.ref.blob)\}, ed=(\{root:e\})=\{e.ref.blob)\}, ed
 ref.blob.scaleX=2.5,e.ref.blob.scaleY=2.5,e.ref.blob.opacity=0)},td=({root:e,props:t,actions:i})=>{i
 d(\{root:e,props:t,actions:i\}); let\{blob:a\}=e.ref; i.length===0\&\&a\&\&a.opacity===0\&\&(e.removeChildView(a,b)) \} let\{blob:a\}=e.ref; i.length===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0\&a.opacity===0
 ),e.ref.blob=null)},id=fe({DID_DRAG:Zc,DID_DROP:ed,DID_END_DRAG:Jc}),ad=ne({ignoreRect:!0,ignoreRect
 Update: !0, name: "drip", write:td)), Yn=(e,t)=>{try{let i=new DataTransfer;t.forEach(a=>{a instanceof
 File?i.items.add(a):i.items.add(new File([a],a.name,{type:a.type}))}),e.files=i.files}catch{return!1}
 }return!0},nd=({root:e})=>{e.ref.fields={};let t=document.createElement("legend");t.textContent="Fil
 es",e.element.appendChild(t)},gi=(e,t)=>e.ref.fields[t],Ji=e=>{e.query("GET ACTIVE ITEMS").forEach(t
 =>\{e.ref.fields[t.id]\&\&e.element.appendChild(e.ref.fields[t.id])\})\}, sn=(\{root:e\})=>Ji(e), ld=(\{root:e\})=>Ji(e), ld=(\{root:e\})=Ji(e), tion:t})=>{let n=!(e.query("GET_ITEM",t.id).origin===re.LOCAL)&&e.query("SHOULD_UPDATE_FILE_INPUT
"),l=Ve("input");l.type=n?"file":"hidden",l.name=e.query("GET_NAME"),e.ref.fields[t.id]=l,Ji(e)},od=
   ({root:e,action:t})=>{let i=gi(e,t.id);if(!i||(t.serverFileReFerence!==null&&(i.value=t.serverFileRe
 ference),!e.query("SHOULD_UPDATE_FILE_INPUT")))return;let a=e.query("GET_ITEM",t.id);Yn(i,[a.file])}
,rd=({root:e,action:t})=>{e.query("SHOULD_UPDATE_FILE_INPUT")&&setTimeout(()=>{let i=gi(e,t.id);i&&Y
n(i,[t.file])},0)},sd=({root:e})=>{e.element.disabled=e.query("GET_DISABLED")},cd=({root:e,action:t})
 )=>{let i=gi(e,t.id);i&&(i.parentNode&&i.parentNode.removeChild(i),delete
e.ref.fields[t.id])},dd=({root:e,action:t})=>{let i=gi(e,t.id);i&{(t.value===null?i.removeAttribute("value"):i.type!="file"&{(i.value=t.value),Ji(e))},pd=fe({DID_SET_DISABLED:sd,DID_ADD_ITEM:ld,DID_LOAD_ITEM:od,DID_REORDER_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEMS:sn,DID_SOR_ITEM
T_ITEMS:sn}), md=ne({tag:"fieldset", name:"data", create:nd, write:pd, ignoreRect:!0}), ud=e=>"getRootNode
"in e?e.getRootNode():document, gd=["jpg", "jpeg", "png", "gif", "bmp", "webp", "svg", "tiff"], fd=["css", "cs
v", "html", "txt"], hd={zip:"zip|compressed", epub:"application/epub+zip"}, qn=(e="")=>(e=e.toLowerCase(), gd.includes(e)?"image/"+(e==="jpg"?"jpeg":e==="svg"?"svg+xml":e):fd.includes(e)?"text/"+e:hd[e]||""
), ea=e=>new Promise((t,i)=>{let a=Rd(e);if(a.length&&!bd(e))return
 t(a); Ed(e). then(t)), bd=e>e. files? e. files. length>0:!1, Ed=e>e. Promise((t,i)=>{let a=(e.items?Arra bis)}
 y.from(e.items):[]).filter(n=>Td(n)).map(n=>Id(n));if(!a.length){t(e.files?Array.from(e.files):[]);r}
 eturnPromise.all(a).then(n=>{let l=[];n.forEach(o=>{l.push.apply(l,o)}),t(l.filter(o=>o).map(o=>(o.
       relativePath||(o._relativePath=o.webkitRelativePath),o)))}).catch(console.error)}),Td=e=>{if([n(e))
  {let t=ta(e);if(t)return t.isFile||t.isDirectory}return e.kind==="file"},Id=e=>new
 \label{eq:promise} Promise((t,i) => \{if(yd(e)) \{vd(ta(e)) . then(t) . catch(i); return\} t([e.getAsFile()])\}), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])\}), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])\}), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])\}), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])\}), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])), vd = e> new (example of the promise (vd(ta(e)) . then(t) . catch(i); return)\} t([e.getAsFile()])), vd = e> new (example of the promise (vd(ta(e)) . then(ta(e)) 
 Promise((t,i) = \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \} \\ \{let \ a = [], n = 0, l = 0, o = () = \{let \ a = [], n = (), o = () = \{let \ a = [], n = (), o = () = \{let \ a = [], n = (), o = () = \{let \ a = [], n = (), o = () = \{let \ a = [], n = (), o = () = \{let \ a = [], n = (), o = (), o = () = \{let \ a = [], n = (), o = (), o = () = \{let \ a = [], n = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = (), o = ()
,o(); return}d.forEach(m=>{m.isDirectory?r(m):(l++,m.file(u=>{let g=xd(u);m.fullPath&&(g._relativePath=m.fullPath),a.push(g),l--,o()})))),c()},i)};c()};r(e)}),xd=e=>{if(e.type.length)return e;let
 t = e.last Modified Date, i = e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, i = e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, i = e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, i = e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, i = e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, i = e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name = i, e.last Modified Date, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.name)); return \ a.length \&\&(e = e.slice(0, e.size, a), e.name, a = qn(ui(e.na
 e,ta=e=>e.webkitGetAsEntry(),Rd=e=>{let t=[];try{if(t=_d(e),t.length)return t;t=$d(e)}catch{}return
t},Sd=e=>{let t=e.getData("url");return typeof t=="string"&&t.length?[t]:[]},_d=e=>{let t=e.getData("text/html");if(typeof t=="string"&&t.length){let i=t.match(/src\s*=\s*"(.+?)"/);if(i)re
 turn[i[1]]}return[]},ri=[],et=e=>({pageLeft:e.pageX,pageTop:e.pageY,scopeLeft:e.offsetX||e.layerX,sc
 opeTop:e.offsetY||e.layerY}),wd=(e,t,i)=>{let a=Ld(t),n={element:e,filterElement:i,state:null,ondrop
 :()=>{},onenter:()=>{},ondrag:()=>{},onexit:()=>{},onload:()=>{},allowdrop:()=>{}};return
n.destroy=a.addListener(n),n},Ld=e=>{let t=ri.find(a=>a.element===e);if(t)return t;let i=Md(e);return ri.push(i),i},Md=e=>{let t=[],i={dragenter:Pd,dragover:zd,dragleave:Fd,drop:0d},a={};
 ()=>{t.splice(t.index0f(l),1),t.length===0&&(ri.splice(ri.index0f(n),1),te(i,o=>{e.removeEventListener(o,a[o],!1)}))}};return n},Ad=(e,t)=>("elementFromPoint"in
e||(e=document),e.elementFromPoint(t.x,t.y)),ia=(e,t)=>{let i=ud(t),a=Ad(i,{x:e.pageX-window.pageXOffset,y:e.pageY-window.pageYOffset});return a===t||t.contains(a)},Xn=null,ii=(e,t)=>{tr
 y\{e.dropEffect=t\}catch\{\}\}, Pd=(e,t)=>i=>\{i.preventDefault(), Xn=i.target, t.forEach(a=>\{let\{element:n,ole, t.forEach(a=>\{let(element:n,ole, t.forEach(a=>\{let(eleme
 nenter: l}=a; ia(i,n)&&(a.state="enter",l(et(i)))}), zd=(e,t)=>i=>{i.preventDefault();let}
 a=i.dataTransfer;ea(a).then(n=>{let l=!1;t.some(o=>{let{filterElement:r,element:s,onenter:p,onexit:c
,ondrag:d,allowdrop:m}=o;ii(a,"copy");let u=m(n);if(!u){ii(a,"none");return}if(ia(i,s)){if(l=!0,o.st
ate===null){o.state="enter",p(et(i));return}if(o.state="over",r&&!u){ii(a,"none");return}d(et(i))}el
```

```
e^{-k}!l\&(ii(a,"none"),o.state\&(o.state=null,c(et(i)))))),od=(e,t)=>i=>\{i.preventDefault();let a=i)
 i.dataTransfer;ea(a).then(n=>{t.forEach(l=>{let{filterElement:o,element:r,ondrop:s,onexit:p,allowdro
 p:c}=l;if(l.state=null,!(o&&!ia(i,r))){if(!c(n))return p(et(i));s(et(i),n)}})},Fd=(e,t)=>i=>{Xn===
i.target&&t.forEach(a=>{let{onexit:n}=a;a.state=null,n(et(i))})},Dd=(e,t,i)=>{e.classList.add("filep
ond--hopper");let{catchesDropsOnPage:a,requiresDropOnElement:n,filterItems:l=c=>c}=i,o=wd(e,a?docume
 nt.documentElement:e,n),r="",s="";o.allowdrop=c=>t(l(c)),o.ondrop=(c,d)=>{let
 m=l(d);if(!t(m)){p.ondragend(c);return}s="drag-
\label{eq:drop} $$drop'',p.onload(m,c)$,o.ondrag=c=>{p.ondrag(c)},o.onenter=c=>{s="drag-over",p.ondragstart(c)},o.onexit=c=>{s="drag-exit",p.ondragend(c)};let p={updateHopperState:()=>{r!=s&&(e.dataset.hopperState=s,r=s)},onload:()=>{},ondragstart:()=>{},ondrag:()=>{},ondragend:()=>{},d=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},ondragend:()=>{},o
estroy:()=>\{o.destroy()\}\}; return p\}, ki=!1,ut=[], Kn=e=>\{let\ t=document.activeElement; if(t&&(/textarea | input/i.test(t.nodeName)||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")==="true"||t.getAttribute("contenteditable")===="true"||t.getAttribute("contenteditable")========================
 le")==="")){let a=!1,n=t;for(;n!==document.body;){if(n.classList.contains("filepond--root")){a=!0;br
eak}n=n.parentNode}if(!a)return}ea(e.clipboardData).then(a=>{a.length&&ut.forEach(n=>n(a))})},Cd=e=> {ut.includes(e)||(ut.push(e),!ki&&(ki=!0,document.addEventListener("paste",Kn)))},Bd=e=>{qi(ut,ut.in
 dexOf(e)), ut.length===0&&(document.removeEventListener("paste",Kn),ki=!1)},Nd=()=>{let
 e=i=>\{t.onload(i)\}, t=\{destroy:()=>\{Bd(e)\}, onload:()=>\{\}\}; return
Cd(e),t},kd=({root:e,props:t})=>{e.element.id=`filepond--
assistant-[{t.id}`,se(e.element,"role","alert"),se(e.element,"aria-
live","polite"),se(e.element,"aria-relevant","additions")},cn=null,dn=null,Pi=[],fi=(e,t)=>{e.element
t.textContent=""},Vd=e=>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e.element.textContent=""},Qd=e>{e
a=e.query("GET_TOTAL_ITEMS");fi(e,`[{i} [{t}, [{a} [{a===1?e.query("GET_LABEL_FILE_COUNT_SINGULAR"):
e.query("GET_LABEL_FILE_COUNT_PLURAL")}`),clearTimeout(dn),dn=setTimeout(()=>{Vd(e)},1500)},Zn=e=>e.
element.parentNode.contains(document.activeElement), Gd=({root:e,action:t})=>{if(!Zn(e))return;e.element.textContent="";let
ent.textContent=""; let
i=e.query("GET_ITEM",t.id); Pi.push(i.filename), clearTimeout(cn), cn=setTimeout(()=>{Qn(e,Pi.join(",
"),e.query("GET_LABEL_FILE_ADDED")), Pi.length=0}, 750)}, Ud=({root:e,action:t})=>{if(!Zn(e))return; let
i=t.item; Qn(e,i.filename,e.query("GET_LABEL_FILE_REMOVED"))}, Wd=({root:e,action:t})=>{let
 a=e.query("GET ITEM",t.id).filename,n=e.query("GET LABEL FILE PROCESSING COMPLETE");fi(e,`∏{a}
 [\{n\}]), pn=({root:e,action:t})=>{let
 a=e.query("GET_ITEM",t.id).filename,n=e.query("GET_LABEL_FILE_PROCESSING_ABORTED");fi(e,`[{a}
 \lceil \{n\}'\}, ai=({root:e,action:t})=>{let a=e.query("GET ITEM",t.id).filename;fi(e,`\lceil \{t.status.main\} \rceil \{a\}
 REMOVE_ITEM.Ud,DID_COMPLETE_ITEM_PROCESSING:Wd,DID_ABORT_ITEM_PROCESSING:pn,DID_REVERT_ITEM_PROCESSING:pn,DID_THROW_ITEM_ERROR:ai,DID_THROW_ITEM_LOAD_ERROR:ai,DID_THROW_ITEM_INVALID:ai,DID_THROW_ITEM_PROCESSING_ERROR:ai}),tag:"span",name:"assistant"}),Jn=(e,t="-")=>e.replace(new
 RegExp(\[ ]\{t\}.\], "g"), i=>i.charAt(1).toUpperCase()), el=(e, t=16, i=!0)=>{let}
a=Date.now(),n=null;return(...l)=>{clearTimeout(n);let o=Date.now() a,r=()=>{a=Date.now(),e(...l)};o<t?i||(n=setTimeout(r,t-
o)):r()}},jd=1e6,si=e=>e.preventDefault(),Yd=({root:e,props:t})=>{let i=e.query("GET_ID");i&&(e.element.id=i);let a=e.query("GET_CLASS_NAME");a&&a.split(" ").filter(s=>s.length).forEach(s=>{e.element.classList.add(s)}),e.ref.label=e.appendChildView(e.createChildView(Xc,{...t,translateY:null,caption:e.query("GET_LABEL_IDLE")})),e.ref.list=e.appendChildView(e.createChildView(kr,franslateY:null})),e.ref.panel=e.appendChildView(e.createChildView(kr,franslateY:null})),e.ref.panel=e.appendChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(e.createChildView(
),e.ref.assistant=e.appendChildView(e.createChildView(Hd,{...t})),e.ref.data=e.appendChildView(e.createChildView(Hd,{...t})),e.ref.data=e.appendChildView(e.createChildView(Hd,{...t})),e.ref.measure=Ve("div"),e.ref.measure.style.height="100%",e.element.appendChild(e.ref.measure),e.ref.bounds=null,e.query("GET_STYLES").filter(s=>!ke(s.value)).map(({name:s,val
 ue:p})=>{e.element.dataset[s]=p}),e.ref.widthPrevious=null,e.ref.widthUpdated=el(()=>{e.ref.updateHi
 story=[],e.dispatch("DID_RESIZE_ROOT")},250),e.ref.previousAspectRatio=null,e.ref.updateHistory=[];l
et n=window.matchMedia("(pointer: fine) and (hover: hover)").matches,l="PointerEvent"in window;e.que ry("GET_ALLOW_REORDER")&&l&&!n&&(e.element.addEventListener("touchmove",si,{passive:!1}),e.element.a ddEventListener("gesturestart",si));let o=e.query("GET_CREDITS");if(o.length===2){let s=document.createElement("a");s.className="filepond--
 credits",s.href=o[0],s.tabIndex=-1,s.target="_blank",s.rel="noopener noreferrer nofollow",s.textCont
ent=o[1],e.element.appendChild(s),e.ref.credits=s}},qd=({root:e,props:t,actions:i})=>{if(Zd({root:e,props:t,actions:i}),i.filter(E=>/^DID_SET_STYLE_/.test(E.type)).filter(E=>!ke(E.data.value)).map(({type:E,data:_})=>{let x=Jn(E.substring(8).toLowerCase(),"_");e.element.dataset[x]=_.value,e.invalidateLayout()}),e.rect.element.hidden)return;e.rect.element.width!==e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&&(e.ref.widthPrevious&(e.ref.widthPrevious&&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPrevious&(e.ref.widthPre
 vious=e.rect.element.width,e.ref.widthUpdated());let a=e.ref.bounds;a||(a=e.ref.bounds=Kd(e),e.eleme
 nt.removeChild(e.ref.measure),e.ref.measure=null);let{hopper:n,label:l,list:o,panel:r}=e.ref;n&&n.up dateHopperState();let s=e.query("GET_PANEL_ASPECT_RATIO"),p=e.query("GET_ALLOW_MULTIPLE"),c=e.query(
  "GET_TOTAL_ITEMS"),d=p?e.query("GET_MAX_FILES")||jd:1,m=c===d,u=i.find(E=>E.type==="DID_ADD_ITEM");i
 f(m&&u){let E=u.data.interactionMethod;l.opacity=0,p?l.translateY=-40:E===Re.API?l.translateX=40:E===Re.BROWSE?l.translateY=40:l.translateY=30}else
 m||(l.opacity=1,l.translateX=0,l.translateY=0); let \ g=[d(e),f=Xd(e),h=l.rect.element.height,I=!p||m?0|| | ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=Xd(e),h=l.rect.element.height,I=!p||m?0|| ||f=
 :h,b=m?o.rect.element.marginTop:0,T=c===0?0:o.rect.element.marginBottom,v=I+b+f.visual+T,y=I+b+f.bou
 nds+T;if(o.translateY=Math.max(0,I-o.rect.element.marginTop)-g.top,s){let E=e.rect.element.width, =E
*s;s!==e.ref.previousAspectRatio&&(e.ref.previousAspectRatio=s,e.ref.updateHistory=[]);let x=e.ref.updateHistory;x.push(E);let R=2;if(x.length>R*2){let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=P-10,B=0;for(let P=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.length,A=x.le
 w=P;w=A;w--)if(x[w]===x[w-2]\&\&B++,B>=R) returnr.scalable=!1,r.height=_;let
 z= -I-(T-g.bottom)-(m?b:0);f.visual>z?o.overflow=z:o.overflow=null,e.height= }else
 if(a.fixedHeight){r.scalable=!1;let
 E=a.fixedHeight-I-(T-g.bottom)-(m?b:0);f.visual>E?o.overflow=E:o.overflow=null}else
```

```
if(a.cappedHeight){let
 E=v>=a.cappedHeight, =Math.min(a.cappedHeight,v);r.scalable=!0,r.height=E?: -q.top-q.bottom;let x=
   -I-(T-a bottom)
 (m?b:0);v>a.cappedHeight&&f.visual>x?o.overflow=x:o.overflow=null,e.height=Math.min(a.cappedHeight,y
    .g.top-q.bottom)}else{let E=c>0?q.top+q.bottom:0;r.scalable=!0,r.height=Math.max(h,v-
 E).e.height=Math.max(h,y-
 E)}e.ref.credits&&r.heightCurrent&&(e.ref.credits.style.transform=`translateY(∏{r.heightCurrent}px)`
 )}, \d=e=>{let t=e.ref.list.childViews[0].childViews[0]; return
 t?{top:t.rect.element.marginTop,bottom:t.rect.element.marginBottom}:{top:0,bottom:0}},Xd=e=>{let t=0
   i=0,a=e.ref.list,n=a.childViews[0],l=n.childViews.filter(b=>b.rect.element.height),o=e.query("GET A,
 CTIVE ITEMS").map(b=>l.find(T=>T.id===b.id)).filter(b=>b);if(o.length===0)return{visual:t,bounds:i};
 let r=n.rect.element.width,s=Zi(n,o,a.dragCoordinates),p=o[0].rect.element,c=p.marginTop+p.marginBot
 tom,d=p.marqinLeft+p.marginRight,m=p.width+d,u=p.height+c,g=typeof
  < "u"\&\&s>=0?1:0, f=o.find(b=>b.markedForRemoval\&\&b.opacity<.45)?-1:0, h=o.length+g+f, I=Qi(r,m); return 
 I ===1?o. for Each (b => \{let T=b.rect.element.height+c; i+=T, t+=T*b.opacity\}): (i=Math.ceil(h/I)*u,t=i), \{vindatale ==1?o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vindatale ==1.o.for Each (b=vind
 sual:t,bounds:i}},Kd=e=>{let t=e.ref.measureHeight||null;return{cappedHeight:parseInt(e.style.maxHei
ght,10)||null,fixedHeight:t===0?null:t}},aa=(e,t)=>{let i=e.query("GET_ALLOW_REPLACE"),a=e.query("GET_ALLOW_MULTIPLE"),n=e.query("GET_TOTAL_ITEMS"),l=e.query("GET_MAX_FILES"),o=t.length;return!a&&o>1?
(e.dispatch("DID_THROW_MAX_FILES",{source:t,error:ie("warning",0,"Max_files")}),!0):(l=a?l:1,!a&&i?!
1:bt(l)&&n+o>l?(e.dispatch("DID_THROW_MAX_FILES",{source:t,error:ie("warning",0,"Max_files")}),"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",{source:t,error:ie("warning",0,"Max_files"),"Max_files",
 files")}),!0):!1)},Od=(e,t,i)=>{let a=e.childViews[0];return Zi(a,t,{left:i.scopeLeft-
 a.rect.element.left,top:i.scopeTop-
 (e.rect.outer.top+e.rect.element.marginTop+e.rect.element.scrollTop)})}, mn=e=>{let
t=e.query("GET_ALLOW_DROP"),i=e.query("GET_DISABLED"),a=t&&!i;if(a&&!e.ref.hopper){let
n=Dd(e.element,l=>{let o=e.query("GET_BEFORE_DROP_FILE")||(()=>!0);return e.query("GET_DROP_VALIDATI
ON")?l.every(s=>tt("ALLOW_HOPPER_ITEM",s,{query:e.query}).every(p=>p===!0)&&o(s)):!0},{filterItems:let o=e.query("GET_IGNORED_FILES");return l.filter(r=>Je(r)?!o.include.query("GET_DROP_ON_PAGE"),requiresDropOnPelement:e.query("GET_DROP_ON_ELEMENT));
},catchesDropOnPage:e.query("GET_DROP_ON_PAGE"),requiresDropOnPelement:e.query("GET_DROP_ON_ELEMENT);
},catchesDropOnPage:e.query("GET_DROP_ON_ELEMENT)
 )});n.onload=(l,o)=>{let s=e.ref.list.childViews[0].childViews.filter(c=>c.rect.element.height),p=e.
 query("GET ACTIVE ITEMS").map(c=>s.find(d=>d.id===c.id)).filter(c=>c);Ae("ADD ITEMS",l,{dispatch:e.d
 ispatch). ithen(c=>\{if(aa(e,c)) return!1;e.dispatch("ADD_ITEMS",{items:c,index:Qd(e.ref.list,p,o),inte})
ractionMethod:Re.DROP})}),e.dispatch("DID_DROP",{position:o}),e.dispatch("DID_END_DRAG",{position:o})
},n.ondragstart=l=>{e.dispatch("DID_START_DRAG",{position:l})},n.ondrag=el(l=>{e.dispatch("DID_DRAG",{position:l})}),e.ref.hopper=n,e.ref.drip
 =e.appendChildView(e.createChildView(ad))}else!a&&e.ref.hopper&&(e.ref.hopper.destroy(),e.ref.hopper
 =null,e.removeChildView(e.ref.drip))},un=(e,t)=>{let i=e.query("GET ALLOW BROWSE"),a=e.query("GET DI
SABLED"), n=i&&!a;n&&!e.ref.browser?e.ref.browser=e.appendChildView(e.createChildView(qc,{...t,onload::l=>{Ae("ADD_ITEMS",l,{dispatch:e.dispatch}).then(o=>{if(aa(e,o))return!1;e.dispatch("ADD_ITEMS",{it
 7. I,interactionMethod:Re.BROWSE})})}}),0):!n&&e.ref.browser&&(e.removeChildView(e.ref.browser),e.ref.browser=null)},gn=e=>{let t=e.query("GET_ALLOW_PASTE"),i=e.query("GET_DISABLED"),a=t&&!i;a&&!e.ref.pa
 ster?(e.ref.paster=Nd(),e.ref.paster.onload=n=>{Ae("ADD ITEMS",n,{dispatch:e.dispatch}).then(l=>{if(
 aa(e,l))return!1;e.dispatch("ADD_ITEMS",{items:l,index:
 1,interactionMethod:Re.PASTE})})]:!a&&e.ref.paster&&(e.ref.paster.destroy(),e.ref.paster=null)},Zd=
 fe({DID_SET_ALLOW_BROWSE:({root:e,props:t})=>{un(e,t)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e)},DID_SET_ALLOW_DROP:({root:e})=>{mn(e
 T_ALLOW_PASTE:({root:e})=>{gn(e)},DID_SET_DISABLED:({root:e,props:t})=>{mn(e),gn(e),un(e,t),e.query(
 "GET DISABLED")?e.element.dataset.disabled="disabled":e.element.removeAttribute("data-disabled")}}),
 Jd=ne(\{name: "root", read: (\{root:e\})=>\{e.ref.measure\&\&(e.ref.measureHeight=e.ref.measure.offsetHeight)\}
 },create:Yd,write:qd,destroy:({root:e})=>{e.ref.paster&&e.ref.paster.destroy(),e.ref.hopper&&e.ref.h
 opper.destroy(),e.element.removeEventListener("touchmove",si),e.element.removeEventListener("gesture
start",si)},mixins:{styles:["height"]}}),ep=(e={})=>{let
t=null,i=oi(),a=br(is(i),[Is,ls(i)],[js,ns(i)]);a.dispatch("SET_OPTIONS",{options:e});let
n=()=>{document.hidden||a.dispatch("KICK")};document.addEventListener("visibilitychange",n);let l=nu
 ll,o=!1,r=!1,s=null,p=null,c=()=>\{o|\,|\,(o=!0),clearTimeout(l),l=setTimeout(()=>\{o=!1,s=null,p=null,r\&\&arTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTimeout(l),l=setTime
  (r=!1,a.dispatch("DID\_STOP\_RESIZE"))\},500)\}; window.addEventListener("resize",c); let d=Jd(a,\{id:Yi()\}), m=!1,u=!1,g=\{\_read:()=>\{o&&(p=window.innerWidth,s]|(s=p),!r&&p!==s&&(a.dispatch("DID\_START\_RESIZE"), let d=Jd(a,fid:Yi()), m=!1,u=!1,g=f_read:()=>f_read:()=>f_read:()=>f_read:()=>f_read:()=>f_read:()=>f_read:()=>f_read:()=>f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_read:()=f_rea
  ),r=!0)),u&&m&&(m=d.element.offsetParent===null),!m&&(d._read(),u=d.rect.element.hidden)},_write:S=>
 {let L=a.processActionQueue().filter(D=>!/^SET /.test(D.Type));m&&!L.length||(b(L),m=d. write(S,L,r)
   ,ss(a.query("GET_ITEMS")),m&&a.processDispatchQueue())}},f=S=>L=>{let D={type:S};if(!L)return D;if(L
   ile\&(D.output=L.file), L.source)D.file=L.source; else if(L.item||L.id){let}
 F=L.item?L.item:a.query("GET_ITEM",L.id);D.file=F?he(F):null\\ \\ return_L.items\&\&(D.items=L.items.map(he,L.id));D.file=F?he(F):null\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items=L.items),\\ \\ return_L.items\&(D.items
 )),/progress/.test(S)&&(D.progress=L.progress),L.hasOwnProperty("origin")&&L.hasOwnProperty("target")
)&&(D.origin=L.origin,D.target=L.target),D},h={DID_DESTROY:f("destroy"),DID_INIT:f("init"),DID_THROW
_MAX_FILES:f("warning"),DID_INIT_ITEM:f("initfile"),DID_START_ITEM_LOAD:f("addfilestart"),DID_UPDATE
_ITEM_LOAD_PROGRESS:f("addfileprogress"),DID_LOAD_ITEM:f("addfile"),DID_THROW_ITEM_INVALID:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("addfile")],DID_THROW_ITEM_REMOVE_ERROR:[f("error"),f("error")],f("error")],f("error"),f("error"),f("error")],f("error"),f("error"),f("error")],f("error"),f("error")],f("error"),f("error")],f("error"),f("error")],f("error"),f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error")],f("error"
"error"),f("removefile")],DID_PREPARE_OUTPUT:f("preparefile"),DID_START_ITEM_PROCESSING:f("processfilestart"),DID_UPDATE_ITEM_PROCESS_PROGRESS:f("processfileprogress"),DID_ABORT_ITEM_PROCESSING:f("processfileabort"),DID_COMPLETE_ITEM_PROCESSING:f("processfile"),DID_COMPLETE_ITEM_PROCESSING.f("processfiles"),DID_THROW_ITEM_PROCESSING_ERROR:[f("processfiles"),DID_THROW_ITEM_PROCESSING_ERROR:[f("error"),f("processfile")],DID_REMOVE_ITEM_F("removefile"),DID_UPDATE_ITEMS:f("updatefiles"),DID_ACTIV
 ATE ITEM:f("activatefile"),DID REORDER ITEMS:f("reorderfiles")},I=S=>{let L={pond:0,...S};delete
```

```
L.type,d.element.dispatchEvent(new
CustomEvent(`FilePond: [{S.type}`,{detail:L,bubbles:!0,cancelable:!0,composed:!0}));let
D=[];S.hasOwnProperty("error")&&D.push(S.error),S.hasOwnProperty("file")&&D.push(S.file);let F=["typ
e", "error", "file"]; Object.keys(S).filter(C=>!F.includes(C)).forEach(C=>D.push(S[C])), O.fire(S.type,.
..D);let G=a.query(`GET_ON[[Ś.type.toUpperCase()}`);G&&Ġ(...D)},b=S=>{S.length&&S.filter(L=>h[L.type]).forEach(L=>{L.type==="DID_INIT_ITEM"?I(F(L.d
ata)):setTimeout(()=>{I(F(L.data))},0)})}),T=S=>a.dispatch("SET_OPTIONS",{options:S}),v=S=>a.query(
"GET_ACTIVE_ITEM",S),y=S=>new Promise((L,D)=>{a.dispatch("REQUEST_ITEM_PREPARE",{query:S,success:F=>
\{L(F)\}, failure: F=>\{D(F)\}\})\}, E=(S,L=\{\})=>new Promise((D,F)=>\{R([\{source:S,options:L\}], \{index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.index:L.in
}).then(G=>D(G&&G[0])).catch(F)}),_=S=>S.file&&S.id,x=(S,L)=>(typeof S=="object"&&! (S)&&!L&&(L=S,S=void)
0),a.dispatch("REMOVE_ITEM",{...L,query:S}),a.query("GET_ACTIVE_ITEM",S)===null),R=(...S)=>new
Promise((L,D)=>let F=[],G={};if(ci(S[0]))F.push.apply(F,S[0]),0bject.assign(G,S[1]||{});else{let
C=S[S.length-1];typeGf C=="object"&&!(C instanced Blob)&&Object.assign(G,S.pop()),F.push(...S)}a.di
spatch("ADD_ITEMS",{items:F,index:G.index,interactionMethod:Re.API,success:L,failure:D})}),z=()=>a.q
uery("GET_ACTIVE_ITEMS"),P=S=>new Promise((L,D)=>{a.dispatch("REQUEST_ITEM_PROCESSING",{query:S,success:L,failure:D})})
ess:F=>{L(F)}, failure:F=>{D(F)}})}),A=(...S)=>{let
L=Array.isArray(S[0])?S[0]:S;if(!L.length){let D=z().filter(F=>!(F.status===U.IDLE&&F.origin===re.L0
CAL)&&F.status!==U.PROCESSING&&F.status!==U.PROCESSING COMPLETE&&F.status!==U.PROCESSING ŘEVERT ERRO
R); return Promise.all(D.map(P))} return Promise.all(L.map(P))}, w=(...S)=>{let
L=Array.isArray(S[0])?S[0]:S,D;typeof

L[L.length-1]=="object"?D=L.pop():Array.isArray(S[0])&&(D=S[1]);let F=z();return L.length?L.map(C=>[
e(C)?F[C]?F[C].id:null:C).filter(C=>C).map(C=>x(C,D)):Promise.all(F.map(C=>x(C,D)))\}, 0=\{\dots mi(),\dots g(C,D)\}
...as(a,i),setOptions:T,addFile:E,addFiles:R,getFile:v,processFile:P,prepareFile:y,removeFile:x,mov
eFile:(S,L)=>a.dispatch("MOVE_ITEM",{query:S,index:L}),getFiles:z,processFiles:B,removeFiles:w,prepa
reFiles:A,sort:S=>a.dispatch("SORT",{compare:S}),browse:()=>{var S=d.element.querySelector("input[ty
pe=file]");S&&S.click()},destroy:()=>{0.fire("destroy",d.element),a.dispatch("ABORT_ALL"),d._destroy
(),window.removeEventListener("resize",c),document.removeEventListener("visibilitychange",n),a.dispa
tch("DID_DESTROY")},insertBefore:S=>Ca(d.element,S),insertAfter:S=>Ba(d.element,S),appendTo:S=>S.app
endChild(d.element), replaceElement:S=>{Ca(d.element,S),S.parentNode.removeChild(S),t=S}, restoreElement:()=>{t&&(Ba(t,d.element),d.element.parentNode.removeChild(d.element),t=null)}, isAttachedTo:S=>d.element===S||t===S,element:{get:()=>d.element}, status:{get:()=>a.query("GET_STATUS")}}; return
a.dispatch("DID_INIT"), We(0)},tl=(e={})=>{let t={};return te(oi(),(a,n)=>{t[a]=n[0]}),ep({...t,...e})},tp=e=>e.charAt(0).toLowerCase()+e.slice(1),ip=e=>Jn(e.replace(/^data-/,"")),il=(e,t)=>{te(t,(i,a)=>{te(e,(n,l)=>{let o=new RegExp(i);if(!o.test(n)||(delete
e[n], a == !1)) \ return; if (ge(a)) \{e[a] = 1; return\} \ let s = a.group; ce(a) \& \& (e[s] = \{\}), e[s] \ [tp(n.replace(o, ""))] = 1\}), a.mapping \& il(e[a.group], a.mapping) \}), ap=(e, t= \{\}) => \{let (a.group), a.group), a.group) \}
ssign(a[o],n[o])):a[o]=n[o]}),a.files=(t.files||[]).concat(Array.from(e.querySelectorAll("input:not(
[type=file])")).map(o=>({source:o.value,options:{type:o.dataset.type}})));let l=tl(a);return e.files &&Array.from(e.files).forEach(o=>{l.addFile(o)}),l.replaceElement(e),l},lp=(...e)=>hr(e[0])?np(...e) :tl(...e),op=["fire","_read","_write"],fn=e=>{let t={};return yn(e,t,op),t},rp=(e,t)=>e.replace(/(?:{([a-zA-Z]+)})/g,(i,a)=>t[a]),sp=e=>{let t=new
Blob(["(",e.toString(),")()"],{type:"application/javascript"}),i=URL.createObjectURL(t),a=new Worker(i);return{transfer:(n,l)=>{},post:(n,l,o)=>{let r=Yi();a.onmessage=s=>{s.data.id===r&&l(s.dat a.message)},a.postMessage({id:r,message:n},o)},terminate:()=>{a.terminate(),URL.revokeObjectURL(i)}}
 },cp=e=>new Promise((t,i)=>{let a=new
Image; a.onload=()=>\{t(a)\}, a.onerror=n=>\{i(n)\}, a.src=e\}), al=(e,t)=>\{let
i=e.slice(0,e.size,e.type);return i.lastModifiedDate=e.lastModifiedDate,i.name=t,i},dp=e=>al(e,e.nam
e),hn=[],pp=e=>{if(hn.includes(e))return;hn.push(e);let t=e({addFilter:ds,utils:{Type:M,forin:te,isS
tring:qe,isFile:Je,toNaturalFileSize:Cn,replaceInString:rp,getExtensionFromFilename:ui,getFilenameWi
thoutExtension:On,guesstimateMimeType:qn,getFileFromBlob:ht,getFilenameFromURL:Dt,createRoute:fe,cre ateWorker:sp,createView:ne,createItemAPI:he,loadImage:cp,copyFile:dp,renameFile:al,createBlob:An,app
lyFilterChain:Ae,text:ae,getNumericAspectRatioFromString: n},views:{fileActionButton:Dn}});ps(t.opti
()=>{let e=bn()&&!mp()&&hp()&&up()&&gp()&&fp()&&bp()&&(Ep()||Tp());return()=>e})(),Ue={apps:[]},Ip="
filepond",it=()=>{},nl={},Et={},Ct={},Gi={},gt=it,ft=it,Wi=it,ve=it,Hi=it,Ft=it;if(Vi()){Ur(()}
=>{Ue.apps.forEach(i=>i._read())},i=>{Ue.apps.forEach(a=>a._write(i))});let
e=()=>{document.dispatchEvent(new CustomEvent("FilePond:loaded",{detail:{supported:Vi,create:gt,destroy:ft,parse:Ui,find:Wi,registerPlugin:ve,setOptions:Ft}})),document.removeEventListener("DOMContent
Loaded",e)};document.readyState!=="loading"?setTimeout(()=>e(),0):document.addEventListener("DOMCont
entLoaded",e);let
t=()=>te(oi(),(i,a)=>\{Gi[i]=a[1]\});nl=\{...wn\},Ct=\{...re\},Et=\{...U\},Gi=\{\},t(),gt=(...i)=>\{let,et=\{...u\},Gi=\{\},t(),gt=(...i)=>\{let,et=\{...u\},Gi=\{\},t(),gt=(...i)=>\{let,et=\{...u\},Gi=\{\},t(),gt=(...i)=>\{let,et=\{...u\},Gi=\{\},t(),gt=(...i)=>\{let,et=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...u\},Gi=\{...
```

```
a=lp(...i);return a.on("destroy",ft),Ue.apps.push(a),fn(a)},ft=i=>{let
a=Ue.apps.findIndex(n=>n.isAttachedTo(i));return a>=0?(Ue.apps.splice(a,1)[0].restoreElement(),!0):!
1\}, Ui=i=>Array.from(i.querySelectorAll(`. [\{Ip\}`)).filter(l=>!Ue.apps.find(o=>o.isAttachedTo(l))).map
 (l=>gt(l)),Wi=i=>{let a=Ue.apps.find(n=>n.isAttachedTo(i));return
a?fn(a):null\}, ve=(...i)=>\{i.forEach(pp),t()\}, Hi=()=>\{let i=\{\}; return te(oi(),(a,n)=>\{i[a]=n[0]\}),i\},
Ft=i=>(ce(i)\&\&(Ue.apps.forEach(a=>\{a.setOptions(i)\}),ms(i)),Hi())\} function ll(e,t)\{varantering(varantering)\}
i=Object.keys(e);if(Object.getOwnPropertySymbols){var
a=Object.getOwnPropertvSymbols(e):t&&(a=a.filter(function(n){return
Object.getOwnPropertyDescriptor(e,n).enumerable})),i.push.apply(i,a)}return i}function vl(e){for(var t=1;t<arguments.length;t++){var i=arguments[t]!=null?arguments[t]:{};t%2?ll(Object(i),!0).forEach(fu
nction(a){Rp(e,a,i[a])}):Object.getOwnPropertyDescriptors?Object.defineProperties(e,Object.getOwnPro
pertyDescriptors(i)):ll(Object(i)).forEach(function(a){Object.defineProperty(e,a,Object.getOwnProper
tyDescriptor(i,a))})}return e}function vp(e,t){if(typeof e!="object"||!e)return e;var i=e[Symbol.toPrimitive];if(i!==void 0){var a=i.call(e,t||"default");if(typeof a!="object")return a;throw new TypeError("@@toPrimitive must return a primitive
value.")}return(t==="string"?5tring:Number)(e)}function xl(e){var t=vp(e,"string");return typeof
t=="symbol"?t:t+""}function ra(e){"@babel/helpers - typeof";return ra=typeof
Symbol=="function"&&typeof Symbol.iterator=="symbol"?function(t){return typeof t}:function(t){return
t&&typeof Symbol=="function"&&t.constructor===Symbol&&t!==Symbol.prototype?"symbol":typeof
t},ra(e)}function xp(e,t){if(!(e instanceof t))throw new TypeError("Cannot call a class as a
function")}function ol(e,t){for(var i=0;i<t.length;i++){var</pre>
a=t[i];a.enumerable=a.enumerable||!1,a.configurable=!0,"value"in
a&&(a.writable=!0),Object.defineProperty(e,xl(a.key),a)}}function yp(e,t,i){return t&&ol(e.prototype,t),i&&ol(e,i),Object.defineProperty(e,"prototype",{writable:!1}),e}function Rp(e,t,i){return t=xl(t),t in
e?Object.defineProperty(e,t,{value:i,enumerable:!0,configurable:!0,writable:!0}):e[t]=i,e}function yl(e){return Sp(e)||_p(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)||_kp(e)
   p(e){if(typeof Symbol<"u"&&e[Symbol.iterator]!=null||e["@@iterator"]!=null)return</pre>
Array.from(e)}function wp(e,t){if(e){if(typeof e=="string")return sa(e,t);var i=0bject.prototype.toS
tring.call(e).slice(8,-
1);if(i==="Object"&&e.constructor&&(i=e.constructor.name),i==="Map"||i==="Set")return
Array.from(e);if(i==="Arguments"||/^(?:Ui|I)nt(?:8|16|32)(?:Clamped)?Array□/.test(i))return
sa(e,t)}}function sa(e,t){(t==null||t>e.length)&&(t=e.length);for(var i=0,a=new
Array(t);i<t;i++)a[i]=e[i];return a}function Lp(){throw new TypeError(`Invalid attempt to spread non-iterable instance.
In order to be iterable, non-array objects must have a [Symbol.iterator]() method.`)}var Ti=typeof
window<"u"&&typeof
window.document<"u",De=Ti?window:{},ba=Ti&&De.document.documentElement?"ontouchstart"in
De.document.documentElement:!1,Ea=Ti?"PointerEvent"in De:!1,Z="cropper",Ta="all",Rl="crop",Sl="move",_l="zoom",at="e",nt="w",Tt="s",He="n",Bt="ne",Nt="nw",kt="se",Vt="sw",ca="".concat(Z,"-crop"),rl="".concat(Z,"-disabled"),Ee="".concat(Z,"-hidden"),sl="".concat(Z,"-hide"),Mp="".concat(Z,"-invisible"),Ei="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-modal"),da="".concat(Z,"-mo
="cropend",ua="cropmove",ga="cropstart",cl="dblclick",Ap=ba?"touchstart":"mousedown",Pp=ba?"touchmov
e": "mousemove", zp=ba? "touchend
touchcancel":"mouseup",dl=Ea?"pointerdown":Ap,pl=Ea?"pointermove":Pp,ml=Ea?"pointerup pointercancel"
:zp,ul="ready",gl="resize",fl="wheel",fa="zoom",hl="image/jpeg",0p=/^e|w|s|n|se|sw|ne|nw|all|crop|mo
ve|zoom[]/,Fp=/^data:/,Dp=/^data:image\/jpeg;base64,/,Cp=/^img|canvas[]/i,Ml=200,Al=100,bl={viewMode:0
dragMode:Ia,initialAspectRatio:NaN,aspectRatio:NaN,data:null,preview:"",responsive:!0,restore:!0,checkCrossOrigin:!0,checkOrientation:!0,modal:!0,guides:!0,center:!0,highlight:!0,background:!0,autoCrop::0,autoCroparea:.8,movable:!0,rotatable:!0,scalable:!0,zoomable:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonWheel:!0,zoomonW
wheelZoomRatio:.1,cropBoxMovable:!0,cropBoxResizable:!0,toggleDragModeOnDblclick:!0,minCanvasWidth:0
 eady:null,cropstart:null,cropmove:null,cropend:null,crop:null,zoom:null},Bp='<div class="cropper-
container touch-action = none > < div class = cropper - wrap - box > < div class = cropper
canvas"></div></div></div></div></div></div></div></span><span class="cropper-dashed dashed-h"></span><span class="cropper-view-box"></span><span class="cropper-dashed dashed-h"></span><span ></span></span></span></span></span></span></span>
dashed dashed-v"></span><span class="cropper-center"></span><span class="cropper-face"></span><span
class="cropper-line line-e" data-cropper-action="e"></span><span class="cropper-line line-n" data
cropper-action="n"></span><span class="cropper-line line-w" data-cropper-action="w"></span><span
class="cropper-line line-s" data-cropper-action="s"></span><span class="cropper-point point-e" data-
cropper-action="e"></span><span class="cropper-point point-n" data-cropper-action="n"></span><span
class="cropper-point point-w" data-cropper-action="w"></span><span class="cropper-point point-s data-cropper-action="s"></span><span class="cropper-point point-s" data-cropper-action="s"></span><span class="cropper-point point-ne" data-cropper-point point-ne" data-cropper-
action="ne"></span><span class="cropper-point point-nw" data-cropper-action="nw"></span><span class="cropper-point point-sw" data-cropper-action="sw"></span><span class="cropper-point point-sw" data-cropper-action="sw"></span><span class="cropper-point point-se"
data-cropper-action="se"></span></div></div>', Np=Number.isNaN||De.isNaN; function j(e) {return typeof e=="number"&&!Np(e)}var El=function(t) {return t>0&&t<1/0}; function la(e) {return typeof e>"u"}function lt(e) {return ra(e)==="object"&&e!==null}var
kp=0bject.prototype.hasOwnProperty;function It(e){if(!lt(e))return!1;try{var
t=e.constructor,i=t.prototype;return t&&i&&kp.call(i,"isPrototype0f")}catch{return!1}}function
be(e){return typeof e=="function"}var Vp=Array.prototype.slice;function Pl(e){return
Array.from?Array.from(e):Vp.call(e)}function le(e,t){return e&be(t)&&(Array.isArray(e)||;(e.length)
```

```
Pl(e).forEach(function(i,a)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,e[a,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,e[a,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(function(i)\{t.call(e,i,a,e)\}):lt(e)\&Object.keys(e).forEach(e,i,a,e)
 i],i,e)})),e}var J=Object.assign||function(t){for(var i=arguments.length,a=new
 Array(i>1?i-1:0), n=1;n<i;n++)a[n-1]=arguments[n];return lt(t)&&a.length>0&&a.forEach(function(l){lt(
 \label{loss} \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss} \label{loss}  \label{loss}  \label{loss}  \label{loss}  \label{loss} \label{loss}  \label{loss}  \label{loss}  \label{loss} \label{loss}  \label{loss}  \label{loss}  \label{loss} \label{loss} \label{loss} \label{loss} \label{loss} \label{loss} \label{loss} \label{loss} \label{loss} \label{loss} \labells  \la
 t=arguments.length>1&&arguments[1]!==void 0?arguments[1]:1e11;return
 Gp.test(e)?Math.round(e*t)/t:evar Up=/^width|height|left|top|marginLeft|marginTop<math>||/;function
je(e,t){var i=e.style;le(t,function(a,n){Up.test(n)&&j(a)&&(a="".concat(a,"px")),i[n]=a})}function Wp(e,t){return e.classList?e.classList.contains(t):e.className.indexOf(t)>-1}function de(e,t){if(t){
if(j(e.length)){le(e,function(a){de(a,t)});return}if(e.classList){e.classList.add(t);return}var
i=e.className.trim();i?i.indexOf(t)<0&&(e.className="".concat(i,"
").concat(t)):e.className=t}}function Fe(e,t){if(t){if(j(e.length))}{le(e,function(i){Fe(i,t)});retur</pre>
 n}if(e.classList){e.classList.remove(t);return}e.className.indexOf(t)>=0&&(e.className=e.className=r
 eplace(t,""))}}function
 \begin{tabular}{ll} $$ vt(e,t,i)_{if(t)_{if(j(e,length))}_{le(e,function(a)_{vt(a,t,i)});return}_{i?de(e,t):Fe(e,t)}_{var}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}=c,t}_{le(e,t)_{i}
 Wt(e,t,i)\{lt(i)?e[t]=i:e.dataset?e.dataset[t]=i:e.setAttribute("data-".concat(va(t)),i)\} function
 ip(e,t){if(lt(e[t]))try{delete e[t]}catch{e[t]=void 0}else if(e.dataset)try{delete
 e.dataset[t]}catch{e.dataset[t]=void 0}else e.removeAttribute("data-".concat(va(t)))}var
 zl=/\s\s*/,0l=function(){var e=!1;if(Ti){var
t=!1,i=function(){},a=Object.defineProperty({},"once",{get:function()}{return e=!0,t},set:function()
{t=l}});De.addEventListener("test",i,a),De.removeEventListener("test",i,a)}return e}();function
Oe(e,t,i){var a=arguments.length>3&&arguments[3]!==void
0? arguments[3]: \{\}, n=i; t.trim().split(zl).forEach(function(l)\{if(!0l)\{varo=e.listeners; o\&\&o[l]\&\&o[l][i]\&\&(n=o[l][i],delete o[l][i],0bject.keys(o[l]).length===0\&\&delete).
 o[l], Object.keys(o).length === 0\&\&delete e.listeners) \\ \\ e.removeEventListener(l,n,a) \\ \\ e) \\ \\ function \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventListener(l,n,a) \\ \\ eventList
 Se(e,t,i){var a=arguments.length>3&&arguments[3]!==void
 0?arguments[3]:{}, n=i;t.trim().split(zl).forEach(function(l){if(a.once&!0l){var}})
 o=e.listeners,r=o===void 0?{}:o;n=function(){delete r[l][i],e.removeEventListener(l,n,a);for(var
 p=arguments.length,c=new Array(p),d=0;d<p;d++)c[d]=arguments[d];i.apply(e,c)},r[l]||(r[i]={}),r[l]|i
] \& \& e.remove EventListener(l,r[l][i],a),r[l][i]=n,e.listeners=r \} e.add EventListener(l,n,a) \}) \} function yt(e,t,i) \{ var a; return be(Event) \& \& be(Custom Event) ? a=new Custom Event(t, \{detail:i,bubbles:!0, cancelable to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the
 e: !0\}): (a=document.createEvent("CustomEvent"), a.initCustomEvent(t, !0, !0, i)), e.dispatchEvent(a)\} function of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
 ion Fl(e){var t=e.getBoundingClientRect();return{left:t.left+(window.pageXOffset-
 document.documentElement.clientLeft),top:t.top+(window.pageYOffset-
 document.documentElement.clientTop)}}var oa=De.location,Yp=/^(\w+:)\//([^:/?#]^*):?(\d^*)/i;function
 Tl(e){var t=e.match(Yp);return
 t!==null\&\&(t[1]!==oa.protocol||t[2]!==oa.hostname||t[3]!==oa.port)\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"?":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"?":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"?":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"?":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"?":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"?":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"":"&")+t\} function \ Il(e) \{vartimestamp=".concat(new Date().getTime()); return e+(e.indexOf("?")===-1?"")+t] function \ Il(e) \{vartimestamp=".concat().getTime()); return e+(e.indexOf("?")===-1?"")+t] function \ Il(e) \{vartimestamp=".concat().getTime().getTime()); return e+(e.indexOf("?")===-1?"")+t] function \ Il(e) \{vartimestamp=".concat().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime().getTime()
 \begin{aligned} &\mathsf{Gt}(e) \{ \text{var t=e.rotate,i=e.scaleX,a=e.scaleY,n=e.translateX,l=e.translateY,o=[];j(n)\&\&n!==0\&\&o.push("translateX(".concat(n,"px)")),j(l)\&\&l!==0\&\&o.push("translateY(".concat(l,"px)")),j(t)\&\&l!==0\&\&o.push("translateY(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&l!==0\&\&o.push("scaleX(".concat(l,"px)")),j(a)\&l!==0\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX(".concat(l,"px)")),j(a)\&l.push("scaleX("
 (".concat(a,")"));var r=o.length?o.join("
"):"none";return{WebkitTransform:r,msTransform:r,transform:r}function qp(e){var
 t=v(\{\},e\},i=0; return le(e,function(a,n)\{delete\ t[n],le(t,function(l)\{var\ o=Math.abs(a.startX-text)\}
 l.startX),r=Math.abs(a.startY-l.startY),s=Math.abs(a.endX-l.endX),p=Math.abs(a.endY-
 l.endY), c=Math.sqrt(o*o+r*r), d=Math.sqrt(s*s+p*p), m=(d-
c)/c;Math.abs(m)>Math.abs(i)&(i=m)}),i}function bi(e,t){var i=e.pageX,a=e.pageY,n={endX:i,endY:a};return t?n:vl({startX:i,startY:a},n)}function \Boxp(e){var
 t=0,i=0,a=0;return le(e,function(n){var
 l=n.startX, o=n.startY; t+=l, i+=o, a+=1\}), t/=a, i/=a, \{pageX:t, pageY:i\}\} function Ye(e) \{varante = 1, varante aspectRatio,i=e.height,a=e.width,n=arguments.length>1&&arguments[1]!==void
0?arguments[1]: "contain",l=El(a),o=El(i);if(l&&o){var r=i*t;n==="contain"&&r>a||n==="cover"&&r<a?i=a/t:a=i*t}else
 l?i=a/t:o&&(a=i*t);return{width:a,height:i}}function Xp(e){var
 t=e.width,i=e.height,a=e.degree;if(a=Math.abs(a)%180,a===90)return{width:i,height:t};var
 n=a\$90*Math.PI/180,l=Math.sin(n),o=Math.cos(n),r=t*o+i*l,s=t*l+i*o;return
 a>90?{width:s,height:r}:{width:r,height:s}}function Kp(e,t,i,a){var
 n=t.aspectRatio,l=t.naturalWidth,o=t.naturalHeight,r=t.rotate,s=r===void 0?0:r,p=t.scaleX,c=p===void
 0?1:p,d=t.scaleY,m=d===void
 0?1:d,u=i.aspectRatio,g=i.naturalWidth,f=i.naturalHeight,h=a.fillColor,I=h===void
 0?"transparent":h,b=a.imageSmoothingEnabled,T=b===void 0?!0:b,v=a.imageSmoothingQuality,y=v===void
 0?"low":v,E=a.maxWidth,_=E===void 0?1/0:E,x=a.maxHeight,R=x===void 0?1/0:x,z=a.minWidth,P=z===void ?1/0:x,z=a.minWidth,P=z===void z,A=a.minHeight,B=A===void 0?0:A,w=document.createElement("canvas"),O=w.getContext("2d"),S=Ye({a spectRatio:u,width:_,height:R}),L=Ye({aspectRatio:u,width:P,height:B},"cover"),D=Math.min(S.width,Math.max(L.width,g)),F=Math.min(S.height,Math.max(L.height,f)),G=Ye({aspectRatio:n,width:_,height:R}),
C=Ye({aspectRatio:n,width:P,height:B},"cover"),q=Math.min(G.width,Math.max(C.width,l)), []=Math.min(G.height,Math.max(C.height,o)),K=[-q/2,-[]/2,q,[];return w.width=xt(D),w.height=xt(F),0.fillStyle=I,0.fillRect(0,0,D,F),0.save(),0.translate(D/2,F/2),0.rotate(s*Math.PI/180),0.scale(c,m),0.imageSmoothing
 Enable d=T, 0. image Smoothing Quality=y, 0. draw Image. apply (0, [e]. concat (yl (K.map (function (pe) \{ return (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (function (pe (functio
 Math.floor(xt(pe))})))),O.restore(),w}var Dl=String.fromCharCode;function Qp(e,t,i){var
a="";i+=t;for(var n=t;n<i;n+=1)a+=Dl(e.getUint8(n));return a}var Zp=/^data:.*,/;function Jp(e){var t=e.replace(Zp,""),i=atob(t),a=new ArrayBuffer(i.length),n=new Uint8Array(a);return
```

```
le(n,function(l,o)\{n[o]=i.charCodeAt(o)\}),a\}function em(e,t)\{for(var\ i=[],a=8192,n=new\ Uint8Array(e)\}\}
;n.length>0;)i.push(Dl.apply(null,Pl(n.subarray(0,a)))),n=n.subarray(a);return"data:".concat(t,";bas e64,").concat(btoa(i.join("")))}function tm(e){var t=new DataView(e),i;try{var
a,n,l;if(t.getUint8(0)===255&&t.getUint8(1)===216)for(var
o=t.by teLength, r=2; r+1 < o;) \\ \{if(t.getUint8(r)===255\& t.getUint8(r+1)===225) \\ \{n=r; break\} \\ r+=1\} \\ if(n) \\ \{var(n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) + (n) +
s=n+4, p=n+10; if(Qp(t,s,4)==="Exif"){var}
 \begin{array}{l} \text{c=t.getUint16(p);} & \text{if} (a=c==18761, (a \mid c==19789) \& \text{t.getUint16(p+2,a)} ===42) \{ \text{var} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);} \\ & \text{d=t.getUint32(p+4,a);
   , \verb|t.getUint16| (u,a) = = 274| \{u+=8, \verb|i=t.getUint16| (u,a), \verb|t.setUint16| (u,1,a); \verb|break|\} \} \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i=1}| \\ |catch{i
ifunction im(e){var t=0,i=1,a=1;switch(e){case 2:i=-1;break;case 3:t=-180;break;case
4:a=-1;break;case 5:t=90,a=-1;break;case 6:t=90;break;case 7:t=90,i=-1;break;case
8:t=-90;break}return{rotate:t,scaleX:i,scaleY:a}}var am={render:function(){this.initContainer(),this
   .initCanvas(),this.initCropBox(),this.renderCanvas(),this.cropped&&this.renderCropBox()},initContain
er:function(){var t=this.element,i=this.options,a=this.container,n=this.cropper,l=Number(i.minContainerWidth),o=Number(i.minContainerHeight);de(n,Ee),Fe(t,Ee);var r={width:Math.max(a.offsetWidth,l>=0?
l:Ml), height:Math.max(a.offsetHeight,o>=0?o:Al)\}; this.containerData=r, je(n, \{width:r.width, height:r.h.displayer), the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the su
eight}),de(t,Ee),Fe(n,Ee)},initCanvas:function(){var t=this.containerData,i=this.imageData,a=this.op
tions.viewMode,n=Math.abs(i.rotate)%180===90,l=n?i.naturalHeight:i.naturalWidth,o=n?i.naturalWidth:i
   .naturalHeight,r=l/o,s=t.width,p=t.height;t.height*r>t.width?a===3?s=t.height*r:p=t.width/r:a===3?p=
t.width/r:s=t.height*r;var c={aspectRatio:r,naturalWidth:l,naturalHeight:o,width:s,height:p};this.ca
nvasData=c,this.limited=a===1||a===2,this.limitCanvas(!0,!0),c.width=Math.min(Math.max(c.width,c.min
Width),c.maxWidth),c.height=Math.min(Math.max(c.height,c.minHeight),c.maxHeight),c.left=(t.width-
c.width)/2,c.top=(t.height
c.height)/2,c.oldLeft=c.left,c.oldTop=c.top,this.initialCanvasData=J({},c)},limitCanvas:function(t,i
){var a=this.options,n=this.containerData,l=this.canvasData,o=this.cropBoxData,r=a.viewMode,s=l.aspe
width:0):d?d=Math.max(d,p?o.height:0):p\&\&(\bar{c}=o.width,d=o.height,d*s>c?c=d*s:d=c/s)); var\ m=Ye(\{aspectRank(d,p?o.height:0):p\&\&(\bar{c}=o.width,d=o.height,d*s>c?c=d*s:d=c/s)); var\ m=Ye(\{aspectRank(d,p?o.height:0):p\&\&(\bar{c}=o.width,d=o.height),d*s>c?c=d*s:d=c/s)); var\ m=Ye(\{aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRank(d,p?o.height:0):d=c/aspectRan
atio:s,width:c,height:d});c=m.width,d=m.height,l.minWidth=c,l.minHeight=d,l.maxWidth=1/0,l.maxHeight
=1/0}if(i)if(r>(p?0:1)){var u=n.width-l.width,g=n.height-
l.height; l.minLeft=Math.min(0,u), l.minTop=Math.min(0,g), l.maxLeft=Math.max(0,u), l.maxTop=Math.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.max(0,u), l.ma
g),p&&this.limited&&(l.minLeft=Math.min(o.left,o.left+(o.width-
   l.width)),l.minTop=Math.min(o.top,o.top+(o.height
l.height), l.maxLeft=o.left, l.maxTop=o.top, r===2&&(l.width>=n.width&&(l.minLeft=Math.min(0,u),l.maxLeft=o.top)
eft=Math.max(0,u)),l.height>=n.height&&(l.minTop=Math.min(0,g),l.maxTop=Math.max(0,g))))else l.minL
eft=-l.width,l.minTop=-l.height,l.maxLeft=n.width,l.maxTop=n.height},renderCanvas:function(t,i){var a=this.canvasData,n=this.imageData;if(i){var l=Xp({width:n.naturalWidth*Math.abs(n.scaleX||1),height}
 : n. natural Height*Math.abs(n. scaleY||1), degree: n. rotate||0\}), o=l. width, r=l. height, s=a. width*(o/a. natural Height*, s=a. width*(o/a. natural Height*, s=a. width*), r=l. height*, s=a. width*(o/a. natural Height*, s=a. width*), r=l. height*, s=a. width*(o/a. natural Height*, s=a. width*), r=l. height*, s=a. width*(o/a. natural Height*, s=a. width*), r=l. height*, s=a. width*(o/a. natural Height*, s=a. width*), r=l. height*, s=a. width*(o/a. natural Height*, s=a. width*), r=l. height*, s=a. width*), r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, s=a. width*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=l. height*, r=
ralWidth),p=a.height*(r/a.naturalHeight);a.left-=(s-a.width)/2,a.top-=(p-
a.height)/2,a.width=s,a.height=p,a.aspectRatio=o/r,a.naturalWidth=o,a.naturalHeight=r,this.limitCanv
as(!0,!1) (a.width>a.maxWidth||a.width<a.minWidth)&&(a.left=a.oldLeft),(a.height>a.maxHeight||a.height>a.maxHeight||a.height||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight||a.height>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.maxHeight>a.
ht < a.minHeight) \& \& (a.top=a.oldTop), a.width=Math.min(Math.max(a.width,a.minWidth),a.maxWidth), a.height = (a.width,a.minWidth), a.maxWidth) + (a.width,a.minWidth) + (a.width,a.width,a.width) + (a.width,a.width,a.width,a.width) + (a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.width,a.wid
=Math.min(Math.max(a.height,a.minHeight),a.maxHeight),this.limitCanvas(!1,!0),a.left=Math.min(Math.m
ax(a.left,a.minLeft),a.maxLeft),a.top=Math.min(Math.max(a.top,a.minTop),a.maxTop),a.oldLeft=a.left,a
 .oldTop=a.top,je(this.canvas,J({width:a.width,height:a.height},Gt({translateX:a.left,translateY:a.to
p}))),this.renderImage(t),this.cropped&&this.limited&&this.limitCropBox(!0,!0)},renderImage:function
  (t){var i=this.canvasDàta,a=this.imageData,n=a.naturalWidth*(i.width/i.naturalWidth),l=a.naturalHeig
ht*(i.height/i.naturalHeight); J(a, \{width:n,height:l,left:(i.width-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-n)/2,top:(i.height-
l)/2}),je(this.image,J({width:a.width,height:a.height},Gt(J({translateX:a.left,translateY:a.top},a))
)),t&&this.output()},initCropBox:function(){var t=this.options,i=this.canvasData,a=t.aspectRatio||t.
initial Aspect Ratio, n=Number(t.autoCropArea) | |.8,l=\{width: i.width, height: i.height\}; a \& \{i.height*a>i.width, height: i.height | a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.height*a>i.width\}; a \& \{i.heig
idth?l.height=l.width/a:l.width=l.height*a),this.cropBoxData=l,this.limitCropBox(!0,!0),l.width=Math
   .min(Math.max(l.width,l.minWidth),l.maxWidth),l.height=Math.min(Math.max(l.height,l.minHeight),l.max
Height),l.width=Math.max(l.minWidth,l.width*n),l.height=Math.max(l.minHeight,l.height*n),l.left=i.le
ft+(i.width-l.width)/2,l.top=i.top+(i.height-
l.height)/2, l.oldLeft=l.left, l.oldTop=l.top, this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l)\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l))\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l))\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l))\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l))\}, limitCropBox:function(this.initialCropBoxData=J(\{\},l))\}, limitCropBoxData=J(\{\},l))\},   i){var a=this.options,n=this.containerData,l=this.canvasData,o=this.cropBoxData,r=this.limited,s=a.
aspectRatio;if(t){var p=Number(a.minCropBoxWidth)||0,c=Number(a.minCropBoxHeight)||0,d=r?Math.min(n.width,l.width+l.left,n.width-
l.left):n.width,m=r?Math.min(n.height,l.height,l.height+l.top,n.height-
l.top): n.height; p=Math.min(p,n.width), c=Math.min(c,n.height), s\& (p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:p=c*s:p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&\&(p\&\&c?c*s>p?c=p/s:c\&(p\&\&c?c*s>p?c=p/s:c\&(p\&\&c?c*s>p?c=p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s>p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s:c\&(p\&\&c?c*s)p/s
p=c*s),m*s>d?m=d/s:d=m*s),o.minWidth=Math.min(p,d),o.minHeight=Math.min(c,m),o.maxWidth=d,o.maxHeigh
t=m}i&&(r?(o.minLeft=Math.max(0,l.left),o.minTop=Math.max(0,l.top),o.maxLeft=Math.min(n.width,l.left
+l.width)-o.width,o.maxTop=Math.min(n.height,l.top+l.height)-
o.height): (o.minLeft=0, o.minTop=0, o.maxLeft=n.width-o.width, o.maxTop=n.height-o.width, o.maxTop=
o.height))},renderCropBox:function(){var t=this.options,i=this.containerData,a=this.cropBoxData;(a.w
idth>a.maxWidth||a.width<a.minWidth)&&(a.left=a.oldLeft),(a.height>a.maxHeight||a.height<a.minHeight
 )&&(a.top=a.oldTop),a.width=Math.min(Math.max(a.width,a.minWidth),a.maxWidth),a.height=Math.min(Math
   .max(a.height,a.minHeight),a.maxHeight),this.limitCropBox(!1,!0),a.left=Math.min(Math.max(a.left,a.m
inLeft),a.maxLeft),a.top=Math.min(Math.max(a.top,a.minTop),a.maxTop),a.oldLeft=a.left,a.oldTop=a.top
   t.movable&&t.cropBoxMovable&&Wt(this.face,Ut,a.width>=i.width&&a.height>=i.height?Sl:Ta),je(this.cr,
opBox,J({width:a.width,height:a.height},Gt({translateX:a.left,translateY:a.top}))),this.cropped&&thi
s.limited&&this.limitCanvas(!0,!0),this.disabled||this.output()},output:function(){this.preview(),yt
```

```
(this.element,pa,this.getData())\}\}, nm=\{initPreview:function()\{var\ t=this.element,i=this.cross0rigin,a=this.options.preview,n=i?this.cross0riginUrl:this.url,l=t.alt||"The image to preview",o=document.createElement("img");if(i&&(o.cross0rigin=i),o.src=n,o.alt=l,this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appendChild(o),this.viewBox.appen
 ]), this.previews=r,le(r,function(s){var p=document.createElement("img"); Wt(s,hi,{width:s.offsetWidth
    ,height:s.offsetHeight,html:s.innerHTML}),i&&(p.crossOrigin=i),p.src=n,p.alt=l,p.style.cssText='disp
lay:block;width:100%;height:auto;min-width:0!important;min-height:0!important;max-width:none!important;max-height:none!important;image-orientation:0deg!important;",s.innerHTML="",s.
 appendChild(p)})}},resetPreview:function(){le(this.previews,function(t){var i=ha(t,hi);je(t,{width:i}})})
    .width,height:i.height}),t.innerHTML=i.html,jp(t,hi)})},preview:function(){var t=this.imageData,i=th
 is.canvasData,a=this.cropBoxData,n=a.width,l=a.height,o=t.width,r=t.height,s=a.left-i.left-
 t.left,p=a.top-i.top
 t.top;!this.cropped||this.disabled||(je(this.viewBoxImage,J({width:o,height:r},Gt(J({translateX:-
s, translateY: -p\}, t)))), le(this.previews, function(c) \{var d=ha(c,hi), m=d.width, u=d.height, g=m, f=u,h=1; n&&(h=m/n,f=l*h), l&&f>u&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&f>u&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f\}), je(c.getElementsByTagName("img")), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), je(c.getElementsByTagName("img")), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), je(c.getElementsByTagName("img")), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n*h,f=u), je(c, \{width:g,height:f]), l&(h=u/l,g=n), je(c, \{width:g,height:f]), l&(h=u/l,g=n), je(
 [0],J({width:o*h,height:r*h},Gt(J({translateX:-s*h,translateY:-
 p*h},t))))}),lm={bind:function(){var t=this.element,i=this.options,a=this.cropper;be(i.cropstart)
 \&Se(t,ga,i.cropstart),be(i.cropmove)\&Se(t,ua,i.cropmove),be(i.cropend)\&Se(t,ma,i.cropend),be(i.cr
op) \&\&Se(t,pa,i.crop), be(i.zoom) \&Se(t,fa,i.zoom), Se(a,dl,this.onCropStart=this.cropStart.bind(this)), i.zoomable \&\&i.zoomOnWheel \&\&Se(a,fl,this.onWheel=this.wheel.bind(this), {passive:!1, capture:!0}), i.toomable \&\&i.zoomOnWheel \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive:!1, capture:!0}), i.toomable \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive:!1, capture:!0}), i.toomable \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive:!1, capture:!0}), i.toomable \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive:!1, capture:!0}), i.toomable \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive:!1, capture:!0}), i.toomable \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive:!1, capture:!0}), i.toomable \&\&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive::1, capture::10}), i.toomable \&&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive::10}), i.toomable \&&Se(a,fl,this.onWheel=this.wheel.bind(this)), {passive::10}), i.toomable \&&Se(a,fl,this.onWheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.wheel=this.whee
 ggleDragModeOnDblclick\&\&Se(a,cl,this.onDblclick=this.dblclick.bind(this)), Se(t.ownerDocument,pl,this) and the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of t
    .onCropMove=this.cropMove.bind(this)),Se(t.ownerDocument,ml,this.onCropEnd=this.cropEnd.bind(this)),
 i.responsive&&Se(window,gl,this.onResize=this.resize.bind(this))},unbind:function(){var t=this.eleme
 nt,i=this.options,a=this.cropper;be(i.cropstart)&&0e(t,ga,i.cropstart),be(i.cropmove)&&0e(t,ua,i.cro
 pmove), be (i.cropend) \& 0 e (t, ma, i.cropend), be (i.crop) \& 0 e (t, pa, i.crop), be (i.zoom) \& 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.zoom), 0 e (t, fa, i.
 a, dl, this.on Crop Start), i.zoomable \& \& i.zoom On Wheel \& \& Oe(a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.toop Start), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.zoomable \& (a, fl, this.on Wheel, \{passive: !1, capture: !0\}), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !0]), i.zoomable \& (a, fl, this.on Wheel, [passive: !1, capture: !1, capture: !1, capture: !1, capture: !1, capture: !1, capture: !1, capture
 ggleDragModeOnDblclick\&\&Oe(a,cl,this.onDblclick), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropMove), Oe(t.ownerDocument,pl,this.onCropM
 cument, ml, this.onCropEnd), i.responsive \& 0e(window, gl, this.onResize)\}, om = \{resize: function() \{ if(!this example of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of t
    .disabled){var t=this.options,i=this.container,a=this.containerData,n=i.offsetWidth/a.width,l=i.offs
 etHeight/a.height,o=Math.abs((n-1)>Math.abs((l-1)?n:l;if((o!==1){var r,s;t.restore&&(r=this.getCanvasDa
ta(), s=this.getCropBoxData()), this.render(), t.restore\&(this.setCanvasData(le(r,function(p,c)\{r[c]=p*o\})), this.setCropBoxData(le(s,function(p,c)\{s[c]=p*o\})))\}\}, dblclick:function()\{this.disabled||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||this||thi
    .options.dragMode===Ll||this.setDragMode(Wp(this.dragBox,ca)?wl:Ia)},wheel:function(t){var i=this,a=
 Number(this.options.wheelZoomRatio)|\cdot|.1, n=1; this.disabled|\cdot|(t.preventDefault(),!this.wheeling&&(this
  .wheeling=!0,setTimeout(function(){i.wheeling=!1},50),t.deltaY?n=t.deltaY>0?1:-1:t.wheelDelta?n=
t. wheelDelta/120:t.detail\&\&(n=t.detail>0?1:-1), this.zoom(-n*a,t)))\}, cropStart:function(t) \{var i=t.buttons, a=t.button; if(!(this.disabled||(t.type==="mousedown"||t.type==="pointerdown"&&t.pointerType==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type==="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.type==="mousedown"||t.type===="mousedown"||t.type===="mousedown"||t.typ
   "mouse") &&(j(i) &&i!==1 | j(a) &&a!==0 | t.ctrlKey)) {var n=this.options, l=this.pointers, o; t.changedTouc
 hes?le(t.changedTouches,function(r){l[r.identifier]=bi(r)}):l[t.pointerId||0]=bi(t),Object.keys(l).l
 ength>l&&n.zoomable&&n.zoomOnTouch?o= l:o=ha(t.target,Ut),Op.test(o)&&yt(this.element,ga,{originalEv
 ent:t,action:o})!==!1&&(t.preventDefault(),this.action=o,this.cropping=!1,o===Rl&&(this.cropping=!0,
 de(this.dragBox,Ei)))}},cropMove:function(t){var i=this.action;if(!(this.disabled||!i)){var a=this.p
 (t.changedTouches,function(n){J(a[n.identifier]||{},bi(n,!0))}):J(a[t.pointerId||0]||{},bi(t,!0)),th
 is.change(t))}},cropEnd:function(t){if(!this.disabled){var
 i=this.action,a=this.pointers;t.changedTouches?le(t.changedTouches,function(n){delete
 a[n.identifier]}):delete a[t.pointerId||0],i&&(t.preventDefault(),Object.keys(a).length||(this.actio
 n=""), this.cropping&&(this.cropping=!1, vt(this.dragBox,Ei,this.cropped&&this.options.modal)), yt(this
   .element,ma,{originalEvent:t,action:i}))}}},rm={change:function(t){var i=this.options,a=this.canvasD
 ata, n=this.containerData, l=this.cropBoxData, o=this.pointers, r=this.action, s=i.aspectRatio, p=l.left, c
 = l.top, \\ d=l.width, \\ m=l.height, \\ u=p+d, \\ g=c+m, \\ f=0, \\ h=0, \\ I=n.width, \\ b=n.height, \\ T=!0, \\ v; \\ !s\&\&t.shiftKey\&\&(s=d\&\&m?) \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=0, \\ l=
   d/m:1), this.limited \& (f=\bar{l}.minLeft, \bar{h}=l.minTop, I=f+Math.min(n.width, a.width, a.left+a.width), b=h+Math.min(n.width, a.width, a.left+a.width), b=h+Math.min(n.width, a.width, a.left+a.width), b=h+Math.min(n.width, a.width, a.width, a.width), b=h+Math.min(n.width, a.width, a.width, a.width), b=h+Math.min(n.width, a.width, height,a.height,a.top+a.height));var
 y=o[0bject.keys(o)[0]], E=\{x:y.endX-y.startX,y:y.endY-y.startY\}, =function(R)\{switch(R)\{case\}\}
 at: u+E.x>I\&\&(E.x=I-u); break; case \ nt: p+E.x<f\&\&(E.x=f-p); break; case \ He: c+E.y<h\&\&(E.y=h-c); break; case \ he: c+E.y<h&\&(E.y=h-c); break;
 Tt:g+E.y>b\&\&(E.y=b-g); break\}\}; switch(r)\{case\ Ta:p+=E.x,c+=E.y; break; case\ at:if(E.x>=0\&\&(u>=I||s\&\&(c<))\}\}
 =h|g=b))T=1; break=(at), d+=E.x, d<0&(r=nt, d=-d), s&&(m=d/s, c+=(l.height-m)/2); break; case He
  :if(E.y <= 0\&\&(c <= h | |s\&\&(p <= f | |u >= I))) \{T = !1; break\} (He), m - E.y, c += E.y, m < 0\&\&(r = Tt, m = -m, c - m) \}
 =m),s\&\&(d=m*s,p+=(l.width-d)/2);break;case nt:if(E.x<=0&&(p<=f||s&&(c<=h||g>=b))){T=!1;break} (nt),d
  -=E.x, p+=E.x, d<0\&\&(r=at, d=-d, p--d), s\&\&(m=d/s, c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(g>=b||s&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&&(m-d), c+=(l.height-m)/2); break; case Tt:if(E.y>=0&(m-d), c+=(l.height-m)/2); break; case Tt:if(E
 p <= f \mid |u >= 1))) \\ \{T = !1 ; break\}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m<0 \& (r=He, m=-m, c-=m), s \& (d=m*s, p+=(l.width-d)/2); break; case \}_{(Tt), m+=E.y, m+=(l.width-d)/2}
=m); break; case Vt:if(s)\{if(E.x<=0\&\&(p<=f||g>=b))\{T=!1;break\}\ (nt),d-=E.x,p+=E.x,m=d/s\}else\ (Tt),\ (n=1)\}
 t), E.x<=0?p>f?(d-=E.x,p+=E.x):E.y>=0&&g>=b&&(T=!1):(d-
 = E.x, p+=E.x), E.y>= 0?g < b\&\& (m+=E.y) : m+=E.y; d<0 \&\&m < 0? (r=Bt, m=-m, d=-d, c-=m, p-=d) : d<0? (r=kt, d=-d, p-d) : d<0? (r=kt, d=-d, p-d) : d<0? (r=kt, d=-d, p-d) : d<0.
 =d):m<0&&(r=Nt,m=-m,c-=m);break;case
 kt: if(s) \{ if(E.x>=0\&\&(u>=I \mid |g>=b)) \} \{T=!1; break\}_(at), d+=E.x, m=d/s \} else_(Tt), (at), E.x>=0?u < I?d+=E.x:Ex = 0.
    .y>=0&&g>=b&&(T=!1):d+=E.x,E.y>=0?g<b&&(m+=E.y):m+=E.y;d<0&&m<0?(r=Nt,m=-m,d=-d,c-=m,p-
```

```
=d):d<0?(r=Vt,d=-d,p-=d):m<0&(r=Bt,m=-m,c-=m);break;case Sl:this.move(E.x,E.y),T=!1;break;case
       l:this.zoom(qp(o),t),T=!1;break;case Rl:if(!E.x||!E.y){T=!1;break}v=Fl(this.cropper),p=y.startX-
 v.left,c=v.startY-v.top,d=l.minWidth,m=l.minHeight,E.x>0?r=E.y>0?kt:Bt:E.x<0&&(p-
=d,r=E.y>0?Vt:Nt),E.y<0&&(c-
=m),this.cropped||(Fe(this.cropBox,Ee),this.cropped=!0,this.limited&&this.limitCropBox(!0,!0));break
 T\&(l.width=d,l.height=m,l.left=p,l.top=c,this.action=r,this.renderCropBox()),le(o,function(x){x.st}
 artX=x.endX,x.startY=x.endY})}},sm={crop:function(){return this.ready&&!this.cropped&&!this.disabled
 &&(this.cropped=!0,this.limitCropBox(!0,!0),this.options.modal&&de(this.dragBox,Ei),Fe(this.cropBox,
 Ee),this.setCropBoxData(this.initialCropBoxData)),this},reset:function(){return this.ready&&!this.di
 sabled\&(this.imageData=J({},this.initialImageData),this.canvasData=J({},this.initialCanvasData),thi
 s.cropBoxData=J(\{\cline{1mu}\}, this.renderCanvas(), this.cropped\&this.renderCropBox()), this.cropped\&this.renderCropBox()), this.cropped&this.renderCropBox()), this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped&this.cropped
 this},clear:function(){return this.cropped&&!this.disabled&&(J(this.cropBoxData,{left:0,top:0,width:
0,height:0}),this.cropped=!1,this.renderCropBox(),this.limitCanvas(!0,!0),this.renderCanvas(),Fe(this.dragBox,Ei),de(this.cropBox,Ee)),this},replace:function(t){var}i=arguments.length>1&&arguments[1]!==void 0?arguments[1]:!;return!this.disabled&&t&&(this.isImg&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&t&&(this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.disabled&&this.di
\label{linear_property} his.element.src=t), i?(this.url=t,this.image.src=t,this.ready\&\&(this.viewBoxImage.src=t,le(this.previews,function(a){a.getElementsByTagName("img")[0].src=t}))):(this.isImg&&(this.replaced=!0),this.opticle(this.previews,function(a){a.getElementsByTagName("img")[0].src=t}))):(this.isImg&&(this.replaced=!0),this.opticle(this.previews,function(a){a.getElementsByTagName("img")[0].src=t})))):(this.isImg&&(this.previews,function(a){a.getElementsByTagName("img")[0].src=t}))))))))
 ons.data=null,this.uncreate(),this.load(t))),this},enable:function(){return
this.ready&&this.disabled&&(this.disabled=!1,Fe(this.cropper,rl)),this},disable:function(){return this.ready&&!this.disabled&&(this.disabled=!0,de(this.cropper,rl)),this},destroy:function(){var
 t = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.element; return \ t[Z]?(t[Z] = void \ 0, this.isImg\&this.replaced\&\&(t.src = this.originalUrl), this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = this.unc \ terms = 
 reate(), this): this\}, move: function(t) \{var \ i=arguments.length>1\& arguments[1]!==void \} \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} (var) = void \} 
 0?arguments[1]:t,a=this.canvasData,n=a.left,l=a.top;return
 this.moveTo(la(t)?t:n+Number(t),la(i)?i:l+Number(i))},moveTo:function(t){var
 i=arguments.length>1&&arguments[1]!==void 0?arguments[1]:t,a=this.canvasData,n=!1;return t=Number(t)
   ,i=Number(i),this.ready&&!this.disabled&&this.options.movable&&(j(t)&&(a.left=t,n=!0),j(i)&&(a.top=i,n=!0),n&&this.renderCanvas(!0)),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},this.renderCanvas(!0)),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},this.renderCanvas(!0)),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this.renderCanvas(!0))},this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this.renderCanvas(!0))},this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this.renderCanvas(!0))},this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this.renderCanvas(!0))},this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this.renderCanvas(!0))},this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this.renderCanvas(!0))},this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t),this},zoom:function(t,i){var a=this.canvasData;return t=Number(t,i){this}},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:function(t,i){this},zoom:functi
 <0?t=1/(1-t):t=1+t, this.zoomTo(a.width*t/a.naturalWidth,null,i)\}, zoomTo:function(t,i,a) \\ \{var\ n=this.oo, this is the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the con
 ptions, l=this.canvasData,o=l.width,r=l.height,s=l.naturalWidth,p=l.naturalHeight;if(t=Number(t),t>=0
 &&this.ready&&!this.disabled&&n.zoomable){var
c=s*t,d=p*t;if(yt(this.element,fa,{ratio:t,oldRatio:o/s,originalEvent:a})===!1)return this;if(a){var m=this.pointers,u=Fl(this.cropper),g=m&&Object.keys(m).length?□p(m):{pageX:a.pageX,pageY:a.pageY};l.
 left-=(c-o)*((g.pageX-u.left-l.left)/o),l.top-=(d-r)*((g.pageY-u.top-l.top)/r)}else It(i)&&j(i.x)&&j(i.y)?(l.left-=(c-o)*((i.x-l.left)/o),l.top-=(d-r)*((i.y-l.top)/r)):(l.left-=(c-o)/2,l.top-=(d-
 r)/2);l.width=c,l.height=d,this.renderCanvas(!0)}return this},rotate:function(t){return this.rotateTo((this.imageData.rotate||0)+Number(t))},rotateTo:function(t){return t=Number(t),j(t)&&t
 his.ready&&!this.disabled&&this.options.rotatable&&(this.imageData.rotate=t%360,this.renderCanvas(!0
    ,!0)),this},scaleX:function(t){var i=this.imageData.scaleY;return
 this.scale(t,j(i)?i:1)},scaleY:function(t){var i=this.imageData.scaleX;return
 this.scale(j(\hat{1})?i:1,t), scale:function(t){var i=arguments.length>1&arguments[1]!==void
 0?arguments[1]:t,a=this.imageData,n=!1;return t=Number(t),i=Number(i),this.ready&&!this.disabled&&th
 is.options.scalable \& \& (j(t)\&\& (a.scaleX=t,n=!0),j(i)\&\& (a.scaleY=i,n=!0),n\&\&this.renderCanvas(!0,!0)),table & (instance of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 \label{lem:his}, getData:function() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]!==void \\ 0 \\ ?arguments[0]:!1, i=this.option() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]:!1, i=this.option() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]::1, i=this.option() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]::1, i=this.option() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]::1, i=this.option() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]::1, i=this.option() \\ \{var \ t=arguments.length>0 \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]::1, i=this.option() \\ \& arguments[0]:=void \\ 0 \\ ?arguments[0]::1, i=this.option() \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& arguments[0]:=void \\ \& a
 ns, a=this.imageData, n=this.canvasData, l=this.cropBoxData, o; if (this.ready&&this.cropped) {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:l.left-infinity}} {o={x:
 n.left,y:l.top-n.top,width:l.width,height:l.height};var
 r=a.width/a.naturalWidth; if(le(o,function(c,d){o[d]=c/r}),t){var s=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math.round(o.y+o.height),p=Math
 ound(o.x+o.width);o.x=Math.round(o.x),o.y=Math.round(o.y),o.width=p-o.x,o.height=s-o.y}}else
 o={x:0,y:0,width:0,height:0};return i.rotatable&&(o.rotate=a.rotate||0),i.scalable&&(o.scaleX=a.scal
 eX||1,o.scaleY=a.scaleY||1),o},setData:function(t){var}
 i=this.options,a=this.imageData,n=this.canvasData,l={};if(this.ready&&!this.disabled&&It(t)){var o=!
 1;i.rotatable&&j(t.rotate)&&t.rotate!==a.rotate&&(a.rotate=t.rotate,o=!0),i.scalable&&(j(t.scaleX)&&
t.scaleX! == a.scaleX \& (a.scaleX = t.scaleX, o = !0), j(t.scaleY) \& \& t.scaleY! == a.scaleY \& (a.scaleY = t.scaleY, o = !0)), o \& & this.renderCanvas(!0,!0); var r = a.width/a.naturalWidth; j(t.x) \& \& (l.left = t.x*r+n.left), j(t.y) \& & (l.top = t.y*r+n.top), j(t.width) & \& (l.width = t.width*r), j(t.height) & & (l.height = t.height*r), this.setCrop
 BoxData(l) return this , getContainerData: function() return
 this.ready?J({},this.containerData):{}},getImageData:function(){return
this.sized?J(\{\},this.imageData): \{\}\}, getCanvasData: function() \{var t=this.canvasData,i=\{\}; return this.ready&&le(["left","top","width","height","naturalWidth","naturalHeight"], function(a) \{i[a]=t[a]\}),i\}, setCanvasData: function(t) \{var i=this.canvasData,a=i.aspectRatio; return this.ready&&!this.disabled&&I
t(t)\&\&(j(t.left)\&\&(i.left=t.left),j(t.top)\&\&(i.top=t.top),j(t.width)?(i.width=t.width,i.height=t.width/a):j(t.height)\&\&(i.height=t.height,i.width=t.height*a),this.renderCanvas(!0)),this},getCropBoxDat
 a:function(){var t=this.cropBoxData,i;return this.ready&&this.cropped&&(i={left:t.left,top:t.top,wid
 th:t.width,height:t.height}),i||{}},setCropBoxData:function(t){var
 i=this.cropBoxData,a=this.options.aspectRatio,n,l;return this.ready&&this.cropped&&!this.disabled&&I
t(t)\&\&(j(t.left)\&\&(i.left=t.left),j(t.top)\&\&(i.top=t.top),j(t.width)\&\&t.width!==i.width\&\&(n=!0,i.width=t.width),j(t.height)\&\&t.height!==i.height\&\&(l=!0,i.height=t.height),a\&\&(n?i.height=i.width/a:l\&\&(l=!0,i.height=t.height))
 i.width = i.height*a)), this.renderCropBox()), this \}, getCroppedCanvas: function() \{varantee function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), function (), 
 t=arguments.length>0&&arguments[0]!==void
 0?arguments[0]:{};if(!this.ready||!window.HTMLCanvasElement)return null;var
 i=this.canvasData,a=Kp(this.image,this.imageData,i,t);if(!this.cropped)return\ a;var\ n=this.getData(t.rounded),l=n.x,o=n.y,r=n.width,s=n.height,p=a.width/Math.floor(i.naturalWidth);p!==1&&(l*=p,o*=p,r*=n.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=n.height,p=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.width,s=a.
=p,s*=p);\dot{v}ar c=r/s,d=Ye({aspectRatio:c,width:t.maxWidth||1/0,height:t.maxHeight||1/0}),\dot{m}=Ye({aspectRatio:c,width:t.minWidth||0,height:t.minHeight||0},"cover"),u=Ye({aspectRatio:c,width:t.width||(p!==1)}
```

```
?a.width:r), height:t.height||(p!==1?a.height:s)\}), g=u.width, f=u.height;g=Math.min(d.width,Math.max(m.width,g)), f=Math.min(d.height,Math.max(m.height,f)); var h=document.createElement("canvas"), I=h.getContext("2d"); h.width=xt(g), h.height=xt(f), I.fillStyle=t.fillColor||"transparent", I.fillRect(0,0,g,f)
   ;var b=t.imageSmoothingEnabled,T=b===void
 0?!0:b,v=t.imageSmoothingQuality;I.imageSmoothingEnabled=T,v\&\&(I.imageSmoothingQuality=v);var y=a.wi
dth,E=a.height,_=l,x=o,R,z,P,A,B,w;_<=-r||_>y?(_=0,R=0,P=0,B=0):_<=0?(P=-
__,=0,R=Math.min(y,r+_),B=R):_<=y&&(P=0,R=Math.min(r,y-_),B=R),R<=0||x<=-
s||x>E?(x=0,z=0,A=0,w=0):x<=0?(A=-x,x=0,z=Math.min(E,s+x),w=z):x<=E&&(A=0,z=Math.min(s,E-x),w=z);var
 0=[,x,R,z];if(B>0\&\&w>0){var S=g/r;0.push(P*S,A*S,B*S,w*S)}return
 I.drawImage.apply(I,[a].concat(yl(0.map(function(L){return
 Math.floor(xt(L))}))),h},setAspectRatio:function(t){var i=this.options;return!this.disabled&&!la(t)
 &&(i.aspectRatio=Math.max(0,t)||NaN,this.ready&&(this.initCropBox(),this.cropped&&this.renderCropBox
 ())),this},setDragMode:function(t){var
 i=this.options,a=this.dragBox,n=this.face;if(this.ready&&!this.disabled){var l=t===Ia,o=i.movable&&t
 ===wl;t=l|o?t:Ll,i.dragMode=t,Wt(a,Ut,t),vt(a,ca,l),vt(a,da,o),i.cropBoxMovable||(Wt(n,Ut,t),vt(n,ca,l),vt(a,da,o),i.cropBoxMovable)|
 a,l),vt(n,da,o))}return this}},cm=De.Cropper,xa=function(){function e(t){var
 i=arguments.length>1&&arguments[1]!==void
 0? arguments [1]: \{\}; if(xp(\bar{t}his,e),!t||!Cp.test(t.tagName)) throw new Error("The first argument is the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the co
 required and must be an <img> or <canvas> element."); this.element=t, this.options=J({{},bl,It(i)&&i),t
 his.cropped=!1,this.disabled=!1,this.pointers={},this.ready=!1,this.reloading=!1,this.replaced=!1,th
is.sized=!1,this.sizing=!1,this.init()}return yp(e,[{key:"init",value:function(){var i=this.element, a=i.tagName.toLowerCase(),n;if(!i[Z]){if(i[Z]=this,a==="img"){if(this.isImg=!0,n=i.getAttribute("src")||"",this.originalUrl=n,!n)return;n=i.src}else a==="canvas"&&window.HTMLCanvasElement&&(n=i.toData
 URL()); this.load(n)}}}, {key: "load", value: function(i) {var
 a=this; if (i) \{this.url=i, this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; if (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; it (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.options; it (!l.rotatable \&\&!l.scall) \} a this.imageData=\{\}; var\ n=this.element, l=this.element, l=
 able&&(l.checkOrientation=!1),!l.checkOrientation||!window.ArrayBuffer){this.clone();return}if(Fp.te
 st(i)){Dp.test(i)?this.read(Jp(i)):this.clone();return}var o=new XMLHttpRequest,r=this.clone.bind(th
 is); this. reloading = !0, this. xhr = 0, o. onabort = r, o. onerror = r, o. ontimeout = r, o. onprogress = function() \\ \{o. geten a continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous example of the continuous ex
 Response Header("content-type") ! = hl\&\&o.abort()\}, o.onload = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = function() \{a.read(o.response)\}, o.onloadend = functio
 function() \{a.reloading=!1,a.xhr=null\}, l.checkCrossOrigin\&\&Tl(i)\&\&n.crossOrigin\&\&(i=Il(i)), o.open("GE-included in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the cont
 T",i,!0),o.responseType="arraybuffer",o.withCredentials=n.crossOrigin==="use-
 credentials",o.send()}}},{key:"read",value:function(i){var
 a = this.options, n = this.imageData, l = tm(i), o = 0, r = 1, s = 1; if(l > 1){this.url = em(i,hl); var p = im(l); o = p.rotate}
 ,r=p.scaleX,s=p.scaleY}a.rotatable&&(n.rotate=o),a.scalable&&(n.scaleX=r,n.scaleY=s),this.clone()}}, {key:"clone",value:function(){var i=this.element,a=this.url,n=i.cross0rigin,l=a;this.options.checkCr
oss0rigin\&\&Tl(a)\&\&(n||(n="anonymous"),l=Il(a)),this.cross0rigin=n,this.cross0riginUrl=l;varo=document.createElement("img");n\&\&(o.cross0rigin=n),o.src=l||a,o.alt=i.alt||"The image to crop",this.cross0rigin=n),figure ("img");n&(o.cross0rigin=n),figure ("img");figure ("im
 s.image=o,o.onload=this.start.bind(this),o.onerror=this.stop.bind(this),de(o,sl),i.parentNode.insert
Before(o,i.nextSibling)}},{key:"start",value:function(){var i=this,a=this.image;a.onload=null,a.onerror=null,this.sizing=!0;var n=De.navigator&&/(?:iPad|iPhone|
 iPod).*?AppleWebKit/i.test(De.navigator.userAgent),l=function(p,c){J(i.imageData,{naturalWidth:p,nat
 uralHeight:c,aspectRatio:p/c}),i.initialImageData=J({},i.imageData),i.sizing=!1,i.sized=!0,i.build()
 };if(a.naturalWidth&&!n){l(a.naturalWidth,a.naturalHeight);return}var o=document.createElement("img
),r=document.body||document.documentElement;this.sizingImage=o,o.onload=function(){l(o.width,o.height),n||r.removeChild(o)},o.src=a.src,n||(o.style.cssText="left:0;max-height:none!important;max-
 width:none!important;min-height:0!important;min-width:0!important;opacity:0;position:absolute;top:0;
z-index:-1;",r.appendChild(o))}},{key:"stop",value:function(){var i=this.image;i.onload=null,i.onerr
or=null,i.parentNode.removeChild(i),this.image=null}},{key:"build",value:function(){if(!(!this.sized
||this.ready)){var i=this.element,a=this.options,n=this.image,l=i.parentNode,o=document.createElement("div");o.innerHTML=Bp;var r=o.querySelector(".".concat(Z,"-container")),s=r.querySelector(".".concat(Z,"-canvas")),p=r.querySelector(".".concat(Z,"-drag-box")),c=r.querySelector(".".concat(Z,"-crop-box")),d=c.querySelector(".".concat(Z,"-face"));this.container=l,this.cropper=r,this.canvas=s,this.dragBox=p,this.cropBox=c,this.viewBox=r.q
uerySelector(".".concat(Z,"-view-box")),this.face=d,s.appendChild(n),de(i,Ee),l.insertBefore(r,i.nex
tSibling),Fe(n,sl),this.initPreview(),this.bind(),a.initialAspectRatio=Math.max(0,a.initialAspectRat
 io) \mid \mid NaN, a. aspectRatio = Math.max(0, a.aspectRatio) \mid \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(3, Math.round(a.max(0, a.aspectRatio)))) \mid NaN, a.viewMode = Math.max(0, Math.min(a.max(0, a.aspectRatio))) \mid NaN, a.viewMode = Math.max(0, Math.min(a.max(0, a.aspectRatio))) \mid NaN, a.viewMode = Math.max(0, Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.max(0, Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.max(0, Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.max(0, Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.max(0, Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.max(0, Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.min(a.aspectRatio)) \mid NaN, a.viewMode = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.min(a.aspectRatio) = Math.
 viewMode)))||0,de(c,Ee),a.guides||de(c.getElementsByClassName("".concat(Z,"
 dashed")), Ee), a.center||de(c.getElementsByClassName("".concat(Z,"-
center")), Ee), a. background&&de(r,"".concat(Z,"-bg")), a. highlight||de(d,Mp), a. cropBoxMovable&&(de(d,da),Wt(d,Ut,Ta)), a. cropBoxResizable||(de(c.getElementsByClassName("".concat(Z,"-line")), Ee), de(c.getElementsByClassName("".concat(Z,"-line")), E
 point")), Ee)), this.render(), this.ready=!0, this.setDragMode(a.dragMode), a.autoCrop&&this.crop(), this.
setData(a.data), be(a.ready)&&Se(i,ul,a.ready,{once:!0}),yt(i,ul)}}}, key: "unbuild",value:function(){
if(this.ready){this.ready=!1,this.unbind(),this.resetPreview();var i=this.cropper.parentNode;i&&i.re
moveChild(this.cropper),Fe(this.element,Ee)}}}, key: "uncreate",value:function(){this.ready?(this.unb
uild(),this.ready=!1,this.cropped=!1):this.sizing?(this.sizingImage.onload=null,this.sizing=!1,this.
i=i=d=11\text{**this.galactics2}(this.yhr.apshort-null this.yhr.apshort()):this.image&this.stop()]}. [keyv:"
 sized=!1):this.reloading?(this.xhr.onabort=null,this.xhr.abort()):this.image&&this.stop()}],[{key: }
noConflict", value: function() \{return window.Cropper=cm,e\}, \{key: "setDefaults", value: function(i) \{J(bl, It(i)&&i)\}\}]) \}(); J(xa.prototype,am,nm,lm,om,rm,sm); var Cl={"application/prs.cww":["cww"], "application/prs.xsf+xml":["xsf"], "application/vnd.1000minds.decision-
model+xml":["1km"],"application/vnd.3gpp.pic-bw-large":["plb"],"application/vnd.3gpp.pic-bw-small":["psb"],"application/vnd.3gpp.pic-bw-var":["pvb"],"application/vnd.3gpp2.tcap":["tcap"],"application/vnd.3m.post-it-notes":["pwn"],"appli
```

```
cation/vnd.accpac.simply.aso":["aso"], "application/vnd.accpac.simply.imp":["imp"], "application/vnd.a
    cucobol":["acu"], "application/vnd.acucorp":["atc", "acutc"], "application/vnd.adobe.air-application-
    installer-package+zip":["air"], "application/vnd.adobe.formscentral.fcdt":["fcdt"], "application/vnd.a
  dobe.fxp":["fxp","fxpl"],"application/vnd.adobe.xdp+xml":["xdp"],"application/vnd.adobe.xfdf":["*xfd
f"],"application/vnd.age":["age"],"application/vnd.ahead.space":["ahead"],"application/vnd.airzip.fi
lesecure.azf":["azf"],"application/vnd.airzip.filesecure.azs":["azs"],"application/vnd.amazon.ebook"
    :["azw"], "application/vnd.americandynamics.acc":["acc"], "application/vnd.amiga.ami":["ami"], "application/vnd.android.package-archive":["apk"], "application/vnd.anser-web-certificate-issue-
  initiation":["cii"], "application/vnd.anser-web-funds-transfer-
initiation":["fti"], "application/vnd.antix.game-component":["atx"], "application/vnd.apple.installer+
xml":["mpkg"], "application/vnd.apple.keynote":["key"], "application/vnd.apple.mpegurl":["m3u8"], "application/vnd.apple.numbers":["numbers"], "application/vnd.apple.pages":["pages"], "application/vnd.apple.pages"]
    e.pkpass":["pkpass"],"application/vnd.aristanetworks.swi":["swi"],"application/vnd.astraea-software.
    iota":["iota"],"application/vnd.audiograph":["aep"],"application/vnd.autodesk.fbx":["fbx"],"application/vnd.balsamiq.bmml+xml":["bmml"],"application/vnd.blueice.multipass":["mpm"],"application/vnd.bmi
   ":["bmi"], "application/vnd.businessobjects":["rep"], "application/vnd.chemdraw+xml":["cdxml"], "application/vnd.chipnuts.karaoke-mmd":["mmd"], "application/vnd.cinderella":["cdy"], "application/vnd.citati
ation/vnd.chipnuts.karaoke-mmd":["mmd"], "application/vnd.cinderella":["cdy"], "application/vnd.citationstyles.style+xml":["csl"], "application/vnd.claymore":["cla"], "application/vnd.cloanto.rp9":["rp9"], "application/vnd.clonk.c4group":["c4g", "c4d", "c4f", "c4p", "c4u"], "application/vnd.cluetrust.cartomobile-config-pkg":["cllamz"], "application/vnd.cluetrust.cartomobile-config-pkg":["cllamz"], "application/vnd.cosmocaller":["cm c."], "application/vnd.crick.clicker":["ckk"], "application/vnd.crick.clicker.keyboard":["clkk"], "application/vnd.crick.clicker.keyboard":["clkk"], "application/vnd.crick.clicker.template":["clkr"], "application/vnd.crick.clicker.template":["clkr"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.crick.clicker.template":["wbs"], "application/vnd.date-vision.rd z":["rdz"], "application/vnd.dbf":["dbf"], "application/vnd.dart":["dcmp"], "application/vnd.dece.d ata":["uvt", "uvvt", "uvvt"], "application/vnd.dece.timl+xml":["uvt", "uvvt"], "application/vnd.dece.zip":["uvz", "uvvz"], "application/vnd.denovo.fcse layout-link":["fe_launch"], "application/vnd.dece.zip":["uvz", "uvvz"], "application/vnd.denovo.fcse layout-link":["fe_launch"], "application/vnd.dreamfactory":["dfac"], "application/vnd.ds-keypoint":["k pxx"], "application/vnd.dvb.ait":["ait"], "application/vnd.dvb.service":["svc"], "application/vnd.dynag
  pxx"], "application/vnd.dvb.ait":["ait"], "application/vnd.dvb.service":["svc"], "application/vnd.dynag eo":["geo"], "application/vnd.ecowin.chart":["mag"], "application/vnd.enliven":["nml"], "application/vnd.epson.esf":["esf"], "application/vnd.epson.msf":["msf"], "application/vnd.epson.quickanime":["qam"], "application/vnd.epson.salt":["slt"], "application/vnd.epson.ssf":["ssf"], "application/vnd.epson.salt":["slt"], "application/vnd.epson.ssf":["ssf"], "application/vnd.epson.salt":["slt"], "application/vnd.epson.ssf":["slt"], "application/vnd.epson.salt":["slt"], "application/vnd.epson.ssf":["slt"], ":["es3","et3"],"application/vnd.ezpix-album":["ez2"],"application/vnd.ezpix-package":["ez3"],"application/vnd.fdf":["*fdf"],"application/vnd.fdsn.mseed":["mseed"],"application/vnd.fdsn.seed":["seed
  "."dataless"], "application/vnd.fdsn.mseed":["mseed"], "application/vnd.fdsn.seed":["seed
","dataless"], "application/vnd.flographit":["gph"], "application/vnd.fluxtime.clip":["ftc"], "application/vnd.frogans.fnc":["fnc"], "application/vnd.frogans.fnc":["fnc"], "application/vnd.frogans.ltf":["ltf"], "application/vnd.fsc.weblaunch":["fsc"], "application/vnd.fujitsu.oasys":["oas"], "application/vnd.fujitsu.oasys2":["oa2"], "application/vnd.fujitsu.oasys3":["oa3"], "application/vnd.fujitsu.oasysprs":["bh2"], "application/vnd.fujixerox.ddd":["ddd"], "application/vnd.fujixerox.docuworks":["xdw"], "application/vnd.fujixerox.docuworks.binder":["xbd"], "application/vnd.fuzzysheet":["fzs"], "application/vnd.genomatix.tuxedo":["txd"], "application/vnd.genomatix.fuxedo":["txd"],  tion/vnd.geogebra.file":["ggb"],"application/vnd.geogebra.slides":["ggs"],"application/vnd.geogebra.tool":["ggt"],"application/vnd.geometry-explorer":["gex","gre"],"application/vnd.geonext":["gxt"],"application/vnd.geoplan":["g2w"],"application/vnd.geospace":["g3w"],"application/vnd.gmx":["gmx"],"application/vnd.geoplan":["gx"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan":["gxy"],"application/vnd.geoplan
  pplication/vnd.geoptam:["gzw"], "application/vnd.geospace":["gsw"], "application/vnd.gmx":["gmx"], "ap
plication/vnd.google-apps.document":["gdoc"], "application/vnd.google-
apps.drawing":["gdraw"], "application/vnd.google-apps.form":["gform"], "application/vnd.google-
apps.jam":["gjam"], "application/vnd.google-apps.map":["gmap"], "application/vnd.google-
apps.presentation":["gslides"], "application/vnd.google-
apps.script":["gscript"], "application/vnd.google-apps.site":["gsite"], "application/vnd.google-
apps.spreadsheet":["gsheet"], "application/vnd.google-earth.kml+xml":["kml"], "application/vnd.google-
earth.kmz":["kmz"], "application/vnd.gov.sk.xmldatacontainer+xml":["xdcf"], "application/vnd.grafeq":[
""ggf" | "application/vnd.grafeq":[""ggf" | ""ggf" | """ggf"  | """ggf" | """ggf" | """ggf" | """"ggf" | """"ggf" | """"ggf" | """"ggf" | """"ggf" | """
  "gqf", "gqs"], "application/vnd.groove-account":["gac"], "application/vnd.groove-help":["ghf"], "application/vnd.groove-identity-message":["gim"], "application/vnd.groove-injector":["grv"], "application/vnd.groove-tool-message":["gtm"], "application/vnd.groove-tool-template":["tpl"], "application/vnd.groove-tool-
 ","icm"],"application/vnd.igloader":["igl"],"application/vnd.immervision-ivp":["ivp"],"application/vnd.immervision-ivu":["ivu"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["igm"],"application/vnd.insors.igm":["
  ivp :["Ivp"], application/vnd.immervision-lvd :["Ivu"], application/vnd.insors.igm":['igm"], application/vnd.intercon.formnet":["xpw","xpx"], "application/vnd.intergeo":["i2g"], "application/vnd.intu.qb o":["qbo"], "application/vnd.intu.qfx":["qfx"], "application/vnd.ipunplugged.rcprofile":["rcprofile"], "application/vnd.irepository.package+xml":["irp"], "application/vnd.is-xpr":["xpr"], "application/vnd.isac.fcs":["fcs"], "application/vnd.jam":["jam"], "application/vnd.jcp.javame.midlet-rms":["rms"], "application/vnd.jisp":["jisp"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive":["joda"], "application/vnd.joost.joda-archive"
```

```
ion/vnd.kahootz":["ktz","ktr"],"application/vnd.kde.karbon":["karbon"],"application/vnd.kde.kchart":
balance.exchange+xml":["lbe"], "application/vnd.lotus-1-2-3":["123"], "application/vnd.lotus-approach":["apr"], "application/vnd.lotus-freelance":["pre"], "application/vnd.lotus-notes":["nsf"], "application/vnd.lotus-organizer":["org"], "application/vnd.lotus-
  screencam":["scm"],"application/vnd.lotus-
  wordpro":["lwp"], application/vnd.macports.portpkg":["portpkg"], application/vnd.mapbox-vector-tile"
wordpro :[ twp ], application/vnd.macports.portpkg :[ portpkg ], application/vnd.mapbox-vector-tite :["mvt"], "application/vnd.mcd":["mcd"], "application/vnd.medcalcdata":["mc1"], "application/vnd.medias tation.cdkey":["cdkey"], "application/vnd.mfer":["mwf"], "application/vnd.mfmp":["mfm"], "application/vnd.micrografx.flo":["flo"], "application/vnd.micrografx.igx":["igx"], "application/vnd.mif":["mif"], "application/vnd.mobius.daf":["daf"], "application/vnd.mobius.mbk":["mbk"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mobius.mgl":["mgl"], "application/vnd.mgl"], "application/vnd.mgl"]
 mobius.plc":["plc"], "application/vnd.mobius.txf":["txf"], "application/vnd.mophun.application":["mpn"], "application/vnd.mophun.certificate":["mpc"], "application/vnd.mozilla.xul+xml":["xul"], "application
n/vnd.ms-artgalry":["cil"], "application/vnd.ms-cab-compressed":["cab"], "application/vnd.ms-excel":["xls", "xlm", "xla", "xlc", "xlt", "xlw"], "application/vnd.ms-excel.addin.macroenabled.12":["xlam"], "application/vnd.ms-excel.sheet.binary.macroenabled.12":["xlsb"], "application/vnd.ms-
  excel.sheet.macroenabled.12":["xlsm"], "application/vnd.ms-
 excel.template.macroenabled.12":["xltm"],"application/vnd.ms-fontobject":["eot"],"application/vnd.ms-htmlhelp":["chm"],"application/vnd.ms-
fontobject":["eot"],"application/vnd.ms-htmlhelp":["chm"],"application/vnd.ms-
ims":["ims"],"application/vnd.ms-lrm":["lrm"],"application/vnd.ms-
officetheme":["thmx"],"application/vnd.ms-outlook":["msg"],"application/vnd.ms-
pki.seccat":["cat"],"application/vnd.ms-pki.stl":["*stl"],"application/vnd.ms-
powerpoint":["ppt","pps","pot"],"application/vnd.ms-
powerpoint.addin.macroenabled.12":["ppam"],"application/vnd.ms-
powerpoint.presentation.macroenabled.12":["pptm"],"application/vnd.ms-
powerpoint.slide.macroenabled.12":["sldm"],"application/vnd.ms-
powerpoint.template.macroenabled.12":["potm"],"application/vnd.ms-
powerpoint.template.macroenabled.12":["potm"],"application/vnd.ms-
project":["*mpp" "mpt"] "application/vnd ms-visio viewer":["vdx"] "application/
  project":["*mpp","mpt"],"application/vnd.ms-visio.viewer":["vdx"],"application/vnd.ms-
 word.document.macroenabled.12":["docm"], "application/vnd.ms-word.template.macroenabled.12":["dotm"], "application/vnd.ms-
word.temptate.macroenabled.12 :[ dotm ], application/vnd.ms-
works":["wps","wks","wcm","wdb"],"application/vnd.ms-wpl":["wpl"],"application/vnd.ms-xpsdocument":[
"xps"], "application/vnd.mseq":["mseq"], "application/vnd.musician":["mus"], "application/vnd.muvee.sty
le":["msty"], "application/vnd.mynfc":["taglet"], "application/vnd.nato.bindingdataobject+xml":["bdo"]
, "application/vnd.neurolanguage.nlu":["nlu"], "application/vnd.nitf":["nff", "nitf"], "application/vnd.
noblenet-directory":["nnd"], "application/vnd.noblenet-sealer":["nns"], "application/vnd.noblenet-web"
   :["nnw"], "application/vnd.nokia.n-gage.ac+xml":["*ac"], "application/vnd.nokia.n-
gage.data":["ngdat"],"application/vnd.nokia.n-gage.symbian.install":["n-gage"],"application/vnd.nokia.radio-presets":["rpst"],"application/vnd.nokia.radio-presets":["rpss"],
"application/vnd.novadigm.edm":["edm"],"application/vnd.novadigm.edx":["edx"],"application/vnd.oasis.opendocument.chart":["odc"],"application/vnd.oasis.opendocum
ent.chart-template":["otc"], "application/vnd.oasis.opendocument.database":["odb"], "application/vnd.oasis.opendocument.formula":["odf"], "application/vnd.oasis.opendocument.formula-template":["odft"], "application/vnd.oasis.opendocument.graphics":["odg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.image":["odg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "application/vnd.oasis.opendocument.graphics-template":["otg"], "applicat
  t.image-template":["oti"],"application/vnd.oasis.opendocument.presentation":["odp"],"application/vnd
   .oasis.opendocument.presentation-template":["otp"],"application/vnd.oasis.opendocument.spreadsheet":["ods"],"application/vnd.oasis.opendocument.spreadsheet-template":["ots"],"application/vnd.oasis.ope
ndocument.text":["odt"], "application/vnd.oasis.opendocument.text-
master":["odm"], "application/vnd.oasis.opendocument.text-
template":["ott"], "application/vnd.oasis.opendocument.text-
template":["ott"], "application/vnd.oasis.opendocument.text-web":["oth"], "application/vnd.olpc-sugar"
:["xo"], "application/vnd.oma.dd2+xml":["dd2"], "application/vnd.openblox.game+xml":["obgx"], "application/vnd.openblox.game+xml":["osm"], "application/vnd.openstreetmap.data+xml":["osm"], "application
  on/vnd.openxmlformats
on/vnd.openxmlformats-
officedocument.presentationml.presentation":["pptx"], "application/vnd.openxmlformats-
officedocument.presentationml.slide":["sldx"], "application/vnd.openxmlformats-
officedocument.presentationml.slideshow":["ppsx"], "application/vnd.openxmlformats-
officedocument.presentationml.template":["potx"], "application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet":["xlsx"], "application/vnd.openxmlformats-
officedocument.spreadsheetml.template":["xlsx"], "application/vnd.openxmlformats-
officedocument.wordprocessingml.document":["docx"], "application/vnd.openxmlformats-officedocument.wo
rdprocessingml.template":["dotx"], "application/vnd.osgeo.mapguide.package":["mgp"], "application/vnd.
osgi dn":["dn"] "application/vnd.osgi subsystem":["esa"] "application/vnd.palm":["pdb" "pga" "pprc"]
osgi.dp":["dp"], "application/vnd.osgi.subsystem":["esa"], "application/vnd.palm":["pdb", "pqa", "oprc"], "application/vnd.pawaafile":["paw"], "application/vnd.pg.format":["str"], "application/vnd.pg.osasli":["ei6"], "application/vnd.picsel":["efif"], "application/vnd.pmi.widget":["wg"], "application/vnd.pock
```

```
etlearn":["plf"],"application/vnd.powerbuilder6":["pbd"],"application/vnd.previewsystems.box":["box"],"application/vnd.procreate.brushset":["brushset"],"application/vnd.procreate.brush":["brush"],"application/vnd.procreate.dream":["drm"],"application/vnd.proteus.magazine":["mgz"],"application/vnd.pub
   lishare-delta-tree":["qps"], "application/vnd.pvi.ptid1":["ptid"], "application/vnd.pwg-xhtml-print+xml":["xhtm"], "application/vnd.quark.quarkxpress":["qxd", "qxt", "qwd", "qxt", "qxb"], "application/vnd.rar":["rar"], "application/vnd.realvnc.bed":["bed"], "application/vnd.recordare.musicxml":["mxl"], "application/vnd.recordare.musicxml+xml":["musicxml"], "application/vnd.rig.cryptonote":["cryptonote"]
  application/vnd.recordare.musicxml+xml":["musicxml"], "application/vnd.rig.cryptonote":["cryptonote"], "application/vnd.rim.cod":["cod"], "application/vnd.rn-realmedia":["rm"], "application/vnd.rn-realmedia-vbr":["rmvb"], "application/vnd.route66.link66+xml":["link66"], "application/vnd.sailingtracker.track":["st"], "application/vnd.seemail":["see"], "application/vnd.seema":["sema"], "application/vnd.seemai":["ifm"], "application/vnd.shana.informed.formdata":["ifm"], "application/vnd.shana.informed.formtemplate":["itp"], "application/vnd.shana.informed.interchange":["if"], "application/vnd.shana.informed.package":["ipk"], "application/vnd.simtech-mindmapper":["twd", "twds"], "application/vnd.smaf":["mmf"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkd"], "application/vnd.solent.sdkm+xml":["sdkm", "sdkdm"]
  .spotfire.dxp":["dxp"], "application/vnd.spotfire.sfs":["sfs"], "application/vnd.stardivision.calc":["sdc"], "application/vnd.stardivision.draw":["sda"], "application/vnd.stardivision.impress":["sdd"], "application/vnd.stardivision.impress":["sdd"], "application/vnd.stardivision.writer":["sdw", "vor"], "application/vnd.stardivision.writer":["smf"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision.writer":["smzip"], "application/vnd.stardivision
  tion/vnd.stepmania.stepchart":["sm"], "application/vnd.sun.wadl+xml":["wadl"], "application/vnd.sun.xml.calc.template":["stc"], "application/vnd.sun.xml.draw":["sxd"], "application/vnd.sun.xml.draw.template":["std"], "application/vnd.sun.xml.impress":["sxi"], "application/vnd.sun.xml.impress":["sxi"], "application/vnd.sun.xml.math":["sxm"], "application/vnd.sun.xml.writer":["sxw"], "application/vnd.sun.xml.writer.global":["sxg"], "application/vnd.sun.xml.writer.template":["stw"], "application/vnd.sus-calendar":["sus", "susp"], "application/vnd.svd":["svd"], "application/vnd.symbian.install":["sis", "sisx"], "application/vnd.syncml+xml":["xsm"], "application/vnd.syncml.dm+wbxml":["bdm"], "application/vnd.syncml.dm+xml":["xdm"], "application/vnd.syncml.dmddf+xml" """dfdf"l "application/vnd.syncml.dmddf+xml" """dfdf"l "application/vnd.syncml.dmddf+xml" """dfdf"l "application/vnd.syncml.dmddf+xml" """dfdf"l "application/vnd.syncml.dmddf+xml"""dfdf"l "application/vnd.syncml.dmddf+xml"""dfdf"l "application/vnd.syncml.dmddf+xml""dfdf"l "application/vnd.syncml.dmddf+xml""dfdf"l "application/vnd.syncml.dmddf+xml""dfdf"l "application/vnd.syncml.dmddf+xml""dfdf"l "application/vnd.syncml.dmdf+xml""dfdf"l "application/vnd.syncml.dmdf+xml" ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""dfdf"l ""
   :["ddf"],"application/vnd.tao.intent-module-
archive":["tao"],"application/vnd.tcpdump.pcap":["pcap","cap","dmp"],"application/vnd.tmobile-livetv
archive":["tao"], "application/vnd.tcpdump.pcap":["pcap", "cap", "dmp"], "application/vnd.tmobile-livetv
":["tmo"], "application/vnd.trid.tpt":["tpt"], "application/vnd.triscape.mxs":["mxs"], "application/vnd
.trueapp":["tra"], "application/vnd.ufdl":["ufd", "ufdl"], "application/vnd.uiq.theme":["utz"], "applica
tion/vnd.umajin":["umj"], "application/vnd.unity":["unityweb"], "application/vnd.uoml+xml":["uoml", "uo
"], "application/vnd.vcx":["vcx"], "application/vnd.visio":["vsd", "vst", "vss", "vssw", "vsdx", "vtx"], "app
lication/vnd.visionary":["vis"], "application/vnd.vsf":["vsf"], "application/vnd.wap.wmlc":["wmlc"], "application/vnd.wap.wmlscriptc":["wmlsc"], "application/vnd.webt
urbo":["wtb"], "application/vnd.wolfram.player":["nbp"], "application/vnd.wordperfect":["wpd"], "application/vnd.wqd":["xfdl"], "application/vnd.wt.stf":["stf"], "application/vnd.xara":["xar"], "application/vnd.xfdl":["xfdl"], "application/vnd.yamaha.hv-dic":["hvd"], "application/vnd.yamaha.hv-
script":["hvs"], "application/vnd.yamaha.hv-voice":["hvd"], "application/vnd.yamaha.openscoreformat":[
"osf"], "application/vnd.yamaha.smaf-phrase":["spf"], "application/vnd.yellowriver-custom-menu
":["cmp"], "application/vnd.zul":["zir", "zirz"], "application/vnd.zzazz.deck+xml":["zaz"], "application/vnd.zvazz.deck+xml":["zaz"], "application/vnd.zazz.deck-xml":["zaz"], "application/vnd.zazzz.deck-xml":["zaz"], "application/vnd.zazzz.de
  compressed":["ace"], "application/x-apple-
diskimage":["*dmg"], "application/x-arj":["arj"], "application/x-authorware-
bin":["aab", "x32", "u32", "vox"], "application/x-authorware-map":["aam"], "application/x-authorware-seg"
:["aas"], "application/x-bcpio":["bcpio"], "application/x-bdoc":["*bdoc"], "application/x-
bittorrent":["torrent"], "application/x-blender":["blend"], "application/x-
blorb":["blb", "blorb"], "application/x-bzip":["bz"], "application/x-
bzip2":["bz2", "boz"], "application/x-cbr":["cbr", "cba", "cbt", "cbz", "cb7"], "application/x-
cdlink":["vcd"], "application/x-cfs-
compressed":["cfs"] "application/x-chat":["chat"] "application/x-chess-
  compressed":["cfs"], "application/x-chat":["chat"], "application/x-chess-
pgn":["pgn"], "application/x-chrome-extension":["crx"], "application/x-cocoa":["cco"], "application/x-
compressed":["*rar"], "application/x-conference":["nsc"], "application/x-
     cpio":["cpio"], "application/x-csh":["csh"], "application/x-debian-
  eva":["eva"],"application/x-font-bdf":["bdf"],"application/x-font-
ghostscript":["gsf"],"application/x-font-linux-psf":["psf"],"application/x-font-
pcf":["pcf"],"application/x-font-snf":["snf"],"application/x-font-type1":["pfa","pfb","pfm","afm"],"
application/x-freearc":["arc"],"application/x-futuresplash":["spl"],"application/x-gca-compressed":[
"gca"],"application/x-glulx":["ulx"],"application/x-gnumeric":["gnumeric"],"application/x-gramps-
xml":["gramps"],"application/x-futuresplash":["hdf"],"application/x-httpd-
php":["php"],"application/x-install-instructions":["install"],"application/x-iwork-keynote-
ipynb+json":["ipynb"],"application/x-iwork-numbers-sffnumbers":["*numbers"],"application/x-iwork-pages-
sffnages":["*numbers"],"application/x-iwork-pages-
sffnages":["*numbers"],"application/x-iwork-pages-
sffnages":["*numbers"],"application/x-iwork-pages-
sffnages":["*numbers"],"application/x-iwork-pages-
sffnages":["*numbers"],"application/x-iwork-pages-
  sffpages":["*pages"], "application/x-lwork-numbers :["landiff"], "application/x-java-jnlp-file":["jnlp"], "application/x-keepass2":["kdbx"], "application/x-latex":["latex"], "application/x-lua-bytecode":["luac"], "application/x-lzh-compressed":["lzh", "lha"], "application/x-makeself":["run"], "application/x-mie":["mie"], "application/x-mobipocket-
     ebook":["*prc","mobi"],"application/x-ms-application":["application"],"application/x-ms-
```

```
shortcut":["lnk"],"application/x-ms-wmd":["wmd"],"application/x-ms-wmz":["wmz"],"application/x-ms-xb
ap":["xbap"],"application/x-msaccess":["mdb"],"application/x-msbinder":["obd"],"application/x-
mscardfile":["crd"],"application/x-msclip":["clp"],"application/x-msdos-program":["*exe"],"application/x-msdownload":["*exe","*dll","com","bat","*msi"],"application/x-
msmediaview":["mvb","m13","m14"],"application/x-
msmetafile":["*wmf","*wmz","*emf","emz"],"application/x-msmoney":["mny"],"application/x-
   mspublisher":["pub"], "application/x-msschedule":["scd"], "application/x-
msterminal":["trm"], "application/x-mswrite":["wri"], "application/x-
  msterminat":["trm"], "application/x-mswrite":["wri"], "application/x-
netcdf":["nc","cdf"], "application/x-ns-proxy-autoconfig":["pac"], "application/x-
nzb":["nzb"], "application/x-perl":["pl","pm"], "application/x-pics12":["p12","pfx"], "application/x-pkcs7-certificates":["p7b", "spc"], "application/x-pkcs7-
certreqresp":["rpm"], "application/x-rar-compressed":["*rar"], "application/x-redhat-package-
manager":["rpm"], "application/x-research-info-systems":["ris"], "application/x-
  manager":["rpm"],"application/x-researcn-inro-systems":["ris"],"application/x-
sea":["sea"],"application/x-sh":["sh"],"application/x-shar":["shar"],"application/x-shockwave-
flash":["swf"],"application/x-silverlight-app":["xap"],"application/x-sql":["*sql"],"application/x-
stuffit":["sit"],"application/x-stuffitx":["sitx"],"application/x-subrip":["srt"],"application/x-
sv4cpio":["sv4cpio"],"application/x-sv4crc":["sv4crc"],"application/x-t3vm-image":["t3"],"application
n/x-tads":["gam"],"application/x-tar":["tar"],"application/x-tcl":["tcl","tk"],"application/x-
tex":["tex"],"application/x-tex-tfm":["tfm"],"application/x-
  texinfo":["texinfo","texi"],"application/x-tgif":["*obj"],"application/x-ustar":["ustar"],"application/x-virtualbox-hdd":["hdd"],"application/x-virtualbox-ova":["ova"],"application/x-virtualbox-ovf":["ovf"],"application/x-virtualbox-
ustar":["ustar"], "application/x-virtualbox-ovf":["ovf"], "application/x-virtualbox-
vva":["ova"], "application/x-virtualbox-ovf":["vof"], "application/x-virtualbox-
vbox":["vdox"], "application/x-virtualbox-vbox-extpack":["vbox-extpack"], "application/x-virtualbox-
vdi":["vdi"], "application/x-virtualbox-vhd":["vhd"], "application/x-virtualbox-
vmdk":["vmdk"], "application/x-wais-source":["src"], "application/x-web-app-
manifest+json":["webapp"], "application/x-x509-ca-cert":["der", "crt", "pem"], "application/x-
xfig":["fig"], "application/x-xliff+xml":["*xlf"], "application/x-xpinstall":["xpi"], "application/x-
xz":["xz"], "application/x-zip-compressed":["*zip"], "application/x-
zmachine":["z1", "z2", "z3", "z4", "z5", "z6", "z7", "z8"], "audio/vnd.dece.audio":["uva", "uvva"], "audio/vnd.
digital-winds":["eol"], "audio/vnd.dra":["dra"], "audio/vnd.dts":["dts"], "audio/vnd.dts.hd":["dtshd"]
, "audio/vnd.lucent.voice":["lyp"], "audio/vnd.ms-playready.media.pya":["pya"], "audio/vnd.nuera.ecelp4
800":["ecelp4800"], "audio/vnd.nuera.ecelp7470":["ecelp7470"], "audio/vnd.nuera.ecelp9600":["ecelp9600
"], "audio/vnd.rip":["rip"], "audio/x-aac":["*aac"], "audio/x-aiff":["aif", "aiff", "aiff"], "audio/x-
caf":["caf"], "audio/x-flac":["flac"], "audio/x-ma+a":["*m4a"], "audio/x-matroska":["mka"], "audio/x-
mpegurl":["m3u"], "audio/x-ms-wax":["wax"], "audio/x-ms-wma":["wma"], "audio/x-realaudio":["*ra"], "audio/x-
wav":["*wav"], "chemical/x-cdx":["cdx"], "chemical/x-csml":["csml"], "chemical/x-
cmdf":["cmdf"], "chemical/x-cml":["cml"], "chemical/x-csml":["csml"], "image/vnd.adobe.photoshop":["p
sd"], "image/vnd.airzip.accelerator.azv":["azv"], "image/vnd.dece.graphic":["uvi", "uvvi", "uvvg"]
  sd"], "image/vnd.airzip.accelerator.azv":["azv"], "image/vnd.dece.graphic":["uvi", "uvvi", "uvvg"], "image/vnd.djvu":["djvu", "djv"], "image/vnd.dvb.subtitle":["*sub"], "image/vnd.dwg":["dwg"], "image/vnd.dxf":["dxf"], "image/vnd.fastbidsheet":["fbs"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fst"], "image/vnd.fpx":["fpx"], "image/vnd.fst":["fpx"], ":["dxf"],"image/vnd.fastbidsheet":["fbs"],"image/vnd.fpx":["fpx"],"image/vnd.fst":["fst"],"ima
ge/vnd.fujixerox.edmics-mmr":["mmr"],"image/vnd.fujixerox.edmics-
rlc":["rlc"],"image/vnd.microsoft.icon":["ico"],"image/vnd.ms-dds":["dds"],"image/vnd.ms-
modi":["mdi"],"image/vnd.ms-photo":["wdp"],"image/vnd.net-fpx":["npx"],"image/vnd.pco.b16":["b16"],"
image/vnd.tencent.tap":["tap"],"image/vnd.valve.source.texture":["vtf"],"image/vnd.wap.wbmp":["wbmp"
],"image/vnd.xiff":["xif"],"image/vnd.zbrush.pcx":["pcx"],"image/x-3ds":["3ds"],"image/x-adobe-
dng":["dng"],"image/x-cmu-raster":["ras"],"image/x-cmx":["cmx"],"image/x-
freehand":["fh","fhc","fh4","fh5","fh7"],"image/x-icon":["*ico"],"image/x-jng":["jng"],"image/x-
mrsid-image":["sid"],"image/x-px":["*px"],"image/x-pctable-
anyman":["pnm"] "image/x-portable-bitman":["phm"] "image/x-portable-
anyman":["pnm"] "image/x-portable-bitman":["phm"] "image/x-portable-
   anymap":["pnm"], "image/x-portable-bitmap":["pbm"], "image/x-portable-
graymap":["pgm"], "image/x-portable-pixmap":["ppm"], "image/x-rgb":["rgb"], "image/x-
 /vnd.curl.dcurl":["dcurl"],"text/vnd.curl.mcurl":["mcurl"],"text/vnd.curl.scurl":["scurl"],"text/vnd.dvb.subtitle":["sub"],"text/vnd.familysearch.gedcom":["ged"],"text/vnd.fly":["fly"],"text/vnd.fmi.f lexstor":["flx"],"text/vnd.graphviz":["gv"],"text/vnd.in3d.3dml":["3dml"],"text/vnd.in3d.spot":["spot"],"text/vnd.sun.j2me.app-descriptor":["jad"],"text/vnd.wap.wml":["wml"],"text/vnd.wap.wmlscript":["wmls"],"text/x-asm":["s","asm"],"text/x-c":["c","cc","cx","cpp","h","hh","dic"],"text/x-component":["htc"],"text/x-fortran":["f","for","f77","f90"],"text/x-handlebars-template":["hbs"],"text/x-java-source":["java"],"text/x-lua":["lua"],"text/x-markdown":["mkd"],"text/x-nfo":["nfo"],"text/x-opml":["opml"],"text/x-org":["*org"],"text/x-pascal":["p","pas"],"text/x-processing":["pde"],"text/x-sass":["sass"],"text/x-suse-ymp":["ymp"],"text/x-uuencode":["uu"],"text/x-setext":["etx"],"text/x-sfv":["sfv"],"text/x-suse-ymp":["ymp"],"text/x-uuencode":["uu"],"text/x-vcalendar":["vcs"],"text/x-vcalendar":["vcs"],"text/x-vcalendar":["vcs"],"text/x-vcalendar":["vcs"],"video/vnd.dece.mobile":["uvm","uvvm"],"video/vnd.dece.pd":["uvp","uvvp"],"video/vnd.dece.sd":["uvs","uvvs"],"video/vnd.dece.video":["uvv","uvvv"],"vi
```

```
deo/vnd.dvb.file":["dvb"],"video/vnd.fvt":["fvt"],"video/vnd.mpegurl":["mxu","m4u"],"video/vnd.ms-pl
ayready.media.pyv":["pyv"],"video/vnd.uvvu.mp4":["uvu","uvvu"],"video/vnd.vivo":["viv"],"video/x-
f4v":["f4v"],"video/x-fli":["fli"],"video/x-flv":["flv"],"video/x-m4v":["m4v"],"video/x-
matroska":["mkv","mk3d","mks"],"video/x-mng":["mng"],"video/x-ms-asf":["asf","asx"],"video/x-ms-
vob":["vob"],"video/x-ms-wm":["wm"],"video/x-ms-wmv":["wmv"],"video/x-ms-wxx":["wxx"],"video/x-ms-wvx":["wvx"],"video/x-ms-wvx":["wvx"],"video/x-ms-wideo":["avi"],"video/x-sgi-
movie":["movie"],"video/x-swv':["swv"],"x-conference/x-cooltalk":["ice"]};0bject.freeze(Cl);var
Pl=Cl:var_Nl=("application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/application/
```

```
att+xml":["xav"],"application/xcap-caps+xml":["xca"],"application/xcap-diff+xml":["xdf"],"application/xcap-el+xml":["xel"],"application/xcap-ns+xml":["xns"],"application/x enc+xml":["xenc"],"application/xfdf":["xfdf"],"application/xhtml+xml":["xhtml","xht"],"application/x liff+xml":["xlf"],"application/xml":["xml","xsl","xsd","rng"],"application/xml-dtd":["dtd"],"application/xop+xml":["xop"],"application/xproc+xml":["xpl"],"application/xsl+xml":["*xsl","xslt"],"application/xspf+xml":["xspf"],"application/xyroc+xml":["xml","xhvml","xvml","xvml","xvm"],"application/yang":["yang"],"application/yin+xml":["yin"],"application/zip":["zip"],"application/zip+dotlottie":["lottie"],"audio/3gpp":["*3gpp"],"audio/aac":["adts","aac"],"audio/adpcm":["adp"],"audio/amr":["amr"],"audio/basic":["au","snd"],"audio/midi":["mid","midi","kar","rmi"],"audio/mobile-xmf":["mxmf"],"audio/mp3":["*mp3"],"audio/mp4":["m4a","mp4a","m4b"],"audio/mpeg":["mpga","mp2","mp2a","mp3","m2a","m3a"],"audio/ogg":["oga","ogg","spx","opus"],"audio/s3m":["s3m"],"audio/silk":["sil"],"audio/wav":["wav"],"audio/wav":["wav"],"audio/wav":["wav"],"audio/silk":["stl"],"image/aces":["exr"],"image/apng":["apng"],"image/aces":["avcs"],"image/avci":["avif"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/emf":["emf"],"image/fits":["fits"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["emf"],"image/emf":["em
  mage/cgm":["cgm"],"image/dicom-rle":["drle"],"image/dpx":["dpx"],"image/emf":["emf"],"image/fits":["
fits"],"image/g3fax":["g3"],"image/gif":["gif"],"image/heic":["heic"],"image/heic-
sequence":["heics"],"image/heif":["heif"],"image/heif-sequence":["heifs"],"image/hej2k":["hej2"],"im
age/ief":["ief"],"image/jaii":["jaii"],"image/jais":["jais"],"image/jls":["jls"],"image/jp2":["jp2",
"jpg2"],"image/jpeg":["jpg","jpeg","jpe"],"image/jph":["jph"],"image/jphc":["jhc"],"image/jpm":["jpm
","jpgm"],"image/jpx":["jpx","jpf"],"image/jxl":["jxl"],"image/jxr":["jxr"],"image/jxra":["jxra"],"i
mage/jxrs":["jxrs"],"image/jxs":["jxs"],"image/jxsc":["jxsc"],"image/jxsi":["jxsi"],"image/jxss":["j
xss"],"image/ktx":["ktx"],"image/ktx2":["ktx2"],"image/ppeg":["jfif"],"image/png":["png"],"image/sg
i":["sgi"],"image/soy+xml":["svg","svgz"],"image/t38":["t38"],"image/tiff":["tif","tiff"],"image/tif
f-fx":["tfx"],"image/webp":["webp"],"image/wmf":["wmf"],"message/dlobal-delivery-
1":["sg1"], "Image/sv9+xml":["sv9", "svgz"], "image/t38":["t38"], "Image/t1ff":["t1"", "t1ff"], "image/t1f
fsx":["tfx"], "image/webp":["webp"], "image/wmf":["wmf"], "message/disposition-
notification":["disposition-notification"], "message/global-!"["u8mg"], "message/global-headers":["u8h
dr"], "message/fc822":["eml", "mime", "mhtml"], "model/3mf":["3mf"], "model/glff+json":["glff"], "m
del/gltf-binary":["glb"], "model/iges":["igs", "iges"], "model/jt":["jt"], "model/mesh":["msh", "mesh",
silo"], "model/mtl":["mtl"], "model/obj":["obj"], "model/prc":["prc"], "model/step::["step", "stpnc
","p21","210"], "model/step+xml":["stpx"], "model/step+zip":["stpz"], "model/step-xml+zip":["stpxz"], "m
del/stl":["stl"], "model/u3d":["u3d"], "model/vrml":["wrl", vrml"], "model/x3d+binary":["*x3db", "x3db"
"], "model/x3d+fastinfoset":["x3db"], "model/x3d+vrml":["*x3dv", "x3dvz"], "model/x3d+xml":["x3d", "x3dz"
], "model/x3d-vrml":["x3dv"], "text/cache-manifest":["appcache", "manifest"], "text/calendar":["ics", "if
b"], "text/coffeescript":["coffee", "litcoffee"], "text/css":["css"], "text/csv":["csv"], "text/html":["htm", "shtmt"], "text/jade":["jade"], "text/javascript":["js", "mjs"], "text/jsx":["jsx"],"text/les
s":["less"], "text/markdown":["md", "markdown"], "text/mathml":["mml"], "text/mdx":["mdx"], "text/n3":["n
3"], "text/plain":["syml", "syml"], "text/shex":["shex"], "text/slim":["slim", "slm"], "text/rif", "text/sv"], "text/rif", "text/roff":["txt", "text", "conff", "def", "list", "log", "in", "ini"], "text/richtext":["rtx"], "text/richtext":["rtx"], "text/richtext":["rtx"], "text/richtext":["spdx"], "text/stylus":["syml", "syml"], "text/shex":["spdx"], "text/syml":["syml", "syml"], "text/shex":["shex"], "text/slim":["slim", "slm"], "text/yad":["spdx"], "text/yaml":["syml", "yml"], "video/3gpp":["3gp", "3gpp"], "video/3gpp2":["3g2"], "video/h261":["h261"], "video/h263":["h263"], "video/h264":["h264"], "video/iso.segment":["mst"], "video/ogg":["jpgy"], "video/ppg":["jpgy"], "video/ppg":["mpeg", "mpe", "mpe", "mlv
           e=function(e,t,i,a){if(i==="a"&&!a)throw new TypeError("Private accessor was defined without a
     getter");if(typeof t=="function"?e!==t||!a:!t.has(e))throw new TypeError("Cannot read private member
     from an object whose class did not declare it"); return
     i = = "m"?a: i = = "a"?a.call(e): a?a.value: t.get(e)\}, Rt, Ht, ot, ya = class\{constructor(...t)\}, Rt.set(this, new algebraic and the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of 
     Map), Ht.set(this, new Map), ot.set(this, new Map); for(let i of
  Map),Ht.set(this,new Map),ot.set(this,new Map);for(let i of
t)this.define(i)}define(t,i=!1){for(let[a,n]of Object.entries(t)){a=a.toLowerCase(),n=n.map(r=>r.toL
owerCase()),_e(this,ot,"f").has(a)||_e(this,ot,"f").set(a,new Set);let
l=_e(this,ot,"f").get(a),o=!0;for(let r of n){let
s=r.startsWith("*");if(r=s?r.slice(1):r,l?.add(r),o&&_e(this,Ht,"f").set(a,r),o=!1,s)continue;let
p=_e(this,Rt,"f").get(r);if(p&&p!=a&&!i)throw new Error(`"[{a} -> [{r}" conflicts with "[{p} ->
[{r}" . Pass \force=true\` to override this definition.`);_e(this,Rt,"f").set(r,a)}}return
this}getType(t){if(typeof t!="string")return null;let i=t.replace(/^.*[/\]/s,"").toLowerCase(),a=i.
replace(/^.*\./s,"").toLowerCase(),n=i.length<-t.length;return!(a.length<-t.length-
1)&&n?null: e(this,Rt,"f").get(a)??null}getExtension(t){return typeof t!="string"?null:(t=t?.split?.</pre>
   reptace(/ .*\./s, /.toLowerCase(), n=1.tength<.tength, return typeof t!="string"?null:(t=t?.split?.
1)&n?null:_e(this,Rt,"f").get(a)??null}getExtension(t){return typeof t!="string"?null:(t=t?.split?.
(";")[0],(t&&_e(this,Ht,"f").get(t.trim().toLowerCase()))??null)}getAllExtensions(t){return typeof
t!="string"?null:_e(this,ot,"f").get(t.toLowerCase())??null}_freeze(){this.define=()=>{throw new
     Error("define() not allowed for built-in Mime objects. See
     https://github.com/broofa/mime/blob/main/README.md#custom-mime-
     instances")),Object.freeze(this);for(let t of _e(this,ot,"f").values())Object.freeze(t);return
this}_getTestState(){return{types:_e(this,Rt,"f"),extensions:_e(this,Ht,"f")}}};Rt=new
   WeakMap, Ht=new WeakMap, ot=new WeakMap; var Ra=ya; var Vl=new Ra(kl,Bl)._freeze(); var Gl=({addFilter:e,utils:t})=>{let{Type:i,replaceInString:a,toNaturalFileSize:n}=t; return e("ALLOW_HOPPER_ITEM",(l,{query:o})=>{if(!o("GET_ALLOW_FILE_SIZE_VALIDATION"))) return!0; let
     r=o("GET MAX FILE SIZE");if(r!==null&&l.size>r)return!1;let
    s=o("GET_MIN_FILE_SIZE");return!(s!==null&&l.size<s)}),e("LOAD_FILE",(l,{query:o})=>new
Promise((r,s)=>{if(!o("GET_ALLOW_FILE_SIZE_VALIDATION"))return_r(l);let
     p=o("GET FILE VALIDATE SIZE FILTER"); if(p&\alpha!p(l)) return r(l); let c=o("GET MAX FILE SIZE"); if(c!==nul
```

```
l&&l.size>c){s({status:{main:o("GET_LABEL_MAX_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_FILE_SIZE"),{filesize:n(c,".",o("GET_FILE_SIZE_BASE"),o("GET_FILE_SIZE_LABELS",o))})});return}let d=o("GET_MI
N_FILE_SIZE");if(d!==null&&l.size<d){s({status:{main:o("GET_LABEL_MIN_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MIN_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MIN_FILE_SIZE_LABELS",o))})});return}let m=o("GET_MAX_TOTAL_FILE_SIZE");if(m!==null&&o("GET_ACTIVE_ITEMS").reduce((g,f)=>g+f.fileSize,0)>m){s({status:{main:o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZE_EXCEEDED"),sub:a(o("GET_LABEL_MAX_TOTAL_FILE_SIZ
 _FILE_SIZE"),{filesize:n(m,".",o("GET_FILE_SIZE_BASE"),o("GET_FILE_SIZE_LABELS",o))})});return}r(l)
})),{options:{allowFileSizeValidation:[!0,i.BOOLEAN],maxFileSize:[null,i.INT],minFileSize:[null,i.IN
 T], maxTotalFileSize:[null,i.INT], fileValidateSizeFilter:[null,i.FUNCTION], labelMinFileSizeExceeded:[
  "File is too small",i.STRING],labelMinFileSize:["Minimum file size is
  {filesize}",i.STRING],labelMaxFileSizeExceeded:["File is too
 large",i.STRING],labelMaxFileSize:["Maximum file size is {filesize}",i.STRING],labelMaxTotalFileSizeExceeded:["Maximum total size
 exceeded",i.STRING],labelMaxTotalFileSize:["Maximum total file size is
 {filesize}",i.STRING]}}},dm=typeof window<"u"&&typeof
 window.document<"u";dm&&document.dispatchEvent(new
 CustomEvent("FilePond:pluginloaded",{detail:Gl}));var Ul=Gl;var Wl=({addFilter:e,utils:t})=>{let{Typ}
 e:i,isString:a,replaceInString:n,guesstimateMimeType:l,getExtensionFromFilename:o,getFilenameFromURL
 t=r(u),h=o(f);h&&(g=l(h))}else g=u.type;return g},d=(u,g,f)=>{lf(g.length===0)return!e;let
h=c(u);return f?new Promise((I,b)=>{f(u,h).then(T=>{p(g,T)?I():b()}).catch(b)}):p(g,h)},m=u=>g=>u[g]
===null?!1:u[g]||g;return e("SET_ATTRIBUTE_TO_OPTION_MAP",u=>0bject.assign(u,{accept:"acceptedFileTy
pes"})),e("ALLOW_HOPPER_ITEM",(u,{query:g})=>g("GET_ALLOW_FILE_TYPE_VALIDATION")?d(u,g("GET_ACCEPTED_FILE_TYPES")):!0),e("LOAD_FILE",(u,{query:g})=>new
Promise((f,h)=>{if(!g("GET_ALLOW_FILE_TYPE_VALIDATION"))}f(u);return}let
I=g("GET_ACCEPTED_FILE_TYPES"),b=g("GET_FILE_VALIDATE_TYPE_DETECT_TYPE"),T=d(u,I,b),v=()=>{let y=I.m
ap(m(g("GET_FILE_VALIDATE_TYPE_LABEL_EXPECTED_TYPES_MAP"))).filter(=>_!=!1),E=y.filter((_,x)=>y.in
dex()f(_)===x):b(Setatus:{main:g("GET_LABEL_EXPECTED_TYPE_NOT_ALLOWED"),sub:g("GET_FILE_VALIDATE_TYPE_INDETECT_TYPE]
dexOf(_)===x);h({status:{main:g("GET_LABEL_FILE_TYPE_NOT_ALLOWED"),sub:n(g("GET_FILE_VALIDATE_TYPE_L
ABEL_EXPECTED_TYPES"),{allTypes:E.join(", "),allButLastType:E.slice(0,-1).join(",
"),lastType:E[E.length-1]})}});if(typeof_T=="boolean")return_T?f(u):v();T.then(()=>{f(u)}).catch(v)
})),{options:{allowFileTypeValidation:[!0,i.BOOLEAN],acceptedFileTypes:[[],i.ARRAY],labelFileTypeNot
Allowed:["File is of invalid type",i.STRING],fileValidateTypeLabelExpectedTypes:["Expects
{allButLastType} or {lastType}",i.STRING],fileValidateTypeLabelExpectedTypesMap:[{},i.OBJECT],fileValidateTypeDetectType:[null,i.FUNCTION]}}},metypeof window<"u"&&typeof</pre>
 window.document<"u";pm&&document.dispatchEvent(new
CustomEvent("FilePond:pluginloaded",{detail:Wl}));var Hl=Wl;var jl=e=>/^image/.test(e.type),Yl=({add Filter:e,utils:t})=>{let{Type:i,isFile:a,getNumericAspectRatioFromString:n}=t,l=(p,c)=>!(!jl(p.file) | !!c("GET_ALLOW_IMAGE_CROP")),o=p=>typeof p=="object",r=p=>typeof p=="number",s=(p,c)=>p.setMetadata("crop",Object.assign({},p.getMetadata("crop"),c));return
e("DID_CREATE_ITEM",(p,{query:c})=>{p.extend("setImageCrop",d=>{if(!(!(!(p,c)||!o(center)))return p.setMetadata("crop",d),d}),p.extend("setImageCropCenter",d=>{if(!(!(!(p,c)||!o(d)))return s(p,{center:d})}),p.extend("setImageCropZoom",d=>{if(!(!(p,c)||!o(d)))return s(p,{center:d})}),p.extend("setImageCropZoom",d=>{if(!(!(l,c)))return s(p,{center:d})}),p.extend("setImageCropZoom",d=>{if(!(!(l,c)))return s(p,{center:d})})
s(p,{center:a});),p.extend("setImageCropZoom",u=>{II(!(!(p,c)||!(u)));return
s(p,{zoom:Math.max(1,d)})),p.extend("setImageCropRotation",d=>{if(!(!(p,c)||!r(d)));return
s(p,{rotation:d})}),p.extend("setImageCropFlip",d=>{if(!(!(p,c)||!o(d)));return
s(p,{flip:d})}),p.extend("setImageCropAspectRatio",d=>{if(!(p,c)||typeof d>"u");return;let m=p.getMe
 tadata("crop"), u=n(d), g=\{center: \{x:.5,y:.5\}, flip:m?Object.assign(\{\},m.flip): \{horizontal:!1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): \{horizontal::1, vertical: assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.flip): assign(\{\},m.fl
 !1},rotation:0,zoom:1,aspectRatio:u};return
p.setMetadata("crop",g),g})}),e("DID_LOAD_ITEM",(p,{query:c})=>new Promise((d,m)=>{let u=p.file;if(!a(u)||!jl(u)||!c("GET_ALLOW_IMAGE_CROP")||p.getMetadata("crop"))return d(p);let f=c("GE T_IMAGE_CROP_ASPECT_RATIO");p.setMetadata("crop",{center:{x:.5,y:.5},flip:{horizontal:!1,vertical:!1},rotation:0,zoom:1,aspectRatio:f?n(f):null}),d(p)})),{options:{allowImageCrop:[!0,i.BOOLEAN],imageCropAspectRatio:[null,i.STRING]}}},mm=typeof window<"u"&&typeof
 window.document<"u";mm&&document.dispatchEvent(new
CustomEvent("FilePond:pluginloaded",{detail:Yl}));var ql=Yl;var Sa=e=>/^image/.test(e.type), []l=e=>{let{addFilter:t,utils:i,views:a}=e,{Type:n,createRoute:l,createItemAPI:o=c=>c}=i,{fileActionButton:r}
=a;t("SHOULD_REMOVE_ON_REVERT",(c,{item:d,query:m})=>new Promise(u=>{let{file:g}=d,f=m("GET_ALLOW_IM AGE_EDIT")&&m("GET_IMAGE_EDIT")&&sa(g);u(!f)})),t("DID_LOAD_ITEM",(c,{query:d,dispatch:m}))=>new Promise((u,g)=>{if(c.origin>1){u(c);return}let{file:f}=c;if(!d("GET_ALLOW_IMAGE_EDIT")||!d("GET_IMAGE_EDIT"))||!d("GET_IMAGE_EDIT"))||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")||!d("GET_IMAGE_EDIT")
 :v(b),m("KICK"),I()}, T=()=>{if(!s.length)return:let{item:b,resolve:T,reject:v}=s[0]:m("EDIT ITEM",{i
d:b.id,handleEditorResponse:h(b,T,v)})};p({item:c,resolve:u,reject:g}),s.length===1&&I()})),t("DID_C
REATE_ITEM",(c,{query:d,dispatch:m})=>{c.extend("edit",()=>{m("EDIT_ITEM",{id:c.id})})});let
 s=[], \overline{p}=c=>(s.push(c),c); return
t("CREATE_VIEW",c=>{let{is:d,view:m,query:u}=c;if(!u("GET_ALLOW_IMAGE_EDIT"))return;let
g=u("GET_ALLOW_IMAGE_PREVIEW");if(!(d("file-info")&&!g||d("file")&&g))return;let h=u("GET_IMAGE_EDIT")
     EDITOR");if(!h)return;h.filepondCallbackBridge||(h.outputData=!0,h.outputFile=!1,h.filepondCallback
 \label{eq:bridge} Fridge=\{onconfirm: h.onconfirm||(()=>\{\}), oncancel: h.oncancel||(()=>\{\})\}); let \ I=(\{root: v, props: y, action for the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the proposed of the pr
 n:E})=>{let{id: }=y,{handleEditorResponse:x}=E;h.cropAspectRatio=v.query("GET IMAGE CROP ASPECT RATI
O")||h.cropAspectRatio,h.outputCanvasBackgroundColor=v.query("GET_IMAGE_TRANSFORM_CANVAS_BACKGROUND_COLOR")||h.outputCanvasBackgroundColor;let R=v.query("GET_ITEM",_);if(!R)return;let z=R.file,P=R.get Metadata("crop"),A={center:{x:.5,y:.5},flip:{horizontal:!1,vertical:!1},zoom:1,rotation:0,aspectRati
 o:null},B=R.getMetadata("resize"),w=R.getMetadata("filter")||null,O=R.getMetadata("filters")||null,S
```

```
=R.getMetadata("colors")||null,L=R.getMetadata("markup")||null,D={crop:P||A,size:B?{upscale:B.upscal
 e,mode:B.mode,width:B.size.width,height:B.size.height}:null,filter:0?0.id||0.matrix:v.query("GET ALL
 OW IMAGE FILTER")&&v.query("GET IMAGE FILTER COLOR MATRIX")&&!S?w:null,color:S,markup:L};h.onconfirm
=(\overline{data}:\overline{F})=>\{\operatorname{let}\{\operatorname{crop}:G,\operatorname{size}:C,\operatorname{filter}:q,\operatorname{color}:\exists,\operatorname{color}Matrix}:K,\operatorname{markup}:\operatorname{pe}=F,\operatorname{k=}\{\};\operatorname{if}(G\&\&(k,\operatorname{crop}=G),C)=\{\operatorname{let}(B,\operatorname{get}Metadata(\operatorname{resize}))\mid\{\}\}).\operatorname{size},Y=\{\operatorname{width}:C.\operatorname{width},\operatorname{height}:C.\operatorname{height}\};!(Y.\operatorname{width}\&\&Y.\operatorname{height})\&\&H\&Y.\operatorname{height}:A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height})=A(A,\operatorname{height}
 &(Y.width=H.width,Y.height=H.height),(Y.width||Y.height)&&(k.resize={upscale:C.upscale,mode:C.mode,s
ize:Y\})\}pe\&\&(k.markup=pe),k.colors=||,k.filters=q,k.filter=K,R.setMetadata(k),h.filepondCallbackBridge.onconfirm(F,o(R)),x&&(h.onclose=()=>\{x(!0),h.onclose=null\})\},h.oncancel=()=>\{h.filepondCallbackBridge.onconfirm(F,o(R)),x&&(h.onclose=()=>\{x(!0),h.onclose=null\})\}
R=m.createChildView(r,{label:"edit",icon:u("GET_IMAGE_EDIT_ICON_EDIT"),opacity:0});R.element.classList.add("filepond--action-edit-item"),R.element.dataset.align=u("GET_STYLE_IMAGE_EDIT_BUTTON_EDIT_ITE
M_POSITION"),R.on("click",v.ref.handleEdit),v.ref.buttonEditItem=m.appendChildView(R)}else{let R=m.element.querySelector(".filepond--file-info-
 main"),z=document.createElement("button");z.className="filepond--action-edit-item-alt",z.innerHTML=u
  ("GET_IMAGE_EDIT_ICON_EDIT")+"<span>edit</span>",z.addEventListener("click",v.ref.handleEdit),R.appe
\label{eq:local_relation} $$ ndChild(z), v.ref.editButton=z} $$; m.registerDestroyer((\{root:v\})=>\{v.ref.buttonEditItem&&v.ref.buttonEditItem&&v.ref.buttonEditItem&&v.ref.buttonEditItem.off("click",v.ref.handleEdit),v.ref.editButton&v.ref.editButton.removeEventListener("click",v.ref.handleEdit)}); let T={EDIT_ITEM:I,DID_LOAD_ITEM:b}; if(g){let v=(\{root:y\})=>{y.ref.buttonEditItem&&(y.ref.buttonEditItem.opacity=1)}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))}), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))}), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))}), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opacity=1}}; T.DID_IMAGE_PREVIEW_SHOW=v}m.registerWriter(l(T))), {options:{w.ref.buttonEditItem.opaci
allowImageEdit:[!0,n.B00LEAN],styleImageEditButtonEditItemPosition:["bottom center",n.STRING],imageE ditInstantEdit:[!1,n.B00LEAN],imageEditAllowEdit:[!0,n.B00LEAN],imageEditIconEdit:['<svg width="26" height="26" viewBox="0 0 26 26" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" focusable="false"><path d="M8.5 17h1.58617-7L15.5 8.4141-7 7V17zm-1.707-2.70718-8a1 1 0 0 1 1.414
 0l3 3a1 1 0 0 1 0 1.414l-8 8A1 1 0 0 1 10.5 19h-3a1 1 0 0 1-1-1v-3a1 1 0 0 1 .293-.707z"
 fill="currentColor" fill-
rule="nonzero"/></svg>',n.STRING],imageEditEditor:[null,n.OBJECT]}}},um=typeof window<"u"&\typeof
window.document<"u";um&\tilde{\text{document.dispatchEvent(new}}
CustomEvent("FilePond:pluginloaded",{detail:[]\}));var Xl=[]\text{;var gm=e=>/^image\/jpeg/.test(e.type),rt}
={JPEG:65496,APP1:65505,EXIF:1165519206,TIFF:18761,Orientation:274,Unknown:65280},st=(e,t,i=!1)=>e.g
 etUint16(t,i),Kl=(e,t,i=!1)=>e.getUint32(t,i),fm=e=>new Promise((t,i)=>{let a=new Promise(t,i)=>{let eader; a. onload=function(n) { let l=new
p=st(l,r+=6)===rt.TIFF;r+=Kl(l,r+4,p);let c=st(l,r,p);r+=2;for(let d=0;d<c;d++)if(st(l,r+d*12,p)===rt.Orientation)\{t(st(l,r+d*12+8,p));return\}\}else\{if((s&rt.Unknown)!==rt.Unknown)break;r+=st(l,r)\}\}t(-1)
 1)},a.readAsArrayBuffer(e.slice(0,64*1024))}),hm=typeof window<"u"&typeof window.document<"u",bm=()
Tm=()=>Ql,Zl=({addFilter:e,utils:t})=>{let{Type:i,isFile:a}=t;return
 e("DID_LOAD_ITEM",(n,{query:l})=>new Promise((o,r)=>{let
s=n.file;if(!a(s)||!gm(s)||!l("GET_ALLOW_IMAGE_EXIF_ORIENTATION")||!Tm())return o(n);fm(s).then(p=>{
n.setMetadata("exif",{orientation:p}),o(n)}))),{options:{allowImageExifOrientation:[!0,i.BOOLEAN]}}
},Im=typeof_window<"u"&&typeof_window.document<"u";Im&&document.dispatchEvent(new</pre>
CustomEvent("FilePond:pluginloaded",{detail:Zl}));var Jl=Zl;var vm=e=>/^image/.test(e.type),eo=(e,t)=>Yt(e.x*t,e.y*t),to=(e,t)=>Yt(e.x+t.x,e.y+t.y),xm=e=>{let t=Math.sqrt(e.x*e.x+e.y*e.y);return t===0?{x:0,y:0}:Yt(e.x/t,e.y/t)},vi=(e,t,i)=>{let t=Math.sqrt(e.x*e.x+e.y*e.y);return t===0?{x:0,y:0}:Yt(e.x/t,e.y/t)},vi=(e,t,i)=>{let t=Math.sqrt(e.x*e.x+e.y*e.y);return t===0?{x:0,y:0}:Yt(e.x/t,e.y/t)},vi=(e,t,i)=>{let t==0.5}
 a=Math.cos(t)\,,n=Math.sin(t)\,,l=Yt(e.x-i.x,e.y-i.y)\,;return
Yt(i.x+a*l.x-n*l.y,i.y+n*l.x+a*l.y)\},Yt=(e=0,t=0)=>(\{x:e,y:t\}),Te=(e,t,i=1,a)=>\{if(typeofe=="string")return parseFloat(e)*i;if(typeofe=="number")return
 e*(a?t[a]:Math.min(t.width,t.height))},ym=(e,t,i)=>{let a=e.borderStyle||e.lineStyle||"solid",n=e.ba
ckgroundColor||e.fontColor||"transparent",l=e.borderColor||e.lineColor||"transparent",o=Te(e.borderWidth||e.lineWidth,t,i),r=e.lineCap||"round",s=e.lineJoin||"round",p=typeof
a=="string"?"":a.map(d=>Te(d,t,i)).join(","),c=e.opacity||1;return{"stroke-linecap":r,"stroke-
  linejoin":s, "stroke-width":o||0, "stroke-
\label{eq:continuous} $$ dasharray":p,stroke-width .o||o|, stroke-width n-s:o=0), \\ \{x:a||0,y:n||0,width:l||0,height:o||0\}\}, \\ Sm=e=>e.map((t,i)=>`[\{i===0?"M":"L"\}] \\ [\{t.x\}]
 \Pi(t,y)).join(" "),Be=(e,t)=>0bject.keys(t).forEach(i=>e.setAttribute(i,t[i])), m="http://www.w3.org
  /2000/svg",St=(e,t)=>{let i=document.createElementNS(_m,e);return
t&&Be(i,t),i},wm=e=>Be(e,{...e.rect,...e.styles}),Lm=e=>{let t=e.rect.x+e.rect.width*.5,i=e.rect.y+e.rect.height*.5,a=e.rect.width*.5,n=e.rect.height*.5;return Be(e,{cx:t,cy:i,rx:a,ry:n,...e.styles})},Mm={contain:"xMidYMid meet",cover:"xMidYMid slice"},Am=(e,t)=>{Be(e,{...e.rect,...e.styles,preserveAspectRatio:Mm[t.fit]||"none"})},Pm={left:"start",center:"mi
ddle",right:"end"},zm=(e,t,i,a)=>{let n=Te(t.fontSize,i,a),l=t.fontFamily||"sans-serif",o=t.fontWeight||"normal",r=Pm[t.textAlign]||"start";Be(e,{...e.rect,...e.styles,"stroke-
```

```
width":0, "font-weight":o, "font-size":n, "font-family":l, "text-
 anchor":r}),e.text!==t.text&&(e.text=t.text,e.textContent=t.text.length?t.text:"
 ")},Om=(e,t,i,a)=>\{Be(e,\{...e.rect,...e.styles,fill:"none"\});let n=e.childNodes[0],l=e.childNodes[1]]
,o=e.childNodes[2],r=e.rect,s={x:e.rect.x+e.rect.width,y:e.rect.y+e.rect.height};if(Be(n,{x1:r.x,y1:r.y,x2:s.x,y2:s.y}),!t.lineDecoration)return;l.style.display="none",o.style.display="none";let
p=xm({x:s.x-r.x,y:s.y-r.y}),c=Te(.05,i,a);if(t.lineDecoration.indexOf("arrow-begin")!==-1){let
text"),path:xi("path"),line:Cm},Nm={rect:wm,ellipse:Lm,image:Am,text:zm,path:Fm,line:Om},km=(e,t)=>B m[e](t),Vm=(e,t,i,a,n)=>{t!=="path"&&(e.rect=Rm(i,a,n)),e.styles=ym(i,a,n),Nm[t](e,i,a,n)},Gm=["x"," y","left","top","right","bottom","width","height"],Um=e=>typeof e=="string"&&/%/.test(e)?parseFloat(e)/100:e,Wm=e=>{let[t,i]=e,a=i.points?{}:Gm.reduce((n,l)=>(n[l]=Um(i[l]),n),{});return[t,{zIndex:0,...
  ..i,...a}]},Hm=(e,t)=>e[1].zIndex>t[1].zIndex?1:e[1].zIndex<t[1].zIndex?-
1:0, jm=e=>e.utils.createView({name:"image-preview-markup",tag:"svg",ignoreRect:!0,mixins:{apis:["wid th","height","crop","markup","resize","dirty"]},write:({root:t,props:i})=>{if(!i.dirty)return;let{cr
 op:a,resize:n,markup:l}=i,o=i.width,r=i.height,s=a.width,p=a.height;if(n){let{size:u}=n,g=u&&u.width
 f=u\&u.height,h=n.mode,I=n.upscale;g\&\&!f\&\&(f=g),f\&\&!g\&\&(g=f);let b=s<g\&\&p<f;if(!b||b\&&I){let b=s<g&a}
 T=g/s,v=f/p;if(h==="force")s=g,p=f;else{let
y;h==="cover"?y=Math.max(T,v):h==="contain"&&(y=Math.min(T,v)),s=s*y,p=p*y}}}let c={width:o,height:r};t.element.setAttribute("width",c.width),t.element.setAttribute("height",c.height);let d=Math.min(o/s,r/p);t.element.innerHTML="";let m=t.query("GET_IMAGE_PREVIEW_MARKUP_FILTER");l.filter(m).map(Wm).sort(Hm).forEach(u=>{let[g,f]=u,h=km(g,f);Vm(h,g,f,c,d),t.element.appendChild(h)})}}),jt
 =(e,t)=>(\{x:e,y:t\}),Ym=(e,t)=>e.x*t.x+e.y*t.y,io=(e,t)=>jt(e.x-t.x,e.y-t.x)=(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(e,t)=>(
 t.y), qm=(e,t)=>Ym(io(e,t),io(e,t)), ao=(e,t)=>Math.sqrt(qm(e,t)), no=(e,t)=>\{let i=e,a=1.5707963267948\}
 966, n=t, l=1.5707963267948966-
 t,o=Math.sin(a)\,,r=Math.sin(n)\,,s=Math.sin(l)\,,p=Math.cos(l)\,,c=i/o\,,d=c*r\,,m=c*s\,;return
 jt(p*d,p*m), m=(e,t)={let i=e.width,a=e.height,n=no(i,t),l=no(a,t),o=jt(e.x+Math.abs(n.x),e.y-midth.abs(n.x),e.y-midth.abs(n.x),e.y-midth.abs(n.x)
 Math.abs(n.y)),r=jt(e.x+e.width+Math.abs(l.y),e.y+Math.abs(l.x)),s=jt(e.x-
 Math.abs(l.y), e.y+e.height-Math.abs(l.x)); return{width:ao(o,r),height:ao(o,s)}}, Xm=(e,t,i=1)=>{let
 a=e.height/e.width, n=1, l=t, o=1, r=a; r>l&&(r=l, o=r/a); let
s=Math.max(n/o,l/r),p=e.width/(i*s*o),c=p*t;return\{width:p,height:c\}\},oo=(e,t,i,a)=>\{letn=a.x>.5?1-a.x:a.x,l=a.y>.5?1-a.y:a.y,o=n*2*e.width,r=l*2*e.height,s=<math>[m(t,i);return]
 (e.width-i)*.5,l=(e.height-
 a)*.5;return{x:n,y:l,width:i,height:a}},Km=(e,t={})=>{let{zoom:i,rotation:a,center:n,aspectRatio:l}=
t;||(l=e.height/e.width);let o=Xm(e,l,i),r={x:o.width*.5,y:o.height*.5},s={x:0,y:0,width:o.width,height:o.height,center:r},p=typeof t.scaleToFit>"u"||t.scaleToFit,c=oo(e,ro(s,l),a,p?n:{x:.5,y:.5}),d=
i*c; return{widthFloat:o.width/d, heightFloat:o.height/d, width:Math.round(o.width/d), height:Math.round(o.height/d)}}, Ce={type: "spring", stiffness:.5, damping:.45, mass:10}, Qm=e=>e.utils.createView({name:"image-bitmap", ignoreRect:!0, mixins:{styles:["scaleX", "scaleY"]}, create:({root:t,props:i})=>{t.appendChild(i.image)}}}, Zm=e=>e.utils.createView({name:"image-canvas-wrapper", tag:"div", ignoreRect:!0, mixins:{styles:["scaleX", "scaleX", "translateX", "translateY", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX", "scaleX",
              ,"rotateZ"],animations:{originX:Ce,originY:Ce,scaleX:Ce,scaleY:Ce,translateX:Ce,translateY:Ce,r
 otateZ:Ce}},create:({root:t,props:i})=>{i.width=i.image.width,i.height=i.image.height,t.ref.bitmap=t
 .appendChildView(t.createChildView(Qm(e),{image:i.image}))},write:({root:t,props:i})=>{let{flip:a}=i
  .crop,{bitmap:n}=t.ref;n.scaleX=a.horizontal?-1:1,n.scaleY=a.vertical?-
1:1}}), Jm=e=>e.utils.createView({name:"image-clip",tag:"div",ignoreRect:!0,mixins:{apis:["crop","markup","resize","width","height","dirty","background"],styles:["width","height","opacity"],animations:{opacity:{type:"tween",duration:250}}},didWriteView:function({root:t,props:i}){i.background&&(t.elem
 ent.style.backgroundColor=i.background)},create:({root:t,props:i})=>{t.ref.image=t.appendChildView(t
 .createChildView(Zm(e),Object.assign({},i))),t.ref.createMarkup=()=>{t.ref.markup||(t.ref.markup=t.a
ppendChildView(t.createChildView(jm(e),0bject.assign({},i))))},t.ref.destroyMarkup=()=>{t.ref.markup
&&(t.removeChildView(t.ref.markup),t.ref.markup=null)};let a=t.query("GET_IMAGE_PREVIEW_TRANSPARENCY
_INDICATOR");a!==null&&(a==="grid"?t.element.dataset.transparencyIndicator=a:t.element.dataset.trans
 parencyIndicator="color")},write:({root:t,props:i,shouldOptimize:a})=>{let{crop:n,markup:l,resize:o,
 dirty:r,width:s,height:p}=i;t.ref.image.crop=n;let c={x:0,y:0,width:s,height:p,center:{x:s*.5,y:p*.5
 }},d={width:t.ref.image.width,height:t.ref.image.height},m={x:n.center.x*d.width,y:n.center.y*d.heig
 ht},u={x:c.center.x-d.width*n.center.x,y:c.center.y-
 r,t.ref.markup.markup=1,t.ref.markup.crop=Km(d,n)):t.ref.markup&&t.ref.destroyMarkup();let T=t.ref.i
mage;if(a){T.originX=null,T.originY=null,T.translateX=null,T.translateY=null,T.rotateZ=null,T.scaleX=null,T.scaleY=null,T.originX=m.x,T.originY=m.y,T.translateX=u.x,T.translateY=u.y,T.rotateZ=g,T.scaleX=b,T.scaleY=b}}),eu=e=>e.utils.createView({name:"image-preview",tag:"div",ignoreRect:!0,mix
```

```
ins:{apis:["image","crop","markup","resize","dirty","background"],styles:["translateY","scaleX","sca
leY", "opacity"], animations: {scaleX:Ce,scaleY:Ce,translateY:Ce,opacity: {type: "tween", duration:400}}},
create:({root:t,props:i})=>{t.ref.clip=t.appendChildView(t.createChildView(Jm(e),{id:i.id,image:i.im
age,crop:i.crop,markup:i.markup,resize:i.resize,dirty:i.dirty,background:i.background}))},write:({ro
ot:t,props:i,shouldOptimize:a})=>{let{clip:n}=t.ref,{image:l,crop:o,markup:r,resize:s,dirty:p}=i;if(
n.crop=o,n.markup=r,n.resize=s,n.dirty=p,n.opacity=a?0:1,a||t.rect.element.hidden)return;let c=l.hei
qht/l.width,d=o.aspectRatio||c,m=t.rect.inner.width,u=t.rect.inner.height,g=t.query("GET IMAGE PREVI
EW HEIGHT"), f=t.query("GET IMAGE PREVIEW MIN HEIGHT"), h=t.query("GET IMAGE PREVIEW MAX HEIGHT"), I=t.
query("GET_PANEL_ASPECT_RATIO"), b=t.query("GET_ALLOW_MULTIPLE"); I&&! b&&(g=m*I,d=I); let T=g!==null?g:
Math.max(f,Math.min(m*d,h)),v=T/d;v>m&&(v=m,T=v*d),T>u&&(T=u,v=u/d),n.width=v,n.height=T}),tu=`<svg
width="500" height="200" viewBox="0 0 500 200" preserveAspectRatio="none">
           <defs>
                    <radialGradient id="gradient- UID " cx=".5" cy="1.25" r="1.15">
                               <stop offset='50%' stop-color='#000000'/>
<stop offset='56%' stop-color='#0a0a0a'/>
                               <stop offset='63%' stop-color='#262626'/>
                               <stop offset='69%'
                                                                              stop-color='#4f4f4f'/>
                               <stop offset='75%'
                                                                              stop-color='#808080'/>
                              <stop offset= 73% stop-cotor= #808080 />
<stop offset='81%' stop-color='#blblbl'/>
<stop offset='88%' stop-color='#dadada'/>
<stop offset='94%' stop-color='#f6f6f6'/>
<stop offset='100%' stop-color='#ffffff'/>
                     </radialGradient>
                    </mask>
           </defs>
           <rect x="0" width="500" height="200" fill="currentColor" mask="url(#mask- UID )"></rect>
</svg>`,lo=0,iu=e=>e.utils.createView({name:"image-preview-
overlay",tag:"div",ignoreRect:!0,create:({root:t,props:i})=>{let
a=tu;if(document.querySelector("base")){let n=new URL(window.location.href.replace(window.location.h
ash,"")).href;a=a.replace(/url\(\#/g,"url("+n+"#"))lo++,t.element.classList.add(`filepond--image-
preview-overlay-
.file).then(t=>{self.postMessage({id:e.data.id,message:t},[t])})}},nu=function(){self.onmessage=e=>{
let t=e.data.message.imageData,i=e.data.message.colorMatrix,a=t.data,n=a.length,l=i[0],o=i[1],r=i[2]
  s=i[3],p=i[4],c=i[5],d=i[6],m=i[7],u=i[8],g=i[9],f=i[10],h=i[11],I=i[12],b=i[13],T=i[14],v=i[15],y=
; s-1[3], p-1[4], c-1[3], u-1[0], m-1[7], u-1[6], g-1[9], i-1[16], i-1[17], i-1[17], i-1[18], i-1[18], v-1[18],  ,Math.min((z*v+P*v+A*E+B* +x)*255,255));self.postMessage({id:e.data.id,message:t},[t.data.buffer])}}
 ,lu=(e,t)=>{let i=new Image;i.onload=()=>{let a=i.naturalWidth,n=i.naturalHeight;i=null,t(a,n)},i.sr
 \begin{array}{l} \text{c=e}, \text{ou=}\{1:() => [1,0,0,1,0,0], 2:e => [-1,0,0,1,e,0], 3:(e,t) => [-1,0,0,-1,e,t], 4:(e,t) => [1,0,0,-1,e,t], 4:(e,t) => [1,0,0,-1,e,t], 4:(e,t) => [0,1,0,t], 5:() => [0,1,1,0,0,0], 6:(e,t) => [0,1,-1,0,t,0], 7:(e,t) => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,-1,0,t,e], 8:e => [0,-1,0,t,e], 8:e => [0,
1,1,0,0,e]},ru=(e,t,i,a)=>{a!==
1\&\&e.transform.apply(e,ou[a](t,i)), su=(e,t,i,a)=>\{t=Math.round(t),i=Math.round(i)\}; let
n=document.createElement("canvas");n.width=t,n.height=i;let l=n.getContext("2d");return a>=5&&a<=8&&
 ([t,i]=[i,t]), ru(l,t,i,a), l.drawImage(e,0,0,t,i), n\}, so=e=>/^image/.test(e.type)\&\&!/svg/.test(e.type)
  cu=10,du=10,pu=e=>{let t=Math.min(cu/e.width,du/e.height),i=document.createElement("canvas"),a=i.ge
tContext("2d"),n=i.width=Math.ceil(e.width*t),l=i.height=Math.ceil(e.height*t);a.drawImage(e,0,0,n,l
);let o=null;try{o=a.getImageData(0,0,n,l).data}catch{return null}let
r=0.length, s=0, p=0, c=0, d=0; for(; d< r; d+=4)s+=o[d]*o[d], p+=o[d+1]*o[d+1], c+=o[d+2]*o[d+2]; return s= a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s+a(d+2)s
s,r), p=a(p,r), c=a(c,r), \{r:s,g:p,b:c\}\}, a=(e,t)=>Math.floor(Math.sqrt(e/(t/4))), mu=(e,t)=>(t=t) | document.createElement("canvas"), t.width=e.width, t.height=e.height, t.getContext("2d"). drawImage(e,0,0),
t),uu=e=>{let t;try{t=new ImageData(e.width,e.height)}catch{t=document.createElement("canvas").getCo
ntext("2d").createImageData(e.width,e.height)}return t.data.set(new
Uint8ClampedArray(e.data)),t},gu=e=>new Promise((t,i)=>{let a=new
Image;a.crossOrigin="Anonymous",a.onload=()=>{t(a)},a.onerror=n=>{i(n)},a.src=e}),fu=e=>{let
t=iu(e),i=eu(e),{createWorker:a}=e.utils,n=(b,T,v)=>new Promise(y=>{b.ref.imageData||(b.ref.imageData
a=v.getContext("2d").getImageData(0,0,v.width,v.height));let
E=uu(b.ref.imageData);if(!T||T.length!==20)return v.getContext("2d").putImageData(E,0,0),y();let <math>\_=a
(nu);_.post({imageData:E,colorMatrix:T},x=>{v.getContext("2d").putImageData(x,0,0),_.terminate(),y()},[E.data.buffer])}),l=(b,T)=>{b.removeChildView(T),T.image.width=1,T.image.height=1,T._destroy()},o
=({root:b})=>{let T=b.ref.images.shift();return
T.opacity=0,T.translateY=-15,b.ref.imageViewBin.push(T),T},r=({root:b,props:T,image:v})=>{let
y=T.id,E=b.query("GET_ITEM",{id:y});if(!E)return;let _=E.getMetadata("crop")||{center:{x:.5,y:.5},fl
 ip:{horizontal:!1,vertical:!1},zoom:1,rotation:0,aspectRatio:null},x=b.query("GET IMAGE TRANSFORM CA
NVAS_BACKGROUND_COLOR"),R,z,P=!1;b.query("GET_IMAGE_PREVIEW_MARKUP_SHOW")&&(R=E.getMetadata("markup")||[],z=E.getMetadata("resize"),P=!0);let A=b.appendChildView(b.createChildView(i,{id:y,image:v,crop
    resize:z,markup:R,dirty:P,background:x,opacity:0,scaleX:1.15,scaleY:1.15,translateY:15}),b.childV,
iews.length);b.ref.images.push(A),A.opacity=1,A.scaleX=1,A.scaleY=1,A.translateY=0,setTimeout(()=>{b.dispatch("DID_IMAGE_PREVIEW_SHOW",{id:y}}},250)},s=({root:b,props:T})=>{let
```

```
v=b.query("GET ITEM",{id:T.id});if(!v)return;let y=b.ref.images[b.ref.images.length-
1];y.crop=v.getMetadata("crop"),y.background=b.query("GET_IMAGE_TRANSFORM_CANVAS_BACKGROUND_COLOR"),b.query("GET_IMAGE_PREVIEW_MARKUP_SHOW")&&(y.dirty=!0,y.resize=v.getMetadata("resize"),y.markup=v.getMetadata("markup"))},p=({root:b,props:T,action:v})=>{if(!/crop|filter|markup|resize/.test(v.change.
  key) | | !b. ref.images.length) return; let
  y=b.query("GET ITEM",{id:T.id});if(y){if(/filter/.test(v.change.key)){let E=b.ref.images[b.ref.image
  s.length-1]; \\ n(\overline{b}, v.change.value, E.image); \\ return \\ if(/crop|markup|resize/.test(v.change.key)) \\ \{let E=y.g.extraction | extraction | ext
  etMetadata("crop"),_=b.ref.images[b.ref.images.length-
  1];if(E&&E.aspectRatio&&_.crop&& .crop.aspectRatio&&Math.abs(E.aspectRatio- .crop.aspectRatio)>1e-
  5){let x=o({root:b});r({root:b,props:T,image:mu(x.image)})}else s({root:b,props:T})}},c=b=>{let
  v=window.navigator.userAgent.match(/Firefox\/([0-9]+)\./),y=v?parseInt(v[1]):null;return
  y!==null&&y<=58?!1:"createImageBitmap"in
  \label{eq:window} $$ \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.5} = 1.5 \abs{1.
window&&so(b)}, a={{root:b,props:l}}=>{let{io:v}=1,y=b.query("GEI_ITEM",v);if(!y)return;let E=URL.cre
ateObjectURL(y.file);lu(E,(_,x)=>{b.dispatch("DID_IMAGE_PREVIEW_CALCULATE_SIZE",{id:v,width:_,height
:x})}), m=({root:b,props:T})=>{let{id:v}=T,y=b.query("GET_ITEM",v);if(!y)return;let
E=URL.createObjectURL(y.file), =()=>{gu(E).then(x)},x=R=>{URL.revokeObjectURL(E);let P=(y.getMetadat
a("exif")||{}}).orientation||-1,{width:A,height:B}=R;if(!A||!B)return;P>=5&&P<=8&&([A,B]=[B,A]);let w
=Math.max(1,window.devicePixelRatio*.75),S=b.query("GET_IMAGE_PREVIEW_ZOOM_FACTOR")*w,L=B/A,D=b.rect
.element.width,F=b.rect.element.height,G=D,C=G*L;L>1?(G=Math.min(A,D*S),C=G*L):(C=Math.min(B,F*S),G=
cetement.width,F=b.rect.etement.neight,G=b,C=G*E,E>1?(G=Math.min(A,D*S),C=G*E):(C=Math.min(B,F*S),G=C/L);let q=su(R,G,C,P),[=()=>{let pe=b.query("GET_IMAGE_PREVIEW_CALCULATE_AVERAGE_IMAGE_COLOR")?pu(d ata):null;y.setMetadata("color",pe,!0),"close"in R&&R.close(),b.ref.overlayShadow.opacity=1,r({root:b,props:T,image:q})},K=y.getMetadata("filter");K?n(b,K,q).then([):[()};if(c(y.file)){let
  R=a(au);R.post(\{file:y.file\},z=>\{if(R.terminate(),!z)\{();return\}x(z)\})\}\\else()\},u=(\{root:b\})=>\{let(x),y\}
  T=b.ref.images[b.ref.images.length-
  1]; T. translateY=0, T. scaleX=1, T. scaleY=1, T. opacity=1\}, g=(\{root:b\})=>\{b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShadow.opacity=1, b. ref. overlayShado
  ref.overlay Error.opacity = 0, b.ref.overlay Success.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = > \{b.ref.overlay Shadow.opacity = 0\}, f = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b\}) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = (\{root:b]) = 
  y=.25,b.ref.overlayError.opacity=1},h=({root:b})=>{b.ref.overlayShadow.opacity=.25,b.ref.overlaySuccess.opacity=1},I=({root:b})=>{b.ref.imageData=null,b.ref.imageViewBin=[],b.ref.overlaySuccess.opacity=1},I=({root:b})=>{b.ref.imageSizess.opacity=1},b.ref.overlaySuccess.opacity=1},opacity=1},opacity=1
  ayShadow=b.appendChildView(b.createChildView(t,{opacity:0,status:"idle"})),b.ref.overlaySuccess=b.ap
pendChildView(b.createChildView(t,{opacity:0,status:"success"})),b.ref.overlaySuccess=b.appendChildView(b.createChildView(t,{opacity:0,status:"success"})),b.ref.overlayError=b.appendChildView(b.createChildView(t,{opacity:0,status:"failure"}))};return e.utils.createView({name:"image-preview-wrapper",create:I,styles:["height"],apis:["height"],destroy:({root:b})=>{b.ref.images.forEach(T=>{T.dimage.height=1})},didWriteView:({root:b})=>{b.ref.images.forEach(T=>{T.dimage.height=1})},didWriteView:({root:b})=>{b.ref.images.forEach(T=>{T.dimage.height=1})},didWriteView:({root:b})=>{b.ref.images.forEach(T=>{T.dimage.height=1})},didWriteView:({root:b})=>{b.ref.images.forEach(T=>{T.dimage.height=1})},didWriteView:({root:b})=>{b.ref.images.forEach(T=>{T.dimage.height=1})},didWriteView:({root:b})=>{b.ref.images.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEach(T=>{T.dimages.forEa
  =!1})},write:e.utils.createRoute({DID IMAGE PREVIEW DRAW:u,DID IMAGE PREVIEW CONTAINER CREATE:d,DID
 FINISH CALCULATE PREVIEWSIZE:m,DID_UPDATE ITEM_METADATA:p,DID_THROW_ITEM_LOAD_ERROR:f,DID_THROW_ITEM_
PROCESSING ERROR:f,DID_THROW_ITEM_INVALID:f,DID_COMPLETE_ITEM_PROCESSING:h,DID_START_ITEM_PROCESSIN
  G:g,DID_REVERT_ITEM_PROCESSING:g},({root:b})=>{let T=b.ref.imageViewBin.filter(v=>v.opacity===0);b.r
  ef.imageViewBin=b.ref.imageViewBin.filter(v=>v.opacity>0),T.forEach(v=>l(b,v)),T.length=0}))})),co=e=
>{let{addFilter:t,utils:i}=e,{Type:a,createRoute:n,isFile:l}=i,o=fu(e);return t("CREATE_VIEW",r=>{let{addFilter:t,utils:i}=e,{Type:a,createRoute:n,isFile:l}=i,o=fu(e);return t("CREATE_VIEW",r=>{let{is:s,view:p,query:c}=r;if(!s("file")||!c("GET_ALLOW_IMAGE_PREVIEW"))return;let d=({root:h,props:I})=>{let{id:b}=I,T=c("GET_ITEM",b);if(!T||!l(T.file)||T.archived)return;let v=T.file;if(!ym(v)||!c("GET_IMAGE_PREVIEW_FILTER_ITEM")f())return;let y="createImageBitmap"in(window_ICI)".
   ||{}),E=c("GET_IMAGE_PREVIEW_MAX_FILE_SIZE");if(!y&&E&&v.size>E)return;h.ref.imagePreview=p.appendCh
   ildView(p.createChildView(o, \overline{\{id:\overline{b}\}\})); \overline{let} = h.query("GET IMAGE PREVIEW HEIGHT"); \&h.dispatch("DID UP
 DATE_PANEL_HEIGHT",{id:T.id,height:_});let x=!y&&v.size>c("GET_IMAGE_PREVIEW_MAX_INSTANT_PREVIEW_FIL
E_SIZE");h.dispatch("DID_IMAGE_PREVIEW_CONTAINER_CREATE",{id:b},x)},m=(h,I)=>{if(!h.ref.imagePreview
L_SIZE");h.dispatch("DID_IMAGE_PREVIEW_CONTAINER_CREATE",{id:b},x)},m=(h,I)=>{if(!h.ref.imagePreview)}
)return;let{id:b}=I,T=h.query("GET_ITEM",{id:b});if(!T)return;let v=h.query("GET_PANEL_ASPECT_RATIO"),y=h.query("GET_ITEM_PANEL_ASPECT_RATIO"),E=h.query("GET_IMAGE_PREVIEW_HEIGHT");if(v||y||E)return;let{imageWidth:_,imageHeight:x}=h.ref;if(!_||!x)return;let R=h.query("GET_IMAGE_PREVIEW_MIN_HEIGHT"),z=h.query("GET_IMAGE_PREVIEW_MAX_HEIGHT"),A=(T.getMetadata("exif")||{}).orientation||-
1;if(A>=5&&A<=8&&([_,x]=[x,_]),!so(T.file)||h.query("GET_IMAGE_PREVIEW_UPSCALE")){let}
D=2048/_;_*=D,x*=D}let B=x/_,w=(T.getMetadata("crop")||{}).aspectRatio||B,O=Math.max(R,Math.min(x,z)),S=h.rect.element.width,L=Math.min(S*w,0);h.dispatch("DID_UPDATE_PANEL_HEIGHT",{id:T.id,height:L})},u=({root:h})=>{h.ref.shouldRescale=!0},g=({root:h,action:I})=>{I.change.key==="crop"&&(h.ref.shouldRescale=!0)},f=({root:h,action:I})=>{h.ref.imageWidth=I.width.h.ref.imageHeight=I.height.h.ref.shouldRescale=!0}
,u=({root:h})=>{n.ref.snoutdkescale=!0},g=({root:n,action:i})=>{1.cnange.key=== crop &x(n.ref.snoutd
Rescale=!0)},f=({root:h,action:I})=>{h.ref.imageWidth=I.width,h.ref.imageHeight=I.height,h.ref.shoutd
dRescale=!0,h.ref.shouldDrawPreview=!0,h.dispatch("KICK")};p.registerWriter(n({DID_RESIZE_ROOT:u,DID_STOP_RESIZE:u,DID_LOAD_ITEM:d,DID_IMAGE_PREVIEW_CALCULATE_SIZE:f,DID_UPDATE_ITEM_METADATA:g},({root_IND_IMAGE_PREVIEW_CALCULATE_SIZE:f,DID_UPDATE_ITEM_METADATA:g},
:h,props:I})=>{h.ref.imagePreview&\(h.rect.element.hidden||(h.ref.shouldRescale&\(m(h,I),h.ref.shouldRescale=!1),h.ref.shouldDrawPreview&\(requestAnimationFrame(()=>{requestAnimationFrame(()=>{h.dispatch("DID_FINISH_CALCULATE_PREVIEWSIZE",{id:I.id})})}),h.ref.shouldDrawPreview=!1)))})))))),foptions:{allowImagePreview:[!0,a.BOOLEAN],imagePreviewFilterItem:[()=>!0,a.FUNCTION],imagePreviewHeight:[null,
  a.INT],imagePreviewMinHeight:[44,a.INT],imagePreviewMaxHeight:[256,a.INT],imagePreviewMaxFileSize:[n
 ull,a.INT],imagePreviewZoomFactor:[2,a.INT],imagePreviewUpscale:[!1,a.B00LEAN],imagePreviewMaxInstantPreviewFileSize:[1e6,a.INT],imagePreviewTransparencyIndicator:[null,a.STRING],imagePreviewCalculate
  AverageImageColor:[!1,a.BOOLEAN],imagePreviewMarkupShow:[!0,a.BOOLEAN],imagePreviewMarkupFilter:[()=
  >!0,a.FUNCTION]}}},hu=typeof window<"u"&&typeof window.document<"u";hu&&document.dispatchEvent(new CustomEvent("FilePond:pluginloaded",{detail:co}));var po=co;var
  bu=e=>/^image/.test(e.type),Eu=(e,t)=>{let i=new Image;i.onload=()=>{let a=i.naturalWidth,n=i.natura
 lheight;i=null,t({width:a,height:n})},i.onerror=()=>t(null),i.src=e},mo=({addFilter:e,utils:t})=>{le
t{Type:i}=t;return e("DID_LOAD_ITEM",(a,{query:n})=>new Promise((l,o)=>{let
r=a.file;if(!bu(r)||!n("GET_ALLOW_IMAGE_RESIZE"))return l(a);let s=n("GET_IMAGE_RESIZE_MODE"),p=n("GET_IMAGE_RESIZE_TARGET_HEIGHT"),d=n("GET_IMAGE_RESIZE_UPSCALE")
   ;if(p===null&&c===null)return l(a);let
```

```
m=p===null?c:p,u=c===null?m:c,g=URL.createObjectURL(r);Eu(g,f=>{if(URL.revokeObjectURL(g),!f)return}
l(a)}else if(h<=m&&I<=m)return l(a)}a.setMetadata("resize",{mode:s,upscale:d,size:{width:m,height:u}}),l(a)}))),{options:{allowImageResize:[!0,i.BOOLEAN],imageResizeMode:["cover",i.STRING],imageResize
 eUpscale:[!0,i.BOOLEAN],imageResizeTargetWidth:[null,i.INT],imageResizeTargetHeight:[null,i.INT]}}},
eupscate:[:0,1.800LEAN], imageResizeTargetWidth:[nutt,1.1N1], imageResizeTargetHeight:[nutt,1.1N1]}}, Tu=typeof window<"u"&typeof window.document<"u"; Tu&&document.dispatchEvent(new CustomEvent("FilePond:pluginloaded", {detail:mo})); var uo=mo; var Iu=e=>/^image/.test(e.type), vu=e=>e. substr(0,e.lastIndexOf("."))||e,xu={jpeg:"jpg","svg+xml":"svg"}, yu=(e,t)=>{let i=vu(e),a=t.split("/")[1],n=xu[a]||a;return`[[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],[[n]],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e=>/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==/[i],Ru=e==
 1,1,0,0,e], wu=(e,t,i)=>(i===
 1\&\&(i=1)\,,\_u[i]\,(e,t)\,)\,,\\ qt=(e,t)=>(\{x:e,y:t\})\,,\\ Lu=(e,t)=>e.x*t.x+e.y*t.y\,,\\ go=(e,t)=>qt(e.x-t.x,e.y-t)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-t.x)+(e.x-
 t.y), Mu=(e,t) \Rightarrow Lu(go(e,t),go(e,t)), fo=(e,t) \Rightarrow Math.sqrt(Mu(e,t)), ho=(e,t) \Rightarrow \{let i=e,a=1.5707963267948\}
 966, n=t, l=1.5707963267948966-
\label{eq:continuous} The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
 Math.abs(l.y),e.y+e.height
 Math.abs(l.x); return{width: fo(o,r), height: fo(o,s)}, To=(e,t,i=0,a=\{x:.5,y:.5\})=>\{let
 n=a.x>.5?1-a.x:a.x,l=a.y>.5?1-a.y:a.y,o=n*2*e.width,r=l*2*e.height,s=Au(t,i);return
\label{eq:max_substitution} $$ \operatorname{Math.max}(s.\operatorname{width/o},s.\operatorname{height/r}), Io=(e,t)=>\{let i=e.\operatorname{width},a=i*t;a>e.\operatorname{height\&\&}(a=e.\operatorname{height},i=a/t);let n=(e.\operatorname{width-i})*.5,l=(e.\operatorname{height-a})*.5;return\{x:n,y:l,\operatorname{width:i},\operatorname{height:a}\},bo=(e,t,i=1)=>\{let i=e.\operatorname{width-i},a=i*t;a>e.\operatorname{height}(a)*.5;l=(e.\operatorname{height-a})*.5;return\{x:n,y:l,\operatorname{width:i},\operatorname{height:a}\},bo=(e,t,i=1)=>\{let i=e.\operatorname{width-i},a=i*t;a>e.\operatorname{height}(a)*.5;l=(e.\operatorname{height-a})*.5;return\{x:n,y:l,\operatorname{width:i},\operatorname{height:a}\}\},bo=(e,t,i=1)=>\{let i=e.\operatorname{width-i},a=i*t;a>e.\operatorname{height}(a)*.5;return\{x:n,y:l,\operatorname{width:i},\operatorname{height:a}\}\},bo=(e,t,i=1)=>\{let i=e.\operatorname{width-i},a=i*t;a>e.\operatorname{height}(a)*.5;return\{x:n,y:l,\operatorname{width:i},\operatorname{height:a}\}\},bo=(e,t,i=1)=>\{let i=e.\operatorname{width-i},a=i*t;a>e.\operatorname{height:a}\}\}
 a=e.height/e.width, n=1, l=t, o=1, r=a; r>l\&(r=l, o=r/a); let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=Math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=math.max(n/o, l/r), p=e.width/(i*s*o), c=p*t; let s=math.max(n/o, l/r), c=p*t; let s=math.max(n/o, l/r), c=p*t; let s=math.max(n/o, l/r), c=p*t; let s=math.max(
 return{width:p,height:c}},vo=e=>{e.width=1,e.height=1,e.getContext("2d").clearRect(0,0,1,1)},Eo=e=>e
 &&(e.horizontal||e.vertical), Pu=(e,t,i)=>\{if(t<=1\&\&!Eo(i)) return
 e.width=e.naturalWidth,e.height=e.naturalHeight,e;let a=document.createElement("canvas"),n=e.natural
al||0\&i.vertical|0\&i.vertical||0\&i.vertical||0&i.vertical||0&i.vertical||0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertical|0&i.vertica
 1,s[5]=1), r.transform(...s)}return r.drawImage(e,0,0,n,l),a},zu=(e,t,i={},a={})=>{let{canvasMemoryLi}}
mit:n,background:l=null}=a,o=i.zoom||1,r=Pu(e,t,i.flip),s={width:r.width,height:r.height},p=i.aspect Ratio||s.height/s.width,c=bo(s,p,o);if(n){let T=c.width*c.height;if(T>n){let v=Math.sqrt(n)/Math.sqr
 t(T);s.width=Math.floor(s.width*v),s.height=Math.floor(s.height*v),c=bo(s,p,o)}}let d=document.creat
eElement("canvas"),m={x:c.width*.5,y:c.height*.5},u={x:0,y:0,width:c.width,height:c.height,center:m},g=typeof i.scaleToFit>"u"||i.scaleToFit,f=o*To(s,Io(u,p),i.rotation,g?i.center:{x:.5,y:.5});d.width
 =Math.round(c.width/f),d.height=Math.round(c.height/f),m.x/=f,m.y/=f;let h={x:m.x-
s.width*(i.center?i.center.x:.5),y:m.y-
s.height*(i.center?i.center.y:.5)},I=d.getContext("2d");l&&(I.fillStyle=1,I.fillRect(0,0,d.width,d.h
 eight)),I.translate(m.x,m.y),I.rotate(i.rotation||0),I.drawImage(r,h.x-m.x,h.y-
 m.y,s.width,s.height);let b=I.getImageData(0,0,d.width,d.height);return vo(d),b},Ou=typeof
window<"u"&&typeof window.document<"u";Ou&&(HTMLCanvasElement.prototype.toBlob||Object.definePropert
y(HTMLCanvasElement.prototype, "toBlob", {value:function(e,t,i){var
a=this.toDataURL(t,i).split(",")[1];setTimeout(function(){for(var n=atob(a),l=n.length,o=new
Uint8Array(l),r=0;r<l;r++)o[r]=n.charCodeAt(r);e(new Blob([o],{type:t||"image/png"}))}}))))}))))))</pre>
 Fu=(e,t,i=null)= Promise(a=>{let n=i?i(e):e;Promise.resolve(n).then(l=>{l.toBlob(a,t.type,t.quall)})=
 ity)))), Ri=(e,t)=>\Box t(e.x*t,e.y*t), Si=(e,t)=>\Box t(e.x+t.x,e.y+t.y), xo=e=>{let
 \begin{array}{l} t= \text{Math.sqrt}(e.x*e.x+e.y*e.y); \text{return } t===0?\{x:0,y:0\}: \exists t(e.x/t,e.y/t)\}, \text{qe=}(e,t,i)=>\{\text{let a=Math.cos}(t), \text{n=Math.sin}(t), \text{l=}\exists t(e.x-i.x,e.y-i.y); \text{return} \end{array} 
e^*(a?t[a]:Math.min(t.width,t.height))), ct=(e,t,i)=>\{let a=e.borderStyle||e.lineStyle||"solid",n=e.ba
ckgroundColor||e.fontColor||"transparent",l=e.borderColor||e.lineColor||"transparent",o=me(e.borderWidth||e.lineWidth,t,i),r=e.lineCap||"round",s=e.lineJoin||"round",p=typeof
a=="string"?"":a.map(d=>me(d,t,i)).join(","),c=e.opacity||1;return{"stroke-linecap":r,"stroke-linejoin":s,"stroke-width":o||0,"stroke-
 \label{lem:dasharray} $$ dasharray:p,stroke:l,fill:n,opacity:c}, Le=e>e!=null,wt=(e,t,i=1)=>\{let a=me(e.x,t,i,"width")||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(asharray)||me(ash
e.left,t,i,"width"), n=me(e.y,t,i,"height")||me(e.top,t,i,"height"),l=me(e.width,t,i,"width"),o=me(e.height,t,i,"height"),r=me(e.right,t,i,"width"),s=me(e.bottom,t,i,"height");return 
 Le(n)||(Le(o)&&Le(s)?n=t.height-o-s:n=s),Le(a)||(Le(l)&&Le(r)?a=t.width-
 1-r:a=r), Le(1)||(Le(a)\&\&Le(r)?1=t.width-a-r:1=0), Le(0)||(Le(n)\&\&Le(s)?0=t.height-a-r:1=0)
n-s:o=0),{x:a||0,y:n||0,width:l||0,height:o||0}},Du=e=>e.map((t,i)=>`[[i===0?"M":"L"] [[t.x] [[t.y]`).join(" "),Ne=(e,t)=>0bject.keys(t).forEach(i=>e.setAttribute(i,t[i])),Cu="http://www.w3.org
/2000/svg", _t=(e,t)=>{let i=document.createElementNS(Cu,e);return
t&&Ne(i,t),i},Bu=e=>Ne(e,{...e.rect,...e.styles}),Nu=e=>{let
t=e.rect.x+e.rect.width*.5,i=e.rect.y+e.rect.height*.5,a=e.rect.width*.5,n=e.rect.height*.5;return
Ne(e,{cx:t,cy:i,rx:a,ry:n,...e.styles})},ku={contain:"xMidYMid meet",cover:"xMidYMid slice"},Vu=(e,t)
=>{Ne(e,{...e.rect,...e.styles,preserveAspectRatio:ku[t.fit]||none"})},Gu={left:"start",center:"mi
ddle",right:"end"},Úu=(e,t,í,a)=>{let n=me(t.fontSize,i,a),l=t.fontFamily||"sans-serif",o=t.fontWeight||"normal",r=Gu[t.textAlign]||"start";Ne(e,{...e.rect,...e.styles,"stroke-
width":0,"font-weight":o,"font-size":n,"font-family":l,"text-
anchor":r}),e.text!==t.text&&(e.text=t.text,e.textContent=t.text.length?t.text:"
```

```
")},Wu=(e,t,i,a)=>{Ne(e,{...e.rect,...e.styles,fill:"none"});let n=e.childNodes[0],l=e.childNodes[1]
  ,o=e.childNodes[2],r=e.rect,s={x:e.rect.x+e.rect.width,y:e.rect.y+e.rect.height};if(Ne(n,{x1:r.x,y1:
 r.y,x2:s.x,y2:s.y}),!t.lineDecoration)return;l.style.display="none",o.style.display="none";let
p=xo(\{x:s.x-r.x,y:s.y-r.y\}), c=me(.05,i,a); if(t.lineDecoration.indexOf("arrow-begin")!==-1) \{let d=Ri(p,c), m=Si(r,d), u=qe(r,2,m), g=qe(r,-2,m); Ne(l, \{style:"display:block;",d:`M<math>(u.x), (u.y) L(v.x), (v.y) L(v.y) \}
n= t("path");return t.appendChild(n),t},qu={image:ju,recT:yi("rect"),ellipse:yi("ellipse"),text:yi("
text"), path:yi("path"), line:Yu\}, \square u = \{rect:Bu,ellipse:Nu,image:Vu,text:Uu,path:Hu,line:Wu\}, Xu = \{e,t\} = \{u[e](t), Ku = \{e,t\}, a,n\} = \{t\} = \{u[e](t), Ku = \{e,t\}, a,n\} = \{t\} = \{u[e](t), Ku = \{e,t\}, a,n\} = \{t\} = \{u[e](t), Ku = \{e,t\}, a,n\} = \{t\} = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), Ku = \{u[e](t), 
 >e[1].zIndex>t[1].zIndex?1:e[1].zIndex<t[1].zIndex?-1:0,Qu=(e,t={},i,a)=>new
 Promise(n=>{let{background:l=null}=a,o=new FileReader;o.onloadend=()=>{let
romise(n=>{let{packground:l=null}=a,o=new FileReader;0.onloadend=()=>{let
r=o.result,s=document.createElement("div");s.style.cssText="position:absolute;pointer-
events:none;width:0;height:0;visibility:hidden;",s.innerHTML=r;let
p=s.querySelector("svg");document.body.appendChild(s);let
c=p.getBBox();s.parentNode.removeChild(s);let d=s.querySelector("title"),m=p.getAttribute("viewBox")
||"",u=p.getAttribute("width")||"",g=p.getAttribute("height")||"",f=parseFloat(u)||null,h=parseFloat(g)||null,I=(u.match(/[a-z]+/)||[])[0]||"",b=(g.match(/[a-z]+/)||[])[0]||"",T=m.split(" ").map(parse
Float),v=T.length?{x:T[0],y:T[1],width:T[2],height:T[3]}:c,y=f??v.width,E=h??v.height;p.style.overflow="":if(if&i length)!let
 ow="visible",p.setAttribute("width",y),p.setAttribute("height",E);let _="";if(i&&i.length){let
 K = \{ width: y, height: E \}; \_= i.sort(yo).reduce((pe,k) => \{ let \ H = Xu(k[0], k[1]); return \ Ku(H, k[0], k[1], K), H.rem \} \}
 oveAttribute("id"),H.getAttribute("opacity")===1&&H.removeAttribute("opacity"),pe+
    +H.outerHTML+
  `},""),_=
 <q>\Pi{ .replace(/&nbsp;/q," ")}</q>
 `}let x=t.aspectRatio||E/y,R=y,z=R*x,P=typeof t.scaleToFit>"u"||t.scaleToFit,A=t.center?t.center.x:.
5,B=t.center?t.center.y:.5,w=To({width:y,height:E},Io({width:R,height:z},x),t.rotation,P?{x:A,y:B}:{x:.5,y:.5}),O=t.zoom*w,S=t.rotation*(180/Math.PI),L={x:R*.5,y:z*.5},D={x:L.x-y*A,y:L.y-E*B},F=[`rotate([]{L.x} []{L.y})`,`scale([]{0})`,`translate([]{-L.x}
xmlns:xlink="http://www.w3.org/1999/xlink"
 xmlns="http://www.w3.org/2000/svg">
 <!-- Generated by PQINA - https://pqina.nl/ --> <title>[{d?d.textContent:""}</title>
<g transform="[]{F.join(" ")}">
<g transform=[][q.join(" ")]">
 [{p.outerHTML}[{...}
 </g>
</svg>`;n([])$,o.readAsText(e)$),Zu=e=>{let t;try{t=new ImageData(e.width,e.height)}catch{t=document.createElement("canvas").getContext("2d").createImageData(e.width,e.height)}return
 t.data.set(e.data),t},Ju=()=>{let
 e=\{resize:c,filter:p\},t=(d,m)=>(d.forEach(u=>\{m=e[u.type](m,u.data)\}),m),i=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)=>\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letaliner:p\},t=(d,m)==\{letali
 u=d.transforms,g=null;if(u.forEach(f=>{f.type==="filter"&&(g=f)}),g){let f=null;u.forEach(h=>{h.type})}
 ==="resize"&&(f=h)}, f&&(f.data.matrix=q.data,u=u.filter(h=>h.type!=="filter"))}m(t(u,d.imageData))}
 ;self.onmessage=d=>{i(d.data.message,m=>{self.postMessage({id:d.data.id,message:m},[m.data.buffer])}
 )}; let a=1,n=1,l=1; function o(d,m,u){let g=m[d]/255, f=m[d+1]/255, h=m[d+2]/255, I=m[d+3]/255, b=g*u[0]+f*u[1]+h*u[2]+I*u[3]+u[4], T=g*u[5]+f*u[6]+h*u[7]+I*u[8]+u[9], v=g*u[10]+f*u[11]+h*u[12]+I*u[13]+u[14]
 ,y=g*u[15]+f*u[16]+h*u[17]+I*u[18]+u[18]+u[19],E=Math.max(0,b*y)+a*(1-y),_=Math.max(0,T*y)+n*(1-
 y), x=Math.max(0, v*y)+l*(1-
y);m[d]=Math.max(0,Math.min(1,E))*255,m[d+1]=Math.max(0,Math.min(1,_))*255,m[d+2]=Math.max(0,Math.min(1,x))*255}let r=self.JSON.stringify([1,0,0,0,0,1,0,0,0,0,1,0,0,0,0,0,1,0]);function s(d){return self.JSON.stringify(d||[])===r}function p(d,m){if(!m||s(m))return d;tet u=d.data,g=u.len
H), u[F] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, Y)) * 255, u[F+1] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.max}(0, \mathsf{Math.min}(1, oe)) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.min}(1, oe) * 255, u[F+2] = \mathsf{Math.m
 in(1,ee))*255;return d}function c(d,m){let{mode:u="contain",upscale:g=!1,width:f,height:h,matrix:I}=
```

```
 m; if(I=!I||s(I)?null:I,!f&\&!h) return \ p(d,I); if(f===null?f=h:h===null&&(h=f), u!=="force") \{let \ A=f/d.w \} 
 idth_B = h/d.height_w = 1; if(u == = "cover"?w = Math.max(A,B): u == = "contain" & & (w = Math.min(A,B)), w > 1 & u == = !1) re
 turn p(d,I);f=d.width*w,h=d.height*w}let
 b = d.width, T = d.height, v = Math.round(f), y = Math.round(h), E = d.data, \_= new
1\&\&oe<=1\&\&(0=2*oe*oe*oe-3*oe*oe+1,0>0))\{Y=4*(H+$]*b); let ee=E[Y+3]; C+=0*ee, L+=0, ee<255\&\&(0=0*ee/250), D+=0*E[Y], F+=0*E[Y+1], G+=0*E[Y+2], S+=0\}\}_{[w]}=D/S,_{[w+1]}=F/S,_{[w+2]}=G/S,_{[w+3]}=C/L, I\&\&o(w,_,I)\} return \{data:_,width:v,height:y\}\}, eg=(e,t)=>\{if(e.getUint32(t+4,!1)!==1165519206) return; t+=4; let
 i=e.getUint16(t+=6,!1)===18761;t+=e.getUint32(t+4,i);let a=e.getUint16(t,i);t+=2;for(let a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e.getUint16(t+a=e
 n=0;n<a;n++)if(e.getUint16(t+n*12,i)===274)return e.setUint16(t+n*12+8,1,i),!0;return!1},tg=e=>{let
 {\tt etUint16(i,!1),n=t.getUint16(i+2,!1)+2,!(!(a>=65504\&a<=65519||a===65534)||(l||(l=eg(t,i,n)),i+n>t.b)||}
 yteLength)));)i+=n;return e.slice(0,i)},ig=e=>new Promise(t=>{let i=new FileReader;i.onload=()=>t(tg
   (i.result)||null),i.readAsArrayBuffer(e.slice(0,256*1024))}),ag=()=>window.BlobBuilder=window.BlobBu
 ilder||window.WebKitBlobBuilder||window.MozBlobBuilder||window.MSBlobBuilder,ng=(e,t)=>{let
 i=ag();if(i){let a=new i;return a.append(e),a.getBlob(t)}return new
Blob([e],{type:t})},lg=()=>Math.random().toString(36).substr(2,9),og=e=>{let t=new Blob(["(",e.toString(),")()"],{type:"application/javascript"}),i=URL.createObjectURL(t),a=new
 Worker(i), n=[]; return\{transfer:()=>\{\}, post:(l,o,r)=>\{let s=lg(); n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>\{let s=lg(), n[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p=>[s]=o,a.onmessage=p==[s]=o,a.onmessage=p==[s]=o,a.onmessage=p==[s]=o,a.onmessage=p==[s]=o,a.onmessage=p==[s]=o,a.onmessage=p==[
 c=n[p.data.id];c&&(c(p.data.message),delete n[p.data.id])},a.postMessage({id:s,message:l},r)},termin
 ate:()=>{a.terminate(),URL.revokeObjectURL(i)}}},rg=e=>new Promise((t,i)=>{let a=new Image;a.onload=
  ()=>\{t(a)\},a.onerror=n=>\{i(n)\},a.src=e\}),sg=e=>e.reduce((t,i)=>t.then(a=>i().then(Array.prototype.co
\label{eq:continuous} $$ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{cont}(x,y), \ \operatorname{c
linecap"],e.lineJoin=t["stroke-linejoin"],e.lineWidth=t["stroke-width"],t["stroke-
dasharray"].length&&e.setLineDash(t["stroke-dasharray"].split(",")),e.fillStyle=t.fill,e.strokeStyle
=t.stroke,e.globalAlpha=t.opacity||1},Mt=e=>{e.fill(),e.stroke(),e.globalAlpha=1},dg=(e,t,i)=>{let
 a=wt(i,t), n=ct(i,t); return Lt(e,n), e.rect(a.x,a.y,a.width,a.height), Mt(e,n), !0}, pg=(e,t,i)=>{let}
 a=wt(i,t), n=ct(i,t); Lt(e,n); let
 l=a.x, o=a.y, r=a.width, s=a.height, p=.5522848, c=r/2*p, d=s/2*p, m=l+r, u=o+s, q=l+r/2, f=o+s/2; return e.mov
 eTo(l,f),e.bezierCurveTo(l,f-d,g-c,o,g,o),e.bezierCurveTo(g+c,o,m,f-
 d,m,f),e.bezierCurveTo(m,f+d,g+c,u,g,u),e.bezierCurveTo(g-
 c,u,l,f+d,l,f), Mt(e,n),!0, mg=(e,t,i,a)=>\{let n=wt(i,t),l=ct(i,t);Lt(e,l);let o=new Image;new URL(i.)
 src,window.location.href).origin!==window.location.origin&&(o.crossOrigin=""),o.onload=()=>{if(i.fit
 ==="cover"){let s=n.width/n.height,p=s>1?o.width:o.height*s,c=s>1?o.width/s:o.height,d=o.width*.5-
p*.5,m=o.height*.5-c*.5;e.drawImage(o,d,m,p,c,n.x,n.y,n.width,n.height)}else
if(i.fit==="contain"){let s=Math.min(n.width/o.width,n.height/o.height),p=s*o.width,c=s*o.height,d=n
.x+n.width*.5-p*.5,m=n.y+n.height*.5-c*.5;e.drawImage(o,0,0,o.width,o.height,d,m,p,c)}else e.drawIma
ge(o,0,0,o.width,o.height,n.x,n.y,n.width,n.height);Mt(e,l),a()},o.src=i.src},ug=(e,t,i)=>{let a=wt(i,t),n=ct(i,t);Lt(e,n);let l=me(i.fontSize,t),o=i.fontFamily||"sans-serif",r=i.fontWeight||"normal",s=i.textAlign||"left";return e.font=`[r] [{l}px
 [\{0\}\ ,e.textAlign=s,e.fillText(i.text,a.x,a.y),Mt(e,n),!0\},gg=(e,t,i)=>\{letarrow ,e.textAlign=s,e.fillText(i.text,a.x,a.y),Mt(e,n),!0\}
 a=ct(i,t);Lt(e,a),e.beginPath();let
a=wt(i,t),n=ct(i,t);Lt(e,n),e.beginPath();let
 l=\{x:a.x,y:a.y\}, o=\{x:a.x+a.width,y:a.y+a.height\}; e.moveTo(l.x,l.y), e.lineTo(o.x,o.y); let r=xo(\{x:o.x-l.x,y:o.y-l.y\}), s=.04*Math.min(t.width,t.height); if(i.lineDecoration.indexOf("arrow-response to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 begin")!==-1){let p=Ri(r,s), c=Si(l,p), d=qe(l,2,c), m=qe(l,p)
2,c); e.moveTo(d.x,d.y), e.lineTo(l.x,l.y), e.lineTo(m.x,m.y)} if(i.lineDecoration.indexOf("arrowend")!==-1) {let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,-b)} = -10 { let p=Ri(r,-s),c=Si(o,p),d=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(o,2,c),m=qe(
 2,c); e.moveTo(d.x,d.y), e.lineTo(o.x,o.y), e.lineTo(m.x,m.y) \} return
 \label{lipse:pg,image:mg,text:ug,line:fg,path:gg}, bg=e=>\{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let = \{let =
 t=document.createElement("canvas"); return
t.width=e.width,t.height=e.height,t.getContext("2d").putImageData(e,0,0),t},Eg=(e,t,i={})=>new
Promise((a,n)=>{if(!e||!Su(e))return n({status:"not an image file",file:e});let{stripImageHead:l,bef
 oreCreateBlob:o,afterCreateBlob:r,canvasMemoryLimit:s}=i,{crop:p,size:c,filter:d,markup:m,output:u}=
 t,g=t.image\&\&t.image.orientation? Math.max(1,Math.min(8,t.image.orientation)): null,f=u\&\&u.quality,h=full (0,0) and (0,0) and (0,0) are the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the
===null?null:f/100, I=u\&\&u.type||null, b=u\&\&u.background||null, T=[]; c\&\&(typeofc.width=="number"||typeofc.height=="number")\&T.push({type:"resize",data:c}),d&&d.length===20&&T.push({type:"filter",data:d});let v==>{let x=r?r(_):_;promise.resolve(x).then(a)},y=(_,x)=>{let R=bg(_),z=m.length?cg(R,m):R;promise.resolve(z).then(P=>{Fu(P,x,o).then(A=>{if(vo(P),l)return})}
 v(A); ig(e). then (B=>\{B!==null\&\&(A=new)\}
Blob([B,A.slice(20)],\{type:A.type\})),v(A)\})).catch(n)\});if(/svg/.test(e.type)\&I===null)return \\ Qu(e,p,m,\{background:b\}).then(_=>\{a(ng(_,"image/svg+xml"))\});let \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(E);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);let \\ \\ E=URL.createObjectURL(e);rg(E).then(_=>\{URL.revokeObjectURL(e);rg(E);rg(E).then(_=>\{URL.revokeObjectURL(e)
x=zu(_,g,p,{canvasMemoryLimit:s,background:b}),R={quality:h,type:I||e.type};if(!T.length)return
y(x,R);let z=og(Ju);z.post({transforms:T,imageData:x},P=>{y(Zu(P),R),z.terminate()},[x.data.buffer])
}).catch(n)}),Tg=["x","y","left","top","right","bottom","width","height"],Ig=e=>typeof e=="string"&&
```

```
/%/.test(e)?parseFloat(e)/100:e,vg=e=>{let[t,i]=e,a=i.points?{}:Tg.reduce((n,l)=>(n[l]=Ig(i[l]),n),{
 });return[t,{zIndex:0,...i,...a}]},xg=e=>new Promise((t,i)=>{let a=new Image;a.src=URL.createObjectURL(e);let n=()=>{let o=a.naturalWidth,r=a.naturalHeight;o&&r&&(URL.revo
 keObjectURL(a.src),clearInterval(l),t({width:o,height:r}))};a.onerror=o=>{URL.revokeObjectURL(a.src)
   clearInterval(l),i(o)};let l=setInterval(n,1);n()});typeof window<"u"&&typeof window.document<"u"&& (HTMLCanvasElement.prototype.toBlob||Object.defineProperty(HTMLCanvasElement.prototype,"toBlob",{val
 ue:function(e,t,i){let a=this;setTimeout(()=>{let
 n=a.toDataURL(t,i).split(",")[1],l=atob(n),o=l.length,r=new
 Uint8Array(o); for(;o--;)r[o]=l.charCodeAt(o);e(new Blob([r],{type:t||"image/png"}))}))))));var
 wa=typeof window<"u"&&typeof window.document<"u",yg=wa&&/iPad|iPhone|iPod/.test(navigator.userAgent)
&&!window.MSStream,Ro=({addFilter:e,utils:t})=>{let{Type:i,forin:a,getFileFromBlob:n,isFile:l}=t,o=[
   "crop", "resize", "filter", "markup", "output"], re=>(d,m,u)=>d(m,c?c(u):u),s=c=>c.aspectRatio====null&&c.rotation===0&&c.zoom===1&&c.center&&c.center.x===.5&&c.center.y===.5&&c.flip&&c.flip.horizontal===!
.rotation===0&&c.zoom===1&&c.center&&c.center.x===.5&&c.center.y===.5&&c.flip&&c.flip.horizontal===!
1&&c.flip.vertical===!1;e("SHOULD_PREPARE_OUTPUT",(c,{query:d})=>new
Promise(m=>{m(!d("IS_ASYNC"))});let p=(c,d,m)=>new
Promise(u=>{if(!c("GET_ALLOW_IMAGE_TRANSFORM")||m.archived||!l(d)||!Iu(d))return
u(!1);xg(d).then(()=>{let g=c("GET_IMAGE_TRANSFORM_IMAGE_FILTER");if(g){let f=g(d);if(f==null)return
handleRevert(!0);if(typeof f=="boolean")return u(f);if(typeof f.then=="function")return
f.then(u)}u(!0)}.catch(g=>{u(!1)}));return e("DID_CREATE_ITEM",(c,{query:d,dispatch:m})=>{d("GET_A
LLOW_IMAGE_TRANSFORM")&&c.extend("requestPrepare",()=>new Promise((u,g)=>{m("REQUEST_PREPARE_OUTPUT",(c,{query:d,item:m}))=>new
Promise(u=>{n(d,c_m)_then(a=>{if(lg)_return_u(c):let_m)})}));e("PREPARE_OUTPUT",(c,{query:d,item:m})=>new
Promise(u=>{p(d,c,m).then(g=>{if(!g)return u(c);let
f=[];d("GET_IMAGE_TRANSFORM_VARIANTS_INCLUDE_ORIGINAL")&f.push(()=>new Promise(x=>{x({name:d("GET_IMAGE_TRANSFORM_VARIANTS_INCLUDE_DEFAULT"
MAGE_TRANSFORM_VARIANTS_ORIGINAL_NAME"),file:c})})),d("GET_IMAGE_TRANSFORM_VARIANTS_INCLUDE_DEFAULT"
  )\&f.push((x,R,z)=>new
 Promise(P=>{x(R,z).then(A=>P({name:d("GET IMAGE TRANSFORM VARIANTS DEFAULT NAME"),file:A}))}));let
  \begin{array}{ll} \text{h=d("GET\_IMAGE\_TRANSFORM\_VARIANTS")||} \\ \text{Promise(w=>} \\ z(P,A,B). \\ \text{then(0=>w(\{name:x,file:0\}))}))))))))))))))))))\\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY")}, \\ \text{Transform\_OUTPUT\_QUALITY"}, \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY"}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\ \text{Transform\_OUTPUT\_QUALITY}), \\
 b=d("GET_IMAGE_TRANSFORM_OUTPUT_QUALITY_MODE"),T=I===null?null:I/100,v=d("GET_IMAGE_TRANSFORM_OUTPUT_MIME_TYPE"),y=d("GET_IMAGE_TRANSFORM_CLIENT_TRANSFORMS")||o;m.setMetadata("output",{type:v,quality:
T,client:y},!0);let E=(x,R)=>new Promise((z,P)=>{let A={...R};0bject.keys(A).filter(C=>C!=="exif").forEach(C=>{y.index0f(C)===-1&&delete A[C]});let{resiz e:B,exif:w,output:0,crop:S,filter:L,markup:D}=A,F={image:{orientation:w?w.orientation:null},output:0
 \&\&(0.type||typeof 0.quality=="number"||0.background)?{type:0.type,quality:typeof 0.quality=="number"||0.background||0.type||typeof 0.quality=="number"||0.background||0.type||typeof 0.quality=="number"||0.background||0.type||typeof 0.quality=="number"||0.background||0.type||typeof 0.type||typeof 0.quality=="number"||0.background||0.type||typeof 0.type||typeof 0.typeof 0.type||typeof 0.typeof 0.typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof 0.typeof||typeof 0.typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof 0.typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typeof||typ
  ?O.quality*100:null,background:O.background||d("GET IMAGE TRANSFORM CANVAS BACKGROUND COLOR")||null}
  :void 0,size:B&&(B.size.width||B.size.height)?{mode:B.mode,upscale:B.upscale,...B.size}:void
 0, crop: S\&\&!s(S)?\{\dots S\}: void \ 0, markup: D\&\&D. length?D. map(vg): [], filter: L\}; if(F. output) \{let \ C=0. type?0. type!==x. type: !1, q=/\/jpe?g[/.test(x.type), ]=0. quality!==null?q\&\&b==="always": !1; if(!!!(F. size||F. crops)) | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. crops | F. cr
 op||F.filter||C||□))return z(x)}let G={beforeCreateBlob:d("GET_IMAGE_TRANSFORM BEFORE CREATE BLOB"),
 afterCreateBlob:d("GET_IMAGE_TRANSFORM_AFTER_CREATE_BLOB"),canvasMemoryLimit:d("GET_IMAGE_TRANSFORM_CANVAS_MEMORY_LIMIT"),stripImageHead:d("GET_IMAGE_TRANSFORM_OUTPUT_STRIP_IMAGE_HEAD")};Eg(x,F,G).the
 n(C=>\{\overline{let}\ q=n(C,yu(x.name,Ru(C.type)));z(q)\}).catch(P)\}),\underline{=f.map(x=>x(E,c,m.getMetadata()))};Promise.
 all(\_).then(x=>\{u(x.length===1\&x[0].name===null?x[0].file:x)\})\})), \{options:\{allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTransform:[allowImageTran
  !O,i.BOOLEAN],imageTransformImageFilter:[null,i.FUNCTION],imageTransformOutputMimeType:[null,i.STRIN
G],imageTransformOutputQuality:[null,i.INT],imageTransformOutputStripImageHead:[!0,i.BOOLEAN],imageTransformClientTransforms:[null,i.ARRAY],imageTransformOutputQualityMode:["always",i.STRING],imageTransformVariants:[null,i.OBJECT],imageTransformVariantsIncludeDefault:[!0,i.BOOLEAN],imageTransformVariantsIncludeDefault:[!0,i.BOOLEAN]
iantsDefaultName:[null,i.STRING],imageTransformVariantsIncludeOriginal:[!1,i.BOOLEAN],imageTransform
VariantsOriginalName:["original_",i.STRING],imageTransformBeforeCreateBlob:[null,i.FUNCTION],imageTransformCanvasMemoryLimit:[wa&&yg?4096*4096:null,i.IN
 T],imageTransformCanvasBackgroundColor:[null,i.STRING]}}};wa&&document.dispatchEvent(new
 CustomEvent("FilePond:pluginloaded",{detail:Ro}));var So=Ro;var La=e=>/^video/.test(e.type),Xt=e=>/
 audio/.test(e.type), \\ Ma=class\{constructor(t,i)\{this.mediaEl=t,this.audioElems=i,this.onplayhead=!1,this.audioElems=i,this.onplayhead=!1,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=i,this.audioElems=
 is.duration=0,this.timelineWidth=this.audioElems.timeline.offsetWidth-this.audioElems.playhead.offse
 tWidth, this.moveplayheadFn=this.moveplayhead.bind(this), this.registerListeners()}registerListeners()
{this.mediaEl.addEventListener("timeupdate",this.timeUpdate.bind(this),!1),this.mediaEl.addEventListener("canplaythrough",()=>this.duration=this.mediaEl.duration,!1),this.audioElems.timeline.addEventListener("click",this.timelineClicked.bind(this),!1),this.audioElems.button.addEventListener("click",
 this.play.bind(this)),this.audioElems.playhead.addEventListener("mousedown",this.mouseDown.bind(this)),!1),window.addEventListener("mouseup",this.mouseUp.bind(this),!1)}play(){this.mediaEl.paused?this.mediaEl.play():this.mediaEl.pause(),this.audioElems.button.classList.toggle("play"),this.audioElems.
 button.classList.toggle("pause")}timeUpdate(){let t=this.mediaEl.currentTime/this.duration*100;this.
 audioElems.playhead.style.marginLeft=t+"%",this.mediaEl.currentTime===this.duration&(this.audioElem
 s.button.classList.toggle("play"),this.audioElems.button.classList.toggle("pause"))}moveplayhead(t){
 let i=t.clientX-this.getPosition(this.audioElems.timeline);i>=0&&i<=this.timelineWidth&&(this.audioE
 lems.playhead.style.marginLeft=i+"px"),i<0&&(this.audioElems.playhead.style.marginLeft="0px"),i>this
   .timelineWidth&&(this.audioElems.playhead.style.marginLeft=this.timelineWidth-
 4+"px")}timelineClicked(t){this.moveplayhead(t),this.mediaEl.currentTime=this.duration*this.clickPer
 cent(t)}mouseDown(){this.onplayhead=!0,window.addEventListener("mousemove",this.moveplayheadFn,!0),t
his.mediaEl.removeEventListener("timeupdate",this.timeUpdate.bind(this),!1)}mouseUp(t){window.remove
 EventListener("mousemove", this.moveplayheadFn,!0), this.onplayhead==!0&&(this.moveplayhead(t),this.me
 diaEl.currentTime=this.duration*this.clickPercent(t),this.mediaEl.addEventListener("timeupdate",this
   .timeUpdate.bind(this),!1)),this.onplayhead=!1}clickPercent(t){return(t.clientX-
```

```
this.getPosition(this.audioElems.timeline))/this.timelineWidth}getPosition(t){return
t.getBoundingClientRect().left}},Rg=e=>e.utils.createView({name:"media-preview",tag:"div",ignoreRect
:!0,create:({root:t,props:i})=>{let{id:a}=i,n=t.query("GET_ITEM",{id:i.id}),l=Xt(n.file)?"audio":"vi
 deo";if(t.ref.media=document.createElement(l),t.ref.media.setAttribute("controls",!0),t.element.appe
 ndChild(t.ref.media),Xt(n.file)){let o=document.createDocumentFragment();t.ref.audio=[],t.ref.audio.
container=document.createElement("div"),t.ref.audio.button=document.createElement("span"),t.ref.audi
o.timeline=document.createElement("div"),t.ref.audio.playhead=document.createElement("div"),t.ref.au
dio.container.className="audioplayer",t.ref.audio.button.className="playpausebtn play",t.ref.audio.t imeline.className="timeline",t.ref.audio.playhead.className="playhead",t.ref.audio.timeline.appendChild(t.ref.audio.playhead),t.ref.audio.container.appendChild(t.ref.audio.button),t.ref.audio.container.appendChild(t.ref.audio.button),t.ref.audio.container.appendChild(t.ref.audio.button)
 r.appendChild(t.ref.audio.timeline),o.appendChild(t.ref.audio.container),t.element.appendChild(o)}},
 write:e.utils.createRoute({DID MEDIA PREVIEW LOAD:({root:t,props:i})=>{let{id:a}=i,n=t.query("GET IT
EM",{id:i.id});if(!n)return;let l=window.URL||window.webkitURL,o=new Blob([n.file],{type:n.file.type});t.ref.media.type=n.file.type,t.ref.media.src=n.file.mock&&n.file.url||l.createObjectURL(o),Xt(n.file)&&new Ma(t.ref.media,t.ref.audio),t.ref.media.addEventListener("loadeddata",()=>{let
 r=75;if(La(n.file)){let s=t.ref.media.offsetWidth,p=t.ref.media.videoWidth/s;r=t.ref.media.videoHeig
ht/p}t.dispatch("DID_UPDATE_PANEL_HEIGHT",{id:i.id,height:r})},!1)}}),Sg=e=>{let t=({root:a,props: n})=>{let{id:l}=n;a.query("GET_ITEM",l)&&a.dispatch("DID_MEDIA_PREVIEW_LOAD",{id:l})},i=({root:a,props: n})
ps:n})=>{let l=Rg(e);a.ref.media=a.appendChildView(a.createChildView(l,{id:n.id}))};return
e.utils.createView({name:"media-preview-wrapper",create:i,write:e.utils.createRoute({DID_MEDIA_PREVIEW_CONTAINER_CREATE:t})})},Aa=e=>{let{addFilter:t,utils:i}=e,{Type:a,createRoute:n}=i,l=Sg(e);return
EW_CONTAINER_CREATE:T})}}, Aa=e=>{let{addritter:t, utils::}=e,{lype:a,createRoute:n}=1, l=Sg(e); return
t("CREATE_VIEW",o=>{let{is:r,view:s,query:p}=o;if(!r("file"))return; let c=({root:d,props:m})=>{let{i}
d:u}=m,g=p("GET_ITEM",u),f=p("GET_ALLOW_VIDEO_PREVIEW"),h=p("GET_ALLOW_AUDIO_PREVIEW");!g||g.archive
d||(!La(g.file)||!f)&&(!Xt(g.file)||!h)||(d.ref.mediaPreview=s.appendChildView(s.createChildView(l,{
id:u})),d.dispatch("DID_MEDIA_PREVIEW_CONTAINER_CREATE",{id:u}))};s.registerWriter(n({DID_LOAD_ITEM:
c},({root:d,props:m})=>{let{id:u}=m,g=p("GET_ITEM",u),f=d.query("GET_ALLOW_VIDEO_PREVIEW"),h=d.query
("GET_ALLOW_AUDIO_PREVIEW");!g||(!La(g.file)||!f)&&(!Xt(g.file)||!h)||d.rect.element.hidden}))}),{op
tindows"u"&&typeof_window_documents"u": g&document_dispatchEvent(new_liptows)
window<"u"&&typeof window.document<"u";_g&&document.dispatchEvent(new
CustomEvent("FilePond:pluginloaded",{detail:Aa}));var _o={labelIdle:'\u134B\u12ED\u120E\u127D
\u1235\u1260\u12CD\u12A5\u12DA\u1205\u130B\u122D\u12ED\u12DD\u1240\u1241\u1275\u12CB\u12ED\u121D\u124B\u122B\u122B\u122B\u122B\u121D\u124B\u122B\u121D\u124B\u122B\u121D\u124B\u122B\u121D\u124B\u122B\u124B\u122B\u1235\u124B\u124B\u125B\u127D\u124B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127B\u127
 \u134B\u12ED\u120E\u127D\u1295
\u12ED\u12DF\u120D",labelFileWaitingForSize:"\u12E8\u134B\u12ED\u1209\u1295 \u1218\u1320\u1295
 \u1260\u1218\u1320\u1263\u1260\u1245
\u1208\u1216\u1320\u1205\u1226\u1245
\u1208\u12ED\u1209\u1295 \u1218\u1320\u1295
\u1208\u1295\u1208\u1295\u1260\u1295
\u1208\u1295\u1260\u1210\u1295\u1260\u1210\u1295\u1260\u1265
\u1208\u12ED\u1260\u1216\u1265\u1260\u1265\u1208\u12ED\u1270\u130D\u122D
\u1270\u1348\u1325\u122F\u120D\u120B\u12ED\u1260\u1218\u12ED\u1209\u1295
\u1260\u1218\u1328\u1295\u120B\u1295\u120B\u1295\u1209\u1295
 \u1218\u132B\u1295
 \u1270\u1293\u1245\u124B\u120D", labelFileProcessingAborted: "\u134B\u12ED\u1209\u1295
 \u1218\u132B\u1295
 \u1270\u124B\u122D\u1327\u120D",labelFileProcessingError:"\u134B\u12ED\u1209\u1295
 \u1260\u1218\u132B\u1295 \u120B\u12ED \u127D\u130D\u122D
 \u1270\u1348\u1325\u122F\u120D",labelFileProcessingRevertError:"\u1348\u12ED\u1209\u1295
 \u1260\u1218\u1240\u120D\u1260\u1235 \u120B\u12ED \u127D\u130D\u122D
\u1270\u1348\u1325\u122F\u120D\u120D\u12ED\u1270\u1260\u121B\u1325\u134B\u1275\u120B\u12ED\u127D\u130D\u122D\u1270\u1348\u1325\u122F\u120D\u130D\u122E\u120D\u130D\u122E\u122F\u120D\u130D\u121B\u122B\u1228\u1325\u122F\u120D\u130D\u121E\u122E\u120D\u130D\u121E\u122E\u120D\u130D\u121E\u122E\u130D\u121E\u122E\u130D\u121E\u122E\u130D\u121E\u122E\u130D\u121E\u130D\u121E\u130D\u121E\u130D\u121E\u130D\u121E\u130D\u121E\u130D\u121E\u130D\u121E\u130D\u130D\u121E\u130D\u130D\u121E\u130D\u130D\u121E\u130D\u130D\u130D\u130E\u130D\u130E\u130D\u130E\u130D\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E\u130E
 \u1208\u1218\u121E\u12A8\u122D\u1290\u12AB
 \u12EB\u12F5\u122D\u1309",labelTapToUndo:"\u12C8\u12F0\u1290\u1260\u1228\u1260\u1275
\u1208\u1218\u1218\u1208\u1235\u1290\u12AB\u12EB\u12F5\u122D\u1309",labelButtonRemoveItem:"\u120B\u1325\u134B",labelButtonAbortItemLoad:"\u120B\u124B\u122D\u1325",labelButtonRetryItemLoad:"\u12F0\u1
30D\u121C\u120D\u121E\u12AD\u122D",labelButtonAbortItemProcessing:"\u12ED\u1245\u122D",labelButtonUndoItemProcessing:"\u12C8\u12F0\u1290\u1260\u1275
\u1200\u1218\u1200\u1235\",\labelButtonRetryItemProcessing: \\u12F0\u130D\u121C\u120D\u121E\u12AD\u122
D",\labelButtonProcessItem: \\u120D\u132B\u1295\\,labelMaxFileSizeExceeded: \\u134B\u12ED\u1209\u1270\u124B\u120D\u124B\u126S\u124B\u126S\u124B\u126S\u124B\u126S\u124B\u126S\u124B\u126S\u124B\u126S\u124B\u126S\u124B\u134B\u134B\u1320\u1295\u1248
{filesize} \u1218\u1265\u120B\u1285\u120B\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1285\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\u1286\
 \u12E8\u134B\u12ED\u120D\u12A0\u12ED\u1290\u1275
 \u1290\u12CD",fileValidateTypeLabelExpectedTypes:"\u12E8\u134B\u12ED\u120D\u12A0\u12ED\u1290\u1271
 \u1230\u1206\u1295\u12E8\u121A\u1308\u1263\u12CD {allButLastType} \u12A5\u1293 {lastType} \u1290\u1290\u1290\u1290\u1271
 \u1208\u1218\u132B\u1295
 \u12A0\u12ED\u1206\u1295\u121D",imageValidateSizeLabelImageSizeTooSmall:"\u121D\u1235\u1209
 \u1260\u1323\u121D
 \u12A0\u1295\u1237\u120D",imageValidateSizeLabelImageSizeTooBig:"\u121D\u1235\u1209
```

```
\u1260\u1323\u121D
 \u1270\u129D\u1245\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270
 \u1290\u12CD",imageValidateSizeLabelImageResolutionTooLow: "\u12E8\u121D\u1235\u1209
   \u1325\u122B\u1275 \u1260\u1323\u121D \u12DD\u1245\u1270\u129B
  \u1290\u12CD".imageValidateSizeLabelImageResolutionTooHigh:"\u12E8\u121D\u1235\u1209
 \u1325\u122B\u1275 \u1260\u1323\u121D \u12A8\u134D\u1270\u129B\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u1270\u12
 \u12E8\u121D\u1235\u120D\u1325\u122B\u1275 {minResolution}
   \u1290\u12CD",imageValidateSizeLabelExpectedMaxResolution: \u12A8\u134D\u1270\u129B\u12CD
  \u12E8\u121D\u1235\u120D\u1325\u122B\u1275 {maxResolution} \u1290\u12CD"};var
 wo={labelIdle:'\u0627\u0633\u062D\u0628 \u0648 \u0627\u062F\u0631\u062C
wo={labelIdle: \u0627\u0633\u062D\u0628 \u0648 \u0627\u062F\u062F\u0631\u062C
\u0645\u0641\u062T\u062A\u0643 \u0623\u0648 <span class="filepond--label-action">
\u062A\u0635\u0641\u062D </span>',labelInvalidField: "\u0627\u0644\u062D\u0642V\u0644
\u064A\u062D\u062A\u0648 \u064A\u064A\u0649 \u0645\u0644\u062T\u064A\u062A\u063A\u063A\u0631
\u0635\u0627\u0644\u062D\u062C\u0645",labelFileWaitingForSize: "\u0628\u0627\u0646\u062A\u0638\u0627\u0645\u0645\u063A\u063A\u063A\u063A\u064A\u062D\u062C\u0645
\u063A\u064A\u0631 \u0645\u0645\u062A\u062A\u062A\u062A\u0645\u0662A\u064A\u062B\u0645\u064A\u062A\u0662A\u0662A\u0662A\u0662A\u0662A\u0663A\u0664A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\u0662A\
u0638\u0627\u0631",labelFileLoadError:"\u062D\u062F\u062B\u062E\u0637\u0623
\u0623\u0628\u0646\u0627\u0621
\u0627\u0644\u062A\u0645\u0645\u0644\u0644",labelFileProcessing:"\u064A\u062A\u0645\u0627\u0645\u0627\u0644\u0631\u0641\u0639",labelFileProcessingComplete:"\u062A\u0645\u0627\u0644\u0631\u0641\u0639",labelFileProcessingAborted:"\u062A\u0645
   \u0625\u0644\u063A\u0627\u0621
  \u0627\u0644\u0631\u0641\u0639",labelFileProcessingError:"\u062D\u062F\u062B\u062E\u0637\u0623
  \u0623\u062B\u0646\u0627\u0621
  \u0627\u0644\u0631\u0641\u0639",labelFileProcessingRevertError:"\u062D\u062F\u062B
  \u062E\u0637\u0623\u0623\u062B\u0646\u0627\u0621
   \u0627\u0644\u062A\u0631\u0627\u062C\u0639",labelFileRemoveError:"\u062D\u062F\u062B
  \u062E\u0637\u0623\u0623\u062B\u0646\u0627\u0621
 \u0627\u0644\u062D\u0630\u0641",labelTapToCancel:"\u0627\u0646\u0642\u0631
\u0644\u0644\u0625\u0644\u063A\u0627\u0621",labelTapToRetry:"\u0627\u0646\u0642\u0631
  \u0644\u0625\u0639\u0627\u062F\u0629
   \u0627\u0644\u0645\u062D\u0627\u0648\u0644\u0629",labelTapToUndo:"\u0627\u0646\u0642\u0631 \u0644\u0
\u0627\u0644\u0645\u0662\u0662\u0662\u06648\u0644\u0629",labellauttonRemoveItem: "\u06645\u06631\u0662\u0662\u0662T\u0662\u06631\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0662T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T\u0664T
 \u0627\u0644\u0645\u0645\u0641\u0627\u0642\u0623\u0642\u0623\u0643\u0649:
{filesize}",labelMaxTotalFileSizeExceeded:"\u062A\u0645\u062A\u062A\u062C\u0627\u0648\u0632
 \u0627\u0644\u062D\u062F\u0627\u0644\u0623\u0642\u0635\u0649\u0644\u0644\u0642T\u0648\u0627\u0645\u0627\u0644\u062D\u062C\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u062T\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u0645\u064
\u0635\u0627\u0644\u062D",fileValidateTypeLabelExpectedTypes:"\u062A\u062A\u0648\u0642\u0639
{allButLastType} \u0645\u0645\u0646 {lastType}",imageValidateSizeLabelFormatError:"\u0646\u0648\u0639
\u0627\u0644\u0635\u0648\u0631\u0629 \u0634\u0631\u06631\u0645\u0635\u06639\u0648\u0645",imageValidat
eSizeLabelImageValidat
eSizeLabelImageValidateSizeTooSmall:"\u0627\u0644\u0635\u0631\u0631\u0631\u0633\u0648\u0644\u0631\u06331\u06331\u06331\u0644\u06331\u0644\u06331\u06331\u06331\u0644\u06331\u06331\u06331\u06331\u0644\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u06331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u006331\u
  \u062C\u062F\u062F\u0627",imageValidateSizeLabelImageSizeTooBig:"\u0627\u0644\u0635\u0648\u0631\u0629
    \u0643\u0628\u064A\u0631\u0629
  \u062C\u062F\u0627",imageValidateSizeLabelExpectedMinSize:"\u0627\u0644\u062D\u062F
 \u0027\u0027\u0027\u0027\u0027\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00647\u00648:
{minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"\u00627\u00644\u0062D\u0062F\u00647\u00647\u00647\u00647\u00648:
\u00627\u00644\u00623\u00642\u00635\u00649\u00644\u00623\u00628\u00639\u00627\u00647\u00648:
 {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"\u0627\u0644\u062F\u0642\u0629
 \u0636\u0639\u064A\u0641\u0629
\u062C\u062F\u062F\u0627",imageValidateSizeLabelImageResolutionTooHigh:"\u0627\u0644\u062F\u0642\u0629
 \u0645\u0621\u062A\u0641\u0639\u0629
\u062C\u062F\u0627",imageValidateSizeLabelExpectedMinResolution:"\u0623\u0642\u0644
  \u062F\u0642\u0629:
 {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"\u0623\u0642\u0635\u0649
\u062F\u0642\u0629: {maxResolution}"};var Lo={labelIdle:'Fayl\u0131n\u0131z\u0131
S\xFCr\xFC\u015Fd\xFCr\xFCn & Burax\u0131n ya da <span class="filepond--label-action"> Se\xE7in </span>',labelInvalidField:"Sah\u0259d\u0259 etibars\u0131z fayllar
 var",labelFileWaitingForSize:"\xD6l\xE7\xFC
hesablan\u0131r",labelFileSizeNotAvailable:"\xD6\\xE7\xFC m\xF6vcud deyil",labelFileLoading:"Y\xFCkl\u0259m\u0259
```

```
\u0259snas\u0131nda x\u0259ta ba\u015F
  verdi", labelFileProcessing: "Y\xFCkl\u0259m\r", labelFileProcessingComplete: "Y\xFCkl\u0259m\u0259
tamamland\u0131", labelFileProcessingAborted: "Y\xFCkl\u0259m\u0259 l\u0259\u011Fv
tamamland\u0131",labelFileProcessingAborted:"Y\xFCk\\u0259m\u0259 \\u0259\u011Fv edildi",labelFileProcessingError:"Y\xFCk\\u0259y\u0259rk\u0259n x\u0259ta ba\u015F verdi",labelFileProcessingRevertError:"Geri \xE7\u0259k\u0259rk\u0259n x\u0259ta ba\u015F verdi",labelFileRemoveError:"\xC7\u0131xarark\u0259n x\u0259ta ba\u015F verdi",labelTapToCancel:"\u0130mtina etm\u0259k \xFC\xE7\xFCn klikl\u0259yin",labelTapToRetry:"T\u0259krar yoxlamaq \xFC\xE7\xFCn klikl\u0259yin",labelTapToUndo:"Geri almaq \xFC\xE7\xFCn klikl\u0259yin",labelButtonRemoveItem:"\xC7\u0131xar",labelButtonAbortItemLoad:"\u0130mtina Et",labelButtonBetryItemLoad:"\u0130mtina et",labelButtonUndoItemProcessing:"Geri Al",labelButtonRetryItemProcessing:"T\u0259krar yoxla",labelButtonProcessing:"T\u0259krar yoxla",la
 b\xF6y\xFCkd\xFCr",labelMaxFileSize:"\u018Fn b\xF6y\xFCk fayl \xF6l\xE7\xFCs\xFC:
{filesize}",labelMaxTotalFileSizeExceeded:"Maksimum \xF6l\xE7\xFC
ke\xE7ildi",labelMaxTotalFileSize:"Maksimum fayl \xF6l\xE7\xFC
:{filesize}",labelFileTypeNotAllowed:"Etibars\u0131z fayl
  tipi",fileValidateTypeLabelExpectedTypes:"Bu {allButLastType} ya da bu fayl olmas\u0131
 d\u0131md\u0131r: {lastType}",imageValidateSizeLabelFormatError:"\u015E\u0259kil tipi d\u0259st\u0259kl\u0259kil \xE7ox
ki\xE7ik",imageValidateSizeLabelImageSizeTooBig:"\u015E\u0259kil \xE7ox b\xF6y\xFCk",imageValidateSizeLabelExpectedMinSize:"Minimum \xF6l\xE7\xFC {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maksimum \xF6l\xE7\xFC {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"G\xF6r\xFCnt\xFC imkan\u0131 \xE7ox
{maxHeight} ,imageValidateSizeLabetImageResolutionTooLow: G\xFoT\xFC lmkan\u0131 \xE7ox
a\u015Fa\u011F\u0131",imageValidateSizeLabetImageResolutionTooHigh: "G\xF6T\xFCnt\xFC
imkan\u0131 \xE7ox y\xFCks\u0259k",imageValidateSizeLabetExpectedMinResolution: "Minimum g\xF6T\xFCnt\xFC
imkan\u0131 {minResolution}",imageValidateSizeLabetExpectedMaxResolution: "Maximum g\xF6T\xFCnt\xFC
imkan\u0131 {maxResolution}"};var Mo={labetIdle: 'Arrossega i deixa anar els teus fitxers o <span
class="filepond--labet-action"> Navega </span>',labetInvalidField: "El camp cont\xE9 fitxers
inv\xE0lids",labetFileWaitingForSize: "Esperant mida",labetFileSizeNotAvaitable: "Mida no
disposible" labetFileVaitingForSize: "Esperant mida",labetFireSizeNotAvaitable: "Mida no
 disponible",labelFileLoading:"Carregant",labelFileLoadError:"Error durant la
c\xE0rrega",labelFileProcessing:"Pujant",labelFileProcessingComplete:"Pujada
completada", labelFileProcessingAborted: "Pujada cancel\xB7lada", labelFileProcessingError: "Error durant la pujada", labelFileProcessingRevertError: "Error durant la reversi\xF3", labelFileRemoveError: "Error durant l'eliminaci\xF3", l'abelFileRemoveError: "Error durant l'eliminaci\xF3", l'abelFileRem
reversi\xF3", labelFileRemoveError: "Error durant l'eliminaci\xF3", labelTaploCancel: "toca per cancel\xB7lar", labelTapToRetry: "toca per reintentar", labelTapToUndo: "toca per desfer", labelButtonRem oveItem: "Eliminar", labelButtonAbortItemLoad: "Cancel\xB7lar", labelButtonRetryItemLoad: "Reintentar", labelButtonAbortItemProcessing: "Cancel\xB7lar", labelButtonUndoItemProcessing: "Desfer", labelButtonRetry ItemProcessing: "Reintentar", labelButtonProcessItem: "Pujar", labelMaxFileSizeExceeded: "El fitxer \xE9s massa gran", labelMaxFileSize: "La mida m\xE0xima del fitxer \xE9s {filesize}", labelMaxTotalFileSizeExceeded: "Mida m\xE0xima total excedida", labelMaxTotalFileSize: "La
  mida m\xE0xima total del fitxer \xE9s {filesize}",labelFileTypeNotAllowed:"Fitxer de tipus
 inv\xE0lid",fileValidateTypeLabelExpectedTypes:"Espera {allButLastType} o
{lastType}",imageValidateSizeLabelFormatError:"Tipus d'imatge no
suportada",imageValidateSizeLabelImageSizeTooSmall:"La imatge \xE9s massa
  petita",imageValidateSizeLabelImageSizeTooBig:"La imatge \xE9s massa
  gran",imageValidateSizeLabelExpectedMinSize:"La mida m\xEDnima \xE9s {minWidth} x
  fminHeight}",imageValidateSizeLabelExpectedMaxSize:"La mida m\xE0xima \xE9s {maxWidth} x
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"La resoluci\xF3 \xE9s massa
  baixa",imageValidateSizeLabelImageResolutionTooHigh:"La resoluci\xF3 \xE9s massa alta",imageValidateSizeLabelExpectedMinResolution:"La resoluci\xF3 m\xEDnima \xE9s
  {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"La resoluci\xF3 m\xE0xima \xE9s
{maxResolution}"};var Ao={labelIdle:'\u067E\u06D5\u06AF\u06D5\u06AF\u06D5\u06A9\u06C27\u0646
\u0641\u0695\u06CE \u0628\u06CE\u062F\u06CE\u0631\u06D5 \u06CE
    \u0628\u0627\u0631\u06A9\u0631\u062F\u0646 \u06CC\u0627\u0646 <span class="filepond--label-action">
  \u0647\u06D5\u06B5\u0628\u0698\u06CE\u0631\u06D5
  </span>',labelInvalidField:"\u067E\u06D5\u0695\u06AF\u06D5\u06CC
  \u0646\u0627\u0681\u0681\u0648\u0663\u062A\u0662A\u0662F\u062F\u0627\u066C\u06D5",labelFileWaitingForSize: "\u0686\u0627\u0648\u06D5\u0695\u0648\u0627\u0648\u0627\u0648\u0627\u0648\u0627\u0648\u0627\u0648\u0627\u0648\u0627\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648\u0648
  631\u06D5",labelFileSizeNotAvailable:"\u0642\u06D5\u0628\u0627\u0631\u06D5
\u0628\u06D5\u0631\u062F\u0628\u0627\u0633\u0627\u0631\u0628\u0627\u0631\u0628\u0627\u0631\u0628\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0627\u0633\u0
  u06A9\u0631\u064F\u0646",labelFileLoadError:"\u0647\u06D5\u06B5\u06B5\u06B5\u0662F\u0646",labelFileProc
  essing: "\u0628\u0627\u0631\u06A9\u0631\u062F\u0646", labelFileProcessingComplete: "\u0628\u0627\u0631\
  u06A9\u0631\u062F\u0646 \u062A\u06D5\u0648\u0627\u0648
   \u0628\u0648\u0648",labelFileProcessingAborted:"\u0628\u0627\u0631\u06A9\u0631\u062F\u0646 \u0647\u0
6D5\u0648\u06D5\u0634\u0627\u06CC\u06D5\u06D5\u06D5\u06B5\u06D5\u06A9\u06D5\u06A9\u06CT\u06D5\u06B5\u06B5\u06A9\u06CT\u06CT\u06CCT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u06CT\u
   \u0644\u06D5 \u06A9\u0627\u062A\u06CC
     \u0633\u0695\u06CC\u0646\u06D5\u0648\u06D5",labelTapToCancel:"\u0628\u06C6
  \u0647\u06D5\u06B5\u0648\u06D5\u0634\u0627\u0646\u062F\u0646\u06D5\u0648\u06D5 Tab
```

```
\u062F\u0627\u0628\u06AF\u0631\u06D5",labelTapToRetry:"tap \u062F\u0627\u0628\u06AF\u0631\u06D5
     \u0628\u06C6 \u062F\u0648\u0648\u0628\u0627\u0631\u06D5\u06A9\u0631\u062F\u0646\u06D5\u0648\u06D5",l
  abelTapToUndo:"tap \u062F\u062F\u0627\u0628\u06AF\u0631\u06D5 \u0628\u06C6 \u06AF\u06D5\u0695\u0627\u0646\
u062F\u0646\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\u06da\
  tonAbortItemProcessing: "\u067E\u06D5\u0634\u06CC\u0645\u0627\u0646\u0628\u0648\u0648\u0646\u06D5\u06
  48\u06D5",labelButtonUndoItemProcessing:"\u06AF\u06D5\u0695\u0627\u0646\u062F\u0646\u06D5\u0648\u06D
5", labelButtonRetryItemProcessing: "\u0647\u06D5\u0648\u06B5\u062F\u062F\u0646\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u0648\u06D5\u06AF\u06D5\u06AF\u06D5\u06AF\u06D5\u06AF\u06D5\u06AF\u06D5\u06AF\u06D5\u06AF\u06AF\u06D5\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06A
 e:"\u0632\u06C6\u0631\u062A\u0631\u06CC\u0646\u0642\u06D5\u062A\u0627\u0631\u06CC\u0646\u0642\u06D5\u062A\u0631\u06CC\u0646\u0642\u06D5\u062A\u0631\u06CC\u0646\u0642\u06D5\u062A\u0631\u06CC\u0646\u0642\u06D5\u062A\u0631\u06CC\u0646\u0642\u06A9\u06CC\u06AF\u06AF\u0634\u062A\u06CC\u062A\u06CC\u067E\u067E\u0653\u06CE\u0646\u062F\u0631\u062A\u062A\u062A\u06CE\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u067E\u0
  31\u06CC\u0646\u0642\u06D5\u0628\u0627\u0631\u06D5\u06CC\u06A9\u06C6\u06CC
  \u067E\u06D5\u0695\u06AF\u06D5\t06CC\\u06A9\u06CC\u06A9\u06CC\\u06CC\u06C6\u06C1\u06CC\\u067E\u06D5\u06AF\u06D5\u06AF\u06D5\u06A9\u06D5\u06AF\u06D5\u06A9\u06D5\u06AF\u06D5\u06AF\u06D5\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u06AF\u0
  idateTypeLabelExpectedTypes:"\u062C\u06AF\u06D5 \u0644\u06D5 {allButLastType} \u06CC\u062C\u0646\u06D5 {lastType}",imageValidateSizeLabelFormatError:"\u062C\u062C\u062C\u062C\u062C\u062C\u06CC\u0648\u06D5
  \u067E\u0627\u0685\u067E\u0634\u062A\u06CC\u06CC\u0646\u06D5\u06A9\u0631\u0627\u0648\u06D5",imageValidateSizeLabelImageSizeTooSmall:"\u0648\u06CE\u0646\u06D5\u06A9\u06D5\u0632\u066C\u0631\u06CC\u0628\u06
 86\u0648\u0648\u06A9\u06D5",imageValidateSizeLabelImageSizeTooBig:"\u0648\u06CE\u0646\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06D5\u06A9\u06A9\u06D5\u06A9\u06A9\u06D5\u06A9\u06A9\u06D5\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A9\u06A
  Size: "\u06A9\u06D5\u0645\u062A\u0631\u06CC\u0646 \u0642\u06D5\u0628\u0627\u0631\u06D5 {minWidth}
    \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"\u0632\u06C6\u0631\u062A\u0631\u06CC\u0646
\xD7 {minHeight}",imageValidateSizeLabetExpectedMaxSize: \\u0632\u0665\u0631\u062A\u0631\u066A\u0631\u066C\u064A\u0631\u066C\u066A\u066A\u066C\u066A\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066C\u066A\u066A\u066C\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u066A\u
  1\u0632\u06D5",imageValidateSizeLabelExpectedMinResolution:"\u06A9\u06D5\u0645\u062A\u0631\u06CC\u06
  46 \u0648\u0631\u062F\u0628\u06CC\u0646\u06CC\u06CC {minResolution}",imageValidateSizeLabelExpectedM
 axResolution: "\u0632\u06C6\u0631\u062A\u0631\u06C2\u0646\u0648\u0631\u062F\u062Expected" axResolution: "\u0632\u06C6\u0631\u062A\u0631\u06CC\u0646\u0648\u0631\u062F\u062F\u062F\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u06CC\u0646\u0646\u06CC\u0646\u0646\u06CC\u0646\u0646\u06CC\u0646\u0646\u06CC\u0646\u0646\u06CC\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0646\u0
zn\xElm\xEl",labelFileLoading:"P\u0159en\xEl\u0161\xED se",labelFileLoadError:"Chyba p\u0159i p\u0159enosu",labelFileProcessing:"Prob\xEDh\xEl upload",labelFileProcessingComplete:"Upload dokon\u010Den",labelFileProcessingAborted:"Upload stornov\xEln",labelFileProcessingError:"Chyba p\u0159i uploadu",labelFileProcessingRevertError:"Chyba p\u0159i
 obnov\u011B",labelFileRemoveError:"Chyba p\u0159i
odstran\u011Bn\xED",labelTapToCancel:"klepn\u011Bte pro storno",labelTapToRetry:"klepn\u011Bte pro
opakov\xE1n\xED",labelTapToUndo:"klepn\u011Bte pro vr\xE1cen\xED",labelButtonRemoveItem:"Odstranit"
opakov\xEIn\xED", labelTapToUndo: "klepn\u01IBte pro Vr\xEIcen\xED", labelButtonRemoveItem: "Udstranit", labelButtonAbortItemLoad: "Storno", labelButtonRetryItemLoad: "Opakovat", labelButtonAbortItemProcessing: "Zp\u01IBt", labelButtonUndoItemProcessing: "Vr\xEltit", labelButtonRetryItemProcessing: "Opakovat", labelButtonProcessItem: "Upload", labelMaxFileSizeExceeded: "Soubor je p\u0159\xEDli\u0161 velk\xFD", labelMaxFileSize: "Nejv\u01IBt\u0161\xED velikost souboru je {filesize}", labelMaxTotalFileSizeExceeded: "P\u0159ekro\u010Dena maxim\xElln\xED celkov\xE1 velikost
  souboru",labelMaxTotalFileSize:"Maxim\xElln\xED celkov\xE1 velikost souboru je
 {filesize}",labelFileTypeNotAllowed:"Soubor je nespr\xE1vn\xE9ho
typu",fileValidateTypeLabelExpectedTypes:"0\u00f30Dek\xE1v\xE1 se {allButLastType} nebo
{lastType}",imageValidateSizeLabelFormatError:"0br\xE1zek tohoto typu nen\xED
podporov\xE1n",imageValidateSizeLabelImageSizeTooSmall:"0br\xE1zek je p\u0159\xEDli\u0161
  mal\xFD",imageValidateSizeLabelImageSizeTooBig:"Obr\xElzek je p\u0159\xEDli\u0161 velk\xFD",imageValidateSizeLabelExpectedMinSize:"Minim\xElln\xED rozm\u011Br je {minWidth} \xD7
   {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maxim\xElln\xED rozm\u011Br je {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Rozli\u0161en\xED je p\u0159\xEDli\u0161
 mal\xE9",imageValidateSizeLabelImageResolutionTooHigh:"Rozli\u0161en\xED je p\u0159\xEDli\u0161velk\xE9",imageValidateSizeLabelExpectedMinResolution:"Minim\xE1ln\xED rozli\u0161en\xED je
   {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maxim\xE1ln\xED rozli\u0161en\xED je
 {maxResolution}"};var zo={labelIdle:'Tr\xE6k & slip filer eller <span class = "filepond - label action"> Gennemse </span>',labelInvalidField:"Felt indeholder ugyldige
 filer",labelFileWaitingForSize:"Venter p\xE5 st\xF8rrelse",labelFileSizeNotAvailable:"St\xF8rrelse ikke tilg\xE6ngelig",labelFileLoading:"Loader",labelFileLoadError:"Load fejlede",labelFileProcessing:"Uploader",labelFileProcessingComplete:"Upload
 f\text{Effice} in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the filter costs in the
  uttonUndoItemProcessing:"Fortryd",labelButtonRetryItemProcessing:"Pr\xF8vigen",labelButtonProcessItem:"Upload",labelMaxFileSizeExceeded:"Filen er for
```

```
stor",labelMaxFileSize:"Maksimal filst\xF8rrelse er
 {filesize}",labelMaxTotalFileSizeExceeded:"Maksimal totalst\xF8rrelse overskredet",labelMaxTotalFileSize:"Maksimal total filst\xF8rrelse er
 {filesize}", labelFileTypeNotAllowed: "Ugyldig filtype", fileValidateTypeLabelExpectedTypes: "Forventer {allButLastType} eller {lastType}", imageValidateSizeLabelFormatError: "Ugyldigt format", imageValidateSizeLabelImageSizeTooSmall: "Billedet er for
  lille",imageValidateSizeLabelImageSizeTooBig:"Billedet er for
stort",imageValidateSizeLabelExpectedMinSize:"Minimum st\xF8rrelse er {minBredde} \xD7
    {minH\xF8jde}",imageValidateSizeLabelExpectedMaxSize:"Maksimal st\xF8rrelse er {maxWidth} \xD7
   {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"For lav
 opl\xF8sning",imageValidateSizeLabelImageResolutionTooHigh:"For h\xF8j
opl\xF8sning",imageValidateSizeLabelExpectedMinResolution:"Minimum opl\xF8sning er
   {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maksimal opl\xF8sning er
 {maxResolution}"};var 00={labelIdle:'Dateien ablegen oder <span class="filepond--label-action">
ausw\xE4hlen </span>',labelInvalidField:"Feld beinhaltet ung\xFCltige
 Dateien",labelFileWaitingForSize:"Dateigr\xF6\xDFe berechnen",labelFileSizeNotAvailable:"Dateigr\xF6\xDFe nicht
verf\xFCgbar",labelFileLoading:"Laden",labelFileLoadError:"Fehler beim
Laden",labelFileProcessing:"Upload l\xE4uft",labelFileProcessingComplete:"Upload
abgeschlossen",labelFileProcessingAborted:"Upload abgebrochen",labelFileProcessingError:"Fehler beim
 Upload", labelFileProcessingRevertError: "Fehler beim Wiederherstellen", labelFileRemoveError: "Fehler beim L\xF6schen", labelTapToCancel: "abbrechen", labelTapToRetry: "erneut versuchen", labelTapToUndo: "r\x
  FCckg\xE4ngig", labelButtonRemoveItem: "Entfernen", labelButtonAbortItemLoad: "Verwerfen", labelButtonRet
 ryItemLoad: "Erneut versuchen", labelButtonAbortItemProcessing: "Abbrechen", labelButtonUndoItemProcessing: "R\xFCckg\xE4ngig", labelButtonRetryItemProcessing: "Erneut
versuchen", labelButtonProcessItem: "Upload", labelMaxFileSizeExceeded: "Datei ist zu gro\xDF", labelMaxFileSize: "Maximale Dateigr\xF6\xDFe: {filesize}", labelMaxTotalFileSizeExceeded: "Maximale gesamte Dateigr\xF6\xDFe
\xFCberschritten", labelMaxTotalFileSize: "Maximale gesamte Dateigr\xF6\xDFe: {filesize}", labelFileTypeNotAllowed: "Dateityp ung\xFCltig", fileValidateTypeLabelExpectedTypes: "Erwartet {allButLastType} oder {lastType}", imageValidateSizeLabelFormatError: "Bildtyp nicht
  unterst\xFCtzt",imageValidateSizeLabelImageSizeTooSmall:"Bild ist zu klein",imageValidateSizeLabelImageSizeTooBig:"Bild ist zu
  gro\xDF",imageValidateSizeLabelExpectedMinSize:"Mindestgr\xF6\xDFe: {minWidth} \xD7
  {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maximale Gr\xF6\xDFe: {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Aufl\xF6sung ist zu
 niedrig",imageValidateSizeLabelImageResolutionTooHigh: "Aufl\xF6sung ist zu hoch",imageValidateSizeLabelExpectedMinResolution: "Mindestaufl\xF6sung:
  {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maximale Aufl\xF6sung:
{maxResolution}"};var Fo={labelIdle:'\u03A3\u03CD\u03C1\u03B5\u03C4\u03B5\u03C4\u03B1
   \u03B1\u03C1\u03C7\u03B5\u03AF\u03B1\u03C3\u03B1\u03C2\u03C3\u03C4\u03BF
  \u03C0\u03B1\u03AF\u03AF\u03BF\u03BF\u03AE <span class="filepond--label-action">
\u03C0\u03B5\u03BB\u03BB\u03AF\u03BE\u03C4\u03BF \u03AE <span>',labelInvalidField:"\u03A4\u03BF\u03C0\u03BF\u03BF\u03C0\u03B5\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03
   \u03AD\u03B3\u03BA\u03C5\u03C1\u03B1
   \u03B1\u03C1\u03C7\u03B5\u03AF\u03B1",labelFileWaitingForSize:"\u03A3\u03B5
 \u03B1\u03BD\u03B1\u03BC\u03BD\u03B3\u03B3\u03B5\u03B3\u03B5\u03B3\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5
    \u03BC\u03B7\u03B4\u03B9\u03B8\u03B8\u03AD\u03C3\u03B9\u03BC\u03BF",labelFileLoading:"\u03A6\u03CC\
  u03C1\u03C4\u03C9\u03C3\u03B7 \u03C3\u03B5
   \u03B5\u03BE\u03AD\u03BB\u03BB\u03BE\u03BT",labelFileLoadError:"\u03A3\u03C6\u03AC\u03BB\u03BC\u03B1
 \u03BA\u03B1\u03C4\u03AC\u03C4\u03B7\u03C6\u03CC\u03C1\u03C4\u03C9\u03C3\u03B7",labelFileProcessing:"\u0395\u03B5\u03B5\u03B5\u03B5\u03B5\u03B1\u03B3\u03B1\u03C3\u03B1",labelFileProcessingComplete:"
 \u0397\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B1\u03B3\u03B1\u03B1\u03B1\u03BF\u03BB\u03BB\u03BB\u03BF\u03BB\u03BB\u03BF\u03BB\u03BA\u03B7\u03BA\u03B7\u03BA\u03BA\u03B7\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA\u03BA
 \u03B5\u03C1\u03C1\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B1\u03B5\u03B5\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1\u03B1
   \u03BA\u03B1\u03C4\u03AC\u03C4\u03BF\u03BF\u03BD\\u03B5\u03B1\u03BD\\u03B1\u03B1\u03B6\u03C6\u03BF\u03C1\u03AC",
  labelFileRemoveError: "\u03A3\u03C6\u03AC\u03BB\u03BC\u03B1\u03BA\u03B1\u03C4\u03AC\u03B1\u03C0\u03B1\u03C6\u03B1\u03C6\u03B1\u03C6\u03B1\u03C6\u03B1\u03C6\u03B1\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\u03C6\
   u03C4 \setminus u03C4 \setminus u03C3 \setminus u03C4 \setminus u03B3 \setminus u03B3 \setminus u03B1 \setminus u03B1 \setminus u03B1 \setminus u03C1 \setminus u03C1 \setminus u03C9 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03C3 \setminus u03
  pToRetry: "\u03C0\u03B1\u03C4\u03AE\u03C3\u03C4\u03B5\u03B3\u03B9\u03B1\u03B5\u03B1\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\u03BD\
  AC\u03BB\u03B7\u03C4\u03B7\,labelTapToUndo:"\u03C0\u03B1\u03C4\u03AE\u03C3\u03C4\u03B5
AC\u03BB\u03B\u03C4\u03BB\u03C4\u03BC\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C4\u03BS\u03C1\u03BS\u03C1\u03BS\u03C1\u03BS\u03C1\u03C1\u03C9\u03C1\u03C9\u03C1\u03BS\u03C1\u03C1\u03C9\u03C1\u03BS\u03BS\u03C1\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03C6\u03BS\u03BS\u03C6\u03BS\u03BS\u03C6\u03BS\u03C6\u03CC\u03C1\u03C4\u03C9\u03C3\u03BS\u03BS\u03C6\u03BS\u03C6\u03CC\u03CC\u03C1\u03C4\u03C9\u03C3\u03BS\u03C6\u03BS\u03C6\u03CC\u03CC\u03CC\u03C1\u03C4\u03C9\u03C3\u03BS\u03BS\u03C6\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03CC\u03C
```

```
\u03B1\u03C1\u03C7\u03B5\u03AF\u03BF\u03B5\u03AF\u03BD\u03B1\u03B9\u03BC\u03BF\u03BB\u03CD\u03BC\u03BC\u03BS\u03BS\u03BF\u03BB\u03BF\u03BB\u03BF\u03BC\u03BS\u03BF\u03BS\u03BF\u03BC\u03BC\u03BS\u03BS\u03BS\u03BF\u03BC\u03BC\u03BS\u03BS\u03BS\u03BF\u03C2
  \u03B1\u03C1\u03C7\u03B5\u03AF\u03BF\u03C3\u03BF\u03BF\u03C3\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03C3\u03BF\u03C3\u03BF\u03C3\u03BF\u03C3\u03BF\u03C3\u03BF\u03C3\u03BF\u03C5\u03BF\u03C3\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C3\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03C5\u03BF\u03BF\u03C5\u03BF\u03C5\u03BF\u03BF\u03C5\u03BF\u03BF\u03C5\u03BF\u03BF\u03C5\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF
       \u03C3\u03C5\u03BD\u03BF\u03BB\u03B9\u03BA\u03BF\u03CD
    \u03BC\u03B5\u03B3\u03AD\u03B8\u03BF\u03C5\u03C2",labelMaxTotalFileSize:"\u03A4\u03BF
 \u03BC\u03BS\u03BS\u03BS\u03BS\u03BF\u03CS\u03C2\", tabetmax10tatF1teS1Ze: \u03A4\u03BF\u03BF\u03BF\u03BF\u03CS\u03BC\u03BF\u03BF\u03BB\u03BB\u03BB\u03BB\u03BB\u03BB\u03BF\u03CC\\u03BC\u03BC\u03BS\u03AF\u03BS\u03BF\u03BF\u03BD\\u03BS\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\\u03BF\u03BF\u03BF\u03BF\\u03BF\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\u03BF\\\u03BF\\\u03BF\\\u03
 "\u0397 \u03B5\u03B9\u03BA\u03CC\u03BD\u03B1 \u03B5\u03AF\u03BD\u03B1\u03B9
  \u03C0\u03BF\u03BB\u03CD
  \u03BC\u03BF\u03BB\u03Cl\u03AE",imageValidateSizeLabelImageSizeTooBig:"\u0397
\u03BS\u03BS\u03BA\u03CC\u03BD\u03BB\u03BS\u03BS\u03BB\u03BF\u03BB\u03BF\u03BB\u03BF\u03BF\u03BB\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BF\u03BF\u03BF\u03BF\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS\u03BS
  {minHeight}",imageValidateSizeLabelExpectedMaxSize:"\u03A4\u03BF\u03B4\u03B5\u03BA\u03BA\u03BA\u03C4\u03BC
  \u03BC\u03BA\u03BS\u03BS\u03BS\u03BF\u03C3\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF\u03BF
  \u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5
  \u03B5\u03B5\u03BB\u03BB\u03AE",imageValidateSizeLabelExpectedMinResolution:"\u0397\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\u03B5\
  {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"\u0397
\u03BC\u03BC\u03B3\u03B3\u03B9\u03C3\u03C4\u03B7 \u03B1\u03C0\u03BF\u03B4\u03B4\u03BA\u03BA\u03C4\u03AE
\u03B1\u03B1\u03B1\u03B5\u03B5\u03C3\u03C4\u03B1\u03B1\u03B1\u03B1\u03B5\\u03B1\u03B5\\u03B1\u03B5\\u03B1\u03B5\\u03B1\u03B5\\u03B5\\u03B5\\u03B1\u03B1\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B1\\u03B
  size",labelFileSizeNotAvailable:"Size not
available", labelFileLoading: "Loading", labelFileLoadError: "Error during load", labelFileProcessing: "Uploading", labelFileProcessingComplete: "Upload complete", labelFileProcessingAborted: "Upload cancelled", labelFileProcessingError: "Error during upload", labelFileProcessingRevertError: "Error during revert", labelFileRemoveError: "Error during remove", labelTapToCancel: "tap to cancel", labelTapToRetry: "tap to retry", labelTapToUndo: "tap to undo", labelButtonRemoveItem: "Remove", labelButtonAbortItemLoad: "Abort", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRetryItemLoad: "Retry", labelButtonRe
 belButtonAbortItemProcessing: "Cancel", labelButtonUndoItemProcessing: "Undo", labelButtonRetryItemProcessing: "Retry", labelButtonProcessItem: "Upload", labelMaxFileSizeExceeded: "File is too large", labelMaxFileSize: "Maximum file size is {filesize}", labelMaxTotalFileSizeExceeded: "Maximum total size exceeded", labelMaxTotalFileSize: "Maximum total file size is {filesize}", labelFileTypeNotallowed: "File of invalid
  type",fileValidateTypeLabelExpectedTypes:"Expects {allButLastType} or
  {lastType}",imageValidateSizeLabelFormatError:"Image type not supported",imageValidateSizeLabelImageSizeTooSmall:"Image is too
  small",imageValidateSizeLabelImageSizeTooBig:"Image is too
big",imageValidateSizeLabelExpectedMinSize:"Minimum size is {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maximum size is {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Resolution is too
 low",imageValidateSizeLabelImageResolutionTooHigh: "Resolution is too high",imageValidateSizeLabelExpectedMinResolution: "Minimum resolution is
    {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maximum resolution is
{maxResolution}"};var Co={labelIdle:'Arrastra y suelta tus archivos o <span class = "filepond---</pre>
label-action"> Examina <span>',labelInvalidField:"El campo contiene archivos inv\xEllidos",labelFileWaitingForSize:"Esperando tama\xF10",labelFileSizeNotAvailable:"Tama\xF10 no disponible",labelFileLoading:"Cargando",labelFileLoadError:"Error durante la carga",labelFileProcessing:"Subiendo",labelFileProcessingComplete:"Subida completa",labelFileProcessingAborted:"Subida cancelada",labelFileProcessingError:"Error durante la carga",labelFileProcessingPovertError:"Error durante la carga labelFileProcessingPovertError:"Error durante la carga labelFilePovertError:"Error durante la carga labelFilePovertError:"E
  subida",labelFileProcessingRevertError:"Error durante la reversi\xF3n",labelFileRemoveError:"Error
durante la eliminaci\xF3n",labelTapToCancel:"toca para cancelar",labelTapToRetry:"tocar para
reintentar",labelTapToUndo:"tocar para deshacer",labelButtonRemoveItem:"Eliminar",labelButtonAbortIt
```

```
emLoad: "Cancelar", labelButtonRetryItemLoad: "Reintentar", labelButtonAbortItemProcessing: "Cancelar", la
 belButtonUndoItemProcessing:"Deshacer",labelButtonRetryItemProcessing:"Reintentar",labelButtonProcessItem:"Subir",labelMaxFileSizeExceeded:"El archivo es demasiado grande",labelMaxFileSize:"El
sItem: "Subir", labelMaxFileSizeExceeded: "El archivo es demasiado grande", labelMaxFileSize: "El tama\xFlo m\xElximo del archivo es {filesize}", labelMaxTotalFileSizeExceeded: "Tama\xFlo total m\xElximo excedido", labelMaxTotalFileSize: "El tama\xFlo total m\xElximo del archivo es {filesize}", labelFileTypeNotAllowed: "Archivo de tipo inv\xEllido", fileValidateTypeLabelExpectedTypes: "Espera {allButLastType} o {lastType}", imageValidateSizeLabelFormatError: "Tipo de imagen no soportada", imageValidateSizeLabelImageSizeTooSmall: "La imagen es demasiado peque\xFla", imageValidateSizeLabelImageSizeTooBig: "La imagen es demasiado grande", imageValidateSizeLabelExpectedMinSize: "El tama\xFlo m\xEDnimo es {minWidth} x {minHeight}" imageValidateSizeLabelExpectedMinSize: "El tama\xFlo m\xEDnimo es {maxWidth} x
  {minHeight}",imageValidateSizeLabelExpectedMaxSize:"El tama\xF10 m\xE1ximo es {maxWidth} x
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"La resoluci\xF3n es demasiado
 baja",imageValidateSizeLabelImageResolutionTooHigh:"La resoluci\xF3n es demasiado
alta",imageValidateSizeLabelExpectedMinResolution:"La resoluci\xF3n m\xEDnima es
  {minResolution}",imageValidateSizeLabelExpectedMaxResolution: La resoluci\xF3n m\xE1xima es
{minResolution}",imageValidateSizeLabelExpectedMaxResolution:"La resoluci\xF3n m\xE1xima es
{maxResolution}"};var Bo={labelIdle:'\u0641\u0627\u066C\u0644 \u0631\u0627
\u0627\u06627\u066C\u0646\u062C\u0627 \u0628\u06634\u066C\u062F \u0648 \u0631\u0647\u0627
\u06A9\u0646\u06CC\u062F\u060C \u06CC\u0627 <span class="filepond--label-action">
  \u062C\u0633\u062A\u062C\u0648\u06A9\u0646\u06CC\u062F
  </span>',labelInvalidField:"\u0641\u06CC\u0644\u062F\u062F\u0627\u0631\u0627\u06CC
 \u062F\u0631 \u0632\u0645\u0627\u0646
 \u062F\u0631\u0627\u0621\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0631\u0627\u0627\u0631\u0627\u0631\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627\u0627
  u06CC \u06A9\u0627\u0645\u0644
    \u0634\u062F",labelFileProcessingAborted:"\u0628\u0627\u0631\u06AF\u0630\u0627\u0631\u06CC
  \u0644\u063A\u0648\u0634\u062F",labelFileProcessingError:"\u062E\u0637\u0627\u062F\u0631
  \u0632\u0645\u0627\u0646
  \u0628\u0627\u0631\u06AF\u0630\u0627\u0631\u06CC",labelFileProcessingRevertError:"\u062E\u0637\u0627
  \u062F\u0631\u0631\u0632\u0645\u0627\u062F\u062F\u0631\u062F\u0637\u062F\u0637\u062F\u0631\u062F\u0631\u062F\u0637\u062F\u062F\u0631\u0632\u0632\u0637\u062F\u062F\u0631\u0632\u0631\u0627\u062F\u063F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0631\u0632F\u0632F\u0631\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632F\u0632
  \u0644\u063A\u0648 \u0636\u0631\u0628\u0647
  \u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0627\u0628\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631\u0631
  uttonAbortItemLoad: "\u0644\u063A\u0648",labelButtonRetryItemLoad: "\u062A\u06A9\u0631\u0627\u0631",la
belButtonAbortItemProcessing: "\u0644\u063A\u0648", labelButtonUndoItemProcessing: "\u0628\u0631\u064F\
u0634\u062A", labelButtonRetryItemProcessing: "\u0628\u0631\u06627\u0631", labelButtonProcessItem:
"\u0628\u0627\u0631\u0664F\u0630\u06627\u0631\u066CC\u06641\u06627\u06631\u06627\u06627\u06631\u06627\u06627\u06631\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u06627\u0662
  \u0641\u0627\u06CC\u0644 {filesize} \u0627\u0633\u062A",labelMaxTotalFileSizeExceeded:"\u0627\u0632
\u062D\u062F\u0627\u06A9\u062B\u0631 \u062D\u062C\u0645 \u0641\u0627\u06CC\u0644
   \u0628\u06CC\u0634\u062A\u0631
  \u0634\u062F",labelMaxTotalFileSize:"\u062D\u062F\u0627\u06A9\u062B\u0631 \u062D\u062C\u0645
  \u0641\u0627\u06CC\u0644 {filesize} \u0627\u0633\u062A",labelFileTypeNotAllowed:"\u0646\u0648\u0639
\u0641\u0627\u06CC\u06644 \u0646\u0627\u0645\u0639\u062A\u0628\u0631
  \u0627\u0633\u062A",fileValidateTypeLabelExpectedTypes:"\u062F\u0631
  \u0627\u0646\u062A\u0638\u0627\u0631 {allButLastType} \u06CC\u0627 {lastType}",imageValidateSizeLabelFormatError:"\u0641\u0631\u0645\u062A
  \u062A\u0635\u0648\u06CC\u0631 \u067E\u0634\u062A\u06CC\u0628\u0627\u0646\u0645\u0665\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\u06645\
  \u0628\u0633\u06CC\u0627\u0631 \u06A9\u0648\u0686\u06A9
   \u0627\u0633\u062A",imageValidateSizeLabelImageSizeTooBig:"\u062A\u0635\u0648\u06CC\u0631
  \u0628\u0633\u06CC\u0627\u0631 \u0628\u0632\u0631\u06AF
  \u0627\u0633\u062A",imageValidateSizeLabelExpectedMinSize:"\u062D\u062F\u0627\u0642\u0644\u0627\u0642F\u0627\u0642F\u0642F\u0644
  \u0627\u0633\u062A",imageValidateSizeLabelExpectedMaxSize:"\u062D\u062F\u0627\u06A9\u062B\u0631
  \u0627\u0646\u062F\u0627\u0632\u0647 {maxWidth} \xD7 {maxHeight} \u0627\u0633\u062A",imageValidateSizeLabelImageResolutionTooLow:"\u0648\u0636\u0648\u062D
  \u062A\u0635\u0648\u06CC\u0631 \u0628\u0633\u06CC\u0631 \u06A9\u0645
\u0627\u0633\u062A",imageValidateSizeLabelImageResolutionTooHigh:"\u0648\u0636\u0648\u0639
  \u062A\u0635\u0648\u06CC\u0631 \u0628\u0633\u06CC\u0627\u0631 \u0632\u06CC\u0627\u062F
  \u0627\u0633\u062A",imageValidateSizeLabelExpectedMinResolution:"\u062D\u062F\u0627\u0642\u0644
   \u0648\u0636\u0648\u062D\u062A\u0635\u0648\u06CC\u0631 {minResolution} \u0627\u0633\u062A",imageVal
   idateSizeLabelExpectedMaxResolution:"\u062D\u062F\u0627\u06A9\u062B\u0631 \u0648\u0636\u0648\u062D
  \u062A\u0635\u0648\u06CC\u0631 {maxResolution} \u0627\u0633\u062A"};var No={labelIdle: 'Ved\xE4 ja
```

```
pudota tiedostoja tai <span class="filepond--label-action"> Selaa
</span>',labelInvalidField:"Kent\xE4ss\xE4 on virheellisi\xE4
    tiedostoja", labelFileWaitingForSize: "Odotetaan kokoa", labelFileSizeNotAvailable: "Kokoa ei
  saatavilla",labelFileLoading:"Ladataan",labelFileLoadError:"Virhe
latauksessa",labelFileProcessing:"L\xE4hetet\xE4\xE4n",labelFileProcessingComplete:"L\xE4hetys
valmis",labelFileProcessingAborted:"L\xE4hetys peruttu",labelFileProcessingError:"Virhe
 Vathery Research Cessing RovertError: "Virhe palautuksessa", labelFileProcessingRevertError: "Virhe palautuksessa", labelFileRemoveError: "Virhe poistamisessa", labelTapToCancel: "peruuta napauttamalla", labelTapToRetry: "yrit\xE4 uudelleen napauttamalla", labelTapToUndo: "kumoa napauttamalla", labelButtonRemoveItem: "Poista", labelButtonAbortI temLoad: "Keskeyt\xE4", labelButtonRetryItemLoad: "Yrit\xE4 uudelleen", labelButtonAbortItemProcessing: "Peruuta", labelButtonProcessing: "Kumoa", labelButtonRetryItemProcessing: "Yrit\xE4 uudelleen", labelButtonProcessItem: "L\xE4het\xE4", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxFileSizeExceeded: "Tiedoston koko on liian uudelleen", labelMaxF
    suuri", labelMaxFileSize: "Tiedoston maksimikoko on
 {filesize}",labelMaxTotalFileSizeExceeded:"Tiedostojen yhdistetty maksimikoko
ylitetty",labelMaxTotalFileSize:"Tiedostojen yhdistetty maksimikoko
filesize}",labelFileTypeNotAllowed:"Tiedostotyyppi\xE4 ei
    sallita",fileValidateTypeLabelExpectedTypes:"Sallitaan {allButLastType} tai
 {lastType}",imageValidateSizeLabelFormatError: "Kuvatyyppi\xE4 ei tueta",imageValidateSizeLabelImageSizeTooSmall: "Kuva on liian pieni",imageValidateSizeLabelImageSizeTooBig: "Kuva on liian pieni",imageValidateSizeLabelExpectedMinSize: "Minimikoko on {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize: "Maksimikoko on {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "Resoluutio on liian
    pieni",imageValidateSizeLabelImageResolutionTooHigh: "Resoluutio on liian suuri",imageValidateSizeLabelExpectedMinResolution: "Minimiresoluutio on
 suuri", imageValidateSizeLabelExpectedMIRResolution: "Minimiresoluutio on
{minResolution}", imageValidateSizeLabelExpectedMaxResolution: "Maksimiresoluutio on
{maxResolution}"}; var ko={labelIdle: 'Faites glisser vos fichiers ou <span class = "filepond--label-action"> Parcourir </span>', labelInvalidField: "Le champ contient des fichiers
invalides", labelFileWaitingForSize: "En attente de taille", labelFileSizeNotAvailable: "Taille non
disponible", labelFileLoading: "Chargement", labelFileLoadError: "Erreur durant le
chargement", labelFileProcessing: "Traitement", labelFileProcessingComplete: "Traitement
effectu\x59", labelFileProcessingAborted: "Traitement interrompu", labelFileProcessingError: "Erreur
durant la traitment" labelFileProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessingProcessi
effectu\xE9",labelFileProcessingAborted:"Traitement interrompu",labelFileProcessingError:"Erreur durant le traitement",labelFileProcessingRevertError:"Erreur durant la restauration",labelFileRemoveError:"Erreur durant la suppression",labelTapToCancel:"appuyer pour annuler",labelTapToRetry:"appuyer pour r\xE9essayer",labelTapToUndo:"appuyer pour revenir en arri\xE 8re",labelButtonRemoveItem:"Retirer",labelButtonAbortItemLoad:"Annuler",labelButtonRetryItemLoad:"Re commencer",labelButtonAbortItemProcessing:"Revenir en arri\xE8re",labelButtonRetryItemProcessing:"Recommencer",labelButtonProcessItem:"Transf\xE9rer",labelMaxFileSizeExceeded:"Le fichier est trop volumineux",labelMaxFileSize:"La taille maximale de fichier est d\xF9ess\xF9e" labelMaxTotalFileSizeExceeded:"Taille totale maximale des fichiers est
    d\xE9pass\xE9e",labelMaxTotalFileSize:"La taille totale maximale des fichiers est
{filesize}",labelFileTypeNotAllowed:"Fichier non valide",fileValidateTypeLabelExpectedTypes:"Attendu
    {allButLastType} ou {lastType}",imageValidateSizeLabelFormatError:"Type d'image non pris en charge",imageValidateSizeLabelImageSizeTooSmall:"L'image est trop
  petite",imageValidateSizeLabelImageSizeTooBig:"L'image est trop grande",imageValidateSizeLabelExpectedMinSize:"La taille minimale est {minWidth} \xD7
      {minHeight}",imageValidateSizeLabelExpectedMaxSize:"La taille maximale est {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"La r\xE9solution est trop
    faible",imageValidateSizeLabelImageResolutionTooHigh:"La r\xE9solution est trop
  \text{\text{magevalidateSizeLabelImageResolutionIoOHIGN:"La r\xE9solution est trop \xE9lev\xE9e",imageValidateSizeLabelExpectedMinResolution:"La r\xE9solution minimale est \{\text{minResolution}\}",imageValidateSizeLabelExpectedMaxResolution:"La r\xE9solution maximale est \{\text{maxResolution}\}"\};var Vo=\{\text{labelIdle:'\u05D2\u05E8\u05D5\u05E8\u05D5\u05E8\u05D5\u05E8\u05D5\u05E8\u05D5\u05E8\u05D5\u05E8\u05D5\u05E8\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u0
    \u05DC\u05D1\u05D7\u05D9\u05E8\u05D4 </span>',labelInvalidField:"\u05E7\u05D5\u05D1\u05E5\u05D1\u05D1\u05E5\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\u05D1\
  \u05DC\u05DF\u05DF\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6
     \u05D8\u05E2\u05D9\u05E0\u05EA
  \u05D4\u05E7\u05D1\u05E6\u05D9\u05DD",labelFileProcessing:"\u05DE\u05E2\u05DC\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05E4\u05D4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05D1\u05E4\u05E4\u05D1\u05E4\u05E4\u05D1\u05E4\u05E4\u05D1\u05E4\u05E4\u05D1\u05E4\u05E4\u05D1\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05E4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\u05e4\
    Aborted: "\u05D4\u05E2\u05DC\u05D0\u05EA \u05D4\u05E7\u05D1\u05E6\u05D9\u05DD
 ABOFTEd: "\u05D4\u05D2\u05DC\u05DC\u05D6\U05EA\u05D4\u05E7\u05D1\u05E5\u05D9\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u05DD\u
    \u05D4\u05E7\u05D5\u05D1\u05E5",labelTapToCancel:"\u05D4\u05E7\u05DC\u05E7
```

```
\u05DC\u05D1\u05D9\u05D8\u05D5\u05DC",labelTapToRetry:"\u05D4\u05E7\u05DC\u05E7
 \u05DC\u05E0\u05E1\u05D5\u05EA \u05E9\u05E0\u05E9\u05EA",labelTapToUndo:"\u05D4\u05E7\u05DC\u05E7 \u
05DC\u05E9\u05D7\u05D6\u05E8",labelButtonRemoveItem:"\u05D4\u05E1\u05E8",labelButtonAbortItemLoad:"\
u05D1\u05D8\u05DC",labelButtonRetryItemLoad:"\u05D8\u05E2\u05E9\u05E9\u05E9\u05E0\u05D7\u05D6\u05E8",labelButtonAbortItemProcessing:"\u05D1\u05D8\u05DC",labelButtonUndoItemProcessing:"\u05D7\u05D6\u05E8",labelButtonRetryItemProcessing:"\u05E0\u05E1\u05D4
abelButtonRetryItemProcessing: "\u05E0\u05E1\u05D4
\u05E9\u05E0\u05D9\u05EA", labelButtonProcessItem: "\u05D4\u05E2\u05DC\u05DD\u05D5
\u05E7\u05D5\u05D1\u05E5", labelMaxFileSizeExceeded: "\u05D4\u05E7\u05D5\u05D5\u05D1\u05E5
\u05D2\u05D3\u05D5\u05D5\u05DC \u05DE\u05DB\u05DB\u05DB\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u
  \u05D0\u05D9\u05E0\u05D5
  \u05DE\u05D5\u05EA\u05E8",fileValidateTypeLabelExpectedTypes:"\u05D4\u05E7\u05D1\u05E6\u05D9\u05DD
   \u05D4\u05DE\u05D5\u05EA\u05E8\u05D9\u05DD \u05D4\u05DD {allButLastType} \u05D0\u05D5
 {lastType}",imageValidateSizeLabelFormatError:"\u05EA\u05D6\u05D5\u05E0\u05D4
\u05D1\u05E4\u05D5\u05E8\u05DE\u05D8\u05D6\u05D4\u05D0\u05D9\u05E0\u05D4\u05EA\u05DE\u05DB\
 u05EA",imageValidateSizeLabelImageSizeTooSmall:"\u05EA\u05DE\u05D5\u05D5\u05D6\u05D4\u05D5\u05D6\u05D5\u05D6\u05D5
 \u05DE\u05D3\u05D9",imageValidateSizeLabelImageSizeTooBig:"\u05EA\u05DE\u05D5\u05E0\u05D4
\u05D6\u05D5\u05D2\u05D3\u05D5\u05DC\u05D4
  \u05DE\u05D3\u05D9",imageValidateSizeLabelExpectedMinSize:"\u05D4\u05D2\u05D5\u05D3\u05DC
 \u05E6\u05E8\u05D9\u05DĀ\u05DC\u05D4\u05D9\u05D5\u05EA\u05DC\u05E4\u05D7\u05D5\u05EA:\xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"\u05D4\u05D2\u05D5\u05D3\u05D3\u05DC
\\\u05D4\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\\u05DE\
 \u05D9",imageValidateSizeLabelImageResolutionTooHigh:"\u05D4\u05E8\u05D5\u05D5\u05D5\u05D6\u05D6\u05D4\u05D4\u05D4\u05D5\u05D1\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4\u05D4
5DE\u05D3\u05D9",imageValidateSizeLabelExpectedMinResolution: "\u05D4\u05D8\u05D6\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D5\u05D6\u05D5\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u05D6\u0
 \u05D4\u05D4\u05D5\u05EA\u05EA\u05EA\u05EA\u05D4\u05D9\u05D0: {maxResolution}"};var Go={labelIdle:'0vdje
"ispusti" datoteku ili <span class="filepond--label-action"> Pretra\u017Ei </span>',labelInvalidField: "Polje sadr\u017Ei neispravne datoteke",labelFileWaitingForSize: "\u010Cekanje na veli\u010Dinu datoteke nije dostupna",labelFileLoading: "U\u010Ditavanje",labelFileLoadError: "Gre\u0161ka tijekom
 u\u010Ditavanja",labelFileProcessing:"Prijenos",labelFileProcessingComplete:"Prijenos zavr\u0161en",labelFileProcessingAborted:"Prijenos otkazan",labelFileProcessingError:"Gre\u0161ka
 tijekom prijenosa",labelFileProcessingRevertError:"Gre\u0161ka tijekom vra\u0107anja",labelFileRemoveError:"Gre\u0161ka tijekom uklananja
datoteke",labelTapToCancel:"Dodirni za prekid",labelTapToRetry:"Dodirni za ponovno",labelTapToUndo:"Dodirni za vra\u0107anje",labelButtonRemoveItem:"Ukloni",labelButtonAbortIt emLoad:"Odbaci",labelButtonRetryItemLoad:"Ponovi",labelButtonAbortItemProcessing:"Prekini",labelButt
emLoad: "Odbaci", labelButtonRetryItemLoad: "Ponovi", labelButtonAbortItemProcessing: "Prekini", labelButtonUndoItemProcessing: "Vrati", labelButtonRetryItemProcessing: "Ponovi", labelButtonProcessItem: "Prijeno s", labelMaxFileSizeExceeded: "Datoteka je prevelika", labelMaxFileSize: "Maksimalna veli\u010Dina datoteke je {filesize}", labelMaxTotalFileSizeExceeded: "Maksimalna ukupna veli\u010Dina datoteke prekora\u010Dena", labelMaxTotalFileSize: "Maksimalna ukupna veli\u010Dina datoteke je {filesize}", labelFileTypeNotAllowed: "Tip datoteke nije podr\u017Ean", fileValidateTypeLabelExpectedTypes: "O\u010Dekivan {allButLastType} ili {lastType}", imageValidateSizeLabelFormatError: "Tip slike nije
 podr\u017Ean",imageValidateSizeLabelImageSizeTooSmall:"Slika je
 premala",imageValidateSizeLabelImageSizeTooBig:"Slika je
 prevelika",imageValidateSizeLabelExpectedMinSize:"Minimalna veli\u010Dina je {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maksimalna veli\u010Dina je {maxWidth} \xD7
  {maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "Rezolucija je
preniska",imageValidateSizeLabelImageResolutionTooHigh:"Rezolucija je previsoka",imageValidateSizeLabelExpectedMinResolution:"Minimalna rezolucija je
  {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maksimalna rezolucija je {maxResolution}"};var Uo={labelIdle:'Mozgasd ide a f\xE1jlt a felt\xF6lt\xE9shez, vagy <span
 class="filepond--label-action"> tall\xF3z\xE1s </span>',labelInvalidField:"A mez\u0151
class="Tilepond--label-action"> tall\xF3z\xE1s </span>',labelInValidField:"A mez\u0151
\xE9rv\xE9nytelen f\xE1jlokat tartalmaz",labelFileWaitingForSize: "F\xE1ljm\xE9ret
kisz\xE1mol\xE1sa",labelFileSizeNotAvailable:"A f\xE1jlm\xE9ret nem
el\xE9rhet\u0151",labelFileLoading:"T\xF6lt\xE9s",labelFileLoadError:"Hiba a bet\xF6lt\xE9s
sor\xE1n",labelFileProcessing:"Felt\xF6lt\xE9s",labelFileProcessingComplete:"Sikeres
felt\xF6lt\xE9s",labelFileProcessingAborted:"A felt\xF6lt\xE9s
megszak\xEDtva",labelFileProcessingError:"Hiba t\xF6rt\xE9nt a felt\xF6lt\xE9s
sor\xE1n",labelFileProcessingRevertError:"Hiba a vissza\xE1ll\xEDt\xE1s
```

```
sor\xE1n",labelFileRemoveError:"Hiba t\xF6rt\xE9nt az elt\xE1vol\xE1s
sor\xE1n",labelTapToCancel:"koppints a t\xF6rl\xE9shez",labelTapToRetry:"koppints az
\xFAjrakezd\xE9shez",labelTapToUndo:"koppints a visszavon\xE1shoz",labelButtonRemoveItem:"Elt\xE1vol
\xFAjrakezd\xE9shez",labelTapToUndo:"koppints a visszavon\xE1shoz",labelButtonRemoveItem:"Elt\xE1vol\xEDt\xE1s",labelButtonAbortItemLoad:"Megszak\xEDt\xE1s",labelButtonRetryItemLoad:"\xDAjrapr\xF3b\xE1lkoz\xE1s",labelButtonAbortItemProcessing:"Megszak\xEDt\xE1s",labelButtonUndoItemProcessing:"Vissza von\xE1s",labelButtonRetryItemProcessing:"\xDAjrapr\xF3b\xE1lkoz\xE1s",labelButtonProcessItem:"Felt\xF6lt\xE9s",labelMaxFileSizeExceeded:"A f\xE1jl t\xFAll\xE9pte a maxim\xE1lis m\xE9retet",labelMaxFileSize:"Maxim\xE1lis f\xE1jlm\xE9ret:
{filesize}",labelMaxTotalFileSizeExceeded:"T\xFAll\xE9pte a maxim\xE1lis teljes m\xE9retet",labelMaxTotalFileSize:"A maxim\xE1is teljes f\xE1jlm\xE9ret:
{filesize}",labelFileTypeNotAllowed:"\xC9rv\xE9nytelen t\xEDpus\xFA f\xE1jl",fileValidateTypeLabelExpectedTypes:"Enged\xE9lyezett t\xEDpusok {allButLastType} vagy
{lastType}" imageValidateSize!abelFormatError:"A k\xF9pt\xFDpus nem
 {lastType}",imageValidateSizeLabelFormatError:"A k\xE9pt\xEDpus nem
t\xE1mogatott",imageValidateSizeLabelImageSizeTooSmall:"A k\xE9p t\xFAl
kicsi",imageValidateSizeLabelImageSizeTooBig:"A k\xE9p t\xFAl
nagy",imageValidateSizeLabelExpectedMinSize:"Minimum m\xE9ret: {minWidth} \xD7
 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maximum m\xE9ret: {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"A felbont\xE1s t\xFAl
 alacsony",imageValidateSizeLabelImageResolutionTooHigh:"A felbont\xE1s t\xFAl
 magas",imageValidateSizeLabelExpectedMinResolution:"Minim\xE1is felbont\xE1s:
magas",1mageValidateSizeLabelExpectedMinResolution:"Minim\xElis felbont\xEls:
{minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maxim\xEllis felbont\xEls:
{maxResolution}"};var Wo={labelIdle:'Seret & Jatuhkan berkas Anda atau <span class="filepond--label-action">Jelajahi</span>',labelInvalidField:"Isian berisi berkas yang tidak
valid",labelFileWaitingForSize:"Menunggu ukuran berkas",labelFileSizeNotAvailable:"Ukuran berkas
tidak tersedia",labelFileLoading:"Memuat",labelFileLoadError:"Kesalahan saat
memuat",labelFileProcessing:"Mengunggah",labelFileProcessingComplete:"Pengunggahan
selesai",labelFileProcessingAported:"Pengunggahan dibatalkan",labelFileProcessingError:"Kesalahan
saat pengunggahan" labelFileProcessingPovertError:"Kesalahan saat
sat pengunggahan",labelFileProcessingRevertError: "Kesalahan saat pengunggahan",labelFileProcessingRevertError: "Kesalahan saat pengunggahan",labelFileRemoveError: "Kesalahan saat penghapusan",labelTapToCancel: "ketuk untuk membatalkan",labelTapToRetry: "ketuk untuk mencoba lagi",labelTapToUndo: "ketuk untuk mengurungkan",labelButtonRemoveItem: "Hapus",labelButtonAbortItemLoad: "Batalkan",labelButtonRetryItemLoad: "Coba Kemba li",labelButtonAbortItemProcessing: "Batalkan",labelButtonUndoItemProcessing: "Urungkan",labelButtonRetryItemProcessing: "Coba Kembali",labelButtonProcessItem: "Unggah",labelMaxFileSizeExceeded: "Berkas terlalu besar",labelMaxFileSize: "Ukuran berkas maksimum adalah
 {filesize}",labelMaxTotalFileSizeExceeded:"Jumlah berkas maksimum terlampaui",labelMaxTotalFileSize:"Jumlah berkas maksimum adalah {filesize}",labelFileTypeNotAllowed:"Jenis berkas tidak
 valid",fileValidateTypeLabelExpectedTypes:"Mengharapkan {allButLastType} atau
{lastType}",imageValidateSizeLabelFormatError:"Jenis citra tidak
 didukung",imageValidateSizeLabelImageSizeTooSmall:"Citra terlalu
 kecil",imageValidateSizeLabelImageSizeTooBig:"Citra terlalu besar",imageValidateSizeLabelExpectedMinSize:"Ukuran minimum adalah {minWidth} \xD7
 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Ukuran maksimum adalah {minWidth} \xD7
{minHeight}",imageValidateSizeLabelImageResolutionTooLow:"Resolusi terlalu
 rendah",imageValidateSizeLabelImageResolutionTooHigh: "Resolusi terlalu tinggi",imageValidateSizeLabelExpectedMinResolution: "Resolusi minimum adalah
 {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Resolusi maksimum adalah
{maxResolution}"};var Ho={labelIdle:'Trascina e rilascia i tuoi file oppure <span class="filepond--label-action"> Sfoglia <span>',labelInvalidField:"Il campo contiene dei file non
validi",labelFileWaitingForSize:"In attesa della dimensione",labelFileSizeNotAvailable:"Dimensione non disponibile",labelFileLoading:"Caricamento",labelFileLoadError:"Errore durante il caricamento",labelFileProcessing:"Caricamento",labelFileProcessingComplete:"Caricamento completato",labelFileProcessingAborted:"Caricamento cancellato",labelFileProcessingError:"Errore
 durante il caricamento", labelFileProcessingRevertError: "Errore durante il
ripristino",labelFileRemoveError: "Errore durante l'eliminazione",labelTapToCancel: "tocca per cancellare",labelTapToRetry: "tocca per riprovare",labelTapToUndo: "tocca per ripristinare",labelButto nRemoveItem: "Elimina",labelButtonAbortItemLoad: "Cancella",labelButtonRetryItemLoad: "Ritenta",labelButtonAbortItemProcessing: "Cancella",labelButtonUndoItemProcessing: "Indietro",labelButtonRetryItemProcessing: "Ritenta",labelButtonProcessItem: "Carica",labelMaxFileSizeExceeded: "La dimensione del file \xE8 eccessiva",labelMaxFileSize: "La dimensione massima del file \xE8
 {filesize}",labelMaxTotalFileSizeExceeded:"Dimensione totale massima
superata",labelMaxTotalFileSize:"La dimensione massima totale dei file \xE8
{filesize}",labelFileTypeNotAllowed:"File non
supportato",fileValidateTypeLabelExpectedTypes:"Aspetta {allButLastType} o
{lastType}",imageValidateSizeLabelFormatError:"Tipo di immagine non
supportata",imageValidateSizeLabelImageSizeTooSmall:"L'immagine \xE8 troppo
piccola",imageValidateSizeLabelImageSizeTooBig:"L'immagine \xE8 troppo
grande",imageValidateSizeLabelExpectedMinSize:"La dimensione minima \xE8 {minWidth} \xD7
  {minHeight}",imageValidateSizeLabelExpectedMaxSize:"La dimensione massima \xE8 {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"La risoluzione \xE8 troppo
 bassa",imageValidateSizeLabelImageResolutionTooHigh:"La risoluzione \xE8 troppo
 alta",imageValidateSizeLabelExpectedMinResolution:"La risoluzione minima \xE8
 {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"La risoluzione massima \xE8
```

```
{\max{esolution}^{}}; var jo={labelIdle: 'u30D5\u30A1\u30A4\u30EB\u3092\u30C9\u30E9\u30C3\u30B0&\u30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C9\setminusu30C0\setminusu30C9\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminusu30C0\setminus
    30ED\u30C3\u30D7\u53C8\u306F<span class="filepond--label-action">\u30D5\u30A1\u30A4\u30EB\u9078\u629
  E</span>'.labelInvalidField:"\u30A2\u30C3\u30D7\u30ED\u30FC\u30C9\u3067\u304D\u306A\u3044\u30D5\u30A
 1\u30A4\u30EB\u30AC\u542B\u307E\u30BC\u3066\u3044\u307E\u3059",labelFileWaitingForSize:"\u30D5\u30A1\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BA\u30BS\u30A4\u30BS\u30A4\u30BA\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30A4\u30BS\u30AA\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u30BS\u30AA\u
  leLoading: "\u8AAD\u8FBC\u4E2D...", labelFileLoadError: "\u8AAD\u8FBC\u4E2D\u306B\u30A8\u30E9\u30FC\u30
 4C\u767A\u751F",labelFileProcessing: "\u8AAD\u8FBC\u4E2D...",labelFileProcessingComplete: "\u30A2\u30C3\u30D7\u30ED\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30FC\u30F
  0A2\u30C3\u30D7\u30ED\u30FC\u30C9\u4E2D\u306B\u30A8\u30E9\u30FC\u304C\u767A\u751F",labelFileProcessi
  ngRevertError: "\u30ED\u30FC\u30EB\u30D0\u30C3\u30AF\u4E2D\u306B\u30A8\u30E9\u30FC\u304C\u767A\u751F"
            labelFileRemoveError:"\u524A\u9664\u4E2D\u306B\u30A8\u30E9\u30FC\u304C\u767A\u751F",labelTapToCance
                               \u30AF\u30EA\u30C3\u30AF\u3057\u3066\u30AD\u30E3\u30F3\u30BB\u30EB",labelTapToRetry:"\u30AF\u30EA
  \u30C3\u30AF\u3057\u3066\u3082\u3046\u4E00\u5EA6\u304A\u8A66\u3057\u4E0B\u3055\u3044",labelTapToUndo
  :"\u5143\u306B\u623B\u3059\u306B\u306F\u300F\u300F\u300T\u3057\u305T\u3059",labelButtonRemoveItem:"\u524A\u9664",labelButtonAbortItemLoad:"\u4E2D\u65AD",labelButtonRetryItemLoad:"\u3082\u3046\u4E00\u5
  EA6\u5B9F\u884C",labelButtonAbortItemProcessing:"\u30AD\u30E3\u30F3\u30BB\u30EB",labelButtonUndoItem
  Processing: "\u5143\u306B\u623B\u3059",labelButtonRetryItemProcessing: "\u3082\u3046\u4E00\u5EA6\u5B9F\u884C",labelButtonProcessItem: "\u30A2\u30C3\u30D7\u30ED\u30FC\u30C9",labelMaxFileSizeExceeded: "\u30
  D5\u30A1\u30A4\u30EB\u30B5\u30A4\u30BA\u30BA\u304C\u5927\u304D\u3059\u304E\u307E\u307F\u3059",labelMaxFileSize:
  \u6700\u5927\u30D5\u30A1\u30A4\u30EB\u30B5\u30A4\u30BA\u30BF {filesize} \u3067\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057\u3057
  elMaxTotalFileSize: "\u6700\u5927\u5408\u8A08\u30D5\u30A1\u30A4\u30EB\u30B5\u30A4\u30BA\u30BF
    {filesize} \u3067\u3059",labelFileTypeNotAllowed:"\u7121\u52B9\u306A\u30D5\u30A1\u30A4\u30EB\u3067\u
                                                   fileValidateTypeLabelExpectedTypes:"\u30B5\u30DD\u30FC\u30C8\u3057\u3066\u3044\u308B\u30D5\u30
Al\u30A4\u30EB\u306F {allButLastType} \u53C8\u306F {lastType} \u3067\u3059",imageValidateSizeLabelFormatError:"\u30B5\u30DD\u30FC\u30C8\u306T\u3066\u3044\u306A\u3044\u753B\u50CF\u3067\u3067\u3059",imageValidateSizeLabelImageSizeTooSmall:"\u753B\u50CF\u304C\u50CF\u3055\u3059\u3059\u304E\u307E\u3059",imageValidat
  eSizeLabelImageSizeTooBig:"\u753B\u50CF\u304C\u5927\u304D\u3059\u304E\u307E\u3075\u3059",imageValidateSize
  LabelExpectedMinSize: "\u753B\u50CF\u306E\u6700\u5C0F\u30B5\u30A4\u30BA\u30BA\u306F{minWidth}\xD7{minHeight
     \u3067\u3059",imageValidateSizeLabelExpectedMaxSize:"\u753B\u50CF\u306E\u6700\u5927\u30B5\u30B4\u30
BA\u306F{maxWidth} \xD7 {maxHeight}\u3067\u3059",imageValidateSizeLabelImageResolutionTooLow:"\u753B\u50CF\u306E\u89E3\u50CF\u506CF\u306E\u89E3\u50CF\u506CF\u306E\u89E3\u50CF\u506CF\u506CF\u306E\u89E3\u50CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506CF\u506C
  n}\u3067\u3059",imageValidateSizeLabelExpectedMaxResolution:"\u753B\u50CF\u306E\u6700\u5927\u89E3\u5
 0CF\u5EA6\u306F{maxResolution}\u3067\u3059"};var Yo={labelIdle:'\u1791\u1786\u1788\u1788\u1786\u1788\u1786\u1788\u1786\u1786\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u
 7A2\u17D2\u1793\u1780 \u178C\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1795\u1798\u1795\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u
  798\u178F\u17D2\u179A\u17BC\u179C",labelFileWaitingForSize:"\u1780\u17C6\u1796\u17BB\u1784\u179A\u1784\u179A\u1784\u17C6\u179A\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17C6\u17A0\u17BC\u17BC\u17BC\u17BC\u17A0\u17C6\u17A0\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC\u17BC
            \u1780\u17C6\u1796\u17BB\u1784\u178A\u17C6\u178E\u17BE\u179A\u1780\u1786\u179A",labelFileLoadError:
       "\u1798\u17B6\u1793\u1794\u1789\u17D2\u17A0\u17B6\u1780\u17C6\u17A1\u17BB\u1784\u1796\u17C1\u179B\u1
  78A\u17C6\u178E\u17BE\u179A\u1780\u17B6\u179A",labelFileProcessing:"\u1780\u17C6\u1796\u179B\u1788\u1784\u1795\u17D2\u1791\u17BB\u1780\u17A1\u17BE\u1784",labelFileProcessingComplete:"\u1780\u1786\u179A\u1791\u17BE\u1780\u1780\u179A\u179A\u179B\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u1
  5\u17D2\u1791\u17BB\u1780\u17A1\u17BE\u1784\u1796\u17C1\u1789\u17C1\u1789",labelFileProcessing
  Aborted: \verb||u1780|u17B6|u179A|u1794|u1784|u17D2|u17A0|u17C4|u17C7|u178F|u17D2|u179A|u17BC|u179C|u179A|u17BC|u179A|u17BC|u179C|u179A|u17BC|u179A|u17BC|u179A|u17BC|u179A|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17BC|u17B
  u17B6\u1793\u1794\u17C4\u17C7\u1794\u1784\u17CB",labelFileProcessingError:"\u1798\u1796\u1793\u1794\
  u1789\u17D2\u17A0\u17B6\u1780\u17C6\u17A1\u17BB\u1784\u1796\u17C1\u179B\u1780\u17C6\u17BB\u178
  4\u1795\u1791\u1798\u1780\u1771\u1786\u1784", labelFileProcessingRevertError: "\u1798\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u
  3 u1794 u1789 u17D2 u17A0 u17B6 u1780 u17C6 u17A1 u17BB u17B4 u1796 u17C1 u179B u17BF u17D2 u179A u17BA u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u17BB u1
  7A1\u1794\u17CB",labelFileRemoveError:"\u1798\u17B6\u1793\u1794\u1789\u17D2\u17A0\u17B6\u1780\u17C6\
  u17A1\u17BB\u1784\u1796\u17C1\u179B\u178A\u1780\u1785\u17C1\u1789",labelTapToCancel: "\u1785\u17BB\u1785\u1784\u1785\u1784\u1785\u1784\u1785\u1784\u1785\u1785\u1784\u1785\u1785\u1785\u1785\u1784\u1785\u1788\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1785\u1785\u1788\u1788\u1798\u1788\u1788\u1798\u1788\u1798\u1788\u1788\u1798\u1788\u1798\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u1788\u17
       \u17BB\u1785\u178A\u17BE\u1798\u17D2\u1794\u17B8\u1796\u17D2\u17P9\u17B6\u1799\u17B6\u1799\u17B6\u1798\u1798\u17
 D2\u178F\u1784\u1791\u1700\u1702\u1792\u1794\u
1788\u178F\u1784\u1791\u1798\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1789\u1
 0\u1785\u17C1\u1789",labelButtonAbortItemLoad: "\u1794\u17C4\u17C7\u1794\u1784\u17C8",labelButtonRetryItemLoad: "\u1796\u1798\u1798\u1792\u1798\u1791\u1701\u1784\u17C0\u178F",labelButtonRetryItemLoad: "\u1796\u1799\u1786\u1799\u1786\u1798\u1798\u1702\u1786\u1791\u17C0\u178F",labelButtonUndoItemProcessing: "\u1794\u17C4\u17C7\u1794\u17C8",labelButtonUndoItemProcessing: "\u1798\u1787\u1793\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792\u1792
 17D2\u1799\u17B6\u1799\u17B6\u1798\u1798\u1798\u17D2\u178F\u1784\u1791\u17C0\u178F", labelButtonProcessItem :"\u1795\u1791\u17B0\u1780\u178F\u178F\u178F\u1791\u176\u178F\u178F\u178F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179F\u179
\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A
```

```
78 F\setminus u1702 \setminus u179A \setminus u1789 \setminus u1798 \setminus u1798 \setminus u1792 \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C \setminus u179C 
 A\u17C6\u1796\u1784\u1790\u1786 {allButLastType} \u17AC {lastType}",imageValidateSizeLabelForm atError:"\u1794\u1794\u1797\u1791\u1791\u1794\u1794\u1797\u1796\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u1798\u17
u178F\u17D2\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\u179A\
LabelExpectedMinSize: "\u1791\u17C6\u17A0\u17A0\u17A0\u17A2\u1794\u1794\u1794\u1794\u1794\u179A\u1798\u17B6\u1782\u17A0\u17C6\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\u17A0\
   8E\u1797\u17B6\u1796\u1794\u1784\u17D2\u17A0\u17B6\u1789\u1781\u17D2\u17P6\u179F\u17CB\u17CB\u17C1\u
  1780", imageValidateSizeLabelExpectedMinResolution: "\u1782\u178B\u178E\u1797\u1786\u1796\u1794\u1784\u1784\u1780\u1786\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u1796\u17
  u17D2\u17A0\u17B6\u1789\u17A2\u1794\u1794\u1794\u179A\u179A\u17B6\u17B6\u17BA {minResolution}
      imageValidateSizeLabelExpectedMaxResolution:"\u1782\u178B\u178F\u1797\u1786\u1796\u1794\u1784\u17D2,
  \u17A0\u17B6\u1789\u178F\u17B7\u1794\u179A\u1798\u17B6\u1782\u17BA {maxResolution}"};var
  qo={labelIdle:'\uD30C\uC77C\uC744 \uB4DC\uB798\uADF8 \uD558\uAC70\uB098 <span class="filepond--
  label-action"> \uCC3E\uC544\uBCF4\uAE30 </span>',labelInvalidField:"\uD544\uB4DC\uC5D0 \uC720\uD6A8\uD558\uC9C0 \uC54A\uC740 \uD30C\uC77C\uC774 \uC788\uC2B5\uB2C8\uB2E4.",labelFileWaitingForSize:"\uC6A9\uB7C9
 \uC911", labelFileProcessingComplete: "\uC5C5\uB85C\uB4DC
  \uC131\uACF5",labelFileProcessingAborted:"\uC5C5\uB85C\uB4DC
 \uCDE8\uC18C\uB428",labelFileProcessingError:"\uD30C\uC77C\uC5C5\uB85C\uB4DC\uC2E4\uD328",labelFileProcessingRevertError:"\uB418\uB3CC\uB9AC\uAE30\uC2E4\uD328",labelFileRemoveError:"\uC81C\uAC70\uC2E4\uD328",labelTapToCancel:"\uD0ED\uD558\uC5EC\uCDE8\uC18C",labelTapToRetry:"\uD0ED\uD558\uC5EC\uC7AC\uC2DC\uC7DC\uC7DC\uC7AC\uC2DC\uC7AC\uC2DC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\uC7AC\
tem: "\uC81C\uAC70", labelButtonAbortItemLoad: "\uC911\uB2E8", labelButtonRetryItemLoad: "\uC7AC\uC2DC\uC791", labelButtonAbortItemProcessing: "\uCDE8\uC18C", labelButtonUndoItemProcessing: "\uC911\uB2E8", labelButtonProcessing: "\uC911\uB2E8", labelButtonProcessing: "\uC911\uB2E8\uC18C", labelButtonProcessing: "\uC911\uB2E8\uC18C", labelButtonProcessItem: "\uC911\uB2E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\ub3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8\uB3E8
  \uD07D\uB2C8\uB2E4.",labelMaxFileSize:"\uCD5C\uB300 \uD30C\uC77C \uC6A9\uB7C9\uC740 {filesize}\uC785\uB2E8\uB2E4.",labelMaxTotalFileSizeExceeded:"\uCD5C\uB300 \uC804\uCC84 \uD30C\uC77C
   \uC6A9\uB7C9\uCD08\uACFC\uD558\uC600\uC2B5\uB2C8\uB2E4.",labelMaxTotalFileSize:"\uCD5C\uB300
 \uC804\uCC84 \uD30C\uC77C \uC6A9\uB7C9\uC740 {filesize} \uC785\uB2C8\uB2E4.",labelFileTypeNotAllowed:"\uC798\uBABB\uB41C \uD615\uC2DD\uC758 \uD30C\uC77C",fileValidateTypeLabelExpectedTypes:"{allButLastType} \uB610\uB294 {lastType}",imageValidateSizeLabelFormatError:"\uC9C0\uC6D0\uB418\uC9C0 \uC54A\uB294 \uC774\uBBF8\uC9C0 \uC774\uBBF8\uC9C0 \uC774\uBBF8\uC9C0\uC774\uBBF8\uC9C0\uAC00
     \uB108\uBB34
\uC791\uC2B5\uB2C8\uB2E4.",imageValidateSizeLabelImageSizeTooBig:"\uC774\uBBF8\uC9C0\uAC00\uB108\uB34\uD07D\uB2C8\uB2E4.",imageValidateSizeLabelExpectedMinSize:"\uC774\uBBF8\uC9C0\uCD5C\uC18C\uD06C\uAE30\uB294\{minWidth}\xD7\{minHeight}\uC785\uB2C8\uB2E4",imageValidateSizeLabelExpectedMaxSize:"\uC774\uBBF8\uC9C0\uCD5C\uB300\uD06C\uAE30\uB294\{maxWidth}\xD7\{maxHeight}\uC785\uB2C8\uB2E4",imageValidateSizeLabelImageResolutionTooLow:"\uD574\uC0C1\uB3C4\uAC00\uB2C8\uB2C8\uB2E4",imageValidateSizeLabelImageResolutionTooLow:"\uD574\uC0C1\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uAC00\uB3C4\uB3C4\uAC00\uB3C4\uB3C4\uAC00\uB3C4\uB3C4\uB3C4\uAC00\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3C4\uB3
   \uB108\uBB34
  \uBOAE\uC2B5\uB2C8\uB2E4.",imageValidateSizeLabelImageResolutionTooHigh:"\uD574\uC0C1\uB3C4\uAC00
  \uB108\uBB34\uB192\uC2B5\uB2C8\uB2E4.",imageValidateSizeLabelExpectedMinResolution:"\uCD5C\uC18C
   \uD574\uC0C1\uB3C4\uB294 {minResolution}
  \uC785\uB2C8\uB2E4.",imageValidateSizeLabelExpectedMaxResolution:"\uCD5C\uB300
\uD574\uC0C1\uB3C4\uB294 {maxResolution} \uC785\uB2C8\uB2E4."};var \u00c10={labelIdle:'\u012Ed\u0117kite failus \u010Dia arba <span class="filepond--label-action"> Ie\u0161kokite </span>',labelInvalidField:"Laukelis talpina netinkamus failus",labelFileWaitingForSize:"Laukiama dyd\u017Eio",labelFileSizeNotAvailable:"Dydis
ayd\u017E10", labelFileLoading: "Kraunama", labelFileLoadError: "Klaida
\u012Fkeliant", labelFileProcessing: "\u012Ekeliama", labelFileProcessingComplete: "\u012Ek\u0117limas
s\u0117kmingas", labelFileProcessingAborted: "\u012Ek\u0117limas
at\u016lauktas", labelFileProcessingError: "\u012Ekeliant \u012Fvyko
klaida", labelFileProcessingRevertError: "At\u016laukiant \u012Fvyko
klaida",labelFileProcessingRevertError: "At\u0161auklant \u012Fvyko klaida",labelFileRemoveError: "I\u0161trinant \u012Fvyko klaida",labelTapToCancel: "Palieskite nor\u0117dami at\u0161aukti",labelTapToRetry: "Palieskite nor\u0117dami at\u0161aukti",labelButtonRemoveItem: "I\u0161tri nti",labelButtonAbortItemLoad: "Sustabdyti",labelButtonRetryItemLoad: "Pakartoti",labelButtonAbortItem Processing: "At\u0161aukti",labelButtonUndoItemProcessing: "At\u0161aukti",labelButtonRetryItemProcessing: "Pakartoti",labelButtonProcessItem: "\u012Ekelti",labelMaxFileSizeExceeded: "Failas per didelis",labelMaxFileSize: "Maksimalus failo dydis yra
 {filesize}",labelMaxTotalFileSizeExceeded:"Vir\u0161ijote maksimal\u0173 leistin\u0105 dyd\u012F",labelMaxTotalFileSize:"Maksimalus leistinas dydis yra {filesize}",labelFileTypeNotAllowed:"Netinkamas failas",fileValidateTypeLabelExpectedTypes:"Tikisi
```

```
{allButLastType} arba {lastType}",imageValidateSizeLabelFormatError:"Nuotraukos formatas
{atlButLastlype} arba {lastlype}",imageValidateSizeLabelFormatError: "Nuotraukos formatas nepalaikomas",imageValidateSizeLabelImageSizeTooSmall: "Nuotrauka per ma\u017Ea",imageValidateSizeLabelImageSizeTooBig: "Nuotrauka per didel\u0117",imageValidateSizeLabelExpectedMinSize: "Minimalus dydis yra {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize: "Maksimalus dydis yra {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "Rezoliucija per ma\u017Ea",imageValidateSizeLabelExpectedMinResolution: "Minimali rezoliucija yra didel\u0117",imageValidateSizeLabelExpectedMinResolution: "Minimali rezoliucija yra
{minResolution}",imageValidateSizeLabelExpectedMaxResolution: "Maksimali rezoliucija yra
{maxResolution}"};var Xo={labelIdle:'Ievelciet savus failus vai <span class="filepond--label-action"> p\u0101rl\u016Bkojiet \u0161eit </span>',labelInvalidField:"Lauks satur neder\u012Bgus
 failus", labelFileWaitingForSize: "Gaid\u0101m faila
 izm\u0113ru",labelFileSizeNotAvailable:"Izm\u0113rs nav pieejams",labelFileLoading:"Notiek
iel\u0101de",labelFileLoadError:"Notika k\u013C\u016Bda iel\u0101des
laik\u0101",labelFileProcessing:"Notiek
aug\u0161upiel\u0101de",labelFileProcessingComplete:"Aug\u0161upiel\u0101de
pabeigta",labelFileProcessingAborted:"Aug\u0161upiel\u0101de
atcelta",labelFileProcessingError:"Notika k\u013C\u016Bda aug\u0161upiel\u0101des
laik\u0101",labelFileProcessingRevertError:"Notika k\u013C\u016Bda atgrie\u0161anas laik\u0101",labelFileRemoveError:"Notika k\u013C\u016Bda dz\u0113\u0161anas laik\u0101",labelTapToCancel:"pieskarieties, lai atceltu",labelTapToRetry:"pieskarieties, lai m\u0113\u0123in\u0123in\u0123in\u0123in\u013labelButtonRemove
 Item: "Dz\u0113st", labelButtonAbortItemLoad: "P\u0101rtraukt", labelButtonRetryItemLoad: "M\u0113\u0123i
ntem: "DZ\u0113st", labelButtonAbortItemLoad: "P\u0101rtraukt", labelButtonRetryItemLoad: "M\u0113\u01231 n\u0101t v\u0113\reiz", labelButtonAbortItemProcessing: "P\u0101rtraucam", labelButtonUndoItemProcessing: "Mtsaucam", labelButtonRetryItemProcessing: "M\u0113\u0123in\u0101m v\u0113\reiz", labelButtonProcessItem: "Aug\u016lupiel\u0101d\u01013t", labelMaxFileSizeExceeded: "Fails ir p\u0101r\u0101k liels", labelMaxFileSize: "Maksim\u0101lais faila izm\u0113rs ir {filesize}", labelMaxTotalFileSizeExceeded: "P\u0101rsniegts maksim\u0101lais kop\u0113jais failu izm\u0113rs ir {filesize}", labelMaxTotalFileSize: "Maksim\u0101lais kop\u0113jais failu izm\u0113rs ir {filesize}", labelMaxTotalFileSize: "Maksim\u0101lais kop\u0113jais failu izm\u0113rs ir
 {filesize}",labelFileTypeNotAllowed:"Neder\u012Bgs faila
tips",fileValidateTypeLabelExpectedTypes:"Sagaid\u0101m {allButLastType} vai {lastType}",imageValidateSizeLabelFormatError:"Neatbilsto\u0161s att\u0113la tips",imageValidateSizeLabelImageSizeTooSmall:"Att\u0113ls ir p\u0101r\u0101k mazs",imageValidateSizeLabelImageSizeTooBig:"Att\u0113ls ir p\u0101r\u0101k liels",imageValidateSizeLabelImageSizeTooBig:"Att\u0113ls ir p\u0101lais ir fminWidth} \xD7
 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maksim\u0101lais izm\u0113rs ir {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Iz\u0161\u0137irtsp\u0113ja ir
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Iz\u0161\u0137irtsp\u0113ja ir
p\u0101r\u0101k zema",imageValidateSizeLabelImageResolutionTooHigh:"Iz\u0161\u0137irtsp\u0113ja ir
p\u0101r\u0101k augsta",imageValidateSizeLabelExpectedMinResolution:"Minim\u01011\u0101
iz\u0161\u0137irtsp\u0113ja ir
{minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maksim\u01011\u0101
iz\u0161\u0137irtsp\u0113ja ir {maxResolution}"};var Ko={labelIdle:'Dra og slipp filene dine, eller
<span class="filepond--label-action"> Bla gjennom... </span>',labelInvalidField:"Feltet inneholder
ugyldige filer",labelFileWaitingForSize:"Venter p\xE5
st\xF8rrelse",labelFileSizeNotAvailable:"St\xF8rrelse ikke
tilgjengelig",labelFileLoading:"Laster",labelFileDerocessing(omplete:"Opplasting
tilgjengelig",labelFileLoading:"Laster",labelFileLoadError:"Feil under lasting",labelFileProcessing:"Laster opp",labelFileProcessingComplete:"Opplasting ferdig",labelFileProcessingAborted:"Opplasting avbrutt",labelFileProcessingError:"Feil under opplasting",labelFileProcessingRevertError:"Feil under reversering",labelFileRemoveError:"Feil under flytting",labelTapToCancel:"klikk for \xE5 avbryte",labelTapToRetry:"klikk for \xE5 pr\xF8ve p\xE5 nytt",labelTapToUndo:"klikk for \xE5 angre",labelButtonRemoveItem:"Fjern",labelButtonAbortItemLoad:" Avbryt",labelButtonRetryItemLoad:"Pr\xF8v p\xE5 nytt",labelButtonAbortItemProcessing:"Avbryt",labelButtonUndoItemProcessing:"Angre",labelButtonRetryItemProcessing:"Pr\xF8v p\xE5 nytt",labelButtonProcessItem:"Last opp",labelMaxFileSizeExceeded:"Filen er for stor",labelMaxFileSize:"Maksimal filst\xF8rrelse er
for , labelmaxFiteSize: "Maksimal filst\xF8rrelse er
{filesize}", labelMaxTotalFileSizeExceeded: "Maksimal total st\xF8rrelse
oversteget", labelMaxTotalFileSize: "Maksimal total st\xF8rrelse er
{filesize}", labelFileTypeNotAllowed: "Ugyldig filtype", fileValidateTypeLabelExpectedTypes: "Forventer
{allButLastType} eller {lastType}", imageValidateSizeLabelFormatError: "Bildeformat ikke
st\xF8ttet", imageValidateSizeLabelImageSizeTooSmall: "Bildet er for
 lite",imageValidateSizeLabelImageSizeTooBig: "Bildet er for stort",imageValidateSizeLabelExpectedMinSize: "Minimumsst\xF8rrelse er {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize: "Maksimumsst\xF8rrelse er {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "Oppl\xF8sningen er for
 lav",imageValidateSizeLabelImageResolutionTooHigh:"Oppl\xF8sningen er for
 h\xF8y",imageValidateSizeLabelExpectedMinResolution:"Minimum oppl\xF8sning er
 {minResolution}",imageValidateSizeLabelExpectedMinResolution: Minimum oppt\xrosning er
{minResolution}",imageValidateSizeLabelExpectedMaxResolution: "Maksimal oppt\xr8sning er
{maxResolution}"};var Qo={labelIdle:'Drag & Drop je bestanden of <span class="filepond--label-action"> Bladeren </span>',labelInvalidField:"Veld bevat ongeldige
 bestanden",labelFileWaitingForSize:"Wachten op grootte",labelFileSizeNotAvailable:"Grootte niet
beschikbaar", labelFileLoading: "Laden", labelFileLoadError: "Fout tijdens laden", labelFileProcessing: "Uploaden", labelFileProcessingComplete: "Upload afgerond", labelFileProcessingError: "Fout tijdens
```

```
upload",labelFileProcessingRevertError:"Fout bij herstellen",labelFileRemoveError:"Fout bij
 verwijderen",labelTapToCancel:"tik om te annuleren",labelTapToRetry:"tik om opnieuw te proberen",labelTapToUndo:"tik om ongedaan te maken",labelButtonRemoveItem:"Verwijderen",labelButtonA
  bortItemLoad: "Afbreken", labelButtonRetryItemLoad: "Opnieuw
  proberen", labelButtonAbortItemProcessing: "Annuleren", labelButtonUndoItemProcessing: "Ongedaan
  maken", labelButtonRetryItemProcessing: "Opnieuw
 proberen", labelButtonProcessItem: "Upload", labelMaxFileSizeExceeded: "Bestand is te groot", labelMaxFileSize: "Maximale bestandsgrootte is {filesize}", labelMaxTotalFileSizeExceeded: "Maximale totale grootte
 overschreden", labelMaxTotalFileSize: "Maximale totale bestandsgrootte is {filesize}",labelFileTypeNotAllowed: "Ongeldig
  bestandstype",fileValidateTypeLabelExpectedTypes:"Verwacht {allButLastType} of
  {lastType}",imageValidateSizeLabelFormatError: "Afbeeldingstype niet
  ondersteund",imageValidateSizeLabelImageSizeTooSmall:"Afbeelding is te
 klein",imageValidateSizeLabetImageSizeTooBig:"Afbeelding is te groot",imageValidateSizeLabelExpectedMinSize:"Minimale afmeting is {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maximale afmeting is {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Resolutie is te
 laag",imageValidateSizeLabelImageResolutionTooHigh: "Resolution is too high",imageValidateSizeLabelExpectedMinResolution: "Minimale resolutie is
 {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maximale resolutie is
{maxResolution}"};var Zo={labelIdle:'Przeci\u0105gnij i upu\u015B\u0107 lub <span class="filepond-label-action">wybierz</span> pliki',labelInvalidField:"Nieprawid\u0142owe
 label-action">wyplerz</span> pliki', labelInvalidField: "Nieprawid\u01420we pliki", labelFileWaitingForSize: "Pobieranie rozmiaru", labelFileSizeNotAvailable: "Nieznany rozmiar", labelFileLoading: "Wczytywanie", labelFileLoadError: "B\u0142\u0105d wczytywania", labelFileProcessing: "Przesy\u0142anie", labelFileProcessingComplete: "Przes\u0142ano", labelFileProcessingAborted: "Przerwano", labelFileProcessingError: "Przesy\u0142anie nie powiod\u0142o si\u0119", labelFileProcessingRevertError: "Co\u015B posz\u0142o nie tak", labelFileProcessingRevertError: "Nieudane usuni\u0119cie", labelTapToCancel: "Anuluj", labelTapToRetry: "Pon\x F3w", labelTapToUndo: "Cofnij", labelButtonRemoveItem: "Usu\u0144", labelButtonAbortItemLoad: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonUndo: "Przerwij", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButtonPrzersing: "Anului", labelButto
 abelButtonRetryItemLoad: "Pon\xF3w", labelButtonAbortItemProcessing: "Anuluj", labelButtonUndoItemProcessing: "Cofnij", labelButtonRetryItemProcessing: "Pon\xF3w", labelButtonProcessItem: "Prze\u015Blij", label MaxFileSizeExceeded: "Plik jest zbyt du\u017Cy", labelMaxFileSize: "Dopuszczalna wielko\u015B\u0107 pliku to {filesize}", labelMaxTotalFileSizeExceeded: "Przekroczono \u0142\u0105czny rozmiar
 plik\xF3w",labelMaxTotalFileSize:"\u0141\u0105czny rozmiar plik\xF3w nie mo\u017Ce przekroczy\u0107 {filesize}",labelFileTypeNotAllowed:"Niedozwolony rodzaj
  pliku",fileValidateTypeLabelExpectedTypes:"Oczekiwano {allButLastType} lub
 {lastType}",imageValidateSizeLabelFormatError:"Nieobs\u0142ugiwany format obrazu",imageValidateSizeLabelImageSizeTooSmall:"Obraz jest zbyt
 ma\u0142y",imageValidateSizeLabelImageSizeTooSmatt. Obraz jest zbyt

du\u017Cy",imageValidateSizeLabelImageSizeTooBig: "Obraz jest zbyt

du\u017Cy",imageValidateSizeLabelExpectedMinSize: "Minimalne wymiary obrazu to

{minWidth}\xD7{minHeight}",imageValidateSizeLabelExpectedMaxSize: "Maksymalna wymiary obrazu to

{maxWidth}\xD7{maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "Rozdzielczo\u015B\u0107 jest

zbyt niska",imageValidateSizeLabelImageResolutionTooHigh: "Rozdzielczo\u015B\u0107 jest

zbyt imageValidateSizeLabelImageResolutionTooHigh: "Rozdzielczo\u015B\u0107 jest
zbyt niska",imageValidateSizeLabelImageResolutionTooHigh:"Rozdzielczo\u015B\u0107 jest zbyt wysoka",imageValidateSizeLabelExpectedMinResolution:"Minimalna rozdzielczo\u015B\u0107 to {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maksymalna rozdzielczo\u015B\u0107 to {maxResolution}"};var Jo={labelIdle:'Arraste & Largue os ficheiros ou <span class="filepond--label-action"> Seleccione </span>',labelInvalidField:"O campo cont\xE9m ficheiros inv\xE1lidos",labelFileWaitingForSize:"A aguardar tamanho",labelFileSizeNotAvailable:"Tamanho n\xE3o dispon\xEDvel",labelFileLoading:"A carregar",labelFileLoadError:"Erro ao carregar",labelFileProcessing:"A carregar",labelFileProcessingComplete:"Carregamento completo",labelFileProcessingAborted:"Carregamento cancelado",labelFileProcessingError:"Erro ao carregar",labelFileProcessingRevertError:"Erro ao reverter",labelFileRemoveError:"Erro ao remover",labelTapToCancel:"carregue para cancelar",labelTapToRetry:"carregue para tentar novamente",labelTapToUndo:"carregue para desfazer",labelButtonRemoveItem:"Remover",labelButtonAbortItemDrocessing:"Cancel ar",labelButtonUndoItemProcessing:"Desfazer",labelButtonRetryItemProcessing:"Tentar novamente",labelButtonProcessing:"Carregar",labelMaxFileSizeExceeded:"Ficheiro demasiado grande",labelMaxFileSize:"O tamanho m\xE1ximo do ficheiro \xE9 de
  grande",labelMaxFileSize:"O tamanho m\xE1ximo do ficheiro \xE9 de
  {filesize}",labelMaxTotalFileSizeExceeded:"Tamanho m\xE1ximo total
  excedido",labelMaxTotalFileSize:"O tamanho m\xE1ximo total do ficheiro \xE9 de
 {filesize}",labelFileTypeNotAllowed:"Tipo de ficheiro inv\xE1lido",fileValidateTypeLabelExpectedTypes:"\xC9 esperado {allButLastType} ou {lastType}",imageValidateSizeLabelFormatError:"Tipo de imagem n\xE3 suportada",imageValidateSizeLabelImageSizeTooSmall:"A imagem \xE9 demasiado
 pequena",imageValidateSizeLabelImageSizeTooBig:"A imagem \xE9 demasiado
pequena",imageValidateSizeLabelImageSizeTooBig:"A imagem \xE9 demasiado
grande",imageValidateSizeLabelExpectedMinSize:"O tamanho m\xEDnimo \xE9 de {minWidth} \xD7
{minHeight}",imageValidateSizeLabelExpectedMaxSize:"O tamanho m\xE1ximo \xE9 de {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"A resolu\xE7\xE3o \xE9 demasiado
 baixa",imageValidateSizeLabelImageResolutionTooHigh:"A resolu\xE7\xE3o \xE9 demasiado grande",imageValidateSizeLabelExpectedMinResolution:"A resolu\xE7\xE3o m\xEDnima \xE9 de
  {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"A resolu\xE7\xE3o m\xE1xima \xE9 de
{maxResolution}"};var er={labelIdle:'Arraste e solte os arquivos ou <span class="filepond--label-</pre>
```

```
action"> Clique aqui </span>',labelInvalidField:"Arquivos
 inv\xEllidos", labelFileWaitingForSize: "Calculando o tamanho do
 arquivo", labelFileSizeNotAvailable: "Tamanho do arquivo
 indispon\xEDvel",labelFileLoading:"Carregando",labelFileLoadError:"Erro durante o
carregamento",labelFileProcessing:"Enviando",labelFileProcessingComplete:"Envio
finalizado", labelFileProcessingAborted: "Envio cancelado", labelFileProcessingError: "Erro durante o envio", labelFileProcessingRevertError: "Erro ao reverter o envio", labelFileRemoveError: "Erro ao remover o arquivo", labelTapToCancel: "clique para cancelar", labelTapToRetry: "clique para
remover o arquivo", tabeliapiocancel: "clique para cancelar", tabeliapioketry: "clique para reenviar", labeliapiocancel: "clique para desfazer", labelButtonRemoveItem: "Remover", labelButtonAbortItem Load: "Abortar", labelButtonRetryItemLoad: "Reenviar", labelButtonAbortItemProcessing: "Cancelar", labelButtonUndoItemProcessing: "Desfazer", labelButtonRetryItemProcessing: "Reenviar", labelButtonProcessItem: "Enviar", labelMaxFileSizeExceeded: "Arquivo \xE9 muito grande", labelMaxFileSize: "O tamanho m\xE1ximo permitido: {filesize}", labelMaxTotalFileSizeExceeded: "Tamanho total dos arquivos
excedido",labelMaxTotalFileSize:"Tamanho total permitido: {filesize}",labelFileTypeNotAllowed:"Tipo de arquivo inv\xEllido",fileValidateTypeLabelExpectedTypes:"Tipos de arquivo suportados s\xE3o
 {allButLastType} ou {lastType}",imageValidateSizeLabelFormatError:"Tipo de imagem inv\xE1lida",imageValidateSizeLabelImageSizeTooSmall:"Imagem muito
pequena",imageValidateSizeLabelImageSizeTooBig:"Imagem muito
grande",imageValidateSizeLabelExpectedMinSize:"Tamanho m\xEDnimo permitida: {minWidth} \xD7
{minHeight}",imageValidateSizeLabelExpectedMaxSize:"Tamanho m\xElximo permitido: {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Resolu\xE7\xE3o muito
baixa",imageValidateSizeLabelImageResolutionTooHigh:"Resolu\xE7\xE3o m\xE7\xE3o lta",imageValidateSizeLabelExpectedMinResolution:"Resolu\xE7\xE3o m\xEDnima permitida:
 {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Resolu\xE7\xE3o m\xE1xima permitida:
{maxResolution}"};var tr={labelIdle:'Trage \u0219i plaseaz\u0103 fi\u0219iere sau <span</pre>
{maxResolution}"; var tr={labelIdte: 'Irage \u02191 plaseaz\u0103 f1\u02191ere sau <span
class="filepond--label-action"> Caut\u0103-le </span>', labelInvalidField: "C\xE2mpul con\u021Bine
fi\u0219iere care nu sunt valide", labelFileWaitingForSize: "\xCEn a\u0219teptarea
dimensiunii", labelFileSizeNotAvailable: "Dimensiunea nu este diponibil\u0103", labelFileLoading: "Se
\xEEncarc\u0103", labelFileLoadError: "Eroare la \xEEnc\u0103rcare", labelFileProcessing: "Se
\xEEncarc\u0103", labelFileProcessingComplete: "\xCEnc\u0103rcare
finalizat\u0103", labelFileProcessingAborted: "\xCEnc\u0103rcare
 anulat\u0103", labelFileProcessingError: "Eroare la
\xEEnc\u0103rcare",labelFileProcessingRevertError:"Eroare la anulare",labelFileRemoveError:"Eroare
la \u015Ftergere",labelTapToCancel:"apas\u0103 pentru a anula",labelTapToRetry:"apas\u0103 pentru a
re\xEEncerca",labelTapToUndo:"apas\u0103 pentru a anula",labelButtonRemoveItem:"\u015Eterge",labelBu
 ttonAbortItemLoad: "Anuleaz \ u0103", labelButtonRetryItemLoad: "Re \ Encearc \ u0103", labelButtonAbortItemLoad: "Re \ Encearc \ u0103", labelB
 Processing: "Anuleaz\u0103", labelButtonUndoItemProcessing: "Anuleaz\u0103", labelButtonRetryItemProcess
 ing: "Re\xEEncearc\u0103", labelButtonProcessItem: "\xCEncarc\u0103", labelMaxFileSizeExceeded: "Fi\u0219 ierul este prea mare", labelMaxFileSize: "Dimensiunea maxim\u0103 a unui fi\u0219ier este de
  {filesize}",labelMaxTotalFileSizeExceeded:"Dimensiunea total\u0103 maxim\u0103 a fost
 dep\u0103\u0219it\u0103",labelMaxTotalFileSize:"Dimensiunea total\u0103 maxim\u0103 a fi\u0219ierelor este de {filesize}",labelFileTypeNotAllowed:"Tipul fi\u0219ierului nu este
 valid",fileValidateTypeLabelExpectedTypes:"Se a\u0219teapt\u0103 {allButLastType} sau {lastType}",imageValidateSizeLabelFormatError:"Formatul imaginii nu este
acceptat",imageValidateSizeLabelImageSizeTooSmall:"Imaginea este prea mic\u0103",imageValidateSizeLabelImageSizeTooBig:"Imaginea este prea
 mare",imageValidateSizeLabelExpectedMinSize:"M\u0103rimea minim\u0103 este de {maxWidth} x
{maxHeight}",imageValidateSizeLabelExpectedMaxSize:"M\u0103rimea maxim\u0103 este de {maxWidth} x {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Rezolu\u021Bia este prea mic\u0103",imageValidateSizeLabelImageResolutionTooHigh:"Rezolu\u021Bia este prea
 mare",imageValidateSizeLabelExpectedMinResolution:"Rezolu\u021Bia minim\u0103 este de
fminesolution}",imageValidateSizeLabelExpectedMaxResolution:"Rezolu\u021Bia mini\u0103 este de
fminResolution}",imageValidateSizeLabelExpectedMaxResolution:"Rezolu\u021Bia maxim\u0103 este de
fmaxResolution}"};var ir={labelIdle:'\u041F\u0435\u0440\u0435\u0442\u0430\u0443\u0438\u0442\u0438\u0442\u0435\u0444\u0430\u0439\u0448\u0448\u0438\u0443\u0438\u0448\u0438\u0448\u0438\u0438\u0448\u0438\u0448\u0438\u0448\u0438\u0448\u0438\u0448\u0438\u0448\u0438\u0448\u0438\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448
  \u0432\u044B\u0431\u0435\u0440\u0438\u0442\u0435
  </span>',labelInvalidField:"\u041F\u043E\u043B\u0435
 \u0441\u043E\u0434\u0435\u0440\u0436\u0438\u0442
  \u043D\u0435\u0434\u043E\u043F\u0443\u0441\u0442\u0438\u043C\u044B\u0435
  \u0444\u0430\u0439\u043B\u044B",labelFileWaitingForSize:"\u0423\u043A\u0430\u0436\u0438\u0442\u0435
 \u0440\u0430\u0437\u043C\u0435\u0440",labelFileSizeNotAvailable:"\u0420\u0430\u0437\u0437\u0436\u0435\u0446"
0 \u043D\u0435\u043F\u043F\u043E\u0434\u0434\u0435\u0440\u0436\u0438\u0432\u0430\u0435\u0442\u0441\u044F"
7\u0430\u0443\u0443\u0443\u0437\u0430\u0430\u0435\u0440\u0448\u0435\u043D\u0430"
 labelFileProcessingAborted: "\u0417\u0430\u0433\u0440\u0443\u0437\u043A\u0430\u043E\u0442\u043C\u043
 5\u043D\u0435\u043D\u043D\u0435\u043D\u0435\u0435\u0435\u0435\u0436\u0438\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u043
 "\u041E\u0448\u0438\u0431\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0431\u0438\u0438\u0431\u0438\u0438\u0431\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u043
 430\u043B\u0435\u043B\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438
  \u0434\u043B\u044F
  \u043E\u0442\u043C\u0435\u043D\u044B",labelTapToRetry:"\u043D\u0436\u0436\u043C\u0438\u0442\u0435,
```

```
043F\u044B\u0442\u043A\u0443",labelTapToUndo:"\u043D\u0436\u0436\u043C\u0438\u0442\u0435
  \u0434\u043B\u044F\u043E\u0442\u043C\u0435\u043D\u044B
  \u043F\u043E\u0441\u043B\u0435\u0434\u043D\u0435\u0433\u0433\u0434\u0435\u0439\u0431\u0432\u0
 438\u044F",labelButtonRemoveItem:"\u0423\u0434\u0438\u0448\u0442\u044C",labelButtonAbortItemLo
438\u044F", labelButtonRemoveItem: "\u0423\u0434\u0430\u0438\u0448\u0442\u044C", labelButtonAbortItemLo ad: "\u041F\u0441F\u0440\u0435\u0440\u0430\u0449\u0435\u0435\u043E", labelButtonRetryItemLoad: "\u041F\u 043E\u0432\u0442\u043E\u0442\u043E\u0442\u043E\u0442\u043E\u0442\u043E\u0442\u043E\u044E\u0442\u043E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u044E\u0
 0442\u043C\u0435\u0435\u0435\u0431\u043F\u043F\u043F\u043F\u0435\u0434\u043F\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u
35\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u04
  \u0441\u043B\u0438\u0448\u043A\u043E\u043C\u0431\u043E\u043B\u044C\u0448\u043E\u0439",labelMaxFileS
  ize: "\u041C\u0430\u043A\u0441\u0438\u043C\u0430\u043B\u044C\u043D\u044B\u0439
  \u0440\u0430\u0437\u043C\u0435\u0440\u0444\u0430\u0439\u043B\u0430:
   {filesize}".labelMaxTotalFileSizeExceeded:"\u041F\u0440\u0435\u0432\u044B\u0448\u0435\u043D
 \u043C\u043C\u043B\u044S\u043B\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T\u043T
   \u0439 \u0440\u0430\u0437\u043C\u0435\u0440 \u0444\u0430\u0439\u043B\u0430:
  {filesize}",labelFileTypeNotAllowed:"\u0424\u0430\u0439\u043B
   \u043D\u0435\u0432\u0435\u0440\u043D\u043E\u0433\u043E \u0442\u0438\u043F\u043F\u043O",fileValidateTypeLab
 elExpectedTypes: "\u041E\u0436\u0438\u0434\u0430\u0435\u0441\u0441\u044F {allButLastType}
 \u0438\u0438\u0438\u0438\u0431\u0440\u0430\u0436\u0435\u0435\u0438\u0438\u0438\u0438\u0435\u0431\u0436\u0436\u0436\u0435\u0435\u0438\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436
 0434 \\ \\ u0435 \\ \\ u0436 \\ \\ u0438 \\ \\ u0432 \\ \\ u0430 \\ \\ u0442 \\ \\ u0441 \\ \\ u044F", \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeTootheraps (a) \\ \\ imageValidateSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImageSizeLabelImage
 Small: "\u0418\u0437\u043E\u0431\u0440\u0430\u0436\u0435\u043D\u0438\u0435
 \u0441\u043B\u0438\u0448\u043A\u043E\u043C\u043C\u043B\u0435\u043D\u044C\u043A\u043E\u0435",i
mageValidateSizeLabelImageSizeTooBig: "\u0418\u0437\u043E\u0431\u0440\u0430\u0436\u0435\u0435\u0438\u0438\u0438\u0438\u0438\u0448\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0
 idateSizeLabelExpectedMinSize: "\u041C\u0438\u043D\u0438\u043C\u0430\u043B\u044C\u043D\u044B\u0439
 \u0440\u0430\u0437\u043C\u0440: {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMax Size:"\u041C\u0430\u043A\u0441\u0438\u043C\u0430\u043B\u044C\u043D\u044B\u0439
 \u0440\u0430\u0437\u043C\u0435\u0440: {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"\u0420\u0430\u0437\u0448\u0435\u0448\u0435\u0448\u0435\u0435\u0448\u0435\u0435\u0448\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u
\u0441\u043B\u0438\u0448\u043A\u043E\u043C\u043C\u043B\u0437\u043B\u043E\u0435",imageValidateSizeLabelImageResolutionTooHigh: "\u0420\u0430\u0437\u0440\u0435\u0448\u0435\u0443D\u0435
 \u0441\u043B\u0438\u0448\u043A\u043E\u043C\u0432\u044B\u0441\u043E\u043A\u043E\u0435",imageValidate
SizeLabelExpectedMinResolution: "\u041C\u0438\u043E\u043C\u0430\u043B\u044C\u043B\u044C\u043B\u044E\u0435\u0445\u0445\u0435\u0446\u0435\u0446\u0435\u0446\u0435\u0446\u0435\u0446\u0435\u0446\u0435\u0446\u0435\u0446\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0
  \u0440\u0430\u0437\u0440\u0435\u0448\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435
 ar={labelIdle:'Natiahn\xFA\u0165 s\xFAbor (drag&drop) alebo <span class="filepond--label-action">
 Vyh\u013Eada\u0165 </span>',labelInvalidField:"Pole obsahuje chybn\xE9
s\xFAbory",labelFileWaitingForSize:"Zis\u0165uje sa
ve\u013Ekos\u0165",labelFileSizeNotAvailable:"Nezn\xE1ma
ve\u013Ekos\u0165",labelFileLoading:"Pren\xE1\u0161a sa",labelFileLoadError:"Chyba pri
prenose",labelFileProcessing:"Prebieha upload",labelFileProcessingComplete:"Upload
dokon\u010Den\xFD",labelFileProcessingAborted:"Upload stornovan\xFD",labelFileProcessingError:"Chyba
 pri uploade",labelFileProcessingRevertError:"Chyba pri obnove",labelFileRemoveError:"Chyba pri
 odstr\xE1nen\xED",labelTapToCancel:"Kliknite pre storno",labelTapToRetry:"Kliknite pre
opakovanie",labelTapToUndo:"Kliknite pre vr\xEltenie",labelButtonRemoveItem:"Odstr\xElni\u0165",labelButtonAbortItemLoad:"Storno",labelButtonRetryItemLoad:"Opakova\u0165",labelButtonAbortItemProcessing:"Sp\xE4\u0165",labelButtonUndoItemProcessing:"Vr\xElti\u0165",labelButtonRetryItemProcessing:"Opakova\u0165",labelButtonProcessing:"Upload",labelMaxFileSizeExceeded:"S\xFAbor je pr\xEDli\u0161
 ve\u013Ek\xFD",labelMaxFileSize:"Najv\xE4\u010D\u0161ia ve\u013Ekos\u0165 s\xFAboru je
 {filesize}",labelMaxTotalFileSizeExceeded:"Prekro\u010Den\xE1 maxim\xE1lna celkov\xE1
ve\u013Ekos\u0165 s\xFAboru",labelMaxTotalFileSize:"Maxim\xE1lna celkov\xE1 ve\u013Ekos\u0165 s\xFAboru",labelMaxTotalFileSize:"Maxim\xE1lna celkov\xE1 ve\u013Ekos\u0165 s\xFAboru je {filesize}",labelFileTypeNotAllowed:"S\xFAbor je nespr\xE1vneho typu",fileValidateTypeLabelExpectedTypes:"0\u010Dak\xE1va sa {allButLastType} alebo {lastType}",imageValidateSizeLabelFormatError:"0br\xE1zok tohto typu nie je
 podporovan\xFD",imageValidateSizeLabelImageSizeTooSmall:"Obr\xE1zok je pr\xEDli\u0161
 mal\xFD",imageValidateSizeLabelImageSizeTooBig:"Obr\xE1zok je pr\xEDli\u0161
ve\u013Ek\xFD",imageValidateSizeLabelExpectedMinSize:"Minim\xE1lny rozmer je {minWidth} \xD7
 {minHeight}",imageValidateSizeLabelExpectedMaxSize:"Maxim\xEllny rozmer je {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"Rozl\xED\u0161enie je pr\xEDl\u0161
 mal\xE9",imageValidateSizeLabelImageResolutionTooHigh:"Rozli\u0161enie je pr\xEDli\u0161
 ve\u013Ek\xE9",imageValidateSizeLabelExpectedMinResolution:"Minim\xE1lne rozl\xED\u0161enie je
{minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maxim\xE1lne rozl\xED\u0161enie je
{maxResolution} ,imagevalidateSizeLabetExpectedMaxResolution: Maxim\xEithe Fozt\xED\u01denle je {maxResolution}"};var nr={labelIdle:'Drag och sl\xE4pp dina filer eller <span class="filepond--label-action"> Bl\xE4ddra </span>',labelInvalidField:"F\xE4ltet inneh\xE5ller felaktiga filer",labelFileWaitingForSize:"V\xE4ntar p\xE5 storlek",labelFileSizeNotAvailable:"Storleken finns inte tillg\xE4nglig",labelFileLoading:"Laddar",labelFileLoadError:"Fel under laddning",labelFileProcessing:"Laddar upp",labelFileProcessingComplete:"Uppladdning
```

```
klar",labelFileProcessingAborted:"Uppladdning avbruten",labelFileProcessingError:"Fel under uppladdning",labelFileProcessingRevertError:"Fel under
uppladdning", labelFileProcessingRevertError: "Fel under \xE5terst\xE4llning", labelFileRemoveError: "Fel under borttagning", labelTapToCancel: "tryck f\xF6r att avbryta", labelTapToRetry: "tryck f\xF6r att f\xF6rs\xF6ka igen", labelTapToUndo: "tryck f\xF6r att \xE5 ngra", labelButtonRemoveItem: "Tabort", labelButtonAbortItemLoad: "Avbryt", labelButtonRetryItemLoad: "F\xF6rs\xF6k igen", labelButtonAbortItemProcessing: "\xC5ngra", labelButtonRetryItemProcessing: "f\xF6rs\xF6k igen", labelButtonProcessItem: "Ladda upp", labelMaxFileSizeExceeded: "Filen \xE4r f\xF6r stor", labelMaxFileSize: "St\xF6rsta till\xE5tna
filstorlek \xE4r {filesize}",labelMaxTotalFileSizeExceeded:"Maximal uppladdningsstorlek uppn\xE5d",labelMaxTotalFileSize:"Maximal uppladdningsstorlek \xE4r
  {filesize}",labelFileTypeNotAllowed:"Felaktig
 filtyp",fileValidateTypeLabelExpectedTypes:"Godk\xE4nda filtyper {allButLastType} eller
 {lastType}",imageValidateSizeLabelFormatError: "Bildtypen saknar
tlastType; ",ImageValidateSizeLabelFormatError: Bildtypen Saknar
st\xF6d",imageValidateSizeLabelImageSizeTooSmall: "Bilden \xE4r f\xF6r
liten",imageValidateSizeLabelImageSizeTooBig: "Bilden \xE4r f\xF6r
stor",imageValidateSizeLabelExpectedMinSize: "Minimal storlek \xE4r {minWidth} \xD7
{minHeight}",imageValidateSizeLabelExpectedMaxSize: "Maximal storlek \xE4r {maxWidth} \xD7
{maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "Uppl\xF6sningen \xE4r f\xF6r
l\xE5g",imageValidateSizeLabelImageResolutionTooHigh: "Uppl\xF6sningen \xE4r f\xF6r
h\xF6g",imageValidateSizeLabelExpectedMinResolution: "Minsta till\xE5tna uppl\xF6sning \xE4r
{minResolution}",imageValidateSizeLabelExpectedMaxResolution:"H\xF6gsta till\xE5tna uppl\xF6sning \xE4r {maxResolution}");var lr={labelIdle:'Dosyan\u0131z\u0131 S\xFCr\xFCkleyin & B\u0131rak\u0131n ya da <span class="filepond--label-action"> Se\xE7in </span>',labelInvalidField:"Alan ge\xE7ersiz
 dosyalar i\xE7eriyor", labelFileWaitingForSize: "Boyut
 hesaplan\u0131yor",labelFileSizeNotAvailable: "Boyut mevcut
de\u011Fil",labelFileLoading:"Y\xFCkleniyor",labelFileLoadError:"Y\xFCkleme s\u0131ras\u0131nda hata olu\u015Ftu",labelFileProcessing:"Y\xFCkleniyor",labelFileProcessingComplete:"Y\xFCkleme tamamland\u0131",labelFileProcessingAborted:"Y\xFCkleme iptal
 edildi",labelFileProcessingError: "Y\xFCklerken hata
olu\u015Ftu",labelFileProcessingRevertError:"Geri \xE7ekerken hata
olu\u015Ftu",labelFileRemoveError:"Kald\u0131r\u0131rken hata
olu\u015Ftu",labelTapToCancel:"\u0130ptal_etmek i\xE7in_t\u0131klay\u0131n",labelTapToRetry:"Tekrar
denemek i\xE7in t\u0131klay\u0131n",labelTapToUndo:"Geri almak i\xE7in t\u0131klay\u0131n",labelTapToUndo:"Geri almak i\xE7in t\u0131klay\u0131n",labelButtonRemoveItem:"Kald\u0131r",labelButtonAbortItemLoad:"\u0130ptal Et",labelButtonRetryItemLoad:"Tekrar dene",labelButtonAbortItemProcessing:"\u0130ptal et",labelButtonUndoItemProcessing:"Geri Al",labelButtonRetryItemProcessing:"Tekrar dene",labelButtonProcessing:"Y\xFCkle",labelMaxFileSizeExceeded:"Dosya \xE7ok
b\xFCy\xFCk",labelMaxFileSize:"En fazla dosya boyutu: {filesize}",labelMaxTotalFileSizeExceeded:"Maximum boyut
 a\u015F\u0131ld\u0131",labelMaxTotalFileSize:"Maximum dosya boyutu
  :{filesize}",labelFileTypeNotAllowed:"Ge\xE7ersiz dosya
 tipi",fileValidateTypeLabelExpectedTypes:"\u015Eu {allButLastType} ya da \u015Fu dosya olmas\u0131
gerekir: {lastType}",imageValidateSizeLabelFormatError: "Resim tipi desteklenmiyor",imageValidateSizeLabelImageSizeTooSmall: "Resim \xE7ok k\xFC\xE7\xFCk",imageValidateSizeLabelImageSizeTooBig: "Resim \xE7ok b\xFCy\xFCk",imageValidateSizeLabelExpectedMinSize: "Minimum boyut {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize: "Maximum boyut {maxWidth} \xD7
    {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"\xC7\xF6z\xFCn\xFCr\\xFCk\xE7ok
 d\xFC\u015F\xFCk",imageValidateSizeLabelImageResolutionTooHigh:"\xC7\xF6z\xFCn\xFCr\xFCr\xFCr\ xFCr
 y\xFCksek",imageValidateSizeLabelExpectedMinResolution:"Minimum \xE7\xF6z\xFCn\xFCr\\xFCr\xFCk
 {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"Maximum \xE7\xF6z\xFCn\xFCr\xFCk {maxResolution}"};var
 or={labelIdle:'\u041F\u0435\u0440\u0435\u0442\u044F\u0433\u043D\u0456\u0442\u044C
 \u0444\u0430\u0439\u043B\u043B\u0438\u0430\u0431\u043E <span class="filepond--label-action">
  \u0432\u0438\u0431\u0435\u0440\u0456\u0442\u044C
  </span>',labelInvalidField:"\u041F\u043E\u043E\u0435\u043C\u0456\u0441\u0442\u0438\u0442\u044C\u044C\u0460\u0460\u0441\u0442\u0438\u044C\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0460\u0
 \u043D\u0435\u0435\u043F\u0443F\u0443\u0441\u0442\u0438\u043C\u0456\u0443\u0443\u0443\u0442\u0446\u0443C\u0443C\u043A\u0436\u0436\u0442\u044C
  \u0440\u043E\u0437\u043C\u0456\u0440",labelFileŠizeNotAvailable:"\u0420\u043E\u0437\u043C\u0456\u0456\u044
0 \u043D\u0435\u0434\u043E\u0441\u0442\u0443\u043F\u043B\u0439",labelFileLoading:"\u041E\u0447\u0456\u043A\u0432\u0432\u043B\u043B\u0448F\u043B\u043F\u043B\u043F\u043B\u043F\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\
B\u043A\u043B\u044F\u044B\u0448\u0445C\u0447\u0456\u0443A\u0443\u0432\u043D\u043D\u0443D\u0445C",label FileProcessing: "\u0417\u0430\u0432\u043D\u043D\u0442\u043D\u043D\u043D\u0445C",label FileProcessing: "\u0417\u0430\u043D\u043D\u043D\u0445C",label FileProcessing: "\u0417\u0430\u043D\u043D\u0445C",label FileProcessing: "\u0417\u0417\u0430\u043D\u0445C",label FileProcessing: "\u0417\u0417\u0430\u043D\u0445C",label FileProcessing: "\u0417\u0417\u0430\u043D\u0445C",label FileProcessing: "\u0417\u0417\u0430\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D
 rocessingComplete:"\u0417\u0430\u0432\u0430\u043D\u0442\u0430\u0436\u0435\u043D\u043D\u043F\u0437\u
 0430\u0432\u0435\u0440\u0448\u0435\u043D\u043E",labelFileProcessingAborted:"\u0417\u0430\u0430\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u043D\u
43E", labelFileProcessingError: "\u041F\u0436\u0436\u0436\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0438\u0
 43B \\ \\ u043D \\ u043D \\ u043B \\ u043B \\ u043B \\ u043A \\ u043B \\ u043A \\ u043B \\ u043A \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043B \\ u043
  \u043F\u0440\u0438\u0432\u0438\u0434\u0430\u043B\u0435\u043D\u043D\u0456",labelTapToCancel:"\u0412\
 \u0456\u0434\u0436\u0456\u043D\u0438\u0442\u0438",labelTapToRetry:"\u041D\u0438\u0442\u0438\u0441\u04
3D\u0456\u0442\u044C,\u0449\u043E\u0431\u043F\u043E\u0432\u0442\u043E\u0442\u0438\u0442\u0438\u0442\u043B\u043F\u043E\u0442\u043E\u043E\u043E\u043E\u0442\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u043E\u0
```

```
41 \verb|u043F| \verb|u0440| \verb|u043E| \verb|u0441| \verb|u0443E| \verb|u0443E| \verb|u0443E| \verb|u0445E| \verb|u04442| \verb|u0443E| \verb|u04441| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \verb|u0445E| \|u0445E| C, \u0449\u043E\u0431 \u0432\u0456\u0434\u043C\u0456\u043D\u0438\u0442\u0438
\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u0445\\u
 u0441\u043F\u0440\u043E\u0431\u0443*,labelButtonAbortItemProcessing:"\u0412\u0456\u0434\u0436\
 u043D \\ u0442 \\ u0438", label Button Undo I tem Processing: \\ \\ u0412 \\ u0456 \\ \\ u0434 \\ \\ u043C \\ \\ u0436 \\ \\ u043D \\ \\ u0438 \\ \\ u043C \\ \\ u043B \\ \\ u043C \\ \\ u043B \\ \\ u043C \\ \\ u043B \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u043C \\ \\ u0
 0442\u0438\u043E\u0441\u0442\u0430\u043D\u043D\u043E\u0434\u0456\u044E",labelButtonRetryItemProces
 sing:"\u041F\u043E\u0432\u0442\u043E\u0448\u0448\u0448\u0448\u0441\u043F\u0441\u043F\u0431\u0443",l
abelButtonProcessItem: "\u0417\u0438\u0438\u0430\u043D\u0438\u0431\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0435\u0436\u0436\u0436\u0436\u0435\u0435\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436\u0436
 size}",labelMaxTotalFileSizeExceeded:"\u041F\u0435\u0440\u0435\u0438\u0449\u0435\u0435\u0438\u0449\u0435\u043B\u043E
 \u0437\u0430\u0433\u0430\u043B\u044C\u043D\u043B\u0443P\u043F\u0437\u0437\u0437\u043C\u0456\u0440\u043B\u043F\u043F\u043B\u044S\u044S\u043B\u044S\u043B\u043B\u044S\u043B\u043B\u044C\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043B\u043
  \u0437\u0430\u0433\u0430\u043B\u044C\u043D\u0438\u0439\u0440\u043E\u0437\u043C\u0456\u0440:
 {filesize}",labelFileTypeNotAllowed:"\u0424\u043E\u0440\u043C\u04430\u0442\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0448\u0454\u
7\u043E\u0431\u0440\u0430\u0436\u0435\u043D\u043D\u043F\u0437\u0430\u043D\u043B\u0434\u0442\u043E\
,imageValidateSizeLabelExpectedMaxSize:"\u041C\u0430\u043A\u0441\u0438\u043C\u0430\u043B\u044C\u04
 3D\u0438\u0439\u0440\u043E\u0437\u043C\u0456\u0440: {maxWidth} \xD7
 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow:"\u0420\u043F\u0437\u043C\u0456\u0440\u0438\u0437\u043E\u0431\u0440\u0435\u0435\u043D\u044F
  \u0437\u0430\u043D\u0430\u0434\u0442\u043E\u043C\u0430\u043B\u0435\u043D\u044C\u043A\u0456",imageVa
 lidateSizeLabelImageResolutionTooHigh:"\u0420\u043E\u0437\u043C\u0456\u0440\u0438\u0437\u043E\u0431\u0440\u0438\u0435\u043D\u044F
   \u0437\u0430\u0430\u0430\u0434\u0442\u043E \u0432\u0435\u043B\u0438\u043A\u0456",imageValidateSizeLa
 belExpectedMinResolution:"\u041C\u0456\u043D\u0456\u043C\u043B\u044C\u043D\u0456
 \u0440\u043E\u0437\u043C\u0456\u0440\u0438: {minResolution}",imageValidateSizeLabelExpectedMaxResolution:"\u041C\u0430\u043A\u0441\u0438\u043C\u0430\u043B\u044C\u043D\u0456
 \u0440\u043E\u043T\u043C\u0456\u0440\u0438: {maxResolution}"};var rr={labelIdle:'K\xE9o th\u1EA3 t\u1EC7p c\u1EE7a b\u1EA1n ho\u1EB7c <span class="filepond--label-action"> T\xECm ki\u1EBFm
 </span>',labelInvalidField:"Tr\u01B0\u1EDDng ch\u1EE9a c\xE1c t\u1EC7p kh\xF4ng h\u1EE3p
 \\u1EC7",\labelFileWaitingForSize:"\u0110ang ch\u1EDD k\xEDch
th\u01B0\u1EDBc",\labelFileSizeNotAvailable:"K\xEDch th\u01B0\u1EDBc kh\xF4ng c\xF3
s\u1EB5n",labelFileLoading:"\u0110ang t\u1EA3i",labelFileLoadError:"L\u1ED7i khi
t\u1EA3i",labelFileProcessing:"\u0110ang t\u1EA3i \\xEAn",labelFileProcessingComplete:"T\u1EA3i
\\xEAn th\xE0nh c\xF4ng",labelFileProcessingAborted:"\u0110\xE3 hu\u1EF7 t\u1EA3i
 l\xEAn",labelFileProcessingError:"L\u1ED7i khi t\u1EA3i
l\xEAn",labelFileProcessingRevertError:"L\u1ED7i khi ho\xE0n
{filesize}",labelMaxTotalFileSizeExceeded:"\u0110\xE3 v\u01B0\u1EE3t qu\xE1 t\u1ED5ng k\xEDch
 th\u01B0\u1EDBc t\u1ED1i \u0111a",labelMaxTotalFileSize:"T\u1ED5ng k\xEDch th\u01B0\u1EDBc t\u1EC7p t\u1ED1i \u0111a l\xE0 {filesize}",labelFileTypeNotAllowed:"T\u1EC7p thu\u1ED9c lo\u1EA1i kh\xF4ng
h\u1EE3p l\u1EC7",fileValidateTypeLabelExpectedTypes:"Ki\u1EC3u t\u1EC7p h\u1EE3p l\u1EC7 l\xE0 {allButLastType} ho\u1EB7c {lastType}",imageValidateSizeLabelFormatError:"Lo\u1EA1h h\xECnh \u1EA3nh kh\xF4ng \u0111\u01B0\u1EE3c h\u1ED7 tr\u1EE3",imageValidateSizeLabelImageSizeTooSmall:"H\xECnh \u1EA3nh qu\xE1 nh\u1ECF",imageValidateSizeLabelImageSizeTooBig:"H\xECnh \u1EA3nh qu\xE1 l\u1EDBn",imageValidateSizeLabelExpectedMinSize:"K\xECnh th\u01B0\u1EDBc t\u1EDBc t\u1EC3u l\xE0 (airbidith) \u1EC3u l\xE0
{minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize: "K\xEDch th\u01B0\u1EDBc t\u1ED1i \u0111a l\xE0 {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow: "\u0110\u1ED9 ph\xE2n gi\u1EA3i qu\xE1 th\u1EA5p",imageValidateSizeLabelImageResolutionTooHigh: "\u0110\u1ED9 ph\xE2n gi\u1EA3i qu\xE1 cao",imageValidateSizeLabelExpectedMinResolution: "\u0110\u1ED9 ph\xE2n gi\u1EA3i t\u1ED1i thi\u1EC3u l\xE0
   .
{minResolution}",imageValidateSizeLabelExpectedMaxResolution:"\u0110\u1ED9 ph\xE2n gi\u1EA3i
 t\u1ED1i \u0111a l\xEO {maxResolution}"};var
```

```
sr={labelIdle:'\u62D6\u653E\u6587\u4EF6\uFF0C\u6216\u8005 <span class="filepond--label-action">
 \u6D4F\u89C8 </span>',labelInvalidField:"\u5B57\u6BB5\u5305\u542B\u65E0\u65548\u6587\u4EF6",labelFile WaitingForSize:"\u8BA1\u7B97\u6587\u4EF6\u5927\u5007\u5007\u6587\u4EF6\u5927\u5007\u6587\u4EF6\u5927\u5007\u6587\u4EF6\u5927\u5007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u6587\u4007\u6587\u4007\u6587\u4007\u6587\u5007\u6587\u6587\u6587\u6587\u6587\u5007\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u5587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u6587\u
u5C0F\u4E0D\u53EF\u7528",labelFileLoading:"\u52A0\u8F7D",labelFileLoadError:"\u52A0\u8F7D\u9519\u8BEF",labelFileProcessing:"\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u4E0A\u4F20",labelFileProcessingComplete:"\u5DF2\u5DF2\u4E0A\u4F20",labelFileProces\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\u5DF2\
 essingAborted: "\u4E0A\u4F20\u5DF2\u53D6\u6D88", labelFileProcessingError: "\u4E0A\u4F20\u51FA\u9519", l
 abelFileProcessingRevertError: "\u8FD8\u539F\u51FA\u9519",labelFileRemoveError: "\u5220\u9664\u51FA\u9
elButtonUndoItemProcessing: "\u64A4\u6D88", labelButtonPetryItemProcessing: "\u91CD\u8BD5", labelButtonP
 rocessItem: "\u4E0A\u4F20",labelMaxFileSizeExceeded: "\u6587\u4EF6\u592A\u5927",labelMaxFileSize: "\u6700\u5927\u503C: {filesize}",labelMaxTotalFileSizeExceeded: "\u8D85\u8FC7\u6700\u5927\u6587\u4EF6\u592
7\u5C0F",labelMaxTotalFileSize:"\u6700\u5927\u6587\u4EF6\u5927\u5C0F\uFF1A{filesize}",labelFileTypeNotAllowed:"\u6587\u4EF6\u7C7B\u578B\u65E0\u6548",fileValidateTypeLabelExpectedTypes:"\u5E94\u4E3A
 {allButLastType} \u6216 {lastType}",imageValidateSizeLabelFormatError:"\u4E0D\u652F\u6301\u56FE\u50CF\u7C7B\u578B",imageValidateSizeLabelImageSizeTooSmall:"\u56FE\u50CF\u592A\u5C0F",imageValidateSizeL
 abelImageSizeTooBig: "\u56FE\u50CF\u592A\u5927",imageValidateSizeLabelExpectedMinSize: "\u6700\u5C0F\u
 503C: {minWidth} \xD7 {minHeight}",imageValidateSizeLabelExpectedMaxSize: \\u6361\u527\u503C: {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelExpectedMaxSize: \\u6361\u527\u503C: {maxWidth} \xD7 {maxHeight}",imageValidateSizeLabelImageResolutionTooLow: \\u6361\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\u5261\
 4F4E",imageValidateSizeLabelImageResolutionTooHigh: "\u5206\u8FA8\u7387\u592A\u9AD8",imageValidateSiz
 eLabelExpectedMinResolution: "\u6700\u5206\u8FA8\u7387\uFF1A{minResolution}",imageValidateSizeL
 abelExpectedMaxResolution: "\u6700\u5927\u5206\u8FA8\u7387\uFF1A{maxResolution}"}; var
 cr={labelIdle:'\u62D6\u653E\u6A94\u6848\uFF0C\u6216\u8005 <span class="filepond--label-action">
\u700F\u89BD </span>',labelInvalidField:"\u4E0D\u652F\u653F4\u6864\u6848\u,labelFileWaitingForSize:"\u6863\u5728\u8808\u7897\u6848\u5927\u5065\u7808\u7808\u78880\u53D6\u482D",labelFileSizeNotAvailable:"\u6894\u6848\u5927\u5067\u48880\u53D6\u482D",labelFileLoadError:"\u8880\u53D6\u932F\u8844",labelFileProcessing:"\u480A\u5083",labelFileProcessingComplete:"\u50F2\u480A\u5083",labelFileProcessingError:"\u480A\u5083",labelFileProcessingError:"\u480A\u5083\u5083\u5082\u5083\u5082\u5083\u5083\u5082\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\u5083\
 32F\u8AA4",labelFileProcessingRevertError:"\u9084\u539F\u932F\u8AA4",labelFileRemoveError:"\u522A\u9
664\u932F\u8AA4",labelTapToCancel:"\u9EDE\u64CA\u53D6\u6D88",labelTapToRetry:"\u9EDE\u64CA\u91CD\u8A 66",labelTapToUndo:"\u9EDE\u64CA\u9084\u539F",labelButtonRemoveItem:"\u522A\u9664",labelButtonAbortI
temLoad: "\u505C\u6B62",labelButtonRetryItemLoad: "\u91CD\u8A66",labelButtonAbortItemProcessing: "\u53D6\u6D88",labelButtonUndoItemProcessing: "\u53D6\u6D88",labelButtonProcessing: "\u91CD\u8A66", labelButtonProcessitem: "\u4E0A\u50B3",labelMaxFileSizeExceeded: "\u6A94\u6848\u904E\u5927",labelMaxFi
 leSize:"\u6700\u5927\u503C\uFF1A{filesize}",labelMaxTotalFileSizeExceeded:"\u8D85\u904E\u6700\u5927\u53EF\u4E0A\u50B3\u5927\u5C0F",labelMaxTotalFileSize:"\u6700\u5927\u53EF\u4E0A\u50B3\u5927\u5C0F\uFF
1A{filesize}",labelFileTypeNotAllowed:"\u4E0D\u652F\u63F4\u6864\u985E\u578B\u6A94\u6848",fileValidat eTypeLabelExpectedTypes:"\u61C9\u708A {allButLastType} \u6216 {lastType}",imageValidateSizeLabelForm atError:"\u4E0D\u652F\u6301\u6864\u985E\u5716\u7247\u985E\u578B",imageValidateSizeLabelImageSizeTooS
\label{lem:mall: $$ mall: $$ u5716\u7247\u904E\u5C0F", imageValidateSizeLabelImageSizeTooBig: $$ u5716\u7247\u904E\u5927", imageValidateSizeLabelExpectedMinSize: $$ u6700\u5C0F\u5C3A\u5BF8\uFF1A\{minWidth\} \times D7$$
{minHeight}",imageValidateSizeLabelExpectedMaxSize:"\u6700\u5927\u5C3A\u5BF8\uFF1A{maxWidth} \xD7 {m
axHeight}",imageValidateSizeLabelImageResolutionTooLow:"\u89E3\u6790\u5EA6\u904E\u4F4E",imageValidat
eSizeLabelImageResolutionTooHigh: "\u89E3\u6790\u5EA6\u904E\u9AD8",imageValidateSizeLabelExpectedMinR esolution: "\u6700\u4F4E\u89E3\u6790\u5EA6\uFF1A{minResolution}",imageValidateSizeLabelExpectedMinR esolution: "\u6700\u9AD8\u89E3\u6790\u5EA6\uFF1A{minResolution}",imageValidateSizeLabelExpectedMaxResolution: "\u6700\u9AD8\u89E3\u6790\u5EA6\uFF1A{maxResolution}"};ve(Ul);ve(Hl);ve(ql);ve(Xl);ve(Jl);ve
   (po);ve(uo);ve(So);ve(Aa);window.FilePond=na;function wg({acceptedFileTypes:e,imageEditorEmptyFillCo
 lor:t,imageEditorMode:i,imageEditorViewportHeight:a,imageEditorViewportWidth:n,deleteUploadedFileUsi
 ng:l,isDeletable:o,isDisabled:r,getUploadedFilesUsing:s,imageCropAspectRatio:p,imagePreviewHeight:c,
 imageResizeMode:d,imageResizeTargetHeight:m,imageResizeTargetWidth:u,imageResizeUpscale:g,isAvatar:f
  ,hasImageEditor:h,hasCircleCropper:I,canEditSvgs:b,isSvgEditingConfirmed:T,confirmSvgEditingMessage:
 v,disabledSvgEditingMessage:y,isDownloadable:E,isMultiple: ,isOpenable:x,isPasteable:R,isPreviewable:z,isReorderable:P,itemPanelAspectRatio:A,loadingIndicatorPosition:B,locale:w,maxFiles:0,maxFilesVal
idationMessage:S,maxSize:L,minSize:D,maxParallelUploads:F,mimeTypeMap:G,panelAspectRatio:C,panelLayout:q,placeholder:[],removeUploadedFileButtonPosition:K,removeUploadedFileUsing:pe,reorderUploadedFile
 sUsing: k, should Append Files: H, should 0 rient Image From Exif: Y, should Transform Image: oe, state: ee, upload Buttilloop and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th
 onPosition:dt,uploadingMessage:pr,uploadProgressIndicatorPosition:mr,uploadŪsing:ur}){return{fileKey
 Index:{},pond:null,shouldUpdateState:!0,state:ee,lastState:null,error:null,uploadedFileIndex:{},isEd
itorOpen:!1,editingFile:{},currentRatio:"",editor:{},async init(){Ft(dr[w]??dr.en),this.pond=gt(this
  . refs.input, {acceptedFileTypes:e,allowImageExifOrientation:Y,allowPaste:R,allowRemove:o,allowReorde
 r:P,allowImagePreview:z,allowVideoPreview:z,allowAudioPreview:z,allowImageTransform:oe,credits:!1,fi
 les: a wait this.getFiles(), imageCropAspectRatio: p, imagePreviewHeight: c, imageResizeTargetHeight: m, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: p, imageTespectRatio: 
 eResizeTargetWidth:u,imageResizeMode:d,imageResizeUpscale:g,imageTransformOutputStripImageHead:!1,it
 emInsertLocation:H?"after":"before",...□&&{labelIdle:□},maxFileS:0,maxFileSize:L,minFileSize:D,...F&
 &{maxParallelUploads:F},styleButtonProcessItemPosition:dt,styleButtonRemoveItemPosition:K,styleItemP
 anelAspectRatio:A,styleLoadIndicatorPosition:B,stylePanelAspectRatio:C,stylePanelLayout:q,styleProgr
 essIndicatorPosition: mr, server: \{load: async(N,W) => \{let Q=await(await fetch(N, \{cache: "no-wait(await await fetch(N, \{cache: "no-wait(await(await fetch(N, \{cache: "no-wait(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(await(awai
 store"})).blob();W(Q)},process:(N,W,X,Q,Ge,Me)=>{this.shouldUpdateState=!1;let
 Kt=("10000000-1000-4000-8000"+-1e11).replace(/[018]/g,Qt=>(Qt^crypto.getRandomValues(new Uint8Array(
 1))[0]&15>>Qt/4).toString(16));ur(Kt,W,Qt=>{this.shouldUpdateState=!0,Q(Qt)},Ge,Me)},remove:async(N,
```

```
oseEditor(),onclose:()=>this.closeEditor()},fileValidateTypeDetectType:(N,W)=>new
Promise((X,Q)=>{let Ge=N.name.split(".").pop().toLowerCase(),Me=G[Ge]||W||Vl.getType(Ge);Me?X(Me):Q())}),this.□watch("state",async()=>{if(this.pond&&this.shouldUpdateState&&this.state!==void
0){if(this.state!==null&&Object.values(this.state).filter(N=>N.startsWith("livewire-file:")).length)
{this.lastState=null;return}JSON.stringify(this.state)!==this.lastState&&(this.lastState=JSON.string
ify(this.state),this.pond.files=await this.getFiles())}}),this.pond.on("reorderfiles",async N=>{let
W=N.map(X=>X.source instanceof
File?X.serverId:this.uploadedFileIndex[X.source]??null).filter(X=>X):await
k(H?W:W.reverse())}),this.pond.on("initfile",async
N=>{E&&(f||this.insertDownloadLink(N))}),this.pond.on("initfile",async
N=>\{x&&(f||this.insertOpenLink(N))\}\), this.pond.on("addfilestart", async
N=>{this.error=null, N.status===Et.PROCESSING QUEUED&&this.dispatchFormEvent("form-processing
started", {message:pr})}); let V=async()=>{this.pond.getFiles().filter(N=>N.status===Et.PROCESSING||N.
status===Et.PROCESSING_QUEUED).length||this.dispatchFormEvent("form-processing-finished")};this.pond.on("processfile",V),this.pond.on("processfilerevert",V),this.pond.on("warning",N=>{N.body==="Max files"&&(this.error=S)}),q==="compact"
circle"&&this.pond.on("error", N=>{this.error=`[{N.main}: [{N.sub}}`.replace("Expects or", "Expects")}
),this.pond.on("removefile",()=>this.error=null)},destroy(){this.destroyEditor(),ft(this.[refs.input])}
),this.pond=null},dispatchFormEvent(V,N={}){this.□el.closest("form")?.dispatchEvent(new CustomEvent(V,{composed:!0,cancelable:!0,detail:N}))},async getUploadedFiles(){let V=await s();this.
fileKeyIndex=V??{{}}, this.uploadedFileIndex=Object.entries(this.fileKeyIndex).filter(([N,W])=>W?.url).
 reduce((N,[W,X])=>(N[X.url]=W,N),\{\})\}, async getFiles()\{await this.getUploadedFiles();let V=[];for(let N of Object.values(this.fileKeyIndex))N&&V.push(\{source:N.url,options:\{type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,options:(type:"local",...,option
!N.type||z&&(/^audio/.test(N.type)||/^image/.test(N.type)||/^video/.test(N.type))?{}:{file:{name:N.n
ame,size:N.size,type:N.type}}});return
H?V:V.reverse()},insertDownloadLink(V){if(V.origin!==Ct.LOCAL)return;let
N=this.getDownloadLink(V); N&&document.getElementById(`filepond-
item-∏{V.id}`).querySelector(".filepond--file-info-
main").prepend(N)},insertOpenLink(V){if(V.origin!==Ct.LOCAL)return;let
N=this.getOpenLink(V);N&&document.getElementById(`filepond--item-\[{V.id}`).querySelector(".filepond
   -file-info-main").prepend(N)},getDownloadLink(V){let N=V.source;if(!N)return;let
W=document.createElement("a");return W.className="filepond--download-
icon",W.href=N,W.download=V.file.name,W},getOpenLink(V){let N=V.source;if(!N)return;let
W=document.createElement("a");return W.className="filepond--open-
icon",W.href=N,W.target="_blank",W},initEditor(){r||h&&(this.editor=new xa(this.□refs.editor,{aspect
Ratio:n/a,autoCropArea:1,center:!0,crop:V=>{this.□refs.xPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.value=Math.round(V.detail.x),this.□refs.yPositionInput.
his. refs.yPositionInput.value=Math.round(V.detail.y),this. refs.heightInput.value=Math.round(V.detail.y),this. refs.heightInput.value=Math.round(V.detail.width),this. refs.rotationInput.value=V.d
etail.rotate},cropBoxResizable:!0,guides:!0,highlight:!0,responsive:!0,toggleDragModeOnDblclick:!0,viewMode:i,wheelZoomRatio:.02}))},closeEditor(){this.editingFile={},this.isEditorOpen=!1,this.destroyEditor()},fixImageDimensions(V,N){if(V.type!=="image/svg+xml")return N(V);let W=new
FileReader; W. onload=X=>{let Q=new
DOMParser().parseFromString(X.target.result,"image/svg+xml")?.querySelector("svg");if(!Q)return
N(V);let Ge=["viewBox","ViewBox","viewbox"].find(Kt=>Q.hasAttribute(Kt));if(!Ge)return N(V);let
Me=Q.getAttribute(Ge).split(" ");return!Me||Me.length!==4?N(V):(Q.setAttribute("width",parseFloat(Me
[2])+"pt"),Q.setAttribute("height",parseFloat(Me[3])+"pt"),N(new File([new Blob([new XMLSerializer()
 .serializeToString(Q)],{type:"image/svg+xml"})],V.name,{type:"image/svg+xml",_relativePath:""})))},W
.readAsText(V)},loadEditor(V){if(r||!h||!V)return;let N=V.type==="image/svg+xml";if(!b&&N){alert(y);
return \} T\&\&N\&\&! confirm(v) | | this.fixImageDimensions(V,W=>\{this.editingFile=W,this.initEditor(); letwork for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm for the confirm 
X=new FileReader; X.onload=Q=>{this.isEditorOpen=!0,setTimeout(()=>this.editor.replace(Q.target.resul
t),200)},X.readAsDataURL(V)})},getRoundedCanvas(V){let
N=V.width, W=V.height, X=document.createElement("canvas"); X.width=N, X.height=W; let
Q=X.getContext("2d"); return
editor.getCroppedCanvas({fillColor:t??"transparent",height:m,imageSmoothingEnabled:!0,imageSmoothin
gQuality:"high",width:u});I&&(V=this.getRoundedCanvas(V)),V.toBlob(N=>{_&&this.pond.removeFile(this.pond.getFiles().find(W=>W.filename===this.editingFile.name)?.id,{revert:!0}),this. ☐nextTick(()=>{thi
s.shouldUpdateState=!1;let W=this.editingFile.name.slice(0,this.editingFile.name.lastIndexOf(".")),X = this.editingFile.name.split(".").pop();X==="svg"&&(X="png");let Q=/-v(d+)/;Q.test(W)?W=W.replace(Q,(Ge,Me)=>^-v[{Number(Me)+1}^-):W+="-v1",this.pond.addFile(new File).
e([N], [X]), \text{ type: this.editingFile.type==="image/svg+xml"||I?"image/png": this.editingFile.type, lastModified:new Date().getTime()})).then(()=>{this.closeEditor()}).catch(()=>{this.closeEditor()})
})},I?"image/png":this.editingFile.type)},destroyEditor(){this.editor&&typeof
this.editor.destroy=="function"&&this.editor.destroy(),this.editor=null}}}var dr={am:_o,ar:wo,az:Lo,
ca:Mo,ckb:Ao,cs:Po,da:zo,de:Oo,el:Fo,en:Do,es:Co,fa:Bo,fi:No,fr:ko,he:Vo,hr:Go,hu:Uo,id:Wo,it:Ho,ja:
jo,km:Yo,ko:qo,lt:∏o,lv:Xo,nb:Ko,nl:Qo,pl:Zo,pt:Jo,pt BR:er,ro:tr,ru:ir,sk:ar,sv:nr,tr:lr,uk:or,vi:r
r,zh_CN:sr,zh_TW:cr};export{wg as default};
/*! Bundled license information:
filepond/dist/filepond.esm.js:
      (*!
* FilePond 4.32.8
```

```
* Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pqina.nl/filepond/ for details.
cropperjs/dist/cropper.esm.js:
  (*!
 * Cropper.js v1.6.2
 * https://fengyuanchen.github.io/cropperjs
   * Copyright 2015-present Chen Fengyuan
   * Released under the MIT license
   * Date: 2024-04-21T07:43:05.335Z
filepond-plugin-file-validate-size/dist/filepond-plugin-file-validate-size.esm.js:
   * FilePondPluginFileValidateSize 2.2.8
   * Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pgina.nl/filepond/ for details.
filepond-plugin-file-validate-type/dist/filepond-plugin-file-validate-type.esm.js:
  * Licensed under MIT, https://opensource.org/licenses/MIT/
* Please visit https://pqina.nl/filepond/ for details.
filepond-plugin-image-crop/dist/filepond-plugin-image-crop.esm.js:
  (*!

* FilePondPluginImageCrop 2.0.6
   * Licensed under MIT, https://opensource.org/licenses/MIT/
* Please visit https://pqina.nl/filepond/ for details.
   *)
filepond-plugin-image-edit/dist/filepond-plugin-image-edit.esm.js:
   * FilePondPluginImageEdit 1.6.3
   * Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pqina.nl/filepond/ for details.
filepond-plugin-image-exif-orientation/dist/filepond-plugin-image-exif-orientation.esm.js:
   * FilePondPluginImageExifOrientation 1.0.11
   * Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pqina.nl/filepond/ for details.
filepond-plugin-image-preview/dist/filepond-plugin-image-preview.esm.js:
   * FilePondPluginImagePreview 4.6.12
   * Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pqina.nl/filepond/ for details.
filepond-plugin-image-resize/dist/filepond-plugin-image-resize.esm.js:
  (*!

* FilePondPluginImageResize 2.0.10
   * Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pgina.nl/filepond/ for details.
filepond-plugin-image-transform/dist/filepond-plugin-image-transform.esm.js:
  (*!
   * FilePondPluginImageTransform 3.8.7
   * Licensed under MIT, https://opensource.org/licenses/MIT/
   * Please visit https://pqina.nl/filepond/ for details.
filepond-plugin-media-preview/dist/filepond-plugin-media-preview.esm.js:
  (*!
```

public\js\filament\forms\components\file-upload.js

```
* FilePondPluginMediaPreview 1.0.11
* Licensed under MIT, https://opensource.org/licenses/MIT/
* Please visit undefined for details.
*)
*/
```

public\js\filament\forms\components\key-value.js

function h({state:r}){return{state:r,rows:[],init(){this.updateRows(),this.rows.length<=0?this.rows.push({key:"",value:""}):this.updateState(),this. \square watch("state",(e,t)=>{let s=i=>i===null?0:Array.isArray(i)?i.length:typeof i!="object"?0:Object.keys(i).length;s(e)===0&&s(t)==0||this.updateRows()})},addRow(){this.rows.push({key:"",value:""}),this.updateState()},deleteRow(e){this.rows.splice(e,1),this.rows.length<=0&&this.addRow(),this.updateState()},reorderRows(e){let t=Alpine.raw(this.rows);this.rows=[];let s=t.splice(e.oldIndex,1)[0];t.splice(e.newIndex,0,s),this. \square nextTick(()=>{this.rows=t,this.updateState()})},updateRows(){let t=Alpine.raw(this.state).map(({key:s,value:i})=>({key:s,value:i}));this.rows.forEach(s=>{(s.key===""||s.key===null)&&t.push({key:"",value:svalue})}),this.rows=t},updateState(){let e=[];this.rows.forEach(t=>{t.key===""||t.key===null||e.push({key:t.key,value:t.value})}),JSON.stringify(this.state)!=JSON.stringify(e)&&(this.state=e)}}} export{h as default};

```
var ss=Object.defineProperty;var Sd=Object.getOwnPropertyDescriptor;var
  Td=Object.getOwnPropertyNames; var Ld=Object.prototype.hasOwnProperty; var
 \begin{array}{lll} \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} = & \text{Cd} 
  Yo=="object"&&typeof Qo<"u"?Qo.exports=p():typeof
  define = "function" \& define . amd? define(p): (o=o||self,o.CodeMirror=p())}) (Yo,function(){"use})
  /Trident\/(?:[7-
  9] d\{2,\} \\ .*rv: (d+)/.exec(0), S=/Edge/((d+)/.exec(0), s=C||b||S, h=s&&(C?document.documentMode||6:+)
   (S||b)[1]), g=!S&&/WebKit\//.test(o), T=g&&/Qt\/\d+\.\d+/.test(o), w=!S&&/Chrome\/(\d+)/.exec(o), c=w&&+
  w[i],d=/Opera\//.test(o),k=/Apple Computer/.test(navigator.vendor),z=/Mac OS X 1\d\D([8-
  9] \mid dd \mid D/.test(0), M=/PhantomJS/.test(0), =k&&(/Mobile\/\w+/.test(0)||navigator.maxTouchPoints>2), Ware the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the s
  =/Android/.test(o),E= ||W||/web0S|BlackBerry|Opera Mini|Opera Mobi|IEMobile/i.test(o),N= ||/Mac/.tes
t(p),G=/\bCr0S\b/.test(o),J=/\win/i.test(p),re=d&&o.match(/\Version\/(\d^*\.\d^*)/);re&&(re=\Number(re[1])),re&&re>=15&&(d=!1,g=!0);var q=N&&(T||d&&(re==null||re<12.11)),0=v||s&&h>=9;function D(e){return new RegExp("(^\\s)"+e+"(?:<math>\Box|\\s)\\s*")}var Q=function(e,t){var}
  n=e.className,r=D(t).exec(n);if(r){var
  i=n.slice(r.index+r[0].length); e.className=n.slice(0,r.index)+(i?r[1]+i:"")}}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){for(var)}; function j(e){
  t=e.childNodes.length;t>0;--t)e.removeChild(e.firstChild);return e}function V(e,t){return
 \label{eq:control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_co
  t=="string")i.appendChild(document.createTextNode(t));else if(t)for(var
  a=0;a<t.length;++a)i.appendChild(t[a]);return i}function K(e,t,n,r){var i=y(e,t,n,r);return}
  i.setAttribute("role","presentation"),i}var X;document.createRange?X=function(e,t,n,r){var
i=document.createRange();return i.setEnd(r||e,n),i.setStart(e,t),i):X=function(e,t,n){var r=document.body.createTextRange();try{r.moveToElementText(e.parentNode)}catch{return r}return r.collapse(!0),r.moveEnd("character",n),r.moveStart("character",t),r};function F(e,t){if(t.nodeType==3&&(t=t.parentNode),e.contains)return e.contains(t);do
  if(t.nodeType==11\&(t=t.host),t==e) return!0; while(t=t.parentNode)} function R(e){var t=e.ownerDocumen}
t||e,n;try{n=e.activeElement}catch{n=t.body||null}for(;n&&n.shadowRoot&&n.shadowRoot.activeElement;)
n=n.shadowRoot.activeElement;return n}function le(e,t){var
n=e.className;D(t).test(n)||(e.className+=(n?" ":"")+t)}function xe(e,t){for(var n=e.split("
"),r=0;r<n.length;r++)n[r]&&!D(n[r]).test(t)&&(t+=""+n[r]);return t}var I=function(e){e.select()};_
  ?I=function(e){e.selectionStart=0,e.selectionEnd=e.value.length}:s&&(I=function(e){try{e.select()}ca
  tch{}});function L(e){return e.display.wrapper.ownerDocument}function de(e){return
  ze(e.display.wrapper)}function ze(e){return e.getRootNode?e.getRootNode():e.ownerDocument}function
 pe(e) \{return \ L(e). default View\} function \ Ee(e) \{var \ t=Array.prototype.slice.call(arguments,1); return \ function() \{return \ e.apply(null,t)\} \} function \ ge(e,t,n) \{t | | (t={}); for(var \ r \ in \ return \ e.apply(null,t)) \} \} function \ ge(e,t,n) \} \} \} \} 
  e)e.hasOwnProperty(r)&&(n!==!1||!t.hasOwnProperty(r))&&(t[r]=e[r]);return t}function
 0e(e,t,n,r,i)\{t=-null&&(t=e.search(/[^\s\u00a0]/),t==-1&&(t=e.length));for(var a=r||0,l=i||0;;)\{var u=e.index0f(" ",a);if(u<0||u>=t)return l+(t-a);l+=u-a,l+=n-l%n,a=u+1}\}var qe=function(){this.id=null}
  l, this.f=null, this.time=0, this.handler=Ee(this.onTimeout, this)\}; qe.prototype.onTimeout=function(e){e}
       .id=0,e.time<=+new Date?e.f():setTimeout(e.handler,e.time-+new
  Date)\}, qe.prototype.set=function(e,t)\{this.f=t; var\ n=+new\ Date+e; (!this.id||n<this.time)\&\&(clearTime)\}\}
 out(this.id),this.id=setTimeout(this.handler,e),this.time=n)};function Se(e,t){for(var n=0;n<e.length;++n)if(e[n]==t)return n;return-1}var Be=50,Ze={toString:function(){return"CodeMirror.
Pass"}}, ke={scroll:!1}, Je={origin:"*mouse"}, Re={origin:"+move"}; function Ge(e,t,n){for(var r=0,i=0;;)}{var a=e.index0f(" ",r);a==-1&&(a=e.length); var l=a-r;if(a==e.length||i+l>=t)return r+Math.min(l,t-i);if(i+=a-r,i+=n-i%n,r=a+1,i>=t)return r}}} Z(e){for(;U.length<=e;)U.push(ce(U)+" ");return U[e]}function ce(e){return e[e.length-1]}function
  He(e,t)\{for(var\ n=[],r=0;r< e.length;r++)n[r]=t(e[r],r);return\ n\}function\ te(e,t,n)\{for(var,t)\}=t(e[r],r)\}
  r=0, i=n(t); r<e.length\&\&n(e[r])<=i;) \\ r++; e.splice(r,0,t) \\ function fe() \\ \{\} function oe(e,t) \\ \{var n; return equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation fe(), equation
  Object.create? n = Object.create(e): (fe.prototype = e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u00df \u0587 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u0590 \u0590 \u0590 - e, n = new fe), t\&\&ge(t,n), n \} var Ue = /[\u0590 \u0590 u05f4\u0600-\u06ff\u3040-\u309f\u30a0-\u30ff\u3400-\u4db5\u4e00-\u9fcc\uac00-\ud7af]/;function
  we(e) {return/\w/.test(e)||e>"\x80"&&(e.toUpperCase()!=e.toLowerCase()||Ue.test(e))} function
  Me(e,t) {return t?t.source.index0f("\\w")>-1&&we(e)?!0:t.test(e):we(e)} function Le(e){for(var t in
  e)if(e.hasOwnProperty(t)&&e[t])return!1;return!0}var [=/[\u0300-\u036f\u0483-\u0489\u0591-\u05bd\u05bd\u05c1\u05c2\u05c2\u05c2\u05c2\u05c4\u05c5\u06dc-\u06da\u06db-\u06fe\u06fe\u06fe\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc\u06dc-\u06dc-\u06dc\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06dc-\u06
  \u06e4\u06e7\u06e8\u06ea-\u06ed\u0711\u0730-\u074a\u07a6-\u07b0\u07eb-\u07f3\u0816-\u0819\u081b-
   \u0823\u0825-\u0827\u0829-\u082d\u0900-\u0902\u093c\u0941-\u0948\u094d\u0951-
  \u0955\u0962\u0963\u0981\u09bc\u09be\u09c1
    \u09c4\u09cd\u09d7\u09e2\u09e3\u0a01\u0a02\u0a3c\u0a41\u0a42\u0a47\u0a48\u0a4b-
  \u0a4d\u0a51\u0a70\u0a71\u0a75\u0a81\u0a82\u0abc\u0ac1-
   \verb|\u0ac5|\u0ac7|\u0ac8|\u0ae2|\u0ae3|\u0b01|\u0b3c|\u0b3e|\u0b41-
  \\ \verb|\u0b44\\ \verb|\u0b56\\ \verb|\u0b57\\ \verb|\u0b62\\ \verb|\u0b63\\ \verb|\u0b62\\ \verb|\u0bbe\\ \verb|\u0bc0\\ \verb|\u0bcd\\ \verb|\u0bd7\\ \verb|\u0c3e-\\ \verb|\u0c46-\\ \verb|\u0c48+\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \verb|\u0c4a-\\ \u0c4a-\\ -\backslash u0d44\backslash u0d4d\backslash u0d57\backslash u0d62\backslash u0d63\backslash u0dca\backslash u0dcf\backslash u0dd2-\backslash u0dd4\backslash u0ddf\backslash u0e31\backslash u0e34-\backslash u0e3a\backslash u0e47-(u0dd4)\backslash u0e3a\backslash u0e47-(u0dd4)\backslash u0de40\backslash u0de57\backslash u0e3a\backslash u0e47-(u0dd4)\backslash u0de57\backslash u0e3a\backslash u0e47-(u0dd4)\backslash u0de57\backslash u0e3a\backslash u0e47-(u0dd4)\backslash u0e3a\backslash u0e48-(u0e3a)\backslash u0e3a\backslash u0e48-(u0e3a)\backslash u0e3a\backslash u0e48-(u0e3a)\backslash u0e48-(u
  \\ \verb| u0e4e | u0eb1 | u0eb4 - | u0eb9 | u0ebb | u0ebc | u0ec8 - | u0ecd | u0f18 | u0f19 | u0f35 | u0f37 | u0f39 | u0f71 - | u0f7e | u0f80 - | u0eb1 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 | u0eb2 |
   \u0f84\u0f86\u0f87\u0f90-\u0f97\u0f99-\u0fbc\u0fc6\u102d-\u1030\u1032-
  \u1037\u1039\u103a\u103d\u103e\u1058\u1059\u105e-\u1060\u1071-
  \\ \verb|u1074|u1082|u1085|u1086|u108d|u109d|u135f|u1712-|u1714|u1732-|u1734|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u174|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u1752|u1753|u1752|u1753|u1772|u1773|u17b7-|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1752|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1753|u1
```

```
\\ \verb|u17bd|u17c6|u17c9-|u17d3|u17dd|u180b-|u180d|u18a9|u1920-|u1922|u1927|u1928|u1932|u1939-|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1926|u1
   \u193b\u1a17\u1a18\u1a56\u1a56\u1a5e\u1a60\u1a62\u1a65-\u1a6c\u1a73-\u1a7c\u1a7f\u1b00-
  \u1b03\u1b34\u1b36-\u1b3a\u1b3c\u1b42\u1b6b-\u1b73\u1b80\u1b81\u1ba2-\u1ba5\u1ba8\u1ba9\u1c2c-
  \ulc33\ulc36\ulc37\ulcd0-\ulcd2\ulcd4-\ulce0\ulce2-\ulce8\ulced\uldc0-\ulde6\uldfd-\uldff\u200c\u200d\u20d0-\u20f0\u2cef-\u2cf1\u2de0-\u2dff\u302a-\u302f\u3099\u309a\ua66f-
  \ua951\ua980-\ua982\ua9b3\ua9b6-\ua9b9\ua9bc\uaa29-\ua9b6-\ua9b9\ua9bc\uaa29-\ua9b9\ua9bc\uaa29-\ua9b9\ua9bc\uaa29-\ua9b9\ua9b6-\ua9b9\ua9bc\uaa29-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9bc\uaa29-\ua9b9\ua9b6-\ua9b9\ua9bc\uaa29-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b9\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6-\ua9b6
   \uaa2e\uaa31\uaa32\uaa35\uaa36\uaa43\uaa4c\uaab0\uaab2-
   \uaab4\uaab7\uaab8\uaabe\uaabf\uaac1\uabe5\uabe8\uabed\udc00-\udfff\ufb1e\ufe00-\ufe0f\ufe20-
  se(e,t,n)\{for(;(n<0?t>0:t<e.length)\&\&H(e.charAt(t));)t+=n;return\ t\}function\ De(e,t,n)\{for(varanter)\}
  r=t>n?-1:1;;){if(t==n)return t;var i=(t+n)/2,a=r<0?Math.ceil(i):Math.floor(i);if(a==t)return
  e(a)?t:n;e(a)?n=a:t=a+r}}function nt(e,t,n,r){if(!e)return r(t,n,"ltr",0);for(var)
  i=!1, a=0; a<e. length; ++a) {var l=e[a]; (l.from<n&&l.to>t||t==n&&l.to==t)&&(r(Math.max(l.from,t), Math.mi
 \begin{array}{ll} \text{$1=1, d=0; d<e. terigdif, $++a$, $\{var =e[a]; (t.110)| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.100| -t.1
  mmmrrmmNmmmmrr1111111111"; function n(m) \{return m <= 247?e.charAt(m): 1424 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524?"R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R": 1536 <= m\&m <= 1524."R"
  785? \texttt{t.charAt} (\texttt{m-1536}) : 1774 < = \texttt{m\&\&m} < = 2220? \texttt{"r"} : 8192 < = \texttt{m\&\&m} < = 8203? \texttt{"w"} : \texttt{m} = = 8204? \texttt{"b"} : \texttt{"L"} \texttt{var} = 8204? \texttt{"b"} : \texttt{m} = 8204? \texttt{"b"} : \texttt{m} = 8204? \texttt{"b"} : \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 8204? \texttt{m} = 82
  r=/[u0590-u05f4u0600-u06ffu0700-u08ac]/,i=/[stwN]/,a=/[LRr]/,l=/[Lbln]/,u=/[ln]/;function
   f(m,A,B)\{this.level=m,this.from=A,this.to=B\} return\ function(m,A)\{varB=A=="ltr"?"L":"R";if(m.length==0||A=="ltr"&&!r.test(m))return!1;for(var) return!1;for(var) return return!1;for(var) return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return return re
  ee=m.length, Y=[], ie=0; ie<ee; ++ie) \\ Y.push(n(m.charCodeAt(ie))); for(var ue=0, me=B; ue<ee; ++ue) \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue\} \\ \{var ue=0, me=B; ue<ee; ++ue>=be
  ve=Y[ue]; ve=="m"?Y[ue]=me:me=ve for (var e=0,be=B; e<ee;++e) {var
  Ce=Y[ e];Ce=="1"&&be=="r"?Y[ e]="n":a.test(Ce)&&(be=Ce,Ce=="r"&&(Y[ e]="R"))}for(var
  \label{eq:Ne-1} $$ Ne=1, \bar{I}e=Y[0]; Ne<ee-1; ++Ne) \{ var \ \Box e=Y[Ne]; \Box e=="+"&\&Ie=="1"&&Y[Ne+1]=="1"?Y[Ne]="1": \Box e==", "&\&Ie==Y[Ne+1]=="1"?Y[Ne]="1": \Box e==", "&\&Ie==Y[Ne+1]=="1"?Y[Ne]="1": \Box e==", "&\&Ie==Y[Ne+1]=="1"?Y[Ne]="1": \Box e==", "&\&Ie==Y[Ne]="1": \Box e==Y[Ne]="1": \Box e==", "&\&Ie==Y[Ne]="1": \Box e==Y[Ne]="1": ]&&(Ie=="1"||Ie=="n")&&(Y[Ne]=Ie),Ie=[e}for(var Ve=0;Ve<ee;++Ve){var
\text{Ve=1 | | 1e== | | \&\(\frac{1}{Ne}=1e\), \text{Ie=|e}\\text{Ior}(\text{Var} \text{Ve=0}; \text{Ve<ee}; \text{++Ve})\{\text{Var} \text{Ve=|e}\} \\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \text{Ve=|e}\\ \tex
ut=0,Dt=B;ut<ee;++ut){var yt=Y[ut];Dt=="L"&&yt=="1"?Y[ut]="L":a.test(yt)&&(Dt=yt)}for(var ft=0;ft<ee;++ft)if(i.test(Y[ft])){var ct=void 0;for(ct=ft+1;ct<ee&i.test(Y[ct]);++ct);for(var lt=(f t?Y[ft-1]:B)=="L",qt=(ct<ee?Y[ct]:B)=="L",pn=lt==qt?lt?"L":"R":B,Sr=ft;Sr<ct;++Sr)Y[Sr]=pn;ft=ct-1}for(var St=[],rr,bt=0;bt<ee;)if(i.test(Y[bt])){var
  Zo=bt; for(++bt; bt < ee&l.test(Y[bt]); ++bt); St.push(new f(0,Zo,bt))) else{var}
  cr=bt,Nr=St.length,Or=A=="rtl"?1:0;for(++bt;bt<ee&&Y[bt]!="L";++bt);for(var</pre>
  Lt=cr;Lt<bt;)if(u.test(Y[Lt])){cr<Lt&&(St.splice(Nr,0,new f(1,cr,Lt)),Nr+=0r);var
\label{eq:hn_local} $$ hn=Lt; for(++Lt;Lt<bt&&u.test(Y[Lt]);++Lt);St.splice(Nr,0,new f(1,cr,bt))\} return $$ A=="ltr"&&(St[0].level==1&&(rr=m.match(/^\s+/))&&(St[0].from=rr[0].length,St.unshift(new f(1,cr,bt)) f(1,cr,bt)) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,bt) f(1,cr,b
  f(0,0,rr[0].length))),ce(St).level==1&&(rr=m.match(/\s+<math>|/))&&(ce(St).to-=rr[0].length,St.push(new))
  f(0,ee-rr[0].length,ee)))), A=="rtl"?St.reverse():St}}(); function Pe(e,t){var n=e.order; return
  n==null&&(n=e.order=It(e.text,t)),n}var
  xt=[],Fe=function(e,t,n){if(e.addEventListener)e.addEventListener(t,n,!1);else
  if(e.attachEvent)e.attachEvent("on"+t,n);else{var
  r=e._handlers=\{\}\}; r[t]=(r[t]||xt).concat(n)\}\}; function <math>nr(e,t)\{return terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms terms ter
  e. handlers&&e. handlers[t]||xt}function
         t(e,t,n){if(e.removeEventListener)e.removeEventListener(t,n,!1);else
  if(e.detachEvent)e.detachEvent("on"+t,n);else{var r=e._handlers,i=r&&r[t];if(i){var
  a=Se(i,n);a>-1\&\&(r[t]=i.slice(0,a).concat(i.slice(a+1))))\} function it(e,t) {var
  n=nr(e,t);if(n.length)for(var
  r=Array.prototype.slice.call(arguments,2),i=0;i<n.length;++i)n[i].apply(null,r)}function
 ot(e,t,n){return typeof t=="string"&&(t={type:t,preventDefault:function(){this.defaultPrevented=!0}}),it(e,n||t.type,e,t),Ct(t)||t.codemirrorIgnore}function Rt(e){var
  t=e. handlers&&e. handlers.cursorActivity;if(t)for(var n=e.cur0p.cursorActivityHandlers||(e.cur0p.cu
  rsor\overline{Activity} Handlers = []), r = 0; r < t.length; ++r) Se(n,t[r]) = -1 \& n.push(t[r]) \} function \ Ft(e,t) \{ return the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the c
  nr(e,t).length>0}function Wt(e){e.prototype.on=function(t,n){Fe(this,t,n)},e.prototype.off=function(
  t,n){_t(this,t,n)}}function kt(e){e.preventDefault?e.preventDefault():e.returnValue=!1}function
  Rr(e){e.stopPropagation?e.stopPropagation():e.cancelBubble=!0}function Ct(e){return
  e.default Prevented! = null?e.default Prevented:e.return Value == !1 \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ \{kt(e), Rr(e)\} \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(e) \\ function \ dr(
  yn(e){return e.target||e.srcElement}function Ut(e){var t=e.which;return
  \dot{t}==null\&\&(e.button\&1?\dot{t}=1:e.button\&2?\dot{t}=3:e.button\&4\&\&(t=2)),N\&\&e.ctrlKey\&\&t==1\&\&(t=3),t}var
eo=function(){if(s&&h<9)return!1;var e=y("div");return"draggable"in e||"dragDrop"in e}(),Hr;function ei(e){if(Hr==null){var t=y("span","\u200B");V(e,y("span",[t,document.createTextNode("x")])),e.firstC hild.offsetHeight!=0&&(Hr=t.offsetWidth<=1&&t.offsetHeight>2&&!(s&&h<8))}var n=Hr?y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u200B"):y("span","\u20
  ocument.createTextNode("A\u062EA")), n=X(t,0,1).qetBoundingClientRect(), r=X(t,1,2).qetBoundingClientR
```

```
ect();return j(e),!n||n.left==n.right?!1:xn=r.right-n.right<3}var Ht=`</pre>
 b`.split(/\n/).length!=3?function(e){for(var t=0,n=[],r=e.length;t<=r;){var i=e.index0f(`
     (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2, (i-1)^2,
 1?(n.push(a.slice(0, \tilde{l})), t+=l+1):(n.push(a), t=i+1)\}return n:function(e){return
 e.split(/\r\n?|\n/)},hr=window.getSelection?function(e){trv{return}
 createRange()}catch{}return!t||t.parentElement()!=e?!1:t.compareEndPoints("StartToEnd",t)!=0},ti=fun
 ction(){var e=y("div");return"oncopy"in e?!0:(e.setAttribute("oncopy","return;"),typeof
 e.oncopy=="function")\}(), | t=null; function to(e) \{if(| t!=null) return | t; var
 t=V(e,y("span","x")),n=t.getBoundingClientRect(),r=X(t,0,1).getBoundingClientRect();return
e=="string"&&Kt.hasOwnProperty(e))e=Kt[e];else if(e&&typeof
 e.name=="string"&&Kt.hasOwnProperty(e.name)){var t=Kt[e.name];typeof
 t=="string"&&(t={name:t}),e=oe(t,e),e.name=t.name}else{if(typeof
e=="string"&&/^[\w\-]+\/[\w\-]+\+xml\]/.test(e))return Ur("application/xml");if(typeof e=="string"&&/^[\w\-]+\/[\w\-]+\+json\]/.test(e))return Ur("application/json")}return typeof e=="string"?{name:e}:e||{name:"null"}}function \[ \text{rest}(e) \text{t=Ur(t)}; var n=Wr[t.name];if(!n)return \]
 []r(e,"text/plain");var r=n(e,t);if(gr.has0wnProperty(t.name)){var i=gr[t.name];for(var a in i)i.has0
\label{thm:property} wn Property (a) \& (r.has0wnProperty(a) \& (r["\_"+a]=r[a]), r[a]=i[a]) \} if (r.name=t.name, t.helperType \& (r.helperType=t.helperType), t.modeProps) for (var l in t.modeProps) r[l]=t.modeProps[l]; return r} var gr={}; function Kr(e,t) \{var n=gr.has0wnProperty(e)?gr[e]=gr[e]={}; ge(t,n) \} function \\ \end{tabular}
 Vt(e,t){if(t===!0)return t;if(e.copyState)return e.copyState(t);var n={};for(var r in t){var
 i=t[r]; i instanceof Array&&(i=i.concat([])),n[r]=i} return n} function _n(e,t){for(var) for (e,t)}
 n;e.innerMode&&(n=e.innerMode(t),!(!n||n.mode==e));)t=n.state,e=n.mode;return
 n){this.pos=this.start=0,this.string=e,this.tabSize=t||8,this.lastColumnPos=this.lastColumnValue=0,t
 his.lineStart=0,this.lineOracle=n};at.prototype.eol=function(){return
 this.pos>=this.string.length},at.prototype.sol=function(){return
 this.pos==this.lineStart},at.prototype.peek=function(){return this.string.charAt(this.pos)||void
 0},at.prototype.next=function(){if(this.pos<this.string.length)return
 this.string.charAt(this.pos++)},at.prototype.eat=function(e){var
t=this.string.charAt(this.pos), n; if(typeof e=="string"?n=t==e:n=t&&(e.test?e.test(t):e(t)), n) return+this.pos, t\}, at.prototype.eatWhile=function(e) \{for(var t=this.pos;this.eat(e);); return
 this.pos>t},at.prototype.eatSpace=function(){for(var
 e=this.pos;/[\s\u00a0]/.test(this.string.charAt(this.pos));)++this.pos;return this.pos>e},at.prototy
 pe.skipToEnd=function(){this.pos=this.string.length},at.prototype.skipTo=function(e){var
 t=this.string.indexOf(e,this.pos);if(t>-1)return
 this.pos=t, \overline{0}, at.prototype.backUp=function(e){this.pos-=e}, at.prototype.column=function(){return th
 is.lastColumnPos<this.start&&(this.lastColumnValue=0e(this.string,this.start,this.tabSize,this.lastC
 olumnPos, this.lastColumnValue), this.lastColumnPos=this.start), this.lastColumnValue-
 (this.lineStart?0e(this.string,this.lineStart,this.tabSize):0)},at.prototype.indentation=function(){
 return Oe(this.string, null, this.tabSize)
  (this.lineStart?0e(this.string,this.lineStart,this.tabSize):0)\}, at.prototype.match=function(e,t,n) \\ \{interpretation(e,t,n), (interpretation(e,t,n), f(typeof e=="string"){var r=function(l){return
 n?l.toLowerCase():\bar{\},i=this.string.substr(this.pos,e.length);if(r(i)==r(e))return
 t!==!1&&(this.pos+=e.length),!0}else{var a=this.string.slice(this.pos).match(e);return
a\&\&a.index>0?null:(a\&\&t!==!1\&\&(this.pos+=a[0].length),a)\}, at.prototype.current=function()\{return\ this.string.slice(this.start,this.pos)\}, at.prototype.hideFirstChars=function(e,t)\{this.lineStart+=e;tring.slice(this.start,this.pos)\}, at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.prototype.hideFirstChars=function(e,t)$} at.pr
 y{return t()}finally{this.lineStart-=e}},at.prototype.lookAhead=function(e){var
 t=this.lineOracle;return t&&t.lookAhead(e)},at.prototype.baseToken=function(){var
 e=this.lineOracle;return e&&e.baseToken(this.pos)};function
 Ae(e,t)\{if(t-=e.first,t<0 \mid |t>=e.size) throw \ new \ Error("There is no line "+(t+e.first)+" \ in \ the line the line throw the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line through the line throug
 document.");for(var n=e;!n.lines;)for(var r=0;;++r){var
 i=n.children[r], a=i.chunkSize(); if (t < a) \{n=i; break\}t-=a\} return \ n.lines[t] \} function \ ir (e,t,n) \{varante (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e,t,n), (e
 r=[],i=t.line;return e.iter(t.line,n.line+1,function(a){var
 l=a.text; i=en.line\&(l=l.slice(0,n.ch)), i=et.line\&(l=l.slice(t.ch)), r.push(l), ++i\}), r\} function
 kn(e,t,n) {var r=[]; return e.iter(t,n,function(i){r.push(i.text)}),r} function Bt(e,t){var
 n=t-e.height;if(n)for(var r=e;r;r=r.parent)r.height+=n}function x(e){if(e.parent==null)return
null;for(var t=e.parent,n=Se(t.lines,e),r=t.parent;r;t=r,r=r.parent)for(var
i=0;r.children[i]!=t;++i)n+=r.children[i].chunkSize();return n+t.first}function P(e,t){var
 n=e.first;e:do{for(var r=0;r<e.children.length;++r){var</pre>
 i=e.children[r],a=i.height;if(t<a){e=i;continue e}t-=a,n+=i.chunkSize()}return
 n}while(!e.lines);for(var l=0;l<e.lines.length;++l){var
 u=e.lines[l],f=u.height;if(t<f)break;t-=f}return n+l}function ae(e,t){return
 t>=e.first&&t<e.first+e.size}function he(e,t){return
 String(e.lineNumberFormatter(t+e.firstLineNumber))) function ne(e,t,n) \\ \{if(n===void\ 0\&\&(n=null),!(this new points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the points of the po
 instanceof\ ne) return new\ ne(e,t,n); this.line=e,this.ch=t,this.sticky=n} function ye(e,t){return
 e.line-t.line||e.ch-t.ch|function Xe(e,t){return e.sticky==t.sticky&&ye(e,t)==0}function
 pt(e){return ne(e.line,e.ch)}function Et(e,t){return ye(e,t)<0?t:e}function Zr(e,t){return
 ye(e,t)<0?e:t}function ua(e,t){return Math.max(e.first,Math.min(t,e.first+e.size-1))}function
 je(e,t){if(t.line<e.first)return ne(e.first,0);var n=e.first+e.size-1;return
```

```
t.line > n?ne(n,Ae(e,n).text.length):Sc(t,Ae(e,t.line).text.length)) function Sc(e,t) {var n=e.ch; return}
n==null||n>t?ne(e.line,t):n<0?ne(e.line,0):e}function ca(e,t){for(var
n=[], r=0; r< t.length; r++)n[r]=je(e,t[r]); return n} var ri=function(e,t){this.state=e,this.lookAhead=t}
  ,Jt=function(e,t,n,r){this.state=t,this.doc=e,this.line=n,this.maxLookAhead=r||0,this.baseTokens=nul
l,this.baseTokenPos=1}; Jt.prototype.lookAhead=function(e) {var t=this.doc.getLine(this.line+e); return
t!=null\&\&e>this.maxLookAhead\&\&(this.maxLookAhead=e),t}, Jt.prototype.baseToken=function(e){if(!this.baseToken=function(e)}.
aseTokens)return null;for(;this.baseTokens[this.baseTokenPos]<=e;)this.baseTokenPos+=2;var t=this.baseTokenPos+1];return{type:t&&t.replace(/( |^)overlay .*/,""),size:this.base
Tokens[this.baseTokenPos]-
e}},Jt.prototype.nextLine=function(){this.line++,this.maxLookAhead>0&&this.maxLookAhead--
},Jt.fromSaved=function(e,t,n){return t instanceof ri?new Jt(e,Vt(e.mode,t.state),n,t.lookAhead):new
Jt(e,Vt(e.mode,t),n)},Jt.prototype.save=function(e){var
t=e!==!1?Vt(this.doc.mode.this.state):this.state;return this.maxLookAhead>0?new
ri(t,this.maxLookAhead):t; function fa(e,t,n,r) {var
i=[e.state.modeGen], a={}; va(e,t.text,e.doc.mode,n,function(m,A){return i.push(m,A)},a,r); for(var) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A) i.push(m,A)
l=n.state,u=function(m){n.baseTokens=i;var
A = e.state.overlays[m], B = 1, ee = 0; n.state = !0, va(e, t.text, A.mode, n, function(Y, ie) \{for(varance), varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance, varance,
;++f)u(f);return{styles:i,classes:a.bgClass||a.textClass?a:null}}function
HighlightLength\&Vt(e.doc.mode,r.state), a=fa(e,t,r); i\&\&(r.state=i), t.stateAfter=r.save(!i), t.styles=
a.styles.a.classes?t.styleClasses=a.classes:t.styleClasses&&(t.styleClasses=null).n===e.doc.highligh
tFrontier&&(e.doc.modeFrontier=Math.max(e.doc.modeFrontier,++e.doc.highlightFrontier))}return
t.styles \} function \ wn(e,t,n) \{ var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.display; if (!r.mode.startState) return \ new \ Jt(r,!0,t); var \ r=e.doc, i=e.doc, a=Tc(e,t,n), l=a>r. first&&Ae(r,a-1).stateAfter, u=l?Jt.fromSaved(r,l,a):new Jt(r,Gr(r.mode),a);return
r.iter(a,t,function(f){ro(e,f.text,u);var m=u.line;f.stateAfter=m==t
1||m%5==0||m>=i.viewFrom&&m<i.viewTo?u.save():null,u.nextLine()}),n&&(r.modeFrontier=u.line),u}funct
ion ro(e,t,n,r) {var i=e.doc.mode,a=new at(t,e.options.tabSize,n);for(a.start=a.pos=r||0,t==""&&pa(i,n)||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t==||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=||0,t=|
\verb|n.state||; |a.eol();) \verb|no(i,a,n.state)||, a.start=a.pos|| function pa(e,t) | fif(e.blankLine)|| return pa(e,t) | fif(e.blankLine)|| figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure parameters | figure pa
e.blankLine(t);if(e.innerMode){var n=_n(e,t);if(n.mode.blankLine)return
a=e.token(t,n);if(t.pos>t.start)return a}throw new Error("Mode "+e.name+" failed to advance
stream.")}var ha=function(e,t,n){this.start=e.start,this.end=e.pos,this.string=e.current(),this.type
=t||null,this.state=n};function ga(e,t,n,r){var i=e.doc,a=i.mode,l;t=je(i,t);var u=Ae(i,t.line),f=wn(e,t.line,n),m=new at(u.text,e.options.tabSize,f),A;for(r&&(A=[]);(r||m.pos<t.ch)
&&!m.eol();)m.start=m.pos,l=no(a,m,f.state),r&&A.push(new ha(m,l,Vt(i.mode,f.state)));return r?A:new ha(m,l,f.state)}function ma(e,t){if(e)for(;;)}{var n=e.match(/(?:^|\s+)line-(background-
)?(\S+)/);if(!n)break;e=e.slice(0,n.index)+e.slice(n.index+n[0].length);var
va(e,t,n,r,i,a,l){var u=n.flattenSpans;u==null&&(u=e.options.flattenSpans);var f=0,m=null,A=new at(t
   ,e.options.tabSize,r),B,ee=e.options.addModeClass&&[null];for(t==""&&ma(pa(n,r.state),a);!A.eol();){
if (A.pos>e.options.maxHighlightLength?(u=!1,l\&\&ro(e,t,r,A.pos),A.pos=t.length,B=null): B=ma(no(n,A,r.state,ee),a),ee) \\ \{var Y=ee[0].name;Y\&\&(B="m-"+(B?Y+" "+B:Y))\}if(!u||m!=B) \\ \{for(;f<A.start;)f=Math.min(B?Y+" "+B:Y)\}if(!u||m!=B) \\ \{for(;f<A.start;)f=Math.min(B?Y+" "+B:Y+" "+B:Y)\}if(!u||m!=B) \\ \{for(;f<A.start;)f=Math.min(B?Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+" "+B:Y+
A.start, f+5e3), i(f,m); m=BA.start=A.pos} for(; f<A.pos;) {var
ie=Math.min(A.pos,f+5e3); i(ie,m),f=ie\} function Tc(e,t,n) {for(var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) for (var) fo
r,i,a=e.doc,l=n?-1:t-(e.doc.mode.innerMode?1e3:100),u=t;u>l;--u){if(u<=a.first)return a.first;var}
f=Ae(a,u-1), m=f.stateAfter; if(m&&(!n||u+(m instanceof ri?m.lookAhead:0)<=a.modeFrontier)) return
u; var A=0e(f.text,null,e.options.tabSize); (i==null||r>A)&&(i=u-1,r=A)}return i}function
Lc(e,t) \{ if (e.modeFrontier=Math.min(e.modeFrontier,t),! (e.highlightFrontier< t-10)) \{ for (varance to the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or the first or th
n=e.first,r=t-1;r>n;r--){var i=Ae(e,r).stateAfter;if(i&&(!(i instanceof
ri)||r+i.lookAhead<t)){n=r+1;break}}e.highlightFrontier=Math.min(e.highlightFrontier,n)}}var
ba=!1,or=!1;function Cc(){ba=!0}function Ec(){or=!0}function
ni(e,t,n){this.marker=e,this.from=t,this.to=n}function Sn(e,t){if(e)for(var n=0;n<e.length;++n){var n=0;n<e.length;++n}}
r=e[n];if(r.marker==t)return r}}function zc(e,t){for(var
\label{eq:nred} n, r=0; r<\text{e.length}; ++r) \\ \text{e[r]!=t&&(n||(n=[])).push(e[r]); return n} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{function Mc(e,t,n)} \\ \text{funct
r=n\&\&window. WeakSet\&\&(n.markedSpans||(n.markedSpans=new\ WeakSet)); r\&\&e.markedSpans\&\&r.has(e.markedSpans=new\ WeakSet)); r\&\&e.markedSpans\&\&r.has(e.markedSpans=new\ WeakSet)); r\&\&e.markedSpans&\&r.has(e.markedSpans=new\ WeakSet)); r\&\&e.markedSpans&\&r.has(e.marke
ans)?e.markedSpans.push(t):(e.markedSpans=e.markedSpans?e.markedSpans.concat([t]):[t],r\&\&r.add(e.markedSpans)
i], l=a.marker, u=a.from==null||(l.inclusiveLeft?a.from<=t:a.from<t); <math>if(u||a.from==t\&\&l.type=="bookmar")
k"&&(!n||!a.marker.insertLeft)){var
f=a.to==null||(l.inclusiveRight?a.to>=t:a.to>t);(r||(r=[])).push(new
ni(l,a.from,f?null:a.to))}}return r}function Dc(e,t,n){var r;if(e)for(var i=0;i<e.length;++i){var a=</pre>
e[i], l=a.marker, u=a.to==nu1||(l.inclusiveRight?a.to>=t:a.to>t); if <math>(u||a.from==t\&l.type=="bookmark"\&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type=="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.type="bookmark"&l.typ
&(!n||a.marker.insertLeft)){var
f=a.from==null||(l.inclusiveLeft?a.from<=t:a.from<t);(r||(r=[])).push(new)
ni(l,f?null:a.from-t,a.to==null?null:a.to-t))}}return r}function io(e,t){if(t.full)return null;var n
= ae(e,t.from.line) \& Ae(e,t.from.line) . markedSpans, r = ae(e,t.to.line) \& Ae(e,t.to.line) . markedSpans; if(e,t.to.line) n&&!r)return null;var i=t.from.ch,a=t.to.ch,l=ye(t.from,t.to)==0,u=Ac(n,i,l),f=Dc(r,a,l),m=t.text.length==1,A=ce(t.text).length+(m?i:0);if(u)for(var B=0;B<u.length;++B){var
ee=u[B];if(ee.to==null){var
```

```
Y=Sn(f,ee.marker);Y?m\&\&(ee.to=Y.to==null?null:Y.to+A):ee.to=i}if(f)for(var
 ie=0;ie<f.length;++ie){var ue=f[ie];if(ue.to!=null&&(ue.to+=A),ue.from==null){var
 me=Sn(u,ue.marker); me||(ue.from=A,m&&(u||(u=[])).push(ue))\}else
  ue.from += A, m\&\&(u||(u=[])).push(ue)\}u\&\&(u=ya(u)), f\&\&f! = u\&\&(f=ya(f)); var \ ve=[u]; if(!m)\{var \ ve=[u]\}u\&\&(f=ya(f)); var \ ve=[u]; if(!m)\{var \ ve=[u]\}u\&\&(f=ya(f)); var \ ve=[u]\}u\&\&(f=ya(f)); var \ ve=[u]; if(!m)\{var \ ve=[u]\}u\&\&(f=ya(f)); var \ ve=[u]\}u\&\&(f=ya(f)); var \ ve=[u]\}u\&\&(f=ya(f)); var \ ve=[u]
     e=t.text.length-2,be;if( e>0&&u)for(var
 \overline{Ce}=0; Ce<u.length; ++Ce)u[\overline{Ce}].to==null&(be=[])).push(new ni(u[Ce].marker,null,null)); for(var)
 Ne=0; Ne< e; ++Ne) ve.push(be); ve.push(f)} return ve}function ya(e){for(var t=0; t<e.length; ++t){var
 n = e[t]; n.from! = null \& \& n.from = -n.to \& n.marker.clear When Empty! = = !1 \& \& e.splice(t--,1) \} return
 e.length?e:null}function qc(e,t,n){var
 r=null; if(e.iter(t.line,n.line+1,function(Y){if(Y.markedSpans)for(var
 ie=0;ie<Y.markedSpans.length;++ie){var
 ue=Y.markedSpans[ie].marker; ue.readOnly&&(!r||Se(r,ue)==-1)&&(r||(r=[])).push(ue)}),!r)return
 [for(var i=[\{from:t,to:n\}],a=0;a< r.length;++a)\} for([var i=r[a],u=l.find(0),f=0;f< i.length;++f) for([var i=r[a],u=l.find(0),f=0;f< i.length;++f))
{from:u.to,to:m.to}),i.splice.apply(i,A),f+=A.length-3}}return i}function xa(e){var
 t=e.markedSpans;if(t){for(var
 n=0; n< t.length; ++n)t[n]. marker.detachLine(e); e.markedSpans=null}}function a(e,t){if(t){for(var)}}
 n=0;n<t.length;++n)t[n].marker.attachLine(e);e.markedSpans=t}}function ii(e){return
 e.inclusiveLeft?-1:0}function oi(e){return e.inclusiveRight?1:0}function oo(e,t){var
 n=e.lines.length-t.lines.length;if(n!=0)return n;var
 r=e.find(),i=t.find(),a=ye(r.from,i.from)||ii(e)-ii(t);if(a)return-a;var
l=ye(r.to,i.to)||oi(e)-oi(t);return l||t.id-e.id}function ka(e,t){var
 n=or\&e. markedSpans,r;if(n)for(var i=void 0,a=0;a<n.length;++a)i=n[a],i.marker.collapsed&&(t?i.from:
 i.to)==null&&(!r||oo(r,i.marker)<0)&(r=i.marker); return r}function wa(e){return ka(e,!0)}function
 ai(e){return ka(e,!1)}function Ic(e,t){var n=or&&e.markedSpans,r;if(n)for(var
 i=0; i< n. length; ++i){var a=n[i]; a.marker.collapsed&&(a.from==null||a.from<t)&&(a.to==null||a.to>t)&&(
 !r||oo(r,a.marker)<0)\&(r=a.marker)\} return r function Sa(e,t,n,r,i) {vareans of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of
 a=Ae(e,t), l=or\&\&a.markedSpans; if(l) for(var u=0; u< l.length; ++u) \{var f=l[u]; if(f.marker.collapsed) \{var f=l[u]; if(f.marker.collapsed) \} \}
 m=f.marker.find(0), A=ye(m.from,n) | |ii(f.marker)-ii(i), B=ye(m.to,r) | |oi(f.marker)-ii(i), B=ye(m
 oi(i); if(!(A>=0\&\&B>=0)|A<=0\&\&B>=0)\&(A<=0\&\&(f.marker.inclusiveRight\&\&i.inclusiveLeft?ye(m.to,n)>=0:y)
 e(m.to,n)>0) | A>=0&&(f.marker.inclusiveRight&&i.inclusiveLeft?ye(m.from,r)<=0:ye(m.from,r)<0))) return
 n!0}}function Zt(e){for(var t;t=wa(e);)e=t.find(-1,!0).line;return e}function Fc(e){for(var t)
 t;t=ai(e);)e=t.find(1,!0).line;return e}function Nc(e){for(var
 t,n;t=ai(e);e=t.find(1,!0).line,(n||(n=[])).push(e);return n}function ao(e,t){var}
 n=Ae(e,t), r=Zt(n); return n==r?t:x(r) function Ta(e,t){if(t>e.lastLine())return t; vare to the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of
n=Ae(e,t),r;if(!mr(e,n))return t;for(;r=ai(n);)n=r.find(1,!0).line;return x(n)+1}function mr(e,t){var n=or&&t.markedSpans;if(n){for(var r=void 0,i=0;i<n.length;++i)if(r=n[i],!!r.marker.colla
 psed) \\ \{if (r.from == null) return! \\ 0; if (!r.marker.widgetNode&r.from == 0\&ar.marker.inclusiveLeft&location | for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
  )return!0}}}function lo(e,t,n){if(n.to==null){var r=n.marker.find(1,!0);return lo(e,r.line,Sn(r.line
  .markedSpans,n.marker))}if(n.marker.inclusiveRight&&n.to==t.text.length)return!0;for(var i=void 0,a=
0; a < t.markedSpans.length; ++a) if (i=t.markedSpans[a], i.marker.collapsed\&\&!i.marker.widgetNode\&\&i.from==n.to\&\&(i.to==null||i.to!=n.from)\&\&(i.marker.inclusiveLeft||n.marker.inclusiveRight)\&\&lo(e,t,i)) return the collapsed&&!i.marker.widgetNode&&i.from==n.to&&(i.to==null||i.to!=n.from)&&(i.marker.inclusiveLeft||n.marker.inclusiveRight)&&lo(e,t,i)) return the collapsed&&!i.marker.widgetNode&&i.from==n.to&&(i.to==null||i.to!=n.from)&&(i.marker.inclusiveLeft||n.marker.inclusiveRight)&&lo(e,t,i)) return the collapsed&&!i.marker.widgetNode&&i.from==n.to&&(i.to==null||i.to!=n.from)&&(i.marker.inclusiveLeft||n.marker.inclusiveRight||i.to!=n.from||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.to||i.
 rn!0}function ar(e){e=Zt(e);for(var t=0,n=e.parent,r=0;r<n.lines.length;++r){var
 i=n.lines[r];if(i==e)break;t+=i.height}for(var a=n.parent;a;n=a,a=n.parent)for(var
 l=0; l<a.children.length; ++l) {var u=a.children[l]; if(u==n)break; t+=u.height} return t} function
 li(e){if(e.height==0)return 0;for(var t=e.text.length,n,r=e;n=wa(r);){var
 i=n.find(0,!0);r=i.from.line,t+=i.from.ch-i.to.ch}for(r=e;n=ai(r);){var
a=n.find(0,!0); t-=r.text.length-a.from.ch,r=a.to.line,t+=r.text.length-a.to.ch\} return \ t\} function \\ so(e) \{var \ t=e.display,n=e.doc;t.maxLine=Ae(n,n.first),t.maxLineLength=li(t.maxLine),t.maxLineChanged \} t=0.
 =!0,n.iter(function(r){var i=li(r);i>t.maxLineLength&&(t.maxLineLength=i,t.maxLine=r)})}var Xr=function(r)
 ion(e,t,n){this.text=e, a(this,t),this.height=n?n(this):1};Xr.prototype.lineNo=function(){return
 x(this), Wt(Xr); function Oc(e,t,n,r) {e.text=t,e.stateAfter&&(e.stateAfter=null),e.styles&&(e.styles=
null),e.order!=null&&(e.order=null),xa(e),_a(e,n);var i=r?r(e):1;i!=e.height&&Bt(e,i)}function
Pc(e){e.parent=null,xa(e)}var Bc={},jc={};function La(e,t){if(!e||/^\s*[]/.test(e))return null;var
n=t.addModeClass?jc:Bc;return n[e]||(n[e]=e.replace(/\S+/g,"cm-[]&"))}function Ca(e,t){var
n=K("span",null,null,g?"padding-right: .1px":null),r={pre:K("pre",[n],"CodeMirror-line"),content:n,c
ol:0,pos:0,cm:e,trailingSpace:!1,splitSpaces:e.getOption("lineWrapping")};t.measure={};for(var
 i=0; i<=(t.rest?t.rest.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr(e.length:0); i++) \\ \{var\ a=i?t.rest[i-1]:t.line, l=void\ 0; r.pos=0, r.addToken=Hc, pr
 display.measure) \& (l=Pe(a,e.doc.direction)) \& (r.addToken=Uc(r.addToken,l)), r.map=[]; var u=t!=e.display.measure) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.direction)) & (l=Pe(a,e.doc.directio
ay.externalMeasured&&x(a); \Boxc(a,r,da(e,a,u)),a.styleClasses&&(a.styleClasses.bgClass&&(r.bgClass=xe(a.styleClasses.bgClass,r.bgClass=||"")),a.styleClasses.textClass&&(r.textClass=xe(a.styleClasses.textClass=xe(a.styleClasses.textClass=xe(a.styleClasses.textClass=xe(a.styleClasses.textClass=xe(a.styleClasses.textClass=xe(a.styleClasses.textClass=xe(a.styleClasses.textClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a.styleClass=xe(a
 lass,r.textClass||""))),r.map.length==0&&r.map.push(0,0,r.content.appendChild(ei(e.display.measure))
 ), i = 0?(t.measure.map = r.map, t.measure.cache = \{\}): ((t.measure.maps | | (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.map), (t.measure.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = [])).push(r.maps = []
 t.measure.caches | | (t.measure.caches=[])).push({})) | if(g) | var f=r.content.lastChild; (/\bcm-response) | t.measure.caches | (t.measure.caches=[])) | if(g) | var f=r.content.lastChild; (/\bcm-response) | t.measure.caches=[]) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.lastChild; (/\bcm-response) | var f=r.content.las
 tab-wrap-hack")}return it(e,"renderLine",e,t.line,r.pre),r.pre.className&&(r.textClass=xe(r.pre.className,r.textClass=||"")),r}function Rc(e){var t=y("span","\u2022","cm-invalidchar");return
 t.title="\\u"+e.charCodeAt(0).toString(16),t.setAttribute("aria-label",t.title),t}function
 Hc(e,t,n,r,i,a,l){if(t){var u=e.splitSpaces?Wc(t,e.trailingSpace):t,f=e.cm.state.specialChars,m=!1,A
  ; if(!f.test(t))e.col+=t.length,A=document.createTextNode(u),e.map.push(e.pos,e.pos+t.length,A),s&&h<
 9\&\&(m=!0), e.pos+=t.length; eĬse{A=document.createDocumentFragment(); for(var B=0;;){f.lastĬndex=B; var B=0;})
 ee=f.exec(t),Y=ee?ee.index-B:t.length-B;if(Y){var ie=document.createTextNode(u.slice(B,B+Y));s&&h<9?
```

```
A.appendChild(y("span",[ie])):A.appendChild(ie),e.map.push(e.pos,e.pos+Y,ie),e.col+=Y,e.pos+=Y}if(!e
 e)break;B+=Y+1;var ue=void 0;if(ee[0]=="
                                                                                                                                                                                                                          "){var
me=e.cm.options.tabSize,ve=me-e.col%me;ue=A.appendChild(y("span",Z(ve),"cm-tab")),ue.setAttribute("role","presentation"),ue.setAttribute("cm-text"," "),e.col+=ve}else
 ee[0]=="\r"||ee[0]==
     ?(ue=A.appendChild(y("span",ee[0]=="\r"?"\u240D":"\u2424","cm-invalidchar")),ue.setAttribute("cm-
 text",ee[0]),e.col+=1):(ue=e.cm.options.specialCharPlaceholder(ee[0]),ue.setAttribute("cm-text",ee[0
 ]),s&&h<9?A.appendChild(y("span",[ue])):A.appendChild(ue),e.col+=1);e.map.push(e.pos,e.pos+1,ue),e.p
os++}}if(e.trailingSpace=u.charCodeAt(t.length-1)==32,n||r||i||m||a||l){var}
e=n||"";r&&(_e+=r),i&&(_e+=i);var be=y("span",[A],_e,a);if(l)for(var Ce in
l)l.hasOwnProperty(Ce)&&Ce!="style"&&Ce!="class"&be.setAttribute(Ce,l[Ce]);return
e.content.appendChild(be)}e.content.appendChild(A)}}function Wc(e,t){if(e.length>1&&!//.test(e))return e;for(var n=t,r="",i=0;i<e.length;i++){var a=e.charAt(i);a==""&&n&&(i==e.length-1||e.charCodeAt(i+1)==32)&&(a="\xA0"),r+=a,n=a==""}return r}function
 Uc(e,t){return function(n,r,i,a,l,u,f){i=i?i+" cm-force-border":"cm-force-border";for(var
 m=n.pos,A=m+r.length;;){for(var B=void
 0, ee=0; ee<t.length\&\&(B=t[ee], !(B.to>m\&\&B.from<=m)); ee++); if(B.to>=A) return
 e(n,r,i,a,l,u,f); e(n,r.slice(0,B.to-m),i,a,null,u,f), a=null,r=r.slice(B.to-m),m=B.to\}\} \\ function
\label{eq:content} Ea(e,t,n,r) \{ var \ i=! \ r\&\&n. \ widgetNode; i\&\&e. \ map. \ push(e.pos,e.pos+t,i),! \ r\&\&e. \ cm. \ display. input. needsContentAttribute&&(i||(i=e.content.appendChild(document.createElement("span"))), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marker"), i.setAttribute("cm-marke
   ,n.id)),i&&(e.cm.display.input.setUneditable(i),e.content.appendChild(i)),e.pos+=t,e.trailingSpace=!
 1}function □c(e,t,n){var r=e.markedSpans,i=e.text,a=0;if(!r){for(var
 l=1; l< n. length; l+=2)t. addToken(t, i.slice(a, a=n[l]), La(n[l+1], t.cm. options)); return} for(var u=i.lengt)
\label{eq:hammon} $$h,f=0,m=1,A="",B,ee,Y=0,ie,ue,me,ve,_e;;)_{if(Y==f)_{ie=ue=me=ee="",_e=null,ve=null,Y=1/0;for(varbe=[],Ce=void_0,Ne=0;Ne<r.length;++Ne)_{var}$$
 =f\&\&(\text{Ie.to}==\text{null}||\text{Ie.to}>f||\text{pe.collapsed}\&\text{Ie.to}==f\&\&\text{Ie.from}==f))\\ \{\text{if}(\text{Ie.to}!=\text{null}\&\&\text{Ie.to}!=\text{fk}\&\text{Y}>\text{Ie.to}\&\text{(ie.to}!=\text{fk}\&\text{Y})\}\\ =f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=f\&\&\text{Y}=
 Y=Ie.to,ue=""), ☐e.className&&(ie+=
  "+||e.className||, ||e.css&&(ee=(ee?ee+";":"")+||e.css)|, ||e.startStyle&&Ie.from==f&&(me+=""+||e.startStyle||), ||e.endStyle&&Ie.to==Y&&(Ce||(Ce=[])).push(||e.endStyle,Ie.to)|, ||e.title&&((_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.title&&(_e||(_e={}))).title=||e.titl
le),||e.attributes| for(var Ve in ||e.attributes|)(||e||)[Ve]=||e.attributes|(Ve];||e.collapsed&&(!ve)|)(ve.marker,||e|)<0)&&(ve=Ie)}else Ie.from>f&&Y>Ie.from&&(Y=Ie.from)}if(Ce)for(var
 vt=0;vt<Ce.length;vt+=2)Ce[vt+1]==Y&&(ue+=" "+Ce[vt]);if(!ve||ve.from==f)for(var rt=0;rt<be.length;+
 +rt)Ea(t,0,be[rt]);if(ve\&\&(ve.from||0)==f){if(Ea(t,(ve.to==null?u+1:ve.to)-ve.to)}
 f, ve.marker, ve.from==null), ve.to==null) return; ve.to==f&&(ve=!1)} if(f>=u)break; for(varange)
Ot=Math.min(u,Y);;){if(A){var At=f+A.length;if(!ve){var ut=At>Ot?A.slice(0,Ot-f):A;t.addToken(t,ut,B?B+ie:ie,me,f+ut.length==Y?ue:"",ee,_e)}if(At>=Ot){A=A.slice(Ot-f),f=Ot;break}f=At,me=""}A=i.slice(a,a=n[m++]),B=La(n[m++],t.cm.options)}}}function za(e,t,n){this.l
ine=t,this.rest=Nc(t),this.size=this.rest?x(ce(this.rest))-
n+1:1,this.node=this.text=null,this.hidden=mr(e,t)}function si(e,t,n){for(var)
 r=[],i,a=t;a<n;a=i){var l=new za(e.doc,Ae(e.doc,a),a);i=a+l.size,r.push(l)}return r}var
 Yr=null; function Kc(e) {Yr?Yr.ops.push(e):e.ownsGroup=Yr={ops:[e],delayedCallbacks:[]}} function
 Gc(e) {var t=e.delayedCallbacks,n=0;do{for(;n<t.length;n++)t[n].call(null);for(var
 r=0;r<e.ops.length;r++){var i=e.ops[r];if(i.cursorActivityHandlers)for(;i.cursorActivityCalled<i.cursorActivityHandlers.length;)i.cursorActivityHandlers[i.cursorActivityCalled++].call(null,i.cm)}}whil
 e(n< t.length)\} function \ \check{Z}c(e,t) \{var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Gc(n)\} finally \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group; if(n)try \{Yr=null,t(n)\} \} var \ n=e.owns Group;
 Tn=null; function ht(e,t) {var n=nr(e,t); if(n.length) {var r=Array.prototype.slice.call(arguments,2),i;
 Yr?i=Yr.delayedCallbacks:Tn?i=Tn:(i=Tn=[],setTimeout(Xc,0));for(var
a=function(u){i.push(function(){return n[u].apply(null,r)}},l=0;l<n.length;++l)a(l)}}function
Xc(){var e=Tn;Tn=null;for(var t=0;t<e.length;++t)e[t]()}function Ma(e,t,n,r){for(var
i=0;i<t.changes.length;i++){var a=t.changes[i];a=="text"?Qc(e,t):a=="gutter"?Da(e,t,n,r):a=="class"?</pre>
 \label{localization} uo(e,t): a == "widget" \& Vc(e,t,r) \} t. changes = null \} function \ Ln(e) \{ return \} t. changes = null \} t. changes = null \} function \ Ln(e) \{ return \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes = null \} t. changes
 e.node==e.text&&(e.node=y("div",null,null,"position: relative"),e.text.parentNode&&e.text.parentNode
    .replaceChild(e.node,e.text),e.node.appendChild(e.text),s&&h<8&&(e.node.style.zIndex=2)),e.node}func
 tion Yc(e,t){var n=t.bgClass?t.bgClass+" "+(t.line.bgClass||""):t.line.bgClass;if(n&&(n+
 CodeMirror-linebackground"),t.background)n?t.background.className=n:(t.background.parentNode.removeC
 hild(t.background),t.background=null);else if(n){var r=Ln(t);t.background=r.insertBefore(y("div",nul
 l,n),r.firstChild),e.display.input.setUneditable(t.background)} function Aa(e,t){varable for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content 
 n=e.display.externalMeasured; return
 n\&\&n.line==t.line?(e.display.externalMeasured=null,t.measure=n.measure,n.built):Ca(e,t)function
Qc(e,t)\{var \ n=t.text.className,r=Aa(e,t);t.text==t.node\&\&(t.node=r.pre),t.text.parentNode.replaceChild(r.pre,t.text),t.text=r.pre,r.bgClass!=t.bgClass||r.textClass!=t.textClass?(t.bgClass=r.bgClass,t.bgClass)||r.textClass!=t.textClass?(t.bgClass=r.bgClass,t.bgClass)||r.textClass!=t.textClass?(t.bgClass=r.bgClass)||r.textClass!=t.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass)||r.textClass?(t.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=r.bgClass=
 textClass = r.textClass, uo(e,t)) : n\&\{(t.text.className=n)\} function \ uo(e,t) \\ \{Yc(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass?Ln(e,t),t.line.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.wrapClass.w
t).className=t.line.wrapClass:t.node!=t.text&&(t.node.className="");var n=t.textClass?t.textClass+"
"+(t.line.textClass||""):t.line.textClass;t.text.className=n||""}function Da(e,t,n,r){if(t.gutter&&(t.node.removeChild(t.gutter),t.gutter=null),t.gutterBackground&&(t.node.removeChild(t.gutterBackground),t.gutterBackground=null),t.line.gutterClass){var
i=Ln(t);t.gutterBackground=y("div",null,"CodeMirror-gutter-background "+t.line.gutterClass,"left:
"+(e.options.fixedGutter?r.fixedPos:-r.gutterTotalWidth)+"px; width: "+r.gutterTotalWidth+"px"),e.di
 splay.input.setUneditable(t.gutterBackground),i.insertBefore(t.gutterBackground,t.text)}var
 a=t.line.gutterMarkers;if(e.options.lineNumbers||a){var l=Ln(t),u=t.gutter=y("div",null,"CodeMirror-
 gutter-wrapper","left:
     .
+(e.options.fixedGutter?r.fixedPos:-r.gutterTotalWidth)+"px");if(u.setAttribute("aria-hidden","true
```

```
"),e.display.input.setUneditable(u),l.insertBefore(u,t.text),t.line.gutterClass&&(u.className+="
"+t.line.gutterClass),e.options.lineNumbers&&(!a||!a["CodeMirror-linenumbers"])&&(t.lineNumber=u.appendChild(y("div",he(e.options,n),"CodeMirror-linenumber CodeMirror-gutter-elt","left: "+r.gutterLeft["CodeMirror-linenumbers"]+"px; width: "+e.display.lineNumInnerWidth+"px"))),a)for(var f=0;f<e.display.gutterSpecs.length;++f){var m=e.disp
 lay.gutterSpecs[f].className,A=a.hasOwnProperty(m)&&a[m];A&&u.appendChild(y("div",[A],"CodeMirror-
gutter-elt","left: "+r.gutterLeft[m]+"px; width: "+r.gutterWidth[m]+"px"))}}}function
Vc(e,t,n){t.alignable&&(t.alignable=null);for(var r=D("CodeMirror-
 linewidget"),i=t.node.firstChild,a=void
 0;i;i=a)a=i.nextSibling,r.test(i.className)&&t.node.removeChild(i);qa(e,t,n)}function
 Jc(e,t,n,r){var i=Aa(e,t);return t.text=t.node=i.pre,i.bgClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass=i.bgClass=i.bgClass),i.textClass&&(t.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgClass=i.bgC
 t.textClass=i.textClass),uo(e,t),Da(e,t,n,r),qa(e,t,r),t.node}function
 ga(e,t,n){if(Ia(e,t.line,t,n,!0),t.rest)for(var
"true"),ef(f,m,n,r),e.display.input.setUneditable(m),i&&f.above?a.insertBefore(m,n.gutter||n.text):
 a.appendChild(m),ht(f,"redraw")}}function
 ef(e,t,n,r){if(e.noHScroll){(n.alignable||(n.alignable=[])).push(t);var i=r.wrapperWidth;t.style.lef
 t=r.fixedPos+"px",e.coverGutter||(i-
 =r.gutterTotalWidth,t.style.paddingLeft=r.gutterTotalWidth+"px"),t.style.width=i+"px"}e.coverGutter&
&(t.style.zIndex=5,t.style.position="relative",e.noHScroll||(t.style.marginLeft=-r.gutterTotalWidth+"px"))}function Cn(e){if(e.height!=null)return e.height;var
 t=e.doc.cm;if(!t)return 0;if(!F(document.body,e.node)){var n="position:
 relative; "; e.coverGutter&&(n+="margin-left:
 -"+t.display.gutters.offsetWidth+"px;"),e.noHScroll&&(n+="width:
"+t.display.wrapper.clientWidth+"px;"),V(t.display.measure,y("div",[e.node],null,n))}return
 e.height=e.node.parentNode.offsetHeight}function lr(e,t){for(var
e.line Space.off set Top \} function \ co(e) \{ return \ e.mover.off set Height-e.line Space.off set Height \} function \ for the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of the first three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of three parts of t
Fa(e) \{ if (e. cachedPaddingH) return \ e. cachedPaddingH; var \ t=V(e. measure, y("pre", "x", "CodeMirror-line-like")), n=window.getComputedStyle?window.getComputedStyle(t):t.currentStyle, r=\{left:parseInt(n.paddingLine), r=vindow.getComputedStyle(t), t.currentStyle, r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vindow.getComputedStyle(t), r=vin
eft), right: parseInt(n.paddingRight)}; return! is NaN(r.left) & !is NaN(r.right) & (e.cachedPaddingH=r), r} function er(e) {return Be-e.display.nativeBarWidth} function Er(e) {return
 e.display.scroller.clientWidth-er(e)-e.display.barWidth}function fo(e){return
 e.display.scroller.clientHeight-er(e)-e.display.barHeightfunction tf(e,t,n){var
 r=e.options.lineWrapping,i=r&&Er(e);if(!t.measure.heights||r&&t.measure.width!=i){var
 a=t.measure.heights=[];if(r){t.measure.width=i;for(var
 l=t.text.firstChild.getClientRects(),u=0;u<l.length-1;u++){var f=l[u],m=l[u+1];Math.abs(f.bottom-
 m.bottom) > 2\&\&a.push((f.bottom+m.top)/2-n.top))a.push(n.bottom-n.top)}}function
 Na(e,t,n) {if (e.line==t) return{map:e.measure.map, cache:e.measure.cache}; if (e.rest) {for (var r=0); r<e.re
 st.length; r++)if(e.rest[r]==t)return\{map:e.measure.maps[r], cache:e.measure.caches[r]\}; for(var i=0;i<-information information rest.length;i++)if(x(e.rest[i])>n)return{map:e.measure.maps[i],cache:e.measure.caches[i],before:!0
 f(e,t) function f(e,t) fixed f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) function f(e,t) funct
i=r.built=Ca(e,r);return r.text=i.pre,V(e.display.lineMeasure,i.pre),r}function Oa(e,t,n,r){return tr(e,Qr(e,t),n,r)}function po(e,t){if(t>=e.display.viewFrom&&t<e.display.viewTo)return
 e.display.view[Ar(e,t)]; var n=e.display.external Measured; if (n\&\&t>=n.lineN\&\&t<n.lineN+n.size) return a constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the co
 nfunction Qr(e,t){var n=x(t), r=po(e,n); r\&\&!r.text?r=null:r\&\&r.changes\&\&(Ma(e,r,n,bo(e)),e.cur0p.for
 ceUpdate=!0),r||(r=rf(e,t));var i=Na(r,t,n);return{line:t,view:r,rect:null,map:i.map,cache:i.cache,b
efore:i.before,hasHeights:!1}}function tr(e,t,n,r,i){t.before&(n=-1); var a=n+(r||""), t; return t.cac he.hasOwnProperty(a)?l=t.cache[a]:(t.rect||(t.rect=t.view.text.getBoundingClientRect()),t.hasHeights||(tf(e,t.view,t.rect),t.hasHeights=!0),l=of(e,t,n,r),l.bogus||(t.cache[a]=l)),{left:l.left,right:l.
 right,top:i?l.rtop:l.top,bottom:i?l.rbottom:l.bottom}}var
 Pa={left:0,right:0,top:0,bottom:0};function Ba(e,t,n){for(var r,i,a,l,u,f,m=0;m<e.length;m+=3)if(u=e
[m], f=e[m+1], t<u?(i=0, a=1, l="left"): t<f?(i=t-u, a=i+1): (m==e.length-3||t==f\&\&e[m+3]>t)\&\&(a=f-u, i=a-1, t>=f\&\&(l="right")), i!=null) \{if(r=e[m+2], u==f\&\&n==(r.insertLeft?"left": "right")\&\&(l=n), n=="left"&&i=1, t=f.
 ==0)for(;m&&e[m-2]==e[m-3]&&e[m-1].insertLeft;)r=e[(m-=3)+2],l="left";if(n=="right"&&i==f-
 u)for(:m<e.length
 3\&\&e[m+3] == e[m+4]\&\&!e[m+5].insertLeft;)r = e[(m+3)+2],l = right; break}return{node:r,start:i,end:a,col}
 lapse:l, coverStart:u, coverEnd:f\} function \ nf(e,t) \{var \ n=Pa; if(t=="left")for(var \ r=0;r<e.length \&\&(n=e[r]).left==n.right;r++); else \ for(var \ n=0;r<e.length &&(n=e[r]).left==n.right;r++); else \ for(var \ n=0;r<e.length) \}
 i=e.length-1; i>=0\&\&(n=e[i]).left==n.right; i--); return n} function of(e,t,n,r){var}
 i=Ba(t.map,n,r),a=i.node,l=i.start,u=i.end,f=i.collapse,m;if(a.nodeType==3){for(var A=0;A<4;A++){for
 (; l&&H(t.line.text.charAt(i.coverStart+l));)-
 l;for(;i.coverStart+u<i.coverEnd&&H(t.line.text.charAt(i.coverStart+u));)++u;if(s&&h<9&&l==0&&u==i.c
 overEnd-
i.coverStart?m=a.parentNode.getBoundingClientRect(): m=nf(X(a,l,u).getClientRects(),r), m.left||m.right||l==0)break; u=l,l=l-1,f="right" s&&h<11&&(m=af(e.display.measure,m)) else{l>0&&(f=r="right"); var B l= l-1,f="right"); var B l= l-1,f="right" l= l-2,f="right" options.lineWrapping&&(B=a.getClientRects()).length>1?m=B[r=="right"?B.length-
1:0]: m=a.getBoundingClientRect()} if (s\&\&h<9\&\&!\&\&(!m||!m.left\&\&!m.right))} {var ee=a.parentNode.getClientRects()[0]; ee?m=\{left:ee.left,right:ee.left+Jr(e.display),top:ee.top,bottom:ee.bottom}: m=Pa\} for (value)
 r Y=m.top-t.rect.top,ie=m.bottom-t.rect.top,ue=(Y+ie)/2,me=t.view.measure.heights,ve=0;ve<me.length-
```

```
1\&\&!(ue < me[ve]); ve++); var e=ve?me[ve-1]:0, be=me[ve], Ce={left:(f=="right"?m.right:m.left)-incomplete for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 t.rect.left,right:(f=="left"?m.left:m.right)
 t.rect.left.top: e.bottom:be}:return!m.left&&!m.right&&(Ce.bogus=!0),e.options.singleCursorHeightPer
 Line||(Ce.rtop=Y,Ce.rbottom=ie),Ce}function af(e,t){if(!window.screen||screen.logicalXDPI==null||scr
 een.logicalXDPI==screen.deviceXDPI||!to(e))return t;var n=screen.logicalXDPI/screen.deviceXDPI,r=scr
 een.logicalYDPI/screen.deviceYDPI;return{left:t.left*n,right:t.right*n,top:t.top*r,bottom:t.bottom*r
 }}function ja(e){if(e.measure&&(e.measure.cache={},e.measure.heights=null,e.rest))for(var
 t=0;t<e.rest.length;t++)e.measure.caches[t]={}}function
 Ra(e) {e.display.externalMeasure=null, j (e.display.lineMeasure); for (var
 t=0; \\ t<e.display.view.length; \\ t++)ja(e.display.view[t]) \\ function En(e)\{Ra(e), e.display.cachedCharWidth, \\ t=0; \\ t<e.display.view.length; \\ t++)ja(e.display.view[t]) \\ function En(e)\{Ra(e), e.display.cachedCharWidth, \\ t=0; \\ t<e.display.view.length; \\ t++)ja(e.display.view[t]) \\ function En(e)\{Ra(e), e.display.cachedCharWidth, \\ t=0; \\ t<e.display.cachedCharWidth, \\ t=0; \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cachedCharWidth, \\ t<e.display.cache
 =e.display.cachedTextHeight=e.display.cachedPaddingH=null,e.options.lineWrapping||(e.display.maxLine
 Changed=!0),e.display.lineNumChars=null}function Ha(e){return
 w&&W?-(e.body.getBoundingClientRect().left-parseInt(getComputedStyle(e.body).marginLeft)):e.defaultV
 iew.pageXOffset||(e.documentElement||e.body).scrollLeft}function Wa(e){return
 w\&\&W?-(e.body.getBoundingClientRect().top-parseInt(getComputedStyle(e.body).marginTop)):e.defaultVieum (e.body.getBoundingClientRect().top-parseInt(getComputedStyle(e.body).marginTop)):e.defaultVieum (e.body.getBoundingClientRect().top-parseInt(getComputedStyle(e.body).marginTop)):e.defaultVieum (e.body.getBoundingClientRect().top-parseInt(getComputedStyle(e.body).marginTop)):e.defaultVieum (e.body).marginTop)):e.defaultVieum geY0ffset||(e.documentElement||e.body).scrollTop}function ho(e){var
 \begin{array}{l} \text{t=Zt(e),n=t.widgets,r=0;if(n)for(var\ i=0;i< n.length;++i)n[i].above\&\&(r+=Cn(n[i]));return\ r} \\ \text{function} \\ \text{ci(e,t,n,r,i)} \\ \text{fif(!i)} \\ \text{fvar\ a=ho(t);n.top+=a,n.bottom+=a} \\ \text{if(r=="local";l+=ui(e.display):l-=e.display.view} \\ \text{offset,r=="page"||r=="window")} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ a} \\ \text{fvar\ 
 u=e.display.lineSpace.getBoundingClientRect(); l+=u.top+(r=="window"?0:Wa(L(e))); var
f=u.left+(r=="window"?0:Ha(L(e)));n.left+=f,n.right+=f\} return \ n.top+=l,n.bottom+=l,n\} function \ Ua(e,t,n) \{if(n=="div") return \ t;var \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.left,i=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e));else \ r=t.top;if(n=="page") r-=Ha(L(e)),i-=Wa(L(e)),i-=Wa(
 if(n=="local"||!n){var a=e.display.sizer.getBoundingClientRect();r+=a.left,i+=a.top}var
 l=e.display.lineSpace.getBoundingClientRect();return{left:r-l.left,top:i-l.top}}function
 fi(e,t,n,r,i){return r[(r=Ae(e.doc,t.line)),ci(e,r,0a(e,r,t.ch,i),n)}function
after"), !u) return l(m=="before"?f-1:f, m=="before"); function A(ie, ue, me) {var
 ve=u[ue], e=ve.level==1;return l(me?ie-1:ie,_e!=me)}var
 B=Pt(u,f,m),ee=dt,Y=A(f,B,m=="before");return ee!=null&&(Y.other=A(f,ee,m!="before")),Y}function
 r=Ae(e.doc,t.line),i=ar(r)+ui(e.display);return{left:n,right:n,top:i,bottom:i+r.height}}function
 go(e,t,n,r,i) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} function mo(e,t,n) {var a=ne(e,t,n); return a.xRel=i,r&&(a.outside=r),a} func
  r=e.doc;if(n+=e.display.viewOffset,n<0)return go(r.first,0,null,-1,-1);var
 i=P(r,n),a=r.first+r.size-1;if(i>a)return
 go(r.first+r.size-1,Ae(r,a).text.length,null,1,1);t<0\&(t=0);for(var\ l=Ae(r,i);;)\{var\ l=Ae(r,i),c,c\}\}
 u=lf(e,l,i,t,n),f=Ic(l,u.ch+(u.xRel>0||u.outside>0?1:0));if(!f)return u;var
  m=f.find(1); if(m.line==i) return \ m; l=Ae(r,i=m.line) \} \\ function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r) \\ \{r-=ho(t); varable for each function \ Ka(e,t,n,r)
 i=t.text.length,a=De(function(l){return tr(e,n,l-1).bottom<=r},i,0);return i=De(function(l){return
 tr(e,n,l).top>r,a,i),{begin:a,end:i}}function Ga(e,t,n,r){n||(n=Qr(e,t));var
 i=ci(e,t,tr(e,n,r),"line").top;return Ka(e,t,n,i)}function vo(e,t,n,r){return
 e.bottom <= n?!1:e.top > n?!0: (r?e.left:e.right) > t} function \ lf(e,t,n,r,i) \{i-=ar(t); var(t) = r(t)\} 
 a=Qr(e,t), l=ho(t), u=0, f=t.text.length, m=!0, A=Pe(t,e.doc.direction); if (A) \{varante equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation | equation
 B = (e.options.lineWrapping?uf:sf)(e,t,n,a,A,r,i); \\ m = B.level! = 1, \\ u = m?B.from:B.to-1, \\ f = m?B.to:B.from-1 \\ \} varable (e.options.lineWrapping?uf:sf)(e,t,n,a,A,r,i); \\ m = B.level! = 1, \\ u = m?B.from:B.to-1, \\ f = m?B.to:B.from-1 \\ \} varable (e.options.lineWrapping?uf:sf)(e,t,n,a,A,r,i); \\ m = B.level! = 1, \\ u = m?B.from:B.to-1, \\ f = m?B.to:B.from-1 \\ \} varable (e.options.lineWrapping?uf:sf)(e,t,n,a,A,r,i); \\ m = B.level! = 1, \\ u = m?B.to:B.from-1 \\ \} varable (e.options.lineWrapping?uf:sf)(e,t,n,a,A,r,i); \\ m = B.level! = 1, \\ u = m?B.from-1 \\ \} varable (e.options.lineWrapping?uf:sf)(e,t,n,a,A,r,i); \\ m = B.level! = 1, \\ u = m?B.from-1 \\ \} varable (e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.options.lineWrapping)(e.opti
 ee=null,Y=null,ie=De(function(Ne){var Ie=tr(e,a,Ne);return Ie.top+=l,Ie.bottom+=l,vo(Ie,r,i,!1)?(Ie.
 \texttt{me} = \texttt{ie} = \texttt{0?}" \texttt{after}" : \texttt{ie} = \texttt{t.text.length?}" \texttt{before}" : \texttt{tr(e,a,ie-(m?1:0))}. \texttt{bottom+l} < \texttt{i} = \texttt{i} = \texttt{m?}" \texttt{after}" : "\texttt{before}" ; \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = \texttt{varance} = 
 Ce=Xt(e,ne(n,ie,me), "line",t,a);ue=Ce.left,ve=i<Ce.top?-1:i>=Ce.bottom?1:0}return
ie=se(t.text,ie,1),go(n,ie,me,ve,r-ue)}function sf(e,t,n,r,i,a,l){var u=be(function(B){var
ee=i[B],Y=ee.level!=1;return vo(Xt(e,ne(n,Y?ee.to:ee.from,Y?"before":"after"),"line",t,r),a,l,!0)},0
,i.length-1),f=i[u];if(u>0){var m=f.level!=1,A=Xt(e,ne(n,m?f.from:f.to,m?"after":"before"),"line",t,
r); vo(A,a,l,!0)\&\&A.top>l\&\&(f=i[u-1]) return f function uf(e,t,n,r,i,a,l) {varu=Ka(e,t,r,l),f=u.begin,m=u.end;/\s/.test(t.text.charAt(m-1))\&m--;for(varu=ka(e,t,r,l))
A=null, B=null, ee=0; ee<i.length; ee++) {var Y=i[ee]; if(!(Y.from>=m||Y.to<=f)) {var ie=Y.level!=1, ue=tr(e, r, ie?Math.min(m, Y.to) -1:Math.max(f, Y.from)).right, me=ue<a?a-ue+le9:ue-a;(!A||B>me) && (A=Y, B=me)}} return A||(A=i[i.length-
 1]), A. from < f \& (A = \{from: f, to: A. to, level: A. level\}), A. to > m \& (A = \{from: A. from, to: m, level: A. level\}), A\} variable for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of 
zr; function Vr(e){if(e.cachedTextHeight!=null)return e.cachedTextHeight;if(zr==null){zr=y("pre",null,"CodeMirror-line-like");for(var t=0;t<49;++t)zr.appe ndChild(document.createTextNode("x")),zr.appendChild(y("br"));zr.appendChild(document.createTextNode
 ("x"))}V(e.measure,zr);var n=zr.offsetHeight/50;return
n>3&&(e.cachedTextHeight=n),j(e.measure),n||1}function Jr(e){if(e.cachedCharWidth!=null)return e.cachedCharWidth;var t=y("span","xxxxxxxxxx"),n=y("pre",[t],"CodeMirror-line-like");V(e.measure,n);var r=t.getBoundingClientRect(),i=(r.right-r.left)/10;return i>2&&(e.cachedCharWidth=i),i||10}function bo(e){for(var
 t=e.display,n={},r={},i=t.gutters.clientLeft,a=t.gutters.firstChild,l=0;a;a=a.nextSibling,++l){var u
 =e.display.gutterSpecs[l].className;n[u]=a.offsetLeft+a.clientLeft+i,r[u]=a.clientWidth}return{fixed
 Pos:yo(t),gutterTotalWidth:t.gutters.offsetWidth,gutterLeft:n,gutterWidth:r,wrapperWidth:t.wrapper.c
 lientWidth}}function yo(e){return
 e.scroller.getBoundingClientRect().left-e.sizer.getBoundingClientRect().left}function Za(e){var t=Vr
  (e.display), n=e.options.lineWrapping,r=n&&Math.max(5,e.display.scroller.clientWidth/Jr(e.display)-
```

```
3); return function(i){if(mr(e.doc,i))return 0; var a=0;if(i.widgets)for(var
l=0;l<i.widgets.length;l++)i.widgets[l].height&&(a+=i,widgets[l].height);return
n?a+(Math.ceil(i.text.length/r)||1)*t:a+t}}function xo(e){var t=e.doc,n=Za(e);t.iter(function(r){var
i=n(r); i!=r.height&\&Bt(r,i)\}) \} function \ Mr(e,t,n,r) \{var \ i=e.display; if(!n&&yn(t).getAttribute("cm-not-content")=="true") return null; var
a,l,u=i.line Space.get Bounding Client Rect(); try{a=t.client X-u.left,l=t.client Y-u.top} catch{return}
null}var f=mo(e,a,l),m;if(r&f.xRel>0&&(m=Ae(e.doc,f.line).text).length==f.ch){var A=0e(m,m.length,e.options.tabSize)-m.length;f=ne(f.line,Math.max(0,Math.round((a-Fa(e.display)).left)/Jr(e.display))-
A))} return f function Ar(e,t){if(t>=e.display.viewTo||(t-=e.display.viewFrom,t<0))return
null; for(var n=e.display.view, r=0; r< n.length; r++) if(t-=n[r].size, t<0) return r function
zt(e,t,n,r) {t==null\&\&(t=e.doc.first),n==null\&\&(n=e.doc.first+e.doc.size),r||(r=0);var i=e.display;if
(r\&n-i.viewTo\&\&(i.updateLineNumbers==null||i.updateLineNumbers>t)\&\&(i.updateLineNumbers=t),e.cur0p.
viewChanged=!0,t>=i.viewTo)or&&ao(e.doc,t)<i.viewTo&&br(e);else</pre>
if(n<=i.viewFrom)or&&Ta(e.doc,n+r)>i.viewFrom?br(e):(i.viewFrom+=r,i.viewTo+=r);else
if(t<=i.viewFrom&&n>=i.viewTo)br(e);else if(t<=i.viewFrom){var</pre>
a=di(e,n,n+r,1);a?(i.view=i.view.slice(a.index),i.viewFrom=a.lineN,i.viewTo+=r):br(e)}else
if(n>=i.viewTo){var
l=di(e,t,t,-1);l?(i.view=i.view.slice(0,l.index),i.viewTo=l.lineN):br(e)}else{var u=di(e,t,t,-
1),f=di(e,n,n+r,1);u&&f?(i.view=i.view.slice(0,u.index).concat(si(e,u.lineN,f.lineN)).concat(i.view.
slice(f.index)),i.viewTo+=r):br(e)}var
vr(e,t,n) {e.cur0p.viewChanged=!0;var r=e.display,i=e.display.externalMeasured;if(i&&t>=i.lineN&&t<i.
lineN+i.size&&(r.externalMeasured=null),!(t<r.viewFrom||t>=r.viewTo)){var
a=r.view[Ar(e,t)]; if (a.node!=null) \{var l=a.changes||(a.changes=[]); Se(l,n)==-1&l.push(n)\}\} \} function
br(e){e.display.viewFrom=e.display.viewTo=e.doc.first,e.display.view=[],e.display.viewOffset=0}funct
ion di(e,t,n,r){var
i=Ar(e,t),a,l=e.display.view;if(!or||n==e.doc.first+e.doc.size)return{index:i,lineN:n};for(var
u=e.display.viewFrom, f=0; f<i; f++)u+=l[f].size; if(u!=t){if(r>0){if(i==l.length-1)return}}
 \begin{array}{lll} \text{null; a=u+l[i].size-t, i++} & \text{else a=u-t; t+=a, n+=a} & \text{for(; ao(e.doc,n)!=n;)} & \text{if(i==(r<0?0:l.length-1)) return null; n+=r*l[i-(r<0?1:0)].size, i+=r} & \text{return\{index:i,lineN:n\}} & \text{function cf(e,t,n)} & \text{var } & \text{r=e.display,i=r.vi} \\ \end{array} 
ew;i.length==0||t>=r.viewTo||n<=r.viewFrom?(r.view=si(e,t,n),r.viewFrom=t):(r.viewFrom>t?r.view=si(e
 ,t,r.viewFrom).concat(r.view):r.viewFrom<t&&(r.view=r.view.slice(Ar(e,t))),r.viewFrom=t,r.viewTo<n?r</pre>
 .view=r.view.concat(si(e,r.viewTo,n)):r.viewTo>n&&(r.view=r.view.slice(0,Ar(e,n)))),r.viewTo=n}funct
ion Xa(e){for(var t=e.display.view,n=0,r=0;r<t.length;r++){var
i=t[r];!i.hidden&&(!i.node||i.changes)&&++n}return n}function
zn(e) {e.display.input.showSelection(e.display.input.prepareSelection())} function Ya(e,t) {t===void}
0&&(t=!0); var n=e.doc,r={},i=r.cursors=document.createDocumentFragment(),a=r.selection=document.crea
teDocumentFragment(), l=e.options. customCursor; l&&(t=!0); for (varu=0; u<n.sel.ranges.length; u++) if(!(!t&&u==n.sel.primIndex)){var
f=n.sel.ranges[u];if(!(f.from().line>=e.display.viewTo||f.to().line<e.display.viewFrom)){var
cursor\b/.test(e.getWrapperElement().className)){var a=fi(e,t,"div",null,null),l=a.right-
a.left;i.style.width=(l>0?l:e.defaultCharWidth())+"px"}if(r.other){var
u=n.appendChild(y("div","\xA0","CodeMirror-cursor CodeMirror-secondarycursor"));u.style.display="",u.style.left=r.other.left+"px",u.style.top=r.other.top+"px",u.style.height=(r.other.bottom-
r.other.top)*.85+"px"}}function pi(e,t){return e.top-t.top||e.left-t.left}function ff(e,t,n){var r=e
.display,i=e.doc,a=document.createDocumentFragment(),l=Fa(e.display),u=l.left,f=Math.max(r.sizerWidt h,Er(e)-r.sizer.offsetLeft)-l.right,m=i.direction=="ltr";function A(be,Ce,Ne,Ie){Ce<0&&(Ce=0),Ce=Mat h.round(Ce),Ie=Math.round(Ie),a.appendChild(y("div",null,"CodeMirror-selected","position: absolute;
left: "+be+`px;
                                                               top: `+Ce+"px; width: "+(Ne??f-be)+`px;
height: `+(Ie-Ce)+"px"))}function B(be,Ce,Ne){var
gin:ft.end-(/\s/.test(Ie.text.charAt(ft.end-1))?2:1);return rt(lt,ct)[ct]}var
At=Pe(Ie,i.direction); return nt(At,Ce||0,Ne??∏e,function(ut,Dt,yt,ft){var ct=yt=="ltr",lt=rt(ut,ct?"
left":"right"), qt=rt(Dt-1,ct?"right":"left"), pn=Ce==null&&ut==0,Sr=Ne==null&&Dt==[e,St=ft==0,rr=!At||ft==At.length-1,ct?"right":"left"), pn=Ce==null&&ut==0,Sr=Ne==null&&Dt==[e,St=ft==0,rr=!At||ft==At.length-1,ct?"right":"left"), pn=Ce==null&&ut==0,Sr=Ne==null&&Dt==[e,St=ft==0,rr=!At||ft==At.length-1,ct?"right":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left":"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"left:"le
1; if (qt.top-lt.top<=3) {var
bt=(m?pn:Sr)&&St,Zo=(m?Sr:pn)&&rr,cr=bt?u:(ct?lt:qt).left,Nr=Zo?f:(ct?qt:lt).right;A(cr,lt.top,Nr-
cr,lt.bottom)}else{var Or,Lt,hn,Xo;ct?(Or=m&&pn&&St?u:lt.left,Lt=m?f:Ot(ut,yt,"before"),hn=m?u:Ot(Dt,yt,"after"),Xo=m&&Sr&&rr?f:qt.right):(Or=m?Ot(ut,yt,"before"):u,Lt=!m&&pn&&St?f:lt.right,hn=!m&&Sr&&rr?u:qt.left,Xo=m?Ot(Dt,yt,"after"):f),A(Or,lt.top,Lt-
 \texttt{Or,lt.bottom),lt.bottom} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} \\ \texttt{\coloredge} 
d:vt}}var ee=t.from(),Y=t.to();if(ee.line==Y.line)B(ee.line,ee.ch,Y.ch);else{var ie=Ae(i,ee.line),ue
=Ae(i,Y.line),me=Zt(ie)==Zt(ue),ve=B(ee.line,ee.ch,me?ie.text.length+1:null).end, e=B(Y.line,me?0:nu
ll,Y.ch).start;me&&(ve.top<_e.top-</pre>
2?(A(ve.right,ve.top,null,ve.bottom),A(u,\_e.top,\_e.left,\_e.bottom)):A(ve.right,ve.top,\_e.left-left,\_e.bottom)):A(ve.right,ve.top,\_e.left-left,\_e.bottom)):A(ve.right,ve.top,\_e.left,\_e.bottom))
ve.right, ve.bottom)), ve.bottom < e.top&&A(\overline{u}, ve.bottom, null, e.top)}n.appendChild(a)}function
```

```
ko(e){if(e.state.focused){var t=e.display;clearInterval(t.blinker);var n=!0;t.cursorDiv.style.visibi
                                     ,e.options.cursorBlinkRate>0?t.blinker=setInterval(function(){e.hasFocus()||en(e),t.cursorDiv"
   .style.visibility=(n=!n)?"":"hidden"},e.options.cursorBlinkRate):e.options.cursorBlinkRate<0&&(t.cur
 sorDiv.style.visibility="hidden")}}function
 Qa(e)\{e.hasFocus()||(e.display.input.focus(),e.state.focused||So(e))\} function wo(e)\{e.state.delaying\}
 BlurEvent=!0,setTimeout(function(){e.state.delayingBlurEvent&&(e.state.delayingBlurEvent=!1,e.state.
 focused\&\&en(e))\}, 100)\} function So(e,t) \{e.state.delayingBlurEvent\&\&!e.state.draggingText\&\&(e.state.delayingBlurEvent=!1), e.options.readOnly!="nocursor"&&(e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused||(it(e,"focus",e,t),e.state.focused
layingBlurEvent=!1),e.options.readUnly!="nocursor"&&(e.state.rocused||(ii(e, rocus ,e,i),e.state.rocused=!0,le(e.display.wrapper, "CodeMirror-focused"),!e.curOp&&e.display.selForContextMenu!=e.doc.sel& &(e.display.input.reset(),g&&setTimeout(function(){return e.display.input.reset(!0)},20)),e.display.input.receivedFocus()),ko(e))}function en(e,t){e.state.del ayingBlurEvent||(e.state.focused&&(it(e, "blur",e,t),e.state.focused=!1,Q(e.display.wrapper, "CodeMirror-focused")),clearInterval(e.display.blinker),setTimeout(function(){e.state.focused||(e.display.shi
ft=!1)},150))}function hi(e){for(var t=e.display,n=t.lineDiv.offsetTop,r=Math.max(0,t.scroller.getBo
undingClientRect().top),i=t.lineDiv.getBoundingClientRect().top,a=0,l=0;l<t.view.length;l++){var</pre>
 u=t.view[l],f=e.options.lineWrapping,m=void 0,Å=0;if(!u.hidden){if(i+=u.line.height,5&&h<8){var
 B=u.node.offsetTop+u.node.offsetHeight;m=B-n,n=B}else{var
 ee=u.node.getBoundingClientRect(); m=ee.bottom-
 ee.top, !f\&\~{u}.text.firstChild\&\&(A=u.text.firstChild.getBoundingClientRect().right-ee.left-1) \} varance for the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of
 Y=u.line.height-m; if((Y>.005)|\dot{Y}<..005)&(i<r&(a-=Y), Bt(u.line,m), Va(u.line), u.rest)) for(var
 ie=0;ie<u.rest.length;ie++)Va(u.rest[ie]);if(A>e.display.sizerWidth){var ue=Math.ceil(A/Jr(e.display
 ));ue>e.display.maxLineLength&&(e.display.maxLineLength=ue,e.display.maxLine=u.line,e.display.maxLin
 eChanged=!0)}}}Math.abs(a)>2&&(t.scroller.scrollTop+=a)}function Va(e){if(e.widgets)for(var
 t=0;t<e.widgets.length;++t){var
 n=e.widgets[t], r=n.node.parentNode; r&&(n.height=r.offsetHeight)} function gi(e,t,n){var}
 r=n\&n.top!=null?Math.max(0,n.top):e.scroller.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e));varanter.scrollTop;r=Math.floor(r-ui(e))
 i=n\&\&n.bottom!=null?n.bottom:r+e.wrapper.clientHeight,a=P(t,r),l=P(t,i);if(n\&\&n.ensure){var u=n.ensure}
 re.from.line, f=n.ensure.to.line; u<a?(a=u,l=P(t,ar(Ae(t,u))+e.wrapper.clientHeight)): Math.min(f,t.las)
\label{eq:tline} \begin{split} &\text{tLine())} >= l\&\&(a=P(t,ar(Ae(t,f))-e.wrapper.clientHeight),l=f)} \\ &\text{return}\{from:a,to:Math.max(l,a+1)\}\} \\ &\text{function} \end{split}
 df(e,t) \{ if(!ot(e,"scrollCursorIntoView")) \{ var \ n=e.display, r=n.sizer.getBoundingClientRect(), i=null, and its properties of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contr
=n.wrapper.ownerDocument;if(t.top+r.top<0?i=!0:t.bottom+r.top>(a.defaultView.innerHeight||a.document Element.clientHeight)&&(i=!1),i!=null&&!M){var l=y("div","\u200B",null,`position: absolute;}
                                                                                                                                                                          `+(t.top-n.viewOffset-ui(e.display))+`px;
                                                                                                                                             top:
                                                                                                                                            height: `+(t.bottom-t.top+er(e)+n.barHeight)+`px
left: `+t.left+"px; width: "+Math.max(2,t.right-
                                                                                                                                                                                            `+(t.bottom-t.top+er(e)+n.barHeight)+`px;
\label{t.left} t.left) + "px;"); e.display.lineSpace.appendChild(l), l.scrollIntoView(i), e.display.lineSpace.removeChild(l)\} \\ function pf(e,t,n,r) \\ \{r==null\&\&(r=0); var i; !e.options.lineWrapping\&\&t==n\&\&(n=t.sticky=="before or interpretation of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the 
"?ne(t.line,t.ch+1,"before"):t,t=t.ch?ne(t.line,t.sticky=="before"?t.ch-1:t.ch,"after"):t);for(var a=0;a<5;a++){var l=!1,u=Xt(e,t),f=!n||n==t?u:Xt(e,n);i={left:Math.min(u.left,f.left),top:Math.min(u.
 top,f.top)-r,right:Math.max(u.left,f.left),bottom:Math.max(u.bottom,f.bottom)+r};var m=To(e,i),A=e.d
 oc.scrollTop,B=e.doc.scrollLeft;if(m.scrollTop!=null&&(An(e,m.scrollTop),Math.abs(e.doc.scrollTop-
 B)>1\&\&(l=!0)),!l)break\}return\ i\}function\ hf(e,t)\{varn=To(e,t);n.scrollTop!=null\&\&An(e,n.scrollTop),n.scrollLeft!=null\&\&Dr(e,n.scrollLeft)\}function
 To(e,t) \{ var \ n=e.display, r=Vr(e.display); t.top<0\&\&(t.top=0); var \ i=e.cur0p\&\&e.cur0p.scrollTop!=null?e. \} \} 
 curOp.scrollTop:n.scroller.scrollTop,a=fo(e),l={};t.bottom-t.top>a&&(t.bottom=t.top+a);varance curOp.scrollTop:n.scroller.scrollTop,a=fo(e),l={};t.bottom-t.top>a&&(t.bottom=t.top+a);varance curOp.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.scrollTop.n.
 u=e.doc.height+co(n),f=t.top<r,m=t.bottom>u-r;if(t.top<i)l.scrollTop=f?0:t.top;else
if(t.bottom)-i+a) \{ var \ A=Math.min(t.top,(m?u:t.bottom)-a); A!=i\&\&(l.scrollTop=A) \} var \ B=e.options.fixedGutter?0:n.gutters.offsetWidth,ee=e.cur0p\&\&e.cur0p.scrollLeft!=null?e.cur0p.scrollLeft:n.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.s
 ollLeft-B, \breve{Y}=Er(e)-n.gutters.offset \ Width, ie=t.right-t.left>Y; return ie \& (t.right=t.left+Y), t.left<10?
 l.scrollLeft=0:t.left<ee?l.scrollLeft=Math.max(0,t.left+B-(ie?0:10)):t.right>Y+ee-
 3\&\&(l.scrollLeft=t.right+(ie?0:10)-Y),l\}function\ Lo(e,t)\\\{t!=null\&\&(mi(e),e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scrollTop=(e.cur0p.scro
 scrollTop==null?e.doc.scrollTop:e.curOp.scrollTop)+t)}function tn(e){mi(e);var
 t=e.getCursor();e.curOp.scrollToPos={from:t,to:t,margin:e.options.cursorScrollMargin}}function Mn(e,
 \texttt{t,n}) \\ \{(\texttt{t}!=\texttt{null}||\texttt{n}!=\texttt{null}) \\ \& \texttt{mi(e)}, \texttt{t}!=\texttt{null} \\ \& (\texttt{e.cur0p.scrollLeft=t}), \texttt{n}!=\texttt{null} \\ \& (\texttt{e.cur0p.scrollTop=n}) \\ \} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{function} \\ \texttt{fu
 on gf(e,t){mi(e),e.curOp.scrollToPos=t}function mi(e){var
 t=e.cur0p.scrollToPos;if(t){e.cur0p.scrollToPos=null;var
 n=[a(e,t.from),r=[a(e,t.to);Ja(e,n,r,t.margin)] function Ja(e,t,n,r) {var i=To(e,{left:Math.min(t.lef})}
 t,n.left),top:Math.min(t.top,n.top)
 r,right:Math.max(t.right,n.right),bottom:Math.max(t.bottom,n.bottom)+r});Mn(e,i.scrollLeft,i.scrollT
 op)}function
 An(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,100))\}function el(e,t)\{Math.abs(e.doc.scrollTop-t)<2||(v||Eo(e,\{top:t\}),el(e,t,!0),v\&Eo(e),In(e,t,!0))\}function el(e,t)\{Math.abs(e,t),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0)\}function el(e,t)\{Math.abs(e,t),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0)\}function el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(e,t,!0),el(
 e,t,n){t=Math.max(0,Math.min(e.display.scroller.scrollHeight-
 e.display.scroller.client Height, t)), ! (e.display.scroller.scrollTop == t\&\&!n)\&\& (e.doc.scrollTop = t, e.display.scroller.scrollTop == t\&\&!n) & (e.doc.scrollTop = t, e.display.scroller.scrollTop == t&\&!n) & (e.doc.scrollTop = t, e.display.scroller.scrollTop == t&\&!n) & (e.doc.scrollTop = t, e.display.scroller.scrollTop == t&\&!n) & (e.doc.scrollTop = t, e.display.scroller.scrollTop croller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scroller.scrol
\label{lem:play.scroll} play.scrollbars.setScrollTop(t), e.display.scroller.scrollTop!=t\&\&(e.display.scroller.scrollTop=t)) function Dr(e,t,n,r) \\ \{t=Math.max(0,Math.min(t,e.display.scroller.scrollWidth-top)\}.
 e.display.scroller.clientWidth)),!((n?t==e.doc.scrollLeft:Math.abs(e.doc.scrollLeft-
 ft=t),e.display.scrollbars.setScrollLeft(t))}function Dn(e){var t=e.display,n=t.gutters.offsetWidth,
 r=Math.round(e.doc.height+co(e.display));return{clientHeight:t.scroller.clientHeight,viewHeight:t.wr
 apper.clientHeight,scrollWidth:t.scroller.scrollWidth,clientWidth:t.scroller.clientWidth,viewWidth:t
   .wrapper.clientWidth,barLeft:e.options.fixedGutter?n:0,docHeight:r,scrollHeight:r+er(e)+t.barHeight,
```

```
nativeBarWidth:t.nativeBarWidth,gutterWidth:n}}var qr=function(e,t,n){this.cm=n;var
 r=this.vert=y("div",[y("div",null,null,"min-width: 1px")],"CodeMirror-vscrollbar"),i=this.horiz=y("div",[y("div",null,null,"height: 100%; min-height: 1px")],"CodeMirror-h
scrollbar");r.tabIndex=i.tabIndex=-
1,e(r),e(i),Fe(r,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")}),Fe(i,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")}),Fe(i,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")}),Fe(i,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")}),Fe(i,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")}),Fe(i,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")}),Fe(i,"scroll",function(){r.clientHeight&&t(r.scrollTop,"vertical")})
 ion(){i.clientWidth&&t(i.scrollLeft, "horizontal")}),this.checkedZeroWidth=!1,s&&h<8&&(this.horiz.sty
 le.minHeight=this.vert.style.minWidth="18px")};qr.prototype.update=function(e){var t=e.scrollWidth>e
    .clientWidth+1,n=e.scrollHeight>e.clientHeight+1,r=e.nativeBarWidth;if(n){this.vert.style.display="b
lock", this.vert.style.bottom=t?r+"px":"0";var i=e.viewHeight-
(t?r:0);this.vert.firstChild.style.height=Math.max(0,e.scrollHeight-e.clientHeight+i)+"px"}else this.vert.scrollTop=0,this.vert.style.display="",this.vert.firstChild.style.height="0";if(t){this.horiz.style.display="block",this.horiz.style.right=n?r+"px":"0",this.horiz.style.left=e.barLeft+"px";var a
 =e.viewWidth-e.barLeft-(n?r:0); this.horiz.firstChild.style.width=Math.max(0,e.scrollWidth-
e.clientWidth+a)+"px"}else this.horiz.style.display="",this.horiz.firstChild.style.width="0";return! this.checkedZeroWidth&&e.clientHeight>0&&(r==0&&this.zeroWidthHack(),this.checkedZeroWidth=!0),{righ
 t: n?r: 0, bottom: t?r: 0\}\}, qr.prototype.setScrollLeft = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft! = e\&(this.horiz.scrollLeft!) \} = function(e) \{this.horiz.scrollLeft!) \} = function(e) \{this.horiz.s
 scrollLeft=e),this.disableHoriz&&this.enableZeroWidthBar(this.horiz,this.disableHoriz,"horiz")},qr.p
 rototype.setScrollTop=function(e) \{this.vert.scrollTop!=e\&(this.vert.scrollTop!=e\&(this.vert.scrollTop=e), this.disableVert\&(this.vert.scrollTop)\} \} and the scrollTop is the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the scrollTop of the 
 this.enableZeroWidthBar(this.vert,this.disableVert,"vert"),qr.prototype.zeroWidthHack=function(){var e=N&&!z?"12px":"18px";this.horiz.style.height=this.vert.style.width=e,this.horiz.style.visibility=
 this.vert.style.visibility="hidden", this.disableHoriz=new qe, this.disableVert=new
 qe},qr.prototype.enableZeroWidthBar=function(e,t,n){e.style.visibility="";function r(){var i=e.getBo
 undingClientRect(),a=n=="vert"?document.elementFromPoint(i.right
 1,(i.top+i.bottom)/2):document.elementFromPoint((i.right+i.left)/2,i.bottom-
 1);a!=e?e.style.visibility="hidden":t.set(le3,r)}t.set(le3,r)},qr.prototype.clear=function(){var
e=this.horiz.parentNode;e.removeChild(this.horiz),e.removeChild(this.vert)};var qn=function(){};qn.prototype.update=function(){return{bottom:0,right:0}},qn.prototype.setScrollLeft=function(){},qn.prot
 otype.setScrollTop=function()\{\}, qn.prototype.clear=function()\{\}; function \ rn(e,t)\{t||(t=Dn(e)); variable function(), the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the
 n=e.display.barWidth, r=e.display.barHeight;tl(e,t);for(var i=0;i<4&&n!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidth||r!=e.display.barWidt
 lay.barHeight;i++)n!=e.display.barWidth&&e.options.lineWrapping&&hi(e),tl(e,Dn(e)),n=e.display.barWi
dth,r=e.display.barHeight}function tl(e,t){var n=e.display.r=n.scrollbars.update(t);n.sizer.style.paddingRight=(n.barWidth=r.right)+"px",n.sizer.style.paddingBottom=(n.barHeight=r.bottom)+"px",n.heightForcer.style.borderBottom=r.bottom+"px solid transparent",r.right&&r.bottom?(n.scrollbarFiller.style.display="block",n.scrollbarFiller.style.height=r.bottom+"px",n.scrollbarFiller.style.width=r.right
 +"px"):n.scrollbarFiller.style.display="",r.bottom&&e.options.coverGutterNextToScrollbar&&e.options.
 fixedGutter?(n.gutterFiller.style.display="block",n.gutterFiller.style.height=r.bottom+"px",n.gutterFiller.style.width=t.gutterWidth+"px"):n.gutterFiller.style.display=""}var
 rl = \{native: qr, null: qn\}; function \ nl(e) \{e.display.scrollbars\&\& (e.display.scrollbars.clear(), e.display.scrollbars.clear(), lbars.addClass&&Q(e.display.wrapper,e.display.scrollbars.addClass)),e.display.scrollbars=new rl
  [e.options.scrollbarStyle](function(t){e.display.wrapper.insertBefore(t,e.display.scrollbarFiller),F
                             "mousedown",function(){e.state.focused&&setTimeout(function(){return
 e.display.input.focus()},0)}),t.setAttribute("cm-not-content","true")},function(t,n){n=="horizontal"
 ?Dr(e,t):An(e,t)},e),e.display.scrollbars.addClass&&le(e.display.wrapper,e.display.scrollbars.addClass)}var mf=0;function Ir(e){e.cur0p={cm:e,viewChanged:!1,startHeight:e.doc.height,forceUpdate:!1,upd
 ateInput:0,typing:!1,changeObjs:null,cursorActivityHandlers:null,cursorActivityCalled:0,selectionCha
 nged:!1,updateMaxLine:!1,scrollLeft:null,scrollTop:null,scrollToPos:null,focus:!1,id:++mf,markArrays
  :null},Kc(e.cur0p)}function Fr(e){var t=e.cur0p;t&&Zc(t,function(n){for(var
i=0; i< t.length; i++)xf(t[i]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0; a< t.length; a++) f(t[a]); for(var a=0;
 l=0;l< t.length;l++)kf(t[l]) function bf(e) {var t=e.cm,n=t.display;Sf(t),e.updateMaxLine&&so(t),e.mus
 tUpdate=e.viewChanged||e.forceUpdate||e.scrollTop!=null||e.scrollToPos&&(e.scrollToPos.from.line<n.v
iewFrom||e.scrollToPos.to.line>=n.viewTo)||n.maxLineChanged&&t.options.lineWrapping,e.update=e.mustU
pdate&&new vi(t,e.mustUpdate&&{top:e.scrollTop,ensure:e.scrollToPos},e.forceUpdate)}function
 yf(e) {e.updatedDisplay=e.mustUpdate&&Co(e.cm,e.update)} function xf(e) {var t=e.cm,n=t.display;e.updat
 edDisplay \& hi(t), e.\,bar Measure = Dn(t), n.\,max Line Changed \& \& (t.\,options.line Wrapping \& (e.\,adjust Width To=Oa(t.\,options.line Wrapping \& (e.\,adjust Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Width Widt
   ,n.maxLine,n.maxLine.text.length).left+3,t.display.sizerWidth=e.adjustWidthTo,e.barMeasure.scrollWid
  th=Math.max(n.scroller.clientWidth,n.sizer.offsetLeft+e.adjustWidthTo+er(t)+t.display.barWidth),e.ma
 x Scroll Left = \texttt{Math.max}(0, n. sizer. off set Left + e. adjust \texttt{WidthTo-Er}(t))), (e. updated \texttt{Display} | | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) | e. selection \texttt{Chance}(t) |
 ged) \& (e.prepared Selection=n.input.prepare Selection()) \} function \ \_f(e) \{ var \ t=e.cm; e.adjust Width To!=null Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Selection(), the prepared Sel
 ll&&(t.display.sizer.style.minWidth=e.adjustWidthTo+"px",e.maxScrollLeft<t.doc.scrollLeft&&Dr(t,Math.min(t.display.scroller.scrollLeft,e.maxScrollLeft),!0),t.display.maxLineChanged=!1);var n=e.focus&&
 e.focus==R(de(t));e.preparedSelection&t.display.input.showSelection(e.preparedSelection,n),(e.updat
 edDisplay||e.startHeight!=t.doc.height)&&rn(t,e.barMeasure),e.updatedDisplay&&Mo(t,e.barMeasure),e.s
 election Changed \& ko(t), t.state.focused \& e.update Input \& t.display.input.reset(e.typing), n \& Qa(e.cm) \} full of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the con
 unction \ kf(e) \\ \{var \ t=e.cm, n=t.display, r=t.doc; if (e.updatedDisplay\&il(t,e.update), n.wheelStartX!=nuller (e.updatedDisplay&il(t,e.update), n.wheelStartX!=nuller (e.updatedDisplay).
  \& \& (e.scrollTop)! = null | | e.scrollLeft! = null | | e.scrollToPos) \& (n.wh\acute{e}elStartX = n.whee\acute{l}StartY = null), e.scrollTop! = null \& \& l(t,e.scrollTop,e.forceScroll), e.scrollLeft! = null \& \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollLeft! = null & \& l(t,e.scrollLeft,!0,!0), e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scrollToP | e.scr
 os) \{ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.to), e.scrollToPos.margin); df(t, i) \} var \} \\ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.to), e.scrollToPos.margin); df(t, i) \} \\ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.to), e.scrollToPos.margin); df(t, i) \} \\ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.to), e.scrollToPos.margin); df(t, i) \} \\ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.to), e.scrollToPos.margin); df(t, i) \} \\ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.to), e.scrollToPos.margin); df(t, i) \} \\ var \ i = pf(t, je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollToPos.from), je(r, e.scrollT
a=e.maybeHiddenMarkers,l=e.maybeUnhiddenMarkers;if(a)for(varu=0;u<a.length;++u)a[u].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");if(l)for(varf=0;f<l.length;++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.length||it(a[u],"hide");++f)l[f].lines.l
 gth\&\&it(l[f],"unhide");n.wrapper.offsetHeight\&\&(r.scrollTop=t.display.scroller.scrollTop),e.change0b
 is&&it(t, "changes", t,e.changeObjs),e.update&&e.update.finish()}function Nt(e,t){if(e.curOp)return
```

```
t();Ir(e);try\{return\ t()\}finally\{Fr(e)\}\}function\ gt(e,t)\{return\ function()\{if(e.cur0p)return\ function()\}\}function gt(e,t)\{return\ function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}finally\{Fr(e)\}\}function gt(e,t)\{function()\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}finally\{Fr(e)\}fina
t.apply(e,arguments); Ir(e); try{return t.apply(e,arguments)} finally{Fr(e)}}} function Tt(e){return
function(){if(this.cur0p)return e.apply(this,arguments);Ir(this);try{return
e.apply(this,arguments)}finally{Fr(this)}}}function mt(e){return function(){var
t=this.cm;if(!t||t.cur0p)return e.apply(this,arguments);Ir(t);try{return
e.apply(this,arguments))finally(Fr(t))}}function
In(e,t){e.doc.highlightFrontier<e.display.viewTo&&e.state.highlight.set(t,Ee(wf,e))}function
wf(e){var t=e.doc;if(!(t.highlightFrontier>=e.display.viewTo)){var n=+new Date+e.options.workTime,r=
wn(e,t.highlightFrontier), i=[]; \\ t.iter(r.line,Math.min(t.first+t.size,e.display.viewTo+500), \\ function(t.first+t.size,e.display.viewTo+500), \\ function(t.first+t.size,e.display.v
a){if(r.line>=e.display.viewFrom){var l=a.styles,u=a.text.length>e.options.maxHighlightLength?Vt(t.m
ode, r. state): null, f=fa(e,a,r,!0); u\&\&(r.state=u), a.styles=f.styles; var
m=a.styleClasses,A=f.classes;A?a.styleClasses=A:m&&(a.styleClasses=null);for(var B=!l||l.length!=a.s
tyles.length||m!=A\&\&(!m||!A||m.bgClass!=A.bgClass||m.textClass!=A.textClass), ee=0; !B\&\&ee<l.length; ++10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.textClass|| +-10.5 ||m.
ee)B=l[ee]!=a.styles[ee];B&&i.push(r.line),a.stateAfter=r.save(),r.nextLine()}else a.text.length<=e.
options.maxHighlightLength&&ro(e,a.text,r),a.stateAfter=r.line%5==0?r.save():null,r.nextLine();if(+n</pre>
ew Date>n)return In(e,e.options.workDelay),!0}),t.highlightFrontier=r.line,t.modeFrontier=Math.max(t
.modeFrontier,r.line),i.length&&Nt(e,function(){for(var a=0;a<i.length;a++)vr(e,i[a],"text")})}}var</pre>
vi=function(e,t,n){var r=e.display;this.viewport=t,this.visible=gi(r,e.doc,t),this.editorIsHidden=!r
  .wrapper.offsetWidth,this.wrapperHeight=r.wrapper.clientHeight,this.wrapperWidth=r.wrapper.clientWid
th,this.oldDisplayWidth=Er(e),this.force=n,this.dims=bo(e),this.events=[]};vi.prototype.signal=funct
ion(e,t) {Ft(e,t)&this.events.push(arguments)}, vi.prototype.finish=function() {for(varguments)}
e=0;e<this.events.length;e++)it.apply(null,this.events[e]));function Sf(e){var t=e.display;!t.scroll
barsClipped&&t.scroller.offsetWidth&&(t.nativeBarWidth=t.scroller.offsetWidth-
t.scroller.clientWidth,t.heightForcer.style.height=er(e)+"px",t.sizer.style.marginBottom=-
t.nativeBarWidth+"px",t.sizer.style.borderRightWidth=er(e)+"px",t.scrollbarsClipped=!0)}function
n = \{activeElt:t\}; if(window.getSelection) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend\&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend\&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend\&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend\&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend\&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode\&r.extend&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchorNode&r.extend&F(e.displants) \\ \{var r = pe(e).getSelection(); r.anchor
ay.lineDiv,r.anchorNode)&&(n.anchorNode=r.anchorNode,n.anchorOffset=r.anchorOffset,n.focusNode=r.foc
usNode,n.focusOffset=r.focusOffset)}return n}function Lf(e){if(!(!e||!e.activeElt||e.activeElt==R(ze
 (e.activeElt)))\&\&(e.activeElt.focus(),!/^(INPUT|TEXTAREA) \_/.test(e.activeElt.nodeName)\&\&e.anchorNode)
\&F(document.body, e.anchorNode) \&F(document.body, e.focusNode))) \\ \{var\ t=e.activeElt.ownerDocument, n=t.activeElt.ownerDocument, defaultView.getSelection(),r=t.createRange();r.setEnd(e.anchorNode,e.anchorOffset),r.collapse(!1),n.
removeAllRanges(),n.addRange(r),n.extend(e.focusNode,e.focusOffset)}}function Co(e,t){var
n=e.display,r=e.doc;if(t.editorIsHidden)return br(e),!1;if(!t.force&&t.visible.from>=n.viewFrom&&t.v
isible.to<=n.viewTo&&(n.updateLineNumbers==null||n.updateLineNumbers>=n.viewTo)&&n.renderedView==n.v
iew\&\&Xa(e) == 0) \ return!1; al(e)\&\&(br(e),t.dims = bo(e)); var\ i = r.first + r.size, a = Math.max(t.visible.from-theology); alternative for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the 
e.options.viewportMargin,r.first),l=Math.min(i,t.visible.to+e.options.viewportMargin);n.viewFrom<a&&
a-n.viewFrom<20&&(a=Math.max(r.first,n.viewFrom)),n.viewTo>l&&n.viewTo-
\label{label} $$ 1<20\&\&(l=Math.min(i,n.viewTo)), or\&\&(a=ao(e.doc,a),l=Ta(e.doc,l)); var u=a!=n.viewFrom||l!=n.viewTo||n.lastWrapHeight!=t.wrapperHeight||n.lastWrapWidth!=t.wrapperWidth;cf(e,a,l),n.viewOffset=ar(Ae(e.doc,a),l=Ta(e.doc,l)); var u=a!=n.viewFrom||l!=n.viewTo||n.lastWrapHeight!=t.wrapperWidth;cf(e,a,l),n.viewOffset=ar(Ae(e.doc,a),l=Ta(e.doc,l)); var u=a!=n.viewFrom||l!=n.viewTo||n.lastWrapHeight!=t.wrapperWidth;cf(e,a,l),n.viewOffset=ar(Ae(e.doc,a),l=Ta(e.doc,l)); var u=a!=n.viewFrom||l!=n.viewTo||n.lastWrapHeight!=t.wrapperWidth;cf(e,a,l),n.viewOffset=ar(Ae(e.doc,a),l=Ta(e.doc,l)); var u=a!=n.viewFrom||l!=n.viewTo||n.lastWrapHeight!=t.wrapperWidth;cf(e,a,l),n.viewOffset=ar(Ae(e.doc,a),l=Ta(e.doc,l)); var u=a!=n.viewFrom||l!=n.viewTo||n.lastWrapHeight!=t.wrapperWidth;cf(e,a,l),n.viewOffset=ar(Ae(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a),l=Ta(e.doc,a
  n.viewFrom)),e.display.mover.style.top=n.viewOffset+"px";var f=Xa(e);if(!u&&f==0&&!t.force&&n.rende,
redView==n.view&&(n.updateLineNumbers==null||n.updateLineNumbers>=n.viewTo))return!1;var
m=Tf(e);return f>4&&(n.lineDiv.style.display="none"),Cf(e,n.updateLineNumbers,t.dims),f>4&&(n.lineDi
v.style.display=""), n. renderedView=n. view, Lf(m), j(n. cursorDiv), j(n. selectionDiv), n. gutters. style.hei ght=n. sizer. style.minHeight=0, u&&(n.lastWrapHeight=t.wrapperHeight, n.lastWrapWidth=t.wrapperWidth, In
  (e,400)),n.updateLineNumbers=null,!0}function il(e,t){for(var n=t.viewport,r=!0;;r=!1){if(!r||!e.opt
ions.lineWrapping||t.oldDisplayWidth==Er(e)){if(n\& n.top!=null\& (n=\{top:Math.min(e.doc.height+co(e.doc.height+co))}
fo(e),n.top)}),t.visible=gi(e.display,e.doc,n),t.visible.from>=e.display.viewFrom&&t.visible.to<=e.d</pre>
isplay.viewTo)break}else r&&(t.visible=qi(e.display,e.doc,n));if(!Co(e,t))break;hi(e);var i=Dn(e);zn
(e),rn(e,i),Mo(e,i),t.force=!1}t.signal(e,"update",e),(e.display.viewFrom!=e.display.reportedViewFrom||e.display.viewTo!=e.display.reportedViewTo)&&(t.signal(e,"viewportChange",e,e.display.viewFrom,e.
display.viewTo),e.display.reportedViewFrom=e.display.viewFrom,e.display.reportedViewTo=e.display.vie
wTo) function Eo(e,t) {var n=new vi(e,t); if(Co(e,n)) {hi(e), il(e,n); var
r=Dn(e);zn(e),rn(e,r),Mo(e,r),n.finish()}}function Cf(e,t,n){var
r=e.display,i=e.options.lineNumbers,a=r.lineDiv,l=a.firstChild;function u(ie){var ue=ie.nextSibling;return g&&N&&e.display.currentWheelTarget==ie?ie.style.display="none":ie.parentNod
e.removeChild(ie),ue}for(var f=r.view,m=r.viewFrom,A=0;A<f.length;A++){var</pre>
B=f[A];if(!B.hidden)if(!B.node||B.node.parentNode!=a){var
ee=Jc(e,B,m,n); a.insertBefore(ee,l)}else{for(;l!=B.node;)l=u(l);var Y=i&&t!=null&&t<=m&&B.lineNumber
; B. changes \&\& (Se(B. changes, "gutter") > -1 \&\& (Y=!1), Ma(e,B,m,n)), Y\&\& (j(B. lineNumber), B. lineNumber.appendChild(document.createTextNode(he(e.opt))), Ma(e,B,m,n)), Y&\& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber)), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Y&& (j(B. lineNumber), B. lineNumber), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B,m,n)), Ma(e,B
ions,m)))),l=B.node.nextSibling}m+=B.size}for(;l;)l=u(l)}function zo(e){var
t=e.gutters.offsetWidth;e.sizer.style.marginLeft=t+"px",ht(e,"gutterChanged",e)}function Mo(e,t){e.d
isplay.sizer.style.minHeight=t.docHeight+"px",e.display.heightForcer.style.top=t.docHeight+"px",e.display.gutters.style.height=t.docHeight+e.display.barHeight+er(e)+"px"}function ol(e){var t=e.display,n=t.view;if(!(!t.alignWidgets&&(!t.gutters.firstChild||!e.options.fixedGutter))){for(var
r=vo(t)
t.scroller.scrollLeft+e.doc.scrollLeft,i=t.gutters.offsetWidth,a=r+"px",l=0;l<n.length;l++)if(!n[l].scroller.scrollLeft+e.doc.scrollLeft,i=t.gutters.offsetWidth,a=r+"px",l=0;l<n.length;l++)if(!n[l].scroller.scrollLeft+e.doc.scrollLeft,i=t.gutters.offsetWidth,a=r+"px",l=0;l<n.length;l++)if(!n[l].scroller.scrollLeft+e.doc.scrollLeft,i=t.gutters.offsetWidth,a=r+"px",l=0;l<n.length;l++)if(!n[l].scroller.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLeft+e.doc.scrollLef
\label{lem:hidden} $$ \{e.options.fixedGutter\&(n[l].gutter\&(n[l].gutter.style.left=a),n[l].gutterBackground\&(n[l].gutter.style.left=a),n[l].gutterBackground\&(n[l].gutter.style.left=a),n[l].gutterBackground\&(n[l].gutter.style.left=a),n[l].gutterBackground\&(n[l].gutter.style.left=a),n[l].gutterBackground\&(n[l].gutter.style.left=a),n[l].gutterBackground\&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutter.style.left=a),n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(n[l].gutterBackground&(
  .qutterBackground.style.left=a));var u=n[l].alignable;if(u)for(var f=0;f<u.length;f++)u[f].style.lef
t=a}e.options.fixedGutter&&(t.gutters.style.left=r+i+"px")}}function
al(e){if(!e.options.lineNumbers)return!1;var
```

```
t=e.doc,n=he(e.options,t.first+t.size-1),r=e.display;if(n.length!=r.lineNumChars){var
i=r.measure.appendChild(y("div",[y("div",n)],"CodeMirror-linenumber CodeMirror-gutter-
elt")),a=i.firstChild.offsetWidth,l=i.offsetWidth-a;return r.lineGutter.style.width="",r.lineNumInne
   rWidth=Math.max(a,r.lineGutter.offsetWidth-
   \label{lineNum} 1) + 1, r. lineNum Width = r. lineNum Inner Width + 1, r. lineNum Chars = r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length: -1, r. lineNum Inner Width ? n. length
   1, r.lineGutter.style.width=r.lineNumWidth+"px", zo(e.display), !0} return! 1 function <math>Ao(e, t) \{for(varanter)\} 
   n=[], r=!1, i=0; i<e.length; i++){var a=e[i], l=null; if(typeof)}
   a!="string"&&(l=a.style,a=a.className),a=="CodeMirror-linenumbers")if(t)r=!0;else
   continue; n.push({className:a,style:l})}return t&&!r&&n.push({className:"CodeMirror-linenumbers",style:null}),n}function ll(e){var
 t=e.gutters, n=e.gutterSpecs; j(t), e.lineGutter=null; for(var r=0; r<n.length; ++r) {var i=n[r], a=i.className, l=i.style, u=t.appendChild(y("div", null, "CodeMirror-gutter" +a)); l&&(u.style.cssText=l), a=="CodeMirror-linenumbers"&&(e.lineGutter=u, u.style.width=(e.lineNumWinest)</pre>
 ta,,, tas(u.styte.csslext-t),a-- Codemirror-timenumbers αα(e.timedutter=u dth||1)+"px")}t.style.display=n.length?"":"none",zo(e)}function
Fn(e){ll(e.display),zt(e),ol(e)}function Ef(e,t,n,r){var
i=this;this.input=n,i.scrollbarFiller=y("div",null,"CodeMirror-scrollbar-
filler"),i.scrollbarFiller.setAttribute("cm-not-
   content","true"),i.gutterFiller=y("div",null,"CodeMirror-gutter-
content", "true"),i.gutterFiller=y("div",null,"CodeMirror-gutter-
filler"),i.gutterFiller.setAttribute("cm-not-content", "true"),i.lineDiv=K("div",null,"CodeMirror-
code"),i.selectionDiv=y("div",null,"ull,"position: relative; z-index:
1"),i.cursorDiv=y("div",null,"CodeMirror-cursors"),i.measure=y("div",null,"CodeMirror-
measure"),i.lineMeasure=y("div",null,"CodeMirror-measure"),i.lineSpace=K("div",[i.measure,i.lineMeas
ure,i.selectionDiv,i.cursorDiv,i.lineDiv],null,"position: relative; outline: none");var
a=K("div",[i.lineSpace],"CodeMirror-lines");i.mover=y("div",[a],null,"position:
relative"),i.sizer=y("div",[i.mover],"CodeMirror-
sizer"),i.sizerWidth=null,i.heightForcer=y("div",null,null,"position: absolute; height: "+Be+"px;
width: lpx;"),i.gutters=y("div",null,"CodeMirror-
gutters"),i.lineGutter=null.i.scroller=y("div",[i.sizer.i.heightForcer.i.gutters]."CodeMirror-scroll
 gutters"),i.lineGutter=null,i.scroller=y("div",[i.sizer,i.heightForcer,i.gutters],"CodeMirror-scroll
"),i.scroller.setAttribute("tabIndex","-
1"),i.wrapper=y("div",[i.scrollbarFiller,i.gutterFiller,i.scroller],"CodeMirror"),w&&c>=105&&(i.wrap
per.style.clipPath="inset(0px)"),i.wrapper.setAttribute("translate","no"),s&&h<8&&(i.gutters.style.z</pre>
   1, i.s croller. style. padding Right=0), !g \& \& !(v \& E) \& \& (i.s croller. draggable=!0), e \& \& (e.append Child?e.append Chi
   Child(i.wrapper):e(i.wrapper)),i.viewFrom=i.viewTo=t.first,i.reportedViewFrom=i.reportedViewTo=t.fir
   st,i.view=[],i.renderedView=null,i.externalMeasured=null,i.viewOffset=0,i.lastWrapHeight=i.lastWrapW
   idth=0,i.updateLineNumbers=null,i.nativeBarWidth=i.barHeight=i.barWidth=0,i.scrollbarsClipped=!1,i.l
   ineNumWidth=i.lineNumInnerWidth=i.lineNumChars=null,i.alignWidgets=!1,i.cachedCharWidth=i.cachedText
  Height=i.cachedPaddingH=null,i.maxLine=null,i.maxLineLength=0,i.maxLineChanged=!1,i.wheelDX=i.wheelD Y=i.wheelStartY=i.wheelStartY=null,i.shift=!1,i.selForContextMenu=null,i.activeTouch=null,i.gutterSp
   ecs=Ao(r.gutters,r.lineNumbers),ll(i),n.init(i)}var
   bi=0, sr=null; s?sr=-.53: v?sr=15: w?sr=-.7: k&&(sr=-1/3); function sl(e){var}
   t=e.wheelDeltaX,n=e.wheelDeltaY;return t==null&&e.detail&&e.axis==e.HORIZONTAL AXIS&&(t=e.detail),n=
   = null \& \& e. detail \& \& e. axis == e. VERTICAL\_AXIS? n = e. detail : n == null \& \& (n = e. wheel Delta), \color="red" (x:t,y:n) \cdot function and the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the color="red" (x:t,y:n) \cdot function are the co
   zf(e) {var t=sl(e); return t.x*=sr,t.\overline{y}*=sr,t} function ul(e,t){w&&c==102&&(e.display.chromeScrollHack==
   null?e.display.sizer.style.pointerEvents="none":clearTimeout(e.display.chromeScrollHack),e.display.c
   hromeScrollHack=setTimeout(function(){e.display.chromeScrollHack=null,e.display.sizer.style.pointerE
   \label{lem:normalize} vents=""\{100\}\}; var n=sl(t), r=n.x, i=n.y, a=sr; t.deltaMode===0\&\&(r=t.deltaX, i=t.deltaY, a=1); var l=e.display, u=l.scroller, f=u.scrollWidth>u.clientWidth, m=u.scrollHeight>u.clientHeight; if (r&&f||i&&m){if(i=e.display, u=l.scroller, f=u.scrollWidth>u.clientWidth, m=u.scrollHeight>u.clientHeight; if (r&&f||i&&m){if(i=e.display, u=l.scroller, f=u.scrollWidth>u.clientWidth, m=u.scrollHeight>u.clientHeight; if (r&&f||i&&m){i=e.display, u=l.scroller, f=u.scrollWidth>u.clientWidth, m=u.scrollHeight>u.clientHeight>u.clientWidth, m=u.scrollWidth>u.clientWidth>u.clientWidth, m=u.scrollWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientWidth>u.clientW
   &&N&&g){e:for(var A=t.target,B=l.view;A!=u;A=A.parentNode)for(var
   ee=0; ee<B.length; ee++)if(B[ee].node==A){e.display.currentWheelTarget=A;break e}}if(r&&!v&&!d&&a!=nularentWheelTarget=A;break e}}if(r&&!v&&!d&!v&|a|=1, a... a}
   1) \{i \& \& m \& \& An(e, Math.max(0, u.scrollTop+i*a)), Dr(e, Math.max(0, u.scrollLeft+r*a)), (!i||i \& \& m) \& \& kt(t), l.white (fig. a) and the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the
   eelStartX=null;return}if(i&&a!=null){var Y=i*a,ie=e.doc.scrollTop,ue=ie+l.wrapper.clientHeight;Y<0?i
   e=Math.max(0,ie+Y-
   50): ue = \texttt{Math.min}(e.doc.height, ue + Y + 50), Eo(e, \{top:ie, bottom:ue\})\} bi < 20\&\&t.deltaMode! == 0\&\&(l.wheelStart) + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1.0 bottom:ue + 1
   X == null? (l.wheelStartX = u.scrollLeft, l.wheelStartY = u.scrollTop, l.wheelDX = r, l.wheelDY = i, setTimeout(functions of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of
   ction(){if(l.wheelStartX!=null){var me=u.scrollLeft-l.wheelStartX,ve=u.scrollTop
   l.wheelStartY, \ e=ve\&l.wheelDY\&ve/l.wheelDY||me\&kl.wheelDX\&kme/l.wheelDX;l.wheelStartX=l.wheelStartX=l.wheelStartX=l.wheelStartX=l.wheelStartX=l.wheelStartX=l.wheelStartX=l.wheelDY||me&kl.wheelDX&kme/l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX||l.wheelDX|||l.wheelDX|||l.wheelDX|||l.wheelDX|||l.wheelDX||l.wheelDX|||l.wheelDX|||l.wheelDX|||l.wheelDX|||l.wheelDX|||l.wheelDX|||l.wheel
   Y=null, e\&(sr=(sr*bi+e)/(bi+1),++bi)},200)):(l.wheelDX+=r,l.wheelDY+=i))}}var
   jt=function(e,t){this.ranges=e,this.primIndex=t};jt.prototype.primary=function(){return this.ranges[this.primIndex]},jt.prototype.equals=function(e){if(e==this)return!0;if(e.primIndex!=this.primIndex]}
    |e.ranges.length!=this.ranges.length)return!1;for(var t=0;t<this.ranges.length;t++){var n=this.range</pre>
   s[t],r=e.ranges[t];if(!Xe(n.anchor,r.anchor)||!Xe(n.head,r.head))return!1}return!0},jt.prototype.dee
   pCopy=function(){for(var e=[],t=0;t<this.ranges.length;t++)e[t]=new
   Ye(pt(this.ranges[t].anchor),pt(this.ranges[t].head));return new
   \verb|jt(e,this.prim\bar{I}ndex)|, \verb|jt.prototype.somethingSelected=function(){for(var e=0;e<this.ranges.length;e++)|} \\
   ) if (!this.ranges[e].empty()) return!0; return!1\}, jt.prototype.contains=function(e,t) \{t||(t=e); for(varner)\}, to the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the prototype of the pro
   n=0; n<this.ranges.length; n++) \{var \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&\&ye(e,r.to())<=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(ye(t,r.from())>=0\&x=0) \ r=this.ranges[n]; if(y
   n}return-1};var Ye=function(e,t){this.anchor=e,this.head=t};Ye.prototype.from=function(){return
   Zr(this.anchor,this.head)},Ye.prototype.to=function(){return
   Et(this.anchor,this.head)},Ye.prototype.empty=function(){return
   this.head.line == this.anchor.line \& this.head.ch == this.anchor.ch \}; function \ Yt(e,t,n) \{varante extension | varante ext
   r=e\&e.options.selectionsMayTouch, i=t[n];t.sort(function(ee,Y){return})
   ye(ee.from(),Y.from())}),n=Se(t,i);for(var a=1;a<t.length;a++){var</pre>
```

```
l=t[a], u=t[a-1], f=ye(u.to(), l.from()); if(r&&!l.empty()?f>0:f>=0){var}
Ye(e,t||e)],0)}function xr(e){return e.text?ne(e.from.line+e.text.length-
 1, ce(e.text).length + (e.text.length == 1?e.from.ch:0)) : e.to \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t.from)<0) return \\ function cl(e,t) \\ \{if(ye(e,t)) return \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\ function cl(e,t) \\
 e;if(ye(e,t.to)<=0)return xr(t);var n=e.line+t.text.length-(t.to.line-t.from.line)-1,r=e.ch;return
 e.line==t.to.line\&(r+=xr(t).ch-t.to.ch),ne(n,r)}function Do(e,t){for(var
 n=[],r=0;r<e.sel.ranges.length;r++){var i=e.sel.ranges[r];n.push(new
 Ye(cl(i.anchor,t),cl(i.head,t)))}return Yt(e.cm,n,e.sel.primIndex)}function fl(e,t,n){return
 e.line==t.line?ne(n.line,e.ch-t.ch+n.ch):ne(n.line+(e.line-t.line),e.ch)}function Mf(e,t,n){for(var
 r=[],i=ne(e.first,0),a=i,l=0;l<t.length;l++){var
 u=t[l], f=fl(u.from,i,a), m=fl(xr(u),i,a); if(i=u.to,a=m,n=="around") \{varantering | varantering |
 A=e.sel.ranges[l], B=ye(A.head,A.anchor)<0; r[l]=new Ye(B?m:f,B?f:m) lelse r[l]=new Ye(f,f) return new
 jt(r,e.sel.primIndex)}function qo(e){e.doc.mode=□r(e.options,e.doc.modeOption),Nn(e)}function Nn(e){
 e.doc.iter(function(t)\{t.stateAfter\&\&(t.stateAfter=null),t.styles\&\&(t.styles=null)\}),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.modeFront(t.styles),e.doc.mod
 ier=e.doc.highlightFrontier=e.doc.first,In(e,100),e.state.modeGen++,e.curOp&&zt(e)}function
 dl(e,t){return
 t.from.ch==0\&\&t.to.ch==0\&\&ce(t.text)=="'&&(!e.cm||e.cm.options.wholeLineUpdateBefore)}function
 Io(e,t,n,r){function i(_e){return n?n[_e]:null}function
a(_e,be,Ce){Oc(_e,be,Ce,r),ht(_e,"change",_e,t)}function l(_e,be){for(var Ce=[],Ne=_e;Ne<be;++Ne)Ce.push(new Xr(m[Ne],i(Ne),r));return Ce}var u=t.from,f=t.to,m=t.text,A=Ae(e,
 u.line), B=Ae(e,f.line), ee=ce(m), Y=i(m.length-1), ie=f.line-
 u.line;if(t.full)e.insert(0,l(0,m.length)),e.remove(m.length,e.size-m.length);else if(dl(e,t)){var
 u = l(0, m. length - 1); a(B, B. text, Y), ie\&\&e. remove(u. line, ie), ue. length\&\&e. insert(u. line, ue)} else if(A == B) if(m. length == 1)a(A, A. text. slice(0, u. ch) + ee + A. text. slice(f. ch), Y); else {var} 
 me=l(1,m.length-1);me.push(new
  Xr(ee+A.text.slice(f.ch),Y,r)), a(A,A.text.slice(0,u.ch)+m[0],i(0)), e.insert(u.line+1,me)\} else if (m.line+1,me), and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
 ength = 1) a(A,A.text.slice(0,u.ch) + m[0] + B.text.slice(f.ch), i(0)), e.remove(u.line+1,ie); else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a(A,A.text.slice(f.ch),i(0)), else{a
 t.slice(0,u.ch)+m[0],i(0)),a(B,ee+B.text.slice(f.ch),Y);var
 ve=l(1,m.length-1); ie>1&\&e.remove(u.line+1,ie-1),e.insert(u.line+1,ve)\}ht(e,"change",e,t)\}function
     r(e,t,n){function r(i,a,l){if(i.linked)for(var u=0;u<i.linked.length;++u){var
 f=i.linked[u];if(f.doc!=a){var
 m=1&&f.sharedHist;n&&!m||(t(f.doc,m),r(f.doc,i,m)))}r(e,null,!0)}function pl(e,t){if(t.cm)throw new
 Error("This document is already in use.");e.doc=t,t.cm=e,xo(e),qo(e),hl(e),e.options.direction=t.dir
ection, e.options.lineWrapping||so(e), e.options.mode=t.modeOption, zt(e)}function
hl(e){(e.doc.direction=="rtl"?le:Q)(e.display.lineDiv, "CodeMirror-rtl")}function
Af(e){Nt(e,function(){hl(e),zt(e)})}function yi(e){this.done=[],this.undone=[],this.undoDepth=e?e.un
 doDepth:1/0,this.lastModTime=this.lastSelTime=0,this.lastOp=this.lastSelOp=null,this.lastOrigin=this
  .lastSelOrigin=null, this.generation=this.maxGeneration=e?e.maxGeneration:1 function Fo(e,t){var}
 n={from:pt(t.from),to:xr(t),text:ir(e,t.from,t.to)};return
vl(e,n,t.from.line,t.to.line+1),_r(e,function(r){return
vl(r,n,t.from.line,t.to.line+1)},!0),n}function gl(e){for(;e.length;){var
 t=ce(e);if(t.ranges)e.pop();else break}}function Df(e,t){if(t)return
 gl(e.done),ce(e.done);if(e.done.length&&!ce(e.done).ranges)return
 ce(e.done);if(e.done.length>1&&!e.done[e.done.length-2].ranges)return
e.done.pop(),ce(e.done)}function ml(e,t,n,r){var i=e.history;i.undone.length=0;var a=+new Date,l,u;i f((i.last0p==r||i.last0rigin==t.origin\&t.origin\&t.origin.charAt(0)=="+"&&i.lastModTime>a-(e.cm?e.cm.options.historyEventDelay:500)||t.origin.charAt(0)=="*"))&&(l=Df(i,i.last0p==r)))u=ce(l.c.m?e.cm.options.historyEventDelay:500)||t.origin.charAt(0)=="*"))
 hanges), ye(t.from, t.to) == 0 \& ye(t.from, u.to) == 0?u.to = xr(t): l.changes.push(Fo(e,t)); else \{var f = ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) = 0.00 + ce(i.do, u.to) =
 ne);for((!f||!f.ranges)&&xi(e.sel,i.done),l={changes:[Fo(e,t)],generation:i.generation},i.done.push(
l);i.done.length>i.undoDepth;)i.done.shift(),i.done[0].ranges||i.done.shift()}i.done.push(n),i.gener ation=++i.maxGeneration,i.lastModTime=i.lastSelTime=a,i.lastOp=i.lastSelOp=r,i.lastOrigin=i.lastSelO
 \label{lem:rigin} rigin=t.origin, u||it(e,"historyAdded")\} function \ qf(e,t,n,r) \\ \{var \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charAt(0); return \ i=t.charA
 i=="*"||i=="+"\&\&n.ranges.length==r.ranges.length\&\&n.somethingSelected()==r.somethingSelected()\&&new
 Date-e.history.lastSelTime<=(e.cm?e.cm.options.historyEventDelay:500)}function If(e,t,n,r){var i=e.h
 istory,a=r&&r.origin;n==i.lastSelOp||a&&i.lastSelOrigin==a&&(i.lastModTime==i.lastSelTime&&i.lastOri
 gin==a||qf(e,a,ce(i.done),t))?i.done[i.done.length-1]=t:xi(t,i.done),i.lastSelTime=+new
\label{eq:decomposition} \begin{split} &\text{Date,i.lastSelOrigin=a,i.lastSelOp=n,r&&r.clearRedo!==!1&&gl(i.undone)} \\ &\text{function } xi(e,t)\{varnece(t);n&&n.ranges&&n.equals(e)||t.push(e)} \\ &\text{function } vl(e,t,n,r)\{vari=t["spans_"+e.id],a=0;e.iter(Marchine to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context 
ath.max(e.first,n),Math.min(e.first+e.size,r),function(l){l.markedSpans&&((i||(i=t["spans_"+e.id]={}))[a]=l.markedSpans),++a})}function Ff(e){if(!e)return null;for(var
 t?t.length?t:null:e}function Nf(e,t){var n=t["spans "+e.id];if(!n)return null;for(var
 r=[], i=0; i< t.text.length; ++i)r.push(Ff(n[i])); return r} function bl(e,t){var}
 n=Nf(e,t),r=io(e,t);if(!n)return r;if(!r)return n;for(var i=0;i<n.length;++i){var
 a=n[i],l=r[i];if(a\&\&l)e:for(var u=0;u<l.length;++u){for(var u=0;u<l.length;++u)}
 f=l[u], m=0; m<a.length; ++m) if (a[m].marker==f.marker) continue e; a.push(f)} else <math>l\&(n[i]=l) return
 n}function nn(e,t,n){for(var r=[],i=0;i<e.length;++i){var
 a=e[i];if(a.ranges){r.push(n?jt.prototype.deepCopy.call(a):a);continue}var
 l=a.changes,u=[];r.push({changes:u});for(var f=0;f<l.length;++f){var m=l[f],A=void
0; if (u.push(\{from: m.from, to: m.to, text: m.text\}), t) for (var B in m) (A=B.match(/^spans_(\d+)\_/)) &&Se(t, Number(A[1]))>-1&&(ce(u)[B]=m[B], delete m[B])} return
 r}function No(e,t,n,r){if(r){var i=e.anchor;if(n){var
```

```
a=ye(t,i)<0;a!=ye(n,i)<0?(i=t,t=n):a!=ye(t,n)<0&(t=n) return new Ye(i,t)}else return new
Ye(n||t,t)\}function \quad i(e,t,n,r,i)\{i==null\&\&(i=e.cm\&\&(e.cm.display.shift||e.extend)), wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}function \quad yl(e,t,n)\{for(var r=[],i=e.cm\&\&(e.cm.display.shift||e.extend)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}function \quad yl(e,t,n)\{for(var r=[],i=e.cm\&\&(e.cm.display.shift||e.extend)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}function \quad yl(e,t,n)\{for(var r=[],i=e.cm\&\&(e.cm.display.shift)||e.extend)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)\}, wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)], wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)]), wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)]), wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)]), wt(e,new jt([No(e.sel.primary(),t,n,i)],0),r)]), wt(e,new jt([No(e.sel.primary(),t,n,i)]),r)]), wt(e,new jt([No(e.sel.primary(),t,n,i)]),r)]), wt(e,new jt([No(e.sel.primary(),t,n,i)]),r)), wt(e,new j
 extend),a=0;a<e.sel.ranges.length;a++)r[a]=No(e.sel.ranges[a],t[a],null,i);var
 l=Yt(e.cm,r,e.sel.primIndex);wt(e,l,n)}function Oo(e,t,n,r){var
 i=e.sel.ranges.slice(0);i[t]=n,wt(e,Yt(e.cm,i,e.sel.primIndex),r)}function
 xl(e,t,n,r){wt(e,yr(t,n),r)}function Of(e,t,n){var
 r={ranges:t.ranges,update:function(i){this.ranges=[];for(var a=0;a<i.length;a++)this.ranges[a]=new
Ye(je(e,i[a].anchor),je(e,i[a].head))},origin:n&&n.origin};return it(e,"beforeSelectionChange",e,r),e.cm&&it(e.cm,"beforeSelectionChange",e.cm,r),r.ranges!=t.ranges?Yt(e.cm,r.ranges,r.ranges.length-
 1):t}function l(e,t,n){var
 r=e.history.done, i=ce(r); i&i.ranges?(r[r.length-1]=t,ki(e,t,n)):wt(e,t,n)}function
r=n&&n.bias||(ye(t.primary().head,e.sel.primary().head)<0?-
 1:1); kl(e,Sl(e,t,r,!0)), !(n\&\&n.scroll===!1)\&\&e.cm\&\&e.cm.getOption("readOnly")!="nocursor"&&tn(e.cm)}
 function kl(e,t){t.equals(e.sel)||(e.sel=t,e.cm&&(e.cm.cur0p.updateInput=1,e.cm.cur0p.selectionChang
ed=!0,Rt(e.cm)),ht(e,"cursorActivity",e))}function wl(e){kl(e,Sl(e,e.sel,null,!1))}function Sl(e,t,n,r){for(var i,a=0;a<t.ranges.length;a++){var l=t.ranges[a],u=t.ranges.length==e.sel.ranges.length=
 ength&&e.sel.ranges[a],f=wi(e,l.anchor,u&&u.anchor,n,r),m=l.head==l.anchor?f:wi(e,l.head,u&&u.head,n
 i?Yt(e.cm,i,t.primIndex):t}function on(e,t,n,r,i){var a=Ae(e,t.line);if(a.markedSpans)for(var
 l=0;l<a.markedSpans.length;++l){var u=a.markedSpans[l],f=u.marker,m="selectLeft"in
 f?!f.selectLeft:f.inclusiveLeft,A="selectRight"in f?!f.selectRight:f.inclusiveRight;if((u.from==null
  ||(m?u.from <= t.ch: u.from < t.ch)) \& (u.to == null || (A?u.to >= t.ch: u.to > t.ch))) \{if(i\&\&(it(f, "beforeCursorEn the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
 ter"),f.explicitlyCleared))if(a.markedSpans){--l;continue}else break;if(!f.atomic)continue;if(n){var
 B=f.find(r<0?1:-1),ee=void 0;if((r<0?A:m)&&(B=Tl(e,B,
 r,B\&\&B.line==t.line?a:null)),B\&\&B.line==t.line\&\&(ee=ye(B,n))\&\&(r<0?ee<0:ee>0))return
 on(e,B,t,r,i)}var
 Y=f.find(r<0?-1:1); return(r<0?m:A)\&(Y=Tl(e,Y,r,Y.line==t.line?a:null)), Y?on(e,Y,t,r,i):null\} \} return(r<0?m:A) \\
 \begin{array}{ll} t \} function \ wi(e,t,n,r,i) \{ var \\ a=r||1,l=on(e,t,n,a,i)||!i\&\&on(e,t,n,a,!0)||on(e,t,n,-a,i)||!i\&\&on(e,t,n,-a,!0); return \end{array} 
 l = (e.cantEdit=0, ne(e.first,0)) function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0?t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0.t.line>e.first?je(e,ne(t.line)) } function Tl(e,t,n,r) {return n<0 & t.ch=0.t.line>e.first?je(e,t,n,r) {
 ine-1):null:n>0&&t.ch==(r||Ae(e,t.line)).text.length?t.line<e.first+e.size-ine-1)):<math>null:n>0&ine-1
 1?ne(t.line+1,0):null:new ne(t.line,t.ch+n)}function
 Ll(e){e.setSelection(ne(e.firstLine(),0),ne(e.lastLine()),ke)}function Cl(e,t,n){var
 r={canceled:!1,from:t.from,to:t.to,text:t.text,origin:t.origin,cancel:function(){return
 r.canceled=!0}};return
n\&\&(r.update=function(i,a,l,u)\{i\&\&(r.from=je(e,i)),a\&\&(r.to=je(e,a)),l\&\&(r.text=l),u!==void\ 0\&\&(r.origin=u)\}),it(e,"beforeChange",e,r),e.cm&it(e.cm,"beforeChange",e.cm,r),r.canceled?(e.cm&\&(e.cm.cur0p.updateInput=2),null):{from:r.from},to:r.to,text:r.text,origin:r.origin}}function
 an(e,t,n) {if(e.cm, {if(!e.cm.cur0p)return gt(e.cm,an)(e,t,n); if(e.cm.state.suppressEdits)return} if(!(
 (Ft(e, "beforeChange")) | [e.cm&Ft(e.cm, "beforeChange")) & (t=Cl(e,t,!0),!t))) {var}
 r=ba&&!n&&qc(e,t.from,t.to);if(r)for(var
 \begin{array}{ll} \text{i=r.length-1;i>=0;--i)El(e,\{from:r[i].from,to:r[i].to,text:i?[""]:t.text,origin:t.origin\});else} \\ \text{El(e,t)}\} \text{function El(e,t)}\{\text{if(!(t.text.length==1\&\&t.text[0]==""\&\&ye(t.from,t.to)==0))} \{\text{var} \\ \text{n=Do(e,t);ml(e,t,n,e.cm?e.cm.cur0p.id:NaN),0n(e,t,n,io(e,t));var} \\ \text{r=[];_r(e,function(i,a)\{!a\&\&Se(r,i.history)=-1\&\&\{Dl(i.history,t),r.push(i.history),0n(i,t,null,io(i,t))\})} \} \\ \text{function Si(e,t,n)} \{\text{var} \\ \text{var}  r=e.cm\&e.cm.state.suppressEdits; if(!(r\&e!n)){for(var i=e.history,a,l=e.sel,u=t=="undo"?i.done:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.undone:i.und
 one, f=t=="undo"?i.undone:i.done, m=0; m<u.length&&(a=u[m],!(n?a.ranges&&!a.equals(e.sel):!a.ranges)); m<u.
++);if(m!=u.length){for(i.lastOrigin=i.lastSelOrigin=null;;)if(a=u.pop(),a.ranges){if(xi(a,f),n&&!a.equals(e.sel)){wt(e,a,{clearRedo:!1});return}l=a}else if(r){u.push(a);return}else break;var A=[];xi(
 \label{lem:linear} I,f),f.push(\{changes:A,generation:i.generation\}),i.generation=a.generation||++i.maxGeneration;for(value)|
 r B=Ft(e, "beforeChange")||e.cm&&Ft(e.cm, "beforeChange"),ee=function(ue){var
 me=a.changes[ue];if(me.origin=t,B&&!Cl(e,me,!1))return u.length=0,{};A.push(Fo(e,me));var ve=ue?Do(e
  , me): ce(u); On(e, me, ve, bl(e, me)), !ue\&\&e.cm\&\&e.cm.scrollIntoView(\{from: me.from, to:xr(me)\}); var \_e=[]; \_example from to a context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
 r(e,function(be,Ce){!Ce&&Se(e,be.history)==
 1\&\&(Dl(be.history,me), e.push(be.history)),On(be,me,null,bl(be,me))\}),Y=a.changes.length-1;Y>=0;--
 Y) {var ie=ee(Y); if(ie) return ie.v}}} function zl(e,t){if(t!=0&&(e.first+=t,e.sel=new)}
 jt(He(e.sel.ranges,function(i){return new Ye(ne(i.anchor.line+t,i.anchor.ch),ne(i.head.line+t,i.head
.ch))}),e.sel.primIndex),e.cm)){zt(e.cm,e.first,e.first-t,t);for(var n=e.cm.display,r=n.viewFrom;r<n.viewTo;r++)vr(e.cm,r,"gutter")}}function
On(e,t,n,r){if(e.cm&&!e.cm.curOp)return gt(e.cm,On)(e,t,n,r);if(t.to.line<e.first){zl(e,t.text.lengt)
 h-1-(t.to.line-t.from.line));return}if(!(t.from.line>e.lastLine())){if(t.from.line<e.first){var i=t.
 text.length-1-(e.first-
 t.from.line);zl(e,i),t={from:ne(e.first,0),to:ne(t.to.line+i,t.to.ch),text:[ce(t.text)],origin:t.ori
\label{eq:gin} $$\sup_{a=e.\ lastLine(); t.to.line>a&(t=\{from:t.from,to:ne(a,Ae(e,a).text.length),text:[t.text[0]],origin:t.origin]),t.removed=ir(e,t.from,t.to),n||(n=Do(e,t)),e.cm?Pf(e.cm,t,r):Io(e,t,r),ki(e,n,ke),e.cm; $$\end{tabular} $$$$$
  . cantEdit\&wi(e, ne(e.firstLine(), 0))\&\&(e.cantEdit=!1)\} \\ function Pf(e,t,n) \\ \{var r=e.doc, i=e.display, a=e.doc, i=e.doc, m, l=t.to, u=!1, f=a.line; e.options.lineWrapping||(f=x(Zt(Ae(r,a.line))), r.iter(f,l.line+1, functio
n(Y){if(Y==i.maxLine)return u=!0,!0})),r.sel.contains(t.from,t.to)>-
1&&Rt(e),Io(r,t,n,Za(e)),e.options.lineWrapping||(r.iter(f,a.line+t.text.length,function(Y){var ie=l
 i(Y);ie>i.maxLineLength&&(i.maxLine=Y,i.maxLineLength=ie,i.maxLineChanged=!0,u=!1)}),u&&(e.curOp.upd
```

```
ateMaxLine=!0)),Lc(r,a.line),In(e,400);var m=t.text.length-(l.line-a.line)-
1;t.full?zt(e):a.line==l.line&&t.text.length==1&&!dl(e.doc,t)?vr(e,a.line,"text"):zt(e,a.line,l.line +1,m);var A=Ft(e,"changes"),B=Ft(e,"change");if(B||A){var ee={from:a,to:l,text:t.text,removed:t.remo
ved,origin:t.origin};B&&ht(e,"change",e,ee),A&&(e.cur0p.change0bjs||(e.cur0p.change0bjs=[])).push(ee)}e.display.selForContextMenu=null}function ln(e,t,n,r,i){var
 a;r||(r=n),ye(r,n)<0\&\&(a=[r,n],n=a[0],r=a[1]),typeof
t=="string"&&(t=e.splitLines(t)),an(e,{from:n,to:r,text:t,origin:i})}function
Ml(e,t,n,r){n<e.line}e.line+=r:t<e.line&&(e.line=t,e.ch=0)}function Al(e,t,n,r){for(var)
 i=0;i<e.length;++i){var a=e[i],l=!0;if(a.ranges){a.copied||(a=e[i]=a.deepCopy(),a.copied=!0);for(var
 u=0; u<a.ranges.length; u++)Ml(a.ranges[u].anchor,t,n,r),Ml(a.ranges[u].head,t,n,r); continue}for(var)
 f=0;f<a.changes.length;++f){var
 m=a.changes[f];if(n<m.from.line)m.from=ne(m.from.line+r,m.from.ch),m.to=ne(m.to.line+r,m.to.ch);else</pre>
 if(t \le m.to.line)\{l = !1; break\}\} | | | (e.splice(0,i+1),i=0)\} \} function Dl(e,t) \{ variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | variable | va
 n=t.from.line, r=t.to.line, i=t.text.length-(r-n)-1; Al(e.done,n,r,i), Al(e.undone,n,r,i) function
 Pn(e,t,n,r){var i=t,a=t;return typeof
 t=="number"?a=Ae(e,ua(e,t)):i=x(t),i==null?null:(r(a,i)&&e.cm&&vr(e.cm,i,n),a)function
 Bn(e){this.lines=e,this.parent=null;for(var t=0,n=0;n<e.length;++n)e[n].parent=this,t+=e[n].height;t
 his.height=t}Bn.prototype={chunkSize:function(){return
 this.lines.length},removeInner:function(e,t){for(var n=e,r=e+t;n<r;++n){var i=this.lines[n];this.hei
 ght-
 =i.height,Pc(i),ht(i,"delete")}this.lines.splice(e,t)},collapse:function(e){e.push.apply(e,this.line
 s)}, insertInner: function(e,t,n){this.height+=n,this.lines=this.lines.slice(0,e).concat(t).concat(thi
 s.lines.slice(e); for(var r=0; r<t.length; ++r)t[r].parent=this}, iterN: function(e, t, n) {for(var)}
r=e+t;e<r;++e)if(n(this.lines[e]))return!0}};function jn(e){this.children=e;for(var t=0,n=0,r=0;r<e.length;++r){var i=e[r];t+=i.chunkSize(),n+=i.height,i.parent=this}this.size=t,this.h
 eight=n,this.parent=null}jn.prototype={chunkSize:function(){return
 this.size},removeInner:function(e,t){this.size-=t;for(var n=0;n<this.children.length;++n){var
 r=this.children[n],i=r.chunkSize();if(e<i){var a=Math.min(t,i-
 e), l=r.height; if(r.removeInner(e,a), this.height-=l-r.height, i==a&&(this.children.splice(n--
 ,1),r.parent=null),(t-=a)==0)break;e=0}else
 e-=i}if(this.size-t<25&&(this.children.length>1||!(this.children[0]instanceof Bn))){var
 u=[];this.collapse(u),this.children=[new
 Bn(u)], this.children[0].parent=this}}, collapse:function(e){for(var t=0;t<this.children.length;++t)th
 is.children[t].collapse(e)},insertInner:function(e,t,n){this.size+=t.length,this.height+=n;for(var
 r=0;r<this.children.length;++r){var i=this.children[r],a=i.chunkSize();if(e<=a){if(i.insertInner(e,t
  n),i.lines&&i.lines.length>50){for(var l=i.lines.length%25+25,u=l;u<i.lines.length;){var f=new Bn(i
  .lines.slice(u,u+=25));i.height-
 reak}e-=a}},maybeSpill:function(){if(!(this.children.length<=10)){var e=this;do{var</pre>
 t=e.children.splice(e.children.length-5,5),n=new
 jn(t);if(e.parent){e.size-=n.size,e.height-=n.height;var
 i=Se(e.parent.children,e);e.parent.children.splice(i+1,0,n)}else{var r=new jn(e.children);r.parent=e
 , e. children=[r,n], e=r\}n. parent=e. parent\} while (e. children.length>10); e. parent.maybeSpill()\}\}, iterN:full full formula and the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the parent of the paren
 nction(e,t,n){for(var r=0;r<this.children.length;++r){var</pre>
 i=this.children[r],a=i.chunkSize();if(e<a){var
 l=Math.min(t,a-e); if(i.iterN(e,l,n)) return!0; if((t-el)==0) break; e=0} else e-ea}}; var
 Rn=function(e,t,n){if(n)for(var r in
 n)n. has 0 wn Property (r) \& (this [r] = n[r]); this. doc=e, this. node=t\}; Rn. prototype. clear=function() \{varance of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
 e=this.doc.cm,t=this.line.widgets,n=this.line,r=x(n);if(!(r==null||!t)){for(var
 i=0; i< t.length; ++i)t[i] == this \bar{\&} \& t.splice(i--,1); t.length||(n.widgets=null); var a=Cn(this); Bt(n,Math.m
ax(0,n.height-a)), e&&(Nt(e,function()\{ql(e,n,-a),vr(e,r,"widget")\}), ht(e,"lineWidgetCleared",e,this,r))\}\}, Rn.prototype.changed=function()\{var_a,vr(e,r,"widget")\}), ht(e,"lineWidgetCleared",e,this,r)), Rn.prototype.changed=function(), and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the
 e=this,t=this.height,n=this.doc.cm,r=this.line;this.height=null;var i=Cn(this)
 t;i&&(mr(this.doc,r)||Bt(r,r.height+i),n&&Nt(n,function(){n.curOp.forceUpdate=!0,ql(n,r,i),ht(n,"lin
 eWidgetChanged",n,e,x(r))}))},Wt(Rn);function
 ql(e,t,n){ar(t)<(e.cur0p&e.cur0p.scrollTop)|e.doc.scrollTop)&Lo(e,n)}function Bf(e,t,n,r){var
 i=new Rn(e,n,r),a=e.cm;return
 a\&\&i.noHScroll\&\&(a.display.alignWidgets=!0), Pn(e,t,"widget",function(l) \{var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widget",function(l), var\ u=l.widgets||(l.widgets=l), Pn(e,t,"widgets=l), []);if(i.insertAt==null?u.push(i):u.splice(Math.min(u.length,Math.max(0,i.insertAt)),0,i),i.line=l,a
&&!mr(e,l)){var f=ar(l)<e.scrollTop;Bt(l,l.height+Cn(i)),f&&Lo(a,i.height),a.curOp.forceUpdate=!0}re turn!0}),a&&ht(a,"lineWidgetAdded",a,i,typeof t=="number"?t:x(t)),i}var Il=0,kr=function(e,t){this.l ines=[],this.type=t,this.doc=e,this.id=++Il};kr.prototype.clear=function(){if(!this.explicitlyCleare d){var e=this.doc.cm,t=e&&!e.curOp;if(t&&Ir(e),Ft(this,"clear")){var n=this.find();n&&ht(this,"clear",n.from,n.to)}for(var r=null,i=null,a=0;a<this.lines.length;++a){var lines[al.wefn(l.mexhedConnecthis)]}
 l=this.lines[a], u=Sn(l.markedSpans, this); e\&\&(!this.collapsed?vr(e,x(l),"text"): e\&\&(u.to!=null&&(i=x(l,u),u): final field of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapsed of the collapse
 )), u.from!=null&&(r=x(l))), l.markedSpans=zc(l.markedSpans, u), u.from==null&&this.collapsed&&!mr(this.
 doc,l)&&e&&Bt(l,Vr(e.display))}if(e&&this.collapsed&&!e.options.lineWrapping)for(var
f=0;f<this.lines.length;++f){var m=Zt(this.lines[f]),A=li(m);A>e.display.maxLineLength&&(e.display.maxLine=m,e.display.maxLineLength=A,e.display.maxLineChanged=!0)}r!=null&&e&&this.collapsed&&zt(e,r,i
 +1),this.lines.length=0,this.explicitlyCleared=!0,this.atomic&&this.doc.cantEdit&&(this.doc.cantEdit
=!1,e&&wl(e.doc)),e&&ht(e,"markerCleared",e,this,r,i),t&&Fr(e),this.parent&&this.parent.clear()}},kr.prototype.find=function(e,t){e==null&&this.type=="bookmark"&&(e=1);for(var)}, for (var)
 n,r,i=0;i<this.lines.length;++i){var
```

```
a=this.lines[i], l=Sn(a.markedSpans, this); if(l.from!=null&&(n=ne(t?a:x(a),l.from),e==-1)) return
 n; if(l.to!=null&&(r=ne(t?a:x(a),l.to),e==1)) return r}return
 n&&{from:n,to:r}},kr.prototype.changed=function(){var
 e=this, t=this.find(-1,!0), n=this, r=this.doc.cm; \\ |t|||r||Nt(r,function()\{var\ i=t.line, a=x(t.line), l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=policy | l=p
  (r,a); if (l\&\&(ja(l),r.cur0p.selectionChanged=r.cur0p.forceUpdate=!0),r.cur0p.updateMaxLine=!0,!mr(n.d.
oc,i)&&n.height!=null){var u=n.height;n.height=null;var f=Cn(n)-u;f&&Bt(i,i.height+f)}ht(r,"markerChanged",r,e)})},kr.prototype.attachLine=function(e){if(!this.line s.length&&this.doc.cm){var t=this.doc.cm.cur0p;(!t.maybeHiddenMarkers||Se(t.maybeHiddenMarkers,this)
 1) \& (t.may be Unhidden Markers | | (t.may be Unhidden Markers = [])).push (this) \} this.lines.push (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson (e) \}, kr.prototyperson 
 e.detachLine=function(e){if(this.lines.splice(Se(this.lines,e),1),!this.lines.length&&this.doc.cm){v
 t=this.doc.cm.curOp;(t.maybeHiddenMarkers||(t.maybeHiddenMarkers=[])).push(this)}},Wt(kr);function
 sn(e,t,n,r,i){if(r\&x.shared)return jf(e,t,n,r,i);if(e.cm\&\&!e.cm.cur0p)return
 gt(e.cm,sn)(e,t,n,r,i);var a=new
 kr(e,i), l=ye(t,n); if(r\&\&ge(r,a,!1),l>0||l==0\&\&a.clearWhenEmpty!==!1) return
a;if(a.replacedWith&&(a.collapsed=!0,a.widgetNode=K("span",[a.replacedWith],"CodeMirror-widget"),r.handleMouseEvents||a.widgetNode.setAttribute("cm-ignore-events","true"),r.insertLeft&&(a.
 widgetNode.insertLeft=!0)), a.collapsed) \\ \{if(Sa(e,t.line,t,n,a)||t.line!=n.line\&Sa(e,n.line,t,n,a))\} \\ the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitut
 row new Error("Inserting collapsed marker partially overlapping an existing
 one");Ec()}a.addToHistory&&ml(e,{from:t,to:n,origin:"markText"},e.sel,NaN);var u=t.line,f=e.cm,m;if(
 e.iter(u,n.line+1,function(B){f&&a.collapsed&&!f.options.lineWrapping&&Zt(B)==f.display.maxLine&&(m=
 !0),a.collapsed&&u!=t.line&&Bt(B,0),Mc(B,new ni(a,u==t.line?t.ch:null,u==n.line?n.ch:null),e.cm&&e.c
m.curOp),++u}),a.collapsed&&e.iter(t.line,n.line+1,function(B){mr(e,B)&&Bt(B,0)}),a.clearOnEnter&&Fe
(a,"beforeCursorEnter",function(){return a.clear()}),a.readOnly&&(Cc(),(e.history.done.length||e.his
 tory.undone.length) \& \& e.clear History()), a.collapsed \& \& (a.id=++II, a.atomic=!0), f) \\ \{if(m\&\&(f.cur0p.update), f), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&\&(f.cur0p.update), f(m\&(f.cur0p.update), f(m
 MaxLine=!0),a.collapsed)zt(f,t.line,n.line+1);else
 if(a.className||a.startStyle||a.endStyle||a.css||a.attributes||a.title)for(var
A=t.line; A<=n.line; A++) vr(f,A,"text"); a.atomic \& wl(f.doc), ht(f,"markerAdded",f,a) } return a \} var \\ Hn=function(e,t) \{this.markers=e,this.primary=t; for(var n=0;n<e.length;++n)e[n].parent=this \}; Hn.proto
type.clear=function() \{if(!this.explicitlyCleared) \{this.explicitlyCleared=!0; for(var\ e=0; e< this.markers.length; ++e) this.markers[e].clear(); ht(this, "clear") \}\}, Hn.prototype.find=function(e,t) \{return\ this.primary.find(e,t)\}, Wt(Hn); function jf(e,t,n,r,i) \{r=ge(r),r.shared=!1; var\}\}
 a=[sn(e,t,n,r,i)],l=a[0],u=r.widgetNode;return
     r(e,function(f)\{u\&\&(r.widgetNode=u.cloneNode(!0)),a.push(sn(f,je(f,t),je(f,n),r,i));for(variant)\}
 \overline{m}=0;m<f.linked.length;++m)if(f.linked[m].isParent)return;l=ce(a)}),new Hn(a,l)}function Fl(e){return}
 e.findMarks(ne(e.first,0),e.clipPos(ne(e.lastLine())),function(t){return t.parent})}function
 Rf(e,t){for(var n=0;n<t.length;n++){var
 r=t[n],i=r.find(),a=e.clipPos(i.from),l=e.clipPos(i.to);if(ye(a,l)){var
 u=sn(e,a,l,r.primary,r.primary.type);r.markers.push(u),u.parent=r}}}function Hf(e){for(var
 t=function(r) \\ \{var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f) \\ \{return \ a.push(f)\}); \\ for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(var \ i=e[r], a=[i.primary.doc]; \\ r(i.primary.doc, function(f), for(
 l=0; l<i.markers.length; l++) \{var \ u=i.markers[l]; Se(a,u.doc)==-1\& \{(u.parent=null,i.markers.splice(l--length; l++)\} \} \} = 0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l=0; l<i-1, l<i-1, l=0; l<i-1, l=0; 
,1))}},n=0;n<e.length;n++)t(n)}var Wf=0,Mt=function(e,t,n,r,i){if(!(this instanceof Mt))return new
Mt(e,t,n,r,i);n==null&&(n=0),jn.call(this,[new Bn([new Xr("",null)])]),this.first=n,this.scrollTop=t
his.scrollLeft=0,this.cantEdit=!1,this.cleanGeneration=1,this.modeFrontier=this.highlightFrontier=n;</pre>
var a=ne(n,0); this.sel=yr(a), this.history=new yi(null), this.id=++Wf, this.mode0ption=t, this.lineSep=r, this.direction=i=="rtl"?"rtl":"ltr", this.<math>extend=!1, typeof e=="string"\&\&(e=this.splitLines(e)), Io(this.direction=i=="rtl"?"rtl":"ltr", this.<math>extend=!1, typeof e=="string"\&\&(e=this.splitLines(e)), Io(this.direction=i=="rtl")
 is,{from:a,to:a,text:e}),wt(this,yr(a),ke)};Mt.prototype=oe(jn.prototype,{constructor:Mt,iter:functi
 on(e,t,n){n?this.iterN(e-this.first,t-
 e,n):this.iterN(this.first,this.first+this.size,e)},insert:function(e,t){for(var n=0,r=0;r<t.length;
++r)n+=t[r].height;this.insertInner(e-this.first,t,n)},remove:function(e,t){this.removeInner(e-this.first,t)},getValue:function(e){var t=kn(this.this.first,this.first+this.size);return
 e===!1?t:t.join(e||this.lineSeparator())},setValue:mt(function(e){var t=ne(this.first,0),n=this.firs
 1;an(this,{from:t,to:ne(n,Ae(this,n).text.length),text:this.splitLines(e),origin:"setValue",full:!0}
,!0),this.cm&&Mn(this.cm,0,0),wt(this,yr(t),ke)}),replaceRange:function(e,t,n,r){t=je(this,t),n=n?je
(this,n):t,ln(this,e,t,n,r)},getRange:function(e,t,n){var r=ir(this,je(this,e),je(this,t));return
n===!1?r:n===""?r.join(""):r.join(n||this.lineSeparator())},getLine:function(e){var
 t=this.getLineHandle(e); return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t\&t.text\}, getLineHandle:function(e) \{if(ae(this,e)) return \ t&t.text\}, getLineHandle:f
 Ae(this,e)}, getLineNumber:function(e){return x(e)}, getLineHandleVisualStart:function(e){return
 \label{typeof} \begin{tabular}{ll} typeof e=="number"&&(e=Ae(this,e)),Zt(e)\},lineCount:function(){return this.size},firstLine:function(){return this.first},lastLine:function(){return this.first},lastLine:functio
this.first+this.size-1},clipPos:function(e){return je(this,e)},getCursor:function(e){var t=this.sel.primary(),n;return e==null||e=="head"?n=t.head:e=="anchor"?n=t.anchor:e=="end"||e=="to"||
 e===!1?n=t.to():n=t.from(),n},listSelections:function(){return
 this.sel.ranges},somethingSelected:function(){return
 this.sel.somethingSelected()},setCursor:mt(function(e,t,n){xl(this,je(this,typeof e=="number"?ne(e,t
 |0\rangle:e\rangle, null,n\rangle, setSelection:mt(function(e,t,n){xl(this,je(this,e),je(this,t||e),n)}), extendSelection:mt(function(e,t,n){i(this,je(this,e),t&{je(this,t),n})}), extendSelections:mt(function(e,t,n){i(this,je(this,e),t&{je(this,t),n})})
 is,ca(this,e),t)}),extendSelectionsBy:mt(function(e,t){var n=He(this.sel.ranges,e);yl(this,ca(this,n
 ),t)}),setSelections:mt(function(e,t,n){if(e.length){for(var r=[],i=0;i<e.length;i++)r[i]=new Ye(je(
 this,e[i].anchor),je(this,e[i].head||e[i].anchor));t==null&&(t=Math.min(e.length-
 1,this.sel.primIndex)),wt(this,Yt(this.cm,r,t),n)}}),addSelection:mt(function(e,t,n){var
```

```
r=this.sel.ranges.slice(0);r.push(new
 Ye(je(this,e),je(this,t||e))), wt(this,Yt(this.cm,r,r.length-1),n)), getSelection:function(e){for(var)
 t=this.sel.ranges,n,r=0;r<t.length;r++){var
 i=ir(this,t[r].from(),t[r].to());n=n?n.concat(i):i}return
 e===!1?n:n.join(e||this.lineSeparator())},getSelections:function(e){for(var
 t=[],n=this.sel.ranges,r=0;r<n.length;r++){var
 eSelections(r,t,n||"+input")},replaceSelections:mt(function(e,t,n){for(var
  r=[],i=this.sel,a=0;a<i.ranges.length;a++){var
 l=i.ranges[a];r[a]={from:l.from(),to:l.to(),text:this.splitLines(e[a]),origin:n}}for(var u=t&&t!="en
 d"&&Mf(this,r,t),f=r.length-1;f>=0;f-
 )an(this,r[f]);u?_l(this,u):this.cm&&tn(this.cm)}),undo:mt(function(){Si(this,"undo")}),redo:mt(func
\label{tion} tion() \\ \{Si(this, "redo")\}), undoSelection:mt(function() \\ \{Si(this, "redo", !0)\}), setExtending:function(e) \\ \{this.extend=e\}, getExtending:function() \\ \{return \}, function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), function(e), functi
 this.extend}, historySize: function() { for(var
 e=this.history,t=0,n=0,r=0;r<e.done.length;r++)e.done[r].ranges||++t;for(var
 i=0;i<e.undone.length;i++)e.undone[i].ranges||++n;return{undo:t,redo:n}},clearHistory:function(){var
e=this;this.history=new yi(this.history),_r(this,function(t){return t.history=e.history},!0)},markCl ean:function(){this.cleanGeneration=this.changeGeneration(!0)},changeGeneration:function(e){return e
 &&(this.history.lastOp=this.history.lastSelOp=this.history.lastOrigin=null),this.history.generation}
   isClean:function(e){return this.history.generation==(e||this.cleanGeneration)},getHistory:function(
\{\text{result},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text{result}},\frac{1}{\text
 i=r.gutterMarkers||(r.gutterMarkers={});return
 i[t]=n, !n\&\&Le(i)\&\&(r.gutterMarkers=null), !0})), clearGutter:mt(function(e){var}
t=this; this.iter(function(n)\{n.gutterMarkers\&\&n.gutterMarkers[e]\&\&Pn(t,n,"gutter",function()\{returnn.gutterMarkers[e]=null,Le(n.gutterMarkers)\&\&(n.gutterMarkers=null),!0\})\}),lineInfo:function(e)\{vallender, vallender, 
         t;if(typeof e=="number"){if(!ae(this,e)||(t=e,e=Ae(this,e),!e))return null}else
 if(t=x(e),t==null)return null;return{line:t,handle:e,text:e.text,gutterMarkers:e.gutterMarkers,textC
lass:e.textClass,bgClass:e.bgClass,wrapClass:e.wrapClass,widgets:e.widgets}},addLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter"?"gutter":"class",function(r){var i=t=="text"?"textClass":t=="background"?"bgClass":t=="gutter"?"gutterClass":"wrapClass";if(!r[i])r[i]=n;else{if(D(n).test(r[i]))return!1;r[i]+=" "+n}return!0})}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineClass:mt(function(e,t,n){return Pn(this,e,t=="gutter")}), removeLineCl
 Pn(this,e,t=="gutter"?"gutter":"class",function(r){var i=t=="text"?"textClass":t=="background"?"bgCl
 ass":t=="gutter"?"gutterClass":"wrapClass",a=r[i];if(a)if(n==null)r[i]=null;else{var l=a.match(D(n));if(!l)return!1;var
 u=l.index+l[0].length; r[i]=a.slice(0,l.index)+(!l.index||u==a.length?"":" ")+a.slice(u)||null}else
 return!1; return!0})}),addLineWidget:mt(function(e,t,n){return
 Bf(this,e,t,n)\})\,, \\ remove Line Widget: function(e) \\ \{e.clear()\}, \\ mark Text: function(e,t,n) \\ \{returned to the line widget: function(e), \\ the line widget \\ function(e), \\ the line widget: function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ function(e), \\ the line widget \\ fu
sn(this,je(this,e),je(this,t),n,n\&\&n.type||"range")},setBookmark:function(e,t){var n={replacedWith:t&&(t.nodeType==null?t.widget:t),insertLeft:t&&t.insertLeft,clearWhenEmpty:!1,shared:t&&t.shared,hand
leMouseEvents:t&&t.handleMouseEvents};return
e=je(this,e),sn(this,e,e,n,"bookmark")},findMarksAt:function(e){e=je(this,e);var
 t=[],n=Ae(this,e.line).markedSpans;if(n)for(var r=0;r<n.length;++r){var i=n[r];(i.from==null||i.from
  = .ch) \& (i.to==null||i.to>=e.ch) \& t.push(i.marker.parent||i.marker)\} return
t},findMarks:function(e,t,n){e=je(this,e),t=je(this,t);var r=[],i=e.line;return this.iter(e.line,t.line+1,function(a){var l=a.markedSpans;if(l)for(var u=0;u<l.length;u++){var f=l[u];!(f.to!=null&&i=e.line&&e.ch>=f.to||f.from==null&&i!=e.line||f.from!=null&&i==t.line&&f.from>=t.c
 h)\&\&(!n||n(f.marker))\&r.push(f.marker.parent||f.marker)}++i\}),r\},getAllMarks:function(){var}
 e=[];return this.iter(function(t){var n=t.markedSpans;if(n)for(var
 r=0; r<n.length; ++r)n[r].from!=null&&e.push(n[r].marker)}), e}, posFromIndex:function(e) {var}
 t,n=this.first,r=this.lineSeparator().length;return this.iter(function(i){var
 a=i.text.length+r;if(a>e)return
t=e,!0;e-=a,++n}),je(this,ne(n,t))},indexFromPos:function(e){e=je(this,e);var
t=e.ch;if(e.line<this.first||e.ch<0)return 0;var n=this.lineSeparator().length;return</pre>
 this.iter(this.first,e.line,function(r){t+=r.text.length+n}),t},copy:function(e){var t=new Mt(kn(thi
s,this.first,this.first+this.size),this.modeOption,this.first,this.lineSep,this.direction);return t. scrollTop=this.scrollTop,t.scrollLeft=this.scrollLeft,t.sel=this.sel,t.extend=!1,e&&(t.history.undoD
 epth=this.history.undoDepth, t.setHistory(this.getHistory())), t\}, linkedDoc:function(e) \\ \{e||(e=\{\fiverentering), variable (e)||(e=\{\fiverentering), var
 t = this.first, n = this.first + this.size; e.from! = null \& e.from > t \& (t = e.from), e.to! = null \& e.to < n \& (n = e.to); the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
 var r=new Mt(kn(this,t,n),e.mode||this.mode0ption,t,this.lineSep,this.direction);return e.sharedHist
&&(r.history=this.history),(this.linked||(this.linked=[])).push(\{doc:r,sharedHist:e.sharedHist\}),r.linked=[\{doc:this,isParent:!0,sharedHist:e.sharedHist\}],Rf(r,Fl(this)),r},unlinkDoc:function(e)\{if(e)\}
 instance of \ tt\&\&(e=e.doc), this.linked) for (var \ t=0; t<this.linked.length; ++t) \{var \ n=this.linked[t]; if (n=b), this.linked[t]; if (n=b), 
   .doc==e){this.linked.splice(t,1),e.unlinkDoc(this),Hf(Fl(this));break}}if(e.history==this.history){v
 ar r=[e.id]; r(e,function(i){return r.push(i.id)},!0),e.history=new yi(null),e.history.done=nn(this.
 history.undone, r), e.history.undone=nn(this.history.undone, r)\}\}, iterLinkedDocs:function(e)\{\_r(this,e)\},\\
 getMode:function(){return this.mode},getEditor:function(){return
 this.cm},splitLines:function(e){return
 this.lineSep?e.split(this.lineSep):Ht(e)},lineSeparator:function(){return this.lineSep||
    , setDirection:mt(function(e){e!="rtl"&&(e="ltr"),e!=this.direction&&(this.direction=e,this.iter(function=e)
```

```
nction(t){return
  t.order=null}),this.cm&&Af(this.cm))})}),Mt.prototype.eachLine=Mt.prototype.iter;var Nl=0;function
   Uf(e) \{ var \ t=this; if(Ol(t),!(ot(t,e)||lr(t.display,e))) \{ kt(e), s\&\&(Nl=+new\ Date); var\ n=Mr(t,e,!0), r=e. \} 
  \label{lem:dataTransfer} data Transfer. files; if (!(!n||t.isReadOnly())) if (r\&\&r.length\&window.FileReader\&window.File) for (various) if (r\&\&r.length\&window.FileReader\&window.File) for (various) if (r\&\&r.length\&window.FileReader\&window.File) for (various) if (r\&\&r.length\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader\&window.FileReader&window.FileReader&window.FileReader&window.FileReader&window.FileReader&window.
  i=r.length, a=Array(i), l=0, u=function() \{++l==i\&\&gt(t,function()\{n=je(t.doc,n); variation(), t=0, u=function()\} \}
  Y={from:n,to:n,text:t.doc.splitLines(a.filter(function(ie){return ie!=null}).join(t.doc.lineSeparato
  r()), origin: "paste"}; an(t.doc,Y), l(t.doc,yr(je(t.doc,n),je(t.doc,xr(Y))))})()}, f=function(Y,ie){if(t.options.allowDropFileTypes&&Se(t.options.allowDropFileTypes,Y.type)==-1){u();return}var ue=new
  FileReader; ue.onerror=function(){return u()}, ue.onload=function(){var me=ue.result; if(/[\x00-
   \x08\x0e-
  x1f]{2}/.test(me)){u(); return}a[ie]=me,u()},ue.readAsText(Y)},m=0;m<r.length;m++)f(r[m],m);else{if(}
  t.state.draggingText&&t.doc.sel.contains(n)>-1){t.state.draggingText(e),setTimeout(function(){return
  t.display.input.focus()},20);return}try{var A=e.dataTransfer.getData("Text");if(A){var B;if(t.state.
 r(t);return}if(!(ot(e,t)||lr(e.display,t))&&(t.dataTransfer.setData("Text",e.getSelection()),t.dataT
  ransfer.effectAllowed="copyMove",t.dataTransfer.setDragImage&&!k)){var
  n=y("img",null,null,"position: fixed; left: 0; top: 0;");n.src="data:image/gif;base64,R0lGODlhAQABAA AAACH5BAEKAAEALAAAAAABAAEAAAICTAEAOw==",d&&(n.width=n.height=1,e.display.wrapper.appendChild(n),n._t
  op=n.offset Top), t.data Transfer.set Drag Image(n,0,0), d\&n.parent Node.remove Child(n)\} function to the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the follow
  Kf(e,t){var n=Mr(e,t);if(n){var r=document.createDocumentFragment(); o(e,n,r),e.display.dragCursor||
   (e.display.dragCursor=y("div",null,"CodeMirror-cursors CodeMirror-dragcursors"),e.display.lineSpace.
  insertBefore(e.display.dragCursor,e.display.cursorDiv)),V(e.display.dragCursor,r)}}function Ol(e){e.
  display.dragCursor&&(e.display.lineSpace.removeChild(e.display.dragCursor),e.display.dragCursor=null
  )}function Pl(e){if(document.getElementsByClassName){for(var
  t=document.getElementsByClassName("CodeMirror"),n=[],r=0;r<t.length;r++){var
  i=t[r].CodeMirror;i\&\&n.push(i)\}n.length\&\&n[0].operation(function(){for(var)})
   a=0; a<n.length; a++)e(n[a])\}\} \\ var Bl=!1; function Gf()\{Bl||(Zf(),Bl=!0)\} function Zf()\{var e; Fe(window, "resize", function()\{e=null&&(e=setTimeout(function()\{e=null,Pl(Xf)\},100))\}), Fe(window, "blur", function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}) \\ var Bl=!1; function()\{e=null,Pl(Xf)\},100))\}
,"resize",function(){e==null&&(e=setTimeout(function(){e=null,Pl(Xf)},100))}),Fe(window,"blur",function(){return Pl(en)})}function Xf(e){var t=e.display;t.cachedCharWidth=t.cachedTextHeight=t.cachedPaddingH=null,t.scrollbarsClipped=!1,e.setSize()}for(var wr={3:"Pause",8:"Backspace",9:"Tab",13:"Enter ",16:"Shift",17:"Ctrl",18:"Alt",19:"Pause",20:"CapsLock",27:"Esc",32:"Space",33:"PageUp",34:"PageDow n",35:"End",36:"Home",37:"Left",38:"Up",39:"Right",40:"Down",44:"PrintScrn",45:"Insert",46:"Delete",59:";",61:"=",91:"Mod",92:"Mod",93:"Mod",106:"*",107:"=",109:"-",110:".",111:"/",145:"ScrollLock",173:"-",186:";",187:"=",188:",",189:"-",190:"-",191:"/",192:"`",219:"[",220:"\\",221:"]",222:"'",224:"Mod",63232:"Up",63233:"Down",63234:"Left",63235:"Right",63272:"Delete",63273:"Home",63275:"End",63276:"PageUp",63277:"PageDown",63302:"Insert"} Wn=0:Wn=10:Wn=48]=wr[Wn+96]=String(Wn):for(var
  nsert, Wn=0; Wn<10; Wn++) Wr[Wn+48]=Wr[Wn+96]=String(Wn); Wn++
  Ti=65;Ti<=90;Ti++)wr[Ti]=String.fromCharCode(Ti);for(var
 Un=1;Un<=12;Un++)wr[Un+111]=wr[Un+63235]="F"+Un;var ur={};ur.basic={Left:"goCharLeft",Right:"goCharRight",Up:"goLineUp",Down:"goLineDown",End:"goLineEnd",Home:"goLineStartSmart",PageUp:"goPageUp",PageDown:"goPageUpm",Delete:"delCharAfter",Backspace:"delCharBefore","Shift-
Down: "goPageDown", Delete: "delCharAfter", Backspace: "delCharBefore", "Shift-Backspace": "delCharBefore", Tab: "defaultTab", "Shift-Tab": "indentAuto", Enter: "newlineAndIndent", Insert: "toggleOverwrite", Esc: "singleSelection"}, ur.pcDefault={"Ctrl-A": "selectAll", "Ctrl-D": "deleteLine", "Ctrl-Z": "undo", "Shift-Ctrl-Z": "redo", "Ctrl-Y": "redo", "Ctrl-Home": "goDocStart", "Ctrl-End": "goDocEnd", "Ctrl-Up": "goLineUp", "Ctrl-Down": "goLineDown", "Ctrl-Left": "goGroupLeft", "Ctrl-Right": "goGroupRight", "Alt-Left": "goLineStart", "Alt-Right": "goLineEnd", "Ctrl-Backspace": "delGroupBefore", "Ctrl-Delete": "delGroupAfter", "Ctrl-S": "save", "Ctrl-F": "find", "Ctrl-G": "findNext", "Shift-Ctrl-G": "findPrev", "Shift-Ctrl-F": "replace", "Shift-Ctrl-R": "replaceAll", "Ctrl-F": "indentLess", "Ctrl-]": "indentMore", "Ctrl-U": "undoSelection", "Shift-Ctrl-R": "redoSelection", "Alt-U": "redoSelection", "Alt-U": "redoSelection", "Alt-U": "redoSelection", "Shift-Ctrl-F": "goCharRight", "Ctrl-B": "goCharLeft", "Ctrl-P": "goLineDown", "Ctrl-N": "goLineDown", "Ctrl-A": "goLineStart", "Ctrl-E": "goLineEnd", "Ctrl-V": "goPageDown", "Shift-Ctrl-V": "goPageUp", "Ctrl-D": "delCharAfter", "Ctrl-H": "delCharBefore", "Alt-Backspace": "delWordBefore",
A":"goLineStart", "Ctrl-E":"goLineEnd", "Ctrl-V":"goPageDown", "Shift-
Ctrl-V":"goPageUp", "Ctrl-D":"delCharAfter", "Ctrl-H":"delCharBefore", "Alt-Backspace":"delWordBefore",
"Ctrl-K":"killLine", "Ctrl-T":"transposeChars", "Ctrl-O":"openLine"}, ur.macDefault={"Cmd-
A":"selectAll", "Cmd-D":"deleteLine", "Cmd-Z":"undo", "Shift-Cmd-Z":"redo", "Cmd-Y":"redo", "Cmd-
Home":"goDocStart", "Cmd-Up":"goDocStart", "Cmd-End":"goDocEnd", "Cmd-Down":"goDocEnd", "Alt-
Left":"goGroupLeft", "Alt-Right":"goGroupRight", "Cmd-Left":"goLineLeft", "Cmd-
Right":"goLineRight", "Alt-Backspace":"delGroupBefore", "Ctrl-Alt-Backspace":"delGroupAfter", "Alt-
Delete":"delGroupAfter", "Cmd-S":"save", "Cmd-F":"find", "Cmd-G":"findNext", "Shift-
Cmd-G":"findPrev", "Cmd-Alt-F":"replace", "Shift-Cmd-
Alt-F":"replaceAll", "Cmd-[":"indentLess", "Cmd-]":"indentMore", "Cmd-
Backspace":"delWrappedLineLeft", "Cmd-Delete":"delWrappedLineRight", "Cmd-U":"undoSelection", "Shift-
Cmd-U":"redoSelection", "Ctrl-Up":"goDocStart", "Ctrl-
Down":"goDocEnd", fallthrough:["basic", "emacsy"]}, ur.default=N?ur.macDefault:ur.pcDefault; function
Yf(e){var t=e.split(/-(?![])/);e=t[t.length-1]; for(var n,r,i,a,l=0;l<t.length-1;l++){var u=t[l];if(/^(cmd|meta|m)[]/i.test(u))a=!0;else if(/^a(lt)?[]/i.test(u))i=!0;else throw new
  if(/^(c|ctrl|control)||/i.test(u))r=!0; else if(/^s(hift)?||/i.test(u))i=!0; else throw new Error("Unrecognized modifier name: "+u)} return
  n\&\&(e="Alt-"+e), r\&\&(e="Ctrl-"+e), a\&\&(e="Cmd-"+e), i\&\&(e="Shift-"+e), e} function Qf(e)\{var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var\ t=\{\}; for(var
  n in e)if(e.hasOwnProperty(n)){var
```

```
r=e[n];if(/^(name|fallthrough|(de|at)tach)]/.test(n))continue;if(r=="..."){delete}
e[n];continue}for(var i=He(n.split(" "),Yf),a=0;a<i.length;a++){var l=void 0,u=void 0;a==i.length-1?(u=i.join(" "),l=r):(u=i.slice(0,a+1).join(" "),l="...");var
f=t[u];if(!f)t[u]=l;else if(f!=l)throw new Error("Inconsistent bindings for "+u)}delete e[n]}for(var m in t)e[m]=t[m];return e}function un(e,t,n,r){t=Li(t);var i=t.call?t.call(e,r):t[e];if(i===!1)return
 n"nothing"; if (i ==="...") return"multi"; if (i !=null \& & n(i)) return"handled"; if (t.fallthrough) \{if (0bject.part) | (0bject.part) | (10bject.part) | (1
 rototype.toString.call(t.fallthrough)!="[object Array]")return un(e,t.fallthrough,n,r);for(var
a=0;a<t.fallthrough.length;a++){var l=un(e,t.fallthrough[a],n,r);if(l)return l}}function jl(e){var t=typeof e=="string"?e:wr[e.keyCode];return t=="Ctrl"||t=="Alt"||t=="Shift"||t=="Mod"}function
 Rl(e,t,n){var r=e;return t.altKey&&r!="Alt"&&(e="Alt-
  "+e),(q?t.metaKey:t.ctrlKey)&&r!="Ctrl"&&(e="Ctrl-"+e),(q?t.ctrlKey:t.metaKey)&&r!="Mod"&&(e="Cmd-
 "+e),!n&&t.shiftKey&&r!="Shift"&&(e="Shift-"+e),e}function
 Hl(e,t){if(d&&e.keyCode==34&&e.char)return!1;var n=wr[e.keyCode];return
 n = -null | | e.altGraphKey?!1: (e.keyCode == 3\&\&e.code\&\&(n = e.code), Rl(n,e,t)) | function Li(e) | freturn type of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the con
 a=t(n[i]);r.length\&\&ye(a.from,ce(r).to)<=0;){var}
l=r.pop();if(ye(l.from,a.from)<0){a.from=l.from;break}}r.push(a)}Nt(e,function(){for(var
u=r.length-1;u>=0;u--)ln(e.doc,"",r[u].from,r[u].to,"+delete");tn(e)})}function Po(e,t,n){var
r=se(e.text,t+n,n);return r<0||r>e.text.length?null:r}function Bo(e,t,n){var r=Po(e,t.ch,n);return
r=se(e.text,t+fi,fi); return r<0||r>e.text.tength; function bo(e,t,fi); var i=ro(e,t.cfi,fi); return r=null?null:new ne(t.line,r,n<0?"after":"before")} function |
jo(e,t,n,r,i){if(e){t.doc.direction=="rtl"&&(i=-i); var a=Pe(n,t.doc.direction); if(a){var l=i<0?ce(a)}:a[0],u=i<0==(l.level==1),f=u?"after":"before",m;if(l.level>0||t.doc.direction=="rtl"){var}
 A=Qr(t,n); m=i<0?n.text.length-1:0; var B=tr(t,A,m).top; m=De(function(ee){return
 tr(t,A,ee).top==B},i<0==(l.level==1)?l.from:l.to-1,m),f=="before"&&(m=Po(n,m.1))}else
m=i<0?l.to:l.from;return new ne(r,m,f)}}return new ne(r,i<0?n.text.length:0,i<0?"before":"after")}function Vf(e,t,n,r){var
 i=Pe(t,e.doc.direction);if(!i)return Bo(t,n,r);n.ch>=t.text.length?(n.ch=t.text.length,n.sticky="bef
 ore"):n.ch<=0&&(n.ch=0,n.sticky="after");var a=Pt(i,n.ch,n.sticky),l=i[a];if(e.doc.direction=="ltr"&
 \begin{array}{ll} \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$} & \text{ $A$}
 B=l.level==1==r<0, ee=u(n, B?1:-1); if(ee!=null&&(B?ee<=l.to&&ee<=A.end:ee>=l.from&&ee>=A.begin)){var}
Y=B?"before": "after"; return new ne(n.line,ee,Y)}}var ie=function(ve,_e,be){for(var Ce=function(Ve,vt){return vt?new ne(n.line,u(Ve,1),"before"):new
ne(n.line, Ve, "after")\}; ve>=0\&\&ve<i.length; ve+=_e)\{var Ne=i[ve], Ie=_e>0==(Ne.level!=1), [e=Ie?be.begin:u(be.end,-1);if(Ne.from<=[e&&[e<Ne.to]|([e=Ie?Ne.from:u(Ne.to,-1),be.begin<=[e&&[e<Ne.to])) return
 Ce([e, Ie)], ue=ie(a+r, r, A); if (ue) return ue; var me=r>0? A.end: u(A.begin, -1); return
 me!=null\&\&!(r>0\&\&me==t.text.length)\&\&(ue=ie(r>0?0:i.length-1,r,m(me)),ue)?ue:null}var
 In={selectAll:Ll,singleSelection:function(e){return
 e.setSelection(e.getCursor("anchor"),e.getCursor("head"),ke)},killLine:function(e){return
 cn(e,function(t)) {if(t.empty()){var n=Ae(e.doc,t.head.line).text.length;return t.head.ch==n&t.head.length}
 ine<e.lastLine()?{from:t.head,to:ne(t.head.line+1,0)}:{from:t.head,to:ne(t.head.line,n)}}else</pre>
 return{from:t.from(),to:t.to()}})},deleteLine:function(e){return cn(e,function(t){return{from:ne(t.f
 rom().line,0),to:je(e.doc,ne(t.to().line+1,0))}}),delLineLeft:function(e){return cn(e,function(t){r
eturn{from:ne(t.from().line,0),to:t.from()}})},delWrappedLineLeft:function(e){return
cn(e,function(t){var n=e.charCoords(t.head,"div").top+5,r=e.coordsChar({left:0,top:n},"div");return{
from:r,to:t.from()}})},delWrappedLineRight:function(e){return cn(e,function(t){var n=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+5,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,"div").top+6,r=e.charCoords(t.head,
 head, "div").top+5, r=e.coordsChar({left:e.display.lineDiv.offsetWidth+100,top:n}, "div"); return{from:t
 .from(),to:r}})},undo:function(e){return e.undo()},redo:function(e){return
 e.redo()},undoSelection:function(e){return e.undoSelection()},redoSelection:function(e){return
 e.redoSelection()},goDocStart:function(e){return
 e.extend Selection (ne(e.firstLine(),0))\}, goDocEnd:function(e)\{return
 e.extendSelection(ne(e.lastLine()))},goLineStart:function(e){return
 e.extendSelectionsBy(function(t){return
 Wl(e,t.head.line)},{origin:"+move",bias:1})},goLineStartSmart:function(e){return
 e.extendSelectionsBy(function(t){return
 Ul(e,t.head)},{origin:"+move",bias:1})},goLineEnd:function(e){return
 e.extendSelectionsBy(function(t){return
 Jf(e,t.head.line)},{origin:"+move",bias:-1})},goLineRight:function(e){return
 e.extendSelectionsBy(function(t){var n=e.cursorCoords(t.head,"div").top+5;return e.coordsChar({left:
e.display.lineDiv.offsetWidth+100,top:n},"div")},Re)},goLineLeft:function(e){return
e.extendSelectionsBy(function(t){var n=e.cursorCoords(t.head,"div").top+5;return
e.coordsChar({left:0,top:n},"div")},Re)},goLineLeftSmart:function(e){return
 e.extendSelectionsBy(function(t){var
 n = e.cursorCoords(t.\acute{h}ead, "div").top + 5, r = e.coordsChar(\{left:0, top:n\}, "div"); return = e.cursorCoords(t.\acute{h}ead, "div").top + 5, r = e.coordsChar(\{left:0, top:n\}, "div"); return = e.cursorCoords(t.\acute{h}ead, "div").top + 5, r = e.coordsChar(\{left:0, top:n\}, "div"); return = e.cursorCoords(t.\acute{h}ead, "div").top + 5, r = e.coordsChar(\{left:0, top:n\}, "div"); return = e.cursorCoords(t.\acute{h}ead, "div").top + 5, r = e.coordsChar(\{left:0, top:n\}, "div"); return = e.cursorCoords(t.\acute{h}ead, "div").top + 5, r = e.coordsChar(\{left:0, top:n\}, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h}ead, "div"); return = e.cursorCoords(t.\acute{h
 r.ch<e.getLine(r.line).search(/\S/)?Ul(e,t.head):r},Re), goLineUp:function(e){return}
e.moveV(-1,"line")},goLineDown:function(e){return e.moveV(1,"line")},goPageUp:function(e){return e.moveV(-1,"page")},goPageDown:function(e){return e.moveV(1,"page")},goCharLeft:function(e){return e.moveH(-1,"char")},goCharRight:function(e){return e.moveH(1,"char")},goColumnLeft:function(e){return e.moveH(-1,"column")},goColumnRight:function(e){return e.moveH(-1,"column e.moveH(-1,"column)},goColumnRight:function(e){return e.moveH(-1,"column e.moveH(-1,"column e.moveH(-1,"column e.moveH(-1,"column e.moveH(-1,"column e.moveH(-1,"column e.moveH(-1,"colu
 e.moveH(1, "column")}, goWordLeft:function(e){return
```

```
e.moveH(-1, "word")},goGroupRight:function(e){return
e.moveH(1,"group")},goGroupLeft:function(e){return
e.moveH(-1,"group")},goWordRight:function(e){return
e.moveH(-1, "group )}, goword ranger: function(e) {return
e.moveH(1, "word")}, delCharBefore: function(e) {return
e.deleteH(-1, "codepoint")}, delCharAfter: function(e) {return
e.deleteH(1, "char")}, delWordBefore: function(e) {return
 e.deleteH(-1, "word")},delWordAfter:function(e){return
e.deleteH(-1, word )},delGroupBefore:function(e){return e.deleteH(-1, "group")},delGroupAfter:function(e){return e.deleteH(1, "group")},indentAuto:function(e){return e.deleteH(1, "group")},indentAuto:function(e){return function(e)}
 e.indentSelection("smart")},indentMore:function(e){return
 e.indentSelection("add")},indentLess:function(e){return
 e.indentSelection("subtract")},insertTab:function(e){return e.replaceSelection("
  ")},insertSoftTab:function(e){for(var
 t=[],n=e.listSelections(),r=e.options.tabSize,i=0;i<n.length;i++){var a=n[i].from(),l=0e(e.getLine(a
      .line),a.ch,r);t.push(Z(r-
 l%r))}e.replaceSelections(t)},defaultTab:function(e){e.somethingSelected()?e.indentSelection("add"):
 e.execCommand("insertTab")},transposeChars:function(e){return Nt(e,function(){for(var
 t=e.listSelections(),n=[],r=0;r<t.length;r++)if(t[r].empty()){var
e.replace Range (a.char At (0) + e.doc.line Separator () + l.char At (l.length - 1), ne (i.line - 1, l.length - 1), ne (i.
 1),i,"+transpose"))}}n.push(new Ye(i,i))}e.setSelections(n)})},newlineAndIndent:function(e){return
 Nt(e,function(){for(var t=e.listSelections(),n=t.length-1;n>=0;n-
 )e.replaceRange(e.doc.lineSeparator(),t[n].anchor,t[n].head,"+input");t=e.listSelections();for(var r=0;r<t.length;r++)e.indentLine(t[r].from().line,null,!0);tn(e)})},openLine:function(e){return</pre>
 e.replaceSelection(
              "start")},toggle0verwrite:function(e){return e.toggle0verwrite()}};function Wl(e,t){var
 n = Ae(e.doc,t), r = Zt(n); return \ r! = n \& (t = x(r)), jo(!0,e,r,t,1) \} \ function \ Jf(e,t) \{ varantee = x(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r), y(r
 n = Ae(e.doc,t), r = Fc(n); return \ r! = n\&\{(t=x(r)), jo(!0,e,n,t,-1)\} \ function \ Ul(e,t) \ \{varantee = (varantee), varantee = (vara
  n=Wl(e,t.line), r=Ae(e.doc,n.line), i=Pe(r,e.doc.direction); if(!i||i[0].level==0) \{varantering | varantering |
 a=Math.max(n.ch,r.text.search(/\S/)),l=t.line==n.line\&\&t.ch<=a\&\&t.ch;return
 ne(n.line,l?0:a,n.sticky)}return n}function Ci(e,t,n){if(typeof
 t=="string"&&(t=□n[t],!t))return!1;e.display.input.ensurePolled();var r=e.display.shift,i=!1;try{e.i
 sReadOnly()\&\&(e.state.suppressEdits=!0), n\&\&(e.display.shift=!1), i=t(e)!=Ze\}finally\{e.display.shift=r,e.state.suppressEdits=!1\}return i\}function ed(e,t,n)\{for(var r=0;r<e.state.keyMaps.length;r++)\{var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\{var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)\}for(var r=0;r<e.state.keyMaps.length;r++)
 i=un(t,e.state.keyMaps[r],n,e);if(i)return\ i\}return
 e.options.extraKeys&\&un(t,e.options.extraKeys,n,e)||un(t,e.options.keyMap,n,e)}var td=new
 qe; function Kn(e,t,n,r){var i=e.state.keySeq; if(i){if(jl(t))return"handled"; if(/\'\|/.test(t)?e.state
    .keySeq=null:td.set(50,function(){e.state.keySeq==i&&(e.state.keySeq=null,e.display.input.reset())})
     | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} | (e,t,n,r) \} 
 | \{(e,i+" "+t,n,r)\} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r) \} | (e,t,n,r)
 )),!!i}function Kl(e,t){var n=Hl(t,!0);return
n?t.shiftKey&&!e.state.keySeq?Kn(e,"Shift-"+n,t,function(r){return
Ci(e,r,!0)})||Kn(e,n,t,function(r){if(typeof r=="string"?/^go[A-Z]/.test(r):r.motion)return
Ci(e,r);)):Kn(e,n,t,function(r){I1(typeor r== String ?/ go[A-2]/.test(r):r.motion)return
Ci(e,r)}):Kn(e,n,t,function(r){return Ci(e,r)}):!1}function rd(e,t,n){return
Kn(e,"'"+n+"'",t,function(r){return Ci(e,r,!0)})}var Ro=null;function Gl(e){var t=this;if(!(e.target &&e.target!=t.display.input.getField())&&(t.curOp.focus=R(de(t)),!ot(t,e))){s&&h<11&&e.keyCode==27&&
(e.returnValue=!1); var n=e.keyCode; t.display.shift=n==16||e.shiftKey; var r=Kl(t,e); d&&(Ro=r?n:null,! r&&n==88&&!ti&&(N?e.metaKey:e.ctrlKey)&&t.replaceSelection("",null,"cut")), v&&!N&&!r&&n==46&&e.shiftKey&&!e.ctrlKey&&document.execCommand&&document.execCommand("cut"), n==18&&!/\bCodeMirror-
 t=e.display.lineDiv;le(t, "CodeMirror-crosshair");function
 n(r)\{(r.keyCode==18||!r.altKey)\&\&(Q(t,"CodeMirror-crosshair"),\_t(document,"keyup",n),\_t(document,"mouseover",n))\}Fe(document,"keyup",n),Fe(document,"mouseover",n)\}function Zl(e)\{e.keyCode==16&&(this.doc.sel.shift=!1),ot(this,e)\}function Xl(e)\{var t=this;if(!(e.target&&e.t.e),function Xl(e),function Xl(
arget!=t.display.input.getField())\&\&!(lr(t.display,e)||ot(t,e)||e.ctrlKey\&\&!e.altKey||N\&\&e.metaKey))\\ \{var\ n=e.keyCode,r=e.charCode;if(d\&\&n==Ro)\{Ro=null,kt(e);return\}if(!(d\&\&(!e.which||e.which<10)\&\&Kl(t.display,e)||ot(t,e)||e.ctrlKey&\&!e.altKey||N&\&e.metaKey)\}\\ \{var\ n=e.keyCode,r=e.charCode;if(d\&\&n==Ro)\{Ro=null,kt(e);return\}if(!(d\&\&(!e.which||e.which<10)\&Kl(t.display,e)||ot(t,e)||e.ctrlKey&\&!e.altKey||N&\&e.metaKey)\}\\ \{var\ n=e.keyCode,r=e.charCode;if(d\&\&n==Ro)\{Ro=null,kt(e);return\}if(!(d\&\&(!e.which||e.which<10)\&Kl(t.display,e)||ot(t,e)||e.ctrlKey&\&!e.altKey||N&&e.metaKey||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlKey&&||e.ctrlK
    ,e))){\text{cris}(r,e,b)}}var i=String.fromCharCode(r??n);i!="\b"&&(rd(t,e,i)||t.display.input.onKeyPress(e))}}}var id=4
 00, Ho=function(e,t,n) {this.time=e,this.pos=t,this.button=n}; Ho.prototype.compare=function(e,t,n) {ret
urn this.time+id>e&&ye(t,this.pos)==0&&n==this.button}; var Gn,Zn; function od(e,t) {var n=+new Date; return Zn\&\&Zn.compare(n,e,t)? (Gn=Zn=null, "triple"):Gn\&Gn.compare(n,e,t)? (Zn=null, "double"):Gn=new Ho(n,e,t),Zn=null, "single")} function Yl(e) {var t=this,n=t.displa}
 y; if (!(ot(t,e)||n.activeTouch\&\&n.input.supportsTouch())) \\ \{if(n.input.ensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift=e.shiftKensurePolled(),n.shift(),n.shift=e.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.shift(),n.
 y,lr(n,e)){g||(n.scroller.draggable=!1,setTimeout(function(){return
\label{eq:n.scroller} n.scroller.draggable=!0\},100)); return $$if(!Wo(t,e))$ {var r=Mr(t,e),i=Ut(e),a=r?od(r,i):"single";pe(t).focus(),i==1&&t.state.selectingText&&t.state.selectingText(e),!(r&&ad(t,i,r,a,e))&&(i==1?r?sd(t,r,a,e)). $$
 e):yn(e)==n.scroller\&kt(e):i==2?(r\&\&_i(t.doc,r),setTimeout(function(){return})
n.input.focus()},20)):i==3&&(0?t.display.input.onContextMenu(e):wo(t)))}}function ad(e,t,n,r,i){var
a="Click";return r=="double"?a="Double"+a:r=="triple"&&(a="Triple"+a),a=(t==1?"Left":t==2?"Middle":"
Right")+a,Kn(e,Rl(a,i),i,function(l){if(typeof l=="string"&&(l=□n[l]),!l)return!1;var u=!1;try{e.isR
 eadOnly()\&\&(e.state.suppressEdits=!0), u=l(e,n)!=Ze\\finally\{e.state.suppressEdits=!1\}return
```

```
u))}function ld(e,t,n){var r=e.getOption("configureMouse"),i=r?r(e,t,n):{};if(i.unit==null){var a=G?
 n.shiftKey&&n.metaKey:n.altKey;i.unit=a?"rectangle":t=="single"?"char":t=="double"?"word":"line"}ret
 urn(i.extend==null||e.doc.extend)&&(i.extend=e.doc.extend||n.shiftKey),i.addNew==null&&(i.addNew=N?n
   .metaKey:n.ctrlKey),i.moveOnDrag==null&&(i.moveOnDrag=!(N?n.altKey:n.ctrlKey)),i}function
 sd(e,t,n,r) {s?setTimeout(Ee(Qa,e),0):e.curOp.focus=R(de(e));var i=ld(e,n,r),a=e.doc.sel,l;e.options.
 dragDrop\&\&eo\&\&!e.isReadOnly()\&\&n=="single"\&\&(l=a.contains(t))>-
1\&\&(ye((l=a.ranges[l]).from(),t)<0||t.xRel>0)\&\&(ye(l.to(),t)>0||t.xRel<0)?ud(e,r,t,i):cd(e,r,t,i)\}function ud(e,t,n,r)\{var i=e.display,a=!1,l=gt(e,function(m)\{g\&\&(i.scroller.draggable=!1),e.state.draggable=!1)\}
 gingText=!1,e.state.delayingBlurEvent&&(e.hasFocus()?e.state.delayingBlurEvent=!1:wo(e)),_t(i.wrappe
  \dot{r}.ownerDocument, "mouseup", \dot{l}), \dot{r}(i.wrapper.ownerDocument, "mousemove", \dot{u}), \dot{r}(i.scroller, "dragstart", \dot{f}),
       t(i.scroller, "drop", l), a||(kt(m), r.addNew|| i(e.doc, n, null, null, r.extend), q&&!k||s&&h==9?setTimeout
  (function(){i.wrapper.ownerDocument.body.focus({preventScroll:!0}),i.input.focus()},20):i.input.focu
 s())}),u=function(m){a=a||Math.abs(t.clientX-m.clientX)+Math.abs(t.clientY-
\label{eq:mclienty} $$ m.clientY) >= 10$, f=function(){return a=!0}; g&&(i.scroller.draggable=!0), e.state.draggingText=l,l.copy =!r.moveOnDrag,Fe(i.wrapper.ownerDocument,"mouseup",l),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,"mousemove",u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper.ownerDocument,u),Fe(i.wrapper
 i.scroller, "dragstart", f), Fe(i.scroller, "drop", l), e.state.delayingBlurEvent=!0, setTimeout(function()
{return i.input.focus()}, 20), i.scroller.dragDrop&i.scroller.dragDrop()}function
 \begin{tabular}{ll} \hline \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parbox{0.05cm} & \parb
 cd(e,t,n,r){s&&wo(e);var i=e.display,a=e.doc;kt(t);var
 \label{lem:contains} $$ l,u,f=a.sel,m=f.ranges; if(r.addNew&\&!r.extend?(u=a.sel.contains(n),u>-1?l=m[u]:l=new Ye(n,n)):(l=a.sel.primary(),u=a.sel.primIndex),r.unit=="rectangle")r.addNew||(l=new Ye(n,n))r.addNew||(l=new Ye(n,n))r.addNew)||(l=new Ye(n,n))r.addNew Ye(n,n)||(l=new ,n), n=Mr(e,t,!0,!0), u=-1; else\{var\ A=Ql(e,n,r.unit); r.extend?l=No(l,A.anchor,A.head,r.extend): l=No(l,A.anchor,A.head,r.extend): }r.addNew?u==
 1?(u=m.length,wt(a,Yt(e,m.concat([l]),u),{scroll:!1,origin:"*mouse"})):m.length>1&&m[u].empty()&&r.u
 nit=="char"&&!r.extend?(wt(a,Yt(e,m.slice(0,u).concat(m.slice(u+1)),0),{scroll:!1,origin:"*mouse"}),
 f=a.sel):0o(a,u,l,Je):(u=0,wt(a,new jt([l],0),Je),f=a.sel);var B=n;function
 ee(be){if(ye(B,be)!=0)if(B=be,r.unit=="rectangle"){for(var Ce=[],Ne=e.options.tabSize,Ie=0e(Ae(a,n.l
ine).text,n.ch,Ne),\Boxe=0e(Ae(a,be.line).text,be.ch,Ne),Ve=Math.min(Ie,\Boxe),vt=Math.max(Ie,\Boxe),rt=Math.min(n.line,be.line),0t=Math.min(e.lastLine(),Math.max(n.line,be.line));rt<=0t;rt++){var
 At=Ae(a,rt).text,ut=Ge(At,Ve,Ne);Ve==vt?Ce.push(new
 Ye(ne(rt,ut),ne(rt,ut))):At.length>ut&&Ce.push(new
 Ye(ne(rt,ut),ne(rt,Ge(At,vt,Ne))))\} Ce.length||Ce.push(new Ye(n,n)),wt(a,Yt(e,f.ranges.slice(0,u).con)||Fe.length||Ce.push(new Ye(n,n)),wt(a,Yt(e,f.ranges.slice(0,u).con)||Fe.length||Ce.push(new Ye(n,n)),wt(a,Yt(e,f.ranges.slice(0,u).con)||Fe.length||Ce.push(new Ye(n,n)),wt(a,Yt(e,f.ranges.slice(0,u).con)||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length||Fe.length
cat(Ce),u),{origin:"*mouse",scroll:!1}),e.scrollIntoView(be)}else{var Dt=l,yt=Ql(e,be,r.unit),ft=Dt.anchor,ct;ye(yt.anchor,ft)>0?(ct=yt.head,ft=Zr(Dt.from(),yt.anchor)):(ct=yt.anchor,ft=Et(Dt.to(),yt.
head));var lt=f.ranges.slice(0);lt[u]=fd(e,new Ye(je(a,ft),ct)),wt(a,Yt(e,lt,u),Je)}}var Y=i.wrapper.getBoundingClientRect(),ie=0;function ue(be){var
 Ce=++ie,Ne=Mr(e,be,!0,r.unit=="rectangle");if(Ne)if(ye(Ne,B)!=0)\{e.cur0p.focus=R(de(e)),ee(Ne);var\ I
 e=qi(i,a);(Ne.line>=Ie.to||Ne.line<Ie.from)&&setTimeout(qt(e,function(){ie==Ce&&ue(be)}),150)}else{v
 ar ∏e=be.clientY<Y.top?
 20:be.clientY>Y.bottom?20:0;[e\&setTimeout(gt(e,function()\{ie==Ce\&\&(i.scroller.scrollTop+=[e,ue(be))\}),50)\}function me(be){e.state.selectingText=!1,ie=1/0,be&&(kt(be),i.input.focus()),_t(i.wrapper.ow)}
 nerDocument, "mousemove", ve), _t(i.wrapper.ownerDocument, "mouseup", _e), a.history.lastSelOrigin=null}va
 r ve=gt(e,function(be){be.buttons===0||!Ut(be)?me(be):ue(be)}),_e=gt(e,me);e.state.selectingText=_e,
Fe(i.wrapper.ownerDocument,"mousemove",ve),Fe(i.wrapper.ownerDocument,"mouseup",_e)}function
 fd(e,t){var n=t.anchor,r=t.head,i=Ae(e.doc,n.line);if(ye(n,r)==0&&n.sticky==r.sticky)return t;var
 a=Pe(i); if(!a)return t;var l=Pt(a,n.ch,n.sticky), u=a[l]; if(u.from!=n.ch\&u.to!=n.ch)return t;var
 f=l+(u.from==n.ch==(u.level!=1)?0:1); if(f==0||f==a.length)return t; variation to the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of
 m;if(r.line!=n.line)m=(r.line-n.line)*(e.doc.direction=="ltr"?1:-1)>0;else{var
 A=Pt(a,r.ch,r.sticky),B=A-l||(r.ch-n.ch)*(u.level==1?-1:1);A==f-1||A==f?m=B<0:m=B>0}var
 ee=a[f+(m?-1:0)],Y=m==(ee.level==1),ie=Y?ee.from:ee.to,ue=Y?"after":"before";return
 \label{eq:nch} \verb|n.ch| = ie\& n.sticky = ue?t: new Ye(new ne(n.line,ie,ue),r)| function Vl(e,t,n,r) = vector for the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard of the standard
  i,a;if(t.touches)i=t.touches[0].clientX,a=t.touches[0].clientY;else try{i=t.clientX,a=t.clientY}catc
 h\{return!1\} if (i>= Math.floor(e.display.gutters.getBoundingClientRect().right)) return!1; r\&\&kt(t); variable for the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the following of the follo
 l=e.display,u=l.lineDiv.getBoundingClientRect();if(a>u.bottom||!Ft(e,n))return
 m=l.gutters.childNodes[f];if(m&&m.getBoundingClientRect().right>=i){var}
\label{thm:context} Ft(e, "gutterContextMenu")?Vl(e,t, "gutterContextMenu",!1):!1 \\ function es(e) \\ \{e.display.wrapper.className=e.display.wrapper.className=e.display.wrapper.className.replace(/\s^*cm-s-\S+/g,"")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.options.theme.replace(/(\s\s^*/g,")+e.opti
 cm-s-"), En(e) \rangle var fn={toString:function() \{return"CodeMirror.Init"\}\}, ts=\{\}, Ei=\{\}; function pd(e) \{var
t=e.optionHandlers; function n(r,i,a,l){e.defaults[r]=i,a&&(t[r]=l?function(u,f,m){m!=fn&&a(u,f,m)}:a)}e.defineOption=n,e.Init=fn,n("value","",function(r,i){return r.setValue(i)},!0),n("mode",null,function(r,i){r.doc.modeOption=i,qo(r)},!0),n("indentUnit",2,qo,!0),n("indentWithTabs",!1),n("smartIndent",!0),n("tabs:e",4,function(r){Nn(r),En(r),zt(r)},!0),n("lineSeparator",null,function(r,i){if(r.docomodeOption=i,qo,r)}.
 c.lineSep=i,!!i){var a=[],l=r.doc.first;r.doc.iter(function(f){for(var m=0;;){var
 A=f.text.indexOf(i,m); if(A==-1)break; m=A+i.length, a.push(ne(l,A))\}l++\}); for(var\ u=a.length-1; u>=0; u-1) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push(ne(l,A)) length, a.push
   -)ln(r.doc,i,a[u],ne(a[u].line,a[u].ch+i.length))}}),n("specialChars",/[\u0000-\u001f\u007f-
  \u009f\u00ad\u061c\u200b\u200e\u200f\u2028\u2029\u202d\u202e\u2066\u2067\u2069\ufeff\ufff9-
  \ufffc]/q,function(r,i,a){r.state.specialChars=new RegExp(i.source+(i.test("
   "),"g"),a!=fn&&r.refresh()}),n("specialCharPlaceholder",Rc,function(r){return r.refresh()},!0),n("el
```

```
ectricChars",!0),n("inputStyle",E?"contenteditable":"textarea",function(){throw new
Error("inputStyle can not (yet) be changed in a running
editor")},!0),n("spellcheck",!1,function(r,i){return
r.getInputField().spellcheck=i},!0),n("autocorrect",!1,function(r,i){return r.getInputField().autocorrect=i},!0),n("autocapitalize",!1,function(r,i){return r.getInputField().au tocapitalize=i},!0),n("rtlMoveVisually",!J),n("wholeLineUpdateBefore",!0),n("theme","default",function(r){es(r),Fn(P)},!0),n("keyMap","default",function(r,i,a){var l=Li(i),u=a!=fn&Li(a);u&u.detach&u.detach(r,l),l.attach&&l.attach(r,u||null)}),n("extraKeys",null),n("configureMouse",null),n("lineWr
apping",!1,gd,!0),n("gutters",[],function(r,i){r.display.gutterSpecs=Ao(i,r.options.lineNumbers),Fn(r)},!0),n("fixedGutter",!0,function(r,i){r.display.gutters.style.left=i?yo(r.display)+"px":"0",r.refresh()},!0),n("coverGutterNextToScrollbar",!1,function(r){return rn(r)},!0),n("scrollbarStyle","nati
 ve",function(r){nl(r),rn(r),r.display.scrollbars.setScrollTop(r.doc.scrollTop),r.display.scrollbars.
ocursor"&&(en(r),r.display.input.blur()),r.display.input.readOnlyChanged(i)}),n("screenReaderLabel",null,function(r,i){i=i===""?null:i,r.display.input.screenReaderLabelChanged(i)}),n("disableInput",!1
function(r,i){i|r.display.input.reset()},!0),n("dragDrop",!0,hd),n("allowDropFileTypes",null),n("c
ursorBlinkRate",530),n("cursorScrollMargin",0),n("cursorHeight",1,zn,!0),n("singleCursorHeightPerLin
e",!0,zn,!0),n("workTime",100),n("workDelay",100),n("flattenSpans",!0,Nn,!0),n("addModeClass",!1,Nn,
!0),n("pollInterval",100),n("undoDepth",200,function(r,i){return
 r.doc.history.undoDepth=i}),n("historyEventDelay",1250),n("viewportMargin",10,function(r){return r.r
efresh()},!0),n("maxHighlightLength",le4,Nn,!0),n("moveInputWithCursor",!0,function(r,i){i||r.display.input.resetPosition()}),n("tabindex",null,function(r,i){return r.display.input.getField().tabIndex = i||""}),n("autofocus",null),n("direction","ltr",function(r,i){return r.doc.setDirection(i)},!0),n("phrases",null)}function hd(e,t,n){var r=n&&n!=fn;if(!t!=!r){var i=e.di
 splay.dragFunctions,a=t?Fe: t;a(e.display.scroller, "dragstart",i.start),a(e.display.scroller, "dragen
 ter", i.enter), a(e.display.scroller, "dragover", i.over), a(e.display.scroller, "dragleave", i.leave), a(e.
 display.scroller, "drop", i.drop)}}function
gd(e){e.options.lineWrapping?(le(e.display.wrapper, "CodeMirror-wrap"),e.display.sizer.style.minWidth
="",e.display.sizerWidth=null):(Q(e.display.wrapper, "CodeMirror-
wrap"),so(e)),xo(e),zt(e),En(e),setTimeout(function(){return rn(e)},100)}function tt(e,t){var
 n=this;if(!(this instanceof tt))return new tt(e,t);this.options=t=t?ge(t):{},ge(ts,t,!1);var
 r=t.value;typeof r=="string"?r=new
 \label{eq:mode_null_t.lineSeparator} Mt(r,t.mode \& (r.mode Option = t.mode), this.doc = r; var i = new in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the
 tt.inputStyles[t.inputStyle](this),a=this.display=new
 Ef(e,r,i,t); a.wrapper.CodeMirror=this,es(this),t.lineWrapping\&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this.display.wrapper.className+="this,es(this),t.lineWrapping&(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(this,es(this),t.lineWrapping&(th
 CodeMirror-wrap"),nl(this),this.state={keyMaps:[],overlays:[],modeGen:0,overwrite:!1,delayingBlurEve
 nt:!1,focused:!1,suppressEdits:!1,pasteIncoming:-1,cutIncoming:
 1,selectingText:!1,draggingText:!1,highlight:new ge,keySeg:null,specialChars:null},t.autofocus&&!E&&
 a.input.focus(),s&&h<11&&setTimeout(function(){return n.display.input.reset(!0)},20),md(this),Gf(),I
 r(this),this.curOp.forceUpdate=!0,pl(this,r),t.autofocus&&!E||this.hasFocus()?setTimeout(function(){
 n.hasFocus()\&\&!n.state.focused\&\&So(n)\},20):en(this);for(var l in
 Ei)Ei.hasOwnProperty(l)&&Ei[l](this,t[l],fn);al(this),t.finishInit&&t.finishInit(this);for(var u=0;u
 < \verb"Uo.length"; ++ \verb"u") | \verb"Uo[u]" (this); Fr(this), g \& t.line \verb"Wrapping \& getComputed Style" (a.line Div). textRendering == "o" (this); Fr(this), g \& t.line \verb"Wrapping & getComputed Style" (a.line Div). textRendering == "o" (this); Fr(this), g \& t.line \verb"Wrapping & getComputed Style" (a.line Div). textRendering == "o" (this); Fr(this), g \& t.line \verb"Wrapping & getComputed Style" (a.line Div). textRendering == "o" (this); Fr(this), g \& t.line \verb"Wrapping & getComputed Style" (a.line Div). textRendering == "o" (this); Fr(this); 
 ptimizelegibility &&(a.lineDiv.style.textRendering="auto")}tt.defaults=ts,tt.optionHandlers=Ei;funct
 \label{eq:continuous} \begin{tabular}{ll} $ & (a.thebry.styte.texthehdering-addo) $ f(t.deradtts-ts), (t.optionhandters-Li, function $ md(e) {var } t=e.display; Fe(t.scroller, "mousedown", gt(e, Yl)), $ & (t.scroller, "dblclick", gt(e, function(f) {if(!ot(e,f)) {var } m=Mr(e,f); if(!(!m||Wo(e,f)||lr(e.display,f))) {kt(f); var } \end{tabular}
 A=e.findWordAt(m); i(e.doc,A.anchor,A.head)}}})):Fe(t.scroller,"dblclick",function(f){return
 ot(e,f)||kt(f)||, Fe(t.scroller, "contextmenu", function(f){return Jl(e,f)}|, Fe(t.input.getField(), "contextmenu", function(f){t.scroller.contains(f.target)||Jl(e,f)}); var n, r={end:0}; function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f){t.scroller.contains(f.target)||Jl(e,f)}|, var n, r={end:0}|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, function(f.target)|, f
 i(){t.activeTouch&&(n=setTimeout(function(){return
 t.activeTouch=null},1e3),r=t.activeTouch,r.end=+new Date)}function
 a(f)\{if(f.touches.length!=1) \ return!1; var \ m=f.touches[0]; return \ m.radiusX <= 1\&\&m.radiusY <= 1\} function
 l(f,m){if(m.left==null)return!0;var A=m.left-f.left,B=m.top-f.top;return A*A+B*B>20*20}Fe(t.scroller
       touchstart",function(f){if(!ot(e,f)&&!a(f)&&!Wo(e,f)){t.input.ensurePolled(),clearTimeout(n);var"
 m=+new Date;t.activeTouch={start:m,moved:!1,prev:m-
 r.end <= 300? r:null\}, f.touches.length == 1\& (t.activeTouch.left = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouch.top = f.touches[0].pageX, t.activeTouches[0].pageX, t.active
 Date-m.start<300) {var A=e.coordsChar(t.activeTouch, "page"), B; !m.prev||l(m,m.prev)?B=new
 Ye(A,A):!m.prev.prev||l(m,m.prev.prev)?B=e.findWordAt(A):B=new Ye(ne(A.line,0),je(e.doc,ne(A.line+1,
 0))),e.setSelection(B.anchor,B.head),e.focus(),kt(f)}i()}),Fe(t.scroller,"touchcancel",i),Fe(t.scrol
0))),e.setSelection(B.anchor,B.head),e.focus(),kt(f)}i()}),Fe(t.scroller,"touchcancel",i),Fe(t.scroller,"scroller,function(){t.scroller.clientHeight&&(An(e,t.scroller.scrollTop),Dr(e,t.scroller.scrollLeft,!0),it(e,"scroll",e))}),Fe(t.scroller,"mousewheel",function(f){returnul(e,f)}),Fe(t.scroller,"DOMMouseScroll",function(f){returnul(e,f)}),Fe(t.wrapper,"scroll",function(){returnt.wrapper.scrollTop=t.wrapper.scrollLeft=0}),t.dragFunctions={enter:function(f){ot(e,f)||dr(f)},over:function(f){ot(e,f)||(Kf(e,f),dr(f))},start:function(f){return [f(e,f)},drop:gt(e,Uf),leave:function(f){ot(e,f)||0l(e)}};varu=t.input.getField();Fe(u,"keyup",function(f){return2l.call(e,f)}),Fe(u,"keydown",gt(e,Gl)),Fe(u,"keypress",gt(e,Xl)),Fe(u,"focus",function(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)}),Fe(u,"hunction(f){return2l.call(e,f)})
 So(e,f)}),Fe(u,"blur",function(f){return en(e,f)})}var Uo=[];tt.defineInitHook=function(e){return
```

```
Uo.push(e)};function Xn(e,t,n,r){var
i=e.doc,a;n==null\&\&(n="add"),n=="smart"\&\&(i.mode.indent?a=wn(e,t).state:n="prev");var
l=e.options.tabSize,u=Ae(i,t),f=0e(u.text,null,l);u.stateAfter&&(u.stateAfter=null);var
(i,t-1).text,null,l):A=0:n=="add"?A=f+e.options.indentUnit:n=="subtract"?A=f-
e.options.indentUnit:typeof n=="number"&\&(A=f+n), A=Math.max(0,A);var
             .ee=0;if(e.options.indentWithTabs)for(var Y=Math.floor(A/1);Y:--Y)ee+=1.B+="
   ;if(ee<A&&(B+=Z(A-ee)),B!=m)return
ln(i,B,ne(t,0),ne(t,m.length),"+input"),u.stateAfter=null,!0;for(var
ie=0;ie<i.sel.ranges.length;ie++){var</pre>
ue=i.sel.ranges[ie];if(ue.head.line==t&&ue.head.ch<m.length){var me=ne(t,m.length);0o(i,ie,new
Ye(me,me)); break}} var Qt=null; function zi(e){Qt=e} function <math>\Box o(e,t,n,r,i){var}
a=e.doc;e.display.shift=!1,r||(r=a.sel);var l=+new Date-
200, u=i=="paste"||e.state.pasteIncoming>l,f=Ht(t),m=null;if(u&&r.ranges.length>1)if(Qt&&Qt.text.join
   )==t){if(r.ranges.length%Qt.text.length==0){m=[];for(var
A=0;A<Qt.text.length;A++)m.push(a.splitLines(Qt.text[A]))}}else f.length==r.ranges.length&e.options
.pasteLinesPerSelection&@(m=He(f,function(ve){return[ve]}));for(var B=e.curOp.updateInput,ee=r.ranges.length-1;ee>=0;ee--){var Y=r.ranges[ee],ie=Y.from(),ue=Y.to();Y.em
pty()\&\&(n\&\&n>0?ie=ne(ie.line,ie.ch-
n):e.state.overwrite&&!u?ue=ne(ue.line,Math.min(Ae(a,ue.line).text.length,ue.ch+ce(f).length)):u&&Qt
&&Qt.lineWise&&Qt.text.join(
    )==f.join(
 e.cutIncoming>l?"cut":"+input")};an(e.doc,me),ht(e,"inputRead",e,me)}t&&!u&&ns(e,t),tn(e),e.curOp.up
dateInput<2&&(e.curOp.updateInput=B),e.curOp.typing=!0,e.state.pasteIncoming=e.state.cutIncoming=
1}function rs(e,t){var n=e.clipboardData&&e.clipboardData.getData("Text");if(n)return
e.preventDefault(), !t.isReadOnly()\&\&!t.options.disableInput\&\&t.hasFocus()\&\&Nt(t,function()\{returndering the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the 
\Boxo(t,n,0,null,"paste")}),!0}function
ns(e,t){if(!(!e.options.electricChars||!e.options.smartIndent))for(var
n=e.doc.sel,r=n.ranges.length-1;r>=0;r--){var
i=n.ranges[r];if(!(i.head.ch>100||r&&n.ranges[r-1].head.line==i.head.line)){var
nput.test(Ae(e.doc,i.head.line).text.slice(0,i.head.ch))&&(l=Xn(e,i.head.line,"smart"));l&&ht(e,"ele
ctricInput", e, i.head.line)}}function is(e){for(var t=[],n=[],r=0;r<e.doc.sel.ranges.length;r++){var}
i=e.doc.sel.ranges[r].head.line,a={anchor:ne(i,0),head:ne(i+1,0)};n.push(a),t.push(e.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(a),t.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i+1,0))};n.push(b.getRange(a.anchor:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0),head:ne(i,0)
or,a.head))}return{text:t,ranges:n}}function Ko(e,t,n,r){e.setAttribute("autocorrect",n?"on":"off"),e.setAttribute("autocapitalize",r?"on":"off"),e.setAttribute("spellcheck",!!t)}function os(){var
e=y("textarea",null,null,"position: absolute; bottom: -lem; padding: 0; width: lpx; height: lem; min-height: lem; outline: none"),t=y("div",[e],null,"overflow: hidden; position: relative; width:
3px; height: 0px;");return
g?e.style.width="1000px":e.setAttribute("wrap","off"),_&&(e.style.border="1px solid black"),t}function vd(e){var t=e.optionHandlers,n=e.helpers={};e.prototype={constructor:e,focus:func
tion(){pe(this).focus(),this.display.input.focus()},setOption:function(r,i){var a=this.options,l=a[r
]; a[r] == i \& r! = "mode" | | (a[r] = i, t. has 0 wn Property(r) \& gt(this, t[r])(this, i, l), it(this, "option Change", the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit o
is,r), getOption:function(r){return this.options[r]}, <math>getDoc:function(){return this.doc}, addKeyMap:function()
 unction(r,i) \{this.state.keyMaps[i?"push":"unshift"](Li(r))\}, removeKeyMap:function(r) \{for(vari=this.state.keyMaps,a=0;a<i.length;++a)if(i[a]==r||i[a].name==r) return 
i.splice(a,1),!0},addOverlay:Tt(function(r,i){var
a=r.token?r:e.getMode(this.options,r);if(a.startState)throw new Error("Overlays may not be stateful.
  );te(this.state.overlays,{mode:a,modeSpec:r,opaque:i&&i.opaque,priority:i&&i.priority||0},function;
l){return l.priority}),this.state.modeGen++,zt(this)}),removeOverlay:Tt(function(r){for(var
i=this.state.overlays,a=0;a<i.length;++a){var l=i[a].modeSpec;if(l==r||typeof r=="string"&&l.name==r
){i.splice(a,1),this.state.modeGen++,zt(this);return}}}),indentLine:Tt(function(r,i,a){typeofi!="string"&&typeofi!="number"&&(i==null?i=this.options.smartIndent?"smart":"prev":i=i?"add":"subtr
act"), ae(this.doc,r)&Xn(this,r,i,a)}), indentSelection: Tt(function(r)\{for(var)\}, ae(this.doc,r)\}
d.line,r,!0),a=u.head.line,l==this.doc.sel.primIndex&&tn(this));else{var
f=u.from(), m=u.to(), A=Math.max(a,f.line); a=Math.min(this.lastLine(),m.line-(m.ch?0:1))+1; for(variation of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
B=A;B<a;++B)Xn(this,B,r);var
ee=this.doc.sel.ranges; f.ch==0&&i.length==ee.length&&ee[l].from().ch>0&&0o(this.doc,l,new
Ye(f,ee[l].to()),ke)}}}),getTokenAt:function(r,i){return
ga(this,r,i)},getLineTokens:function(r,i){return
ga(this,ne(r),i,!0)},getTokenTypeAt:function(r){r=je(this.doc,r);var
i=this.doc.mode; return
i.innerMode?e.innerMode(i,this.getTokenAt(r).state).mode:i},getHelper:function(r,i){return
\label{this:getHelpers:function:final} this.getHelpers(r,i)[0], getHelpers:function(r,i){var a=[];if(!n.has0wnProperty(i))return a;var l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i])for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i]))for(var) l=n[i],u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]);else if(u[i]),u=this.getModeAt(r);if(typeof u[i]=="string")l[u[i]]&a.push(l[u[i]]),u=this.getModeAt(u[i]=="string")l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]=="string"]l[u[i]
```

```
f=0; f< u[i].length; f++){var m=l[u[i][f]]; m\&\&a.push(m)}else
 u.helperType&&[[u.helperType]?a.push(l[u.helperType]):l[u.name]&&a.push(l[u.name]);for(var
 a},getStateAfter:function(r,i){var a=this.doc;return
 r=ua(a,r??a.first+a.size-1), wn(this,r+1,i).state\}, cursorCoords:function(r,i)\{varante (a,r??a.first+a.size-1), wn(this,r+1,i)\}, where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r??a.first+a.size-1), where (a,r?a.first+a.size-1), where (a,r
 a,l=this.doc.sel.primary();return r==null?a=l.head:typeof r=="object"?a=je(this.doc,r):a=r?l.from():
l.to(),Xt(this,a,i||"page")},charCoords:function(r,i){return
fi(this,je(this.doc,r),i||"page")},coordsChar:function(r,i){return
r=Ua(this,r,i|| "page"),mo(this,r.left,r.top)},lineAtHeight:function(r,i){return r=Ua(this,{top:r,left:0},i|| "page").top,P(this.doc,r+this.display.viewOffset)},heightAtLine:function(r,i,a){var
 l=!1,u;if(typeof r=="number"){var f=this.doc.first+this.doc.size-
 1;r<this.doc.first?r=this.doc.first:r>f&&(r=f,l=!0),u=Ae(this.doc,r)}else u=r;return
 ci(this,u,{top:0,left:0},i||"page",a||l).top+(l?this.doc.height-
 ar(u):0)},defaultTextHeight:function(){return Vr(this.display)},defaultCharWidth:function(){return J
 r(this.display)},getViewport:function(){return{from:this.display.viewFrom,to:this.display.viewTo}},a
 ddWidget:function(r,i,a,l,u){var f=this.display;r=Xt(this,je(this.doc,r));var
m=r.bottom, A=r.left; if(i.style.position="absolute", i.setAttribute("cm-ignore-events", "true"), this.display.input.setUneditable(i), f.sizer.appendChild(i), l=="over")m=r.top; else
if(l=="above"||l=="near"){var B=Math.max(f.wrapper.clientHeight,this.doc.height),ee=Math.max(f.sizer.clientWidth,f.lineSpace.clientWidth);(l=="above"||r.bottom+i.offsetHeight>B)&&r.top>i.offsetHeight?
m=r.top-i.offsetHeight:r.bottom+i.offsetHeight<=B&&(m=r.bottom),A+i.offsetWidth>ee&&(A=ee-i.offsetWidth)}i.style.top=m+"px",i.style.left=i.style.right="",u=="right"?(A=f.sizer.clientWidth-i.offsetWidth,i.style.right="0px"):(u=="left"?A=0:u=="middle"&&(A=(f.sizer.clientWidth-i.offsetWidth)]
 i.offsetWidth)/2), i.style.left=A+"px"), a\&\&hf(this, \{left:A, top:m, right:A+i.offsetWidth, bottom:m+i.offsetHeight\})\}, triggerOnKeyDown:Tt(Gl), triggerOnKeyPress:Tt(Xl), triggerOnKeyUp:Zl, triggerOnMouseDown:T
 t(Yl), execCommand: function(r){if([n.hasOwnProperty(r))return
 [n[r]].call(null,this)},triggerElectric:Tt(function(r)\{ns(this,r)\}),findPosH:function(r,i,a,l)\{var\}
 u=1; i<0\&\&(u=-1, i=-i); for(var)
 f = je(this.doc,r), \\ m = 0; \\ m < i\&\&(f = Go(this.doc,f,u,a,l),!f.hitSide); \\ + + m); \\ return
 f\}, move H: Tt(function(r,i) \{var\ a=this; this.extend Selections By(function(l) \{return\ a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.shift|| a.display.
oc.extend||l.empty()?Go(a.doc,l.head,r,i,a.options.rtlMoveVisually):r<0?l.from():l.to()},Re)}),delet eH:Tt(function(r,i){var a=this.doc.sel,l=this.doc;a.somethingSelected()?l.replaceSelection("",null,"
 +delete"):cn(this,function(u){var f=Go(l,u.head,r,i,!1);return
 \begin{array}{l} r<0?\{from:f,to:u.head\}:\{from:u.head,to:f\}\})\},findPosV:function(r,i,a,l)\{varu=1,f=l;i<0\&\&(u=-1,i=-i);for(varm=je(this.doc,r),A=0;A<i;++A)\{varm=1,f=l;i<0,a,b,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,
 B=Xt(this,m,"div");if(f==null?f=B.left:B.left=f,m=as(this,B,u,a),m.hitSide)break}return
 m, m, m a=this, l=this.doc, u=[], f=!this.display.shift&&!l.extend&&l.sel.somethi
 ngSelected();if(l.extendSelectionsBy(function(A){if(f)return r<0?A.from():A.to();var
 B=Xt(a,A.head, "div"); A.goalColumn!=null&&(B.left=A.goalColumn), u.push(B.left); var
 ee=as(a,B,r,i);return
i=="page"&&A==l.sel.primary()&&Lo(a,fi(a,ee,"div").top-B.top),ee},Re),u.length)for(var m=0;m<l.sel.ranges.length;m++)l.sel.ranges[m].goalColumn=u[m]}),findWordAt:function(r){var
i=this.doc, a=Ae(i,r.line).text, l=r.ch, u=r.ch; if(a) \{varf=this.getHelper(r,"wordChars"); (r.sticky=="before"||u==a.length) & \{0.25, -1...+u: for(varm=a.charAt(l), A=Me(m,f)?function(B) \{return Me(B,f)\}:/\s/.test(m)?function(B) \{return/\s/.test(B)\}: function(B) \{return/\s/.
 ction(B){return!/\s/.test(B)&&!Me(B)}; l>0&&A(a.charAt(l-1));)-
 l;for(;u<a.length\&\&A(a.charAt(u));)++ureturn new Ye(ne(r.line,l),ne(r.line,u))},toggle0verwrite:fun
 \verb|ction(r){r!=null&&r==this.state.overwrite||((this.state.overwrite=!this.state.overwrite)?le(this.dis)|}|
play.cursorDiv, "CodeMirror-overwrite"):Q(this.display.cursorDiv, "CodeMirror-
overwrite"),it(this, "overwriteToggle",this,this.state.overwrite))},hasFocus:function(){return this.d
 isplay.input.getField()==R(de(this))},isReadOnly:function(){return!!(this.options.readOnly||this.doc
.cantEdit)},scrollTo:Tt(function(r,i){Mn(this,r,i)}),getScrollInfo:function(){var
 r = this.display.scroller; return \{ left: r.scrollLeft, top: r.scrollTop, height: r.scrollHeight-return \} \\
 er(this)-this.display.barHeight,width:r.scrollWidth-er(this)-
 this.display.barWidth,clientHeight:fo(this),clientWidth:Er(this)},scrollIntoView:Tt(function(r,i){r})
 == null?(r = \{from: this.doc.sel.primary().head, to: null\}, i == null\&\&(i = this.options.cursorScrollMargin)): the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitut
 ypeof r == "number"? r = \{from: ne(r, 0), to: null\}: r.from == null \& \& (r = \{from: r, to: null\}), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.from), r.to | | (r.to = r.fr
margin=i||0,r.from.line!=null?gf(this,r):Ja(this,r.from,r.to,r.margin)}),setSize:Tt(function(r,i){var a=this,l=function(f){return typeof f=="number"||/^d+_/.test(String(f))?f+"px":f};r!=null&&(this.d
 isplay.wrapper.style.width=l(r)),i!=null&&(this.display.wrapper.style.height=l(i)),this.options.line
 Wrapping&&Ra(this); var
 u=this.display.viewFrom; this.doc.iter(u,this.display.viewTo,function(f){if(f.widgets){for(var m=0;m<
f.widgets.length;m++)if(f.widgets[m].noHScroll) \\ \{vr(a,u,"widget");break\}\}++u\}),this.cur0p.forceUpdate = !0,it(this,"refresh",this)\}),operation:function(r) \\ \{return
 Nt(this,r)},startOperation:function(){return Ir(this)},endOperation:function(){return
Fr(this)},refresh:Tt(function(){var r=this.display.cachedTextHeight;zt(this),this.cur0p.forceUpdate=
!0,En(this),Mn(this,this.doc.scrollLeft,this.doc.scrollTop),zo(this.display),(r==null||Math.abs(r-
 Vr(this.display))>.5||this.options.lineWrapping)&&xo(this),it(this,"refresh",this)}),swapDoc:Tt(func
 tion(r) \{var \ i=this.doc; return \ i.cm=null, this.state.selecting Text \& \& this.state.selecting Text \& \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.selecting Text & \& this.state.select
   r),En(this),this.display.input.reset(),Mn(this,r.scrollLeft,r.scrollTop),this.cur0p.forceScroll=!0,
 ht(this, "swapDoc", this, i), i)), phrase:function(r) {var i=this.options.phrases; return
 i&&Object.prototype.hasOwnProperty.call(i,r)?i[r]:r},getInputField:function(){return
 this.display.input.getField()},getWrapperElement:function(){return
```

```
this.display.wrapper},getScrollerElement:function(){return
 this.display.scroller},getGutterElement:function(){return this.display.gutters}},Wt(e),e.registerHel
per=function(r,i,a)\{n.has0wnProperty(r)||(n[r]=e[r]=\{\_global:[]\}),n[r][i]=a\},e.registerGlobalHelper=function(r,i,a,l)\{e.registerHelper(r,i,l),n[r].\_global.push(\{pred:a,val:l\})\}\}function
 Go(e,t,n,r,i) {var a=t,l=n,u=Ae(e,t.line),f=i&e.direction=="rtl"?-n:n;function m(){var
    e=t.line+f;return e<e.first|| e>=e.first+e.size?!1:(t=new
ne(_e,t.ch,t.sticky),u=Ae(e,_e))}function A(_e){var be;if(r=="codepoint"){var
Ce=u.text.charCodeAt(t.ch+(n>0?0:-1));if(isNaN(Ce))be=null;else{var
 Ne=n>0?Ce>=55296&&Ce<56320:Ce>=56320&&Ce<57343;be=new
 ne(t.line,Math.max(0,Math.min(u.text.length,t.ch+n*(Ne?2:1))),-n)}}else
 i?be=Vf(e.cm,u,t,n):be=Bo(u,t,n);if(be==null)if(!e&&m())t=jo(i,e.cm,u,t.line,f);else return!1;else
 t=be; return!0}if(r=="char"||r=="codepoint")A(); else if(r=="column")A(!0); else
 if(r=="word"||r=="group")for(var
 B=null, ee=r=="group", Y=e.cm\&\&e.cm.getHelper(t, "wordChars"), ie=!0; !(n<0\&\&!A(!ie)); ie=!1) \{varantimething the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 ue=u.text.charAt(t.ch)||
 `,me=Me(ue,Y)?"w":ee&&ue==`
`?"n":!ee||/\s/.test(ue)?null:"p";if(ee&&!ie&&!me&&(me="s"),B&&B!=me){n<0&&(n=1,A(),t.sticky="after");break}if(me&&(B=me),n>0&&!A(!ie))break}var ve=wi(e,t,a,l,!0);return
 Xe(a,ve)\&(ve.hitSide=!0),ve function as (e,t,n,r) {var i=e.doc,a=t.left,l;if(r=="page") {var u=Math.mi
 n(e.display.wrapper.clientHeight,pe(e).innerHeight||i(e).documentElement.clientHeight),f=Math.max(u-
  .5*Vr(e.display),3);l=(n>0?t.bottom:t.top)+n*felse r=="line"&&(l=n>0?t.bottom+3:t.top-3);for(var)
  m; m=mo(e,a,l), !!m.outside;) \{ if (n<0?l<=0:l>=i.height) \{ m.hitSide=!0; break \} l+=n*5 \} return m \} var Qe=funct \} l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5 \} return m + l+=n*5
 ion(e){this.cm=e,this.lastAnchorNode=this.lastAnchorOffset=this.lastFocusNode=this.lastFocusOffset=n
 ull,this.polling=new qe,this.composing=null,this.gracePeriod=!1,this.readDOMTimeout=null};Qe.prototy
 pe.init=function(e){var t=this,n=this,r=n.cm,i=n.div=e.lineDiv;i.contentEditable=!0,Ko(i,r.options.ś
 pellcheck, r.options.autocorrect, r.options.autocapitalize); function a(u) {for(var f=u.target; f; f=f.par
 entNode){if(f==i)return!0;if(/\bCodeMirror
\label{eq:composition} $$(?:line)?widget\b/.test(f.className))break}$ return!1$ Fe(i,"paste",function(u) {!a(u)||ot(r,u)||rs(u,r)||h<=11&setTimeout(gt(r,function(){return t.updateFromDOM()}),20)}),Fe(i,"compositionstart",function(u) {t.composing={data:u.data,done:!1}}),Fe(i,"compositionupdate",function(u) {t.composing||(t.composing)||} $$(t.composing) = (t.composing)  \{ data: u.data, done: !1 \} \} \}, Fe(i, "compositionend", function(u) \{ t.composing \& \{ u.data! = t.composing. data & \& t.readFromDOMSoon(), t.composing. done = !0 \} \}, Fe(i, "touchstart", function() \{ return n.forceCompositionEnd() \} ), Fe(i, "input", function() \{ t.composing | | t.readFromDOMSoon() \} ); function l(u) \{ i.composing | | t.readFromDOMSoon() \} )
 f(!(!a(u)||ot(r,u))) {if(r.somethingSelected())zi({lineWise:!1,text:r.getSelections()}),u.type=="cut"
 &&r.replaceSelection("",null,"cut");else if(r.options.lineWiseCopyCut){var f=is(r);zi({lineWise:!0,t
 ext:f.text}),u.type=="cut"&&r.operation(function(){r.setSelections(f.ranges,0,ke),r.replaceSelection
("",null,"cut")})}else return;if(u.clipboardData){u.clipboardData.clearData();var m=Qt.text.join(`
`);if(u.clipboardData.setData("Text",m),u.clipboardData.getData("Text")==m){u.preventDefault();return}}var A=os(),B=A.firstChild;Ko(B),r.display.lineSpace.insertBefore(A,r.display.lineSpace.firstChild
 ),B.value=Qt.text.join(
     ); var ee=R(ze(i)); I(B), setTimeout(function(){r.display.lineSpace.removeChild(A),ee.focus(),ee==i&An and a set I(B).
 . show Primary Selection()\}, 50)\} Fe(i, "copy", l), Fe(i, "cut", l)\}, Qe.prototype.screen Reader Label Changed = function(e) \{e?this.div.setAttribute("aria-label", e):this.div.removeAttribute("aria-label", e):this.div.removeAttribute("ari
 label")},Qe.prototype.prepareSelection=function(){var e=Ya(this.cm,!1);return e.focus=R(ze(this.div))
 )==this.div,e},Qe.prototype.showSelection=function(e,t){!e||!this.cm.display.view.length||((e.focus|
  |t)&&this.showPrimarySelection(),this.showMultipleSelections(e))},Qe.prototype.getSelection=function
  (){return this.cm.display.wrapper.ownerDocument.getSelection()},Qe.prototype.showPrimarySelection=fu
 nction(){var e=this.getSelection(),t=this.cm,n=t.doc.sel.primary(),r=n.from(),i=n.to();if(t.display.
 viewTo==t.display.viewFrom||r.line>=t.display.viewTo||i.line<t.display.viewFrom){e.removeAllRanges()</pre>
 ;return}var a=Mi(t,e.anchorNode,e.anchorOffset),l=Mi(t,e.focusNode,e.focusOffset);if(!(a&&!a.bad&&l&
 &!l.bad&&ye(Zr(a,l),r)==0&&ye(Et(a,l),i)==0)){var u=t.display.view,f=r.line>=t.display.viewFrom&&ls(
 \label{transformation} t,r) \mid \mid \{ node: u[0]. measure. map[2], offset: 0 \}, m=i.line < t.display.view To \& ls(t,i); if(!m) \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengther], m=i.line < t.display.view To \& ls(t,i); if(!m) \} \\ \{ var \ A=u[u.lengt
  -1].measure,B=A.maps?A.maps[A.maps.length-1]:A.map;m={node:B[B.length-1],offset:B[B.length-2]-
 B[B.length-3]}if([f|]!m){e.removeAllRanges();return}var ee=e.rangeCount&&e.getRangeAt(0),Y;try{Y=X(
 f.node, f.offset, m.offset, m.node)}catch{}Y&&(!v&&t.state.focused?(e.collapse(f.node, f.offset), Y.colla
 psed||(e.removeAllRanges(),e.addRange(Y))):(e.removeAllRanges(),e.addRange(Y)),ee&e.anchorNode==nul
 l?e.addRange(ee):v&&this.startGracePeriod()),this.rememberSelection()}},Qe.prototype.startGracePerio
 d=function(){var e=this;clearTimeout(this.gracePeriod),this.gracePeriod=setTimeout(function(){e.grac
 ePeriod=!1,e.selectionChanged()&&e.cm.operation(function(){return e.cm.cur0p.selectionChanged=!0})},
 20)},Qe.prototype.showMultipleSelections=function(e){V(this.cm.display.cursorDiv,e.cursors),V(this.c
 m.display.selectionDiv,e.selection)},Qe.prototype.rememberSelection=function(){var e=this.getSelecti
 on (); this.last Anchor Node = e.anchor Node, this.last Anchor Offset = e.anchor Offset, this.last Focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node = e.focus Node
 sNode,this.lastFocusOffset=e.focusOffset},Qe.prototype.selectionInEditor=function(){var
 e=this.getSelection(); if (!e.rangeCount) return! 1; var t=e.getRangeAt(0).commonAncestorContainer; return to the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container of the container
 F(this.div,t), Qe.prototype.focus=function(){this.cm.options.readOnly!="nocursor"&&((!this.selection))
 InEditor()||R(ze(this.div))!=this.div)&this.showSelection(this.prepareSelection(),!0),this.div.focu
 s())},Qe.prototype.blur=function(){this.div.blur()},Qe.prototype.getField=function(){return this.div},Qe.prototype.supportsTouch=function(){return!0},Qe.prototype.receivedFocus=function(){var
 e=this,t=this;this.selectionInEditor()?setTimeout(function(){return
 e.pollSelection()\},20):Nt(this.cm,function()\{return t.cm.cur0p.selectionChanged=!0\});function n()\{t.
 cm.state.focused&&(t.pollSelection(),t.polling.set(t.cm.options.pollInterval,n))}this.polling.set(th
 is.cm.options.pollInterval,n)},Qe.prototype.selectionChanged=function(){var
 e=this.getSelection();return e.anchorNode!=this.lastAnchorNode||e.anchorOffset!=this.lastAnchorOffse
```

```
t||e.focusNode!=this.lastFocusNode||e.focusOffset!=this.lastFocusOffset},Qe.prototype.pollSelection=
function(){if(!(this.readDOMTimeout!=null||this.gracePeriod||!this.selectionChanged())){var e=this.g
etSelection(),t=this.cm;if(W&&w&&this.cm.display.gutterSpecs.length&&bd(e.anchorNode)){this.cm.trigg
erOnKeyDown({type:"keydown",keyCode:8,preventDefault:Math.abs}),this.blur(),this.focus();return}if(!
this.composing){this.rememberSelection();var n=Mi(t,e.anchorNode,e.anchorOffset),r=Mi(t,e.focusNode,
e.focusOffset); n\&\&r\&\&Nt(t,function()\{wt(t.doc,yr(n,r),ke),(n.bad||r.bad)\&\&(t.curOp.selectionChanged=
!0)})}}},Qe.prototype.pollContent=function(){this.readDOMTimeout!=null&&(clearTimeout(this.readDOMTi
meout),this.readDOMTimeout=null);var e=this.cm,t=e.display,n=e.doc.sel.primary(),r=n.from(),i=n.to()
  ; if (r.ch==0&&r.line>e.firstLine()&&(r=ne(r.line-1,Ae(e.doc,r.line-1))  
1).length)),i.ch==Ae(e.doc,i.line).text.length&&i.line<e.lastLine()&&(i=ne(i.line+1,0)),r.line<t.vie
wFrom||i.line>t.viewTo-1)return!1;var a,l,u,r.line==t.viewFrom||(a=Ar(e,r.line))==0?(l=x(t.view[0].l
ine),u=t.view[0].node):(l=x(t.view[a].line),u=t.view[a-1].node.nextSibling);var f=Ar(e,i.line),m,A;i
f(f==t.view.length-1?(m=t.viewTo-1.A=t.lineDiv.lastChild):(m=x(t.view[f+1].line)-
1,A=t.view[f+1].node.previousSibling),!u)return!1;for(var B=e.doc.splitLines(yd(e,u,A,l,m)),ee=ir(e.doc,ne(l,0),ne(m,Ae(e.doc,m).text.length));B.length>1&&ee.length>1;)if(ce(B)==ce(ee))B.pop(),ee.pop(
),m--;else if(B[0]==ee[0])B.shift(),ee.shift(),l++;else break;for(var Y=0,ie=0,ue=B[0],m=ee[0],ve=M
ath.min(ue.length,me.length);Y<ve&&ue.charCodeAt(Y)==me.charCodeAt(Y);)++Y;for(var e=ce(B),be=ce(ee
 ),Ce=Math.min(e.length-(B.length==1?Y:0),be.length-
(ee.length==1?Y:0)); ie<Ce\&\&\_e.charCodeAt(\_e.length-ie-1)==be.charCodeAt(be.length-ie-1);)++ie; if(B.length==1\&\&ee.length==1\&\&l==r.line)for(;Y\&\&Y>r.ch\&\&\_e.charCodeAt(\_e.length-ie-1);)++ie; if(B.length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&length==1&
ie-1)==be.charCodeAt(be.length-ie-1);)Y--,ie++;B[B.length-1]= e.slice(0, e.length-
ie).replace(/^\u200b+/,""),B[0]=B[0].slice(Y).replace(/\u200b+□/,"");var
Ne=ne(l,Y), le=ne(m,ee.length?ce(ee).length-ie:0); if (B.length>1||B[0]||ye(Ne,Ie)) return ln(e.doc,B,Ne)
  ,Ie,"+input"),!0},Qe.prototype.ensurePolled=function(){this.forceCompositionEnd()},Qe.prototype.rese
t=function(){this.forceCompositionEnd()},Qe.prototype.forceCompositionEnd=function(){this.composing&
&(clearTimeout(this.readDOMTimeout),this.composing=null,this.updateFromDOM(),this.div.blur(),this.di
v.focus())},Qe.prototype.readFromDOMSoon=function(){var e=this;this.readDOMTimeout==null&&(this.readDOMTimeout=setTimeout(function(){if(e.readDOMTimeout=null,e.composing)if(e.composing.done)e.composin
g=null;else return;e.updateFromDOM()},80))},Qe.prototype.updateFromDOM=function(){var
e=this;(this.cm.isReadOnly()||!this.pollContent())&Nt(this.cm,function(){return zt(e.cm)})},Qe.prot
otype.setUneditable=function(e){e.contentEditable="false"},Qe.prototype.onKeyPress=function(e){e.cha
rCode==0||this.composing||(e.preventDefault(),this.cm.isReadOnly()||gt(this.cm,∏o)(this.cm,String.fr
omCharCode(e.charCode==null?e.keyCode:e.charCode),0))},Qe.prototype.readOnlyChanged=function(e){this
.div.contentEditable=String(e!="nocursor")},Qe.prototype.onContextMenu=function(){},Qe.prototype.res
etPosition=function(){},Qe.prototype.needsContentAttribute=!0;function ls(e,t){var
n=po(e,t.line);if(!n||n.hidden)return null;var
 \begin{array}{l} r = Ae(e.doc,t.line), i = Na(n,r,t.line), a = Pe(r,e.doc.direction), l = "left"; if(a) \{varu = Pt(a,t.ch); l = u^2?"right": "left"\} var f = Ba(i.map,t.ch,l); return \end{array} 
f.offset=f.collapse=="right"?f.end:f.start,f}function bd(e){for(var
t=e;t;t=t.parentNode)if(/CodeMirror-gutter-wrapper/.test(t.className))return!0;return!1}function
dn(e,t){return t&&(e.bad=!0),e}function yd(e,t,n,r,i){var a="",l=!1,u=e.doc.lineSeparator(),f=!1;function m(Y){return function(ie)}{return ie.id==Y}}function
A()\{l\&\&(a+=u),f\&\&(a+=u),l=f=!1)\} function \ B(Y)\{Y\&\&(A(),a+=Y)\} function \ ee(Y)\{if(Y.nodeType==1)\{var(A(),a+=Y)\}\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y.nodeType==1)\} function \ ee(Y)\{if(Y
ie=Y.getAttribute("cm-text"); if (ie) \{B(ie); return\} var ue=Y.getAttribute("cm-marker"), me; if (ue) \{var ve = e.findMarks(ne(r,0),ne(i+1,0),m(+ue)); ve.length&&(me=ve[0].find(0))&&B(ir(e.doc,me.from,me.to).join(u)); return} if (Y.getAttribute("contenteditable") == "false") return; var _e=/^(pre|div|p|li|table|br)_/i
  test(Y.nodeName);if(!/^br□/i.test(Y.nodeName)&&Y.textContent.length==0)return; e&&A();for(var be=0;
be<Y.childNodes.length;be++)ee(Y.childNodes[be]);/^(pre|p)\Box/i.test(Y.nodeName)&&(f=!0),_e&&(l=!0)}else Y.nodeType==3&&B(Y.nodeValue.replace(/\u200b/g,"").replace(/\u00a0/g,"
 "))}for(;ee(t),t!=n;)t=t.nextSibling,f=!1;return a}function Mi(e,t,n){var
r;if(t==e.display.lineDiv){if(r=e.display.lineDiv.childNodes[n],!r)return
dn(e.clipPos(ne(e.display.viewTo-1)),!0);t=null,n=0}else
for(r=t;;r=r.parentNode){if(!r||r==e.display.lineDiv)return
null;if(r.parentNode&r.parentNode==e.display.lineDiv)break}for(var
i=0; i< e.display.view.length; i++) \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ function if (a,t,n) \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.node==r) return \ xd(a,t,n)\} \} \\ \{var a=e.display.view[i]; if (a.no
xd(e,t,n){var r=e.text.firstChild,i=!1;if(!t||!F(r,t))return
dn(ne(x(e.line),0),!0);if(t==r&&(i=!0,t=r.childNodes[n],n=0,!t)){var
a=e.rest?ce(e.rest):e.line;return dn(ne(x(a),a.text.length),i)}var l=t.nodeType==3?t:null,u=t;for(!l
&&t.childNodes.length==1&&t.firstChild.nodeType==3&&(l=t.firstChild,n&&(n=l.nodeValue.length));u.par
entNode!=r;)u=u.parentNode;var f=e.measure,m=f.maps;function A(me,ve, e){for(var
be=-1;be<(m?m.length:0);be++)for(var Ce=be<0?f.map:m[be],Ne=0;Ne<Ce.length;Ne+=3){var
Ie=Ce[Ne+2];if(Ie==me||Ie==ve){var
[e=x(be<0?e.line:e.rest[be]), Ve=Ce[Ne]+e; return(e<0||Ie!=me)&&(Ve=Ce[Ne+(e?1:0)]), ne([e,Ve)}}var
B=A(l,u,n); if(B) \ return \ dn(B,i); for(var \ ee=u.nextSibling,Y=l?l.nodeValue.length-n:0; ee; ee=ee.nextSibling) \\ \{if(B=A(ee,ee.firstChild,0),B) \ return
dn(ne(B.line,B.ch-Y),i);Y+=ee.textContent.length}for(var
ie=u.previousSibling,ue=n;ie;ie=ie.previousSibling){if(B=A(ie,ie.firstChild,-1),B)return
dn(ne(B.line,B.ch+ue),i);ue+=ie.textContent.length}}var
st=function(e){this.cm=e, this.prevInput="", this.pollingFast=!1, this.polling=new
qe, this.hasSelection=!1, this.composing=null, this.resetting=!1}; st.prototype.init=function(e){var
\label{this.nethis.retail} \begin{tabular}{ll} $q_i, & & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_i, & & \\ $r_
```

```
Date,n.fastPoll())});function
a(l){if(!ot(r,l)){if(r.somethingSelected())zi({lineWise:!1,text:r.qetSelections()});else
if(r.options.lineWiseCopyCut){var u=is(r);zi({lineWise:!0,text:u.text}),l.type=="cut"?r.setSelection
s(u.ranges,null,ke):(n.prevInput="",i.value=u.text.join(
`), I(i)}else return; l.type=="cut"&\{(r.state.cutIncoming=+new Date)\}\}Fe(i, "cut", a), Fe(i, "copy", a), Fe (e.scroller, "paste", function(l)\{if(!(lr(e,l)||ot(r,l)))\}ff(!i.dispatchEvent)\{r.state.pasteIncoming=+new Date\}
new Date,n.focus();return}var u=new Event("paste");u.clipboardData=l.clipboardData,i.dispatchEvent(u
)}}),Fe(e.lineSpace,"selectstart",function(l){lr(e,l)||kt(l)}),Fe(i,"compositionstart",function(){va
 \begin{tabular}{ll} $r$ l=r.getCursor("from"); n.composing&&n.composing.range.clear(), n.composing={start:l, range:r.markText(l,r.getCursor("to"),{className:"CodeMirror-composing"})}}), Fe(i,"compositionend",function(){n.composing&&(n.poll(),n.composing.range.clear(),n.composing=null)})}, st.prototype.createField=function(e){} \end{tabular} 
this.wrapper=os(),this.textarea=this.wrapper.firstChild;var t=this.cm.options;Ko(this.textarea,t.spelcheck,t.autocorrect,t.autocapitalize)},st.prototype.screenReaderLabelChanged=function(e){e?this.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.textarea.text
xtarea.setAttribute("aria-label",e):this.textarea.removeAttribute("aria-
label")},st.prototype.prepareSelection=function(){var
e=this.cm,t=e.display,n=e.doc,r=Ya(e);if(e.options.moveInputWithCursor){var i=Xt(e,n.sel.primary().h
ead, "div"), a=t.wrapper.getBoundingClientRect(), l=t.lineDiv.getBoundingClientRect(); r.teTop=Math.max(
0, Math.min(t.wrapper.clientHeight-10,i.top+l.top-
a.top)),r.teLeft=Math.max(0,Math.min(t.wrapper.clientWidth-10,i.left+l.left-a.left))}return
r},st.prototype.showSelection=function(e){var t=this.cm,n=t.display;V(n.cursorDiv,e.cursors),V(n.sel
ectionDiv,e.selection),e.teTop!=null&&(this.wrapper.style.top=e.teTop+"px",this.wrapper.style.left=e
 teLeft+"px")},st.prototype.reset=function(e){if(!(thiś.contextMenuPending||this.composingههو)){var.
t=this.cm;if(this.resetting=!0,t.somethingSelected()){this.prevInput="";var n=t.getSelection();this.textarea.value=n,t.state.focused&&I(this.textarea),s&&h>=9&&(this.hasSelection=n)}else e||(this.prevInput="";var n=t.getSelection")}else e||(this.
Input=this.textarea.value="",s&&h>=9&&(this.hasSelection=null));this.resetting=!1}},st.prototype.get
Field=function(){return this.textarea},st.prototype.supportsTouch=function(){return!1},st.prototype.
focus = function() \{if(this.cm.options.readOnly! = "nocursor" \&\&(!E||R(ze(this.textarea))! = this.textarea))\}
try{this.textarea.focus()}catch{}},st.prototype.blur=function(){this.textarea.blur()},st.prototype.r
esetPosition=function(){this.wrapper.style.top=this.wrapper.style.left=0},st.prototype.receivedFocus
=function(){this.slowPoll()},st.prototype.slowPoll=function(){var e=this;this.pollingFast||this.poll
ing.set(this.cm.options.pollInterval, function() \{e.poll(), e.cm.state.focused \& e.slowPoll()\})\}, st.protection() \{e.poll(), e.cm.state.focused \& e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm.state.focused & e.slowPoll(), e.cm
otype.fastPoll=function(){var e=!1,t=this;t.pollingFast=!0;function n(){var r=t.poll();!r&&!e?(e=!0,
t.polling.set(60,n)):(t.pollingFast=!1,t.slowPoll())t.polling.set(20,n)},st.prototype.poll=function
 (){var e=this,t=this.cm,n=this.textarea,r=this.prevInput;if(this.contextMenuPending||this.resetting|
 |!t.state.focused||hr(n)&&!r&&!this.composing||t.isReadOnly()||t.options.disableInput||t.state.keySe
q)return!1;var i=n.value;if(i==r\&\&!t.somethingSelected())return!1;if(s\&\&h>=9\&\&this.hasSelection===i|
 |N&&/[\uf700-\uf7ff]/.test(i))return
t.display.input.reset(),!1;if(t.doc.sel==t.display.selForContextMenu){var
a=i.charCodeAt(0); if(a=8203\&\&!r\&\&(r="\u200B"), a=8666) return this.reset(), this.cm.execCommand("undo")} for(var
l=0, u=Math.min(r.length,i.length); l<u&&r.charCodeAt(l)==i.charCodeAt(l); )++l; return Nt(t,function(){} {} {}
\lceil o(t,i.slice(l),r.length-l,null,e.composing?"*compose":null),i.length>1e3||i.index0f(
  )>-
1?n.value=e.prevInput="":e.prevInput=i,e.composing&(e.composing.range.clear(),e.composing.range=t.markText(e.composing.start,t.getCursor("to"),{className:"CodeMirror-composing"}))}),!0},st.prototype.
ensurePolled=function(){this.pollingFast&&this.poll()&&(this.pollingFast=!1)},st.prototype.onKeyPres
s=function()\{s\&\&h>=9\&\&(this.hasSelection=null),this.fastPoll()\},st.prototype.onContextMenu=function()
e){var t=this,n=t.cm,r=n.display,i=t.textarea;t.contextMenuPending&t.contextMenuPending();var
a=Mr(n,e)\,,l=r.\,scroller.\,scrollTop;if(!a||d)\,return;var
u=n.options.resetSelectionOnContextMenu;u\&\&n.doc.sel.contains(a)==-1\&\&qt(n,wt)(n.doc,yr(a),ke);var f
=i.style.cssText,m=t.wrapper.style.cssText,A=t.wrapper.offsetParent.getBoundingClientRect();t.wrappe
r.style.cssText="position: static",i.style.cssText=`position: absolute; width: 30px; height: 30px;
                top: `+(e.clientY-A.top-5)+"px; left: "+(e.clientX-A.left-5)+`px; z-index: 1000; background: `+(s?"rgba(255, 255, 255, .05)":"transparent")+`; outline: none; border-width: 0; outline: none; overflow: hidden; opacity: .05; filter:
alpha(opacity=5); `; var B; g\&\&(B=i.ownerDocument.defaultView.scrollY), r.input.focus(), g\&i.ownerDocument.defaultView.scrollY), r.input.focus(), g&i.ownerDocument.defaultView.scrollY), r.input.focus(), g&i.ownerDocument.defaultView.get.defaultView.get.defaultView.get.defaultV
nt.defaultView.scrollTo(null,B),r.input.reset(),n.somethingSelected()||(i.value=t.prevInput=""),t.contextMenuPending=Y,r.selForContextMenu=n.doc.sel,clearTimeout(r.detectingSelectAll);function
ee(){if(i.selectionStart!=null){var ue=n.somethingSelected(),me="\u200B"+(ue?i.value:"");i.value="\u21DA",i.value=me,t.prevInput=ue?"":"\u200B",i.selectionStart=1,i.selectionEnd=me.length,r.selForCont
extMenu=n.doc.sel}}function Y(){if(t.contextMenuPending==Y&&(t.contextMenuPending=!1,t.wrapper.style
 .cssText=m,i.style.cssText=f,s&&h<9&&r.scrollbars.setScrollTop(r.scroller.scrollTop=1),i.selectionSt
art!=null) ((!s||s&k+<9)&&e(); var ue=0, me=function(){r.selForContextMenu==n.doc.sel&&i.selectionSta
rt==0&&i.selectionEnd>0&&t.prevInput=="\u200B"?gt(n,Ll)(n):ue++<10?r.detectingSelectAll=setTimeout(m
e,500):(r.selForContextMenu=null,r.input.reset())};r.detectingSelectAll=setTimeout(me,200)}}if(s&&h>
=9\&ee(),0)\{dr(e);var\}
ie=function(){ t(window, "mouseup",ie), setTimeout(Y,20)}; Fe(window, "mouseup",ie)}else setTimeout(Y,50)
)},st.prototype.readOnlyChanged=function(e){e||this.reset(),this.textarea.disabled=e=="nocursor",thi
s.textarea.readOnly=!!e},st.prototype.setUneditable=function(){},st.prototype.needsContentAttribute=
!1; function \_d(e,t) \{ if(t=t?ge(t): \{\}, t.value=e.value, !t.tabindex \& e.tabIndex \& (t.tabindex=e.tabIndex) \} \} 
 ,!t.placeholder&&e.placeholder&&(t.placeholder=e.placeholder),t.autofocus==null){var
n=R(ze(e)); t.autofocus=n==e||e.getAttribute("autofocus")!=null\&\&n==document.body\} function
r(){e.value=u.getValue()}var i;if(e.form&&(Fe(e.form, "submit", r),!t.leaveSubmitMethodAlone)){var
```

```
a=e.form; i=a.submit; try{var l=a.submit=function(){r(),a.submit=i,a.submit(),a.submit=l}}catch{{}{}}t.fi
\label{eq:nishInit} nishInit=function(f) f.save=r, f.getTextArea=function() f.toTextArea=function() 
 ubmit",r),!t.leaveSubmitMethodAlone&&typeof
 e.form.submit=="function"&&(e.form.submit=i))}},e.style.display="none";var u=tt(function(f){return
 e.parentNode.insertBefore(f,e.nextSibling)},t);return u}function kd(e){e.off=_t,e.on=Fe,e.wheelEvent
 Pixels=zf,e.Doc=Mt,e.splitLines=Ht,e.countColumn=Oe,e.findColumn=Ge,e.isWordChar=we,e.Pass=Ze,e.sign
 al=it,e.Line=Xr,e.changeEnd=xr,e.scrollbarModel=rl,e.Pos=ne,e.cmpPos=ye,e.modes=Wr,e.mimeModes=Kt,e.
 resolveMode=Ur,e.getMode=□r,e.modeExtensions=gr,e.extendMode=Kr,e.copyState=Vt,e.startState=Gr,e.inn
 erMode=_n,e.commands=□n,e.keyMap=ur,e.keyName=Hl,e.isModifierKey=jl,e.lookupKey=un,e.normalizeKeyMap
 =Qf,e.StringStream=at,e.SharedTextMarker=Hn,e.TextMarker=kr,e.LineWidget=Rn,e.e preventDefault=kt,e.
e_stopPropagation=Rr,e.e_stop=dr,e.addClass=le,e.contains=F,e.rmClass=Q,e.keyNames=wr}pd(tt),vd(tt); var wd="iter insert remove copy getEditor constructor".split(" ");for(var Ai in Mt.prototype)Mt.prototype.hasOwnProperty(Ai)&&Se(wd,Ai)<0&&(tt.prototype[Ai]=function(e){return}
 function(){return e.apply(this.doc,arguments)}}(Mt.prototype[Ai]));return Wt(Mt),tt.inputStyles={tex
 tarea:st,contenteditable:Qe},tt.defineMode=function(e){!tt.defaults.mode&&e!="null"&&(tt.defaults.mo
de=e),Gt.apply(this,arguments)},tt.defineMIME=Cr,tt.defineMode("null",function(){return{token:function(e){return e.skipToEnd()}}}),tt.defineMIME("text/plain","null"),tt.defineExtension=function(e,t){tt.prototype[e]=t},tt.defineDocExtension=function(e,t){Mt.prototype[e]=t},tt.fromTextArea=_d,kd(tt),tt.version="5.65.19",tt})});var Yn=Ke((us,cs)=>{(function(o){typeof us=="object"&typeof"})};
 cs=="object"?o(We()):typeof
 define=="function"&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use s
 trict";o.overlayMode=function(p,v,C){return{startState:function(){return{base:o.startState(p),overla
 y:o.startState(v),basePos:0,baseCur:null,overlayPos:0,overlayCur:null,streamSeen:null}},copyState:fu
 nction(b){return{base:o.copyState(p,b.base),overlay:o.copyState(v,b.overlay),basePos:b.basePos,baseCorpus
 ur:null,overlayPos:b.overlayPos,overlayCur:null}},token:function(b,S){return(b!=S.streamSeen||Math.m
 in(S.basePos, S.overlayPos) < b.start) & (S.streamSeen=b, S.basePos=S.overlayPos=b.start), b.start==S.basePos=B.start) & (S.basePos=b.start) & (S.basePo
 Pos&&(S.baseCur=p.token(b,S.base),S.basePos=b.pos),b.start==S.overlayPos&&(b.pos=b.start,S.overlayCu
 r=v.token(b,S.overlay),S.overlayPos=b.pos),b.pos=Math.min(S.basePos,S.overlayPos),S.overlayCur==null?S.baseCur:S.baseCur!=null&&S.overlay.combineTokens||C&&S.overlay.combineTokens==null?S.baseCur+"
"+S.overlayCur:S.overlayCur}, indent:p.indent&&function(b,S,s){return p.indent(b.base,S,s)}, electricChars:p.electricChars,innerMode:function(b){return{state:b.base,mode:p}}, blankLine:function(b){var}
S,s; return \ p. blankLine \& (S=p.blankLine (b.base)), v.blankLine \& (s=v.blankLine (b.overlay)), s==null?S: C\& \& S!=null?S+" "+s:s})); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var \ ps=Ke((fs,ds)=>{(function(o){typeof fs=="object"&&typeof})}); var 
 ds=="object"?o(We()):typeof
define=="function"&&define (["../../lib/codemirror"], 0):0(CodeMirror)})(function(0) {"use
strict"; var p=/^(\s*)(>[>]*|[*+-]\[[x]\]\s|[*+-]\s|(\d+)([.)]))(\s*)/, v=/^(\s*)(>[>]*|[*+-]\[[x]\]\]|[*+-]\[[x]\]
  ]\s/;o.commands.newlineAndIndentContinueMarkdownList=function(S){if(S.getOption("disableInput"))retu
 rn o.Pass;for(var s=S.listSelections(),h=[],g=0;g<s.length;g++){var T=s[g].head,w=S.getStateAfter(T.get)}.
 line),c=o.innerMode(S.getMode(),w);if(c.mode.name!=="markdown"&&c.mode.helperType!=="markdown"){S.ex
 ecCommand("newlineAndIndent");return}else w=c.state;var d=w.list!==!1,k=w.quote!==0,z=S.getLine(T.li
 ne)\ , \\ M=p.\ exec(z)\ , \\ \_=/^s \\ \square/\ .\ test(z.\ slice(0,T.\ ch)); \\ if(!s[g].\ empty()||!d\&!k||!M||_) \\ \{S.\ execCommand("newleaver the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the subs
 ineAndIndent"); return} if (v.test(z)) {var W=k\&\&/>\s^*/.test(z), E=!/>\s^*/.test(z); (W||E)\&\&S.replaceRan)
 ge("",{line:T.line,ch:0},{line:T.line,ch:T.ch+1}),h[g]=
     }else{var N=M[1],G=M[5],J=!(C.test(M[2])||M[2].indexOf(">")>=0),re=J?parseInt(M[3],10)+1+M[4]:M[2].
 replace("x"," ");h[g]=
     +N+re+G, J\&\&b(S,T)}S. replaceSelections(h)}; function b(S,s){var
h=s.line,g=0,T=0,w=p.exec(S.getLine(h)),c=w[1];do{g+=1;var} d=h+g,k=S.getLine(d),z=p.exec(k);if(z){var M=z[1],_=parseInt(w[3],10)+g-T,W=parseInt(z[3],10),E=W;if(c===M&&!isNaN(W))_===W&&(E=W+1),_>W&&(E=_+1),S.replaceRange(k.replace(p,M+E+z[4]+z[5]),{line:d,ch:0},{line:d,ch:k.length});else{if(c.length>M.length||c.length<M.length&&g=
on("blur",b),h.on("change",S),h.on("swapDoc",S),o.on(h.getInputField(),"compositionupdate",h.state.placeholderCompose=function(){C(h)},C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)}),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h)),C(h))
 c=h.getWrapperElement();c.className=c.className.replace(" CodeMirror-
 \label{lem:de.removeChild} de.r\'{e}moveCh\'{i}ld(h.state.placeholder), h.state.placeholder=null)\} function \ v(h)\{p(h); varante for each older), ll)\} function \ v(
g=h.state.placeholder=document.createElement("pre");g.style.cssText="height: 0; overflow: visible",g.style.direction=h.getOption("direction"),g.className="CodeMirror-placeholder CodeMirror-like";var T=h.getOption("placeholder");typeof T=="string"&&(T=document.createTextNode(T)),g.app endChild(T),h.display.lineSpace.insertBefore(g,h.display.lineSpace.irstChild)}function();
 C(h) \{ setTimeout(function() \{ var \ g=!1; if(h.lineCount()==1) \{ var \ T=h.getInputField(); g=T.nodeName=="TEXTAREA"?!h.getLine(0).length:!/[^\u200b]/.test(T.querySelector(".CodeMirror-partial of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of t
 line").textContent)g(h):p(h),20function b(h)(s(h)&v(h))function S(h)(var)
g=h.getWrapperElement(),T=s(h);g.className=g.className.replace(" CodeMirror-empty","")+(T?" CodeMirror-empty":""),T?v(h):p(h)}function s(h){return h.lineCount()===1&&h.getLine(0)===""}}));var
ys=Ke((vs,bs)=>{(function(o){typeof vs=="object"&&typeof bs=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict";o.defineOption("styleSelectedText",!1,function(w,c,d){var
```

```
k=d\&d!=o.Init;c\&\&!k?(w.state.markedSelection=[],w.state.markedSelectionStyle=typeof
c=="string"?c:"CodeMirror-selectedtext",g(w),w.on("cursorActivity",p),w.on("change",v)):!c&&k&&(w.of f("cursorActivity",p),w.off("change",v),h(w),w.state.markedSelection=w.state.markedSelectionStyle=null)});function p(w){w.state.markedSelection&w.operation(function(){T(w)})}function
 v(w) {w.state.markedSelection&&w.state.markedSelection.length&&w.operation(function(){h(w)})}var
 C=8,b=0.Pos,S=0.cmpPos;function s(w,c,d,k){if(S(c,d)!=0)for(var)}
z=w.state.markedSelection, M=w.state.markedSelectionStyle, =c.line;;){var W= ==c.line?c:b(_,0),E=_+C, N=E>=d.line,G=N?d:b(E,0),J=w.markText(W,G,{className:M});if(k==null?z.push(J):z.splice(k++,0,J),N)br
 eak; =E}}function h(w){for(var
 c=w.state.markedSelection, d=0; d< c.length; ++d)c[d].clear(); c.length=0 \\ function g(w)\{h(w); for(variation and the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
 c=w.listSelections(),d=0;d<c.length;d++)s(w,c[d].from(),c[d].to())}function
 T(w) {if(!w.somethingSelected())return h(w); if(w.listSelections().length>1)return g(w); var
c=w.getCursor("start"),d=w.getCursor("end"),k=w.state.markedSelection;if(!k.length)return
s(w,c,d);var z=k[0].find(),M=k[k.length-1].find();if(!z||!M||d.line-
  \text{c.line} <= C \mid |S(c,M.to)>= 0 \mid |S(d,z.from) <= 0) \text{ return } g(w); \text{for} (;S(c,z.from)>0;) \text{k.shift}().clear(),z=k[0].fin 
 d();for(S(c,z.from)<0\&\&(z.to.line-
 c.line<C?(k.shift().clear(),s(w,c,z.to,0)):s(w,c,z.from,0));S(d,M.to)<0;)k.pop().clear(),M=k[k.lengt]
c.tine<c?(k.snit().clear(),s(w,C,Z.to,0)):s(w,C,Z.trom,0));s(d,M.to)<0;)k.pop().clear(),M=k[k.tengt
h-1].find();s(d,M.to)>0&&(d.line-M.from.line<C?(k.pop().clear(),s(w,M.from,d)):s(w,M.to,d))}});var
ks=Ke((xs,_s)=>{(function(o){typeof xs=="object"&&typeof _s=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict";var p=o.Pos;function v(_){var W= .flags;return
W??(_.ignoreCase?"i":"")+(_.global?"g":"")+(_.multiline?"m":"")}function C(_,W){for(var
E=v(_),N=E,G=0;GeW.length;G++)N.indexOf(W.charAt(G))==-1&&(N+=W.charAt(G));return E==N?::new
RegExp(_.source,N)}function b(_){return/\\s|\\n|\\W|\\D|\[\^/.test(_.source)}function S(_,W,E){W=C(W,"g");for(var N=E.line,G=E.ch,J=_.lastLine();N<=J;N++,G=0){W.lastIndex=G;var re=_.getL
ine(N),q=W.exec(re);if(q)return{from:p(N,q.index),to:p(N,q.index+q[0].length),match:q}}}function
s(_,W,E){if(!b(W))return S(_,W,E);W=C(W,"gm");for(var N,G=1,J=E.line,re=_.lastLine();J<=re;){for(var q=0;q<G&&!(J>re);q++){var 0=_.getLine(J++);N=N==null?0:N+`
       +0}G=G*2,W.lastIndex=E.ch;var D=W.exec(N);if(D){var Q=N.slice(0,D.index).split(`
     ),j=D[0].split(
 `),V=E.line+Q.length-1,y=Q[Q.length-1].length;return{from:p(V,y),to:p(V+j.length-
 1,j.length==1?y+j[0].length:j[j.length-1].length), match:D}}}}function h( ,w,E}{for(var
N,G=0;G<=_.length;){W.lastIndex=G;var J=W.exec(_);if(!J)break;var re=J.index+J[0].length;if(re>_.length-E)break;(!N||re>N.index+N[0].length)&&(N=J),G=J.index+1}return N}function g(_,W,E){W=C(W,"g");for(var N=E.line,G=E.ch,J=_.firstLine();N>=J;N--,G=-1){var re=_.getLine(N),q=h(re,W,G0?0:re.length-
G); if(q)return{from:p(N,q.index),to:p(N,q.index+q[0].length), match:q}}} function T(\_,W,E){if(!b(W))return g(\_,W,E); W=C(W,"gm"); for(var
 N,G=1,J= .qetLine(E.line).length-E.ch,re=E.line,q= .firstLine();re>=q;){for(var
 0=0;0<G\&re>=q;0++){var D=\_.getLine(re--);N=N==null?D:D+}
     +NG*=2;var Q=h(N,W,J);if(Q){var j=N.slice(0,Q.index).split(
  `),V=Q[0].split(
`),y=re+j.length,K=j[j.length-1].length;return{from:p(y,K),to:p(y+V.length-1,V.length==1?K+V[0].length:V[V.length-1].length),match:Q}}}var
 w,c;String.prototype.normalize?(w=function(_){return
_.normalize("NFD").toLowerCase()},c=function(_){return _.normalize("NFD")}):(w=function(_){return _.toLowerCase()},c=function(_){return __});function d(_,W,E,N){if(_.length==W.length)return E;for(var G=0,J=E+Math.max(0,_.length-W.length);;){if(G==J)return G;var
  re=G+J>>1, q=N(\_.slice(0,re)).length; if(q==E)return \ re;q>E?J=re:G=re+1\} \\ function \ k(\_,W,E,N) \\ \{if(!W.length)return \ null;var \ G=N?w:c,J=G(W).split(/\r|\n\r?/);e:for(var \ Arrows) \\ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ funct
re=E.line,q=E.ch,0=_.lastLine()+1-J.length;re<=0;re++,q=0){var}
D=_.getLine(re).slice(q),Q=G(D);if(J.length==1){var j=Q.indexOf(J[0]);if(j==-1)continue e;var
 E=\overline{d}(\widetilde{D},Q,j,G)+q; return\{from:p(re,d(\widetilde{D},Q,j,G)+q),to:p(re,d(\widetilde{D},Q,j+J[0],length,G)+q)\}\} else\{var,V=Q.length-J[0],length;if(Q.slice(V)!=J[0])continue e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;for(var) | e;
y=1;tongth-1;y++)if(G(_.getLine(re+y))!=J[y])continue e;var
K=_.getLine(re+J.length-1),X=G(K),F=J[J.length-1];if(X.slice(0,F.length)!=F)continue
e;return{from:p(re,d(D,Q,V,G)+q),to:p(re+J.length-1,d(K,X,F.length,G))}}}function
 z(\_,W,E,N) \\ \{if(!W.length) \\ return \\ null; var \\ G=N?w:c,J=G(W).split(/\r|\n\r?/); e:for(var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var) \\ \{if(!W.length) \\ return \\ null; var
 re=E.line,q=E.ch,0= .firstLine()-1+J.length;re>=0;re--,q=-1){var
 D=\_.getLine(re);q>-\overline{1}\&(D=D.slice(0,q));var Q=G(D);if(J.length==1){var}
\label{eq:continue} \begin{split} j = & \mathbb{Q}. \\ lastIndexOf(J[0]); if(j == -1) continue \\ e; return\{from: p(re,d(D,Q,j,G)), to: p(re,d(D,Q,j+J[0].length,G))\} \\ else\{var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))\} \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j,G), to: p(re,d(D,Q,j+J[0].length,G))) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+J[0].length,G)) \\ else(var(D,Q,j+
 V=J[J.length-1]; if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var) if (Q.slice(0,V.length)!=V) continue \ e; for (Var)
 y=1,E=re-J.length+1;y<J.length-1;y++)if(G(.getLine(E+y))!=J[y])continue e;var
 K=\_.getLine(re+1-J.length), X=G(K); if(X.slice(X.length-J[0].length)!=J[0]) continue
e; return{from:p(re+1-J.length,d(K,X,K.length-J[0].length,G)),to:p(re,d(D,Q,V.length,G))}}}function
M(_,W,E,N){this.atOccurrence=!1,this.afterEmptyMatch=!1,this.doc=_,E=E?_.clipPos(E):p(0,0),this.pos=
{from:E,to:E}; var G; typeof N=="object"?G=N.caseFold:(G=N,N=null), typeof W=="string"?(G==null&&(G=!1),this.matches=function(J,re){return(J?z:k)(_,W,re,G)}):(W=C(W,"gm"),!N|N.multiline!==!1?this.matche
s=function(J,re){return(J?T:s)(_,W,re)}:this.matches=function(J,re){return(J?g:S)(_,W,re)})}M.protot
ype={findNext:function(){return this.find(!1)},findPrevious:function(){return
this.find(!0)} find:function() fvar W=this.doc.clipPos() finds nos from:this.pos to):if(this.afterEmp.
 this.find(!0)},find:function(_){var W=this.doc.clipPos(_?this.pos.from:this.pos.to);if(this.afterEmp
```

```
, W. ch = (this.doc.getLine(W.line) \mid | "").length)): (W.ch + + , W.ch > (this.doc.getLine(W.line) \mid | "").length \& (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + , W.ch > (this.doc.getLine(W.line) | "").length & (W.ch + , W.ch > (this.doc.getLine(W
  .ch=0,W.line++)),o.cmpPos(W,this.doc.clipPos(W))!=0))return this.atOccurrence=!1;var
 E=this.matches(\_,W); if(this.afterEmptyMatch=E\&\&o.cmpPos(E.from,E.to)==0,E) return
 this.pos=E,this.atOccurrence=!0,this.pos.match||!0;var
 N=p(?this.doc.firstLine():this.doc.lastLine()+1,0);return
 this.pos={from:N,to:N},this.at0ccurrence=!1},from:function(){if(this.at0ccurrence)return
 this.pos.from},to:function(){if(this.atOccurrence)return
this.pos.to},replace:function(_,W){if(this.atOccurrence){var E=o.splitLines(_);this.doc.replaceRange (E,this.pos.from,this.pos.to,W),this.pos.to=p(this.pos.from.line+E.length-1,E[E.length-
 1].length+(E.length==1?this.pos.from.ch:0))}}},o.defineExtension("getSearchCursor",function( ,W,E){r
 eturn new M(this.doc, ,W,E)}),o.defineDocExtension("getSearchCursor",function( ,W,E){return new
M(this,_,W,E)}),o.defineExtension("selectMatches",function(_,W){for(var E=[],N=this.getSearchCursor(_,this.getCursor("from"),W);N.findNext()&&!(o.cmpPos(N.to(),this.getCursor("to"))>0);)E.push({anchor
  :N.from(),head:N.to()});E.length&&this.setSelections(E,0)})});var
Vo=Ke((ws,Ss)=>{(function(o){typeof ws=="object"&&typeof Ss=="object"?o(We()):typeof define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
 strict";function p(F,R,le,xe,I,L){this.indented=F,this.column=R,this.type=le,this.info=xe,this.align
=I,this.prev=L}function v(F,R,le,xe){var I=F.indented=r,this.type=te,this.inv=xe,this.utign=I,this.prev=L}function v(F,R,le,xe){var I=F.indented;return F.context&F.context.type=="statement"&&(I=F.context.indented),F.context=new p(I,R,le,xe,null,F.context)}function C(F){var R=F.context.type;return(R==")"||R=="]"||R=="}")&&(F.in
 dented=F.context.indented),F.context=F.context.prev}function
b(F,R,le){if(R.prevToken=="variable"||R.prevToken=="type"||/\S(?:[^- ]>|[*\]])\s*[]\*[/.test(F.string.slice(0,le))||R.typeAtEndOfLine&&F.column()==F.indentation())return!0}function S(F){for(;;){if(!F||F.type=="top")return!0;if(F.type=="}"&&F.prev.info!="namespace")return!1;F=F.prev}}o.defineMode("cl
 ike",function(F,R){var le=F.indentUnit,xe=R.statementIndentUnit||le,I=R.dontAlignCalls,L=R.keywords|
 \label{eq:continuous} $$ \{ \}, de=R. types | \{ \}, ze=R. builtin | \{ \}, pe=R. blockKeywords | \{ \}, Ee=R. defKeywords | | \{ \}, ge=R. atoms | | \{ \}, 0e=R. types | | \{ \}, pe=R. blockKeywords | | \{ \}, pe=R. atoms | | \{ \}, pe=R. blockKeywords | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | | \{ \}, pe=R. atoms | 
 \label{localization} hooks | \{ \}, qe=R. multiLineStrings, Se=R. indentStatements !== !1, Be=R. indentSwitch !== !1, Ze=R. namespaceSeparator, ke=R. isPunctuationChar | / [\[ \] \  \ (\), ; \\ . ] / , Je=R. numberStart | / [\[ \] / , Re=R. number | /^(?:0x[axion] / [\] | - (?:0x[axion] / [\] | - 
   -f\d]+|0b[01]+|(?:\d+\.?\d*|\.\d+)(?:e[-+]?\d+)?)(u|ll?|l|f)?/i,Ge=R.isOperatorChar||/[+\
oEnd(), "comment"}if(Ge.test(Le))\{for(;!we.match(/^{[/*]/,!1})&we.eat(Ge););return"operator"}if(we.
eatWhile(U), Ze) for (; we.match(Ze); ) we.eatWhile(U); var H=we.current(); return h(L,H)?(h(pe,H)&&(ce="new statement"), h(Ee,H)&&(He=!0), "keyword"): h(de,H)?"type": h(ze,H)||Z&&Z(H)?(h(pe,H)&&(ce="new statement"), "builtin"): h(ge,H)?"atom": "variable"} function fe(we) { return function(Me,Le) { for (var [=!1,H,se=!1;(H-Me.next())]=null;) { if (H==we&&!<math>[]) { se=!0; break} [] } return(se||!([]||qe))&&(Le.tokenize=null)
 ), "string"}}function oe(we,Me){for(var
 Le=!1, ||\cdot||=we.next();)if(||-=|'|'&&Le)fMe.tokenize=null;breakfLe=f=="*"freturn"comment"ffunction Ue(we
  ,Me){R.typeFirstDefinitions&&we.eol()&&S(Me.context)&&(Me.typeAtEndOfLine=b(we,Me,we.pos))}return{st
 artState:function(we){return{tokenize:null,context:new
 p((we||0)-le,0,"top",null,!1),indented:0,startOfLine:!0,prevToken:null}\},token:function(we,Me){var LeadingstartOfLine:|0,prevToken:null}},token:function(we,Me){var LeadingstartOfLine:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0,prevToken:|0
 e=Me.context;if(we.sol()&&(Le.align==null&&(Le.align=!1),Me.indented=we.indentation(),Me.startOfLine
 =!0), we.eatSpace())return Ue(we, Me), null; ce=He=null; var
 | (ce=="\{")v(Me,we.column(),"\}"); else if(ce=="[")v(Me,we.column(),"]"); else if(ce=="(")v(Me,we.column(),")"); else if(ce=="")\{for(;Le.type=="statement";)Le=C(Me);for(Le.type=="} \} & (Le=C(Me)); Le.type=="statement";) Le=C(Me) \} else ce==Le.type?C(Me): Se& ((Le.type=="}"||Le.type=="testatement";) Le=C(Me) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me)) \} else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me); else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me); else ce==Le.type?C(Me): Se& ((Le.type=="testatement";) Le=C(Me); else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me); else ce==Le.type?C(Me): Se& ((Le.type==""testatement";) Le=C(Me); else ce==Le.type?C(Me); else ce==Le.
 op")&&ce!=";"||Le.type=="statement"&&ce=="newstatement")&&v(Me,we.column(),"statement",we.current())
 ;if(□=="variable"&&(Me.prevToken=="def"||R.typeFirstDefinitions&&b(we,Me,we.start)&&S(Me.context)&&w
e.match(/^\s*\(/,!1))&&(\Box="def"),0e.token){var H=0e.token(we,Me,\Box);H!==void 0&&(\Box=H)}return \Box=="def" &&R.styleDefs===!1&&(\Box="variable"),Me.startOfLine=!1,Me.prevToken=He?"def":\Box||ce,Ue(we,Me),\Box},indent
 :function(we,Me){if(we.tokenize!=te&&we.tokenize!=null||we.typeAtEndOfLine&&S(we.context))return
o.Pass; var Le=we.context, \square=Me\&\&Me.charAt(0), H=\square==Le.type; if (Le.type=="statement"&\&\square=="}"&&(Le=Le.pre v), R.dontIndentStatements) for (; Le.type=="statement"&R.dontIndentStatements.test(Le.info);) Le=Le.pre
 v;if(Oe.indent){var se=Oe.indent(we,Le,Me,le);if(typeof se=="number")return se}var De=Le.prev&&Le.pr
ev.info=="switch";if(R.allmanIndentation&&/[{(|/.test(|)){for(;Le.type!="top"&&Le.type!="}";)Le=Le.prev;return Le.indented}return Le.type=="statement"?Le.indented+(|=="{"?0:xe):Le.align&&(!I||Le.type!
=")")?Le.column+(H?0:1):Le.type==")"&&!H?Le.indented+xe:Le.indented+(H?0:le)+(!H&&De&&!/^(?:case|def ault)\b/.test(Me)?le:0)},electricInput:Be?/^\s*(?:case .*?:|default:\\{\}?\\)\\]/:/^\s*[{}]\\]/,blockCommentStart:"/*",blockCommentEnd:"*/",blockCommentContinue:" *

",lineComment:"//",fold:"brace"}});function s(F){for(var R={},le=F.split("
 "),xe=0;xe<le.length;++xe)R[le[xe]]=!0;return R}function h(F,R){return typeof
F=="function"?F(R):F.propertyIsEnumerable(R)}var g="auto if break case register continue return default do sizeof static else struct switch extern typedef union for goto while enum const volatile
 inline restrict asm fortran",T="alignas alignof and and_eq audit axiom bitand bitor catch class
 compl concept constexpr const_cast decltype delete dynamic_cast explicit export final friend import
module mutable namespace new noexcept not not_eq operator or or_eq override private protected public reinterpret_cast requires static_assert static_cast template this thread_local throw try typeid
 typename using virtual xor xor_eq",w="bycopy byref in inout oneway out self super atomic nonatomic
```

```
retain copy readwrite readonly strong weak assign typeof nullable nonnull null resettable cmd
 @interface @implementation @end @protocol @encode @property @synthesize @dynamic @class @public
@package @private @protected @required @optional @try @catch @finally @import @selector @encode @defs @synchronized @autoreleasepool @compatibility_alias @available",c="FOUNDATION_EXPORT FOUNDATION_EXTERN NS_INLINE_NS_FORMAT_FUNCTION_NS_RETURNS_RETAINEDNS_ERROR_ENUM
 NS RETURNS NOT RETAINED NS RETURNS INNER POINTER NS DESIGNATED INITIALIZER NS ENUM NS OPTIONS
NS_REQUIRES_NIL_TERMINATION NS_ASSUME_NORNULL_BEGIN NS_ASSUME_NONNULL_END NS_SWIFT_NAME
NS_REFINED_FOR_SWIFT", d=s("int long char short double float unsigned signed void bool"), k=s("SEL instancetype id Class Protocol BOOL"); function z(F){return h(d,F)||/.+_t[]/.test(F)}function
M(F){return z(F)||h(k,F)}var = "case do else for if switch while struct enum union",W="struct enum union";function E(F,R){if(!R.startOfLine)return!1;for(var
le,xe=null;le=F.peek();){if(le=="\\"&&F.match(/^.[]/)){xe=E;break}else
if(le=="/"&&F.match(/^\/[\/\*]/,!1))break;F.next()}return R.tokenize=xe,"meta"}function
N(F,R){return R.prevToken=="type"?"type":!1}function
G(F){return!F||F.length<2||F[0]!="_"?!1:F[1]=="_"||F[1]!==F[1].toLowerCase()}function J(F){return
F.eatWhile(/[\w\.']/), "number"}function re(F,R){if(F.backUp(1),F.match(/^(?:R|u8R|uR|UR|LR)/))}{var</pre>
le=F.match(/^"([^\s\\()]{0,16})\(/); return
le?(R.cpp11RawStringDelim=le[1],R.tokenize=D,D(F,R)):!1}return
F.match(/^(?:u8|u|U|L)/)?F.match(/^["']/,!1)?"string":!1:(F.next(),!1)}function q(F){var
R=/(\w+)::~?(\w+)□/.exec(F);return R&&R[1]==R[2]}function O(F,R){for(var le;(le=F.next())!=null;)if(le=='"'&\!F.eat('"')){R.tokenize=null;break}return"string"}function
D(F,R){var le=R.cpp11RawStringDelim.replace(/[^\w\s]/g,"\\□&"),xe=F.match(new RegExp(".*?\\)"+le+'"'));return xe?R.tokenize=null:F.skipToEnd(),"string"}function Q(F,R){typeof
 F = "string" \&\& (F = [F]); var le = []; function xe(L) \{if(L) for(var de in L) L. has 0 wn Property (de) \&\& le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de) le. push(de)
 xe(R.keywords), xe(R.types), xe(R.builtin), xe(R.atoms), le.length \& (R.helperType=F[0], o.registerHelperType=F[0], o.registerH
  ("hintWords",F[0],le));for(var I=0;I<F.length;++I)o.defineMIME(F[I],R)}Q(["text/x-csrc","text/x-
        ,"text/x-
chdr"],{name:"clike",keywords:s(g),types:z,blockKeywords:s(_),defKeywords:s(W),typeFirstDefinitions:
!0,atoms:s("NULL true false"),isReservedIdentifier:G,hooks:{"#":E,"*":N},modeProps:{fold:["brace","include"]}}),Q(["text/x-c++src","text/x-c++hdr"],{name:"clike",keywords:s(g+""+T),types:z,blockKeywords:s(_+" class try catch"),defKeywords:s(W+" class
 namespace"),typeFirstDefinitions:!0.atoms:s("true false NULL nullptr"),dontIndentStatements:/^templa
 te□/,isIdentifierChar:/[\w\□ ~\xa1-
 null||R.prevToken=="}")&&q(F.current()))return"def"}},namespaceSeparator:"::",modeProps:{fold:["brac
e", "include"]}}),Q("text/x-java",{name:"clike",keywords:s("abstract assert break case catch class const continue default do else enum extends final finally for goto if implements import instanceof
 interface native new package private protected public return static strictfp super switch
synchronized this throw throws transient try volatile while @interface"),types:s("var byte short int long float double boolean char void Boolean Byte Character Double Float Integer Long Number Object Short String StringBuffer StringBuilder Void"),blockKeywords:s("catch class do else finally for if
 switch try while"), defKeywords:s("class interface enum
@interface"),typeFirstDefinitions:!0,atoms:s("true false null"),number:/^(?:0x[a-f\d_]+|0b[01_]+|(?:[\d_]+\.?\d*|\.\d+)(?:e[-+]?[\d_]+)?)(u|ll?|l|f)?/i,hooks:{"@":function(F){return F.match("interface",!1)?!1:(F.eatWhile(/[\w\_]/),"meta")},"":function(F,R){return F.match(/""_/)?(R.tokenize=j,R.tokenize(F,R)):!1}},modeProps:{fold:["brace","import"]}}),Q("text/x-csharp",{name:"clike",keywords:s("abstract as async await base break case catch checked class const
continue default delegate do else enum event explicit extern finally fixed for foreach goto if implicit in init interface internal is lock namespace new operator out override params private
 protected public readonly record ref required return sealed sizeof stackalloc static struct switch
 this throw try typeof unchecked unsafe using virtual void volatile while add alias ascending
 descending dynamic from get global group into join let orderby partial remove select set value var
 yield"), types:s("Action Boolean Byte Char DateTime DateTimeOffset Decimal Double Func Guid Int16
 Int32 Int64 Object SByte Single String Task TimeSpan UInt16 UInt32 UInt64 bool byte char decimal
double short int long object sbyte float string ushort uint ulong"),blockKeywords:s("catch class do else finally for foreach if struct switch try while"),defKeywords:s("class interface namespace record struct var"),typeFirstDefinitions:!0,atoms:s("true false
\label{eq:null} null"), hooks: \{"@":function(F,R) \{return F.eat('"')?(R.tokenize=0,0(F,R)): (F.eatWhile(/[\w\\_]/), "meta")\}\}); function j(F,R) \{for(var le=!1;!F.eol();) \{if(!le&&F.match('"""')) \{R.tokenize=null; break\}le=F.next()=="\\"&&!le} return"string" \} function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function function fu
n V(F){return function(R,le){for(var xe;xe=R.next();)if(xe=="*"&&R.eat("/"))if(F==1){le.tokenize=null;break}else return
le.tokenize=V(F-1),le.tokenize(R,le);else if(xe=="/"&&R.eat("*"))return le.tokenize=V(F+1),le.tokenize(R,le);return"comment"}}Q("text/x-scala",{name:"clike",keywords:s("abstract case catch class def do else extends final finally for forSome if implicit import lazy match new null object override package private protected return sealed super this throw trait try type val var while with yield
 assert assume require print println printf readLine readBoolean readByte readShort readChar readInt
 readLong readFloat readDouble"),types:s("AnyVal App Application Array BufferedIterator BigDecimal
 BigInt Char Console Either Enumeration Equiv Error Exception Fractional Function IndexedSeq Int
 Integral Iterable Iterator List Map Numeric Nil NotNull Option Ordered Ordering PartialFunction
PartialOrdering Product Proxy Range Responder Seq Serializable Set Specializable Stream
StringBuilder StringContext Symbol Throwable Traversable TraversableOnce Tuple Unit Vector Boolean
```

```
Byte Character CharSequence Class ClassLoader Cloneable Comparable Compiler Double Exception Float
 Integer Long Math Number Object Package Pair Process Runtime Runnable SecurityManager Short
 StackTraceElement StrictMath String StringBuffer System Thread ThreadGroup ThreadLocal Throwable
Triple Void"), multiLineStrings:!0, blockKeywords:s("catch class enum do else finally for forSome if match switch try while"), defKeywords:s("class enum def object package trait type val var"), atoms:s("true false null"), indentStatements:!1, indentSwitch:!1, isOperatorChar:/[+\-
 *&%=<>!?|\/#:@]/,hooks:{"@":function(F){return
 F.eatWhile(/[\w\]]/), "meta"}, '"':function(F,R){return}
F.eatWhile(/[\w\\_]/), meta }, :Tunction(F,R){Teturn F.match('""')?(R.tokenize=j,R.tokenize(F,R)):!1},"'":function(F){return F.match(/^(\\[^'\s]+\[^\\']) '/)?"string-2":(F.eatWhile(/[\w\\_\xa1-\uffff]/),"atom")},"=":function(F,R){var le=R.context;return le.type=="}"&&le.align&&F.eat(">")?(R.context=new
p(le.indented,le.column,le.type,le.info,null,le.prev), "operator"):!1}, "/":function(F,R){return F.eat ("*")?(R.tokenize=V(1),R.tokenize(F,R)):!1}}, modeProps:{closeBrackets:{pairs:'()[]{}""',triples:'"'}}}); function y(F){return function(R,le){for(var xe=!1,I,L=!1;!R.eol();){if(!F&&!xe&&R.match('"')){L=!0;break}}I=R.next(),!xe&&I=="\"\&&I=\"\"\&&R.match("\"\")&&R.skipTo("\"), xe=!xe
 &&I=="\\"&&!F}return(L||!F)&&(le.tokenize=null), "string"}}Q("text/x-
 kotlin", {name: "clike", keywords:s("package as typealias class interface this super val operator var
 fun for is in This throw return annotation break continue object if else while do try when !in !is
 as? file import where by get set abstract enum open inner override private public internal protected
 catch finally out final vararg reified dynamic companion constructor init sealed field property
 receiver param sparam lateinit data inline noinline tailrec external annotation crossinline const operator infix suspend actual expect setparam value"), types:s("Boolean Byte Character CharSequence
 Class ClassLoader Cloneable Comparable Compiler Double Exception Float Integer Long Math Number
Object Package Pair Process Runtime Runnable SecurityManager Short StackTraceElement StrictMath String StringBuffer System Thread ThreadGroup ThreadLocal Throwable Triple Void Annotation Any
 BooleanArray ByteArray Char CharArray DeprecationLevel DoubleArray Enum FloatArray Function Int
 IntArray Lazy LazyThréadSafetyMode LóngArray Nothing ShortArray Unit"),intendSwitch:!1,indentStateme
 nts:!1, multiLineStrings:!0, number:/^(?:0x[a-f\d]+|0b[01]+|(?:[\d]+(\.\d+)?|\.\d+)(?:e[\cdot]+(\cdot).|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t|-1|+|0t
nts:!1,multiLineStrings:!0,number:/^(?:0x[a-f\d_]+|0b[01_]+|(?:[\d_]+(\.\d+)?|\.\d+)(?:e[-+]?[\d_]+)?)(u|ll?|l|f)?/i,blockKeywords:s("catch class do else finally for if where try while enum"),defKeywords:s("class val var object interface fun"),atoms:s("true false null this"),hooks:{"@":function(F){return F.eatWhile(/[\w\\_]/),"meta"},"*":function(F,R){return R.prevToken=="."?"variable":"operator"},'"':function(F,R){return R.tokenizey(F.match('""')),R.tokenize(F,R)},"/":function(F,R){return F.eat("*")?(R.tokenize=V(1),R.tokenize(F,R)):!1},indent:function(F,R,le,xe){var I=le&&le.charAt(0);if(F.prevToken=="}"|F.prevToken==")")&&le=="")return F.indented;if(F.prevToken=="operator"&&le!="}"&&F.context.type!="}"|F.prevToken=="variable"&&I=="."||(F.prevToken=="}"||F.prevToken=="\variable"&&I=="."||(F.prevToken=="}"||F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I=="."||(F.prevToken==")")&&I==
 shader/x-fragment"], {name: "clike", keywords:s("sampler1D sampler2D sampler3D samplerCube
 sampler1DShadow sampler2DShadow const attribute uniform varying break continue discard return for
while do if else struct in out inout"), types:s("float int bool void vec2 vec3 vec4 ivec2 ivec3 ivec4 bvec2 bvec3 bvec4 mat2 mat3 mat4"), blockKeywords:s("for while do if else struct"), builtin:s("radians degrees sin cos tan asin acos atan pow exp log exp2 sqrt inversesqrt abs sign floor ceil fract mod
min max clamp mix step smoothstep length distance dot cross normalize ftransform faceforward reflect refract matrixCompMult lessThan lessThanEqual greaterThan greaterThanEqual equal notEqual any all
not texture1D texture1DProj texture1DLod texture1DProjLod texture2D texture2DProj texture2DLod texture2DProjLod texture3DProj texture3DProj texture3DProjLod textureCube textureCubeLod
shadow1D shadow2D shadow1DProj shadow2DProj shadow1DLod shadow2DLod shadow1DProjLod dFdx dFdy fwidth noise1 noise2 noise3 noise4"),atoms:s("true false gl_FragCoord2 gl_MultiTexCoord3 gl_MultiTexCoord3 gl_MultiTexCoord3 gl_MultiTexCoord3
gl_MultiTexCoord4 gl_MultiTexCoord5 gl_MultiTexCoord6 gl_MultiTexCoord7 gl_FogCoord gl_PointCoord gl_Position gl_PointSize gl_ClipVertex gl_FrontColor gl_BackColor gl_FrontSecondaryColor gl_BackSecondaryColor gl_TexCoord gl_FogFragCoord gl_FragCoord gl_FrontFacing gl_FragData
gl_FragDepth gl_ModelViewMatrix gl_ProjectionMatrix gl_ModelViewProjectionMatrix gl_TextureMatrix
gl_NormalMatrix gl_ModelViewMatrixInverse gl_ProjectionMatrixInverse
gl_ModelViewProjectionMatrixInverse gl_TextureMatrixTranspose gl_ModelViewMatrixInverseTranspose
gl_ProjectionMatrixInverseTranspose gl_ModelViewProjectionMatrixInverseTranspose
gl_TextureMatrixInverseTranspose gl_NormalScale gl_DepthRange gl_ClipPlane gl_Point gl_FrontMaterial
gl_BackMaterial gl_LightSource gl_LightModel gl_FrontLightModelProduct gl_BackLightModelProduct
gl_TextureColor gl_EyePlaneS gl_EyePlaneT gl_EyePlaneR gl_EyePlaneQ gl_FogParameters gl_MaxLights
gl_MaxClipPlanes gl_MaxTextureUnits gl_MaxTextureCoords gl_MaxVertexAttribs
 gl MaxVertexUniformComponents gl MaxVaryingFloats gl MaxVertexTextureImageUnits
 gl MaxTextureImageUnits gl MaxFragmentUniformComponents gl MaxCombineTextureImageUnits gl MaxDrawBuf
fers"),indentSwitch:!1,hooks:{"#":E},modeProps:{fold:["brace","include"]}}),Q("text/x-nesc",{name:"clike",keywords:s(g+" as atomic async call command component components configuration
 event generic implementation includes interface module new norace nx_struct nx_union post provides
signal task uses abstract extends"),types:z,blockKeywords:s(_),atoms:s("null true false"),hooks:{"#"
:E},modeProps:{fold:["brace","include"]}}),Q("text/x-objectivec",{name:"clike",keywords:s(g+"
"+w),types:M,builtin:s(c),blockKeywords:s(_+" @synthesize @try @catch @finally @autoreleasepool
@synchronized"),defKeywords:s(W+" @interface @implementation @protocol
@class"),dontIndentStatements:/^@.*\[/,typeFirstDefinitions:!0,atoms:s("YES NO NULL Nil nil true
false nullptr"),isReservedIdentifier:G,hooks:{"#":E,"*":N},modeProps:{fold:["brace","include"]}}),Q(
"text/x-objectivec++",{name:"clike",keywords:s(g+" "+w+"
```

```
"+T),types:M,builtin:s(c),blockKeywords:s(_+" @synthesize @try @catch @finally @autoreleasepool
 @synchronized class try catch"), defKeywords:s(W+" @interface @implementation @protocol @class class
 namespace"),dontIndentStatements:/^@.*[]\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rig
nil true false nullptr"),isReservedIdentifier:G,hooks:{"#":E,"*":N,u:re,U:re,L:re,R:re,0:J,1:J,2:J,3:J,4:J,5:J,6:J,7:J,8:J,9:J,token:function(F,R,le){if(le=="variable"&&F.peek()=="("&&(R.prevToken==";"|R.prevToken==null||R.prevToken=="}")&&q(F.current()))return"def"}},namespaceSeparator:"::",modePr
 ops:{fold:["brace","include"]}}),Q("text/x-squirrel",{name:"clike",keywords:s("base break clone continue const default delete enum extends function in class foreach local resume return this throw
 typeof yield constructor instanceof static"), types:z,blockKeywords:s("case catch class else for foreach if switch try while"),defKeywords:s("function local
class"), typeFirstDefinitions:!0, atoms:s("true false null"), hooks:{"#":E}, modeProps:{fold:["brace", "include"]}}); var K=null; function X(F){return function(R,le){for(var xe=!1,I,L=!1;!R.eol();){if(!xe&&R.match('"')&&(F=="single"||R.match('""'))}{L =!0; break}if(!xe&&R.match("``")){K=X(F),L=!0; break}I=R.next(), xe=F=="single"&&!xe&&I=="\\"}return L&&(le.tokenize=null), "string"}}Q("text/x-ceylon", {name: "clike", keywords:s("abstracts alias assembly for function given
 assert assign break case catch class continue dynamic else exists extends finally for function given
 if import in interface is let module new nonempty object of out outer package return satisfies super
switch then this throw try value void while"), types:function(F) {var R=F.charAt(0); return R==R.toUpperCase()&R!==R.toLowerCase()}, blockKeywords:s("case catch class dynamic else finally for function if interface module new object switch try while"), defKeywords:s("class dynamic function interface module object package value"), builtin:s("abstract actual aliased annotation by default
 deprecated doc final formal late license native optional sealed see serializable shared
+]?\d+[kMGTPmunpf]|)|)/i,multiLineStrings:!0,typeFirstDefinitions:!0,atoms:s("true false null
 s=b.next();return s==="["?b.match(p)?"variable-
 2": "variable": S. continueString?(b. backUp(1), v(b,S)): b. match(/(\s+)?\w+\(/)||b. match(/(\s+)?\w+\\(/)||b. match(/(\s+)?\w+\\(/)||b. match(/(\s+)?\w+\\(/)||b. match(/(\s+)?\w+\\(/)||b. backUp(1), "def"): s=="#"?(b. skipToEnd(), "comment"): s=="""||s=="""?(S. pending=s, v(b,S)): s=="("||s==""")"?"bracket": s. match(/[0-9]/)?"number": (b. eatWhile(/[\w-]/), null)) return{startState: function(){var}
 b={}; return
 b.inDefinition=!1,b.inInclude=!1,b.continueString=!1,b.pending=!1,b},token:function(b,S){return
 b.eatSpace()?null:C(b,S)}}),o.defineMIME("text/x-cmake","cmake")})});var
gn=Ke((Es,zs)=>{(function(o){typeof Es=="object"&&typeof zs=="object"?o(We()):typeof
 define=="function"&&define.amd?define(["../../lib/codemirror"],0):o(CodeMirror)})(function(o){"use strict";o.defineMode("css",function(0,D){var
 Q=D.inline;D.propertyKeywords||(D=o.resolveMode("text/css"));var j=0.indentUnit,V=D.tokenHooks,y=D.d
 words \mid \mid \{\}, le=D. nonStandardPropertyKeywords \mid \mid \{\}, xe=D. fontProperties \mid \mid \{\}, I=D. counterDescriptors \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, I=D. counterDescriptors \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties \mid \mid \{\}, L=D. fontProperties
 D.colorKeywords||{},de=D.valueKeywords||{},ze=D.allowNested,pe=D.lineComment,Ee=D.supportsAtComponen
 t===!0,ge=0.highlightNonStandardPropertyKeywords!==!1,0e,qe;function Se(te,fe){return 0e=fe,te}function Be(te,fe){var oe=te.next();if(V[oe]){var Ue=V[oe](te,fe);if(Ue!==!1)return
Ue}if(oe=="@")return
te.eatWhile(/[\w\\\-]/),Se("def",te.current());if(oe=="="||(oe=="~"||oe=="|")&&te.eat("="))return
Se(null,"compare");if(oe=="""||oe==""")return
 fe.tokenize=Ze(oe),fe.tokenize(te,fe);if(oe=="#")return
fe.tokenize=Ze(oe), fe.tokenize(te,fe); if(oe=="#") return te.eatWhile(/[\w\\\-]/), Se("atom", "hash"); if(oe=="!") return te.match(/^\s*\w*/), Se("keyword", "important"); if(/\d/.test(oe)||oe=="."&&te.eat(/\d/)) return te.eatWhile(/[\w.\$]/), Se("number", "unit"); if(oe==="-"){if(/[\d.]/.test(te.peek())) return te.eatWhile(/[\w.\$]/), Se("number", "unit"); if(te.match(/^-[\w\\\-]*/)) return te.eatWhile(/[\w\\\-]/), te.match(/^\s*:/,!1)?Se("variable-2", "variable-definition"):Se("variable-2", "variable"); if(te.match(/^\w+-/)) return Se("meta", "meta")}else return/[,+>*\/]/.test(oe)?Se(null, "select-op"):oe=="."&&te.match(/^-?[_a-z][_a-z0-9-]*/i)?Se("qualifier", "qualifier"):/[:;{}\[\]\(\)]/.test(oe)?Se(null,oe):te.match(/^[\w-.]+(?=\()))?(/^(url(-prefix)?|domain|regexp)]/i.test(te.current())&&(fe.tokenize=ke),Se("variable callee" "variable")):/[\w\\\-1/\test(oe)?(te.eatWhile(/[\w\\-])).
llee","variable")):/[\w\\-]/.test(oe)?(te.eatWhile(/[\w\\-]/),Se("property","word")):Se(null,null)}function Ze(te){return function(fe,oe){for(var Ue=!1,we;(we =fe.next())!=null;){if(we==te&&!Ue){te==")"&&fe.backUp(1);break}Ue=!Ue&&we=="\\"}return(we==te||!Ue&&te!=")")&(occupant),Se("string","string")}function ke(te,fe){return te.next(),te.match(/\sigma*s*[\"\'])],!1)?fe.tokenize=null:fe.tokenize=Ze(")"),Se(null,"("))function
 Je(te,fe,oe){this.type=te,this.indent=fe,this.prev=oe}function Re(te,fe,oe,Ue){return te.context=new
 Je(oe,fe.indentation()+(Ue===!1?0:j),te.context),oe}function Ge(te){return
```

```
te.context.prev&&(te.context=te.context.prev),te.context.type}function U(te,fe,oe){return
  He[oe.context.type](te,fe,oe)}function Z(te,fe,oe,Ue){for(var
  we=Ue||1;we>0;we--)oe.context=oe.context.prev;return U(te,fe,oe)}function ce(te){var fe=te.current()
 .toLowerCase();de.hasOwnProperty(fe)?qe="atom":L.hasOwnProperty(fe)?qe="keyword":qe="variable"}var
He={};return He.top=function(te,fe,oe){if(te=="{"})return
  Re(oe,fe,"block");if(te=="}"&&oe.context.prev)return Ge(oe);if(Ee&&/@component/i.test(te))return
 Re(oe,fe,"atComponentBlock");if(/^@(-moz-)?document□/i.test(te))return
Re(oe,fe,"documentTypes");if(/^@(media|supports|(-moz-)?document|import)□/i.test(te))return
  Re(oe,fe, "atBlock");if(/^@(font-face|counter-style)/i.test(te))return oe.stateArg=te, "restricted atB
  lock before";if(/^@(-(moz|ms|o|webkit)-
  )?keyframes[/i.test(te))return"keyframes";if(te&&te.charAt(0)=="@")return
Re(oe,fe,"at");if(te=="hash")qe="builtin";else if(te=="word")qe="tag";else{if(te=="variable-
  definition")return"maybeprop";if(te=="interpolation")return
 Re(oe,fe,"interpolation");if(te==":")return"pseudo";if(ze&&te=="(")return Re(oe,fe,"parens")}return oe.context.type},He.block=function(te,fe,oe){if(te=="word"){var Ue=fe.current().toLowerCase();return R.hasOwnProperty(Ue)?(qe="property","maybeprop"):le.hasOwnProperty(Ue)?(qe=ge?"string-
  2":"property", "maybeprop"):ze?(qe=fe.match(/^\s*:(?:\s|_)/,!1)?"property":"tag", "block"):(qe+="
  error", "maybeprop")}else return te=="meta"?"block":!ze&&(te=="hash"||te=="qualifier")?(ge="error", "b
 lock"):He.top(te,fe,oe)},He.maybeprop=function(te,fe,oe){return te==":"?Re(oe,fe,"prop"):U(te,fe,oe)},He.prop=function(te,fe,oe){if(te==";")return Ge(oe);if(te=="{"&&ze})return Re(oe,fe,"propBlock");if(te=="}"||te=="{"}return Z(te,fe,oe);if(te=="(")return Re(oe,fe,"parens");if(te=="hash"&&!/^#([0-9a-fA-F]{3,4}|[0-9a-fA-F]{6}|[0-9a-fA-F]{8})]/.test(fe.current()))qe+="error";else if(te=="word")ce(fe);else
  if(te=="interpolation")return
  Re(oe,fe,"interpolation");return"prop"},He.propBlock=function(te,fe,oe){return te=="}"?Ge(oe):te=="w
  ord"?(qe="property","maybeprop"):oe.context.type},He.parens=function(te,fe,oe){return te=="{"||te=="}"?Z(te,fe,oe):te==")"?Ge(oe):te=="("?Re(oe,fe,"parens"):te=="interpolation"?Re(oe,fe,"interpolation")
  "):(te=="word"&&ce(fe), "parens")}, He.pseudo=function(te,fe,oe){return te=="meta"?"pseudo":te=="word"
 ?(qe="variable-3",oe.context.type):U(te,fe,oe)},He.documentTypes=function(te,fe,oe){return te=="word "&&y.hasOwnProperty(fe.current())?(qe="tag",oe.context.type):He.atBlock(te,fe,oe)},He.atBlock=function(te,fe,oe){if(te=="(")return Re(oe,fe,"atBlock_parens");if(te=="}"||te==";")return Z(te,fe,oe);if(te=="{")return Ge(oe)&&Re(oe,fe,ze?"block":"top");if(te=="interpolation")return
  Re(oe, fe, "interpolation"); if(te=="word") {var Ue=fe.current().toLowerCase(); Ue=="only"||Ue=="not"||Ue
  =="and"||Ue=="or"?qe="keyword":K.hasOwnProperty(Ue)?qe="attribute":X.hasOwnProperty(Ue)?qe="property":F.hasOwnProperty(Ue)?qe="property":le.hasOwnProperty(Ue)?qe=ge?"
 2":"property":de.hasOwnProperty(Ue)?qe="atom":L.hasOwnProperty(Ue)?qe="keyword":qe="error"}return oe.context.type},He.atComponentBlock=function(te,fe,oe){return te=="}"?Z(te,fe,oe):te=="{"?Ge(oe)&&R
 e(oe,fe,ze?"block":"top",!1):(te=="word"&&(qe="error"),oe.context.type)},He.atBlock_parens=function(te,fe,oe){return te==")"?Ge(oe):te=="{"||te=="}"?Z(te,fe,oe,2):He.atBlock(te,fe,oe)},He.restricted_a
 tBlock_before=function(te,fe,oe){return te=="{"?Re(oe,fe,"restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="variable","restricted_atBlock"):te=="word"&&oe.stateArg=="@counter-style"?(qe="word","restricted_atBlock"):te=="word"&&oe.stateArg=="word","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restricted_atBlock","restric
 tricted_atBlock_before"):U(te,fe,oe)},He.restricted_atBlock=function(te,fe,oe){return te=="}"?(oe.stateArg=="@font-face"&&!xe.hasOwnProperty(fe.current().toLowerCase())||oe.stateArg=="@counter-style"&&!I.hasOwnPrope
 ag":te=="hash"\&\&(qe="builtin"),"at")\}, He.interpolation=function(te,fe,oe)\{return\ te=="\}"?Ge(oe):te==""" | |te==";"?Z(te,fe,oe):(te=="word"?qe="variable":te!="variable"&&te!="("&&te!=")"&&(qe="error"),"i=="" | |te==";"?Z(te,fe,oe):(te=="word"?qe="variable":te!="variable"&&te!="("&&te!=")"&&(qe="error"),"i=="" | |te==";"?Z(te,fe,oe):(te=="word"?qe="variable":te!="variable"&&te!="("&&te!=")"&&(qe="error"),"i=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te=="" | |te==""
  nterpolation")},{startState:function(te){return{tokenize:null,state:Q?"block":"top",stateArg:null,co
  ntext:new
  Je(Q?"block":"top",te||0,null)}},token:function(te,fe){if(!fe.tokenize&&te.eatSpace())return
 ev),oe.prev&&(Ue=="}"&&(oe.type=="block"||oe.type=="top"||oe.type=="interpolation"||oe.type=="restricted_atBlock")?(oe=oe.prev,we=oe.indent):(Ue==")"&&(oe.type=="parens"||oe.type=="atBlock_parens")||U==="block"|
 e=="{"&&(oe.type== atblock_parens e=="f"&&(oe.type== atblock_parens e=="{"&&(oe.type== atblock_parens e=="f"&&(oe.type== atblock_parens e=="f"&&(oe.type== atblock_parens e=="f"&&(we=Math.max(0,oe.indent-j))), we}, electricChars:"}", blockCommentStart:"/*", blockCommentEnd:"*/", blockCommentContinue:" *
",lineComment:pe,fold:"brace"}}); function p(0) {for(var_parens e== atblock_parens e== at
",lineComment:pe,fold:"brace"}});function p(0){for(var D={}},Q=0;Q<0.length;++Q)D[0[Q].toLowerCase()]=!0;return D}var v=["domain","regexp","url","url-prefix "],C=p(v),b=["all","aural","braille","handheld","print","projection","screen","tty","tv","embossed"],S=p(b),s=["width","min-width","max-width","height","min-height","max-height","device-width","min-device-height","max-device-height","aspect-ratio","min-aspect-ratio","max-aspect-ratio","device-aspect-ratio","min-device-aspect-ratio","max-device-aspect-ratio","min-color","max-color","color-index","min-color-index","max-color-index","monochrome","min-monochrome","max-monochrome","resolution","min-resolution","max-resolution","scan","grid","orientation","device-pixel-ratio","min-device-pixel-ratio","max-device-pixel-ratio","pointer","any-pointer","hover","any-hover","prefers-color-scheme","dynamic-range","video-dynamic-range",h=p(s),g=["landscape","portrait","none","coarse","fine","on-demand","hover","interlace","progressive","dark","light","standard","high"],T=p(g),w=["align-content","align-items","align-self","alignment-adjust","alignment-baseline","all","anchor-
```

```
point", "animation", "animation-delay", "animation-direction", "animation-duration", "animation-fill-mode", "animation-iteration-count", "animation-name", "animation-play-state", "animation-timing-function", "appearance", "azimuth", "backdrop-filter", "backface-visibility", "background", "background-attachment", "background-blend-mode", "background-clip", "background-color", "background-image", "background-origin", "background-position", "background-position-y", "background-repeat", "background-size", "baseline-shift", "binding", "bleed", "block-size", "bookmark-label", "bookmark-level", "bookmark-state", "bookmark-target", "border-bottom", "border-bottom-color", "border-bottom-left-radius", "border-bottom-right-radius", "border-bottom-style" "border-bottom-vidth" "border-color", "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-image" "border-im
      bottom", "border-bottom-color", "border-bottom-left-radius", "border-bottom-right-radius", "border-bottom-style", "border-bottom-width", "border-collapse", "border-color", "border-image", "border-image-outset", "border-image-repeat", "border-image-slice", "border-image-source", "border-image-width", "border-left", "border-left-color", "border-left-style", "border-left-width", "border-radius", "border-right", "border-right-color", "border-right-style", "border-right-width", "border-spacing", "border-style", "border-top-", "border-top-color", "border-top-left-radius", "border-top-right-radius", "border-style", "border-top-width", "border-width", "bottom", "box-decoration-break", "box-shadow", "box-sizing", "break-after", "break-before", "break-inside", "caption-side", "caret-color", "clear", "clip", "color", "color-profile", "column-count", "column-fill", "column-gap", "column-rule", "column-rule-color", "column-rule-style", "column-rule-width", "column-span", "column-width", "columns", "contain", "content", "counter-increment", "counter-reset", "crop", "cue", "cue-after", "cue-before", "cursor", "direction", "display", "dominant-baseline", "drop-initial-after-adjust", "drop-initial-after-align", "drop-initial-before-adjust", "drop-initial-before-align", "drop-initial-size", "flex-basis", "flex-direction", "flex-flow", "flex-grow", "flex-shrink", "flex-wrap", "float-offset", "flow-from", "flow-into", "font-", "font-size", "font-size", "font-style", "font-style", "font-synthesis", "font-variant-alternates", "font-variant-alternates", "font-variant-ligatures", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-variant-numeric", "font-v
      adjust", "font-stretch", "font-style", "font-synthesis", "font-variant", "font-variant-alternates", "font-variant-caps", "font-variant-east-asian", "font-variant-ligatures", "font-variant-numeric", "font-variant-position", "font-variation-settings", "font-weight", "gap", "grid", "grid-area", "grid-auto-columns", "grid-auto-flow", "grid-auto-rows", "grid-column", "grid-column-end", "grid-column-gap", "grid-column-start", "grid-gap", "grid-row-end", "grid-row-gap", "grid-row-start", "grid-template-areas", "grid-template-columns", "grid-template-rows", "hanging-punctuation", "height", "hyphens", "icon", "image-orientation", "image-rendering", "image-resolution", "inline-box-align", "inset", "inset-block", "inset-block-end", "inset-block-start", "inset-inline", "inset-inline-end", "inset-inline-start", "isolation", "justify-content", "justify-items", "justify-self", "left", "letter-spacing", "line-break", "line-height", "line-height-step", "line-stacking-ruby", "line-stacking-shift", "line-stacking-strategy", "list-style", "list-style-image", "list-style-position", "list-style-type", "margin-bottom", "margin-left", "margin-right", "margin-top", "marks", "marquee-direction", "marquee-play-count", "marquee-speed", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-origin", "mask-or
stacking, "line-stacking ruby", "line-stacking-shift", "line-stacking-strategy, "list-style-position", "list-style-type", "margin, "margin-bottom", "margin-left", "margin-right", "margin-top", "marks", "marquee-style, "mask-clip", "mask-composite", "mask-mage, "mask-made", "mask-origin", "mask-position", "mask-repeat", "mask-size", "mask-composite", "mask-mage, "mask-height", "max-inline-size", "max-width", "min-bloke-size", "man-height", "min-inline-size", "max-blotck-size", "max-block-size", "object-position", offset-position", ffset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-position, offset-positi
```

```
opacity", "pointer-events", "color-interpolation", "color-interpolation-filters", "color-
         rendering", "fill", "fill-opacity", "fill-rule", "image-rendering", "marker", "marker-end", "marker-mid", "marker-start", "paint-order", "shape-rendering", "stroke-dasharray", "stroke-dashoffset", "stroke-linecap", "stroke-linejoin", "stroke-miterlimit", "stroke-opacity", "stroke-width", "text-rendering", "baseline-shift", "dominant-baseline", "glyph-orientation-vertical", "text-anchor", "writing-mode"], c=p(w), d=["accent-color", "aspect-ratio", "border-limit", "stroke-limit", "aspect-ratio", "border-limit", "border-limit", "stroke-limit", "aspect-ratio", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-limit", "border-lim
           block", "border-block-color", "border-block-end", "border-block-end-color", "border-block-end-style", "border-block-end-width", "border-block-start", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-color", "border-block-start-
           style", "border-block-end-width", "border-block-start", border-block-start-cotor", border-block-start-style", "border-block-width", "border-inline", "border-inline-end-color", "border-inline-end-style", "border-inline-end-style", "border-inline-start", "border-inline-start-color", "border-inline-start-style", "border-inline-start-width", "border-inline-style", "border-inline-width", "content-
         visibility", "margin-block", "margin-block-end", "margin-block-start", "margin-inline", "margin-inline-end", "margin-inline-start", "overflow-anchor", "overscroll-behavior", "padding-block", "padding-block-end", "padding-block-start", "padding-inline", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "padding-inline-start", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "scroll-end", "sc
end", "margin-inline-start", "overflow-anchor", "overscroll-behavior", "padding-block", "padding-block-end", "padding-block-start", "padding-inline", "padding-inline-end", "padding-inline-start", "scroll-snap-stop", "scrollbar-3d-light-color", "scrollbar-arrow-color", "scrollbar-base-color", "scrollbar-dark-shadow-color", "scrollbar-face-color", "scrollbar-shadow-color", "scrollbar-track-color", "searchfield-cancel-button", "searchfield-decoration", "searchfield-results-button", "searchfield-results-decoration", "shape-inside", "zoom"], k=p(d), z=["font-display", "font-family", "src", "unicode-range", "font-variant", "font-feature-settings", "font-stretch", "font-weight", "font-style"], M=p(z), = ["additive-symbols", "fallback", "negative", "pad", "prefix", "range", "speak-as", "suffix", "symbols", "system"], W=p(_), E=["aliceblue", "antiquewhite", "aqua", "aquamarine", "azure", "beige", "bisque", "black", "blanchedalmond", "blue", "blueviolet", "brown", "burlywood", "cadetblue", "chartreuse", "chocolate", "coral", "cornflowerblue", "cornsilk", "crimson", "cyan", "darkblue", "darkcyan", "darkgoldenrod", "darkgray", "darkgraen", "darkgreen", "darkslateblue", "darkslategray", "darkslategrey", "darkurquoise", "darkviolet", "deeppink", "deepskyblue", "dimgray", "dimgrey", "dogerblue", "firebrick", "floralwhite", "forestgreen", "floshink", "ind ianred", "indigo", "ivory", "khaki", "lavender", "lavenderblush", "lawngreen", "lightgreen", "lightpink", "indisnord", "lightcoral", "lightycan", "lightgoldenrody "low", "lightgreen", "lightgreen", "lightpink", "lightslategrey", "lightgreen", "lightpink", "lightye llow", "lime", "lightseagreen", "lightskyblue", "dightslategrey", "lightgreen", "lightsteelblue", "mediumvolet", "mediumspurple", "mediumslateblue", "mediumslateblue", "mediumslateblue", "mediumslateblue", "mediumslateblue", "navajowhite", "navy", "oldlace", "olive", "olive drab", "orangere, "orangered", "orchid", "palegoldenrod", "palegoldenrod", "palegoldenrod", "palegoreen", "palegoldenrod", "palegoldenrod", "pal
       red", "midnightblue", "mintcream", "mistyrose", "moccasin", "navajowhite", "navy", "oldlace", "olive", "olive drab", "orange", "orangered", "orchid", "palegoldenrod", "palegreen", "paleturquoise", "palevioletred", "pap ayawhip", "peachpuff", "peru", "pink", "plum", "powderblue", "purple", "rebeccapurple", "red", "rosybrown", "royalblue", "saddlebrown", "salmon", "sandybrown", "seagreen", "seashell", "sienna", "silver", "skyblue", "slateblue", "slategray", "slategrey", "snow", "springgreen", "steelblue", "tan", "teal", "thistle", "tomato", "tu rquoise", "violet", "white", "whitesmoke", "yellow", "yellowgreen"], N=p(E), G=["above", "absolute", "activeborder", "additive", "activecaption", "after-white-space", "ahead", "alias", "all", "all-scroll", "alphabetic", "alternate", "always", "amharic", "amharic-abegede", "antialiased", "appworkspace", "arabic-indic", "armenian", "asterisks", "attr", "auto", "auto-flow", "avoid-column", "avoid-page", "avoid-region", "axis-
       abegede", "antialiased", "appworkspace", "arabic-indic", "armenian", "asterisks", "attr", "auto", "auto-flow", "avoid", "avoid-column", "avoid-page", "avoid-region", "axis-pan", "background", "backwards", "baseline", "below", "bidi-override", "binary", "bengali", "blink", "block", "block-axis", "blur", "bold", "bolder", "border", "border-box", "both", "bottom", "break", "break-all", "break-word", "brightness", "bullets", "button", "buttonface", "buttonhighlight", "buttonshadow", "buttontext", "calc", "cambodian", "capitalize", "caps-lock-indicator", "caption", "captiontext", "caret", "cell", "center", "checkbox", "circle", "cjk-decimal", "cjk-earthly-branch", "cjk-heavenly-stem", "cjk-ideographic", "clear", "clip", "close-quote", "col-resize", "collapse", "color-burn", "color-dodge", "column", "contents", "content-box" "context-"
       reverse", "compact", "condensed", "conic-gradient", "contain", "content", "contents", "content-box", "context-
menu", "continuous", "contrast", "copy", "counter", "counters", "cover", "crop", "cross", "crosshair", "cubic-bezier", "currentcolor", "cursive", "cyclic", "darken", "dashed", "decimal", "decimal-leading-
zero", "default", "default-button", "dense", "destination-atop", "destination-in", "destination-
out", "destination-over", "devanagari", "difference", "disc", "discard", "disclosure-closed", "disclosure-
open", "document", "dot-dash", "dot-dash", "dotted", "double", "down", "drop-
shadow", "e-resize", "ease", "ease-in", "ease-in-out", "ease-
out", "element", "ellipse", "ellipsis", "embed", "end", "ethiopic", "ethiopic-abegede", "ethiopic-abegede-
am-et", "ethiopic-abegede-gez", "ethiopic-balehame-am-et", "ethiopic-halehame-gez", "ethiopic-
halehame-om-et", "ethiopic-halehame-sid-et", "ethiopic-halehame-so-et", "ethiopic-halehame-ti-
er". "ethiopic-halehame-ti-et", "ethiopic-halehame-tig", "ethiopic-numeric", "ew-
       halehame-om-et", "ethiopic-halehame-sid-et", "ethiopic-halehame-so-et", "ethiopic-halehame-ti-er", "ethiopic-halehame-ti-et", "ethiopic-halehame-tig", "ethiopic-numeric", "ew-resize", "exclusion", "expanded", "extends", "extra-condensed", "extra-expanded", "fantasy", "fast", "fill", "fill-box", "fixed", "flat", "flex", "flex-end", "flex-start", "footnote s", "forwards", "from", "geometricPrecision", "georgian", "grayscale", "graytext", "grid", "groove", "gujarat i", "gurmukhi", "hand", "hangul", "hangul-consonant", "hard-light", "hebrew", "help", "hidden", "hide", "higher", "highlight", "highlighttext", "hiragana", "hiragana-iroha", "horizontal", "hsl", "hsla", "hue", "hue-rotate", "icon", "ignore", "inactiveborder", "inactivecaption", "infinite", "infinite", "infobackground", "infotext", "inherit", "initial", "inline", "inline-axis", "inline-block", "inline-flex", "inline-grid", "inline-table", "inset", "inside", "intrinsic", "invert", "italic", "japanese-formal", "japanese-
```

```
informal","justify","kannada","katakana","katakana-iroha","keep-all","khmer","korean-hangul-formal","korean-hanja-formal","korean-hanja-formal","landscape","lao","large","larger","left","level","lighter","lighter","lighter","line-through","linear-gradient","lines","list-item","listbox","listitem","loacl","logical","loud","lower-alpha","lower-armenian","lower-greek","lower-hexadecimal","lower-latin","lower-norwegian","lower-rowerdian","matrix","matrix","matrix3d","media-play-button","media-slider","media-sliderthumb","media-volume-sliderthumb","media-sliderthumb","media-sliderthumb","menu","menulist","menulist-button","menutext","message-box","middle","min-int rinsic","mix","mongolian","monspace","move","multiple","multiple mask images","multiply","myanmar","n-resize","none","normal","not-allowed","nowrap","ns-resize","numbers","numeric","nw-resize","nw-resize","oblique","octal","opacity","open-quote","optimizelegibility","optimizespeed","oriya","oromo","outset","outside","outside-shape","overlay","overline","padding-box","painted","page","paused","persian","perspective","pinch-zoom","plus-darker","plus-lighter","pointer","polygon","portrait","pre","pre-line","pre-wrap","preserve-3d","progress","push-button","radial-gradient","radio","read-only","read-write","read-write-plaintext-only","rectangle","region","relative","repeat","repeating-linear-gradient","repeating-radial-gradient","repaing-rooic-gradient","repeat","repeating-linear-gradient","repeating-rooic-gradient","repeat","repeating-linear-gradient","repeating-rooic-gradient","repeat","reseating-linear-gradient","rotateY","rotateZ",
"roound","row","row-resize","row-reverse","rith","run-in","running","s-resize","ssans-serif","saturate","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,","scale,"
decoration", "searchfield-results-button", "searchfield-results-decoration", "searchfield-results-button", "searchfield-results-decoration", "self-start", "self-end", "semi-condensed", "semi-expanded", "separate", "sepia", "serif", "show", "sidama", "simp-chinese-formal", "simp-chinese-informal", "single", "skew", "skewX", "skewY", "skip-white-space", "slide", "slider-horizontal", "slider-vertical", "sliderthumb-horizontal", "sliderthumb-vertical", "slow", "small-caps", "small-caption", "smaller", "soft-light", "solid", "somali", "source-atop", "source-in", "source-out", "source-over", "space", "space-around", "space-between", "space-evenly", "spell-out", "square", "square-button", "start", "static", "status-bar", "stretch", "stroke", "stroke-box", "sub", "subpixel-antialiased", "svg_masks", "super", "sw-resize", "symbolic", "symbols", "system-ui", "table-", "table-caption", "table-cell", "table-column", "table-column-group", "table-footer-group", "table-header-group", "table-row", "table-row-group", "tamil", "telugu", "text", "text-bottom", "text-top", "textarea", "textfield", "thai", "thick", "thin", "threeddarkshadow", "threedface", "threedfighlight", "threedlightshadow", "threedshadow", "tibetan", "tigrinya-er", "tigrinya-er", "tigrinya-er", "tigrinya-er", "tigrinya-er", "tigrinya-er", "tigrinya-er", "tigrinya-et", "tigrinya-et", "translateX", "translateY", "translateZ", "transparent", "ultra-condensed", "ultra-expanded", "underline", "unidirectional-pan", "unset", "up", "upper-alpha", "upper-armenian", "upper-greek", "upper-hexadecimal", "upper-latin", "upper-norwegian", "upper-roman", "upper-greek", "visibleFill", "visiblePainted", "visibleStroke", "visual", "w-resize", "wait", "wave", "wider", "window", "windowframe", "windowtext", "words", "wrap", "wrap-"
    decoration", "searchfield-results-button", "searchfield-results-decoration", "self-start", "self-
   resize", "wait", "wave", "wider", "windowframe", "windowframe", "words", "wrap", "wrap-reverse", "x-large", "x-small", "xor", "xx-large", "xx-small"], J=p(G), re=v.concat(b).concat(g).concat(w).concat(d).concat(E).concat(G); o.registerHelper("hintWords", "css", re); function
   ords:T,propertyKeywords:c,nonStandardPropertyKeywords:k,fontProperties:M,counterDescriptors:W,colork eywords:N,valueKeywords:J,tokenHooks:{"/":function(0,D){return 0.eat("*")?(D.tokenize=q,q(0,D)):!1}}
      ,name:"css"}),o.defineMIME("text/x-
    scss",{mediaTypes:S,mediaFeatures:h,mediaValueKeywords:T,propertyKeywords:c,nonStandardPropertyKeywo
   rds:k,colorKeywords:N,valueKeywords:J,fontProperties:M,ailowNested:!0,lineComment:"//",tokenHooks:{"
/":function(0,D){return 0.eat("/")?(0.skipToEnd(),["comment","comment"]):0.eat("*")?(D.tokenize=q,q(
0,D)):["operator","operator"]},":":function(0){return
    0.\mathsf{match}(/^s*\{/,!1\}?[\mathsf{null},\mathsf{null}]:!1\}, \square: \mathsf{function}(0) \{\mathsf{return}\}
  0.match(/^[\w-]+/),0.match(/^\s*:/,!1)?["variable-2","variable-
definition"]:["variable-2","variable"]},"#":function(0){return 0.eat("{")?[null,"interpolation"]:!1}
},name:"css",helperType:"scss"}),o.defineMIME("text/x-
  less",{mediaType: ScSs }},0.derInemInE( text/x-less",{mediaType: ScSs }},0.derInemInE( text/x-less )},0.derInemInE( tex
    )?keyframes|media|namespace|page|supports)\b/i,!1)?!1:(0.eatWhile(/[\w\\\
    ]/),0.match(/^\s*:/,!1)?["variable-2","variable-definition"]:["variable-
2","variable"])},"&":function(){return["atom","atom"]}},name:"css",helperType:"less"}),o.defineMIME(
     "text/x-
    gss",{documentTypes:C,mediaTypes:S,mediaFeatures:h,propertyKeywords:c,nonStandardPropertyKeywords:k,
    fontProperties:M,counterDescriptors:W,colorKeywords:N,valueKeywords:J,supportsAtComponent:!0,tokenHo
     oks: \{ "/": function(0,D) \{ return \\ 0.eat("*")?(D.tokenize=q,q(0,D)): !1 \} \}, name: "css", helperType: "gss" \}) \}) \}; varanger function (0,D) | (a) | (b) | (b) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c
   Ds=Ke((Ms,As)=>{(function(o){typeof Ms=="object"&typeof As=="object"?o(We()):typeof define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
```

```
strict";o.defineMode("diff",function(){var
 p={"+":"positive","-":"negative","@":"meta"};return{token:function(v){var C=v.string.search(/[\t]+?[]/);if(!v.sol()||C===0)return v.skipToEnd(),("error "+(p[v.string.charAt(0)]||"")).replace(/
  []/,"");var b=p[v.peek()]||v.skipToEnd();return
C==-1?v.skipToEnd():v.pos=C,b}})),o.defineMIME("text/x-diff","diff")})));var
mn=Ke((qs,Is)=>{(function(o){typeof qs=="object"&typeof Is=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict";var p={autoSelfClosers:{area:!0,base:!0,br:!0,col:!0,command:!0,embed:!0,frame:!0,hr:!0,img:
 !0,input:!0,keygen:!0,link:!0,meta:!0,param:!0,source:!0,track:!0,wbr:!0,menuitem:!0},implicitlyClos ed:{dd:!0,li:!0,optgroup:!0,option:!0,p:!0,rp:!0,rt:!0,tbody:!0,td:!0,tfoot:!0,th:!0,tr:!0},contextG
  rabbers:{dd:{dd:!0,dt:!0},dt:{dd:!0,dt:!0},li:{li:!0},option:{option:!0,optgroup:!0},optgroup:{optgr
  oup: !0}, p:{address:!0,article:!0,aside:!0,blockquote:!0,dir:!0,div:!0,div:!0,fieldset:!0,footer:!0,fo
  rm:!0,h1:!0,h2:!0,h3:!0,h4:!0,h5:!0,h6:!0,header:!0,hgroup:!0,hr:!0,menu:!0,nav:!0,ol:!0,p:!0,pre:!0
,section:!0,table:!0,ul:!0},rp:{rp:!0,rt:!0},rt:{rp:!0,rt:!0},tbody:{tbody:!0,tfoot:!0},td:{td:!0,th}
:!0},tfoot:{tbody:!0},th:{td:!0,th:!0},thead:{tbody:!0,tfoot:!0},tr:{tr:!0}},doNotIndent:{pre:!0},al
lowUnquoted:!0,allowMissing:!0,caseFold:!0},v={autoSelfClosers:{},implicitlyClosed:{},contextGrabber
s: \{\}, doNotIndent: \{\}, allowUnquoted: !1, allowMissing: !1, allowMissingTagName: !1, caseFold: !1\}; o. defineMode("xml", function(C,b) {var S=C.indentUnit, s= \}, h=b.htmlMode?p:v; for(var g in h)s[g]=h[g]; for(var g in b)s[g]=b[g]; var T,w; function c(y,K) {function X(le) {return K.tokenize=le,le(y,K)} var F=y.next(); if(F=="<") return y.eat("!")?y.eat("[")?y.match("CDATA[")?X(z("atom","]]>")): null:y.match("--")?X(z("comment","-->")):y. match("DOCTYPE",!0,!0)?(y.eatWhile(/[\w\._\-]/),X(M(1))): null:y.eat("?")?(y.eatWhile(/[\w\._\-]/),K.tokenize=z("meta","?>"), "meta"): (T=y.eat("/")?"closeTag": "openTag",K.tokenize=d, "tag bracket"); if(F=="&") {var R; return y.eat("#")?y.eat("x")?R=y.eatWhile(/[a-fA-F\d]/)&\undersy.eat(";"):R=y.eatWhile(/[\d]/)&\undersy.eat(";"):R=y.eatWhile(/[\w\.\-:]/)&\undersy.eat(";");R?"atom": "error"\undersy.eat("")) return X.tokenize=c,T=X==">"?"endTag": "selfcloseTag", "tag bracket"; if(X=="=") return T="equals", null; if(X=="<")\undersy.eat(K.tokenize=c,K.state=G,K.tagName=K.tagStart=null; var
  s:{},doNotIndent:{},allowUnquoted:!1,allowMissing:!1,allowMissingTagName:!1,caseFold:!1};o.defineMod
 T="equals", null; if (X=="<") {K.tokenize=c, K.state=G, K.tagName=K.tagStart=null; var F=K.tokenize(y,K); return F?F+" tag error": "tag error"}else return/[\\"]/.test(X)?(K.tokenize=k(X),K.stringStartCol=y.column(),K.tokenize(y,K)): (y.match(/^[^\s\u00a0=<>\"\']*[^\s\u00a0=<>\"\']/), "wo
  rd")}function k(y){var
  K=function(X,F)\{for(;!X.eol();)if(X.next()==y)\{F.tokenize=d;break\}return"string"\};return
 K.isInAttribute=!0,K}function z(y,K){return
function(X,F){for(;!X.eol();)}{if(X.match(K))}{F.tokenize=c;break}X.next()}return y}}function
  M(y) \{ return \ function(K,X) \{ for(var \ F; (F=K.next()) !=null; ) \{ if(F=="<") return \ X.tokenize=M(y+1), X.tokenize(K,X); if(F==">") if(y==1) \{ X.tokenize=c; break \} else \ return \ A tokenize=M(y+1), X.tokenize=M(y+1), el{eq:context} X. tokenize=M(y-1), X. tokenize(K,X) return"meta"} function \ \_(y) \{return\ y\&\&y.toLowerCase()\} function \ W(y,K,X) \{this.prev=y.context,this.tagName=K||"",this.indent=y.indented,this.startOfLine=X,(s.doNotIndenthasOwnProperty(K)||y.context&y.context.noIndent)&(this.noIndent=!0)\} function
E(y)\{y.context&\&(y.context=y.context.prev)\}function \ N(y,K)\{for(var X;;)\{if(!y.context]|(X=y.context.tagName,!s.contextGrabbers.hasOwnProperty(_(X))||!s.contextGrabbers[_(X)].hasOwnProperty(_(K))))return; E(y)\}\{function \ G(y,K,X)\{return \ y=="openTag"?(X.tagStart=K.column(),J):y=="closeTag"?re:G}function \ P(x,K,X)\{return \ y=="openTag"?(X.tagStart=K.column(),J):y=="openTag"?re:G}function \
                    .
word<sup>*</sup>?(X.tagName=K.current(),w="tag",D):s.allowMissingTagName&&y=="endTag"?(w="tag"
 bracket", D(y, K, X)): (w="error", J) \\ function re(y, K, X) \\ \{if(y=="word") \\ \{var F=K. current(); return X. context \\ \& X. context.tagName! \\ = F \\ \& S. implicitly Closed.has \\ Own Property ((X. context.tagName)) \\ \& E(X), X. context \\ \& X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. context.tagName) \\ (X. contex
ontext.tagName==F||s.matchClosing===!1?(w="tag",q):(w="tag error",0)}else return s.allowMissingTagName&y=="endTag"?(w="tag bracket",q(y,K,X)):(w="error",0)}function q(y,K,X){return y!="endTag"?(w="error",q):(E(X),G)}function 0(y,K,X){return w="error",q(y,K,X)}function
 D(y,K,X){if(y=="word")return w="attribute",Q;if(y=="endTag"||y=="selfcloseTag"){var F=X.tagName,R=X.tagStart;return X.tagName=X.tagStart=null,y=="selfcloseTag"||s.autoSelfClosers.hasOw
  nProperty(\_(F))?N(X,F):(N(X,F),X.context=new\ W(X,F,R==X.indented)),G} return\ w="error",D} function
  Q(y,K,X) \{ \text{return } y == \text{"equals"}? j: (s.allowMissing|| (w = \text{"error"}), D(y,K,X)) \} \text{function } j(y,K,X) \{ \text{return } y == \text{"string"}?V: y == \text{"word"} \&\&s.allowUnquoted? (w = \text{"string"},D): (w = \text{"error"},D(y,K,X)) \} \text{function } \} 
 V(y,K,X){return y=="string"?V:D(y,K,X)}return{startState:function(y){var K={tokenize:c,state:G,indented:y||0,tagName:null,tagStart:null,context:null};return y!=null&&(K.base
  Indent=y),K\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.indented=y.indentation()),y.eatSpace())r\},token:function(y,K)\{if(!K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&y.sol()\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&(K.tagName\&\&(K.tagName\&\&(K.tagName\&(K.tagName\&\&(K.tagName\&(K.tagName\&(K.tagName\&(K.tagName\&(K.
  eturn null;T=null;var
  X=K.tokenize(y,K); return(X||T)\&\&X!="comment"\&\&(w=null,K.state=K.state(T||X,y,K),w\&\&(X=w=="error"?X+"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w. (x=w=="error"), w.
error":w)),X},indent:function(y,K,X){var F=y.context;if(y.tokenize.isInAttribute)return y.tagStart==y.indented?y.stringStartCol+1:y.indented+S;if(F&&F.noIndent)return o.Pass;if(y.tokenize!=d&&y.tokenize!=c)return X?X.match(/^(\s*)/)[0].length:0;if(y.tagName)return s.
  multilineTagIndentPastTag!==!1?y.tagStart+y.tagName.length+2:y.tagStart+Š*(s.multilineTagIndentFacto
  r||1);if(s.alignCDATA&&/<!\[CDATA\[/.test(K))return 0;var
  R=K\&\&/^<(\/)?([\w_:\.-]^*)/.exec(K);if(R\&\&R[1])for(;F;)if(F.tagName==R[2])\{F=F.prev;break\}else
if(s.implicitlyClosed.hasOwnProperty(_(F.tagName)))F=F.prev;else break;else if(R)for(;F;){var le=s.contextGrabbers[_(F.tagName)];if(le&&le.hasOwnProperty(_(R[2])))F=F.prev;else break}for(;F&&F.prev&&!F.startOfLine;)F=F.prev;return F?F.indent+S:y.baseIndent||0},electricInput:/<
\/[\s\w:]+>\[/,\blockCommentStart:"<!--",blockCommentEnd:"--
  >",configuration:s.htmlMode?"html":"xml",helperType:s.htmlMode?"html":"xml",skipAttribute:function(y
```

```
 K=[],X=y.context;X;X=X.prev)K.push(X.tagName);return K.reverse()\}\}),o.defineMIME("text/xml","xml"),o.defineMIME("text/xml","xml"),o.mimeModes.hasOwnProperty("text/html")||o.defineMIME("text/html",{name:"xml",htmlMode:!0})})\});var vn=Ke((Fs,Ns)=>{(function(o){typeof Fs=="object"&&typeof Fs=="object"})});var vn=Ke((Fs,Ns)=>{(function(o){typeof Fs=="object"})});var vn=Ke((Fs,Ns)=>{(function(o){typeof Fs=="object"})});var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,Ns)=xml);var vn=Ke((Fs,N
 Ns=="object"?o(We()):typeof
 define=="function"&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
 strict";o.defineMode("javascript",function(p,v){var C=p.indentUnit,b=v.statementIndent,S=v.jsonld,s=
 v.json||S,h=v.trackScope!==!1,g=v.typescript,T=v.wordCharacters||/[\w∏\xa1-
v.]son||S,h=v.trackScope!==!1,g=v.typescript,I=v.wordCharacters||/[\w]\xa1-\uffff]/,w=function(){function x(pt){return{type:pt,style:"keyword"}}var P=x("keyword a"),ae=x("keyword b"),he=x("keyword c"),ne=x("keyword d"),ye=x("operator"),Xe={type:"atom",style:"at om"};return{if:x("if"),while:P,with:P,else:ae,do:ae,try:ae,finally:ae,return:ne,break:ne,continue:ne,new:x("new"),delete:he,void:he,throw:he,debugger:x("debugger"),var:x("var"),const:x("var"),let:x("var"),function:x("function"),catch:x("catch"),for:x("for"),switch:x("switch"),case:x("case"),default:x("default"),in:ye,typeof:ye,instanceof:ye,true:Xe,false:Xe,null:Xe,undefined:Xe,NaN:Xe,Infinity:Xe,this:x("this"),class:x("class"),super:x("atom"),yield:he,export:x("export"),import:x("import"),extendelse
 ds:he,await:he}(),c=/[+\-
 *\&=<>!?|\sim^@]/,d=/^@(context|id|value|language|type|container|list|set|reverse|index|base|vocab|grap||container|list|set|reverse|index|base|vocab|grap||container|list|set|reverse|index|base|vocab|grap||container|list|set|reverse|index|base|vocab|grap||container|list|set|reverse|index|base|vocab|grap||container|list|set|reverse|index|base|vocab|grap||container|list|set|reverse|index|base|vocab|grap||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||container||cont
 h)"/;function k(x){for(var P=!1,ae,he=!1;(ae=x.next())!=null;){if(!P){if(ae=="/"&&!he)return;ae=="[
("=>","operator"); if(ae=="0"&&x.match(/^(?:x[\dA-Fa-f_]+|o[0-7_]+|b[01_]+)n?/)) return
match(/^\b(([gimyus])(?![gimyus]*\2))+\b/),_("regexp","string-
2")):(x.eat("="),_("operator","operator",x.current()));if(ae=="`P.tokenize=G,G(x,P);if(ae=="#"&&x.peek()=="!")return
x.skipToEnd(), ("meta", "meta");if(ae=="#"&&x.eatWhile(T))return _("variable", "property");if(ae=="<"& &x.match("!--")||ae=="-"&&x.match("->")&&!/\$/.test(x.string.slice(0,x.start)))return x.skipToEnd(),
__("comment","comment");if(c.test(ae))return(ae!=">"||!P.lexical||P.lexical.type!=">")&&(x.eat("=")?(ae=="!"||ae=="=")&&x.eat("="):/[<>*+\-
|&?]/.test(ae)&&(x.eat(ae),ae==">"&&x.eat(ae))),ae=="?"&&x.eat(".")?_("."):_("operator","operator",x
   .current());if(T.test(ae)){x.eatWhile(T);var
 he=x.current();if(P.lastType!="."){if(w.propertyIsEnumerable(he)){var ne=w[he];return
keyword", "meta"); for(; (ne=P.next())!=null&&!(ne=x\&\&!he);) he=!he&\&ne=="\"; return" he &&ne=="\"; return" 
keyWord", "meta' ); for (; (ne=P.next())!=nuttox: (ne==x&&:ne); fne=:nex&ne== \( \), return
he||(ae.tokenize=W), _("string", "string")}} function N(x,P){for(var
ae=!1,he;he=x.next();){if(he=="/"&&ae){P.tokenize=W;break}ae=he=="*"}return
_("comment", "comment")} function G(x,P){for(var ae=!1,he;(he=x.next())!=null;){if(!ae&&(he=="`"|he==""\"}return
_("a&x.eat("{")}){P.tokenize=W;break}ae=!ae&&he=="\"}return
_("ae&x.eat("{")}){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{")}){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{")}){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{")}){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{"})){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{"})){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{"})){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{"})){P.tokenize=W;break}ae=!ae&&he=="\"]return
_("aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}ae=!aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})){P.tokenize=W;break}aexx.eat("{"})
 J="([{}])";function re(x,P){P.fatArrowAt&&(P.fatArrowAt=null);var
 ae=x.string.indexOf("=>",x.start);if(!(ae<0)){if(g){var he=/:\s*(?:\w+(?:<[^>]*>|\[\])?|\{[^}]*\})\s
 =x.string.charAt(Xe),Et=J.indexOf(pt);if(Et>=0\&\&Et<3){if(!ne)}{++Xe;break}if(-ne)
 ne==0){pt=="("&&(ye=!0);break}else if(Et>=3&&Et<6)++ne;else if(T.test(pt))ye=!0;else
if(/["'\/`]/.test(pt))for(;;--Xe){if(Xe==0)return;var
Zr=x.string.charAt(Xe-1);if(Zr==pt&&x.string.charAt(Xe-2)!="\\"){Xe--;break}}else
 if(ye\&\&!ne){++Xe;break}}ye\&\&!ne\&\&(P.fatArrowAt=Xe)}}var
 q={atom:!0,number:!0,variable:!0,string:!0,regexp:!0,this:!0,import:!0,"jsonld-keyword":!0};function
 0(x, P, ae, he, ne, ye) {this.indented=x, this.column=P, this.type=ae, this.prev=ne, this.info=ye, he!=null&&(t
his.align=he)}function D(x,P){if(!h)return!1;for(var ae=x.localVars;ae;ae=ae.next)if(ae.name==P)return!0;for(var he=x.context;he;he=he.prev)for(var
ae=he.vars;ae;ae=ae.next)if(ae.name==P)return!0}function Q(x,P,ae,he,ne){var ye=x.cc;for(j.state=x,j.stream=ne,j.marked=null,j.cc=ye,j.style=P,x.lexical.has0wnProperty("align")||(x.lexical.align=!0);;
\label{eq:continuous} Xe = ye.length?ye.pop():s?Se:0e;if(Xe(ae,he))\{for(;ye.length\&ye[ye.length-1].lex;)ye.pop()();return j.marked:ae == "variable"\&D(x,he)?"variable-2":P}\}\}var
 j=\{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, column: null, marked: null, cc: null\}; function <math>V(j) = \{state: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null, cc: null
 x=arguments.length-1;x>=0;x--)j.cc.push(arguments[x])}function y(){return
 V.apply(null,arguments), !0} function K(x,P){for(var
 ae=P;ae;ae=ae.next)if(ae.name==x)return!0;return!1}function X(x){var P=j.state;if(j.marked="def",!!h
 ){if(P.context){if(P.lexical.info=="var"&&P.context&&P.context.block){var
 ae=F(x,P.context); if(ae!=null){P.context=ae; return}}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x,P.localVars)){P.localVars=new}else if(!K(x
 xe(x,P.localVars); return} v.globalVars& \{K(x,P.globalVars) \& \{P.globalVars=new xe(x,P.globalVars)\} \} function F(x,P) \{if(P)if(P.block) \{var ae=F(x,P.prev); return ae?ae==P.prev?P:new xe(x,P.globalVars)\} \} \} function F(x,P) \{if(P)if(P.block) \{var ae=F(x,P.prev); return ae?ae==P.prev?P:new xe(x,P.globalVars)\} \} \} 
 le(ae, P. vars, !0):null}else return K(x, P. vars)?P:new le(P. prev, new xe(x, P. vars), !1);else return
 null}function R(x){return
 x=="public"||x=="private"||x=="protected"||x=="abstract"||x=="readonly"}function
 le(x,P,ae){this.prev=x,this.vars=P,this.block=ae}function xe(x,P){this.name=x,this.next=P}var I=new
```

```
xe("this",new xe("arguments",null));function L(){j.state.context=new
   le(j.state.context,j.state.localVars,!1),j.state.localVars=I}function de(){j.state.context=new
   le(j.state.context,j.state.localVars,!0),j.state.localVars=null}L.lex=de.lex=!0;function
  ze(){j.state.localVars=j.state.context.vars,j.state.context=j.state.context.prev}ze.lex=!0;function pe(x,P){var ae=function(){var
   he=j.state,ne=he.indented;if(he.lexical.type=="stat")ne=he.lexical.indented;else for(var
   ye=he.lexical;ye&&ye.type==")"&&ye.align;ye=ye.prev)ne=ye.indented;he.lexical=new
O(ne,j.stream.column(),x,null,he.lexical,P)};return ae.lex=!0,ae}function Ee(){var x=j.state;x.lexic
 al.prev&&(x.lexical.type==")"&&(x.indented=x.lexical.indented),x.lexical=x.lexical.prev)}Ee.lex=!0;function ge(x){function P(ae){return ae=x?y():x==";"||ae=="}"||ae==")"||ae=="]"?V():y(P)}return P}function 0e(x,P){return x=="var"?y(pe("vardef",P),Rr,ge(";"),Ee):x=="keyword a"?y(pe("form"),Ze,0e,Ee):x=="keyword b"?y(pe("form"),0e,Ee):x=="keyword d"?j.stream.match(/^\s*\[]/,!1)?y():y(pe("stat"),Je,ge(";"),Ee):x=="debugger"?y(ge(";")):x=="{"?y(pe("}"),de,De,Ee,ze):x==";"?y()
 i) // () : ( // () = ( // () -/ () = ( // () -/ () -/ () = ( // () -/ () -/ () -/ () = ( // () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/ () -/
 y([t,ge(")"]) function Se(x,P) {return ke(x,P,!1)} function Be(x,P) {return ke(x,P,!0)} function Ze(x) {return x!="("?V():y(pe(")"),Je,ge(")"),Ee)} function
  ne=ae?Ge:Re;return q.hasOwnProperty(x)?y(ne):x=="function"?y(Ht,ne):x=="class"||g&&P=="interface"?(j
    .marked="keyword",y(pe("form"),to,Ee)):x=="keyword c"||x=="async"?y(ae?Be:Se):x=="("?y(pe(")"),Je,ge (")"),Ee,ne):x=="operator"||x=="spread"?y(ae?Be:Se):x=="["?y(pe("]"),at,Ee,ne):x=="{"?se(Me,"}",null
   ,ne):x=="quasi"?V(U,ne):x=="new"?y(te(ae)):y()}function Je(x){return
x.match(/[;\}\)],]/)?V():V(Se)}function Re(x,P){return x==","?y(Je):Ge(x,P,!1)}function
   Ge(x,P,ae){var he=ae==!1?Re:Ge,ne=ae==!1?Se:Be;if(x=="=>")return y(L,ae?He:ce,ze);if(x=="operator")r
 /.test(P)||g&&P=="!"?y(he):g&&P=="<"&&j.stream.match(/^([^<>]|<[^<>]*>)*>\s*\(/,!1)?y(pe(">"),H(Pe," >"),Ee,he):P=="?"?y(Se,ge(":"),ne):y(ne);if(x=="quasi")return V(U,he);if(x!=";"){if(x=="(")return se(Be,")","call",he);if(x==".")return y(we,he);if(x=="[")return y(pe("]"),Je,ge("]"),Je,ge("]");if(g&&P=="a")return j.marked="keyword",y(Pe,he);if(x=="regexp")return j.marked="keyword",y(Pe,he);if(
  \label{eq:continuous} j.state.lastType=j.marked="operator",j.stream.backUp(j.stream.pos-j.stream.start-1),y(ne)\} function $$U(x,P)$ {return } x!="quasi"?V():P.slice(P.length-2)!="$$\] {"?y(U):y(Je,Z)} function $$Z(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") return $$X(x)$ {if(x=="}") retur
  j.marked="string-2",j.state.tokenize=G,y(U)}function ce(x){return
re(j.stream,j.state),V(x=="{"?0e:Se)}function He(x){return
re(j.stream,j.state),V(x=="{"?0e:Be)}function te(x){return function(P){return}
                                ."?y(x?oe:fe):P=="variable"\&\&g?y(Ft,x?Ge:Re):V(x?Be:Se)}function fe(x,P){if(P=="target")return
 P=="."?y(x?oe:Te):P=="variable"&&g?y(Ft,x?de:Re):V(x?Be:Se)}}function Te(x,P){lT(P=="Target") return j.marked="keyword",y(Re)}function oe(x,P){if(P=="target") return j.marked="keyword",y(Ge)}function Ue(x){return x==":"?y(Ee,Oe):V(Re,ge(";"),Ee)}function we(x){if(x=="variable") return j.marked="property",y()}function Me(x,P){if(x=="async") return j.marked="property",y(Me);if(x=="variable") return j.style=="keyword"){if(j.marked="property",P=="get"||P=="set") return y(Le);var ae;return g&&j.state.fatArrowAt==j.stream.start&&(ae=j.stream.match(/^\s*:\s*/,!1))&&(j.state.fatArrowAt=j.stream.pos+ae[0].length),y([])}else{if(x=="number"||x=="string") return j.marked=S?"property":j.style+"
 os+ae[0].length),y(||)}else{if(x=="number"||x=="string")return j.markeu=s; property :j.styte+ property",y(||);if(x=="jsonld-keyword")return y(||);if(g&&R(P))return j.marked="keyword",y(Me);if(x=="[")return y(Se,nt,ge("]"),||);if(x=="spread")return y(Be,||);if(P=="*")return j.marked="keyword",y(Me);if(x==":")return V(||)}function Le(x){return x!="variable"?V(||):(j.marked="property",y(Ht))}function ||(x){if(x==":")return y(Be);if(x=="(")return V(Ht))}function ||(x)P,ae){function he(ne,ye){if(ae?ae.index0f(ne)>-1:ne==",")}{var Xe=j.state.lexical;return Xe.info=="call"&&(Xe.pos=(Xe.pos||0)+1),y(function(pt,Et){return pt==P||Et==P?V():V(x)},he)}return ne==P||ye==P?y():ae&&ae.index0f(";")>-1?V(x):y(ge(P))}return function(pt,Et){return pt==P}y():V(x) he)}||function(pt,Et){preturn pt==P}y(x):V(x) he)
    function(ne,ye) \{return | ne=P| | ye=P?y():V(x,he) \} \} function | se(x,P,ae) \{for(variable) | for(variable) \} \} function | se(x,P,ae) \} \} function | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(variable) | for(var
  he=3;he<arguments.length;he++)j.cc.push(arguments[he]);return y(pe(P,ae),H(x,P),Ee)function De(x){return x=="}"?y():V(0e,De)}function nt(x,P){if(g){if(x==":")return y(Pe);if(P==":")return
 y(nt)\} function \ dt(x,P) \{if(g\&\&(x==":"||P=="in")) return \ y(Pe)\} function \ Pt(x) \{if(g\&\&x==":") return \ j.stream.match(/^s*\w+\s+is\b/,!1)?y(Se,It,Pe):y(Pe)\} function \ It(x,P) \{if(P=="is") return \ j.marked="keyword",y()\} function \ Pe(x,P) \{if(P=="keyof"||P=="typeof"||P=="infer"||P=="readonly") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="keyword",y()="typeof"?Be:Pe);if(x=="variable"||P=="void") return \ j.marked="variable"||P=="void"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"||P=="variable"
j.marked="keyword",y(P=="typeof"?Be:Pe);if(x=="variable"||P=="void")return j.marked="type",y(Rt);if(P=="|"||P=="&")return y(Pe);if(x=="string"||x=="number"||x=="atom")return y(Rt);if(x=="[")return y(pe("]"),H(Pe,"]",","),Ee,Rt);if(x=="{"}return y(pe("}"),Fe,Ee,Rt);if(x=="(")return y(H(ot,")"),xt,Rt);if(x=="<")return y(H(Pe,">"),Pe);if(x=="quasi")return V(_t,Rt)}function xt(x){if(x=="=>")return y(Pe)}function Fe(x){return x.match(/[\}\)\]]/)?y():x==","||x==";"?y(Fe):V(nr,Fe)}function nr(x,P){if(x=="variable"||j.style=="keyword")return j.marked="property",y(nr);if(P=="?"||x=="number"||x=="string")return y(nr);if(x==":")return y(Pe);if(x=="[")return y(ge("variable"),dt,ge("]"),nr);if(x=="(")return V(hr,nr);if(!x.match(/[;\}\))],]/))return y()}function _t(x,P){return}
```

```
 x! = "quasi"?V():P.slice(P.length-2)! = "[{"?y(_t):y(Pe,it)} function it(x) \{if(x==")") return j.marked="string-2",j.state.tokenize=G,y(_t)} function ot(x,P) {return x=="variable"&$j.stream.match(/^\s*[?:]/,!1)||P=="?"?y(ot):x==":"?y(Pe):x=="spread"?y(ot):V(Pe)} function Rt(x,P) {if(P=="<") return y(pe("s"),H(Pe,"s"),Ee,Rt):if(P=="|"||x=="."||P=="&") return y(Pe):if(x=="[") return y(Pe,ge("]"),Rt):if(P=="extends"||P=="implements") return j.marked="keyword",y(Pe):if(P=="?") return y(Pe,ge(":"),Pe)} function Ft(x,P) {if(P=="<") return y(pe("s"),H(Pe,"s"),Ee,Rt)} function Wt() {return y(Pe,kt)} function kt(x,P) {if(P=="=") return y(Pe)} function Rr(x,P) {return y(Pe,kt)} function kt(x,P) {if(x=="variable") return x(P),y():if(x=="spread") return j.marked="keyword",y(Ae)::V(Ct,t,Ut,eo) {function Ct(x,P) {if(g&R(P)) return j.marked="keyword",y(Ct):if(x=="variable") return x(P),y():if(x=="spread") return y(Ct):if(x=="["] return se(yn,"]");if(x=="variable"& {ij.stream.match(/^\s*:/,!1)?(X(P),y(Ut)):(x=="variable"& ariable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variable",variab
 x!="quasi"?V():P.slice(P.length-2)!="[{"?y(_t):y(Pe,it)}] function it(x){if(x=="}")return
 \label{eq:controller} j.marked="keyword",y(hr);if(x=="variable")return X(P),y(hr);if(x=="(")return y(L,pe(")"),H(<math>\squaret,")"),Ee,Pt,ze);if(g&&P=="<")return y(pe(">"),H(\squaret,")"),Ee,Pt,ze);if(g&&P=="<")return y(pe(">"),H(\squaret,")"),Ee,hr)}function
 ti(x,P)\{if(x=="keyword"||x=="variable")return j.marked="type",y(ti);if(P=="<")return y(pe(">"),H(Wt,">"),Ee)\}function <math>\Box t(x,P)\{return P=="@"&&y(Se,\Box t),x=="spread"?y(\Box t):g&&R(P)?(j.marked)\}
        keyword",y(\Box t)):g\&x=="this"?y(nt,Ut):V(Ct,nt,Ut)}function to(x,P){return}
 x=="variable"?Wr(x,P):Kt(x,P)function Wr(x,P){if(x=="variable")return X(P),y(Kt)}function
K= Validate :wi(x,r).tt(x,r);function wi(x,r);function .marked="property",y(Cr,Gt);if(x=="number"||x=="string")return y(Cr,Gt);if(x=="[")return
j.marked="property",y(Cr,Gt);if(x=="number"||x=="string")return y(Cr,Gt);if(x=="[")return
y(Se,nt,ge("]"),Cr,Gt);if(P=="*")return j.marked="keyword",y(Gt);if(g&&x=="(")return
V(hr,Gt);if(x==";"||x==",")return y(Gt);if(x=="}")return y();if(P=="@")return y(Se,Gt)}function
Cr(x,P){if(P=="!"||P=="?")return y(Cr);if(x==":")return y(Pe,Ut);if(P=="=")return y(Be);var
ae=j.state.lexical.prev,he=ae&&ae.info=="interface";return V(he?hr:Ht)}function Ur(x,P){return P=="*
"?(j.marked="keyword",y(Gr,ge(";"))):P=="default"?(j.marked="keyword",y(Se,ge(";"))):x=="{"?y(H(\( \subseteq r, P) \) \} \]"),Gr,ge(";")):V(Oe)}function \( \subseteq r, P){if(P=="as")return \} \]
j.marked="keyword",y(ge("variable"));if(x=="variable")return V(Be, [r)}function gr(x){return
x=="string"?y():x=="("?V(Se):x=="."?V(Re):V(Kr,Vt,Gr)}function Kr(x,P){return
x=="{"?se(Kr,"}"):(x=="variable"&X(P),P=="*"&&(j.marked="keyword"),y(_n))}function
Vt(x){if(x==",")return y(Kr,Vt)}function _n(x,P){if(P=="as")return j.marked="keyword",y(Kr)}function
 Gr(x,P){if(P=="from")return j.marked="keyword",y(Se)}function at(x){return}
 x=="]"?y():V(H(Be,"]"))}function Ae(){return
V(pe("form"),Ct,ge("{"),pe("}"),H(ir,"}"),Ee,Ee)}function ir(){return V(Ct,Ut)}function
 kn(x,P){return
 x.lastType=="operator"||x.lastType==","||c.test(P.charAt(0))||/[,.]/.test(P.charAt(0))}function
 0((x||0)-C,0,"block",!1),localVars:v.localVars,context:v.localVars\&new
 le(null,null,!1),indented:x||0};return v.globalVars&&typeof v.globalVars=="object"&&(P.globalVars=v.
 qlobalVars), P, token: function(x, P) {if(x.sol()&&(P.lexical.hasOwnProperty("align")||(P.lexical.align=
 !1),P.indented=x.indentation(),re(x,P)),P.tokenize!=N&&x.eatSpace())return null;var ae=P.tokenize(x,P);return z=="comment"?ae:(P.lastType=z=="operator"&&(M=="++"||M=="
  ")?"incdec":z,Q(P,ae,z,M,x))},indent:function(x,P){if(x.tokenize==N||x.tokenize==G)return
 o.Pass;if(x.tokenize!=W)return 0;var
 ae=P&&P.charAt(0),he=x.lexical,ne;if(!/^\s*else\b/.test(P))for(var ye=x.cc.length-1;ye>=0;--ye){var
Xe=x.cc[ye];if(Xe==Ee)he=he.prev;else if(Xe!=Hr&&Xe!=ze)break}for(;(he.type=="stat"||he.type=="form"
)&&(ae=="}"||(ne=x.cc[x.cc.length-1])&&(ne==Re||ne==Ge)&&!/^[,\.=+\-
*:?[\(]/.test(P));)he=he.prev;b&&he.type==")"&&he.prev.type=="stat"&&(he=he.prev);var
 pt=he.type,Et=ae==pt;return pt=="vardef"?he.indented+(x.lastType=="operator"||x.lastType==","?he.inf o.length+1:0):pt=="form"&&ae=="{"?he.indented:pt=="form"?he.indented+C:pt=="stat"?he.indented+(kn(x,
 P)?b||C:0):he.info=="switch"&&!Et&&v.doubleIndentSwitch!=!1?he.indented+(/^(?:case|default)\b/.test(
 P)?C:2*C):he.align?he.column+(Et?0:1):he.indented+(Et?0:C)},electricInput:/^\s*(?:case .*?:|default:
```

```
json",{name:"javascript",json:!0}),o.defineMIME("application/manifest+json",{name:"javascript",json:
    !0}),o.defineMIME("application/ld+json",{name:"javascript",jsonld:!0}),o.defineMIME("text/typescript",{name:"javascript",fname:"javascript",fname:"javascript",fname:"javascript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript",typescript
  ript:!0})}));var Qn=Ke((Os,Ps)=>{(function(o){typeof Os=="object"&\typeof".../\tipeof\typeof".../\tipeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\typeof\ty
    strict";var p={script:[["lang",/(javascript|babel)/i,"javascript"],["type",/^(?:text|application)\/(
   ::\^-
)?(?:java|ecma)script[|\^module[|\^[/i,"javascript"],["type",/./,"text/plain"],[null,null,"javascript"
]],style:[["lang",/\css[]/i,"css"],["type",/\(text\/))?(x-
)?(stylesheet|css)[]/i,"css"],["type",/./,"text/plain"],[null,null,"css"]]};function v(T,w,c){var
    d=T.current(), k=d.search(w); return
    k \ge -1?T. backUp(d.length-k):d.match(/<\/?\\)\&\((T.backUp(d.length), T.match(w,!1)||T.match(d)),c\}var
  C={}; function b(T){var w=C[T]; return w||(C[T]=new RegExp("\s+"+T+\\s*=\\s*('|")?([^'"]+)('|")?\\s*`))} function S(T,w){var c=T.match(b(w)); return c?/^\s*(.*?)\s*[]/.exec(c[2])[1]:""} function s(T,w){return new RegExp((w?"^":"")+"</\\s*"+T+"\\s*>","i")} function h(T,w){for(var c in T)for(var d=w[c]||(w[c]=[]),k=T[c],z=k.length-1;z>=0;z--)d.unshift(k[z])} function g(T,w){for(var c in T)for(var d=w[c]||(w[c]=[]),k=T[c],z=k.length-1;z>=0;z--)d.unshift(k[z])}
   c=0;c<T.length;c++){var d=T[c];if(!d[0]||d[1].test(S(w,d[0])))return d[2]}}o.defineMode("htmlmixed",function(T,w){var c=o.getMode(T,{name:"xml",htmlMode:!0,multilineTagI
    ndentFactor:w.multilineTagIndentFactor,multilineTagIndentPastTag:w.multilineTagIndentPastTag,allowMi
  ssingTagName:w.allowMissingTagName}),d={},k=w&&w.tags,z=w&&w.scriptTypes;if(h(p,d),k&&h(k,d),z)for(v ar M=z.length-1;M>=0;M--)d.script.unshift(["type",z[M].matches,z[M].mode]);function _(W,E){var N=c.t oken(W,E.htmlState),G=/\btag\b/.test(N),J;if(G&&!/[<>\s\/]/.test(W.current())&&(J=E.htmlState.tagNam e&&E.htmlState.tagName.toLowerCase())&&d.hasOwnProperty(J))E.inTag=J+" ";else
    turn j.match(D,!1)?(V.token=_,V.localState=V.localMode=null,null):v(j,Q,V.localMode.token(j,V.localState))},E.localMode=0,E.localState=o.startState(0,c.indent(E.htmlState,"",""))}else
E.inTag&&(E.inTag+=W.current(),W.eol()&&(E.inTag+="""));return {\startState:function(){\var} W=
    o.startState(c);return{token: ,inTag:null,localMode:null,localState:null,htmlState:W}},copyState:fun
    ction(W){var E;return W.localState&&(E=o.copyState(W.localMode,W.localState)),{token:W.token,inTag:W
    inTag,localMode:W.localMode,localState:E,htmlState:o.copyState(c,W.htmlState)}},token:function(W,E)
{return E.token(W,E)},indent:function(W,E,N){return!W.localMode||/^\s*<\//.test(E)?c.indent(W.htmlSt</pre>
ate,E,N):W.localMode.indent?W.localMode.indent(W.localState,E,N):o.Pass},innerMode:function(W){retur
   d.tokenize=h, "tag";if(c.match("{%"))return d.tokenize=g, "tag";if(c.match("{#"))return d.tokenize=T, "comment";for(;c.next()!=null&&!c.match(/\{[{%#]/,!1););return null}function
    s(c,d){return
    M=k.next(); M=="\\ \&(z.escapeNext=!0) \} return" string" \} \\ function \ h(c,d) \\ \{if(d.waitDot) \\ \{if(d.waitDot=!1, d.waitDot) \\ \{if(d.waitDot) \\ \{if(d.waitDot=!1, d.waitDot) \\ \{if(d.waitDot) \\ \{if(d.waitDot=!1, d.waitDot) \\ \{if(d.waitDot) \} \\ \{if(d.waitDot) \\ \{if(d.waitDot) \\ \{if(d.waitDot) \} \} \} \} \} \} \}
    c.peek()!=".")return"null";if(c.match(/\.\W+/))return"error";if(c.eat("."))return
    d.waitProperty=!0,"null";throw Error("Unexpected error while waiting for property."))if(d.waitPipe){
    if(d.waitPipe=!1,c.peek()!="|")return"null";if(c.match(/\.\W+/))return"error";if(c.eat("|"))return
    d.waitFilter=!0,"null";throw Error("Unexpected error while waiting for filter.")}return d.waitProper
    ty\&\&(d.waitProperty=!1,c.match(/\b(\w+)\b/))?(d.waitDot=!0,d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"property"):d.waitFilter\&\&(d.waitPipe=!0,"pr
    d.waitFilter=!1,c.match(v))?"variable-
     2":c.eatSpace()?(d.waitProperty=!1,"null"):c.match(/\b\d+(\.\d+)?\b/)?"number":c.match("'")?(d.tokenize=s("",d.tokenize),"string"):c.match(/\b(\w+)\b/)&&!d.foundVariable?(d.waitDot=!0,d.waitPipe=!0,"variable"):c.match("}}")?(d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=null,d.waitProperty=nul
   .waitFilter=null,d.waitDot=null,d.waitPipe=null,d.tokenize=S,"tag"):(c.next(),"null")}function g(c,d) {if(d.waitDot){if(d.waitDot=!1,c.peek()!=".")return"null";if(c.match(/\.\W+/))return"error";if(c.eat("."))return d.waitProperty=!0,"null";throw Error("Unexpected error while waiting for property.")}i
    f(d.waitPipe) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) = (1,c.peek) =
```

```
("|")))return d.waitFilter=!0,"null";throw Error("Unexpected error while waiting for
   filter.")\}if(d.waitProperty&&(d.waitProperty=!1,c.match(/\b(\w+)\b/)))return d.waitDot=!0,d.waitPipe
   =!0, "property"; if(d.waitFilter&&(d.waitFilter=!1,c.match(v)))return"variable-
 2";if(c.eatSpace())return
d.waitProperty=!1,"null";if(c.match(/\b\d+(\.\d+)?\b/))return"number";if(c.match("'"))return
d.tokenize=s("",d.tokenize),"string";if(c.match('"'))return d.tokenize=s("",d.tokenize),"string";if(c.match(C))return"operator";if(c.match(b))return"keyword";var k=c.match(p);return k?(k[0]=="comment k"&&(d.blockCommentTag=!0),"keyword"):c.match(/\b(\w+)\b/)?(d.waitDot=!0,d.waitPripe=!0,"variable"):c
t"&&(d.blockCommentTag=!0),"keyword"):c.match(/\b(\w+)\b/)?(d.waitDot=!0,d.waitPipe=!0,"variable"):c
.match("%}")?(d.waitProperty=null,d.waitFilter=null,d.waitDot=null,d.waitPipe=null,d.blockCommentTag
?(d.blockCommentTag=!1,d.tokenize=w):d.tokenize=S,"tag"):(c.next(),"null")}function T(c,d){return
c.match(/^.*?#\}/)?d.tokenize=S:c.skipToEnd(),"comment"}function w(c,d){return c.match(/\{%\s*endcom
ment\s*%\}/,!1)?(d.tokenize=g,c.match("{\%"},"tag"):(c.next(),"comment")}return{startState:function()
{return{tokenize:S}},token:function(c,d){return d.tokenize(c,d)},blockCommentStart:"{\% comment
%}",blockCommentEnd:"{\% endcomment \%}"}}),o.defineMode("django",function(p){var
v=o.getMode(p,"text/html"),C=o.getMode(p,"django:inner");return
o.overlayMode(v,C)}),o.defineMIME("text/x-django","django")}));var
Di=Ke((Hs,Ws)=>{(function(o){typeof Hs=="object"&&typeof Ws=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict":o.defineSimpleMode=function(w.c){o.defineMode(w.function(d){return
   strict";o.defineSimpleMode=function(w,c){o.defineMode(w,function(d){return
 o.simpleMode(d,c)})},o.simpleMode=function(w,c){o.derInteMode(w,t)ntction(d){return}}, o.simpleMode(d,c)})},o.simpleMode=function(w,c){p(c,"start");var d={},k=c.meta||{},z=!1;for(var M in c)if(M!=k&&c.hasOwnProperty(M))for(var \_=d[M]=[],W=c[M],E=0;E<W.length;E++){var N=W[E];}_.push(new b(N,c)),(N.indent||N.dedent)&&(z=!0)}var G={startState:function()}{return{state:"start",pending:null,}}
   local:null,localState:null,indent:z?[]:null}},copyState:function(re){var q={state:re.state,pending:r
   e.pending.local:re.local,localState:null.indent:re.indent&&re.indent.slice(0)};re.localState&&(g.loc
   alState=o.copyState(re.local.mode,re.localState)),re.stack&&(q.stack=re.stack.slice(0));for(var 0=re
     .persistentStates;0;0=0.next)q.persistentStates={mode:0.mode,spec:0.spec,state:0.state==re.localStat
   e?q.localState:o.copyState(0.mode,0.state),next:q.persistentStates};return
   q},token:S(d,w),innerMode:function(re){return
   re.local&&{mode:re.local.mode,state:re.localState}},indent:T(d,k)};if(k)for(var J in
 k)k.hasOwnProperty(J)&&(G[J]=k[J]);return G};function p(w,c){if(!w.hasOwnProperty(c))throw new Error("Undefined state "+c+" in simple mode")}function v(w,c){if(!w)return/(?:)/;var d="";return w instanceof RegExp?(w.ignoreCase&&(d="i"),w.unicode&&(d+="u"),w=w.source):w=String(w),new RegExp((c===!1?"":"^")+"(?:"+w+")",d)}function C(w){if(!w)return null;if(w.apply)return w;if(typeof w=="string")return w.replace(\frac{1}{2}, \frac{1}{2}, c=[],d=0;d< w.length;d++)c.push(w[d]&&w[d].replace(/\./g," "));return c}function b(w,c){(w.next||w.pu
   sh)\&\&p(c,w.next||w.push), this.regex=v(w.regex), this.token=C(w.token), this.data=w) function
   S(w,c){return function(d,k){if(k.pending){var z=k.pending.shift();return k.pending.length==0&&(k.pending){var z=k.pending.shift();return k.pending.length==0&&(k.pending){var z=k.pending.shift();return k.pending.length==0&&(k.pending){var z=k.pending.shift();return k.pending.length==0&&(k.pending){var z=k.pending.shift();return k.pending.length==0&&(k.pending){var z=k.pending.shift();return k.pending.length==0&&(k.pending){var z=k.pending.shift();return k.pending.shift();return k.pending.s
   ding=null), d.pos+=z.text.length, z.token\} if (k.local) if (k.local.end \& d.match (k.local.end)) \{varante (k.local.end), d.pos+=z.text.length) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (varante (k.local.end)) \} (
   M=k.local.endToken||null;return k.local=k.localState=null,M}else{var
   M=k.local.mode.token(d,k.localState),_; return
  k.local.endScan&&(_=k.local.endScan.exec(d.current()))&&(d.pos=d.start+_.index),M}for(var W=w[k.state],E=0;E<W.length;E++){var N=W[E],G=(!N.data.sol||d.sol())&&d.match(N.regex);if(G){N.data.
   next?k.state=N.data.next:N.data.push?((k.stack||(k.stack=[])).push(k.state),k.state=N.data.push):N.d
   ata.pop&k.stack&k.stack.length&k(k.state=k.stack.pop()),k.data.mode&k(k.stack.length&k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.state=k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop()),k(k.stack.pop(
   data.indent&&k.indent.push(d.indentation()+c.indentUnit),N.data.dedent&&k.indent.pop();var
    J=N.\ token; if (J\&\&J.\ apply\&\&(J=J(G)), G.\ length>2\&\&N.\ token\&typeof\ N.\ token!="string") \{for (var\ re=2; re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., length=2, re<G.l., leng
   ength; re++)G[re]\&\&(k.pending||(k.pending=[])).push(\{text:G[re],token:N.token[re-1]\}); return and the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the proper
   d.next(),null}}function s(w,c){if(w===c)return!0;if(!w||typeof w!="object"||!c||typeof
   c!="object")return!1;var d=0;for(var k in
   \label{eq:without:bound} \textbf{w}) \texttt{if}(\texttt{w}.\texttt{has0wnProperty}(\texttt{k})||!s(\texttt{w}[\texttt{k}],\texttt{c}[\texttt{k}])) \texttt{return}!1; \texttt{d++}} \texttt{for}(\texttt{var k in}) \texttt{in} \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var k in} \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var}(\texttt{var k in}) \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in}) \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in} \texttt{var k in
   c)c.has0wnProperty(k)&d--;return d==0}function h(w,c,d,k){var z;if(d.persistent)for(var
   .mode||o.getMode(w,d.spec),W=z?z.state:o.startState(_);d.persistent&&!z&&(c.persistentStates=\{mode:\_,spec:d.spec,state:W,next:c.persistentStates\}\},c.localState=W,c.local=\{mode:\_,end:d.end&&v(d.end),endscan:d.end&&d.forceEnd!==!1&&v(d.end,!1),endToken:k&&k.join?k[k.length-1]:k}\}function g(w,c)\{for(var d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0\}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]===w)return!0}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]==-w)return!0}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]==-w)return!0}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]==-w)return!0}function T(w,c)\{return d=0;d<c.length;d++)if(c[d]=-w)return!0}function T(w,c){tende}function T(w,c){tende}function T(w,c){tende}function T(w,c){tende}function T(w,c){tende}function T(w,c){tende}func
   function(d,k,z){if(d.local&&d.local.mode.indent)return d.local.mode.indent(d.localState,k,z);if(d.in
   \\ dent == null | |d.local| | c.dontIndentStates \& g(d.state, c.dontIndentStates) >- 1) \\ return o.Pass; variable for the continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuou
  M=d.indent.length-1, =w[d.state];e:for(;;){for(var W=0;W<_.length;W++){var E=_[W];if(E.data.dedent&&E.data.dedentIfLineStart!==!1){var N=E.regex.exec(k);if(N&&N[0]){M--</pre>
      ,(Ē.next||E.push)&&(_=w[E.next||E.push]),k=k.slice(N[0].length);continue e}}}break}return
```

```
\verb|ull,"keyword",null],sol:!0,next:"arguments"|,{regex:/./,token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\s*$\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],from:[{regex:/\script{/},token:null}],fro
     next:"start"},{regex:/(\s*)[#.*)[/,token:[null,"error"],next:"start"],{regex:/(\s*\S+\s+)(as)/i,token:[null,"keyword"],next:"start"},{token:null,next:"start"}],single:[{regex:/(?:[^\\']|\\.)/,token:"string"},{regex:/',token:"string"},fregex:/"]|\\.)/,token:"string"},fregex:/"/,token:"string",pop:!0}],double:[{regex:/(?:[^\\"]|\\.)/,token:"string"},fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"string",fregex:/"/,token:"/,token:"/,tok
tring", {regex:/'/, token: "string", pop:!0}], double:[{regex:/(?:[^\\"]|\\.)/, token: "string"}, {regex:/"
/, token: "string", pop:!0}], array:[{regex:/\]/, token:null, next: "start"}, {regex:/"(?:[^\\"]|\\.)*"?/, token: "string"}], expose:[{regex:/\d+[]/, token: "number", next: "start"}, {regex:/[^\d]+[]/, token: null], next: "start"}, {regex:/\d+/, token: "number"}, {regex:/[^\d]+[]/, token: "string", next: "start"}], argument s:[{regex:/\start"}, {regex:/\start"}], argument s:[{regex:/\start"}], token: "string", next: "start"}, {regex://, token: "string", push: "single"}, {regex:/(^*!"]+\\.)*"?[]/, token: "string", next: "start"}, {regex:/'/, token: "string", push: "single"}, {regex:/(^*""]+\\.)*", token: "string", next: "start"}, {regex:/[/#""]+/, token: null, next: "start"}], meta:{\lineComment: "#"}} \), o. defineMIME("text/x-dockerfile", "dockerfile")}); var Xs=Ke((Gs,Zs)=>{(function(o){typeof Gs=="object"\s&typeof Zs=="object"\s&typeof Zs=="object"\s&typeof Zs=="object"\s\tatext/apl", mode: "apl", ext:["dyalog", "apl"]}, {name: "FGP", mimes: ["app lication/pgp", "application/pgp-encrypted", "application/pgp-keys", "application/pgp-signature"], mode: "ascilarmor", ext:["asc", "pgp", "sig"]}, {name: "Ext/x-tcn-asn", mode: "as n.1", ext:["asn", "asn1"]}, {name: "Asterisk", mime: "text/x-asterisk", mime: "text/x-brainfuck", ext:["c", "h", "ino"]}, {name: "C++", mime: "text/x-ch-asn", mime: "text/x-cobol", mode: "cobol", ext:["cob", "cpy", "cbl"]}, {name: "Clojure", mime: "text/x-clojure", mode: "clike", ext:["cs"], alias:["csharp", "cpy", "cbl"]}, {name: "Clojure", mime: "text/x-clojure", mode: "clike", ext:["cs"], alias:["csharp", "cpy", "cbl"]}, {name: "Clojure", mime: "text/x-clojure", mode: "clojure", ext:["clj", "cljc", "cljx"]}, {name: "ClojureScript", mime: "text/x-clojure", mode: "clojure", ext:["cdjs"]}, {name: "Closure Stylesheets (GSS)", mime: "text/x-cmake", mode: "cake", ext:["cdfees.ript", "cake.in"], file:/^CMakeLists\.tt[]/}, {name: "Coffees.cript"]}, {name: "Common coffees.cript"], ex
 cmake",mode:"cmake",ext:["cmake","cmake.in"],file:/^CMakeLists\.txt[/],{name:"CoffeeScript",mimes:["
application/vnd.coffeescript","text/coffeescript","text/x-
coffeescript"],mode:"coffeescript",ext:["coffee"],alias:["coffee","coffee-script"]},{name:"Common
Lisp",mime:"text/x-common-lisp",mode:"commonlisp",ext:["cl","lisp","el"],alias:["lisp"]},{name:"Cyphe
er",mime:"application/x-cypher-query",mode:"cypher",ext:["cyp","cypher"]},{name:"Cython",mode:"python",ext:["pyx","pxd","pxi"]},{name:"Crystal",mime:"text/x-
crystal",mode:"crystal",ext:["cr"]},{name:"CSS",mime:"text/css",mode:"css",ext:["css"]},{name:"CQL",
mime:"text/x-cassandra",mode:"sql",ext:["cql"]},{name:"D",mime:"text/x-
d",mode:"d",ext:["d"]},{name:"Dart",mimes:["application/dart","text/x-
dart"],mode:"dart",ext:["diff","patch"]},{name:"Django",mime:"text/x-
django",mode:"django"},{name:"Dockerfile",mime:"text/x-
dockerfile",mode:"dockerfile",file:/^Dockerfile[]/},{name:"DTD",mime:"application/xml-dtd",mode:"dtd"
.ext:["dtd"]},{name:"Dylan".mime:"text/x-
       ,ext:["dtd"]},{name:"Dylan",mime:"text/x-
dylan",mode:"dylan",ext:["dylan","intr"]},{name:"EBNF",mime:"text/x-
   dylan",mode:"dylan",ext:["dylan","dyl","intr"]},{name:"EBNF",mime:"text/x-
ebnf",mode:"ebnf"},{name:"ECL",mime:"text/x-
ecl",mode:"ecl",ext:["ecl"]},{name:"edn",mime:"application/edn",mode:"clojure",ext:["edn"]},{name:"E
iffel",mime:"text/x-eiffel",mode:"eiffel",ext:["e"]},{name:"Elm",mime:"text/x-
elm",mode:"elm",ext:["elm"]},{name:"Embedded
JavaScript",mime:"application/x-ejs",mode:"htmlembedded",ext:["ejs"]},{name:"Embedded Ruby",mime:"ap
plication/x-erb",mode:"htmlembedded",ext:["erb"]},{name:"Erlang",mime:"text/x-
erlang",mode:"erlang",ext:["erl"]},{name:"Esper",mime:"text/x-
esper",mode:"factor",ext:["factor"]},{name:"FCL",mime:"text/x-
factor",mode:"factor",ext:["factor"]},{name:"FCL",mime:"text/x-
factor",mode:"Forth" mime:"text/x-
         fcl", mode: "fcl"}, {name: "Forth", mime: "text/x-
     forth", mode: "fct }, {name: Forth ,mime: text/x-forth", mode: "forth", ext: ["forth", "4th"]}, {name: "Fortran", mime: "text/x-fortran", mode: "fortran", ext: ["f", "for", "f77", "f90", "f95"]}, {name: "F#", mime: "text/x-fsharp", mode: "mllike", ext: ["fs"], alias: ["fsharp"]}, {name: "Gas", mime: "text/x-gas", mode: "gas", ext: ["s"]}, {name: "Gherkin", mime: "text/x-feature", mode: "gherkin", ext: ["feature"]}, {name: "Gillus Flavored Markdown", mime: "text/x-gas", mode: "gherkin", ext: ["feature"]}, {name: "Gas", mime: "text/x-gas", mode: "gherkin", ext: ["feature"]}, {name: "Gas", mime: "text/x-gas", mode: "gherkin", ext: ["feature"]}, {name: "fasture", mime: "text/x-gas", mode: "gas", mime: "text/x-gas", mode: "gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/x-gas", mime: "text/
 gfm", file:/^(readme|contributing|history)\.md[/i},{name:"Go",mime:"text/x-go",mode:"go",ext:["go"]},{name:"Groovy",mime:"text/x-groovy",mode:"groovy",ext:["groovy",gradle"],file:/^Jenkinsfile[/],{name:"HAML",mime:"text/x-haml",mode:"haml",ext:["haml"]},{name:"Haskell",mime:"text/x-haskell",mode:"haskell",ext:["hs"]},{name:"Haskell (Literate)",mime:"text/x-literate-haskell",mode:"haskell-literate",ext:["lhs"]},{name:"Haskell (Literate)",mime:"text/x-haxe",mode:"haxe",ext:["hx"]},{name:"HXML",mime:"text/x-hxml",mode:"haxe",ext:["hxml"]},{name:"HXML",mime:"application/x-aspx",mode:"htmlembedded",ext:["aspx"],alias:["asp","aspx"]},{name:"HTML",mime:"text/html",mode:"htmlmixed",ext:["html","htm","handlebars","hbs"],alias:["xhtml"]},{name:"HTTP",mime:"message/http",mode:"http"},{name:"IDL",mime:"text/x-idl",mode:"idl",ext:["pro"]},{name:"Pug",mime:"text/x-pug",mode:"pug",ext:["jade","pug"],alias:["jade"]},{name:"Java",mime:"text/x-java",mime:"text/x-java",mode:"htmlembedded",ext:["jsp"],alias:["jsp"]},{name:"JavaScript",mimes:["text/javascript","text/emascript","application/y-javascript","application/y-gavascript","application/ecmascript","js","node:"javascript",ext:["js"],alias:["ecmascript","js","node"]}
         gfm", mode: "gfm", file:/^(readme|contributing|history)\.md□/i}, {name: "Go", mime: "text/x-
```

```
,{name:"JSON",mimes:["application/json","application/x-
    ,{name: JSON ,mimes:[ apptitation/json , apptitation/x-
json"],mode:"javascript",ext:["json","map"],alias:["json5"]},{name:"JSON-LD",mime:"application/ld+js
on",mode:"javascript",ext:["jsonld"],alias:["jsonld"]},{name:"JSX",mime:"text/jsx",mode:"jsx",ext:["
jsx"]},{name:"Jinja2",mime:"text/jinja2",mode:"jinja2",ext:["j2","jinja","jinja2"]},{name:"Julia",mi
me:"text/x-julia",mode:"julia",ext:["j1"],alias:["j1"]},{name:"Kotlin",mime:"text/x-
kotlin",mode:"clike",ext:["kt"]},{name:"LESS",mime:"text/x-
       less",mode:"css",ext:["less"]},{name:"LiveScript",mime:"text/x-
livescript",mode:"livescript",ext:["ls"],alias:["ls"]},{name:"Lua",mime:"text/x-
    Livescript",mode:"livescript",ext:["ls"],alias:["ls"]},{name:"Lua",mime:"text/x-
lua",mode:"lua",ext:["lua"]},{name:"Markdown",mime:"text/x-
markdown",mode:"markdown",ext:["markdown","md","mkd"]},{name:"mIRC",mime:"text/mirc",mode:"mirc"},{n
ame:"MariaDB SQL",mime:"text/x-mariadb",mode:"sql"},{name:"Mathematica",mime:"text/x-
mathematica",mode:"mathematica",ext:["m","nb","wl","wls"]},{name:"Modelica",mime:"text/x-
modelica",mode:"modelica",ext:["mo"]},{name:"MUMPS",mime:"text/x-
mumps",mode:"sql",{name:"ms SQL",mime:"text/x-
mssql",mode:"sql"},{name:"ms SQL",mime:"application/mbox",mode:"mbox",ext:["mbox"]},{name:"MySQL",mime:"text/x-
mssql",mode:"sql"},{name:"mscyl",mime:"application/mbox",mode:"mbox",ext:["mbox"]},{name:"MySQL",mime:"text/x-
mssql",mode:"sql"},{name:"mscyl",mime:"application/mbox",mode:"mbox",ext:["mbox"]},{name:"MySQL",mime:"text/x-
mssql",mode:"sql"},{name:"mscyl",mime:"application/mbox",mode:"mbox",ext:["mbox"]},{name:"MySQL",mime:"text/x-
mssql",mode:"sql"},{name:"mscyl",mime:"application/mbox",ext:["mbox"]},{name:"mscyl",mime:"text/x-
mssql",mode:"sql"},{name:"mscyl",mime:"application/mbox",mode:"mbox",ext:["mbox"]},{name:"mscyl",mime:"text/x-
mssql",mode:"sql"]},{name:"mscyl",mime:"application/mbox",mode:"mbox",ext:["mbox"]},{name:"mscyl",mime:"text/x-
mssql",mode:"sql"]},{name:"mscyl",mime:"text/x-
mssql",mime:"text/x-
mssql",mime:"text/x-
mssql",mime:"text/x-
mssql",mime:"text/x-
mssql",mime:"text/x-
mssql",mime:"t
 pgsql", mode: "sql"}, {name: "PowerShell", mime: "application/x-powershell", mode: "powershell", ext: ["psl", "psdl", "psml"]}, {name: "Properties files", mime: "text/x-properties", mode: "properties", ext: ["properties", "ini", "in"], alias: ["ini", "properties"]}, {name: "Proto Buf", mime: "text/x-protobuf", mode: "protobuf", ext: ["proto"]}, {name: "Python", mime: "text/x-python", mode: "python", ext: ["BUILD", "bzl", "py", "pyw"], file: /^(BUCK|BUILD) // }, {name: "Puppet", mime: "text/x-q", mode: "q", ext: ["pp"]}, {name: "Q", mime: "text/x-rsrc", mode: "r", ext: ["r", "R"], alias: ["rscript"]}, {name: "reStructuredText", mime: "text/x-rst", mode: "rst", ext: ["rst"], alias: ["rscript"]}, {name: "RPM Changes", mime: "text/x-rpm-changes", mode: "rpm"}, {name: "RPM Spec", mime: "text/x-rpm-spec", mode: "rpm", ext: ["spec"]}, {name: "Ruby", mime: "text/x-ruby", mode: "ruby", ext: ["rb"], alias: ["iruby", "macruby", "rake", "rb", "rby"], {name: "Rpw: "rby", mode: "ruby", ext: ["rb"], alias: ["iruby", "macruby", "rake", "rb", "rby"], {name: "Rpw: "rby", mode: "ruby", ext: ["rb"], alias: ["iruby", "macruby", "rake", "rby", "rby"], {name: "Rpw: "rby", mode: "ruby", ext: ["rb"], alias: ["iruby", "macruby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rake", "rby", "rby", "rby", "rby", "rake", "rby", "rby", "rby", "rby", "rby", "rby", "rby", "rby", "rb
ime: "text/x-
ruby", mode: "ruby", ext:["rb"], alias:["jruby", "macruby", "rake", "rb", "rbx"]}, {name: "Rust", mime: "text/x-
rustsrc", mode: "rust", ext:["rs"]}, {name: "SAS", mime: "text/x-
sas", mode: "sas", ext:["sas"]}, {name: "Sass", mime: "text/x-
sass", mode: "sass", ext:["sass"]}, {name: "Scass", mime: "text/x-
scala", mode: "clike", ext:["scala"]}, {name: "Scheme", mime: "text/x-
scheme", mode: "scheme", ext:["scala"]}, {name: "SCSS", mime: "text/x-
scss", mode: "css", ext:["scss"]}, {name: "Scheme", mime: "text/x-
scss", mode: "css", ext:["scss"]}, {name: "Shell", mime: ["text/x-sh", "application/x-
sh"], mode: "shell", ext:["sh", "ksh", "bash"], alias:["bash", "sh", "zsh"], file:/^PKGBUILD[]/}, {name: "Sieve", mime: "application/sieve", mode: "sieve", ext:["si"]}, {name: "Smaltalk", mime: "text/x-
stsrc", mode: "smaltalk", ext:["st"]}, {name: "Smarty", mime: "text/x-
smarty", mode: "smarty", ext:["tpl"]}, {name: "Solr", mime: "text/x-
solr", mode: "solr"}, {name: "SML", mime: "text/x-
solr", mode: "solr"}, {name: "Simu", "simackspec"]}, {name: "Soy", mime: "text/x-
soy", mode: "soy", ext:["soy"], alias:["closure template"]}, {name: "SPARQL", mime: "application/sparql-quer
y", mode: "sparql", ext:["rq", "sparql"], alias:["sparul"]}, {name: "Spreadsheet", mime: "text/x-
spreadsheet", mode: "spreadsheet", alias:["excel", "formula"]}, {name: "SQL", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQLite", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQL", mime: "text/x-
sql", mode: "sql", ext:["sql"]}, {name: "SQL", mime: "text/x-
sq
     sql",mode:"sql",ext:["sql"]},{name:"SQLite",mime:"text/x-
sqlite",mode:"sql"},{name:"Squirrel",mime:"text/x-
       squirrel", mode: "clike", ext: ["nut"]}, {name: "Stylus", mime: "text/x-
     styl", mode: "stylus", ext:["styl"]}, {name: "Swift", mime: "text/x-
swift", mode: "swift", ext:["swift"]}, {name: "sTeX", mime: "text/x-
     swlft",mode: "swlft",ext:["swlft"]},{name: SIEX",mime: Text/x-
stex",mode: "stex"},{name: "LaTeX",mime: "text/x-
latex",mode: "stex",ext:["text","ltx","tex"],alias:["tex"]},{name: "SystemVerilog",mime: "text/x-
systemverilog",mode: "verilog",ext:["v","sv","svh"]},{name: "Tcl",mime: "text/x-
tcl",mode: "tcl",ext:["tcl"]},{name: "Textile",mime: "text/x-
textile",mode: "textile",ext:["textile"]},{name: "TiddlyWiki",mime: "text/x-
    tiddlywiki", mode: 'tiddlywiki'], {name: 'Tiki wiki", mime: 'text/tiki", mode: "tiki"}, {name: "TOML", mime: "text/x-toml", mode: "toml"]}, {name: "Tornado", mime: "text/x-tornado", mode: "tornado"}, {name: "troff", mime: "text/troff", mode: "troff", ext: ["1", "2", "3", "4", "5", "6", "7", "8", "9"]}, {name: "TTCN", mime: "text/x-tcn", mode: "ttcn", ext: ["ttcn", "ttcn3", "ttcnpp"]}, {name: "TTCN_CFG", mime: "text/x-ttcn-cfg", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode: "ttcn", mode
```

```
cfg",ext:["cfg"]},{name:"Turtle",mime:"text/turtle",mode:"turtle",ext:["ttl"]},{name:"TypeScript",mi
me: "application/typescript", mode: "javascript", ext:["ts"], alias:["ts"]}, {name: "TypeScript"
JSX", mime: "text/typescript-
jsx",mode:"jsx",ext:["tsx"],alias:["tsx"]},{name:"Twig",mime:"text/x-twig",mode:"twig"},{name:"Web I
DL",mime:"text/x-webidl",mode:"webidl",ext:["webidl"]},{name:"VB.NET",mime:"text/x-
vb",mode:"vb",ext:["vb"]},{name:"VBScript",mime:"text/vbscript",mode:"vbscript",ext:["vbs"]},{name:"
vb ,mode: vb ,ext:[ vb ]},{iname: vbscript ,mime: text/vbscript ,mode: vbscript ,ext:[ vbs ]},{iname: vbscript ,mode: vbscript ,ext:[ vbs ]},{iname: vbscript ,mode: vbscript ,ext:[ vbs ]},{iname: vbscript ,mode: "verilog",mode: "text/x-verilog",mode: "verilog",ext:[ "v"]},{iname: "VHDL",mime: "text/x-vhdl",mode: "vhdl",ext:[ "vhd", "vhdl"]},{iname: "Vue.js Component",mimes:[ "script/x-vue", "text/x-vue"],mode: "vue"],{iname: "XML",mimes:[ "application/xml", "text/xml"],mode: "xml",ext:[ "xml","xsl","xsd", "svg"],alias:[ "rss", "wsdl", "xsd"]},{iname: "XQuery",mime: "application/xquery",mode: "xquery",ext:[ "xy", "xquery"], {iname: "Yacas",mime: "text/x-very", "xduery", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sydl", "sy
y",ext:["xy","xquery"]},{name:"Yacas",mime:"text/x-
yacas",mode:"yacas",ext:["ys"]},{name:"YAML",mimes:["text/x-
yaml","text/yaml"],mode:"yaml",ext:["yaml","yml"],alias:["yml"]},{name:"Z80",mime:"text/x-
z80",mode:"z80",ext:["z80"]},{name:"mscgen",mime:"text/x-
mscgen",mode:"mscgen",ext:["mscgen","mscin","msc"]},{name:"xu",mime:"text/x-
xu",mode:"mscgen",ext:["xu"]},{name:"mscgenny",mime:"text/x-
xu",mode:"mscgen",ext:["xu"]},{name:"mscgenny",mime:"text/x-
msgenny",mode: mscgen",ext:[ xu ];,{name: msgenny ,mime: text/x-
msgenny",mode:"mscgen",ext:["msgenny"]},{name: "WebAssembly",mime: "text/webassembly",mode: "wast",ext:
["wat","wast"]}];for(var p=0;p<o.modeInfo.length;p++){var</pre>
v=o.modeInfo[p];v.mimes&&(v.mime=v.mimes[0])}o.findModeByMIME=function(C){C=C.toLowerCase();for(var
b=0;b<o.modeInfo.length;b++){var S=o.modeInfo[b];if(S.mime==C)return S;if(S.mimes){for(var s=0;s<S.mimes.length;s++)if(S.mimes[s]==C)return S}}if(/\+xml_/.test(C))return
o.findModeByMIME("application/xml");if(/\+json□/.test(C))return
o.findModeByMIME("application/json")},o.findModeByExtension=function(C){C=C.toLowerCase();for(var
b=0;b<o.modeInfo.length;b++){var S=o.modeInfo[b];if(S.ext){for(var
s=0;s<S.ext.length;s++)if(S.ext[s]==C)return S}}},o.findModeByFileName=function(C){for(var b=0;b<o.modeInfo.length;b++){var S=o.modeInfo[b];if(S.file&&S.file.test(C))return S}var s=C.lastIndexOf("."),h=s>-1&&C.substring(s+1,C.length);if(h)return o.findModeByExtension(h)},o.findModeByExtension(c){C=C.toLowerCase();for(var
b=0;b<o.modeInfo.length;b++){var S=o.modeInfo[b];if(S.name.toLowerCase()==C)return
S;if(S.alias){for(var s=0;s<S.alias.length;s++)if(S.alias[s].toLowerCase()==C)return S}}})));var Jo=Ke((Ys,Qs)=>{(function(o){typeof Ys=="object"&&typeof Qs=="object"?o(We(),mn(),Xs()):typeof defin e=="function"&&define.amd?define(["../../lib/codemirror","../xml/xml","../meta"],o):o(CodeMirror)})(function(o){"use strict";o.defineMode("markdown",function(p,v){var C=o.getMode(p,"text/html"),b=C.name=="null";function S(I){if(o.findModeByName){var defineModePyName(I)}.ts(I)});var defineModePyName(I):ts(I) | mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| mimoly| m
L=o.findModeByName(I);L&&(I=L.mime||L.mimes[0])}var de=o.getMode(p,I);return
de.name=="null"?null:de}v.highlightFormatting===void
0&&(v.highlightFormatting=!1),v.maxBlockquoteDepth===void
0&&(v.maxBlockquoteDepth=0),v.taskLists===void 0&&(v.taskLists=!1),v.strikethrough===void
0&&(v.strikethrough=!1),v.emoji===void 0&&(v.emoji=!1),v.fencedCodeBlockHighlighting===void
0&&(v.fencedCodeBlockHighlighting=!0),v.fencedCodeBlockDefaultMode===void
0&&(v.fencedCodeBlockDefaultMode="text/plain"),v.xml===void
0&&(v.rentedcodestockberadtrinde='text/ptain',v.xmt===void 0&&(v.xml=!0),v.tokenType0verrides===void 0&&(v.tokenType0verrides={});var s={header:"header",code:"comment",quote:"quote",list1:"variable-2",list2:"variable-3",list3:"keyword",hr:"hr",image:"image",imageAltText:"image-alt-text",imageMarker:"image-marker",formatting:"formatting:"linkInline:"link",linkEmail:"link",link",linkHref:"string",em:"em",s
trong: "strong", strikethrough: "strikethrough", emoji: "builtin"}; for(var h in
`+)[ \t]*([\w\/+#-
 \u055F\u0589\u058A\u05BE\u05C0\u05C3\u05C6\u05F3\u05F4\u0609\u060A\u060C\u060D\u061B\u061F\u06
6A-\u066D\u06D4\u0700-\u070D\u07F7-\u07F9\u0830-
 \u083E\u085E\u0964\u0965\u0970\u0AF0\u0DF4\u0E4F\u0E5A\u0E5B\u0F04-\u0F12\u0F14\u0F3A-
\u0F3D\u0F85\u0FD0-\u0FD4\u0FD9\u0FDA\u104A-\u104F\u10FB\u1360-
 \u1368\u1400\u166D\u166E\u169B\u169C\u16EB-\u16ED\u1735\u1736\u17D4-\u17D6\u17D8-\u17DA\u1800-
\u180A\u1944\u1945\u1A1E\u1A1F\u1AA0-\u1AA6\u1AA8-\u1AAD\u1B5A-\u1B60\u1BFC-\u1BFF\u1C3B-\u1C3F\u1C7F\u1CC0-\u1CC7\u1CD3\u2010-\u2027\u2030-\u2043\u2045-\u2051\u2053-
 \u205E\u207D\u207E\u208D\u208E\u2308-\u230B\u2329\u232A\u2768-\u2775\u27C5\u27C6\u27E6-\u27EF\u2983-
\u3003\u3008-\u3011\u3014-\u301F\u3030\u303D\u30A0\u30FB\uA4FE\uA4FF\uA60D-\uA60F\uA673\uA67E\uA67E
\uA6F7\uA874-\uA877\uA8CE\uA8CF\uA8F8-\uA8FA\uA8FC\uA92E\uA92F\uA95F\uA9C1-\uA9CD\uA9DE\uA9DF\uA9DF\
 \uAA5F\uAADE\uAADF\uAAF0\uAAF1\uABEB\uFD3E\uFD3F\uFE10-\uFE19\uFE30-\uFE52\uFE54-
\uFF3D\uFF3F\uFF5B\uFF5D\uFF5F-\uFF65]|\uD800[\uDD00-
 \uDD02\uDF9F\uDFD0]|\uD801\uDD6F|\uD802[\uDC57\uDD1F\uDD3F\uDE50-\uDE58\uDE7F\uDEF0-\uDEF6\uDF39-
\uDF3F\uDF96 \uDF9C] \uD804 [\uDC47 -\uDC4D\uDCBB\uDCBC\uDCBE -\uDCC1\uDD40 -\uDD43\uDD74\uDD75\uDD75
\uDDC9\uDDCD\uDDDB\uDDDD-\uDDDF\uDE38-\uDE3D\uDEA9]|\uD805[\uDCC6\uDDC1-\uDDD7\uDE41-\uDE43\uDF3C-
\uDF3E]|\uD809[\uDC70-\uDC74]|\uD81A[\uDE6E\uDE6F\uDEF5\uDF37-
\uDF3B\uDF44]|\uD82F\uDC9F|\uD836[\uDE87-\uDE8B]/,W="
                                                                                                                                           ";function E(I,L,de){return
L.f=L.inline=de,de(I,L) function N(I,L,de) {return L.f=L.block=de,de(I,L)} function
```

```
G(I)\{return!I||!/\S/.test(I.string)\}\\ function\ J(I)\{if(I.linkTitle=!1,I.linkHref=!1,I.linkText=!1,I.em,I)\}\\ function\ J(I)\{if(I.linkTitle=!1,I.linkHref=!1,I.linkHref=!1,I.linkText=!1,I.em,I)\}\\ function\ J(I)\{if(I.linkTitle=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=!1,I.linkHref=
 =!1,I.strong=!1,I.strikethrough=!1,I.quote=0,I.indentedCode=!1,I.f==q){var L=b;if(!L){var de=o.inner
 Mode(C,I.htmlState); L=de.mode.name=="xml"&&de.state.tagStart===null&&!de.state.context&&de.state.tok
 enize.isInText}L&&(I.f=j,I.block=re,I.htmlState=null)}return I.trailingSpace=0,I.trailingSpaceNewLin
 e=!1,I.prevLine=I.thisLine,I.thisLine={stream:null},null}function re(I,L){var de=I.column()===L.inde
 ntation,ze=G(L.prevLine.stream),pe=L.indentedCode,Ee=L.prevLine.hr,ge=L.list!==!1,0e=(L.listStack[L.
1];) L. listStack.pop(), L. listStack.length? L. indentation = L. listStack[L. listStack.length-listStack] listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length-listStack.length
 1]:L.list=!1;L.list!==!1&&(L.indentationDiff=qe-L.listStack[L.listStack.length-1])jvar Se=!ze&&!Ee&&
 !L.prevLine.header&&(!ge||!pe)&&!L.prevLine.fencedCodeEnd,Be=(L.list===!1||Ĕe||ze)&&L.indentation<=0
 e&&I.match(g),Ze=null;if(L.indentationDiff>=4&&(pe||L.prevLine.fencedCodeEnd||L.prevLine.header||ze))return I.skipToEnd(),L.indentedCode=!0,s.code;if(I.eatSpace())return
 null; if (de\&\&L.indentation <= 0e\&\&(Ze=I.match(c))\&\&Ze[1].length <= 6) return \ L.quote = 0, L.header = Ze[1].length <= 1, L.quote <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.header <= 1, L.
 th,L.thisLine.header=!0,v.highlightFormatting&&(L.formatting="header"),L.f=L.inline,D(L);if(L.indent
 ation<=0e&&I.eat(">"))return L.quote=de?1:L.quote+1,v.highlightFormatting&&(L.formatting="quote"),I.
 eatSpace(),D(L);if(!Be&&!L.setext&&de&&L.indentation<=0e&&(Ze=I.match(T))){var
 ke=Ze[1]?"ol":"ul";return L.indentation=qe+I.current().length,L.list=!0,L.quote=0,L.listStack.push(L
 \begin{array}{ll} \text{indentation}, \text{L.em} = !1, \text{L.strong} = !1, \text{L.code} = !1, \text{L.strikethrough} = !1, \text{v.taskLists\&\&I.match(w, !1)\&\&(L.taskList=!0)}, \text{L.f} = \text{L.inline}, \text{v.highlightFormatting\&\&\&(L.formatting} = ["list", "list-"+ke]), \text{D(L)}else \{ \text{if (de\&\&L.indentation} <= \text{0e\&\&(Ze=I.match(z, !0))}) \text{ return L.quote} = 0, \text{L.fencedEndRE} = \text{new} \\ \text{RegExp(Ze[1]+"+ *\sqrt{"}"), L.localMode} = \text{v.fencedCodeBlockHighlighting\&\&S(Ze[2]||v.fencedCodeBlockDefaultModeLines } \\ \end{array} 
 e),L.localMode&&(L.localState=o.startState(L.localMode)),L.f=L.block=0,v.highlightFormatting&&(L.for
matting="code-block"),L.code=-
1,D(L);if(L.setext||(!Se||!ge)&&!L.quote&&L.list===!1&&!L.code&&!Be&&!M.test(I.string)&&(Ze=I.lookAh
ead(1))\&\&(Ze=Ze.match(d))) \\ return L.setext?(L.header=L.setext,L.setext=0,I.skipToEnd(),v.highlightFormatting\&\&(L.formatting="header")):(L.header=Ze[0].charAt(0)=="="?1:2,L.setext=L.header),L.thisLine.h
 eader=!0, L.f=L.inline, D(L); if (Be) return
I.skipToEnd(), L.hr=!0, L.thisLine.hr=!0, s.hr; if (I.peek()==="["]) return \ E(I,L,F) \} return \ E(I,L,L.inline) \} function \ q(I,L) \{ var \ de=C.token(I,L.htmlState); if (!b) \{ var \ ze=o.innerMode(C,L.htmlState) \} \} return \ equation \ q(I,L) \{ var \ de=C.token(I,L.htmlState) \} return \ equation \ q(I,L) \{ var \ de=C.token(I,L.htmlState) \} return \ equation \ q(I,L) \{ var \ de=C.token(I,L.htmlState) \} return \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \ equation \
e);(ze.mode.name=="xml"&&ze.state.tagStart===null&&!ze.state.context&&ze.state.tokenize.isInText||L.md_inside&&I.current().indexOf(">")>-1)&&(L.f=j,L.block=re,L.htmlState=null)}return de}function
 O(\overline{I},L){var de=L.listStack[L.listStack.length-
1 \\ | | | 0, ze=L. \\ indentation \\ de, pe=de+3; \\ if (L. fencedEndRE\&L. \\ indentation \\ = pe\&(ze||I.match(L. fencedEndRE))) \\ \{v.highlightFormatting\&\&(L. formatting="code-block"); \\ var Ee; \\ return ze||(Ee=D(L)), \\ L.localMode=L.localS(L.formatting="code-block"); \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ var Ee; \\ va
 tate=null,L.block=re,L.f=j,L.fencedEndRE=null,L.code=0,L.thisLine.fencedCodeEnd=!0,ze?N(I,L,L.block)
   :Ee}else return L.localMode?L.localMode.token(I,L.localState):(I.skipToEnd(),s.code)}function
D(I){var L=[];if(I.formatting){L.push(s.formatting), typeof
I.formatting=="string"&&(I.formatting=[I.formatting]);for(var de=0;de<I.formatting.length;de++)L.pus
h(s.formatting+"-"+I.formatting[de]),I.formatting[de]==="header"&&L.push(s.formatting+"-
    "+I.formatting[de]+"-
  "+I.header), I.formatting[de] === "quote" \& \& (!v.maxBlockquoteDepth| | v.maxBlockquoteDepth >= I.quote? L.push | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth | v.maxBlockquoteDepth 
(s.formatting+"-"+I.formatting[de]=== quote &&(:v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebeptn||v.maxbtockquotebep
kethrough\&L.push(s.strikethrough),I.emoji\&L.push(s.emoji),I.linkText\&L.push(s.linkText),I.code\&L.push(s.code),I.image\&L.push(s.image),I.imageAltText\&L.push(s.imageAltText,"link"),I.imageMarker\&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageMarker&L.push(s.imageAltText,"link"),I.imageAltText,"link"),I.imageAltText, "link"),I.imageAltText, "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "link", "l
 L.push(s.imageMarker)), I.header&L.push(s.header,s.header+"
"+I.header),I.quote&&(L.push(s.quote),!v.maxBlockquoteDepth||v.maxBlockquoteDepth>=I.quote?L.push(s.quote+"-"+I.quote):L.push(s.quote+"-"+v.maxBlockquoteDepth)),I.list!==!1){var
ze=(I.listStack.length-1)%3;ze?ze===1?L.push(s.list2):L.push(s.list3):L.push(s.list1)}return
I.trailingSpaceNewLine?L.push("trailing-space-new-line"):I.trailingSpace&&L.push("trailing-space-"+(I.trailingSpace%2?"a":"b")),L.length?L.join(" "):null}function
Q(I,L){if(I.match(k,!0))return D(L)}function j(I,L){var de=L.text(I,L);if(typeof de<"u")return de;if(L.list)return L.list=null,D(L);if(L.taskList){var ze=I.match(w,!0)[1]===" ";return ze?L.taskOp
 en=!0:L.taskClosed=!0,v.highlightFormatting&&(L.formatting="task"),L.taskList=!1,D(L)}if(L.taskOpen=
!1,L.taskClosed=!1,L.header&\&T.match(/^\#+[]/!0))return v.highlightFormatting&&(L.formatting="header"),D(L);var
 pe=I.next();if(L.linkTitle){L.linkTitle=!1;var
 ge="^\\s*(?:[^"+Ee+"\\\]+|\\\\\||\\\.)"+Ee;if(I.match(new RegExp(ge),!0))return s.linkHref}if(pe==="`"){var
 Oe=L.\ formatting; v.\ highlightFormatting \& \& (L.\ formatting="code"), I.\ eat While ("`"); varable and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
 qe=I.current().length;if(L.code==0&&(!L.quote||qe==1))return L.code=qe,D(L);if(qe==L.code){var
 Se=D(L); return L.code=0,Se}else return L.formatting=0e,D(L)}else if(L.code)return
*?\)| ?\[.*?\])/,!1))return L.imageMarker=!1,L.imageAltText=!0,v.highlightFormatting&(L.formatting=
 "image"),D(L);if(pe==="]"&&L.imageAltText){v.highlightFormatting&&(L.formatting="image");var
Be=D(L); return L.imageAltText=!1,L.image=!1,L.inline=L.f=y,Be}if(pe==="["&&!L.image) return L.linkTex t&&I.match(/^.*?\]/)||(L.linkText=!0,v.highlightFormatting&&(L.formatting="link")),D(L);if(pe==="]"&
 &L.linkText)\{v.highlightFormatting\&(L.formatting="link"); var Be=D(L); return = 0.15 formatting="link" \)
```

```
s?):\/\/(?:[^\>]|\\.)+>/,!1)){L.f=L.inline=V,v.highlightFormatting&&(L.formatting="link");varBe=D(L);return Be?Be+=" ":Be="",Be+s.linkInline}if(pe==="<"&&I.match(/^[^>
\\]+\@(?:[^\\>]\\.)+>/,!1))\{L.f=L.inline=V,v.highlightFormatting&\(L.formatting="link");var\)
\Be=D(L);return Be?Be+=" ":Be="",Be+s.linkEmail\)if(v.xml&&pe==="<"&&I.match(/^(!--\?|!\[CDATA\[|[a-z][a-z0-9-]*(?:\s+[a-z_:\-]+(?:\s*=\s*[^>]+)?)*\s*(?:>\[]))/i,!1))\{var\} ke=I.string.indexOf(">",I.pos);if(ke!=-1)\{var\} le=I.string.substring(I.start,ke);/markdown\s*=\s*('|")\]
\[ \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \lambda \la
 \{0,1\}1('|")\{0,1\}/.test(Je)\&(L.md inside=!0)\}return
I.backUp(1),L.htmlState=o.startState(C),N(I,L,q)}if(v.xml&&pe==="<"&&I.match(/^\/\w*?>/))return
L.md_inside=!1,"tag";if(pe==="*"||pe==="_"){for(var Re=1,Ge=I.pos==1?"
":I.string.charAt(I.pos-2);Re<3&&I.eat(pe);)Re++;var U=I.peek()||" ",Z=!/\s/.test(U)&&(!_.test(U)||/</pre>
\s/.test(Ge)||_.test(Ge)),ce=!/\s/.test(Ge)&&(!_.test(Ge)||/\s/.test(U)||_.test(U)),He=null,te=null;
if(Re%2&&(!L.em&&Z&&(pe=="*"||!ce||_.test(Ge))?He=!0:L.em==pe&&ce&&(pe==="*"||!Z||_.test(U))&&(He=!
1)),Re>1&&(!L.strong&&Z&&(pe==="*"||!ce||_.test(Ge))?te=!0:L.strong==pe&&ce&&(pe==="*"||!Z||_.test(U))
 ))&&(te=!1)),te!=null||He!=null){v.highlightFormatting&&(L.formatting=He==null?"strong":te==null?"em
      :"strong em"),He===!0&&(L.em=pe),te===!0&&(L.strong=pe);var Se=D(L);return
~"&&I.eatWhile(pe)){if(L.strikethrough){v.highlightFormatting&&(L.formatting="strikethrough");var
Se=D(L); return L.strikethrough=!1,Se}else if(I.match(/^[^\s]/,!1)) return L.strikethrough=!0,v.highlightFormatting&&(L.formatting="strikethrough"),D(L)}else if(pe===""&&I.match("~~",!0)) {if(I.peek()==="")return D(L);I.backUp(2)}}if(v.emoji&&pe===":"&&I.match(/^(?:[
a-z_\d+][a-z_\d+-]*|\-[a-z_\d+-][a-z_\d+-]
]*):/)){L.emoji=!0,v.highlightFormatting&&(L.formatting="emoji");var fe=D(L);return
L.emoji=!1,fe}return pe===" "&&(I.match(/^
+[]/,!1)?L.trailingSpace++:L.trailingSpace&&(L.trailingSpaceNewLine=!0)),D(L)}function V(I,L){var
 de=I.next(); if (de===">") \{L.f=L.inline=j,v.highlightFormatting\&\&(L.formatting="link"); var ze=D(L); return ze?ze+=" ":ze="",ze+s.linkInline} return I.match(/^[^>]+/,!0),s.linkInline} function
\(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\) \(\frac{1}{\}\
 pe=D(de); return de.linkHref=!1,pe}return L.match(K[I]), de.linkHref=!0,D(de)}function F(I,L){return
  I.match(/^([^\]\\]|\\.)*\]:/,!1)?(L.f=R,I.next(),v.highlightFormatting&&(L.formatting="link"),L.link
re,htmlState:null,indentation:0,inline:j,text:Q,formatting:!1,linkText:!1,linkHref:!1,linkTitle:!1,c ode:0,em:!1,strong:!1,header:0,setext:0,hr:!1,taskList:!1,list:!1,listStack:[],quote:0,trailingSpace
 :0,trailingSpaceNewLine:!1,strikethrough:!1,emoji:!1,fencedEndRE:null}},copyState:function(I){return {f:I.f,prevLine:I.prevLine,thisLine:I.thisLine,block:I.block,htmlState:I.htmlState&&o.copyState(C,I.
 htmlState),indentation:I.indentation,localMode:I.localMode,localState:I.localMode?o.copyState(I.loca
 lMode,I.localState):null,inline:I.inline,text:I.text,formatting:!1,linkText:I.linkText,linkTitle:I.l
 inkTitle,linkHref:I.linkHref,code:I.code,em:I.em,strong:I.strong,strikethrough:I.strikethrough,emoji
 :I.emoji,header:I.header,setext:I.setext,hr:I.hr,taskList:I.taskList,list:I.list,listStack:I.listStack:I.listStack
 ck.slice(0),quote:I.quote,indentedCode:I.indentedCode,trailingSpace:I.trailingSpace,trailingSpaceNew
 Line:I.trailingSpaceNewLine,md inside:I.md inside,fencedEndRE:I.fencedEndRE}},token:function(I,L){if
 (L.formatting=!1,I!=L.thisLine.stream){if(L.header=0,L.hr=!1,I.match(/^\s*[]/,!0))return J(L),null;if (L.prevLine=L.thisLine,L.thisLine={stream:I},L.taskList=!1,L.trailingSpace=0,L.trailingSpaceNewLine=
!1,!L.localState\&\&(L.f=L.block,L.f!=q)) \{var\ de=I.match(/^s*/,!0)[0].replace(/\t/g,W).length;if(L.indentation=de,L.indentationDiff=null,de>0) return null} \} return \ L.f(I,L) \}, innerMode: function(I) \{return \ return I.block == q?\{state: I.htmlState, mode: C\}: I.localState?\{state: I.localState, mode: I.localMode\}: \{state: I, mode: C\}: I.localState = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue = qrue 
 \label{eq:de:xe} $$ de:xe}, indent:function(I, L, de) {return I.block==q&&C.indent?C.indent(I.htmlState, L, de):I.localState& (I.htmlState, L, de):I.local
de:xe}},indent:runction(1,L,de){return 1.block==q&&c.indent(L.indent(1.intmlstate,L,de):1.localstate&
&I.localMode.indent?I.localMode.indent(I.localState,L,de):0.Pass},blankLine:J,getType:D,blockComment
Start:"<!--",blockCommentEnd:"-->",closeBrackets:"()[]{}''\"\"`",fold:"markdown"};return xe},"xml")
,o.defineMIME("text/markdown"),"markdown"),o.defineMIME("text/x-markdown","markdown")})});var
eu=Ke((Vs,Js)=>{(function(o){typeof Vs=="object"&&typeof Js=="object"?o(We(),Jo(),Yn()):typeof defin
e=="function"&&define.amd?define(["../../lib/codemirror","../markdown/markdown","../../addon/mode/ov
erlay"],o):o(CodeMirror)})(function(o){"use strict";var p=/^((?:(?:aaas?|about|acap|adiumxtra|af[ps]
 |aim|apt|attachment|aw|beshare|bitcoin|bolo|callto|cap|chrome(?:-extension)?|cid|coap|com-
 eventbrite-attendee|content|crid|cvs|data|dav|dict|dlna-
 (?:playcontainer|playsingle)|dns|doi|dtn|dvb|ed2k|facetime|feed|file|finger|fish|ftp|geo|gg|git|gizm
 oproject|go|gopher|gtalk|h323|hcp|https?|iax|icap|icon|im|imap|info|ipn|ipp|irc[6s]?|iris(?:\.beep|\
  .lwz|\.xpc|\.xpcs)?|itms|jar|javascript|jms|keyparc|lastfm|ldaps?|magnet|mailto|maps|market|message|
mid|mms|ms-help|msnim|msrps?|mtqp|mumble|mupdate|mvn|news|nfs|nih?|nntp|notes|oid|opaquelocktoken|pa lm|paparazzi|platform|pop|pres|proxy|psyc|query|res(?:ource)?|rmi|rsync|rtmp|rtsp|secondlife|service
 |session|sftp|sgn|shttp|sieve|sips?|skype|sm[bs]|snmp|soap\.beeps?|soldat|spotify|ssh|steam|svn|tag|
 teamspeak|tel(?:net)?|tftp|things|thismessage|tip|tn3270|tv|udp|unreal|urn|ut2004|vemmi|ventrilo|vie
 w-source|webcal|wss?|wtai|wyciwyg|xcon(?:-
```

```
userid)?|xfire|xmlrpc\.beeps?|xmpp|xri|ymsgr|z39\.50[rs]?):(?:\/{1,3}|[a-z0-9%])|www\d{0,3}[.]|[a-z0-9%]
 z0-9.\-]+[.][a-
 z]{2,4}\/)(?:[^\s()<>]|\([^\s()<>]*\))+(?:\([^\s()<>]*\)|[^\s`*!()\[\]{};:'".,<>?«»""'']))/i;o.defin
 eMode("gfm",function(v,C){var b=0;function S(T){return T.code=!1,null}var s={startState:function(){r
 eturn{code:!1,codeBlock:!1,ateSpace:!1}},copyState:function(T){return{code:T.code,codeBlock:T.codeBl
 ock,ateSpace:T.ateSpace}},token:function(T,w){if(w.combineTokens=null,w.codeBlock)return T.match(/^
\label{eq:code} $$ ``+/)?(w.codeBlock=!1,null):(T.skipToEnd(),null);if(T.sol()&&(w.code=!1),T.sol()&&T.match(/^```+/)) eturn T.skipToEnd(),w.codeBlock=!0,null;if(T.peek()==="`"){T.next();var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("`");var c=T.pos;T.eatWhile("");var c=T.pos;T.eatWhi
                                                                                                                                                                                                                                                                                                                             `+/))r
 d=1+T.pos-c;return w.code?d===b&&(w.code=!1):(b=d,w.code=!0),null}else if(w.code)return
 T.next(),null;if(T.eatSpace())return w.ateSpace=!0,null;if((T.sol())|w.ateSpace)&&(w.ateSpace=!1,C.g)
 itHubSpice!==!1)){if(T.match(/^(?:[a-zA-Z0-9\-_]+\/)?(?:[a-zA-Z0-9\-_]+@)?(?=.{0,6}\d)(?:[a-f0-
 9]{7,40}\b)/))return
w.combineTokens=!0, "link";if(T.match(/^(?:[a-zA-Z0-9\-]+\/)?(?:[a-zA-Z0-9\-]+)?#[0-9]+\b/))return w.combineTokens=!0, "link"}return T.match(p)&T.string.slice(T.start-
2,T.start)!="]("&&(T.start==0||/\W/.test(T.string.charAt(T.start-
1)))?(w.combineTokens=!0,"link"):(T.next(),null)},blankLine:S},h={taskLists:!0,strikethrough:!0,emoj
i:!0};for(var g in C)h[g]=C[g];return h.name="markdown",o.overlayMode(o.getMode(v,h),s)},"markdown"),o.defineMIME("text/x-gfm","gfm")})});var nu=Ke((tu,ru)=>{(function(o){typeof tu=="object"&&typeof ru=="object"?o(We()):typeof
 define=="function"&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
 strict";o.defineMode("go",function(p){var v=p.indentUnit,C={break:!0,case:!0,chan:!0,const:!0,contin
 ue:!0,default:!0,defer:!0,else:!0,fallthrough:!0,for:!0,func:!0,go:!0,goto:!0,if:!0,import:!0,interf
 ace:!0,map:!0,package:!0,range:!0,return:!0,select:!0,struct:!0,switch:!0,type:!0,var:!0,bool:!0,byt
 e:!0,complex64:!0,complex128:!0,float32:!0,float64:!0,int8:!0,int16:!0,int32:!0,int64:!0,string:!0,u
 int8:!0,uint16:!0,uint32:!0,uint64:!0,int:!0,uint:!0,uintptr:!0,error:!0,rune:!0,any:!0,comparable:!
0},b={true:!0,false:!0,iota:!0,nil:!0,append:!0,cap:!0,close:!0,complex:!0,copy:!0,delete:!0,imag:!0,len:!0,make:!0,new:!0,panic:!0,printl:!0,println:!0,real:!0,recover:!0},S=/[+\-*&^%:=<>!\/]/,s;function h(k,z){var M=k.next();if(M=='"'||M=="""||M==""")return
 rable()?(( =="case"|| =="default")&&(s="case"), "keyword"):b.propertyIsEnumerable()?"atom": "variabl
e"}function g(k){return function(z,M){for(var =!1,W,E=!1;(W=z.next())!=null;){if(W==k&&!_){E=!0;bre ak}_=!_&&k!="`"&&W=="\\"}return(E||!(_||k=="`"))&&(M.tokenize=h),"string"}}function T(k,z){for(var = the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the string of the st
 M=!\overline{1}, \overline{;} =k.next(); \{if(=="/"\&\&M)\{z.tokenize=h;break\}M==="*"\} return"comment"}function
 w(k,z,M,_,W){this.indented=k,this.column=z,this.type=M,This.align=_,this.prev=W}function
c(k,z,M){return k.context=new w(k.indented,z,M,null,k.context)}function d(k){if(k.context.prev){var
z=k.context.type;return(z==")"||z=="]"||z=="}")&&(k.indented=k.context.indented),k.context=k.context
.prev}}return{startState:function(k){return{tokenize:null,context:new
 w((k||0)-v,0,"top",!1),indented:0,startOfLine:!0}\},token:function(k,z){var M=z.context;if(k.sol()&&(),startOfLine:!0}},token:function(k,z){var M=z.context;if(k.sol(),a})}
 M.align==null&&(M.align=!1),z.indented=k.indentation(),z.startOfLine=!0,M.type=="case"&&(M.type="}")
),k.eatSpace())return null;s=null;var _=(z.tokenize||h)(k,z);return _=="comment"||(M.align==null&&(M .align=!0),s=="{"?c(z,k.column(),"}"):s=="["?c(z,k.column(),"]"):s=="("?c(z,k.column(),")"):s=="case""?n.type="case":(s=="}"&&M.type=="}"||s==M.type)&&d(z),z.startOfLine=!1),_},indent:function(k,z){if(
 k.tokenize!=h&&k.tokenize!=null)return o.Pass;var
 M=k.context, \_=z\&\&z.charAt(0); if(M.type=="case"\&\&/^(?:case|default)\b/.test(z)) return
k.context.type="}",M.indented;var W=_==M.type;return M.align?M.column+(W?0:1):M.indented+(W?0:v)},el
ectricChars:"{}):",closeBrackets:"()[]{}''\"\"`",fold:"brace",blockCommentStart:"/*",blockCommentEn
d:"*/",lineComment:"//"}}),o.defineMIME("text/x-go","go")})});var
au=Ke((iu,ou)=>{(function(o){typeof iu=="object"&&typeof ou=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
define="Tunction"&&define(l"..../llb/codemirror"],0):0(Lodemirror)})(function(0){"use strict";o.defineMode("http",function(){function p(T,w){return T.skipToEnd(),w.cur=h,"error"}function v(T,w){return T.match(/^HTTP\/\d\.\d/)?(w.cur=C,"keyword"):T.match(/^[A-Z]+/)&&/[\t]/.test(T.peek())?(w.cur=S,"keyword"):p(T,w)}function C(T,w){var c=T.match(/^\d+/);if(!c)return p(T,w);w.cur=b;var d=Number(c[0]);return d>=100&&d<200?"positive informational":d>=200&&d<300?"positive success":d>=300&&d<400?"positive server-d==200&d<500?"negative client-error":d>=500&&d<600?"negative server-d==200&d<600?"negative server-d==200&d<600."negative server-d==200."negative serv
 error": "error"}function b(T,w){return T.skipToEnd(),w.cur=h,null}function S(T,w){return
T.eatWhile(/\S/),w.cur=s,"string-2"}function s(T,w){return
T.match(/^HTTP\/\d\.\d[]/)?(w.cur=h,"keyword"):p(T,w)}function h(T){return T.sol()&&!T.eat(/[\t\]/)?T.match(/^.*?:/)?"atom":(T.skipToEnd(),"error"):(T.skipToEnd(),"string")}function g(T){return
 T.skipToEnd(), null}return{token:function(T,w){var c=w.cur;return c!=h&&c!=g&&T.eatSpace()?null:c(T,w)}
 )},blankLine:function(T){T.cur=g},startState:function(){return{cur:v}}})),o.defineMIME("message/http
 ","http")})});var uu=Ke((lu,su)=>{(function(o){typeof lu=="object"&&typeof su=="object"?o(We()):typeof
 define == "function" \& \& define.amd? define(["../../lib/codemirror"], o): o(CodeMirror) \}) (function(o) \{ "use the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function 
strict";o.defineMode("jinja2",function(){var p=["and","as","block","endblock","by","cycle","debug","else","elif","extends","filter","endfilter","firstof","do","for","endfor","if","endif","ifchanged","endifchanged","ifequal","endifequal","ifnotequal","set","raw","endraw","endifnotequal","in","include ","load","not","now","or","parsed","regroup","reversed","spaceless","call","endcall","macro","endmac
```

```
\label{eq:context} $$ro", "endspaceless", "ssi", "templatetag", "openblock", "closeblock", "openvariable", "closevariable", "with out", "context", "openbrace", "closebrace", "opencomment", "closecomment", "widthratio", "url", "with", "endw ith", "get_current_language", "trans", "endtrans", "noop", "blocktrans", "endblocktrans", "get_available_languages", "get_current_language_bidi", "pluralize", "autoescape", "endautoescape"], $$v=/^[+\-$$=<>!?|~^]/,C=/^[:\[\(\{\{\}\,b=["true", "false"],S=/^(\d[+\-\*\/])?\d+(\.\d+)?/;p=new RegExp("(("+p.join(")|(")+"))\\b"),b=new RegExp("(("+b.join(")|(")+"))\\b");function s(h,g){var}.
T=h.peek(); if (g.incomment) return \ h.skipTo("#\")?(h.eatWhile(/\\#|\}/), g.incomment=!1):h.skipToEnd(), "comment"; if (g.intag) { if (g.operator) { if (g.operator=!1, h.match(b)) return "atom"; if (h.match(S)) return "num"} }
ber"}if(g.sign){if(g.sign=!1,h.match(b))return"atom";if(h.match(S))return"number"}if(g.instring)return T==g.instring&&(g.instring=!1),h.next(),"string";if(T=="'"||T=='"')return g.instring=T,h.next(),"string";if(g.inbraces>0&&T==")")h.next(),g.inbraces--;else
if(T=="(")h.next(),g.inbraces++;else if(g.inbrackets>0&&T=="]")h.next(),g.inbrackets--;else if(T=="[
")h.next(),g.inbrackets++;else{if(!g.lineTag&&(h.match(g.intag+"}")||h.eat("-
")&&h.match(g.intag+"}")))return g.intag=!1,"tag";if(h.match(v))return g.operator=!0,"operator";if(h.match(C))g.sign=!0;else{if(h.column()==1&&g.lineTag&&h.match(p))return"keyword";if(h.eat(" ")||h.so
.match(c)/g.sign=:v;else{iT(n.column()==1&\dg.line1ag&\dan.match(p))return*keyword";iT(n.eat(" ")||n.sol()){if(h.match(p))return*keyword";if(h.match(b))return*atom";if(h.match(S))return*number";h.sol()&\dan.next()){else h.next()}{return*variable*}else if(h.eat("\{")){if(h.eat("\{"))}return g.incomment=!0,h.skipTo("\{"}))?(h.eat\{"\{\{\{\\|}\}\))return g.incomment=!1):h.skipToEnd(),"comment";if(T=h.eat(\\\{\{\\|}\{\}\))return g.intag=T,g.inbraces=0,g.inbrackets=0,T=="\{"\&\dg(g.intag="\{"\\}"),h.eat("-\{"\\}"),"tag"\{\}else if(h.eat("\{"\\}")){if(h.peek()==\{"\\}")return h.skipToEnd(),"comment";if(\{\\}h.eol())return g.intag=!0,g.lineT ag=!0,g.linbraces=0,g.inbraces=0,\{"\tag"\}h.next()\{"\tag"\}else inbraces=0,\{\\}\] inbraces=0,\{\\}\]
ag=!0,g.Inbraces=0,g.Inbrackets=0, tag fin.next()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn()freturn(
 :o(CodeMirror)})(function(o){"use strict";function
 p(C,b,S,s){this.state=C,this.mode=b,this.depth=S,this.prev=s}function v(C){return new
getMode(C,b&&b.base||"javascript");function h(c){var d=c.tagName;c.tagName=null;var
 k=S.indent(c,"",""); return c.tagName=d,k}function g(c,d){return
d.context.mode==S?T(c,d,d.context):w(c,d,d.context)}function T(c,d,k){if(k.depth==2)return c.match(/^.*?\*\/)?k.depth=1:c.skipToEnd(),"comment";if(c.peek()=="{"){S.skipAttribute(k.state);var z=h(k.state),M=k.state.context;if(M&&c.match(/^[^>]*>\s*\[/,!1)){for(;M.prev&&!M.startOfLine;)M=M.pre
 v;M.startOfLine?z-=C.indentUnit:k.prev.state.lexical&&(z=k.prev.state.lexical.indented)}else
 k.depth==1&&(z+=C.indentUnit);return d.context=new
 p(o.startState(s,z),s,0,d.context),null}if(k.depth==1){if(c.peek()=="<")return</pre>
 S.skipAttribute(k.state),d.context=new
 p(o.startState(S,h(k.state)),S,0,d.context),null;if(c.match("//"))return
c.skipToEnd(), "comment";if(c.match("/*"))return k.depth=2,g(c,d)}var _=S.token(c,k.state),W=c.curren
t(),E;return/\btag\b/.test(_)?/>[/.test(W)?k.state.context?k.depth=0:d.context=d.context.prev:/^</.t</pre>
est(W)&&(k.depth=1):!_&&(E=W.indexOf("{")}>-1&&c.backUp(W.length-E),_}function w(c,d,k){if(c.peek()= ="<"&&!c.match(/^<([^<>]|<[^>]*>)+,\s*>/,!1)&&s.expressionAllowed(c,k.state))return d.context=new p(o.startState(S,s.indent(k.state,"","")),S,0,d.context),s.skipExpression(k.state),null;var
z=s.token(c,k.state);if(!z&&k.depth!=null){var M=c.current();M=="{"?k.depth++:M=="}"&&--
k.depth==0&&(d.context=d.context.prev)}return z}return{startState:function(){return{context:new p(o.
 startState(s),s)}},copyState:function(c){return{context:v(c.context)}},token:g,indent:function(c,d,k
startState(s),s)}},copyState:function(c){return{context:v(c.context)}},token:g,indent:function(c,d,){return c.context.mode.indent(c.context.state,d,k)},innerMode:function(c){return c.context}}},"xml","javascript"),o.defineMIME("text/jsx",jsx"),o.defineMIME("text/typescript-jsx",fname:"jsx",base:fname:"javascript",typescript:!0}})}));var gu=Ke((pu,hu)=>{(function(o){typeof pu=="object"&&typeof hu=="object"?o(We()):typeof define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use strict";o.defineMode("nginx",function(p){function v(k){for(var z={},M=k.split(""),=0;_<M.length;++_)z[M[_]]=!0;return z}var C=v("break return rewrite set accept_mutex accept_mutex_delay access_log add_after_body add_before_body add_header addition_types aio alias allow ancient_browser_value auth_basic_auth_basic_user_file auth_http_auth_bttp_header_auth_http_timeout_autoindex_autoindex_exact_size_autoindex_localtime_charset
 auth http header auth http timeout autoindex autoindex exact size autoindex localtime charset
charset types client body buffer size client body in file only client body in single buffer client body temp_path client_body_timeout client_header_buffer_size client_header_timeout
client_body_temp_pain_client_body_timeout_client_header_buffer_size_client_header_timeout
client_max_body_size connection_pool_size create_full_put_path_daemon_dav_access_dav_methods
debug_connection_debug_points_default_type_degradation_degrade_deny_devpoll_changes_devpoll_events
directio_directio_alignment_empty_gif_env_epoll_events_error_log_eventport_events_expires
fastcgi_bind_fastcgi_buffer_size_fastcgi_buffers_size_fastcgi_cache
fastcgi_cache_key_fastcgi_cache_methods_fastcgi_cache_min_uses_fastcgi_cache_path_
fastcgi_cache_use_stale_fastcgi_cache_valid_fastcgi_cache_buffers_size_fastcgi_cache_path_
 fastcgi_cache_use_stale fastcgi_cache_valid fastcgi_catch_stderr fastcgi_connect_timeout
 fastcgi hide header fastcgi ignore client abort fastcgi ignore headers fastcgi index
 fastcgi intercept errors fastcgi max temp file size fastcgi next upstream fastcgi param
 fastcgi_pass_header fastcgi_pass_request_body fastcgi_pass_request_headers fastcgi_read_timeout fastcgi_send_lowat fastcgi_send_timeout fastcgi_split_path_info fastcgi_store fastcgi_store_access
 fastcgi temp file write size fastcgi temp path fastcgi upstream fail timeout
fastcgi_upstream_max_fails flv geoip_city geoip_country google_perftools_profiles gzip_buffers gzip_comp_level gzip_disable gzip_hash gzip_http_version gzip_min_length gzip_no_buffer gzip_proxied
```

```
gzip_static gzip_types gzip_vary gzip_window if_modified_since ignore_invalid_headers image_filter image_filter_buffer image_filter_jpeg_quality image_filter_transparency imap_auth imap_capabilities imap_client_buffer index ip_hash keepalive_requests keepalive_timeout kqueue_changes kqueue_events
 large_client_header_buffers limit_conn limit_conn_log_level limit_rate limit_rate_after limit_req limit_req_log_level limit_req_sone limit_zone lingering_time lingering_timeout lock_file log_format log_not_found log_subrequest map_hash_bucket_size map_hash_max_size master_process memcached_bind
 memcached_buffer_size memcached_connect_timeout memcached_next_upstream memcached_read_timeout memcached_send_timeout memcached_upstream_fail_timeout memcached_upstream_max_fails merge_slashes
 min delete depth modern browser modern browser value msie padding msie refresh multi accept
 open_file_cache open_file_cache_errors open_file_cache_events open_file_cache_min_uses open_file_cache_valid open_log_file_cache output_buffers override_charset perl_modules
 perl_require perl_set pid pop3_auth_pop3_capabilities port_in_redirect postpone_gzipping
 postpone_output protocol proxy_bind proxy_buffer proxy_buffer_size proxy_buffering
proxy_buffers proxy_busy_buffers_size proxy_cache proxy_cache_key proxy_cache_methods
 proxy_cache_min_uses proxy_cache_path proxy_cache_use_stale proxy_cache_valid proxy_connect_timeout proxy_headers_hash_bucket_size proxy_headers_hash_max_size proxy_hide_header
 proxy_ignore_client_abort proxy_ignore_headers proxy_intercept_errors proxy_max_temp_file_size
 proxy_method proxy_next_upstream proxy_pass_error_message proxy_pass_header proxy_pass_request_body
proxy_pass_request_headers proxy_read_timeout proxy_redirect proxy_send_lowat proxy_send_timeout
 proxy_set_body proxy_set_header proxy_ssl_session_reuse proxy_store proxy_store_access
 proxy_temp_file_write_size proxy_temp_path proxy_timeout proxy_upstream_fail_timeout proxy_upstream_max_fails_random_index_read_ahead_real_ip_header_recursive_error_pages
 request_pool_size reset_timedout_connection resolver resolver_timeout rewrite_log rtsig_overflow_events rtsig_overflow_test rtsig_overflow_threshold rtsig_signo satisfy
 secure_link_secret send_lowat send_timeout sendfile sendfile_max_chunk server_name_in_redirect
server_names_hash_bucket_size server_names_hash_max_size server_tokens set_real_ip_from smtp_auth smtp_capabilities smtp_client_buffer smtp_greeting_delay so_keepalive source_charset ssi_ssi_ignore_recycled_buffers ssi_min_file_chunk ssi_silent_errors ssi_types ssi_value_length ssl_ssl_certificate_ssl_certificate_key_ssl_ciphers_ssl_client_certificate_ssl_crl_ssl_dhparam
 ssl engine ssl prefer server ciphers ssl protocols ssl session cache ssl session timeout
 ssl_verify_client ssl_verify_depth starttls stub_status sub_filter sub_filter_once sub_filter_types tcp_nodelay tcp_nopush_thread_stack_size_timeout_timer_resolution_types_hash_bucket_size
 types hash max_size underscores_in_headers uninitialized_variable_warn use user userid userid_domain
 userid expires userid mark userid name userid p3p userid path userid service valid referers
 variables hash bucket size variables hash max size worker connections worker cpu affinity
 worker_priority worker_processes worker_rlimit_core worker_rlimit_nofile worker_rlimit_sigpending worker_threads working_directory xclient xml_entities xslt_stylesheet
worker_threads working_directory xctient xmt_entities xstt_stytesheet
xslt_typesdrew@li229-23"),b=v("http mail events server types location upstream charset_map
limit_except if geo map"),S=v("include root server server_name listen internal proxy_pass
memcached_pass fastcgi_pass try_files"),s=p.indentUnit,h;function g(k,z){return h=z,k}function
T(k,z){k.eatWhile(/[\w\\]_]/);var M=k.current();if(C.propertyIsEnumerable(M))return"keyword";if(b.pro
pertyIsEnumerable(M))return"variable-2";if(S.propertyIsEnumerable(M))return"string-2";var
    =k.next();if( == "@")return
\overline{k}.eatWhile(/[\overline{\sqrt{(-1)}}),g("meta",k.current());if( =="/"&&k.eat("*"))return
 g("comment","comment")}function d(k){return function(z,M){for(var ==!1,W;(W=z.next())!=null&&!(W==k&&!_);)_=!_&&W=="\\";return _||(N)
 .eatSpace())return null; h=null; var M=z.tokenize(k,z), =z.stack[z.stack.length-1]; return h=="hash"&&=="rule"?M="atom": M=="variable"&&(_=="rule"?M="number":(!_||_=="@media{")&&(M="tag")), _=="rule"&&/^[ \{\};]_/.test(h)&&z.stack.pop(), h=="\{"?_=="@media"?z.stack.length-1]="@media{":z.stack.push("\{"):h=="\}"?z.stack.pop():h=="@media"?z.stack.push("@media"):_=="\{"&&h!="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="c.stack.push("&="
omment"&&z.stack.push("rule"),M},indent:function(k,z){var M=k.stack.length;return/\}/.test(z)&&(M-ek.stack[k.stack.length-1]=="rule"?2:1),k.baseIndent+M*s},electricChars:"}"}}),o.defineMIME("text/x-nginx-conf","nginx")})});var bu=Ke((mu,vu)=>{(function(o){typeof mu=="object"&&typeof
 vu=="object"?o(We()):typeof
define== function & define amd?define(["../../lib/codemirror"],0):o(CodeMirror)})(function(o) { "use strict"; o.defineMode("pascal", function() { function p(T) { for(var w={}, c=T.split(""), d=0; d<c.length; ++d)w[c[d]]=!0; return w} var v=p("absolute and array asm begin case const constructor destructor div do downto else end file for function goto if implementation in inherited</pre>
 inline interface label mod nil not object of operator or packed procedure program record reintroduce repeat self set shl shr string then to type unit until uses var while with xor as class
 dispinterface except exports finalization finally initialization inline is library on out packed
 property raise resourcestring threadvar try absolute abstract alias assembler bitpacked break cdecl continue cppdecl cvar default deprecated dynamic enumerator experimental export external far far16
```

```
forward generic helper implements index interrupt iocheck local message name near nodefault noreturn
 nostackframe oldfpccall otherwise overload override pascal platform private protected public published read register reintroduce result safecall saveregisters softfloat specialize static
 stdcall stored strict unaligned unimplemented varargs virtual
 write"), C=\{null: !0\}, b=/[+\-*\&=<>!?|\/]/; function S(T,w)\{var\}
 c=T.next();if(c=="#"&&w.startOfLine)return T.skipToEnd(),"meta";if(c=='"'||c=="'")return
 w.tokenize=s(c), w.tokenize(T,w); if(c=="("&&T.eat("*"))) return w.tokenize=h,h(T,w); if(c=="{"}) return
d=T.current().toLowerCase();return
 v.propertyIsEnumerable(d)?"keyword":C.propertyIsEnumerable(d)?"atom":"variable"}function s(T){return
 function(w,c) \{for(var d=!1,k,z=!1;(k=w.next())!=null;) \{if(k==T&&!d) \{z=!0;break\}d=!d&&k=="\\"\}return(
z||!d)&&(c.tokenize=null), "string"}}function h(T,w){for(var c=!1,d;d=T.next();){if(d==")"&&c){w.tokenize=null;break}c=d=="*"}return"comment"}function g(T,w){for(var c;c=T.next();)if(c=="}"){w.tokenize=null;break}return"comment"}return{startState:func
 tion(){return{tokenize:null}},token:function(T,w){if(T.eatSpace())return null;var
 c=(w.tokenize||S)(T,w);return
 c=="comment"||c=="meta",c},electricChars:"{}"}}),o.defineMIME("text/x-pascal","pascal")})});var
_u=Ke((yu,xu)=>{(function(o){typeof yu=="object"&&typeof xu=="object"?o(We()):typeof
c=="comment"||c=="meta",c},electricChars:"{}"}}),o.defineMIME("text/x-pascal","pascal")});var
u=Ke((yu,xu)=>{(function(o){typeof yu=="object"&typeof xu=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict";o.defineMode("perl",function(){var S={"->":4,"++":4,"--
":4,"**":4,"=":4,"!-":4,"**:4,"/":4,"*":4,">":4,"*":4,"+":4,"-
":4,"**":4,"-":4,">":4,"**:4,"/":4,"*":4,">":4,"*":4,"-":4,"+":4,"-
":4,"**":4,"-":4,">":4,"**:4,"/":4,"*":4,">=":4,"+":4,"-
":4,"":4,",":4,"=":4,",":4,"=":4,"+":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"+":4,"-
":4,"**":4,",":4,"=:4,",":4,"=":4,"+":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"+":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,",":4,"=":4,",":4,"=":4,"-
":4,"**":4,"-":4,",":4,"=":4,"-
":4,"**":4,"-":4,",":4,"=":4,"-
":4,"**":4,"-":4,",":4,"=":4,"-
":4,"**":4,"-":4,",":4,"=":4,"-
":4,"**":4,"-":4,",":4,"=":4,"-
":4,"**":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"**":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"*":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"*":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"*":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"*":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"*":4,"-":4,"-":4,"-":4,"-":4,"-":4,"-
":4,"*":4,"-":4,"-":4,"-":4,"-":4,"-":4,"-":4,"-
":5,"PRIDECESS ID:5,"DINECESS ID:5,"DINECESS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:5,"DISTRUCTS ID:
:5,ARGV:5,ARGVOUT:5, OUTPUT FIELD SEPARATOR:5, OFS:5, ORS:5, ONS:5, OUTPUT LINE NUMBER:5, ONTPUT LINE NUMBER:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLUSH:5, OUTPUT AUTOFLU
 5,"|-
":5,||FORMAT_LINE_BREAK_CHARACTERS:5,"|:":5,||FORMAT_LINES_PER_PAGE:5,"||=":5,||FORMAT_TOP_NAME:5,"||^":5
| S, || FORMAT_NAME:5, "|| ~":5, "|| {^CHILD_ERROR_NATIVE}}":5, || EXTENDED_OS_ERROR:5, || - :5, || EXCEPTIONS_BEING_CAU GHT:5, || S':5, || WARNING:5, || - || **\".5, || S':5, || WARNING:5, || S':5, || WARNING:5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':5, || S':
 h:[1,1],abs:1,accept:1,alarm:1,atan2:1,bind:1,binmode:1,bless:1,bootstrap:1,break:1,caller:1,chdir:1
  ,chmod:1,chomp:1,chop:1,chown:1,chr:1,chroot:1,close:1,closedir:1,connect:1,continue:[1,1],cos:1,cry
 pt:1,dbmclose:1,dbmopen:1,default:1,defined:1,delete:1,die:1,do:1,dump:1,each:1,endgrent:1,endhosten
 t:1,endnetent:1,endprotoent:1,endpwent:1,endservent:1,eof:1,eval:1,exec:1,exists:1,exit:1,exp:1,fcnt
 l:1,fileno:1,flock:1,fork:1,format:1,formline:1,getc:1,getgrent:1,getgrgid:1,getgrnam:1,gethostbyadd
 r:1,gethostbyname:1,gethostent:1,getlogin:1,getnetbyaddr:1,getnetbyname:1,getnetent:1,getpeername:1,
 getpgrp:1,getppid:1,getpriority:1,getprotobyname:1,getprotobynumber:1,getprotoent:1,getpwent:1,getpw
nam:1,getpwuid:1,getservbyname:1,getservbyport:1,getservent:1,getsockname:1,getsockopt:1,given:1,glo
 b:1,gmtime:1,goto:1,grep:1,hex:1,import:1,index:1,int:1,ioctl:1,join:1,keys:1,kill:1,last:1,lc:1,lcf irst:1,length:1,link:1,listen:1,local:2,localtime:1,lock:1,log:1,lstat:1,m:null,map:1,mkdir:1,msgctl
  :1,msgget:1,msgrcv:1,msgsnd:1,my:2,new:1,next:1,no:1,oct:1,open:1,opendir:1,ord:1,our:2,pack:1,packa
 ge:1,pipe:1,pop:1,pos:1,print:1,printf:1,prototype:1,push:1,q:null,qq:null,qr:null,quotemeta:null,qw
  :null,qx:null,rand:1,read:1,readdir:1,readline:1,readlink:1,readpipe:1,recv:1,redo:1,ref:1,rename:1,
 require:1,reset:1,return:1,reverse:1,rewinddir:1,rindex:1,rmdir:1,s:null,say:1,scalar:1,seek:1,seekd
 ir:1,select:1,semctl:1,semget:1,semop:1,send:1,setgrent:1,sethostent:1,setnetent:1,setpgrp:1,setprio
 rity:1,setprotoent:1,setpwent:1,setservent:1,setsockopt:1,shift:1,shmctl:1,shmget:1,shmread:1,shmwri
 te:1, shutdown:1, sin:1, sleep:1, socket:1, socketpair:1, sort:1, splice:1, split:1, sprintf:1, sqrt:1, srand:1
,stat:1,state:1,study:1,sub:1,substr:1,symlink:1,syscall:1,sysopen:1,sysread:1,sysseek:1,system:1,sy
swrite:1,tell:1,telldir:1,tie:1,tied:1,time:1,times:1,tr:null,truncate:1,uc:1,ucfirst:1,umask:1,unde
f:1,unlink:1,unpack:1,unshif:1,untie:1,use:1,utime:1,values:1,vec:1,wait:1,waitpid:1,wantarray:1,wa
rn:1,when:1,write:1,y:null},s="string-2",h=/[goseximacplu]/;function g(c,d,k,z,M){return
d.chain=null,d.style=null,d.tail=null,d.tokenize=function(_,W){for(var
 E=!1,N,G=0;N= .next();){if(N===k[G]&&!E)return k[++G]!==void}
 0?(W.chain=k[G],W.style=z,W.tail=M):M\&\&\_.eatWhile(M),W.tokenize=w,z;E=!E\&\&N=="\\"}return z\},d.tokenize(c,d)\}function T(c,d,k){return d.tokenize=function(z,M){return}}
```

```
z.string == k\&(M.tokenize = w), z.skipToEnd(), "string"}, d.tokenize(c,d) function
   w(c,d){if(c.eatSpace())return null;if(d.chain)return
  g(c,d,d.chain,d.style,d.tail);if(c.match(/^(\-?((\d[\d_]*)?\.\d+(e[+-]?\d+)?|\d+\.\d*)|0x[\da-fA-F_]+|0b[01_]+|\d[\d_]*(e[+-]?\d+)?)))return"number";if(c.match(/^<<(?=[_a-zA-Z])/))return
   \begin{array}{ll} \text{c.eatWhile}(/\text{w}/), T(\text{c,d,c.current}().substr(2)); if(\text{c.sol}()\&\&\text{c.match}(/^\text{item}(?!\text{w}/))) \text{ return} \\ T(\text{c,d,"=cut"}); \text{var k=c.next}(); if(\text{k=="""}|\text{k=="""}) \{if(\text{v}(\text{c,3})=="<<"+k) \{\text{var z=c.pos}; \text{c.eatWhile}(/\text{w}/); \text{var } \} \} \\ \text{var z=c.pos}; \text{c.eatWhile}(/\text{w}/); \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var } \text{var
   M=c.current().substr(1);if(M&&c.eat(k))return T(c,d,M);c.pos=z}return
 b(c,2),g(c,d,["]"],s,h);if(_=="a")return b(c,2),g(c,d,[">"],s,h);if(/[\^"!~\/]/.test(_))return
b(c,1),g(c,d,[c.eat(_)],s,h)}else if(_=="q"){if(_=p(c,1),_=="(")return
b(c,2),g(c,d,["]"],"string");if(_=="[")return b(c,2),g(c,d,["]"],"string");if(_=="{"}return
b(c,2),g(c,d,["]"],"string");if(_=="a")return
b(c,2),g(c,d,[">"],"string");if(/[\^'"!~\/]/.test(_))return b(c,1),g(c,d,[c.eat(_)],"string")}else
if(_=="w"){if(_=p(c,1),_=="(")return b(c,2),g(c,d,[")"],"bracket");if(_=="[")return
b(c,2),g(c,d,["]"],"bracket");if(_=="{"}return b(c,2),g(c,d,["]"],"bracket");if(_=="a")return
b(c,2),g(c,d,["]"],"shn;if(_=="a")return b(c,2),g(c,d,["]"],s,h);if(_=="[")return
b(c,2),g(c,d,["]"],s,h);if(_=="{"}return b(c,2),g(c,d,["]"],s,h);if(_=="a")return
b(c,2),g(c,d,["]"],s,h);if(_=="a")return b(c,2),g(c,d,["]"],string");if(_=="[")return
b(c,2),g(c,d,["]"],"shn;g");if(_=="(")return b(c,1),g(c,d,["]"],"string");if(_=="[")return
b(c,1),g(c,d,["]"],"string");if(_=="{"}return b(c,1),g(c,d,["]"],"string");if(_=="a")return
b(c,1),g(c,d,["]"],"string");if(_[\alpha"!~\alpha']/.test(_))return
g(c,d,[c.eat(_)],"string")}}if(k=="m"){var
 b(c,1), g(c,d,[">"],"string"); if(/[\^'"!\sim\/]/.test(_)) return \\ g(c,d,[c.eat(_)],"string")\} \} if(k=="m") \{var \\ =p(c,-2); if(!(_&&/\w/.test(_))&&(=c.eat(/[(\[{<\^'"!\sim\/]/},__)) \{if(/[\^'"!\sim\/]/.test(_)) return \\ g(c,d,[_],s,h); if(=="(") return g(c,d,[")"],s,h); if(==="[") return g(c,d,["]"],s,h); if(==="{"} return g(c,d,["]"],s,h); if(=="\{"} return g(c,d,["\]"],s,h); if(=="\{"} return g(c,d,["\]"],s,h); if(==\{"\}) \{var \\ =/[\/>\]]) \w]/.test(p(c,-2)); if(!_&&(=c.eat(/[(\[{<\^'"!\sim\/]/},__)) return =="["?g(c,d,["\]","\]"],s,h); =="\{"?g(c,d,["\]","\]"],s,h); g(c,d,[_,],s,h); lest(p(c,-2)); if(!_&&(=c.eat(/[(\[{<\^'"!\sim\/]/},__)) return =="["?g(c,d,["\]","\]"],s,h); lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'"!\sim\/]/},__)) return =="["?g(c,d,["\]","\]"],s,h); lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'"!\sim\/}],__),__)) return =="["?g(c,d,["\]","\]"],s,h); lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'"!\sim\/}],__),__)) return =="["?g(c,d,["\]","\]"],s,h); lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'"!\sim\/}],__),__)) return =="["?g(c,d,["\]","\]"],s,h); lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'"!\sim\/}],__),__)) return =="["?g(c,d,["\]","\]"],s,h); lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'"!\sim\/}],__),__)) return =="["?g(c,d,["\]",__),__)]; lest(p(c,-2)); if(!_&\&(=c.eat(/[(\[{<\^'""!\sim\/}],__),__)) return =="["?g(c,d,["\]",__),__)]; lest(p(c,-2)); lest(p(c,-2)); lest(p(c,-2)); lest(p(c,-2)); lest(p(c,-2)); lest
  ?g(c,d,["]","]"],s,h): ==="("?g(c,d,["]",",")"],s,h): ==="("?g(c,d,[")",")"],s,h): ==="("?g(c,d,[")",s,h): ==="("?g(c,d,[")",")"],s,h): ==="("?g(c,d,[")",s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["],s,h): ==="("?g(c,d,["]
 h=S.pos-s;return S.string.substr(h>=0?h:0,s)}else return S.string.substr(0,S.pos-1)}function
   C(S,s){var h=S.string.length,g=h-S.pos+1;return S.string.substr(\tilde{S}.pos,s&s-h?s:g)}function
 b(S,s){var h=S.spos+s,g;h<=0?S.pos=0:h>=(g=S.string.length-1)?S.pos=g:S.pos=h}})});var Su=Ke((ku,wu)=>{(function(o){typeof ku=="object"&&typeof wu=="object"?o(We(),Qn(),Vo()):typeof defin e=="function"&&define.amd?define(["../../lib/codemirror","../htmlmixed/htmlmixed","../clike/clike"], o):o(CodeMirror)})(function(o){"use strict";function p(T){for(var w={},c=T.split(" "),d=0;d<c.length;++d)w[c[d]]=!0;return w].
   T.length==0?C(\tilde{W}):function(d,k){for(var z=T[0],M=0;M<z.length;M++)if(d.match(z[M][0]))return
 \label{eq:continuous} $$ k. tokenize=v(T.slice(1),w),z[M][1]; return k. tokenize=C(w,c),"string"} $$ function C(T,w){return function(c,d){return b(c,d,T,w)}} function b(T,w,c,d){if(d!==!1&&T.match("[-]",!1)|T.match("[-]",!1)) return w. tokenize=null,"string"; if(d!==!1&&T.match(/^\[-][a-zA-Z_][a-zA-Z0-9_]*/)) return T.match("[-],!1)&&(w.tokenize=v([[-]",null]],[-]/\[-][a-zA-Z]-[a-zA-Z0-0_]*/) $$ function C(T,w){return match("[-],!1)&&(w.tokenize=v([-]",null]],[-]/\[-][a-zA-Z]-[a-zA-Z0-0_]*/) $$ function C(T,w){return match("[-],!1)&&(w.tokenize=v([-]",null]],[-]/\[-][a-zA-Z]-[a-zA-Z0-0_]*/) $$ function C(T,w){return match("[-],!1)&&(w.tokenize=v([-]",null]],[-]/\[-][a-zA-Z]-[a-zA-Z0-0_]*/) $$ function C(T,w){return match("[-],!1)&&(w.tokenize=v([-]",null]],[-]/\[-][a-zA-Z]-[-a-zA-Z0-0_]*/) $$ function C(T,w){return match("[-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.tokenize=v([-],"],w.t
   \begin{array}{ll} & \text{k=!1;!T.eol()\&\&(k||d===!1||!T.match("{[]",!1)\&\&!T.match(/^(\[][a-zA-Z_][a-zA-Z0-9_]*|\[]\{)/,!1));)} \\ & \text{if(!k\&\&T.match(c))} \\ & \text{w.tokenize=null,w.tokStack.pop(),w.tokStack.pop();break} \\ & \text{k=T.ne} \\ \end{array} 
   xt()=="\\"&&!k}return"string"}var S="abstract and array as break case catch class clone const
```

```
continue declare default do else elseif enddeclare endfor endforeach endif endswitch endwhile enum
extends final for foreach function global goto if implements interface instanceof namespace new or
private protected public static switch throw trait try use var while xor die echo empty exit eval
include include_once isset list require require_once return print unset __halt_compiler self sta parent yield insteadof finally readonly match",s="true false null TRUE FALSE NULL _CLASS___DI FILE _LINE__ METHOD__ FUNCTION__ NAMESPACE__ _TRAIT__",h="func_num_args func_get_arg
                                                                                                                                     halt compiler self static
func_get_args strlen strcmp strncmp strcasecmp strncasecmp each error_reporting define defined trigger_error user_error_set_error_handler restore_error_handler get_declared_classes
get_loaded_extensions extension_loaded get_extension_funcs debug_backtrace constant bin2hex hex2bin
sleep usleep time mktime gmmktime strftime gmstrftime strtotime date gmdate getdate localtime
checkdate flush wordwrap htmlspecialchars htmlentities html entity decode md5 md5 file crc32
getimagesize image_type_to_mime_type phpinfo phpversion phpcredits strnatcmp strnatcasecmp substr_count strspn strcspn strtok strtoupper strtolower strpos strrpos strrev hebrev hebrevc nl2br
basename dirname pathinfo stripslashes stripcslashes strstr stristr strrchr str shuffle
str_word_count strcoll substr_replace quotemeta ucfirst ucwords strtr addslashes addcslashes rtrim str_replace str_repeat count_chars chunk_split trim ltrim strip_tags similar_text explode implode setlocale localeconv parse_str str_pad chop strchr sprintf printf vsprintf sscanf
fscanf parse url urlencode urldecode rawurlencode rawurldecode readlink linkinfo link unlink exec
system escapeshellcmd escapeshellarg passthru shell exec proc_open proc_close rand srand getrandmax mt_rand mt_srand mt_getrandmax base64_decode base64_encode abs ceil floor round is_finite is_nan
is infinite binder hexder octder decbin decort dechex base convert number format fmod ip2long
long2ip getenv putenv getopt microtime gettimeofday getrusage uniqid quoted_printable_decode set_time_limit get_cfg_var magic_quotes_runtime set_magic_quotes_runtime get_magic_quotes_gpc
get magic quotes runtime import request variables error log serialize unserialize memory get usage
memory_get_peak_usage var_dump var_export debug_zval_dump print_r highlight_file show_source highlight_string ini_get_ini_get_all ini_set ini_alter ini_restore get_include_path set_include_path
restore include path setcookie header headers sent connection aborted connection status
ignore_user_abort parse_ini_file is_uploaded_file move_uploaded_file intval floatval doubleval strval gettype is_null is_resource is_bool is_long is_float is_int is_integer is_double
is_real is_numeric is_string is_array is_object is_scalar ereg ereg_replace eregi_replace split spliti join sql_regcase dl pclose popen readfile rewind rmdir umask fclose feof fgetc fgets
fgetss fread fopen fpassthru ftruncate fstat fseek ftell fflush fwrite fputs mkdir rename copy
tempnam tmpfile file file_get_contents file_put_contents stream_select stream_context_create stream_context_set_params stream_context_set_option stream_context_get_options stream_filter_prepend
stream filter append fgetcsv flock get meta tags stream set write buffer set file buffer
set_socket_blocking stream_set_blocking socket_set_blocking stream_get_meta_data stream register wrapper stream wrapper register stream set timeout socket set timeout
socket_get_status realpath fnmatch fsockopen pfsockopen pack unpack get_browser crypt opendir closedir chdir getcwd rewinddir readdir dir glob fileatime filectime filegroup fileinode filemtime
fileowner fileperms filesize filetype file_exists is_writable is_writeable is_readable is_executable
is_file is_dir is_link stat lstat chown touch clearstatcache mail ob_start ob_flush ob_clean ob_end_flush ob_end_clean ob_get_flush ob_get_clean ob_get_length ob_get_level ob_get_status ob_get_contents ob_implicit_flush ob_list_handlers ksort krsort natsort natcasesort asort arsort
sort rsort usort ussort shuffle array walk count end prev next reset current key min max in array array search extract compact array fill range array multisort array push array pop
array_shift array_unshift array_splice array_slice array_merge array_merge_recursive array_keys array_values array_count_values array_reverse array_reduce array_pad_array_flip
array_change_key_case array_rand array_unique array_intersect array_intersect_assoc array_diff
array_diff_assoc array_sum array_filter array_map array_chunk array_key_exists array_intersect_key array_combine array_column pos sizeof key_exists assert assert_options version_compare ftok
str_rot13 aggregate session_name session_module_name session_save_path session_id
session regenerate id session decode session register session unregister session is registered
session encode session start session destroy session unset session set save handler
session_cache_limiter session_cache_expire session_set_cookie_params session_get_cookie_params session_write_close preg_match preg_match_all preg_replace preg_replace_callback preg_split
preg_quote preg_grep overload ctype_alnum ctype_alpha ctype_cntrl ctype_digit ctype_lower
ctype_graph ctype_print ctype_punct ctype_space ctype_upper ctype_xdigit virtual apache request headers apache note apache lookup uri apache child terminate apache setenv
apache_request_headers apache_note apache_tookup_url apache_chitu_terminate apache_setenv
apache_response_headers apache_get_version getallheaders mysql_connect mysql_pconnect mysql_close
mysql_select_db mysql_create_db mysql_drop_db mysql_query mysql_unbuffered_query mysql_db_query
mysql_list_dbs mysql_list_tables mysql_list_fields mysql_list_processes mysql_error mysql_error
mysql_affected_rows mysql_insert_id mysql_result mysql_num_rows mysql_num_fields mysql_fetch_row mysql_fetch_array mysql_fetch_assoc mysql_fetch_object mysql_data_seek mysql_fetch_lengths mysql_field mysql_field_seek mysql_free_result mysql_field_name mysql_field_table mysql_field_len mysql_field_type mysql_field_flags mysql_escape_string mysql_real_escape_string
mysql_field_ten mysql_field_type mysql_field_flags mysql_escape_string mysql_real_escape_string
mysql_stat mysql_thread_id mysql_client_encoding mysql_get_client_info mysql_get_host_info
mysql_get_proto_info mysql_get_server_info mysql_mysql_fieldname mysql_fieldtable
mysql_fieldlen mysql_fieldtype mysql_fieldflags mysql_selectdb mysql_createdb mysql_dropdb
mysql_freeresult mysql_numfields mysql_numrows mysql_listdbs mysql_listtables mysql_listfields
mysql_db_name mysql_dbname mysql_tablename mysql_table_name pg_connect pg_pconnect pg_close
pg_connection_status pg_connection_busy pg_connection_reset pg_host pg_dbname pg_port pg_tty
ng_ontions_pg_ping_ng_guery_ng_send_guery_ng_cancel_guery_ng_fetch_result_ng_fetch_row
pg_options pg_ping pg_query pg_send_query pg_cancel_query pg_fetch_result pg_fetch_row pg_fetch_assoc pg_fetch_array pg_fetch_object pg_fetch_all pg_affected_rows pg_get_result
```

```
pg_result_seek pg_result_status pg_free_result pg_last_oid pg_num_rows pg_num_fields pg_field_name
pg_field_num pg_field_size pg_field_type pg_field_prtlen pg_field_is_null pg_get_notify pg_get_pid pg_result_error pg_last_error pg_last_notice pg_put_line pg_end_copy pg_copy_to pg_copy_from
pg_trace pg_untrace pg_lo_create pg_lo_unlink pg_lo_open pg_lo_close pg_lo_read pg_lo_write
pg_lo_read_all pg_lo_import pg_lo_export pg_lo_seek pg_lo_tell pg_escape_string pg_escape_bytea pg_unescape_bytea pg_client_encoding pg_set_client_encoding pg_meta_data pg_convert pg_insert
pg_update pg_delete pg_select pg_exec pg_getlastoid pg_cmdtuples pg_errormessage pg_numrows pg_numfields pg_fieldname pg_fieldsize pg_fieldtype pg_fieldnum pg_fieldprtlen pg_fieldisnull
pg_freeresult pg_result pg_loreadall pg_locreate pg_lounlink pg_loopen pg_loclose pg_loread pg_lowrite pg_loimport pg_loexport http_response_code get_declared_traits getimagesizefromstring socket_import_stream_stream_set_chunk_size_trait_exists_header_register_callback_class_uses
session_status session_register_shutdown echo print global static exit array empty eval isset unset die include require include_once require_once json_decode json_encode json_last_error
json last error msg curl close curl copy handle curl errno curl error curl escape curl exec
curl_file_create curl_getinfo curl_init curl_multi_add_handle curl_multi_close curl_multi_exec curl_multi_init curl_multi_init curl_multi_remove_handle
curl_multi_select curl_multi_setopt curl_multi_strerror curl_pause curl_reset curl_setopt_array
curl_setopt curl_share_close curl_share_init curl_share_setopt curl_strerror curl_unescape curl version mysqli affected rows mysqli autocommit mysqli change user mysqli character set name
mysqli_close mysqli_commit mysqli_connect_errno mysqli_connect_error mysqli_connect mysqli_data_seek mysqli_debug mysqli_dump_debug_info mysqli_error mysqli_error_list mysqli_error mysqli_fetch_all
mysqli_fetch_array mysqli_fetch_assoc mysqli_fetch_field_direct mysqli_fetch_field
mysqli_fetch_fields mysqli_fetch_lengths mysqli_fetch_object mysqli_fetch_row mysqli_field_count
mysqli_field_seek mysqli_field_tell mysqli_free_result mysqli_get_charset mysqli_get_client_info
mysqli_get_client_stats mysqli_get_client_version mysqli_get_connection_stats mysqli_get_host_info
mysqli get proto info mysqli get server info mysqli get server version mysqli info mysqli init
mysqli_insert_id mysqli_kill mysqli_more_results mysqli_multi_query mysqli_next_result mysqli_num_fields mysqli_num_rows mysqli_options mysqli_ping mysqli_prepare mysqli_query
mysqli_real_connect mysqli_real_escape_string mysqli_real_query mysqli_reap_async_query
mysqli refresh mysqli rollback mysqli select db mysqli set charset mysqli set local infile default
mysqti_rerresh mysqti_rottback mysqti_setect_ub mysqti_set_charset mysqti_set_totat_inite_derautt
mysqli_set_local_infile_handler mysqli_sqlstate mysqli_ssl_set mysqli_stat mysqli_stat_init
mysqli_store_result mysqli_thread_id mysqli_thread_safe mysqli_use_result
mysqli_warning_count";o.registerHelper("hintWords","php",[S,s,h].join(" ").split("
")),o.registerHelper("wordChars","php",/[\w[]]/);var
g={name: "clike",helperType: "php",keywords:p(S),blockKeywords:p("catch do else elseif for foreach if
switch try while finally"),defKeywords:p("class enum function interface namespace trait"),atoms:p(s),builtin:p(h),multiLineStrings:!0,hooks:{□:function(T){return
\label{trait} Trait"), atoms:p(s), builtin:p(h), multiLineStrings:!0, hooks:\{[]:function(T)\{return T.eatWhile(/[\w\]_]/), "variable-2"\},"<":function(T,w)\{var c;if(c=T.match(/^<<\s*/))\{var d=T.eat(/['"]/);T.eatWhile(/[\w\.]/);var k=T.current().slice(c[0].length+(d?2:1));if(d&&T.eat(d),k)r eturn(w.tokStack||(w.tokStack=[])).push(k,0), w.tokenize=C(k,d!="'"),"string"\}return!1\}, "#":function(T)\{for(;!T.eol()&&!T.match("?>",!1);)T.next();return"comment"\},"/":function(T)\{if(T.eat("/"))\{for(;!T.eol()&&!T.match("?>",!1);)T.next();return"comment"\}return!1\},"":function(T,w)\{return(w.tokStack=[])).push('"',0), w.tokenize=C('"'),"string"},"{":function(T,w)\{return(w.tokStack=[],w.tokStack&w.tokStack.length&w.tokStack.length-1]++,!1},"}":function(T,w)\{return(w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,length,w.tokStack,
w.tokStack&w.tokStack.length>0&&!--w.tokStack[w.tokStack.length-
w.tokstack&aw.tokstack.tength>o&&:--w.tokstack[w.tokstack.tength-
1]&&(w.tokenize=C(w.tokstack[w.tokstack.length-2])),!1}}};o.defineMode("php",function(T,w){var
c=o.getMode(T,w&&w.htmlMode||"text/html"),d=o.getMode(T,g);function k(z,M){var
_=M.curMode==d;if(z.sol()&&M.pending!='"'&&M.pending!="'"&&(M.pending=null),_)return _&&M
.php.tokenize==null&&z.match("?>")?(M.curMode=c,M.curState=M.html,M.php.context.prev||(M.php=null),'
                                                                                                                                                                                                                                                           )return &&M
.pnp.tokenize==nutt&&z.match( !> ) {(M.curMode=c,M.curState=M.ntmt,M.pnp.context.prev||(M.pnp=nutt), meta"):d.token(z,M.curState);if(z.match(/^<\?\w*/))return M.curMode=d,M.php||(M.php=o.startState(d,c.indent(M.html,"",""))),M.curState=M.php,"meta";if(M.pending=='"'||M.pending=="'"){for(;!z.eol()&&z.next()!=M.pending;);var W="string"}else if(M.pending&&z.pos<M.pending.end){z.pos=M.pending.end;var
W=M.pending.style}else var W=c.token(z,M.curState);M.pending&&(M.pending=null);var
z.backUp(E.length-N)),W}return{startState:function(){var z=o.startState(c),M=w.startOpen?o.startSta,
te(d):null;return{html:z,php:M,curMode:w.startOpen?d:c,curState:w.startOpen?M:z,pending:null}},copyS
?N= :N=E,{html: ,php:E,curMode:z.curMode,curState:N,pending:z.pending}},token:k,indent:function(z,M,
   ){return z.curMode!=d&&/^\s*<\//.test(M)||z.curMode==d&&/^\?>/.test(M)?c.indent(z.html,M,_):z.curMo
de.indent(z.curState,M,_)},blockCommentStart:"/*",blockCommentEnd:"*/",lineComment:"//",innerMode:fu
nction(z){return{state:z.curState,mode:z.curMode}}}}, "htmlmixed", "clike"),o.defineMIME("application/
x-httpd-php","php"),o.defineMIME("application/x-httpd-php-
open",{name:"php",startOpen:!0}),o.defineMIME("text/x-php",g)})});var
Cu=Ke((Tu,Lu)=>{(function(o){typeof Tu=="object"&&typeof Lu=="object"?o(We()):typeof
\frac{1}{1}, \frac{1}{2} & (s. match(\frac{1}{2}) = \frac{1}{2} (e. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match(\frac{1}{2}) = \frac{1}{2} (s. match
```

```
]?\d+([EeDd][+-
|?\d+(|Lebdy||+-|
|?\d+)?/))?"number":s.match(/^"([^"]|(""))*"/)||s.match(/^'([^']|(''))*'/)?"string":s.match(C)?"keyw
ord":s.match(b)?"variable":(s.next(),null)}o.defineMode("protobuf",function(){return{token:S,fold:"b
race"}}),o.defineMIME("text/x-protobuf","protobuf")})});var Mu=Ke((Eu,zu)=>{(function(o){typeof
Eu=="object"&&typeof zu=="object"?o(We()):typeof
Eu=="object"&&typeof zu=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict";function p(h){return new RegExp("^(("+h.join(")|(")+"))\b")}var v=p(["and","or","not","is"]
),C=["as","assert","break","class","continue","def","del","elif","else","except","finally","for","fr
om","global","if","import","lambda","pass","raise","return","try","while","with","yield","in","False
","True"],b=["abs","all","any","bin","bool","bytearray","callable","chr","classmethod","compile","co
mplex","delattr","dict","dir","divmod","enumerate","eval","filter","float","format","frozenset","get
attr","globals","hasattr","hash","help","hex","id","input","init","isinstance","issubclass","iter","l
en","list","locals","map","max","memoryview","min","next","object","oct","open","ord","pow","propert
y","range","repr","reversed","round","set","setattr","slice","sorted","staticmethod","str","sum","su
per","tuple","type","vars","zip","__import__","NotImplemented","Ellipsis","__debug__"];o.registerHel
per("hintWords","python",C.concat(b).concat(["exec","print"]));function S(h){return
h.scopes[h.scopes.length-1]}o.defineMode("python",function(h,q){for(var T="error",w=q.delimiters||q.
  h.scopes[h.scopes.length-1]\} o.define Mode("python", function(h,g) \{for(var\ T="error", w=g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimiters||g.delimi
 single Delimiters | | /^[\(\) [\] \\ \{\) @, : `=; \. \) | /, c = [g.single Operators, g.double Operators, g.double Delimiters, g.triple Delimiters, g.operators | | /^([-
  +*/%\^&|^]=?|[<>=]+|\\\,-?|\*\*=?|!=|[~!@]|\.\.\)],d=0;d<c.length;d++)c[d]||c.splice(d--,1);var k=
  g.hangingIndent||h.indentUnit,z=C,M=b;g.extra keywords!=null&&(z=z.concat(g.extra keywords)),g.extra
        builtins!=null&&(M=M.concat(q.extra builtins));var =!(q.version&&Number(q.version)<3);if(){var
__bufttins;=nuttex(n=n.concat(g.extra_bufttins));var _=:(g.version(anumber(g.version)<3);fi(_){var} w=g.identifiers||/^[_A-Za-z\u00A1-\uFFFF][_A-Za-z0-9\u00A1-\uFFFF]*/;z=z.concat(["nonlocal","None","aiter","anext","async","await","breakpoint","match","case"]),M=M.concat(["ascii","bytes","exec","print"]);var E=new
RegExp(`^(([rbuf]|(br)|(rb)|(fr)|(rf))?('{3}|"{3}|['"]))`,"i")}else{var W=g.identifiers||/^[_A-
  Za-z][ A-Za-z0-
 Za-z][\_A-Za-z\theta-9]^*/;z=z.concat(["exec","print"]), M=M.concat(["apply","basestring","buffer","cmp","coerce","execfile ","file","intern","long","raw_input","reduce","reload","unichr","unicode","xrange","None"]);var E=new RegExp(`^(([rubf]|(ur)|(br))?('{3}|"{3}|['"]))`,"i")}var N=p(z),G=p(M);function J(K,X){var F=K.sol()&&X.lastToken!="\\";if(F&&(X.indent=K.indentation()),F&&S(X).type=="py")}var R=S(X).offset;if(K.eatSpace()){var le=K.indentation();return le>R?D(X):le<R&&j(K,X)&&(xe+=""+T),xe}}return re(K,X)}function re(K,X,F){if(K.eatSpace())return re(K,X)}function re(K,X,F){if(K.eatSpace())return rull;if(!F&&K.match(/^#.*/))return"comment";if(K.match(/^[0-9\.]/,!1)){var R=!1;if(K.match(/^[\d_]*\.\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*(|-1-2\))-1/\d*
            ]+/i)&&(le=!0), K.match(/^0b[01_]+/i)&&(le=!0), K.match(/^0o[0-7_]+/i)&&(le=!0), K.match(/^[1-k])
  9][\d_]*(e[\+\-]?[\d_]+)?/)&&(K.eat(/J/i),le=!0),K.match(/^0(?![\dx])/i)&&(le=!0),le)return
  K.eat(/L/i), "number"}if(K.match(E)){var xe=K.current().toLowerCase().indexOf("f")!==-1; return xe?(X.
  tokenize=q(K.current(), X.tokenize), X.tokenize(K,X)):(X.tokenize=0(K.current(), X.tokenize), X.tokenize
  (K,X)) for (var I=0;I < c.length;I++) if (K.match(c[I])) return "operator"; return K.match(w)?" punctuation": X.lastToken=="."&&K.match(W)?" property": K.match(N) | | K.match(v)?" keyword": K.match(G)?" builtin": K.match(V)?" keyword": K.match(V)?" builtin": K.match(V)?" keyword": K.match(V)?" builtin": K.match(V)?" keyword": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" builtin": K.match(V)?" 
  h(/^(self|cls)\b/)?"variable-
  2":K.match(W)?X.lastToken=="def"||X.lastToken=="class"?"def":"variable":(K.next(),F?null:T)}function
  q(K,X){for(;"rubf".indexOf(K.charAt(0).toLowerCase())>=0;)K=K.substr(1);var
  F=K.length==1,R="string";function le(I){return function(L,de)} \{var ze=re(L,de,!0);return ze=="punctuation" \& (L.current()=="{"?de.tokenize=le(I+1):L.current()=="}" & (I>1?) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1) = (I-1
  1):de.tokenize=xe)),ze}}function
Tide.tokin12-aC/),26;;function

xe(I,L){for(;!I.eol();)if(I.eatWhile(/[^'"\{\}\]),I.eat("\\")){if(I.next(),F&&I.eol())return

R}else{if(I.match(K))return L.tokenize=X,R;if(I.match("{{"}})return R;if(I.match("{{"}}))return

L.tokenize=le(0),I.current()?R:L.tokenize(I,L);if(I.match("{{"}}))return R;if(I.match("{{"}}))return

T;I.eat(/['"]/)}if(F){if(g.singleLineStringErrors)return T;L.tokenize=X}return R}return
 xe.isString=!0,xe}function
0(K,X){for(;"rubf".index0f(K.charAt(0).toLowerCase())>=0;)K=K.substr(1);var
F=K.length==1,R="string";function
le(xe,I){for(;!xe.eol();)if(xe.eatWhile(/[^'"\\]/),xe.eat("\\")){if(xe.next(),F&&xe.eol())return
R}else{if(xe.match(K))return I.tokenize=X,R;xe.eat(['"]/)}if(F){if(g.singleLineStringErrors)return
 T;I.tokenize=X}return R}return le.isString=!0,le}function D(K){for(;S(K).type!="py";)K.scopes.pop(); K.scopes.push({offset:S(K).offset+h.indentUnit,type:"py",align:null})}function Q(K,X,F){var R=K.matc
  h(/^[\s\setminus[\\{(]^*(?:\#|_)/,!1)?nul]:K.column()+1;X.scopes.push(\{offset:X.indent+k,type:F,align:R\})\} func
  tion j(K,X){for(var F=K.indentation();X.scopes.length>1&&S(X).offset>F;){if(S(X).type!="py")return!0
   ;X.scopes.pop()}return S(X).offset!=F}function
  V(K,X) {K.sol()&&(X.beginningOfLine=!0,X.dedent=!1); var
  F=X.tokenize(K,X),R=K.current();if(X.beginningOfLine&&R=="@")return K.match(W,!1)?"meta":_?"operator
    ":T;if(/\S/.test(R)&&(X.beginningOfLine=!1),(F=="variable"||F=="builtin")&&X.lastToken=="meta"&&(F="
  meta"),(R=="pass"||R=="return")&&(X.dedent=!0),R=="lambda"&&(X.lambda=!0),R==":"&&!X.lambda&&S(X).ty
pe=="py"&&K.match(/^\s*(?:#|[])/,!1)&&D(X),R.length==1&&!/string|comment/.test(F)){var le="[({".index Of(R);if(le!=-1&&Q(K,X,"])}".slice(le,le+1)),le="])}".indexOf(R),le!=-1)if(S(X).type==R)X.indent=X.scopes.opp().offset-k;else return T_ret() Fluence (function)(K)
  X. dedent\&\&K.eol()\&\&S(X).type=="py"\&\&X.scopes.length>1\&\&X.scopes.pop(),F} var y=\{startState:function(K)\} (startState:function(K), return(tokenize:J,scopes:[{offset:K||0,type:"py",align:null}],indent:K||0,lastToken:null,lambda:!1,dedent:0}\},token:function(K,X) (var F=X.errorToken;F&&(X.errorToken=!1);var R=V(K,X);return R&&R!="cartextranspaces.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powers.powe
```

```
omment \& (X.lastToken=R=="keyword" | |R=="punctuation"?K.current():R), R=="punctuation"& (R=null), K.eol()& X.lambda & (X.lambda=!1), F?R+" "+T:R, indent:function(K,X) {if(K.tokenize!=J)} return
  K.tokenize.isString?o.Pass:0;var
 F=S(K),R=F.type==X.charAt(0)||F.type=="py"&&!K.dedent&&/^(else:|elif |except |finally:)/.test(X);return
 F.align!=null?F.align-(R?1:0):F.offset-(R?k:0)},electricInput:/^\s*([\}\]\)]|else:|elif |except |finally:)_/,closeBrackets:{triples:`'"`},lineComment:"#",fold:"indent"};return y}),o.defineMIME("text/x-python","python");var s=function(h){return h.split("")};o.defineMIME("text/x-cython",{name:"python",extra_keywords:s("by cdef cimport cpdef ctypedef
 enum except extern gil include nogil property public readonly struct union DEF IF ELIF
ELSE")})});var qu=Ke((Au,Du)=>{(function(o){typeof Au=="object"&&typeof
  Du=="object"?o(We()):typeof
  define == "function" \& \& define.amd? define(["../../lib/codemirror"], o): o(CodeMirror) \}) (function(o) \{ "use the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function of the function 
G.tokenize.push(E),E(N,G)}function c(É,N){if(E.sol()&&E.match("=begin")&&E.eol())return
N.tokenize.push(W), "comment"; if (E.eatSpace()) return null; var G=E.next(), J; if (G=="\"||G=="\"||G=="\") return w(M(G, "string", G=='\"||G==\"), E, N); if (G==\") return d(E)?w(M(G, "string-2\",!0), E, N): "operator"; if (G==\%\") {var re=\"string\", q=\!0; E.eat(\"s\")?re=\"atom\": E.eat (/[wQ]/)?re=\"string\": E.eat(/[r]/)?re=\"string\", q=\!1); var
  0=E.eat(/[^\w\s=]/); return
  0? (s.propertyIsEnumerable(0) \& \& (0=s[0]), \\ w(M(0,re,q,!0),E,N)): "operator" \} else \{ if (G=="\#") return for each of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
\uffff]/), E.eat(/[\?\!\=]/), "atom"): "operator"; if(G=="@"&&E.match(/^@?[a-zA-Z \xa1-\uffff]/)) return
 E. eat("@"), E. eatWhile(/[\w\xa1-\uffff]/), "variable-2"; if(G=="\]") return E. eat(/[a-zA-Z_]/)?E. eatWhile(/[\w]/):E. eat(/\d/)?E. eat(/\d/):E. next(), "variable-3"; if(/[a-zA-Z_]/)?E. eatWhile(/[\w]/):E. eat(/\d/)?E. eat(/\d/):E. next(), "variable-3"; if(/[a-zA-Z_]/)?E. eat(/\d/)?E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. eat(/\d/):E. e
 T=G, null; if (G=="-"&\&E.eat(">")) return "arrow"; if (/[=+\-\/*:\.^%<>~|]/.test(G)) \{var D=E.eatWhile(/[=+\-\/*:\.^%<>~|]/); return G=="."&&!D&&(T="."), "operator"} else return null} \} function to the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of 
  E.backUp(E.pos-N), re \} function \ k(E) \{ return \ E | | (E=1), function(N,G) \{ if(N.peek()=="\}") \{ if(E==1), return \} \} 
  G.tokenize.pop(), G.tokenize[G.tokenize.length-1](N,G); G.tokenize[G.tokenize.length-1]=k(E-1)\}else
  N.peek()=="{"&&(G.tokenize[G.tokenize.length-1]=k(E+1));} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1;} return c(N,G)} function z(){var E=!1
  function(N,G){return
 E?(G.tokenize.pop(),G.tokenize[G.tokenize.length-1](N,G)):(E=!0,c(N,G))\} function \ M(E,N,G,J) \{return function(re,q) \{var 0=!1,D;for(q.context.type==="read-quoted-paused"&&(q.context=q.context.prev,re.eau) \} function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) function(re,q) funct
  t(""")); (D==e.next())!=null;) \{if(D==E\&\&(J||!0))\{q.tokenize.pop();break\}if(G\&\&D=="#"\&\&!0)\{if(re.eat())\}if(re.eat())\}if(re.eat())\}if(re.eat()) \}
  (E,N){return function(G,J){return
N&&G.eatSpace(),G.match(E)?J.tokenize.pop():G.skipToEnd(),"string"}}function W(E,N){return E.sol()&& E.match("=end")&&E.eol()&&N.tokenize.pop(),E.skipToEnd(),"comment"}return{startState:function(){return{tokenize:[c],indented:0,context:{type:"top",indented:-
 g.indentUnit},continuedLine:!1,lastTok:null,varList:!1}},token:function(E,N){T=null,E.sol()&&(N.inde
nted=E.indentation());var G=N.tokenize[N.tokenize.length-1](E,N),J,re=T;if(G=="ident"){var q=E.curre
 nt();G=N.lastTok=="."?"property":C.propertyIsEnumerable(E.current())?"keyword":/^[A-Z]/.test(q)?"tag":N.lastTok=="def"||N.lastTok=="class"||N.varList?"def":"variable",G=="keyword"&&(re
{if(E.tokenize[E.tokenize.length-1]!=c)return o.Pass;var G=N&&N.charAt(0),J=E.context,re=J.type==h[G
  ]||J.type=="keyword"&&/^(?:end|until|else|elsif|when|rescue)\b/.test(N);return J.indented+(re?0:g.in
  dentUnit)+(E.continuedLine?g.indentUnit:0)},electricInput:/^\s*(?:end|rescue|elsif|else|\})[]/,lineCo
 mment:"#",fold:"indent"}}),o.defineMIME("text/x-
ruby","ruby"),o.registerHelper("hintWords","ruby",v)})});var Nu=Ke((Iu,Fu)=>{(function(o){typeof
```

```
 Iu = "object" \& typeof Fu = "object"?o(We(),Di()): typeof define = "function" \& define.amd?define(["../../lib/codemirror","../../addon/mode/simple"],o): o(CodeMirror)) (function(o) { "use strict"; o.defineSimple Mode("rust", {start: [{regex:/b?"/,token:"string",next:"string"}, {regex:/b?r"/,token: "string",next:"string_raw"}, {regex:/b?r"/,token: "string",next: "string_raw_hash"}, {regex:/'(?:[^'\\]|\\(?:[nrt0'"]| x[\da-fA-F]{2}|u\{[\da-fA-F]{6}\}))'/,token: "string-2"}, {regex:/b'(?:[^']|\\(?:['\nrt0]|x[\da-fA-F]{2}))'/,token: "string-2"}, {regex:/(?:[0-9][0-9_]*)(?:(?:[Ee][+-]?[0-9_]+)|\.[0-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]+(?:[Ee][+-])(-9_]
 m|mod|struct|type|union)(\s+)([a-zA-Z][a-zA-Z0-9_]*)/,token:["keyword",null,"def"]},{regex:/(?:abstract|alignof|as|async|await|box|break|continue|c
 onst|crate|do|dyn|else|enum|extern|fn|for|final|if|impl|in|loop|macro|match|mod|move|offsetof|overri
 de|priv|proc|pub|pure|ref|return|self|sizeof|static|struct|super|trait|type|typeof|union|unsafe|unsized|use|virtual|where|while|yield)\b/,token:"keyword"},{regex:/\b(?:Self|isize|usize|char|bool|u8|u1
 6|u32|u64|f16|f32|f64|i8|i16|i32|i64|str|Option)\b/,token:"atom"},{regex:/\b(?:true|false|Some|None|
6|u32|u64|f16|f32|f64|i8|i16|i32|i64|str|Option)\b/,token:"atom"},{regex:/\b(?:true|false|Some|None|Ok|Err)\b/,token:"builtin"},{regex:/\b(fn)(\s+)([a-zA-Z_][a-zA-Z0-9_]*)/,token:["keyword",null,"def"]},{regex:/#!?\[.*\]/,token:"meta"},{regex:/\/\.*/,token:"comment"},{regex:/[-+\/*=<>!]+/,token:"operator"},{regex:/[a-zA-Z_]\w*!/,token:"variable-3"},{regex:/[a-zA-Z_]\w*/,token:"variable"},{regex:/[\{\[\]/,indent:!0}],{regex:/[\{\[\]/,indent:!0}],string:[{regex:/"/,token:"string",next:"start"},{regex:/(?:[^\\"]|\\(?:.\[]))*/,token:"string"}],string_raw:[{regex:/"/,token:"string",next:"start"},{regex:/[?:[^\]"]*/,token:"string"}],string_raw_hash:[{regex:/"#+/,token:"string",next:"start"},{regex:/(?:[^\]"]"(?!#))*/,token:"string"}],comment:[{regex:/.*?\*\//,token:"comment",next:"start"},{regex:/.*/,token:"comment"}],meta:{dontIndentStates:["comment"],electricInput:/^\s*\}_\]/,blockCommentStart:"/*",blockCommentEnd:"*/",ineComment:"/",fold:"brace"}}),o.defineMIME("text/rust"."rust")})}):var_ea=Ke((Ou.Pu)=>{(function(o){typeof})
rustsrc", "rust"), o.defineMIME("text/rust", "rust")})}); var ea=Ke((Ou,Pu)=>{(function(o){typeof Ou=="object"&&typeof Pu=="object"?o(We(),gn()):typeof define=="function"&&define.amd?define(["../../lib/codemirror","../css/css"],o):o(CodeMirror)})(function(o){"use strict"; o.defineMode("sass", function(p){var v=o.mmeModes["text/css"],C=v.propertyKeywords||{},b=v.c
strict"; o.defineMode("sass", function(p){var v=o.mimeModes["text/css"], C=v.propertyKeywords||{}, b=v.c
olorKeywords||{}, S=v.valueKeywords||{}, s=v.fontProperties||{}; function h(q){return new
RegExp("^"+q.join("|"))}var g=["true", "false", "null", "auto"], T=new RegExp("^"+g.join("|")), w=["\\(", "\\)", "=",">","<","==",">=",">=","<=","\\+","-"
","\\!=","/","\\*","%", "and", "or", "not",";","\\{","\\}","!], c=h(w), d=/^::?[a-zA-
Z_][\w\-]*/,k; function z(q){return!q.peek()||q.match(/\s+[]/,!1)}function M(q,0){var
D=q.peek(); return D===")"?(q.next(), 0.tokenizer=J, "operator"):D==="("?(q.next(), q.eatSpace(), "operator"):D==="""||D==="""?(0.tokenizer=W(q.next()), "string"):(0.tokenizer=W(")",!1), "string")}function</pre>
     (q,0){return function(D,Q){return D.sol()&&D.indentation()<=q?(Q.tokenizer=J,J(D,Q)):(0&&D.skipTo("
 */")?(D.next(),D.next(),Q.tokenizer=J):D.skipToEnd(),"comment")}}function
 W(q,0){0==null&&(0=!0);function D(Q,j){var}
0.peek()==="}"?(0.next(),D.tokenizer=q,"operator"):J(0,D)}}function
 N(q){if(q.indentCount==0){q.indentCount++;var
 O=q.scopes[0].offset,D=O+p.indentUnit;q.scopes.unshift({offset:D}))}function
G(q){q.scopes.length!=1&&q.scopes.shift()}function J(q,0){var D=q.peek();if(q.match("/*"))return 0.tokenizer=_(q.indentation(),!0),0.tokenizer(q,0);if(q.match("/"))return 0.tokenizer=_(q.indentation(),!1),0.tokenizer(q,0);if(q.match("#{"))return 0.tokenizer=E(J),"operator";if(D==="""|D===""")return q.next(),0.tokenizer=W(D),"string";if(0.curso
 rHalf){if(D==="#"&&(q.next(),q.match(/[0-9a-fA-F]{6}|[0-9a-fA-F]{3}/))||q.match(/^-?[0-
 9\.]+/) return z(q)\&\&(0.cursorHalf=0), "number"; if(q.match(/^(px|em|in))b/)) return
9() | +/) | return z(q)&&(0.cursorHalf=0), "number"; if(q.match(/^(px|em|in)\b/)) return z(q)&&(0.cursorHalf=0), "unit"; if(q.match(/) return z(q)&&(0.cursorHalf=0), "keyword"; if(q.match(/^url/)&&q.peek()==="(") return 0.tokenizer=M,z(q)&&(0.cursorHalf=0), "atom"; if(D==="[") return q.next(),q.eatWhile(/[\w-]/),z(q)&&(0.cursorHalf=0), "variable-2"; if(D==="!") return q.next(),0.cursorHalf=0,q.match(/^[\w]+/)?"keyword": "operator"; if(q.match(c)) return z(q)&&(0.cursorHalf=0), "operator"; if(q.eatWhile(/[\w-]/)) return z(q)&&(0.cursorHalf=0), k=q.current()
toLowerCase(),S.hasOwnProperty(k)?"atom":b.hasOwnProperty(k)?"keyword":C.hasOwnProperty(k)?(0.prevProperty(t)).toLowerCase(),"property"):"tag";if(z(q))return 0.cursorHalf=0,null}else{if(D==="-"&@q.match(/^-\w----))return"meta";if(D==="-"){if(q.next(),q.match(/^[\w-]+/))return N(0), "qualifier";if(q.peek()==="#")return N(0), "tag"}if(D==="#"){if(q.next(),q.match(/^[\w-]+/))return N(0), "builtin";if(q.peek()==="#")return N(0), "tag"}if(D==="#"){if(q.next(),q.match(/^[\w-]+/))return N(0), "builtin";if(q.peek()==="#")return N(0), "tag"}if(D==="#"){if(q.next(),q.match(/^[\w-]+/))return N(0), "builtin";if(q.peek()==="#")return N(0), "builtin";if(q.peek()=="#")return N(0), "builtin";if(q.peek()=="#
N(0), 'tag' }if(D=== "\]'return q.next(),q.match(/\[ \w-\]+/))return N(0), 'bulttin', I'(q.peek(/=== "\) N(0), "tag" }if(D==="\]' return q.next(),q.eatWhile(/\[ \w-\]/), "variable-2";if(q.match(/^-?\[ 0-\] 9\.]+/))return"number";if(q.match(/\[ (px\]em\]in)\[ b/))return"unit";if(q.match(T))return"keyword";if(q.match(/\[ (px\]em\]em\])return N(0)
       "meta";if(D==="+"&&q.match(/^+[\w-]+/))return"variable
 , "meta"; if (D==="+"\&\&q.matcn(/"+[\w-]+/)/return\ variable=3"; if (<math>D==="@"\&\&q.match(/"@extend")\&\&(q.match(/\s*[\w]/)||G(0)),q.match(/^@(elseif|if|media|else|for|each|while|mixin|function)/)) return N(0), "def"; if (<math>D==="@") return
  q.next(), q.eatWhile(/[\w-]/), "def"; if(q.eatWhile(/[\w-]/)) if(q.match(/ *: *[\w-\+\]#!\("']/,!1)) \{k=q.current().toLowerCase(); var Q=0.prevProp+"-"+k; return C.has0wnProperty(Q) \} 
 ?"property":C.hasOwnProperty(k)?(0.prevProp=k,"property"):s.hasOwnProperty(k)?"property":"tag"}else
 return q.match(/
 *:/,!1)?(N(0),0.cursorHalf=1,0.prevProp=q.current().toLowerCase(),"property"):(q.match(/
*,/,!1)||N(0),"tag");if(D===":")return
```

```
q.match(d)?"variable-3":(q.next(),0.cursorHalf=1,"operator")}return
  \label{eq:qmatch} $$q. \mathtt{match(c)?"operator":(q.next(),null)}$ function $$re(q,0)_{q.sol()&&(0.indentCount=0)}$; var $$D=0.tokenizer(q,0),Q=q.current();if((Q==="@return"||Q==="}")&&G(0),D!==null)_{for(var)}$$
   j=q.pos-Q.length,V=j+p.indentUnit*0.indentCount,y=[],K=0;K<0.scopes.length;K++){var
   X=0.scopes[K]; X.offset <= V\&\&y.push(X) \} 0.scopes = y \} return D \} return { startState: function() { return { tokeniz } } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } return { tokeniz } re
   er:J,scopes:[{offset:0,type:"sass"}],indentCount:0,cursorHalf:0,definedVars:[],definedMixins:[]}},to
   ken:function(q,0){var D=re(q,0);return
 O.lastToken={style:D,content:q.current()},D},indent:function(q){return q.scopes[0].offset},blockComm entStart:"/*",blockCommentEnd:"*/",lineComment:"//",fold:"indent"}},"css"),o.defineMIME("text/x-sass","sass")}));var Ru=Ke((Bu,ju)=>{(function(o){typeof Bu=="object"&&typeof
   ju=="object"?o(We()):typeof
   define=="function"&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
define=""function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use strict";o.defineMode("shell",function(){var p={};function v(d,k){for(var z=0;z<k.length;z++)p[k[z]]=d}var C=["true","false"],b=["if","then","do","else","elif","while","until ","for","in","esac","fi","fin","fil","done","exit","set","unset","export","function"],S=["ab","awk", "bash","beep","cat","cc","cd","chown","chmod","chroot","clear","cp","curl","cut","diff","echo","find ","gawk","gcc","get","git","grep","hg","kill","killall","ln","ls","make","mkdir","openssl","mv","nc","nl","node","npm","ping","ps","restart","rm","rmdir","sed","service","sh","shopt","shred","source","sort","sleep","ssh","start","stop","sud","svn","tee","telnet","top","touch","vi","vim","wall","wc","wget","who","write","yes","zsh"];o.registerHelper("hintWords","shell",C.concat(b,S)),v("atom",C),v("keyword",b),v("builtin",S);function s(d,k){if(d.eatSpace())return null;var z=d.sol(),M=d.next();if(M==="\")"return d.next(),null;if(M==="\")|M===="\")return k.tokens.unshift(h(M,M==="\")"return</pre>
   k.tokens.unshift(h(M,M==="\"?"quote":"string")),c(d,k);if(M==="#")return
    z\&d.eat("!")?(d.skipToEnd(), "meta"):(d.skipToEnd(), "comment");if(M===""") return \\ k.tokens.unshift(T),c(d,k);if(M==="+"||M==="=") return"operator";if(M==="-") return 
 d.eat("-"),d.eatWhile(/\w/),"attribute";if(M==="){if(d.match("<<"))return"operator";var =d.match(/^<-?\s*['"]?([^\"]*)['"]?/);if(_)return k.tokens.unshift(w(_[1])),"string-2"}if(/\d/.test(M)&&(d.eatWhile(/\d/),d.eol()||!/\w/.test(d.peek())))return"number";d.eatWhile(/\w-
   ]/);var W=d.current();return
   d.peek() == "= \&\&/\\ w+/.test(W)?"def":p.hasOwnProperty(W)?p[W]:null} function h(d,k) \{varz=d=="("?")":d=="{"?"}":d;return function(M,_) \{for(varz=d), for(varz=d), egin{array}{lll} & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,\cdot).d=\{\cdot\}, d,\cdot\} \in \mathbb{N}, d} \\ & \text{$\mathbb{Z}_{-}^{-}(\cdot,
  \label{eq:matching} M. tokens[0] = h(d,k), z.next(), c(z,M) \} \\ var T = function(d,k) \\ \{k.tokens.length > 1 \\ \&d.eat("\|"); var z = d.next(); return/['"(\{]/.test(z)?(k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "{"?"def":"string"}, c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "("?"def":"string"), c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "("?"def":"string"), c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "("?"def":"string"), c(d,k)):(/\d/.test(z)); (k.tokens[0] = h(z,z = = "("?"quote":z = = "("")"); (k.tokens[0] = h(z,z = = "("")"); (k.tokens[0] = h(z,z = = "("")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")"); (k.tokens[0] = h(z,z = = "(")")
     ||d.eatWhile(/\w/),k.tokens.shift(),"def")};function w(d){return function(k,z){return
  k.sol()&&k.string==d&&z.tokens.shift(),k.skipToEnd(),"string-2"}}function c(d,k){return(k.tokens[0]|
|s)(d,k)}return{startState:function(){return{tokens:[]}},token:function(d,k){return c(d,k)},closeBrackets:"()[]{}''\"\"``",lineComment:"#",fold:"brace"}}),o.defineMIME("text/x-sh","shell"),o.defineMIME("application/x-sh","shell")});var Uu=Ke((Hu,Wu)=>{(function(o){typeof
   Hu=="object"&&typeof Wu=="object"?o(We()):typeof
 define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
strict";o.defineMode("sql",function(g,T){var w=T.client||{},c=T.atoms||{false:!0,true:!0,null:!0},d=
T.builtin||s(h),k=T.keywords||s(S),z=T.operatorChars||/^[*+\-
   \label{eq:hstringEscapes} $$ \frac{1}{N} = 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1.5 + 1
   F]*'/)))return"number";if(M.binaryNumber&&((V=="b"||V=="B")&&Q.match(/^{(01)}*'/)||V=="0"&&Q.match(/^{(10)}
   b[01]+/)) return"number"; if (V.charCodeAt(0)>47&&V.charCodeAt(0)<58) return Q.match(/^[0-9]*(\.[0-0.00]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^[0-9]) return Q.match(/^
   91+)?([eE][-+]?[0-
  9]+)?/),M.decimallessFloat&Q.match(/^\.(?!\.)/),"number";if(V=="?"&&(Q.eatSpace()||Q.eol()||Q.eat(";")))return"variable-3";if(V=="'"||V=="'&&M.doubleQuote)return j.tokenize=re(V),j.tokenize(V),j.tokenize
 .zerolessFloat&Q.match(/^(?:\d+(?:e[+-]?\d+)?)/i))return"number";if(\emptyset.match(/^\.+/))return
   null; if(Q.match(/^[\w\d ]\#]+/)) return "variable-2"} else{if(z.test(V))} return
 \begin{array}{l} \text{null}; & \text{if}(Q.\mathsf{match}(/^{\mathbb{N}} \setminus \mathbb{N})) \text{ return "variable-2 } \text{ } \text{else}_{\mathsf{L}^{\mathbb{N}}}(Q.\mathsf{cest}(V)) \text{ return} \\ & \text{Q.eatWhile}(Z), "operator"; & \text{if}(N.\mathsf{test}(V)) \text{ return} \\ & \text{Proposed for the property}(Q.\mathsf{cest}(V)) \text{ return} \\ & \text{Q.eatWhile}(Q), "punctuation"; & \text{if}(V=="\{"&&(Q.\mathsf{match}(/^()*(d|D|t|T|ts|TS)())*'[^-]*'()*\}/))) \text{ return} \\ & \text{number} \\ & \text{Proposed for the property}(X) \\ & \text{Modelly } \\ & \text{Modelly } \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the property}(X) \\ & \text{Proposed for the proped for the proped for the proped for the proped for the proped for the proped for the prop
  w.hasOwnProperty(K)?"builtin":null}}function re(Q,j){return function(V,y){for(var K=!1,X;(X=V.next())!=null;)}if(X==Q&&!K){y.tokenize=J;break}K=(E||j)&&!K&&X=="\\"}return"string"}}function q(Q){return}
   function(j,V)\{var\ y=j.match(/^.*?(\/\*|\*\/)/); return
   y?y[1] == "/*"?V.tokenize = q(Q+1):Q>1?V.tokenize = q(Q-1):V.tokenize = J:j.skipToEnd(), "comment"} function
   O(Q,j,V) is context={prev:j.context,indent:Q.indentation(),col:Q.column(),type:V}} function O(Q) {Q.ind
```

```
ent=Q.context.indent,Q.context=Q.context.prev}return{startState:function(){return{tokenize:J,context
g.backUp(g.current().length-1), g.eatWhile(/\w/)?"variable-2":null}function C(g){return g.eat("@")&&(g.match("session."),g.match("local."),g.match("global.")),g.eat("'")?(g.match(/^.*'/),"variable-2"):g.eat('"')?(g.match(/^.*'/),"variable-2"):g.eat("\"')?(g.match(/^.*\'/),"variable-2"):g.match(/^[0-9a-zA-Z\square\.\_]+/)?"variable-2":null}function b(g){return g.eat("N")?"atom":g.match(/^[a-zA-Z.#!?]/)?"variable-2":null}var S="alter and as asc between by
count create delete desc distinct drop from group having in insert into is join like not on or order select set table union update values where limit ";function s(g){for(var T={},w=g.split("
"),c=0;c<w.length;++c)T[w[c]]=!0;return T}var h="bool boolean bit blob enum long longblob longtext medium mediumblob mediumint mediumtext time timestamp tinyblob tinyint tinytext text bigint int int1
int2 int3 int4 int8 integer float float4 float8 double char varbinary varchar varcharacter precision
real date datetime year unsigned signed decimal numeric"; o. defineMIME("text/x-sql", {name: "sql", keywords:s(S+"begin"), builtin:s(h), atoms:s("false true null unknown"), dateSQL:s("date time timestamp"), support:s("doubleQuote binaryNumber hexNumber")}), o. defineMIME("text/x-mssql", {name: "sql", client:s("[partition binary_checksum checksum nnectionproperty context info current request id error line error message error number
error procedure error severity error state formatmessage get filestream transaction context
getansinull host_id host_name isnull isnumeric min_active_rowversion newid newsequentialid
rowcount_big xact_state object_id"),keywords:s(S+"begin trigger proc view index for add constraint key primary foreign collate clustered nonclustered declare exec go if use index holdlock nolock
nowait paglock readcommitted readcommittedlock readpast readuncommitted repeatableread rowlock
serializable snapshot tablock tablockx updlock with"), builtin:s("bigint numeric bit smallint decimal smallmoney int tinyint money float real char varchar text nchar nvarchar ntext binary varbinary image cursor timestamp hierarchyid uniqueidentifier sql_variant xml table "), atoms:s("is not null like and or in left right between inner outer join all any some cross unpivot pivot exists"), operato
%<>!=^\&|\/|/,brackets:/^[\{}\(\)]/,punctuation:/^[;.,:/]/,backslashStringEscapes:!1,dateSQL:s("date
datetimeoffset datetime2 smalldatetime datetime
time"),hooks:{"@":C}}),o.defineMIME("text/x-mysql",{name:"sql",client:s("charset clear connect edit ego exit go help nopager notee nowarning pager print prompt quit rehash source status system
tee"),keywords:s(S+"accessible action add after algorithm all analyze asensitive at authors
auto increment autocommit avg avg row length before binary binlog both btree cache call cascade
cascaded case catalog name chain change changed character check checkpoint checksum class origin
client statistics close coalesce code collate collation collations column columns comment commit
committed completion concurrent condition connection consistent constraint contains continue
contributors convert cross current current_date current_time current_timestamp current_user cursor
data database databases day hour day microsecond day minute day second deallocate dec declare default delay key write delayed delimiter des key file describe deterministic dev pop dev samp
deviance diagnostics directory disable discard distinctrow div dual dumpfile each elseif enable
enclosed end ends engine engines enum errors escape escaped even event events every execute exists
exit explain extended fast fetch field fields first flush for force foreign found rows full fulltext
function general get global grant grants group group_concat handler hash help high_priority hosts hour_microsecond hour_minute hour_second if ignore ignore_server_ids import index index_statistics infile inner innodb inout insensitive insert_method install interval invoker isolation iterate key keys kill language last leading leave left level limit linear lines list load local localtime
localtimestamp lock logs low priority master master heartbeat period master ssl verify server cert
masters match max max_rows maxvalue message_text middleint migrate min min_rows minute_microsecond
minute second mod mode modifies modify mutex mysql_errno natural next no no_write_to_binlog offline
offset one online open optimize option optionally out outer outfile pack_keys parser partition
partitions password phase plugin plugins prepare preserve prev primary privileges procedure
processlist profile profiles purge query quick range read read write reads real rebuild recover
references regexp relaylog release remove rename reorganize repair repeatable replace require
resignal restrict resume return returns revoke right rlike rollback rollup row row format rtree
savepoint schedule schema schema_name schemas second_microsecond security sensitive separator
serializable server session share show signal slave slow smallint snapshot soname spatial specific
sql sql big result sql buffer result sql cache sql calc found rows sql no cache sql small result
sqlexception sqlstate sqlwarning ssl start starting starts status std stddev stddev_pop stddev_samp
storage straight join subclass origin sum suspend table name table statistics tables tablespace
temporary terminated to trailing transaction trigger triggers truncate uncommitted undo uninstall
unique unlock upgrade usage use use_frm user user_resources user_statistics using utc_date utc_time utc_timestamp value variables varying view views warnings when while with work write xa xor
year_month zerofill begin do then else loop repeat"), builtin:s("bool boolean bit blob decimal double
float long longblob longtext medium mediumblob mediumint mediumtext time timestamp tinyblob tinyint
```

```
tinytext text bigint int int1 int2 int3 int4 int8 integer float float4 float8 double char varbinary
varchar varcharacter precision date datetime year unsigned signed numeric"),atoms:s("false true null
unknown"),operatorChars:/^[*+\-%<>!=&|^]/,dateSQL:s("date time
timestamp"),support:s("decimallessFloat zerolessFloat binaryNumber hexNumber doubleQuote nCharCast charsetCast commentHash commentSpaceRequired"),hooks:{"@":C,"`":p,"\\":b}}),o.defineMIME("text/x-mariadb",{name:"sql",client:s("charset clear connect edit ego exit go help nopager notee nowarning
pager print prompt quit rehash source status system tee"), keywords:s(S+"accessible action add after
algorithm all always analyze asensitive at authors auto increment autocommit avg avg row length
before binary binlog both btree cache call cascade cascaded case catalog_name chain change changed
character check checkpoint checksum class origin client statistics close coalesce code collate
collation collations column columns comment committed completion concurrent condition
connection consistent constraint contains continue contributors convert cross current current date
current time current timestamp current user cursor data database databases day hour day microsecond
day minute day second deallocate dec declare default delay key write delayed delimiter des key file
describe deterministic dev pop dev samp deviance diagnostics directory disable discard distinctrow
div dual dumpfile each elseif enable enclosed end ends engine engines enum errors escape escaped
even event events every execute exists exit explain extended fast fetch field fields first flush for force foreign found_rows full fulltext function general generated get global grant grants group
group concat handler hard hash help high priority hosts hour microsecond hour minute hour second if
ignore ignore server ids import index index statistics infile inner innodb inout insensitive
insert method install interval invoker isolation iterate kev kevs kill language last leading leave
left level limit linear lines list load local localtime localtimestamp lock logs low_priority master master_heartbeat_period master_ssl_verify_server_cert masters match max max_rows maxvalue
message text middleint migrate min min rows minute microsecond minute second mod mode modifies
modify mutex mysql errno natural next no no write to binlog offline offset one online open optimize
option optionally out outer outfile pack keys parser partition partitions password persistent phase
plugin plugins prepare preserve prev primary privileges procedure processlist profile profiles purge query quick range read_write reads real rebuild recover references regexp relaylog release
remove rename reorganize repair repeatable replace require resignal restrict resume return returns
revoke right rlike rollback rollup row row_format rtree savepoint schedule schema schema_name schemas second_microsecond security sensitive separator serializable server session share show
shutdown signal slave slow smallint snapshot soft soname spatial specific sql sql big result
sql buffer result sql cache sql calc found rows sql no cache sql small result sqlexception sqlstate
sqlwarning ssl start starting starts status std stddev stddev pop stddev samp storage straight join
subclass_origin sum suspend table_name table_statistics tables tablespace temporary terminated to trailing transaction trigger triggers truncate uncommitted undo uninstall unique unlock upgrade
usage use use frm user user resources user statistics using utc date utc time utc timestamp value
variables varying view views virtual warnings when while with work write xa xor year_month zerofill
begin do then else loop repeat"), builtin:s("bool boolean bit blob decimal double float long longblob
longtext medium mediumblob mediumint mediumtext time timestamp tinyblob tinyint tinytext text bigint int int1 int2 int3 int4 int8 integer float float4 float8 double char varbinary varchar varcharacter
precision date datetime year unsigned signed numeric"),atoms:s("false true null
unknown"),operatorChars:/^[*+\-%<>!=&|^]/,dateSQL:s("date time timestamp"),support:s("decimallessFloat zerolessFloat binaryNumber hexNumber doubleQuote nCharCast
charsetCast commentHash commentSpaceRequired"),hooks:{"@":C,"`":p,"\\":b}}),o.defineMIME("text/x-sqlite",{name:"sql",client:s("auth backup bail binary changes check clone databases dbinfo dump echo eqp_exit explain fullschema headers help import imposter indexes iotrace limit lint load log mode
nullvalue once open output print prompt quit read restore save scanstats schema separator session shell show stats system tables testcase timeout timer trace vfsinfo vfslist vfsname
width"), keywords:s(S+"abort action add after all analyze attach autoincrement before begin cascade case cast check collate column commit conflict constraint cross current_date current_time
current timestamp database default deferrable deferred detach each else end escape except exclusive
exists explain fail for foreign full glob if ignore immediate index indexed initially inner instead
intersect is null key left limit match natural no not null null of offset outer plan pragma primary
query raise recursive references regexp reindex release rename replace restrict right rollback row savepoint temp temporary then to transaction trigger unique using vacuum view virtual when with
without"),builtin:s("bool boolean bit blob decimal double float long longblob longtext medium
mediumblob mediumint mediumtext time timestamp tinyblob tinyint tinytext text clob bigint int int2 int8 integer float double char varchar date datetime year unsigned signed numeric
real"),atoms:s("null current_date current_times year ansigned signed numeric real"),atoms:s("null current_date current_times tamp"),operatorChars:/^[*+\-%<>!=&|/~]/,dateSQL:s("date time timestamp datetime"),support:s("decimallessFloat zerolessFloat"),identifierQuote:'"',hooks:{"@":C,"?":C,
[:C,'"':v,"":p}}),o.defineMIME("text/x-cassandra",{name:"sql",client:{},keywords:s("add all allow
alter and any apply as asc authorize batch begin by clustering columnfamily compact consistency
count create custom delete desc distinct drop each_quorum exists filtering from grant if in index insert into key keyspace keyspaces level limit local_one local_quorum modify nan norecursive
nosuperuser not of on one order password permission permissions primary quorum rename revoke schema select set storage superuser table three to token truncate ttl two type unlogged update use user users using values where with writetime"), builtin:s("ascii bigint blob boolean counter decimal
double float frozen inet int list map static text timestamp timeuuid tuple uuid varchar varint"),atoms:s("false true infinity
NaN"),operatorChars:/^[<>=]/,dateSQL:{},support:s("commentSlashSlash
decimallessFloat"),hooks:{}}),o.defineMIME("text/x-plsql",{name:"sql",client:s("appinfo arraysize
```

```
autocommit autoprint autorecovery autotrace blockterminator break btitle cmdsep colsep compatibility
compute concat copycommit copytypecheck define describe echo editfile embedded escape exec execute
feedback flagger flush heading headsep instance linesize lno loboffset logsource long longchunksize
markup native newpage numformat numwidth pagesize pause pno recsep recsepchar release repfooter
repheader serveroutput shiftinout show showmode size spool sqlblanklines sqlcase sqlcode sqlcontinue
sqlnumber sqlpluscompatibility sqlprefix sqlprompt sqlterminator suffix tab term termout time timing
trimout trimspool ttitle underline verify version wrap"), keywords:s("abort accept access add all
alter and any array arraylen as asc assert assign at attributes audit authorization avg base table
begin between binary_integer body boolean by case cast char char_base check close cluster clusters
colauth column comment commit compress connect connected constant constraint crash create current
currval cursor data_base database date dba deallocate debugoff debugon decimal declare default
definition delay delete desc digits dispose distinct do drop else elseif elsif enable end entry
escape exception exception init exchange exclusive exists exit external fast fetch file for force
form from function generic goto grant group having identified if immediate in increment index indexes indicator initial initrans insert interface intersect into is key level library like limited
local lock log logging long loop master maxextents maxtrans member minextents minus mislabel mode
modify multiset new next no noaudit nocompress nologging noparallel not nowait number base object of
off offline on online only open option or order out package parallel partition pctfree pctincrease
pctused pls_integer positive positiven pragma primary prior private privileges procedure public raise range raw read rebuild record ref references refresh release rename replace resource restrict
return returning returns reverse revoke rollback row rowid rowlabel rownum rows run savepoint schema
segment select separate session set share snapshot some space split sql start statement storage
subtype successful synonym tabauth table tables tablespace task terminate then to trigger truncate
type union unique unlimited unrecoverable unusable update use using validate value values variable view views when whenever where while with work"),builtin:s("abs acos add_months ascii asin atan
atan2 average bfile bfilename bigserial bit blob ceil character chartorowid chr clob concat convert
cos cosh count dec decode deref dual dump dup val on index empty error exp false float floor found
qlb greatest hextoraw initcap instr instrb int integer isopen last day least length lengthb ln lower
lpad ltrim lub make_ref max min mlslabel mod months_between natural naturaln nchar nclob new_time next_day nextval nls_charset_decl_len nls_charset_id nls_charset_name nls_initcap nls_lower nls_sort
nls upper nlssort no data found notfound null number numeric nvarchar2 nvl others power rawtohex
real reftohex round rowcount rowidtochar rowtype rpad rtrim serial sign signtype sin sinh smallint
soundex sqlcode sqlerrm sqrt stddev string substr substrb sum sysdate tan tanh to char text to date
to_label to_multi_byte to_number to_single_byte translate true trunc uid unlogged upper user userenv varchar varchar2 variance varying vsize xml"),operatorChars:/^[*\/+\-%<>!=~]/,dateSQL:s("date time
timestamp"), support:s("doubleQuote nCharCast zerolessFloat binaryNumber
hexNumber")}),o.defineMIME("text/x-hive",{name:"sql",keywords:s("select alter [elem[ [key[ ]value[ add after all analyze and archive as asc before between binary both buckets by cascade case
cast change cluster clustered clusterstatus collection column columns comment compute concatenate continue create cross cursor data database databases dbproperties deferred delete delimited desc
describe directory disable distinct distribute drop else enable end escaped exclusive exists explain
export extended external fetch fields fileformat first format formatted from full function functions grant group having hold_ddltime idxproperties if import in index indexes inpath inputdriver
inputformat insert intersect into is items join keys lateral left like limit lines load local location lock locks mapjoin materialized minus msck no drop nocompress not of offline on option or
order out outer outputdriver outputformat overwrite partition partitioned partitions percent plus
preserve procedure purge range rcfile read readonly reads rebuild recordreader recordwriter recover reduce regexp rename repair replace restrict revoke right rlike row schema schemas semi sequencefile
serde serdeproperties set shared show show database sort sorted ssl statistics stored streamtable
table tables tablesample tblproperties temporary terminated textfile then tmp to touch transform
trigger unarchive undo union uniquejoin unlock update use using utc utc tmestamp view when where
while with admin authorization char compact compactions conf cube current current date
current timestamp day decimal defined dependency directories elem type exchange file following for
grouping hour ignore inner interval jar less logical macro minute month more none noscan over owner partialscan preceding pretty principals protection reload rewrite role roles rollup rows second
server sets skewed transactions truncate unbounded unset uri user values window
year"),builtin:s("bool boolean long timestamp tinyint smallint bigint int float double date datetime
unsigned string array struct map uniontype key type utctimestamp value_type varchar"),atoms:s("false true null unknown"),operatorChars:/^[*+\-%<>!=]/,dateSQL:s("date timestamp"),support:s("doubleQuote
hinaryNumber
hexNumber")}),o.defineMIME("text/x-pgsql",{name:"sql",client:s("source"),keywords:s(S+"a abort abs
absent absolute access according action ada add admin after aggregate alias all allocate also alter
always analyse analyze and any are array array_agg array_max_cardinality as asc asensitive assert
assertion assignment asymmetric at atomic attach attribute attributes authorization avg backward
base64 before begin begin_frame begin_partition bernoulli between bigint binary bit bit length blob
blocked bom boolean both breadth by c cache call called cardinality cascade cascaded case cast
catalog catalog_name ceil ceiling chain char char_length character_character_length
character set catalog character set name character set schema characteristics characters check
checkpoint class class origin clob close cluster coalesce cobol collate collation collation_catalog
collation name collation schema collect column column name columns command function
command function code comment comments committed concurrently condition condition number
configuration conflict connect connection connection name constant constraint catalog
constraint name constraint schema constraints constructor contains content continue control
```

```
conversion convert copy corr corresponding cost count covar_pop covar_samp create cross csv cube cume_dist current_catalog current_date current_default_transform_group current_path
current role current row current schema current time current timestamp
current_transform_group_for_type_current_user cursor cursor_name cycle data database datalink
datatype date datetime interval code datetime interval precision day db deallocate debug dec decimal
declare default defaults deferrable deferred defined definer degree delete delimiter delimiters
dense_rank depends depth deref derived desc describe descriptor detach detail deterministic
diagnostics dictionary disable discard disconnect dispatch distinct dlnewcopy dlpreviouscopy
dlurlcomplete dlurlcompleteonly dlurlcompletewrite dlurlpath dlurlpathonly dlurlpathwrite
dlurlscheme dlurlserver dlvalue do document domain double drop dump dynamic dynamic function
dynamic function code each element else elseif elsif empty enable encoding encrypted end end frame
end_partition endexec enforced enum equals errcode error escape event every except exception exclude
excluding exclusive exec execute exists exit exp explain expression extension external extract false
family fetch file filter final first first_value flag float floor following for force foreach foreign fortran forward found frame_row free freeze from fs full function functions fusion g general
generated get global go goto grant granted greatest group grouping groups handler having header hex hierarchy hint hold hour id identity if ignore ilike immediate immediately immutable implementation implicit import in include including increment indent index indexes indicator info inherit inherits
initially inline inner inout input insensitive insert instance instantiable instead int integer
integrity intersect intersection interval into invoker is isnull isolation join k key key_member
key type label lag language large last last value lateral lead leading leakproof least left length
level library like like_regex limit link listen ln load local localtime localtimestamp location locator lock locked log logged loop lower m map mapping match matched materialized max
max cardinality maxvalue member merge message message length message octet length message text
method min minute minvalue mod mode modifies module month more move multiset mumps name names
namespace national natural nchar nclob nesting new next nfc nfd nfkc nfkd nil no none normalize
normalized not nothing notice notify notnull nowait nth_value ntile null nullable nullif nulls
number numeric object occurrences_regex octet_length octets of off offset oids old on only open
operator option options or order ordering ordinality others out outer output over overlaps overlay
overriding owned owner p pad parallel parameter parameter_mode parameter_name parameter_ordinal_position parameter_specific_catalog parameter_specific_name
parameter_specific_schema parser partial partition pascal passing passthrough password path percent
percent_rank percentile_cont percentile_disc perform period permission pg_context pg_datatype_name
pg exception context pg exception detail pg exception hint placing plans pli policy portion position
position_regex power precedes preceding precision prepare prepared preserve primary print_strict_params prior privileges procedural procedure procedures program public publication
query quote raise range rank read reads real reassign recheck recovery recursive ref references referencing refresh regr_avgx regr_avgy regr_count regr_intercept regr_r2 regr_slope regr_sxx
regr sxy regr syy reindex relative release rename repeatable replace replica requiring reset respect
restart restore restrict result result oid return returned cardinality returned length
returned octet length returned sqlstate returning returns reverse revoke right role rollback rollup
routine routine catalog routine name routine schema routines row row count row number rows rowtype
rule savepoint scale schema schema name schemas scope scope catalog scope name scope schema scroll search second section security select selective self sensitive sequence sequences serializable
server server_name session session_user set setof sets share show similar simple size skip slice
smallint snapshot some source space specific specific_name specifictype sql sqlcode sqlerror
sqlexception sqlstate sqlwarning sqrt stable stacked standalone start state statement static
statistics stddev_pop stddev_samp stdin stdout storage strict strip structure style subclass origin
submultiset subscription substring substring_regex succeeds sum symmetric sysid system_system_time
system_user t table table_name tables tablesample tablespace temp template temporary text then ties
time timestamp timezone hour timezone minute to token top_level_count trailing transaction transaction active transactions committed transactions rolled back transform transforms translate
translate_regex translation treat trigger trigger_catalog trigger_name trigger_schema trim trim_array true truncate trusted type types uescape unbounded uncommitted under unencrypted union
unique unknown unlink unlisten unlogged unnamed unnest until untyped update upper uri usage
use_column use_variable user_user_defined_type_catalog user_defined_type_code user_defined_type_name user_defined_type_schema using vacuum valid validate validator value value_of values var_pop
var samp varbinary varchar variable_conflict variadic varying verbose version versioning view views
volatile warning when whenever where while whitespace width bucket window with within without work
wrapper write xml xmlagg xmlattributes xmlbinary xmlcast xmlcomment xmlconcat xmldeclaration
xmldocument xmlelement xmlexists xmlforest xmliterate xmlnamespaces xmlparse xmlpi xmlquery xmlroot xmlschema xmlserialize xmltable xmltext xmlvalidate year yes zone"),builtin:s("bigint int8 bigserial
serial8 bit varying varbit boolean bool box bytea character char varchar cidr circle date double precision float8 inet integer int int4 interval json jsonb line lseg macaddr macaddr8 money numeric
decimal path pg_lsn point polygon real float4 smallint int2 smallserial serial2 serial serial4 text
time zone timetz timestamp timestamptz tsquery tsvector txid snapshot uuid xml"),atoms:s("false true
null unknown"),operatorChars:/^[*\/+\-
<<|-k|^{\mbox{""':v}}, \mbox{dateSQL:s("date time left)}. The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
timestamp"),support:s("decimallessFloat zerolessFloat binaryNumber hexNumber nCharCast charsetCast
escapeConstant")}),o.defineMIME("text/x-gql",{name:"sql",keywords:s("ancestor and asc by contains desc descendant distinct from group has in is limit offset on order select superset where"),atoms:s("false true"),builtin:s("blob datetime first key __key__ string integer double boolean null"),operatorChars:/^[*+\-%<>!=]/}),o.defineMIME("text/x-
```

gpsql",{name:"sql",client:s("source"),keywords:s("abort absolute access action active add admin after aggregate all also alter always analyse analyze and any array as asc assertion assignment asymmetric at authorization backward before begin between bigint binary bit boolean both by cache called cascade cascaded case cast chain char character characteristics check checkpoint class close cluster coalesce codegen collate column comment commit committed concurrency concurrently configuration connection constraint constraints contains content continue conversion copy cost cpu rate limit create createdb createexttable createrole createuser cross csv cube current current catalog current date current role current schema current time current timestamp current user cursor cycle data database day deallocate dec decimal declare decode default defaults deferrable deferred definer delete delimiter delimiters deny desc dictionary disable discard distinct distributed do document domain double drop dxl each else enable encoding encrypted end enum errors escape every except exchange exclude excluding exclusive execute exists explain extension external extract false family fetch fields filespace fill filter first float following for force foreign format forward freeze from full function global grant granted greatest group group_id grouping handler hash having header hold host hour identity if ignore ilike immediate immutable implicit in including inclusive increment index indexes inherit inherits initially inline inner inout input insensitive insert instead int integer intersect interval into invoker is isnull isolation join key language large last leading least left level like limit list listen load local localtime localtimestamp location lock log login mapping master match maxvalue median merge minute minvalue missing mode modifies modify month move name names national natural nchar new newline next no nocreatedb nocreateexttable nocreaterole nocreateuser noinherit nologin none noovercommit nosuperuser not nothing notify notnull nowait null nullif nulls numeric object of off offset oids old on only operator option options or order ordered others out outer over overcommit overlaps overlay owned owner parser partial partition partitions passing password percent percentile_cont percentile_disc placing plans position preceding precision prepare prepared preserve primary prior privileges procedural procedure protocol queue quote randomly range read readable reads real reassign recheck recursive ref references reindex reject relative release rename repeatable replace replica reset resource restart restrict returning returns revoke right role rollback rollup rootpartition row rows rule savepoint scatter schema scroll search second security segment select sequence serializable session session_user set setof sets share show similar simple smallint some split sql stable standalone start statement statistics stdin stdout storage strict strip subpartition subpartitions substring superuser symmetric sysid system table tablespace temp template temporary text then threshold ties time timestamp to trailing transaction treat trigger trim true truncate trusted type unbounded uncommitted unencrypted union unique unknown unlisten until update user using vacuum valid validation validator value values varchar variadic varying verbose version view volatile web when where whitespace window with within without work writable write xml xmlattributes xmlconcat xmlelement xmlexists xmlforest xmlparse xmlpi xmlroot xmlserialize year yes zone"),builtin:s("bigint int8 bigserial serial8 bit varying varbit boolean bool box bytea character char varchar cidr circle date double precision float float8 inet integer int int4 interval json jsonb line lseg macaddr macaddr8 money numeric decimal path pg lsn point polygon real float4 smallint int2 smallserial serial2 serial serial4 text time without zone with timetz timestamp timestamptz tsquery tsvector txid_snapshot uuid xml"),atoms:s("false true null unknown"),operatorChars:/ $^{*+}-\%<\overline{>}!=\&|^{/\#@?^{/}},dateSQL:s("date time")$ timestamp"),support:s("decimallessFloat zerolessFloat binaryNumber hexNumber nCharCast charsetCast")}),o.defineMIME("text/x-sparksql",{name:"sql",keywords:s("add after all alter analyze and anti archive array as asc at between bucket buckets by cache cascade case cast change clear cluster clustered codegen collection column columns comment commit compact compact of compute concatenate cost create cross cube current current_date current_timestamp database databases data dbproperties defined delete delimited deny desc describe dfs directories distinct distribute drop else end escaped except exchange exists explain export extended external false fields fileformat first following for format formatted from full function functions global grant group grouping having if ignore import in index indexes inner inpath inputformat insert intersect interval into is items join keys last lateral lazy left like limit lines list load local location lock locks logical macro map minus msck natural no not null nulls of on optimize option options or order out outer outputformat over overwrite partition partitioned partitions percent preceding principals purge range recordreader recordwriter recover reduce refresh regexp rename repair replace reset restrict revoke right rlike role roles rollback rollup row rows schema schemas select semi separated serde serdeproperties set sets show skewed sort sorted start statistics stored stratify struct table tables tablesample tblproperties temp temporary terminated then to touch transaction transactions transform true truncate unarchive unbounded uncache union unlock unset use using values view when where window with"), builtin:s("abs acos acosh add months aggregate and any approx count distinct approx_percentile array array_contains array_distinct array_except array_intersect array_join array_max array_min array_position array_remove array_repeat array_sort array_union arrays_overlap arrays_zip ascii asin asinh assert_true atan atan2 atanh avg base64 between bigint bin binary bit_and bit_count bit_get bit_length bit_or bit_xor bool_and bool_or boolean bround btrim cardinality case cast cbrt ceil ceiling char char_length character_length chr coalesce collect_list collect_set concat_ws conv corr cos cosh cot count count_if count_min_sketch covar_pop covar_samp crc32 cume_dist current_catalog current_database current_date current_timestamp current timezone current user date date add date format date from unix date date part date sub date trunc datediff day dayofmonth dayofweek dayofyear decimal decode degrees delimited dense rank div double e element_at elt encode every exists exp explode explode_outer expm1 extract factorial filter find_in_set first_value flatten float floor forall format_number format_string from_csv from json from unixtime from utc timestamp get json object getbit greatest grouping grouping id hash

hex hour hypot if ifnull in initcap inline inline outer input file block length input_file_block_start input_file_name inputformat instr int isnan isnotnull isnull java_method json array length json object keys json tuple kurtosis lag last last day last value lcase lead least left length levenshtein like in locate log log10 log1p log2 lower lpad ltrim make_date make dt interval make interval make timestamp make ym interval map map concat map entries map filter map from arrays map from entries map keys map values map zip with max max by md5 mean min min by minute mod monotonically_increasing_id month months_between named_struct nanvl negative next_day not now nth_value ntile nullif nvl nvl2 octet_length or outputformat overlay parse_url percent_rank percentile percentile approx pi pmod posexplode posexplode outer position positive pow power printf quarter radians raise error rand random rank rcfile reflect regexp regexp extract regexp extract all regexp like regexp replace repeat replace reverse right rint rlike round row_number rpad rtrim schema_of_csv schema_of_json second sentences sequence sequencefile serde session window sha shal sha2 shiftleft shiftright shiftrightunsigned shuffle sign signum sin sinh size skewness slice smallint some sort array soundex space spark partition id split sqrt stack std stddev stddev_pop stddev_samp str_to_map string struct substr substring substring_index sum tan tanh textfile timestamp_micros timestamp_millis timestamp_seconds tinyint to_csv to_date to_json to_timestamp to_unix_timestamp to_utc_timestamp transform transform_keys transform_values translate trim trunc try add try divide typeof ucase unbase64 unhex uniontype unix date unix micros unix millis unix seconds unix timestamp upper uuid var pop var samp variance version weekday weekofyear when width_bucket window xpath xpath_boolean xpath_double xpath_float xpath_int xpath_long xpath_number xpath_short xpath_string xxhash64 year zip_with"),atoms:s("false true null"),operatorChars:/ $^{*}/+$ -%<>!=-&|^]/,dateSQL:s("date time timestamp"),support:s("doubleQuote zerolessFloat")}),o.defineMIME("text/x-esper",{name:"sql",client:s("source"),keywords:s("alter and as asc between by count create delete desc distinct drop from group having in insert into is join like not on or order select set table union update values where limit after all and as at asc avedev avg between by case cast coalesce count create current_timestamp day days delete define desc distinct else end escape events every exists false first from full group having hour hours in inner insert instanceof into irstream is istream join last lastweekday left limit like max match_recognize matches median measures metadatasql min minute minutes msec millisecond milliseconds not null offset on or order outer output partition pattern prev prior regexp retain-union retain-intersection right rstream sec second seconds select set some snapshot sql stddev sum then true unidirectional until update variable weekday when where window"),builtin:{},atoms:s("false true null"),operatorChars:/^[*+\-%<>!=&|^\/#@?~]/,dateSQL:s("time"),support:s("decimallessFloat zerolessFloat binaryNumber hexNumber")}),o.defineMIME("text/x-trino",{name:"sql",keywords:s("abs absent acos add admin after all all_match alter analyze and any any_match approx_distinct approx most frequent approx_percentile approx_set arbitrary array_agg array_distinct array_except array_intersect array_join array_max array_min array_position array_remove array_sort array_union arrays_overlap as asc asin at at_timezone atan atan2 authorization avg bar bernoulli beta_cdf between bing_tile_bing_tile_at bing_tile_coordinates bing_tile_polygon bing_tile_quadkey bing_tile_zoom_level bing_tiles_around bit_count bitwise_and bitwise_and_agg bitwise_left_shift bitwise not bitwise or bitwise or agg bitwise right shift bitwise right shift arithmetic bitwise xor bool and bool or both by call cardinality cascade case cast catalogs cbrt ceil ceiling char2hexint checksum chr classify coalesce codepoint column columns combinations comment committed concat concat_ws conditional constraint contains contains_sequence convex_hull_agg copartition corr cos cosh cosine similarity count count_if covar_pop covar_samp crc32 create cross cube cume_dist current current catalog current date current groups current path current role current schema current time current timestamp current timezone current user data date add date diff date format date parse date_trunc day day_of_month day_of_week day_of_year deallocate default define definer degrees delete dense_rank deny desc describe descriptor distinct distributed dow doy drop e element_at else empty empty_approx_set encoding end error escape evaluate_classifier_predictions every except excluding
execute exists exp explain extract false features fetch filter final first first_value flatten floor following for format format datetime format number from base from base32 from base64 from_base64url from_big_endian_32 from_big_endian_64 from_encoded_polyline from geojson geometry from_hex from_ieee754_32 from_ieee754_64 from_iso8601_date from_iso8601_timestamp from iso8601 timestamp nanos from unixtime from unixtime nanos from utf8 full functions geometric_mean geometry_from_hadoop_shape geometry_invalid_reason geometry_nearest_points geometry_to_bing_tiles geometry_union geometry_union_agg grant granted grants graphviz great_circle_distance greatest group grouping groups hamming_distance hash_counts having histogram hmac_md5 hmac_sha1 hmac_sha256 hmac_sha512 hour human_readable_seconds if ignore in including index infinity initial inner input insert intersect intersection_cardinality into inverse_beta_cdf inverse_normal_cdf invoker io is is_finite is_infinite is_json_scalar is_nan isolation jaccard_index join json_array_json_array_contains json_array_get json_array_length json_exists json_extract json_extract_scalar json_format json_object json_parse json_query json_size json_value keep key keys kurtosis lag last last_day_of_month last_value lateral lead leading learn_classifier learn_libsvm_regressor learn_regressor least left length level levenshtein_distance like limit line_interpolate_point line_interpolate_points line_locate_point listagg ln local localtime localtimestamp log log10 log2 logical lower lpad ltrim luhn_check make_set_digest map_agg map_concat map_entries map_filter map_from_entries map_keys map_union map_values map_zip_with match match_recognize matched matches materialized max max_by md5 measures merge merge_set_digest millisecond min min_by minute mod month multimap_agg multimap_from_entries murmur3 nan natural next nfc nfd nfkc nfkd ngrams no none none match normal cdf normalize not now nth value ntile null nullif nulls numeric histogram object objectid timestamp of offset omit on one only option or order ordinality outer output over overflow parse_data size parse_datetime

```
parse duration partition partitions passing past path pattern per percent rank permute pi position
pow power preceding prepare privileges properties prune qdigest agg quarter quotes radians rand
random range rank read recursive reduce reduce agg refresh regexp count regexp extract
regexp_extract_all regexp_like regexp_position regexp_replace regexp_split regr_intercept regr_slope
regress rename render repeat repeatable replace reset respect restrict returning reverse revoke rgb right role roles rollback rollup round row_number rows rpad rtrim running scalar schemas
second security seek select sequence serializable session set sets shal sha256 sha512 show shuffle
sign simplify geometry sin skewness skip slice some soundex spatial partitioning spatial partitions
split split_part split_to_map split_to_multimap spooky_hash_v2_32 spooky_hash_v2_64 sqrt st_area
st asbinary st astext st boundary st buffer st centroid st contains st convexhull st coorddim
st crosses st difference st dimension st disjoint st distance st endpoint st envelope
st_envelopeaspts st_equals st_exteriorring st_geometries st_geometryfromtext st_geometryn
st geometrytype st geomfrombinary st interiorringn st interiorrings st intersection st intersects
st isclosed st isempty st isring st issimple st isvalid st length st linefromtext st linestring
st_multipoint st_numgeometries st_numinteriorring st_numpoints st_overlaps st_point st_pointn st_points st_polygon st_relate st_startpoint st_symdifference st_touches st_union st_within st_x
st_xmax st_xmin st_y st_ymax st_ymin start starts_with stats stddev stddev_pop stddev_samp string
strpos subset substr substring sum system table tables tablesample tan tanh tdigest agg text then
ties timestamp objectid timezone hour timezone minute to to base to base32 to base64 to base64url
to_big_endian_32 to_big_endian_64 to_char to_date to_encoded_polyline to_geojson_geometry to_geometry to_hex to_ieee754_32 to_ieee754_64 to_iso8601 to_milliseconds to_spherical_geography
to timestamp to unixtime to utf8 trailing transaction transform transform keys transform values
translate trim trim_array true truncate try try_cast type typeof uescape unbounded uncommitted
unconditional union unique unknown unmatched unnest update upper url decode url encode
url_extract_fragment url_extract_host url_extract_parameter url_extract_path url_extract_port
url_extract_protocol url_extract_query use user using utf16 utf32 utf8 validate value
value_at_quantile values values_at_quantiles var_pop var_samp variance verbose version view week
week_of_year when where width_bucket wilson_interval_lower wilson_interval_upper window with
with_timezone within without word_stem work wrapper write xxhash64 year year_of_week yow zip
zip with"), builtin:s("array bigint bingtile boolean char codepoints color date decimal double
function geometry hyperlogiog int integer interval ipaddress joniregexp json json2016 jsonpath
kdbtree likepattern map model objectid p4hyperloglog precision qdigest re2jregexp real regressor row setdigest smallint sphericalgeography tdigest time timestamp tinyint uuid varbinary varchar zone"),atoms:s("false true null unknown"),operatorChars:/^[[\]|<>=!\-+*/%]/,dateSQL:s("date time timestamp zone"),support:s("decimallessFloat zerolessFloat hexNumber")})))));var ta=Ke(([u,Ku)=>{(function(o){typeof [u=="object"&&typeof Ku=="object"?o(We()):typeof define=="function"&&define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
ndentation(),ze=[.peek(),[.match("//"))return
[.skipToEnd(),["comment","comment"];if([.match("/*"))return
H.tokenize=qe,qe([,H);if(ze=='"'||ze=="'")return
\square.next(),H.tokenize=Se(ze),H.tokenize(\square,H);if(ze=="@")return \square.next(),\square.eatWhile(/[\w\\-
9]*(\?[0-9]*)\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\]}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.eatwnite(\{\frac{1}{2}\}}{\frac{1}{2}\}})\?(\[.e
]*/)?["qualifier","qualifier"]: [.match(/^(\/\&)(-|_!:\\.|#|[a-z])/)?([.backUp(1),["variable-3","reference"]): [.match(/^&{1}\s*[]/)?["variable-3","reference"]: [.match(R)?["operator","operator"]: [.match(/^\[]?[-_]*[a-z0-9]+[\w-]*/i)?[].match(/^\\.|\[]\w-\\"\]]+/i,!1)&&!U([].current())?([.match("."),["variable-2","variable-nam
e"]):["variable-
2", "word"]: [].match(F)?["operator", [].current()]:/[:;,{}\[\]\(\)]/.test(ze)?([].next(),[null,ze]):([].next(),[null,null]))function qe([],H){for(var se=!1,De;(De=[].next())!=null;){if(se&&De=="/"){H.tokenize}}
= \text{null;break} \\ \text{se=De=="*"} \\ \text{return["comment","comment"]} \\ \text{function Se}([]) \\ \text{for(var De=! 1,nt;(nt=H.next())!=null;}) \\ \text{if(nt==[\&\&!De)}([]==")"\&\&H.backUp(1);break] \\ \text{De=!De\&\&nt=="}(")" \\ \text{return(nt==[]|!}) \\ \text{The properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties o
De\&\&\Pi!=")")\&\&(se.tokenize=null),["string","string"]}function Be([],H){return
next(),[.match(/\s*[\"\')]/,!1)?H.tokenize=null:H.tokenize=Se(")"),[null,"("]}function
Ze([,H,se,De){this.type=[,this.indent=H,this.prev=se,this.line=De||{firstWord:"",indent:0}}function
ke(\bar{\ },H,se,De){return De=\bar{D}e>=0?De:N,\bar{\ }.context=new Ze(se,H.indentation()+De,\bar{\ }.context),se}function
Je(□,H){var se=□.context.indent-N;return
H=H||\cdot|1, context=|\cdot|.context.prev,H\&\&(|\cdot|.context.indent=se),|\cdot|.context.type|\cdot|function Re(|\cdot|,H,se){return
de[se.context.type](□,H,se)}function Ge(□,H,se,De){for(var
```

```
nt=De||1;nt>0;nt--)se.context=se.context.prev;return Re([,H,se])function U([,V])freturn
 □.toLowerCase()in le}function He(□){return □.toLowerCase().match(xe)}function te(□){var
 \begin{array}{lll} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():yes="property":H} \\ & \text{ItoLowerCase():se="variable-2";return U([])?se="tag":ce([])?se="block-keyword":Z([])?se="property":H} \\ & \text{ItoLowerCase():match(/^[A-Z]/)&&(se="string"):se="property":H} \\ & \text{ItoLowerCase():match(/^[A-Z]/)&&(se="property":H} \\ & \text{ItoLowerCase():match(/^[A-Z]/)&&(se="property":H} \\ & \text{ItoLowerCase():match(/^[A-Z]/)&&(se="property":H} \\ & \text{ItoLowerCase():match(/^[A-Z]/)&&(se="property":H} \\ & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{ItoLowerCase():match(xe)} & \text{It
 \square = ": "\&\&H.match(/^[a-z-]+/,!1) function we(\square) {return \square.sol()|\square.string.match(new)
de.block=function([],H,se){if([]=="comment"&&we(H)||[]==","&&Me(H)||[]=="mixin")return}
 ke(se,H,"block",0);if(oe(□,H))return
face|media|supports|(-moz-)?document)/.test(□))return
 ke(se,H,Me(H)?"block":"atBlock");if(/@(-(moz|ms|o|webkit)-)?keyframes□/.test(□))return
\label{eq:keyframes} $$ ke(se,H,"keyframes"); if(/@extends?/.test([])) return ke(se,H,"extend",0); if([]\&\&[].charAt(0)=="@") return H.indentation()>0&&Z(H.current().slice(1))?(ge="variable-").
 2", "block"):/(@import|@require|@charset)/.test([])?ke(se,H, "block",0):ke(se,H, "block");if([=="referen
2 , block ):/(glmport|grequire|gcharset)/.test(||)/ke(se,H, block );if(||== reference "&&Me(H)) return ke(se,H,"block");if(||=="(") return ke(se,H,"parens");if(||=="vendor-prefixes") return ke(se,H,"vendorPrefixes");if(||=="word"){var De=H.current();if(ge=te(De),ge=="property") return we(H)? ke(se,H,"block",0):(ge="atom","block");if(ge=="tag"){if(/embed|menu|pre|progress|sub|table/.test(De) &&Z(Le(H))||H.string.match(new RegExp("\\[\\s*"+De+"\|"+De+"\\s*\\]"))) return ge="atom","block";if(re.test(De) &&(we(H) &&H.string.match(/^(\s*\.|#\\&|\[\|\s*"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+De+"\|"+
  )))))return ge="variable-2",ce(Le(H))?"block":ke(se,H,"block",0);if(Me(H))return
 ke(se,H,"block")}if(ge=="block-keyword")return
ge="keyword",H.current(/(if|unless)/)&&!we(H)?"block":ke(se,H,"block");if(De=="return")return ke(se,H,"block",0);if(ge=="variable-2"&&H.string.match(/^\s?\\[\]\'\"]+\\]\)return ke(se,H,"block")}return se.context.type},de.parens=function(\[],H,se){if(\[]=="(")return for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for the context for 
\label{eq:kesol} ke(se,H, "btock"); if ([]==")") return se.context.prev.type=="parens"; Je(se):H.string.match(/^[a-z][\w-]*\(/i)&Me(H)||ce(Le(H))||/(\.|#|:|\[|\*|&|>|~|\+|\/)/.test(Le(H))||!H.string.match(/^-?[a-z][\w-\.\[]\'\"]*\s*=/)&U(Le(H)); ke(se,H, "block"):H.string.match(/^[\[]-]?[a-z][\w-\.\[]\'\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\'\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\'\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\[]\"]*\s*=/)||H.string.match(/^\s+[a-z][\w-\.\]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s*(\.]\s
 ]*\(/i)||H.string.match(/^\s+[\[-]?[a-
 z]/i)?ke(se,H,"block",0):Me(H)?ke(se,H,"block"):ke(se,H,"block",0);if(<math>[\&\&].charAt(0)=="@"&&Z(H.current().slice(1))&&(ge="variable-2"),[=="word"){var De=H.current();ge=te(De),ge=="tag"&&re.test(De)&&(ge="variable-2"),[=="word"){var De=H.current();ge=te(De),ge=="tag"&&re.test(De)&&(ge="variable-2"),[=="word"){var De=H.current();ge=te(De),ge=="tag"&&re.test(De)&&(ge="variable-2"),[=="word"){var De=H.current();ge=te(De),ge=="tag"&&re.test(De)&&(ge="variable-2"),ge=te(De),ge=="tag"&&re.test(De)&&(ge="variable-2"),ge=te(De),ge=="tag"&&re.test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De)&&(ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge=test(De),ge
e="variable-2"), (ge=="property"||De=="to")&&(ge="atom")}return []=="variable-name"?ke(se,H,"variableN ame"):Ue([],H)?ke(se,H,"pseudo"):se.context.type},de.vendorPrefixes=function([],H,se){return []=="word"?(ge="property",ke(se,H,"block",0)):Je(se)},de.pseudo=function([],H,se){return Z(Le(H.string ))?Ge([],H,se):(H.match(/^[a-z-]+/),ge="variable-")
))'Ge([],H,Se):(H.Match(/~[a-Z-]+/),ge= variable-
3",Me(H)?ke(se,H,"block"):Je(se))},de.atBlock=function([],H,se){if([=="(")return ke(se,H,"atBlock_parens");if(fe([],H))return ke(se,H,"block");if(oe([],H))return ke(se,H,"interpolation");if([=="word"){var De=H.current().toLowerCase();if(/^(only|not|and|or)[]/.tes
t(De)?ge="keyword":j.hasOwnProperty(De)?ge="tag":K.hasOwnProperty(De)?ge="attribute":y.hasOwnProperty(De)?ge="string-2":ge=te(H.current()),ge=="tag"&&Me(H))return ke(se,H,"block")}return \[ =="operator"&&/^((not|and|or)]/.test(H.current())&&(ge="keyword"),se.context
type}, de.atBlock_parens=function([],H,se){if([]=="{"||[]=="}")return se.context.type;if([]==")")return Me(H)?ke(se,H,"block"):ke(se,H,"atBlock");if([]=="word"){var De=H.current().toLowerCase();return ge=te(De),/^(max|min)/.test(De)&&(ge="property"),ge=="tag"&&(re.test(De)?ge="variable-
2":ge="atom"),se.context.type}return de.atBlock([],H,se)[,de.keyframes=function([],H,se)[return H.inde ntation()=="0"&&([]=="[]"&&we(H)|[]=="[]"|[]=="hash"|[]=="qualifier"|[]U(H.current()))?Ge([],H,se):[]=="[]"
?ke(se,H,"keyframes"): | == "}"?we(H)?Je(se,!0): ke(se,H,"keyframes"): | == "unit"&&/^[0-9]+\%[/.test(H.current())?ke(se,H,"keyframes"): | == "word"&&(ge=te(H.current()),ge=="block-
keyword")?(ge="keyword",ke(se,H,"keyframes")):/@(font-face|media|supports|(-moz-)?document)/.test([])?ke(se,H,Me(H)?"block":"atBlock"):[=="mixin"?ke(se,H,"block",0):se.context.type},de.interpolation=function([],H,se){return []=="{"&&Je(se)&&ke(se,H,"block"),[]=="}"?H.string.match(/^\
s*(\.|#|:|\[|\*|&|>|~|\+|\/)/i)||H.string.match(/^\s*[a-
z]/i)&&U(Le(H))?ke(se,H,"block"):!H.string.match(/^(\{|\s*\&)/)||H.match(/\s*[\w-
\mathsf{nction}([],\mathsf{H},\mathsf{se})\{\mathsf{return}\ []=="\mathsf{string}"||[]=="["||[]=="]"||\mathsf{H}.\mathsf{current}().\mathsf{match}(/^(\backslash.|\backslash[])/)?(\mathsf{H}.\mathsf{current}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().\mathsf{match}().
              `\.[\w-]+/i)&&(ge="variable-
                          "variable Name"): Ge([], H, se)\}, \{startState: function([])\{return\{tokenize: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", context: null, state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block", state: "block
 ew Ze("block", | | | 0, null) \}, token:function(|,H){return!H.tokenize&@.eatSpace()?null:(pe=(H.tokenize|
 |0e\rangle(\Pi,H), pe&&typeof
pe=="object"\&\&(Ee=pe[1],pe=pe[0]),ge=pe,H.state=de[H.state](Ee, [],H),ge)\},indent:function([],H,se)\{varDe=[].context,nt=H&\&H.charAt(0),dt=De.indent,Pt=Le(H),It=se.match(/^\s*/)[0].replace(/\t/g,G).length,
```

```
Pe=[].context.prev?[].context.prev.line.firstWord:"",xt=[].context.prev?[].context.prev.line.indent:It;r
     eturn De.prev&&(De.type=="block"|De.type=="atBlock"|De.type=="keyframes")||nt==")"&&(De.type=="atBlock"|De.type=="keyframes")||nt==")"&&(De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type=="atBlock"|De.type==
        /. test(Pe)? dt = xt:/^\s+/. test(se) \& (/(\.|\#|:|\[|\*|\&|>|\sim|\+|\/)/. test(Pe)||U(Pe))? dt = It <= xt?xt:xt+N:dt = It:!/,\s*||/. test(se) & (He(Pt)||Z(Pt)) & (ce(Pe)?dt = It <= xt?xt:xt+N:/^\{/. test(Pe)?dt = It <= xt?It:xt+N:dt = It:!/,\s*||/. test(Pe)?dt = It <= xt?It:xt+N:dt = It:!/,\s*||/. test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It <= xt?It:xt+N:dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!/. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt = It:!//. Test(Pe)?dt
        He(Pe) | |Z(Pe)?dt=It>=xt?xt:It:/^(\.|#|:|\[|\*|&|@|\+|\-
        |>|~|\/)/.test(Pe)||/=\s*∏/.test(Pe)||U(Pe)||/^\∏[\w-
 \.\[\]\`\"]/.test(Pe)?dt=xt+N:dt=It)),dt},electricChars:"}",blockCommentStart:"/*",blockCommentEnd:"
     duration", "animation-fill-mode", "animation-iteration-count", "animation-name", "animation-play-state", "animation-timing-function", "appearance", "azimuth", "backface-visibility", "background", "background-attachment", "background-clip", "background-color", "background-image", "background-origin", "background-position", "background-repeat", "background-size", "baseline-shift", "binding", "bleed", "bookmark-label", "bookmark-level", "bookmark-state", "bookmark-target", "border-bottom", "border-bottom-vibrater and "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-bottom-color", "border-
       right-radius", "border-bottom-style", "border-bottom-width", "border-collapse", "border-color", "border-image", "border-image-slice", "border-image-source", "border-image-width", "border-left", "border-left-color", "border-left-style", "border-left-
image", border-image-outset", border-lamage-repeat", 'border-image-slice", 'border-image-source", 'border-image-width", 'border-left", 'border-left-color", 'border-left-style", 'border-left-width", 'border-right-style", 'border-right-width", 'border-spacing", 'border-style", 'border-top", 'border-top-color", 'border-top-left-radius", 'border-top-ight-radius", 'border-top-style", 'border-top-width", 'border-width", 'border-top-ight-radius", 'border-shadow", 'box-sizing", 'break-after", 'break-before", "break-inside", "caption-side", 'clear", 'clip", 'color", 'color-profile", 'column-count", 'column-fill", 'column-gap", 'column-rule", 'column-rule-style", 'column-rule-style", 'column-rule-width", 'column-span", 'column-width", 'column-syan", 'column-width", 'column-syan", 'column-width", 'column-rule-style", 'drop-initial-span", 'crop", "cue-after-adjust", "drop-initial-ster-adjust", "drop-initial-before-adjust", "drop-initial-before-adjust", "drop-initial-before-adjust", "flex-direction", "flex-flow", "flex-grow", "flex-shrink", "flex-wrap", "float-", "float-offset", "flow-from", "flow-into", "flott-feature-settings", "font-stretch", "flott-family", "font-kerning", "font-language-override", "font-size", "font-size-adjust", "font-stretch", "font-style", "font-variant-ligatures", "font-variant-numeric", "font-variant-caps", "font-variant-caps", "font-variant-caps", "font-variant-ligatures", "font-variant-lopsition", "grid-auto-rows", "grid-column", "grid-column-grid-column-start", "grid-template", "grid-template", "grid-template", "grid-template", "grid-template", "grid-template", "ine-break", "line-height", "line-stacking-ruby", "line-stacking-shift", "line-stacking-strategy", "list-style", "line-stacking-style-position", "list-style-", "margin-bottom", "margue-speed", "marquee-speed", "marker-offset", "max-height", "margin-bottom", "margin-top", "margue-polay-count", "marquee-speed", "marquee-style", "max-height", "may-up', "pobject-fit", "object-position", "opacity", "order", "orepracing", "pading-lofter",
     top", "page-break-after", "page-break-before", "page-break-liside", "page-policy", "pause after", "page-break-after", "page-break-liside", "page-policy", "pause after", "page-break-liside", "page-policy", "pause after", "pitch", "pitch", "pitch", "pitch", "pitch", "pitch", "pitch", "pitch", "pitch", "region-break-after", "region-break-before", "region-break-inside", "region-fragment", "rendering-intent", "resize", "rest", "rest-after", "rest-before", "richness", "right", "rotation", "rotation-point", "ruby-align", "ruby-overhang", "ruby-position", "ruby-span", "shape-image-threshold", "shape-inside", "shape-margin", "shape-outside", "speak-numeral", "speak-punctuation", "speech-
```

```
rate", "stress", "string-set", "tab-size", "table-layout", "target", "target-name", "target-new", "target-position", "text-align", "text-align-last", "text-decoration", "text-decoration-color", "text-decoration-line", "text-decoration-skip", "text-decoration-style", "text-emphasis", "text-emphasis-color", "text-emphasis-position", "text-emphasis-style", "text-height", "text-indent", "text-justify", "text-outline", "text-overflow", "text-shadow", "text-size-adjust", "text-space-collapse", "text-transform", "text-underline-position", "text-wrap", "top", "transform", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-origin", "transform-orig
        style", "transition", "transition-delay", "transition-duration", "transition-property", "t timing-function", "unicode-bidi", "vertical-align", "visibility", "voice-balance", "voice-
    timing-function", "unicode-bidi", "vertical-align", "visibility", "voice-balance", "voice-duration", "voice-family", "voice-pitch", "voice-range", "voice-rate", "voice-stress", "voice-volume", "volume", "white-space", "widows", "width", "will-change", "word-break", "word-spacing", "word-wrap", "z-index", "clip-path", "clip-rule", "mask", "enable-background", "filter", "flood-color", "flood-opacity", "lighting-color", "stop-color", "stop-opacity", "pointer-events", "color-interpolation", "color-interpolation-filters", "color-rendering", "fill", "fill-opacity", "fill-rule", "image-rendering", "marker-end", "marker-mid", "marker-start", "shape-rendering", "stroke-dashoffset", "stroke-linecap", "stroke-linejoin", "stroke-miterlimit", "stroke-opacity", "stroke-width", "text-rendering", "baseline-shift", "dominant-baseline", "glyph-orientation-
    opacity", "stroke-width", "text-rendering", "baseline-shift", "dominant-baseline", "glyph-orientation-horizontal", "glyph-orientation-vertical", "text-anchor", "writing-mode", "font-smoothing", "osx-font-smoothing"], s=["scrollbar-arrow-color", "scrollbar-base-color", "scrollbar-dark-shadow-
smoothing"],s=["scrollbar-arrow-color", "scrollbar-base-color", "scrollbar-dark-shadow-color", "scrollbar-face-color", "scrollbar-highlight-color", "scrollbar-shadow-color", "scrollbar-3d-light-color", "scrollbar-track-color", "shape-inside", "searchfield-cancel-button", "searchfield-decoration", "searchfield-results-decoration", "zoom"],h=["font-family", "src", "unicode-range", "font-variant", "font-feature-settings", "font-stretch", "font-weight", "font-style"],g=["aliceblue", "antiquewhite", "aqua", "aquamarine", "azure", "beige", "bisque", "black", "blanchedalmond", "blue", "blueviolet", "brown", "burlywood", "cadetblue", "chartreuse", "chocolate", "cornal", "cornflowerblue", "cornsilk", "crimson", "cyan", "darkblue", "darkcyan", "darkgoldenrod", "darkgray", "darkgreen", "darkslategray", "darkslategray", "darkurquoise", "darkorchid", "darkred", "darksalmon", "darkseagreen", "darkslateblue", "firebrick", "floralwhite", "forestgreen", "fuchsia", "gainsboro", "ghostwhite", "gold", "goldenrod", "gray", "grey", "green", "greenyellow", "honeydew", "hotpink", "indianred", "indigo", "ivory", "khaki", "lavender", "lavenderblush", "lawngreen", "lightpink", "lightsalmon", "lightseagreen", "lightskyblue", "lightslategray", "lightsteelblue", "lightyellow", "lightyellow", "lightseagreen", "lightyellow", "lightseagreen", "lightseagreen", "lightseagreen", "lightseagreen", "lightseagreen", "lightseagreen", "lightseagreen", "mediumseagreen", "mediumorchid", "mediumpurple", "mediumseagreen", "mediumslateblue", "mediumspringgreen", "mediumburquoise", "mediumorchid", "mediumpurple", "mediumseagreen", "mistyrose", "moccasin", "navajowhite", "navy", "oldlace", "olive", "olivedrab", "orange", "orangered", "orchid", "palegoldenrod", "palegreen", "paleturquoise", "palevioletred", "papayawhip", "peac
blue", "mediumistatebite , mediumistatebite , 
    out", "destination-over", "devanagari", "discard", "disclosure-closed", "disclosure-open", "dot-dash", "dot-dot-dash", "dotted", "double", "down", "e-resize", "ease-in", "ease-in-out", "ease-out", "element", "ellipse", "ellipsis", "embed", "end", "ethiopic", "ethiopic-abegede-gez", "ethiopic-abegede-ti-er", "ethiopic-abegede-ti-er", "ethiopic-halehame-aa-er", "ethiopic-halehame-aa-et", "ethiopic-halehame-aa-et", "ethiopic-balehame-aa-et", "ethiopic-
ti-et", "ethiopic-halehame-aa-er", "ethiopic-halehame-aa-et", "ethiopic-halehame-am-et", "ethiopic-halehame-aa-et", "ethiopic-halehame-am-et", "ethiopic-halehame-so-et", "ethiopic-halehame-ti-er", "ethiopic-halehame-ti-et", "ethiopic-halehame-tig", "ethiopic-numeric", "ew-resize", "expanded", "extends", "extra-condensed", "extra-expanded", "fantasy", "fast", "fill", "fixed", "flat", "flex", "footnotes", "forwards", "from", "geometricPrecision", "georgian", "graytext", "gro ove", "gujarati", "gurmukhi", "hand", "hangul", "hangul-consonant", "hebrew", "help", "hidden", "hide", "high", "highlighttext", "hiragana", "hiragana-iroha", "horizontal", "hsl", "hsla", "icon", "ignore", "inactiveborder", "inactivecaption", "inactivecaptiontext", "infinite", "infobackground", "infote xt", "inhierit", "initial", "inline", "inline-axis", "inline-block", "inline-flex", "inline-table", "inset", "inside", "intrinsic", "invert", "italic", "japanese-formal", "japanese-informal", "justify", "kannada", "katakana", "katakana-iroha", "keep-all", "khmer", "korean-hangul-formal", "korean-hanja-formal", "landscape", "lao", "large", "larger", "left", "level", "lighter", "line-through", "linear", "linear-gradient", "lines", "list-item", "listitem", "local", "logical", "loud", "lower", "lower-alpha", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian", "lower-armenian"
```

```
greek","lower-hexadecimal","lower-latin","lower-norwegian","lower-
roman","lowercase","ltr","malayalam","match","matrix","matrix3d","media-play-button","media-
slider","media-sliderthumb","media-volume-slider","media-volume-
sliderthumb","medium","menu","menulist","menulist-button","menutext","message-box","middle","min-
intrinsic","mix","mongolian","monospace","move","multiple","myanmar","n-resize","norewer","ne-
resize","nesw-resize","no-close-quote","no-drop","no-open-quote","no-repeat","none","normal","not-
allowed","nowrap","ns-resize","numbers","numeric","nw-resize","nwse-resize","oblique","octal","open-
quote","optimizeLegibility","optimizeSpeed","oriya","oromo","outset","outside","outside-
shape","overlay","overline","padding","padding-
box","painted","page","paused","persian","perspective","plus-darker","plus-
lighter","pointer","polygon","portrait","pre","pre-line","pre-wrap","preserve-3d","progress","push-
button","radial-gradient","radio","read-only","read-write","read-write-plaintext-
only","rectangle","region","relative","repeat","repeating-linear-gradient","repeating-radial-
gradient","repeating-conic-gradient","repeat-x","repeat-
y","reset","reverse","rgb","rgba","ridge","right","rotate3d","rotate3d","rotateX","rotateY","rotateZ",
"round","row-resize","rtl","run-in","running","s-resize","sans-
serif","scale3d","scale3d","scaleX","scaleY","scaleZ","scroll","scrollbar","scroll-position","se-
resize","searchfield-results-decoration","semi-condensed","semi-
expanded","separate","serif","show","sidama","simp-chinese-formal","simp-chinese-
    greek","lower-hexadecimal","lower-latin","lower-norwegian","lower-
resize", "searchfield-results-decoration", "searchfield-decoration", "searchfield-results-button", "searchfield-results-decoration", "semi-condensed", "simp-chinese-informal", "single", "skew", "skew%", "skewY", "skip-white-space", "slide", "slider-horizontal", "slider-vertical", "sliderthumb-horizontal", "sliderthumb-vertical", "slow", "small", "small-caps", "small-caps", "small-caps", "source-atop", "source-in", "source-out", "source-over", "space", "spell-out", "square", "square-button", "standard", "start", "static", "status-bar", "stretch", "stroke", "sub", "subpixel-antialiased", "super", "swper", "swpersize", "symbolic", "symbols", "table-natialiased", "super", "swper", "swpersize", "symbolic", "symbols", "table-caption", "table-row", "table-column", "table-footer-group", "table-header-group", "table-row", "table-row", "table-row", "tamil", "threedface", "threedflightshadow", "threedshadow", "threedface", "threedhighlight", "threedlightshadow", "threedshadow", "tibetan", "tigre", "tigrinya-er", "tigrinya-er", "tigrinya-er-abegede", "tigrinya-et", "tigrinya-et-abegede", "to", "top", "trad-chinese-informal", "translate", "translate3d", "translateX", "translateY", "translateZ", "transparent", "ultra-condensed", "ultra-expanded", "underline", "upp", "upper-alpha", "upper-armenian", "upper-greek", "upper-roman", "upper-ase", "urdu", "url", "var", "vertical", "vertical-text", "visible", "visibleFill", "visiblePainted", "visibleStroke", "visual", "wereisze", "wait", "wave", "wider", "window", "windowframe", "windowtext", "vords", "x-large", "x-small", "vor", "xx-large", "x-small", "bicubic", "optimizespeed", "grayscale", "row", "row-reverse", "wait", "wave", "wider", "window", "is not", "is a ", "is", "is", "is ", "is ", "is", "is ", "is", "is", "is ", "is", "is", "is", "is ", "is", "is ", "is", "is ", "is", "is ", "is", "is", "is ", "is", "is ", "is", "is", "is ", "is", "is", "is ", "is", "is", "is", "is ", "is", "is ", "is", "is", "is", "is", "is", "is ", "is", "is", "is", "is", "is ", "is", "is", "is", "is",
   N=\{\}, G=0; G<E.length; ++G)N[E[G]]=!0; return N\} function W(E)\{return E.replace(/[-[\] {}()*+?.,\\^[] #\s]/g,"\\[&")}o.registerHelper("hintWords","stylus",z),o.defineMIME("text/x-
                                            "stylus")})));var Xu=Ke((Gu,Zu)=>{(function(o){typeof Gu=="object"&&typeof
    Zu=="object"?o(We()):typeof
define=="function"&&define.amd?define(["../../lib/codemirror"],0):o(CodeMirror)})(function(o){"use
strict";function p(q){for(var 0={},D=0;D<q.length;D++)0[q[D]]=!0;return 0}var v=p(["_","var","let","
actor","class","enum","extension","import","protocol","struct","func","typealias","associatedtype","
open","public","internal","fileprivate","private","deinit","init","new","override","self","subscript
","super","convenience","dynamic","final","indirect","lazy","required","static","unowned","unowned(s
afe)","unowned(unsafe)","weak","as","is","break","case","continue","default","else","fallthrough","f
or","guard","if","in","repeat","switch","where","while","defer","return","inout","mutating","nonmuta
ting","isolated","nonisolated","catch","do","rethrows","throw","throws","async","await","try","didSe
t","get","set","willSet","assignment","associativity","infix","left","none","operator","postfix","pr
ecedence","precedencegroup","prefix","right","Any","AnyObject","Type","dynamicType","Self","Protocol
","__COLUMN__","__FILE__","__FUNCTION__","_LINE__"]),C=p(["var","let","actor","class","enum","exten
sion","import","protocol","struct","func","typealias","associatedtype","for"]),b=p(["true","false","
nil","self","super","_"]),S=p(["Array","Bool","Character","Dictionary","Double","Float","Int","Int8"
,"Int16","Int32","Int64","Never","Optional","Set","String","UInt8","UInt16","UInt32","UInt64","Void"
]),s="+-/*%=[&<>~^?!",h=":;,.(){}[]",g=/^\-?0b[01][01_]*/,T=/^\-?0o[0-7][0-7_]*/,w=/^\-?0x[\dA-
Fa-f][\dA-Fa-f_]*(?:(?:\.[\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f][\dA-Fa-f
    define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
   f_]*)?[Pp]\-?\d[\d_]*)?/,c=/^\-?\d[\d_]*(?:\.\d[\d_]*)?(?:[Ee]\-?\d[\d_]*)?/,d=/^\[\d+|(`?)[_A-Za-z][_A-Za-z][_A-Za-z][_A-
    Za - z = 0 - 9 \times 1 / z = /^ \#[A - Za - z] + / M = /^@(?: \ d + |(`?)[A - Za - z][A - Za - z = 0 - 9] \times 1)/; function
  atch(T)||q.match(w)||q.match(c))return"number";if(q.match(k))return"property";if(s.index0f(q)>-1)return q.next(),"operator";if(h.index0f(Q)>-1)return q.next(),q.match(".."),"punctuation";var j;if(j=q.match(/("""|"|")/)){var V=E.bind(null,j[0]);return
```

```
0.tokenize.push(V),V(q,0)if(q.match(d)){var y=q.current();return S.has0wnProperty(y)?"variable-
 2":b.hasOwnProperty(y)?"atom":v.hasOwnProperty(y)?(C.hasOwnProperty(y)&&(0.prev="define"),"keyword"):D=="define"?"def":"variable"}return q.next(),null}function W(){var q=0;return function(0,D,Q){var}
j=_(0,D,Q);if(j=="punctuation"){if(0.current()=="(")++q;else if(0.current()==")"){if(q==0)return
0.backUp(1),D.tokenize.pop(),D.tokenize[D.tokenize.length-1](0,D);--q}}return j}}function
E(q,0,D)\{for(var Q=q.length==1,j,V=!1;j=0.peek();)if(V)\{if(0.next(),j=="(")return D.tokenize.push(W()),"string";V=!1\}else\{if(0.match(q))return D.tokenize.push(W()),"string";V=!1\}else(if(0.match(q))return D.tokenize.push(W()),"string";W=!1]else(if(0.match(q))return D.tokenize
D.tokenize.pop(), "string"; 0.next(), V=j=="\\"}return Q&&D.tokenize.pop(), "string"}function N(q,0){for(var D;D=q.next();)if(D==="/"&&q.eat("*"))0.tokenize.push(N);else if(D==="*"&&q.eat("/")){0.tokenize.pop();break}return"comment"}function
 G(q,0,D){this.prev=q,this.align=0,this.indented=D}function J(q,0){var
 D=0.match(/^s*([]//[]//*])/, [1)?null:0.column()+1;q.context=new G(q.context,D,q.indented)}function
 re(q){q.context&&(q.indented=q.context.indented,q.context=q.context.prev)}o.defineMode("swift",funct
ion(q){return{startState:function(){return{prev:null,context:null,indented:0,tokenize:[]}},token:function(0,D){var Q=D.prev;D.prev=null;var j=D.tokenize[D.tokenize.length-
1]||_,V=j(0,D,Q);if(!V||V=="comment"?D.prev=Q:D.prev||(D.prev=V),V=="punctuation"){var y=/[\(\[\{]|([\]\)\}])/.exec(0.current());y&&(y[1]?re:J)(D,0)}return V},indent:function(0,D){var
 Q=0.context; if(!Q) return 0; var j=/^[\]\}\)]/.test(D); return Q.align!=null?Q.align-
(j?1:0):Q.indented+(j?0:q.indentUnit)},electricInput:/^\s*[\)\}]]□/,lineComment:"//",blockCommentSt art:"/*",blockCommentEnd:"*/",fold:"brace",closeBrackets:"()[]{}''\"\"`"}}),o.defineMIME("text/x-swift","swift")});var Vu=Ke((Yu,Qu)=>{(function(o){typeof Yu=="object"&&typeof
 Qu=="object"?o(We()):typeof
 define=="function"&&define.amd?define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
 \begin{array}{ll} \text{strict";o.defineMode("coffeescript",function(p,v){var C="error";function b(0){return new RegExp("^(("+0.join(")|(")+"))\b")}var S=/^(?:->|=>|\+[+=]?|-[\-
 =]?|\*[\*=]?|\/[\/=]?|[=!]=|<[><]?=?|\>?=?|\\=?|\\~|!|\?|(or|and|\|\|\&&|\?)=)/,s=/^(?:[
W(0,D){if(0.sol()){D.scope.align===null&&(D.scope.align=!1);var
Q=D.scope.offset;if(0.eatSpace()){var j=0.indentation();return j>Q&D.scope.type=="coffee"?"indent":j<Q?"dedent":null}else Q>Q&&J(0,D)}if(0.eatSpace())return null;var V=0.peek();if(0.match("###"))return 0.skipToEnd(),"comment";if(0.match("###"))return
 D.tokenize=N,D.tokenize(0,D);if(V==="#")return
 0.skipToEnd(), "comment"; if (0.match(/^-?[0-9\.]/,!1)) {var y=!1; if (0.match(/^-?\d^*\.\d+(e[\+\-])/,!1)) {var y=!1; if (0.match(/^-?\d^*\-\d^*\-\d^*)/,!1) }
\label{eq:control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_co
 9]\d*(e[\+\-]?\d+)?/)&&(K=!0),0.match(/^-
 ?0(?![\dx])/i)\&\&(K=!0),K) \ return"number"\} if (0.match(k)) \ return \ D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string"),D.tokenize=E(0.current(),!1,"string
.tokenize(0,D);if(0.match(z)){if(0.current()!="/"||0.match(/^.*\//,!1))return
D.tokenize=E(0.current(),!0,"string-2"),D.tokenize(0,D);0.backUp(1)}return 0.match(S)||0.match(T)?"o
 perator":0.match(s)?"punctuation":0.match()?"atom":0.match(q)||D.prop&&O.match(h)?"property":0.matc
\label{lem:hd} $$ h(d)?"keyword":0.match(h)?"variable":(0.next(),C)} function $E(0,D,Q)$ {return function(j,V)$ {for(;!j.eol();)if(j.eatWhile(/[^'"\/\]/),j.eat("\\"))$ {if(j.next(),D&&j.eol())} return $Q$ {else} {if(j.match(0))} return $V.tokenize=W,Q;j.eat(/['"\/]/)$ return $$ {for(i,j.match(0))} return $V.tokenize=W,Q;j.eat(/['"\/]/)$ return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(0))} return $$ {for(i,j.match(
 D\&\&(v.singleLineStringErrors?Q=C:V.tokenize=W), Q\} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(/[^*+]), Q\} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{for(; !0.eol();) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D) \{if(0.eatWhile(), Q\} \} function \ N(0,D)
 ]/),0.match("###")){D.tokenize=W;break}0.eatWhile("#")}return"comment"}function
G(0,D,Q){Q=Q||"coffee";for(var j=0,V=!1,y=null,K=D.scope;K;K=K.prev)if(K.type==="coffee"||K.type=="}"){j=K.offset+p.indentUnit;break}Q!=="coffee"?(V=null,y=0.column()+0.current().length):D.scope.align
 \&\&(D.scope.align=!1), D.scope=\{offset:j,type:Q,prev:D.scope,align:V,align0ffset:y\}\}function
 J(0,D){if(D.scope.prev)if(D.scope.type==="coffee"){for(var Q=0.indentation(),j=!1,V=D.scope;V;V=V.pr
 ev)if(Q===V.offset){j=!0;break}if(!j)return!0;for(;D.scope.prev&&D.scope.offset!==Q;)D.scope=D.scope
 .prev;return!1}else return D.scope=D.scope.prev,!1}function re(0,D){var Q=D.tokenize(0,D),j=0.current();j==="return"&&(D.dedent=!0),((j==="->"||j==="=>")&&0.eol()||Q==="indent")&&G(0,D);var V="[({".indent="partial content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the c
1) {for(;D.scope.type=="coffee"&&D.scope.prev;)D.scope=D.scope.type==j&&(D.scope=D.scope
    .prev)}return
\label{eq:decomposition} $$ D. dedent & O. eol() & (D. scope.type=="coffee" & D. scope.prev & (D. scope=D. scope.prev), D. dedent=!1), Q} var $$ q=\{startState:function(0)\{return\{tokenize:W,scope:\{offset:0||0,type:"coffee",prev:null,align:!1\},prop:!1,dedent:0\}\}, token:function(0,D)\{var Q=D. scope.align===null & D. scope; Q&O. sol() & (Q.align=!1); var Q=D. scope.align==-null & (Q.align=1); var Q=D. scope.align==-null & (Q.align=1); var Q=D. scope.align=-null & (Q.align=1); var Q=D. scop
 j=re(0,D); return j\&\&j!="comment"\&\&(Q\&\&(Q.align=!0),D.prop=<math>j=="punctuation"\&\&0.current()=="."),j}, ind
 ent:function(0,D){if(0.tokenize!=W)return 0;var
Q=0.scope,j=D&&"])}".indexOf(D.charAt(0))>-1;if(j)for(;Q.type=="coffee"&&Q.prev;)Q=Q.prev;var
V=j&&Q.type===D.charAt(0);return
Q.align?Q.alignOffset-(V?1:0):(V?Q.prev:Q).offset},lineComment:"#",fold:"indent"};return q}),o.defin
eMIME("application/vnd.coffeescript","coffeescript"),o.defineMIME("text/x-
coffeescript","coffeescript"),o.defineMIME("text/coffeescript","coffeescript")}));yar
 tc=Ke((Ju,ec)=>\{(function(o)\{typeof\ Ju=="object"\&\&typeof\ ec=="object"?o(We(),vn(),gn(),Qn()):typeof\ ec=="object"?o(We(),vn(),Qn(),Qn()):typeof\ ec=="object"?o(We(),Qn(),Qn(),Qn()):typeof\ ec=="object"?o(We(),Qn(),Qn(),Qn()):typeof\ ec=="object"?o(We(),Qn(),Qn(),Qn()):typeof\ ec=="object"?o(We(),Qn(),Qn(),Qn()):typeof\ ec=="
```

```
define=="function"&&define.amd?define(["../../lib/codemirror","../javascript/javascript","../css/css
 ","../htmlmixed/htmlmixed"],o):o(CodeMirror)})(function(o){"use strict";o.defineMode("pug",function(p){var v="keyword",C="meta",b="builtin",S="qualifier",s={"{":"}"
   "(":")","[":"]"},h=o.getMode(p,"javascript");function g(){this.javaScriptLine=!1,this.javaScriptLin
 eExcludesColon=!1,this.javaScriptArguments=!1,this.javaScriptArgumentsDepth=0,this.isInterpolating=!
1, this.interpolationNesting=0, this.jsState=o.startState(h), this.restOfLine="", this.isIncludeFiltered =!1, this.isEach=!1, this.lastTag="", this.scriptType="", this.isAttrs=!1, this.attrsNest=[], this.inAttri buteName=!0, this.attributeIsType=!1, this.attrValue="", this.indentOf=1/0, this.indentToken="", this.inn
 erMode=null,this.innerState=null,this.innerModeForLine=!1}g.prototype.copy=function(){var U=new
 g;return U.javaScriptLine=this.javaScriptLine,U.javaScriptLineExcludesColon=this.javaScriptLineExclu
 desColon,U.javaScriptArguments=this.javaScriptArguments,U.javaScriptArgumentsDepth=this.javaScriptAr
 gumentsDepth, U.isInterpolating=this.isInterpolating, U.interpolationNesting=this.interpolationNesting
U.innerState=o.copyState(h,this.jsState),U.innerMode=this.innerMode,this.innerMode&&this.innerState&&
U.innerState=o.copyState(this.innerMode,this.innerState)),U.restOfLine=this.restOfLine,U.isIncludeFiltered=this.isIncludeFiltered,U.isEach=this.isEach,U.lastTag=this.lastTag,U.scriptType=this.scriptTy
 pe, U. is Attrs = this. is Attrs, U. attrs Nest = this. attrs Nest. slice (\c), U. in Attribute Name = this. in Attribute Name, the slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. slice (\c) attrs Nest. sli
 U.attributeIsType=this.attributeIsType,U.attrValue=this.attrValue,U.indentOf=this.indentOf,U.indentT
 oken=this.indentToken, U.innerModeForLine=this.innerModeForLine, U\}; function T(U,Z) {if (U.sol()\&\&(Z.jav))}
 aScriptLine=!1,Z.javaScriptLineExcludesColon=!1),Z.javaScriptLine){if(Z.javaScriptLineExcludesColon&
 &U.peek()===":"){Z.javaScriptLine=!1,Z.javaScriptLineExcludesColon=!1;return}var
ce=h.token(U,Z.jsState); return U.eol()&(Z.javaScriptLine=!1),ce||!0}} function w(U,Z){if(Z.javaScriptArguments){if(Z.javaScriptArgumentsDepth===0&U.peek()!=="("){Z.javaScriptArguments=!1; return}if(U.peek()==="("?Z.javaScriptArgumentsDepth++:U.peek()===")"&Z.javaScriptArgumentsDepth--
peek()==="("?Z.]avaScriptArgumentsDeptn++:U.peek()===")"&&Z.]avaScriptArgumentsDeptn--
,Z.javaScriptArgumentsDepth===0){Z.javaScriptArguments=!1;return}var ce=h.token(U,Z.jsState);return
ce||!0}}function c(U){if(U.match(/^yield\b/))return"keyword"}function d(U){if(U.match(/^(?:doctype)
*([^\n]+)?/))return C}function k(U,Z){if(U.match("#{"))return
Z.isInterpolating=!0,Z.interpolationNesting=0,"punctuation"}function z(U,Z){if(Z.isInterpolating){if
(U.peek()==="}"){if(Z.interpolationNesting--,Z.interpolationNesting<0)return
U.next(),Z.isInterpolating=!1,"punctuation"}else U.peek()==="{"&&Z.interpolationNesting++;return
h.token(U,Z.jsState)||!0}}function M(U,Z){if(U.match(/^case\b/))return
Z.iousScriptLipe=10,v]function (U,Z){if(U.match(/^case\b/))return
\label{eq:Z.javaScriptLine=0} Z.javaScriptLine=0,v\\function \_(U,Z)\\fif(U.match(/^when\b/))return \\ Z.javaScriptLine=0,Z.javaScriptLineExcludesColon=0,v\\function W(U)\\fif(U.match(/^default\b/))return \\ Z.javaScriptLineExcludesColon=0,v\\function W(U)\\fif(U.match(/^default\b/))return \\ Z.javaScriptLineExcludesColon=0,v\\function W(U)\\function )\{if(U.match(/^append\b/))return\ Z.restOfLine="variable",v\}function\ G(U,Z)\{if(U.match(/^prepend\b/))return\ Z.restOfLine="variable",v\}function
 J(U,Z){if(U.match(/^block\b *(?:(prepend|append)\b)?/))return Z.restOfLine="variable",v}function
 re(U,Z){if(U.match(/^include\b/))return Z.restOfLine="string",v}function
q(U,Z){if(U.match(/^include:([a-zA-Z0-9\-]+)/,!1)&&U.match("include"))return Z.isIncludeFiltered=!0,v}function O(U,Z){if(Z.isIncludeFiltered){var ce=R(U,Z);return
 Z.isIncludeFiltered=!1,Z.restOfLine="string",ce}}function D(U,Z)\{if(U,match(/^mixin\b/))return\}
  Z.javaScriptLine=!0,v\} function Q(U,Z) \{if(U.match(/^\+([-\w]+)/)) return U.match(/^\( *[-\w]+ *=/,!1) | (Z.javaScriptArguments=!0,Z.javaScriptArgumentsDepth=0), "variable"; if(U.match("+#{",!1})) return 
U.next(),Z.mixinCallAfter=!0,k(U,Z)}function j(U,Z){if(Z.mixinCallAfter)return Z.mixinCallAfter=!1,U.match(/^\( *[-\w]+ *=/,!1)||(Z.javaScriptArguments=!0,Z.javaScriptArgumentsDepth=0),!0}function
 V(U,Z)\{if(U.match(/^(if|unless|else\ if|else)\ b/))\ return\ Z.javaScriptLine=!0,v\}function\ y(U,Z)\{if(U.match(/^(-*)?(each|for)\ b/))\ return\ Z.isEach=!0,v\}function 
 K(U,Z)\{if(Z.isEach)\{if(U.match(/^ in\b/))return
 Z.javaScriptLine=!0,Z.isEach=!1,v;if(U.sol()||U.eol())Z.isEach=!1;else if(U.next()){for(;!U.match(/^
 in\b/,!1)&&U.next(););return"variable"}}}function X(U,Z){if(U.match(/^while\b/))return
ce=="string"\&\&(ce=o.getMode(p,ce)), Be(U,Z,ce), "atom"\} \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ \{if(U.match(/^(!?=|-)/)) return \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ function le(U,Z) \\ functi
Ce=="string"&&(ce=o.getMode(p,ce)),Be(U,Z,ce),"atom"}}function le(U,Z){1f(U.matcn(/^(!?=|-)/))return
Z.javaScriptLine=!0,"punctuation"}function xe(U){if(U.match(/^#([\w-]+/)))return b}function
I(U){if(U.match(/^\.([\w-]+/)))return S}function L(U,Z){if(U.peek()=="(")return U.next(),Z.isAttrs=!
0,Z.attrsNest=[],Z.inAttributeName=!0,Z.attrValue="",Z.attributeIsType=!1,"punctuation"}function de(
U,Z){if(Z.isAttrs){if(s[U.peek()]&&Z.attrsNest.poek()],Z.attrsNest[Z.attrsNest.length-
1]===U.peek())Z.attrsNest.pop();else if(U.eat(")"))return Z.isAttrs=!1,"punctuation";if(Z.inAttributeName=!1,Z.jsState
eName&&U.match(/^[^=,\)!]+/))return(U.peek()==="="|U.peek()==="!")&&(Z.inAttributeName=!1,Z.jsState)
 =o.startState(h),Z.lastTag==="script"&&U.current().trim().toLowerCase()==="type"?Z.attributeIsType=!
0:Z.attributeIsType=!1), "attribute"; var ce=h.token(U,Z.jsState); if(Z.attributeIsType&&ce==="string"& &(Z.scriptType=U.current().toString()), Z.attrsNest.length===0&&(ce==="string"||ce==="variable"||ce==="keyword"))try{return Function("", "var x "+Z.attrValue.replace(/,\s*[]/,"").replace(/^!/,"")), Z.inAt
 tributeName=!0,Z.attrValue="",U.backUp(U.current().length),de(U,Z)}catch{}return
Z.attrValue+=U.current(),ce||!0}}function ze(U,Z){if(U.match(/^&attributes\b/))return
Z.javaScriptArguments=!0,Z.javaScriptArgumentsDepth=0, "keyword"}function
pe(U){if(U.sol()&&U.eatSpace())return"indent"}function Ee(U,Z){if(U.match(/^
*\/\('-)?([^\n]*)/))return Z.indentOf=U.indentation(),Z.indentToken="comment","comment"}function
 ge(U) {if(U.match(/^: */))return"colon"}function Oe(U,Z) {if(U.match(/^(?:\| ?|
 )([^\n]+)/))return"string";if(U.match(/^(<[^\n]*)/,!1))return
 Be(U,Z,"htmlmixed"),Z.innerModeForLine=!0,Ze(U,Z,!0) function qe(U,Z) {if(U.eat(".")) {var
```

```
ce=null; return Z.lastTag==="script" \&\&Z.scriptType.toLowerCase().indexOf("javascript")!=-1?ce=Z.scriptType.toLowerCase().replace(/"|'/g,""):Z.lastTag==="style" \&\&(ce="css"), Be(U,Z,ce), "dot" } function Se(U) {return U.next(), null} function Be(U,Z,ce) {ce=o.mimeModes[ce]||ce,ce=p.innerModes&&p.i
 nnerModes(ce)||ce,ce=o.mimeModes[ce]||ce,ce=o.getMode(p,ce),Z.indentOf=U.indentation(),ce&&ce.name!= ="null"?Z.innerMode=ce:Z.indentToken="string"}function
Ze(U,Z,ce){if(U.indentation()>Z.indentOf||Z.innerModeForLine&&!U.sol()||ce)return Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode?(Z.innerMode))))))
   erState||(Z.innerState=Z.innerMode.startState?o.startState(Z.innerMode,U.indentation()):{}}),U.hideFi
   rstChars(Z.indentOf+2,function(){return Z.innerMode.token(U,Z.innerState)||!0})):(U.skipToEnd(),Z.in
  Z.restOfLine="",ce}}function Je(){return new q}function Re(U){return U.copy()}function Ge(U,Z){var c
   \begin{array}{lll} & = & \text{Ze}(U,Z) \mid | \text{ke}(U,Z) \mid | \text{z}(U,Z) \mid | \text{ke}(U,Z) dot{X}(\dot{U},\dot{Z})|\dot{F}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{Z})|\dot{R}(\dot{U},\dot{
 Z)||Se(U);return ce===!0?null:ce}return{startState:Je,copyState:Re,token:Ge}},"javascript","css","ht mlmixed"),o.defineMIME("text/x-pug","pug"),o.defineMIME("text/x-jade","pug")})});var ic=Ke((rc,nc)=>{(function(o){typeof rc=="object"&&typeof nc=="object"?o(We()):typeof define=="function"&&define(["../../lib/codemirror"],o):o(CodeMirror)})(function(o){"use
   strict"; o.multiplexingMode=function(p){var v=Array.prototype.slice.call(arguments,1); function
   C(b,S,s,h){if(typeof S=="string"){var g=b.indexOf(S,s);return h&&g>-1?g+S.length:g}var T=S.exec(s?b.slice(s):b);return T?T.index+s+(h?T[0].length:0):-
   1}return{startState:function(){return{outer:o.startState(p),innerActive:null,inner:null,startingInne
   r:!1}},copyState:function(b){return{outer:o.copyState(p,b.outer),innerActive:b.innerActive,inner:b.i
   nnerActive&&o.copyState(b.innerActive.mode,b.inner),startingInner:b.startingInner}},token:function(b
      S){if(S.innerActive){var z=S.innerActive,h=b.string;if(!z.close&&b.sol())return,
   S.innerActive=S.inner=null,this.token(b,S); var w=z.close&&!S.startingInner?C(h,z.close,b.pos,z.parse
   Delimiters):-1;if(w==b.pos&&!z.parseDelimiters)return
   b.match(z.close), S.innerActive = S.inner = null, z.delimStyle \& z.delimStyle + "line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & line = null, z.delimStyle & lin
        '+z.delimStyle+"-close";w>-1&&(b.string=h.slice(0,w));var M=z.mode.token(b,S.inner);return w>-
 1?b.string=h:b.pos>b.start&&(S.startingInner=!1),w==b.pos&&z.marseDelimiters&&(S.innerActive=S.inner=null),z.innerStyle&&(M?M=M+" "+z.innerStyle:M=z.innerStyle),M}else{for(var s=1/0,h=b.string,g=0;g<v.length;++g){var T=v[g],w=C(h,T.open,b.pos);if(w==b.pos){T.parseDelimiters||
 b.match(T.open), S.startingInner=!!T.parseDelimiters, S.innerActive=T; var c=0; if(p.indent) {var d=p.indent(S.outer, "", ""); d!==o.Pass&&(c=d)} return
S.inner=o.startState(T.mode, c), T.delimStyle&&T.delimStyle+" "+T.delimStyle+"-open"} else
   w!=-1\&\&w<s\&\&(s=w)}s!=1/0\&\&(b.string=h.slice(0,s));var k=p.token(b,S.outer);return
   s!=1/0&&(b.string=h),k}},indent:function(b,S,s){var h=b.innerActive?b.innerActive.mode:p;return
   h.indent?h.indent(b.innerActive?b.inner:b.outer,S,s):o.Pass},blankLine:function(b){var S=b.innerActi
   ve?b.innerActive.mode:p;if(S.blankLine&&S.blankLine(b.innerActive?b.inner:b.outer),b.innerActive)b.i
   nnerActive.close===
      `&&(b.innerActive=b.inner=null);else for(var s=0;s<v.length;++s){var h=v[s];h.open===`
`&&(b.innerActive=h,b.inner=o.startState(h.mode,S.indent?S.indent(b.outer,"",""):0))}},electricChars
    :p.electricChars,innerMode:function(b){return
 b.inner?{state:b.inner,mode:b.innerActive.mode}:{state:b.outer,mode:p}}}}}));var lc=Ke((oc,ac)=>{(function(o){typeof oc=="object"&typeof ac=="object"?o(We(),Di(),ic()):typeof defin e=="function"&&define.amd?define(["../../lib/codemirror","../../addon/mode/simple","../../addon/mode/multiplex"],o):o(CodeMirror)})(function(o){"use strict";o.defineSimpleMode("handlebars-tags",{start in the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content
\label{lem:multiplex"} % $$ \operatorname{lem:multiplex"}, o:o(\operatorname{lem:multiplex"}, o):o(\operatorname{lem:multiplex"}, o):o(\operatorname{lem:multiplex"}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multiplex}, o):o(\operatorname{lem:multip
   strict";typeof sc=="object"&&typeof
 uc=="object"?o(We(),Yn(),mn(),vn(),Vu(),gn(),ea(),ta(),tc(),lc()):typeof define=="function"&define.amd?define(["../../lib/codemirror","../../addon/mode/overlay","../xml/xml","../javascript/javascript","../coffeescript/coffeescript","../css/css","../sass/sass","../stylus/stylus","../pug/pug","../han
  dlebars/handlebars"],o):o(CodeMirror)})(function(o){var p={script:[["lang",/coffee(script)?/,"coffee
script"],["type",/^(?:text[application)\/(?:x-
   )?coffee(?:script)?[]/,"coffeescript"],["lang",/^babel[]/,"javascript"],["type",/^text\/babel[]/,"javas

//corree(?:script)?[/, "correes(ript"],["tang",/"babet[]/,"]avascript"],["type",/"text\/babet[]/,"]avascript"],["type",/"text\/ecmascript"]
\d+[]/,"javascript"]],style:[["lang",/^stylus"],["lang",/^sass[]/i,"sass"],["lang",/^scss[]/i,"text/x-scss"],["type",/"(text\/)?(x-))?styl(us)?[]/i,"stylus"],["type",/"text\/sass/i,"sass"],["type",/"(text\/)?(x-)?scss[]/i,"text/x-scss"],["type",/"(text\/)?(x-)?less[]/i,"text/x-less"]],template:[["lang",/"\ue-template[]/i,"\ue-template]],["type",/"(text\/)?(x-))?pug[]/i,"pug"],["type",/"\ue-text\/x-handlebars-template[]/i,"handlebars"],[null,null,"\ue-
```

```
\label{token:function} to ("vue-template", function(v,C) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: function(s) = token: func
   template"]]};o.defineMode("vue-template",function(v,C){var
 ext(),null)},startState:Tunction(){return{pair:!1,pairStart:!1,keycol:0,lnlinePairs:0,lnlineList:0,literal:!1,escaped:!1}},lineComment:"#",fold:"indent"}}),o.defineMIME("text/x-yaml","yaml"),o.defineMIME("text/yaml","yaml")}));var [d={};function qd(o){for(var p;(p=Md.exec(o))!==null;){var v=p[0];if(v.indexOf("target=")===-1){var C=v.replace(/>[]/, 'target="_blank">');o=o.replace(v,C)}}return o}function Id(o){for(var p=new DOMParser,v=p.parseFromSt ring(o,"text/hml"),C=v.getElementsByTagName("li"),b=0;b<C.length;b++)for(var S=C[b],s=0;s<S.children.length;s++){var h=S.children[s];h instanceof HTMLInputElement&&h.type==="chekby"|SS(S.children.length;s++) {c.style.parser|parser|}}return | Parser| | Parser|Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser||Parser|
   {\tt ckbox"\&\&(S.style.marginLeft="-1.5em",S.style.listStyleType="none")} return \\
 v.documentElement.innerHTML}function vc(o){return
mc?o=o.replace("Ctrl","Cmd"):o=o.replace("Cmd","Ctrl"),o}function Fd(o,p,v,C){var
b=qi(o,!1,p,v,"button",C);b.classList.add("easymde-dropdown"),b.onclick=function(){b.focus()};var
S=document.createElement("div");S.className="easymde-dropdown-content";for(var
  s=0;s<o.children.length;s++){var h=o.children[s],g;typeof h=="string"&&h in Pr?g=qi(Pr[h],!0,p,v,"button",C):g=qi(h,!0,p,v,"button",C);g=ai(h,!0,p,v,"button",C);g.addEventListener("click",function(T){T.stopPropagation()},!1),S.appendChild(g),return b.appendChild(S),b}function qi(o,p,v,C,b,S){o=o||{}};var
  s=document.createElement(b);if(o.attributes)for(var h in o.attributes)Object.prototype.hasOwnPropert
y.call(o.attributes,h)&&s.setAttribute(h,o.attributes[h]);s.className=o.name,s.setAttribute("type",b")
   ), v=v??!0,o.text&&(s.innerText=o.text),o.name&&o.name in C&&(Vn[o.name]=o.action),o.title&&v&&(s.title=0d(o.title,o.action,C),mc&&(s.title=s.title.replace("Ctrl","\u2318"),s.title=s.title.replace("Altimometry of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th
 ","\u2325"))),o.title&&s.setAttribute("aria-label",o.title),o.noDisable&&s.classList.add("no-disable"),o.noMobile&&s.classList.add("no-mobile");var g=[];typeof
o.className<"u"&&(g=o.className.split(" "));for(var T=[],w=0;w<g.length;w++){var c=g[w];c.match(/^fa
  ([srlb]|(-[\w-]*)|_)/)?T.push(c):s.classList.add(c)}if(s.tabIndex=-1,T.length>0){for(var d=document.createElement("i"),k=0;k<T.length;k++){var
   z=T[k];d.classList.add(z)}s.appendChild(d)}return typeof
   o.icon<"u"&&(s.innerHTML=o.icon),o.action&&p&&(typeof
   o.action=="function"?s.onclick=function(M){M.preventDefault(),o.action(S)}:typeof o.action=="string"
 \&\&(s.onclick=function(M)\{M.preventDefault(),window.open(o.action,"_blank")\})),s\}function Nd()\{varo=document.createElement("i");return o.className="separator",o.innerHTML="|",o\}function Od(o,p,v)\{var C,b=o;return p&&(C=Dd(p),v[C]&&(b+=" ("+vc(v[C])+")")),b}function
 Tr(o,p){p=p||o.getCursor("start");var v=o.getTokenAt(p);if(!v.type)return{};for(var C=v.type.split(" "),b={},S,s,h=0;h<C.length;h++)S=C[h],S==="strong"?b.bold=!0:S==="variable-2"?(s=o.getLine(p.line),/^\s*\d+\.\s/.test(s)?b["ordered-list"]=!0:b["unordered-list"]=!0):S==="atom"?b.quote=!0:S==="em"?b.italic=!0:S==="quote"?b.quote=!0:S==="strikethrough"?b.strikethrough=!0:S==="comment"?b.code=!0:S==="link"&&!b.image?b.link=!0:S==="image"?b.image=!0:S.match(/header(-[1-1])).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(/h).55(
  6])?\Box/)&(b[S.replace("header", "heading")]=!0); return b}function Br(o){var p=o.codemirror;p.setOption("fullScreen",!p.getOption("fullScreen")),p.getOption("fullScreen")?(hc=document.body.style.overflo
  w,document.body.style.overflow="hidden"):document.body.style.overflow=hc;var
v=p.getWrapperElement(),C=v.nextSibling;if(C.classList.contains("editor-preview-active-
   side"))if(o.options.sideBySideFullscreen===!1){var
   b=v.parentNode;p.getOption("fullScreen")?b.classList.remove("sided--no-
   fullscreen"):b.classList.add("sided--no-fullscreen")}else bn(o);if(o.options.onToggleFullScreen&o.o
  ptions.onToggleFullScreen(p.getOption("fullScreen")||!1),typeof o.options.maxHeight<"u"&&(p.getOption("fullScreen")?(p.getScrollerElement().style.removeProperty("height"),C.style.removeProperty("height"),C.style.removeProperty("height")
   t")):(p.getScrollerElement().style.height=o.options.maxHeight,o.setPreviewMaxHeight())),o.toolbar_di
   v.classList.toggle("fullscreen"),o.toolbarElements&&o.toolbarElements.fullscreen){var
   S=o.toolbarElements.fullscreen; S.classList.toggle("active")}}function
  Fi(o)\{sa(o,"bold",o.options.blockStyles.bold)\} function \\ Ni(o)\{sa(o,"italic",o.options.blockStyles.italic)\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough","~")\} function \\ Oi(o)\{sa(o,"strikethrough",")\} function \\ Oi(o)\{sa(o,"strikethrough",")\} function \\ Oi(o)\{sa(o,"strikethrough",")\} function \\ Oi(o)\{sa(o,"strikethrough",")\} function \\ Oi(o)\{sa(o,"strikethrough",")\} function \\ Oi(o)\{sa(o,
   Pi(0) {var p=0.options.blockStyles.code; function v(K) {if(typeof K!="object")throw "fencing line()
```

```
takes a 'line' object (not a line number, or line text). Got: "+typeof K+": "+K;return K.styles&&K.styles[2]&&K.styles[2].indexOf("formatting-code-block")!==-1}function C(K){return
 K.state.base.base||K.state.base|function b(K,X,F,R,le)|{F=F||K.getLineHandle(X),R=R||K.getTokenAt({li
ne:X,ch:1}),le=le||!!F.text&&K.getTokenAt({line:X,ch:F.text.length-1});var xe=R.type?R.type.split(
"):[];return le&&C(le).indentedCode?"indented":xe.indexOf("comment")===-
1?!1:C(R).fencedChars||C(le).fencedChars||v(F)?"fenced":"single"}function S(K,X,F,R){var
 le=X.line+1,xe=F.line+1,I=X.line!==F.line,L=R+
     .de=
    +R; I\&\&xe++, I\&\&F.ch===0\&\&(de=R+)
     , xe--), jr(K,!1,[L,de]), K.setSelection(\{line:le,ch:0\},\{line:xe,ch:0\})\} var\ s=o.codemirror, h=s.getCurs
or("start"),g=s.getCursor("end"),T=s.getTokenAt({line:h.line,ch:h.ch||1}),w=s.getLineHandle(h.line),c=b(s,h.line,w,T),d,k,z;if(c==="single"){var M=w.text.slice(0,h.ch).replace("`",""),=w.text.slice(h.ch).replace("`","");s.replaceRange(M+_,{line:h.line,ch:0},{line:h.line,ch:999999999999}),h.ch--,h!==g&&g.ch--,s.setSelection(h,g),s.focus()}else if(c==="fenced")if(h.line!==g.line||h.ch!==g.ch){f
or(d=h.line;d>=0\&\&(w=s.getLineHandle(d),!v(w));d--);var W=s.getTokenAt({line:d,ch:1}),E=C(W).fencedC hars,N,G,J,re;v(s.getLineHandle(h.line))?(N="",G=h.line):v(s.getLineHandle(h.line-1))?(N="",G=h.line-1):(N=E+`
     G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G_{-}, G
 e(q.line+1))?(J="",re=q.line+1):(J=E+
      re=g.line+1),g.ch===0&&(re-
 =1),s.operation(function(){s.replaceRange(J,{line:re,ch:0},{line:re+(J?0:1),ch:0}),s.replaceRange(N,
 {line:G,ch:0},{line:G+(N?0:1),ch:0})}),s.setSelection({line:G+(N?1:0),ch:0},{line:re+(N?1:-
 1), ch:0}), s.focus()}else{var q=h.line;if(v(s.getLineHandle(h.line))&&(b(s,h.line+1)==="fenced"?(d=h.
 line, g=h.line+1): (k=h.line, g=h.line-1)), d===void
ne[h.ch!==g.ch]d=h.line,k=g.line,g.ch===0&&k--;else{for(d=h.line;d>=0;d---)}
 ) if (w=s.getLineHandle(d), !w.text.match(/^\s*\Box/)&&b(s,d,w)!=="indented"){d+=1;break}for(z=s.lineCount
 (),k=h.line;k<z;k++)if(w=s.getLineHandle(k),!w.text.match(/^\s*□/)&&b(s,k,w)!=="indented"){k-
 =1; break}}var 0=s.getLineHandle(k+1),D=0&&s.getTokenAt(\{line:k+\overline{1},ch:0.text.length-
 1}),Q=D&&C(D).indentedCode;Q&&s.replaceRange(
 `,{line:k+1,ch:0});for(var j=d;j<=k;j++)s.indentLine(j,"subtract");s.focus()}else{var V=h.line===g.line&&h.ch===g.ch&&h.ch===0,y=h.line!==g.line;V||y?S(s,h,g,p):jr(s,!1,["`","`"])}}function
Bi(o)\{la(o.codemirror, "quote")\}function \ Jn(o)\{Lr(o.codemirror, "smaller")\}function \ ji(o)\{Lr(o.codemirror, "bigger")\}function \ Ri(o)\{Lr(o.codemirror, void 0,1)\}function \ Jn(o)\{Lr(o.codemirror, i(o){Lr(o.codemirror,void 0,2)}function Wi(o){Lr(o.codemirror,void 0,3)}function
 na(o){Lr(o.codemirror,void 0,4)}function ia(o){Lr(o.codemirror,void 0,5)}function
oa(o){Lr(o.codemirror,void 0,6)}function Ui(o){var p=o.codemirror,v="*";["-","+","*"].includes(o.options.unorderedListStyle)&&(v=o.options.unorderedListStyle),la(p,"unordered-list",v)}function \Boxi(o){la(o.codemirror,"ordered-list")}function Ki(o){Pd(o.codemirror)}function
Gi(o){var p=o.options,v="https://";if(p.promptURLs){var
C=prompt(p.promptTexts.link,v);if(!C)return!1;v=bc(C)}xc(o,"link",p.insertTexts.link,v)}function
aa(o){o.openBrowseFileWindow()}function yc(o,p){var v=o.codemirror,C=Tr(v),b=o.options,S=p.substr(p.lastIndexOf("/")+1),s=S.substring(S.lastIndexOf(".")+1).replace(/\?.*[/,"").toLowerCase();if(["png", "jpg","jpeg","gif","svg","apng","avif","webp"].includes(s))jr(v,C.image,b.insertTexts.uploadedImage,p);else{var h=b.insertTexts.link;h[0]="["+S,jr(v,C.link,h,p)}o.updateStatusBar("upload-image",o.options.imageTexts.sbOnUploaded.replace("#image_name#",S)),setTimeout(function(){o.updateStatusBar("upload-image",o.options.imageTexts.sbOnUploaded.replace("#image_name#",S)),setTimeout(function(){o.updateStatusBar("upload-image",o.options.imageTexts.sbOnUploaded.replace("#image_name#",S))
 ad-image", o.options.imageTexts.sbInit)},le3)}function Xi(o){var
 p = o.codemirror, v = Tr(p), \tilde{C} = o.options; jr(p, v.table, C.insertTexts.table)\} function \ Yi(o) \{varantee for each of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of t
 p = o.\ codemirror, v = Tr(p), C = o.\ options; jr(p, v.\ image, C.\ insertTexts. horizontal Rule) \} function \ Qi(o) \{ varance of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the cont
 p=o.codemirror;p.undo(),p.focus()}function Vi(o){var p=o.codemirror;p.redo(),p.focus()}function
 p=o.codemirror,v=p.getWrapperElement(),C=v.nextSibling,b=o.toolbarElements&&o.toolbarElements["side-
 by-side"], S=!1, s=v.parentNode; C.classList.contains("editor-preview-active-
 side")?(o.options.sideBySideFullscreen===!1&&s.classList.remove("sided--no-
 fullscreen"), C.classList.remove("editor-preview-active-
 side"),b&&b.classList.remove("active"),v.classList.remove("CodeMirror-sided")):(setTimeout(function(
 ){p.getOption("fullScreen")||(o.options.sideBySideFullscreen===!1?s.classList.add("sided--no-
 fullscreen"):Br(o)),C.classList.add("editor-preview-active-
side")},1),b&&b.classList.add("active"),v.classList.add("CodeMirror-sided"),S=!0);var
h=v.lastChild;if(h.classList.contains("editor-preview-active")){h.classList.remove("editor-preview-
 active");var g=o.toolbarElements.preview,T=o.toolbar div;g.classList.remove("active"),T.classList.re
move("disabled-for-preview")}var w=function(){var d=o.options.previewRender(o.value(),C);d!=null&&(C .innerHTML=d)};if(p.sideBySideRenderingFunction||(p.sideBySideRenderingFunction=w),S){var c=o.option s.previewRender(o.value(),C);c!=null&&(C.innerHTML=c),p.on("update",p.sideBySideRenderingFunction)}e lse p.off("update",p.sideBySideRenderingFunction)}e
 getWrapperElement(), C=o.toolbar_div,b=o.options.toolbar?o.toolbarElements.preview:!1,S=v.lastChild,s
 =p.getWrapperElement().nextSibling;if(s.classList.contains("editor-preview-active-
 side")&&bn(o),!S||!S.classList.contains("editor-preview-
```

```
full")){if(S=document.createElement("div"),S.className="editor-preview-
 full", o.options.previewClass) if (Array.isArray(o.options.previewClass)) for (var
 h=0;h<o.options.previewClass.length;h++)S.classList.add(o.options.previewClass[h]);else typeof o.opt
ions.previewClass=="string"&&S.classList.add(o.options.previewClass);v.appendChild(S)}S.classList.co
ntains("editor-preview-active")?(S.classList.remove("editor-preview-
 active"), b&&(b.classList.remove("active"), C.classList.remove("disabled-for-
 preview"))):(setTimeout(function(){S.classList.add("editor-preview-
 active")},1),b&&(b.classList.add("active"),C.classList.add("disabled-for-preview")));var
g=o.options.previewRender(o.value(),S);g!==null&&(S.innerHTML=g)}function
jr(o,p,v,C){if(!o.getWrapperElement().lastChild.classList.contains("editor-preview-active")){var b,S
=v[0],s=v[1],h={},g={};0bject.assign(h,o.getCursor("start")),0bject.assign(g,o.getCursor("end")),C&&
(S=S.replace("#url#",C),s=s.replace("#url#",C)),p?(b=o.getLine(h.line),S=b.slice(0,h.ch),s=b.slice(h
   .ch),o.replaceRange(S+s,{line:h.line,ch:0})):(b=o.getSelection(),o.replaceSelection(S+b+s),h.ch+=S.l
C=0.getCursor("start"),b=0.getCursor("end"),S=C.line;S<=b.line;S++)(function(s){var
h=0.getLine(s),g=h.search(/[^#]/);p!==void 0?g<=0?p=="bigger"?h="###### "+h:h="# "+h:g==6&&p=="small
er"?h=h.substr(7):g==1&&p=="bigger"?h=h.substr(2):p=="bigger"?h=h.substr(1):h="#"+h:g<=0?h="#".repea
 t(v)+" "+h:g==v?h=h.substr(g+1):h="#".repeat(v)+
 "+h.substr(g+1),o.replaceRange(h,{line:s,ch:0},{line:s,ch:9999999999999})}))(S);o.focus()}}function
 la(o,p,v){if(!o.getWrapperElement().lastChild.classList.contains("editor-preview-active")){for(var C
 "unordered-list":C, "ordered-list":C}, T=function(z,M) {var _={quote:">", "unordered-list":v, "ordered-list":v, "ordered-list":"%i."}; return _[z].replace("%i",M)}, w=function(z,M) {var _={quote:">", "unordered-list":", "unordered-list":"%i."}; return _[z].replace("%i",M)}, w=function(z,M) {var _={quote:">", "unordered-list":v, "ordered-list":v, "order
 list":"\\"+v,"ordered-list":"\\d+."},W=new RegExp( [z]);return M&&W.test(M)},c=function(z,M, ){var
 W=C.exec(M), E=T(z,d); return
 W!==null?(w(z,W[2])\&\&(E=""),M=W[1]+E+W[3]+M.replace(b,"").replace(g[z],"]1")):==!1\&\&(M=E+")
"+M),M},d=1,k=s.line;k<=h.line;k++)(function(z){var

M=o.getLine(z);S[p]?M=M.replace(g[p],"[]1"):(p=="unordered-list"&&(M=c("ordered-list",M,!0)),M=c(p,M,

!1),d+=1),o.replaceRange(M,{line:z,ch:0},{line:z,ch:999999999999})})(k);o.focus()}}function
 xc(o,p,v,C){if(!(!o.codemirror||o.isPreviewActive())){var
 b = o.codemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("encodemirror, S = Tr(b), s = S[p]; if(!s) \{jr(b,s,v,C); return\} var \ h = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), g = b.getCursor("start"), 
=v[0].length),b.setSelection(h,g),b.focus()}}function
 \begin{array}{ll} - \label{eq:condensity}, \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets} & \text{i.isets}
2,T!==w&&(w.ch-=2)):p=="italic"&(T.ch-=1,T!==w&&(w.ch-
=1))):(s=b.getSelection(),p=="bold"?(s=s.split("**").join(""),s=s.split("__").join("")):p=="italic"?
(s=s.split("*").join(""),s=s.split("_").join("")):p=="strikethrough"&(s=s.split("~~").join("")):p=="italic"?
 eplaceSelection(h+s+g), T.ch+=v.length, w.ch=T.ch+s.length), b.setSelection(T,w), b.focus()}}function
 Pd(o){if(!o.getWrapperElement().lastChild.classList.contains("editor-preview-active"))for(var
o/=1024,++v; while (Math.abs(o)>=1024&v<p.length); return""+o.toFixed(1)+p[v]} function c(o,p){for(var)
\label{eq:continuous} $$v \ in \ p)$ 0 bject.prototype.has0wnProperty.call(p,v)&&(p[v]instanceof Array?o[v]=p[v].concat(o[v]instanceof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]!==null&&typeof Array?o[v]:[]):p[v]:[]):p[v]:[]
 fr(o)\{for(var p=1;p < arguments.length;p++)o=\_c(o,arguments[p]);return o\}function gc(o)\{var p=/[a-zA-p]o(arguments[p]);return o\{arguments[p]]o(arguments[p]);return o[arguments[p]]o(arguments[p]);return o[arguments[p]]o(arguments[p]);return o[arguments[p]]o(arguments[p])o(arguments[p]);return o[arguments[p]]o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(arguments[p])o(argumen
 \label{eq:condition} $$ uac00-\ud7af]+/g, v=o.match(p), C=0; if(v===null) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ C; for(varable) \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return
 b=0; b<v.length; b++)v[b].charCodeAt(0)>=19968?C+=v[b].length: C+=1; return C \} function
 Te(o){o=o||{\{}\},o.parent=this;var}
 p=!0; if(o.autoDownloadFontAwesome===!1\&\&(p=!1), o.autoDownloadFontAwesome!==!0) for(var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=document.sty) for (var v=doc
  leSheets,C=0;C<v.length;C++)v[C].href&&v[C].href.indexOf("//maxcdn.bootstrapcdn.com/font-
awesome/") > -1\&\&(p=!1); if(p) \{varb=document.createElement("link"); b.rel="stylesheet", b.href="https://maxcdn.bootstrapcdn.com/font-document.createElement("link"); b.rel="stylesheet", b.href="stylesheet", some/latest/css/font-awesome.min.css",document.getElementsByTagName("head")[0].appendChild(b)}if(
o.element)this.element=o.element;else if(o.element===null){console.log("EasyMDE: Error. No element
 was found.");return}if(o.toolbar===void 0){o.toolbar=[];for(var S in Pr)Object.prototype.hasOwnPrope
s.indexOf(S)!=-
 1) \& o.toolbar.push(S)) \} if (Object.prototype.hasOwnProperty.call(o, "previewClass") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previewClass="extraction") || (o.previ
 ditor-preview"),Object.prototype.hasOwnProperty.call(o,"status")||(o.status=["autosave","lines","wor
```

```
ds", "cursor"], o.uploadImage&&o.status.unshift("upload-
 fig=fr({highlightFormatting:!0},o.parsingConfig||{}),o.insertTexts=fr({},Bd,o.insertTexts||{}}),o.pro
 mptTexts=fr({},jd,o.promptTexts||{}),o.blockStyles=fr({},Hd,o.blockStyles||{}),o.autosave!=null&&(o.
 autosave.timeFormat=fr(\{\},Rd,o.autosave.timeFormat||\{\}\}),o.iconClassMap=fr(\{\},et,o.iconClassMap||\{\}\})
  ,o.shortcuts=fr({},Ad,o.shortcuts||{}),o.maxHeight=o.maxHeight||void
 0,o.direction=o.direction||"ltr",typeof o.maxHeight<"u"?o.minHeight=o.maxHeight:o.minHeight=o.minHeight||"300px",o.errorCallback=o.errorCallback||function(h){alert(h)},o.uploadImage=o.uploadImage||!1,
 o.imageMaxSize=o.imageMaxSize||2097152,o.imageAccept=o.imageAccept||"image/png, image/jpeg,
 image/gif, image/avif",o.imageTexts=fr({},Wd,o.imageTexts||{}}),o.errorMessages=fr({},Ud,o.errorMessa
 qes||{}),o.imaqePathAbsolute=o.imaqePathAbsolute||!1,o.imaqeCSRFName=o.imaqeCSRFName||"csrfmiddlewar
 etoken",o.imageCSRFHeader=o.imageCSRFHeader||!1,o.autosave!=null&&o.autosave.unique_id!=null&&o.auto
 save.unique id!=""&&(o.autosave.uniqueId=o.autosave.unique_id),o.overlayMode&&o.overlayMode.combine=
 ==void 0&&(\overlayMode.combine=!0), this.options=o, this.render(), o.initialValue&&(!this.options.aut
 osave||this.options.autosave.foundSavedValue!==!0)&&this.value(o.initialValue),o.uploadImage){var
s.updateStatusBar("upload-image",s.options.imageTexts.sbOnDragEnter),g.stopPropagation(),g.preventDe
fault()}),this.codemirror.on("drop",function(h,g){g.stopPropagation(),g.preventDefault(),o.imageUplo
 ad Function? s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function, g.data Transfer.files): s. upload Images Using Custom Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload Function (o.image Upload Function): s. upload F
 ges(g.dataTransfer.files)}),this.codemirror.on("paste",function(h,g){o.imageUploadFunction?s.uploadI
 magesUsingCustomFunction(0.imageUploadFunction,g.clipboardData.files):s.uploadImages(g.clipboardData
 .files)})}}function kc(){if(typeof localStorage=="object")try{localStorage.setItem("smde localStorag
 e",1),localStorage.removeItem("smde_localStorage")}catch{return!1}else return!1;return!0}var mc,Md,Vn,Ad,Dd,ra,hc,et,Pr,Bd,jd,Rd,Hd,Wd,Ud,wc=Cd(()=>{mc=/Mac/.test(navigator.platform),Md=new Reg
 Exp(/(<a.*?https?:\/\/.*?[^a]>)+?/g), Vn={toggleBold:Fi,toggleItalic:Ni,drawLink:Gi,toggleHeadingSmal
 ler:Jn,toggleHeadingBigger:ji,drawImage:Zi,toggleBlockquote:Bi,toggleOrderedList:[i,toggleUnorderedList:Ui,toggleCodeBlock:Pi,togglePreview:Ji,toggleStrikethrough:Oi,toggleHeading1:Ri,toggleHeading2:H
i,toggleHeading3:Wi,toggleHeading4:na,toggleHeading5:ia,toggleHeading6:oa,cleanBlock:Ki,drawTable:Xi
,drawHorizontalRule:Yi,undo:Qi,redo:Vi,toggleSideBySide:bn,toggleFullScreen:Br},Ad={toggleBold:"Cmd-B",toggleItalic:"Cmd-I",drawLink:"Cmd-K",toggleHeadingSmaller:"Cmd-H",toggleHeadingBigger:"Shift-Cmd
-H",toggleHeading1:"Ctrl+Alt+1",toggleHeading2:"Ctrl+Alt+2",toggleHeading3:"Ctrl+Alt+3",toggleHeading4:"Ctrl+Alt+4",toggleHeading5:"Ctrl+Alt+5",toggleHeading6:"Ctrl+Alt+6",cleanBlock:"Cmd-E",drawImage:"Cmd-Alt-I",toggleBlockquote:"Cmd-'",toggleOrderedList:"Cmd-Alt-L",toggleUnorderedList:"Cmd-L",toggleUnorderedList:"Cmd-P",toggleCodeBlock:"Cmd-Alt-C",togglePreview:"Cmd-P",toggleSideBySide:"F9",toggleFullScreen:"F11"},Dd=function(o){for(var parable for the first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first first fir
 in Vn)if(Vn[p]===o)return p;return null},ra=function(){Var o=!1;return function(p){(/(android|bb\d+|
 meego).+mobile|avantgo|bada\/|blackberry|blazer|compal|elaine|fennec|hiptop|iemobile|ip(hone|od)|iri
 s|kindle|lge |maemo|midp|mmp|mobile.+firefox|netfront|opera m(ob|in)i|palm(os)?|phone|p(ixi|re)\/|p
 lucker|pocket|psp|series(4|6)0|symbian|treo|up\.(browser|link)|vodafone|wap|windows
 ce|xda|xiino|android|ipad|playbook|silk/i.test(p)||/1207|6310|6590|3gso|4thp|50[1-6]i|770s|802s|a~wallowed by the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction
   |abac|ac(er|oo|s-)|ai(ko|rn)|al(av|ca|co)|amoi|an(ex|ny|yw)|aptu|ar(ch|go)|as(te|us)|attw|au(di|-m|r
   s )|avan|be(ck|ll|nq)|bi(lb|rd)|bl(ac|az)|br(e|v)w|bumb|bw-(n|u)|c55\/|capi|ccwa|cdm-
 |\operatorname{cell}|\operatorname{chtm}|\operatorname{cldc}|\operatorname{cmd-|co(mp|nd)}|\operatorname{craw}|\operatorname{da}(\operatorname{it}|\operatorname{ll|ng})|\operatorname{dbte}|\operatorname{dc-s}|\operatorname{devi}|\operatorname{dica}|\operatorname{dmob}|\operatorname{do}(\operatorname{c|p})\operatorname{o}|\operatorname{ds}(\operatorname{12}|\operatorname{db})|\operatorname{el}(\operatorname{49|ai})|\operatorname{em}(\operatorname{l2|ul})|\operatorname{er}(\operatorname{ic}|\operatorname{k0})|\operatorname{esl8}|\operatorname{ez}(\operatorname{[4-7]0}|\operatorname{os}|\operatorname{wa}|\operatorname{ze})|\operatorname{fetc}|\operatorname{fly}(\operatorname{-}|_)|\operatorname{g1}
 u|g560|gene|gf-5|g-mo|go(\.w|od)|gr(ad|un)|haie|hcit|hd-(m|p|t)|hei-|hi(pt|ta)|hp(
 ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|| = ||f|
   |kwc-|kyo(c|k)|le(no|xi)|lg( g|\/(k|l|u)|50|54|-[a-w])|libw|lynx|m1-
 |on|tf|wf|wg|wt)|nok(6|i)|nzph|o2im|op(ti|wv)|oran|owg1|p800|pan(a|d|t)|pdxg|pg(13|-([1-
8]|c))|phil|pire|pl(ay|uc)|pn-2|po(ck|rt|se)|prox|psio|pt-g|qa-a|qc(07|12|21|32|60|-[2-7]|i-
 )|qtek|r380|r600|raks|rim9|ro(ve|zo)|s55\/|sa(ge|ma|mm|ms|ny|va)|sc(01|h-|oo|p-)|sdk\/|se(c(
   |0|1)|47|mc|nd|ri)|sgh-|shar|sie(-|m)|sk-0|sl(45|id)|sm(al|ar|b3|it|t5)|so(ft|ny)|sp(01|h-|v-|v-)|sy
 (01|mb)|t2(18|50)|t6(00|10|18)|ta(gt|lk)|tcl-|tdg-|tel(i|m)|tim-|t-mo|to(pl|sh)|ts(70|m-|m3|m5)|tx-
9|up(\.b|g1|si)|utst|v400|v750|veri|vi(rg|te)|vk(40|5[0-3]|-
 v) | vm40 | voda | vulc | vx(52|53|60|61|70|80|81|83|85|98) | w3c(-| ) | webc | whit | wi(q | nc|nw) | wmlb | wonu|x700|y
 as-|your|zeto|zte
as-|your|zeto|zte-/i.test(p.substr(0,4)))&&(o=!0)}(navigator.userAgent||navigator.vendor||window.opera),o};hc="";et={b old:"fa fa-bold",italic:"fa fa-italic",strikethrough:"fa fa-strikethrough",heading:"fa fa-header fa-heading header-smaller","heading-bigger":"fa fa-header fa-heading header-bigger","heading-1":"fa fa-header fa-heading header-1","heading-2":"fa fa-header fa-heading header-2","heading-3":"fa fa-header fa-heading header-3",code:"fa fa-code",quote:"fa fa-quote-left","ordered-list":"fa fa-list-ol","unordered-list":"fa fa-list-ul","clean-block":"fa fa-eraser",link:"fa fa-link",image:"fa fa-image","upload-image":"fa fa-image",table:"fa fa-table","horizontal-rule":"fa fa-minus",preview:"fa fa-eye","side-by-side":"fa fa-undo",redo:"fa fa-repeat fa-redo"},Pr={bold:{name:"bold",action:Fi,className:et.bold,title:"Bold",default:!0},italic:{name:"strikethrough:fname:"striketh
 name: "italic",action:Ni,className:et.italic,title: "Italic",default:!0},strikethrough:{name:"striketh
```

```
rough",action:0i,className:et.strikethrough,title:"Strikethrough"},heading:{name:"heading",action:Jn
,className:et.heading,title:"Heading",default:!0},"heading-smaller":{name:"heading-
smaller",action:Jn,className:et["heading-smaller"],title:"Smaller Heading"},"heading-
bigger":{name:"heading-bigger",action:ji,className:et["heading-bigger"],title:"Bigger
Heading"},"heading-1":{name:"heading-1",action:Ri,className:et["heading-1"],title:"Big
Heading"},"heading-2":{name:"heading-2",action:Hi,className:et["heading-2"],title:"Medium
Heading"},"heading-3":{name:"heading-3",action:Wi,className:et["heading-3"],title:"Small Heading"},"
 separator-1":{name:"separator-
separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separator-1 :{name: Separ
List",default:!0}, "clean-block":{name:"clean-block",action:Ki,className:et["clean-block"],title:"Clean block"}, "separator-2":{name:"separator-2"},link:{name:"link",action:Gi,className:et.link,title:"Create
Link",default:!0}, image:{name:"image",action:Zi,className:et.image,title:"Insert
Image",default:!0}, "upload-image":{name:"upload-image",action:aa,className:et["upload-image"],title:"Import an image"},table:{name:"table",action:Xi,className:et.table,title:"Insert
Table"}, "horizontal-rule":{name: "horizontal-rule",action:Yi,className:et["horizontal-rule"],title:"Insert Horizontal Line"}, "separator-3":{name: "separator-3":{name: "separator-3":{name: "separator-3":{name: "separator-3":{name: "loj,title: "Toggle}
Preview",default:!0}, "side-by-side":{name: "side-by-side",action:bn,className:et["side-by-side"],noDisable:!0,noMobile:!0,title: "Toggle Fullscreen:{name: "fullscreen
",action:Br,className:et.fullscreen,noDisable:!0,noMobile:!0,title:"Toggle Fullscreen",default:!0},"
separator-4":{name: "separator-4"},quide:{name: "quide",action: "https://www.markdownquide.org/basic-
 separator-4":{name: "separator-4"},guide:{name: "guide",action: "https://www.markdownguide.org/basic-syntax/",className:et.guide,noDisable:!0,title: "Markdown Guide",default:!0}, "separator-
 5":{name:"separator-
5"},undo:{name:"undo",action:Qi,className:et.undo,noDisable:!0,title:"Undo"},redo:{name:"redo",action:Vi,className:et.redo,noDisable:!0,title:"Redo"}},Bd={link:["[","](#url#)"],image:["![","](#url#)"],uploadedImage:["![](#url#)",""],table:["",`
       Column 1 | Column 2 | Column 3 |
                                                  ----- | -----
Tov+ | Text
   Text
                                         Text
   `],horizontalRule:["",`
 ----
`]},jd={link:"URL for the link:",image:"URL of the image:"},Rd={locale:"en-US",format:{hour:"2-digit",minute:"2-digit"}},Hd={bold:"**",code:"```",italic:"*"},Wd={sbInit:"Attach files by drag and dropping or pasting from clipboard.",sbOnDragEnter:"Drop image to upload it.",sbOnDrop:"Uploading image #images_names#...",sbProgress:"Uploading #file_name#: #progress#%",sbOnUploaded:"Uploaded #image_name#",sizeUnits:" B, KB, MB"},Ud={noFileGiven:"You must select a file.",typeNotAllowed:"This
 image type is not allowed.",fileTooLarge: Image #image name# is too big (#image size#).
 Maximum file size is #image_max_size#.`,importError:"Something went wrong when uploading the image #image_name#."};Te.prototype.uploadImages=function(o,p,v){if(o.length!==0){for(var
C=[],b=0;b<o.length;b++)C.push(o[b].name),this.uploadImage(o[b],p,v);this.updateStatusBar("uploadimage",this.options.imageTexts.sbOnDrop.replace("#images_names#",C.join(", ")))};Te.prototype.uploadImagesUsingCustomFunction=function(o,p){if(p.length!==0){for(var v=[],C=0;
  C < p. length; C++) v. push (p[C]. name), this. upload Image Using Custom Function (o, p[C]); this. update Status Bar ("universal of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
 pload-image",this.options.imageTexts.sbOnDrop.replace("#images_names#",v.join(",
")))}};Te.prototype.updateStatusBar=function(o,p){if(this.gui.statusbar){var v=this.gui.statusbar.ge
tElementsByClassName(o);v.length===1?this.gui.statusbar.getElementsByClassName(o)[0].textContent=p:v.length===0?console.log("EasyMDE: status bar item "+o+" was not found."):console.log("EasyMDE: Several status bar items named "+o+" was found.")}};Te.prototype.markdown=function(o){if(marked){var
 p;if(this.options&&this.options.renderingConfig&&this.options.renderingConfig.markedOptions?p=this.o
 ptions.renderingConfig.markedOptions:p={},this.options&&this.options.renderingConfig&&this.options.r
 enderingConfig.singleLineBreaks===!1?p.breaks=!1:p.breaks=!0,this.options&this.options.renderingConfig&this.options.renderingConfig&this.options.renderingConfig.codeSyntaxHighlighting===!0){var
 v = this.options.rendering Config.hljs | |window.hljs; v \& (p.highlight=function(b,S) \{ returndering Config.hljs | |window.hljs; v \& (p.highlight=function(b,S) \} \\
 S\&\&v.getLanguage(S)?v.highlight(S,b).value:v.highlightAuto(b).value})marked.setOptions(p);varues(b).value
 C=marked.parse(o); return this.options.renderingConfig&&typeof this.options.renderingConfig.sanitizer
 Function=="function"&&(C=this.options.renderingConfig.sanitizerFunction.call(this,C)),C=qd(C),C=Id(C
 ),C}};Te.prototype.render=function(o){if(o||(o=this.element||document.getElementsByTagName("textarea
 ")[0]), this._rendered&&this._rendered===o)return; this.element=o; var p=this.options, v=this, C={}; function b(E){let N=E.getInputField().form; if(N){let G=Array.from(N.eleme
 nts), J=G.indexOf(E.getInputField()); J!==-1&&J+1<G.length&&G[J+1]&&G[J+1].focus()} function S(E){let
 N=E.getInputField().form;if(N){let
 G=Array.from(N.elements),J=G.indexOf(E.getInputField());if(J!==-1)for(let re=J-1;re>=0;re--){let
q=G[re];if(q&&q.tagName==="INPUT"&&!q.closest(".editor-toolbar")){q.focus();break}}}}for(var s in p.shortcuts)p.shortcuts[s]!==null&&Vn[s]!==null&&function(E){C[vc(p.shortcuts[E])]=function(){var N=Vn[E];typeof N=="function"?N(v):typeof N=="string"&&window.open(N,"_blank")}}(s);C.Enter="newlineA
```

```
ndIndentContinueMarkdownList",C.Tab=E=>{let
 N=E.getSelection();N&&N.length>0?E.execCommand("indentMore"):b(E)},C["Shift-Tab"]=E=>{let N=E.getSel
 ection(); N&&N.length>0?E.execCommand("indentLess"): S(E)}, C.Esc=function(E){E.getOption("fullScreen")
 \& Br(v)\}, this.documentOnKeyDown=function(E)\{E=E||window.event,E.keyCode==27\&\&v.codemirror.getOption("fullScreen")\&Br(v)\}, document.addEventListener("keydown", this.documentOnKeyDown,!1); var h,g;p.overlayMode?(CodeMirror.defineMode("overlay-mode", function(E){return} ) and the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content o
 CodeMirror.overlayMode(CodeMirror.getMode(E,p.spellChecker!==!1?"spell-
checker": "gfm"),p.overlayMode.mode,p.overlayMode.combine)}),h="overlay-mode",g=p.parsingConfig,g.git
HubSpice=!1):(h=p.parsingConfig,h.name="gfm",h.gitHubSpice=!1),p.spellChecker!==!1&&(h="spell-
checker",g=p.parsingConfig,g.name="gfm",g.gitHubSpice=!1,typeof p.spellChecker=="function"?p.spellCh
ecker({codeMirrorInstance:CodeMirror})):CodeMirrorSpellChecker({codeMirrorInstance:CodeMirror}));func
 tion T(E,N,G){return{addNew:!1}}if(CodeMirror.getMode("php").mime="text/x-
 php", this.codemirror=CodeMirror.fromTextArea(o,{mode:h,backdrop:g,theme:p.theme!=null?p.theme:"easym
de",tabSize:p.tabSize!=null?p.tabSize:2,indentUnit:p.tabSize!=null?p.tabSize:2,indentWithTabs:p.indentWithTabs!==!1,lineNumbers:p.lineNumbers===!0,autofocus:p.autofocus===!0,extraKeys:C,direction:p.di
ntwithlabs!==!1,lineNumbers:p.lineNumbers===!0,autofocus:p.autofocus===!0,extraKeys:C,direction:p.di
rection,lineWrapping:p.lineWrapping!==!1,allowDropFileTypes:["text/plain"],placeholder:p.placeholder
||o.getAttribute("placeholder")||"",styleSelectedText:p.styleSelectedText!=null?p.styleSelectedText:
!ra(),scrollbarStyle:p.scrollbarStyle!=null?p.scrollbarStyle:"native",configureMouse:T,inputStyle:p.
inputStyle!=null?p.inputStyle:ra()?"contenteditable":"textarea",spellcheck:p.nativeSpellcheck!=null?
p.nativeSpellcheck:!0,autoRefresh!=null?p.autoRefresh!=1}),this.codemirror.getScroller
 \label{lement} Element(). style. \verb|minHeight| = p.minHeight|, type of p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| p.maxHeight| = p.minHeight| = p.minHeight| p.maxHeight| = p.minHeight| = p.maxHeight| = p.
 style.height=p.maxHeight),p.forceSync===!0){var
his.createToolbar()),p.status!==!1&&(this.gui.statusbar=this.createStatusbar()),p.autosave!=null&&p. autosave.enabled===!0&&(this.autosave(),this.codemirror.on("change",function(){clearTimeout(v._autosave_timeout),v._autosave_timeout),v._autosave_timeout(function(){v.autosave()},v.options.autosave.submit_delay
||v.options.autosave.delay||1e3)}));function k(E,N){var G,J=window.getComputedStyle(document.querySelector(".CodeMirror-
sizer")).width.replace("px","");return E<J?G=N+"px":G=N/E*100+"%",G}var z=this;function
M(E,N){E.setAttribute("data-img-src",N.url),E.setAttribute("style","--bg-image:url("+N.url+");--</pre>
 width: "+N.naturalWidth+"px;
 height: "+k(N.naturalWidth, N.naturalHeight)), z.codemirror.setSize()}function
     (){p.previewImagesInEditor&c.querySelectorAll(".cm-image-marker").forEach(function(E){var
N=E.parentElement; if (N.innerText.match(/^!\[.*?\])(.*\)/g) \&\&!N.hasAttribute("data-img-src")) \{var G=N.innerText.match("\((.*)\)"); if (window.EMDEimagesCache||(window.EMDEimagesCache={}), G&&G.length>=2 |
 ){var J=G[1];if(p.imagesPreviewHandler){var re=p.imagesPreviewHandler(G[1]);typeof
 re=="string"&&(J=re)}if(window.EMDEimagesCache[J])M(N,window.EMDEimagesCache[J]);else{var q=document
  .createElement("img");q.onload=function(){window.EMDEimagesCache[J]={naturalWidth:q.naturalWidth,nat
 ural Height: q.natural Height, ur1: J\}, M(N, window. EMDE images Cache[J])\}, q.src=J\}\}\})) this.code mirror.on("update", function(){_()}), this.gui.sideBySide=this.createSideBySide(), this._rendered=this.element, (p.a., the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the conte
 utofocus===!0||o.autofocus)&&this.codemirror.focus();var W=this.codemirror;setTimeout(function(){W.r
 efresh()}.bind(W),0)};Te.prototype.cleanup=function(){document.removeEventListener("keydown",this.do
 cumentOnKeyDown)};Te.prototype.autosave=function(){if(kc()){var o=this;if(this.options.autosave.uniq}
ueId==null||this.options.autosave.uniqueId==""){console.log("EasyMDE: You must set a uniqueId to use the autosave feature");return}this.options.autosave.binded!==!0&&(o.element.form!=null&&o.element.fo
 rm! = null \& \texttt{Co.element.form.addEventListener("submit", function() \{ clearTimeout(o.autosaveTimeoutId), o.autosaveTimeoutId), o.
tosaveTimeoutId=void 0,localStorage.removeItem("smde_"+o.options.autosave.uniqueId)}),this.options.autosave.binded=!0),this.options.autosave.loaded!==!0\&(typeof localStorage.getItem("smde_"+this.opti
ons.autosave.uniqueId)=="string"&localStorage.getItem("smde_"+this.options.autosave.uniqueId)!=""&\ (this.codemirror.setValue(localStorage.getItem("smde_"+this.options.autosave.uniqueId)),this.options.autosave.foundSavedValue=!0),this.options.autosave.loaded=!0);var p=o.value();p!==""?localStorage.setItem("smde_"+this.options.autosave.loaded=!0);var p=o.value();p!==""?localStorage.setItem("smde_"+this.options.autosave.uniqueId,p):localStorage.removeItem("smde_"+this.options.autosave.uniqueId);var v=document.getElementById("autosaved");if(v!=null&&v!=null&&v!=""){var C=new
 Date, b=new Intl.DateTimeFormat([this.options.autosave.timeFormat.locale, "en-US"], this.options.autosa
 ve.timeFormat.format(C), S=this.options.autosave.text==null?"Autosaved:
   this.options.autosave.text;v.innerHTML=S+b}}else console.log("EasyMDE: localStorage not available,"
 cannot autosave")};Te.prototype.clearAutosavedValue=function(){if(kc()){if(this.options.autosave==null||this.options.autosave.uniqueId==null||this.options.autosave.uniqueId==""){console.log("EasyMDE:
 You must set a uniqueId to clear the autosave
 value");return}localStorage.removeItem("smde "+this.options.autosave.uniqueId)}else
 console.log("EasyMDE: localStorage not available, cannot
 autosave")};Te.prototype.openBrowseFileWindow=function(o,p){var
 v=this,C=this.qui.toolbar.getElementsByClassName("imageInput")[0];C.click();function b(S){v.options.
imageUploadFunction?v.uploadImagesUsingCustomFunction(v.options.imageUploadFunction,S.target.files):
v.uploadImages(S.target.files,o,p),C.removeEventListener("change",b)}C.addEventListener("change",b)}
;Te.prototype.uploadImage=function(o,p,v){var C=this;p=p||function(T){yc(C,T)};function
b(g){C.updateStatusBar("upload-image",g),setTimeout(function(){C.updateStatusBar("upload-image",C.options.imageTexts.sbInit)},le4),v&vypeof
 v=="function"&&v(g),C.options.errorCallback(g)}function S(g){var
T=C.options.imageTexts.sizeUnits.split(",");return g.replace("#image_name#",o.name).replace("#image_size#",Ii(o.size,T)))replace("#image_max_size#",Ii(C.options.imageMaxSize,T))}if(o.size>this.options
```

```
.imageMaxSize){b(S(this.options.errorMessages.fileTooLarge));return}var s=new FormData;s.append("ima
qe",o),C.options.imageCSRFToken&&!C.options.imageCSRFHeader&&s.append(C.options.imageCSRFName,C.opti
ons.imageCSRFToken):var h=new
XMLHttp \ref{eq:continuous} for a function (g) \{if (g.length Computable) \{variable, variable, v
T=""+Math.round(g.loaded*100/g.total);C.updateStatusBar("upload-image",C.options.imageTexts.sbProgre ss.replace("#file_name#",o.name).replace("#progress#",T))}},h.open("POST",this.options.imageUploadEn
dpoint),C.options.imageCSRFToken&&C.options.imageCSRFHeader&&h.setRequestHeader(C.options.imageCSRFN
ame, C. options. imageCSRFToken), h. onload=function(){try{var} g=JSON.parse(this.responseText)}catch{console.error("EasyMDE: The server did not return a valid json ."),b(S(C.options.errorMessages.importError));return}this.status===200&&g&!g.error&g.data&&g.data&filePath?p((C.options.imagePathAbsolute?"":window.location.origin+"/")+g.data.filePath):g.error&&g.error in C.options.errorMessages?b(S(C.options.errorMessages[g.error])):g.error?b(S(g.error)):(consol
e.error("EasyMDE: Received an unexpected response after uploading the image."+this.status+" ("+this.
statusText+")"),b(S(C.options.errorMessages.importError)))},h.onerror=function(g){console.error("Eas yMDE: An unexpected error occurred when trying to upload the image."+g.target.status+" ("+g.target.s
tatusText+")"),b(C.options.errorMessages.importError)},h.send(s)};Te.prototype.uploadImageUsingCusto
mFunction=function(o,p)\{var v=this; function C(s)\{yc(v,s)\} function b(s)\{var v=this; function C(s)\} \}
h=S(s);v.updateStatusBar("upload-image",h),setTimeout(function(){v.updateStatusBar("upload-
image",v.options.imageTexts.sbInit)},le4),v.options.errorCallback(h)}function S(s){var
h=v.options.imageTexts.sizeUnits.split(",");return s.replace("#image_name#",p.name).replace("#image_size#",Ii(p.size,h)).replace("#image_max_size#",Ii(v.options.imageMaxSize,h))}o.apply(this,[p,C,b])}
  ;Te.prototype.setPreviewMaxHeight=function(){var o=this.codemirror,p=o.getWrapperElement(),v=p.nextS
ibling,C=parseInt(window.getComputedStyle(p).borde
rTopWidth),S=parseInt(this.options.maxHeight),s=S+C*2+b*2,h=s.toString()+"px";v.style.height=h};Te.p
rototype.createSideBySide=function(){var
o=this.codemirror,p=o.getWrapperElement(),v=p.nextSibling;if(!v||!v.classList.contains("editor-preview-side")){if(v=document.createElement("div"),v.className="editor-preview-
side",this.options.previewClass)if(Array.isArray(this.options.previewClass))for(var
C=0;C<this.options.previewClass.length;C++)v.classList.add(this.options.previewClass[C]);else typeof
this.options.previewClass="string"&&v.classList.add(this.options.previewClass);p.parentNode.insertB efore(v,p.nextSibling)}if(typeof this.options.maxHeight<"u"&&this.setPreviewMaxHeight(),this.options
  .syncSideBySidePreviewScroll===!1)return v;var b=!1,S=!1;return
o.on("scroll",function(s){if(b){b=!1;return}S=!0;var h=s.getScrollInfo().height-
s.getScrollInfo().clientHeight,g=parseFloat(s.getScrollInfo().top)/h,T=(v.scrollHeight-
v.clientHeight)*g;v.scrollTop=T}),v.onscroll=function(){if(S){S=!1;return}b=!0;var s=v.scrollHeight-
v.client Height, h=parse Float (v.scroll Top)/s, g=(o.get Scroll Info().height-height)/s (for the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of 
o.getScrollInfo().clientHeight)*h;o.scrollTo(0,g)},v};Te.prototype.createToolbar=function(o){if(o=o|
 |this.options.toolbar,!(!o||o.length===0)){var
p; for(p=0; p<o.length; p++)Pr[o[p]]!=null&&(o[p]=Pr[o[p]]); var
v=document.createElement("div");v.className="editor-toolbar",v.setAttribute("role","toolbar");var C=
this,b={};for(C.toolbar=o,p=0;p<o.length;p++)if(!(o[p].name=="guide"&&C.options.toolbarGuideIcon===!
1)&&!(C.options.hideIcons.hideIcons.indexOf(o[p].name)!=-
1)\&\&!(o[p].name=="fullscreen"||o[p].name=="side-by-side")\&\&ra()))\{if(o[p]==="|")\{for(var\ S=!1,s=p+1\ s<o.length;s++)o[s]!=="|"&&(!C.options.hideIcons||C.options.hideIcons.indexOf(o[s].name)==-
1)&&(S=!0);if(!S)continue}(function(T){var w;if(T==="|"?w=Nd():T.children?w=Fd(T,C.options.toolbarTi
ps,C.options.shortcuts,C):w=qi(T,!0,C.options.toolbarTips,C.options.shortcuts,"button",C),b[T.name|| T]=w,v.appendChild(w),T.name==="upload-image"){var c=document.createElement("input");c.className="imageInput",c.type="file",c.multiple=!0,c.name="image",c.accept=C.options.imageAccept,c.style.display= "none",c.style.opacity=0,v.appendChild(c)})(o[p])}C.toolbar_div=v,C.toolbar_Elements=b;var
h=this.codemirror; h.on("cursorActivity", function(){var T=Tr(\overline{h}); for(var w in b)(function(c){var tensor})}
d=b[c];T[c]?d.classList.add("active"):c!="fullscreen"&&c!="side-by-
side"&&d.classList.remove("active")))(w)});var g=h.getWrapperElement();return g.parentNode.insertBef
ore(v,g),v\}\}; Te.prototype.createStatusbar=function(o){o=o||this.options.status; var
p=this.options,v=this.codemirror;if(!(!o||o.length===0)){var
C=[],b,S,s,h;for(b=0;b<o.length;b++)if(S=void 0,s=void 0,h=void 0,typeof o[b]=="object")C.push({clas
sName:o[b].className,defaultValue:o[b].defaultValue,onUpdate:o[b].onUpdate,onActivity:o[b].onActivit
y});else{var g=o[b];g==="words"?(h=function(k){k.innerHTML=gc(v.getValue())},S=function(k){k.innerHTML=gc(v.getValue())});g==="lines"?(h=function(k){k.innerHTML=v.lineCount()},S=function(k){k.innerHTML=v.lineCount()});g==="cursor"?(h=function(k){k.innerHTML="1:1"},s=function(k){var z=v.getCursor(),M=z.line+1,_=z.ch+1;k.innerHTML=M+":"+_});g==="autosave"?h=function(k){p.autosave!=null&&p.autosave.e
nabled===!0&&k.setAttribute("id","autosaved")}:g==="upload-image"&&(h=function(k){k.innerHTML=p.imag
eTexts.sbInit}),C.push({className:g,defaultValue:h,onUpdate:S,onActivity:s})}var
T=document.createElement("div");for(T.className="editor-statusbar",b=0;b<C.length;b++){var
w=C[b],c=document.createElement("span");c.className=w.className,typeof
w.defaultValue=="function"&&w.defaultValue(c),typeof
w.onUpdate=="function"&&this.codemirror.on("update",function(k,z){return
function()\{z.onUpdate(k)\}\}(c,w)), typeof\\w.onActivity=="function"\&\&this.codemirror.on("cursorActivity",function(k,z)\{returnder)\}
function()\{z.onActivity(k)\}\}(c,w)), T.appendChild(c)\} var \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirror.getWrapperElement(); return \ d=this.codemirro
d.parentNode.insertBefore(T,d.nextSibling),T}};Te.prototype.value=function(o){var
p=this.codemirror;if(o===void 0)return
p.getValue();if(p.getDoc().setValue(o),this.isPreviewActive()){var v=p.getWrapperElement(),C=v.lastC
hild, b=this.options.previewRender(o,C);b!==null&&(C.innerHTML=b)}return this};Te.toggleBold=Fi;Te.to
```

```
ggleItalic=Ni;Te.toggleStrikethrough=Oi;Te.toggleBlockquote=Bi;Te.toggleHeadingSmaller=Jn;Te.toggleH
 eadingBigger=ji;Te.toggleHeading1=Ri;Te.toggleHeading2=Hi;Te.toggleHeading3=Wi;Te.toggleHeading4=na;
 Te.toggleHeading5=ia;Te.toggleHeading6=oa;Te.toggleCodeBlock=Pi;Te.toggleUnorderedList=Ui;Te.toggleO
 rderedList=[]i;Te.cleanBlock=Ki;Te.drawLink=Gi;Te.drawImage=Zi;Te.drawUploadedImage=aa;Te.drawTable=Xi;Te.drawHorizontalRule=Yi;Te.undo=Qi;Te.redo=Vi;Te.togglePreview=Ji;Te.toggleSideBySide=bn;Te.toggle
 eFullScreen=Br;Te.prototype.toggleBold=function(){Fi(this)};Te.prototype.toggleItalic=function(){Ni(
 this)};Te.prototype.toggleStrikethrough=function(){0i(this)};Te.prototype.toggleBlockquote=function(
 ){Bi(this)}; Te.prototype.toggleHeadingSmaller=function(){Jn(this)}; Te.prototype.toggleHeadingBigger=
function(){ji(this)}; Te.prototype.toggleHeading1=function(){Ri(this)}; Te.prototype.toggleHeading2=function(){Hi(this)}; Te.prototype.toggleHeading3=function(){Wi(this)}; Te.prototype.toggleHeading4=function()
 tion(){na(this)};Te.prototype.toggleHeading5=function(){ia(this)};Te.prototype.toggleHeading6=functi
 on(){oa(this)};Te.prototype.toggleCodeBlock=function(){Pi(this)};Te.prototype.toggleUnorderedList=fu
 nction(){Ui(this)};Te.prototype.toggleOrderedList=function(){[i(this)];Te.prototype.cleanBlock=funct
 ion()\{Ki(this)\}; Te.prototype.drawLink=function()\{Gi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawUploadedImage=function()\{Aa(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()\{Xi(this)\}; Te.prototype.drawImage=function()(Xi(this))\}; Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this))); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(this)); Te.prototype.drawImage=function()(Xi(t
 e.prototype.drawHorizontalRule=function(){Yi(this)};Te.prototype.undo=function(){Qi(this)};Te.protot
 ype.redo=function(){Vi(this)};Te.prototype.togglePreview=function(){Ji(this)};Te.prototype.toggleSid
 eBySide=function(){bn(this)};Te.prototype.toggleFullScreen=function(){Br(this)};Te.prototype.isPrevi
ewActive=function(){var o=this.codemirror,p=o.getWrapperElement(),v=p.lastChild;return
v.classList.contains("editor-preview-active")};Te.prototype.isSideBySideActive=function(){var
 o=this.codemirror,p=o.getWrapperElement(),v=p.nextSibling;return v.classList.contains("editor-
 preview-active-side")};Te.prototype.isFullscreenActive=function(){var o=this.codemirror;return
 o.getOption("fullScreen")};Te.prototype.getState=function(){var o=this.codemirror;return
 Tr(o)};Te.prototype.toTextArea=function(){var o=this.codemirror,p=o.getWrapperElement(),v=p.parentNo
 de;v&&(this.gui.toolbar&&v.removeChild(this.gui.toolbar),this.gui.statusbar&&v.removeChild(this.gui.
 statusbar), this.gui.sideBySide&v.removeChild(this.gui.sideBySide)), v.parentNode.insertBefore(p,v), v.remove(),o.toTextArea(),this.autosaveTimeoutId&(clearTimeout(this.autosaveTimeoutId),this.autosave
 TimeoutId=void 0,this.clearAutosavedValue())};window.EasyMDE=Te});window.CodeMirror=We();We();Yn();p
 s();ms();ys();ks();Vo();Cs();gn();Ds();Rs();Ks();eu();nu();Qn();au();vn();uu();du();Jo();gu();bu();
 u();Su();Cu();Mu();qu();Nu();ea();Ru();Uu();ta();Xu();cc();mn();pc();wc();CodeMirror.commands.tabAnd
 Indent Mark down List=function (o) \{var\ p=o.listSelections(), v=p[0]. head, C=o.getStateAfter(v.line), b=C.list!==!1; if(b) \{o.execCommand("indent More"); return\} if(o.options.indent With Tabs) \{o.execCommand("insert Table Value"), return if (o.options.indent With Tabs) \{o.execCommand("insert Table Value"), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.options.indent With Tabs), return if (o.o
 ab");return}var S=Array(o.options.tabSize+1).join(
    ');o.replaceSelection(S)};CodeMirror.commands.shiftTabAndUnindentMarkdownList=function(o){var p=o.li
stSelections(), v=p[0].head, C=0.getStateAfter(v.line), b=C.list!==!1; if(b) \{o.execCommand("indentLess"); return\}if(o.options.indentWithTabs) \{o.execCommand("insertTab"); return\}var \\ S=Array(o.options.tabSize+1).join(" "); o.replaceSelection(S)\}; function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,isLiveDestables) | function Kd(\{canAttachFiles:o,i
 bounced:p,isLiveOnBlur:v,liveDebounce:C,maxHeight:b,minHeight:S,placeholder:s,setUpUsing:h,state:g,translations:T,toolbarButtons:w,uploadFileAttachmentUsing:c}){return{editor:null,state:g,async}
 init(){this. oot.closest(".fi-modal")&&await new Promise(d=>setTimeout(d,300)),this. oot._editor&
 (this. ☐root. _editor.toTextArea(),this. ☐root. _editor=null),this. ☐root. _editor=this.editor=new EasyMDE ({autoDownloadFontAwesome:!1,autoRefresh:!0,autoSave:!1,element:this. ☐refs.editor,imageAccept:"image
 /png, image/jpeg, image/gif, image/avif, image/webp",imageUploadFunction:c,initialValue:this.state??
          maxHeight:b,minHeight:S,placeholder:s,previewImagesInEditor:!0,spellChecker:!1,status:[{className,
 :"upload-image",defaultValue:""}],toolbar:this.getToolbar(),uploadImage:o}),this.editor.codemirror.setOption("direction",document.documentElement?.dir??"ltr"),this.editor.codemirror.on("changes",(d,k)
 =>{try{let z=k[k.length-1];if(z.origin==="+input"){let
 M="(https://)",_=z.text[z.text.length-1];if(_.endsWith(M)&&_!=="[]"+M){let W=z.from,E=z.to,G=z.text.length>1?0:W.ch;setTimeout(()=>{d.setSelection({line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,ch:G+_.lastIndexOf("(")+1},{line:E.line,c
 ch: G+\_. lastIndexOf(")")\}), 25)\}\} catch\{\}\}), this.editor.codemirror.on("change", Alpine.debounce(()=>\{the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
his.editor&&(this.state=this.editor.value(),p&&this.[wire.commit())],C??300)),v&&this.editor.codemirror.on("blur",()=>this.[wire.commit()),this.[watch("state",()=>{this.editor&&(this.editor.codemirror.hasFocus()||Alpine.raw(this.editor).value(this.state??""))}),h&&h(this)},destroy(){this.editor.cleanup(),this.editor=null},getToolbar(){let d=[];return w.forEach(k=>{k.forEach(z=>d.push(this.getToolbarButton(z))),k.length>0&&d.push("|")}),d[d.length-
 1]==="|"&&d.pop(),d},getToolbarButton(d){if(d==="bold")return
 this.getBoldToolbarButton();if(d==="italic")return
 this.getItalicToolbarButton();if(d==="strike")return
 this.getStrikeToolbarButton();if(d==="link")return
 this.getLinkToolbarButton();if(d==="heading")return
 this.getHeadingToolbarButton();if(d==="blockquote")return
 this.getBlockguoteToolbarButton();if(d==="codeBlock")return
 this.getCodeBlockToolbarButton();if(d==="bulletList")return
this.getBulletListToolbarButton();if(d==="orderedList")return
this.getOrderedListToolbarButton();if(d==="table")return this.getTableToolbarButton();if(d==="attachFiles")return
 this.getAttachFilesToolbarButton();if(d==="undo")return
this.getNttachnitesrootbarbutton();if(d==="redo")return this.getRedoToolbarButton();console.error(`Markdown editor toolbar button "[dd]" not found.`)},getBoldToolbarButton(){return{name: "bold",action:EasyMDE.toggleBold,title:T.tools?.bold}},getItalicToolbarButton(){return{name: "italic",action:EasyMDE.toggleBold,title:T.tools?.bold}},getItalicToolbarButton(){return{name: "italic",action:EasyMDE.toggleBold,title:T.tools?.bold}}
Italic,title:T.tools?.italic}},getStrikeToolbarButton(){return{name:"strikethrough",action:EasyMDE.toggleStrikethrough,title:T.tools?.strike}},getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strike}},getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strike}},getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,title:T.tools?.strikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleStrikethrough,getLinkToolbarButton(){return{name:"link",action:EasyMDE.toggleS
 drawLink,title:T.tools?.link}},getHeadingToolbarButton(){return{name:"heading",action:EasyMDE.toggle
```

public\js\filament\forms\components\markdown-editor.js

HeadingSmaller,title:T.tools?.heading}},getBlockquoteToolbarButton(){return{name: "quote",action:Easy
MDE.toggleBlockquote,title:T.tools?.blockquote}},getCodeBlockToolbarButton(){return{name: "code",acti
on:EasyMDE.toggleCodeBlock,title:T.tools?.code_block}},getBulletListToolbarButton(){return{name: "uno
rdered-list",action:EasyMDE.toggleUnorderedList,title:T.tools?.bullet_list}},getOrderedListToolbarBu
tton(){return{name: "ordered-list",action:EasyMDE.toggleOrderedList,title:T.tools?.ordered_list}},get
TableToolbarButton(){return{name: "table",action:EasyMDE.drawTable,title:T.tools?.table}},getAttachFi
lesToolbarButton(){return{name: "upload-image",action:EasyMDE.drawUploadedImage,title:T.tools?.attach
_files}},getUndoToolbarButton(){return{name: "undo",action:EasyMDE.undo,title:T.tools?.undo}},getRedo
ToolbarButton(){return{name: "redo",action:EasyMDE.redo,title:T.tools?.redo}}}}export{Kd as default};

```
function he(t){this.content=t}he.prototype={constructor:he,find:function(t){for(var
 e=0;e<this.content.length;e+=2)if(this.content[e]===t)return e;return-1},get:function(t){var
 e=this.find(t);return e==-1?void 0:this.content[e+1]},update:function(t,e,n){var
 r=n\&n!=t?this.remove(n):this,o=r.find(t),i=r.content.slice();return
 o=-1?i.push(n||t,e):(i[o+1]=e,n&(i[o]=n)),new he(i)},remove:function(t){var
 e=this.find(t);if(e==-1)return this;var n=this.content.slice();return n.splice(e,2),new
 he(n)},addToStart:function(t,e){return new
 he([t,e].concat(this.remove(t).content))},addToEnd:function(t,e){var
 n = this.remove(t).content.slice(); return \ n.push(t,e), new \ he(n)\}, addBefore: function(t,e,n) \{varante example of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the c
 r=this.remove(e),o=r.content.slice(),i=r.find(t);return o.splice(i==-1?o.length:i,0,e,n),new
 he(o)},forEach:function(t){for(var
 e=0;e<this.content.length;e+=2)t(this.content[e],this.content[e+1])},prepend:function(t){return
 t=he.from(t),t.size?new
 he(t.content.concat(this.subtract(t).content)):this},append:function(t){return
 t=he.from(t),t.size?new
 he(this.subtract(t).content.concat(t.content)):this},subtract:function(t){var
 e=this;t=he.from(t);for(var n=0;n<t.content.length;n+=2)e=e.remove(t.content[n]);return
 e},toObject:function(){var t={};return this.forEach(function(e,n){t[e]=n}),t},get size(){return
 this.content.length>>1}}; he.from=function(t){if(t instanceof he)return t; var e=[];if(t)for(var n in
 t)e.push(n,t[n]);return new he(e)};var bi=he;function ca(t,e,n){for(let
 r=0;;r++){if(r==t.childCount||r==e.childCount)return t.childCount==e.childCount?null:n;let
 o=t.child(r),i=e.child(r);if(o==i){n+=o.nodeSize;continue}if(!o.sameMarkup(i))return
 n; if(o.isText\&\&o.text!=i.text) \{for(let s=0; o.text[s]==i.text[s]; s++)n++; return to the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second 
 n}if(o.content.size||i.content.size){let s=ca(o.content,i.content,n+1);if(s!=null)return
sh+=o.nodeSize}}function ua(t,e,n,r){for(let o=t.childCount,i=e.childCount;;){if(o==0||i==0)return o=i?null:{a:n,b:r};let s=t.child(--o),l=e.child(--i),a=s.nodeSize;if(s==l){n-=a,r-=a;continue}if(!s.sameMarkup(l))return{a:n,b:r};if(s.isText&&s.text!=l.text){let c=0,u=Math.min(s.text)}
 xt.length,l.text.length); for(;c<u&\s.text[s.text.length-c-1]==l.text[l.text.length-c-1];)c++,n--,r--
;return{a:n,b:r}}if(s.content.size||l.content.size){let
c=ua(s.content,l.content,n-1,r-1);if(c)return c}n-=a,r-=a}}var w=class
 t{constructor(e,n){if(this.content=e,this.size=n||0,n==null)for(let
 r=0; r<e.length; r++) \\ this.size+=e[r].nodeSize\\ nodesBetween(e,n,r,o=0,i)\\ \{for(let\ s=0,l=0;l< n;s++)\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0;l< n;s++\}\\ \{let\ s=0,l=0
 a=this.content[s], c=l+a.nodeSize; if (c>e\&r(a,o+l,i||null,s)!==!1\&\&a.content.size) \\ \{let u=l+1; a.nodesBar(a,o+l,i||null,s)!==!1&\&a.content.size) \\ \{let u=l+1; a.nodesBar(a,o+l,i||null,s
 etween(Math.max(0,e-u),Math.min(a.content.size,n-
 u),r,o+u)}l=c}}descendants(e){this.nodesBetween(0,this.size,e)}textBetween(e,n,r,o){let
                      ,s=!0;return this.nodesBetween(e,n,(l,a)=>{let
c=l.isText?l.text.slice(Math.max(e,a)-a,n-a):l.isLeaf?o?typeof o=="function"?o(l):o:l.type.spec.leaf
Text?l.type.spec.leafText(l):"":"";l.isBlock&&(l.isLeaf&&c||l.isTextblock)&&r&&(s?s=!1:i+=r),i+=c},0
  ),i}append(e){if(!e.size)return this;if(!this.size)return e;let n=this.lastChild,r=e.firstChild,o=th
 is.content.slice(),i=0;for(n.isText&&n.sameMarkup(r)&&(o[o.length-
 1]=n.withText(n.text+r.text),i=1);i<e.content.length;i++)o.push(e.content[i]);return new
 t(o, this.size + e.size) \} cut(e, n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \} cut(e, n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 \& n = this.size) \\ \{if(e = -0 \& n = this.size) return \ this; let = -0 
 r = [], o = 0; if(n > e) for(let i = 0, s = 0; s < n; i + +) \{let l = this.content[i], a = s + l.nodeSize; a > e \& ((s < e | | a > n) & \& (l.i) = (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a > e & (l.i) + l.nodeSize; a 
 sText?l=l.cut(Math.max(0,e-s),Math.min(l.text.length,n-s)):l=l.cut(Math.max(0,e-s-att))
 1), Math.min(l.content.size,n-s-1))),r.push(l),o+=l.nodeSize),s=a}return new
 t(r,o)}cutByIndex(e,n){return e==n?t.empty:e==0&&n==this.content.length?this:new
 t(this.content.slice(e,n))}replaceChild(e,n){let r=this.content[e];if(r==n)return this;let
o=this.content.slice(),i=this.size+n.nodeSize-r.nodeSize;return o[e]=n,new t(o,i)}addToStart(e){return new t([e].concat(this.content),this.size+e.nodeSize)}addToEnd(e){return
 new t(this.content.concat(e),this.size+e.nodeSize)}eq(e){if(this.content.length!=e.content.length)re
 turn!1:for(let
 n=0;n<this.content.length;n++)if(!this.content[n].eg(e.content[n]))return!1;return!0}get
firstChild(){return this.content.length?this.content[0]:null}get lastChild(){return
this.content.length?this.content[this.content.length-1]:null}get childCount(){return
 this.content.length\} child (e) \{ let \ n=this.content [e]; if (!n) throw \ new \ Range Error ("Index "+e+" \ out \ of the content length] | the content length child (e) (let \ n=this.content [e]; if (!n) throw \ new \ Range Error ("Index "+e+" \ out \ of the content length] | the content length child (e) (let \ n=this.content [e]; if (!n) throw \ new \ Range Error ("Index "+e+" \ out \ of the content length] | the content length child (e) (let \ n=this.content [e]; if (!n) throw \ new \ Range Error ("Index "+e+" \ out \ of the content length] | the content length child (e) (let \ n=this.content [e]; if (!n) throw \ new \ Range Error ("Index "+e+" \ out \ of the content length] | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (let \ n=this.content length) | the content length child (e) (length child (e) (length) | the content length child (e) (length child (e) (length child (e) (length child
 range for "+this); return n}maybeChild(e){return this.content[e]||null}forEach(e){for(let
 n=0,r=0;n<this.content.length;n++){let
o=this.content[n];e(o,r,n),r+=o.nodeSize}}findDiffStart(e,n=0){return ca(this,e,n)}findDiffEnd(e,n=this.size,r=e.size){return ua(this,e,n,r)}findIndex(e){if(e==0)return
Sr(0,e); if (e==this.size) return Sr(this.content.length,e); if (e>this.size||e<0)throw new RangeError(`Position [e] outside of fragment ([this])`); for (let n=0,r=0;;n++){let
 o=this.child(n),i=r+o.nodeSize;if(i>=e)return
i = e?Sr(n+1,i):Sr(n,r); r = i\} toString() \{return < "+this.toStringInner() + ">" \} toStringInner() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() \{return this.content.join(", ") \} toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJSON() } toJSON() {toJS
this.content.length?this.content.map(e=>e.toJSON()):null}static fromJSON(e,n){if(!n)return t.empty;if(!Array.isArray(n))throw new RangeError("Invalid input for Fragment.fromJSON");return new
t(n.map(e.nodeFromJSON))}static fromArray(e){if(!e.length)return t.empty;let n,r=0;for(let o=0;o<e.length;o++){let i=e[o];r+=i.nodeSize,o&&i.isText&&e[o-
 1].sameMarkup(i)?(n||(n=e.slice(0,o)),n[n.length-1]=i.withText(n[n.length-
 1]. text+i.text)): n\& a.push(i) \} return new t(n||e,r) \} static from(e) \{if(!e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return t.empty; if(e) return
 instanceof t)return e;if(Array.isArray(e))return this.fromArray(e);if(e.attrs)return new
 t([e],e.nodeSize);throw new RangeError("Can not convert "+e+" to a Fragment"+(e.nodesBetween?" (looks like multiple versions of prosemirror-model were loaded)":""))}};w.empty=new w([],0);var
```

```
xi={index:0,offset:0};function Sr(t,e){return xi.index=t,xi.offset=e,xi}function
Cr(t,e){if(t===e)return!0;if(!(t&&typeof t=="object")||!(e&&typeof e=="object"))return!1;let
n=Array.isArray(t);if(Array.isArray(e)!=n)return!1;if(n){if(t.length!=e.length)return!1;for(let
r=0;r<t.length;r++)if(!Cr(t[r],e[r]))return!1}else{for(let r in t)if(!(r in
e)||!Cr(t[r],e[r])) return!1; for(let r in e)if(!(r in t)) return!1} return!0} var V=class
t{constructor(e,n){this.type=e,this.attrs=n}addToSet(e){let n,r=!1;for(let o=0;o<e.length;o++){let
i=e[o];if(this.eq(i))return
e; if(this.type.excludes(i.type))n||(n=e.slice(0,o)); else{if(i.type.excludes(this.type))return}
e; r&i.type.rank>this.type.rank&i(n) (n=e.slice(0,o)),n.push(this),r=!0),n&n.push(i)}}return
n||(n=e.slice()),r||n.push(this),n}removeFromSet(e){for(let
n=0; n<e.length; n++)if(this.eq(e[n])) return e.slice(0,n).concat(e.slice(n+1)); return
e}isInSet(e){for(let n=0;n<e.length;n++)if(this.eq(e[n]))return!0;return!1}eq(e){return
this==e||this.type==e.type&&Cr(this.attrs,e.attrs)}toJSON(){let e={type:this.type.name};for(let n in
RangeError(`There is no mark type [{n.type} in this schema`);let o=r.create(n.attrs);return
r.checkAttrs(o.attrs),o}static sameSet(e,n){if(e==n)return!0;if(e.length!=n.length)return!1;for(let r=0;r<e.length;r++)if(!e[r].eq(n[r]))return!1;return!0}static
setFrom(e) \{ if (!e||Array.isArray(e) \&\&e.length == 0) return \ t. none; if (e \ instance of \ t) return[e]; let the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(e) for the setFrom(
n=e.slice();return n.sort((r,o)=>r.type.rank-o.type.rank),n}};V.none=[];var Bt=class extends
Error{}, M=class t{constructor(e,n,r){this.content=e,this.openStart=n,this.openEnd=r}get
size(){return this.content.size-this.openStart-this.openEnd}insertAt(e,n){let
r=fa(this.content,e+this.openStart,n);return r&&new
t(r,this.openStart,this.openEnd)}removeBetween(e,n){return new
t(da(this.content,e+this.openStart,n+this.openStart),this.openStart,this.openEnd)}eq(e){return
this.content.eq(e.content)&&this.openStart==e.openStart&&this.openEnd==e.openEnd}toString(){return
this.content+"("+this.openStart+","+this.openEnd+")"}toJSON(){if(!this.content.size)return null;let
e={content:this.content.toJSON()};return
this.openStart>0&&(e.openStart=this.openStart),this.openEnd>0&&(e.openEnd=this.openEnd),e}static
from JSON(e,n) \\ \{if(!n) return \ t.empty; let \ r=n.openStart | |0,o=n.openEnd| |0; if(typeof \ r!="number"|| typeof \ r=n.openStart | |0,o=n.openEnd| |0; if(typeof \ r!="number"|| typeof \ r=n.openStart | |0,o=n.openEnd| |0; if(typeof \ r!="number"|| typeof \ r=n.openStart | |0,o=n.openStart |
o!="number")throw new RangeError("Invalid input for Slice.fromJSON");return new
t(w.fromJSON(e,n.content),r,o)}static maxOpen(e,n=!0){let r=0,o=0;for(let
i=e.firstChild;i&&!i.isLeaf&&(n||!i.type.spec.isolating);i=i.firstChild)r++;for(let
i=e.lastChild; i\&\&!i.isLeaf\&\&(n||!i.type.spec.isolating); i=i.lastChild)o++; return new \\ t(e,r,o)\}\}; M.empty=new M(w.empty,0,0); function da(t,e,n)\{let\{index:r,offset:o\}=t.findIndex(e),i=t.ma \}
ybeChild(r), \{index:s, offset:l\} = t.findIndex(n); if(o==e||i.isText) \{if(l!=n\&\&!t.child(s).isText) throw for each of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the co
new RangeError("Removing non-flat range"); return t.cut(0,e).append(t.cut(n))}if(r!=s)throw new
RangeError("Removing non-flat range"); return
t.replaceChild(r,i.copy(da(i.content,e-o-1,n-o-1)))}function
fa(t,e,n,r){let{index:o,offset:i}=t.findIndex(e),s=t.maybeChild(o);if(i==e||s.isText)return
r&&!r.canReplace(o,o,n)?null:t.cut(0,e).append(n).append(t.cut(e));let
l=fa(s.content,e-i-1,n); return l\&\&t.replaceChild(o,s.copy(l))) function
Hh(t,e,n){if(n.openStart>t.depth)throw new Bt("Inserted content deeper than insertion
position");if(t.depth-n.openStart!=e.depth-n.openEnd)throw new Bt("Inconsistent open depths");return
ha(t,e,n,0) function ha(t,e,n,r) {let
o=t.index(r), i=t.node(r); if (o==e.index(r)\&\&r < t.depth-n.openStart) \\ \{let s=ha(t,e,n,r+1); return = t.index(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.node(r), i=t.
i.copy(i.content.replaceChild(o,s))}else
if (n.content.size) if (!n.openStart\&\&!n.openEnd\&\&t.depth==r\&\&e.depth==r) \{ let if (!n.openStart\&\&!n.openEnd\&\&t.depth==r\&e.depth==r) \} \} 
s=t.parent,l=s.content;return Lt(s,l.cut(0,t.parentOffset).append(n.content).append(l.cut(e.parentOf
fset)))}else{let{start:s,end:l}=Fh(n,t);return Lt(i,ma(t,s,l,e,r))}else return
Lt(i,Mr(t,e,r))}function pa(t,e){if(!e.type.compatibleContent(t.type))throw new Bt("Cannot join "+e.type.name+" onto "+t.type.name)}function Si(t,e,n){let r=t.node(n); return
pa(r,e.node(n)),r}function It(t,e){let
n=e.length-1; n>=0\&\&t.isText\&\&t.sameMarkup(e[n])?e[n]=t.withText(e[n].text+t.text):e.push(t)\}function
Nn(t,e,n,r) {let o=(e||t).node(n),i=0,s=e?e.index(n):o.childCount;t&&(i=t.index(n),t.depth>n?i++:t.te
xtOffset&&(It(t.nodeAfter,r),i++));for(let
l=i;l< s;l++) It(o.child(l),r); e&&e.depth==n&&e.textOffset&&It(e.nodeBefore,r)} function Lt(t,e){return}
\label{total content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
ex(0)?(pa(i,s),It(Lt(i,ma(t,e,n,r,o+1)),l)):(i&&It(Lt(i,Mr(t,e,o+1)),l),Nn(e,n,o,l),s&&It(Lt(s,Mr(n,o+1)),l))
(r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, o+1), (r, 
o=Si(t,e,n+1);It(Lt(o,Mr(t,e,n+1)),r)}return Nn(e,null,n,r),new w(r)}function Fh(t,e){let
n=e.depth-t.openStart,o=e.node(n).copy(t.content);for(let i=n-1;i>=0;i--)o=e.node(i).copy(w.from(o));return{start:o.resolveNoCache(t.openStart+n),end:o.resolveNoCache(o.con
tent.size-t.openEnd-n)}}var vr=class t{constructor(e,n,r){this.pos=e,this.path=n,this.parentOffset=r
 this.depth=n.length/3-1}resolveDepth(e){return e==null?this.depth:e<0?this.depth+e:e}get
parent(){return this.node(this.depth)}get doc(){return this.node(0)}node(e){return
this.path[this.resolveDepth(e)*3]}index(e){return this.path[this.resolveDepth(e)*3+1]}indexAfter(e){return
e=this.resolveDepth(e), this.index(e)+(e==this.depth\&\&!this.textOffset?0:1)\} start(e) \{returned this.resolveDepth(e), this.index(e)+(e==this.depth\&\&!this.textOffset?0:1)\} start(e) \{returned this.resolveDepth(e), this.index(e)+(e==this.depth\&\&!this.textOffset?0:1)\} start(e) \{returned this.depth\&\&!this.textOffset?0:1)\} start(e) \{returned this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!this.depth\&\&!th
e=this.resolveDepth(e),e==0?0:this.path[e*3-1]+1}end(e){return e=this.resolveDepth(e),this.start(e)+
this.node(e).content.size}before(e){if(e=this.resolveDepth(e),!e)throw new RangeError("There is no
position before the top-level node"); return
```

```
RangeError("There is no position after the top-level node"); return e==this.depth+1?this.pos:this.path[e*3-1]+this.path[e*3].nodeSize}get textOffset(){return this.pos-
 this.path[this.path.length-1]}get nodeAfter(){let
 e=this.parent,n=this.index(this.depth);if(n==e.childCount)return null;let r=this.pos-
 this.path[this.path.length-1],o=e.child(n);return r?e.child(n).cut(r):o}get nodeBefore(){let
 e=this.index(this.depth),n=this.pos-this.path[this.path.length-1];return n?this.parent.child(e).cut(
 0,n):e==0?null:this.parent.child(e-1)}posAtIndex(e,n){n=this.resolveDepth(n);let
r=this.path[n*3],o=n==0?0:this.path[n*3-1]+1;for(let i=0;i<e;i++)o+=r.child(i).nodeSize;return o}marks(){let e=this.parent,n=this.index();if(e.content.size==0)return
 V.none;if(this.textOffset)return e.child(n).marks;let
 r=e.maybeChild(n-1), o=e.maybeChild(n); if(!r){let l=r; r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l}let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(var s=0; s<i.length; s+i.e., r=o,o=l)let i=r.marks; for(v
 +)i[s].type.spec.inclusive===!1&&(!o||!i[s].isInSet(o.marks))&&(i=i[s--].removeFromSet(i));return
 i}marksAcross(e){let n=this.parent.maybeChild(this.index());if(!n||!n.isInline)return null;let r=n.marks,o=e.parent.maybeChild(e.index());for(var i=0;i<r.length;i++)r[i].type.spec.inclusive===!1&
  \& (!o||!r[i].isInSet(o.marks)) \& (r=r[i--].removeFromSet(r)); return \ r \} sharedDepth(e) \{for(let in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the co
 n=this.depth;n>0;n--)if(this.start(n)<=e&&this.end(n)>=e)return n;return
 0}blockRange(e=this,n){if(e.pos<this.pos)return e.blockRange(this);for(let r=this.depth-
 (this.parent.inlineContent||this.pos==e.pos?1:0);r>=0;r--
)if(e.pos<=this.end(r)&&(!n||n(this.node(r))))return new zt(this,e,r);return</pre>
 null\} same Parent(e) \{ return\ this.pos-this.parent Offset == e.pos-e.parent Offset \} max(e) \{ return\ this.pos-this.parent Offset \} max(e) \{ return\ this.pos-this.parent Offset \} max(e) \} 
 e.pos>this.pos?e:this}min(e){return e.pos<this.pos?e:this}toString(){let e="";for(let
 n=1; n<=this.depth; n++)e+=(e?"/":"")+this.node(n).type.name+" "+this.index(n-1); return
e+":"+this.parentOffset}static resolve(e,n){if(!(n>=0&&n<=e.content.size))throw new RangeError("Position "+n+" out of range");let r=[],o=0,i=n;for(let s=e;;){let{index:l,offset:a}=s.co}
 ntent.findIndex(i), c=i-a; if(r.push(s,l,o+a),!c||(s=s.child(l),s.isText)) break; i=c-1,o+=a+1\} return \\ = (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (-1,o+a) + (
 new \ t(n,r,i)\} static \ resolve Cached(e,n) \{ let \ r=ea.get(e); if(r) for(let \ i=0; i< r.elts.length; i++) \{ let \ r=ea.get(e); if(r) for(let \ i=0; i< r.elts.length; i++) \} \} 
 s=r.elts[i];if(s.pos==n)return s}else ea.set(e,r=new ki);let o=r.elts[r.i]=t.resolve(e,n);return
r.i=(r.i+1)%[h,o}},ki=class{constructor(){this.elts=[],this.i=0}},[h=12,ea=new WeakMap,zt=class{constructor(e,n,r){this.]from=e,this.]to=n,this.depth=r}get start(){return this.]from.before(this.depth+1)}get end(){return this.]to.after(this.depth+1)}get parent(){return this.}to.after(this.depth+1)}get parent(){return this.}to.afte
 this. [from.node(this.depth)]get startIndex(){return this. [from.index(this.depth)}get
 endIndex(){return this. to.indexAfter(this.depth)}},Vh=Object.create(null),le=class
 t{constructor(e,n,r,o=V.none){this.type=e,this.attrs=n,this.marks=o,this.content=r||w.empty}get
 children(){return this.content.content}get nodeSize(){return this.isLeaf?1:2+this.content.size}get
 childCount(){return this.content.childCount}child(e){return
 this.content.child(e)}maybeChild(e){return this.content.maybeChild(e)}forEach(e){this.content.forEach
 h(e) \} nodes Between (e,n,r,o=0) \{ this.content.nodes Between (e,n,r,o,this) \} descendants (e) \{ this.nodes Between (e,n,r,o,this) \} descendants (e) \{ thi
n(0,this.content.size,e)}get textContent(){return this.isLeaf&&this.type.spec.leafText?this.type.spec.leafText(this):this.textBetween(0,this.content.size,"")}textBetween(e,n,r,o){return
 this.content.textBetween(e,n,r,o)}get firstChild(){return this.content.firstChild}get lastChild(){return this.content.lastChild}eq(e){return
 this==e||this.sameMarkup(e)&this.content.eq(e.content)\}sameMarkup(e){return}
 this.has Markup(e.type,e.attrs,e.marks)\} has Markup(e,n,r) \{return\ this.type==e\&Cr(this.attrs,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defaretare,n||e.defareta
 ultAttrs||Vh)&&V.sameSet(this.marks,r||V.none)}copy(e=null){return e==this.content?this:new
 t(this.type,this.attrs,e,this.marks)}mark(e){return e==this.marks?this:new
 t(this.type, this.attrs, this.content, e)\} cut(e, n=this.content.size) \{return\ e==0\& n==this.content.size\}
 this: this: copy(this.content.cut(e,n))\} slice(e,n=this.content.size,r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ return \ M.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=!1) \\ \{if(e==n) \ R.empty; let \ operation for the content.size, r=:1) \\ \{if(e==n) \ R.empty; let \ operation for 
 =this.resolve(e),i=this.resolve(n),s=r?0:o.sharedDepth(n),l=o.start(s),c=o.node(s).content.cut(o.pos
  -l,i.pos-l);return new M(c,o.depth-s,i.depth-s)}replace(e,n,r){return
 Hh(this.resolve(e),this.resolve(n),r)}nodeAt(e){for(let
 n=this;;){let{index:r,offset:o}=n.content.findIndex(e);if(n=n.maybeChild(r),!n)return
 null;if(o==e||n.isText)return n;e-
 =o+1}}childAfter(e){let{index:n,offset:r}=this.content.findIndex(e);return{node:this.content.maybeCh
 ild(n),index:n,offset:r}}childBefore(e){if(e==0)return{node:null,index:0,offset:0};let{index:n,offse
 t:r}=this.content.findIndex(e);if(r<e)return{node:this.content.child(n),index:n,offset:r};let
 o=this.content.child(n-1);return{node:o,index:n-1,offset:r-o.nodeSize}}resolve(e){return
vr.resolveCached(this,e)}resolveNoCache(e){return vr.resolve(this,e)}rangeHasMark(e,n,r){let
o=!1;return n>e&&this.nodesBetween(e,n,i=>(r.isInSet(i.marks)&&(o=!0),!o)),o}get isBlock(){return
 this.type.isBlock}get isTextblock(){return this.type.isTextblock}get inlineContent(){return
 this.type.inlineContent}get isInline(){return this.type.isInline}get isText(){return
 this.type.isText}get isLeaf(){return this.type.isLeaf}get isAtom(){return
this.type.isAtom}toString(){if(this.type.spec.toDebugString)return
this.type.spec.toDebugString(this);let e=this.type.name;return
this.content.size&&(e+="("+this.content.toStringInner()+")"),ga(this.marks,e)}contentMatchAt(e){let
 n=this.type.contentMatch.matchFragment(this.content,0,e);if(!n)throw new Error("Called
 contentMatchAt on a node with invalid content");return
 n can Replace (e, n, r=w.empty, o=0, i=r.childCount) {let s=this.contentMatchAt(e).matchFragment(r,o,i), l=s
 &&s.matchFragment(this.content,n);if(!|||!l.validEnd)return!1;for(let a=o;a<i;a++)if(!this.type.allo
 wsMarks(r.child(a).marks)) return!1; return!0} canReplaceWith(e,n,r,o){if(o&&!this.type.allowsMarks(o))}
 return!1;let i=this.contentMatchAt(e).matchType(r),s=i&&i.matchFragment(this.content,n);return
 s?s.validEnd:!1}canAppend(e){return e.content.size?this.canReplace(this.childCount,this.childCount,e
  .content):this.type.compatibleContent(e.type)}check(){this.type.checkContent(this.content),this.type
```

```
.checkAttrs(this.attrs);let e=V.none;for(let n=0;n<this.marks.length;n++){let</pre>
r=this.marks[n];r.type.checkAttrs(r.attrs),e=r.addToSet(e)}if(!V.sameSet(e,this.marks))throw new
RangeError(`Invalid collection of marks for node [{this.type.name}:
[\{this.marks.map(n=>n.type.name)\}); this.content.forEach([n=>n.check())\}toJSON(){let
e={type:this.type.name};for(let n in this.attrs){e.attrs=this.attrs;break}return this.content.size&&
(e.content=this.content.toJSON()),this.marks.length&&(e.marks=this.marks.map(n=>n.toJSON())),e}stati
c fromJSON(e,n){if(!n)throw new RangeError("Invalid input for Node.fromJSON");let
r;if(n.marks){if(!Array.isArray(n.marks))throw new RangeError("Invalid mark data for
Node.fromJSON"); r=n.marks.map(e.markFromJSON)}if(n.type=="text"){if(typeof n.text!="string")throw new RangeError("Invalid text node in JSON"); return e.text(n.text,r)}let
o=w.fromJSON(e,n.content),i=e.nodeType(n.type).create(n.attrs,o,r);return
i.type.checkAttrs(i.attrs),i}};le.prototype.text=void 0;var Ci=class t extends
le{constructor(e,n,r,o){if(super(e,n,null,o),!r)throw new RangeError("Empty text nodes are not
allowed"); this.text=r}toString(){return this.type.spec.toDebugString?this.type.spec.toDebugString(this):ga(this.marks,JSON.stringify(this.text))}get textContent(){return
this.text}textBetween(e,n){return this.text.slice(e,n)}get nodeSize(){return
this.text.length}mark(e){return e==this.marks?this:new
t(this.type,this.attrs,this.text,e)}withText(e){return e==this.text?this:new
t(this.type,this.attrs,e,this.marks)}cut(e=0,n=this.text.length){return e==0&&n==this.text.length?this:this.withText(this.text.slice(e,n))}eq(e){return
this.sameMarkup(e)&&this.text==e.text}toJSON(){let e=super.toJSON();return
e.text=this.text,e}};function ga(t,e){for(let
n=t.length-1;n>=0;n--)e=t[n].type.name+"("+e+")";return e}var Ht=class
t{constructor(e){this.validEnd=e,this.next=[],this.wrapCache=[]}static parse(e,n){let r=new Mi(e,n);if(r.next==null)return t.empty;let o=ya(r);r.next&r.err("Unexpected trailing text");let
i=qh(Jh(o));return Gh(i,r),i}matchType(e){for(let
n=0; n< this.next.length; n++) if (this.next[n].type==e) return this.next[n].next; return this.next[n].next; return this.next[n].next; return this.next[n].next; return this.next[n].next; return this.next[n].next; return this.next[n].next; return this.next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].next[n].n
null}matchFragment(e,n=0,r=e.childCount){let o=this;for(let
i=n;o&&i<r;i++)o=o.matchType(e.child(i).type);return o}qet inlineContent(){return
this.next.length!=0&&this.next[0].type.isInline}get defaultType(){for(let
e=0;e<this.next.length;e++){let{type:n}=this.next[e];if(!(n.isText||n.hasRequiredAttrs()))return
nreturn null}compatible(e){for(let n=0;n<this.next.length;n++)for(let r=0;r<e.next.length;r++)if(th
is.next[n].type==e.next[r].type)return!0;return!1}fillBefore(e,n=!1,r=0){let o=[this];function
i(s,l){let a=s.matchFragment(e,r);if(a&&(!n||a.validEnd))return
w.from(l.map(c=>c.createAndFil()));for(let c=0;c<s.next.length;c++){let{type:u,next:d}=s.next[c];if
(!(u.isText||u.hasRequiredAttrs())\&o.indexOf(d)==-1)\{o.push(d);let f=i(d,l.concat(u));if(f)return f}\}return null}return i(this,[])}findWrapping(e){for(let
r=0;r<this.wrapCache.length;r+=2)if(this.wrapCache[r]==e)return this.wrapCache[r+1];let
n=this.computeWrapping(e);return this.wrapCache.push(e,n),n}computeWrapping(e){let
n=Object.create(null), r=[{match:this,type:null,via:null}]; for(;r.length;){let
o=r.shift(),i=o.match;if(i.matchType(e)){let s=[];for(let l=o;l.type;l=l.via)s.push(l.type);return s.reverse()}for(let
s=0; \\ s<i.next.length; \\ s++) \\ \{let\{type:l,next:a\}=i.next[s]; \\ !l.isLeaf\&\&!l.hasRequiredAttrs()\&\&!(l.name\ information for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
n)\&\&(!o.type||a.validEnd)\&\&(r.push(\{match:l.contentMatch,type:l,via:o\}),n[l.name]=!0)\}return
null}get edgeCount(){return this.next.length}edge(e){if(e>=this.next.length)throw new
RangeError('There's no □{e}th edge in this content match'); return this.next[e]}toString(){let
e=[];function n(r){e.push(r);for(let
o=0; o<r.next.length; o++)e.index0f(r.next[o].next) ==-1&&n(r.next[o].next) \} return \\ n(this), e.map((r,o) => {let i=o+(r.validEnd?"*":" ")+" "; for(let s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s=0; s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++)i+=(s?", s<r.next.length; s++
 ":"")+r.next[s].type.name+"->"+e.indexOf(r.next[s].next);return i}).join(
`)}};Ht.empty=new Ht(!0);var Mi=class{constructor(e,n){this.string=e,this.nodeTypes=n,this.inline=null,this.pos=0,this.tokens=e.split(/\s*(?=\b|\W|\_)/),this.tokens[this.tokens.length-
1]==""&&this.tokens.pop(),this.tokens[0]==""&&this.tokens.shift()}get next(){return
this.tokens[this.pos]}eat(e){return this.next==e&&(this.pos++||!0)}err(e){throw new SyntaxError(e+" (in content expression '"+this.string+"')")}}; function ya(t){let e=[];do
e.push(Wh(t)); while(t.eat("|")); return e.length==1?e[0]:{type:"choice",exprs:e}} function Wh(t){let e=[]; do e.push(_h(t)); while(t.next&&t.next!=")"&&t.next!="|"); return
e.length==1?e[0]:{type:"seq",exprs:e}}function _h(t){let
e=Uh(t); for(;;) if(t.eat("+"))e=\{type:"plus",expr:e\}; else if(t.eat("*"))e=\{type:"star",expr:e\}; else if(t.eat("?"))e=\{type:"opt",expr:e\}; else if(t.eat("{"}))e=jh(t,e); else break; return e}function ta(t){\D/.test(t.next)&&t.err("Expected number, got '"+t.next+"'"); let e=Number(t.next); return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; return ta(t) else break; ret
t.pos++,e}function jh(t,e){let n=ta(t),r=n;return t.eat(",")&&(t.next!="}"?r=ta(t):r=-1),t.eat("}")||t.err("Unclosed braced
range"),{type:"range",min:n,max:r,expr:e}}function Kh(t,e){let
n=t.nodeTypes,r=n[e];if(r)return[r];let o=[];for(let i in n){let
s=n[i];s.isInGroup(e)\&o.push(s)\} return o.length==0\&\&t.err("No node type or group '"+e+"' found"),o}function Uh(t){if(t.eat("("))}{let e=ya(t)};return t.eat(")")||t.err("Missing closing paren"),e}else if(/\W/.test(t.next))t.err("Unexpected token '"+t.next+"'");else{let}
e=Kh(t,t.next).map(n=>(t.inline==null?t.inline=n.isInline:t.inline!=n.isInline&&t.err("Mixing inline
and block content"), {type: "name", value:n})); return
t.pos++,e.length==1?e[0]: {type: "choice", exprs:e}} function Jh(t) {let e=[[]]; return
o(i(t,0),n()),e; function n() {return e.push([])-1} function r(s,l,a) {let c={term:a,to:l}; return
e[s].push(c),cfunction o(s,l){s.forEach(a=>a.to=l)}function i(s,l){if(s.type=="choice")return
```

```
c=i(s.exprs[a],l);if(a==s.exprs.length-1)return c;o(c,l=n())}else if(s.type=="star"){let a=n();return r(l,a),o(i(s.expr,a),a),[r(a)]}else if(s.type=="plus"){let a=n();return o(i(s.expr,l),a
 ),o(i(s.expr,a),a),[r(a)]}else{if(s.type=="opt")return[r(l)].concat(i(s.expr,l));if(s.type=="range")
   {let a=l;for(let c=0;c<s.min;c++){let u=n();o(i(s.expr,a),u),a=u}if(s.max==-1)o(i(s.expr,a),a);else
 for(let c=s.min;c<s.max;c++){let</pre>
 u=n(); r(a,u), o(i(s.expr,a),u), a=u \} return[r(a)] \} else \{if(s.type=="name") return[r(l,void 0,s.value)]; throw new Error("Unknown expr type") \} \} \} function ba(t,e) \{return e-t\} function na(t,e) \{let n=[]; return r(e), n.sort(ba); function r(o) \{let i=t[o]; if(i.length==1&&!i[o].term) return 
 r(i[0].to);n.push(o);for(let
 s=0; \\ s<i.length; \\ s++)\{let\{term:l,to:a\}=i[s]; !l\&\&n.indexOf(a)=-1\&\&r(a)\}\} \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{letarm:l,to:a\}=i[s]; \\ lekarning \\ function qh(t)\{
 e=Object.create(null);return n(na(t,0));function n(r){let
 o=[];r.forEach(s=>\{t[s].forEach((\{term:l,to:a\})=>\{if(!l)return;let c;for(let u=0;u<o.length;u++)o[u]
[0]==\&\(c=o[u][1]);na(t,a).forEach(u=>{c||o.push([l,c=[]]),c.indexOf(u)==-1&\cdotc.push(u)})}));let i=e[r.join(",")]=new Ht(r.indexOf(t.length-1)>-1);for(let s=0;s<o.length;s++){let l=o[s][1].sort(ba);i.next.push({type:o[s][0],next:e[l.join(",")]||n(l)})}return i}function Gh(t,e){for(let n=0,r=[t];n<r.length;n++){let o=r[n],i=!o.validEnd,s=[];for(let l=0;l<o.next.length;
 h(t,e){for(tet h=0, h=\{t\}, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, h=1, tength, 
 e=0 \\ bject.create(null); \\ for(let n in t){let } \\ r=t[n]; \\ if(!r.hasDefault) \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.default{} \\ return null; \\ e[n]=r.de
 e}function wa(t,e){let n=Object.create(null);for(let r in t){let o=e&e[r];if(o===void 0){let r in t}}
 i=t[r];if(i.hasDefault)o=i.default;else throw new RangeError("No value supplied for attribute
  "+r)}n[r]=o}return n}function Sa(t,e,n,r){for(let o in e)if(!(o in t))throw new
 RangeError(`Unsupported attribute \ [\{o\} for \ [\{n\} of type \ [\{o\}`); for(let o in t)\{let o type \ [\{o\}`); for(let o in t), the other in the other in the other interests of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of type of
 i=t[o]; i.validate \& i.validate (e[o]) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.create(null); if(e) for(let \ r \ indicate (e[o])) \} \} \\ function \ ka(t,e) \\ \{let \ n=0bject.cr
e)n[r]=new vi(t,r,e[r]);return n}var Tr=class t{constructor(e,n,r){this.name=e,this.schema=n,this.sp ec=r,this.markSet=null,this.groups=r.group?r.group.split(" "):[],this.attrs=ka(e,r.attrs),this.defau
 ltAttrs=xa(this.attrs),this.contentMatch=null,this.inlineContent=null,this.isBlock=!(r.inline||e=="t
 ext"),this.isText=e=="text"}get isInline(){return!this.isBlock}get isTextblock(){return
 this.isBlock&&this.inlineContent}get isLeaf(){return this.contentMatch==Ht.empty}get isAtom(){return
 this.isLeaf||!!this.spec.atom}isInGroup(e){return this.groups.indexOf(e)>-1}get whitespace(){return
 this.spec.whitespace||(this.spec.code?"pre":"normal")}hasRequiredAttrs(){for(let e in
 this.attrs)if(this.attrs[e].isRequired)return!0;return!1}compatibleContent(e){return this==e||this.c
 ontentMatch.compatible(e.contentMatch)}computeAttrs(e){return!e&&this.defaultAttrs?this.defaultAttrs
  : wa(this.attrs, e) \} create(e=null, n, r) \{ if(this.isText) throw \ new \ Error("NodeType.create \ can't \ construct \ construct) \} \} create(e=null, n, r) \{ if(this.isText) throw \ new \ Error("NodeType.create \ can't \ construct) \} \} \} create(e=null, n, r) \{ if(this.isText) throw \ new \ Error("NodeType.create \ can't \ construct) \} \} \} \} same for the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of th
 text nodes"); return new
 le(this, this.computeAttrs(e), w.from(n), V.setFrom(r))} createChecked(e=null,n,r){return}
 n=w.from(n),this.checkContent(n),new le(this,this.computeAttrs(e),n,V.setFrom(r))}createAndFill(e=nu
 ll,n,r){if(e=this.computeAttrs(e),n=w.from(n),n.size){let
s=this.contentMatch.fillBefore(n);if(!s)return null;n=s.append(n)}let
o=this.contentMatch.matchFragment(n),i=o&&o.fillBefore(w.empty,!0);return i?new
 le(this,e,n.append(i),V.setFrom(r)):null}validContent(e){let
 n=this.contentMatch.matchFragment(e);if(!n||!n.validEnd)return!1;for(let r=0;r<e.childCount;r++)if(!
 this.allowsMarks(e.child(r).marks))return!1;return!0}checkContent(e){if(!this.validContent(e))throw
new RangeError(`Invalid content for node [\{this.name\}: [\{e.toString().slice(0,50)\}`)\} checkAttrs(e){Sa(this.attrs,e,"node",this.name)}allowsMarkType(e){return}
 this.markSet = null | | this.markSet.indexOf(e) > -1 \} allows Marks(e) \\ \{if(this.markSet = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return!0; for(let = null) | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | return | ret
 n=0;n<e.length;n++)if(!this.allowsMarkType(e[n].type))return!1;return!0}allowedMarks(e){if(this.mark
 Set==null)return e;let n;for(let
 r=0; r<e.length; r++)this.allowsMarkType(e[r].type)?n&&n.push(e[r]):n||(n=e.slice(0,r)); return
 n?n.length?n:V.none:estatic compile(e,n){let r=0bject.create(null);e.forEach((i,s)=>r[i]=new
 t(i,n,s); let o=n.spec.topNode||"doc"; if(!r[o])throw new RangeError("Schema is missing its top node
 type ('"+o+"')");if(!r.text)throw new RangeError("Every schema needs a 'text' type");for(let i in
 r.text.attrs)throw new RangeError("The text node type should not have attributes"); return
r}; function Yh(t,e,n){let r=n.split("|"); return o=>{let i=o===null?"null": typeof o; if (r.indexOf(i)<0) throw new RangeError(`Expected value of type \square{r} for attribute \square{e} on type
(t), got (i)))var vi=class{constructor(e,n,r){this.hasDefault=0bject.prototype.hasOwnProperty.call(r,"default"),this.default=r.default,this.validate=typeof
 r.validate=="string"?Yh(e,n,r.validate):r.validate}get
 is Required() \{ return! this. has Default \} \}, Dn=class \ t \{ constructor(e,n,r,o) \{ this. name=e, this. rank=n, this. section 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 a
 chema=r,this.spec=o,this.attrs=ka(e,o.attrs),this.excluded=null;let
 i=xa(this.attrs);this.instance=i?new
 V(this,i):null}create(e=null){return!e&&this.instance?this.instance:new
 V(this,wa(this.attrs,e))}static compile(e,n){let r=0bject.create(null),o=0;return
e.forEach((i,s)=>r[i]=new\ t(i,o++,n,s)),r\\ removeFromSet(e)\{for(varn=0;n<e.length;n++)e[n].type==this&&(e=e.slice(0,n).concat(e.slice(n+1)),n--);return
e}isInSet(e){for(let n=0;n<e.length;n++)if(e[n].type==this)return
e[n]}checkAttrs(e){Sa(this.attrs,e,"mark",this.name)}excludes(e){return this.excluded.indexOf(e)>-
 1}},sn=class{constructor(e){this.linebreakReplacement=null,this.cached=0bject.create(null);let
 n=this.spec={};for(let o in e)n[o]=e[o];n.nodes=bi.from(e.nodes),n.marks=bi.from(e.marks||{{}}),this.n
 odes=Tr.compile(this.spec.nodes,this),this.marks=Dn.compile(this.spec.marks,this);let
 r=Object.create(null);for(let o in this.nodes){if(o in this.marks)throw new RangeError(o+" can not
```

```
be both a node and a mark"); let i=this.nodes[o], s=i.spec.content||"", l=i.spec.marks; if(i.contentMatc
h=r[s]||(r[s]=Ht.parse(s,this.nodes)),i.inlineContent=i.contentMatch.inlineContent,i.spec.linebreakR
eplacement){if(this.linebreakReplacement)throw new RangeError("Multiple linebreak nodes
defined");if(!i.isInline||!i.isLeaf)throw new RangeError("Linebreak replacement nodes must be inline leaf nodes");this.linebreakReplacement=i}i.markSet=l=="_"?null:l?ra(this,l.split("
")):l==""||!i.inlineContent?[]:null}for(let o in this.marks){let
i=this.marks[0],s=i.spec.excludes;i.excluded=s==null?[i]:s==""?[]:ra(this,s.split(" "))}this.nodeFromJSON=o=>le.fromJSON(this,o),this.markFromJSON=o=>V.fromJSON(this,o),this.topNodeType=this.nodes[thi
s.spec.topNode \verb|||"doc"|, this.cached.wrappings=0bject.create(null) \verb|| node(e,n=null,r,o) \verb|| if(typeofolion of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
e=="string")e=this.nodeType(e);else if(e instanceof Tr){if(e.schema!=this)throw new RangeError("Node
type from different schema used ("+e.name+")")}else throw new RangeError("Invalid node type:
   +e);return e.createChecked(n,r,o)}text(e,n){let r=this.nodes.text;return new
Ci(r,r.defaultAttrs,e,V.setFrom(n))}mark(e,n){return typeof
e=="string"&&(e=this.marks[e]),e.create(n)}nodeType(e){let n=this.nodes[e];if(!n)throw new RangeError("Unknown node type: "+e);return n}};function ra(t,e){let n=[];for(let r=0;r<e.length;r++){let o=e[r],i=t.marks[o],s=i;if(i)n.push(i);else for(let l in t.marks){let a=t.marks[l];(o=="_"||a.spec.group&&a.spec.group.split(" ").indexOf(o)>-1)&&n.push(s=a)}if(!s)throw new SyntaxError("Unknown mark type: '"+e[r]+"'")}return n}function Xh(t){return t.tag!=null}function
Qh(t){return t.style!=null}var Ue=class
t{constructor(e,n){this.schema=e,this.rules=n,this.tags=[],this.styles=[];let
r=this.matchedStyles=[]; n. for Each (o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o)) \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o)) \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o)) \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o)) \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o))\} \{let i=/[^=]*/.exec(o=> \{if(Xh(o))this.tags.push(o); else if(Qh(o)); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))this.tags.push(o); else if(Qh(o))
 .style)[0];r.indexOf(i)<0&&r.push(i),this.styles.push(o)}}),this.normalizeLists=!this.tags.some(o=>{
if(!/^(ul|ol)\b/.test(o.tag)||!o.node)return!1;let i=e.nodes[o.node];return
i.contentMatch.matchType(i)})}parse(e,n={}){let r=new Ar(this,n,!1);return
r.addAll(e,V.none,n.from,n.to),r.finish()}parseSlice(e,n={}){let r=new Ar(this,n,!0);return
r.addAll(e, V.none, n.from, n.to), M.maxOpen(r.finish())} matchTag(e, n, r){for(let form)}
o=r?this.tags.indexOf(r)+1:0;o<this.tags.length;o++){let
i=this.tags[o];if(tp(e,i.tag)&&(i.namespace===void
0 | | e.namespaceURI==i.namespace) \& (!i.context||n.matchesContext(i.context))) \{ if (i.getAttrs) \{ lets=i.getAttrs(e); if (s===!1) continue; i.attrs=s||void 0|| return i \} \} \} matchStyle(e,n,r,o) \{ for (lets=i.getAttrs(e)) \} \} 
i=o?this.styles.indexOf(o)+1:0;i<this.styles.length;i++){let s=this.styles[i],l=s.style;if(!(l.index
Of(e)!=0||s.context&&!r.matchesContext(s.context)||l.length>e.length&&(l.charCodeAt(e.length)!=61||l
 .slice(e.length+1)!=n))){if(s.getAttrs){let a=s.getAttrs(n);if(a===!1)continue;s.attrs=a||void
0}return s}}}static schemaRules(e){let n=[];function r(o){let i=o.priority==null?50:o.priority,s=0;for(;s<n.length;s++){let
l=n[s]; if ((1.priority==null?50:1.priority)<i)breakn.splice(s,0,0) for (let o in e.marks) {let i=e.mar
ks[o].spec.parseDOM; i&&i.forEach(s=>\{r(s=ia(s)), s.mark||s.ignore||s.clearMark||(s.mark=o)\})\} for(let
o in e.nodes){let
i=e.nodes[o].spec.parseDOM; i&&i.forEach(s=>\{r(s=ia(s)),s.node||s.ignore||s.mark||(s.node=o)\})\} return
n}static fromSchema(e){return e.cached.domParser||(e.cached.domParser=new t(e,t.schemaRules(e)))}},C
a={address:!0,article:!0,aside:!0,blockquote:!0,canvas:!0,dd:!0,div:!0,dl:!0,fieldset:!0,figcaption:
!0,figure:!0,footer:!0,form:!0,h1:!0,h2:!0,h3:!0,h4:!0,h5:!0,h6:!0,header:!0,hqroup:!0,hr:!0,li:!0,n
oscript:!0,oi:!0,output:!0,p:!0,pre:!0,section:!0,table:!0,tfoot:!0,ul:!0},Zh={head:!0,noscript:!0,o
bject:!0,script:!0,style:!0,title:!0},Ma={ol:!0,ul:!0},Pn=1,Ti=2,Rn=4;function oa(t,e,n){return
e!=null?(e?Pn:0)|(e==="full"?Ti:0):t&&t.whitespace=="pre"?Pn|Ti:n&~Rn}var on=class{constructor(e,n,r
,o,i,s){this.type=e,this.attrs=n,this.marks=r,this.solid=o,this.options=s,this.content=[],this.activ
eMarks=V.none,this.match=i||(s&Rn?null:e.contentMatch))findWrapping(e){if(!this.match)}if(!this.type)
)return[];let n=this.type.contentMatch.fillBefore(w.from(e));if(n)this.match=this.type.contentMatch.
matchFragment(n);else{let
r=this.type.contentMatch,o;return(o=r.findWrapping(e.type))?(this.match=r,o):null}}return
this.match.findWrapping(e.type)}finish(e){if(!(this.options&Pn)){let
r=this.content[this.content.length-1],o;if(r&&r.isText&&(o=/[ \t\r\n\u000c]+[]/.exec(r.text))){let i=}
r;r.text.length==o[0].length?this.content.pop():this.content[this.content.length-
1] = i.withText(i.text.slice(0,i.text.length-o[0].length))\} \\ let n=w.from(this.content); return!e\&\&this.match\&\&(n=n.append(this.match.fillBefore(w.empty,!0))), this.type?this.type.create(this.attrs,n,this.type).
marks):n}inlineContext(e){return this.type?this.type.inlineContent:this.content.length?this.content[
0].isInline:e.parentNode&&!Ca.hasOwnProperty(e.parentNode.nodeName.toLowerCase())}},Ar=class{constru
ctor(e,n,r){this.parser=e,this.options=n,this.isOpen=r,this.open=0,this.localPreserveWS=!1;let
o=n.topNode,i,s=oa(null,n.preserveWhitespace,0)|(r?Rn:0);o?i=new
on(o.type,o.attrs,V.none,!0,n.topMatch||o.type.contentMatch,s):r?i=new
on(null, v.none,!0,null,s):i=new on(e.schema.topNodeType,null,V.none,!0,null,s),this.nodes=[i],this.find=n.findPositions,this.needsBlock=!1}get top(){return this.nodes[this.open]}addDOM(e,n){e.nodes.topNodeType,null,v.none,!0,null,s}
eType == 3? this.addTextNode(e,n): e.nodeType == 1 \& this.addElement(e,n) \\ addTextNode(e,n) \\ \{let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeValuer | let r = e.nodeVa
"):r=r.replace(/\r\n?/g,`
`);else if(r=r.replace(/[ \t\r\n\u000c]+/g," "),/^[
\t \r \n \u000c]/.test(r) \& this.open == this.nodes.length-1) {let}
s=o.content[o.content.length-1],l=e.previousSibling;(!s||l&&l.nodeName=="BR"||s.isText&&/[\t\r\n\u000c]_/.test(s.text))&&(r=r.slice(1))}r&&this.insertNode(this.parser.schema.text(r),n,!/\S/.test(r)),
this.findInText(e)}else this.findInside(e)}addElement(e,n,r){let o=this.localPreserveWS,i=this.top;(e.tagName=="PRE"||/pre/.test(e.style&&e.style.whiteSpace))&&(this.localPreserveWS=!0);let
s=e.nodeName.toLowerCase(),l;Ma.hasOwnProperty(s)&&this.parser.normalizeLists&&ep(e);let a=this.opti
```

```
ons.ruleFromNode&&this.options.ruleFromNode(e)||(l=this.parser.matchTag(e,this,r));e:if(a?a.ignore:Z
h.hasOwnProperty(s))this.findInside(e),this.ignoreFallback(e,n);else if(!a||a.skip||a.closeParent){a
&&a.closeParent?this.open=Math.max(0,this.open-1):a&&a.skip.nodeType&&(e=a.skip);let c,u=this.needsB
lock;if(Ca.hasOwnProperty(s))i.content.length&&i.content[0].isInline&&this.open&&(this.open-
 ,i=this.top),c=!0,i.type||(this.needsBlock=!0);else if(!e.firstChild){this.leafFallback(e,n);break
 d=a\&\&a.skip?n:this.readStyles(e,n);d\&&this.addAll(e,d),c\&\&this.sync(i),this.needsBlock=u\}else\{letc=this.readStyles(e,n);c\&\&this.addElementByRule(e,a,c,a.consuming===!1?l:void 0)\}this.localPreserveWS=o\}leafFallback(e,n)\{e.nodeName=="BR"&\&this.top.type&&this.top.type.inlineContent&&this.addTextNode (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,a,c,a,c) | the content (e,
 (e.ownerDocument.createTextNode(
    ),n)}ignoreFallback(e,n){e.nodeName=="BR"&&(!this.top.type||!this.top.type.inlineContent)&&this.fin
dPlace(this.parser.schema.text("-"),n,!0)}readStyles(e,n){let r=e.style;if(r&&r.length)for(let o=0;o<this.parser.matchedStyles.length;o++){let
i=this.parser.matchedStyles[o],s=r.getPropertyValue(i);if(s)for(let l=void 0;;){let
a = this.parser.matchStyle(i,s,this,l); if(!a)break; if(a.ignore)return \ null; if(a.clearMark?n=n.filter(c.ignore)return \ null; if(a.clearMark
=>!a.clearMark(c)):n=n.concat(this.parser.schema.marks[a.mark].create(a.attrs)),a.consuming===!1)l=a
 ;else break}}return n}addElementByRule(e,n,r,o){let i,s;if(n.node)if(s=this.parser.schema.nodes[n.no
de],s.isLeaf)this.insertNode(s.create(n.attrs),r,e.nodeName=="BR")||this.leafFallback(e,r);else{let
a=this.parser.schema.marks[n.mark];r=r.concat(a.create(n.attrs))}let
l=this.top;if(s&&s.isLeaf)this.findInside(e);else if(o)this.addElement(e,r,o);else if(n.getContent)t
his.findInside(e),n.getContent(e,this.parser.schema).forEach(a=>this.insertNode(a,r,!1));else{let
a=e;typeof n.contentElement=="string"?a=e.querySelector(n.contentElement):typeof n.contentElement=="
function"?a=n.contentElement(e):n.contentElement\&\&(a=n.contentElement), this.findAround(e,a,!0), this.addAll(a,r), this.findAround(e,a,!1)}i\&\&this.sync(l)\&\&this.open--}addAll(e,n,r,o) {let i=r||0;for(let i=r)|0;for(let e.childNodes[r]:e.firstChild,l=o==null?null:e.childNodes[o];s!=l;s=s.nextSibling,++i)this.findAt
Point(e,i),this.addDOM(s,n);this.findAtPoint(e,i)}findPlace(e,n,r){let o,i;for(let
s=this.open, l=0; s>=0; s--){let a=this.ondes[s], c=a.findWrapping(e); if(c&&(!o||o.length>c.length+l)&&(
o=c,i=a,!c.length))break;if(a.solid){if(r)break;l+=2}}if(!o)return null;this.sync(i);for(let
s=0;s<o.length;s++)n=this.enterInner(o[s],null,n,!1);return</pre>
n}insertNode(e,n,r){if(e.isInline&&this.needsBlock&&!this.top.type){let
 i=this.textblockFromContext();i&&(n=this.enterInner(i,null,n))}let
o=this.findPlace(e,n,r);if(o){this.closeExtra();let
i=this.top; i.match\&\&(i.match=i.match.matchType(e.type)); let s=V.none; for(let l of o.concat(e.marks))(i.type?i.type.allowsMarkType(l.type): sa(l.type,e.type))\&\&(s=l.addToSet(s)); return
i.content.push(e.mark(s)), !0} return!1\} enter(e,n,r,o) \{let i=this.findPlace(e.create(n),r,!1); return to the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of th
i&&(i=this.enterInner(e,n,r,!0,o)),i}enterInner(e,n,r,o=!1,i){this.closeExtra();let
s=this.top;s.match=s.match&s.match.matchType(e);let
 l=oa(e,i,s.options); s.options&Rn&&s.content.length==0&&(l=Rn); let a=V.none; return r=r.filter(c=>(s.
type?s.type.allowsMarkType(c.type):sa(c.type,e))?(a=c.addToSet(a),!1):!0),this.nodes.push(new
on(e,n,a,o,null,l)),this.open++,r}closeExtra(e=!1){let n=this.nodes.length-
1;if(n>this.open){for(;n>this.open;n--)this.nodes[n-
1].content.push(this.nodes[n].finish(e));this.nodes.length=this.open+1}}finish(){return this.open=0,
this.closeExtra(this.isOpen),this.nodes[0].finish(!!(this.isOpen||this.options.topOpen))}sync(e){for
 (let n=this.open; n>=0; n--) {if(this.nodes[n]==e) return
this.open=n, !0; this.local Preserve WS \& (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS \& (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS \& (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS \& (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS \& (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS & (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS & (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.local Preserve WS & (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.open = n, !0; this.local Preserve WS & (this.nodes[n].options | = Pn) \} return! 1 \} get this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = n, !0; this.open = 
currentPos(){this.closeExtra();let e=0;for(let n=this.open;n>=0;n--){let
e}findAtPoint(e,n){if(this.find)for(let r=0;r<this.find.length;r++)this.find[r].node==e&&this.find[r
].offset==n&&(this.find[r].pos=this.currentPos)}findInside(e){if(this.find)for(let n=0;n<this.find.l
ength; n++) this.find[n].pos==null\&\&e.nodeType==1\&\&e.contains(this.find[n].node)\&\&(this.find[n].pos=this.currentPos)\} findAround(e,n,r) {if(e!=n\&this.find)for(let o=0;o<this.find.length;o++)this.find[o].}
pos==null&&e.nodeType==1&&e.contains(this.find[o].node)&&n.compareDocumentPosition(this.find[o].node
 )&(r?2:4)&&(this.find[o].pos=this.currentPos)}findInText(e){if(this.find)for(let n=0;n<this.find.len
qth;n++)this.find[n].node==e&&(this.find[n].pos=this.currentPos-(e.nodeValue.length-
this.find[n].offset))}matchesContext(e){if(e.indexOf("|")>-1)return
e.split(/\s*\|\s*/).some(this.matchesContext,this);let n=e.split("/"),r=this.options.context,o=!this
.isOpen\&\&(!r||r.parent.type==this.nodes[0].type), i=-(r?r.depth+1:0)+(o?0:1), s=(l,a)=>\{for(;l>=0;l--1), for(;l>=0;l--1), f
1,a))return!0;return!1}else{let u=a>0||a==0&&o?this.nodes[a].type:r&&a>=i?r.node(a-
i).type:null;if(|u||u.name!=c\&\{u.isInGroup(c)\}return|1;a--\}return|0\}; return
s(n.length-1,this.open)}textblockFromContext(){let e=this.options.context;if(e)for(let
n=e.depth; n>=0; n--){let}
r=e.node(n).content MatchAt(e.indexAfter(n)).default Type; if (r&&r.isTextblock&&r.defaultAttrs) return
r}for(let n in this.parser.schema.nodes){let
r = this.parser.schema.nodes[n]; if (r.isTextblock&&r.defaultAttrs) return r} ; function ep(t){for(let
|t.msMatchesSelector||t.webkitMatchesSelector||t.mozMatchesSelector).call(t,e) function ia(t){let
e=\{\}; for(let n in t)e[n]=t[n]; return e}function sa(t,e){let n=e.schema.nodes; for(let r in n){let
o=n[r]; if(!o.allowsMarkType(t)) continue; let i=[], s=l=>\{i.push(l); for(let a=0; a<l.edgeCount; a++) \{let\{type:c,next:u\}=l.edge(a); if(c==e||i.index0f(u)<0\&\&s(u)) return!0\}\}; if(s(o.contentMatch)) return!0}\} var
it=class t\{constructor(e,n)\{this.nodes=e,this.marks=n\}serializeFragment(e,n={},r)\{r||(r=wi(n).create)\}
```

```
DocumentFragment());let o=r,i=[];return e.forEach(s=>{if(i.length||s.marks.length){let
 l=0.a=0;for(;l<i.length&&a<s.marks.length;){let c=s.marks[a];if(!this.marks[c.type.name]){a++;contin
 ue}if(!c.eq(i[l][0])||c.type.spec.spanning===!1)break;l++,a++}for(;l<i.length;)o=i.pop()[1];for(;a<s</pre>
   .marks.length;) \{let c=s.marks[a++], u=this.serializeMark(c,s.isInline,n); u\&\&(i.push([c,o]),o.appendCharter and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 ild(u.dom), o=u.contentDOM||u.dom)}o.appendChild(this.serializeNodeInner(s,n))}),r}serializeNodeInne
 r(e,n){let{dom:r,contentDOM:o}=kr(wi(n),this.nodes[e.type.name](e),null,e.attrs);if(o){if(e.isLeaf)t
 hrow new RangeError("Content hole not allowed in a leaf node
 spec");this.serializeFragment(e.content,n,o)}return r}serializeNode(e,n={}){let
 r=this.serializeNodeInner(e,n);for(let o=e.marks.length-1;o>=0;o--){let i=this.serializeMark(e.marks
 [o],e.isInline,n);i&&((i.contentDOM||i.dom).appendChild(r),r=i.dom)}return
 r}serializeMark(e,n,r={}){let o=this.marks[e.type.name];return
 o&&kr(wi(r),o(e,n),null,e.attrs)}static renderSpec(e,n,r=null,o){return kr(e,n,r,o)}static
 fromSchema(e){return e.cached.domSerializer||(e.cached.domSerializer=new
 n=la(e.nodes);return n.text||(n.text=r=>r.text),n}static marksFromSchema(e){return
 la(e.marks)}; function la(t){let e={}; for(let n in t){let r=t[n].spec.toDOM; r&&(e[n]=r)} return
 e}function wi(t){return t.document||window.document}var aa=new WeakMap;function np(t){let
 e=\text{aa.get(t); return } e=\text{==void } 0\&\text{aa.set(t,e=rp(t)),e} \text{function } rp(t) \text{ let } e=\text{null; function } n(r) \text{ if } (r\&\text{typeof } r=\text{=object"}) \text{ if } (Array.isArray(r)) \text{ if } (typeof } r[0]=\text{=string"}) e | | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (e=[]), e.push(r); else | (
 for(let o=0;o<r.length;o++)n(r[o]);else for(let o in r)n(r[o])}return n(t),e}function
 kr(t,e,n,r){if(typeof e=="string")return{dom:t.createTextNode(e)};if(e.nodeType!=null)return{dom:e};
if(e.dom&&e.dom.nodeType!=null)return e;let o=e[0],i;if(typeof o!="string")throw new RangeError("Invalid array passed to renderSpec");if(r&&(i=np(r))&&i.indexOf(e)>-1)throw new
RangeError("Using an array from an attribute object as a DOM spec. This may be an attempted cross site scripting attack.");let s=o.indexOf(" ");s>0&&(n=o.slice(0,s),o=o.slice(s+1));let
l,a=n?t.createElementNS(n,o):t.createElement(o),c=e[1],u=1;if(c&&typeof
c=="object"&&c.nodeType==null&&!Array.isArray(c)){u=2;for(let d in c)if(c[d]!=null){let
 f=d.indexOf("");f>0?a.setAttributeNS(d.slice(0,f),d.slice(f+1),c[d]):d=="style"&&a.style?a.style.cs
 sText=c[d]:a.setAttribute(d,c[d])\}\\for(let d=u;d<e.length;d++)\\let f=e[d];if(f===0)\\lif(d<e.length-1||d>u)\\throw new RangeError("Content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the only child of the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole must be the content hole mus
its parent node");return{dom:a,contentDOM:a}}else{let{dom:h,contentDOM:p}=kr(t,f,n,r);if(a.appendChild(h),p){if(l)throw new RangeError("Multiple content holes");l=p}}}return{dom:a,contentDOM:l}}var Aa=65535,Ea=Math.pow(2,16);function op(t,e){return t+e*Ea}function va(t){return t&Aa}function
 ip(t){return(t-(t&Aa))/Ea}var
 0 = 1, Na = 2, Er = 4, Ra = 8, Bn = class\{constructor(e, n, r)\{this.pos = e, this.delInfo = n, this.recover = r\}get
 \label{lem:delinfo} \\ \text{deleted()} \{ return(\text{this.delInfo\&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo\&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo&Ra}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \} \\ \text{get deletedBefore()} \{ return(\text{this.delInfo}) > 0 \} \\ \text{get deletedBefore()} \} \\ \text{get deletedBefore()} \} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get deletedBefore()} \\ \text{get
 deletedAfter(){return(this.delInfo&(Na|Er))>0}get
 deletedAcross(){return(this.delInfo&Er)>0}},st=class
t{constructor(e,n=!1){if(this.ranges=e,this.inverted=n,!e.length&t.empty)return t.empty}recover(e){let n=0,r=va(e);if(!this.inverted)for(let
 o=0; o< r; o++) n+=this.ranges[o*3+2]-this.ranges[o*3+1]; return
 this.ranges[r*3]+n+ip(e)]mapResult(e,n=1){return this._map(e,n,!1)}map(e,n=1){return this._map(e,n,!0)}_map(e,n,r){let o=0,i=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted?i=1,s=this.inverted
 l=0; (this.ranges.length; l+=3) {let a=this.ranges[l]-(this.inverted?o:0); if (a>e) break; let
 c=this.ranges[l+i],u=this.ranges[l+s],d=a+c;if(e<=d){let
 f=c?e==a?-1:e==d?1:n:n,h=a+o+(f<0?0:u);if(r)return h;let
 p=e==(n<0?a:d)?null:op(l/3,e-a),m=e==a?Na:e==d?0a:Er;return(n<0?e!=a:e!=d)&&(m|=Ra),new
 Bn(h,m,p)}o+=u-c}return r?e+o:new Bn(e+o,0,null)}touches(e,n){let
 r=0,o=va(n),i=this.inverted?2:1,s=this.inverted?1:2;for(let l=0;l<this.ranges.length;l+=3){let
 a=this.ranges[l]-(this.inverted?r:0);if(a>e)break;let
 c=this.\,ranges[l+i]\,, u=a+c\,; if(e<=u\&\&l==o*3)\,return!0\,; r+=this.\,ranges[l+s]-c\}\,return!1\}\,forEach(e)\,\{letaline(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse(e), ellipse
 n=this.inverted?2:1,r=this.inverted?1:2;for(let o=0,i=0;o<this.ranges.length;o+=3){let s=this.ranges
 [0],l=s-
  (this.inverted?i:0),a=s+(this.inverted?0:i),c=this.ranges[o+n],u=this.ranges[o+r];e(l,l+c,a,a+u),i+=
 u-c}}invert(){return new t(this.ranges,!this.inverted)}toString(){return(this.inverted?"
                  )+JSON.stringify(this.ranges)}static offset(e){return e==0?t.empty:new
 t(e<0?[0,-e,0]:[0,0,e])}; st.empty=new st([]); var zn=class t{constructor(e,n,r=0,o=e?e.length:0){thi
 s.mirror=n,this.from=r,this.to=o,this._maps=e||[],this.ownData=!(e||n)}get maps(){return
 this. maps}slice(e=0,n=this.maps.length){return new t(this. maps,this.mirror,e,n)}appendMap(e,n){thi
 s.ownData||(this._maps=this._maps.slice(),this.mirror=this.mirror&&this.mirror.slice(),this.ownData=
 !0),this.to=this._maps.push(e),n!=null&&this.setMirror(this._maps.length-
 1,n)}appendMapping(e){for(let n=0,r=this. maps.length;n<e. maps.length;n++){let
 o=e.getMirror(n); this.appendMap(e. maps[n],o!=null&&o<n?r+o:void
 0)}}getMirror(e){if(this.mirror){for(let n=0;n<this.mirror.length;n++)if(this.mirror[n]==e)return th
 is.mirror[n+(n%2?
 1:1)]\} set \\ \texttt{Mirror}(e,n) \{ this.mirror | | (this.mirror=[]), this.mirror.push(e,n) \} append \\ \texttt{Mapping Inverted}(e) \{ fine the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the interpretation of the
 or(let n=e.maps.length-1,r=this. maps.length+e. maps.length;n>=0;n--){let}
 o=e.getMirror(n);this.appendMap(e. maps[n].invert(),o!=null&&o>n?r-o-1:void 0)}}invert(){let e=new
 t;return e.appendMappingInverted(this),e}map(e,n=1){if(this.mirror)return this._map(e,n,!0);for(let r=this.from;r<this.to;r++)e=this._maps[r].map(e,n);return e}mapResult(e,n=1){return
 this._{map}(e,n,!1)_{map}(e,n,r){let o=0;for(let i=this.from;i<this.to;i++){let
 s=this._maps[i], l=s.mapResult(e,n); if(l.recover!=null){let a=this.getMirror(i); if(a!=null&&a>i&&a<thiomid-state in the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th
 is.to)\{\bar{1}=a,e=this.\ maps[a].recover(l.recover); continue\}\}o|=l.delInfo,e=l.pos\}return r?e:new
```

```
Bn(e,o,null)\}\}, Ai=0 bject.create(null), ae=class\{getMap()\{return\ st.empty\}merge(e)\{return\ null\}\} static
fromJSON(e,n){if(!n||!n.stepType)throw new RangeError("Invalid input for Step.fromJSON");let
r=Ai[n.stepType];if(!r)throw new RangeError(`No step type [{n.stepType} defined`);return
r.fromJSON(e,n)}static jsonID(e,n){if(e in Ai)throw new RangeError("Duplicate use of step JSON ID
"+e);return Ai[e]=n,n.prototype.jsonID=e,n}},ce=class
t{constructor(e,n){this.doc=e,this.failed=n}static ok(e){return new t(e,null)}static fail(e){return
new t(null,e)}static fromReplace(e,n,r,o){try{return t.ok(e.replace(n,r,o))}catch(i){if(i instanceof Bt)return t.fail(i.message);throw i}}};function Di(t,e,n){let r=[];for(let
o=0;o<t.childCount;o++){let
i=t.child(o); i.content.size\&\&(i=i.copy(Di(i.content,e,i))), i.isInline\&\&(i=e(i,n,o)), r.push(i)}return
w.fromArray(r)}var Hn=class t extends
ae{constructor(e,n,r){super(),this.from=e,this.to=n,this.mark=r}apply(e){let
n=e.slice(this.from,this.to),r=e.resolve(this.from),o=r.node(r.sharedDepth(this.to)),i=new M(Di(n.co
ntent,(s,l)=>!s.isAtom||!l.type.allowsMarkType(this.mark.type)?s:s.mark(this.mark.addToSet(s.marks))
 o),n.openStart,n.openEnd);return ce.fromReplace(e,this.from,this.to,i)}invert(){return new,
lt(this.from,this.to,this.mark)}map(e){let
n=e.mapResult(this.from,1),r=e.mapResult(this.to,-1);return
n.deleted\&r.deleted||n.pos>=r.pos?null:new t(n.pos,r.pos,this.mark)\}merge(e){return e instanceof}
t&&e.mark.eq(this.mark)&this.from<=e.to&&this.to>=e.from?new t(Math.min(this.from,e.from),Math.max(this.to,e.to),this.mark):null}toJSON(){return{stepType:"addMark",mark:this.mark.toJSON(),from:this.f
rom,to:this.to}}static fromJSON(e,n){if(typeof n.from!="number"||typeof n.to!="number")throw new
RangeError("Invalid input for AddMarkStep.fromJSON");return new t(n.from,n.to,e.markFromJSON(n.mark))}};ae.jsonID("addMark",Hn);var lt=class t extends
ae{constructor(e,n,r){super(),this.from=e,this.to=n,this.mark=r}apply(e){let
n=e.slice(this.from,this.to),r=new
M(Di(n.content,o=>o.mark(this.mark.removeFromSet(o.marks)),e),n.openStart,n.openEnd);return
ce.fromReplace(e,this.from,this.to,r)}invert(){return new Hn(this.from,this.to,this.mark)}map(e){let
n=e.mapResult(this.from,1),r=e.mapResult(this.to,-1);return
n.deleted&&r.deleted||n.pos>=r.pos?null:new t(n.pos,r.pos,this.mark)}merge(e){return e instanceof
t&&e.mark.eq(this.mark)&&this.from<=e.to&&this.to>=e.from?new t(Math.min(this.from,e.from),Math.max(
this.to,e.to), this.mark):null}toJSON(){return{stepType:"removeMark",mark:this.mark.toJSON(),from:this.from,to:this.to}}static fromJSON(e,n){if(typeof n.from!="number"||typeof n.to!="number")throw new
RangeError("Invalid input for RemoveMarkStep.fromJSON"); return new t(n.from,n.to,e.markFromJSON(n.mark))}}; ae.jsonID("removeMark",lt); var Fn=class t extends
ae{constructor(e,n){super(),this.pos=e,this.mark=n}apply(e){let n=e.nodeAt(this.pos);if(!n)return
ce.fail("No node at mark step's position");let
r=n.type.create(n.attrs,null,this.mark.addToSet(n.marks));return
n=e.nodeAt(this.pos);if(n){let r=this.mark.addToSet(n.marks);if(r.length==n.marks.length){for(let
o=0;o<n.marks.length;o++)if(!n.marks[o].isInSet(r))return new t(this.pos,n.marks[o]);return new
t(this.pos,this.mark)}}return new ln(this.pos,this.mark)}map(e){let n=e.mapResult(this.pos,1);return n.deletedAfter?null:new t(n.pos,this.mark)}toJSON(){return{stepType:"addNodeMark",pos:this.pos,mark:this.mark.toJSON()}}static fromJSON(e,n){if(typeof n.pos!="number")throw new RangeError("Invalid")
input for AddNodeMarkStep.fromJSON");return new
\verb|t(n.pos,e.markFromJSON(n.mark))|| \}; ae.jsonID("addNodeMark",Fn); var ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends | ln=class t extends 
ae{constructor(e,n){super(),this.pos=e,this.mark=n}apply(e){let n=e.nodeAt(this.pos);if(!n)return
ce.fail("No node at mark step's position");let
r=n.type.create(n.attrs,null,this.mark.removeFromSet(n.marks));return
ce.fromReplace(e,this.pos,this.pos+1,new M(w.from(r),0,n.isLeaf?0:1))}invert(e){let
n{=}e.nodeAt(this.pos); return!n||!this.mark.isInSet(n.marks)?this:new\\
Fn(this.pos,this.mark)}map(e){let n=e.mapResult(this.pos,1);return n.deletedAfter?null:new t(n.pos,t
his.mark)}toJSON(){return{stepType:"removeNodeMark",pos:this.pos,mark:this.mark.toJSON()}}static fromJSON(e,n){if(typeof n.pos!="number")throw new RangeError("Invalid input for
RemoveNodeMarkStep.fromJSON"); return new
t(n.pos,e.markFromJSON(n.mark))}};ae.jsonID("removeNodeMark",ln);var pe=class t extends ae{construct
or(e,n,r,o=!1){super(),this.from=e,this.to=n,this.slice=r,this.structure=o}apply(e){return
this.structure&&Ni(e,this.from,this.to)?ce.fail("Structure replace would overwrite
content"):ce.fromReplace(e,this.from,this.to,this.slice)}getMap(){return new st([this.from,this.to-
this.from,this.slice.size])}invert(e){return new
t(this.from,this.from+this.slice.size,e.slice(this.from,this.to))}map(e){let
n=e.mapResult(this.from,1),r=e.mapResult(this.to,-1);return
n.deletedAcross&&r.deletedAcross?null:new
t(n.pos,Math.max(n.pos,r.pos),this.slice,this.structure)\}merge(e){if(!(e instanceof)}
t)||e.structure||this.structure)return
null;if(this.from+this.slice.size==e.from&&!this.slice.openEnd&&!e.slice.openStart){let
n=this.slice.size+e.slice.size==0?M.empty:new
M(this.slice.content.append(e.slice.content),this.slice.openStart,e.slice.openEnd);return new
t(this.from,this.to+(e.to-e.from),n,this.structure)}else
if(e.to==this.from&&!this.slice.openStart&&!e.slice.openEnd){let
n=this.slice.size+e.slice.size==0?M.empty:new
M(e.slice.content.append(this.slice.content),e.slice.openStart,this.slice.openEnd);return new
t(e.from,this.to,n,this.structure)}else return null}toJSON(){let
e={stepType:"replace",from:this.from,to:this.to};return
```

```
this.slice.size&&(e.slice=this.slice.toJSON()),this.structure&&(e.structure=!0),e}static
 fromJSON(e,n){if(typeof n.from!="number"||typeof n.to!="number")throw new RangeError("Invalid input
 for ReplaceStep.fromJSON"); return new
 t(n.from,n.to,M.fromJSON(e,n.slice),!!n.structure)}};ae.jsonID("replace",pe);var ne=class t extends
 ae\{constructor(e,n,r,o,i,s,l=!1)\{super(),this.from=e,this.to=n,this.gapFrom=r,this.gapTo=o,this.slicenter(a,b,r,o,i,s,l=!1)\} \\
 e=i, this.insert=s, this.structure=lapply(e){if(this.structure&&(Ni(e,this.from,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,this.gapFrom)||Ni(e,t
his.gapTo,this.to)))return ce.fail("Structure gap-replace would overwrite content");let n=e.slice(this.gapFrom,this.gapTo);if(n.openStart||n.openEnd)return ce.fail("Gap is not a flat
 range");let r=this.slice.insertAt(this.insert,n.content);return
r?ce.fromReplace(e,this.from,this.to,r):ce.fail("Content does not fit in gap")}getMap(){return new
 st([this.from,this.gapFrom-this.from,this.insert,this.gapTo,this.to-this.gapTo,this.slice.size-
 this.insert]) invert(e) {let n=this.gapTo-this.gapFrom; return new t(this.from, this.from+this.slice.si
 ze+n,this.from+this.insert,this.from+this.insert+n,e.slice(this.from,this.to).removeBetween(this.gap
 From-this.from,this.gapTo-this.from),this.gapFrom-this.from,this.structure)}map(e){let n=e.mapResult
  (this.from,1),r=e.mapResult(this.to,-1),o=this.from==this.gapFrom?n.pos:e.map(this.gapFrom,
 1),i=this.to==this.gapTo?r.pos:e.map(this.gapTo,1);return
 n.deletedAcross&&r.deletedAcross||o<n.pos||i>r.pos?null:new
 t(n.pos,r.pos,o,i,this.slice,this.insert,this.structure)}toJSON(){let e={stepType:"replaceAround",fr
 om:this.from,to:this.to,gapFrom:this.gapFrom,gapTo:this.gapTo,insert:this.insert};return
this.slice.size&&(e.slice=this.slice.toJSON()),this.structure&&(e.structure=!0),e}static fromJSON(e,n){if(typeof n.from!="number"||typeof n.to!="number"||typeof n.gapFrom!="number"||typeof n.gapFrom
 n.gapTo!="number"||typeof n.insert!="number")throw new RangeError("Invalid input for
 ReplaceAroundStep.fromJSON");return new t(n.from,n.to,n.gapFrom,n.gapTo,M.fromJSON(e,n.slice),n.inse
rt,!!n.structure)}};ae.jsonID("replaceAround",ne);function Ni(t,e,n){let r=t.resolve(e),o=n-e,i=r.depth;for(;o>0&&r.indexAfter(i)==r.node(i).childCount;)i--,o--;if(o>0){let s=r.node(i).ma
 ybeChild(r.indexAfter(i));for(;o>0;){if(!s||s.isLeaf)return!0;s=s.firstChild,o--}}return!1}function
 sp(t,e,n,r) {let o=[],i=[],s,l;t.doc.nodesBetween(e,n,(a,c,u)=>{if(!a.isInline)return;let})
 d=a.marks;if(!r.isInSet(d)&&u.type.allowsMarkType(r.type)){let
lt(f,h,d[m])));l\&\&l.to==f?l.to=h:i.push(l=new
 Hn(f,h,r))}),o.forEach(a=>t.step(a)),i.forEach(a=>t.step(a))}function lp(t,e,n,r){let
o=[],i=0;t.doc.nodesBetween(e,n,(s,l)=>{if(!s.isInline)return;i++;let a=null;if(r instanceof Dn){let c=s.marks,u;for(;u=r.isInSet(c);)(a||(a=[])).push(u),c=u.removeFromSet(c)}else
 r?r.isInSet(s.marks)\&\&(a=[r]):a=s.marks;if(a\&\&a.length){let c=Math.min(l+s.nodeSize,n);for(let c=Math.min(l+s.nodeSize,n);for(let c=Math.min(l+s.nodeSize,n));for(let c=Math
 u=0; u<a.length; u++) \{let \ d=a[u], f; for(let \ h=0; h<o.length; h++) \{let \ p=o[h]; p.step==i-1&\&d.eq(o[h].style)&\&(f=p)\}f?(f.to=c,f.step=i):o.push(\{style:d,from:Math.max(l,e),to:c,step:i\})\}\}\}), 
 o.forEach(s=>t.step(new lt(s.from,s.to,s.style)))}function Pi(t,e,n,r=n.contentMatch,o=!0){let
 i=t.doc.nodeAt(e),s=[],l=e+1;for(let a=0;a<i.childCount;a++){let
 c=i.child(a),u=l+c.nodeSize,d=r.matchType(c.type);if(!d)s.push(new pe(l,u,M.empty));else{r=d;for(let
 f=0;f<c.marks.length;f++)n.allowsMarkType(c.marks[f].type)||t.step(new
 lt(l,u,c.marks[f]));if(o&&c.isText&&n.whitespace!="pre"){let
 f,h=/\r?\n|\r/g,p; for (;f=h.exec(c.text);)p||(p=new\ M(w.from(n.schema.text("
",n.allowedMarks(c.marks))),0,0)),s.push(new pe(l+f.index,l+f.index+f[0].length,p))}}l=u}if(!r.validEnd){let
 a = r.fill Before(w.empty, !0); t.replace(l, l, new \ M(a, 0, 0))) for(let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a let a
 a=s.length-1;a>=0;a--)t.step(s[a])}function
 ap(t,e,n){return(e==0||t.canReplace(e,t.childCount))&&(n==t.childCount||t.canReplace(0,n))}function
 at(t){let n=t.parent.content.cutByIndex(t.startIndex,t.endIndex);for(let r=t.depth;;--r){let
 o=t. | from.node(r), i=t. | from.index(r), s=t. | to.indexAfter(r); if(r<t.depth&&o.canReplace(i,s,n)) return
\label{eq:continuous} r; if (r==0||o.type.spec.isolating||!ap(o,i,s)) break} return null function cp(t,e,n) \{let{$\square$ from:} r, $\square$ to:o,depth:i}=e,s=r.before(i+1),l=o.after(i+1),a=s,c=l,u=w.empty,d=0;for(let all the continuous lines and the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the continuous lines are the con
 p=i, m=!1; p>n; p--)m||r.index(p)>0?(m=!0, u=w.from(r.node(p).copy(u)), d++):a--;let
 f=w.empty,h=0;for(let
 p=i, m=!1; p>n; p--)m||o.after(p+1)< o.end(p)?(m=!0, f=w.from(o.node(p).copy(f)), h++): c++; t.step(new)
 ne(a,c,s,l,new\ M(u.append(f),d,h),u.size-d,!0)) function cn(t,e,n=null,r=t) {let
 o=up(t,e), i=o\&dp(r,e); return i?o.map(Ta).concat(\{type:e,attrs:n\}).concat(i.map(Ta)): null\} function
 Ta(t){return{type:t,attrs:null}}function
 up(t,e){let{parent:n,startIndex:r,endIndex:o}=t,i=n.contentMatchAt(r).findWrapping(e);if(!i)return
 [null] rull; let s=i.length?i[0]:e; return [n.canReplaceWith(r,o,s)?i:null] function [dp(t,e)] let [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return [dp(t,e)] return 
 Index:r,endIndex:o}=t,i=n.child(r),s=e.contentMatch.findWrapping(i.type);if(!s)return null;let
 a=(s.length?s[s.length-1]:e).contentMatch;for(let
 c=r;a\&\&c<o;c++)a=a.matchType(n.child(c).type);return!a||!a.validEnd?null:s}function fp(t,e,n){let}
 r=w.empty;for(let s=n.length-1;s>=0;s--){if(r.size){let
 l=n[s].type.contentMatch.matchFragment(r);if(!l||!l.validEnd)throw new RangeError("Wrapper type
given to Transform.wrap does not form valid content of its parent wrapper")}r=w.from(n[s].type.create(n[s].attrs,r))}let o=e.start,i=e.end;t.step(new ne(o,i,o,i,new M(r,0,0),n.length,!0))}function hp(t,e,n,r,o){if(!r.isTextblock)throw new RangeError("Type given to setBlockType should be a textblock");let i=t.steps.length;t.doc.nodesBetween(e,n,(s,l)=>{let
 a=typeof
 o== function"?o(s):o;if(s.isTextblock&&!s.hasMarkup(r,a)&&pp(t.doc,t.mapping.slice(i).map(l),r)){let}
c=null; if (r.schema.linebreakReplacement) {let h=r.whitespace=="pre",p=!!r.contentMatch.matchType(r.schema.linebreakReplacement); h&&!p?c=!1:!h&&p&&(c=!0)}c===!1&&Pa(t,s,l,i),Pi(t,t.mapping.slice(i).map(t,d)) and the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of t
```

```
l,1),r,void 0,c===null);let u=t.mapping.slice(i),d=u.map(l,1),f=u.map(l+s.nodeSize,1);return
t.step(new ne(d,f,d+1,f-1,new
M(w.from(r.create(a,null,s.marks)),0,0),1,!0)),c==!0&Da(t,s,l,i),!1}) function
\label{eq:decomposition} Da(t,e,n,r) \\ \{e.for Each((o,i) => \\ \{if(o.is Text) \\ \{let\ s,l=/\ r?\ n|\ r/g; for(;s=l.exec(o.text);) \\ \{let\ a=t.mapping \} \\ \{if(o.is Text)\} \\ \{let\ s,l=/\ r?\ n|\ r/g; for(;s=l.exec(o.text);) \\ \{let\ a=t.mapping \} \\ \{let\ s,l=/\ r?\ n|\ r/g; for(;s=l.exec(o.text);) \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t.mapping \} \\ \{let\ a=t
nq.slice(r).map(n+1+i+s.index);t.replaceWith(a,a+1,e.type.schema.linebreakReplacement.create())}}))
function Pa(t,e,n,r) {e.forEach((o,i)=>{if(o.type==o.type.schema.linebreakReplacement)}{let
s=t.mapping.slice(r).map(n+1+i);t.replaceWith(s,s+1,e.type.schema.text(
   ))}})}function pp(t,e,n){let r=t.resolve(e),o=r.index();return
r.parent.canReplaceWith(o,o+1,n)}function mp(t,e,n,r,o){let i=t.doc.nodeAt(e);if(!i)throw new
RangeError("No node at given position");n||(n=i.type);let
s=n.create(r,null,o||i.marks);if(i.isLeaf)return
t.replaceWith(e,e+i.nodeSize,s);if(!n.validContent(i.content))throw new RangeError("Invalid content
for node type "+n.name); t.step(new ne(e,e+i.nodeSize,e+1,e+i.nodeSize-1,new
1]||o.parent.if(i<0||o.parent.type.spec.isolating||!o.parent.canReplace(o.index(),o.parent.childCoun
t)||!s.type.validContent(o.parent.content.cutByIndex(o.index(),o.parent.childCount)))return!1;for(le
t c=o.depth-1,u=n-2;c>i;c--,u--){let d=o.node(c),f=o.index(c);if(d.type.spec.isolating)return!1;let h=d.content.cutByIndex(f,d.childCount),p=r&&r[u+1];p&&(h=h.replaceChild(0,p.type.create(p.attrs)));l
et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||!m.type.validContent(h))||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)|||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)|||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)|||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)|||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)|||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)|||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||et \ m=r\&\&r[u]||d;if(!d.canReplace(f+1,d.childCount)||et \ m=r\&\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&r[u]||et \ m=r\&\&r[u]||et \ m=r\&\&r
l=o.indexAfter(i),a=r&&r[0];return o.node(i).canReplaceWith(l,l,a?a.type:o.node(i+1).type)}function
gp(t,e,n=1,r){let o=t.doc.resolve(e),i=w.empty,s=w.empty;for(let
l=o.depth,a=o.depth-n,c=n-1;l>a;l--,c--){i=w.from(o.node(l).copy(i));let
u=r&&r[c];s=w.from(u?u.type.create(u.attrs,s):o.node(l).copy(s))}t.step(new pe(e,e,new
M(i.append(s),n,n),!0)) function Ne(t,e) {let n=t.resolve(e),r=n.index(),return
Ia(n.nodeBefore,n.nodeAfter)&&n.parent.canReplace(r,r+1)}function
yp(t,e){e.content.size||t.type.compatibleContent(e.type);let
n=t.contentMatchAt(t.childCount),{linebreakReplacement:r}=t.type.schema;for(let
o=0;o<e.childCount;o++){let i=e.child(o),s=i.type==r?t.type.schema.nodes.text:i.type;if(n=n.matchType(s),!n||!t.type.allowsMarks(i.marks))return!1}return n.validEnd}function
Ia(t,e)\{return!!(t\&\&e\&\&!t.isLeaf\&\&yp(t,e))\} function \ Ft(t,e,n=-1)\{let \ r=t.resolve(e); for(let \ r=t.resolve(e))\} function \ Ft(t,e,n=-1) for \ r=t.resolve(e); for(let \ r=t.resolve(e))\} function \ Ft(t,e,n=-1) for \ r=t.resolve(e); for(let \ r=t.resolve(e)) for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); for \ r=t.resolve(e); 
o=r.depth;; o--) \\ \{let i,s,l=r.index(o); if(o==r.depth?(i=r.nodeBefore,s=r.nodeAfter): n>0?(i=r.node(o+1)) \\ (i=r.nodeBefore,s=r.nodeAfter): n>0?(i=r.node(o+1)) \\ (i=r.nodeBefore,s=r.node(o+1)) \\ (i=r.nodeBefore,s=r.node(o+1)) \\ (i=r.nodeBefore,s=r.node(o+1)) \\ (i=r.nodeBefore,s=r.node(o+1)) \\ (i=r.nodeBefore,s=r.node(o+1)) \\ (i=r.nodeBefore,s=r.node(o+1)) \\ (i=r.node(o+1)) \\ (i=r.nod
  ,l++,s=r.node(o).maybeChild(l)):(i=r.node(o).maybeChild(l-
1),s=r.node(o+1)),i&&!i.isTextblock&&Ia(i,s)&&r.node(o).canReplace(l,l+1))return
e; if (o==0) break; e=n<0?r.before(o):r.after(o)\} function bp(t,e,n) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.resolve(e-n), s=i.node().type; if (o&&s.inlineContent) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.resolve(e-n), s=i.node().type; if (o&&s.inlineContent) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.resolve(e-n), s=i.node().type; if (o&&s.inlineContent) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.resolve(e-n), s=i.node().type; if (o&&s.inlineContent) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.resolve(e-n), s=i.node().type; if (o&&s.inlineContent) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.resolve(e-n), s=i.node().type; if (o&&s.inlineContent) \{let r=null, \{linebreakReplacement:o\} =t.doc.type.schema, i=t.doc.type.schema, hitespace="pre",d=!!s.contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)\} let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)\} let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)\} let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.matchType(o);u\&\&!d?r=!1:!u\&\&d\&\&(r=!0)] let the contentMatch.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.
l=t.steps.length;if(r===!1){let u=t.doc.resolve(e+n);Pa(t,u.node(),u.before(),l)}s.inlineContent&&Pi
(t,e+n-1,s,i.node().contentMatchAt(i.index()),r==null);let
a=t.mapping.slice(l), c=a.map(e-n); if(t.step(new pe(c,a.map(e+n,-1),M.empty,!0)), r===!0){let}
u=t.doc.resolve(c);Da(t,u.node(),u.before(),t.steps.length)}return t}function xp(t,e,n){let
r=t.resolve(e);if(r.parent.canReplaceWith(r.index(),r.index(),n))return
e;if(r.parentOffset==0)for(let o=r.depth-1;o>=0;o--){let
i = r.index(o); if (r.node(o).canReplaceWith(i,i,n)) return \ r.before(o+1); if (i>0) return \\
null}if(r.parentOffset==r.parent.content.size)for(let o=r.depth-1;o>=0;o--){let
i=r.indexAfter(o);if(r.node(o).canReplaceWith(i,i,n))return
r.after(o+1);if(i<r.node(o).childCount)return null}return null}function Rr(t,e,n){let
r=t.resolve(e);if(!n.content.size)return e;let o=n.content;for(let
d=c.contentMatchAt(a).findWrapping(o.firstChild.type); u=d&&c.canReplaceWith(a,a,d[0])} if(u) return
l==0?r.pos:l<0?r.before(s+1):r.after(s+1)}return null}function</pre>
La(o,i,r)?new pe(e,n,r):new Ri(o,i,r).fit()}function La(t,e,n){return!n.openStart&&!n.openEnd&&t.sta
rt()==e.start()\&\&t.parent.canReplace(t.index(),e.index(),n.content)\}var Ri=class{constructor(e,n,r){
this. [from=e,this. [to=n,this.unplaced=r,this.frontier=[],this.placed=w.empty;for(let
o=0; o \le e.depth; o++) \{let
i=e.node(o);this.frontier.push({type:i.type,match:i.contentMatchAt(e.indexAfter(o))})}for(let
o=e.depth;o>0;o--)this.placed=w.from(e.node(o).copy(this.placed))}get depth(){return
this.frontier.length-1}fit(){for(;this.unplaced.size;){let
c=this.findFittable();c?this.placeNodes(c):this.openMore()||this.dropNode()}let
e=this.mustMoveInline(),n=this.placed.size-this.depth-
this. depth, r=this. from, o=this.close(e<0?this.doc.resolve(e)); if(!o)return null; let i=this.placed, s=r.depth, l=o.depth; for(;s&&l&&i.childCount==1;)i=i.firstChild.content, s--,l--; let
a=new M(i,s,l);return e>-1?new
pe(r.pos,o.pos,a):null}findFittable(){let e=this.unplaced.openStart;for(let
n=this.unplaced.content,r=0,o=this.unplaced.openEnd;r<e;r++){let
i=n.firstChild;if(n.childCount>1&&(o=0),i.type.spec.isolating&&o<=r){e=r;break}n=i.content}for(let
n=1;n<=2;n++)for(let r=n==1?e:this.unplaced.openStart;r>=0;r--){let o,i=null;r?(i=Ei(this.unplaced.content,r-1).firstChild,o=i.content):o=this.unplaced.content;let
s=o.firstChild;for(let l=this.depth;l>=0;l-
){let{type:a,match:c}=this.frontier[l],u,d=null;if(n==1&&(s?c.matchType(s.type)||(d=c.fillBefore(w.f
```

```
rom(s),!1)):i&&a.compatibleContent(i.type)))return{sliceDepth:r,frontierDepth:l,parent:i,inject:d};i
 f(n==2&&s&&(u=c.findWrapping(s.type)))return{sliceDepth:r,frontierDepth:l,parent:i,wrap:u};if(i&&c.m
 atchType(i.type))break}}}openMore(){let{content:e,openStart:n,openEnd:r}=this.unplaced,o=Ei(e,n);ret
 urn!o.childCount||o.firstChild.isLeaf?!1:(this.unplaced=new M(e,n+1,Math.max(r,o.size+n>=e.size-
 r?n+1:0)),!0)}dropNode(){let{content:e,openStart:n,openEnd:r}=this.unplaced,o=Ei(e,n);if(o.childCoun
 t <= 1\&\&n>0) {let i=e.size-n<=n+o.size; this.unplaced=new M(In(e,n-1,1),n-1,i?n-1:r)}else
 this.unplaced=new M(In(e,n,1),n,r)}placeNodes({sliceDepth:e,frontierDepth:n,parent:r,inject:o,wrap:i
 }){for(;this.depth>n;)this.closeFrontierNode();if(i)for(let
m=0;m<i.length;m++)this.openFrontierNode(i[m]);let s=this.unplaced,l=r?r.content:s.content,a=s.openStart-e,c=0,u=[],{match:d,type:f}=this.frontier[n];if(o){for(let
 m=0;m<o.childCount;m++)u.push(o.child(m));d=d.matchFragment(o)}let</pre>
 h=l.size+e-(s.content.size-s.openEnd);for(;c<l.childCount;){let m=l.child(c),g=d.matchType(m.type);i
 f(!g) break; c++, (c>1 | a==0 | m. content.size) && (d=q,u. push (Ba(m.mark(f.allowedMarks(m.marks))), c==1?a:0,
 c==l.childCount?h:-1)))}let p=c==l.childCount;p||(h=-
 1), this.placed=Ln(this.placed,n,w.from(u)), this.frontier[n].match=d,p&&h<0&&r&&r.type==this.frontier
 [this.depth].type\&\&this.frontier.length>1\&\&this.closeFrontierNode(); for(let m=0,g=l;m<h;m++) \{let y=g, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, length=1, 
  .lastChild;this.frontier.push({type:ȳ.type,match:y.contentMatchAt(y.childCount)}),g=y.content}this.u
 nplaced=p?e==0?M.empty:new M(In(s.content,e-1,1),e-1,h<0?s.openEnd:e-1):new M(In(s.content,e,c),s.op
his.depth&&(n=this.findCloseLevel(this. ☐to))&&n.depth==this.depth)return-
 o}findCloseLevel(e){e:for(let n=Math.min(this.depth,e.depth);n>=0;n-
  ){let{match:r,type:o}=this.frontier[n],i=n<e.depth&&e.end(n+1)==e.pos+(e.depth-
  (n+1), s=0i(e,n,o,r,i); if(s){for(let
l=n-1; l>=0; l--)\{let\{match:a, type:c\}=this.frontier[l], u=0i(e,l,c,a,!0); if(!u||u.childCount)continue e\}return\{depth:n,fit:s,move:i?e.doc.resolve(e.after(n+1)):e\}\}\} close(e)\{let
 n=this.findCloseLevel(e);if(!n)return null;for(;this.depth>n.depth;)this.closeFrontierNode();n.fit.c
 hildCount&&(this.placed=Ln(this.placed,n.depth,n.fit)),e=n.move;for(let
 r=n.depth+1;r<=e.depth;r++){let o=e.node(r),i=o.type.contentMatch.fillBefore(o.content,!0,e.index(r)
 this.depth]; o.match=o.match.matchType(e), this.placed=Ln(this.placed, this.depth, w.from(e.create(n,r))) \\
 ),this.frontier.push({type:e,match:e.contentMatch})}closeFrontierNode(){let n=this.frontier.pop().ma
 tch.fillBefore(w.empty, !0); n.childCount&(this.placed=Ln(this.placed, this.frontier.length, n))}; func
 tion In(t,e,n){return e==0?t.cutByIndex(n,t.childCount):t.replaceChild(0,t.firstChild.copy(In(t.firs
 tChild.content,e-1,n)))}function Ln(t,e,n){return e==0?t.append(n):t.replaceChild(t.childCount-
1,t.lastChild.copy(Ln(t.lastChild.content,e-1,n)))}function Ei(t,e){for(let n=0;n<e;n++)t=t.firstChild.content;return t}function Ba(t,e,n){if(e<=0)return t;let r=t.content;return e>1&&(r=r.replaceChild(0,Ba(r.firstChild,e-1,r.childCount==1?n-
 1:0))), e>0\&\&(r=t.type.contentMatch.fillBefore(r).append(r), n<=0\&\&(r=r.append(t.type.contentMatch.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.match.m
 chFragment(r).fillBefore(w.empty,!0)))),t.copy(r) function 0i(t,e,n,r,o) {let
 i=t.node(e), s=o?t.indexAfter(e):t.index(e);if(s==i.childCount&&!n.compatibleContent(i.type))return
 null; let l=r.fillBefore(i.content,!0,s); return l&&!wp(n,i.content,s)?l:null}function
 wp(t,e,n){for(let
 r=n; r<e. child Count; r++) if (!t.allows Marks (e.child (r).marks)) return !0; return !1) function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function Sp(t) {return !1} function 
 t.spec.defining||t.spec.definingForContent\}function kp(t,e,n,r){if(!r.size)return
 t.deleteRange(e,n); let o=t.doc.resolve(e),i=t.doc.resolve(n); if(La(o,i,r)) return t.step(new
 pe(e,n,r); let s=Ha(o,t.doc.resolve(n)); s[s.length-1]==0\&\&s.pop(); let
l=-(o.depth+1);s.unshift(l);for(let f=o.depth,h=o.pos-1;f>0;f--,h--){let p=o.node(f).type.spec;if(p.defining||p.definingAsContext||p.isolating)break;s.indexOf(f)>-1?l=f:o.before(f)==h&&s.splice(1,0,-
 f)}let a=s.indexOf(l),c=[],u=r.openStart;for(let f=r.content,h=0;;h++){let
 p=f.firstChild;if(c.push(p),h==r.openStart)break;f=p.content}for(let f=u-1;f>=0;f--){let
 h=c[f], p=Sp(h.type); if(p&&!h.sameMarkup(o.node(Math.abs(l)-1)))u=f;else
 if(p||!h.type.isTextblock)break}for(let f=r.openStart;f>=0;f--){let
 h=(f+u+1)%(r.openStart+1), p=c[h]; if(p)for(let m=0; m<s.length; m++){let}
  g=s[(m+a)%s.length], y=!0; g<0&&(y=!1,g=-g); let \\ b=o.node(g-1), x=o.index(g-1); if(b.canReplaceWith(x,x,p.type,p.marks)) return 
 t.replace(o.before(g),y?i.after(g):n,new M(za(r.content,0,r.openStart,h),h,r.openEnd))}}let
 d=t.steps.length; for(let f=s.length-1; f>=0\&\&(t.replace(e,n,r),!(t.steps.length>d)); f--)\{let f=s.length-1; f>=0&&(t.replace(e,n,r),!(t.steps.length>d)); f--)\} \\
 h=s[f];h<0||(e=o.before(h),n=i.after(h))\} \\ function za(t,e,n,r,o) \\ \{if(e<n)\{letal)\} \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ function za(t,e,n,r,o) \\ functi
 ,s=i.fillBefore(t).append(t);t=s.append(i.matchFragment(s).fillBefore(w.empty,!0))}return t}function
 Cp(t,e,n,r) {if(!r.isInline&e==n&t.doc.resolve(e).parent.content.size) {let
 o=xp(t.doc,e,r.type);o!=null&&(e=n=o)t.replaceRange(e,n,new M(w.from(r),0,0))}function
 \label{eq:mp} Mp(t,e,n) \{ \text{let } r=t. \text{doc.resolve(e)}, o=t. \text{doc.resolve(n)}, i=\text{Ha}(r,o); \\ \text{for(let } s=0; s< i.length; s++) \{ \text{let } r=t. \text{doc.resolve(e)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. \text{doc.resolve(n)}, o=t. 
 l=i[s], a=s==i.length-1; if (a\&\&l==0||r.node(l).type.contentMatch.validEnd) return \ t.delete(r.start(l),olimits, and the contentMatch.validEnd) \ return \ t.delete(r.start(l),olimits, and the contentMatch.validEnd) \ return \ t.delete(r.start(l),olimits, and the contentMatch.validEnd) \ return \ t.delete(r.start(l),olimits, and the contentMatch.validEnd) \ return \ t.delete(r.start(l),olimits, and the contentMatch.validEnd) \ return \ t.delete(r.start(l),olimits, and the contentMatch.validEnd) \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ return \ ret
  .end(l)); if(l>0&(a||r.node(l-1).canReplace(r.index(l-1),o.indexAfter(l-1)))) return
 t.delete(r.before(l), o.after(l)) for (let s=1; s <= r.depth \& s <= o.depth; s++) if (e-r.start(s) == r.depth-
 s\&\&n>r.end(s)\&\&o.end(s)-n!=o.depth-s\&\&r.start(s-1)=o.start(s-1)\&\&r.node(s-1).canReplace(r.index(s-1))
 1), o. index(s-1))) return \ t. delete(r. before(s), n); t. delete(e, n)) function \ Ha(t, e) \{ leteral example of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
 n=[], r=Math.min(t.depth, e.depth); for(let o=r; o>=0; o--) \\ \{let i=t.start(o); if(i<t.pos-(t.depth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth-indepth
 o)||e.end(o)>e.pos+(e.depth-
 o)||t.node(o).type.spec.isolating||e.node(o).type.spec.isolating)break;(i==e.start(o)||o==t.depth&&o
```

```
==e.depth\&\&t.parent.inlineContent\&\&e.parent.inlineContent\&\&o&\&e.start(o-1)==i-1)\&\&n.push(o)}return
n}var Or=class t extends
ae{constructor(e,n,r){super(),this.pos=e,this.attr=n,this.value=r}apply(e){let
n=e.nodeAt(this.pos);if(!n)return ce.fail("No node at attribute step's position");let
r=Object.create(null);for(let i in n.attrs)r[i]=n.attrs[i];r[this.attr]=this.value;let
o=n.type.create(r,null,n.marks);return ce.fromReplace(e,this.pos,this.pos+1,new
M(w.from(o),0,n.isLeaf?0:1))}getMap(){return st.empty}invert(e){return new
t(this.pos,this.attr,e.nodeAt(this.pos).attrs[this.attr])}map(e){let
n=e.mapResult(this.pos,1);return n.deletedAffer?null:new t(n.pos,this.attr,this.value)}toJSON(){return{stepType:"attr",pos:this.pos,attr:this.attr,value:this.value}}static fromJSON(e,n){if(typeof n.pos!="number"||typeof n.attr!="string")throw new RangeError("Invalid input for
AttrStep.fromJSON");return new t(n.pos,n.attr,n.value)}};ae.jsonID("attr",0r);var Nr=class t extends
ae{constructor(e,n){super(),this.attr=e,this.value=n}apply(e){let n=0bject.create(null);for(let o in
e.attrs)n[o]=e.attrs[o];n[this.attr]=this.value;let r=e.type.create(n,e.content,e.marks);return ce.ok(r)}getMap(){return st.empty}invert(e){return new t(this.attr,e.attrs[this.attr])}map(e){return
this}toJSON(){return{stepType:"docAttr",attr:this.attr,value:this.value}}static fromJSON(e,n){if(typeof n.attr!="string")throw new RangeError("Invalid input for
DocAttrStep.fromJSON");return new t(n.attr,n.value)}};ae.jsonID("docAttr",Nr);var an=class extends
Error{};an=function t(e){let n=Error.call(this,e);return n. _proto__=t.prototype,n};an.prototype=0bj
ect.create(Error.prototype);an.prototype.constructor=an;an.prototype.name="TransformError";var
kt=class{constructor(e){this.doc=e,this.steps=[],this.docs=[],this.mapping=new zn}get
before(){return this.docs.length?this.docs[0]:this.doc}step(e){let
n=this.maybeStep(e);if(n.failed)throw new an(n.failed);return this}maybeStep(e){let
n=e.apply(this.doc);return n.failed||this.addStep(e,n.doc),n}qet docChanged(){return this.steps.leng
th>0}addStep(e,n){this.docs.push(this.doc),this.steps.push(e),this.mapping.appendMap(e.getMap()),thi
s.doc=n}replace(e,n=e,r=M.empty){let o=\squaren(this.doc,e,n,r);return o&&this.step(o),this}replaceWith(e,n,r){return this.replace(e,n,new
\label{lem:main} M(w.from(r),0,0))\} delete(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.empty)\} insert(e,n) \{return\ this.replace(e,n,M.
this.replaceWith(e,e,n)}replaceRange(e,n,r){return
kp(this,e,n,r),this\}replaceRangeWith(e,n,r){return Cp(this,e,n,r),this}deleteRange(e,n){return
Mp(this,e,n),this}lift(e,n){return cp(this,e,n),this}join(e,n=1){return bp(this,e,n),this}wrap(e,n){return fp(this,e,n),this}setBlockType(e,n=e,r,o=null){return
hp(this,e,n,r,o),this}setNodeMarkup(e,n,r=null,o){return
mp(this,e,n,r,o),this}setNodeAttribute(e,n,r){return this.step(new
Or(e,n,r)), this}setDocAttribute(e,n){return this.step(new Nr(e,n)),this}addNodeMark(e,n){return
this.step(new Fn(e,n)),this}removeNodeMark(e,n){let r=this.doc.nodeAt(e);if(!r)throw new RangeError("No node at position "+e);if(n instanceof V)n.isInSet(r.marks)&&this.step(new
ln(e,n));else{let o=r.marks,i,s=[];for(;i=n.isInSet(o);)s.push(new
ln(e,i)),o=i.removeFromSet(o);for(let l=s.length-1;l>=0;l--)this.step(s[l])}return
this}split(e,n=1,r){return gp(this,e,n,r),this}addMark(e,n,r){return}
sp(this,e,n,r),this\} removeMark(e,n,r) {return lp(this,e,n,r),this} clearIncompatible(e,n,r){return
Pi(this,e,n,r),this}};var
Ii=Object.create(null), E=class{constructor(e,n,r){this._anchor=e,this._head=n,this.ranges=r||[new
dn(e.min(n),e.max(n))]}get anchor(){return this.□anchor.pos}get head(){return this.□head.pos}get
from()\{return\ this. | from.pos\}get\ to()\{return\ this. | to.pos\}get\ | from()\{return\ s.ranges[0]. from}get [to(){return this.ranges[0]. to}get empty(){let e=this.ranges;for(let
n=0;n<e.length;n++)if(e[n].∏from.pos!=e[n].∏to.pos)return!1;return!0}content(){return
this. ☐ from. doc.slice(this.from, this.to,!0)}replace(e,n=M.empty){let
k)?-1:1)}}replaceWith(e,n){let r=e.steps.length,o=this.ranges;for(let i=0;i<o.length;i++){let{\Boxfrom:
s, \exists to: l}=o[i], a=e.mapping.slice(r), c=a.map(s.pos), u=a.map(l.pos); i?e.deleteRange(c,u): (e.replaceRange(b.pos)) = a.map(l.pos); i?e.deleteRange(c,u): (e.replaceRange(b.pos)) = a.map(b.pos); i?e.deleteRange(b.pos); 
eWith(c,u,n),Va(e,r,n.isInline?-1:1))}}static findFrom(e,n,r=!1){let o=e.parent.inlineContent?new
A(e): un(e.node(0), e.parent, e.pos, e.index(), n, r); if(o) return o; for(let i=e.depth-1; i>=0; i--) \{let s=n<0\}
0? un(e.node(0), e.node(i), e.before(i+1), e.index(i), n, r): un(e.node(0), e.node(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.index(i), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.after(i+1), e.aft
 )+1,n,r);if(s)return s}return null}static near(e,n=1){return
this.findFrom(e,n)||this.findFrom(e,-n)||new be(e.node(\theta))}static atStart(e){return
un(e,e,0,0,1)||new be(e)}static atEnd(e){return un(e,e,e.content.size,e.childCount,-1)||new
be(e)}static fromJSON(e,n){if(!n||!n.type)throw new RangeError("Invalid input for
Selection.fromJSON");let r=Ii[n.type];if(!r)throw new RangeError(`No selection type [{n.type}
defined`);return r.fromJSON(e,n)}static jsonID(e,n){if(e in Ii)throw new RangeError("Duplicate use
of selection JSON ID "+e); return Ii[e]=n,n.prototype.jsonID=e,n}getBookmark(){return
A.between(this.\Boxanchor,this.\Boxhead).getBookmark()}}; E.prototype.visible=!0; var
dn=class{constructor(e,n){this._from=e,this._to=n}},Fa=!1;function
_a(t){!Fa&&!t.parent.inlineContent&&(Fa=!0,console.warn("TextSelection endpoint not pointing into a
node with inline content ("+t.parent.type.name+")"))}var A=class t extends
E\{constructor(e, n=e)\{ (a(e), (a(n), super(e, n)) \}  (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (a(e), (
this. anchor. pos==this. head. pos?this. head: null map(e, n) {let
r=e.resolve(n.map(this.head));if(!r.parent.inlineContent)return E.near(r);let
o=e.resolve(n.map(this.anchor));return new
t(o.parent.inlineContent?o:r,r)replace(e,n=M.empty){if(super.replace(e,n),n==M.empty){let
r=this. ☐from.marksAcross(this. ☐to);r&&e.ensureMarks(r)}}eq(e){return e instanceof
```

```
t&&e.anchor==this.anchor&&e.head==this.head}getBookmark(){return new
 Pr(this.anchor,this.head)}toJSON(){return{type:"text",anchor:this.anchor,head:this.head}}static fromJSON(e,n){if(typeof n.anchor!="number"||typeof n.head!="number")throw new RangeError("Invalid
input for TextSelection.fromJSON");return new t(e.resolve(n.anchor),e.resolve(n.head))}static create(e,n,r=n){let o=e.resolve(n);return new this(o,r==n?o:e.resolve(r))}static between(e,n,r){let
 o=e.pos-n.pos; if((!r||o)&(r=o>=0?1:-1),!n.parent.inlineContent){let}
 i=E.findFrom(n,r,!0) | | E.findFrom(n,-r,!0); | if(i)n=i. | head; else return E.near(n,r) | return e.parent.inl
 ineContent||(o==0?e=n:(e=(E.findFrom(e,
 r,!0)||E.findFrom(e,r,!0)).||anchor,e.pos<n.pos!=o<0\&\&(e=n))), new t(e,n)\}\}; E.jsonID("text",A); variable for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 Pr=class t{constructor(e,n){this.anchor=e,this.head=n}map(e){return new
 t(e.map(this.anchor),e.map(this.head))}resolve(e){return
 A.between(e.resolve(this.anchor),e.resolve(this.head))}},O=class t extends E{constructor(e){let n=e.
nodeAfter, r=e.node(0).resolve(e.pos+n.nodeSize); super(e,r), this.node=n)map(e,n) {let{deleted:r,pos:o}} =n.mapResult(this.anchor), i=e.resolve(o); return r?E.near(i):new t(i)} content() {return new M(w.from(this.node),0,0)} eq(e) {return e instanceof
 t&&e.anchor==this.anchor}toJSON(){return{type:"node",anchor:this.anchor}}getBookmark(){return new
 Bi(this.anchor)}static fromJSON(e,n){if(typeof n.anchor!="number")throw new RangeError("Invalid
 input for NodeSelection.fromJSON");return new t(e.resolve(n.anchor))}static create(e,n){return new
 t(e.resolve(n))}static isSelectable(e){return!e.isText&&e.type.spec.selectable!==!1}};0.prototype.vi
 sible=!1;E.jsonID("node",0);var Bi=class
 t{constructor(e){this.anchor=e}map(e){let{deleted:n,pos:r}=e.mapResult(this.anchor);return n?new
 Pr(r,r):new t(r)}resolve(e){let n=e.resolve(this.anchor),r=n.nodeAfter;return
 r\&\&0.isSelectable(r)?new O(n):E.near(n)}, be=class t extends E\{constructor(e)\{super(e.resolve(0),e.resolve(0),e.resolve(0)\}\}
 esolve(e.content.size))}replace(e,n=M.empty){if(n==M.empty){e.delete(0,e.doc.content.size);let
 r=E.atStart(e.doc); r.eq(e.selection) | |e.setSelection(r)}else
 super.replace(e,n)}toJSON(){return{type:"all"}}static fromJSON(e){return new t(e)}map(e){return new t(e)}eq(e){return e instanceof t}getBookmark(){return vp}};E.jsonID("all",be);var vp={map(){return e instanceof t}getBookmark()
 this},resolve(t){return new be(t)}};function un(t,e,n,r,o,i=!1){if(e.inlineContent)return
 A.create(t,n); for(let s=r-(0>0?0:1); 0>0?s<e.childCount:s>=0; s+=0){let
 l=e.child(s);if(l.isAtom){if(!i&&O.isSelectable(l))return 0.create(t,n-(o<0?l.nodeSize:0))}else{let</pre>
 a=un(t,l,n+o,o<0?l.childCount:0,o,i); if (a) return \ a\}n+=l.nodeSize*o\} return \ null \} function a size in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of t
 Va(t,e,n) {let r=t.steps.length-1; if(r<e)return; let o=t.steps[r]; if(!(o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe
 ne)) return; let i=t.mapping.maps[r], s; i.forEach((l,a,c,u)=>\{s==null\&\&(s=u)\}), t.setSelection(E.near(t.a,c,u)=>(s==null\&\&(s=u)\}), t.setSelection(E.near(t.a,c,u)=s=null\&\&(s=u)\}), t.setSelection(E.near(t.a,c,u)=s=null\&\&(s=u)\}), t.setSelection(E.near(t.a,c,u)=s=null\&\&(s=u)\}), t.setSelection(E.near(t.a,c,u)=s=null\&\&(s=u)\}), t.setSelection(E.near(t.a,c,u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)=s=null\&\&(s=u)
 doc.resolve(s),n))}var Wa=1,Dr=2, a=4,zi=class extends kt{constructor(e){super(e.doc),this.curSelect
 ionFor=0, this.updated=0, this.meta=Object.create(null), this.time=Date.now(), this.curSelection=e.selec
tion, this.storedMarks=e.storedMarks}get selection(){return this.curSelectionFor<this.steps.length&{ this.curSelection=this.curSelection.map(this.doc,this.mapping.slice(this.curSelectionFor)),this.curS
 RangeError("Selection passed to setSelection must point at the current document"); return this.curSel
 ection=e, this.curSelectionFor=this.steps.length, this.updated=(this.updated|Wa)&~Dr, this.storedMarks=
null,this}get selectionSet(){return(this.updated&Wa)>0}setStoredMarks(e){return
this.storedMarks=e,this.updated|=Dr,this}ensureMarks(e){return V.sameSet(this.storedMarks||this.sele
 Set(this.storedMarks||this.selection. head.marks()))}removeStoredMark(e){return
 this.ensureMarks(e.removeFromSet(this.storedMarks||this.selection.∏head.marks()))}get storedMarksSet
(){return(this.updated&Dr)>0}addStep(e,n){super.addStep(e,n),this.updated=this.updated&~Dr,this.storedMarks=null}setTime(e){return this.time=e,this}replaceSelection(e){return
 this.selection.replace(this,e), this \} replace Selection With (e,n=!0) \{ let \ r=this.selection; return \ n\& (e=e,n=!0) \} replace (this,e), this \} replace Selection With (e,n=!0) \} replace (this,e), this \} replace Selection With (e,n=!0) \} replace (this,e), this \} replace Selection With (e,n=!0) \} replace Selection (this,e), this \} replace Selection With (e,n=!0) \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), this \} replace Selection (this,e), thi
   .mark(this.storedMarks||(r.empty?r.□from.marks():r.□from.marksAcross(r.□to)||V.none))),r.replaceWith
  (this,e),this}deleteSelection(){return this.selection.replace(this),this}insertText(e,n,r){let
 o=this.doc.type.schema;if(n==null)return
 e? this.replace Selection With (o.text(e),!0): this.delete Selection(); \\ \{if(r==null\&\&(r=n),r=r??n,!e) return like for the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the
 this.deleteRange(n,r);let i=this.storedMarks;if(!i){let
 s=this.doc.resolve(n); i=r==n?s.marks():s.marksAcross(this.doc.resolve(r))\} return\ this.replaceRangeWindows(n); i=r==n?s.marks(n):s.marksAcross(this.doc.resolve(r))) return\ this.replaceRangeWindows(n):s.marksAcross(this.doc.resolve(r))) return\ this.replaceRangeWindows(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcross(n):s.marksAcro
 th(n,r,o.text(e,i)),this.selection.empty||this.setSelection(E.near(this.selection.□to)),this}}setMet
a(e,n){return this.meta[typeof e=="string"?e:e.key]=n,this}getMeta(e){return this.meta[typeof e=="string"?e:e.key]}get isGeneric(){for(let e in
 this.meta)return!1;return!0}scrollIntoView(){return this.updated|= a,this}get
 □ | Tt=class{constructor(e,n,r){this.name=e,this.init=ja(n.init,r),this.apply=ja(n.apply,r)}},Tp=[new
 [t](\doc", \{init(t), return\ t.doc|, t.schema.topNodeType.createAndFill()\}, apply(t), return\ t.doc\}), new
[] t("selection", {init(t,e) {return t.selection||E.atStart(e.doc)}, apply(t) {return t.selection}}), new
[] t("storedMarks", {init(t) {return t.storedMarks||null}, apply(t,e,n,r) {return r.selection.]cursor?t.storedMarks:null}}), new
[] t("storedMarks", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}}), new
[] t("scrollToSelection", {init(t) {return t.storedMarks:null}
ns=[],this.pluginsByKey=Object.create(null),this.fields=Tp.slice(),n&&n.forEach(r=>{if(this.pluginsByKey[r.key])throw new RangeError("Adding different instances of a keyed plugin ("+r.key+")");this.plugins.push(r),this.pluginsByKey[r.key]=r,r.spec.state&&this.fields.push(new
 []t(r.key,r.spec.state,r))}}},Ir=class t{constructor(e){this.config=e}get schema(){return
 this.config.schema}get plugins(){return this.config.plugins}apply(e){return
 this.applyTransaction(e).state}filterTransaction(e,n=-1){for(let
r=0; r<\text{this.config.plugins.length}; r++) \text{ if } (r!=n) \text{ let } o=\text{this.config.plugins}[r]; \text{ if } (o.\text{spec.filterTransaction} \land o.\text{spec.filterTransaction}, call(o,e,this)) \text{ return!} \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ if } (!\text{this.filterTransaction}) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e) \text{ o.spec.filterTransaction} (e
```

```
ansaction(e))return{state:this,transactions:[]};let n=[e],r=this.applyInner(e),o=null;for(;;){let
 i=!1;for(let s=0;s<this.config.plugins.length;s++){let
 l=this.config.plugins[s];if(l.spec.appendTransaction){let a=o?o[s].n:0,c=o?o[s].state:this,u=a<n.len
 gth&&l.spec.appendTransaction.call(l,a?n.slice(a):n,c,r);if(u&&r.filterTransaction(u,s)){if(u.setMet
 a("appendedTransaction",e),!o){o=[];for(let d=0;d<this.config.plugins.length;d++)o.push(d<s?{state:r
  , n:n. length\}: \{state: this, n:0\}) \} n. push(u), r=r. apply Inner(u), i=!0\} o \& (o[s]= \{state: r, n:n. length\}) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength) \} if (!ength)
  i)return{state:r,transactions:n}}}applyInner(e){if(!e.before.eq(this.doc))throw new
 RangeError("Applying a mismatched transaction"):let n=new
 t(this.config),r=this.config.fields;for(let o=0;o<r.length;o++){let
 i=r[o];n[i.name]=i.apply(e,this[i.name],this,n)}return n}get tr(){return new zi(this)}static
 create(e){let n=new Vn(e.doc?e.doc.type.schema:e.schema,e.plugins),r=new t(n);for(let
 o=0;o<n.fields.length;o++)r[n.fields[o].name]=n.fields[o].init(e,r);return r}reconfigure(e){let
 n=new Vn(this.schema,e.pluqins),r=n.fields,o=new t(n);for(let i=0;i<r.length;i++){let
 s=r[i].name;o[s]=this.hasOwnProperty(s)?this[s]:r[i].init(e,o)\} return o to JSON(e) {let n={doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this.doc:this
 c.toJSON(), selection:this.selection.toJSON()); if(this.storedMarks&&(n.storedMarks=this.storedMarks.m
ap(r=>r.toJSON())),e&&typeof e=="object")for(let r in e){if(r=="doc"||r=="selection")throw new RangeError("The JSON fields `doc` and `selection` are reserved");let o=e[r],i=o.spec.state;i&&i.toJSON&&(n[r]=i.toJSON.call(o,this[o.key]))}return n}static
fromJSON(e,n,r){if(!n)throw new RangeError("Invalid input for
EditorState.fromJSON");if(!e.schema)throw new RangeError("Required config field 'schema'
 missing");let o=new Vn(e.schema,e.plugins),i=new t(o);return
o.fields.forEach(s=>{if(s.name=="doc")i.doc=le.fromJSON(e.schema,n.doc);else
if(s.name=="selection")i.selection=E.fromJSON(i.doc,n.selection);else if(s.name=="storedMarks")n.sto
 redMarks&&(i.storedMarks=n.storedMarks.map(e.schema.markFromJSON));else{if(r)for(let l in r){let a=r
 [l], c=a.spec.state; if (a.key==s.name\&\&c\&\&c.fromJSON\&\&Object.prototype.hasOwnProperty.call(n,l)) \\ \{i[s.name, c], c=a.spec.state; if (a.key==s.name, c], c=a.spec.state; if
 ame]=c.fromJSON.call(a,e,n[l],i);return}}i[s.name]=s.init(e,i)}}),i}};function Ka(t,e,n){for(let r
 in t){let o=t[r];o instanceof
 Function?o=o.bind(e): r=="handleDOMEvents" \&\& (o=Ka(o,e,\{\})), n[r]=o\} return \ n \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class \{ constructor(e) \} var \ N=class 
  {this.spec=e,this.props={},e.props&&Ka(e.props,this,this.props),this.key=e.key?e.key?key:Ua("plugin"
 )}getState(e){return e[this.key]}},Li=Object.create(null);function Ua(t){return t in Li?t+"["+
++Li[t]:(Li[t]=0,t+"[")}var L=class{constructor(e="key"){this.key=Ua(e)}get(e){return e.config.pluginsByKey[this.key]}getState(e){return e[this.key]}};var ue=function(t){for(var
 e=0;;e++)if(t=t.previousSibling,!t)return e},gn=function(t){let
 e=t.assignedSlot||t.parentNode;return e&&e.nodeType==11?e.host:e, i=null,ut=function(t,e,n){let
 r= i||( i=document.createRange());return r.setEnd(t,n??t.nodeValue.length),r.setStart(t,e||0),r},Ap=
 \begin{array}{l} \text{function}()\{\text{ }i=\text{null}\}, \text{ }Jt=\text{function}(t,e,n,r)\{\text{return} \\ \text{n\&\&}(\text{Ja}(t,e,n,r,-1)||\text{Ja}(t,e,n,r,1))\}, \text{Ep=/}^{(img|br|input|textarea|hr)}|/i;\text{function}| \end{array} 
 \label{eq:Jacobian} Ja(t,e,n,r,o) \{for(var\ i;;) \{if(t==n\&e==r)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0?0:De(t)))\} \{let\ s=t.parentNode;if(!s||s.n)return!0;if(e==(o<0.0:De(t)))\} \{let\ s=t.parentNode;if(e==(o<0.0:De(t)))\} \{let\ s=t.parentNod
 odeType!=1||Gn(t)||Ep.test(t.nodeName)||t.contentEditable=="false")return!1;e=ue(t)+(o<0?0:1),t=s}el
 se if(t.nodeType==1){let s=t.childNodes[e+(o<0?-</pre>
 1:0)];if(s.nodeType==1&&s.contentEditable=="false")if(!((i=s.pmViewDesc)===null||i===void
 0)&&i.ignoreForSelection)e+=o;else return!1;else t=s,e=o<0?De(t):0}else return!1}}function
 De(t){return t.nodeType==3?t.nodeValue.length:t.childNodes.length}function
 Op(t,e)\{for(;;)\{if(t.nodeType==3\&\&e)return\}\}
 t;if(t.nodeType==1&&e>0){if(t.contentEditable=="false")return null;t=t.childNodes[e-1],e=De(t)}else
 if(t.parentNode\&\&!Gn(t))e=ue(t), t=t.parentNode; else \ return \ null\}\} function
 Np(t,e)\{for(;;)\{if(t.nodeType==3\&\&e < t.nodeValue.length)return\}
 t;if(t.nodeType==1&&e<t.childNodes.length){if(t.contentEditable=="false")return
 [nul]; t=t.childNodes[e], e=0\}else if(t.parentNode&&!Gn(t))e=ue(t)+1, t=t.parentNode;else return if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode)else if(t.parentNode
 \{null\} function \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(t,e,n)\} for \{p(
 i=ue(t); if (t=t.parentNode,!t) return!1; r=r&&i==0, o=o&&i==De(t)} function Gn(t){let e; for(let
 n=t;n&&!(e=n.pmViewDesc);n=n.parentNode);return
 e\&\&e.node\&\&e.node.isBlock\&\&(e.dom==t||e.contentDOM==t)\} var \ Kr=function(t) \{returned to the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the 
 t.focusNode \& Jt(t.focusNode, t.focusOffset, t.anchorNode, t.anchorOffset)\}; function \ Vt(t,e) \{let t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focusNode, t.focu
 n=document.createEvent("Event"); return
 n.initEvent("keydown",!0,!0),n.keyCode=t,n.key=n.code=e,n}function Dp(t){let
 e=t.activeElement;for(;e&&e.shadowRoot;)e=e.shadowRoot.activeElement;return e}function
 Pp(t,e,n) \{ if(t.caretPositionFromPoint) try \{ let \ r=t.caretPositionFromPoint(e,n); if(r) return \{ node:r.off \ r=t.caretPositionFromPoint(e,n), return \} \} \} 
 setNode, offset: Math.min(De(r.offsetNode), r.offset)\} \\ \\ catch \\ \{\} if(t.caretRangeFromPoint) \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoint\} \\ \{let r=t.caretRangeFromPoi
 ngeFromPoint(e,n);if(r)return{node:r.startContainer,offset:Math.min(De(r.startContainer),r.startOffs
et)}}}var Je=typeof navigator<"u"?navigator:null,qa=typeof
document<"u"?document:null,Et=Je&&Je.userAgent||"",ji=/Edge\/(\d+)/.exec(Et),Tc=/MSIE \d/.exec(Et),K
 i=/Trident\/(?:[7
 9]|\d{2,})\..*rv:(\d+)/.exec(Et),ke=!!(Tc||Ki||ji),Tt=Tc?document.documentMode:Ki?+Ki[1]:ji?+ji[1]:0
   ,Ve=!ke&&/gecko\/(\d+)/i.test(Et);Ve&&+(/Firefox\/(\d+)/.exec(Et)||[0,0])[1];var
Bp(t){let e=t.defaultView&t.defaultView.visualViewport;return e?{left:0,right:e.width,top:0,bottom:
 e.height}:{left:0,right:t.documentElement.clientWidth,top:0,bottom:t.documentElement.clientHeight}}f
 width/t.offsetWidth||1,r=e.height/t.offsetHeight||1;return{left:e.left,right:e.left+t.clientWidth*n,
```

```
top:e.top,bottom:e.top+t.clientHeight*r}}function Ga(t,e,n){let
 r=t.someProp("scrollThreshold")||0,o=t.someProp("scrollMargin")||5,i=t.dom.ownerDocument;for(let s=n||t.dom;s;){if(s.nodeType!=1){s=gn(s);continue}let l=s,a=l==i.body,c=a?Bp(i):zp(l),u=0,d=0;if(e.t
op<c.top+ct(r, "top")?d=-(c.top-e.top+ct(o, "top")):e.bottom-ct(r, "bottom")&&(d=e.bottom-e.top>c.bottom-ct.top?e.top+ct(o, "top")-c.top:e.bottom-ccbottom-ct(o, "bottom"));e.left<c.left+ct(r, "left")?u=-(c.left-e.left+ct(o, "left")):e.right>c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.right-c.rig
ct(r,"right")\&\&(u=e.right-c.right+ct(o,"right")),u||d)if(a)i.defaultView.scrollBy(u,d);else{lethel.scrollLeft,p=l.scrollTop;d&&(l.scrollTop+=d),u&&(l.scrollLeft+=u);lethel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.scrollLeft+=u);elthel.sc
m=l.scrollLeft-h,g=l.scrollTop-p;e={left:e.left-m,top:e.top-g,right:e.right-m,bottom:e.bottom-g}}let f=a?"fixed":getComputedStyle(s).position;if(/^(fixed|sticky)_/.test(f))break;s=f=="absolute"?s.offse
 tParent:gn(s)}}function Hp(t){let e=t.dom.getBoundingClientRect(),n=Math.max(0,e.top),r,o;for(let
 i=(e.left+e.right)/2,s=n+1;s<Math.min(innerHeight,e.bottom);s+=5){let
 l=t.root.elementFromPoint(i,s);if(!|||l==t.dom||!t.dom.contains(l))continue;let a=l.getBoundingClien
 tRect();if(a.top>=n-20){r=l,o=a.top;break}}return{refDoM:r,refTop:o,stack:Ec(t.dom)}}function
 Ec(t){let e=[],n=t.ownerDocument;for(let
 r=t;r&&(e.push({dom:r,top:r.scrollTop,left:r.scrollLeft}),t!=n);r=gn(r));return e}function
Fp({refDOM:t,refTop:e,stack:n}){let r=t?t.getBoundingClientRect().top:0;0c(n,r==0?0:r-e)}function 0c(t,e){for(let n=0;n<t.length;n++){let{dom:r,top:o,left:i}=t[n];r.scrollTop!=o+e&(r.scrollTop=o+e),r.scrollLeft!=i&&(r.scrollLeft=i)}}var fn=null;function [p(t){fif(t.setActive)return t.setActive();if(fn)return t.focus(fn);let e=Ec(t);t.focus(fn);let cus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(fn);t.focus(
 fn=\{preventScroll: \verb||0||, \verb||0||| \} : void 0), fn | | (fn=!1,0c(e,0)) \} function \ Nc(t,e) \{ let the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of the left of th
n,r=2e8,o,i=0,s=e.top,l=e.top,a,c;for(let u=t.firstChild,d=0;u;u=u.nextSibling,d++){let
f;if(u.nodeType==1)f=u.getClientRects();else if(u.nodeType==3)f=ut(u).getClientRects();else
continue; for(let h=0; h<f.length; h++){let p=f[h]; if(p.top<=s&&p.bottom>=l){s=Math.max(p.bottom,s),l=Math.min(p.top,l); let m=p.left>e.left?p.le
 ft-e.left:p.right<e.left?e.left-
 p.right:0; if (m < r) \\ \{n=u, r=m, o=m \& \& n.nodeType==3? \\ \{left:p.right < e.left?p.right:p.left, top:e.top\} : e, u.nodeType==3? \\ \{left:p.right:p.left, top:e.top\} : e, u.nodeType==3? \\ \{left:p.righ
\label{thm:problem} Type==1\&\&m\&\&(i=d+(e.left>=(p.left+p.right)/2?1:0)); continue} else p.top>=.top&\&!a\&\&p.left<=e.left&&p.right>=e.left&&(a=u,c=\{left:Math.max(p.left,Math.min(p.right,e.left)),top:p.top\}); !n&&(e.left>=p.right&&e.top>=p.top||e.left>=p.left&&e.top>=p.bottom)&&(i=d+1)} return!n&&a&&(n=a,o=c,r=0),n&&n.nodeTy
 pe==3?Vp(n,o):!n||r&&n.nodeType==1?{node:t,offset:i}:Nc(n,o)}function Vp(t,e){let}
 n=t.nodeValue.length,r=document.createRange();for(let
 ,offset:o+(e.left>=(i.left+i.right)/2?1:0)}}return{node:t,offset:0}}function as(t,e){return}
 t.left >= e.left - 1\&\&t.left <= e.right + 1\&\&t.top >= e.top - 1\&\&t.top <= e.bottom + 1} function Wp(t,e){let}
n=t.parentNode;return
n&&/^li□/i.test(n.nodeName)&&e.left<t.getBoundingClientRect().left?n:t}function
    p(t,e,n){let{node:r,offset:o}=Nc(e,n),i=-1;if(r.nodeType==1&&!r.firstChild){let
s=r.getBoundingClientRect();i=s.left!=s.right&&n.left>(s.left+s.right)/2?1:-1}return
t.docView.posFromDOM(r,o,i)}function jp(t,e,n,r){let o=-1;for(let i=e,s=!1;i!=t.dom;){let
l=t.docView.nearestDesc(i,!0),a;if(!l)return null;if(l.dom.nodeType==1&&(l.node.isBlock&&l.parent||!
 a.left>r.left||a.top>r.top?o=l.posBefore:(!s\&\&a.right<r.left||a.bottom<r.top)&&(o=l.posAfter),s=!0),
 !l.contentDOM&&o<0&&!l.node.isText))return(l.node.isBlock?r.top<(a.top+a.bottom)/2:r.left<(a.left+a.
 right)/2)?l.posBefore:l.posAfter;i=l.dom.parentNode}return
 o>-1?o:t.docView.posFromDOM(e,n,-1)}function Rc(t,e,n){let
 r=t.childNodes.length;if(r&&n.top<n.bottom)for(let
 o=Math.max(0,Math.min(r-1,Math.floor(r*(e.top-n.top))/(n.bottom-n.top))-2)),i=o;;){let
 s=t.childNodes[i];if(s.nodeType==1){let l=s.getClientRects();for(let a=0;a<l.length;a++){let
 c=l[a];if(as(e,c)) return Rc(s,e,c) if ((i=(i+1)%r)==0) break} return t function Kp(t,e) {let
n=t.dom.ownerDocument, r, o=0, i=Pp(n,e.left,e.top); i\&\&(\{node:r,offset:o\}=i); let s=(t.root.elementFromPoint?t.root:n).elementFromPoint(e.left,e.top), l; if(!s||!t.dom.contains(s.nodeType!=1?s.parentNode:s)
 ) {let c=t.dom.getBoundingClientRect(); if (!as(e,c)||(s=Rc(t.dom,e,c),!s)) return null} if (xe) for (let = Rc(t.dom,e,c),!s)
 c=s;r\&\&c;c=gn(c))c.draggable\&\&(r=void 0);if(s=Wp(s,e),r){if(Ve\&\&r.nodeType==1\&\&(o=Math.min(o,r.child o,r.child .length),o<r.childNodes.length)){let u=r.childNodes[o],d;u.nodeName=="IMG"&&(d=u.getBoundingCli
entRect()).right<=e.left&&d.bottom>e.top&&o++}let c;Yn&&o&&r.nodeType==1&&(c=r.childNodes[o-1]).nodeType==1&&c.contentEditable=="false"&&c.getBoundingClientRect().top>=e.top&&o--
    ,r==t.dom&&o==r.childNodes.length-
 1&&r.lastChild.nodeType==1&&e.top>r.lastChild.getBoundingClientRect().bottom?l=t.state.doc.content.s
 ize:(o==0||r.nodeType!=1||r.childNodes[o-
 1].nodeName!="BR")\&\&(l=jp(t,r,o,e))\}l==null\&\&(l=_p(t,s,e));let
 a=t.docView.nearestDesc(s,!0); return\{pos:l,inside:a?a.posAtStart-a.border:-1\}\} function \ Ya(t)\{return\{pos:l,inside:a?a.posAtStart-a.border:-1\}\} function \ Ya(t)\{return\{pos:l,inside:a.posAtStart-a.border:-1\}\} function \ Ya(t)\{return\{pos:l,inside:a.posAtStart-a.border:-1\}\} function \ Ya(t)\{return\{pos:l,inside:a.posAtStart-a.bo
 t.top < t.bottom | | t.left < t.right \} function \ Ct(t,e) \{ let \ n=t.getClientRects(); if(n.length) \} \{ let \ n=t.getClientRects(); if(n.length) \} \{ let \ n=t.getClientRects(); if(n.length) \} \} \} \} = t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.top < t.
 r=n[e<0?0:n.length-1];if(Ya(r))return r}return
 Array.prototype.find.call(n,Ya)||t.getBoundingClientRect()}var
  \label{eq:upsign} $$ Up=/[\u0590-\u05f4\u0600-\u06ff\u0700-\u08ac]/; function Dc(t,e,n){let}_{node:r,offset:o,atom:i}=t.docV $$ Up=/[\u0590-\u05f4\u0600-\u06ff\u0700-\u08ac]/; function Dc(t,e,n){let}_{node:r,offset:o,atom:i}=t.docV $$ Up=/[\u0590-\u05f4\u0600-\u06ff\u0700-\u08ac]/; function Dc(t,e,n){let}_{node:r,offset:o,atom:i}=t.docV $$ Up=/[\u0590-\u05f4\u0600-\u06ff\u0700-\u08ac]/; function Dc(t,e,n){let}_{node:r,offset:o,atom:i}=t.docV $$ Up=/[\u0590-\u05f4\u0600-\u06ff\u0700-\u08ac]/; function Dc(t,e,n){let}_{node:r,offset:o,atom:i}=t.docV $$ Up=/[\u0590-\u05f4\u0600-\u06ff\u0700-\u08ac]/; function Dc(t,e,n){let}_{node:r,offset:o,atom:i}=t.docV $$ Up=/[\u0590-\u05f4\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u0600-\u06
 iew.domFromPos(e,n<0?
 1:1), s=Yn \mid | \ Ve; if (r.nodeType==3) if (s\&\& (Up.test(r.nodeValue)) \mid | \ (n<0?!o:o==r.nodeValue.length))) \ \{let(r.nodeType==3), f(s\&\&(Up.test(r.nodeValue))) \mid (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeValue)) \mid | \ (let(r.nodeVa
 c=Ct(ut(r,o-1,o-1),-1);if(c.top==a.top){let u=Ct(ut(r,o,o+1),-1);if(u.top!=a.top)return
 Wn(u,u.left<c.left)}return a}else{let a=o,c=o,u=n<0?1:-1;return n<0&&!o?(c++,u=-
 1): n>=0\&0==r.nodeValue.length?(a--,u=1): n<0?a--
 :c++,Wn(Ct(ut(r,a,c),u),u<0)}if(!t.state.doc.resolve(e-
```

```
(i||0)).parent.inlineContent){if(i==null&&o&&(n<0||o==De(r))){let}
a=r.childNodes[o-1];if(a.nodeType==1)return
Hi(a.getBoundingClientRect(),!1)}if(i==null&&o<De(r)){let a=r.childNodes[o];if(a.nodeType==1)return
Hi(a.getBoundingClientRect(),!0)}return
Hi(r.getBoundingClientRect(), n>=0) if (i==null\&\&o\&\&(n<0)|o==De(r))) {let a=r.childNodes[o-
1],c=a.nodeType==3?ut(a,De(a)-
 (s?0:1)):a.nodeType==1&&(a.nodeName!="BR"||!a.nextSibling)?a:null;if(c)return
Wn(Ct(c,1),!1) if (i==null&&o<De(r)){let
a=r.childNodes[o];for(;a.pmViewDesc&&a.pmViewDesc.ignoreForCoords;)a=a.nextSibling;let
c=a?a.nodeType==3?ut(a,0,s?0:1):a.nodeType==1?a:null:null;if(c):return \ Wn(Ct(c,-1),!0)\} return
Wn(Ct(r.nodeType==3?ut(r):r,-n),n>=0)}function Wn(t,e){if(t.width==0)return t;let
n=e?t.left:t.right;return{top:t.top,bottom:t.bottom,left:n,right:n}}function
Hi(t,e){if(t.height==0)return t:let
n = e?t.top:t.bottom; return\{top:n,bottom:n,left:t.left,right:t.right\}\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right\}\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.left,right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.left,right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.left,right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right:t.left,right]\} function \ Pc(t,e,n)\{lettop:n,bottom:n,left:t.left,right]\} function \ Pc(t,e,n
r=t.state,o=t.root.activeElement;r!=e&&t.updateState(e),o!=t.dom&&t.focus();try{return
n() \\ finally \\ \{r! = e\&t.updateState(r), o! = t.dom\&\&o\&\&o.focus()\} \\ function Jp(t,e,n) \\ \{let.updateState(r), o! = t.dom\&&o.ko.focus()\} \\ function Jp(t,e,n) \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o! = t.dom&&o.ko.focus()\} \\ \{let.updateState(r), o.ko.focus(), o.ko.focus()\} \\ \{let.updateState(r), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus(), o.ko.focus()
r=e.selection,o=n=="up"?r.\_from:r.\_to;return
Pc(t,e,()=>{let{node:i}=t.docView.domFromPos(o.pos,n=="up"?-1:1);for(;;){let l=t.docView.nearestDesc
 (i,!0);if(!l)break;if(l.node.isBlock){i=l.contentDOM||l.dom;break}i=l.dom.parentNode}let
s=Dc(t,o.pos,1);for(let l=i.firstChild;l;l=l.nextSibling){let
a;if(l.nodeType==1)a=l.getClientRects();else
if(l.nodeType==3)a=ut(l,0,l.nodeValue.length).getClientRects();else continue;for(let
c=0; c<a.length; c++) {let u=a[c]; if(u.bottom>u.top+1&&(n=="up"?s.top-u.top>(u.bottom-u.top))}
s.top)*2:u.bottom-s.bottom>(s.bottom-u.top)*2))return!1}}return!0})}var
qp=/[\langle u0590 - \langle u08ac]/; function
Gp(t,e,n){let{□head:r}=e.selection;if(!r.parent.isTextblock)return!1;let
o=r.parentOffset,i=!o,s=o==r.parent.content.size,l=t.domSelection();return l?!qp.test(r.parent.textContent)||!l.modify?n=="left"||n=="backward"?i:s:Pc(t,e,()=>{let{focusNode:a,focusOffset:c,anchorNode}}
: u, anchor Offset: d\} = t.dom Selection Range(), f = l.caret BidiLevel; l.modify("move", n, "character"); let h = r.depth?t.doc View.dom After Pos(r.before()): t.dom, {focus Node: p, focus Offset: m} = t.dom Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g = p & After Selection Range(), g
!h.contains(p.nodeType==1?p:p.parentNode)||a==p\&\&c==m;try\{l.collapse(u,d),a\&\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)\&l.extend\&(a!=u||c!=d)
&l.extend(a,c)}catch{}return f!=null&&(l.caretBidiLevel=f),g}):r.pos==r.start()||r.pos==r.end()}var
Xa=null,Qa=null,Za=!1;function Yp(t,e,n){return
Xa == e\&Qa == n?Za: (Xa = e,Qa = n,Za = n == "up" | |n == "down"?Jp(t,e,n):Gp(t,e,n))\}var Pe=0,ec=1,Wt=2,qe=3,qt=classes
ss{constructor(e,n,r,o){this.parent=e,this.children=n,this.dom=r,this.contentDOM=o,this.dirty=Pe,r.p
mViewDesc=this\} matchesWidget(e) \{return!1\} matchesMark(e) \{return!1\} matchesNode(e,n,r) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{return!1\} matchesMark(e) \{retu
Hack(e){return!1}parseRule(){return null}stopEvent(e){return!1}get size(){let e=0;for(let
n=0;n<this.children.length;n++)e+=this.children[n].size;return e}get border(){return
0)destroy(){this.parent=void 0,this.dom.pmViewDesc==this&&(this.dom.pmViewDesc=void 0);for(let
e=0;e<this.children.length;e++)this.children[e].destroy()}posBeforeChild(e){for(let
n=0,r=this.posAtStart;;n++){let o=this.children[n];if(o==e)return r;r+=o.size}}get
posBefore(){return this.parent.posBeforeChild(this)}get posAtStart(){return
this.parent?this.parent.posBeforeChild(this)+this.border:0}get posAfter(){return
this.posBefore+this.size}get posAtEnd(){return this.posAtStart+this.size
2*this.border}localPosFromDOM(e,n,r){if(this.contentDOM&&this.contentDOM.contains(e.nodeType==1?e:e.
parentNode))if(r<0){let i,s;if(e==this.contentDOM)i=e.childNodes[n-</pre>
1];else{for(;e.parentNode!=this.contentDOM;)e=e.parentNode;i=e.previousSibling}for(;i&&!((s=i.pmView
Desc)&&s.parent==this);)i=i.previousSibling;return
i?this.posBeforeChild(s)+s.size:this.posAtŠtart}else{let i,s;if(e==this.contentDOM)i=e.childNodes[n]
;else{for(;e.parentNode!=this.contentDOM;)e=e.parentNode;i=e.nextSibling}for(;i&&!((s=i.pmViewDesc)&
&s.parent==this);)i=i.nextSibling;return i?this.posBeforeChild(s):this.posAtEnd}let
o;if(e==this.dom&&this.contentDOM)o=n>ue(this.contentDOM);else if(this.contentDOM&&this.contentDOM!=
this.dom&&this.dom.contains(this.contentDOM))o=e.compareDocumentPosition(this.contentDOM)&2;else
if(this.dom.firstChild) \\ \{if(n==0) for(let i=e;;i=i.parentNode) \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ if(i.previousSibling) \\ break\\ \}if(o==null&an==e.childNodes.length) \\ for(let i=e;;i=i.parentNode) \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ if(i.previousSibling) \\ break\\ \}if(o==null&an==e.childNodes.length) \\ for(let i=e;;i=i.parentNode) \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ if(i.previousSibling) \\ break\\ \}if(o==null&an==e.childNodes.length) \\ for(let i=e;;i=i.parentNode) \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ \{if(i==this.dom) \\ \{o=!1;break\} \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.dom) \\ \{o=:this.d
i=e;;i=i.parentNode){if(i==this.dom){o=!0;break}if(i.nextSibling)break}}return
o??r>0?this.posAtEnd:this.posAtStart}nearestDesc(e,n=!1){for(let r=!0,o=e;o;o=o.parentNode){let i=th
is.getDesc(o), s; if (i\&\&(!n||i.node)) if (r\&\&(s=i.nodeDOM)\&\&!(s.nodeType==1?s.contains(e.nodeType==1?e:e.parentNode): s==e)) r=!1; else return i} getDesc(e) {let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pmViewDesc; for (let n=e.pm
r=n;r;r=r.parent)if(r==this)return n}posFromDOM(e,n,r){for(let o=e;o;o=o.parentNode){let
i=this.getDesc(o);if(i)return i.localPosFromDOM(e,n,r)}return-1}descAt(e){for(let
n=0, r=0; n<this.children.length; n++) {let
o=this.children[n],i=r+o.size;if(r==e&&i!=r){for(;!o.border&&o.children.length;)for(let
s=0; s<0. children.length; s++) {let l=0.children[s]; if(l.size) {0=l; break}} return 0} if(e<i) return 0.desc
At(e-r
o.border); r=i\} \\ domFromPos(e,n) \\ \{if(!this.contentDOM) \\ return\{node:this.dom,offset:0,atom:e+1\}; letformPos(e,n) \\ \{if(!this.dom,offset:0,atom:e+1), atom:e+1\}; letformPos(e,n) 
r=0,o=0; for(let i=0; r< this.children.length; r++){let s=this.children[r], l=i+s.size; if(l>e||s=l) | r=0,o=0; for(let i=0; r< this.children.length; r++){let s=this.children[r], l=i+s.size; if(l>e||s=l) | r=0,o=0; for(let i=0; r< this.children.length; r++){let s=this.children[r], l=i+s.size; if(l>e||s=l) | r=0,o=0; for(let i=0; r< this.children.length; r++){let s=this.children[r], l=i+s.size; if(l>e||s=l) | r=0,o=0; for(let i=0; r< this.children.length; r++){let s=this.children.length; r
instanceof zr){o=e-i;break}i=l}if(o)return
this.children[r].domFromPos(o-this.children[r].border,n);for(let
i; r\&\&!(i=this.children[r-1]).size\&\&i\ instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \{let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; r--); if (n<=0) \} let instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.side>=0; instance of\ Lr\&\&i.s
i, s = !0; for(; i = r?this.children[r-1]: null, !(!i||i.dom.parentNode == this.contentDOM); r--, s = !1); return i \& line for the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution 
\&n\&\&s\&\&!i.border\&\&!i.domAtom?i.domFromPos(i.size,n): \{node:this.contentDOM,offset:i?ue(i.dom)+1:0\}\}el
se{let i,s=!0;for(;i=r<this.children.length?this.children[r]:null,!(!i||i.dom.parentNode==this.conte</pre>
```

```
ntDOM); r++, s=!1); return \ i\&\&s\&\&!i.border\&\&!i.domAtom?i.domFromPos(0,n): \{node:this.contentDOM, offset:i.domAtom?i.domFromPos(0,n): \{node:this.contentDOM, offset:i.domAtomPos(0,n): \{node:this.contentDOM, of
 ?ue(i.dom):this.contentDOM.childNodes.length}}}parseRange(e,n,r=0){if(this.children.length==0)return
{node:this.contentDOM,from:e,to:n,fromOffset:0,toOffset:this.contentDOM.childNodes.length};let
o=-1,i=-1;for(let s=r,l=0;;l++){let a=this.children[l],c=s+a.size;if(o==-1&&e<=c){let u=s+a.border;if(e>=u&&n<=c-a.border&&a.node&&a.contentDOM&&this.contentDOM.contains(a.contentDOM))return
a.parseRange(e,n,u);e=s;for(let d=l;d>0;d--){let f=this.children[d-
1];if(f.size&&f.dom.parentNode==this.contentDOM&&!f.emptyChildAt(1)){o=ue(f.dom)+1;break}e-
=f.size}0=-1&(0=0)}if(0>-1&(c>n)|l==this.children.length-1)){n=c;for(let
u=l+1;u<this.children.length;u++){let d=this.children[u];if(d.size&&d.dom.parentNode==this.contentD0
M&&!d.emptyChildAt(-1)){i=ue(d.dom);break}n+=d.size}i==
1&&(i=this.contentDOM.childNodes.length);break}s=c}return{node:this.contentDOM,from:e,to:n,fromOffse
t:o,toOffset:i}}emptyChildAt(e){if(this.border||!this.contentDOM||!this.children.length)return!1;let
n=this.children[e<0?0:this.children.length-1];return n.size==0||n.emptyChildAt(e)}domAfterPos(e){let
{node:n,offset:r}=this.domFromPos(e,0);if(n.nodeType!=1||r==n.childNodes.length)throw new
RangeError("No node after pos "+e);return n.childNodes[r]}setSelection(e,n,r,o=!1){let
i=Math.min(e,n),s=Math.max(e,n);for(let h=0,p=0;h<this.children.length;h++){let
m=this.children[h],g=p+m.size;if(i>p&&s<g)return
m.setSelection(e-p-m.border,n-p-m.border,r,o);p=q}let l=this.domFromPos(e,e?-
1:1), a=n==e?l:this.domFromPos(n,n?-
1:1), c=r.root.getSelection(), u=r.domSelectionRange(), d=!1; if((Ve||xe)\&\&e=n){let{node:h,offset:p}=l;}
if(h.nodeType==3){if(d=!!(p&&h.nodeValue[p-1]==
   ),d&&p==h.nodeValue.length)for(let m=h,q;m;m=m.parentNode){if(g=m.nextSibling){q.nodeName=="BR"&&(l
=a={node:g.parentNode,offset:ue(g)+1});break}let
y=m.pmViewDesc;if(y&&y.node&&y.node.isBlock)break}}else{let m=h.childNodes[p-1];d=m&&(m.nodeName=="BR"||m.contentEditable=="false")}}if(Ve&&u.focusNode&&u.focusNode!=a.node&&u.f
ocusNode.nodeType==1) \\ \{let \ h=u.focusNode.childNodes[u.focusOffset]; h\&\&h.contentEditable=="false"\&\&(o=b) \\ \{let \ h=u.focusNode.childNodes[u.focusOffset]; h\&\&h.contentEditable=="false"&&(o=b) \\ \{let \ h=u.focusNode.childNodes[u.focusNode]; h\&&h.contentEditable=="false"&&(o=b) \\ \{let \ h=u.focusNode]; h\&&h.contentEditable=="fal
 !0)}if(!(o||d&&xe)&&Jt(l.node,l.offset,u.anchorNode,u.anchorOffset)&&Jt(a.node,a.offset,u.focusNode,
\label{eq:nd} nd(a.node,a.offset), f=!0\} catch\{\}\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setEnd(a.node,a.offset)\} if(!f)\{if(e>n)\{let\ p=1;l=a,a=p\}let\ h=document.createRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.setRange();h.set
d(a.node,a.offset),h.setStart(l.node,l.offset),c.removeAllRanges(),c.addRange(h)}}ignoreMutation(e){
return!this.contentDOM&&e.type!="selection"}get contentLost(){return this.contentDOM&&this.contentDO
M!=this.dom&&!this.dom.contains(this.contentDOM)}markDirty(e,n){for(let
r=0,o=0;o<this.children.length;o++){let
i=this.children[o],s=r+i.size;if(r==s?e<=s&&n>=r:e<s&&n>r){let l=r+i.border,a=s-
i.border; if (e>=l\&\&n==a\&\&(i.contentLost||i.dom.parentNode!=therefore) a contentLost ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNode!=therefore) ||i.dom.parentNo
is.contentDOM)?i.dirty=qe:i.markDirty(e-l,n-l);return}else i.dirty=i.dom==i.contentDOM&&i.dom.parent
Node==this.contentDOM&&!i.children.length?Wt:qe}r=s}this.dirty=Wt}markParentsDirty(){let e=1;for(let
n=this.parent;n;n=n.parent,e++){let r=e==1?Wt:ec;n.dirty<r&&(n.dirty=r)}}get domAtom(){return!1}get
ignoreForCoords() \{ return!1 \} get \ ignoreForSelection() \{ return!1 \} isText(e) \{ return!1 \} \}, Lr=class \ extends \ qt\{constructor(e,n,r,o) \} \{ instance (e,n,r,o) \} \} \} 
o;if(i.parent)return i.parent.posBeforeChild(i)})),!n.type.spec.raw){if(s.nodeType!=1){let l=documen t.createElement("span");l.appendChild(s),s=l}s.contentEditable="false",s.classList.add("ProseMirror-
widget")}super(e,[],s,null),this.widget=n,this.widget=n,i=this}matchesWidget(e){return
this.dirty==Pe&&e.type.eq(this.widget.type)}parseRule(){return{ignore:!0}}stopEvent(e){let
n=this.widget.spec.stopEvent;return n?n(e):!1}ignoreMutation(e){return e.type!="selection"||this.wid
get.spec.ignoreSelection}destroy(){this.widget.type.destroy(this.dom),super.destroy()}get
domAtom(){return!0}get ignoreForSelection(){return!!this.widget.type.spec.relaxedSide}get
side(){return this.widget.type.side}},Ji=class extends
qt{constructor(e,n,r,o){super(e,[],n,null),this.textDOM=r,this.text=o}get size(){return
this.text.length}localPosFromDOM(e,n){return e!=this.textDOM?this.posAtStart+(n?this.size:0):this.po
sAtStart+n}domFromPos(e){return{node:this.textDOM,offset:e}}ignoreMutation(e){return
e.type==="characterData"&&e.target.nodeValue==e.oldValue}},bn=class t extends
qt{constructor(e,n,r,o,i)}{super(e,[],r,o),this.mark=n,this.spec=i}{static create(e,n,r,o)}{let i=o.nod}
eViews[n.type.name], s=i&&i(n,o,r); return(!s||!s.dom)&&(s=it.renderSpec(document,n.type.spec.toDOM(n,o))
r),null,n.attrs)),new t(e,n,s.dom,s.contentDOM||s.dom,s)}parseRule(){return this.dirty&qe||this.mark
 .type.spec.reparseInView?null:{mark:this.mark.type.name,attrs:this.mark.attrs,contentElement:this.co
ntentDOM}}matchesMark(e){return
this.dirty!=qe\&this.mark.eq(e)}markDirty(e,n){if(super.markDirty(e,n),this.dirty!=Pe){let r=this.pa
rent; for(;!r.node;)r=r.parent;r.dirty<this.dirty&((r.dirty=this.dirty),this.dirty=Pe}}slice(e,n,r){l
et o=t.create(this.parent,this.mark,!0,r),i=this.children,s=this.size;n<s&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s,r)),e>0&(i=Xi(i,n,s
i(i,0,e,r)); for(let l=0;l<i.length;l++)i[l].parent=0; return o.children=i,o) ignoreMutation(e) \{return this.spec.ignoreMutation?this.spec.ignoreMutation(e)\} destroy() \{this.spec.des length;l++)i[l].parent=0; return o.children=i,o) ignoreMutation(e) \{return this.spec.ignoreMutation(e)\} destroy() \{this.spec.des length;l++)i[l].parent=0; return o.children=i,o) ignoreMutation(e) \{return this.spec.des length;l++)i[l].parent=0; return o.children=i,o) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) ignoreMutation(e) i
troy&&this.spec.destroy(),super.destroy()}},At=class t extends qt{constructor(e,n,r,o,i,s,l,a,c){sup}
er(e,[],i,s),this.node=n,this.outerDeco=r,this.innerDeco=o,this.nodeDOM=l}static
create(e,n,r,o,i,s) {let l=i.nodeViews[n.type.name],a,c=l&&l(n,i,()=>{if(!a)return}
s;if(a.parent)return a.parent.posBeforeChild(a)},r,o),u=c&&c.dom,d=c&&c.contentDOM;if(n.isText){if(!u)u=document.createTextNode(n.text);else if(u.nodeType!=3)throw new RangeError("Text must be
rendered as a DOM text node")}else u||({dom:u,contentDOM:d}=it.renderSpec(document,n.type.spec.toDOM (n),null,n.attrs));!d&&!n.isText&&u.nodeName!="BR"&&(u.hasAttribute("contenteditable")||(u.contentEd
itable="false"), n.type.spec.draggable&&(u.draggable=!0)); let f=u; return u=Bc(u,r,n), c?a=new
qi(e,n,r,o,u,d)|null,f,c,i,s+1):n.isText?new Br(e,n,r,o,u,f,i):new
t(e,n,r,o,u,d||null,f,i,s+1)parseRule(){if(this.node.type.spec.reparseInView)return null;let e={node.type.spec.reparseInView}
e:this.node.type.name,attrs:this.node.attrs};if(this.node.type.whitespace=="pre"&&(e.preserveWhitespace=="pre")
```

```
ace="full"),!this.contentDOM)e.getContent=()=>this.node.content;else
 if(!this.contentLost)e.contentElement=this.contentDOM;else{for(let
 n=this.children.length-1;n>=0;n--){let r=this.children[n];if(this.dom.contains(r.dom.parentNode)){e.
 contentElement=r.dom.parentNode;break}}e.contentElement||(e.getContent=()=>w.empty)}return
 e}matchesNode(e,n,r){return
 this.dirty==Pe&&e.eq(this.node)&&Hr(n,this.outerDeco)&&r.eq(this.innerDeco)}get size(){return
 this.node.nodeSize}get border(){return this.node.isLeaf?0:1}updateChildren(e,n){let r=this.node.inli
 neContent,o=n,i=e.composing?this.localCompositionInfo(e,n):null,s=i&&i.pos>
 1?i:null, l=i\&\&i.pos<0, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks?, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks?, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks?, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks?, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks?, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks?, a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks., a=new Yi(this, s\&\&s.node, e); em(this.node, this.innerDeco, (c,u,d)=>\{c.spec.marks., a=new Yi(this, s\&\&s.node, e); em(this.node, this.node, a.syncToMarks (c.spec.marks,r,e): c.type.side >= 0 \& \& d \& \& a.syncToMarks (u==this.node.childCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount?V.none:thildCount.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.Count.
 s.node.child(u).marks,r,e), a.placeWidget(c,e,o)}, (c,u,d,f) => \{a.syncToMarks(c.marks,r,e); let h; a.find
 NodeMatch(c,u,d,f)||l&&e.state.selection.from>o&&e.state.selection.to<o+c.nodeSize&&(h=a.findIndexWi
 thChild(i.node))>
 1\&\& a.updateNode(c,u,d,h,e) \mid |a.updateNextNode(c,u,d,e,f,o)| |a.addNode(c,u,d,e,o),o+=c.nodeSize\}), a.updateNextNode(c,u,d,e,f,o)| |a.addNode(c,u,d,e,o),o+=c.nodeSize), a.updateNextNode(c,u,d,e,f,o)| |a.addNode(c,u,d,e,o),o+=c.nodeSize), a.updateNextNode(c,u,d,e,f,o)| |a.addNode(c,u,d,e,o),o+=c.nodeSize), a.updateNextNode(c,u,d,e,f,o)| |a.addNode(c,u,d,e,o),o+=c.nodeSize), a.updateNextNode(c,u,d,e,f,o)| |a.addNode(c,u,d,e,o),o+=c.nodeSize), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.updateNextNode(c,u,d,e,o), a.u
 syncToMarks([],r,e), this.node.isTextblock&&a.addTextblockHacks(),a.destroyRest(),(a.changed||this.di
 rty==Wt)\&\&(s\&\&this.protectLocalComposition(e,s),Ic(this.contentDOM,this.children,e),yn\&\&tm(this.dom)
  ))\int (e.state.selection) \int (e,n) \left\{ from: r, to: 0} = e.state.selection; if (! (e.state.selection instance of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
 A)||r<n||o>n+this.node.content.size)return null;let
i=e.input.compositionNode;if(!i||!this.dom.contains(i.parentNode))return
null;if(this.node.inlineContent){let s=i.nodeValue,l=nm(this.node.content,s,r-n,o-n);return
 l<0?null:{node:i,pos:l,text:s}}else return{node:i,pos:-</pre>
                                                  }}protectLocalComposition(e,{node:n,pos:r,text:o}){if(this.getDesc(n))return;let i=n;for(;i
    .parentNode!=this.contentDOM;i=i.parentNode){for(;i.previousSibling;)i.parentNode.removeChild(i.prev
iousSibling);for(;i.nextSibling;)i.parentNode.removeChild(i.nextSibling);i.pmViewDesc&&(i.pmViewDesc = void 0)}let s=new Ji(this,i,n,o);e.input.compositionNodes.push(s),this.children=Xi(this.children,r,
 r+o.length,e,s)\} update(e,n,r,o) \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMarkup(this.node)?!1:(this.updateInner.org)\} \\ \{return\ this.dirty==qe||!e.sameMa
    (e,n,r,o),!0)}updateInner(e,n,r,o){this.updateOuterDeco(n),this.node=e,this.innerDeco=r,this.content
 DOM&&this.updateChildren(o,this.posAtStart),this.dirty=Pe}updateOuterDeco(e){if(Hr(e,this.outerDeco)
)return; let n=this.nodeDOM.nodeType!=1,r=this.dom; this.dom=Lc(this.dom,this.nodeDOM,Gi(this.outerDeco,this.node,n),Gi(e,this.node,n)),this.dom!=r&&(r.pmViewDesc=void 0,this.dom.pmViewDesc=this),this.outerDeco=e}selectNode(){this.nodeDOM.nodeType==1&&this.nodeDOM.classList.add("ProseMirror-selectedno")
 nodeDOM.nodeType==1&&(this.nodeDOM.classList.remove("ProseMirror-selectednode"),(this.contentDOM||!t
 his.node.type.spec.draggable)&&this.dom.removeAttribute("draggable"))}get domAtom(){return
 this.node.isAtom}}; function tc(t,e,n,r,o)\{Bc(r,e,t);let i=new At(void 0,t,e,n,r,r,o,0);return to the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state
i.contentDOM&&i.updateChildren(o,0),i}var Br=class t extends
At{constructor(e,n,r,o,i,s,l)}super(e,n,r,o,i,null,s,l,0)}parseRule(){let e=this.nodeDOM.parentNode;
 for(;e\&\&e!=this.dom\&\&!e.pmIsDeco;)e=e.parentNode;return\{skip:e||!0\}\}update(e,n,r,o)\{return\ this.dirter(e,n,r,o)\}update(e,n,r,o)\}update(e,n,r,o)
 y==qe||this.dirty!=Pe&&!this.inParent()||!e.sameMarkup(this.node)?!1:(this.updateOuterDeco(n),(this.
 dirty!=Pe||e.text!=this.node.text)&&e.text!=this.nodeDOM.nodeValue&&(this.nodeDOM.nodeValue=e.text,o
    trackWrites==this.nodeDOM&&(o.trackWrites=null)),this.node=e,this.dirty=Pe,!0)}inParent(){let
 e=this.parent.contentDOM;for(let n=this.nodeDOM;n;n=n.parentNode)if(n==e)return!0;return!1}domFromPo
 s(e) \{ return \{ node: this.nodeDOM, offset: e \} \} local PosFromDOM (e,n,r) \{ return \ e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.nodeDOM? this.posAtStarrow e == this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.nodeDOM? this.n
 t+Math.min(n,this.node.text.length):super.localPosFromDOM(e,n,r)}ignoreMutation(e){return
 e.type!="characterData"&&e.type!="selection"}slice(e,n,r){let
\label{eq:many_property} M.nodeValue.length) \& (this.dirty=qe) \\ \ensuremath{\mbox{get}} domAtom() \\ \ensuremath{\mbox{freturn}!1} \\ \ensuremath{\mbox{is}} Text(e) \\ \ensuremath{\mbox{freturn}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ \ensuremath{\mbox{constraint}} \\ 
 this.node.text==e}},zr=class extends qt{parseRule(){return{ignore:!0}}matchesHack(e){return
 this.dirty==Pe&&this.dom.nodeName==e}qet domAtom(){return!0}qet ignoreForCoords(){return
 this.dom.nodeName=="IMG"}},qi=class extends At{constructor(e,n,r,o,i,s,l,a,c,u){super(e,n,r,o,i,s,l,c,u),this.spec=a}update(e,n,r,o){if(this.dirty==qe)return!1;if(this.spec.update&(this.node.type==e.this.spec.update&(this.spec.update)
 type||this.spec.multiType)){let i=this.spec.update(e,n,r);return i&&this.updateInner(e,n,r,o),i}else
 return!this.contentDOM&&!e.isLeaf?!1:super.update(e,n,r,o)}selectNode(){this.spec.selectNode?this.sp
 ec.selectNode():super.selectNode()}deselectNode(){this.spec.deselectNode?this.spec.deselectNode():su
 per.deselectNode()}setSelection(e,n,r,o){this.spec.setSelection?this.spec.setSelection(e,n,r.root):s
 uper.setSelection(e,n,r,o)}destroy(){this.spec.destroy&this.spec.destroy(),super.destroy()}stopEven
 t(e){return this.spec.stopEvent?this.spec.stopEvent(e):!1}ignoreMutation(e){return
 this.spec.ignoreMutation?this.spec.ignoreMutation(e):super.ignoreMutation(e)}};function
 Ic(t,e,n){let r=t.firstChild,o=!1;for(let i=0;i<e.length;i++){let</pre>
 s=e[i],l=s.dom;if(l.parentNode==t){for(;l!=r;)r=nc(r),o=!0;r=r.nextSibling}else
 o=!0,t.insertBefore(l,r);if(s instanceof bn){let a=r?r.previousSibling:t.lastChild;Ic(s.contentDOM,s
    . children, n) \ , r=a?a.nextSibling:t.firstChild\} \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&(n.trackWrites) \\ for(;r;)r=nc(r) \ , o=!0; o\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&\&n.trackWrites==t\&
 s=null)\} var \_n=function(t) \{t \& \& (this.nodeName=t)\}; \_n.prototype=0 bject.create(null); var \_t=[newline function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), function(t), f
      n; function Gi(t,e,n) {if(t.length==0)return t;let r=n? t[0]:new n,o=[r]; for(let
 i=0; i<t.length; i++) {let s=t[i]. type.attrs; if(s) {s.nodeName\&o.push(r=new n(s.nodeName)); for(let l
 in s){let a=s[l];a!=null\&\&(n\&\&o.length==1\&\&o.push(r=new)
      \begin{array}{ll} \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign} & \text{Sign}
 Lc(t,e,n,r)\{if(n==t\&\&r==t) return \ e; let \ o=e; for(let \ i=0; i< r.length; i++) \{let \ s=r[i],l=n[i]; if(i) \{let \ s=r[i],l=n[i]; if(i)\} \}
 a; l&&l.nodeName==s.nodeName&&o!=t&&(a=o.parentNode)&&a.nodeName.toLowerCase()==s.nodeName||(a=docume
\label{thm:condensation} $$ \text{nt.createElement}(s.nodeName),a.pmIsDeco=!0,a.appendChild(o),l=_t[0]),o=a}Xp(o,l||_t[0],s)$ return of the time of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of the condensation of
```

```
n)&&t.removeAttribute(r);for(let r in
n)r! = "class" \& r! = "style" \& r! = "nodeName" \& n[r]! = e[r] \& t.setAttribute(r,n[r]); if(e.class! = n.class) \{ letal expression of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
r=e.class?e.class.split(" ").filter(Boolean):[],o=n.class?n.class.split(
  ").filter(Boolean):[];for(let
i=0;i< r.length;i++)o.index0f(r[i])=-1&&t.classList.remove(r[i]);for(let i=0;i< o.length;i++)r.index0
f(o[i])==-
1&&t.classList.add(o[i]);t.classList.length==0&&t.removeAttribute("class")}if(e.style!=n.style){if(e
   .style){let r=/\s^*([\w\-\xa1-
\uffff]+)\s*:(?:"(?:\\.|[^"])*"|'(?:\\.|[^'])*'|\(.*?\)|[^;])*/g,o;for(;o=r.exec(e.style);)t.style.r
emoveProperty(o[1])}n.style&&(t.style.cssText+=n.style)}}function Bc(t,e,n){return
Lc(t,t, t,Gi(e,n,t.nodeType!=1))}function Hr(t,e){if(t.length!=e.length)return!1;for(let
n=0; n< t.length; n++) if(!t[n].type.eq(e[n].type)) return!1; return!0} function <math>nc(t){let
e=t.nextSibling;return t.parentNode.removeChild(t),e}var Yi=class{constructor(e,n,r){this.lock=n,thi
s.view=r,this.index=0,this.stack=[],this.changed=!1,this.top=e,this.preMatch=Qp(e.node.content,e)}de
stroyBetween(e,n){if(e!=n){for(let r=e;r<n;r++)this.top.children[r].destroy();this.top.children.spli</pre>
ce(e.n-
e),this.changed=!0}}destroyRest(){this.destroyBetween(this.index,this.top.children.length)}syncToMar
ks(e,n,r) {let o=0,i=this.stack.length>>1,s=Math.min(i,e.length); for(;o<s\&\&(o==i-
1?this.top:this.stack[o+1<<1]).matchesMark(e[o])&&e[o].type.spec.spanning!==!1;)o++;for(;o<i;)this.d
estroyRest(), this.top.dirty=Pe, this.index=this.stack.pop(), this.top=this.stack.pop(),i--;for(;i<e.length;){this.stack.push(this.top,this.index+1);let l=-1;for(let
a=this.index;a<Math.min(this.index+3,this.top.children.length);a++){let c=this.top.children[a];if(c.
matchesMark(e[i])&&!this.isLocked(c.dom)){l=a;break}}if(l>
1) l>this.index&&(this.changed=!0,this.destroyBetween(this.index,l)),this.top=this.top.children[this.
index];else{let a=bn.create(this.top,e[i],n,r);this.top.children.splice(this.index,0,a),this.top=a,t
his.changed=!0}this.index=0,i++}}findNodeMatch(e,n,r,o){let i=-
1,s;if(o>=this.preMatch.index&&(s=this.preMatch.matches[o-
this.preMatch.index]).parent == this.top\&\&s.matchesNode(e,n,r)) i = this.top.children.index0f(s,this.index) is the first of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of 
x);else for(let l=this.index,a=Math.min(this.top.children.length,l+5);l<a;l++){let
c=this.top.children[l];if(c.matchesNode(e,n,r)&&!this.preMatch.matched.has(c))\{i=1;break\}}return
i<0?!1:(this.destroyBetween(this.index,i),this.index++,!0)}updateNodeAt(e,n,r,o,i){let
s=this.top.children[o];return s.dirty==qe&&s.dom==s.contentDOM&&(s.dirty=Wt),s.update(e,n,r,i)?(this</pre>
   .destroyBetween(this.index,o),this.index++,!0):!1}findIndexWithChild(e){for(;;){let
n=e.parentNode; if(!n) return-1; if(n==this.top.contentDOM) {let r=e.pmViewDesc; if(r) {for(let return to the contentDOM) } } } 
o=this.index;o<this.top.children.length;o++)if(this.top.children[o]==r)return
o}return-1}e=n}}updateNextNode(e,n,r,o,i,s){for(let l=this.index;l<this.top.children.length;l++){let a=this.top.children[l];if(a instanceof At){let
 \texttt{c=this.preMatch.matched.get(a);} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)\&\&!(e.isTexatched.get(a));} if (\texttt{c}!=\texttt{null\&\&c}!=\texttt{i}) \texttt{return!1;} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.isLocked(u)} let \ \texttt{u=a.dom,d,f=this.
te(e,n,r,o)) return\ this.destroyBetween(this.index,l), a.dom!=u\&\&(this.changed=!0), this.index++,!0; if(a,n,r,o)) return\ this.destroyBetween(this.index,l), a.dom!=u\&\&(this.changed=!0), this.destroyBetween(this.index,l), a.dom!=u\&\&(this.changed=!0), this.destroyBetween(this.index,l), a.dom!=u\&\&(this.changed=!0), this.destroyBetween(this.changed=!0), this.destroyBetween(this.ch
   f&&(d=this.recreateWrapper(a,e,n,r,o,s)))return this.destroyBetween(this.index,l),this.top.children!
 [this.index]=d,d.contentDOM&&(d.dirty=Wt,d.updateChildren(o,s+1),d.dirty=Pe),this.changed=!0,this.in
dex++,!0;break}}return!1}recreateWrapper(e,n,r,o,i,s){if(e.dirty||n.isAtom||!e.children.length||!e.n
ode.content.eq(n.content)||!Hr(r,e.outerDeco)||!o.eq(e.innerDeco))return null;let
l=At.create(this.top,n,r,o,i,s); if (l.contentDOM) \{l.children=e.children,e.children=[]; for (let\ a\ of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the 
l.children)a.parent=l}return e.destroy(),l}addNode(e,n,r,o,i){let s=At.create(this.top,e,n,r,o,i);s.
content DOM\&\&s.update Children(o,i+1), this.top.children.splice(this.index++,0,s), this.changed=!0 \} place Widget(e,n,r) \\ \{let o=this.index<this.top.children.length?this.top.children[this.index]:null; if (o&&o.m) \\ \{let o=this.index<this.top.children.length?this.top.children[this.index]:null; if (o&&o.m) \\ \{let o=this.index<this.top.children.length?this.top.children[this.index]:null; if (o&&o.m) \\ \{let o=this.index<this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length?this.top.children.length
atchesWidget(e)&&(e==o.widget||!o.widget.type.toDOM.parentNode))this.index++;else{let i=new Lr(this.
top,e,n,r);this.top.children.splice(this.index++,0,i),this.changed=!0}}addTextblockHacks(){let
e=this.top.children[this.index-1],n=this.top;for(;e instanceof
bn;)n=e,e=n.children[n.children.length-1];(!e||!(e instanceof Br)||/\n∏/.test(e.node.text)||this.vie
w. requires Gecko Hack Node \& \& / \s | / . test (e.node.text)) \& ((xe||ge) \& \& \& e.dom. content Editable == "false" \& \& thing the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
s.addHackNode("IMG",n),this.addHackNode("BR",this.top))}addHackNode(e,n){if(n==this.top&&this.index<
\verb|n.children.length\&&n.children[this.index].matchesHack(e)|| this.index++; else{let matchesHack(e)||} \\
r=document.createElement(e);e=="IMG"&&(r.className="ProseMirror-
separator",r.alt=""),e=="BR"&&(r.className="ProseMirror-trailingBreak");let o=new zr(this.top,[],r,n
ull);n!=this.top?n.children.push(o):n.children.splice(this.index++,0,0),this.changed=!0}}isLocked(e)
 \{ return \ this.lock \& (e==this.lock | | e.nodeType==1 \& e.contains (this.lock.parentNode)) \} \}; function \} 
Qp(t,e) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childCount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. children. length, o=t. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>0;) \{ let \ n=e, r=n. childcount, i=new \ Map, s=[]; e: for(;o>
l;for(;;)if(r){let c=n.children[r-1];if(c instanceof
bn)n=c,r=c.children.length;else{l=c,r--;break}}else{if(n==e)break
e;r=n.parent.children.indexOf(n),n=n.parent}let a=l.node;if(a){if(a!=t.child(o-1))break;--
o, i.set(l, o), s.push(l)\} \\ return\{index: o, matched: i, matches: s.reverse()\} \\ function \ Zp(t, e)\{returned: i, matches: s.reverse(), the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of
t.type.side-e.type.side\}function em(t,e,n,r){let o=e.locals(t),i=0;if(o.length==0){for(let c=0;c<t.childCount;c++){let u=t.child(c);r(u,o,e.forChild(i,u),c),i+=u.nodeSize}return}let
s=0,l=[],a=null;for(let c=0;;){let u,d;for(;s<o.length&&o[s].to==i;){let s++];g.widget\&\&(u?(d||(d=[u])).push(g):u=g)}if(u)if(d){d.sort(Zp);for(let}
g=0;g<d.length;g++)n(d[g],c,!!a)else n(u,c,!!a);let f,h;if(a)h=-1,f=a,a=null;else
if(c<t.childCount) \\ h=c, \\ f=t.child(c++); \\ else break; \\ for(let g=0; \\ g<l.length; \\ g++)\\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].to<=i&&l.splice(g--1) \\ l[g].t
   ,1);for(;s<o.length&&o[s].from<=i&&o[s].to>i;)l.push(o[s++]);let p=i+f.nodeSize;if(f.isText){let
g=p; s<o.length\&\&o[s].from<g\&\&(g=o[s].from); for(let)
y=0;y<1.length;y++)l[y].to<g&&(g=l[y].to);g<p&&(a=f.cut(g-i),f=f.cut(0,g-i),p=g,h=-1)}else
```

```
for(;s<o.length&&o[s].to<p;)s++;let</pre>
square !important", window.getComputedStyle(t).listStyle,t.style.cssText=e}}function
 nm(t,e,n,r) {for(let o=0,i=0;o<t.childCount&&i<=r;) {let
 s=t.child(o++),l=i;if(i+=s.nodeSize,!s.isText)continue;let a=s.text;for(;o<t.childCount;){let c=t.ch</pre>
  ild(o++); if(i+=c.nodeSize,!c.isText)break; a+=c.text\}if(i>=n){if(i>=r&&a.slice(r-e.length-l,r-algebrase)}
 l)=e) return r-e.length; let c=l<r?a.lastIndex0f(e,r-l-1):-1; if(c>=0&&c+e.length+l>=n) return
 l+c; if (n==r\&\&a.length>=r+e.length-l\&\&a.slice(r-l,r-l+e.length)==e) return \ r\} \\ return-1 \\ function \\ l+c; if (n==r\&\&a.length>=r+e.length-l\&\&a.slice(r-l,r-l+e.length)==e) \\ return \ r\} \\ return-1 \\ function \\ return-1 \\ function \\ return-1 \\ function \\ return-1 \\ function \\ return-1 \\ function \\ return-1 \\ function \\ return-1 \\ function \\ return-1 \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ function \\ functi
 Xi(t,e,n,r,o){let i=[];for(let s=0, l=0; s< t.length; s++){let
 a=t[s], c=l, u=l+=a.size; c>=n||u<=e?i.push(a):(c<e&i.push(a.slice(0,e-c,r)),o&(i.push(o),o=void)|
 0),u>n&&i.push(a.slice(n-c,a.size,r)))}return i}function cs(t,e=null){let
 n=t.domSelectionRange(),r=t.state.doc;if(!n.focusNode)return null;let o=t.docView.nearestDesc(n.focu
 sNode), i=o\&\&o.size==0, s=t.docView.posFromDOM(n.focusNode,n.focusOffset,1); if (s<0) return null; let the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute 
 l=r.resolve(s), a, c; if(Kr(n)) \{for(a=s; o\&\&!o.node;)o=o.parent; let d=o.node; if(o\&\&d.isAtom\&\&O.isSelectal)\} \} = r.resolve(s), a, c; if(Kr(n)) \{for(a=s; o\&\&!o.node;)o=o.parent; let d=o.node; if(o\&\&d.isAtom\&\&O.isSelectal)\} \} = r.resolve(s), a, c; if(Kr(n)) \{for(a=s; o\&\&!o.node;)o=o.parent; let d=o.node; if(o\&\&d.isAtom\&\&O.isSelectal)\} \} = r.resolve(s), a, c; if(Kr(n)) \{for(a=s; o\&\&!o.node;)o=o.parent; let d=o.node; if(o\&\&d.isAtom\&\&O.isSelectal)\} \} = r.resolve(s), a, c; if(Kr(n)) \{for(a=s; o\&\&!o.node;)o=o.parent; let d=o.node; if(o\&\&d.isAtom\&\&O.isSelectal)\} \} = r.resolve(s), a, c; if(Kr(n)) \{for(a=s; o\&\&!o.node;)o=o.parent; let d=o.node; if(o\&\&d.isAtom\&\&O.isSelectal)\} \} = r.resolve(s), a, c; if(o\&\&d.isAtom\&AO.isSelectal)\} \} = r.resolve(s), a, c; if(o\&\&d.isAtom\&AO.isSelectal)\} = r.resolve(s), a, c; if(o\&AO.isSelectal)\} = r.resolve(s), a, c; if(oAO.isSelectal)\} = r.resolve(s), a, c; if
 ble(d)\&\&o.parent\&\&!(d.isInline\&\&Rp(n.focusNode,n.focusOffset,o.dom))) \\ \{let f=o.posBefore; c=new, focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focusOffset,o.dom), focus
 0(s==f?l:r.resolve(f))}}else{if(n instanceof
 t.dom.ownerDocument.defaultView.Selection&&n.rangeCount>1){let d=s,f=s;for(let
h=0;h<n.rangeCount;h++){let p=n.getRangeAt(h);d=Math.min(d,t.docView.posFromDOM(p.startContainer,p.startOffset,1)),f=Math.max(f,t.docView.posFromDOM(p.endContainer,p.endOffset,-1))}if(d<0)return
 null;[a,s]=f==t.state.selection.anchor?[f,d]:[d,f],l=r.resolve(s)}else
 a=t.docView.posFromDOM(n.anchorNode,n.anchorOffset,1);if(a<0)return null}let
 u=r.resolve(a); if(!c){let d=e==pointer=|t.state.selection.head<1.pos&\(\frac{1}{2}\)!:-1; <math>c=us(t,u,l,d)} return
 c}function zc(t){return t.editable?t.hasFocus():Fc(t)&&document.activeElement&&document.activeElemen
 t.contains(t.dom) function ft(t,e=!1) {let n=t.state.selection; if(Hc(t,n),!!zc(t)) { if(!e\&t.input.mou)
 seDown&t.input.mouseDown.allowDefault&&ge){let r=t.domSelectionRange(),o=t.domObserver.currentSelec
 tion; if (r.anchorNode \& o.anchorNode \& Jt (r.anchorNode, r.anchorOffset, o.anchorNode, o.anchorOffset)) \{t.inchorNode, r.anchorOffset, o.anchorNode, , o.anchorNode, r.anchorOffset, o.anchorOffset, o.anchorNode, r.anchorOffset, o.anchorNode, r.anchorOffset, o.anchorNode, r.anchorOffset, o.anchorNode, r.anchorOffset, o.anchorNode, r.anchorOffset, o.anchorNode, r.anchorNode, ut.mouseDown.delayedSelectionSync=!0,t.domObserver.setCurSelection();return}}if(t.domObserver.disc
 onnectSelection(),t.cursorWrapper)om(t);else{let{anchor:r,head:o}=n,i,s;rc&&!(n instanceof A)&&(n.∏f
 rom.parent.inlineContent||(i=oc(t,n.from)),!n.empty&&!n.□from.parent.inlineContent&&(s=oc(t,n.to))),
t.docView.setSelection(r,o,t,e),rc\&\&(i\&\&ic(i),s\&\&ic(s)),n.visible?t.dom.classList.remove("ProseMirror-hideselection"):(t.dom.classList.add("ProseMirror-hideselection"),"onselectionchange"in
 document\&right f(t)) the domoin the document ext{domoin} f(t) the document ext{domoin} f(t) the document ext{domoin} f(t) the document ext{domoin} f(t) the document ext{domoin} f(t) the document ext{domoin} f(t) the document ext{domoin} f(t) the domoin ext{domoin} f(t) the document ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext{domoin} f(t) the domoin ext
 rc=xe||ge\&Ac<63; function oc(t,e)\{let\{node:n,offset:r\}=t.docView.domFromPos(e,0),o=r<n.childNodes.le
 ngth?n.childNodes[r]:null,i=r?n.childNodes[r-1]:null;if(xe&&o&contentEditable=="false")return
 Fi(o); if((!o||o.contentEditable=="false")\&\&(!i||i.contentEditable=="false")) \\ \{if(o) \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \ returnded \
 Fi(o);if(i)return Fi(i)}}function Fi(t){return
t.contentEditable="true",xe&&t.draggable&&(t.draggable=!1,t.wasDraggable=!0),t}function
ic(t){t.contentEditable="false",t.wasDraggable&&(t.draggable=!0,t.wasDraggable=null)}function
ent.dom.ownerDocument;e.removeEventListener("selectionchange",t.input.hideSelectionGuard);let n=t.domSelectionRange(),r=n.anchorNode,o=n.anchorOffset;e.addEventListener("selectionchange",t.input.hideS
 electionGuard = () = > \{(n.anchorNode! = r | | n.anchorOffset! = 0) \& (e.removeEventListener("selectionchange", t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., t.e., 
 input.hideSelectionGuard), setTimeout(()=>\{(!zc(t)||t.state.selection.visible)\&t.dom.classList.remov\}
 e("ProseMirror-hideselection")},20))})}function om(t){let
 e=t.domSelection(),n=document.createRange();if(!e)return;let r=t.cursorWrapper.dom,o=r.nodeName=="IM
 G";o?n.setStart(r.parentNode,ue(r)+1):n.setStart(r,0),n.collapse(!0),e.removeAllRanges(),e.addRange(
n),!o&&!t.state.selection.visible&&ke&&Tt<=11&&(r.disabled=!0,r.disabled=!1)}function Hc(t,e){if(e instanceof 0){let n=t.docView.descAt(e.from);n!=t.lastSelectedViewDesc&&(sc(t),n&&n.selectNode(),t.l
 ent&&t.lastSelectedViewDesc.deselectNode(),t.lastSelectedViewDesc=void 0)}function
 us(t,e,n,r){return t.someProp("createSelectionBetween",o=>o(t,e,n))||A.between(e,n,r)}function
 lc(t){return t.editable&&!t.hasFocus()?!1:Fc(t)}function Fc(t){let
 e=t.domSelectionRange();if(!e.anchorNode)return!1;try{return t.dom.contains(e.anchorNode.nodeType==3
 ?e.anchorNode.parentNode:e.anchorNode)&&(t.editable||t.dom.contains(e.focusNode.nodeType==3?e.focusN
 ode.parentNode:e.focusNode))}catch{return!1}}function im(t){let
 e=t.docView.domFromPos(t.state.selection.anchor,0),n=t.domSelectionRange();return
 o=e>0?n.max(r):n.min(r),i=o.parent.inlineContent?o.depth?t.doc.resolve(e>0?o.after():o.before()):nul
 l:o;return i&&E.findFrom(i,e)}function Mt(t,e){return
 t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ function ac(t,e,n) \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ function ac(t,e,n) \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView()), !0 \\ \{letale t.dispatch(t.state.tr.setSelection(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIntoView(e).scrollIn
 r=t.state.selection;if(r instanceof A)if(n.indexOf("s")>-
 1){let{[head:o}=r,i=o.textOffset?null:e<0?o.nodeBefore:o.nodeAfter;if(!i||i.isText||!i.isLeaf)return
!1;let s=t.state.doc.resolve(o.pos+i.nodeSize*(e<0?-1:1));return Mt(t,new A(r. \_anchor,s))}else if(r.empty){if(t.endOfTextblock(e>0?"forward":"backward")){let o=Qi(t.state,e);return o&&o instanceof 0?Mt(t,o):!1}else if(!(Re&&n.indexOf("m")>-1)){let
 o=r.∏head,i=o.textOffset?null:e<0?o.nodeBefore:o.nodeAfter,s;if(!i||i.isText)return!1;let
 l=e<0?o.pos-i.nodeSize:o.pos;return
 i.isAtom||(s=t.docView.descAt(l))&&!s.contentDOM?O.isSelectable(i)?Mt(t,new
O(e<0?t.state.doc.resolve(o.pos-i.nodeSize):o)):Yn?Mt(t,new
A(t.state.doc.resolve(e<0?l:l+i.nodeSize))):!1:!1}}else return!1;else{if(r instanceof</pre>
 0\&\&r.node.isInline) return Mt(t,new\ A(e>0?r. \Box to:r. \Box from)); {let o=0i(t.state,e); return
 o?Mt(t,o):!1}}}function Fr(t){return t.nodeType==3?t.nodeValue.length:t.childNodes.length}function
```

```
jn(t,e){let n=t.pmViewDesc;return n&&n.size==0&&(e<0||t.nextSibling||t.nodeName!="BR")}function
hn(t,e){return e<0?sm(t):lm(t)}function sm(t){let</pre>
e=t.domSelectionRange(),n=e.focusNode,r=e.focusOffset;if(!n)return;let o,i,s=!1;for(Ve&&n.nodeType==
l=n.childNodes[r-1]; if(jn(l,-1))o=n, i=--r; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValue.length; else if(l.nodeType==3)n=l, r=n.nodeValu
break}}else{if(□c(n))break;{let l=n.previousSibling;for(;l&&jn(l,-
1);)o=n.parentNode,i=ue(l),l=l.previousSibling;if(l)n=l,r=Fr(n);else{if(n=n.parentNode,n==t.dom)brea
k;r=0}}s?Zi(t,n,r):o&&Zi(t,o,i)}function lm(t){let
e=t.domSelectionRange(), n=e.focusNode, r=e.focusOffset;if(!n)return;let
o=Fr(n),i,s;for(;;)if(r<o){if(n.nodeType!=1)break;let l=n.childNodes[r];if(jn(l,1))i=n,s=++r;else</pre>
break}else{if(\( \)c(n)\)break;{let l=n.nextSibling;for(;\l&\)jn(\( \, 1\);)i=l.parentNode,s=ue(\l)+1,\l=\l.nextSib
ling; if(l) = l, r=0, o=Fr(n); else \{if(n=n.parentNode, n=\pm.dom)break; r=o=0\}\}i\&\&Zi(t,i,s)\} function
\Box c(t) {let e=t.pmViewDesc; return e&&e.node&&e.node.isBlock} function am(t,e) {for(;t&&e==t.childNodes.l
ength&&!Gn(t);)e=ue(t)+1,t=t.parentNode;for(;t&&e<t.childNodes.length;){let
n=t.childNodes[e];if(n.nodeType==3)return
n;if(n.nodeType==1&&n.contentEditable=="false")break;t=n,e=0}}function
cm(t,e)\{for(;t\&\&!e\&\&!Gn(t);)e=ue(t),t=t.parentNode;for(;t\&\&e;)\{let
n=t.childNodes[e-1];if(n.nodeType==3)return
n;if(n.nodeType==1&&n.contentEditable=="false")break;t=n,e=t.childNodes.length}}function
Zi(t,e,n){if(e.nodeType!=3){let
i,s;(s=am(e,n))?(e=s,n=0):(i=cm(e,n))\&\&(e=i,n=i.nodeValue.length)\}let\\ r=t.domSelection();if(!r)return;if(Kr(r))\{let
i=document.createRange();i.setEnd(e,n),i.setStart(e,n),r.removeAllRanges(),r.addRange(i)}else r.exte
nd&&r.extend(e,n);t.domObserver.setCurSelection();let{state:o}=t;setTimeout(()=>{t.state==o&&ft(t)},
50)}function cc(t,e){let n=t.state.doc.resolve(e);if(!(ge||Ip)&&n.parent.inlineContent){let
o=t.coordsAtPos(e);if(e>n.start()){let
i=t.coordsAtPos(e-1), s=(i.top+i.bottom)/2; if(s>o.top\&&s<o.bottom\&\&Math.abs(i.left-o.left)>1) return i.left<o.left?"ltr":"rtl"} if(e<n.end()) {let}
i=t.coordsAtPos(e+1),s=(i.top+i.bottom)/2;if(s>o.top&&s<o.bottom&&Math.abs(i.left-o.left)>1)return i.left>o.left?"ltr":"rtl"}}return getComputedStyle(t.dom).direction=="rtl"?"rtl":"ltr"}function
uc(t,e,n){let r=t.state.selection;if(r instanceof A&&!r.empty||n.indexOf("s")>-
1||Re&&n.indexOf("m")>-
1)return!1;let{\( from: o, \( to: i \) = r;if(\( !o. parent.inlineContent | | t.endOfTextblock(\( e< 0?"up": "down"))\{ let
s=Qi(t.state,e); if (s\&\&s instanceof 0) return Mt(t,s) if (!o.parent.inlineContent) {let s=e<0?o:i,l=r
instanceof be?E.near(s,e):E.findFrom(s,e);return l?Mt(t,l):!1}return!1}function
dc(t,e){if(!(t.state.selection instanceof A))return!0;let{[]head:n,[]anchor:r,empty:o}=t.state.selecti
on;if(!n.sameParent(r))return!0;if(!o)return!1;if(t.endOfTextblock(e>0?"forward":"backward"))return!
0;let i=!n.textOffset&&(e<0?n.nodeBefore:n.nodeAfter);if(i&&!i.isText){let s=t.state.tr;return e<0?s.delete(n.pos-i.nodeSize,n.pos):s.delete(n.pos,n.pos+i.nodeSize),t.dispatch(s),!0}return!1}function
fc(t,e,n)\{t.dom0bserver.stop(),e.contentEditable=n,t.dom0bserver.start()\}function um(t)\{if(!xe||t.start)\}function um(t)
ate.selection. head.parentOffset>0) return!1; let{focusNode:e,focusOffset:n}=t.domSelectionRange(); if(
e&&e.nodeType==1&&n==0&&e.firstChild&&e.firstChild.contentEditable=="false"){let
r=e.firstChild;fc(t,r,"true"),setTimeout(()=>fc(t,r,"false"),20)}return!1}function dm(t){let
t.ctrlKey\&\&(e+="c"),t.metaKey&\&(e+="m"),t.altKey&\&(e+="a"),t.shiftKey\&\&(e+="s"),e}function fm(t,e)\{let n=e.keyCode,r=dm(e);if(n==8||Re&&n==72\&r=="c")return
dc(t,-1)||hn(t,-1);if(n==46\&\&!e.shiftKey||Re\&\&n==68\&\&r=="c")return
if(n==39||Re&&n==70&&r=="c"){let o=n==39?cc(t,t.state.selection.from)=="ltr"?1:-1:1;return
ac(t,o,r) | |hn(t,o)\}else\{if(n=38||Re&&n==80&&r=="c")return
uc(t,-1,r) | hn(t,-1); if (n=40) | Re&n=78&r="c") return um(t) | uc(t,1,r) | hn(t,1); if (r=(Re?"m":"c")
h=r.firstChild;n.push(h.type.name,h.attrs!=h.type.defaultAttrs?h.attrs:null),r=h.content}let s=t.som eProp("clipboardSerializer")||it.fromSchema(t.state.schema),l=Uc(),a=l.createElement("div");a.append
Child(s.serializeFragment(r,{document:l}));let
c=a.firstChild, u, d=0; for(; c\&\&c.nodeType==1\&\&(u=Kc[c.nodeName.toLowerCase()]);) \{for(letallet for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for example for
h=u.length-1;h>=0;h--){let p=l.createElement(u[h]);for(;a.firstChild;)p.appendChild(a.firstChild);a.
appendChild(p), d++\}c=a.firstChild\}c\&\&c.nodeType==1\&\&c.setAttribute("data-pm-slice",`[{o}] [[{i}]](d?) data-pm-slice",`[{o}] (data-pm-slice",`[{o}]](data-pm-slice") data-pm-slice",`[{o}]](data-pm-slice",`[{o}]](data-pm-slice") data-pm-slice",`[{o}]](data-pm-slice",`[{o}]](data-pm-slice") data-pm-slice",`[{o}]](data-pm-slice",`[{o}]](data-pm-slice") data-pm-slice",`[{o}]](data-pm-slice",`[{o}]](data-pm-slice") data-pm-slice",`[{o}]](data-pm-slice",`[{o}]](data-pm-slice") data-pm-slice",`[{o}]](data-pm-slice",`
 - \{d\}`:""} \{JSON.stringify(n)\}`); let
f=t.someProp("clipboardTextSerializer",h=>h(e,t))||e.content.textBetween(0,e.content.size,`
`);return{dom:a,text:f,slice:e}}function Vc(t,e,n,r,o){let i=o.parent.type.spec.code,s,l;if(!n&&!e)return null;let
a=e\&\{(r||i||!n); if(a)\{if(t.someProp("transformPastedText",f=>\{e=f(e,i||r,t)\}),i) return e?new\}
M(w.from(t.state.schema.text(e.replace(/\r\n?/g,
`))),0,0):M.empty;let d=t.someProp("clipboardTextParser",f=>f(e,o,r,t));if(d)l=d;else{let f=o.marks(),{schema:h}=t.state,p=it.fromSchema(h);s=document.createElement("div"),e.split(/(?:\r\n?|\n)+/).for
Each(m=>{let
g=s.appendChild(document.createElement("p")); m\&\&g.appendChild(p.serializeNode(h.text(m,f)))\}) else
\dot{t}.someProp("transformPastedHTML",d=>{n=d(n,t)}),s=gm(n),Yn&&ym(s);let c=s&&s.querySelector("[data-transformPastedHTML",d=>{n=d(n,t)}),s=gm(n),Yn&&ym(s);let c=s&&s.querySelector("[data-transformPastedHTML",d=>{n=d(n,t)}),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s=gm(n),s
```

```
pm-slice]"), u=c&&/^(\d+) (\d+)(?: -(\d+))? (.*)/.exec(c.getAttribute("data-pm-
                                                                         ;;if(u&&u[3])for(let d=+u[3];d>0;d--){let f=s.firstChild;for(;f&&f.nodeType!=1;)f=f.nextS
  ibling; if(!f)break; s=f}if(l||(l=(t.someProp("clipboardParser")||t.someProp("domParser")||Ue.fromSche
  \label{lem:ma} \verb|ma(t.state.schema)|.parseSlice(s, \{preserveWhitespace: !!(a||u), context: o, ruleFromNode(f) \{return f.node(f), freturn f.node(
  eName == "BR" \&\&! f.nextSibling \&\&f.parentNode \&\&! hm.test(f.parentNode.nodeName)? \{ignore: !0\}: null \} \})), u) l = logo fill the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
  bm(hc(l,+u[1],+u[2]),u[4]);else if(l=M.maxOpen(pm(l.content,o),!0),l.openStart||l.openEnd){let
  d=0,f=0;for(let
  h=l.content.firstChild;d<l.openStart&&!h.type.spec.isolating;d++,h=h.firstChild);for(let
 h=l.content.lastChild; f<l.openEnd&\&!h.type.spec.isolating; f++, h=h.lastChild); l=hc(l,d,f) \\ return t.someProp("transformPasted", d=>\{l=d(l,t)\}), l\} var hm=/^(a|abbr|acronym|b|cite|code|del|em|i|ins|kbd| \\ return t.someProp("transformPasted", d=>{l=d(l,t)}), l\} var hm=/^(a|abbr|acronym|b|cite|code|del|em|i|ins|kbd| \\ return t.someProp("transformPasted", d=>{l=d(l,t)}), l\} var hm=/^(a|abbr|acronym|b|cite|code|del|em|i|ins|kbd| \\ return t.someProp("transformPasted", d=>{l=d(l,t)}), l\} var hm=/^(a|abbr|acronym|b|cite|code|del|em|i|ins|kbd| \\ return t.someProp("transformPasted", d=>{l=d(l,t)}), l\} var hm=/^(a|abbr|acronym|b|cite|code|del|em|i|ins|kbd| \\ return t.someProp("transformPasted", d=>{l=d(l,t)}), l\} var hm=/(a|abbr|acronym|b|cite|code|del|em|i|ins|kbd| m|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|ins|del|em|i|
  label|output|q|ruby|s|samp|span|strong|sub|sup|time|u|tt|var)∏/i;function
 pm(t,e){if(t.childCount<2)return t;for(let n=e.depth;n>=0;n--){let
o=e.node(n).contentMatchAt(e.index(n)),i,s=[];if(t.forEach(l=>{if(!s)return;let
  a = o.findWrapping(l.type), c; if(!a) return s = null; if(c = s.length\&\&i.length\&\&_c(a,i,l,s[s.length-length\&winder]) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&winder) f(c = s.length\&wi
  1,0)s[s.length-1]=c;else{s.length&&(s[s.length-1]=jc(s[s.length-1],i.length));let
  u=Wc(l,a);s.push(u),o=o.matchType(u.type),i=a}}),s)return w.from(s)}return t}function
  Wc(t,e,n=0){for(let r=e.length-1;r>=n;r--)t=e[r].create(null,w.from(t));return t}function
        c(t,e,n,r,o){if(o<t.length&&o<e.length&&t[o]==e[o]){let i= c(t,e,n,r.lastChild,o+1);if(i)return r.c
  opy(r.content.replaceChild(r.childCount-
  1,i));if(r.contentMatchAt(r.childCount).matchType(o==t.length-1?n.type:t[o+1]))return
  r.copy(r.content.append(w.from(Wc(n,t,o+1))))) function jc(t,e) {if(e==0)return t;let n=t.content.rep
 laceChild(t.childCount-1,jc(t.lastChild,e-
1)),r=t.contentMatchAt(t.childCount).fillBefore(w.empty,!0);return t.copy(n.append(r))}function
 es(t,e,n,r,o,i){let s=e<0?t.firstChild:t.lastChild,l=s.content;return t.childCount>1&&(i=0),o<r-1&&(l=es(l,e,n,r,o+1,i)),o>=n&&(l=e<0?s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l,i<=o).append(l):l.append(s.contentMatchAt(0).fillBefore(l):l.append(l):l.append(s.contentMatchAt(0).fillBefore(l):l.append(l):l.append(s.contentMatchAt(0).fillBefore(l):l.append(l):l.append(s.contentMatchAt(0).fillBefore(l):l.append(l):l.append(s.contentMatchAt(0).fillBefore(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.append(l):l.a
  ntentMatchAt(s.childCount).fillBefore(w.empty,!0))),t.replaceChild(e<0?0:t.childCount-</pre>
  1,s.copy(l))}function hc(t,e,n){return e<t.openStart&&(t=new</pre>
  M(es(t.content, -1, e, t.openStart, 0, t.openEnd)), e, t.openEnd)), n < t.openEnd&&(t=new)
M(es(t.content,1,n,t.openEnd,0,0),t.openStart,n)),t}var Kc={thead:["table"],tbody:["table"],tfoot:["
table"],caption:["table"],colgroup:["table"],col:["table","colgroup"],tr:["table","tbody"],td:["table
e","tbody","tr"],th:["table","tbody","tr"]},pc=null;function Uc(){return
pc||(pc=document.implementation.createHTMLDocument("title"))}var [i=null;function mm(t){let
 per|\text{pc-dotalistc.limptelistation.createInin.bocument \text{title }\), \text{variable inint}\text{variable i
  i=0;i<o.length;i++)n=n.querySelector(o[i])||n;return n}function ym(t){let
 e=t.querySelectorAll(ge?"span:not([class]):not([style])":"span.Apple-converted-space");for(let n=0;n<e.length;n++){let r=e[n];r.childNodes.length==1&&r.textContent=="\xA0"&&r.parentNode&&r.parent
  Node.replaceChild(t.ownerDocument.createTextNode(" "),r)}}function bm(t,e){if(!t.size)return t;let
  n=t.content.firstChild.type.schema,r;try{r=JSON.parse(e)}catch{return
  t}let{content:o,openStart:i,openEnd:s}=t;for(let l=r.length-2;l>=0;l-=2){let
  a=n.nodes[r[l]]; if(!a||a.hasRequiredAttrs())break; o=w.from(a.create(r[l+1],o)), i++, s++}return new
  M(o,i,s)}var we={},Se={},xm={touchstart:!0,touchmove:!0},ts=class{constructor(){this.shiftKey=!1,thi
  s.mouseDown=null,this.lastKeyCode=null,this.lastKeyCodeTime=0,this.lastClick={time:0,x:0,y:0,type:"",button:0},this.lastSelectionOrigin=null,this.lastSelectionTime=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,this.lastIOSEnter=0,
  terFallbackTimeout=
  1,this.lastFocus=0,this.lastTouch=0,this.lastChromeDelete=0,this.composing=!1,this.compositionNode=n
  ull, this.composingTimeout=-1, this.compositionNodes=[], this.compositionEndedAt=
  2e8, this.compositionID=1, this.compositionPendingChanges=0, this.domChangeCount=0, this.eventHandlers=0
  bject.create(null), this.hideSelectionGuard=null\}; function \ wm(t)\{for(let\ e\ in\ we)\{let\ n=we[e]; t.dom.\}; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.\}; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ e\ in\ we)(let\ n=we[e]; t.dom.]; function \ wm(t)(let\ addEventListener(e,t.input.eventHandlers[e]=r=>\{km(t,r)\&\&(t.editable||!(r.type in Se))\&\&n(t,r)\}, xm[e]?\{passive:!0\}:void 0)\{km(t,r)\}, xm[e]?\{passive:!0\}:void 0)\{km(t,r)\}, xm[e]. at the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the conte
  Sm(t){t.domObserver.stop();for(let e in t.input.eventHandlers)t.dom.removeEventListener(e,t.input.ev
  entHandlers[e]);clearTimeout(t.input.composingTimeout),clearTimeout(t.input.lastIOSEnterFallbackTime
  out)}function ns(t){t.someProp("handleDOMEvents",e=>{for(let n in
  e)t.input.eventHandlers[n]||t.dom.addEventListener(n,t.input.eventHandlers[n]=r=>fs(t,r))})}function
  fs(t,e){return t.someProp("handleDOMEvents",n=>{let r=n[e.type];return
  r?r(t,e)||e.defaultPrevented:!1})}function
  km(t,e){if(!e.bubbles)return!0;if(e.defaultPrevented)return!1;for(let n=e.target;n!=t.dom;n=n.parent
 Node) if (!n||n.nodeType==11||n.pmViewDesc&&n.pmViewDesc.stopEvent(e)) return!1; return!0) function \\ Cm(t,e) \{!fs(t,e)&&we[e.type]&&(t.editable||!(e.type in Se))&&we[e.type](t,e)\}Se.keydown=(t,e)=> \{let (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editable) | (t.editabl
 \&\&n.keyCode == 13\&\&!n.ctrlKey\&\&!n.altKey\&\&!n.metaKey) \{let \ r=Date.now(); t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnter = r, t.input.lastIOSEnte
 lastIOSEnterFallbackTimeout=setTimeout(()=>\{t.input.lastIOSEnter==r\&\{t.someProp("handleKeyDown",o=>o(t,Vt(13,"Enter"))),t.input.lastIOSEnter=0)\},200)\}else t.someProp("handleKeyDown",r=>r(t,n))||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,n)||fm(t,
  n)?n.preventDefault():vt(t,"key")};Se.keyup=(t,e)=>{e.keyCode==16&&(t.input.shiftKey=!1)};Se.keypres
  s=(t,e)=>\{\text{let n=e}; \text{if}(\text{qc}(t,n)||!\text{n.charCode}||\text{n.ctrlKey\&!n.altKey}||\text{Re\&\&n.metaKey})\text{return}; \text{if}(t.someProp("handleKeyPress",o=>o(t,n))}\} \\ \text{n.preventDefault()}; \text{return}\} \\ \text{let r=t.state.selection}; \text{if}(!(r instanceof)) \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; \\ \text{n.preventDefault()}; 
  A)|||r.|| from .sameParent(r.||to)){let o=String.fromCharCode(n.charCode),i=()=>t.state.tr.insertText(o)
```

```
.scrollIntoView();!/[\r\n]/.test(o)&&!t.someProp("handleTextInput",s=>s(t,r.□from.pos,r.□to.pos,o,i)
 )&&t.dispatch(i()),n.preventDefault()}};function Ur(t){return{left:t.clientX,top:t.clientY}}function
\label{eq:mm} $$ Mm(t,e)_{let n=e.x-t.clientX,r=e.y-t.clientY;return n*n+r*r<100} function $$ hs(t,e,n,r,o)_{if(r==-1)} return!1;let i=t.state.doc.resolve(r);for(let s=i.depth+1;s>0;s--
 ) if (t.someProp(e,l=>s>i.depth?l(t,n,i.nodeAfter,i.before(s),o,!0):l(t,n,i.node(s),i.before(s),o,!1))
 )return!0;return!1}function mn(t,e,n){if(t.focused||t.focus(),t.state.selection.eq(e))return;letr=t.state.tr.setSelection(e);n=="pointer"&&r.setMeta("pointer",!0),t.dispatch(r)}function
vm(t,e){if(e==-1)return!1;let n=t.state.doc.resolve(e), r=n.nodeAfter;return
r&&r.isAtom&&O.isSelectable(r)?(mn(t,new O(n), "pointer"),!0):!1}function
Tm(t,e){if(e==-1)return!1;let n=t.state.selection,r,o;n instanceof O&&(r=n.node);let
 i=t.state.doc.resolve(e);for(let s=i.depth+1;s>0;s--){let l=s>i.depth?i.nodeAfter:i.node(s);if(0.isS
 electable(1)) \{r\&\&n.\_from.depth>0\&\&s>=n.\_from.depth\&\&i.before(n.\_from.depth+1)==n.\_from.pos?o=i.before(n.\_from.depth+1)==n.\_from.depth>0&&s>=n.\_from.depth&&i.before(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth>0&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1)==n.\_from.depth=1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&bfore(n.\_from.depth+1&b
 e(n.∏from.depth):o=i.before(s);break}}return
o!=null?(mn(t,0.create(t.state.doc,o),"pointer"),!0):!1}function Am(t,e,n,r,o){return hs(t,"handleClickOn",e,n,r)||t.someProp("handleClick",i=>i(t,e,r))||(o?Tm(t,n):vm(t,n))}function
 Em(t.e.n.r){return
 hs(t, "handleDoubleClickOn", e, n, r) | | t.someProp("handleDoubleClick", o=>o(t, e, r)) | function
 Om(t,e,n,r){return
 hs(t, "handleTripleClickOn", e, n, r) | | t.someProp("handleTripleClick", o=>o(t, e, r)) | | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | Nm(t, n, r) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | function | t.someProp("handleTripleClick", o=>o(t, e, r)) | funct
Nm(t,e,n){if(n.button!=0)return!1;let r=t.state.doc;if(e==-1)return
r.inlineContent?(mn(t,A.create(r,0,r.content.size),"pointer"),!0):!1;let o=r.resolve(e);for(let
 i=o.depth+1;i>0;i--){let s=i>o.depth?o.nodeAfter:o.node(i),l=o.before(i);if(s.inlineContent)mn(t,A.c
 reate(r,l+1,l+1+s.content.size), "pointer");else
if(0.isSelectable(s))mn(t,0.create(r,l), "pointer");else continue; return!0}}function ps(t){return
 | Tr(t) | var Jc=Re? "metaKey": "ctrlKey"; we.mousedown=(t,e) => {let n=e; t.input.shiftKey=n.shiftKey; let r=p
 s(t),o=Date.now(),i="singleClick";o-
 t.input.lastClick.time<500\&\&Mm(n,t.input.lastClick)\&\&!n[Jc]\&\&t.input.lastClick.button==n.button\&\&(t.input.lastClick.type=="singleClick"?i="doubleClick":t.input.lastClick.type=="doubleClick"&&(i="triplectick") |
 eClick")),t.input.lastClick={time:o,x:n.clientX,y:n.clientY,type:i,button:n.button};let s=t.posAtCoo
 rds(Ur(n)); s&&(i=="singleClick"?(t.input.mouseDown&&t.input.mouseDown.done(),t.input.mouseDown=new
 rs(t,s,n,!!r)):(i=="doubleClick"?Em:Om)(t,s.pos,s.inside,n)?n.preventDefault():vt(t,"pointer"))};var
 rs=class{constructor(e,n,r,o){this.view=e,this.pos=n,this.event=r,this.flushed=o,this.delayedSelecti
onSync=!1,this.mightDrag=null,this.startDoc=e.state.doc,this.selectNode=!!r[Jc],this.allowDefault=r.
shiftKey;let i,s;if(n.inside>-1)i=e.state.doc.nodeAt(n.inside),s=n.inside;else{let
 u=e.state.doc.resolve(n.pos);i=u.parent,s=u.depth?u.before():0}let l=o?null:r.target,a=l?e.docView.n
 earestDesc(l,!0):null;this.target=a\&\&a.dom.nodeType==1?a.dom:null;let{selection:c}=e.state;(r.button):respectively.
 ==0&&i.type.spec.draggable&&i.type.spec.selectable!==!1||c instanceof 0&&c.from<=s&&c.to>s)&&(this.m
ightDrag=\{node:i,pos:s,addAttr:!!(this.target\&\&!this.target.draggable),setUneditable:!!(this.target\&\&Ve\&\&!this.target.hasAttribute("contentEditable"))\}),this.target\&\&this.mightDrag&\&(this.mightDrag.ad),setUneditable:!!(this.target&&this.target.hasAttribute("contentEditable"))\}),this.target&&this.mightDrag&&(this.mightDrag.ad),setUneditable:!!(this.target&&this.target.hasAttribute("contentEditable"))}),this.target&&this.mightDrag&&(this.mightDrag.ad),setUneditable:!!(this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&&this.mightDrag&&(this.mightDrag.ad),setUneditable:!!(this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable"))}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&hasAttribute("contentEditable")}),this.target&h
 {\tt dAttr||this.mightDrag.setUneditable)} \& ({\tt this.view.dom0bserver.stop(),this.mightDrag.addAttr} \& ({\tt this.talloop}) \\ = {\tt this.mightDrag.addAttr} \& ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({\tt this.talloop}) \\ = {\tt this.talloop} & ({
 rget.draggable=!0),this.mightDrag.setUneditable&&setTimeout(()=>{this.view.input.mouseDown==this&&th
 is.target.setAttribute("contentEditable","false")},20),this.view.domObserver.start()),e.root.addEven
tListener("mouseup", this.up=this.up.bind(this)),e.root.addEventListener("mousemove", this.move=this.move.bind(this)),vt(e, "pointer")}done(){this.view.root.removeEventListener("mouseup", this.up),this.vi
 ew.root.removeEventListener("mousemove",this.move),this.mightDrag&&this.target&&(this.view.domObserv
 er.stop(),this.mightDrag.addAttr&&this.target.removeAttribute("draggable"),this.mightDrag.setUnedita
 ble&&this.target.removeAttribute("contentEditable"),this.view.domObserver.start()),this.delayedSelec
 tionSync\&setTimeout(()=>ft(this.view)), this.view.input.mouseDown=null\}up(e) {if(this.done(),!this.view.input.mouseDown=null}up(e)
 ew.dom.contains(e.target))return;let n=this.pos;this.view.state.doc!=this.startDoc&&(n=this.view.pos
 AtCoords(Ur(e))),this.updateAllowDefault(e),this.allowDefault||!n?vt(this.view,"pointer"):Am(this.vi
 ew, n.pos, n.inside, e, this.selectNode)?e.preventDefault():e.button==0&&(this.flushed||xe&&this.mightDr
 aq&&!this.mightDrag.node.isAtom||ge&&!this.view.state.selection.visible&&Math.min(Math.abs(n.pos
this.view.state.selection.from), Math.abs(n.pos-this.view.state.selection.to))<=2)?(mn(this.view,E.ne ar(this.view.state.doc.resolve(n.pos)), "pointer"), e.preventDefault()):vt(this.view, "pointer")}move(e) {this.updateAllowDefault(e), vt(this.view, "pointer"), e.buttons==0&&this.done()}updateAllowDefault(e)
 {!this.allowDefault&&(Math.abs(this.event.x-e.clientX)>4||Math.abs(this.event.y
 e.clientY)>4)\&\&(this.allowDefault=!0)}}; we.touchstart=t=>\{t.input.lastTouch=Date.now(),ps(t),vt(t,"p)\}
 ointer")};we.touchmove=t=>{t.input.lastTouch=Date.now(),vt(t,"pointer")};we.contextmenu=t=>ps(t);fun
 ction qc(t,e){return t.composing?!0:xe&&Math.abs(e.timeStamp-
 t.input.compositionEndedAt)<500?(t.input.compositionEndedAt=-2e8,!0):!1}var Rm=dt?5e3:-
 ,n=e.selection. do;if(e.selection instanceof A&&(e.storedMarks||!n.textOffset&&n.parentOffset&&n.nod
 !0), t.markCursor = null; else if ( | r(t,!e.selection.empty), Ve\&e.selection.empty \& n.parentOffset \& !n.tex | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respection | respecti
 tOffset&An.nodeBefore.marks.length){let r=t.domSelectionRange();for(let
 o=r.focusNode,i=r.focusOffset;o&&o.nodeType==1&&i!=0;){let
 s=i<0?o.lastChild:o.childNodes[i-1];if(!s)break;if(s.nodeType==3){let</pre>
 l=t.domSelection();l&&l.collapse(s,s.nodeValue.length);break}else o=s,i=-
 1}}t.input.composing=!0}Gc(t,Rm)};Se.compositionend=(t,e)=>\{t.composing\&\&(t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing=!1,t.input.composing
 \verb|ut.compositionEndedAt| = e.timeStamp, t.input.compositionPendingChanges = t.domObserver.pendingRecords().locationPendingChanges = t.domObserver.pendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords().locationPendingRecords()
 ength?t.input.compositionID:0, t.input.compositionNode=null, \\t.input.compositionPendingChanges\&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&PromisionPendingChanges&Prom
 e.resolve().then(()=>t.dom0bserver.flush()),t.input.compositionID++,Gc(t,20));function Gc(t,e){clea
 rTimeout(t.input.composingTimeout), e>-1\&(t.input.composingTimeout=setTimeout(()=> [r(t),e))\} function
```

```
Yc(t)\{for(t.composing\&(t.input.composing=!1,t.input.compositionEndedAt=Pm());t.input.compositionNod()\}\}
es.length>0;)t.input.compositionNodes.pop().markParentsDirty()}function Dm(t){let
e=t.domSelectionRange();if(!e.focusNode)return null;let
n=0p(e.focusNode,e.focusOffset),r=Np(e.focusNode,e.focusOffset);if(n\&r\&n!=r)\{letaline(f.focusNode,e.focusOffset),r=Np(e.focusNode,e.focusOffset)\}\}
o=r.pmViewDesc,i=t.domObserver.lastChangedTextNode;if(n==i||r==i)return
i;if(!o||!o.isText(r.nodeValue))return r;if(t.input.compositionNode==r){let
s=n.pmViewDesc;if(!(!s||!s.isText(n.nodeValue)))return r}}return n||r}function Pm(){let t=document.createEvent("Event");return t.initEvent("event",!0,!0),t.timeStamp}function □r(t,e=!1){if
 (!(dt\&\&t.dom0bserver.flushingSoon>=0)) \\ \{if(t.dom0bserver.forceFlush(),Yc(t),e||t.docView\&\&t.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docView.docVie
irty){let n=cs(t), r=t. state. selection; return n&&!n.eq(r)?t.dispatch(t.state.tr.setSelection(n)):(t.m)
arkCursor||e|\&\&!r.||from.node(r.||from.sharedDepth(r.to)).inlineContent?t.dispatch(t.state.tr.deleteSe
lection()):t.updateState(t.state),!0}return!1}}function Im(t,e){if(!t.dom.parentNode)return;let n=t. dom.parentNode.appendChild(document.createElement("div"));n.appendChild(e),n.style.cssText="position: fixed; left: -10000px; top: 10px";let r=getSelection(),o=document.createRange();o.selectNodeContents(e),t.dom.blucn(),r.removeAllRanges(),r.addRange()),setTimeout(()=>{n.parentNode&An.parentNode.removeChild(n), t.focus()), F0)}
veChild(n), t.focus()},50)}var Kn=\bar{k}e\&Tt<15||yn\&\bar{k}Lp<604;we.copy=Se.cut=(t,e)=>{let}
n=e,r=t.state.selection,o=n.type=="cut";if(r.empty)return;let i=Kn?null:n.clipboardData,s=r.content(),{dom:l,text:a}=ds(t,s);i?(n.preventDefault(),i.clearData(),i.setData("text/html",l.innerHTML),i.se
tData("text/plain",a)):Im(t,l),o&&t.dispatch(t.state.tr.deleteSelection().scrollIntoView().setMeta("
uiEvent","cut"))};function Lm(t){return
t.openStart==0&&t.openEnd==0&&t.content.childCount==1?t.content.firstChild:null}function
Bm(t,e){if(!t.dom.parentNode)return;let n=t.input.shiftKey||t.state.selection. ☐from.parent.type.spec
  .code,r=t.dom.parentNode.appendChild(document.createElement(n?"textarea":"div"));n||(r.contentEditab
le="true"),r.style.cssText="position: fixed; left: -10000px; top: 10px",r.focus();let o=t.input.shif tKey&&t.input.lastKeyCode!=45;setTimeout(()=>{t.focus(),r.parentNode&r.parentNode.removeChild(r),n?
Un(t,r.value,null,o,e):Un(t,r.textContent,r.innerHTML,o,e)},50)}function Un(t,e,n,r,o){let i=Vc(t,e,n,r,t.state.selection. [from);if(t.someProp("handlePaste",a=>a(t,o,i||M.empty)))return!0;if(!i)return!1;let s=Lm(i),l=s?t.state.tr.replaceSelectionWith(s,r):t.state.tr.replaceSelection(i);return t.dispatch(l.scrollIntoView().setMeta("paste",!0).setMeta("uiEvent","paste")),!0}function Xc(t){let e=t.getData("text/plain")||t.getData("Text");if(e)return e;let n=t.getData("text/uri-list");return n?n.replace(/\r?\n/g," "):""}Se.paste=(t,e)=>{let n=e;if(t.composing&&!dt)return;let r=Kn?null:n.cli
pboardData,o=t.input.shiftKey&&t.input.lastKeyCode!=45;r&&Un(t,Xc(r),r.getData("text/html"),o,n)?n.p
reventDefault():Bm(t,n)};var
\label{local-construction} $$Vr={lass{constructor(e,n,r)}$} this.slice=e,this.move=n,this.node=r},zm=Re?"altKey":"ctrlKey";function $$Qc(t,e){let n=t.someProp("dragCopies",r=>!r(e));return n??!e[zm]}$ we.dragstart=(t,e)=>{let n=e,r=t.input.mouseDown;if(r&&r.done(),!n.dataTransfer)return;let}
o=t.state.selection,i=o.empty?null:t.posAtCoords(Ur(n)),s;if(!(i&&i.pos>=o.from&&i.pos<=(o
instanceof 0?o.to-1:o.to))){if(r&&r.mightDrag)s=0.create(t.state.doc,r.mightDrag.pos);else
if(n.target&&n.target.nodeType==1){let d=t.docView.nearestDesc(n.target,!0);d&&d.node.type.spec.drag
gable&&d!=t.docView&&(s=0.create(t.state.doc,d.posBefore))}}let l=(s||t.state.selection).content(),{
\label{local-dom:antext:c,slice:u} dom:a,text:c,slice:u} = ds(t,l); (!n.dataTransfer.files.length)| !ge||Ac>120)&&n.dataTransfer.clearData(),n.dataTransfer.setData(Kn?"Text":"text/html",a.innerHTML),n.dataTransfer.effectAllowed="copyMove", Kn||n.dataTransfer.setData("text/plain",c),t.dragging=new Vr(u,Qc(t,n),s)); we.dragend=t=>{let e=t.dr}
agging; window.setTimeout(()=>\{t.dragging==e\&(t.dragging=null)\},50)}; Se.dragover=Se.dragenter=(t,e)=
>e.preventDefault();Se.drop=(t,e)=>{let
n=e,r=t.dragging;if(t.dragging=null,!n.dataTransfer)return;let
o=t.posAtCoords(Ur(n));if(!o)return;let i=t.state.doc.resolve(o.pos),s=r&&r.slice;s?t.someProp("tran
sformPasted",p=>\{s=p(s,t)\}):s=Vc(t,Xc(n.dataTransfer),Kn?null:n.dataTransfer.getData("text/html"),!1
,i); let l=!!(r&Qc(t,n)); if(t.someProp("handleDrop",p=>p(t,n,s||M.empty,l))) {n.preventDefault(); return}if(!s) return; n.preventDefault(); let a=s?Rr(t.state.doc,i.pos,s):i.pos; a==null&&(a=i.pos); let
c=t.state.tr;if(l){let{node:p}=r;p?p.replace(c):c.deleteSelection()}let u=c.mapping.map(a),d=s.openS
tart == 0 \&\&s.openEnd == 0 \&\&s.content.childCount == 1, f = c.doc; if (d?c.replaceRangeWith(u,u,s.content.firstChildCount == 1, f = c.doc; if (d.firstChildCount == 1, f = c.doc; if (d.firstChildCount == 1, f = c.doc; if (d.firstChildCount == 1,
ild):c.replaceRange(u,u,s),c.doc.eq(f))return;let h=c.doc.resolve(u);if(d\&\&0.isSelectable(s.content.eq)
firstChild)&&h.nodeAfter&&h.nodeAfter.sameMarkup(s.content.firstChild))c.setSelection(new
O(h));else{let p=c.mapping.map(a);c.mapping.maps[c.mapping.maps.length-
1].forEach((m,g,y,b)=>p=b),c.setSelection(us(t,h,c.doc.resolve(p)))}t.focus(),t.dispatch(c.setMeta("uiEvent","drop"))};we.focus=t=>{t.input.lastFocus=Date.now(),t.focused||(t.domObserver.stop(),t.dom.
classList.add("ProseMirror-focused"),t.domObserver.start(),t.focused=!0,setTimeout(()=>{t.docView&t
  .hasFocus()&&!t.domObserver.currentSelection.eq(t.domSelectionRange())&&ft(t)},20))};we.blur=(t,e)=>
 {let n=e;t.focused&&(t.domObserver.stop(),t.dom.classList.remove("ProseMirror-focused"),t.domObserve
 r.start(),n.relatedTarget&&t.dom.contains(n.relatedTarget)&&t.domObserver.currentSelection.clear(),t
   focused=!1)};we.beforeinput=(t,e)=>{if(ge&&dt&&e.inputType=="deleteContentBackward"){t.domObserver.
flushSoon();let{domChangeCount:r}=t.input;setTimeout(()=>{if(t.input.domChangeCount!=r||(t.dom.blur(),t.focus(),t.someProp("handleKeyDown",i=>i(t,Vt(8,"Backspace")))))return;let{□cursor:o}=t.state.sel
ection; o&&o.pos>0&&t.dispatch(t.state.tr.delete(o.pos-1,o.pos).scrollIntoView())},50)}}; for(let t in
Se)we[t]=Se[t];function Jn(t,e){if(t==e)return!0;for(let n in t)if(t[n]!==e[n])return!1;for(let n in
e)if(!(n in t))return!1;return!0}var Wr=class t{constructor(e,n){this.toDOM=e,this.spec=n||Kt,this.s
ide=this.spec.side | \ |\ 0\} map(e,n,r,o) \{ let \{ pos:i, deleted:s \} = e.mapResult(n.from+o,this.side < 0?) \} | \ |\ various | \ |\ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ various | \ vari
1:1); return s?null:new Y(i-r,i-r,this)} valid(){ return!0} eq(e){ return this==e||e instanceof t&&(this.
spec.key \& this.spec.key = e.spec.key | this.toDOM = e.toDOM \& Jn(this.spec,e.spec)) \\ destroy(e) \\ \{this.spec.key = e.spec.key | this.spec.key stroy&&this.spec.destroy(e)}},jt=class
t{constructor(e,n){this.attrs=e,this.spec=n||Kt}map(e,n,r,o){let i=e.map(n.from+o,this.spec.inclusiv
eStart?-1:1)-r,s=e.map(n.to+o,this.spec.inclusiveEnd?1:-1)-r;return i>=s?null:new
```

```
Y(i,s,this) valid(e,n) return n.from < n.to eq(e) return this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e instance of this = e||e
 t&&Jn(this.attrs,e.attrs)&&Jn(this.spec,e.spec)}static is(e){return e.type instanceof
 t}destroy(){}},is=class t{constructor(e,n){this.attrs=e,this.spec=n||Kt}map(e,n,r,o){let
 i=e.mapResult(n.from+o,1);if(i.deleted)return null;let s=e.mapResult(n.to+o,-1);return
 s.deleted||s.pos<=i.pos?null:new</pre>
 Y(i.pos-r,s.pos-r,this)}valid(e,n){let{index:r,offset:o}=e.content.findIndex(n.from),i;return
 o==n.from&&!(i=e.child(r)).isText&&o+i.nodeSize==n.to}eq(e){return this==e||e instanceof
 t&&Jn(this.attrs,e.attrs)&&Jn(this.spec,e.spec)}destroy(){}},Y=class
 t{constructor(e,n,r)}{this.from=e,this.to=n,this.type=r}{copy(e,n)}{return new}
 t(e,n,this.type)}eq(e,n=0){return
 this.type.eq(e.type)&&this.from+n==e.from&&this.to+n==e.to}map(e,n,r){return}
 this.type.map(e,this,n,r)}static widget(e,n,r){return new t(e,e,new Wr(n,r))}static
 inline(e,n,r,o){return new t(e,n,new jt(r,o))}static node(e,n,r,o){return new t(e,n,new is(r,o))}get
 spec(){return this.type.spec}get inline(){return this.type instanceof jt}get widget(){return this.type instanceof Wr}},pn=[],Kt={},J=class
 t{constructor(e,n){this.local=e.length?e:pn,this.children=n.length?n:pn}static create(e,n){return
\label{eq:n.length} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} $$n. \end{substitute} 
l=this.local[s]; l.from<=n\&\&l.to>=e\&\&(!i||i(l.spec))\&\&r.push(l.copy(l.from+o,l.to+o))) for(let s=0; s<this.children.length; s+=3) if(this.children[s]<n\&\&this.children[s+1]>e) {let s=0; s<this.children[s+1]>e) {let s=0; s<this.children[s+1]>e}
 l = this.children[s] + 1; this.children[s+2].findInner(e-l,n-l,r,o+l,i)\} \\ map(e,n,r) \\ \{returner(e-l,n-l,r,o+l,i)\} \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) \\ map(e,n,r) 
 this = me||e.maps.length == 0?this:this.mapInner(e,n,0,0,r||Kt)\} mapInner(e,n,r,o,i) \{let s; for(let all this interval of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
 l=0; l<this.local.length; l++){let a=this.local[l].map(e,r,o); a&&a.type.valid(n,a)?(s||(s=[])).push(a)}
  :i.onRemove&&i.onRemove(this.local[l].spec)}return
 this.children.length? Hm(this.children,s||[],e,n,r,o,i): s?new\ t(s.sort(Ut),pn): me\} add(e,n) \{returned this.children.length? Hm(this.children,s||[],e,n,r,o,i): s?new\ t(s.sort(Ut),pn): me\} add(e,n) \{returned this.children,s||[],e,n,r,o,i): s?new\ t(s.sort(Ut),pn): s?new\ t(s.sort(Ut),pn): s?new\ t(s.sort(Ut),pn): s?new\ t(s.sort(Ut),pn): s?new\ t(s.sort(Ut),pn
 n.length?this==me?t.create(e,n):this.addInner(e,n,0):this}addInner(e,n,r){let}
 o,i=0; e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)=>{let c=a+r,u;if(u=eu(n,l,c)){for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)==a+r,u;if(u=eu(n,l,c)));f.for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)==a+r,u;if(u=eu(n,l,c)));f.for(o||(o=this.children.slice());i<o.length&&o[i=0];e.forEach((l,a)==a+r,u;i);f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,c));f.for(o=eu(n,l,
 ]<a;)i+=3;o[i]==a?o[i+2]=o[i+2].addInner(l,u,c+1):o.splice(i,0,a,a+l.nodeSize,jr(u,l,c+1,Kt)),i+=3\}
); let s=Zc(i?tu(n):n,-r); for(let l=0;l<s.length;l++)s[l].type.valid(e,s[l])||s.splice(l--,1); return new t(s.length?this.local.concat(s).sort(Ut):this.local,o||this.children)} remove(e) {return}
 e.length==0||this==me?this:this.removeInner(e,0)}removeInner(e,n){let
 r=this.children,o=this.local;for(let i=0;i<r.length;i+=3){let s,l=r[i]+n,a=r[i+1]+n;for(let u=0,d;u<
 e.length;u++)(d=e[u])&d.from>l&d.to<a&&(e[u]=null,(s||(s=[])).push(d));if(!s)continue;r==this.chil
 dren&&(r=this.children.slice());let
 c=r[i+2].removeInner(s,l+1);c!=me?r[i+2]=c:(r.splice(i,3),i-3)}if(o.length){for(let
 i=0,s;i<e.length;i++)if(s=e[i])for(let
 l=0; l<0.length; l++)o[l].eq(s,n)&(o==this.local&&(o=this.local.slice()), o.splice(l--,1))}return
 r==this.children&&o==this.local?this:o.length||r.length?new
t(o,r): me \} for Child(e,n) \{ if (this==me) return \ this; if (n.isLeaf) return \ t.empty; let \ r,o; for (let \ l=0; l<this.children.length; l+=3) if (this.children[l]>=e) \{ this.children[l]==e&(r=this.children[l+2]); break \} let \ this is the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter of the latter 
 i=e+1,s=i+n.content.size;for(let l=0;l<this.local.length;l++){let</pre>
a=this.local[l]; if (a.from < s&&a.to > i&&a.type instance of jt) {let c=Math.max(i,a.from) - i,u=Math.min(s,a.to) - i;c < u&&(o||(o=[])).push(a.copy(c,u))} if (o) {let l=new of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
t(o.sort(Ut),pn);return r?new _r([l,r]):l}return r||me}eq(e){if(this==e)return!0;if(!(e instanceoft)||this.local.length!=e.local.length||this.children.length!=e.children.length)return!1;for(let
 n=0;n<this.local.length;n++)if(!this.local[n].eq(e.local[n]))return!1;for(let n=0;n<this.children.le
 ngth;n+=3)if(this.children[n]!=e.children[n]||this.children[n+1]!=e.children[n+1]||this.children[n+
 2].eq(e.children[n+2]))return!1;return!0}locals(e){return
ms(this.localsInner(e))}localsInner(e){if(this==me)return
pn;if(e.inlineContent||!this.local.some(jt.is))return this.local;let n=[];for(let
 r=0;r<this.local.length;r++)this.local[r].type instanceof jt||n.push(this.local[r]);return
 n}forEachSet(e){e(this)}};J.empty=new J([],[]);J.removeOverlap=ms;var me=J.empty, r=class
 t{constructor(e){this.members=e}map(e,n){let r=this.members.map(o=>o.map(e,n,Kt));return
 t.from(r)}forChild(e,n){if(n.isLeaf)return J.empty;let r=[];for(let
 o=0;o<this.members.length;o++){let i=this.members[o].forChild(e,n);i!=me&&(i instanceof
 t?r=r.concat(i.members):r.push(i))} return t.from(r)} eq(e){if(!(e instanceoff))}
 t)||e.members.length!=this.members.length)return!1;for(let
 n=0; n<this.members.length; n++)if(!this.members[n].eq(e.members[n]))return!1; return!0}locals(e){let}
 n,r=!0;for(let o=0;o<this.members.length;o++){let</pre>
 i=this.members[o].localsInner(e); if (i.length) if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (let n=1) \} if (!n) n=i; else \{r&(n=n.slice(),r=!1); for (
 s=0; s<i.length; s++)n.push(i[s])\} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r?n:n.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} return \ n?ms(r.sort(Ut)):pn\} static \ from(e) \{switch(e.length) \{case \} r
 0:return me; case 1:return e[0]; default:return new t(e.every(n=>n instanceof
 J)?e:e.reduce((n,r)=>n.concat(r instanceof J?r:r.members),[]))}}forEachSet(e){for(let
n=0;n<this.members.length;n++)this.members[n].forEachSet(e)}};function Hm(t,e,n,r,o,i,s){let l=t.slice();for(let c=0,u=i;c<n.maps.length;c++){let d=0;n.maps[c].forEach((f,h,p,m)=>{let g=m-p-(h-f);for(let y=0;y<l.length;y+=3){let b=l[y+1];if(b<0||f>b+u-d)continue;let
u=n.map(t[c]+i), d=u-o; if(d<0||d>=r.content.size){a=!0; continue}let f=n.map(t[c+1]+i,-1), h=f
 o, \{index:p,offset:m\} = r.content.findIndex(d), g = r.maybeChild(p); if (g\&\&m == d\&\&m + g.nodeSize == h) \{letal exercises a substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the 
 y=l[c+2].mapInner(n,g,u+1,t[c]+i+1,s);y!=me?(l[c]=d,l[c+1]=h,l[c+2]=y):(l[c+1]=-2,a=!0)}else
 a=!0} if(a){let c=Fm(l,t,e,n,o,i,s),u=jr(c,r,0,s);e=u.local;for(let
```

```
.children[d];for(;f<l.length&&l[f]<h;)f+=3;l.splice(f,0,u.children[d],u.children[d+1],u.children[d+2
 ])}}return new J(e.sort(Ut),l)}function Zc(t,e){if(!e||!t.length)return t;let n=[];for(let
  r=0;r<t.length;r++){let o=t[r];n.push(new Y(o.from+e,o.to+e,o.type))}return n}function
 Fm(t,e,n,r,o,i,s) {function l(a,c){for(let u=0;u<a.local.length;u++){let}
 d=a.local[u].map(r,o,c);d?n.push(d):s.onRemove&s.onRemove(a.local[u].spec)} for(let
 u=0; u<a.children.length; u+=3)l(a.children[u+2], a.children[u]+c+1)} for (let all the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content
 a=0;a<t.length;a+=3)t[a+1]==-1&l(t[a+2],e[a]+i+1);return n}function eu(t,e,n){if(e.isLeaf)}return
 null:let r=n+e.nodeSize.o=null:for(let
 i=0,s;i<t.length;i++)(s=t[i])\&\&s.from>n\&\&s.to<r\&\&((o||(o=[])).push(s),t[i]=null);return\ o\}function
 tu(t){let e=[];for(let n=0;n< t.length;n++)t[n]!=null&e.push(t[n]);return e}function <math>jr(t,e,n,r){let
 o=[], i=!1; e. forEach((l,a)=>\{let c=eu(t,l,a+n); if(c)\{i=!0; let c=eu(t,l,a+n)\}\}
 u=ir(c,l,n+a+1,r);u!=me\&\&o.push(a,a+l.nodeSize,u)\}\});let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);let s=Zc(i?tu(t):t,-n).sort(Ut);for(let l=0;l<s);for(let l=0;l<s);for(let l=0;l<s);for(let l=0;l<s);for(let l=0;l<s);for(let l=0;
  .length; i++)s[i].type.valid(e,s[i])||(r.onRemove&&r.onRemove(s[i].spec),s.splice(i--,1));return
s.length||o.length?new J(s,o):me}function Ut(t,e){return t.from-e.from||t.to-e.to}function ms(t){let e=t;}for(let n=0;n<e.length-1;n++){let r=e[n];}if(r.from!=r.to)for(let o=n+1;o<e.length;o++){let i=e[o]}}
 ]; if (i.from==r.from) {i.to!=r.to&&(e=t&&(e=t.slice()),e[o]=i.copy(i.from,r.to), mc(e,o+1,i.copy(r.to,e))
 i.to))); continue}else{i.from<r.to&&(e==t&&(e=t.slice()),e[n]=r.copy(r.from,i.from),mc(e,o,r.copy(i.fo))}
 rom,r.to)));break}}}return e}function
 mc(t,e,n) {for(;e<t.length&&Ut(n,t[e])>0;)e++;t.splice(e,0,n)} function Vi(t){let e=[];return}
 t.someProp("decorations", n=>\{let \ r=n(t.state); r\&r!=me\&e.push(r)\}), t.cursorWrapper\&e.push(J.create(t.state.doc,[t.cursorWrapper.deco])), r.from(e)\}var $$ m=\{childList:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!0, characterData:!
 OldValue: !0, attributes: !0, attribute0ldValue: !0, subtree: !0}, Vm=ke&&Tt<=11, ss=class{constructor(){this
  .anchorNode=null,this.anchorOffset=0,this.focusNode=null,this.focusOffset=0}set(e){this.anchorNode=e
.anchorNode, this.anchorOffset=e.anchorOffset, this.focusNode=e.focusNode, this.focusOffset=e.focusOffset}clear(){this.anchorNode=this.focusNode=null}eq(e){return e.anchorNode==this.anchorNode&e.anchorO
 ffset == this. anchor Offset \& e. focus Node == this. focus Node \& e. focus Offset == this. focus Offset \}, ls = class \{ color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the
 nstructor(e,n){this.view=e,this.handleDOMChange=n,this.queue=[],this.flushingSoon=-
 1,this.observer=null,this.currentSelection=new ss,this.onCharData=null,this.suppressingSelectionUpda
 tes=!1,this.lastChangedTextNode=null,this.observer=window.MutationObserver&&new
 window.MutationObserver(r=>\{for(let o=0;o< r.length;o++)this.queue.push(r[o]);ke&&Tt<=11&&r.some(o=>o)
  . type == "childList" \&\&o.removedNodes.length | |o.type == "characterData" \&\&o.oldValue.length > o.target.nodeValue.length > o.target.nodeVa
 alue.length)?this.flushSoon():this.flush();),Vm&&(this.onCharData=r=>{this.queue.push({target:r.targ
 et, type: "characterData", oldValue: r.prevValue), this.flushSoon()}), this.onSelectionChange=this.onSelectionChange.bind(this)}flushSoon(){this.flushingSoon<0&&(this.flushingSoon=window.setTimeout(()=>{this.flushingSoon}
 is.flushingSoon=-1,this.flush()},20))}forceFlush(){this.flushingSoon>-
 1,this.flush())}start(){this.observer&&(this.observer.takeRecords(),this.observer.observe(this.view.
 dom, [m)), this.onCharData&&this.view.dom.addEventListener("DOMCharacterDataModified", this.onCharData)
  ,this.connectSelection()}stop(){if(this.observer){let
 e=this.observer.takeRecords();if(e.length){for(let n=0;n<e.length;n++)this.queue.push(e[n]);window.s
etTimeout(()=>this.flush(),20)}this.observer.disconnect()}this.onCharData&&this.view.dom.removeEvent Listener("DOMCharacterDataModified",this.onCharData),this.disconnectSelection()}connectSelection(){this.view.dom.ownerDocument.addEventListener("selectionchange",this.onSelectionChange)}disconnectSele
ction(){this.view.dom.ownerDocument.removeEventListener("selectionchange",this.onSelectionChange)}su
ppressSelectionUpdates(){this.suppressingSelectionUpdates=!0,setTimeout(()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=>this.suppressingSelectionUpdates=!0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setTimeout()=:0,setT
 nUpdates=!1,50)}onSelectionChange(){if(lc(this.view)){if(this.suppressingSelectionUpdates)return
 ft(this.view);if(ke&&Tt<=11&&!this.view.state.selection.empty){let e=this.view.domSelectionRange();i
 f(e.focusNode&&Jt(e.focusNode,e.focusOffset,e.anchorNode,e.anchorOffset))return this.flushSoon()}thi
 s.flush())}setCurSelection(){this.currentSelection.set(this.view.domSelectionRange())}ignoreSelectio
 nChange(e){if(!e.focusNode)return!0;let n=new Set,r;for(let i=e.focusNode;i;i=gn(i))n.add(i);for(let
 i=e.anchorNode;i;i=gn(i))if(n.has(i)){r=i;break}let o=r&&this.view.docView.nearestDesc(r);if(o&&o.ig
 noreMutation({type: "selection",target:r.nodeType==3?r.parentNode:r}))return
 this.setCurSelection(),!0}pendingRecords(){if(this.observer)for(let e of
 this.observer.takeRecords())this.queue.push(e);return
 this.queue}flush(){let{view:e}=this;if(!e.docView||this.flushingSoon>-1)return;let
 n=this.pendingRecords(); n.length\&\&(this.queue=[]); let r=e.domSelectionRange(), o=!this.suppressingSelectionRange(), o=
 ectionUpdates \&\&! this.currentSelection.eq(r)&\&lc(e)&\&! this.ignoreSelectionChange(r),i=-1,s=
 1,l=!1,a=[];if(e.editable)for(let u=0;u<n.length;u++){let d=this.registerMutation(n[u],a);d&&(i=i<0?)}
 d.from: Math.min(d.from,i), s=s<0?d.to: Math.max(d.to,s), d.type0ver\&\&(l=!0)) if(Ve\&\&a.length) \{let u=a.filter(d=>d.nodeName=="BR"); if(u.length==2) \{let[d,f]=u;d.parentNode\&\&d.parentNode.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentNode==f.parentN
 tNode?f.remove():d.remove()\} else \{let\{focusNode:d\}=this.currentSelection; for(let\ f\ of\ u)\} let the following the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the following states of the followi
 h=f.parentNode;h\&\&h.nodeName=="LI"\&\&(!d||jm(e,d)!=h)\&\&f.remove()\}\} \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&\&o\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&e.input.lastFoliame=="LI"&&(!d||jm(e,d)!=h)&&f.remove()) \\ let c=null;i<0\&e.input.lastFoliame=="LI"&&(!d||j
 cus>Date.now()-200&&Math.max(e.input.lastTouch,e.input.lastClick.time)<Date.now()-</pre>
 300\&Kr(r)\&\&(c=cs(e))\&c.eq(E.near(e.state.doc.resolve(0),1))?(e.input.lastFocus=0,ft(e),this.currendered)
 tSelection.set(r),e.scrollToSelection()):(i>-1||o)&&(i>
 1\&\&(e.docView.markDirty(i,s),Wm(e)),this.handleDOMChange(i,s,l,a),e.docView&e.docView.dirty?e.updat
 eState(e.state):this.currentSelection.eq(r)||ft(e),this.currentSelection.set(r))}registerMutation(e,
n){if(n.indexOf(e.target)>-1)return null;let r=this.view.docView.nearestDesc(e.target);if(e.type=="a ttributes"&&(r==this.view.docView||e.attributeName=="contenteditable"||e.attributeName=="style"&&!e.
 oldValue&&!e.target.getAttribute("style"))||!r||r.ignoreMutation(e))return
 null;if(e.type=="childList"){for(let u=0;u<e.addedNodes.length;u++){let d=e.addedNodes[u];n.push(d),</pre>
 d.nodeType==3&&(this.lastChangedTextNode=d)}if(r.contentDOM&&r.contentDOM!=r.dom&&!r.contentDOM.cont
 ains(e.target))return{from:r.posBefore,to:r.posAfter};let
```

```
o=e.previousSibling, i=e.nextSibling; if (ke\&\&Tt<=11\&\&e.addedNodes.length) for (let u=0; u<e.addedNodes.length) for (let
 ngth;u++){let{previousSibling:d,nextSibling:f}=e.addedNodes[u];(!d||Array.prototype.indexOf.call(e.a
 Node==e.target?ue(o)+1:0,l=r.localPosFromDOM(e.target,s,
 1)\ , a = i \& i.\ parentNode == e.\ target?ue(i): e.\ target.childNodes.length, c = r.\ localPosFromDOM(e.\ target,a,1); results a substitution of the parentNode == e.\ target.a, a = i.\ target.childNodes.length, c = r.\ localPosFromDOM(e.\ target,a,1); results a substitution of the parentNode == e.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = i.\ target.a, a = 
 turn{from:l,to:c}}else return e.type=="attributes"?{from:r.posAtStart
 r.border, to:r.posAtEnd+r.border}:(this.lastChangedTextNode=e.target,{from:r.posAtStart,to:r.posAtEnd
typeOver:e.target.nodeValue==e.oldValue})}},gc=new WeakMap,yc=!1;function
Wm(t){if(!gc.has(t)&&(gc.set(t,null),["normal","nowrap","pre-line"].indexOf(getComputedStyle(t.dom).
whiteSpace)!==-1)){if(t.requiresGeckoHackNode=Ve,yc)return;console.warn("ProseMirror expects the CSS
white-space property to be set, preferably to 'pre-wrap'. It is recommended to load style/prosemirror.css from the prosemirror-view package."),yc=!0}}function bc(t,e){let n=e.startCont
 ainer, r=e.startOffset,o=e.endContainer,i=e.endOffset,s=t.domAtPos(t.state.selection.anchor); return J
t(s.node, s.offset, o, i) \& \& ([n, r, o, i] = [o, i, n, r]), \{anchorNode: n, anchorOffset: r, focusNode: o, focusOffset: i\} function <math>\_m(t, e) \{if(e.getComposedRanges) \{let o=e.getComposedRanges(t.root)[0]; if(o) return\} \}
 bc(t,o)}let n;function
 r(o){o.preventDefault(),o.stopImmediatePropagation(),n=o.getTargetRanges()[0]}return t.dom.addEventListener("beforeinput",r,!0),document.execCommand("indent"),t.dom.removeEventListener("beforeinput",r
 ,!0),n?bc(t,n):null}function jm(t,e){for(let n=e.parentNode;n&&n!=t.dom;n=n.parentNode){let
r=t.docView.nearestDesc(n,!0);if(r&&r.node.isBlock)return n}return null}function Km(t,e,n){let{node:
 r, from 0 ff set: o, to 0 ff set: i, from: s, to: l \} = t. doc View. parseRange(e, n), a = t. dom Selection Range(), c, u = a. anchool of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of t
 rNode; if (u\&\&t.dom.contains(u.nodeType==1?u:u.parentNode)\&\&(c=[\{node:u,offset:a.anchorOffset\}], Kr(a)|
 |c.push({node:a.focusNode,offset:a.focusOffset})),qe&&t.input.lastKeyCode===8)for(let
 g=i;g>o;g--){let
 y=r.childNodes[g-1],b=y.pmViewDesc;if(y.nodeName=="BR"\&\&!b)\{i=g;break\}if(!b||b.size)break\}let \ d=t.st
 ate.doc,f=t.someProp("domParser")||Ue.fromSchema(t.state.schema),h=d.resolve(s),p=null,m=f.parse(r,{
 topNode:h.parent,topMatch:h.parent.contentMatchAt(h.index()),topOpen:!0,from:o,to:i,preserveWhitespa
 ce:h.parent.type.whitespace=="pre"?"full":!0,findPositions:c,ruleFromNode:Um,context:h});if(c&&c[0].
pos!=null)\{let \ g=c[0].pos,y=c[1]\&\&c[1].pos;y==null\&\&(y=g),p=\{anchor:g+s,head:y+s\}\}return\{doc:m,sel:p,from:s,to:l\}\}function \ Um(t)\{let \ e=t.pmViewDesc;if(e) return \ e.parseRule();if(t.nodeName=="BR"&&t.par") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName=="BR") return \ e.parseRule();if(t.nodeName="BR") return 
entNode){if(xe&&/^(ul|ol)]/i.test(t.parentNode.nodeName)){let n=document.createElement("div");return n.appendChild(document.createElement("li")),{skip:n}}else
 if(t.parentNode.lastChild==t||xe\&\&/^(tr|table)||/i.test(t.parentNode.nodeName))return{ignore:!0}}else
if(t.nodeName=="IMG"\&\&t.getAttribute("mark-placeholder")) return\{ignore:!0\}; return null\} var Jm=/^(a|abbr|acronym|b|bd[io]|big|br|button|cite|code|data(list)?|del|dfn|em|i|ins|kbd|label|map|mark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|meter|o|ark|
 compositionPendingChanges | | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.composing?t.input.compositionID:0); if (t.input.compositionPendingChange) | (t.compositionPendingChange) | (t.compositionPend
 s=0,e<0){let v=t.input.lastSelectionTime>Date.now()-
 50?t.input.lastSelectionOrigin:null, B=cs(t,v); if(B\&\&!t.state.selection.eq(B)) {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&dt&\&t.input.lastSelection.eq(B))} {if(qe\&dt&\&t.input.lastSelection.eq(
 tKevCode===13&&Date.now()
100 < t.input.lastKeyCodeTime\&\&t.someProp("handleKeyDown", \_=> (t,Vt(13,"Enter"))))) return; let D=t.state.tr.setSelection(B); v=="pointer"?D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.setMeta("pointer",!0):v=="key"&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.scrollIntoView(),i&&D.
 composition",i),t.dispatch(D)}return}let
 s=t.state.doc.resolve(e), l=s.sharedDepth(n); e=s.before(l+1), n=t.state.doc.resolve(n).after(l+1); let
 a=t.state.selection,c=Km(t,e,n),u=t.state.doc,d=u.slice(c.from,c.to),f,h;t.input.lastKeyCode===8&&Da
 te.now()-
 100<t.input.lastKeyCodeTime?(f=t.state.selection.to,h="end"):(f=t.state.selection.from,h="start"),t.
 input.lastKeyCode=null; let p=Xm(d.content,c.doc.content,c.from,f,h); if(p&&t.input.domChangeCount++,(doc.content,c.from,f,h); if(p&&t.input.domChangeCount++,doc.content,c.from,f,h); if(p&doc.content,c.from,f,h); if(p&do
 yn&&t.input.lastIOSEnter>Date.now()
 225 \mid |dt) \& \& o.some(v=>v.nodeType==1\&\&!Jm.test(v.nodeName)) \& \& (!p|\mid p.endA>=p.endB) \& \&t.someProp("handleKellower and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
 yDown",v=>v(t,Vt(13,"Enter")))){t.input.lastIOSEnter=0;return}if(!p)if(r&&a instanceof A&&!a.empty&&
 a. ☐head.sameParent(a. ☐anchor)&&!t.composing&&!(c.sel&c.sel.anchor!=c.sel.head))p={start:a.from,endA
 :a.to,endB:a.to\};else\{if(c.sel)\{let\ v=xc(t,t.state.doc,c.sel)\};if(v&&!v.eq(t.state.selection))\{let\ B=v=xc(t,t.state.doc,c.sel)\};if(v&&!v.eq(t.state.selection))\}
t.state.tr.setSelection(v);i&&B.setMeta("composition",i),t.dispatch(B)}}return}t.state.selection.fro m<t.state.selection.to&&p.start==p.endB&&t.state.selection instanceof A&&(p.start>t.state.selection.
 from&&p.start<=t.state.selection.from+2&&t.state.selection.from>=c.from?p.start=t.state.selection.fr
 om:p.endA<t.state.selection.to&&p.endA>=t.state.selection.to-
 2&&t.state.selection.to<=c.to&&(p.endB+=t.state.selection.to-
c.doc.resolveNoCache(p.start-c.from),g=c.doc.resolveNoCache(p.endB-
 c.from),y=u.resolve(p.start),b=m.sameParent(g)&&m.parent.inlineContent&&y.end()>=p.endA,x;if((yn&&t.
 input.lastIOSEnter>Date.now()-
 225&&(!b||o.some(v=>v.nodeName=="DIV"||v.nodeName=="P"))||!b&&m.pos<c.doc.content.size&&(!m.samePare
\label{locality} handle Key Down", v => v(t, Vt(8, "Backspace"))) \\ \{dt \& ge \& t. dom 0 bserver. suppress Selection Updates(); return \} \\ e \& p. end B == p. start \\ \& (t. input. last Chrome Delete = Date. now()), dt \\ \& !b \& m. start()! \\ ! & Selection Updates(); return \} \\ ge \& p. end B == p. start \\ \& (t. input. last Chrome Delete = Date. now()), dt \\ \& !b \& m. start()! \\ ! & Selection Updates(); return \} \\ e \& p. end B == p. start \\ \& (t. input. last Chrome Delete = Date. now()), dt \\ \& (t. input. last Chrome Delete) \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & Selection Updates(); return \} \\ e & 
 =2,g=c.doc.resolveNoCache(p.endB-
 c.from), setTimeout(()=>{t.someProp("handleKeyDown", function(v){return
 v(t,Vt(13,"Enter"))})},20));let C=p.start,S=p.endA,R=v=>{let
```

```
B=v||t.state.tr.replace(C,S,c.doc.slice(p.start-c.from,p.endB-c.from));if(c.sel){let D=xc(t,B.doc,c.
 sel);D&&!(ge&&t.composing&&D.empty&&(p.start!=p.endB||t.input.lastChromeDelete<Date.now()
 100)&&(D.head==C||D.head==B.mapping.map(S)-1)||ke&&D.empty&&D.head==C)&&B.setSelection(D)}return i&&
 B.set Meta("composition",i), B.scrol \~lIntoView()\}, P; if(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{ke\&\&Tt<=11\&\&m.parentOffset==g.pos\}, f(b) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos) \\ \{if(m.pos==g.pos)
 0\&\&(t.dom0bserver.suppressSelectionUpdates(),setTimeout(()=>ft(t),20));let v=R(t.state.tr.delete(C,S))
 )),B=u.resolve(p.start).marksAcross(u.resolve(p.endA));B&&v.ensureMarks(B),t.dispatch(v)}else if(p.e
 ndA==p.endB&&(P=Gm(m.parent.content.cut(m.parentOffset,g.parentOffset),y.parent.content.cut(y.parent
Offset,p.endA-y.start())))){let v=R(t.state.tr);P.type=="add"?v.addMark(C,S,P.mark):v.removeMark(C,S,P.mark),t.dispatch(v)}else
 if(m.parent.child(m.index()).isText\&\&m.index()==g.index()-(g.textOffset?0:1)){let v=m.parent.textBet}
 ween(m.parentOffset,g.parentOffset),B=()=>R(t.state.tr.insertText(v,C,S));t.someProp("handleTextInpu
 t",D=>D(t,C,S,v,B))||t.dispatch(B())}}else t.dispatch(R())}function xc(t,e,n){return
 Math.max(n.anchor,n.head)>e.content.size?null:us(t,e.resolve(n.anchor),e.resolve(n.head))}function
 Gm(t,e){let n=t.firstChild.marks,r=e.firstChild.marks,o=n,i=r,s,l,a;for(let
 u=0; u<r.length; u++)o=r[u].removeFromSet(o); for(let u=0; u<n.length; u++)i=n[u].removeFromSet(i); if(o.length;  ength == 1\&\&i.length == 0)l = o[0], s = "add", a = u = > u.mark(l.addToSet(u.marks)); else
 if(o.length==0&&i.length==1)l=i[0],s="remove",a=u=>u.mark(l.removeFromSet(u.marks));else return
 null; let c=[]; for(let
 u=0; u<e.childCount; u++)c.push(a(e.child(u))); if(w.from(c).eq(t))return{mark:l,type:s}}function
 Ym(t,e,n,r,o){if(n-e<=o.pos-r.pos||Wi(r,!0,!1)<o.pos)return!1;let
 i=t.resolve(e);if(!r.parent.isTextblock){let l=i.nodeAfter;return
 l!=null&&n==e+l.nodeSize}if(i.parentOffset<i.parent.content.size||!i.parent.isTextblock)return!1;let</pre>
 s=t.resolve(Wi(i,!0,!0)); return!s.parent.isTextblock||s.pos>n||Wi(s,!0,!1)<n?!1:r.parent.content.cut
 e||t.indexAfter(r)==t.node(r).childCount);)r--,o++,e=!1;if(n){let
 i=t.node(r).maybeChild(t.indexAfter(r));for(;i&&!i.isLeaf;)i=i.firstChild,o++}return o}function
 Xm(t,e,n,r,o){let i=t.findDiffStart(e,n);if(i==null)return
 null;let{a:s,b:l}=t.findDiffEnd(e,n+t.size,n+e.size);if(o=="end"){let
 a=Math.max(0,i-Math.min(s,l));r-=s+a-i\}if(s<i\delta_t.size<e.size){let}
 a = r <= i \& r >= s?i - r:0; i -= a, i \& \&i < e. size \& wc(e. textBetween(i-1, i+1)) \& \& (i+=a?1:-1), l=i+(l-s), s=i \} else
 if(l < i) \\ \{let \ a = r < = i \& r > = l?i - r : 0; i - = a, i \& i < t. size \& wc(t. textBetween(i - 1, i + 1)) \& \& (i + = a?1: -1), s = i + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s - 1) + (s 
 l),l=i}return{start:i,endA:s,endB:l}}function wc(t){if(t.length!=2)return!1;let
 e=t.charCodeAt(0), n=t.charCodeAt(1); return e>=56320\&e<=57343\&en>=55296\&en<=56319 \} var qn=class\{constantial constantial co
 ructor(e,n){this. root=null,this.focused=!1,this.trackWrites=null,this.mounted=!1,this.markCursor=nu
 ll,this.cursorWrapper=null,this.lastSelectedViewDesc=void 0,this.input=new ts,this.prevDirectPlugins
 =[],this.pluginViews=[],this.requiresGeckoHackNode=!1,this.dragging=null,this._props=n,this.state=n.
 state, this.directPlugins=n.plugins||[], this.directPlugins.forEach(vc), this.dispatch=this.dispatch.bi
 nd(this),this.dom=e&&e.mount||document.createElement("div"),e&&(e.appendChild?e.appendChild(this.dom
):typeof e=="function"?e(this.dom):e.mount&&(this.mounted=!0)),this.editable=Cc(this),kc(this),this.nodeViews=Mc(this),this.domView=tc(this.state.doc,Sc(this),Vi(this),this.dom,this),this.domObserver=
 ls(this,(r,o,i,s)=>qm(this,r,o,i,s)),this.domObserver.start(),wm(this),this.updatePluginViews()}get
composing(){return this.input.composing}get props(){if(this._props.state!=this.state){let e=this._props;this._props={};for(let n in e)this._props[n]=e[n];this._props.state=this.state}return this._props}update(e){e.handleDOMEvents!=this._props.handleDOMEvents&&ns(this);let n=this._props;thi
 s.\_props=e,e.plugins.\&(e.plugins.forEach(vc),this.directPlugins=e.plugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlugins),this.updateStateInner(e.s.,this.directPlug
tate,n)}setProps(e){let n={};for(let r in this._props)n[r]=this._props[r];n.state=this.state;for(let r in e)n[r]=e[r];this.update(n)}updateState(e){this.updateStateInner(e,this._props)}updateStateInner
 (e,n){var r;let
 e.plugins||this._props.plugins!=n.plugins;if(||this._props.plugins!=n.plugins||this._props.nodeViews!=n.nodeViews){let h=Mc(this);Zm(h,this.nodeViews)&(this.nodeViews=h,i=!0)}(||1|n.handleDOMEvents!=
this._props.handleD0MEvents)&s(this),this.editable=Cc(this),kc(this);let a=Vi(this),c=Sc(this),u=o.plugins!=e.plugins&s0.doc.eq(e.doc)?"reset":e.scrollToSelection>o.scrollToSelection?"to selection":"preserve",d=i||!this.docView.matchesNode(e.doc,c,a);(d||!e.selection.eq(o.selection))&s(s=!0);let
 f=u=="preserve"\&\&s\&\&this.dom.style.overflowAnchor==null\&\&Hp(this); if(s)\{this.dom0bserver.stop(); letformer(stop()) and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of 
 h=d\&\&(ke||ge)\&\&! this.composing&&!o.selection.empty&&!e.selection.empty&&Qm(o.selection,e.selection);
 if(d){let p=qe?this.trackWrites=this.domSelectionRange().focusNode:null;this.composing&&(this.input.
 composition Node = Dm(this)), (i||!this.docView.update(e.doc,c,a,this)) \& (this.docView.updateOuterDeco(compositionNode)) \\
  ),this.docView.destroy(),this.docView=tc(e.doc,c,a,this.dom,this)),p&&!this.trackWrites&&(h=!0)}h||!
  (this.input.mouseDown&&this.domObserver.currentSelection.eq(this.domSelectionRange())&&im(this))?ft(
 this,h):(Hc(this,e.selection),this.dom0bserver.setCurSelection()),this.dom0bserver.start()}this.updatePluginViews(o),!((r=this.dragging)===null||r===void 0)&&r.node&&!o.doc.eq(e.doc)&&this.updateDragg
 sNode; if (!(!e||!this.dom.contains(e.nodeType==1?e:e.parentNode))) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!this.someProp("handleScrollToS)) \\ \{if (!
 election",n=>n(this)))if(this.state.selection instanceof 0){let n=this.docView.domAfterPos(this.stat
 e.selection.from);n.nodeType==1&&Ga(this,n.getBoundingClientRect(),e)}else
is.directPlugins!=this.prevDirectPlugins){this.prevDirectPlugins=this.directPlugins,this.destroyPlug
 inViews();for(let n=0;n<this.directPlugins.length;n++){let</pre>
 r=this.directPlugins[n];r.spec.view&&this.pluginViews.push(r.spec.view(this))}for(let
```

```
n=0;n<this.state.plugins.length;n++){let
 r=this.state.plugins[n];r.spec.view&&this.pluginViews.push(r.spec.view(this))}}else for(let
 n=0;n<this.pluginViews.length;n++){let
 r=this.pluginViews[n];r.update&&r.update(this,e)}}updateDraggedNode(e,n){let
 r=e.node,o=-1;if(this.state.doc.nodeAt(r.from)==r.node)o=r.from;else{let i=r.from+(this.state.doc.co
 ntent.size-n.doc.content.size); (i>0\&\&this.state.doc.nodeAt(i))==r.node\&\&(o=i)\\ \\ \\ this.dragging=new, fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent.size(o=i), fine tent
 Vr(e.slice,e.move,o<0?void 0:0.create(this.state.doc,o))}someProp(e,n){let</pre>
 r=this._props&&this._props[e],o;if(r!=null&&(o=n?n(r):r))return o;for(let
 s=0;s<this.directPlugins.length;s++){let
l=this.directPlugins[s].props[e];if(l!=null&&(o=n?n(l):l))return o}let
 i=this.state.plugins;if(i)for(let s=0;s<i.length;s++){let
 l=i[s].props[e]; if(l!=null&&(o=n?n(l):l))return o} has Focus()\{if(ke)\{let e=this.root.activeElement;i
f(e==this.dom) \ return!0; if(!e||!this.dom.contains(e)) \ return!1; for(;e\&this.dom!=e\&this.dom.contains(e);) \{if(e.contentEditable=="false") \ return!1; e=e.parentElement\} \ return!0\} \ return this.root.activeElement
 t = = this.dom) focus() \{this.dom0bserver.stop(), this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(), this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.editable\&\&[p(this.dom),ft(this),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom0bserver.stop(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),this.dom(),thi
 art()}get root(){let e=this._root;if(e==null)}for(let
 n=this.dom.parentNode;n;n=n.parentNode)if(n.nodeType==9||n.nodeType==11&&n.host)return n.getSelectio
 \label{lem:nonequation} \verb|n|| (Object.getPrototypeOf(n).getSelection=()=>n.ownerDocument.getSelection()), this.\_root=n \} return
 e||document}updateRoot(){this._root=null}posAtCoords(e){return Kp(this,e)}coordsAtPos(e,n=1){return
 Dc(this,e,n)}domAtPos(e,n=0){return this.docView.domFromPos(e,n)}nodeDOM(e){let
 n=this.docView.descAt(e);return n?n.nodeDOM:null}posAtDOM(e,n,r=-1){let
 o=this.docView.posFromDOM(e,n,r);if(o==null)throw new RangeError("DOM position not inside the
 editor");return o}endOfTextblock(e,n){return Yp(this,n||this.state,e)}pasteHTML(e,n){return
Un(this, "", e, !1, n||new ClipboardEvent("paste"))}pasteText(e, n){return Un(this, e, null, !0, n||new ClipboardEvent("paste"))}serializeForClipboard(e){return ds(this, e)}destroy(){this.docView&&(Sm(this
 ),this.destroyPluginViews(),this.mounted?(this.docView.update(this.state.doc,[],Vi(this),this),this.
 dom.textContent=""):this.dom.parentNode&&this.dom.parentNode.removeChild(this.dom),this.docView.dest
 roy(),this.docView=null,Ap())}get isDestroyed(){return this.docView==null}dispatchEvent(e){return
 is.dom.ownerDocument)==this.dom&& m(this,e)||e:{focusNode:null,focusOffset:0,anchorNode:null,anchorO
 e=this.props.dispatchTransaction;e?e.call(this,t):this.updateState(this.state.apply(t))};function
 Sc(t){let e=Object.create(null);return
e.class="ProseMirror",e.contenteditable=String(t.editable),t.someProp("attributes",n=>{if(typeof n=="function"&&(n=n(t.state)),n)for(let r in n)r=="class"?e.class+=" "+n[r]:r=="style"?e.style=(e.st
 yle?e.style+";":")+n[r]:!e[r]&&r!="contenteditable"&&r!="nodeName"&&(e[r]=String(n[r]))),e.translaring (n[r]))
 e=document.createElement("img");e.className="ProseMirror-separator",e.setAttribute("mark-placeholder ","true"),e.setAttribute("alt",""),t.cursorWrapper={dom:e,deco:Y.widget(t.state.selection.from,e,{ra w:!0,marks:t.markCursor})}}else t.cursorWrapper=null}function Qm(t,e){let
 n=Math.min(t.∏anchor.sharedDepth(t.head),e.∏anchor.sharedDepth(e.head));return
 t. anchor.start(n)!=e. anchor.start(n)} function Mc(t) {let e=0bject.create(null); function
 n(r) {for(let o in r)Object.prototype.hasOwnProperty.call(e,o)||(e[o]=r[o])} return
t.someProp("nodeViews",n),t.someProp("markViews",n),e}function Zm(t,e){let n=0,r=0;for(let o in t){if(t[o]!=e[o])return!0;n++}for(let o in e)r++;return n!=r}function vc(t){if(t.spec.state||t.spec.filterTransaction||t.spec.appendTransaction)throw new
9]|\d{2,})\..*rv:(\d+)/.exec(navigator.userAgent);for(re=0;re<10;re++)ht[48+re]=ht[96+re]=String(re)
 ;var re;for(re=1;re<=24;re++)ht[re+111]="F"+re;var
 re;for(re=65;re<=90;re++)ht[re]=String.fromCharCode(re+32),qr[re]=String.fromCharCode(re);var re;for(Jr in ht)qr.hasOwnProperty(Jr)||(qr[Jr]=ht[Jr]);var Jr;function nu(t){var e=eg&&t.metaKey&&t.
 shiftKey\&\&t.ctrlKey\&\&t.altKey||tg\&\&t.shiftKey\&\&t.key\&length==1||t.key=="Unidentified",n=!e\&thickey||tg\&\&t.shiftKey&\&t.key.length==1||t.key=="Unidentified",n=!e\&thickey||tg&&t.shiftKey&&t.key.length==1||t.key=="Unidentified",n=!e\&thickey||tg&&t.shiftKey&&t.key.length==1||t.key=="Unidentified",n=!e\&thickey||t.key="Unidentified",n=!e\&thickey||t.key="Unidentified",n=!e\&thickey||t.key="Unidentified",n=!e\&thickey||t.key="Unidentified",n=!e\&thickey||t.key="Unidentified",n=!e\&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n=!e&thickey||t.key="Unidentified",n
&t.key||(t.shiftKey?qr:ht)[t.keyCode]||t.key||"Unidentified";return n=="Esc"&&(n="Escape"),n=="Del"&&(n="Delete"),n=="Left"&&(n="ArrowLeft"),n=="Up"&&(n="ArrowUp"),n=="Right"&&(n="ArrowRight"),n=="Down".
 n"&&(n="ArrowDown"),n}var ng=typeof
 navigator<"u"&&/Mac|iP(hone|[oa]d)/.test(navigator.platform),rg=typeof</pre>
l=0; l< e.length-1; l++){let a=e[l]; if(/^(cmd|meta|m)]/i.test(a))s=!0; else}
if(/^a(lt)?[]/i.test(a))r=!0;else if(/^(c|ctrl|control)[]/i.test(a))o=!0;else
if(/^s(hift)?[]/i.test(a))i=!0;else if(/^mod[]/i.test(a))ng?s=!0:o=!0;else throw new
Error("Unrecognized modifier name: "+a)}return
```

```
r\&\{(n="Alt-"+n), o\&\{(n="Ctrl-"+n), s\&\{(n="Meta-"+n), i\&\{(n="Shift-"+n), n\}\} function ig(t)\{let = r\&\{(n="Alt-"+n), oa, (n="Alt-"+n), oa
e=0bject.create(null); for(let n in t)e[og(n)]=t[n]; return e}function gs(t,e,n=!0){return e.altKey&&(t="Alt-"+t),e.ctrlKey&&(t="Ctrl-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),n&&e.shiftKey&&(t="Shift-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.metaKey&&(t="Meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-"+t),e.meta-
   "+t),t}function ru(t){return new N({props:{handleKeyDown:Xn(t)}})}function Xn(t){let e=ig(t); return
function(n,r) \{ let \ o=nu(r), i, s=e[gs(o,r)]; if(s\&\&s(n.state,n.dispatch,n)) \ return! 0; if(o.length==1\&\&o!="length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|length==1|le
 ")\{if(r.shiftKey)\{let l=e[gs(o,r,!1)];if(l&&l(n.state,n.dispatch,n))return!0\}if((r.altKey||r.metaKey)
  ||r.ctrlKey)&&!(rg&&r.ctrlKey&&r.altKey)&&(i=ht[r.keyCode])&&i!=o){let
 l=e[gs(i,r)];if(l&&l(n.state,n.dispatch,n))return!0}}return!1}}var
 Gr = (t,e) = > t.selection.empty?!1: (e\&\&e(t.tr.deleteSelection().scrollIntoView()),!0); function iu(t,e) \{let = (t,e) = t.selection; return!n | let = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e) = (t,e
bs=(t,e,n)=>\{let r=iu(t,n);if(!r)return!1;let o=ws(r);if(!o)\{let s=r.blockRange(),l=s&&at(s);return\}
l==null?!1:(e&&e(t.tr.lift(s,l).scrollIntoView()),!0)}let i=o.nodeBefore;if(pu(t,o,e,-
1))return!0;if(r.parent.content.size==0&&(xn(i, "end")||0.isSelectable(i)))for(let
s=r.depth;;s--){let
l = \exists n(t.doc,r.before(s),r.after(s),M.empty); if(l\&\&l.slice.size<l.to-l.from) \{if(e)\{let\ a=t.tr.step(l); let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ a=t.tr.step(l), let\ 
a.setSelection(xn(i, "end")?E.findFrom(a.doc.resolve(a.mapping.map(o.pos,-1)),
1):0.create(a.doc,o.pos-i.nodeSize)),e(a.scrollIntoView())}return!0}if(s==1||r.node(s-
1).childCount>1)break}return i.isAtom&&o.depth==r.depth-1?(e&&e(t.tr.delete(o.pos-
i.nodeSize,o.pos).scrollIntoView()),!0):!1\},su=(t,e,n)=>\{let \ r=iu(t,n);if(!r)return!1;let \ o=ws(r);return \ o?au(t,o,e):!1\},lu=(t,e,n)=>\{let \ r=cu(t,n);if(!r)return!1;let \ o=Cs(r);return \ o?au(t,o,e):!1\},lu=(t,e,n)=(t,e,n)=(t,e,n);let \ o=Cs(r);return \ o?au(t,o,e):!1\},lu=(t,e,n)=(t,e,n)=(t,e,n);let \ o=Cs(r);return \ o?au(t,o,e):!1\},lu=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)=(t,e,n)
o?au(t,o,e):!1};function au(t,e,n){let
r=e.nodeBefore,o=r,i=e.pos-1;for(;!o.isTextblock;i--){if(o.type.spec.isolating)return!1;let
u=o.lastChild;if(!u)return!1;o=u}let
s=e.nodeAfter,l=s,a=e.pos+1;for(;!l.isTextblock;a++){if(l.type.spec.isolating)return!1;let
 u=l.firstChild; if(!u) return!1; l=u \} let \ c= [ln(t.doc,i,a,M.empty); if(!c||c.from!=i||c instance of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the 
pe&&c.slice.size>=a-i)return!1;if(n){let
u=t.tr.step(c); u.setSelection(A.create(u.doc,i)), n(u.scrollIntoView())\} return!0 function
xn(t,e,n=!1)\{for(let r=t;r;r=e=="start"?r.firstChild:r.lastChild)\{if(r.isTextblock)return!0;if(n&&r.lastChild)\}
childCount!=1)return!1}return!1}var xs=(t,e,n)=>{let{[head:r,empty:o}=t.selection,i=r;if(!o)return!1}
;if(r.parent.isTextblock){if(n?!n.endOfTextblock("backward",t):r.parentOffset>0)return!1;i=ws(r)}let
s.nodeSize)).scrollIntoView()),!0)};function ws(t){if(!t.parent.type.spec.isolating)for(let
e=t.depth-1;e>=0;e--){if(t.index(e)>0)return}
t.doc.resolve(t.before(e+1));if(t.node(e).type.spec.isolating)break}return null}function cu(t,e){let
{[cursor:n}=t.selection;return!n||(e?!e.endOfTextblock("forward",t):n.parentOffset<n.parent.content.
size)?null:n}var Ss=(t,e,n)=>{let r=cu(t,n);if(!r)return!1;let o=Cs(r);if(!o)return!1;let i=o.nodeAfter;if(pu(t,o,e,1))return!0;if(r.parent.content.size==0&&(xn(i,"start")||0.isSelectable(i))){let
s=[n(t.doc,r.before(),r.after(),M.empty);if(s&&s.slice.size<s.to-s.from){if(e){let l=t.tr.step(s);l.setSelection(xn(i,"start")?E.findFrom(l.doc.resolve(l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.mapping.map(o.pos)),1):0.create(l.doc,l.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.mapping.ma
g.map(o.pos))),e(l.scrollIntoView())}return!0}}return i.isAtom&&o.depth==r.depth-
1?(e\&e(t.tr.delete(o.pos,o.pos+i.nodeSize).scrollIntoView()),!0):!1\}, ks=(t,e,n)=>\{let\{[]head:r,empty:o\}=t.selection,i=r;if(!o)return!1;if(r.parent.isTextblock)\{if(n?!n.endOfTextblock("forward",t):r.parent.isTextblock("forward"),totalintoView()), totalintoView()), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoView(), totalintoVi
rentOffset<r.parent.content.size)return!1;i=Cs(r)}let s=i&&i.nodeAfter;return!s||!0.isSelectable(s)?
   !1:(e&&e(t.tr.setSelection(0.create(t.doc,i.pos)).scrollIntoView()),!0)};function
Cs(t){if(!t.parent.type.spec.isolating)for(let e=t.depth-1;e>=0;e--){let
n=t.node(e);if(t.index(e)+1<n.childCount)return</pre>
t.doc.resolve(t.after(e+1));if(n.type.spec.isolating)break}return null}var uu=(t,e)=>{let
n=t.selection,r=n instanceof
0,o;if(r){if(n.node.isTextblock||!Ne(t.doc,n.from))return!1;o=n.from}else
if(o=Ft(t.doc,n.from,-1),o==null)return!1;if(e){let i=t.tr.join(o);r&&i.setSelection(0.create(i.doc,
o-t.doc.resolve(o).nodeBefore.nodeSize)),e(i.scrollIntoView())}return!0},du=(t,e)=>{let
n=t.selection,r;if(n instanceof 0){if(n.node.isTextblock||!Ne(t.doc,n.to))return!1;r=n.to}else
if(r=Ft(t.doc,n.to,1),r==null) \\ return!1; \\ return \\ e\&e(t.tr.join(r).scrollIntoView()),!0\}, \\ fu=(t,e)=>\{let(t.doc,n.to,1),r==null) \\ return \\ e\&e(t.tr.join(r).scrollIntoView()),!0\}, \\ fu=(t,e)=>\{let(t.doc,n.to,1),r==null) \\ return \\ e\&e(t.tr.join(r).scrollIntoView()),!0\}, \\ fu=(t,e)=>\{let(t.doc,n.to,1),r==null) \\ return \\ e\&e(t.tr.join(r).scrollIntoView()),!0\}, \\ fu=(t,e)=>\{let(t.doc,n.to,1),r==null) \\ fu=(t,e)=>\{let(t.doc,n.to,1),r==null) \\ fu=(t,e)==null) 
   {□from:n,□to:r}=t.selection,o=n.blockRange(r),i=o&&at(o);return i==null?!1:(e&&e(t.tr.lift(o,i).scro
llIntoView()),!0)},Ms=(t,e)=>{let{∏head:n,∏anchor:r}=t.selection;return!n.parent.type.spec.code||!n.
sameParent(r)?!1:(e&&e(t.tr.insertText(
      ).scrollIntoView()),!0)};function vs(t){for(let
e=0; e< t.edge Count; e++) \{let\{type:n\}=t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \ n\} return \} = 0; e< t.edge Count; e++) \{let\{type:n\}=t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \ n\} return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attrs()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !n.hasRequired Attra()) return \} = 0; e< t.edge(e); if(n.isTextblock \& !
[null] = Ts=(t,e) = {let{[head:n, anchor:r}=t.selection; if(!n.parent.type.spec.code] | !n.sameParent(r)}
)return!1;let o=n.node(-1),i=n.indexAfter(-
1), s=vs(o.contentMatchAt(i)); if(!s||!o.canReplaceWith(i,i,s)) return!1; if(e){let l=n.after(), a=t.tr.r
eplaceWith(l,l,s.createAndFill());a.setSelection(E.near(a.doc.resolve(l),1)),e(a.scrollIntoView())}r
eturn!0},As=(t,e)=>{let n=t.selection,{\[ from:r,\[ to:o\] =n;if(n instanceof be||r.parent.inlineContent||o.parent.inlineContent)return!1;let
i=vs(o.parent.contentMatchAt(o.indexAfter())); if(!i||!i.isTextblock)return!1; if(e){let s=(!r.parent0)}
ffset&&o.index()<o.parent.childCount?r:o).pos,l=t.tr.insert(s,i.createAndFill());l.setSelection(A.cr</pre>
eate(l.doc,s+1)),e(l.scrollIntoView())} return!0\}, Es=(t,e)=>\{let\{ @cursor:n\}=t.selection; if(!n||n.pare)\}, end of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
nt.content.size)return!1;if(n.depth>1&&n.after()!=n.end(-1)){let i=n.before();if(Ae(t.doc,i))return e&&e(t.tr.split(i).scrollIntoView()),!0}let r=n.blockRange(),o=r&&at(r);return
o==null?!1:(e&&e(t.tr.lift(r,o).scrollIntoView()),!0)};function
sq(t){return(e,n)=>{let{||from:r,||to:o}|}=e.selection;if(e.selection instanceof 0&&e.selection.node.isB
lock)return!r.parentOffset||!Ae(e.doc,r.pos)?!1:(n&&n(e.tr.split(r.pos).scrollIntoView()),!0);if(!r.depth)return!1;let i=[],s,l,a=!1,c=!1;for(let h=r.depth;;h--
```

```
\inf(r.node(h).isBlock)\{a=r.end(h)==r.pos+(r.depth-h),c=r.start(h)==r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.node(h-h),c=r.pos-(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(r.depth-h),l=vs(
1).contentMatchAt(r.indexAfter(h-1)); let m=t\&\&t(o.parent,a,r); i.unshift(m||(a\&\&l?\{type:l\}:null)), s=h;break\}else\{if(h==1)return!1; i.unshift(null)\}let u=e.tr; (e.selection instance of A||e.selection ins
 instance of \ be) \&\&u. delete Selection(); let \ d=u.mapping.map(r.pos), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i.length,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u.doc,d,i); if(f||(i[0]=1), f=Ae(u
 l^{type:l}: null, f=Ae(u.doc,d,i.length,i)), f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}: null, f^{type:l}
  !=l){let h=u.mapping.map(r.before(s)),p=u.doc.resolve(h);l&&r.node(s-
1).canReplaceWith(p.index(),p.index()+1,l)&&u.setNodeMarkup(u.mapping.map(r.before(s)),l)}return n&&n(u.scrollIntoView()),!0}}var lg=sg();var
  \text{hu} = (\texttt{t}, \texttt{e}) = \text{let} \{ \texttt{l} \text{from} : \texttt{n}, \texttt{to} : \texttt{r} \} = \texttt{t.selection}, \texttt{o}, \texttt{i} = \texttt{n.sharedDepth}(\texttt{r}); \texttt{return i} = = \texttt{0}?! 1: (\texttt{o} = \texttt{n.before}(\texttt{i}), \texttt{e} \& \texttt{e}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.depth}(\texttt{t.t.dep
 r.setSelection(0.create(t.doc,o))), !0), ag=(t,e)=>(e&&e(t.tr.setSelection(new))
 be(t.doc))), !0); function cg(t,e,n) {let r=e.nodeBefore,o=e.nodeAfter,i=e.index(); return!r||!o||!r.typ
 e.compatible Content (o.type)?!1:!r.content.size \& e.parent.can Replace (i-1,i)? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos-tent))? (n\& h (t.tr.delete (e.pos
 r.nodeSize,e.pos).scrollIntoView()),!0):!e.parent.canReplace(i,i+1)||!(o.isTextblock||Ne(t.doc,e.pos
 ))?!1:(n\&\&n(t.tr.join(e.pos).scrollIntoView()),!0)}function pu(t,e,n,r){let o=e.nodeBefore,i=e.nodeA
 fter, s, l, a=o.type.spec.isolating | |i.type.spec.isolating; if (!a\&\&cg(t,e,n)) return!0; let c=!a\&\&e.parent | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type.spec.isolating | |i.type
     canReplace(e.index(),e.index()+1); if(c&&(s=(l=o.contentMatchAt(o.childCount)).findWrapping(i.type))
 &&l.matchType(s[0]||i.type).validEnd){if(n){let h=e.pos+i.nodeSize,p=w.empty;for(let
 y=s.length-1; y>=0; y--)p=w.from(s[y].create(null,p)); p=w.from(o.copy(p)); let m=t.tr.step(new,p) = w.from(o.copy(p)); let m=t.tr.step(new,p) = w.from(
 ne(e.pos-1,h,e.pos,h,new\ M(p,1,0),s.length,!0)),g=m.doc.resolve(h+2*s.length);g.nodeAfter&&g.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.nodeAfterage.
 er.type==o.type&&Ne(m.doc,g.pos)&&m.join(g.pos),n(m.scrollIntoView())}return!0}let u=i.type.spec.iso
lating[|r>0\&\&a?null:E.findFrom(e,1),d=u\&\&u.[from.blockRange(u.[to),f=d&\&at(d);if(f!=null&\&f>=e.depth)] leturn n&&n(t.tr.lift(d,f).scrollIntoView()),!0;if(c&&xn(i,"start",!0)&&xn(o,"end")) { let h=o,p=[];for(;p.push(h),!h.isTextblock;)h=h.lastChild; let m=i,g=1;for(;!m.isTextblock;m=m.firstChild) } leture for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the conte
 )g++;if(h.canReplace(h.childCount,h.childCount,m.content)){if(n){let y=w.empty;for(let
 x=p.length-1; x>=0; x--)y=w.from(p[x].copy(y)); let b=t.tr.step(new
 ne(e.pos-p.length,e.pos+i.nodeSize,e.pos+g,e.pos+i.nodeSize-g,new
 M(y,p.length,0),0,!0));n(b.scrollIntoView())}return!0}}return!1}function mu(t){return
 function(e,n){let
 o.node(i).isTextblock?(n&&n(e.tr.setSelection(A.create(e.doc,t<0?o.start(i):o.end(i)))),!0):!1}}var
 Os=mu(-1),Ns=mu(1);function gu(t,e=null){return
 function(n,r){let{□from:o,□to:i}=n.selection,s=o.blockRange(i),l=s&&cn(s,t,e);return
 l?(r\&r(n.tr.wrap(s,l).scrollIntoView()),!0):!1} function Rs(t,e=null){return function(n,r){let
==t)o=!0:else{let
 u=n.doc.resolve(c),d=u.index();o=u.parent.canReplaceWith(d,d+1,t)}})}if(!o)return!1;if(r){let
 i=n.tr; for(let s=0; s< n.selection.ranges.length; s++) \{ let \{ [from: \{pos:l\}, [to: \{pos:a\}\} \} = n.selection.range \} \}
s[s];i.setBlockType(l,a,t,e)}r(i.scrollIntoView())}return!0}}function Ds(...t){return
function(e,n,r){for(let o=0;o<t.length;o++)if(t[o](e,n,r))return!0;return!1}}var</pre>
ys=Ds(Gr,bs,xs),ou=Ds(Gr,Ss,ks),Ot={Enter:Ds(Ms,As,Es,lg),"Mod-Enter":Ts,Backspace:ys,"Mod-Backspace":ys,"Shift-Backspace":ys,Delete:ou,"Mod-Delete":ou,"Mod-a":ag},ug={"Ctrl-h":Ot.Backspace,"Alt-Backspace":Ot["Mod-
Backspace"],"Ctrl-d":Ot.Delete,"Ctrl-Alt-Backspace":Ot["Mod-Delete"],"Alt-Delete":Ot["Mod-Delete"],"Alt-d":Ot["Mod-Delete"],"Ctrl-a":Os,"Ctrl-e":Ns};for(let t in Ot)ug[t]=Ot[t];var Hw=typeof navigator<"u"?/Mac|iP(hone|[oa]d)/.test(navigator.platform):typeof
 os<"u"&&os.platform?os.platform()=="darwin":!1;function yu(t,e=null){return
 function(n,r) \{ let \{ \exists from: o, \exists to: i \} = n. selection, s=o. blockRange(i); if (!s) return! 1; let \} \} 
 l=r?n.tr:null; return dg(l,s,t,e)?(r&&r(l.scrollIntoView()),!0):!1} function dg(t,e,n,r=null){let o=!
 1,i=e,s=e.∏from.doc;if(e.depth>=2&&e.∏from.node(e.depth-
 1).type.compatibleContent(n)&&e.startIndex==0){if(e.\Boxfrom.index(e.depth-1)==0)return!1;let
 a=s.resolve(e.start-2);i=new zt(a,a,e.depth),e.endIndex<e.parent.childCount&&(e=new
 l?(t&&fg(t,e,l,o,n),!0):!1 function fg(t,e,n,r,o) {let i=w.empty; for(let
 u=n.length-1;u>=0;u--)i=w.from(n[u].type.create(n[u].attrs,i));t.step(new
 ne(e.start-(r?2:0),e.end,e.start,e.end,new M(i,0,0),n.length,!0));let s=0;for(let
 u=0; u< n.length; u++)n[u].type==o&&(s=u+1);let
 l=n.length-s, a=e.start+n.length-(r?2:0), c=e.parent; for(let u=e.startIndex, d=e.endIndex, f=!0; u<d; u++, f=!1)!f\&\&Ae(t.doc, a, l)\&\&(t.split(a, l), a+=2*l), a+=c.child(u).nodeSize; return t} function bu(t) {return} f=length-s, a=e.start+n.length-(r?2:0), c=e.parent; for(let u=e.startIndex, d=e.endIndex, f=!0; u<d; u++, f=!1)!f\&\&Ae(t.doc, a, l)&&(t.split(a, l), a+=2*l), a+=c.child(u).nodeSize; return t} f=length-s, a=e.start+n.length-(r?2:0), c=e.parent; for(let u=e.startIndex, d=e.endIndex, f=!0; u<d; u++, f=!1)!f\&\&Ae(t.doc, a, l)&&(t.split(a, l), a+=2*l), a+=c.child(u).nodeSize; return t} f=length-s, a=e.startIndex, d=e.endIndex, f=!0; u<d; u++, f=!1)!f\&Ae(t.doc, a, l)&&(t.split(a, l), a+=2*l), a+=c.child(u).nodeSize; return t} f=length-s, a=e.startIndex, d=e.endIndex, f=!0; u<d; u++, f=!1)!f\&Ae(t.doc, a, l)&&(t.split(a, l), a+=2*l), a+=c.child(u).nodeSize; return t} f=length-s, a=e.startIndex, d=e.startIndex, unction(e,n) \{let\{ from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r, from: r,
 t); return i?n?r.node(i.depth-1).type==t?hg(e,n,t,i):pg(e,n,i):!0:!1} function hg(t,e,n,r) {let
 M(w.from(n.create(null,r.parent.copy())),1,0),1,!0)),r=new zt(o.doc.resolve(r.□from.pos),o.doc.resolve(s),r.depth));let
 l=at(r); if(l=null) return!1; o.lift(r,l); let a=o.doc.resolve(o.mapping.map(i,-1)-1); return Ne(o.doc,a
    .pos)&&a.nodeBefore.type==a.nodeAfter.type&&o.join(a.pos),e(o.scrollIntoView()),!0}function
 pg(t,e,n){let r=t.tr,o=n.parent;for(let
 h=n.end,p=n.endIndex-1,m=n.startIndex;p>m;p--)h-=o.child(p).nodeSize,r.delete(h-1,h+1);let i=r.doc.r
 esolve(n.start),s=i.nodeAfter;if(r.mapping.map(n.end)!=n.start+i.nodeAfter.nodeSize)return!1;let l=n
    .startIndex==0,a=n.endIndex==o.childCount,c=i.node(-1),u=i.index(-
 1); if (!c. can Replace (u+(l?0:1), u+1, s. content.append (a?w.empty:w.from (o))))) return !1; let the content can be a content append (a?w.empty:w.from (o)))) return !1; let the content can be a content can be a content append (a?w.empty:w.from (o)))) return !1; let the content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a content can be a con
```

```
0) function \ xu(t) \{return \ function(e,n) \{let \{ \exists from: r, \exists to:o\} = e.selection, i=r.blockRange(o,c=>c.childCounnelsender) \} \} function(e,n) \{let \{ \exists from: r, \exists to:o\} = e.selection, i=r.blockRange(o,c=>c.childCounnelsender) \} \} function(e,n) \{let \{ \exists from: r, \exists to:o\} = e.selection, i=r.blockRange(o,c=>c.childCounnelsender) \} \} function(e,n) \{let \{ \exists from: r, \exists to:o\} = e.selection, i=r.blockRange(o,c=>c.childCounnelsender) \} \} function(e,n) \{let \{ \exists from: r, \exists to:o\} = e.selection, i=r.blockRange(o,c=>c.childCounnelsender) \} \} function(e,n) \{let \{ \exists from: r, \exists to:o\} = e.selection, i=r.blockRange(o,c=>c.childCounnelsender) \} \} function(e,n) \{let \{ \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists from: r, \exists
 t>0&&c.firstChild.type==t);if(!i)return!1;let s=i.startIndex;if(s==0)return!1;let
 l=i.parent,a=l.child(s-1);if(a.type!=t)return!1;if(n){let
 c=a.lastChild&&a.lastChild.type==l.type,u=w.from(c?t.create():null),d=new
 M(w.from(t.create(null,w.from(l.type.create(null,u)))),c?3:1,0),f=i.start,h=i.end;n(e.tr.step(new
 ne(f-(c?3:1),h,f,h,d,1,!0)).scrollIntoView())}return!0}}var
 mg=0bject.defineProperty, Au=(t,e)=>\{for(var n in e)mg(t,n,\{get:e[n],enumerable:!0\})\}; function ro(t)\{
 let{state:e.transaction:n}=t.{selection:r}=n,{doc:o}=n,{storedMarks:i}=n;return{...e,apply:e.apply.b
ind(e),applyTransaction:e.applyTransaction.bind(e),plugins:e.plugins,schema:e.schema,reconfigure:e.r
econfigure.bind(e),toJSON:e.toJSON.bind(e),get storedMarks(){return i},get selection(){return r},get
 doc(){return o},get tr(){return r=n.selection,o=n.doc,i=n.storedMarks,n}}}var oo=class{constructor(t
 ){this.editor=t.editor,this.rawCommands=this.editor.extensionManager.commands,this.customState=t.sta
 te}get hasCustomState(){return!!this.customState}get state(){return
 this.customState||this.editor.state}get
 commands() \{ let\{rawCommands:t,editor:e,state:n\} = this, \{ view:r\} = e, \{ tr:o\} = n, i = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildProps(o); return = this.buildPr
\label{linear_property} Object.fromEntries(Object.entries(t).map(([s,l])=>[s,(...c)=>\{letu=l(...c)(i);return!o.getMeta("preventDispatch")&&!this.hasCustomState&c.dispatch(o),u}]))}get
 chain(){return()=>this.createChain()}get can(){return()=>this.createCan()}createChain(t,e=!0){let{ra
entries(n).map(([d,f])=>[d,(...p)=>{let m=this.buildProps(a,e),g=f(...p)(m);return
 s.push(g),u\}])),run:c\}; return \ u\} create Can(t) \{let\{rawCommands:e,state:n\}=this,r=!1,o=t||n.tr,i=this.b|| let\{rawCommands:e,state:n\}=this,r=!1,o=t||n.tr,i=this.b|| let[rawCommands:e,state:n]=this,r=!1,o=t||n.tr,i=this.b|| let[rawCommands:e,sta
 uildProps(o,r); return{...object.fromEntries(Object.entries(e).map(([l,a])=>[l,(...c)=>a(...c)({...i,})]
 dispatch:void 0})]),chain:()=>this.createChain(o,r)}}buildProps(t,e=!0){let{rawCommands:n,editor:r,}}
 state:o}=this,{view:i}=r,s={tr:t,editor:r,view:i,state:ro({state:o,transaction:t}),dispatch:e?()=>{}
:void 0,chain:()=>this.createChain(t,e),can:()=>this.createCan(t),get commands(){return
Object.fromEntries(Object.entries(n).map(([l,a])=>[l,(...c)=>a(...c)(s)]))}};return
 s}},gg=class{constructor(){this.callbacks={}}on(t,e){return
 this.callbacks[t]||(this.callbacks[t]=[]),this.callbacks[t].push(e),this}emit(t,...e){let
 n=this.callbacks[t];return n&&n.forEach(r=>r.apply(this,e)),this}off(t,e){let
 n=this.callbacks[t];return n&&(e?this.callbacks[t]=n.filter(r=>r!==e):delete
this.callbacks[t]), this}once(t,e){let n=(...r)=>{this.off(t,n),e.apply(this,r)};return this.on(t,n)}removeAllListeners(){this.callbacks={}}};function Hs(t,e){let n=new kt(t);return}
 e.forEach(r=>{r.steps.forEach(o=>{n.step(o)})}),n}var Eu=t=>{let e=t.childNodes;for(let
 removeChild(r):r.nodeType===1&&Eu(r)}return t};function Yr(t){if(typeof window>"u")throw new
 Error("[tiptap error]: there is no window object available, so this function cannot be used");let
 e=`<body>□{t}</body>`,n=new window.DOMParser().parseFromString(e,"text/html").body;return
 Eu(n)}function Qn(t,e,n){if(t instanceof le||t instanceof w)return
t;n={slice:!0,parseOptions:{},...n};let r=typeof t=="object"&&t!==null,o=typeof t=="string";if(r)try{if(Array.isArray(t)&&t.length>0)return w.fromArray(t.map(l=>e.nodeFromJSON(l)));let s=e.nodeFromJSON(t);return
w.fromArray(t.map(t=>e.noderromJSUN(t))); let s=e.noderromJSUN(t); return
n.errorOnInvalidContent&&s.check(),s}catch(i){if(n.errorOnInvalidContent)throw new Error("[tiptap
error]: Invalid JSON content",{cause:i}); return console.warn("[tiptap warn]: Invalid
content.", "Passed value:",t,"Error:",i),Qn("",e,n)}if(o){if(n.errorOnInvalidContent){let
s=!1,l="",a=new sn({topNode:e.spec.topNode,marks:e.spec.marks,nodes:e.spec.nodes.append({__tiptap__p
rivate__unknown__catch__all__node:{content:"inline*",group:"block",parseOnt:[tag:"*",getAttrs:c=>(s
=!0,l=typeof c=="string"?c:c.outerHTML,null)}]})});if(n.slice?Ue.fromSchema(a).parseSlice(Yr(t),n.p
arseOntions):Ue_fromSchema(a).parse(Yr(t),n.preseOntions), n.errorOnInvalidContent&&s)throw_new
arseOptions):Ue.fromSchema(a).parse(Yr(t),n.parseOptions),n.errorOnInvalidContent&&s)throw new Error("[tiptap error]: Invalid HTML content",{cause:new Error(`Invalid element found: []{l}`)})}let
 i=Ue.fromSchema(e);return
 n.slice?i.parseSlice(Yr(t),n.parseOptions).content:i.parse(Yr(t),n.parseOptions)}return
 Qn("",e,n) function Bs(t,e,n={},r={}) {return
 Qn(t,e,{slice:!1,parseOptions:n,errorOnInvalidContent:r.errorOnInvalidContent})}function
 er(t){for(let
 e=0; e< t.edgeCount; e+=1) \{ let \{ type: n \} = t.edge(e); if (n.isTextblock \& ! n.hasRequiredAttrs()) return \} 
 n}return null}function Sn(t,e){let n=[];return
 t.descendants((r,o)=>\{e(r)\&\&n.push(\{node:r,pos:o\})\}),n\} function \ Ou(t,e,n)\{let \ r=[];return \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ function \ 
 t.nodes Between (e.from, e.to, (o,i) => \{n(o) \& \&r.push (\{node: o,pos:i\})\}), r\} function \ Fs(t,e) \{for(let in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
 n=t.depth; n>0; n-=1){let}
 r=t.node(n);if(e(r))return{pos:n>0?t.before(n):0,start:t.start(n),depth:n,node:r}}function
t.implementation.createHTMLDocument().createElement("div");return
 o.appendChild(n),o.innerHTML}function Nu(t){return typeof t=="function"}function W(t,e=void
sions:n,markExtensions:r}}function Ru(t){let
 e=[], {nodeExtensions:n, markExtensions:r}=Zn(t), o=[...n,...r], i={default:null,validate:void}
```

```
0,rendered:!0,renderHTML:null,parseHTML:null,keepOnSplit:!0,isRequired:!1};return t.forEach(s=>{let
 l={name:s.name,options:s.options,storage:s.storage,extensions:o},a=I(s,"addGlobalAttributes",l);if(!a)return;a().forEach(u=>{u.types.forEach(d=>{0bject.entries(u.attributes).forEach(([f,h])=>{e.push({
 type:d,name:f,attribute:{...i,...h}})})}),o.forEach(s=>{let
 l={name:s.name,options:s.options,storage:s.storage},a=I(s,"addAttributes",l);if(!a)return;let
  c=a();0bject.entries(c).forEach(([u,d])=>\{let\ f=\{\dots,i,\dots,d\};typeof\ f?.default=="function"\&\&(f.default=f.default()),f?.isRequired\&\&f?.default===void\ 0\&\&delete f.default===void\ 0&\&delete f.default===void\ 0&\&delete f.default===void\ 0&\&delete f.default==void\ 0
 f.default,e.push({type:s.name,name:u,attribute:f})})),e}function T(...t){return
t.filter(e=>!!e).reduce((e,n)=>{let r={...e};return
Object.entries(n).forEach(([o,i])=>{if(!r[o]){r[o]=i;return}if(o==="class"){let
l=i?String(i).split(" "):[],a=r[o]?r[o].split("
 "):[],c=l.filter(u=>!a.includes(u));r[o]=[...a,...c].join(" ")}else if(o==="style"){let l=i?i.split(";").map(u=>u.trim()).filter(Boolean):[],a=r[o]?r[o].split(";").map(u=>u.trim()).filter(Boolean):[],c=new Map;a.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>{let[d,f]=u.split(":").map(h=>h.trim());c.set(d,f)}),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u=>h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()),l.forEach(u==h.trim()
   .split(":").map(h=>h.trim());c.set(d,f)}),r[o]=Array.from(c.entries()).map(([u,d])=>)]{u}:
 [d]).join("; ")}else r[o]=i}),r},{})}function to(t,e){return e.filter(n=>n.type===t.type.name).fil
  ter(n=>n.attribute.rendered).map(n=>n.attribute.renderHTML?n.attribute.renderHTML(t.attrs)||{}:{[n.n
 ame]:t.attrs[n.name]}).reduce((n,r)=>T(n,r),{})}function bg(t){return typeof t!="string"?t:t.match(/^[+-]?(?:\d*\.)?\d+\Box/)?Number(t):t==="true"?!0:t==="false"?!1:t}function
 wu(t,e){return"style"in t?t:{...t,getAttrs:n=>{let
 r=t.getAttrs?t.getAttrs(n):t.attrs;if(r===!1)return!1;let o=e.reduce((i,s)=>{let
 l=s.attribute.parseHTML(s.attribute.parseHTML(n):bg(n.getAttribute(s.name));return
 l = null?i:\{...i,[s.name]:l\},\{\}); return\{...r,...o\}\}\} function Su(t)\{return(0,0)\} function Su(t)[s.name]:l\},\{\}); return[s.name]:l, Su(t)[s.name]:l, Su(t)[s.n
 xg(t,e){var n;let
xg(t,e){var n;let
r=Ru(t),{nodeExtensions:o,markExtensions:i}=Zn(t),s=(n=o.find(c=>I(c,"topNode")))==null?void
0:n.name,l=Object.fromEntries(o.map(c=>{let u=r.filter(y=>y.type===c.name),d={name:c.name,options:c.
options,storage:c.storage,editor:e},f=t.reduce((y,b)=>{let x=I(b,"extendNodeSchema",d);return{...y,...x?x(c):{}}},{}),h=Su({...f,content:W(I(c,"content",d)),marks:W(I(c,"marks",d)),group:W(I(c,"group",d)),inline:W(I(c,"inline",d)),atom:W(I(c,"atom",d)),selectable:W(I(c,"selectable",d)),draggable:W(I(c,"draggable",d)),code:W(I(c,"code",d)),whitespace:W(I(c,"whitespace",d)),linebreakReplacement:W(I(c,"linebreakReplacement",d)),defining:W(I(c,"defining",d)),isolating:W(I(c,"isolating",d)),attrs:Object.fromEntries(u.map(y=>{var b,x;return[y.name,{default:(b=y?.attribute)==null?void})
 0:b.default,validate:(x=y?.attribute)==null?void
0:x.validate}]}))}),p=W(I(c,"parseHTML",d));p&&(h.parseDOM=p.map(y=>wu(y,u)));let
m=I(c,"renderHTML",d);m&&(h.toDOM=y=>m({node:y,HTMLAttributes:to(y,u)}));let
g=I(c,"renderText",d);return g&&(h.toText=g),[c.name,h]})),a=Object.fromEntries(i.map(c=>{let u=r.fi
lter(g=>g.type===c.name),d={name:c.name,options:c.options,storage:c.storage,editor:e},f=t.reduce((g, y)=>{let b=I(y,"extendMarkSchema",d);return{...g,...b?b(c):{}}},{}),h=Su({...f,inclusive:W(I(c,"inclusive",d)),excludes:W(I(c,"excludes",d)),group:W(I(c,"group",d)),spanning:W(I(c,"spanning",d)),code:
 W(I(c, "code", d)), attrs:Object.fromEntries(u.map(g=>{var
 y,b;return[g.name,{default:(y=g?.attribute)==null?void
 0:y.default,validate:(b=g?.attribute)==null?void
 0:b.validate}]}))}),p=W(I(c,"parseHTML",d));p&&(h.parseDOM=p.map(g=>wu(g,u)));let
m=I(c,"renderHTML",d);return m&&(h.toDOM=g=>m({mark:g,HTMLAttributes:to(g,u)})),[c.name,h]}));return
 new sn(\{topNode:s,nodes:l,marks:a\})\} function wg(t)\{let e=t.filter((n,r)=>t.index0f(n)!==r); return
 Array.from(new Set(e))}function Ws(t){return t.sort((n,r)=>{let
 o=I(n,"priority")||100,i=I(r,"priority")||100;return o>i?-1:o<i?1:0\})\} function Du(t) \{let oxide for each of the priority oxide for each of the priority oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each oxide for each o
 Pu(t,e,n){let{from:r,to:o}=e,{blockSeparator:i=
      , textSerializers: s=\{\}\}=n \mid \mid \{\}, l=""; return t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(a,c,u,d)=>\{varner t.nodesBetween(r,o,(
 f;a.isBlock\&\&c>r\&\&(l+=i);let h=s?.[a.type.name];if(h)return
 u\&\&(l+=h(\{node:a,pos:c,parent:u,index:d,range:e\})),!1;a.isText\&\&(l+=(f=a?.text)==null?void
 0:f.slice(Math.max(r,c)-c,o-c))\}),lfunction Sg(t,e){let n={from:0,to:t.content.size};return
 Pu(t,n,e)}function Iu(t){return Object.fromEntries(Object.entries(t.nodes).filter(([,e])=>e.spec.toT
 ext).map(([e,n])=>[e,n.spec.toText]))}function mt(t,e){if(typeof t=="string"){if(!e.marks[t])throw Error(`There is no mark type named '\square{t}'. Maybe you forgot to add the extension?`);return e.marks[t]}return t}function Lu(t,e){let n=mt(e,t.schema),{from:r,to:o,empty:i}=t.selection,s=[];i?(
 t.storedMarks&&s.push(...t.storedMarks),s.push(...t.selection.□head.marks())):t.doc.nodesBetween(r,o
    a=>{s.push(...a.marks)});let l=s.find(a=>a.type.name===n.name);return l?{...l.attrs}:{}}function
 Q(t,e){if(typeof t=="string"){if(!e.nodes[t])throw Error(`There is no node type named '\square{t}'. Maybe
 you forgot to add the extension?`); return e.nodes[t]} return t} function kg(t,e){let n=Q(e,t.schema),{from:r,to:o}=t.selection,i=[];t.doc.nodesBetween(r,o,l=>{i.push(l)}); let
 s=i.reverse().find(l=>l.type.name===n.name);return s?{...s.attrs}:{}}function io(t,e){return e.nodes[t]?"node":e.marks[t]?"mark":null}function _s(t,e){let n=io(typeof
 e = "string"?e:e.name, t.schema); return \ n = = "node"?k\overline{g}(t,e):n = = "mark"?Lu(t,e):\{\}\} function
 Cg(t,e=JSON.stringify){let n={};return t.filter(r=>{let o=e(r);return
 Object.prototype.hasOwnProperty.call(n,o)?!1:n[o]=!0})}function Mg(t){let e=Cg(t);return e.length===
 1?e:e.filter((n,r)=>!e.filter((i,s)=>s!==r).some(i=>n.oldRange.from>=i.oldRange.from&&n.oldRange.to<
 =i.oldRange.to&kn.newRange.from>=i.newRange.from&kn.newRange.to<=i.newRange.to))}function
 js(t){let{mapping:e,steps:n}=t,r=[];return e.maps.forEach((o,i)=>{let s=[];if(o.ranges.length)o.forE
```

```
ach((l,a)=>\{s.push(\{from:l,to:a\})\});else\{let\{from:l,to:a\}=n[i];if(l===void 0||a===void 0
 0)return;s.push({from:l,to:a})}s.forEach(({from:l,to:a})=>{let c=e.slice(i).map(l,-
 1), u=e.slice(i).map(a), d=e.invert().map(c,
 1),f=e.invert().map(u);r.push({oldRange:{from:d,to:f},newRange:{from:c,to:u}})})))),Mg(r)}function
 Ks(t){return Object.prototype.toString.call(t)==="[object RegExp]"}function
 no(t,e,n={strict:!0}){let r=Object.keys(e);return
 r.length?r.every(o=>n.strict?e[o]===t[o]:Ks(e[o])?e[o].test(t[o]):e[o]===t[o]):!0 function
 Bu(t,e,n={}){return
 t.find(r=>r.type===e\&no(0bject.fromEntries(0bject.keys(n).map(o=>[o,r.attrs[o]])),n)) function
 ku(t,e,n=\{\}) {return!!Bu(t,e,n)} function Us(t,e,n){var r;if(!t||!e)return;let o=t.parent.childAfter(t.e.n)}
  .parentOffset); if ((!o.node||!o.node.marks.some(u=>u.type===e)) \& \& (o=t.parent.childBefore(t.parentOffset)) = (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5) & (-1.5)
et)),!o.node||!o.node.marks.some(u=>u.type===e)||(n=n||((r=o.node.marks[0])==null?void
0:r.attrs),!Bu([...o.node.marks],e,n)))return;let s=o.index,l=t.start()+o.offset,a=s+1,c=l+o.node.no
deSize; for(;s>0&&ku([...t.parent.child(s-1).marks],e,n);)s-=1,l-
=t.parent.child(s).nodeSize; for(;a<t.parent.childCount&&ku([...t.parent.child(a).marks],e,n);)c+=t.p</pre>
 arent.child(a).nodeSize,a+=1;return{from:l,to:c}}function so(t,e,n){let r=[];return
 t==e?n.resolve(t).marks().forEach(o=>\{let i=n.resolve(t),s=Us(i,o.type);s&r.push(\{mark:o,...s\})\}):
 n.nodesBetween(t,e,(o,i)=>\{!o||o?.nodeSize===void
 0 \mid |r.push(...o.marks.map(s=>(\{from:i,to:i+o.nodeSize,mark:s\})))\}),r\} var zu=(t,e,n,r=20)=>\{let,co.nodeSize,mark:s\})
 o=t.doc.resolve(n),i=r,s=null;for(;i>0&&s===null;){let
 l=o.node(i);l?.type.name===e?s=l:i-=1}return[s,i]};function Ps(t,e){return
 e.nodes[t]||e.marks[t]||null}function eo(t,e,n){return
 Object.fromEntries(Object.entries(n).filter(([r])=>{let o=t.find(i=>i.type===e&&i.name===r);return
o?o.attribute.keepOnSplit:!1}))}var vg=(t,e=500)=>{let n="",r=t.parentOffset;return t.parent.nodesBetween(Math.max(0,r-e),r,(o,i,s,l)=>{var a,c;let u=((c=(a=o.type.spec).toText)==null?void 0:c.call(a,{node:o,pos:i,parent:s,index:l}))||o.textContent
  || \text{``sleaf'''}; n+=0. is A tom \&\&!o. is Text?u: u. slice(0, Math.max(0,r-i)) \}), n \}; function zs(t,e,n=\{\}) \{let\{empty: all the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the prope
  r,ranges:o}=t.selection,i=e?mt(e,t.schema):null;if(r)return!!(t.storedMarks||t.selection.[from.marks
  ()).filter(d=>i?i.name===d.type.name:!0).find(d=>no(d.attrs,n,{strict:!1}));let
 s=0,l=[];if(o.forEach(({\Box from:d, \Box to:f}))=>{let}
 h=d.pos, p=f.pos; t.doc.nodesBetween(h,p,(m,g)=>{if(!m.isText&&!m.marks.length)return;let y=Math.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max(h.max
   ,g),b=Math.min(p,g+m.nodeSize),x=b-
 y; s+=x,l.push(...m.marks.map(C=>({mark:C,from:y,to:b})))}), s===0)return!1;let a=l.filter(d=>i?i.na)return!1;let a=l.filter(d=>i?i.na)retur
 me===d.mark.type.name:!0).filter(d=>no(d.mark.attrs,n,{strict:!1})).reduce((d,f)=>d+f.to-
 f.from,0),c=l.filter(d=>i?d.mark.type!==i&&d.mark.type.excludes(i):!0).reduce((d,f)=>d+f.to-
 f.from, 0); return(a>0?a+c:a)>=s \\ function Ge(t,e,n=\{\}) \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ function Ge(t,e,n=\{\}) \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e?Q(e,t.a)\} \\ = f.from, 0); return(a>0?a+c:a)>=s \\ \{let\{from:r,to:o,empty:i\}=t.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selection,s=e.selectio
 schema):null,l=[];t.doc.nodesBetween(r,o,(d,f)=>{if(d.isText)return;let})
 h=Math.max(r,f),p=Math.min(o,f+d.nodeSize);l.push({node:d,from:h,to:p})});let
a=o-r,c=l.filter(d=>s?s.name===d.node.type.name:!0).filter(d=>no(d.node.attrs,n,{strict:!1}));return i?!!c.length:c.reduce((d,f)=>d+f.to-f.from,0)>=a}function Js(t,e,n={}){if(!e)return}
Ge(t,null,n)||zs(t,null,n);let r=io(e,t.schema);return
r==="node"?Ge(t,e,n):r==="mark"?zs(t,e,n):!1}var
 Hu=(t,e)=>\{let\{[from:n,[to:r,[anchor:o]=t.selection;if(e)]\}\}
 i=Ye(l=>l.type.name===e)(t.selection);if(!i)return!1;let s=t.doc.resolve(i.pos+1);return o.pos+1===s
   .end()}return!(r.parentOffset<r.parent.nodeSize-</pre>
 2||n.pos!==r.pos), Fu=t=>\{let{[[from:e,[]to:n]=t.selection;return!(e.parent0ffset>0]|e.pos!==n.pos)}}; f
 unction Cu(t,e){return Array.isArray(e)?e.some(n=>(typeof n=="string"?n:n.name)===t.name):e}function
 \label{eq:mu(t,e)} \\ \text{Mu(t,e)} \\ \{ \text{let} \{ \text{nodeExtensions:n} \} = \\ \text{Zn(e)}, \\ r = n. \\ \text{find(s=>s.name===t)}; \\ \text{if(!r)} \\ \text{return!1}; \\ \text{let} \\ \text{let} \} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} \\ \text{let} 
o={name:r.name,options:r.options,storage:r.storage},i=W(I(r,"group",o));return typeof i!="string"?!1:i.split(" ").includes("list")}function
tr(t,{checkChildren:e=!0,ignoreWhitespace:n=!1}={}){var r;if(n){if(t.type.name==="hardBreak")return!
0;if(t.isText)return/^\s*\[/m.test((r=t.text)!=null?r:"")}if(t.isText)return!t.text;if(t.isAtom||t.is
 Leaf)return!1;if(t.content.childCount===0)return!0;if(e){let o=!0;return t.content.forEach(i=>{0!==!
 1\&\&(tr(i,\{ignoreWhitespace:n,checkChildren:e\})||(o=!1))\}),o\}return!1\}function lo(t)\{return tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor 
 instance of 0 function ao(t){return t instance of A} function pt(t=0,e=0,n=0){return}
 l=t.coordsAtPos(i),a=t.coordsAtPos(s,
 1),c=Math.min(l.top,a.top),u=Math.max(l.bottom,a.bottom),d=Math.min(l.left,a.left),f=Math.max(l.righ
 t,a.right),h=f-d,p=u-
c,y={top:c,bottom:u,left:d,right:f,width:h,height:p,x:d,y:c};return{...y,toJSON:()=>y}}function
Vu(t,e=null){if(!e)return null;let n=E.atStart(t),r=E.atEnd(t);if(e==="start"||e===!0)return
 n;if(e==="end")return r;let o=n.from,i=r.to;return
e = = \text{"all"?A.create(t,pt(0,o,i),pt(t.content.size,o,i)):A.create(t,pt(e,o,i),pt(e,o,i))} \\ function \\ Tg(t,e,n)\{let r=t.steps.length-1;if(r<e)return;let o=t.steps[r];if(!(o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||o instanceof pe||
 ne))return;let i=t.mapping.maps[r],s=0;i.forEach((l,a,c,u)=>\{s==0\&\{(s=u)\}\}),t.setSelection(E.near(t.
 doc.resolve(s),n))}var
 co=class{constructor(t){this.find=t.find,this.handler=t.handler}},Ag=(t,e)=>{if(Ks(e))return
e.exec(t);let n=e(t);if(!n)return null;let r=[n.text];return r.index=n.index,r.input=t,r.data=n.data,n.replaceWith&&(n.text.includes(n.replaceWith)||console.warn('[tiptap warn]:
"inputRuleMatch.replaceWith" must be part of
 "inputRuleMatch.text".'),r.push(n.replaceWith)),r};function Xr(t){var
 e;let{editor:n,from:r,to:o,text:i,rules:s,plugin:l}=t,{view:a}=n;if(a.composing)return!1;let c=a.sta
 te.doc.resolve(r);if(c.parent.type.spec.code||(e=c.nodeBefore||c.nodeAfter)!=null&&e.marks.find(f=>f
```

```
.type.spec.code))return!1;let u=!1,d=vg(c)+i;return s.forEach(f=>{if(u)return;let
h=Ag(d,f.find);if(!h)return;let p=a.state.tr,m=ro({state:a.state,transaction:p}),g={from:r-
(h[0].length-i.length),to:0},{commands:y,chain:b,can:x}=new oo({editor:n,state:m});f.handler({state:
m,range:g,match:h,commands:y,chain:b,can:x})===null||!p.steps.length||(p.setMeta(l,{transform:p,from
 :r,to:o,text:i}),a.dispatch(p),u=!0)}),u}function Eg(t){let{editor:e,rules:n}=t,r=new
N({state:{init(){return null},apply(o,i,s){let l=o.getMeta(r);if(l)return l;let a=o.getMeta("applyInputRules");return!!a&&setTimeout(()=>{let{text:u}=a;typeof u=="string"?u=u:u=Vs(w.from(u),s.schema);let{from:d}=a,f=d+u.length;Xr({editor:e,from:d,to:f,text:u,rules:n,plugin:r})}),
o.selectionSet||o.docChanged?null:i}},props:{handleTextInput(o,i,s,l){return Xr({editor:e,from:i,to:}}
s, text:l, rules:n, plugin:r)), handleDOMEvents:{compositionend:o=>(setTimeout(()=>{let{<math>\square cursor:i}=o.st})}, handleDOMEvents:{compositionend:o=>(setTimeout(()=>{let{\square cursor:i}=o.st})}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=>(setTimeout())}, handleDOMEvents:{compositionend:o=
ate.selection;i&&Xr({editor:e,from:i.pos,to:i.pos,text:"",rules:n,plugin:r})}),!1)},handleKeyDown(o,
i){if(i.key!=="Enter")return!1;let{∏cursor:s}=o.state.selection;return
s?Xr({editor:e,from:s.pos,to:s.pos,text:
     ,rules:n,plugin:r}):!1}},isInputRules:!0});return r}function Og(t){return
Object.prototype.toString.call(t).slice(8,-1)}function Qr(t){return
Og(t)!=="Object"?!1:t.constructor===Object&&Object.getPrototypeOf(t)===Object.prototype}function
Wu(t,e){let n={...t}; return
 Qr(t) \& Qr(e) \& Qr(e[r]) \& Qr(t[r]) ? n[r] = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r] \}), n \} var \ qs = Wu(t[r], e[r]) : n[r] = e[r]), n \} var \ qs = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = e[r]), n \} var \ qs = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = e[r]), n \} var \ qs = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = e[r]), n \} var \ qs = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r]) : n[r] = Wu(t[r], e[r])
class{constructor(t={})}{this.type="extendable",this.parent=null,this.child=null,this.name="nfig={name:this.name},this.config={...this.config,...t},this.name=this.config.name}get
                                                                                                                                                                                                                                                                                               ",this.co
options(){return{...W(I(this,"addOptions",{name:this.name}))||{}}}get storage(){return{...W(I(this,"
addStorage", {name:this.name,options:this.options}))||{}}}configure(t={}){let
e=this.extend({...this.config,addOptions:()=>Wu(this.options,t)});return
e.name=this.name,e.parent=this.parent,e}extend(t={}){let e=new
this.constructor({...this.config,...t});return e.parent=this,this.child=e,e.name="name"in
t?t.name:e.parent.name,e}},te=class _u extends
qs{constructor(){super(...arguments),this.type="mark"}static create(e={}){let n=typeof
e=="function"?e():e;return new u(n)}static
handleExit({editor:e,mark:n}){let{tr:r}=e.state,o=e.state.selection.□from;if(o.pos===o.end()){let
s=o.marks();if(!!!s.find(c=>c?.type.name===n.name))return!1;let
a=s.find(c=>c?.type.name===n.name);return a&&r.removeStoredMark(a),r.insertText("
    ,o.pos),e.view.dispatch(r),!0}return!1}configure(e){return super.configure(e)}extend(e){let
n=typeof e=="function"?e():e;return super.extend(n)}};function Ng(t){return typeof t=="number"}var R
g=class\{constructor(t)\{this.find=t.find,this.handler=t.handler\}\}, Dg=(t,e,n)=>\{if(Ks(e))return[...t.m]\}
atchAll(e)];let r=e(t,n);return r?r.map(o=>{let i=[o.text];return i.index=o.index,i.input=t,i.data=o
 .data,o.replaceWith&&(o.text.includes(o.replaceWith)||console.warn('[tiptap warn]: "pasteRuleMatch.replaceWith" must be part of
"pasteRuleMatch.text".'),i.push(o.replaceWith)),i}):[]};function Pg(t){let{editor:e,state:n,from:r,t
o:o,rule:i,pasteEvent:s,dropEvent:l}=t,{commands:a,chain:c,can:u}=new
oo({editor:e,state:n}),d=[];return
n.doc.nodesBetween(r,o,(h,p)=>\{if(!h.isTextblock||h.type.spec.code)|return;let
m=Math.max(r,p),g=Math.min(o,p+h.content.size),y=h.textBetween(m-p,g-p,void
0, "\uFFFC"); Dg(y,i.find,s).forEach(x=>{if(x.index===void 0)return; let C=m+x.index+1,S=C+x[0].length,
R={from:n.tr.mapping.map(C),to:n.tr.mapping.map(S)},P=i.handler({state:n,range:R,match:x,commands:a,
chain:c,can:u,pasteEvent:s,dropEvent:l});d.push(P)})),d.every(h=>h!==null)}var Zr=null,Ig=t=>{var
e;let n=new ClipboardEvent("paste",{clipboardData:new DataTransfer});return(e=n.clipboardData)==null||e.setData("text/html",t),n};function
Lg(t){let{editor:e,rules:n}=t,r=null,o=!1,i=!1,s=typeof ClipboardEvent<"u"?new
ClipboardEvent("paste"):null,l;try{l=typeof DragEvent<"u"?new
DragEvent("drop"):null}catch{l=null}let a=({state:u,from:d,to:f,rule:h,pasteEvt:p})=>{let m=u.tr,g=r
o({state:u,transaction:m});if(!(!Pg({editor:e,state:g,from:Math.max(d-1,0),to:f.b-
1,rule:h,pasteEvent:p,dropEvent:l})||!m.steps.length)){try{l=typeof "u"?new
DragEvent("drag")}
DragEvent("drop"):null}catch{l=null}return s=typeof ClipboardEvent<"u"?new</pre>
ClipboardEvent("paste"):null,m}};return n.map(u=>new N({view(d){let f=p=>{var m;r=(m=d.dom.parentEle
ment)!=null&&m.contains(p.target)?d.dom.parentElement:null,r&&(Zr=e)},h=()=>{Zr&&(Zr=null)};return w
indow.addEventListener("dragstart",f),window.addEventListener("dragend",h),{destroy(){window.removeE
ventListener("dragstart",f),window.removeEventListener("dragend",h)}}},props:{handleDOMEvents:{drop:
 (d,f)=>{if(i=r===d.dom.parentElement,l=f,!i){let h=Zr;h?.isEditable&&setTimeout(()=>{let p=h.state.s
election;p&&h.commands.deleteRange({from:p.from,to:p.to}),10)}return!1},paste:(d,f)=>{var h;let p=(h=f.clipboardData)==null?void 0:h.getData("text/html");return s=f,o=!!p?.includes("data-pm-slice"),!1}},appendTransaction:(d,f,h)=>{let p=d[0],m=p.getMeta("uiEvent")==="paste"&&!o,g=p.getMeta("uiEvent")==="paste"&&!o,g=p.getMeta("uiEvent")==="paste"&&!o,g=p.getMeta("applyPasteRules"),b=!!y;if(!m&&!g&&!b)return;if(b){let{text:S}}=y;typeof S=="string"?S=S:S=Vs(w.from(S),h.schema);let{from:R}=y,P=R+S.length,v=Ig(S);return),c=f.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org.delay.org
a(\{rule:u,state:h,from:R,to:\{b:P\},pasteEvt:v\})\}let \ x=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content),C=f.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDiffStart(h.doc.content.findDi
doc.content.findDiffEnd(h.doc.content); if(!(!Ng(x)||!C||x===C.b)) return
a({rule:u,state:h,from:x,to:C,pasteEvt:s}))})))var uo=class{constructor(t,e){this.splittableMarks=[]
  this.editor=e,this.extensions=Du(t),this.schema=xg(this.extensions,e),this.setupExtensions()}get,
commands(){return this.extensions.reduce((t,e)=>{let n={name:e.name,options:e.options,storage:this.e ditor.extensionStorage[e.name],editor:this.editor,type:Ps(e.name,this.schema)},r=I(e,"addCommands",n
);return r?{...t,...r()}:t},{})}get
plugins(){let{editor:t}=this,e=Ws([...this.extensions].reverse()),n=[],r=[],o=e.map(i=>{let s={name:
 i.name,options:i.options,storage:this.editor.extensionStorage[i.name],editor:t,type:Ps(i.name,this.s
chema)\}, l=[], a=I(i, "addKeyboardShortcuts", s), c=\{\}; if(i.type==="mark"\&\&I(i, "exitable", s)\&\&(c.ArrowRig=1, a=I(i, "addKeyboardShortcuts", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s)&&(c.ArrowRig=1, a=I(i, "addKeyboardShortcuts", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type=="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type=="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type=="mark"&\&I(i, "exitable", s), c=\{\}; if(i.type==="mark"&\&I(i, "exitable", s), c=
```

```
ht=()=>te.handleExit({editor:t,mark:i})),a){let
 p=0bject.fromEntries(0bject.entries(a()).map(([m,q])=>[m,()=>q({editor:t})]));c={...c,...p}}let
 u=ru(c);l.push(u);let
d=I(i,"addInputRules",s); Cu(i,t.options.enableInputRules) \&\&d\&\&n.push(...d()); let f=I(i,"addPasteRules",s); Cu(i,t.options.enablePasteRules) \&\&f\&\&r.push(...f()); let h=I(i,"addProseMirrorPlugins",s); if(h) {let p=h(); l.push(...p)} return
 l}).flat();return[Eg({editor:t,rules:n}),...Lg({editor:t,rules:r}),...o]}get attributes(){return
 Ru(this.extensions)}get nodeViews(){let{editor:t}=this.{nodeExtensions:e}=Zn(this.extensions);return
 Object.fromEntries(e.filter(n=>!!I(n, "addNodeView")).map(n=>{let r=this.attributes.filter(l=>l.type=
 == n. name), o = \{name: n. name, options: n. options, storage: this.editor.extensionStorage[n. name], editor: t, typically a storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the storage of the
 e:Q(n.name,this.schema), i=I(n,"addNodeView",o); if(!i) return[]; let s=(l,a,c,u,d) => \{let a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a, b, a,
  f=to(l,r);return i()({node:l,view:a,getPos:c,decorations:u,innerDecorations:d,editor:t,extension:n,H
 TMLAttributes:f})};return[n.name,s]}))}get
 markViews(){let{editor:t}=this,{markExtensions:e}=Zn(this.extensions);return
 Object.fromEntries(e.filter(n=>!!I(n, "addMarkView")).map(n=>{let r=this.attributes.filter(l=>l.type=
==n.name),o={name:n.name,options:n.options,storage:this.editor.extensionStorage[n.name],editor:t,typ e:mt(n.name,this.schema)},i=I(n,"addMarkView",o);if(!i)return[];let s=(l,a,c)=>{let u=to(l,r);return
 i()({mark:l,view:a,inline:c,editor:t,extension:n,HTMLAttributes:u,updateAttributes:d=>{qy(l,t,d)}})}
 ;return[n.name,s]}))}setupExtensions(){let t=this.extensions;this.editor.extensionStorage=Object.fro
 mEntries(t.map(e=>[e.name,e.storage])),t.forEach(e=>{var n;let r={name:e.name,options:e.options,stor
zer:()=>Ku,Commands:()=>qu,Delete:()=>Gu,Drop:()=>Yu,Editable:()=>Xu,FocusEvents:()=>Zu,Keymap:()=>e
 d,Paste:()=>td,Tabindex:()=>nd,focusEventsPluginKey:()=>Qu});var □=class ju extends
 qs{constructor(){super(...arguments),this.type="extension"}static create(e={}){let n=typeof
e=="function"?e():e;return new ju(n)}configure(e){return super.configure(e)}extend(e){let n=typeof
e=="function"?e():e;return super.extend(n)}},Ku=[].create({name: "clipboardTextSerializer",addOptions()})
  ){return{blockSeparator:void 0}},addProseMirrorPlugins(){return[new N({key:new L("clipboardTextSeria
 lizer"),props:{clipboardTextSerializer:()=>{let{editor:t}=this,{state:e,schema:n}=t,{doc:r,selection}
  :o\} = e, \{ranges: i\} = o, s = Math.min(...i.map(u = vu. | from.pos)), l = Math.max(...i.map(u = vu. | to.pos)), a = Iu(n); results from the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the s
 eturn Pu(r,{from:s,to:l},{...this.options.blockSeparator!==void 0?{blockSeparator:this.options.blockSeparator}:{},textSerializers:a})}}})]}}),Uu={};Au(Uu,{blur:()=>zg,clearContent:()=>Hg,clearNodes:()
 deleteRange:()=>Kg,deleteSelection:()=>Ug,enter:()=>Jg,exitCode:()=>qg,extendMarkRange:()=>Gg,first,
   :()=>Yg,focus:()=>Qg,forEach:()=>Zg,insertContent:()=>ey,insertContentAt:()=>ny,joinBackward:()=>iy,
joinDown:()=>oy,joinForward:()=>sy,joinItemBackward:()=>ly,joinItemForward:()=>ay,joinTextblockBackward:()=>cy,joinTextblockForward:()=>uy,joinUp:()=>ry,keyboardShortcut:()=>fy,lift:()=>hy,liftEmptyBlock:()=>py,liftListItem:()=>my,newlineInCode:()=>gy,resetAttributes:()=>yy,scrollIntoView:()=>by,selectNodeBackward:()=>wy,selectNodeForward:()=>sy,selectParentNode:()=>ky,selectTextblockForward:()=>ky,selectTextblockForward:()=>ky,selectTextblockForward:()=>ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblockForward:()=ky,selectTextblo
 lockEnd:()=>Cy,selectTextblockStart:()=>My,setContent:()=>vy,setMark:()=>Ay,setMeta:()=>Ey,setNode:(
   )=>Oy,setNodeSelection:()=>Ny,setTextSelection:()=>Ry,sinkListItem:()=>Dy,splitBlock:()=>Py,splitLis
 tItem:()=>Iy,toggleList:()=>Ly,toggleMark:()=>By,toggleNode:()=>zy,toggleWrap:()=>Hy,undoInputRule:(
 )=>Fy,unsetAllMarks:()=>□y,unsetMark:()=>Vy,updateAttributes:()=>Wy,wrapIn:()=>_y,wrapInList:()=>jy});var zg=()=>({editor:t,view:e})=>(requestAnimationFrame(()=>{var n;t.isDestroyed||(e.dom.blur(),(n=
 window?.getSelection())==null||n.removeAllRanges())}),!0),Hg=(t=!0)=>({commands:e})=>e.setContent(""
   ,{emitUpdate:t}),Fg=()=>({state:t,tr:e,dispatch:n})=>{let{selection:r}=e,{ranges:o}=r;return n&&o.fo
  rEach((\{ | from: i, | to: s \}) = > \{t.doc.nodesBetween(i.pos, s.pos, (l,a) = > \{if(l.type.isText) | return; let \{doc: c, m \} \}
apping:u}=e,d=c.resolve(u.map(a)),f=c.resolve(u.map(a+l.nodeSize)),h=d.blockRange(f);if(!h)return;le
t p=at(h);if(l.type.isTextblock){let{defaultType:m}=d.parent.contentMatchAt(d.index());e.setNodeMark
  up(h.start,m)\}(p||p==0)\&\&e.lift(h,p)\})\}, !0\}, \\ ||g=t=>e=>t(e), \\ Vg=()=>(\{state:t,dispatch:e\})=>As(t,e), \\ Wg=()=>(\{state:t,dispatch:e\})=>As(t,e), \\ Wg=()=>(\{state:t,dispatch:e\})=As(t,e), \\ Wg=()=(\{state:t,dispatch:e\})=As(t,e), texttt{t,e}) = (\{editor: \texttt{n,tr:r}\}) = \{\{et\{state:o\}=\texttt{n,i=o.doc.slice}(\texttt{t.from,t.to}); \texttt{r.deleteRange}(\texttt{t.from,t.to}); \}\} = \{\{et\{state:o\}=\texttt{n,i=o.doc.slice}(\texttt{t.from,t.to}); t s=r.mapping.map(e);return r.insert(s,i.content),r.setSelection(new A(r.doc.resolve(Math.max(s-
 1,0)))),!0\},\_g=()=>(\{tr:t,dispatch:e\})=>\{let\{selection:n\}=t,r=n. | anchor.node();if(r.content.size>0)r=1,0))),|0\},\_g=()=>(\{tr:t,dispatch:e\})=>\{let\{selection:n\}=t,r=n. | anchor.node();if(r.content.size>0)r=1,0)),|0\},\_g=()=>(\{tr:t,dispatch:e\})=>\{let\{selection:n\}=t,r=n. | anchor.node();if(r.content.size>0)r=1,0),|0\}
 eturn!1;let o=t.selection. □anchor;for(let i=o.depth;i>0;i-=1)if(o.node(i).type===r.type){if(e){let l
 =o.before(i),a=o.after(i);t.delete(l,a).scrollIntoView()}return!0}return!1},jg=t=>({tr:e,state:n,dis
 patch:r})=>{let o=Q(t,n.schema),i=e.selection.□anchor;for(let
 s=i.depth; s>0; s-=1)if(i.node(s).type===o){if(r){let a=i.before(s),c=i.after(s);e.delete(a,c).scrollI}
 ntoView()}return!0}return!1},Kg=t=>({tr:e,dispatch:n})=>{let{from:r,to:o}=t;return n&&e.delete(r,o),
 \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, \{0\}, 
 >({\text{state:t,dispatch:e}})=>Ts(t,e),Gg=(t,e={})=>({\text{tr:n,state:r,dispatch:o}})=>{\text{let}}
 i=mt(t,r.schema), \{doc:s,selection:l\}=n, \{[from:a,from:c,to:u\}=l;if(o)\}\}
 d=Us(a,i,e);if(d\&\&d.from <= c\&\&d.to>= u){let}
 f=A.create(s,d.from,d.to);n.setSelection(f)}}return!0},Yg=t=>e=>{let n=typeof
 t=="function"?t(e):t;for(let r=0;r<n.length;r+=1)if(n[r](e))return!0;return!1};function Xg(){return
navigator.platform==="Android"||/android/i.test(navigator.userAgent)}function Gs(){return["iPad Simulator", "iPhone Simulator", "iPad Simulator", "iPad"].includes(navigator.platform)|
|navigator.userAgent.includes("Mac")&&"ontouchend"in document}var
 \dot{Q}g=(t=null,e=\{\})=>(\{editor:n,view:r,tr:o,dispatch:i\})=>\{e=\{scrollIntoView:!0,...e\};let s=()=>\{(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(Gs())=(
```

```
|Xg())\&r.dom.focus(), requestAnimationFrame(()=>{n.isDestroyed||(r.focus(),e?.scrollIntoView&n.comm})
 ands.scrollIntoView())})}; if(r.hasFocus()&&t===null||t===!1)return!0; if(i&&t===null&&!ao(n.state.sel
 ection))return s(),!0;let l=Vu(o.doc,t)||n.state.selection,a=n.state.selection.eq(l);return <math>i\&\&(a||o|)
 .setSelection(l), a\&\&o.storedMarks\&o.setStoredMarks(o.storedMarks), s()), !0\}, Zg=(t,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=>t.every((r,e)=>n=t.every((r,e)==t.every((r,e)==t.every((r,e)==t.every((r,e)==t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.every((r,e)=t.e
 o) = e(r, {...n, index:o})), ey = (t, e) = > ({tr:n, commands:r}) = > r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:n.selection.from, to:}) = r.insertContentAt({from:
 n.selection.to},t,e),ty=t=>!("type"in t),<math>ny=(t,e,n)=>(\{tr:r,dispatch:o,editor:i\})=>\{var s;if(o)\{n=\{p,e\}\}\}
arseOptions:i.options.parseOptions,updateSelection:!0,applyInputRules:!1,applyPasteRules:!1,...n};le
t l,{selection:a}=i.state,c=y=>{i.emit("contentError",{editor:i,error:y,disableCollaboration:()=>{"c
ollaboration"in i.storage&typeof i.storage.collaboration=="object"&&i.storage.collaboration&(i.storage.collaboration.isDisabled=!0)}})},u={preserveWhitespace:"full",...n.parseOptions};if(!n.errorOnI
 nvalidContent&&!i.options.enableContentCheck&&i.options.emitContentError)try{Qn(e,i.schema,{parseOpt
 ions:u,error0nInvalidContent:\{0\})\{c(y)\}try\{l=0n(e,i.schema,\{parse0ptions:u,error0nInvalidCo
 ntent:(s=n.errorOnInvalidContent)!=null?s:i.options.enableContentCheck})}catch(y){return
c(y),!1}let{from:d,to:f}=typeof t=="number"?{from:t,to:t}:{from:t.from,to:t.to},h=!0,p=!0;if((ty(l)?l:[l]).forEach(y=>{y.check(),h=h?y.isText&&y.marks.length===0:!1,p=p?y.isBlock:!1}),d===f&&p){let{pa
rent:y}=r.doc.resolve(d);y.isTextblock&&!y.type.spec.code&&!y.childCount&&(d-=1,f+=1)}let
g;if(h){if(Array.isArray(e))g=e.map(y=>y.text||"").join("");else if(e instanceof w){let
 y="";e.forEach(b=>\{b.text&&(y+=b.text)\}),g=y\}else typeof
e=="object"&&e&e.text?g=e.text:g=e;r.insertText(g,d,f)}else{g=l;let y=a.\_from.parentOffset===0,b=a.\_from.node().isText\|a.\_from.node().isTextblock,x=a.\_from.node().content.size>0;y&&b&&x&&(d=Math.max
 \vec{r} = -\text{null?}!1: (\text{n.join}(r,2), e\&e(n), !0) } \vec{c} \\ \text{atch} \\ \{\text{return!}1\}\}, \\ \text{ay=()=>(} \\ \{\text{state:t,dispatch:e,tr:n}\}) \\ = \\ \{\text{try}(\text{let of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of the example of 
 r=Ft(t.doc,t.selection. from.pos,1); return r==null?!1:(n.join(r,2),e&e(n),!0)}catch{return!1}},cy=(
 )=>({\text{state:t,dispatch:e}})=>su(t,e),uy=()=>({\text{state:t,dispatch:e}})=>lu(t,e);function Ju(){\text{return}}
typeof navigator<"u"?/Mac/.test(navigator.platform):!1}function dy(t){let e=t.split(/-(?![])/),n=e[e.length-1];n==="Space"&&(n=" ");let r,o,i,s;for(let
l=0;l<e.length-1;l+=1){let a=e[l];if(/^(cmd|meta|m)[]/i.test(a))s=!0;else if(/^a(lt)?[]/i.test(a))r=!0;else if(/^(c|ctrl|control)[]/i.test(a))o=!0;else
 if(/^s(hift)?[/i.test(a))i=!0;else if(/^mod[/i.test(a))Gs()||Ju()?s=!0:o=!0;else throw new
fy=t=>({editor:e,view:n,tr:r,dispatch:o})=>{let i=dy(t).split(/-(?![])/),s=i.find(c=>!["Alt","Ctrl","Meta","Shift"].includes(c)),l=new KeyboardEvent("keydown",{key:s==="Space"?" ":s,altKey:i.includes("Alt"),ctrlKey:i.includes("Ctrl"),m etaKey:i.includes("Meta"),shiftKey:i.includes("Shift"),bubbles:!0,cancelable:!0}),a=e.captureTransaction(()=>{n.someProp("handleKeyDown",c=>c(n,l))});return a?.steps.forEach(c=>{let
 u=c.map(r.mapping);u\&\&o\&er.maybeStep(u)\}),!0\},hy=(t,e={})=>({state:n,dispatch:r})=>{let}
 o=0(t.n.schema):return
  Ge(n,o,e)?fu(n,r):!1\}, py=()=>(\{state:t,dispatch:e\})=>Es(t,e), my=t=>(\{state:e,dispatch:n\})=>\{let(t,e), my=t=>(\{stat
 r=Q(t,e.schema); return bu(r)(e,n), gy=()=>({state:t,dispatch:e})=>Ms(t,e); function vu(t,e){let}
 n=typeof e=="string"?[e]:e;return
Object.keys(t).reduce((r,o)=>(n.includes(o)||(r[o]=t[o]),r),{})}var
yy=(t,e)=>({tr:n,state:r,dispatch:o})=>{let i=null,s=null,l=io(typeof
 t=="string"?t:t.name,r.schema);return 1?(l==="node"&&(i=Q(t,r.schema)),l==="mark"&&(s=mt(t,r.schema))
 ),o&&n.selection.ranges.forEach(a=>{r.doc.nodesBetween(a.□from.pos,a.□to.pos,(c,u)=>{i&&i===c.type&&
 n.setNodeMarkup(u,void 0,vu(c.attrs,e)),s&&c.marks.length&&c.marks.forEach(d=>{s===d.type&&n.addMark
 ({state:t,dispatch:e})=>xs(t,e),Sy=()=>({state:t,dispatch:e})=>ks(t,e),ky=()=>({state:t,dispatch:e})
 = hu(t,e), Cy=() = > (\{state:t,dispatch:e\}) = > Ns(t,e), My=() = > (\{state:t,dispatch:e\}) = > 0s(t,e), vy=(t,\{error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,error,er
 OnInvalidContent:e,emitUpdate:n=!0,parseOptions:r={}}={}}=>({editor:o,tr:i,dispatch:s,commands:l}}=>
 {let{doc:a}=i;if(r.preserveWhitespace!=="full"){let
 c=Bs(t,o.schema,r,{errorOnInvalidContent:e??o.options.enableContentCheck});return
 tions.enable Content Check\})\}; function \ Ty(t,e,n)\{var_{ij}, ij\}, function \ Ty(t,e,n)\}
 r; let \{ selection: o \} = e, i = null; if (ao(o) \& \& (i = o. \\ \\ ] cursor), i) \{ let \ l = (r = t.stored \\ \\ Marks)! = null ? r: i.marks(); ret \} 
 urn!!n.isInSet(l)||!l.some(a=>a.type.excludes(n))}let{ranges:s}=o;return
 c=l.depth===0?t.doc.inlineContent&&t.doc.type.allowsMarkType(n):!1;return
 e(n),p=!!n.isInSet(u.marks)||!u.marks.some(m=>m.type.excludes(n));c=h\&\&p\}return!c\}),c\})\} var\ Ay=(t,e=m.type.excludes(n));c=h\&\&p\}return!c\}),c)
{})=>({tr:n,state:r,dispatch:o})=>{let{selection:i}=n,{empty:s,ranges:l}=i,a=mt(t,r.schema);if(o)if(s){let c=Lu(r,a);n.addStoredMark(a.create({...c,...e}))}else l.forEach(c=>{let u=c._from.pos;r.doc.nodesBetween(u,d,(f,h)=>{let p=Math.max(h,u),m=Math.min(h+f.nodeSize)}else l.forEach(c=>{let p=Math.min(h+f.nodeSize)}else l.forEach(c=
  d);f.marks.find(y=>y.type===a)?f.marks.forEach(y=>{a===y.type&&n.addMark(p,m,a.create({...y.attrs,.
      .e}))}):n.addMark(p,m,a.create(e))})));return
 Ty(r,n,a), Ey=(t,e)=>(\{tr:n\})=>(n.setMeta(t,e),!0),0y=(t,e={})=>(\{state:n,dispatch:r,chain:o\})=>\{let,e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{tr:n\},e)=(\{
 i=Q(t,n.schema),s;return n.selection. □anchor.sameParent(n.selection. □head)&&(s=n.selection. □anchor.p
```

```
arent.attrs), i.isTextblock?o().command((\{commands:l\})=>Rs(i,\{...s,...e\})(n)?!0:l.clearNodes()).command((\{state:l\})=>Rs(i,\{...s,...e\})(l,r)).run():(console.warn('[tiptap warn]: Currently "setNode()" only supports text block nodes.'),!1)\}, Ny=t=>(\{tr:e,dispatch:n})=>\{if(n)\{let\{doc:r}\}=e,o=pt(t,0,r.con variable).}) \]
tent.size),i=0.create(r,o);e.setSelection(i)}return!0},Ry=t=>({tr:e,dispatch:n})=>{if(n){let{doc:r}=e,{from:o,to:i}=typeof t=="number"?{from:t,to:t}:t,s=A.atStart(r).from,l=A.atEnd(r).to,a=pt(o,s,l),c=pt(i,s,l),u=A.create(r,a,c);e.setSelection(u)}return!0},Dy=t=>({state:e,dispatch:n})=>{let
  r=Q(t,e.schema); return xu(r)(e,n)\}; function Tu(t,e) {let}
  n=t.storedMarks||t.selection.∏to.parentOffset&&t.selection.∏from.marks();if(n){let
 utes, u=eo(c,l.node().type.name,l.node().attrs); if(i instanceof 0&&i.node(isBlock)return!l.parentOffs
  et||!Ae(s,l.pos)?!1:(r&&(t&&Tu(n,o.extensionManager.splittableMarks),e.split(l.pos).scrollIntoView()
  ),!0);if(!l.parent.isBlock)return!1;let d=a.parentOffset===a.parent.content.size,f=l.depth===0?void
 0: er(l.node(-1).contentMatchAt(l.indexAfter(-1))), h=d\&\&f?[\{type:f,attrs:u\}]: void \\ 0, p=Ae(e.doc,e.mapping.map(l.pos),1,h); if(!h\&\&!p\&\&Ae(e.doc,e.mapping.map(l.pos),1,f?[\{type:f\}]: void )
 0)&&(p=!0,h=f?[{type:f,attrs:u}]:void 0),r){if(p&&(i instanceof A&&e.deleteSelection(),e.split(e.map ping.map(l.pos),1,h),f&&!d&&!l.parentOffset&&l.parent.type!==f)){let m=e.mapping.map(l.before()),g=e
     .doc.resolve(m);l.node(
  1). canReplaceWith(g.index(),g.index()+1,f)\&\&e.setNodeMarkup(e.mapping.map(l.before()),f)}t\&\&Tu(n,o.e)
  xtensionManager.splittableMarks),e.scrollIntoView()}return
 p\}, Iy=(t,e=\{\})=>(\{tr:n,state:r,dispatch:o,editor:i\})=>\{var\ s;let\ l=Q(t,r.schema),\{[]from:a,[]to:c\}=r.selection,u=r.selection.node;if(u&u.isBlock||a.depth<2||!a.sameParent(c))return!1;let
  d=a.node(-1);if(d.type!==l)return!1;let f=i.extensionManager.attributes;if(a.parent.content.size===0
  &&a.node(-1).childCount===a.indexAfter(-1)){if(a.depth===2||a.node(-3).type!==|||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!=0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(-3).type!==0||a.index(
  2)!==a.node(-2).childCount-1)return!1;if(o){let y=w.empty,b=a.index(-1)?1:a.index(-2)?2:3;for(let
  v=a.depth-b;v>=a.depth-3;v-=1)y=w.from(a.node(v).copy(y));let x=a.indexAfter(-1)<a.node(-2).childCount?1:a.indexAfter(-2)<a.node(-</pre>
 3).childCount?2:3,C={...eo(f,a.node().type.name,a.node().attrs),...e},S=((s=l.contentMatch.defaultType)==null?void 0:s.createAndFill(C))||void 0;y=y.append(w.from(l.createAndFill(null,S)||void 0));let
  R=a.before(a.depth-(b-1));n.replace(R,a.after(-x),new M(y,4-b,0));let P=-
  1;n.doc.nodesBetween(R,n.doc.content.size,(v,B)=>{if(P>-
  1) return!1; v.isTextblock&&v.content.size===0&&(P=B+1)}),P>-
  1\&\&n.setSelection(A.near(n.doc.resolve(P))), n.scrollIntoView()\} return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos===a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return!0 \} let \ h=c.pos==a.end()?d.contoline(A.near(n.doc.resolve(P))), n.scrollIntoView(), return P.con
  entMatchAt(0).defaultType:null,p={...eo(f,d.type.name,d.attrs),...e},m={...eo(f,a.node().type.name,a
   .node().attrs),...e};n.delete(a.pos,c.pos);let g=h?[{type:l,attrs:p},{type:h,attrs:m}]:[{type:l,attr
 s:p}];if(!Ae(n.doc,a.pos,2))return!1;if(o){let{selection:y,storedMarks:b}=r,{splittableMarks:x}=i.ex tensionManager,C=b||y.\_to.parentOffset&&y.\_from.marks();if(n.split(a.pos,2,g).scrollIntoView(),!C||!
  o) \ return!0; \\ let \ S=C.filter(R=>x.includes(R.type.name)); \\ n.ensureMarks(S)\} \\ return!0\}, \\ Is=(t,e)=>\{let \ return!0; \\ let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0; \\ let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0; \\ let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0; \\ let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let \ return!0\}, \\ Is=(t,e)=>\{let
  n=Ye(s=>s.type===e)(t.selection);if(!n)return!0;let
  r=t.doc.resolve(Math.max(0,n.pos-1)).before(n.depth);if(r===void 0)return!0;let
  o=t.doc.nodeAt(r); return n.node.type===o?.type\&\&Ne(t.doc,n.pos)\&\&t.join(n.pos),!0}, Ls=(t,e)=>{let}
  n=Ye(s=>s.type===e)(t.selection);if(!n)return!0;let
r=t.doc.resolve(n.start).after(n.depth);if(r==void 0)return!0;let o=t.doc.nodeAt(r);return n.node.t ype===o?.type&&Ne(t.doc,r)&&t.join(r),!0}, Ly=(t,e,n,r={})=>({editor:o,tr:i,state:s,dispatch:l,chain:a,commands:c,can:u})=>{let{extensions:d,splittableMarks:f}=o.extensionManager,h=Q(t,s.schema),p=Q(e,a,commands)}.
  s.schema), \{selection:m, storedMarks:g\}=s, \{[from:y, [to:b]=m, x=y.blockRange(b), C=g||m.[to.parentOffset&]\}
  &m.∏from.marks();if(!x)return!1;let
  S=Ye(R=>Mu(R.type.name,d))(m); if(x.depth>=1&\&S&&x.depth-S.depth<=1) \\ \{if(S.node.type===h) return \} = (R-type) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) \\ (R-type.name,d)(m) 
  c.liftListItem(p);if(Mu(S.node.type.name,d)&&h.validContent(S.node.content)&&l)return a().command(()
  =>(i.setNodeMarkup(S.pos,h),!0)).command(()=>Is(i,h)).command(()=>Ls(i,h)).run()}return!n||!C||!l?a()
  ). command(() = > u(). wrapInList(h,r)?!0:c.clearNodes()). wrapInList(h,r). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = > Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command(() = Is(i,h)). command
  =>Ls(i,h)).run():a().command(()=>{let
  R=u().wrapInList(h,r), P=C.filter(v=>f.includes(v.type.name)); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name)); eturn i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMarks(P), R?!0:c.clearNodes(v.type.name); return i.ensureMa
  es()).wrapInList(h,r).command(()=>Is(i,h)).command(()=>Ls(i,h)).run()},By=(t,e={},n={})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=>({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={}})=({state:r,e={
  commands:o\}) => \{let\{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, \{extendEmptyMarkRange:i=!1\} = n, s=mt(t, r.schema); return \ zs(r, s, e)?o.unsetMark(s, 
  endEmptyMarkRange:i\}):o.setMark(s,e)\}, zy=(t,e,n=\{\})=>(\{state:r,commands:o\})=>\{letaline(s,e)\}, zy=(t,e,n=\{\})=(\{state:r,commands:o\})=>\{letaline(s,e)\}, zy=(t,e,n=\{\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o\})=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,commands:o])=(\{state:r,command
  i=Q(t,r.schema),s=Q(e,r.schema),l=Ge(r,i,n),a; return r.selection. \Box anchor.sameParent(r.selection. \Box hea
  d)&&(a=r.selection.\Boxanchor.parent.attrs),l?o.setNode(s,a):o.setNode(i,{...a,...n})},Hy=(t,e={})=>({s
  tate:n,commands:r})=>{let o=Q(t,n.schema);return
  r=0; r< n. length; r+=1) \{let o=n[r], i; if (o.spec.isInputRules \& \& (i=o.getState(t))) \{if(e)\} let o=n[r], i; if (o.spec.isInputRules \& \& (i=o.getState(t))) \} \} 
  s=t.tr,l=i.transform;for(let
  a=l.steps.length-1;a>=0;a-=1)s.step(l.steps[a].invert(l.docs[a]));if(i.text){let
  a=s.doc.resolve(i.from).marks();s.replaceWith(i.from,i.to,t.schema.text(i.text,a))}else s.delete(i.f
  rom, i.to) \} return!0 \} return!1 \}, \\ |y=()=>(\{tr:t,dispatch:e\})=> \{let\{selection:n\}=t, \{empty:r,ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o\}=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o]=n;ranges:o[anges:o]=n;ranges:o[anges:o]=n;ranges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:o[anges:
   \text{eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{tr:n,state:r,dispersive.eturn r||e\&\&o.forEach(i=>\{t.removeMark(i.||from.pos,i.||to.pos)\}),!0}, \\ \text{Vy=(t,e=\{\})=>(\{t.removeMark(i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.pos,i.||from.
  atch:o\}) = > \{var \ i; let\{extendEmptyMarkRange:s=!1\} = e, \{selection:l\} = n, a = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = mt(t, r. schema), \{ from: c, empty: u, r. schema \} = m
  ranges: d\} = 1; if(!o) return!0; if(u\&s) \{let\{from:f,to:h\} = 1, p = (i = c.marks().find(g = > g.type = = a)) = = null?voids() = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = > g.type = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.marks().find(g = a)) = (i = c.mar
  d 0:i.attrs, m=Us(c,a,p); m\&\&(f=m.from,h=m.to), n.removeMark(f,h,a)\}else
 d. for Each(f=>\{n. remove Mark(f. | from.pos,f. | to.pos,a)\}); return n. remove Stored Mark(a),!0\}, wy=(t,e=\{\})=>(\{tr:n,state:r,dispatch:o\})=>\{let i=null,s=null,l=io(type of t=="string"?t:t.name,r.schema); return l?(l==="node"&&(i=Q(t,r.schema)),l==="mark"&&(s=mt(t,r.schema)), l==="mark"&&(s=mt(t,r.schema)), l==="
  ),o&&n.selection.ranges.forEach(a=>{let c=a.∏from.pos,u=a.∏to.pos,d,f,h,p;n.selection.empty?r.doc.no
```

```
des Between(c,u,(m,g)=>\{i\&\&i===m.type\&\&(h=Math.max(g,c),p=Math.min(g+m.nodeSize,u),d=g,f=m)\}):r.doc.n
odesBetween(c,u,(m,g)=>\{g<c\&\&i\&\&i===m.type\&\&(h=Math.max(g,c),p=Math.min(g+m.nodeSize,u),d=q,f=m),q>=
c&q<=u&&(i&&i===m.type&&n.setNodeMarkup(g,void
0, \{\dots m. attrs, \dots e\}), s\&\&m. marks.length\&\&m. marks.forEach(y=>\{if(s===y.type)\{let\ b=Math.max(g,c),x=Math.max(g,c)\}\}
h.min(g+m.nodeSize,u);n.addMark(b,x,s.create({...y.attrs,...e}))}})))),f&&(d!==void 0&&n.setNodeMarkup(d,void 0,{...f.attrs,...e}),s&&f.marks.length&&f.marks.forEach(m=>{s===m.type&&n.addMark(h,p,s.create({...m.attrs,...e}))}))))),!0):!1},_y=(t,e={})=>({state:n,dispatch:r})=>{let
o=Q(t,n.schema); return gu(o,e)(n,r)}, jy=(t,e={})=>({state:n,dispatch:r})=>{let}
o=Q(t,n.schema);return yu(o,e)(n,r)},qu=[].create({name:"commands",addCommands(){return{...Uu}}}),Gu=[].create({name:"delete",onUpdate({transaction:t,appendedTransactions:e}){var n,r,o;let i=()=>{var
s,l,a,c;if((c=(a=(l=(s=this.editor.options.coreExtensionOptions)==null?void 0:s.delete)==null?void 0:l.filterTransaction)==null?void 0:a.call(l,t))!=null?c:t.getMeta("y-sync□"))return;let u=Hs(t.befo re,[t,...e]);js(u).forEach(h=>{u.mapping.mapResult(h.oldRange.from).deletedAfter&&u.mapping.mapResult
t(h.oldRange.to).deletedBefore&&u.before.nodesBetween(h.oldRange.from,h.oldRange.to,(p,m)=>{let g=m+
p.nodeSize-
2, y = h.oldRange.from <= m\&g <= h.oldRange.to; this.editor.emit("delete", \{type: "node", node: p, from: m, to: g, newFrom: u.mapping.map(m), newTo: u.mapping.map(g), deletedRange: h.oldRange, newRange: h.newRange, partial: !
y,editor:this.editor,transaction:t,combinedTransform:u})});)et
 f=u.mapping;u.steps.forEach((h,p)=>{var m,g;if(h instanceof lt){let y=f.slice(p).map(h.from,-
1), b=f.slice(p).map(h.to), x=f.invert().map(y,-1), C=f.invert().map(b), S=(m=u.doc.nodeAt(y-1))==null?void 0:m.marks.some(P=>P.eq(h.mark)), R=(g=u.doc.nodeAt(b))==null?void 0:g.marks.some(P=>P.eq(h.mark)); this.editor.emit("delete", {type:"mark", mark:h.mark, from:h.from, to:h.to,deletedRange:{fro
m:x,to:C},newRange:{from:y,to:b},partial:!!(R||S),editor:this.editor,transaction:t,combinedTransform
:u})}});;(o=(r=(n=this.editor.options.coreExtensionOptions)==null?void 0:n.delete)==null?void 0:r.as
ync)==null||o?setTimeout(i,0):i()}}),Yu=[].create({name:"drop",addProseMirrorPlugins(){return[new]}
N({key:new L("tiptapDrop"),props:{handleDrop:(t,e,n,r)=>{this.editor.emit("drop",{editor:this.editor,event:e,slice:n,moved:r})}})]}}),Xu=[].create({name:"editable",addProseMirrorPlugins(){return[new
N({key:new L("editable"),props:{editable:()=>this.editor.options.editable}})]}}),Qu=new L("focusEven ts"),Zu=[].create({name: "focusEvents",addProseMirrorPlugins(){let{editor:t}=this;return[new N({key:Qu,props:{handleDOMEvents:{focus:(e,n)=>{t.isFocused=!0;let r=t.state.tr.setMeta("focus",{event:n}).setMeta("addToHistory",!1);return
e.dispatch(r),!1},blur:(e,n)=>{t.isFocused=!1;let
r=t.state.tr.setMeta("blur",{event:n}).setMeta("addToHistory",!1);return
l,{empty:u,__anchor:d}=a,{pos:f,parent:h}=d,p=d.parent.isTextblock&&f>0?l.doc.resolve(f-1):d,m=p.parent.type.spec.isolating,g=d.pos-
d.parentOffset,y=m&&p.parent.childCount===1?g===d.pos:E.atStart(c).from===f;return!u||!h.type.isText
block||h.textContent.length||!y||y&&d.parent.type.name==="paragraph"?!1:s.clearNodes()}),()=>s.delet
eSelection(),()=>s.joinBackward(),()=>s.selectNodeBackward()]),e=()=>this.editor.commands.first(({co
mands:s)=>()=>s.deleteSelection(),()=>s.deleteCurrentNode(),()=>s.joinForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNodeForward(),()=>s.selectNo
orward()]),r={Enter:()=>this.editor.commands.first(({commands:s})=>[()=>s.newlineInCode(),()=>s.crea
teParagraphNear(),()=>s.liftEmptyBlock(),()=>s.splitBlock()]),"Mod-
Enter":()=>this.editor.commands.exitCode(),Backspace:t,"Mod-Backspace":t,"Shift-
Backspace":t,Delete:e,"Mod-
Delete":e,"Mod-a":()=>this.editor.commands.selectAll()},o={...r},i={...r,"Ctrl-h":t,"Alt-Backspace":t,"Ctrl-d":e,"Ctrl-Alt-Backspace":e,"Alt-Delete":e,"Alt-d":e,"Ctrl-
a":()=>this.editor.commands.selectTextblockStart(),"Ctrl-
e":()=>this.editor.commands.selectTextblockEnd());return
Gs()||Ju()?i:o},addProseMirrorPlugins(){return[new N({key:new
L("clearDocument"), appendTransaction:(t,e,n) \Rightarrow \{if(t.some(m=>m.getMeta("composition")))\}return; let r=t
 .some(m=>m.docChanged)\&\&!e.doc.eq(n.doc),o=t.some(m=>m.getMeta("preventClearDocument"));if(!r||o)ret
urn; let\{empty: i, from: s, to: l\} = e.selection, a = E.atStart(e.doc).from, c = E.atEnd(e.doc).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s === a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i||!(s == a \& End(e.doc)).to; if(i|!(s == a \& End(e.doc)).to; if(i|!(s == a \& End(e.doc)).to; if(i|!(s == a \& End(e.doc)).to; if(i|!(s == a \& End(e.doc)).to; if(i|!(s == a \& End(e.doc)).to; if(i|!(s == a
l===c)||!tr(n.doc))return;let f=n.tr,h=ro({state:n,transaction:f}),{commands:p}=new
oo({editor:this.editor,state:h});if(p.clearNodes(),!!f.steps.length)return
f}})]}}),td=□.create({name:"paste",addProseMirrorPlugins(){return[new N({key:new L("tiptapPaste"),pr
ops:{handlePaste:(t,e,n)=>{this.editor.emit("paste",{editor:this.editor,event:e,slice:n})}}})]})),nd=[].create({name:"tabindex",addProseMirrorPlugins(){return[new N({key:new L('tabindex",addProseMirrorPlugins(){return[new N({key:new L('tabindex",addProseMirrorPlugins(){return[new N({key:new L('tabindex",addProseMirrorPlugins(){return[new N({key:new L('tabindex",addProseMirrorPlugins(){return[new N({key:new L('tabindex",addProseMirrorPlugins()}})],Ky=class wn{cons
tructor(e,n,r=11,o=null){this.currentNode=null,this.actualDepth=null,this.isBlock=r,this.resolvedPos=e,this.editor=n,this.currentNode=o}get name(){return this.node.type.name}get node(){return
this.currentNode||this.resolvedPos.node()}get element(){return
this.editor.view.domAtPos(this.pos).node}get depth(){var
e;return(e=this.actualDepth)!=null?e:this.resolvedPos.depth}get pos(){return
this.resolvedPos.pos}get content(){return this.node.content}set content(e){let n=this.from,r=this.to;if(this.isBlock){if(this.content.size===0){console.error(`You can\u2019t set
content on a block node. Tried to set content on [{this.name} at [{this.pos}`); return}n=this.from+1, r=this.to-1}this.editor.commands.insertContentAt({from:n,to:r},e)}get attributes(){return
this.node.attrs}get textContent(){return this.node.textContent}get size(){return
this.node.nodeSize}get from(){return
this.isBlock?this.pos:this.resolvedPos.start(this.resolvedPos.depth)}get
range(){return{from:this.from,to:this.to}}get to(){return this.isBlock?this.pos+this.size:this.resol
vedPos.end(this.resolvedPos.depth)+(this.node.isText?0:1)}get parent(){if(this.depth===0)return
```

```
null;let e=this.resolvedPos.start(this.resolvedPos.depth-1),n=this.resolvedPos.doc.resolve(e);return
new wn(n,this.editor)}get before(){let
e=this.resolvedPos.doc.resolve(this.from-(this.isBlock?1:2));return
e.depth! == this.depth \& (e=this.resolved Pos.doc.resolve (this.from-3)), new \ wn (e, this.editor) \} get the depth of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
after(){let e=this.resolvedPos.doc.resolve(this.to+(this.isBlock?2:1));return
e.depth! == this.depth\& (e=this.resolvedPos.doc.resolve(this.to+3)), new \ wn(e,this.editor) \} get \\
children(){let e=[];return this.node.content.forEach((n,r)=>{let o=n.isBlock&&!n.isTextblock,i=n.isA
tom&&!n.isText,s=this.pos+r+(i?0:1);if(s<0||s>this.resolvedPos.doc.nodeSize-2)return;let
l=this.resolvedPos.doc.resolve(s);if(!o&&l.depth<=this.depth)return;let a=new</pre>
wn(l,this.editor,o,o?n:null);o&&(a.actualDepth=this.depth+1),e.push(new
wn(l,this.editor,o,o?n:null))}),e}get firstChild(){return this.children[0]||null}get lastChild(){let
e=this.children;return e[e.length-1]||null}closest(e,n={}){let
r=null, o=this.parent; for(;o\&\&!r;) \\ \{if(o.node.type.name===e)if(0bject.keys(n).length>0) \\ \{letalentered by a constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of 
i=o.node.attrs,s=Object.keys(n);for(let l=0;l<s.length;l+=1){let a=s[l];if(i[a]!==n[a])break}}else
r=o;o=o.parent}return r}querySelector(e,n={}){return
this.querySelectorAll(e, n, !0)[0]||null}querySelectorAll(e, n={}, r=!1){let
o=[];if(!this.children||this.children.length===0)return o;let i=Object.keys(n);return this.children.
forEach(s=>\{r\&\&o.length>0||(s.node.type.name===e\&\&i.every(a=>n[a]===s.node.attrs[a])\&\&o.push(s),!(r\&auth)
\&o.length>0)\&\&(o=o.concat(s.querySelectorAll(e,n,r))))),o}setAttribute(e){let{tr:n}=this.editor.sta}
te;n.setNodeMarkup(this.from,void
0,{...this.node.attrs,...e}),this.editor.view.dispatch(n)}},Uy=`.ProseMirror {
    position: relative;
.ProseMirror {
     word-wrap: break-word;
     white-space: pre-wrap;
    white-space: break-spaces;
     -webkit-font-variant-ligatures: none;
     font-variant-ligatures: none;
font-feature-settings: "liga" 0; /* the above doesn't seem to work in Edge */
.ProseMirror [contenteditable="false"] {
     white-space: normal;
.ProseMirror [contenteditable="false"] [contenteditable="true"] {
     white-space: pre-wrap;
.ProseMirror pre {
    white-space: pre-wrap;
img.ProseMirror-separator {
     display: inline !important;
    border: none !important;
margin: 0 !important;
     width: 0 !important;
     height: 0 !important;
.ProseMirror-gapcursor {
     display: none;
     pointer-events: none;
     position: absolute;
     margin: 0;
.ProseMirror-gapcursor:after {
  content: "";
     display: block;
     position: absolute;
     top: -2px;
     width: 20px;
     border-top: 1px solid black;
     animation: ProseMirror-cursor-blink 1.1s steps(2, start) infinite;
@keyframes ProseMirror-cursor-blink {
          visibility: hidden;
```

```
}
.ProseMirror-hideselection *::selection {
    background: transparent;
.ProseMirror-hideselection *::-moz-selection {
    background: transparent;
 .ProseMirror-hideselection * {
    caret-color: transparent;
.ProseMirror-focused .ProseMirror-gapcursor {
    display: block;
}`;function Jy(t,e,n){let r=document.querySelector(`style[data-tiptap-
style[]{n?`-[]{n}`:""}]`);if(r!==null)return r;let o=document.createElement("style");return
e&&o.setAttribute("nonce",e),o.setAttribute(`data-tiptap-style[]{n?`-
[n]`:""}`,""),o.innerHTML=t,document.getElementsByTagName("head")[0].appendChild(o),o}var rd=class
extends gg{constructor(t={}}{super(),this.css=null,this.editorView=null,this.isFocused=!1,this.isIni
tialized=!1,this.extensionStorage={},this.instanceId=Math.random().toString(36).slice(2,9),this.opti
ons={element:typeof
document<"u"?document.createElement("div"):null,content:"",injectCSS:!0,injectNonce:void 0,extension
s:[], autofocus: !1, editable: !0, editor Props: \{\}, parse Options: \{\}, core Extension Options: \{\}, enable Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule Input Rule I
s:!0,enablePasteRules:!0,enableCoreExtensions:!0,enableContentCheck:!1,emitContentError:!1,onBeforeC
reate:()=>null,onCreate:()=>null,onUpdate:()=>null,onSelectionUpdate:()=>null,onTransaction:()=>null
 onFocus:()=>null,onBlur:()=>null,onDestroy:()=>null,onContentError:({error:r})=>{throw r},onPaste:(
)=>null,onDrop:()=>null,onDelete:()=>null},this.isCapturingTransaction=!1,this.capturedTransaction=n
ull,this.setOptions(t),this.createExtensionManager(),this.createCommandManager(),this.createSchema(),this.on("beforeCreate",this.options.onBeforeCreate),this.emit("beforeCreate",{editor:this}),this.on
("contentError", this.options.onContentError), this.on("create", this.options.onCreate), this.on("update ", this.options.onUpdate), this.on("selectionUpdate", this.options.onSelectionUpdate), this.on("transact ion", this.options.onTransaction), this.on("focus", this.options.onFocus), this.on("blur", this.options.onBlur), this.on("destroy", this.options.onDestroy), this.on("drop", ({event:r,slice:o,moved:i})=>this.options.onDop(r,o,i)), this.on("paste", ({event:r,slice:o})=>this.options.onPaste(r,o)), this.on("deltarSetate=Iros
  ,this.options.onDelete);let e=this.createDoc(),n=Vu(e,this.options.autofocus);this.editorState=Ir.c
reate({doc:e,schema:this.schema,selection:n||void
0}),this.options.element&&this.mount(this.options.element)}mount(t){if(typeof document>"u")throw new Error("[tiptap error]: The editor cannot be mounted because there is no 'document' defined in this e
nvironment.");this.createView(t),window.setTimeout(()=>{this.isDestroyed||(this.commands.focus(this.
options.autofocus),this.emit("create",{editor:this}),this.isInitialized=!0)},0)}unmount(){var
t;if(this.editorView){let e=this.editorView.dom;e?.editor&delete e.editor,this.editorView.destroy()
}this.editorView=null,this.isInitialized=!1,(t=this.css)==null||t.remove(),this.css=null}get
storage(){return this.extensionStorage}get commands(){return
this.commandManager.commands}chain(){return this.commandManager.chain()}can(){return
this.state||this.isDestroyed)&&(this.options.editorProps&&this.view.setProps(this.options.editorProp
s), this.view.updateState(this.state))}setEditable(t,e=!0){this.setOptions({editable:t}),e&&this.emit
   update",{editor:this,transaction:this.state.tr,appendedTransactions:[]})}get isEditable(){return"
this.options.editable&&this.view&&this.view.editable}get view(){return this.editorView?this.editorView:new Proxy({state:this.editorState,updateState:t=>{this.editorState=t
},dispatch:t=>{this.editorState=this.state.apply(t)},composing:!1,dragging:null,editable:!0,isDestro
yed:!1},{get:(t,e)=>{if(e==="state")return this.editorState;if(e in t)return Reflect.get(t,e);throw
new Error(`[tiptap error]: The editor view is not available. Cannot access <math>view['[\{e\}']]. The editor
may not be mounted yet.`)}})}get state(){return
this.editorView&&(this.editorState=this.view.state),this.editorState}registerPlugin(t,e){let n=Nu(e)
?e(t,[...this.state.plugins]):[...this.state.plugins,t],r=this.state.reconfigure({plugins:n});return
this.view.updateState(r),r}unregisterPlugin(t){if(this.isDestroyed)return;let
e=this.state.plugins,n=e;if([].concat(t).forEach(o=>{let i=typeof
o = "string"?`[\{o\}[]`:o.key; n = n.filter(s => !s.key.startsWith(i))\}), e.length = = n.length) return; let it is a start swith (i)) and the start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i) is a start swith (i
r=this.state.reconfigure({plugins:n});return this.view.updateState(r),r}createExtensionManager(){var
t,e; let r=[...this.options.enableCoreExtensions?[Xu,Ku.configure({blockSeparator:(e=(t=this.options.enableCoreExtensions?[Xu,Ku.configure({blockSeparator:(e=(t=this.options.enableCoreExtensions?[Xu,Ku.configure({blockSeparator:(e=(t=this.options.enableCoreExtensions?[Xu,Ku.configure({blockSeparator:(e=(t=this.options.enableCoreExtensions?[Xu,Ku.configure({blockSeparator:(e=(t=this.options.enableCoreExtensions?[Xu,Ku.configure({blockSeparator:(e=(t=this.options.enableCoreExtensions)])})])} } \\
coreExtensionOptions)==null?void 0:t.clipboardTextSerializer)==null?void
0:e.blockSeparator}),qu,Zu,ed,nd,Yu,td,Gu].filter(o=>typeof this.options.enableCoreExtensions=="obje
ct"?this.options.enableCoreExtensions[o.name]!==!1:!0):[],...this.options.extensions].filter(o=>["extension","node","mark"].includes(o?.type));this.extensionManager=new
\verb"uo(r,this)) create Command Manager" () \{this.command Manager = new
oo({editor:this})}createSchema(){this.schema=this.extensionManager.schema}createDoc(){let t;try{t=Bs
 (this.options.content,this.schema,this.options.parseOptions,{errorOnInvalidContent:this.options.enab
leContentCheck})}catch(e){if(!(e instanceof Error)||!["[tiptap error]: Invalid JSON
```

```
content","[tiptap error]: Invalid HTML content"].includes(e.message))throw
e; this.emit("contentError", {editor: this, error: e, disableCollaboration: () => {"collaboration"in
this.storage&&typeof this.storage.collaboration=="object"&&this.storage.collaboration&&(this.storage
 .collaboration.isDisabled=!0),this.options.extensions=this.options.extensions.filter(n=>n.name!=="co
llaboration"),this.createExtensionManager()}}),t=Bs(this.options.content,this.schema,this.options.pa
rseOptions,{errorOnInvalidContent:!1})}return t}createView(t){var e;this.editorView=new qn(t,{...thi
s.options.editorProps,attributes:{role:"textbox",...(e=this.options.editorProps)==null?void
0:e.attributes},dispatchTransaction:this.dispatchTransaction.bind(this),state:this.editorState});let
n=this.state.reconfigure({plugins:this.extensionManager.plugins});this.view.updateState(n),this.createNodeViews(),this.prependClass(),this.injectCSS();let r=this.view.dom;r.editor=this}createNodeViews
 (){this.view.isDestroyed||this.view.setProps({markViews:this.extensionManager.markViews,nodeViews:th
is.extensionManager.nodeViews})}prependClass(){this.view.dom.className=`tiptap ∏{this.view.dom.class
Name}`}captureTransaction(t){this.isCapturingTransaction=!0,t(),this.isCapturingTransaction=!1;let
e=this.capturedTransaction;return this.capturedTransaction=null,e}dispatchTransaction(t){if(this.vie
w.isDestroyed)return;if(this.isCapturingTransaction){if(!this.capturedTransaction){this.capturedTran
saction=t;return}t.steps.forEach(c=>{var u;return(u=this.capturedTransaction)==null?void 0:u.step(c)
});return}let{state:e,transactions:n}=this.state.applyTransaction(t),r=!this.state.selection.eq(e.se
Js(this.state,n,r)}getJSON(){return this.state.doc.toJSON()}getHTML(){return
Vs(this.state.doc.content,this.schema)}getText(t){let{blockSeparator:e=
   ,textSerializers:n={}}=t||{};return
Sg(this.state.doc,{blockSeparator:e,textSerializers:{...Iu(this.schema),...n}})}get isEmpty(){return
tr(this.state.doc)}destroy(){this.emit("destroy"),this.unmount(),this.removeAllListeners()}get
isDestroyed(){var t,e;return(e=(t=this.editorView)==null?void
0:t.isDestroyed)!=null?e:!0} node(t,e) {var n; return((n=this. doc)==null?void
0:n.querySelector(t,e))||null}[nodes(t,e){var n;return((n=this.[doc)==null?void 0:n.querySelectorAll(t,e))||null}[pos(t){let e=this.state.doc.resolve(t);return new Ky(e,this)}get
[doc()\{return\ this.[pos(0)]\}; function\ Ie(t)\{return\ new\}]
co({find:t.find,handler:({state:e,range:n,match:r})=>{let o=W(t.getAttributes,void
0,r; if (0===!1||0===null) return null; let \{tr:i\}=e,s=r[r.length-1],l=r[0]; if (s)\{let a=l.search(/\S/),c
=n.from+l.indexOf(s),u=c+s.length;if(so(n.from,n.to,e.doc).filter(h=>h.mark.type.excluded.find(m=>m=
==t.type&&m!==h.mark.type)).filter(h=>h.to>c).length)return
null; u < n. to \& \&i. delete(u, n. to), c > n. from \& \&i. delete(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a + s. length; i. add Mark(n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c); let f = n. from + a, c)
m+a,f,t.type.create(o||{})),i.removeStoredMark(t.type)}}})}function fo(t){return new
co({find:t.find,handler:({state:e,range:n,match:r})=>{let o=W(t.getAttributes,void
0,r)|\{\},\{tr:i\}=e,s=n.from,l=n.to,a=t.type.create(o);if(r[1])\{let c=r[0].lastIndexOf(r[1]),u=s+c;u>l?u=l:l=u+r[1].length;let
d=r[0][r[0].length-1];i.insertText(d,s+r[0].length-1),i.replaceWith(u,l,a)}else if(r[0]){let c=t.typ}
e.isInline?s:s
1;i.insert(c,t.type.create(o)).delete(i.mapping.map(s),i.mapping.map(l))}i.scrollIntoView()}})}funct
ion nr(t){return new co({find:t.find,handler:({state:e,range:n,match:r})=>{let
o=e.doc.resolve(n.from),i=W(t.getAttributes,void
0,r)||{};if(!o.node(-1).canReplaceWith(o.index(-1),o.indexAfter(-1),t.type))return
null;e.tr.delete(n.from,n.to).setBlockType(n.from,n.from,t.type,i)}})function Xe(t){return new
co(\{find:t.find,handler:(\{state:e,range:n,match:r,chain:o\})=>\{let i=W(t.getAttributes,void 0,r)||\{\},
s=e.tr.delete(n.from,n.to), a=s.doc.resolve(n.from).blockRange(), c=a\&\&cn(a,t.type,i); if(!c)return null; if(s.wrap(a,c),t.keepMarks&\&t.editor) {let{selection:d,storedMarks:f}=e,{splittableMarks:h}=t.editor} \\
r. extension Manager, p=f|\ | d.\ | to.parent Offset \& d.\ | from.marks(); if(p) \{letall extension Manager, p=f|\ | d.\ | to.parent Offset \& d.\ | from.marks(); if(p) \} 
m=p.filter(g=>h.includes(g.type.name));s.ensureMarks(m)}}if(t.keepAttributes){let d=t.type.name==="b
ulletList"||t.type.name==="orderedList"?"listItem":"taskList";o().updateAttributes(d,i).run()}let u=
s.doc.resolve(n.from-1).nodeBefore;u&&u.type===t.type&&Ne(s.doc,n.from-
1)\&\&(!t.joinPredicate||t.joinPredicate(r,u))\&&s.join(n.from-1)}})function
od(t,e){let{selection:n}=t,{[from:r]=n;if(n instanceof 0){let i=r.index();return
r.parent.canReplaceWith(i,i+1,e)}let o=r.depth;for(;o>=0;){let
i=r.index(o);if(r.node(o).contentMatchAt(i).matchType(e))return!0;o-=1}return!1}function
ing.map(a)+l.nodeSize,d=null;if(l.marks.forEach(h=>{if(h!==s)return!1;d=h}),!d)return;let
f=\bar{!}1; if(0bject.keys(n).forEach(h=>\{n[h]!==d.attrs[h]\&\&(f=!0)\}),f) \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,...,h],f)\} \\ \{let\ h=t.type.create(\{...t.attrs,h],f)\} \\ \{let\
 .n\});i.removeMark(c,u,t.type),i.addMark(c,u,h)\}\}),i.docChanged&&e.view.dispatch(i)\}var z=class sd
extends qs{constructor(){super(...arguments),this.type="node"}static create(e={}){let n=typeof
e=="function"?e():e; return new sd(n)}configure(e){return super.configure(e)}extend(e){let n=typeof
e=="function"?e():e;return super.extend(n)}};function Ce(t){return new
Rg(\{find:t.find,handler:(\{state:e,range:n,match:r,pasteEvent:o\}) => \{let\ i=W(t.getAttributes,void,handler:(\{state:e,range:n,match:r,pasteEvent:o\}) => \{let\ i=W(t.getAttributes,void,handler:(\{state:e,range:n,match:r,pa
0,r,0); if (i===!1||i===null)return null; let {tr:s}=e,l=r[r.length-1],a=r[0],c=n.to; if (l) {let u=a.searc}
```

```
h(/\S/), d=n.from+a.indexOf(l), f=d+l.length; if(so(n.from,n.to,e.doc).filter(p=>p.mark.type.excluded.form)
 ind(g=>g===t.type\&\&g!==p.mark.type)).filter(p=>p.to>d).length)return null; f<n.to&&s.delete(f,n.to),d
 >n.from&&s.delete(n.from+u,d),c=n.from+u+l.length,s.addMark(n.from+u,c,t.type.create(i||{})),s.remov
 eStoredMark(t.type)\}\}) function ld(t=\{\})\{return\ new\ N(\{view(e)\{return\ new\ Ys(e,t)\}\})\} var
 Ys=class{constructor(e,n){var r;this.editorView=e,this.cursorPos=null,this.element=null,this.timeout
 =-1, this.width=(r=n.width)!==null\&r!==void 0?r:1, this.color=n.color===!1?void 0:n.color||"black", the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the seco
 is.class=n.class,this.handlers=["dragover","dragend","drop","dragleave"].map(o=>{let
i=s=>{this[o](s)};return e.dom.addEventListener(o,i),{name:o,handler:i}})}destroy(){this.handlers.fo
 rEach(({name:e,handler:n})=>this.editorView.dom.removeEventListener(e,n))}update(e,n){this.cursorPos
  !=null&&n.doc!=e.state.doc&&(this.cursorPos>e.state.doc.content.size?this.setCursor(null):this.updat
 eOverlay())}setCursor(e){e!=this.cursorPos&&(this.cursorPos=e,e==null?(this.element.parentNode.remov
 eChild(this.element),this.element=null):this.updateOverlay()){updateOverlay(){let e=this.editorView.
 state.doc.resolve(this.cursorPos),n=!e.parent.inlineContent,r,o=this.editorView.dom,i=o.getBoundingC
lientRect(),s=i.width/o.offsetWidth,l=i.height/o.offsetHeight;if(n){let
 d=e.nodeBefore,f=e.nodeAfter;if(d||f){let
 h=this.editorView.nodeDOM(this.cursorPos-(d?d.nodeSize:0));if(h){let p=h.getBoundingClientRect(),m=d
  ?p.bottom:p.top;d&&f&&(m=(m+this.editorView.nodeDOM(this.cursorPos).getBoundingClientRect().top)/2);
let g=this.width/2*l;r={left:p.left,right:p.right,top:m-g,bottom:m+g}}}if(!r){let d=this.editorView .coordsAtPos(this.cursorPos),f=this.width/2*s;r={left:d.left-f,right:d.left+f,top:d.top,bottom:d.bottom}}let a=this.editorView.dom.offsetParent;this.element||(th
is.element=a.appendChild(document.createElement("div")), this.class&&(this.element.className=this.class), this.element.style.cssText="position: absolute; z-index: 50; pointer-events: none; ", this.color&&
(this.element.style.backgroundColor=this.color)),this.element.classList.toggle("prosemirror-
dropcursor-block",n),this.element.classList.toggle("prosemirror-dropcursor-inline",!n);let c,u;if(!a
||a==document.body&&getComputedStyle(a).position=="static")c=-pageXOffset,u=-pageYOffset;else{let d=
 a.getBoundingClientRect(),f=d.width/a.offsetWidth,h=d.height/a.offsetHeight;c=d.left-
 a.scrollLeft*f,u=d.top-a.scrollTop*h}this.element.style.left=(r.left-
 c)/s+"px",this.element.style.top=(r.top-u)/l+"px",this.element.style.width=(r.right-
 r.left)/s+"px",this.element.style.height=(r.bottom-
 r.top)/l+"px"}scheduleRemoval(e){clearTimeout(this.timeout),this.timeout=setTimeout(()=>this.setCurs
 or(null), e) \} dragover(e) \{ if (!this.editorView.editable) return; let n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.editorView.posAtCoords(\{left: n=this.edit
 e.clientX, top: e.clientY\}), r=n\&\&n.inside>=0\&\&this.editorView.state.doc.nodeAt(n.inside), o=r\&\&r.type.state.doc.nodeAt(n.inside), isableDropCursor,i=typeof o=="function"?o(this.editorView,n,e):o;if(n&&!i){let
 s=n.pos;if(this.editorView.dragging&&this.editorView.dragging.slice){let l=Rr(this.editorView.state.
 doc, s, this.editorView.dragging.slice); l!=null&&(s=l)}this.setCursor(s), this.scheduleRemoval(5e3)} dragging.slice); r(s), this.scheduleRemoval(5e3)} dragging.set
 agend(){this.scheduleRemoval(20)}drop(){this.scheduleRemoval(20)}dragleave(e){this.editorView.dom.co
 ntains(e.relatedTarget)||this.setCursor(null)}};var se=class t extends
 E\{constructor(e)\{super(e,e)\}map(e,n)\{let\ r=e.resolve(n.map(this.head)); return\ t.valid(r)?new\ t(r):E.near(r)\}content()\{return\ M.empty\}eq(e)\{return\ e\ instanceof\} 
t&&e.head==this.head}toJSON(){return{type:"gapcursor",pos:this.head}}static fromJSON(e,n){if(typeof n.pos!="number")throw new RangeError("Invalid input for GapCursor.fromJSON");return new
 t(e.resolve(n.pos))}getBookmark(){return new Xs(this.anchor)}static valid(e){let
 n=e.parent;if(n.isTextblock||!Gy(e)||!Yy(e))return!1;let
 r=n.type.spec.allowGapCursor;if(r!=null)return r;let
 o=n.contentMatchAt(e.index()).defaultType;return o&&o.isTextblock}static
 findGapCursorFrom(e,n,r=!1){e:for(;;){if(!r&&t.valid(e))return e;let o=e.pos,i=null;for(let
s=e.depth;;s--){let l=e.node(s);if(n>0?e.indexAfter(s)<l.childCount:e.index(s)>0){i=l.child(n>0?e.in
 dexAfter(s):e.index(s)-1);break}else if(s==0)return null;o+=n;let
 a=e.doc.resolve(o);if(t.valid(a))return a}for(;;){let s=n>0?i.firstChild:i.lastChild;if(!s){if(i.isA
 tom&&!i.isText&&!0.isSelectable(i)){e=e.doc.resolve(o+i.nodeSize*n),r=!1;continue
 e}break}i=s,o+=n;let l=e.doc.resolve(o);if(t.valid(l))return l}return
 null}}};se.prototype.visible=!1;se.findFrom=se.findGapCursorFrom;E.jsonID("gapcursor",se);var
Xs=class t{constructor(e){this.pos=e}map(e){return new t(e.map(this.pos))}resolve(e){let
n=e.resolve(this.pos);return se.valid(n)?new se(n):E.near(n)}};function Gy(t){for(let
 e=t.depth;e>=0;e--){let
 n=t.index(e), r=t.node(e); if(n==0){if(r.type.spec.isolating)return!0; continue} for(let o=r.child(n-type.spec.isolating)return!0; continue for(let o=r.child(n-type.spec.isolating)return!0; continue for(let o=r.child(n-type.spec.isolating)retur
 1);;o=o.lastChild){if(o.childCount==0&&!o.inlineContent||o.isAtom||o.type.spec.isolating)return!0;if
(o.inlineContent)return!1}}return!0}function Yy(t){for(let e=t.depth;e>=0;e--){let
n=t.indexAfter(e),r=t.node(e);if(n==r.childCount){if(r.type.spec.isolating)return!0;continue}for(let
o=r.child(n);;o=0.firstChild){if(o.childCount==0&&!o.inlineContent||o.isAtom||o.type.spec.isolating)
 return!0;if(o.inlineContent)return!1}}return!0}function ad(){return new
 N(\{props: \{decorations: e0, createSelectionBetween(t,e,n)\}  return e.pos==n.pos&&se.valid(n)?new
 se(n):null},handleClick:Qy,handleKeyDown:Xy,handleDOMEvents:{beforeinput:Zy}}})}var Xy=Xn({ArrowLeft
:ho("horiz",-1),ArrowRight:ho("horiz",1),ArrowUp:ho("vert",-1),ArrowDown:ho("vert",1)});function
ho(t,e){let n=t=="vert"?e>0?"down":"up":e>0?"right":"left";return function(r,o,i){let
s=r.selection,l=e>0?s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s._lto:s.
 A){if(!i.endOfTextblock(n)||l.depth==0)return!1;a=!1,l=r.doc.resolve(e>0?l.after():l.before())}let
 c=se.findGapCursorFrom(l,e,a);return c?(o&&o(r.tr.setSelection(new se(c))),!0):!1}}function
 Qy(t,e,n){if(!t||!t.editable)return!1;let r=t.state.doc.resolve(e);if(!se.valid(r))return!1;let
o=t.posAtCoords({left:n.clientX,top:n.clientY});return o&&o.inside>-1&&0.isSelectable(t.state.doc.nodeAt(o.inside))?!1:(t.dispatch(t.state.tr.setSelection(new
 se))return!1;let{□from:n}=t.state.selection,r=n.parent.contentMatchAt(n.index()).findWrapping(t.stat
```

```
e.schema.nodes.text);if(!r)return!1;let o=w.empty;for(let
 s=r.length-1;s>=0;s--)o=w.from(r[s].createAndFili(null,o));let i=t.state.tr.replace(n.pos,n.pos,new
 M(o,0,0)); return i.setSelection(A.near(i.doc.resolve(n.pos+1))),t.dispatch(i),!1}function
 e0(t){if(!(t.selection instanceof se))return null; let e=document.createElement("div"); return
 e.className="ProseMirror-
 gapcursor", J.create(t.doc, [Y.widget(t.selection.head,e, {key: "gapcursor"})])}var
 po=200, de=function(){}; de.prototype.append=function(e){return e.length?(e=de.from(e),!this.length&&e
 ||e.length<po&&this.leafAppend(e)||this.length<po&&e.leafPrepend(this)||this.appendInner(e)):this};d
 e.prototype.prepend=function(e){return
 e.length?de.from(e).append(this):this};de.prototype.appendInner=function(e){return new
 t0(this,e)\}; de.prototype.slice=function(e,n)\{return\ e===void\ 0\&\&(e=0),n===void\ 0\&\&(n=this.length),e>=void\ 0\&\&(n=this.length)\}; de.prototype.slice=function(e,n)\{return\ e===void\ 0\&\&(n=this.length),e>=void\ 0\&\&(n=this.length)\}; de.prototype.slice=function(e,n)\{return\ e===void\ 0\&\&(n=this.length),e>=void\ 0\&\&(n=this.length)\}; de.prototype.slice=function(e,n)\{return\ e===void\ 0\&\&(n=this.length),e>=void\ 0\&\&(n=this.length)\}; de.prototype.slice=function(e,n)\{return\ e===void\ 0\&\&(n=this.length),e>=void\ 0\&\&(n=this.length)\}; de.prototype.slice=function(e,n)\{return\ e==void\ 0\&\&(n=this.length),e>=void\ 0\&\&(n=this.
 =n?de.empty:this.sliceInner(Math.max(0,e),Math.min(this.length,n))};de.prototype.get=function(e){if(
 !(e<0||e>=this.length))return this.getInner(e)};de.prototype.forEach=function(e,n,r){n===void
0\&\&(n=0), r==void\ 0\&\&(r=this.length), n<=r?this.forEachInner(e,n,r,0):this.forEachInvertedInner(e,n,r,0)); de.prototype.map=function(e,n,r) {n===void\ 0\&\&(n=0), r===void\ 0\&\&(r=this.length); var\ o=[]; return
 this.for Each(function(i,s)\{return\ o.push(e(i,s))\},n,r),o\}; de.from=function(e)\{return\ e\ instance of\ e.from=function(e)\}, for each (function(i,s)\{return\ o.push(e(i,s))\},n,r),o\}; de.from=function(e)\{return\ e\ instance of\ e.from=function(e)\}, for each (function(i,s)\{return\ o.push(e(i,s))\},n,r),o\}; de.from=function(e)\{return\ e\ instance of\ e.from=function(e)\}, for each (function(i,s)\{return\ o.push(e(i,s))\},n,r),o\}; de.from=function(e)\{return\ e\ instance of\ e.from=function(e)\}, for each (function(i,s)\{return\ o.push(e(i,s))\},n,r),o\}; de.from=function(e)\{return\ e\ instance of\ e.from=function(e)\}, for each (function(i,s)\{return\ o.push(e(i,s))\},n,r),o\}; de.from=function(e)\{return\ e\ instance of\ e.from=function(e)\}, for each (function(e)\{return\ e\ instance of\ e.from=function(e)\{return\ e\ instance of\ e.from=fu
 de?e:e\&e.length?new\ cd(e):de.empty\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(t)\{function\ e(r)\{t.call(this),this.values=r\}t\&e(this)\}; var\ cd=function(this)\}; var\ cd=functio
                 proto =t),e.prototype=Object.create(t&&t.prototype),e.prototype.constructor=e;var
n={length:{configurable:!0},depth:{configurable:!0}};return e.prototype.flatten=function(){return this.values},e.prototype.sliceInner=function(o,i){return o==0&&i==this.length?this:new
 e(this.values.slice(o,i))},e.prototype.getInner=function(o){return
 this.values[o]},e.prototype.forEachInner=function(o,i,s,l){for(var a=i;a<s;a++)if(o(this.values[a],l
 +a)===!1)return!1},e.prototype.forEachInvertedInner=function(o,i,s,l){for(var a=i-1;a>=s;a-
 )if(o(this.values[a],l+a)===!1)return!1},e.prototype.leafAppend=function(o){if(this.length+o.length<
 =po)return new e(this.values.concat(o.flatten()))},e.prototype.leafPrepend=function(o){if(this.lengt
 h+o.length<=po)return new e(o.flatten().concat(this.values))},n.length.get=function(){return
 this.values.length},n.depth.get=function(){return
 0},Object.defineProperties(e.prototype,n),e}(de);de.empty=new cd([]);var t0=function(t){function e(n
  r) {t.call(this), this.left=n, this.right=r, this.length=n.length+r.length, this.depth=Math.max(n.depth,
r.depth)+1}return t&&(e.__proto__=t),e.prototype=Object.create(t&&t.prototype),e.prototype.construct or=e,e.prototype.flatten=function(){return
 this.left.flatten().concat(this.right.flatten())},e.prototype.getInner=function(r){return r<this.lef
 t.length?this.left.get(r):this.right.get(r-
 this.left.length)},e.prototype.forEachInner=function(r,o,i,s){var l=this.left.length;if(o<l&&this.le
 ft.forEachInner(r,o,Math.min(i,l),s)===!1||i>\&&this.right.forEachInner(r,Math.max(o-
 l,0),Math.min(this.length,i)-
 l,s+l) = = !1) \ return!1 \}, \ \bar{e}.prototype.for Each Inverted Inner=function (r,o,i,s) \{var\ l=this.left.length; if (o,s,t) \} \} = !1) \ return!1 \}, \ \bar{e}.prototype.for Each Inverted Inner=function (r,o,i,s) \{var\ l=this.left.length; if (o,s,t) \} = !1) \ return!1 \}
 >l&&this.right.forEachInvertedInner(r,o-l,Math.max(i,l)-
 l,s+l)===!1|i<l&&this.left.forEachInvertedInner(r,Math.min(o,l),i,s)===!1)return!1},e.prototype.sli
 ceInner=function(r,o){if(r==0&&o==this.length)return this;var i=this.left.length;return o<=i?this.le
ft.slice(r,o):r>=i?this.right.slice(r-i,o-i):this.left.slice(r,i).append(this.right.slice(0,o-
i))},e.prototype.leafAppend=function(r){var o=this.right.leafAppend(r);if(o)return new
 e(this.left,o)\}, e.prototype.leafPrepend=function(r)\{var\ o=this.left.leafPrepend(r); if(o)return\ new function(r)\}, e.prototype.leafPrepend=function(r) function(r) ,this.right)},e.prototype.appendInner=function(r){return
 this.left.depth>=Math.max(this.right.depth,r.depth)+1?new e(this.left,new e(this.right,r)):new
 e(this,r)},e}(de),Qs=de;var n0=500,Yt=class
 t{constructor(e,n){this.items=e,this.eventCount=n}popEvent(e,n){if(this.eventCount==0)return
null; let r=this.items.length; for(;;r--)if(this.items.get(r-1).selection){--r;break}let o,i;n&&(o=this.remapping(r,this.items.length),i=o.maps.length);let s=e.tr,l,a,c=[],u=[];return this.items.forEach((d,f)=>{if(!d.step){o||(o=this.remapping(r,f+1),i=o.maps.length),i--
  u.push(d);return}if(o){u.push(new Qe(d.map));let h=d.step.map(o.slice(i)),p;h&&s.maybeStep(h).doc&&
  (p=s.mapping.maps[s.mapping.maps.length-1],c.push(new Qe(p,void 0,void
0,c.length+u.length))),i--,p&\omega.appendMap(p,i)}else s.maybeStep(d.step);if(d.selection)return l=o?d.selection.map(o.slice(i)):d.selection,a=new t(this.items.slice(0,r).append(u.reverse().concat(
 c)),this.eventCount-
 1),!1},this.items.length,0),{remaining:a,transform:s,selection:l}}addTransform(e,n,r,o){let
 i=[],s=this.eventCount,l=this.items,a=!0&&l.length?l.get(l.length-1):null;for(let
 u=0; u<e.steps.length; u++) \{let d=e.steps[u].invert(e.docs[u]), f=new \ Qe(e.mapping.maps[u],d,n),h; (h=a& \&a.merge(f)) \& (f=h,u?i.pop():l=l.slice(0,l.length-1)),i.push(f), n& & (s++,n=void 0),o||(a=f)\} let 
 c=s-r.depth; return c>o0&\{(1=r0(1,c),s=c), new\ t(1.append(i),s)\} remapping(e,n)\{(1=rew\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; zn; return\ zn; return\ zn; return\ zn; return\ zn; return\ zn; z
 this.items.forEach((o,i)=>{let
 s=o.mirrorOffset!=null&&i-o.mirrorOffset>=e?r.maps.length-o.mirrorOffset:void
 0;r.appendMap(o.map,s)},e,n),r}addMaps(e){return this.eventCount==0?this:new
 t(this.items.append(e.map(n=>new Qe(n))), this.eventCount) rebased(e,n){if(!this.eventCount)return}
 this; let r=[], o=Math.max(0, this.items.length-
 n), i=e.mapping, s=e.steps.length, l=this.eventCount; this.items.forEach(f=>\{f.selection\&l--\}, o); lettorial contents and the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the second country of the seco
 a=n;this.items.forEach(f=>{let h=i.getMirror(--a);if(h==null)return;s=Math.min(s,h);let
 p=i.maps[h];if(f.step){let
 m=e.steps[h].invert(e.docs[h]),g=f.selection&&f.selection.map(i.slice(a+1,h));g&&l++,r.push(new)
 Qe(p,m,g)) \} else \ r.push(new \ Qe(p))\},o); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f<s;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f++)c.push(new \ Qe(i.maps[f])); let \ c=[]; for(let \ f=n;f
 u=this.items.slice(0,0).append(c).append(r),d=new t(u,l);return
 d.emptyItemCount()>n0\&\&(d=d.compress(this.items.length-r.length)), d}emptyItemCount()\\ \{let\ e=0; return\ equivalent (length), d\}emptyItemCount()\}
 this.items.forEach(n=>{n.step||e++}),e}compress(e=this.items.length){let
```

```
n=this.remapping(0,e),r=n.maps.length,o=[],i=0;return
\label{this.items.forEach}  \begin{aligned} &\text{this.items.forEach}((s,l)=>&\{\text{if}(l>=e)\text{o.push}(s),\text{s.selection\&i++};\text{else if}(s.step)\{\text{let a=s.step.map}(n.slice(r)),c=a\&\&a.getMap();if}(r--,c\&\&n.appendMap(c,r),a)\{\text{let a=s.step.map}(n.slice(r)),c=a\&\&a.getMap();\text{if}(r--,c\&\&n.appendMap(c,r),a)\} \end{aligned}
 u=s.selection&&s.selection.map(n.slice(r));u&&i++;let d=new
 Qe(c.invert(),a,u),f,h=o.length-1;(f=o.length\&\&o[h].merge(d))?o[h]=f:o.push(d)}else
 s.map&&r--},this.items.length,0),new t(Qs.from(o.reverse()),i)}};Yt.empty=new
 Yt(Qs.empty,0); function r0(t,e){let n; return t.forEach((r,o)=>{if(r.selection&e--==0)} return
 n=o,!1}),t.slice(n)}var Qe=class t{constructor(e,n,r,o){this.map=e,this.step=n,this.selection=r,this
.mirrorOffset=o}merge(e){if(this.step&&e.step&&!e.selection){let
n=e.step.merge(this.step);if(n)return new t(n.getMap().invert(),n,this.selection)}}},Ze=class{constr
 uctor(e,n,r,o,i){this.done=e,this.undone=n,this.prevRanges=r,this.prevTime=o,this.prevComposition=i}
 },o0=20;function i0(t,e,n,r){let o=n.getMeta(Gt),i;if(o)return o.historyState;n.getMeta(a0)&&(t=new
 Ze(t.done,t.undone,null,0,-1));let s=n.getMeta("appendedTransaction");if(n.steps.length==0)return
 t; if(s\&\&s.getMeta(Gt)) return s.getMeta(Gt).redo?new Ze(t.done.addTransform(n,void)
0,r,mo(e)),t.undone,ud(n.mapping.maps),t.prevTime,t.prevComposition):new
Ze(t.done,t.undone.addTransform(n,void 0,r,mo(e)),null,t.prevTime,t.prevComposition);if(n.getMeta("addToHistory")!==!1&&!(s&&s.getMeta("addToHistory")===!1)){let l=n.getMeta("composition"),a=t.prevTim
 e==0||!s&&t.prevComposition!=l&&(t.prevTime<(n.time||0)
 r.newGroupDelay||!s0(n,t.prevRanges)),c=s?Zs(t.prevRanges,n.mapping):ud(n.mapping.maps);return new
 Ze(t.done.addTransform(n,a?e.selection.getBookmark():void
 0,r,mo(e)),Yt.empty,c,n.time,l??t.prevComposition)}else return(i=n.getMeta("rebased"))?new Ze(t.done
  .rebased(n,i),t.undone.rebased(n,i),Zs(t.prevRanges,n.mapping),t.prevTime,t.prevComposition):new Ze(
 t.done.addMaps(n.mapping.maps), t.undone.addMaps(n.mapping.maps), Zs(t.prevRanges, n.mapping), t.prevTimular (a.d. addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n.mapping), addMaps(n
 e.t.prevComposition)}function s0(t.e){if(!e)return!1;if(!t.docChanged)return!0;let n=!1;return
 t.mapping.maps[0].forEach((r,o)=>{for(let
 i=0; i < e. [ength; i+=2) r < = [i+1] & o>=e[i] & (n=!0)), n} function ud(t){let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[]; for(let e=[
 n=t.length-1; n>=0&e.length==0; n--)t[n].forEach((r,o,i,s)=>e.push(i,s)); return e}function
 Zs(t,e){if(!t)return null; let n=[]; for(let r=0; r<t.length; r+=2){let
 o=e.map(t[r],1),i=e.map(t[r+1],-1);o<=i\&n.push(o,i)return n}function lo(t,e,n){let
 r=mo(e),o=Gt.get(e).spec.config,i=(n?t.undone:t.done).popEvent(e,r);if(!i)return null;let s=i.select
 ion.resolve(i.transform.doc),l=(n?t.done:t.undone).addTransform(i.transform,e.selection.getBookmark(),o,r),a=new Ze(n?l:i.remaining,n?i.remaining:l,null,0,-1);return
 i.transform.set Selection(s).set Meta(Gt, \{redo:n, historyState:a\})\} var\ el=!1, dd=null; function\ mo(t) \{letaline for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
 e=t.plugins;if(dd!=e){el=!1,dd=e;for(let
 n=0; n<e.length; n++) if(e[n].spec.historyPreserveItems){el=<math>!0; break}} return el}var Gt=new
L("history"),a\theta = \text{new L}("closeHistory"); function fd(t={}){return t={depth:t.depth||100,newGroupDelay:t.newGroupDelay||500},new N({key:Gt,state:{init()}{return newGroupDelay}})
 Ze(Yt.empty,Yt.empty,null,0,-1)},apply(e,n,r){return
 i0(n,r,e,t)}},config:t,props:{handleDOMEvents:{beforeinput(e,n){let
 r=n.inputType,o=r=="historyUndo"?tl:r=="historyRedo"?nl:null;return
 o?(n.preventDefault(),o(e.state,e.dispatch)):!1}}}}function go(t,e){return(n,r)=>{let
 o=Gt.getState(n);if(!o||(t?o.undone:o.done).eventCount==0)return!1;if(r){let
 i=l0(o,n,t);i&&r(e?i.scrollIntoView():i)}return!0}}var
 \texttt{tl=go(!1,!0),nl=go(!0,!0),A1=go(!1,!1),E1=go(!0,!1);} var \ \texttt{I1=} \\ \texttt{l.create(\{name:"characterCount",addOption,left), and left)} \\ \texttt{l.epo(!1,!0),nl=go(!0,!0),A1=go(!1,!1),E1=go(!0,!1);} \\ \texttt{l.epo(!1,!0),nl=go(!0,!0),A1=go(!1,!1),E1=go(!0,!1);} \\ \texttt{l.epo(!1,!0),nl=go(!0,!0),A1=go(!1,!1),E1=go(!0,!1);} \\ \texttt{l.epo(!1,!0),nl=go(!1,!1),E1=go(!0,!1);} \\ \texttt{l.epo(!1,!0),nl=go(!1,!1),E1=go(!0,!1);} \\ \texttt{l.epo(!1,!0),nl=go(!1,!1),E1=go(!0,!1);} \\ \texttt{l.epo(!1,!1),E1=go(!1,!1),E1=go(!1,!1);} \\ \texttt{l.epo(!1,!1),e1=go(!1,!
 s(){return{limit:null,mode:"textSize",textCounter:t=>t.lengTh,wordCounter:t=>t.split(" ").filter(e=>
 e!=="").length}},addStorage(){return{characters:()=>0,words:()=>0}},onBeforeCreate(){this.storage.ch
aracters=t=>{let e=t?.node||this.editor.state.doc;if((t?.mode||this.options.mode)==="textSize"){let r=e.textBetween(0,e.content.size,void 0," ");return this.options.textCounter(r)}return
 e.nodeSize},this.storage.words=t=>{let
 e=t?.node||this.editor.state.doc,n=e.textBetween(0,e.content.size," "," ");return
 this.options.wordCounter(n)}},addProseMirrorPlugins(){let t=!1;return[new N({key:new
 L("characterCount"),appendTransaction:(e,n,r)=>{if(t)return;let
 o=this.options.limit;if(o==null||o===0){t=!0;return}let
 i=this.storage.characters({node:r.doc}); if(i>o){let s=i-o,l=0,a=s;console.warn(`[CharacterCount]]}
 Initial content exceeded limit of [[{o}] characters. Content was automatically trimmed.`);let
 c=r.tr.deleteRange(l,a); return t=!0,c}t=!0}, filterTransaction:(e,n)=>{let r=this.options.limit;if(!e.docChanged||r===0||r===null||r===void 0)return!0;let o=this.storage.chara
 &i>r&i>r&i>n||!e.getMeta("paste"))return!1;let l=e.selection. ☐head.pos,a=i-r,c=l-a,u=l;return e.deleteR
 ange(c,u), !(this.storage.characters({node:e.doc})>r)}})]}), pd=[].create({name:"dropCursor",addOption
 s(){return{color:"currentColor",width:1,class:void 0}},addProseMirrorPlugins(){return[ld(this.options)]}}), []=[].create({name:"focus",addOptions(){return{className:"has-
 focus", mode: "all"}}, addProseMirrorPlugins(){return[new N({key:new L("focus"),props:{decorations:({do
 c:t, selection:e\}) => \{let\{isEditable:n, isFocused:r\} = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o\} = e, i = []; if(!n||!r) return = this.editor, \{anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n||!r) return = this.editor, anchor:o] = e, i = []; if(!n|!r) return = this.editor, anchor:o] = e, i = []; if(!n|!r) return = this.editor, anchor:o] = e, i = []; if(!n|!r) return = this.editor, anchor:o] = e, i = []; if(!n|!r) return = this.editor, anchor:o] = e, i = []; if(!n|!r) return = this.editor, anc
 J.create(t,[]);let s=0;this.options.mode==="deepest"&&t.descendants((a,c)=>{if(a.isText)return;if(!(
o>=c\&o<=c+a.nodeSize-1)) return!1;s+=1}); let l=0; return t.descendants((a,c)=>\{if(a.isText)|!(o>=c&o<=c+a.nodeSize-1)) return!1;if(l+=1,this.options.mode==="deepest"&s-l>0||this.options.mode==="deepest";i.push(Y.node(c,c+a.node))|this.options.mode==="deepest";i.push(Y.node(c,c+a.node))|this.options.mode==="deepest";i.push(Y.node(c,c+a.node))|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.push(Y.node)|this.options.mode==="deepest";i.pu
 roseMirrorPlugins(){return[ad()]},extendNodeSchema(t){var e;let n={name:t.name,options:t.options,sto
rage:t.storage};return{allowGapCursor:(e=W(I(t,"allowGapCursor",n)))!=null?e:null}}}),rl=__.create({n ame: "placeholder",addOptions(){return{emptyEditorClass: "is-editor-empty",emptyNodeClass: "is-
 empty",placeholder:"Write something \u2026",showOnlyWhenEditable:!0,showOnlyCurrent:!0,includeChildr
```

```
en:!1}},addProseMirrorPlugins(){return[new N({key:new
 L("placeholder"),props:{decorations:({doc:t,selection:e})=>{let
 n=this.editor.isEditable||!this.options.showOnlyWhenEditable,{anchor:r}=e,o=[];if(!n)return null;let
 i=this.editor.isEmpty;return t.descendants((s,l)=>{let
 a=r>=l\&\&r<=l+s.nodeSize,c=!s.isLeaf\&\&tr(s);if((a||!this.options.showOnlyCurrent)\&\&c)\{letaline(a||),c=!s.isLeaf\&\&tr(s);if((a|||))\}
 u=[this.options.emptyNodeClass];i&&u.push(this.options.emptyEditorClass);let
d=Y.node(l,l+s.nodeSize,{class:u.join(" "),"data-placeholder":typeof this.options.placeholder=="function"?this.options.placeholder({editor:this.editor,node:s,pos:l,hasAnchor:a}):this.options.placehold
er});o.push(d)}return this.options.includeChildren}),J.create(t,o)}})]})),G1=[.create({name: "selection",addOptions(){return{className: "selection"}},addProseMirrorPlugins(){let{editor:t,options:e}=this;return[new N({key:new L("selection"),props:{decorations(n){return n.selection.empty||t.isFocused||
!t.isEditable||lo(n.selection)||t.view.dragging?null:J.create(n.doc,[Y.inline(n.selection.from,n.selection.to,{class:e.className})])}}))))))
e&&Array.isArray(t)&&t.includes(e.type)||e?.type===t}var Q1=[].create({name:"trailingNode",addOptions (){return{node: "paragraph",notAfter:[]}},addProseMirrorPlugins(){let t=new L(this.name),e=Object.ent
 ries(this.editor.schema.nodes).map(([,n])=>n).filter(n=>(this.options.notAfter||[]).concat(this.opti
 ons.node).includes(n.name));return[new N(\{key:t,appendTransaction:(n,r,o)=>\{let\{doc:i,tr:s,schema:l\}\})
 =o,a=t.getState(o),c=i.content.size,u=l.nodes[this.options.node];if(a)return
s.insert(c,u.create())},state:{init:(n,r)=>{let
o=r.tr.doc.lastChild;return!hd({node:o,types:e})},apply:(n,r)=>{if(!n.docChanged)return r;let o=n.do
 c.lastChild;return!hd({node:o,types:e})}}})]}})]})),gd=[].create({name:"undoRedo",addOptions(){return{dep
 th:100, newGroupDelay:500}, addCommands(){return{undo:()=>({state:t,dispatch:e})=>tl(t,e),redo:()=>({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=({e})=
 state:t,dispatch:e) = nl(t,e), addProseMirrorPlugins(){return[fd(this.options)]}, addKeyboardShortcu
ts(){return{"Mod-z":()=>this.editor.commands.undo(), "Shift-Mod-z":()=>this.editor.commands.redo(), "Mod-y":()=>this.editor.commands.redo(), "Mod-y":()=>this.editor.commands.redo(), "Mod-y":()=>this.editor.commands.redo(), "Shift-Mod-\u044F":()=>this.editor.commands.redo()}});var kn=(t,e)=>{if(t==="slot")return 0;if(t instanceof Function)return  t(e);let{children:n,...r}=e??{{};if(t==="svg")throw new Error("SVG elements are not supported in the
JSX syntax, use the array syntax instead");return[t,r,n]};var c0=/^\s*>\s[/,u0=z.create({name:"block quote",addOptions(){return{HTMLAttributes:{}}},content:"block+",group:"block",defining:!0,parseHTML(){return[tag:"blockquote"},renderHTML({HTMLAttributes:t}){return kn("blockquote",{...T(this.optional.comparison of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the c
ns.HTMLAttributes,t),children:kn("slot",{})}),addCommands(){return{setBlockquote:()=>({commands:t})} =>t.wrapIn(this.name),toggleBlockquote:()=>({commands:t})=>t.toggleWrap(this.name),unsetBlockquote:()=>({commands:t})=>t.toggleWrap(this.name),unsetBlockquote:()=>({commands:t})=>t.toggleWrap(this.name),unsetBlockquote:()=>({commands:t})=>t.toggleWrap(this.name),unsetBlockquote:()=>({commands:t})=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.name),unsetBlockquote:()=xt.toggleWrap(this.
 )=>({commands:t})=>t.lift(this.name)}},addKeyboardShortcuts(){return{"Mod-Shift-
 \begin{array}{l} \text{b":} (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} f) = 2 \cdot (\text{commands.:} 
 seHTML(){return[{tag:"strong"},{tag:"b",getAttrs:t=>t.style.fontWeight!=="normal"&&null},{style:"font-weight=400",clearMark:t=>t.type.name===this.name},{style:"font-weight",getAttrs:t=>/^(bold(er)?|[5])
 -9]\d\{2,\})[/.test(t)\&\&null\}]\}, renderHTML(\{HTMLAttributes:t\})\{return \ kn("strong", \{...T(this.options.HTMLAttributes,t), children:kn("slot", {})})\}, addCommands()\{return\{setBold:()=>(\{commands:t\})=>t.setMartributes,t), children:kn("slot", {})})\}, addCommands()\{return\{setBold:()=>(\{commands:t\})=>t.setMartributes)\}
 k(this.name),toggleBold:()=>({commands:t})=>t.toggleMark(this.name),unsetBold:()=>({commands:t})=>t.
 unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-
 b":()=>this.editor.commands.toggleBold(), "Mod-
B":()=>this.editor.commands.toggleBold()}},addInputRules(){return[Ie({find:d0,type:this.type}),Ie({find:h0,type:this.type})]},addPasteRules(){return[Ce({find:f0,type:this.type}),Ce({find:p0,type:this.type})]}}),bd=m0;var g0=/(^|[^`])`([^`]+)`(?!`)/,y0=/(^|[^`])`([^`]+)`(?!`)/g,b0=te.create({name:"code",addOptions(){return[HTMLAttributes:{}}},excludes:"_",code:!0,exitable:!0,parseHTML(){return[{tag ands(){return{setCode:()->({commands:t})->t.setMark(this.name),toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({commands:t})->t.toggleCode:()->({code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code:()-code
 ands() \{return\{setCode:()=>(\{commands:t\})=>t.setMark(this.name), toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()=>(\{commands:t\})=>t.toggleCode:()==(\{commands:t\})=>t.toggleCode:()=(\{commands:t\})=>t.toggleCode:()=(\{commands:t\})==t.toggleCode:()=(\{commands:t\})==t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t\})=t.toggleCode:()=(\{commands:t
 leMark(this.name),unsetCode:()=>({commands:t})=>t.unsetMark(this.name)}},addKeyboardShortcuts(){retu
 rn{"Mod-
 e":()=>this.editor.commands.toggleCode()}},addInputRules(){return[Ie({find:g0,type:this.type})]},add
 PasteRules(){return[Ce({find:y0,type:this.type})]}}),xd=b0;var x0=/^`
 z]+)?[\s\n][]/,w0=/^~~([a-
z]+)?[\s\n][]/,S0=z.create({name: "codeBlock",addOptions(){return{languageClassPrefix: "language-
       exitOnTripleEnter:!0,exitOnArrowDown:!0,defaultLanguage:null,HTMLAttributes:{}}},content:"text*",m
arks:"",group:"block",code:!0,defining:!0,addAttributes(){return{language:{default:this.options.defaultLanguage,parseHTML:t=>{var
e;let{languageClassPrefix:n}=this.options,i=[...((e=t.firstElementChild)==null?void
0:e.classList)||[]].filter(s=>s.startsWith(n)).map(s=>s.replace(n,""))[0];return i||null},rendered:!
1}}},parseHTML(){return[{tag:"pre",preserveWhitespace:"full"}]},renderHTML({node:t,HTMLAttributes:e})
{return["pre",T(this.options.HTMLAttributes,e),["code",{class:t.attrs.language?this.options.language
eClassPrefix+t.attrs.language:null},0]]},addCommands(){return{setCodeBlock:t=>({commands:e})=>e.setN
 ode(this.name,t),toggleCodeBlock:t=>({commands:e})=>e.toggleNode(this.name,"paragraph",t)}},addKeybo
 ardShortcuts(){return{"Mod-Alt-
c":()=>this.editor.commands.toggleCodeBlock(),Backspace:()=>{let{empty:t,□anchor:e}=this.editor.stat
e.selection,n=e.pos===1;return!t||e.parent.type.name!==this.name?!1:n||!e.parent.textContent.length?
 this.editor.commands.clearNodes():!1},Enter:({editor:t})=>{if(!this.options.exitOnTripleEnter)return
  !1; let{state:e}=t, {selection:n}=e, {\lceil from:r, empty:o}=n; if(!o||r.parent.type!==this.type) return!1; let
 i=r.parentOffset===r.parent.nodeSize-2,s=r.parent.textContent.endsWith(
```

```
`);return!i||!s?!1:t.chain().command(({tr:l})=>(l.delete(r.pos-
2,r.pos),!0)).exitCode().run()},ArrowDown:{{editor:t}}=>{if(!this.options.exitOnArrowDown)return!1;l
et{state:e}=t,{selection:n,doc:r}=e,{[from:o,empty:i}=n;if(!i||o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!==this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||!(o.parent.type!=this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||this.type||t
Offset===o.parent.nodeSize-2))return!1;let l=o.after();return l===void 0?!1:r.nodeAt(l)?t.commands.c
ommand(({tr:c})=>(c.setSelection(E.near(r.resolve(l))),!0)):t.commands.exitCode()}}},addInputRules()
{return[nr({find:x0,type:this.type,getAttributes:t=>({language:t[1]})}),nr({find:w0,type:this.type,g
etAttributes: t=>({language:t[1]})})]],addProseMirrorPlugins(){return[new N({key:new L("codeBlockVSCodeHandler"),props:{handlePaste:(t,e)=>{if(!e.clipboardData||this.editor.isActive(this.type.name))ret
urn!1;let n=e.clipboardData.getData("text/plain"),r=e.clipboardData.getData("vscode-editor-
data"),o=r?JSON.parse(r):void
0,i=o?.mode;if(!n||!i)return!1;let{tr:s,schema:l}=t.state,a=l.text(n.replace(/\r\n?/q,`
    ));return s.replaceSelectionWith(this.type.create({language:i},a)),s.selection. ☐from.parent.type!==
this.type&&s.setSelection(A.near(s.doc.resolve(Math.max(0,s.selection.from-
2)))),s.setMeta("paste",!0),t.dispatch(s),!0}})]})),wd=S0;var Sd=z.create({name:"customBlock",group
    "block",atom:!0,defining:!0,draggable:!0,selectable:!0,isolating:!0,allowGapCursor:!0,inline:!1,add
NodeView(){return({editor:t,node:e,getPos:n,HTMLAttributes:r,decorations:o,extension:i})=>{let
s=document.createElement("div");s.setAttribute("data-config",e.attrs.config),s.setAttribute("data-id",e.attrs.id),s.setAttribute("data-type","customBlock");let
l=document.createElement("div");if(l.className="fi-fo-rich-editor-custom-block-header fi-not-
prose",s.appendChild(l),t.isEditable&&typeof
e.attrs.config=="object"&&e.attrs.config!==null&&Object.keys(e.attrs.config).length>0){let
c=document.createElement("div");c.className="fi-fo-rich-editor-custom-block-edit-btn-
ctn",l.appendChild(c);let u=document.createElement("button");u.className="fi-icon-btn",u.type="butto
n",u.innerHTML=i.options.editCustomBlockButtonIconHtml,u.addEventListener("click",()=>i.options.edit
CustomBlockUsing(e.attrs.id,e.attrs.config)),c.appendChild(u)}let
a=document.createElement("p");if(a.className="fi-fo-rich-editor-custom-block-
heading",a.textContent=e.attrs.label,l.appendChild(a),t.isEditable){let
c=document.createElement("div");c.className="fi-fo-rich-editor-custom-block-delete-btn-
ctn",l.appendChild(c);let u=document.createElement("button");u.className="fi-icon-btn",u.type="button",u.innerHTML=i.options.deleteCustomBlockButtonIconHtml,u.addEventListener("click",()=>t.chain().se
tNodeSelection(n()).deleteSelection().run()),c.appendChild(u)}if(e.attrs.preview){let
c=document.createElement("div");c.className="fi-fo-rich-editor-custom-block-preview fi-not-
prose",c.innerHTML=new TextDecoder().decode(Uint8Array.from(atob(e.attrs.preview),u=>u.charCodeAt(0)
)),s.appendChild(c)}return{dom:s}}},addOptions(){return{deleteCustomBlockButtonIconHtml:null,editCustomBlockButtonIconHtml:null,editCustomBlockUsing:()=>{},insertCustomBlockUsing:()=>{}}},addAttribute
s(){return{config:{default:null,parseHTML:t=>JSON.parse(t.getAttribute("data-config"))},id:{default:null,parseHTML:t=>t.getAttribute("data-id"),renderHTML:t=>t.id?{"data-
id":t.id\{\},\label:\{default:null,parseHTML:t=>t.getAttribute("data-
label"),rendered:!1},preview:{default:null,parseHTML:t=>t.getAttribute("data-
preview"), rendered:!1}}}, parseHTML(){return[{tag:`div[data-type="[{this.name}"]`}]}, renderHTML({HTML Attributes:t}){return["div",T(t)]}, addKeyboardShortcuts(){return{Backspace:()=>this.editor.commands.command(({tr:t,state:e})=>{let n=!1,{selection:r}=e,{empty:o,anchor:i}=r;if(!o)return!1;let s=new
le,l=0;return e.doc.nodesBetween(i-1,i,(a,c)=>{if(a.type.name===this.name)return n=!0,s=a,l=c,!1}),n
})}},addProseMirrorPlugins(){let{insertCustomBlockUsing:t}=this.options;return[new N({props:{handleD
rop(e,n){if(!n||(n.preventDefault(),!n.dataTransfer.getData("customBlock")))return!1;let
r=n.dataTransfer.getData("customBlock");return
t(r,e.posAtCoords({left:n.clientX,top:n.clientY}).pos),!1}}});var
yo=(\texttt{t},\texttt{e}) = > \texttt{e.view.domAtPos(t).node.offsetParent!} = \texttt{null}, \\ k0 = (\texttt{t},\texttt{e},\texttt{n}) = > \{\texttt{for(let } r=\texttt{t.depth}; r>0; r-=1) \{\texttt{let } o = \texttt{t.depth}\} \}
 t.node(r),i=e(o),s=yo(t.start(r),n);if(i&&s)return{pos:r>0?t.before(r):0,start:t.start(r),depth:r,n=
ode:o}},ke=(t,e)=>{\let{\state:n,view:r,extensionManager:o}=t,{\schema:i,selection:s}=n,{\empty:l,\left\left}anch or:a}=s,c=!!o.extensions.find(y=>y.name==="gapCursor");if(!||a.parent.type!==i.nodes.detailsSummary ||!c||e==="right"&&a.parentOffset!==a.parent.nodeSize-2)return!1;let
u=Ye(y=>y.type===i.nodes.details)(s);if(!u)return!1;let
d=Sn(u.node,y=>y.type===i.nodes.detailsContent);if(!d.length||yo(u.start+d[0].pos+1,t))return!1;let
h=n.doc.resolve(u.pos+u.node.nodeSize),p=se.findFrom(h,1,11);if(!p)return!1;let{tr:m}=n,g=new
n=n.doc.resotve(u.pos+u.node.nodes1ze),p=se.findrrom(n,1,:1);1r(!p)return!1;tet{tr:my=n,g=new}
se(p);return m.setSelection(g),m.scrollIntoView(),r.dispatch(m),!0},Cd=z.create({name: "details",content: "detailsSummary detailsContent",group: "block",defining:!0,isolating:!0,allowGapCursor:!1,addOptions(){return{persist:!1,openClassName: "is-open",HTMLAttributes:{}}},addAttributes(){return this.options.persist?{open:{default:!1,parseHTML:t=>t.hasAttribute("open"),renderHTML:({open:t})=>t?{open:""}
:{}}:[]},parseHTML(){return[{tag:"details"}]},renderHTML({HTMLAttributes:t}){return["details",T(thions.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persist.persis
:{}};[]},parsenML(){return({tag: details }}},rendernML({tributes:t}){return(details ,r(tributes:t))};
s.options.HTMLAttributes,t),0]},addNodeView(){return({editor:t,getPos:e,node:n,HTMLAttributes:r})=>{
    let o=document.createElement("div"),i=T(this.options.HTMLAttributes,r,{"data-type":this.name});0bject.entries(i).forEach(([c,u])=>o.setAttribute(c,u));let
    s=document.createElement("button");s.type="button",o.append(s);let
    l=document.createElement("div");o.append(l);let a=c=>{if(c!==void 0)if(c){if(o.classList.contains(the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of the contains of th
is.options.openClassName)) return; o.classList.add(this.options.openClassName)\} else \{if(!o.classList.compart)\} and the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the compart of the comp
ntains(this.options.openClassName))return; o.classList.remove(this.options.openClassName)}else
o.classList.toggle(this.options.openClassName); let u=new
Event("toggleDetailsContent"),d=l.querySelector(':scope > div[data-
type="detailsContent"]');d?.dispatchEvent(u)};return n.attrs.open&&setTimeout(()=>a()),s.addEventLis
tener("click",()=>{if(a(),!this.options.persist){t.commands.focus(void)}
0,{scrollIntoView:!1});return}if(t.isEditable&&typeof
e=="function"){let{from:c,to:u}=t.state.selection;t.chain().command(({tr:d})=>{let
```

```
f=e();if(!f)return!1;let h=d.doc.nodeAt(f);return h?.type!==this.type?!1:(d.setNodeMarkup(f,void
 0, {open:!h.attrs.open}),!0)}).setTextSelection({from:c,to:u}).focus(void
 0,{scrollIntoView:!1}).run()}}),{dom:o,contentDOM:l,ignoreMutation(c){return c.type==="selection"?!1
   :!o.contains(c.target)||o===c.target},update:c=>c.type!==this.type?!1:(c.attrs.open!==void
 0\&\&a(c.attrs.open), !0)}},addCommands(){return{setDetails:()=>({state:t,chain:e})=>{var}}
 n; let{schema:r, selection:o} = t, { | from:i, | to:s} = o, l = i.blockRange(s); if (!l) return!1; let a = t.doc.slice(l) return!2; let a = t.doc.slice(l) return!2; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4; let a = t.doc.slice(l) return!4
   .start,l.end);if(!r.nodes.detailsContent.contentMatch.matchFragment(a.content))return!1;let
 u=((n=a.toJSON())==null?void 0:n.content)||[];return e().insertContentAt({from:l.start,to:l.end},{ty
pe:this.name,content:[{type:"detailsSummary"},{type:"detailsContent",content:u}]}).setTextSelection(l.start+2).run()},unsetDetails:()=>({state:t,chain:e})=>{let{selection:n,schema:r}=t,o=Ye(y=>y.type=
 ==this.type)(n);if(!o)return!1;let i=Sn(o.node,y=>y.type===r.nodes.detailsSummary),s=Sn(o.node,y=>y.
 type===r.nodes.detailsContent);if(!i.length||!s.length)return!1;let l=i[0],a=s[0],c=o.pos,u=t.doc.re
 solve(c),d=c+o.node.nodeSize,f={from:c,to:d},h=a.node.content.toJSON()||[],p=u.parent.type.contentMa
 tch.defaultType,g=[p?.create(null,l.node.content).toJSON(),...h];return e().insertContentAt(f,g).set
TextSelection(c+1).run()}}},addKeyboardShortcuts(){return{Backspace:()=>{let{schema:t,selection:e}=t
 his.editor.state,{empty:n, □anchor:r}=e;return!n||r.parent.type!==t.nodes.detailsSummary?!1:r.parent0
 ffset!==0?this.editor.commands.command((\{tr:o\})=>\{let i=r.pos-1, s=r.pos; return o.delete(i,s),!0\}):th
 is.editor.commands.unsetDetails()}, Enter:({editor:t})=>{let{state:e,view:n}=t,{schema:r,selection:o}}
=e,{□head:i}=o;if(i.parent.type!==r.nodes.detailsSummary)return!1;let
s=yo(i.after()+1,t),l=s?e.doc.nodeAt(i.after()):i.node(-2);if(!l)return!1;let
 a = s?0: i.indexAfter(-1), c = er(l.contentMatchAt(a)); if(!c||!l.canReplaceWith(a,a,c)) return!1; let in the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the
 u=c.createAndFill();if(!u)return!1;let
 d=s?i.after()+1:i.after(-1),f=e.tr.replaceWith(d,d,u),h=f.doc.resolve(d),p=E.near(h,1);return f.setS
election(p),f.scrollIntoView(),n.dispatch(f),!0},ArrowRight:({editor:t})=>kd(t,"right"),ArrowDown:({
editor:t})=>kd(t,"down")}},addProseMirrorPlugins(){return[new N({key:new L("detailsSelection"),appen
 !n.selection.empty||!Js(n,o.name))return;let[from:l]=n.selection;if(yo(l.pos,r))return;let[from:l]=n.selection
 c=k0(l,g=>g.type===o,r);if(!c)return;let
 u=Sn(c.node,q=>q.type===n.schema.nodes.detailsSummary);if(!u.length)return;let d=u[0],h=(e.selection
   .from<n.selection.from?"forward":"backward")==="forward"?c.start+d.pos:c.pos+d.pos+d.node.nodeSize,p
 = A.create(n.doc,h); return \ n.tr.setSelection(p)\}\})]\}\}), \\ Md=z.create(\{name: "detailsContent", content: "black of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the con
 ock+",defining:!0,selectable:!1,addOptions(){return{HTMLAttributes:{}}},parseHTML(){return[{tag:`div
 [data-type="[{this.name}"]`}]},renderHTML({HTMLAttributes:t}){return["div",T(this.options.HTMLAttrib
utes,t,{"data-type":this.name}),0]},addNodeView(){return({HTMLAttributes:t})=>{let
e=document.createElement("div"),n=T(this.options.HTMLAttributes,t,{"data-
type":this.name,hidden:"hidden"});return Object.entries(n).forEach(([r,o])=>e.setAttribute(r,o)),e.a
ddEventListener("toggleDetailsContent",()=>{e.toggleAttribute("hidden"}),{dom:e,contentDOM:e,ignore
Mutation(r){return r.type==="selection"?!1:!e.contains(r.target)||e===r.target},update:r=>r.type===t
 his.type}}},addKeyboardShortcuts(){return{Enter:({editor:t})=>{let{state:e,view:n}=t,{selection:r}=e}}
   , { [ from:o,empty:i } = r,s = Ye(\_ > \_.type = = this.type)(r);if(!i||!s||!s.node.childCount)return!1;let...}
 l=o.index(s.depth),{childCount:a}=s.node;if(!(a===l+1))return!1;let
 u=s.node.type.contentMatch.defaultType,d=u?.createAndFill();if(!d)return!1;let
 f=e.doc.resolve(s.pos+1),h=a-1,p=s.node.child(h),m=f.posAtIndex(h,s.depth);if(!p.eq(d))return!1;let
 y=o.node(-3);if(!y)return!1;let
 b=o.indexAfter(-3), x=er(y.contentMatchAt(b)); if(!x||!y.canReplaceWith(b,b,x)) return!1; let
 C=x.createAndFill(); if(!C) return!1; let\{tr:S\} = e, R=o.after(-2); S.replaceWith(R,R,C); let(R,R,C); =S.doc.resolve(R), v=E.near(P,1); S.setSelection(v); let B=m, D=m+p.nodeSize; return S.delete(B,D), S.scrollIntoView(), n.dispatch(S),!0}\}), vd=z.create({name:"detailsSummary",content:"text*",defining:!0,strongering states and the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a summary of the states are states as a sum
 electable:!1,isolating:!0,addOptions(){return{HTMLAttributes:{}}},parseHTML(){return[{tag:"summary"}
]},renderHTML({HTMLAttributes:t}){return["summary",T(this.options.HTMLAttributes,t),0]}});var C0=z.create({name:"doc",topNode:!0,content:"block+"}),Td=C0;var M0=z.create({name:"hardBreak",addOptions(){return{keepMarks:!0,HTMLAttributes:{}}},inline:!0,group:"inline",selectable:!1,linebreakReplacement:!0,parseHTML(){return[{tag:"br"}]},renderHTML({HTMLAttributes:t}){return["br",T(this.options.
 HTMLAttributes,t)]},renderText(){return
      },addCommands(){return{setHardBreak:()=>({commands:t,chain:e,state:n,editor:r})=>t.first([()=>t.exi
tCode(),()=>t.command(()=>\{let\{selection:o,storedMarks:i\}=n;if(o.\Boxfrom.parent.type.spec.isolating)return!1;let\{keepMarks:s\}=this.options,\{splittableMarks:l\}=r.extensionManager,a=i||o.\Boxto.parentOffset&
 &o. ☐from.marks(); return
 e().insertContent(\{type:this.name\}).command((\{tr:c,dispatch:u\}) => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&\&s)\{let\ d=a.filter(f=>l.in)\} => \{if(u\&\&a\&s)\{let\ ludes(f.type.name));c.ensureMarks(d)}return!0}).run()})])}},addKeyboardShortcuts(){return{"Mod-
:`h[{t}`,attrs:{level:t}}))},renderHTML({node:t,HTMLAttributes:e}){return[`h[{this.options.levels.in
 cludes(t.attrs.level)?t.attrs.level:this.options.levels[0]\}`, T(this.options.HTMLAttributes,e),0]\}, addCommands()\{return\{setHeading:t=>(\{commands:e\})=>this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.level)?e.setNode(this.options.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.includes(t.levels.
 \verb|s.name,t||: |1, toggleHeading:t=>(\{commands:e\}) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.level)?e.toggleNode(thing) => this.options.levels.includes(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(t.levels)?e.toggleNode(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.toggleNode(thing) => this.options(t.levels)?e.tog
 s.name, "paragraph",t):!1}},addKeyboardShortcuts(){return
 this.options.levels.reduce((t,e)=>({...t,[`Mod-
 Alt-[\{e\}^{'}]: ()=> this.editor.commands.toggleHeading(\{level:e\})\}), \{\})\}, addInputRules()\{return this.options.levels.map(t=>nr(\{find:new RegExp(`^(#{[Math.min(...this.options.levels)}, [\{t\}\}))\s[^{'}], type:this.type,getAttributes:{level:t}}))\}), Ed=v0; var T0=/(?:^|\s)(==(?!\s+==)((?:[^=]+))==(?!\s+=)) (?:[^=]+)) = (?!) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+) (?:[^=]+)
```

```
=)) / A0 = /(?:^|\s) (==(?!\s+==)) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s) / B0 = (...\s)
return{multicolor:!1,HTMLAttributes:{}}},addAttributes(){return
this.options.multicolor?{color:{default:null,parseHTML:t=>t.getAttribute("data-
color")||t.style.backgroundColor,renderHTML:t=>t.color?{"data-color":t.color,style:`background-
color: [|{t.color}; color: inherit`}:{}}}:{}},parseHTML(){return[{tag:"mark"}]},renderHTML({HTMLAttri})
butes:t}){return["mark",T(this.options.HTMLAttributes,t),0]},addCommands(){return{setHighlight:t=>({
commands:e})=>e.setMark(this.name,t),toggleHighlight:t=>({commands:e})=>e.toggleMark(this.name,t),un
setHighlight:()=>({commands:t})=>t.unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-Shift-
h":()=>this.editor.commands.toggleHighlight())},addInputRules(){return[Ie({find:T0,type:this.type})]
},addPasteRules(){return[Ce({find:A0,type:this.type})]}}),od=E0;var 00=z.create({name:"horizontalRul
e",addOptions(){return{HTMLAttributes:{}}},group:"block",parseHTML(){return[{tag:"hr"}]},renderHTML()
{HTMLAttributes:t}){return["hr",T(this.options.HTMLAttributes,t)]},addCommands(){return{setHorizonta lRule:()=>({chain:t,state:e})=>{if(!od(e,e.schema.nodes[this.name]))return!1;let{selection:n}=e,{\[ \] to
:r\}=n,o=t(); return lo(n)?o.insertContentAt(r.pos,\{type:this.name\}):o.insertContent(\{type:this.name\}),o.command((\{tr:i,dispatch:s\})=>\{var l;if(s)\{let\{\Box to:a\}=i.selection,c=a.end();if(a.nodeAfter)a.nodeAfter)\}
fter.isTextblock?i.setSelection(A.create(i.doc,a.pos+1)):a.nodeAfter.isBlock?i.setSelection(0.create
 (i.doc,a.pos)):i.setSelection(A.create(i.doc,a.pos));else{let
u=(l=a.parent.type.contentMatch.defaultType)==null?void 0:l.create();u&&(i.insert(c,u),i.setSelectio
l},{style:"font-style=normal",clearMark:t=>t.type.name===this.name},{style:"font-style=italic"}]},re
nderHTML({HTMLAttributes:t}){return["em",T(this.options.HTMLAttributes,t),0]},addCommands(){return{s
etItalic:()=>({commands:t})=>t.setMark(this.name),toggleItalic:()=>({commands:t})=>t.toggleMark(this
 .name),unsetItalic:()=>({commands:t})=>t.unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-
i":()=>this.editor.commands.toggleItalic(),"Mod-
 I: () = \text{this.editor.commands.toggteItalic()}, \ \text{Mod-II}: () = \text{this.editor.commands.toggleItalic()}, \ \text{addInputRules()} \{ \text{return[Ie(} \{ \text{find:N0,type:this.type} \} ), Ie( \{ \text{find:D0,type:this.type} \} )] \}, \ \text{addPasteRules()} \{ \text{return[Ce(} \{ \text{find:R0,type:this.type} \} ), Ce( \{ \text{find:P0,type:this.type} \} )] \}, \ \text{Rd=I0;var L0=/(?:^|\s)(!\[(.+|:?)]\((.S+)(?:(?:\s+)["'](.S+)["'])?\))} ]/, \ \text{B0=z.create(} \{ \text{find:R0,type:this.type} \} \} \} \} 
me: "image",addOptions(){return{inline:!1,allowBase64:!1,HTMLAttributes:{}}},inline(){return
this.options.inline},group(){return this.options.inline?"inline":"block"},draggable:!0,addAttributes
(){return{src:{default:null},alt:{default:null},title:{default:null},width:{default:null},height:{de
fault:null}}},parseHTML(){return[{tag:this.options.allowBase64?"img[src]":'img[src]:not([src^="data:
"])'}]},renderHTML({HTMLAttributes:t}){return["img",T(this.options.HTMLAttributes,t)]},addCommands()
{return{setImage:t=>({commands:e})=>e.insertContent({type:this.name,attrs:t})}},addInputRules(){return
rn[fo({find:L0,type:this.type,getAttributes:t=>{let[,,e,n,r]=t;return{src:n,alt:e,title:r}}})]}}),Dd
=B0; var Pd=Dd.extend({addAttributes(){return{...this.parent?.(),id:{default:null,parseHTML:t=>t.getAttribute("data-id"),renderHTML:t=>t.id?{"data-id":t.id}:{}}}}); var Id=z.create({name:"lead",group:"
block",content:"block+",addOptions(){return{HTMLAttributes:{class:"lead"}}},parseHTML(){return[{tag:
"div",getAttrs:t=>t.classList.contains("lead")}]},renderHTML({HTMLAttributes:t}){return["div",T(this")]}
 .options.HTMLAttributes,t),0]},addCommands(){return{toggleLead:()=>({commands:t})=>t.toggleWrap(this
 .name)}}});var z0="aaa1rp3bb0ott3vie4c1le2ogado5udhabi7c0ademy5centure6ountant0s9o1tor4d0s1ult4e0g1r
o2tna4f0l1rica5q0akhan5ency5i0q1rbus3force5tel5kdn3l0ibaba4pay4lfinanz6state5y2sace3tom5m0azon4erica
nexpress7family11x2fam3ica3sterdam8nalytics7droid5quan4z2o0l2partments8p0le4q0uarelle8r0ab1mco4chi3m
y2pa2t0e3s0da2ia2sociates9t0hleta5torney7u0ction5di0ble3o3spost5thor3o0s4w0s2x0a2z0ure5ba0by2idu3nam
ex4d1k2r0celona5laycard4s5efoot5gains6seball5ketball8uhaus5yern5b0c1t1va3cg1n2d1e0ats2uty4er2rlin4st
Obuy5t2f1g1hOarti5iOble3d1ke2ngOo3o1z2j1lackOfriday9ockbuster8g1omberg7ue3mOs1w2nOpparibas9oOats3ehr
inger8fa2m1nd2o0k0ing5sch2tik2on4t1utique6x2r0adesco6idgestone9oadway5ker3ther5ussels7s1t1uild0ers6s
iness6y1zz3v1w1y1z0h3ca0b1fe2l0l1vinklein9m0era3p2non3petown5ital0one8r0avan4ds2e0er0s4s2sale1h1ino4
t0ering5holic7baln1re3c1d1enter4o1rn3f0a1d2g1h0anel2nel4rity4se2t2eap3intai5ristmas6ome4urch5i0prian
i6rcle4sco3tadel4i0c2y3k1l0aims4eaning6ick2nic1que6othing5ud3ub0med6m1n1o0ach3des3ffee4llege4ogne5m0
mbank4unity6pany2re3uter5sec4ndos3struction8ulting7tact3ractors9oking4l1p2rsica5untry4pon0s4rses6pa2
r0edit0card4union9icket5own3s1uise0s6u0isinella9v1w1x1y0mru3ou3z2dad1nce3ta1e1ing3sun4y2clk3ds2e0al0
er2s3gree4livery5l1oitte5ta3mocrat6ntal2ist5si0gn4v2hl2iamonds6et2gital5rect0ory7scount3ver5h2y2j1k1
mlnp2o0cs1tor4g1mains5t1wnload7rive4tv2ubai3nlop4pont4rban5vag2r2z2earth3t2c0o2deka3u0cation8e1g1mai
l3erck5nergy4gineer0ing9terprises10pson4quipment8r0icsson6ni3s0q1tate5t1u0rovision8s2vents5xchange6p
ert3osed4ress5traspace10fage2il1rwinds6th3mily4n0s2rm0ers5shion4t3edex3edback6rrari3ero6i0delity5o2l
m2nal1nce1ial7re0stone6mdale6sh0ing5t0ness6j1k1lickr3ghts4r2orist4wers5y2m1o0o0d1tball6rd1ex2sale4um
3undation8x2r0ee1senius7l1ogans4ntier7tr2ujitsu5n0d2rniture7tbol5yi3ga0l0lery3o1up4me0s3p1rden4y2b0i
z3d0n2e0a1nt0ing5orge5f1g0ee3h1i0ft0s3ves2ing5l0ass3e1obal2o4m0ail3bh2o1x2n1odaddy5ld0point6f2o0dyea
r5q0le4p1t1v2p1q1r0ainger5phics5tis4een3ipe3ocery4up4s1t1u0cci3qe2ide2tars5ru3w1y2hair2mburq5ngout5u
s3bo2dfc0bank7ealth0care8lp1sinki6re1mes5iphop4samitsu7tachi5v2k0t2m1n1ockey4ldings5iday5medepot5qoo
ds 5s 0 ense 7 nda 3rse 3 spital 5t 0 ing 5t 0 els 3 mail 5use 3w 2r1 sbc 3t 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2kanometric and 3d 1u 0 ghes 5 y att 3undai 7ibm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 2cbc 2e 1u 2d 1e 0 ee 3fm 
s3uegos4niper7kaufen5ddi3e0rryhotels6properties14fh2g1h1i0alds2m1ndle4tchen5wi3m1n1oeln3matsu5sher5p
0mg2n2r0dled3uokgroup8w1y0oto4z2la0caixa5mborghini8er3nd0rover6xess5salle5t0ino3robe5w0yer5b1c1ds2ea
se3clerc5frak4gal2o2xus4gbt3i0dl2fe0insurance9style7ghting6ke2lly3mited4o2ncoln4k2ve1ing5k1lc1p2oan0
s3cker3us3l1ndon4tte1o3ve3pl0financial11r1s1t0d0a3u0ndbeck6xe1ury5v1y2ma0drid4if1son4keup4n0agement7
go3p1rket0ing3s4riott5shalls7ttel5ba2c0kinsey7d1e0d0ia3et2lbourne7me1orial6n0u2rckmsd7g1h1iami3croso
 ft7llnilt2t0subishi9k1l0b1s2m0a2n1o0bi0le4da2eli1m1nash3ey2ster5rmon3tqaqe6scow4to0rcycles9v0ie4p1q1
```

```
r1s0d2t0n1r2u0seum3ic4v1w1x1y1z2na0b1goya4me2vy3ba2c1e0c1t0bank4flix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5ustar5w0s2xt0direct7us4f0lix4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us4work5us
  2q0o2hk2i0co2kelon3nja3ssanly5llo0kia3rton4w0ruz3tv4p1r0alw2tt2u1yc2z2obi1server7ffice5kinawa6layan0
  qroup9lo3m0ega4ne1g110ine5oo2pen3racle3nge4q0anic5igins6saka4tsuka4t2vh3pa0ge2nasonic7ris2s1tners4s1
  y3y2ccw3e0t2f0izer5g1h0armacy6d1ilips5one2to0graphy6s4ysio5ics1tet2ures6d1n0g1k2oneer5zza4k1l0ace2y0
  station9umbing5s3m1n0c2ohl2ker3litie5rn2st3r0america6xi3ess3ime3o0d0uctions8f1gressive8mo2perties3y5
  tection8u0dential9s1t1ub2w0c2y2qa1pon3uebec3st5racing4dio4e0ad1lestate6tor2y4cipes5d0stone5umbrella9
  hab3ise0n3t2liance6n0t0als5pair3ort3ublican8st0aurant8view0s5xroth6ich0ardli6oh3l1o1p2o0cks3deo3gers
  4om3s0vp3u0qbv3hr2n2w0e2vukvu6sa0arland6fe0tv4kura4le1on3msclub4unq5ndvik0coromant12ofi4p1rl2s1ve2xo
  3b0ils2c0blhaeffler7midt4olarships8ol3ule3warz5ience5ot3dle0arch3t2cure1ity6ek2lect4ner3rvices6ven3w
  1x0y3fr2g1h0angrila6rp3ell3ia1ksha5oes2p0ping5uji3w3i0lk2na1gles5te3j1k0i0n2y0pe4l0ing4m0art3ile4n0c
  f3oOccer3ial4ftbank4ware6hu2lar2utions7ng1y2y2paOce3ort2t3r0l2s1tOada2ples4r1tebank4farm7cOgroup6ock
  holm6rage3e3ream4udio2y3yle4u0cks3pplies3y2ort5rf1gery5zuki5v1watch4iss4x1y0dney4stems6z2tab1ipei4lk
  2obao4rget4tamotors6r2too4x0i3c0i2d0k2eam2ch0nology8l1masek5nnis4va3f1g1h0d1eater2re6iaa2ckets5enda4
 ps2res2ol4j0maxx4x2k0maxx5l1m0all4n1o0day3ky03ols3p1ray3shiba5tal3urs3wn2yota3s3r0ade1ing4ining5vel0ers0insurance16ust3v2t1ube2i1nes3shu4v0s2w1z2ua1bank3s2g1k1nicom3versity8o2ol2ps2s1y1z2va0cations7na
  1guard7c1e0gas3ntures6risign5m\xF6gensberater2ung14sicherung10t2g1i0ajes4deo3g1king4llas4n1p1rgin4sa
  lion4valo3laanderen9nlodka3lvo3teling3o2yage5u2wales2mart4ter4ng0gou5tch0es6eather0channell2bcam3er2
  site5d0ding5ibo2r3f1hoswho6ien2ki2lliamhill9n0dows4e1ners6me2olterskluwer1lodside6rk0s2ld3w2s1tc1f3x
  box3erox4ihuan4n2xx2yz3yachts4hoo3maxun5ndex5elodobashi7ga2kohama6u0tube6tlun3za0ppos4ra3ero3ip2m1on
  e3uerich6w2",H0="\u03B5\u03BB1\u03C52\u0431\u04331\u0435\u043B3\u0434\u0435\u0442\u04384\u0435\u0445
  2\u043A\u0436\u043E\u043E\u043B\u043B\u043A6\u043E\u043C3\u043C\u043A\u04342\u043E\u043D1\u0441\u043
  A \ u0432 \ u0436 \ u043E \ u043D \ u0438 \ u0430 \ u0439 \ u0440 \ u044333 \ u0440 \ u0443 \ u04412 \ u04412 \ u0441 \ u0441 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \ u04412 \
  30\u0439\u04423\u0440\u04313\u0443\u0443\u0443\u0449B\u0430\u04373\u0570\u0561\u05753\u05D9\u05E9\u0
  5E8\u05D0\u05DC5\u05E7\u05D5\u05DD3\u0627\u0628\u0648\u0638\u0648\u0638\u064A5\u0631\u0627\u0645\u0643\u06
  485\u0644\u0627\u0631\u062F\u06464\u0628\u062D\u0631\u06465\u062C\u0632\u0627\u0631\u06315\u06
  33\u0639\u0648\u062F\u064A\u06296\u0639\u0644\u064A\u0627\u06465\u0645\u063A\u0631\u06285\u0645\u062
  7 \setminus u0631 \setminus u0627 \setminus u06245 \setminus u0627 \setminus u0631 \setminus u0627 \setminus u0631 \setminus u0628 \setminus u0627 \setminus u0631 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus u0628 \setminus
  A \ u06433 \ u062F \ u0627 \ u062A \ u062A \ u0648 \ u0646334 \ u0633 \ u0648 \ u062F \ u0627 \ u06463 \ u0631 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u0648 \ u06
  A \setminus u06295 \setminus u0634 \setminus u0628 \setminus u0643 \setminus u06294 \setminus u0639 \setminus u0627 \setminus u06422 \setminus u0645 \setminus u0645 \setminus u0644 \setminus u0644 \setminus u0644 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649 \setminus u0649
  33 \setminus u0637 \setminus u0644 \setminus u0646 \setminus u0642 \setminus u0637 \setminus u06313 \setminus u0643 \setminus u0627 \setminus u0648 \setminus u0644 \setminus u0644 \setminus u06436 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648 \setminus u0648
  45\u0635\u06312\u0644\u0644\u0633\u064A\u06275\u0648\u0631\u064A\u0627\u0646\u064A\u06277\u064
  2\u06394\u0647\u0645\u0631\u0627\u06475\u067E\u0627\u06A9\u0633\u062A\u0627\u06467\u0680\u0627\u0631
  \u062A4\u0915\u0949\u092E3\u0928\u0947\u091F3\u092D\u093E\u0930\u09240\u092E\u094D3\u094B\u092E5\u093B\u0902\u0917\u092D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098D\u098E\u098E\u098E\u098D\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E\u098E
  2D\u0A3E\u0A30\u0A244\u0AAD\u0ABE\u0AB0\u0AA44\u0B2D\u0B3E\u0B30\u0B244\u0B87\u0BA8\u0BA8\u0BA4\u0BA
  F\u0BAF\u0BBE6\u0BB2\u0BB9\u0BCD\u0B95\u0BC0\u0BB4\u0BCD\u0BBA\u0BCD\u0BBA\u0BCD\u0BAA\u0BCD\u0BCD\u0BAA\u0BCD\u0BCD\u0BAA\u0BCD\u0BCD\u0BAA\u0BCD\u0BCD\u0BAA\u0BCD\u0BCD\u0BAA\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0BCD\u0B
  \verb"u0BB0\u0BCD11\u0C2D\u0C3E\u0C30\u0C24\u0C4D5\u0CAD\u0CBE\u0CB0\u0CA4\u0D2D\u0D3E\u0D30\u0D24\u0D025\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CAD\u0CA
    \u0DBD\u0D82\u0D9A\u0DCF4\u0E04\u0E2D\u0E213\u0E44\u0E17\u0E223\u0EA5\u0EB2\u0EA73\u10D2\u10D42\u307
  F\u3093\u306A3\u30A2\u30DE\u30BE\u30F34\u30AF\u30E9\u30A6\u30C94\u30B0\u30B0\u30BE\u30BB\u30BB\u30BB
  02\u30B9\u30C8\u30A23\u30BB\u30FC\u30EB3\u30D5\u30A1\u30C3\u30B7\u30F36\u30F36\u30A4\u30F3\u30C
  84\u4E16\u754C2\u4E2D\u4FE11\u56FD1\u570B1\u6587\u7F513\u4E9A\u9A6C\u900A3\u4F01\u4E1A2\u4F5B\u5C712
    \u4FE1\u606F2\u5065\u5EB72\u516B\u53662\u516C\u53F81\u76CA2\u53F0\u6E7E1\u70632\u5546\u57CE1\u5E971\
  u68072\u5609\u91CC0\u5927\u9152\u5E975\u5728\u7EBF2\u5927\u62FF2\u5929\u4E3B\u65593\u5A31\u4E502\u5B
  B6\u96FB2\u5E7F\u4E1C2\u5FAE\u535A2\u6148\u55842\u6211\u7231\u4F603\u624B\u673A2\u62DB\u80582\u653F\
  u52A11\u5E9C2\u65B0\u52A0\u57612\u95FB2\u65F6\u5C1A2\u66F8\u7C4D2\u673A\u67842\u6DE1\u9A6C\u95213\u6
  E38 \ u620F2 \ u6FB3 \ u95802 \ u70B9 \ u770B2 \ u79FB \ u52A82 \ u7EC4 \ u7EC7 \ u673A \ u67844 \ u7F51 \ u57401 \ u5E971 \ u7AD9
  1\u7EDC2\u8054\u901A2\u8C37\u6B4C2\u8D2D\u72692\u901A\u8CA92\u96C6\u56E22\u96FB\u8A0A\u76C8\u79D14\u
  98DE\u5229\u6D663\u98DF\u54C12\u9910\u53852\u9999\u683C\u91CC\u62C93\u6E2F2\uB2F7\uB1371\uCEF42\uC0B
,e[dl]&&(e[ir]=!0,e[fl]=!0),e[ir]&&(e[or]=!0),e[fl]&&(e[or]=!0),e[or]&&(e[hl]=!0),e[Vd]&&(e[hl]=!0);
  for(let\ r\ in\ e)\{let\ o=V0(r,n); o.index0f(t)<0\&\&o.push(t)\}\} function\ W0(t,e)\{let\ n=\{\}; for(let\ r\ in\ e)\}\} function\ W0(t,e)\{let\ n=\{\}; for(let\ r\ in\ e)\}\} function\ W0(t,e)\{let\ n=\{\}; for(let\ r\ in\ e)\}\} function\ W0(t,e)\{let\ n=\{\}; for(let\ r\ in\ e)\}\} function\ W0(t,e)\{let\ n=\{\}; for(let\ r\ in\ e)\}\} function\ W0(t,e)\{let\ n=\{\}; for(let\ r\ in\ e)\}\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\ W0(t,e)\} function\
  e)e[r].indexOf(t)>=0&&(n[r]=!0); return n}function Me(t=null){this.j={}, this.jr=[], this.jd=null, this.}
t=t}Me.groups={};Me.prototype={accepts(){return!!this.t},go(t){let e=this,n=e.j[t];if(n)return n;for(let r=0;r<e.jr.length;r++){let o=e.jr[r][0],i=e.jr[r][1];if(i&&o.test(t))return i}return e.jd},has(t,e=!1){return e?t in this.j:!!this.go(t)},ta(t,e,n,r){for(let o=0;o<t.length;o++)this.tt(t[o],e,n,r)},tr(t,e,n,r){r=r||Me.groups;let o;return e&&e.j?o=e:(o=new o=0;o<t.length;o++)this.tt(t[o],e,n,r)},tr(t,e,n,r){r=r||Me.groups;let o;return e&&e.j?o=e:(o=new o=0;o<t.length;o++)this.tt(t[o],e,n,r)}
  Me(e), n\&\&r\&Xt(e,n,r)), this.jr.push([t,o]),o},ts(t,e,n,r){let o=this,i=t.length;if(!i)return}
  o; for(let s=0; s<i-1; s++) o=o.tt(t[s]); return o.tt(t[i-1],e,n,r)}, tt(t,e,n,r){r=r|Me.groups; let
  o=this; if (e\&\&e.j) return o.j[t]=e,e;let i=e,s,l=o.go(t); if (l?(s=new))
 \label{eq:memory} $$ Me,Mn(s.j,l.j),s.jr.push.apply(s.jr,l.jr),s.jd=l.jd,s.t=l.t): s=new Me,i) \{if(r)if(s.t&typeofs.t=="string") \{let a=Mn(W0(s.t,r),n);Xt(i,a,r)\}else n&Xt(i,n,r);s.t=i\}return o.j[t]=s,s\}; var F=(t,a,r), f(t,a,r), "string"){let a=Mn(W0(s.t,r),n);Xt(i,a,r)}else n&&Xt(i,n,r);s.t=i}return o.j[t]=s,s}};var F=(t,e,n,r,o)=>t.ta(e,n,r,o),Z=(t,e,n,r,o)=>t.tr(e,n,r,o),Ld=(t,e,n,r,o)=>t.ts(e,n,r,o),k=(t,e,n,r,o)=>t.tr(e,n,r,o),b="WORD",pl="UWORD",wd="ASCIINUMERICAL",_d="ALPHANUMERICAL",dr="LOCALHOST",ml="TLD",gl="UTLD",So="SCHEME",Cn="SLASH_SCHEME",bl="NUM",yl="WS",xl="NL",sr="OPENBRACE",lr="CLOSEBRACE",ko="OPENBRACKET",Co="CLOSEBRACKET",Mo="OPENPAREN",vo="CLOSEPAREN",To="OPENANGLEBRACKET",Ao="CLOSEANGLEBRACK ET",Eo="FULLWIDTHLEFTPAREN",0o="FULLWIDTHRIGHTPAREN",No="LEFTCORNERBRACKET",Ro="RIGHTCORNERBRACKET",Do="LEFTWHITECORNERBRACKET",Po="RIGHTWHITECORNERBRACKET",Io="FULLWIDTHLESSTHAN",Lo="FULLWIDTHGREATER THAN",Bo="AMPERSAND",zo="APOSTROPHE",Ho="ASTERISK",Rt="AT",Fo="BACKSLASH",_Do="BACKTICK",Vo="CARET",Dt="COLON",wl="COMMA",Wo="DOLLAR",et="DOT", o="EQUALS",Sl="EXCLAMATION",Be="HYPHEN",ar="PERCENT",jo="PIPE",Ko="PLUS",Uo="POUND",cr="QUERY",kl="QUOTE",jd="FULLWIDTHMIDDLEDOT",Cl="SEMI",tt="SLASH",ur="TILDE",Jo="UNDERSCORE",Kd="EMOJI",qo="SYM",Ud=Object.freeze({__proto__:null,ALPHANUMERICAL:_d,AMPERSAN
```

```
D:Bo,APOSTROPHE:zo,ASCIINUMERICAL:Wd,ASTERISK:Ho,AT:Rt,BACKSLASH:Fo,BACKTICK:□o,CARET:Vo,CLOSEANGLEB
  RACKET: AO, CLOSEBRACE: lr, CLOSEBRACKET: CO, CLOSEPAREN: VO, COLON: Dt, COMMA: Wl, DOLLAR: Wo, DOT: et, EMOJI: Kd, EQ
  UALS: 0.EXCLAMATION:S1.FULLWIDTHGREATERTHAN:L0.FULLWIDTHLEFTPAREN:E0.FULLWIDTHLESSTHAN:I0.FULLWIDTHM
  IDDLEDOT: jd, FULLWIDTHRIGHTPAREN: 0o, HYPHEN: Be, LEFTCORNERBRACKET: No, LEFTWHITECORNERBRACKET: Do, LOCALHOS
 T:dr,NL:xl,NUM:bl,OPENANGLEBRACKET:To,OPENBRACE:sr,OPENBRACKET:ko,OPENPAREN:Mo,PERCENT:ar,PIPE:jo,PLUS:Ko,POUND:Uo,QUERY:cr,QUOTE:kl,RIGHTCORNERBRACKET:Ro,RIGHTWHITECORNERBRACKET:Po,SCHEME:So,SEMI:Cl,
 \begin{split} & \text{SLASH:tt,SLASH\_SCHEME:Cn,SYM:qo,TILDE:ur,TLD:ml,UNDERSCORE:Jo,UTLD:gl,UWORD:pl,WORD:bt,WS:yl}),gt=/\left[a-z\right]/,rr=/\p{L}/u,il=/\p{Emoji}/u;var yt=/\d/,sl=/\s/;var Bd="\r",ll='\p{Emoji}/u;var yt=/\d/,sl=/\s/;var Bd="\r",sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;var,sl=/\s/;v
  SLASH:tt,SLASH SCHEME:Cn,SYM:qo,TILDE:ur,TLD:ml,UNDERSCORE:Jo,UTLD:gl,UWORD:pl,WORD:bt,WS:yl}),gt=/[
  l,xl,{[ol]:!0}),c=k(n,Bd,yl,{[ol]:!0}),u=Z(n,sl,yl,{[ol]:!0});k(n,al,u),k(c,ll,a),k(c,al,u),Z(c,sl,u
),k(u,Bd),k(u,ll),Z(u,sl,u),k(u,al,u);let d=Z(n,il,Kd,{[Vd]:!0});k(d,"#"),Z(d,il,d),k(d,_0,d);let
f=k(d,j0);k(f,"#"),Z(f,il,d);let h=[[gt,s],[yt,o]],p=[[gt,null],[rr,l],[yt,i]];for(let m=0;m<bo.length;m++)Nt(n,bo[m],ml,bt,h);for(let m=0;m<xo.length;m++)Nt(n,xo[m],gl,pl,p);Xt(ml,{tld:! 0,ascii:!0},e),Xt(gl,{utld:!0,alpha:!0},e),Nt(n,"file",So,bt,h),Nt(n,"mailto",So,bt,h),Nt(n,"http",Cn,bt,h),Nt(n,"https",Cn,bt,h),Nt(n,"ftps",Cn,bt,h),Xt(So,{scheme:!0,ascii:!0},e),Xt(Cn,{slashscheme:!0,ascii:!0},e),t=t.sort((m,g)=>m[0]>g[0]?1:-1);for(let m=0;m<t.length;m++){let my[1][0]},p=t[m][0]</pre>
 g=t[m][0], b=t[m][1]?{[F0]:!0}:{[[0]:!0}; g.index0f("-
 ")>=0?b[hl]=!0:gt.test(g)?yt.test(g)?b[ir]=!0:b[dl]=!0:b[ul]=!0,Ld(n,g,g,b)}return
Ld(n,"localhost",dr,{ascii:!0}),n.jd=new Me(qo),{start:n,tokens:Mn({groups:e},Ud)}}function
  \label{eq:decomposition} \ensuremath{\mathsf{Jd}(\mathsf{t},\mathsf{e})} \{ \text{let } n=\text{U0}(e.replace(/[A-Z]/g,l=>l.toLowerCase())), r=n.length,o=[],i=0,s=0;for(;s<r;)} \{ \text{let } l=t,s=0,s=0;for(s,s), s=0,s=0;for(s,s), s=0,s=0,s=0;for(s,s), s=0,s=0;for(s,s), s=0,s=0;for(s,s), s=0,s=0;for(s,s), s=0,s=0;for(s,s), s=0,
  a=null,c=0,u=null,d=-1,f=-
  1; for(; s< r\&\&(a=l.go(n[s]));) l=a,l.accepts()?(d=0,f=0,u=l):d>=0\&\&(d+=n[s].length,f++),c+=n[s].length,
   i+=n[s].length,s++;i-=d,s-=f,c-=d,o.push(\{t:u.t,v:e.slice(i-c,i),s:i-c,e:i\})\} return o\function
  U0(t){let e=[],n=t.length,r=0;for(;r<n;){let o=t.charCodeAt(r),i,s=o<55296||o>56319||r+1===n||(i=t.c
  \label{localization} har Code At(r+1)) < 56320 \\ ||i>57343?t[r]:t.slice(r,r+2);e.push(s),r+=s.length \\ ||return||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||function||e| \\ ||fun
  \label{eq:ntransfer} $$Nt(t,e,n,r,o)$ (let i,s=e.length;for(let l=0;l<s-1;l++){let a=e[l];t.j[a]?i=t.j[a]:(i=new,r,o)$ (let i,s=e.length;for(let l=0;l<s-1;l++){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l<s-1;l++){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]?i=t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[a]. (let i,s=e.length;for(let l=0;l-+){let a=e[l];t.j[
  Me(r), i.jr=o.slice(), t.j[a]=i), t=i return i=new Me(n), i.jr=o.slice(), t.j[e[s-1]]=i, i function
  zd(t){let e=[],n=[],r=0,o="0123456789";for(;r<t.length;){let i=0;for(;o.index0f(t[r+i])>=0;)i++;if(i>0){e.push(n.join(""));for(let
 s=parseInt(t.substring(r,r+i),10);s>0;s--)n.pop();r+=i}else n.push(t[r]),r++}return e}var fr={defaul tProtocol:"http",events:null,format:Hd,formatHref:Hd,nl2br:!1,tagName:"a",target:null,rel:null,valid
  ate:!0,truncate:1/0,className:null,attributes:null,ignoreTags:[],render:null};function
  Ml(t,e=null)\{let n=Mn({},fr);t\&\&(n=Mn(n,t instanceof Ml?t.o.t));let r=n.ignoreTags,o=[];for(let i=0;
  i<r.length;i++)o.push(r[i].toUpperCase());this.o=n,e&&(this.defaultRender=e),this.ignoreTags=o}Ml.pr
  ototype = \{o:fr,ignoreTags:[],defaultRender(t)\{return\ t\},check(t)\{return\ t\},check(t)\}
 this.get("validate",t.toString(),t)},get(t,e,n){let r=e!=null,o=this.o[t]; return o&&(typeof o=="object"?(o=n.t in o?o[n.t]:fr[t],typeof o=="function"&&r&&(o=o(e,n))):typeof
  o = "function" \& \{ (o = o(e, n.t, n)), o) \}, get0bj(t, e, n) \{ let \ r = this.o[t]; return \ typeof(t, e, n), the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property o
  r == "function" \&\&e! = null \&\&(r = r(e,n.t,n)), r\}, render(t) \{let e = t.render(this); return(this.get("render",null,t)||this.defaultRender)(e,t.t,t)}\}; function | the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum o
  Hd(t){return t}function
  this.v},toHref(t){return this.toString()},toFormattedString(t){let
 e=this.toString(),n=t.get("truncate",e,this),r=t.get("format",e,this);return n&&r.length>n?r.substring(0,n)+"\u2026":r},toFormattedHref(t){return t.get("formatHref",this.toHref(t.get("defaultProtocol")),this)},startIndex(){return t.get("formatHref",this.toHref(t.get("defaultProtocol")),this)},
  this.tk[0].s},endIndex(){return this.tk[this.tk.length-
  1].e},toObject(t=fr.defaultProtocol){return{type:this.t,value:this.toString(),isLink:this.isLink,hre
  f:this.toHref(t),start:this.startIndex(),end:this.endIndex()}},toFormattedObject(t){return{type:this
    .t,value:this.toFormattedString(t),isLink:this.isLink,href:this.toFormattedHref(t),start:this.startI
  ndex(),end:this.endIndex()}},validate(t){return
t.get("validate",this.toString(),this)},render(t){let e=this,n=this.toHref(t.get("defaultProtocol"))
,r=t.get("formatHref",n,this),o=t.get("tagName",n,e),i=this.toFormattedString(t),s={},l=t.get("class
Name",n,e),a=t.get("target",n,e),c=t.get("rel",n,e),u=t.getObj("attributes",n,e),d=t.getObj("events")
    ,n,e);return s.href=r,l&&(s.class=l),a&&(s.target=a),c&&(s.rel=c),u&&Mn(s,u),{tagName:o,attributes:s
    ,content:i,eventListeners:d}}};function Go(t,e){class n extends
 ",{isLink:!0,toHref(t=fr.defaultProtocol){return this.hasProtocol()?this.v:`[{t}://[{this.v}`},hasProtocol(){let t=this.tk;return
  \texttt{t.length} >= 2\&\&t[0].t! == dr\&\&t[1].t == Dt\}); \\ \textit{var Le} = t = new \ \texttt{Me(t)}; \\ \textit{function q0(\{groups:t\})} \\ \{let \ e=t.domain.tempth = t.domain.tempth concat([Bo,Ho,Rt,Fo,□o,Vo,Wo,_o,Be,bl,ar,jo,Ko,Uo,tt,qo,ur,Jo]),n=[zo,Dt,wl,et,Sl,ar,cr,kl,Cl,To,Ao,
  sr,lr,Co,ko,Mo,vo,Eo,Oo,No,Ro,Do,Po,Io,Lo],r=[Bo,zo,Ho,Fo,Do,Vo,Wo,_o,Be,sr,lr,ar,jo,Ko,Uo,cr,tt,qo,
   ur, Jo], o=Le(), i=k(o,ur); F(i,r,i), F(i,t.domain,i); let s=Le(), l=Le(), a=Le(); F(o,t.domain,s), F(o,t.schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen,schen
```

```
me,l), F(o,t.slashscheme,a), F(s,r,i), F(s,t.domain,s); let \ c=k(s,Rt); k(i,Rt,c), k(l,Rt,c), k(a,Rt,c); let \ c=k(s,Rt); k(i,Rt,c), k(l,Rt,c), k(a,Rt,c); let \ c=k(s,Rt); k(i,Rt,c), k(l,Rt,c), k(a,Rt,c); let \ c=k(s,Rt); k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c); let \ c=k(s,Rt); k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c); let \ c=k(s,Rt); k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c); let \ c=k(s,Rt); k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c), k(l,Rt,c),
u=k(i,et);F(u,r,i),F(u,t.domain,i);let d=Le();F(c,t.domain,d),F(d,t.domain,d);let
f=k(d,et);F(f,t.domain,d);let h=Le(Fd);F(f,t.tld,h),F(f,t.utld,h),k(c,dr,h);let
 p=k(d,Be);k(p,Be,p),F(p,t.domain,d),F(h,t.domain,d),k(h,et,f),k(h,Be,p);let
 m=k(h,Dt);F(m,t.numeric,Fd);let
 g=k(s,Be),y=k(s,et);k(g,Be,g),F(g,t.domain,s),F(y,r,i),F(y,t.domain,s);let
 b=Le(wo); F(y,t.tld,b), F(y,t.utld,b), F(b,t.domain,s), F(b,r,i), k(b,et,y), k(b,Be,g), k(b,Rt,c); let
 x=k(b,Dt),C=Le(wo);F(x,t.numeric,C);let
 S = Le(wo), R = Le(); F(S,e,S), F(S,n,R), F(R,e,S), F(R,n,R), k(b,tt,S), k(C,tt,S); let P = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), v = k(a,Dt), B = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(l,Dt), b = k(
v,tt),D=k(B,tt);F(l,t.domain,s),k(l,et,y),k(l,Be,g),F(a,t.domain,s),k(a,et,y),k(a,Be,g),F(P,t.domain,s),k(P,tt,S),k(P,cr,S),F(D,t.domain,S),F(D,e,S),k(D,tt,S);let
     =[[sr,lr],[ko,Co],[Mo,vo],[To,Ao],[Eo,Oo],[No,Ro],[Do,Po],[Io,Lo]];for(let
r=n.length,o=0,i=[],s=[];for(;o< r;){let l=t,a=null,c=null,u=0,d=null,f=-}
 1; for(; o < r \&\& (a=l.go(n[o].t));) s.push(n[o++]); for(; o < r \&\& (c=a||l.go(n[o].t));) a=null, l=c, l.accepts()?
 (f=0,d=1):f>=0\&\&f++,o++,u++;if(f<0)o-
 =u,o<r\&\&(s.push(n[o]),o++);else\{s.length>0\&\&(i.push(cl([d,e,s)),s=[]),o-=f,u-=f;let
 h=d.t,p=n.slice(o-u,o);i.push(cl(h,e,p))\}\} return\ s.length>0\&i.push(cl(\square d,e,s)),i\} function
 cl(t,e,n){let r=n[0].s,o=n[n.length-1].e,i=e.slice(r,o);return new <math>t(i,n)}var Y0=typeof
 console < "u" \& & console \& & console . warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console is a console with the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | | (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() => \{\}), X0 = "until manual call of linkify.init(). Register all the console warn | () = (() = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = () = () = (() = 
 schemes and plugins before invoking linkify the first time.",q={scanner:null,parser:null,tokenQueue:[],pluginQueue:[],customSchemes:[],initialized:!1};function Gd(){return Me.groups={},q.scanner=null,
 q.parser=null,q.tokenQueue=[],q.pluginQueue=[],q.customSchemes=[],q.initialized=!1,q}function
 vl(t,e=!1){if(q.initialized&&Y0(`linkifyjs: already initialized - will not register custom scheme
 format.

    Must only contain digits, lowercase ASCII letters or "-"
    Cannot start or end with "-"

3. "-" cannot repeat`); q.customSchemes.push([t,e])} function Q0() \{q.scanner=K0(q.customSchemes); for(let t=0;t<q.tokenQueue.length;t++)q.tokenQueue[t][1](\{scanner=K0(q.customSchemes); for(let t=0;t<q.tokenQueue]][1](\{scanner=K0(q.customSchemes); .scanner});q.parser=q0(q.scanner.tokens);for(let
t=0; t<q.pluginQueue.length; t++)q.pluginQueue[t][1](\{scanner:q.scanner,parser:q.parser\}); return q.initialized=!0,q\}function Yo(t)\{return
 q.initialized | | QO(), GO(q.parser.start,t, Jd(q.scanner.start,t)) \} Yo.scan=Jd; function
l=o[s]; l.isLink\&\&(!e||l.t===e)\&\&r.check(l)\&\&i.push(l.toFormattedObject(r)) \} return i \} var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0-line] var Tl="[\0
 \xA0\u1680\u180E\u2000-\u2029\u205F\u3000]",Z0=new RegExp(Tl),eb=new RegExp(\[Tl}[]\),tb=new
 RegExp(Tl, "g"); function \ nb(t) \{return \ t.length === 1?t[0].isLink: t.length === 3\&\&t[1].isLink?["()", "[]"].
 includes(t[0].value+t[2].value):!1}function rb(t){return new N({key:new
 L("autolink"), appendTransaction: (e,n,r) \Rightarrow \{let o=e.some(c=>c.docChanged)\&\{ln.doc.eq(r.doc),i=e.some(c=>c.docChanged)\}
=>c.getMeta("preventAutolink"));if(!o||i)return;let{tr:s}=r,l=Hs(n.doc,[...e]);if(js(l).forEach(({ne wRange:c})=>{let u=0u(r.doc,c,h=>h.isTextblock),d,f;if(u.length>1)d=u[0],f=r.doc.textBetween(d.pos,d.pos+d.node.nodeSize,void 0," ");else if(u.length){let h=r.doc.textBetween(c.from,c.to," ","
     ); if(!eb.test(h))return; d=u[0], f=r.doc.textBetween(d.pos,c.to,void 0," ")}if(d\delta \delta f){let
 h=f.split(Z0).filter(Boolean);if(h.length<=0)return!1;let
p=h[h.length-1],m=d.pos+f.lastIndexOf(p);if(!p)return!1;let g=Yo(p).map(y=>y.toObject(t.defaultProto col));if(!nb(g))return!1;g.filter(y=>y.isLink).map(y=>({...y,from:m+y.start+1,to:m+y.end+1})).filter
 (y=>r.schema.marks.code?!r.doc.rangeHasMark(y.from,y.to,r.schema.marks.code):!0).filter(y=>t.validat
 e(y.value)).filter(y=>t.shouldAutoLink(y.value)).forEach(y=>{so(y.from,y.to,r.doc).some(b=>b.mark.ty
pe===t.type)||s.addMark(y.from,y.to,t.type.create({href:y.href}))})),!!s.steps.length)return
s}))function ob(t){return new N({key:new L("handleClickLink"),props:{handleClick:(e,n,r)=>{var
o,i;if(r.button!==0||!e.editable)return!1;let s=null;if(r.target instanceof
 HTMLAnchorElement)s=r.target;else{let u=r.target,d=[];for(;u.nodeName!=="DIV";)d.push(u),u=u.parentN
 ode; s=d.find(f=>f.nodeName==="A")}if(!s)return!1;let
 l= s(e.state,t.type.name),a=(o=s?.href)!=null?o:l.href,c=(i=s?.target)!=null?i:l.target;return t.ena
\frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \frac{1}
e,{selection:i}=o,{empty:s}=i;if(s)return!1;let l="";r.content.forEach(c=>{l+=c.textContent});let a= Xo(l,{defaultProtocol:t.defaultProtocol}).find(c=>c.isLink&&c.value===l);return!l||!a?!1:t.editor.co
mmands.setMark(t.type,{href:a.href})}})}function Qt(t,e){let
n=["http","https","ftp","ftps","mailto","tel","callto","sms","cid","xmpp"];return
e&&e.forEach(r=>{let o=typeof r=="string"?r:r.scheme;o&&n.push(o)}),!t||t.replace(tb,"").match(new
RegExp(`^(?:(?:[{n.join("|")}):|[^a-z]|[a-z0-9+.-]+(?:[^a-z+.-:]|[]))`,"i"))}var sb=te.create({name:"
 link",priority:1e3,keepOnSplit:!1,exitable:!0,onCreate(){this.options.validate&&!this.options.should
 AutoLink&&(this.options.shouldAutoLink=this.options.validate,console.warn("The `validate` option is
deprecated. Rename to the `shouldAutoLink` option
instead.")), this.options.protocols.forEach(t=>{if(typeof)
 t=="string"){vl(t);return}vl(t.scheme,t.optionalSlashes)})},onDestroy(){Gd()},inclusive(){return thi
 s.options.autolink},addOptions(){return{openOnClick:!0,enableClickSelection:!1,linkOnPaste:!0,autoli
 nk:!0,protocols:[],defaultProtocol:"http",HTMLAttributes:{target:" blank",rel:"noopener noreferrer n
```

```
ofollow",class:null},isAllowedUri:(t,e)=>!!Qt(t,e.protocols),validate:t=>!!t,shouldAutoLink:t=>!!t}}
 addAttributes(){return{href:{default:null,parseHTML(t){return t.getAttribute("href")}},target:{defa,
ult:this.options.HTMLAttributes.target},rel:{default:this.options.HTMLAttributes.rel},class:{default
:this.options.HTMLAttributes.class}}}, parseHTML(){return[{tag:"a[href]",getAttrs:t=>{let e=t.getAttribute("href");return!e||!this.options.isAllowedUri(e,{defaultValidate:n=>!!Qt(n,this.options.protoco
ls),protocols:this.options.protocols,defaultProtocol:this.options.defaultProtocol})?!1:null}}]},rend
erHTML({HTMLAttributes:t}){return this.options.isAllowedUri(t.href,{defaultValidate:e=>!!Qt(e,this.o
ptions.protocols),protocols:this.options.protocols,defaultProtocol:this.options.defaultProtocol})?["a",T(this.options.HTMLAttributes,t),0]:["a",T(this.options.HTMLAttributes,{...t,href:""}),0]},addCommands(){return{setLink:t=>({chain:e})=>{let{href:n}=t;return this.options.isAllowedUri(n,{defaultVal
idate:r=>!!Qt(r,this.options.protocols),protocols:this.options.protocols,defaultProtocol:this.option
s.defaultProtocol})?e().setMark(this.name,t).setMeta("preventAutolink",!0).run():!1},toggleLink:t=>(
{chain:e})=>{let{href:n}=t||{};return n&&!this.options.isAllowedUri(n,{defaultValidate:r=>!!Qt(r,thi
s.options.protocols),protocols:this.options.protocols,defaultProtocol:this.options.defaultProtocol})
?!1:e().toggleMark(this.name,t,{extendEmptyMarkRange:!0}).setMeta("preventAutolink",!0).run()},unset
Link:()=>({chain:t})=>t().unsetMark(this.name,{extendEmptyMarkRange:!0}).setMeta("preventAutolink",!
0).run()}},addPasteRules(){return[Ce({find:t=>{let e=[];if(t){let{protocols:n,defaultProtocol:r}=thi
s.options,o=Xo(t).filter(i=>i.isLink&&this.options.isAllowedUri(i.value,{defaultValidate:s=>!!Qt(s,n
 ),protocols:n,defaultProtocol:r}));o.length&&o.forEach(i=>e.push({text:i.value,data:{href:i.href},in
dex:i.start})))return e},type:this.type,getAttributes:t=>{var e;return{href:(e=t.data)==null?void
0:e.href}}})]},addProseMirrorPlugins(){let t=[],{protocols:e,defaultProtocol:n}=this.options;return
this.options.autolink \& t.push (rb(\{type: this.type, defaultProtocol: this.options.defaultProtocol, validation of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the contro
te:r=>this.options.isAllowedUri(r,{defaultValidate:o=>!!Qt(o,e),protocols:e,defaultProtocol:n}),shou
ldAutoLink:this.options.shouldAutoLink})),this.options.openOnClick===!0&&t.push(ob({type:this.type,e
ditor:this.editor,enableClickSelection:this.options.enableClickSelection})),this.options.linkOnPaste
&&t.push(ib({editor:this.editor,defaultProtocol:this.options.defaultProtocol,type:this.type})),t}}), Yd=sb;var lb=Object.defineProperty,ab=(t,e)=>{for(var n in e)lb(t,n,{get:e[n],enumerable:!0})},cb="language:enumerable:!0})
istItem",Xd="textStyle",Qd=/^\s*([-
+*])\s[]/,0l=z.create({name: "bulletList",addOptions(){return{itemTypeName: "listItem",HTMLAttributes:{
},keepMarks:!1,keepAttributes:!1}},group:"block list",content(){return`□{this.options.itemTypeName}+
`},parseHTML(){return[{tag:"ul"}]},renderHTML({HTMLAttributes:t}){return["ul",T(this.options.HTMLAttributes,t),0]},addCommands(){return{toggleBulletList:()=>({commands:t,chain:e})=>this.options.keepAt
tributes? e().toggleList(this.name, this.options.item TypeName, this.options.keepMarks).update Attributes
 (cb,this.editor.getAttributes(Xd)).run():t.togqleList(this.name,this.options.itemTypeName,this.optio
ns.keepMarks)}},addKeyboardShortcuts(){return{"Mod-
ype});return(this.options.keepMarks||this.options.keepAttributes)&&(t=Xe({find:Qd,type:this.type,kee
pMarks:this.options.keepMarks,keepAttributes:this.options.keepAttributes,getAttributes:()=>this.edit
or.getAttributes(Xd),editor:this.editor})),[t]}}),Nl=z.create({name:"listItem",addOptions(){return{H TMLAttributes:{},bulletListTypeName:"bulletListTypeName:"prederedListTypeName:"orderedListTypeName:"prederedListTypeName:"prederedListTypeName:"li"}},renderHTML({HTMLAttributes:t}){return["li",T (this.options.HTMLAttributes,t),0]},addKeyboardShortcuts(){return{Enter:()=>klistEnter:()=>klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEnter:()=klistEn
itListItem(this.name), Tab:()=>this.editor.commands.sinkListItem(this.name), "Shift-Tab":()=>this.edit
or.commands.liftListItem(this.name)}}}),ub={};ab(ub,{findListItemPos:()=>hr,getNextListDepth:()=>Rl,
handleBackspace:()=>Al,handleDelete:()=>El,hasListBefore:()=>tf,hasListItemAfter:()=>db,hasListItemB
efore:()=>nf,listItemHasSubList:()=>rf,nextListIsDeeper:()=>of,nextListIsHigher:()=>sf});var hr=(t,e
 )=>{let{∏from:n}=e.selection,r=Q(t,e.schema),o=null,i=n.depth,s=n.pos,l=null;for(;i>0&&l===null;)o=n
.node(i), o.type===r?l=i:(i-=1, s-=1); return \\ l===null?null:\{ pos:e.doc.resolve(s), depth:l \} \}, Rl=(t,e)=>\{ let \} \}
n=hr(t,e); if(!n)return!1;let[,r]=zu(e,t,n.\pos.pos+4); return r},tf=(t,e,n)=>{let{\(\partial anchor: r\)}=t.select
ion,o=Math.max(0,r.pos-
2), i=t.doc.resolve(0).node(); return!(!i||!n.includes(i.type.name))}, nf=(t,e)=>{var n; let}_\[ anchor: r}=
e.selection,o=e.doc.resolve(r.pos-2);return!(o.index()===0||((n=o.nodeBefore)==null?void
0:n.type.name)!==t)},rf=(t,e,n)=>{if(!n)return!1;let r=Q(t,e.schema),o=!1;return n.descendants(i=>{i
 . type === r\&\&(o=!0)\}), o\}, Al=(t,e,n) => \{if(t.commands.undoInputRule()) \\ return!0; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInputRule()) \\ return 1; if(t.state.selection.frommands.undoInp
 !==t.state.selection.to)return!1;if(!Ge(t.state,e)&&tf(t.state,e,n)){let{□anchor:l}=t.state.selectio
n,a=t.state.doc.resolve(l.before()-
1), c=[];a.node().descendants((f,h)=>{f.type.name===e&c.push({node:f,pos:h})});let
u=c.at(-1);if(!u)return!1;let d=t.state.doc.resolve(a.start()+u.pos+1);return t.chain().cut({from:l.
r=hr(e,t.state);if(!r)return!1;let
i=t.state.doc.resolve(r.□pos.pos-2).node(r.depth),s=rf(e,t.state,i);return
 \label{eq:commands}  \mbox{$nf(e,t.state)\&\&!s?t.commands.joinItemBackward():t.chain().liftListItem(e).run()}, of=(t,e)=> \{let n=Rl(t,e), r=hr(t,e); return!r||!n?!1:n>r.depth\}, sf=(t,e)=> \{let n=Rl(t,e), r=hr(t,e); return!r||!n?!1:n<r->
 r.depth\}, El=(t,e)=>\{if(!Ge(t.state,e)||!Hu(t.state,e)|)return!1;let\{selection:n\}=t.state,\{[]from:r,[]to:o\}=n;return!n.empty\&r.sameParent(o)?!1:of(e,t.state)?t.chain().focus(t.state.selection.from+4).lif
t(e).joinBackward().run():sf(e,t.state)?t.chain().joinForward().joinBackward().run():t.commands.join
ItemForward()}, db=(t,e)=>{var n; let}_{archor:r}=e.selection, o=e.doc.resolve(r.pos-r.parentOffset)}
2);return!(o.index()===o.parent.childCount-1||((n=o.nodeAfter)==null?void 0:n.type.name)!==t)},fb=□.
create({name:"listKeymap",addOptions(){return{listTypes:[{itemName:"listItem",wrapperNames:["bulletL
ist","orderedList"]},{itemName:"taskItem",wrapperNames:["taskList"]}]}},addKeyboardShortcuts(){return
n{Delete:({editor:t})=>{let e=!1;return
this.options.listTypes.forEach(({itemName:n})=>{t.state.schema.nodes[n]!==void
```

```
0\&El(t,n)\&(e=!0)),e},"Mod-Delete":({editor:t})=>{let e=!1;return}
 this.options.listTypes.forEach(({itemName:n})=>{t.state.schema.nodes[n]!==void
 0\&\&El(t,n)\&\&(e=!0)}),e},Backspace:({editor:t})=>{let e=!1;return}
this.options.listTypes.forEach(({itemName:n,wrapperNames:r})=>{t.state.schema.nodes[n]!==void 0\&Al(t,n,r)\&\&(e=!0)),e},"Mod-Backspace":({editor:t})=>{let e=!1;return}
 this.options.listTypes.forEach((\{itemName:n,wrapperNames:r\}) => \{t.state.schema.nodes[n]! == void 0\&\&Al((value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 value = void 0 valu
tins.options.tistrypes.forEach(({{temName:n,wrapperNames:r})=>{t.state.schema.nodes[n]!==Vold G&&At(t.n,r)&&(e=!0)}),e}}}),hb="listItem",Zd="textStyle",ef=/^(\d+)\.\s_/,Dl=z.create({name:"orderedList",addOptions(){return{itemTypeName:"listItem",HTMLAttributes:{}},keepMarks:!1,keepAttributes:!1}},group:"block list",content(){return`_{{this.options.itemTypeName}+`},addAttribute(){return{start:{default:1,parseHTML:t=>t.hasAttribute("start")}parseInt(t.getAttribute("start")||"",10):1},type:{default:null,parseHTML:t=>t.getAttribute("type")}}},parseHTML(){return[{tag:"ol"}]},renderHTML({HTMLAttributes:t}){let{start:pute.n.n}=t;return e===1?["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.options.HTMLAttributes,n),0]:["ol",T(this.
 ns.HTMLAttributes,t),0]},addCommands(){return{toggleOrderedList:()=>({commands:t,chain:e})=>this.opt
 ions. keep Attributes? e(). toggle List (this.name, this.options. item Type Name, this.options. keep Marks). update the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second
 eAttributes(hb,this.editor.getAttributes(Zd)).run():t.toggleList(this.name,this.options.itemTypeName
    ,this.options.keepMarks)}},addKeyboardShortcuts(){return{"Mod-
 Shift-7":()=>this.editor.commands.toggleOrderedList()}},addInputRules(){let t=Xe({find:ef,type:this.
 type,getAttributes:e=>({start:+e[1]}),joinPredicate:(e,n)=>n.childCount+n.attrs.start===+e[1]});retu
 rn(this.options.keepMarks||this.options.keepAttributes)\&\&(t=Xe(\{find:ef,type:this.type,keepMarks:this.options.keepMarks:this.type,keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepMarks:this.options.keepM
 s.options.keepMarks,keepAttributes:this.options.keepAttributes;getAttributes:e=>({start:+e[1],...thi
s.editor.getAttributes(Zd)}),joinPredicate:(e,n)=>n.childCount+n.attrs.start===+e[1],editor:this.editor)),[t]}}),pb=/^\s*(\[([( |x])?\])\s_|/,mb=z.create({name: "taskItem",addOptions(){return{nested:!1, HTMLAttributes:{},taskListTypeName: "taskList",ally:void 0}},content(){return this.options.nested?"paragraph block*":"paragraph+"},defining:!0,addAttributes(){return{checked:{def ault:!1,keepOnSplit:!1,parseHTML:t=>{let e=t.getAttribute("data-checked");return
 e===""||e==="true"},renderHTML:t=>({"data-checked":t.checked})}}},parseHTML(){return[{tag:`li[data-t
ype="[{this.name}"]`,priority:51}]}, renderHTML({node:t,HTMLAttributes:e}){return["li",T(this.options
.HTMLAttributes,e,{"data-type":this.name}),["label",["input",{type:"checkbox",checked:t.attrs.checke
d?"checked":null}],["span"]],["div",0]]},addKeyboardShortcuts(){let
t={Enter:()=>this.editor.commands.splitListItem(this.name),"Shift-
 Tab":() => this.editor.commands.liftListItem(this.name)\}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.options.nested?{\dots t, Tab:() => this.editor.commands.liftListItem(this.name)}; return\ this.editor.commands.liftListItem(this.name)}; return\ this.editor.
    .editor.commands.sinkListItem(this.name)}:t},addNodeView(){return({node:t,HTMLAttributes:e,getPos:n,
editor:r})=>{let o=document.createElement("li"),i=document.createElement("label"),s=document.createElement("span"),l=document.createElement("input"),a=document.createElement("div"),c=()=>{varu,d;l.ariaLabel=((d=(u=this.options.ally)==null?void 0:u.checkboxLabel)==null?void
; return}let{checked:d}=u.target; r.isEditable&&typeof n=="function"&&r.chain().focus(void 0,{scrollIntoView:!1}).command(({tr:f})=>{let h=n();if(typeof h!="number")return!1;let
p=f.doc.nodeAt(h); return \ f.setNodeMarkup(h,void \ 0, \{\dots,p?.attrs,checked:d\}),!0\}).run(),!r.isEditable\& \&this.options.onReadOnlyChecked&&(this.options.onReadOnlyChecked(t,d)||(l.checked=!l.checked))\}),0bj
 ect.entries(this.options.HTMLAttributes).forEach(([u,d])=>\{o.setAttribute(u,d)\}),o.dataset.checked=toutons.entries(this.options.HTMLAttributes).forEach(([u,d])=>\{o.setAttribute(u,d)\}),o.dataset.checked=toutons.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries(this.options.entries
    .attrs.checked,l.checked=t.attrs.checked,i.append(l,s),o.append(i,a),Object.entries(e).forEach(([u,d
 ])=>{o.setAttribute(u,d)}),{dom:o,contentDOM:a,update:u=>u.type!==this.type?!1:(o.dataset.checked=u.
 attrs.checked, l.checked=u.attrs.checked, c(), !0)\}\}\}, addInputRules()\{return[Xe(\{find:pb, type:this.type:this.type]\}, addInputRules(), type:this.type]\})
     ,getAttributes:t=>({checked:t[t.length-
1]==="x"})})]}}),gb=z.create({name:"taskList",addOptions(){return{itemTypeName:"taskItem",HTMLAttributes:{}}},group:"block
 .name}"]`,priority:51}]},renderHTML({HTMLAttributes:t}){return["ul",T(this.options.HTMLAttributes,t,
   {"data-type":this.name}),0]},addCommands(){return{toggleTaskList:()=>({commands:t})=>t.toggleList(th
is.name,this.options.itemTypeName)}},addKeyboardShortcuts(){return{"Mod-Shift-
9":()=>this.editor.commands.toggleTaskList()}}}),gC=[].create({name:"listKit",addExtensions(){let
t=[];return this.options.bulletList!==!1&&t.push(Ol.configure(this.options.bulletList)),this.options
 . listItem! == !1\&\&t.push(Nl.configure(this.options.listItem)), this.options.listKeymap! == !1\&\&t.push(fb.configure(this.options.listKeymap)), this.options.orderedList! == !1\&\&t.push(Dl.configure(this.options.listKeymap)), this.options.orderedList! == !1&\&t.push(Dl.configure(this.options.listKeymap)), this.options.orderedList! == !1&\&t.push(Dl.configure(this.options.listKeymap)), this.options.orderedList! == !1&\&t.push(Dl.configure(this.options.listKeymap)), this.options.orderedList! == !1&&t.push(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedList(Dl.configure(this.options.listKeymap)), this.options.orderedL
 orderedList)),this.options.taskItem!==!1&&t.push(mb.configure(this.options.taskItem)),this.options.t
askList!==!1&&t.push(gb.configure(this.options.taskList)),t});var lf=["image/png","image/jpeg","image/gif","image/webp"],Qo=(t,e,n={})=>{t.dom.closest("form")?.dispatchEvent(new CustomEvent(e,{compos})),t}
 ed:!0,cancelable:!0,detail:n}))},yb=({editor:t,get∏WireUsing:e,key:n,statePath:r,uploadingMessage:o}
 )=>{let
i=s=>e().callSchemaComponentMethod(n,"getUploadedFileAttachmentTemporaryUrl", {attachment:s}); return new N({key:new L("localFiles"),props:{handleDrop(s,l){if(!l.dataTransfer?.files.length)return!1;let a=Array.from(l.dataTransfer.files).filter(u=>lf.includes(u.type));if(!a.length)return!1;Qo(s,"form-property to the property to the
 processing-started", {message:0}), l.preventDefault(), l.stopPropagation(); let
 c=s.posAtCoords({left:l.clientX,top:l.clientY});return
 a. for Each((u,d) => \{t.setEditable(!1), s.dom.dispatchEvent(new CustomEvent("rich-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor-uploading-editor
 file",{bubbles:!0,detail:{key:n,livewireId:e().id}}));let f=new FileReader;f.readAsDataURL(u),f.onlo
ad=()=>{t.chain().insertContentAt(c?.pos??0,{type:"image",attrs:{class:"fi-
 loading",src:f.result}}).run()};let
 h=("10000000-1000-4000-8000"+-1e11).replace(/[018]/g,p=>(p^crypto.getRandomValues(new Uint8Array(1))
  [0]\&15>>p/4).toString(16)); e().upload(`componentFileAttachments. \\ [\{r\}.][\{h\}`,u,()=>\{i(h).then(p=>\{p\&\&(p,u)=0\})\}) ]
```

```
t.chain().updateAttributes("image",{class:null,id:h,src:p}).run(),t.setEditable(!0),s.dom.dispatchEv
 ent(new CustomEvent("rich-editor-uploaded-
 file",{bubbles:!0,detail:{key:n,livewireId:e().id}})),d===a.length-1&&Qo(s,"form-processing-
finished"))})}),!0},handlePaste(s,l){if(!l.clipboardData?.files.length)return!1;let
a=Array.from(l.clipboardData.files).filter(c=>lf.includes(c.type));return
 a.length?(l.preventDefault(), l.stopPropagation(), Qo(s, "form-processing-
started",{message:o}),a.forEach((c,u)=>{t.setEditable(!1),s.dom.dispatchEvent(new CustomEvent("richeditor-uploading-file",{bubbles:!0,detail:{key:n,livewireId:e().id}}));let d=new FileReader;d.readAs
 DataURL(c),d.onload=()=>{t.chain().insertContentAt(t.state.selection.anchor,{type:"image",attrs:{cla
 ss:"fi-loading",src:d.result}}).run()};let
 f=("10000000-1000-4000-8000"+-1e11).replace(/[018]/g,h=>(h^crypto.getRandomValues(new Uint8Array(1))
[0]&15>>h/4).toString(16));e().upload(`componentFileAttachments.[{r}.[{f}`,c,()=>{i(f).then(h=>{h&&(t.chain().updateAttributes("image",{class:null,id:f,src:h}).run(),t.setEditable(!0),s.dom.dispatchEvent(new CustomEvent("rich-editor-uploaded-file",{bubbles:!0,detail:{key:n,livewireId:e().id}})),u===a.length-1&&Qo(s,"form-processing-finished
  "))}})}),!0):!1}}})},af=[.create({name:"localFiles",addOptions(){return{key:null,statePath:null,upl
 oadingMessage:null,get□WireUsing:null}},addProseMirrorPlugins(){return[yb({editor:this.editor,...thi
 s.options})]}});function bb(t){var e;let{char:n,allowSpaces:r,allowToIncludeChar:o,allowedPrefixes:i
, startOfLine:s, [position:l]=t, a=r&&!o,c=id(n), u=new RegExp(`\\s[{c}]_`), d=s?"^":"", f=o?"":c,h=a?new RegExp(`[{d}]_{c}.*?(?=\\s[{f}]_)`, "gm"):new RegExp(`[{d}](?:^)?[{c}[^\\s[{f}]]*`, "gm"),p=((e=l.nodeBefore)==null?void 0:e.isText)&&l.nodeBefore.text; if(!p) return null; let
 m=l.pos-p.length,g=Array.from(p.matchAll(h)).pop();if(!g||g.input===void 0||g.index===void 0)return
\label{eq:condition} $$ \text{null;let y=g.input.slice(Math.max(0,g.index-1),g.index),b=new} $$ \text{RegExp($^[[{i?.join("")}\0]?[]^).test(y);if(i!==null&&!b)return null;let} $$
 x=m+q.index, C=x+q[0].length; return a&&u.test(p.slice(C-1,C+1))&&(q[0]+="
     (C+=1), x<1. pos&&C>=1. pos (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (from:x,to:C), (f
 L("suggestion"); function
\label{lower} wb(\{pluginKey:t=xb,editor:e,char:n="@",allowSpaces:r=!1,allowToIncludeChar:o=!1,allowedPrefixes:i=[""],startOfLine:s=!1,decorationTag:l="span",decorationClass:a="suggestion",decorationContent:c="",decorationEmptyClass:u="is-empty",command:d=()=>null,items:f=()=>[],render:h=()=>({}),allow:p=()=>!0,fi
 \label{eq:controller}  \mbox{ndSuggestionMatch:m=bb}) \{ \mbox{let } g,y=h?.(),b=new \mbox{ } N(\{key:t,view()\{return\{update:async(x,C)=>\{varS,R,P,v,B,D,\_;let \mbox{ } H=(S=this.key)==null?void \mbox{ } 0:S.getState(C),j=(R=this.key)==null?void \mbox{ } 0:R.getState(x,C)=>\{varS,R,P,v,B,D,\_;let \mbox{ } H=(S=this.key)==null?void \mbox{ } 0:R.getState(x,C)==null?void \mbox{ } 0:R.getState(x,C)==null?void \mbox{ } 0:R.getState(x,
.state), U=H.active&&j.active&&H.range.from!==j.range.from,oe=!H.active&&j.active,X=H.active&&!j.active,G=!oe&&!X&&H.query!==j.query,ie=oe||U&&G,Te=G||U,On=X||U&&G;if(!ie&&!Te&&!On)return;let
 rn=On&&!ie?H:j,Ql=x.dom.querySelector(`[data-decoration-id="∏{rn.decorationId}"]`);g={editor:e,range
:rn.range,query:rn.query,text:rn.text,items:[],command:wr=>d({editor:e,range:rn.range,props:wr}),dec
orationNode:Ql,clientRect:Ql?()=>{var wr;let{decorationId:zh}=(wr=this.key)==null?void
 0:wr.getState(e.state),Zl=x.dom.querySelector(`[data-decoration-id="[[Zh]*"]`);return Zl?.getBounding
 ClientRect()|[null]:null],ie&&((P=y?.onBeforeStart)==null|[P.call(y,g]),Te&&((v=y?.onBeforeUpdate)==
 [v.call(y,g)), (Te||ie)&&(g.items=await f({editor:e,query:rn.query})), On&&((B=y?.onExit)==null||
B.call(y,g)), Te&((D=y?.onUpdate)==null||D.call(y,g)), ie&((=y?.onStart)==null||\_.call(y,g))\}, destroy:()=>\{var x;g&((x=y?.onExit)==null||x.call(y,g))\}\}, state:\{init()\{return\{active:!1, range:\{from:0, range:(x,g)\}\}, range:\{from:0, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(x,g)\}, range:(
to:0}, query:null,text:null,composing:!1}},apply(x,C,S,R){let{isEditable:P}=e,{composing:v}=e.view,{selection:B}=x,{empty:D,from:_}=B,H={...C};if(H.composing=v,P&&(D||e.view.composing)){(_<C.range.from ||_>C.range.to)&&!v&&!C.composing&&(H.active=!1);let j=m({char:n,allowSpaces:r,allowToIncludeChar:o,
 allowedPrefixes:i,startOfLine:s, position:B. from}), U=`id_[{Math.floor(Math.random()*4294967295)}
 \&\&p(\{editor:e,state:R,range:j.range,isActive:C.active\})?(\overline{H.active}=!0,H.decorationId=C.decorationId?C.decorationId?C.decorationId=C.decorationId?C.decorationId=C.decorationId?C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decorationId=C.decor
 .decorationId:U,H.range=j.range,H.query=j.query,H.text=j.text):H.active=!1}else H.active=!1;return H
  .active||(H.decorationId=null,H.range={from:0,to:0},H.query=null,H.text=null),H}},props:{handleKeyDo
 wn(x,C){var S;let{active:R,range:P}=b.getState(x.state);return R&&((S=y?.onKeyDown)==null?void 0:S.c
all(y,{view:x,event:C,range:P}))||!1},decorations(x){let{active:C,range:S,decorationId:R,query:P}=b.
getState(x);if(!C)return null;let v=!P?.length,B=[a];return
 v&&B.push(u),J.create(x.doc,[Y.inline(S.from,S.to,{nodeName:l,class:B.join(" "),"data-decoration
 id":R,"data-decoration-content":c})])}});return b}var cf=wb;var
 Sb=function({editor:t,overrideSuggestionOptions:e,extensionName:n}){let r=new L;return{editor:t,char
 :"{{",pluginKey:r,command:({editor:o,range:i,props:s})=>{o.view.state.selection. ☐to.nodeAfter?.text?
    startsWith('
  ")&&(i.to+=1),o.chain().focus().insertContentAt(i,[{type:n,attrs:{...s}},{type:"text",text:" "}]).ru
 n(),o.view.dom.ownerDocument.defaultView?.getSelection()?.collapseToEnd()},allow:({state:o,range:i})
 =>{let s=o.doc.resolve(i.from),l=o.schema.nodes[n];return!!s.parent.type.contentMatch.matchType(l)},
  \dots e\}\}, uf=z.create(\{name: "mergeTag", priority: 101, addStorage() \{return\{suggestions: [], getSuggestionFrollower (suggestion frollower r:()=>null}},addOptions(){return{HTMLAttributes:{}, renderText({node:t})}{return`{{
 [{t.attrs.label??t.attrs.id} }}`},deleteTriggerWithBackspace:!1,renderHTML({options:t,node:e}){retur
n["span",T(this.HTMLAttributes,t.HTMLAttributes),`[]{e.attrs.label??e.attrs.id}`]},suggestions:[],sug
gestion:{}}},group:"inline",inline:!0,selectable:!1,atom:!0,addAttributes(){return{id:{default:null,
parseHTML:t=>t.getAttribute("data-id"),renderHTML:t=>t.id?{"data-
 id":t.id}:{}},label:{default:null,parseHTML:t=>t.getAttribute("data-
 label"),renderHTML:t=>t.label?{"data-label":t.label}:{}}},parseHTML(){return[{tag:`span[data-
type="[{this.name}"]`}]},renderHTML({node:t,HTMLAttributes:e}){let n=this.editor?.extensionStorage?.
[this.name]?.getSuggestionFromChar("{{"),r={...this.options};r.HTMLAttributes=T({"data-type":this.name},this.options.HTMLAttributes,e);let
 o=this.options.renderHTML({options:r,node:t,suggestion:n});return typeof
```

```
o=="string"?["span",T({"data-
 type":this.name},this.options.HTMLAttributes,e),o]:o},renderText({node:t}){let e={options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.options:this.o
 ns, node:t, suggestion:this.editor?.extensionStorage?.[this.name]?.getSuggestionFromChar("{{")}}; return
 this.options.renderText(e)},addKeyboardShortcuts(){return{Backspace:()=>this.editor.commands.command
   (({tr:t,state:e})=>{let n=!1,{selection:r}=e,{empty:o,anchor:i}=r;if(!o)return!1;let s=new
\label{length} \begin{tabular}{ll} le, l=0; return e.doc.nodesBetween(i-1,i,(a,c)=> \{if(a.type.name===this.name). return n=!0,s=a,l=c,!1\}), n& t.insertText(this.options.deleteTriggerWithBackspace?"":" { {",l,l+s.nodeSize},n}) } }, addProseMirrorP
 lugins(){return[...this.storage.suggestions.map(cf),new N({props:{handleDrop(t,e){if(!e||(e.preventD
efault(),!e.dataTransfer.getData("mergeTag")))return!1;let
n=e.dataTransfer.getData("mergeTag");return t.dispatch(t.state.tr.insert(t.posAtCoords({left:e.clien
 tX,top:e.clientY}).pos,t.state.schema.nodes.mergeTag.create({id:n}))),!1}})]},onBeforeCreate(){this
   .storage.suggestions=(this.options.suggestions.length?this.options.suggestions:[this.options.suggest
 ion]).map(t=>Sb({editor:this.editor,overrideSuggestionOptions:t,extensionName:this.name})),this.stor
 age.getSuggestionFromChar=t=>{let e=this.storage.suggestions.find(n=>n.char===t);return
 e||(this.storage.suggestions.length?this.storage.suggestions[0]:null)}}});var kb=z.create({name:"par
 agraph",priority:le3,addOptions(){return{HTMLAttributes:{}}},group:"block",content:"inline*",parseHT
 ML(){return[{tag:"p"}]},renderHTML({HTMLAttributes:t}){return["p",T(this.options.HTMLAttributes,t),0
 ]},addCommands(){return{setParagraph:()=>({commands:t})=>t.setNode(this.name)}},addKeyboardShortcuts
(){return{"Mod-Alt-0":()=>this.editor.commands.setParagraph()}}}),df=kb;var ff=rl;var hf=te.create({
name:"small",parseHTML(){return[{tag:"small"}]},renderHTML({HTMLAttributes:t}){return["small",t,0]},
 addCommands() \{ return\{setSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=>t.setMark(this.name), toggleSmall:()=>(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(\{commands:t\})=(
  )=>t.toggleMark(this.name),unsetSmall:()=>({commands:t})=>t.unsetMark(this.name)}}});var Cb=/(?:^|\s
 )(~~(?!\s+~~)((?:[^~]+))~~(?!\s+~~))[/,Mb=/(?:^|\s)(~~(?!\s+~~)((?:[^~]+))~~(?!\s+~~))/q,vb=te.creat
e({name: "strike", addOptions() {return{HTMLAttributes: {}}}, parseHTML() {return[{tag: "s"}, {tag: "del"}, {tag: "strike"}, {style: "text-decoration", consuming: !1, getAttrs: t=>t.includes("line-through")? {}:!1}]}, renderHTML({HTMLAttributes: t}) {return["s", T(this.options.HTMLAttributes, t), 0]}, addCommands() {return{style="color: blue;" color: blue;" color: blue;" color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: blue; color: b
 etStrike:()=>({commands:t})=>t.setMark(this.name),toggleStrike:()=>({commands:t})=>t.toggleMark(this
  .name),unsetStrike:()=>({commands:t})=>t.unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-S
 s":()=>this.editor.commands.toggleStrike()}},addInputRules(){return[Ie({find:Cb,type:this.type})]},a
ddPasteRules(){return[Ce({find:Mb,type:this.type})]}}),pf=vb;var Tb=te.create({name:"subscript",add0
ptions(){return{HTMLAttributes:{}}},parseHTML(){return[{tag:"sub"},{style:"vertical-
align",getAttrs(t){return t!=="sub"?!1:null}}]},renderHTML({HTMLAttributes:t}){return["sub",T(this.o
 ptions.HTMLAttributes,t),0]},addCommands(){return{setSubscript:()=>({commands:t})=>t.setMark(this.na
 me),toggleSubscript:()=>({commands:t})=>t.toggleMark(this.name),unsetSubscript:()=>({commands:t})=>t
  .unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-
,":()=>this.editor.commands.toggleSubscript()}}}),mf=Tb;var Ab=te.create({name:"superscript",addOpti
ons(){return{HTMLAttributes:{}}},parseHTML(){return[{tag:"sup"},{style:"vertical-
align",getAttrs(t){return t!=="super"?!1:null}}]},renderHTML({HTMLAttributes:t}){return["sup",T(this
 .options.HTMLAttributes,t),0]},addCommands(){return{setSuperscript:()=>({commands:t})=>t.setMark(thi
 s.name),toggleSuperscript:()=>({commands:t})=>t.toggleMark(this.name),unsetSuperscript:()=>({command
 s:t})=>t.unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-
      ":()=>this.editor.commands.toggleSuperscript()}}}),gf=Ab;var Il,Ll;if(typeof WeakMap<"u"){let t=new
 \label{lem:weakMap;Il=e=t.get(e),Ll=(e,n)=>(t.set(e,n),n)} else \{let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r==[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> ],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r=> \{for(let t=[],n=0;Il=r==[],n=0;Il=r==[],n=0;Il=r==[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[],n=0;Il=r=[]
 o=0; o<t. length; o+=2) if(t[o]==r) return t[o+1]\}, Ll=(r,o)=>(n==10\&\&(n=0),t[n++]=r,t[n++]=o)\} var ee=clas return t[o+1]\}, Ll=(r,o)=>(n==10\&\&(n=0),t[n++]=r,t[n++]=o)\} var ee=clas return t[o+1]\}, Ll=(r,o)=>(n==10\&\&(n=0),t[n++]=r,t[n++]=o)\} var ee=clas return t[o+1]\}, Ll=(r,o)=>(n==10\&\&(n=0),t[n++]=r,t[n++]=o)\} var ee=clas return t[o+1]\}, Ll=(r,o)=>(n==10\&\&(n=0),t[n++]=r,t[n++]=o)\} var ee=clas return t[o+1]\}, Ll=(r,o)=(n==10\&\&(n=0),t[n++]=r,t[n++]=o)\} var ee=clas return t[o+1]]
 s\{constructor(t,e,n,r)\{this.width=t,this.height=e,this.map=n,this.problems=r\}findCell(t)\{for(let,this.width=t,this.height=e,this.map=n,this.problems=r\}findCell(t)\{for(let,this.width=t,this.height=e,this.map=n,this.problems=r\}findCell(t)\{for(let,this.width=t,this.height=e,this.width=t,this.height=e,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,this.width=t,thi
 e=0;e<this.map.length;e++){let n=this.map[e];if(n!=t)continue;let
 r=e%this.width,o=e/this.width|0,i=r+1,s=o+1;for(let
 l=1;i<this.width&&this.map[e+l]==n;l++)i++;for(let
 l=1;s<this.height&&this.map[e+this.width*l]==n;l++)s++;return{left:r,top:o,right:i,bottom:s}}throw
 new RangeError(`No cell with offset □{t} found`)}colCount(t){for(let
 e=0;e<this.map.length;e++)if(this.map[e]==t)return e%this.width;throw new RangeError(`No cell with
offset []{t} found`)}nextCell(t,e,n){let{left:r,right:o,top:i,bottom:s}=this.findCell(t);return e=="h oriz"?(n<0?r==0:o==this.width)?null:this.map[i*this.width+(n<0?r-
 1:0)]:(n<0?i==0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)]:this.width*(n<0?i=0:s==this.height)?null:this.map[r+this.width*(n<0?i=0:s==this.height)]:this.width*(n<0?i=0:s==this.height)?null:this.width*(n<0?i=0:s==this.height)]:this.width*(n<0?i=0:s==this.height)?null:this.width*(n<0:s==this.height)]:this.width*(n<0:s==this.height)?null:this.width*(n<0:s==this.height)]:this.width*(n<0:s==this.height)?null:this.width*(n<0:s==this.height)]:this.width*(n<0:s==this.height)?null:this.width*(n<0:s==this.height)]:this.width*(n<0:s==this.height)?null:this.height)
 1:s)]}rectBetween(t,e){let{\tilde{l}eft:n,right:r,top:o,bottom:i}=this.findCell(t),{left:s,right:l,top:a,bot
 tom:c\} = this.findCell(e); return\{left: Math.min(n,s), top: Math.min(o,a), right: Math.max(r,l), bottom: Math.min(o,a), right: Math.max(r,l), bottom: Math.min(o,a), right: Math.max(r,l), bottom: Math.min(o,a), right: Math.max(r,l), bottom: Math.min(o,a), right: Math.max(r,l), bottom: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right: Math.min(o,a), right:
 max(i,c)\} cells In Rect(t) \{let \ e=[], n=\{\}; for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r<t.bottom; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(let \ r=t.top; r++) for(le
 -1]==s||r==t.top&&r&&this.map[i-this.width]==s)&&e.push(s))}return e}positionAt(t,e,n){for(let
 r=0,o=0;;r++){let i=o+n.child(r).nodeSize;if(r==t){let
 s=e+t*this.width,l=(t+1)*this.width;for(;s<l&&this.map[s]<o;)s++;return
s==l?i-1:this.map[s]}o=i}}static get(t){return Il(t)||Ll(t,Eb(t))}};function
Eb(t){if(t.type.spec.tableRole!="table")throw new RangeError("Not a table node: "+t.type.name);let
 e=0b(t), n=t. childCount, r=[], o=0, i=null, s=[]; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)r[c]=0; for(let c=0, u=e*n; c<u; c++)
 c=0,u=0;c< n;c++) {let d=t.child(c);u++;for(let
 p=0;;p++) {for(;o<r.length&&r[o]!=0;)o++;if(p==d.childCount)break;let
m=d.child(p),{colspan:g,rowspan:y,colwidth:b}=m.attrs;for(let
x=0;x<y;x++){if(x+c>=n){(i||(i=[])).push({type:"overlong_rowspan",pos:u,n:y-x});break}let
 C=o+x*e; for(let
 S=0;S<q;S++)\{r[C+S]==0?r[C+S]=u:(i||(i=[])).push(\{type:"collision",row:c,pos:u,n:q-S\});let
 R = b \& b [S]; if(R) \{ let P = (C+S) e^*2, v = S[P]; v = null | |v! = R \& S[P+1] = 1?(S[P] = R, S[P+1] = 1) : v = R \& S[P+1] + + \} \} 
 +=g,u+=m.nodeSize let f=(c+1)*e,h=0;for(;o<f;)r[o++]==0\&\&h++;h\&\&(i||(i=[])).push({type:"missing",row})
```

```
\{(x,n;h),u++\}(e==0||n==0)\&\&(i||(i=[])).push(\{type:"zero sized"\}); let l=new\}
 ee(e,n,r,i), a=!1; for(let c=0; !a&&c<s.length; c+=2)s[c]!=null&&s[c+1]<n&&(a=!0); return
 a&&Nb(l,s,t),l}function Ob(t){let e=-1,n=!1;for(let r=0;r<t.childCount;r++){let
 o=t.child(r), i=0; if(n) for(let s=0; s< r; s++) \{let l=t.child(s); for(let a=0; a< l.childCount; a++) \{let l=t.child(s); for(let a=0; a< l.childCount; a++) \}
 c=l.child(a); s+c.attrs.rowspan>r\&\&(i+=c.attrs.colspan)\}\} for(let s=0; s<o.childCount; s++) \{let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s++) \} for(let s=0; s<o.childCount; s+-) \} for(let s=0; s<o.childCount; s+-) \} for(let s=0; s<o.childCount; s+-) \} for(let s=0; s<o.childCount; s+-) \} for(let s=0; s<o.childCount; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+-) \} for(let s=0; s+
 l=o.child(s); i+=l.attrs.colspan, l.attrs.rowspan>1\&\&(n=!0)\} e==-1?e=i:e!=i\&\&(e=Math.max(e,i))\} return
 e\function Nb(t,e,n)\function N
 i=t.map[o];if(r[i])continue;r[i]=!0;let s=n.nodeAt(i);if(!s)throw new RangeError( No cell with
 offset \square{i} found`); let l=null, a=s.attrs; for(let c=0; c<a.colspan; c++){let u=(o+c)%t.width, d=e[u*2]; d=0; c<a.colspan; c++)}
  !=null\&(!a.colwidth||a.colwidth|c]!=d)\&((l||(l=Rb(a)))[c]=d)\\l\&(.problems.unshift({type:"colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la.colwidth|la
 mismatch",pos:i,colwidth:l})}}function Rb(t){if(t.colwidth)return t.colwidth.slice();let
e=[];for(let n=0;n<t.colspan;n++)e.push(0);return e}function ye(t){let e=t.cached.tableNodeTypes;if(!e){e=t.cached.tableNodeTypes={}};for(let n in t.nodes){let
 r=t.nodes[n],o=r.spec.tableRole;o&&(e[o]=r)}}return e}var Pt=new L("selectingCells");function
vn(t){for(let e=t.depth-1;e>0;e--)if(t.node(e).type.spec.tableRole=="row")return
t.node(0).resolve(t.before(e+1));return null}function Db(t){for(let e=t.depth;e>0;e--){let
n=t.node(e).type.spec.tableRole;if(n==="cell"||n==="header_cell")return t.node(e)}return
null}function We(t){let e=t.selection.
n=e.depth;n>0;n--)if(e.node(n).type.spec.tableRole=="row")return!0;return!1}function oi(t){let e=t.selection;if("□anchorCell"in e&e.□anchorCell)return
 e&&e.node&&e.node.type.spec.tableRole=="cell")return e.□anchor;let
 n=vn(e.∏head)||Pb(e.∏head);if(n)return n;throw new RangeError(`No cell found around position

[{e.head}`)}function Pb(t){for(let e=t.nodeAfter,n=t.pos;e;e=e.firstChild,n++){let
r=e.type.spec.tableRole;if(r=="cell"||r=="header_cell")return t.doc.resolve(n)}for(let
 e=t.nodeBefore,n=t.pos;e;e=e.lastChild,n--){let
r=e.type.spec.tableRole;if(r=="cell"||r=="header_cell")return t.doc.resolve(n-e.nodeSize)}}function Bl(t){return t.parent.type.spec.tableRole=="row"&&!!t.nodeAfter}function Ib(t){return
 t.node(0).resolve(t.pos+t.nodeAfter.nodeSize)}function Fl(t,e){return
 t.depth == e.depth \& t.pos >= e.start(-1) \& t.pos <= e.end(-1) \\ function Tf(t,e,n) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ function Tf(t,e,n) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ function Tf(t,e,n) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ function Tf(t,e,n) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ function Tf(t,e,n) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= e.end(-1) \\ \{letter = e.depth & t.pos <= 
 r=t.node(-1),o=ee.get(r),i=t.start(-1),s=o.nextCell(t.pos-i,e,n);return
s = \text{null} \{ \text{null} : \text{t.node}(0) : \text{resolve}(\text{i+s}) \} \text{function } Zt(t,e,n=1) \{ \text{let } r=\{\dots t,\text{colspan:t.colspan-n} \}; \text{return } r.c. \text{ olwidth} \\ \& \{ \text{r.colwidth-some}(\text{o=>o>0}) | | \{ \text{r.colwidth-splice}(\text{e,n}), \text{r.colwidth.some}(\text{o=>o>0}) | | \{ \text{r.colwidth-splice}(\text{e,n}), \text{r.colwidth.some}(\text{o=>o>0}) | \} \} 
 null)),rfunction Af(t,e,n=1){let
 r={...t,colspan:t.colspan+n};if(r.colwidth){r.colwidth=r.colwidth.slice();for(let
 o=0; o<n; o++)r.colwidth.splice(e,0,0)return r}function Lb(t,e,n){let
 r=ye(e.type.schema).header cell;for(let
 o=0;o<t.height;o++)if(e.nodeAt(t.map[n+o*t.width]).type!=r)return!1;return!0}var K=class xt extends
E{constructor(e,n=e){let r=e.node(-1),o=ee.get(r),i=e.start(-1),s=o.rectBetween(e.pos-i,n.pos-i),l=e.node(0),a=o.cellsInRect(s).filter(u=>u!=n.pos-i);a.unshift(n.pos-i);let c=a.map(u=>{let
 d=r.nodeAt(u);if(!d)throw RangeError(`No cell with offset [[{u}] found`);let f=i+u+1;return new dn(l.r
f(Bl(r)\&\&Bl(o)\&\&Fl(r,o)) \{let i=this. | anchorCell.node(-1)!=r.node(-1); return \\ i\&\&this.isRowSelection()?xt.rowSelection(r,o):i\&\&this.isColSelection()?xt.colSelection(r,o):new
 xt(r,o)} return A.between(r,o)} content(){let e=this. \BoxanchorCell.node(
 1),n=ee.get(e),r=this.□anchorCell.start(-1),o=n.rectBetween(this.□anchorCell.pos-
 r,this. headCell.pos-r,i={},s=[];for(let a=o.top;a<o.bottom;a++){let c=[];for(let
 u = a*n.width+o.left, d=o.left; d<o.right; d++, u++) \{let \ f=n.map[u]; if(i[f]) continue; i[f]=!0; let h=n.findCell(f), p=e.nodeAt(f); if(!p)throw RangeError(`No cell with offset <math>\square\{f\} found`); let
 \label{eq:meoleft-h.left} $$ m=o.left-h.left,g=h.right-o.right;if(m>0||g>0){let y=p.attrs;if(m>0&&(y=Zt(y,0,m)),g>0&&(y=Zt(y,y.colloper),h.left<o.left){if(p=p.type.createAndFill(y),!p)throw RangeError(`Could not create celloper),h.left<o.left){if(p=p.type.createAndFill(y),!p)throw RangeError(`Could not create celloper)}.
with attrs [{JSON.stringify(y)}`)}else
p=p.type.create(y,p.content)}if(h.top<o.top||h.bottom>o.bottom){let y={...p.attrs,rowspan:Math.min(h
    .bottom,o.bottom)
\label{lem:max_substitute} $$ Math.max(h.top,o.top); h.top<o.top?p=p.type.createAndFill(y):p=p.type.create(y,p.content); c.push(p); s.push(e.child(a).copy(w.from(c))); let l=this.isColSelection()&this.isRowSelection()?e:s; return new letters the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of th
 M(w.from(l),1,1)}replace(e,n=M.empty){let r=e.steps.length,o=this.ranges;for(let s=0;s<o.length;s++)
{let{□from:l,□to:a}=o[s],c=e.mapping.slice(r);e.replace(c.map(l.pos),c.map(a.pos),s?M.empty:n)}let i =E.findFrom(e.doc.resolve(e.mapping.slice(r).map(this.to)),-
 1);i&&e.setSelection(i)}replaceWith(e,n){this.replace(e,new M(w.from(n),0,0))}forEachCell(e){let n=t
 his. □anchorCell.node(-1), r=ee.get(n), o=this. □anchorCell.start(
 1),i=r.cellsInRect(r.rectBetween(this. □anchorCell.pos-o,this. □headCell.pos-o));for(let
s=0;s<i.length;s++)e(n.nodeAt(i[s]),o+i[s])}isColSelection(){let
e=this.__anchorCell.index(-1),n=this.__headCell.index(-1);if(Math.min(e,n)>0)return!1;let
 r = e + this. \\ \_ anchor Cell. \\ node After. \\ attrs. \\ rowspan, \\ o = n + this. \\ \_ head Cell. \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ return \\ node After. \\ attrs. \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowspan; \\ rowsp
 1),o=ee.get(r),i=e.start(-1),s=o.findCell(e.pos-i),l=o.findCell(n.pos-i),a=e.node(0);return s.top<=l
  . top?(s.top>0\&\&(e=a.resolve(i+o.map[s.left])),l.bottom<o.height&&(n=a.resolve(i+o.map[o.width*(o.height&))))
 ght-1)+l.right
 \bar{1}]))):(l.to\bar{p}>0\&(n=a.resolve(i+o.map[l.left])),s.bottom<o.height\&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.width*(o.height&(e=a.resolve(i+o.map[o.width*(o.height&(e=a.resolve(i+o.map[o.width*(
 ight-1)+s.right-1]))),new xt(e,n)}isRowSelection(){let e=this.□anchorCell.node(-
 1), n=ee.get(e), r=this. anchorCell.start(-1), o=n.colCount(this. anchorCell.pos-
```

```
r),i=n.colCount(this. ☐headCell.pos-r);if(Math.min(o,i)>0)return!1;let
 s=o+this.∏anchorCell.nodeAfter.attrs.colspan,l=i+this.∏headCell.nodeAfter.attrs.colspan;return
 Math.max(\bar{s},l) == n.width eq(e) \{return e instanceof\}
 xt&&e. \( \pi \anchorCell.pos==this. \( \pi \anchorCell.pos \& e. \( \pi \anchorCell.pos==this. \) \( \pi \anchorCell.pos \& e. \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos ==this. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorCell.pos \& e. \) \( \pi \anchorC
 rowSelection(e,n=e){let r=e.node(-1),o=ee.get(r),i=e.start(-1),s=o.findCell(e.pos
 i),l=o.findCell(n.pos-i),a=e.node(0);return s.left<=l.left?(s.left>0&&(e=a.resolve(i+o.map[s.top*o.w
 idth])), l.right<o.width&&(n=a.resolve(i+o.map[o.width*(l.top+1)-
 1]))):(l.left>0&&(n=a.resolve(i+o.map[l.top*o.width])),s.right<o.width&&(e=a.resolve(i+o.map[o.width
*(s.top+1)-1]))), new xt(e,n)}toJSON(){return{type:"cell",anchor:this.[anchorCell.pos,head:this.[headCell.pos}}static
 from JSON(e,n){return new xt(e.resolve(n.anchor),e.resolve(n.head))}static create(e,n,r=n){return new
 xt(e.resolve(n),e.resolve(r))}getBookmark(){return new
 Bb(this. □anchorCell.pos, this. □headCell.pos)}};K.prototype.visible=!1;E.jsonID("cell",K);var Bb=class
 Ef{constructor(e,n){this.anchor=e,this.head=n}map(e){return new
 Ef(e.map(this.anchor),e.map(this.head))}resolve(e){let
 n = e.\,resolve(this.anchor), r = e.\,resolve(this.head); return \ n.\,parent.\,type.\,spec.\,table Role == "row" \& r.\,parent.\,type.\,spec.\,table Role == "row" \& r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,spec.\,table Role == "row" & r.\,parent.\,type.\,table Role =
   .type.spec.tableRole=="row"&&n.index()<n.parent.childCount&&r.index()<r.parent.childCount&&Fl(n,r)?n
 ew K(n,r): E.near(r,1)}; function zb(t){if(!(t.selection instance of K))return null; let e=[]; return t.
 selection.forEachCell((n,r)=>\{e.push(Y.node(r,r+n.nodeSize,\{class:"selectedCell"\}))\}),J.create(t.doc)
 ,e)}function Hb({[from:t,[to:e])}(if(t.pos==e.pos||t.pos<e.pos-6))return!1;let
 n=t.pos, r=e.pos, o=t.depth; for(;o>=0&&!(t.after(o+1)<t.end(o));o--,n++); for(let)
 i=e.depth; i>=0\&\{(e.before(i+1)>e.start(i)); i--, r--); return
 n = r\& (row | table/.test(t.node(o).type.spec.tableRole)) function Fb({$ [from:t, ]to:e }) {let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;for(let n,r;
o=t.depth;o>0;o--){let i=t.node(o);if(i.type.spec.tableRole==="cell"||i.type.spec.tableRole==="heade r cell"){n=i;break}}for(let o=e.depth;o>0;o--){let i=e.node(o);if(i.type.spec.tableRole==="cell"||i.
type.spec.tableRole==="header_cell"){r=i;break}}return n!==r&&e.parentOffset===0}function 0b(t,e,n){let r=(e||t).selection,o=(e||t).doc,i,s;if(r instanceof 0b&(s=r.node.type.spec.tableRole)){if(s=="cell"||s=="header_cell")i=K.create(o,r.from);else
 if(s=="row"){let l=o.resolve(r.from+1); i=K.rowSelection(l,l)}else if(!n){let}
 l=ee.get(r.node),a=r.from+1,c=a+l.map[l.width*l.height-l];i=K.create(o,a+1,c)}}else r instanceof
 A&&Hb(r)?i=A.create(o,r.from):r instanceof
 A\&\&Fb(r)\&\&(i=A.create(o,r.||from.start(),r.||from.end()));return
 o=t.childCount,i=e.childCount;e:for(let s=0,l=0;s<i;s++){let a=e.child(s);for(let
 c=1, u=Math.min(o,s+3); c< u; c++)if(t.child(c)==a){l=c+1, n+=a.nodeSize; continue e}r(a,n), l<o&c.t.child(l)=a.nodeSize; co
 ).sameMarkup(a)?Of(t.child(l),a,n+1,r):a.nodesBetween(0,a.content.size,r,n+1),n+=a.nodeSize}}functio
 o=ee.get(e);if(!o.problems)return r;r||(r=t.tr);let i=[];for(let
 a=0;a<o.height;a++)i.push(0);for(let a=0;a<o.problems.length;a++){let
c=o.problems[a];if(c.type=="collision"){let u=e.nodeAt(c.pos);if(!u)continue;let d=u.attrs;for(let f
=0;f<d.rowspan;f++)i[c.row+f]+=c.n;r.setNodeMarkup(r.mapping.map(n+1+c.pos),null,Zt(d,d.colspan-
c.n,c.n))}else if(c.type=="missing")i[c.row]+=c.n;else if(c.type=="overlong_rowspan"){let u=e.nodeAt</pre>
(c.pos);if(!u)continue;r.setNodeMarkup(r.mapping.map(n+1+c.pos),null,{...u.attrs,rowspan:u.attrs.row
span-c.n})}else if(c.type=="colwidth mismatch"){let u=e.nodeAt(c.pos);if(!u)continue;r.setNodeMarkup
  (r.mapping.map(n+1+c.pos),null,{...u.attrs,colwidth:c.colwidth})}else if(c.type=="zero sized"){let
 u=r.mapping.map(n);r.delete(u,u+e.nodeSize)}}let s,l;for(let
 a=0; a<i.length; a++)i[a]\&\&(s==null\&\&(s=a), l=a); for(let a=0, c=n+1; a<0.height; a++)\{let a=0, c=n+1; a<0.height; a++)\} = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n+1; a<0.height; a++) = (let a=0, c=n
 u=e.child(a),d=c+u.nodeSize,f=i[a];if(f>0){let
 h="cell";u.firstChild&&(h=u.firstChild.type.spec.tableRole);let p=[];for(let g=0;g<f;g++){let
 y=ye(t.schema)[h].createAndFill();y&&p.push(y)}let
 m=(a==0)|s==a-1)&=a-1
 r.setMeta(Vb,{fixTables:!0})}function nt(t){let
 e=t.selection, n=oi(t), r=n.node(-1), o=n.start(-1), i=ee.get(r); return\{\dots e \ instanceof \ K?i.rectBetween(e-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(-1), o=n.start(
 e. □anchorCell.pos-o,e. □headCell.pos-o):i.findCell(n.pos-o),tableStart:o,map:i,table:r}}function
 Nf(t,{map:e,tableStart:n,table:r},o){let i=o>0?-1:0;Lb(e,r,o+i)&&(i=o==0||o==e.width?null:0);for(let i=o>0?-1:0;Lb(e,r,o+i)&&(i=o==0)||o==e.width?null:0);for(let i=o>0);for(let i
 s=0; s<e.height; s++) {let l=s*e.width+o; if(o>0&&o<e.width&e.map[l-1]==e.map[l]) {let a=e.map[l], c=r.no
deAt(a);t.setNodeMarkup(t.mapping.map(n+a),null,Af(c.attrs,o-e.colCount(a))),s+=c.attrs.rowspan-
1}else{let a=i==null?ye(r.type.schema).cell:r.nodeAt(e.map[l+i]).type,c=e.positionAt(s,o,r);t.insert
  (t.mapping.map(n+c),a.createAndFill())}}return t}function Rf(t,e){if(!We(t))return!1;if(e){let
 n=nt(t);e(Nf(t.tr,n,n.left)))return!0}function Df(t,e)\{if(!We(t))return!1;if(e)\{let in the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the interval of the
 n=nt(t);e(Nf(t.tr,n,n.right))}return!0}function b(t,{map:e,table:n,tableStart:r},o){let
 i=t.mapping.maps.length;for(let s=0;s<e.height;){let l=s*e.width+o,a=e.map[l],c=n.nodeAt(a),u=c.attr
 s;if(o>0\&\&e.map[l-1]==a||o<e.width-
 1\&\&e.map[l+1] == a)t.setNodeMarkup(t.mapping.slice(i).map(r+a),null,Zt(u,o-e.colCount(a)));else{let} = a(u,o-e.colCount(a)));else{let} = a(u
 d=t.mapping.slice(i).map(r+a);t.delete(d,d+c.nodeSize)\}s+=u.rowspan} function
 Pf(t,e){if(!We(t))return!1;if(e){let
 n=nt(t), r=t.tr;if(n.left==0&&n.right==n.map.width)return!1;for(let
o=n.right-1;_b(r,n,o),o!=n.left;o--){let
i=n.tableStart?r.doc.nodeAt(n.tableStart-1):r.doc;if(!i)throw RangeError("No table
 found");n.table=i,n.map=ee.get(i)}e(r)}return!0}function jb(t,e,n){var r;let
 o=ye(e.type.schema).header cell;for(let
 i=0;i<t.width;i++)if(((r=e.nodeAt(t.map[i+n*t.width]))==null?void
```

```
0:r.type)!=o)return!1;return!0}function If(t,{map:e,tableStart:n,table:r},o){var i;let s=n;for(let
 c=0;c<o;c++)s+=r.child(c).nodeSize;let
.nodeAt(d).attrs;t.setNodeMarkup(n+d,null,{...f,rowspan:f.rowspan+1}),c+=f.colspan-1}else{let
 d=a==null?ye(r.type.schema).cell:(i=r.nodeAt(e.map[u+a*e.width]))==null?void
 0:i.type,f=d?.createAndFill();f&&l.push(f)}return
 t.insert(s,ye(r.type.schema).row.create(null,l)),t}function Lf(t,e){if(!We(t))return!1;if(e){let
 n=nt(t);e(If(t.tr,n,n.top))}return!0}function Bf(t,e){if(!We(t))return!1;if(e){let
 n=nt(t);e(If(t.tr,n,n.bottom))}return!0}function Kb(t,{map:e,table:n,tableStart:r},o){let
 i=0;for(let c=0;c<o;c++)i+=n.child(c).nodeSize;let
 s=i+n.child(o).nodeSize,l=t.mapping.maps.length;t.delete(i+r,s+r);let a=new Set;for(let
 c=0, u=o*e.width; c<e.width; c++, u++) {let
 d=e.map[u]; if(!a.has(d)) \\ \{if(a.add(d),o>0 \& d=e.map[u-e.width]) \\ \{let\ f=n.nodeAt(d).attrs; t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark, t.setNodeMark
up(t.mapping.slice(l).map(d+r),null,{...f,rowspan:f.rowspan-1}),c+=f.colspan-1}else if(o<e.height&&d==e.map[u+e.width]){let f=n.nodeAt(d),h=f.attrs,p=f.type.create({...h,rowspan:f.attr
 s.rowspan-
 1}, f.content), m=e.positionAt(o+1,c,n); t.insert(t.mapping.slice(l).map(r+m),p),c+=h.colspan-
 1}}}function zf(t,e){if(!We(t))return!1;if(e){let
 n=nt(t), r=t.tr; if(n.top==0&&n.bottom==n.map.height)return!1; for(let
 o=n.bottom-1;Kb(r,n,o),o!=n.top;o--){let
 i=n.tableStart?r.doc.nodeAt(n.tableStart-1):r.doc;if(!i)throw RangeError("No table
 found");n.table=i,n.map=ee.get(n.table)}e(r)}return!0}function yf(t){let e=t.content;return
 e.childCount==1&&e.child(0).isTextblock&&e.child(0).childCount==0}function
 Ub({width:t,height:e,map:n,r){let
 o=r.top*t+r.left,i=o,s=(r.bottom-1)*t+r.left,l=o+(r.right-r.left-1);for(let a=r.top;a<r.bottom;a++){
 if(r.left>0&&n[i]==n[i-1]||r.right<t&&n[l]==n[l+1])return!0;i+=t,l+=t}for(let a=r.left;a<r.right;a++
 ) \{ if(r.top>0\&\&n[o]==n[o-t] \middle| |r.bottom<e\&\&n[s]==n[s+t] \} return!0;o++,s++ \} return!1 \} function \ Vl(t,e) \{ letalized for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 n=t.selection;if(!(n instanceof K)||n.∏anchorCell.pos==n.∏headCell.pos)return!1;let
r=nt(t),{map:o}=r;if(Ub(o,r))return!1;if(e){let i=t.tr,s={},l=w.empty,a,c;for(let u=r.top;u<r.bottom;u++)for(let d=r.left;d<r.right;d++){let f=o.map[u*o.width+d],h=r.table.nodeAt(f);if(!(s[f]||!h))if(s[f]=!0,a==null)a=f,c=h;else{yf(h)||(l=l.append(h.content));let p=i.mapping.map(f+
 r.tableStart); i.delete(p,p+h.nodeSize)\} \\ if(a==null||c==null|) \\ return!0; if(i.setNodeMarkup(a+r.tableStart)) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==null) \\ f(a==
 rt,null,{...Af(c.attrs,c.attrs.colspan,r.right-r.left-c.attrs.colspan),rowspan:r.bottom-
 r.top}),l.size){let
 u=a+1+c.content.size, d=yf(c)?a+1:u;i.replaceWith(d+r.tableStart,u+r.tableStart,l)\}i.setSelection(new K(i.doc.resolve(a+r.tableStart))),e(i)}return!0}function Wl(t,e){let n=ye(t.schema);return} 
 Jb((\{node:r\})=>n[r.type.spec.tableRole])(t,e)\}function Jb(t)\{return(e,n)=>\{var r;let e,n\}
 o=e.selection,i,s;if(o instanceof K){if(o.□anchorCell.pos!=o.□headCell.pos)return!1;i=o.□anchorCell.
 nodeAfter, s=o. \square anchorCell.poselse\{if(i=Db(o. \square from), !i) return!1; s=(r=vn(o. \square from)) ==null?void
 0:r.pos}if(i==null||s==null||i.attrs.colspan==1&&i.attrs.rowspan==1)return!1;if(n){let
l=i.attrs, a=[], c=l.colwidth; l.rowspan>1&&(l=\{...l,rowspan:1\}), l.colspan>1&&(l=\{...l,colspan:1\}); let u=nt(e), d=e.tr; for(let h=0;h<u.right-u.left;h++)a.push(c?\{...l,colwidth:c&&c[h]?[c[h]]:null\}:l); let
 f;for(let h=u.top;h<u.bottom;h++){let
 +)m==u.left&&h==u.top||d.insert(f=d.mapping.map(p+u.tableStart,1),t({node:i,row:h,col:m}).createAndF
 ill(a[q]))}d.setNodeMarkup(s,t({node:i,row:u.top,col:u.left}),a[0]),o instanceof
K\&\&d.setSelection(new K(d.doc.resolve(o. \BoxanchorCell.pos), f?d.doc.resolve(f):void 0)),n(d)}return!0}}function Hf(t,e){return function(n,r){if(!We(n))return!1;let
 o=oi(n);if(o.nodeAfter.attrs[t]===e)return!1;if(r){let i=n.tr;n.selection instanceof K?n.selection.f
 or Each Cell((s,l)=>\{s.attrs[t]!==e\&i.setNodeMarkup(l,null,\{...s.attrs,[t]:e\})\}): i.setNodeMarkup(o.po)
 s,null,{...o.nodeAfter.attrs,[t]:e}),r(i)}return!0}}function qb(t){return
function(e,n){if(!We(e))return!1;if(n){let r=ye(e.schema),o=nt(e),i=e.tr,s=o.map.cellsInRect(t=="column"?{left:o.left,top:0,right:o.right,bottom:o.map.height}:t=="row"?{left:0,top:o.top,right:o.map.wi
 dth,bottom:o.bottom}:o),l=s.map(a=>o.table.nodeAt(a));for(let a=0;a<s.length;a++)l[a].type==r.header
    {\tt cell\&i.setNodeMarkup(o.tableStart+s[a],r.cell,l[a].attrs); if (i.steps.length==0) for (let a=0; a<s.length==0) a<s.length==0) for (let a=0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s.length==0; a<s
 gth;a++)i.setNodeMarkup(o.tableStart+s[a],r.header cell,l[a].attrs);n(i)}return!0}}function
 bf(t,e,n){let r=e.map.cellsInRect({left:0,top:0,right:t=="row"?e.map.width:1,bottom:t=="column"?e.ma
 p.height:1});for(let o=0;o<r.length;o++){let</pre>
 i=e.table.nodeAt(r[o]);if(i&&i.type!==n.header cell)return!1}return!0}function Tn(t,e){return
 e = e \mid \{ \{ useDeprecatedLogic: !1 \}, e.useDeprecatedLogic? qb(t): function(n,r) \{ if(!We(n)) return!1; if(r) \{ let old on the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic in the logic 
=ye(n.schema),i=nt(n),s=n.tr,l=bf("row",i,o),a=bf("column",i,o),u=(t==="column"?l:t==="row"?a:!1)?1:
0,d=t=="column"?{left:0,top:u,right:1,bottom:i.map.height}:t=="row"?{left:u,top:0,right:i.map.width,bottom:1}:i,f=t=="column"?a?o.cell:o.header_cell:t=="row"?l?o.cell:o.header_cell:i.map.cellsI
 nRect(d).forEach(h=>{let
 p = h + i.tableStart, m = s.doc.nodeAt(p); m\&s.setNodeMarkup(p,f,m.attrs)\}), r(s) \\ return!0 \\ \} var eM = Tn("row" + i.tableStart, m = s.doc.nodeAt(p); m&s.setNodeMarkup(p,f,m.attrs)\}), r(s) \\ \} var eM = Tn("row" + i.tableStart, m = s.doc.nodeAt(p); m&s.setNodeMarkup(p,f,m.attrs)\}), r(s) \\ \} var eM = Tn("row" + i.tableStart, m = s.doc.nodeAt(p); m&s.setNodeMarkup(p,f,m.attrs)\}), r(s) \\ \} var eM = Tn("row" + i.tableStart, m = s.doc.nodeAt(p); m&s.setNodeMarkup(p,f,m.attrs)\}), r(s) \\ \} var eM = Tn("row" + i.tableStart, m = s.doc.nodeAt(p); m&s.setNodeMarkup(p,f,m.attrs)), r(s) \\ \} var eM = Tn("row" + i.tableStart, m = s.tableStart, m 
 {useDeprecatedLogic:!0}),tM=Tn("column",{useDeprecatedLogic:!0}),Ff=Tn("cell",{useDeprecatedLogic:!0
 });function Gb(t,e){if(e<0){let n=t.nodeBefore;if(n)return t.pos-n.nodeSize;for(let</pre>
r=t.index(-1)-1,o=t.before();r>=0;r--){let i=t.node(-1).child(r),s=i.lastChild;if(s)return o-1-s.nodeSize}}else{if(t.index()<t.parent.childCount-1)return
 t.pos+t.nodeAfter.nodeSize;let n=t.node(-1);for(let
 r=t.indexAfter(-1),o=t.after();r<n.childCount;r++){let i=n.child(r);if(i.childCount)return
 o+1;o+=i.nodeSize}}return null}function l(t){return function(e,n){if(!We(e))return!1;let
```

```
r=Gb(oi(e),t);if(r==null)return!1;if(n){let
 o=e.doc.resolve(r);n(e.tr.setSelection(A.between(o,Ib(o))).scrollIntoView())}return!0}}function
 ∏f(t.e){let n=t.selection.∏anchor;for(let
 r=n.depth;r>0;r--)if(n.node(r).type.spec.tableRole=="table")return
 e\&e(t.tr.delete(n.before(r),n.after(r)).scrollIntoView()),!0;return!1}function Zo(t,e){let}
 tent; n. forEachCell((i,s)=>\{i.content.eq(o)||r.replace(r.mapping.map(s+1),r.mapping.map(s+i.nodeSize-tent),r.mapping.map(s+i.nodeSize-tent)\}
 1), new M(o,0,0))}), r.docChanged&&e(r)}return!0}function Yb(t){if(!t.size)return null;let{content:e,o
 penStart:n, openEnd:r\} = t; for(;e.childCount == 1\&\&(n>0\&\&r>0 | |e.child(0).type.spec.tableRole == "table");) n = table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == table == tabl
       -,r--,e=e.child(0).content;let
 o=e.child(0),i=o.type.spec.tableRole,s=o.type.schema,l=[];if(i=="row")for(let
 a=0;a<e.childCount;a++){let c=e.child(a).content,u=a?0:Math.max(0,n-1),d=a<e.childCount-
 1?0:Math.max(0,r-1);(u||d)&&(c=zl(ye(s).row,new M(c,u,d)).content),l.push(c)}else
 if(i=="cell"||i=="header_cell")l.push(n||r?zl(ye(s).row,new M(e,n,r)).content:e); else return null; return Xb(s,l) function Xb(t,e) {let n=[]; for(let o=0;o<e.length;o++) {let i=e[o]; for(let o=0;o<e.length;o++) } 
 s=i.childCount-1;s>=0;s--){let{rowspan:l,colspan:a}=i.child(s).attrs;for(let
 c=0; c<0+1; c++)n[c]=(n[c]||0)+a} let r=0; for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]); for(let o=0; o< n.length; o++)r=Math.max(r,n[o]);
 o=0; o< n.length; o++)if(o>=e.length&&e.push(w.empty), n[o]< r){let}
i=ye(t).cell.createAndFill(),s=[];for(let
l=n[o];l<r;l++)s.push(i);e[o]=e[o].append(w.from(s))}return{height:e.length,width:r,rows:e}}function</pre>
 zl(t,e) \{ \text{let n=t.createAndFill()}; \text{return new kt(n).replace(0,n.content.size,e).doc} \\ function Qb(\{\text{width:t,height:e,rows:n},r,o) \{ \text{if(t!=r)} \{ \text{let i=[],s=[]}; \text{for(let l=0;l<n.length;l++)} \{ \text{let l=0;l<n.length;l++} \} \\ function for the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the length of the 
 a=n[l], c=[]; for(let u=i[l])|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< r; d++){let f=a.child(d%a.childCount); u+f.attrs.colspan>r&&(f=f.t)|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f=f.t|0, d=0; u< f
ype.createChecked(Zt(f.attrs,f.attrs.colspan,u+f.attrs.colspan-
r),f.content)),c.push(f),u+=f.attrs.colspan;for(let
 i=[];for(let s=0,l=0;s<0;s++,l++){let a=[],c=n[l%e];for(let u=0;u<c.childCount;u++){let d=c.child(u)
;s+d.attrs.rowspan>o&&(d=d.type.create({...d.attrs,rowspan:Math.max(1,o-d.attrs.rowspan)},d.content)),a.push(d)}i.push(w.from(a))}n=i,e=o}return{width:t,height:e,rows:n}}function Zb(t,e,n,r,o,i,s){let l=t.doc.type.schema,a=ye(l),c,u;if(o>e.width)for(let d=0,f=0;d<e.height;d++){let h=n.child(d);f+=h.nodeSize;let p=[],m;h.lastChild=null||h.lastChild.type==a.cell?m=c||(c=a.cell.createAndFill()):m=u||(u=a.header_cell.createAndFill());for(let d=0,f=0;d<e.height;d+).action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action=0.set().action
 g=e.width; g<o; g++)p.push(m); t.insert(t.mapping.slice(s).map(f-1+r),p) \\ \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i) \} if(i>e.height) \\ \{let i
 d=[];for(let p=0,m=(e.height-1)*e.width;p<Math.max(e.width,o);p++){let g=p>=e.width?!1:n.nodeAt(e.ma
 p[m+p]).type==a.header_cell;d.push(g?u||(u=a.header_cell.createAndFill()):c||(c=a.cell.createAndFill
  ()))}let f=a.row.create(null,w.from(d)),h=[];for(let p=e.height;p<i;p++)h.push(f);t.insert(t.mapping
     .slice(s).map(r+n.nodeSize-2),h)}return!!(c||u)}function
 xf(t,e,n,r,o,i,s,l){if(s==0||s==e.height)return!1;let a=!1;for(let c=o;c<i;c++){let
 u=s*e.width+c,d=e.map[u];if(e.map[u-e.width]==d){a=!0;let f=n.nodeAt(d),{top:h,left:p}=e.findCell(d)}
   ;t.setNodeMarkup(t.mapping.slice(l).map(d+r),null,{...f.attrs,rowspan:s-
 h\}), t.insert(t.mapping.slice(l).map(e.positionAt(s,p,n)), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.createAndFill(\{...f.attrs,rowspan:h+line(s,p,n)\}), f.type.create
 f.attrs.rowspan-s})),c+=f.attrs.colspan-1}}return a}function
 wf(t,e,n,r,o,i,s,l){if(s==0||s==e.width)return!1;let a=!1;for(let c=o;c<i;c++){let
 u=c*e.width+s,d=e.map[u];if(e.map[u-1]==d){a=!0;let f=n.nodeAt(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),p=t.mapping.slice(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),h=e.colCount(d),
 l).map(d+r);t.setNodeMarkup(p,null,Zt(f.attrs,s-h,f.attrs.colspan-(s-
h))),t.insert(p+f.nodeSize,f.type.createAndFill(Zt(f.attrs,p,s-h))),c+=f.attrs.rowspan-1}}return a}function Sf(t,e,n,r,o){let i=n?t.doc.nodeAt(n-1):t.doc;if(!i)throw new Error("No table found");let
 s=ee.get(i), \{top:l, left:a\}=r, c=a+o.width, u=l+o.height, d=t.tr, f=0; function
 h(){if(i=n?d.doc.nodeAt(n-1):d.doc,!i)throw new Error("No table found");s=ee.get(i),f=d.mapping.maps
    &\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3}\),\(\frac{1}{3
 M(o.rows[p-l],0,0))}h(),d.setSelection(new
K(d.doc.resolve(n+s.positionAt(l,a,i)),d.doc.resolve(n+s.positionAt(u-1,c-1,i)))),e(d)}var ex=Xn({Ar rowLeft:ei("horiz",-1),ArrowRight:ei("horiz",1),ArrowUp:ei("vert",-1),ArrowDown:ei("vert",1),"Shift-ArrowLeft":ti("horiz",-1),"Shift-ArrowRight":ti("horiz",1),"Shift-ArrowUp":ti("vert",-1),"Shift-ArrowDown":ti("vert",1),Backspace:Zo,"Mod-Backspace":Zo,Delete:Zo,"Mod-Delete":Zo});function ni(t,e,n){return n.eq(t.selection)?!1:(e&e(t.tr.setSelection(n).scrollIntoView()),!0)}function
ei(t,e){return(n,r,o)=>{if(!o)return!1;let i=n.selection;if(i`instanceof K)return ni(n,r,E.near(i. headCell,e));if(t!="horiz"&&!i.empty)return!1;let
 s=Vf(o,t,e);if(s==null)return!1;if(t=="horiz")return ni(n,r,E.near(n.doc.resolve(i.head+e),e));{let
l=n.doc.resolve(s),a=Tf(l,t,e),c;return a?c=E.near(a,1):e<0?c=E.near(n.doc.resolve(l.before(-1)),-
1):c=E.near(n.doc.resolve(l.after(-1)),1),ni(n,r,c)}}function
ti(t,e){return(n,r,o)=>{if(!o)return!1;let i=n.selection,s;if(i instanceof K)s=i;else{let
 a=Vf(o,t,e); if(a==null) return!1; s=new \ K(n.doc.resolve(a)) \} let \ l=Tf(s. \\ \square headCell,t,e); return let the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the
 l?ni(n,r,new\ K(s.\_anchorCell,l)):!1\} \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ function\ tx(t,e) \\ \{let\ n=t.state.doc,r=vn(n.resolve(e)); return \\ fun
 r?(t.dispatch(t.state.tr.setSelection(new K(r))),!0):!1}function
 nx(t,e,n){if(!We(t.state))return!1;let r=Yb(n),o=t.state.selection;if(o instanceof
 K){r||(r={width:1,height:1,rows:[w.from(zl(ye(t.state.schema).cell,n))]});let i=o.□anchorCell.node(-
 1), s=o. anchorCell.start(-1), l=ee. get(i).rectBetween(o.] anchorCell.pos-s, o.] headCell.pos-s); return
  r = Qb(r, \bar{l}.right-l.left, l.bottom-l.top), Sf(t.state, t.dispatch, s, l, r), !0} else if(r) \{letalleft, l.bottom-l.top, letalleft, l.bottom-l.top, let
  i=oi(t.state),s=i.start(-1);return
 Sf(t.state, t.dispatch, s, ee.get(i.node(-1)).findCell(i.pos-s),r),!0}else return!1}function
```

```
rx(t,e) {var n; if(e.ctrlKey||e.metaKey)return;let r=kf(t,e.target),o;if(e.shiftKey&&t.state.selection
instanceof K)i(t.state.selection. □anchorCell.e).e.preventDefault():else
if(e.shiftKev&&r&&(o=vn(t.state.selection.∏anchor))!=null&&((n=Pl(t,e))==null?void
0:n.pos)!=o.pos)i(o,e),e.preventDefault();else if(!r)return;function i(a,c){let u=Pl(t,c),d=Pt.getState(t.state)==null;if(!u||!Fl(a,u))if(d)u=a;else return;let f=new
K(a,u);if(d||!t.state.selection.eq(f)){let
h=t.state.tr.setSelection(f);d&&h.setMeta(Pt,a.pos),t.dispatch(h)}}function s(){t.root.removeEventListener("mouseup",s),t.root.removeEventListener("dragstart",s),t.root.removeEventListener("mousemove")
 ,l),Pt.getState(t.state)!=null&&t.dispatch(t.state.tr.setMeta(Pt,-1))}function l(a){let
c=a,u=Pt.getState(t.state),d;if(u!=null)d=t.state.doc.resolve(u);else
if(kf(t,c.target)!=r&&(d=Pl(t,e),!d))return s();d&&i(d,c)}t.root.addEventListener("mouseup",s),t.roo
t.addEventListener("dragstart",s),t.root.addEventListener("mousemove",l)}function
Vf(t,e,n){if(!(t.state.selection instanceof A))return null;let{□head:r}=t.state.selection;for(let
o=r.depth-1;o>=0;o--){let
i=r.node(o);if((n<0?r.index(o):r.indexAfter(o))!=(n<0?0:i.childCount))return
null;if(i.type.spec.tableRole=="cell"||i.type.spec.tableRole=="header_cell"){let
l=r.before(o),a=e=="vert"?n>0?"down":"up":n>0?"right":"left";return
t.endOfTextblock(a)?l:null}}return null}function
kf(t,e) {for(;e&&e!=t.dom;e=e.parentNode)if(e.nodeName=="TD"||e.nodeName=="TH")return e;return
null}function Pl(t,e){let n=t.posAtCoords({left:e.clientX,top:e.clientY});return
n\& n?vn(t.state.doc.resolve(n.pos)): null \} var ox = class\{constructor(t,e)\{this.node=t,this.defaultCellMarkersolve(n.pos)\} varieties and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the stat
inWidth=e,this.dom=document.createElement("div"),this.dom.className="tableWrapper",this.table=this.dom.appendChild(document.createElement("table")),this.table.style.setProperty("--default-cell-min-wid
th", \[ ] \{e\}px\], this.colgroup=this.table.appendChild(document.createElement("colgroup")), Hl(t,this.colgroup,this.table,e),this.contentDOM=this.table.appendChild(document.createElement("tbody"))} update(t
 ){return t.type!=this.node.type?!1:(this.node=t,Hl(t,this.colgroup,this.table,this.defaultCellMinWid
th), !0)}ignoreMutation(t){return
t.type=="attributes" \& (t.target==this.table||this.colgroup.contains(t.target))\}; function
Hl(t,e,n,r,o,i){var s;let l=0,a=!0,c=e.firstChild,u=t.firstChild;if(u){for(let d=0,f=0;d<u.childCount;d++){let{colspan:h,colwidth:p}=u.child(d).attrs;for(let m=0;m<h;m++,f++){let g=o==f?i:p&&p[m],y=g?g+"px":"";if(l+=g||r,g||(a=!1),c)c.style.width!=y&&(c.style.width=y),c=c.nextSi bling;else{let b=document.createElement("col");b.style.width=y,e.appendChild(b)}}for(;c;){let d=c.n
extSibling;(s=c.parentNode)==null||s.removeChild(c),c=d}a?(n.style.width=l+"px",n.style.minWidth="")
 :(n.style.width="",n.style.minWidth=l+"px")}}var Ee=new L("tableColumnResizing");function Wf({handle
Width: t=5, cellMinWidth: e=25, defaultCellMinWidth: n=100, View: r=ox, lastColumnResizable: o=!0}={}){let
i=new N({key:Ee,state:{init(s,l){var a,c;let u=(c=(a=i.spec)==null?void 0:a.props)==null?void
0:c.nodeViews, d=ye(l.schema).table.name; return r&&u&&(u[d]=(f,h)=>new r(f,n,h)), new
ix(-1,!1), apply(s,l){return l.apply(s)}}, props:{attributes:s=>{let l=Ee.getState(s);return}
l\&\&l.activeHandle>-1?\{class:"resize-cursor"\}:\{\}\}, handleDOMEvents:\{mousemove:(s,l)=>\{sx(s,l,t,o)\}, mouseleave:s=>\{lx(s)\}, mousedown:(s,l)=>\{ax(s,l,e,n)\}\}, decorations:s=>\{let
l=Ee.getState(s); if(l\&\&l.activeHandle>-1) return \ hx(s,l.activeHandle)\}, nodeViews:\{\}\}); return \ i\} varable for the large state of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of the large formula of
ix=class ri{constructor(e,n){this.activeHandle=e,this.dragging=n}apply(e){let
n=this,r=e.getMeta(Ee);if(r&&r.setHandle!=null)return new
ri(r.setHandle,!1);if(r&&r.setDragging!==void 0)return new
ri(n.activeHandle, r.setDragging); if(n.activeHandle>-1&&e.docChanged) { let
o=e.mapping.map(n.activeHandle,-1); return \ Bl(e.doc.resolve(o))||(o=-1), new \ ri(o,n.dragging)\} return
\(\text{\color: \color: odeAfter.attrs.colspan-1==c.width-1)return}_f(t,s)}}function lx(t){if(!t.editable)return;let e=Ee.getState(t.state);e&&e.activeHandle>-1&&!e.dragging&&_f(t,-1)}function ax(t,e,n,r){var
o; if (!t.editable) return! 1; let i = (o=t.dom.ownerDocument.defaultView) != null? o: window, s= Ee.getState (t.s.defaultView) != null?
tate);if(!s||s.activeHandle==-1||s.dragging)return!1;let l=t.state.doc.nodeAt(s.activeHandle),a=cx(t
  ,s.activeHandle,l.attrs);t.dispatch(t.state.tr.setMeta(Ee,{setDragging:{startX:e.clientX,startWidth:
a}})); function c(d){i.removeEventListener("mouseup",c),i.removeEventListener("mousemove",u);let f=Ee .getState(t.state);f?.dragging&&(dx(t,f.activeHandle,Mf(f.dragging,d,n)),t.dispatch(t.state.tr.setMe
ta(Ee,{setDragging:null}))))function u(d){if(!d.which)return c(d);let
f=\text{Ee.getState(t.state)}; if(f\&\&f.dragging)\{\text{let h=Mf(f.dragging,d,n)}; vf(t,f.activeHandle,h,r)}\} return \ vf(t,s.activeHandle,a,r),i.addEventListener("mouseup",c),i.addEventListener("mousemove",u),e.preventDefault(),!0} function cx(t,e,{colspan:n,colwidth:r}) {\text{let o=r&&r[r.length-1];if(o)} return o;\text{let o=r&&r[r.length-1]};} 
i=t.domAtPos(e),l=i.node.childNodes[i.offset].offsetWidth,a=n;if(r)for(let
Cf(t,e,n,r){let o=n=="right"?-r:r,i=t.posAtCoords({left:e.clientX+o,top:e.clientY});if(!i)return-
1;let{pos:s}=i,l=vn(t.state.doc.resolve(s));if(!l)return-1;if(n=="right")return l.pos;let
a=ee.get(l.node(-1)),c=l.start(-1),u=a.map.indexOf(l.pos-c);return
u%a.width==0?-1:c+a.map[u-1]}function Mf(t,e,n){let r=e.clientX-t.startX;return
Math.max(n,t.startWidth+r)}function
   f(t,e)\{t.dispatch(t.state.tr.setMeta(Ee,\{setHandle:e\}))\} function dx(t,e,n)\{let r=t.state.doc.resolvetal)
e(e),o=r.node(-1),i=ee.get(o),s=r.start(-1),l=i.colCount(r.pos-s)+r.nodeAfter.attrs.colspan
1,a=t.state.tr;for(let c=0;c<i.height;c++){let
u=c*i.width+l;if(c&&i.map[u]==i.map[u-i.width])continue;let d=i.map[u],f=o.nodeAt(d).attrs,h=f.colsp
```

```
an==1?0:l-i.colCount(d);if(f.colwidth&&f.colwidth[h]==n)continue;let p=f.colwidth?f.colwidth.slice()
 f(x, x) = f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x, x) + f(x,
 on vf(t,e,n,r){let o=t.state.doc.resolve(e),i=o.node(-1),s=o.start(-1),l=ee.qet(i).colCount(o.pos-
s)+o.nodeAfter.attrs.colspan-1,a=t.domAtPos(o.start(-
1)).node;for(;a&&a.nodeName!="TABLE";)a=a.parentNode;a&&Hl(i,a.firstChild,a,r,l,n)}function
 fx(t){return Array(t).fill(0)}function hx(t,e){var n;let
 r=[],o=t.doc.resolve(e),i=o.node(-1);if(!i)return J.empty;let
s=ee.get(i),l=o.start(-1),a=s.colCount(o.pos-l)+o.nodeAfter.attrs.colspan-1;for(let
 c=0:c<s.height;c++){let
 u=a+c*s.width; if((a==s.width-1||s.map[u]!=s.map[u+1])&&(c==0||s.map[u]!=s.map[u-s.width])){let
 d=s.map[u],f=l+d+i.nodeAt(d).nodeSize-1,h=document.createElement("div");h.className="column-resize-h
 andle",(n=Ee.getState(t))!=null&&n.dragging&&r.push(Y.node(l+d,l+d+i.nodeAt(d).nodeSize,{class:"colu
 mn-resize-dragging"})),r.push(Y.widget(f,h))}}return J.create(t.doc,r)}function
 jf({allowTableNodeSelection:t=!1}={}){return new N({key:Pt,state:{init()}{return null},apply(e,n){let
 r=e.getMeta(Pt);if(r!=null)return r==-1?null:r;if(n==null||!e.docChanged)return
 n;let{deleted:o,pos:i}=e.mapping.mapResult(n);return
 o?null:i}},props:{decorations:zb,handleDOMEvents:{mousedown:rx},createSelectionBetween(e){return Pt.
 getState(e.state)!=null?e.state.selection:null}, handleTripleClick:tx, handleKeyDown:ex, handlePaste:nx
},appendTransaction(e,n,r){return [b(r,[](r,n),t)}})}var px=z.create({name: "tableCell",addOptions(){
return{HTMLAttributes:{}}},content: "block+",addAttributes(){return{colspan:{default:1},rowspan:{defa
ult:1},colwidth:{default:null,parseHTML:t=>{let e=t.getAttribute("colwidth");return e?e.split(",").m
ap(r=>parseInt(r,10)):null}}}},tableRole: "cell",isolating:!0,parseHTML(){return[{tag:"td"}]},renderH
 TML(\{HTMLAttributes:t\})\{return["td",T(this.options.HTMLAttributes,t),0]\}\}), \\ mx=z.create(\{name:"tableHattributes,t),0]\}\}), r",addOptions(){return{HTMLAttributes:{}}},content:"block+",addAttributes(){return{colspan:{defa
ult:1},rowspan:{default:1},colwidth:{default:null,parseHTML:t=>{let
e=t.getAttribute("colwidth");return e?e.split(",").map(r=>parseInt(r,10)):null}}}},tableRole:"header
_cell",isolating:!0,parseHTML(){return[{tag:"th"}]},renderHTML({HTMLAttributes:t}){return["th",T(thi
s.options.HTMLAttributes,t),0]})),gx=z.create({name: "tableRow",addOptions(){return{HTMLAttributes:{}}},content:"(tableCell | tableHeader)*",tableRole:"row",parseHTML(){return[{tag: "tr"}]},renderHTML({
HTMLAttributes:t}){return["tr",T(this.options.HTMLAttributes,t),0]}});function jl(t,e){return
e?["width",`[Math.max(e,t)]px`]:["min-width",`[t]px`]}function Kf(t,e,n,r,o,i){var s;let
l=0,a=!0,c=e.firstChild,u=t.firstChild;if(u!==null)for(let
d=0,f=0;d<u.childCount;d+=1){let{colspan:h,colwidth:p}=u.child(d).attrs;for(let
m=0;m<h;m+=1,f+=1){let g=o===f?i:p&&p[m],y=g?`[{g}px`:"";if(l+=g||r,g||(a=!1),c){if(c.style.width!==
y){let[b,x]=jl(r,g);c.style.setProperty(b,x)}c=c.nextSibling}else{let b=document.createElement("col"
 ), [x,C]=jl(r,g);b.style.setProperty(x,C),e.appendChild(b)} for (;c;) {let d=c.nextSibling; (s=c.parent) for (;c;) }
 Node) = - null \mid |s.removeChild(c), c = d \mid a?(n.style.width = ` | \{l\}px`, n.style.minWidth = ""):(n.style.width = "", n.style.width = ""):(n.style.width 
.style.minWidth=`[{l}px`)}var yx=class{constructor(t,e){this.node=t,this.cellMinWidth=e,this.dom=document.createElement("div"),this.dom.className="tableWrapper",this.table=this.dom.appendChild(document.createElement("table")),this.colgroup=this.table.appendChild(document.createElement("colgroup")),K
 f(t,this.colgroup,this.table,e),this.contentDOM=this.table.appendChild(document.createElement("tbody
   ))}update(t){return t.type!==this.node.type?!1:(this.node=t,Kf(t,this.colgroup,this.table,this.cell"
 MinWidth),!0)}ignoreMutation(t){return
 t.type==="attributes"&&(t.target===this.table||this.colgroup.contains(t.target))}};function
 bx(t,e,n,r){let o=0,i=!0,s=[],l=t.firstChild;if(!l)return{};for(let
 d=0, f=0; d<1.childCount; d+=1){let{colspan:h,colwidth:p}=1.child(d).attrs;for(let
 m=0; m<h; m+=1, f+=1) \{ let \}
 [{o}px`:"",c=i?"":`[{o}px`;return{colgroup:["colgroup",{},...s],tableWidth:a,tableMinWidth:c}}functi
on Uf(t,e){return e?t.createChecked(null,e):t.createAndFill()}function
 xx(t)\{if(t.cached.tableNodeTypes)return\ t.cached.tableNodeTypes;let\ e=\{\};return\ t.cached.tableNodeTypes;let\ 
 Object.keys(t.nodes).forEach(n=>{let
 r=t.nodes[n];r.spec.tableRole&(e[r.spec.tableRole]=r)}),t.cached.tableNodeTypes=e,e}function
 wx(t,e,n,r,o) \{ \text{let } i=xx(t),s=[],l=[]; for(\text{let } c=0;c< n;c+=1) \{ \text{let } u=Uf(i.cell,o); if(u&&l.push(u),r) \{ \text{let } d=Uf(i.header\_cell,o); d&&s.push(d) \} \} \} \} \} 
 c=0; c<e; c+=1)a.push(i.row.createChecked(null,r&c===0?s:l)); return
 i.table.createChecked(null,a)}function Sx(t){return t instanceof K}var
 ii=({editor:t})=>{let{selection:e}=t.state;if(!Sx(e))return!1;let
n=0,r=Fs(e.ranges[0].\[from,i=>i.type.name==="table");return r?.node.descendants(i=>{if(i.type.name== "table")return!1;["tableCell","tableHeader"].includes(i.type.name)&&(n+=1)}),n===e.ranges.length?(t.commands.deletTable(),!0)!1},kx=z.create({name:"table",addOptions(){return{HTMLAttributes:{}},resi
 zable:!1,handleWidth:5,cellMinWidth:25,View:yx,lastColumnResizable:!0,allowTableNodeSelection:!1}},c
ontent: "tableRow+", tableRole: "table", isolating: !0, group: "block", parseHTML() \{ return[\{tag: "table"\}] \}, renderHTML(\{node:t,HTMLAttributes:e\}) \{ let\{colgroup:n,tableWidth:r,tableMinWidth:o\}=bx(t,this.options.) \} \\
 cellMinWidth);return["table",T(this.options.HTMLAttributes,e,{style:r?`width: □{r}`:`min-width: □{0}
 `}),n,["tbody",0]]},addCommands(){return{insertTable:({rows:t=3,cols:e=3,withHeaderRow:n=!0}={})=>({tr:r,dispatch:o,editor:i})=>{let s=wx(i.schema,t,e,n);if(o){let l=r.selection.from+1;r.replaceSelect
 ionWith(s).scrollIntoView().setSelection(A.near(r.doc.resolve(l)))}return!0},addColumnBefore:()=>({s
 tate:t,dispatch:e) => Rf(t,e), addColumnAfter:() => ({state:t,dispatch:e}) => Df(t,e), deleteColumn:() => ({state:t,dispatch:e}) => Df(t,e), deleteColumn:() => ({state:t,dispatch:e}) => Df(t,e), deleteColumn:() => ({state:t,dispatch:e}) => Df(t,e), deleteColumn:() => ({state:t,dispatch:e}) => Df(t,e), deleteColumn:() => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:t,dispatch:e}) => ({state:
 tate:t,dispatch:e) = Pf(t,e),addRowBefore:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > Lf(t,e),addRowAfter:() = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = > ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,dispatch:e}) = ({state:t,di
e:t,dispatch:e})=>Bf(t,e),deleteRow:()=>({state:t,dispatch:e})=>zf(t,e),deleteTable:()=>({state:t,dispatch:e})=>Df(t,e),mergeCells:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=>Vl(t,e),splitCell:()=>({state:t,dispatch:e})=Vl(t,e),splitCell:()=>({state:t,dispatch:e})=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),splitCell:()=Vl(t,e),split
 e})=>Wl(t,e),toggleHeaderColumn:()=>({state:t,dispatch:e})=>Tn("column")(t,e),toggleHeaderRow:()=>({
```

```
state:t,dispatch:e)=>Tn("row")(t,e),toggleHeaderCell:()=>({state:t,dispatch:e})=>Ff(t,e),mergeOrSpl
 it:()=>(\{state:t,dispatch:e\})=>Vl(t,e)?!0:Wl(t,e),setCellAttribute:(t,e)=>(\{state:n,dispatch:r\})=>H(t,e)(n,r),goToNextCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=>_l(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(\{state:t,dispatch:e\})=(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPreviousCell:()=>(1)(t,e),goToPrevious
  \begin{array}{l} \text{ch:e}) = & \text{l}(-1)(t,e), \\ \text{fixTables:}() = & \text{l}(\text{state:t,dispatch:e}) = & \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), \\ \text{l}(t), 
 >{if(n){let r=K.create(e.doc,t.anchorCell,t.headCell);e.setSelection(r)}return!0}}},addKeyboardShort
 cuts(){return{Tab:()=>this.editor.commands.goToNextCell()?!0:this.editor.can().addRowAfter()?this.ed
 itor.chain().addRowAfter().goToNextCell().run():!1,"Shift-
 Tab":()=>this.editor.commands.goToPreviousCell(),Backspace:ii,"Mod-Backspace":ii,Delete:ii,"Mod-Dele
 te": ii\}, add Prose Mirror Plugins () \{return [\dots this.options.resizable \& this.editor.is Editable? [Wf(\{handle for the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formula of the formu
 eWidth:this.options.handleWidth,cellMinWidth:this.options.cellMinWidth,defaultCellMinWidth:this.opti
 ons.cellMinWidth,View:this.options.View,lastColumnResizable:this.options.lastColumnResizable})]:[],j
f(\{allowTableNodeSelection:this.options.allowTableNodeSelection\})]\}, extendNodeSchema(t)\{let e=\{name: t.name,options:t.options,storage:t.storage\}; return\{tableRole:W(I(t,"tableRole",e))\}\}\}), Jf=[].create(\{name: "tableKit",addExtensions()\{let t=[]; return this.options.table!==!1&&t.push(kx.configure(this.options.table))\}\}), Jf=[].create(\{name: "tableKit",addExtensions()\{let t=[]; return this.options.table])]\}), Jf=[].create(\{name: "tableKit",addExtensions()\{let t=[]; return this.options.table])]
 tions.table)),this.options.tableCell!==!1&&t.push(px.configure(this.options.tableCell)),this.options
.tableHeader!==!1&&t.push(mx.configure(this.options.tableHeader)), this.options.tableRow!==!1&&t.push
(gx.configure(this.options.tableRow)), t}}); var Cx=z.create({name:"text",group:"inline"}), qf=Cx; var M
x=[].create({name:"textAlign",addOptions(){return{types:[],alignments:["left","center","right","justi
fy"],defaultAlignment:null}},addGlobalAttributes(){return{types:this.options.types,attributes:{textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign:"textAlign
 Align:{default:this.options.defaultAlignment,parseHTML:t=>{let e=t.style.textAlign;return this.optio
 ns.alignments.includes(e)?e:this.options.defaultAlignment},renderHTML:t=>t.textAlign?{style:`text-
 align: [[{t.textAlign}`}:{}}}]],addCommands(){return{setTextAlign:t=>({commands:e})=>this.options.al
ignments.includes(t)?this.options.types.map(n=>e.updateAttributes(n,{textAlign:t})).every(n=>n):!1,u
nsetTextAlign:()=>({commands:t})=>this.options.types.map(e=>t.resetAttributes(e, "textAlign")).every(
 e=>e),toggleTextAlign:t=>({editor:e,commands:n})=>this.options.alignments.includes(t)?e.isActive({te
 xtAlign: \\ \\ t\bar{})?n.unset\bar{}TextAlign():n.setTextAlign(t):!1\}\}, \\ addKeyboardS\bar{}hortcuts()\{return\{"Mod-return"\}\}, \\ addKeyboardS\bar{}hortcuts(t)\}\}, \\ addKeyboardS\bar{}hortcuts(t)\}
his.options.HTMLAttributes,t),0]},addCommands(){return{setUnderline:()=>({commands:t})=>t.setMark(this.name),toggleUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=>t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()=>({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()==({commands:t})=t.toggleMark(this.name),unsetUnderline:()=({commands:t})=t.toggleMark(this.name),unsetUnderlin
})=>t.unsetMark(this.name)}},addKeyboardShortcuts(){return{"Mod-
u":()=>this.editor.commands.toggleUnderline(),"Mod-
U":()=>this.editor.commands.toggleUnderline()}}),Yf=vx;var Kl=["top","right","bottom","left"],Xf=["start","end"],Ul=Kl.reduce((t,e)=>t.concat(e,e+"-"+Xf[0],e+"-"
"+Xf[1]),[]),ze=Math.min,fe=Math.max,gr=Math.round;var _e=t=>({x:t,y:t}),Tx={left:"right",right:"left",bottom:"top",top:"bottom"},Ax={start:"end",end:"start"};function si(t,e,n){return fe(t,ze(e,n))}function rt(t,e){return typeof t=="function"?t(e):t}function 0e(t){return
t.split("-")[0]}function rt(t,e){return typeor t=="Tunction";[(e):[]]function de(t){return t.split("-")[0]}function He(t){return t.split("-")[1]}function Jl(t){return t==="x"?"y":"x"}function li(t){return t==="y"?"height":"width"}var Ex=new Set(["top","bottom"]);function je(t){return Ex.has(0e(t))?"y":"x"}function ai(t){return Jl(je(t))}function ql(t,e,n){n===void 0&&(n=1);let r=He
  (t),o=ai(t),i=li(o),s=o==="x"?r===(n?"end":"start")?"right":"left":r==="start"?"bottom":"top";return
 e.reference[i]>e.floating[i]&&(s=mr(s)),[s,mr(s)]}function eh(t){let
e=mr(t);return[pr(t),e,pr(e)]}function pr(t){return t.replace(/start|end/g,e=>Ax[e])}var
Qf=["left","right"],Zf=["right","left"],0x=["top","bottom"],Nx=["bottom","top"];function
Rx(t,e,n){switch(t){case"top":case"bottom":return n?e?Zf:Qf:e?Qf:Zf;case"left":case"right":return
 e?0x:Nx;default:return[]}}function th(t,e,n,r){let o=He(t),i=Rx(0e(t),n==="start",r);return
 o&&(i=i.map(s=>s+"-"+o),e&&(i=i.concat(i.map(pr)))),i}function mr(t){return
 t.replace(/left|right|bottom|top/g,e=>Tx[e])}function
 Dx(t){return{top:0,right:0,bottom:0,left:0,...t}}function ci(t){return typeof
 t!="number"?Dx(t):{top:t,right:t,bottom:t,left:t}}function wt(t){let{x:e,y:n,width:r,height:o}=t;ret
 urn{width:r,height:o,top:n,left:e,right:e+r,bottom:n+o,x:e,y:n}}function nh(t,e,n){let{reference:r,f}}
 loating:o\} = t, i = je(e), s = ai(e), l = li(s), a = 0e(e), c = i = = "y", u = r.x + r.width/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2, d = r.y + r.height/2 - o.width/2
o.height/2,f=r[l]/2-o[l]/2,h;switch(a){case"top":h={x:u,y:r.y-o.height};break;case"bottom":h={x:u,y:r.y-height};break;case"bottom":h={x:u,y:r.y-height};break;case"right":h={x:r.x+r.width,y:d};break;case"left":h={x:r.x-o.width,y:d};break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1);break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h={x:r.x,y:r.y}}switch(He(e)){case"start":h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;default:h[s]-f*/ssc2_1-1];break;defau
=f*(n\&c?-1:1); break; case"end":h[s]+=f*(n\&c?-1:1); break}return h}var ih=async(t,e,n)=>\{let{placemen t:r="bottom",strategy:o="absolute",middleware:i=[],platform:s}=n,l=i.filter(Boolean),a=await(s.isRTL)
 ==null?void 0:s.isRTL(e)),c=await
 s.getElementRects(\{reference:t,floating:e,strategy:o\}), \{x:u,y:d\}=nh(c,r,a), f=r,h=\{\},p=0; for(let,a), f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f=r,h=1\}, f
  m=0; m<l.length; m++) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l[m],\{x:b,y:x,data:C,reset:S\}=await\ y(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l(\{x:u,y:d,initialPlacement\}) \\ \{let\{name:g,fn:y\}=l(\{x:u,y:d,initialPlacement\}) \\ \{let\{
  :r,placement:f,strategy:o,middlewareData:h,rects:c,platform:s,elements:{reference:t,floating:e}});u=
 b??u,d=x??d,h={...h,[g]:{...h[g],...C}},S&&p<=50&&(p++,typeof)
 S=="object"&&(S.placement&&(f=S.placement),S.rects&&(c=S.rects===!0?await s.getElementRects({referen
 ce:t,floating:e,strategy:o}):S.rects),{x:u,y:d}=nh(c,f,a)),m=-
 1)}return{x:u,y:d,placement:f,strategy:o,middlewareData:h}};async function en(t,e){var n;e===void 0&
 \& (e=\{\}); let \{x:r,y:o,platform:i,rects:s,elements:l,strategy:a\}=t, \{boundary:c="clippingAncestors",rootategy:a\}=t, {boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundary:c="clippingAncestors",rootategy:a]=t, \{boundar
 Boundary:u="viewport",elementContext:d="floating",altBoundary:f=!1,padding:h=0}=rt(e,t),p=ci(h),g=l[
 f?d==="floating"?"reference":"floating":d],y=wt(await
```

```
i.getClippingRect({element:(n=await(i.isElement==null?void
 0:i.isElement(q)))==null||n?q:q.contextElement||await(i.getDocumentElement==null?void 0:i.getDocumen
 tElement(l.floating)),boundary:c,rootBoundary:u,strategy:a})),b=d==="floating"?{x:r,y:o,width:s.floating}
 ting.width,height:s.floating.height):s.reference,x=await(i.getOffsetParent==null?void
 0:i.getOffsetParent(l.floating)),C=await(i.isElement==null?void
 0:i.\check{i}sElement(x))?await(i.get\check{S}cale==null?void 0:i.getScale(x))||{x:1,y:1}:{x:1,y:1},S=wt(i.convertOf)
 fset Parent Relative Rect To Viewport Relative Rect? await \verb§i.convert Offset Parent Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewpo
veRect({elements:l,rect:b,offsetParent:x,strategy:a}):b);return{top:(y.top-S.top+p.top)/C.y,bottom:(S.bottom-y.bottom+p.bottom)/C.y,left:(y.left-S.left+p.left)/C.x,right:(S.right-y.right+p.right)/C.x}}var sh=t=>({name:"arrow",options:t,async fn(
 e){let{x:n,y:r,placement:o,rects:i,platform:s,elements:l,middlewareData:a}=e,{element:c,padding:u=0}
rt(t,e)||{};if(c==null)return{};let d=ci(u),f={x:n,y:r},h=ai(o),p=li(h),m=await s.getDimensions(c),
g=h==="y",y=g?"top":"left",b=g?"bottom":"right",x=g?"clientHeight":"clientWidth",C=i.reference[p]+i.
reference[h]-f[h]-i.floating[p],S=f[h]-i.reference[h],R=await(s.getOffsetParent==null?void
0:s.getOffsetParent(c)),P=R?R[x]:0;(!P||!await(s.isElement==null?void)
 0:s.isElement(R)) & (P=l.floating[x]||i.floating[p]); let v=C/2-S/2, B=P/2-m[p]/2-M[p]
1,D=ze(d[y],B),_=ze(d[b],B),H=D,j=P-m[p]-_,U=P/2-
m[p]/2+v,oe=si(H,U,j),X=!a.arrow&&He(o)!=null&&U!==oe&&i.reference[p]/2-(U<H?D:_)-
 m[p]/2<0,G=X?U<H?U-j:0;return{[h]:f[h]+G,data:{[h]:oe,centerOffset:U-oe-
 G, \dots X\&\&\{alignmentOffset:G\}\}, reset:X\}\}\}); function Px(t,e,n)\{return(t?[\dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)===t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)==t), \dots n.filter(o=>He(o)=t), \dots n.filter(o=>He(o)=t), \dots n.filter(o=>He(o)=t), \dots n
    filter(o=)He(o)!==t)]:n.filter(o=)Oe(o)===o)).filter(o=)+He(o)===t||(e?pr(o)!==o:!1):!0)\}var
 \begin{array}{ll} \text{lh=function(t)} & \text{free (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o->be(o)---b)}, & \text{ltee (o)---be(o)---be(o)---be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(o)--be(
 x=ql(b,i,await(a.isRTL==null?void
 0:a.isRTL(c.floating)));if(l!==b)return{reset:{placement:m[0]}};let
P=S.map(D=>\{let =He(D.placement); return[D.placement, &&u?D.overflows.slice(0,2).reduce((H,j)=>H+j,0)\}
 ):D.overflows[0],D.overflows]}).sort((D, )=>D[1]-
       [1]), B=((o=P.filter(D=>D[2].slice(0,He(\overline{D[0]})?2:3).every(=> <=0))[0])==null?void
 0:o[0])||P[0][0];return
B!==l?\{data:\{index:y+1,overflows:S\},reset:\{placement:B\}\}:\{\}\}\},ah=function(t)\{return\ t===void\ 0\&\&(t=\{\}),\{name:"flip",options:t,async\ fn(e)\{var\ n,r;let\{placement:o,middlewareData:i,rects:s,initia\}\}\}
Placement:l,platform:a,elements:c}=e,{mainAxis:u=!0,crossAxis:d=!0,fallbackPlacements:f,fallbackStr
ategy:h="bestFit",fallbackAxisSideDirection:p="none",flipAlignment:m=!0,...g}=rt(t,e);if((n=i.arrow))
!=null&&n.alignmentOffset)return{};let y=0e(o),b=je(l),x=0e(l)===l,C=await(a.isRTL==null?void)
0:a.isRTL(c.floating)),S=f||(x||!m?[nl]),R=p!=="none";!f&&R&&S.push(...th(l,m,p,C));let
 P=[l,...S], v=await en(e,g), B=[], D=((r=i.flip)==null?void)
 0:r.overflows)||[];if(u&&B.push(v[y]),d){let
U=ql(o,s,C);B.push(v[U[0]],v[U[1]])}if(D=[...D,{placement:o,overflows:B}],!B.every(U=>U<=0)){var__,H;let U=(((_=i.flip)==null?void 0:_.index)||0)+1,oe=P[U];if(oe&&(!(d==="alignment"?b!==je(oe):!1)|
  |D.every(ie=>ie.overflows[0]>0&&je(ie.placement)===b)))return{data:{index:U,overflows:D},reset:{placement}
 ement:oe}};let
 \begin{array}{l} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:} \text{C:
urn{top:t.top-e.height,right:t.right-e.width,bottom:t.bottom-e.height,left:t.left-e.width}}function
 oh(t){return Kl.some(e=>t[e]>=0)}var ch=function(t){return t===void
0\&\&(t=\{\}), \{name:"hide", options:t, async fn(e) \{let\{rects:n\}=e, \{strategy:r="referenceHidden", \ldots o\}=rt(t, e); switch(r) \{case"referenceHidden": \{let i=await en(e, \{\ldots o, elementContext: "reference"\}), s=rh(i, n. reference); return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\}\} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference"\}), s=rh(i, n. reference); return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\}\} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference"\}), s=rh(i, n. reference); return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\}\} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference"\}), s=rh(i, n. reference); return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\} \} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference"\}), s=rh(i, n. reference); return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\} \} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference"\}), s=rh(i, n. reference); return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\} \} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference], return \{data: \{referenceHiddenOffsets:s, referenceHidden: oh(s)\} \} \} \} case "escaped": \{let i=await en(e, \{\ldots o, elementContext: "reference], return \{data: \{referenceHiddenOffsets:s, referenceHiddenOffsets: elementContext: "reference], return \{data: \{referenceHiddenOffsets: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: elementContext: el
  (e, \{\dots, altBoundary: !0\}), s=rh(i, n.floating); return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: s, escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: escaped: oh(s)\} \} \} default: return \{ data: \{escapedOffsets: escaped: oh(s)\} \} default: return \{ data: \{escapedOffsets: escaped: oh(s)\} \} default: return \{ data: \{escapedOffsets: escaped: oh(s)\} \} default: return \{ escapedOffsets: escaped: oh(s)\} \} default: return \{ escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: escapedOffsets: e
 eturn{}}\}; function uh(t) {let e=ze(...t.map(i=>i.left)), n=ze(...t.map(i=>i.top)), r=fe(...t.map(i=>i.top))
  .right)),o=fe(...t.map(i=>i.bottom));return{x:e,y:n,width:r-e,height:o-n}}function Ix(t){let
e=t.slice().sort((o,i)=>o.y-i.y),n=[],r=null;for(let o=0;o<e.length;o++){let i=e[o];!r||i.y-r.y>r.height/2?n.push([i]):n[n.length-1].push(i),r=i}return n.map(o=>wt(uh(o)))}var
cts==null?void 0:i.getClientRects(r.reference))||[]),d=Ix(u),f=wt(uh(u)),h=ci(l);function
 p()\{if(d.length===2\&\&d[0].left>d[1].right\&\&a!=null\&\&c!=null) return \ d.find(g=>a>g.left-d[1].right\&\&a!=null\&\&c!=null) return \ d.find(g=>a>g.left-d[1].right\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!=null\&\&a!
 h.left&&a<g.right+h.right&&c>g.top-
\label{eq:continuous} $$h. top\&c<g.bottom+h.bottom)||f; if(d.length>=2){if(je(n)==="y")}{let D=d[0], \_=d[d.length-1], H=0e(n)==="top", j=D.top, U=\_.bottom, oe=H?D.left: \_.left, X=H?D.right: \_.right, G=X-oe, ie=U-.bottom, oe=H?D.left: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.right, G=X-oe, ie=U-.bottom, oe=H?D.left: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right: \_.left, X=H?D.right:
 j;return{top:j,bottom:U,left:oe,right:X,width:G,height:ie,x:oe,y:j}}let g=Oe(n)==="left",y=fe(...d.map(D=>D.right)),b=ze(...d.map(D=>D.left)),x=d.filter(D=>g?D.left===b:D.right===y),C=x[0].top,S=x[x.l
 ength-1].bottom,R=b,P=y,v=P-R,B=S-
 C;return{top:C,bottom:S,left:R,right:P,width:v,height:B,x:R,y:C}}return f}let m=await
 i.getElementRects({reference:{getBoundingClientRect:p},floating:r.floating,strategy:s});return o.ref
 erence.x!==m.reference.x||o.reference.y!==m.reference.y||o.reference.width!!==m.reference.width||o.re
```

```
ference.height!==m.reference.height?{reset:{rects:m}}};{}}},Lx=new Set(["left","top"]);async
  function Bx(t,e){let{placement:n,platform:r,elements:o}=t,i=await(r.isRTL==null?void 0:r.isRTL(o.flo
  ating)), s=0e(n), l=He(n), a=je(n)==="y", c=Lx.has(s)?-1:1, u=i\&\&a?-1
  1:1,d=rt(e,t),{mainAxis:f,crossAxis:h,alignmentAxis:p}=typeof d=="number"?{mainAxis:d,crossAxis:0,al
  ignmentAxis:null}:{mainAxis:d.mainAxis||0,crossAxis:d.crossAxis||0,alignmentAxis:d.alignmentAxis};re
 turn l\&typeof p=="number"\&\&(h=l==="end"?p*-1:p),a?{x:h*u,y:f*c}:{x:f*c,y:h*u}}var fh=function(t){return t===void 0&&(t=0),{name:"offset",options:t,async fn(e){var n,r;let{x:o,y:i,placement:s,middlewareData:l}=e,a=await Bx(e,t);return s===((n=l.offset)==null?void formula for the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of
0:n.placement)&&(r=l.arrow)!=null&&r.alignmentOffset?{}:{x:o+a.x,y:i+a.y,data:{...a,placement:s}}}}}, hh=function(t){return t===void 0&&(t={}),{name:"shift",options:t,async fn(e){let{x:n,y:r,placement:o}=e,{mainAxis:i=!0,crossAxis:s=!1,limiter:l={fn:g=>{let{x:y,y:b}=g;return{x:y,y:b}}},...a}=rt(t,e), c={x:n,y:r},u=await en(e,a),d=je(0e(o)),f=Jl(d),h=c[f],p=c[d];if(i){let
c={x:n,y:r},u=await en(e,a),d=]e(Ue(o)),T=JL(d),h=c[T],p=c[d];1T(1){let
g=f==="y"?"top":"left",y=f==="y"?"bottom":"right",b=h+u[g],x=h-u[y];h=si(b,h,x)}if(s){let
g=d==="y"?"top":"left",y=d==="y"?"bottom":"right",b=p+u[g],x=p-u[y];p=si(b,p,x)}let
m=l.fn({...e,[f]:h,[d]:p});return{...m,data:{x:m.x-n,y:m.y-r,enabled:{[f]:i,[d]:s}}}}};var
ph=function(t){return t===void 0&&(t={}),{name:"size",options:t,async fn(e){var
n,r;let{placement:o,rects:i,platform:s,elements:l}=e,{apply:a=()=>{},...c}=rt(t,e),u=await en(e,c),d
=Oe(o),f=He(o),h=je(o)==="y",{width:p,height:m}=i.floating,g,y;d==="top"||d==="bottom"?(g=d,y=f===(a))
  wait(s.isRTL==null?void
  0:s.isRTL(l.floating))?"start":"end")?"left":"right"):(y=d,q=f==="end"?"top":"bottom");let b=m-
  u.top-u.bottom,x=p-u.left-u.right,C=ze(m-u[g],b),S=ze(p-
  u[y], x), R = !e.middlewareData.shift, P = C, v = S; if((n = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.middlewareData.shift)! = null&&n.enabled.x&&(v = x), (r = e.m
  = e.middlewareData.shift)! = null \& r.enabled.y \& \& (P=b), R \& \& !f) \\ \{let D=fe(u.left,0), =fe(u.right,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), H=fe(u.left,0), 
  top, 0), j = fe(u.bottom, 0); h?v = p-2*(D! == 0) | ! == 0?D + : fe(u.left, u.right)) : P = m-2*(H! == 0) | j! == 0?H + j: fe(u.top, u.bottom)) await a({...e, availableWidth: v, availableHeight: P}); let
  B=await s.getDimensions(l.floating); return
 p! == B.width \mid |m! == B.height?\{reset: \{rects: !0\}\}: \{\}\}\}; function \ di()\{return \ typeof \ window<"u"\}function \ tn(t)\{return \ gh(t)?(t.nodeName||"").toLowerCase():"#document"}function \ ve(t)\{var
  e;return(t==null||(e=t.ownerDocument)==null?void 0:e.defaultView)||window}function ot(t){var
  e:return(e=(qh(t)?t.ownerDocument:t.document)||window.document)==null?void
  0:e.documentElement}function gh(t){return di()?t instanceof Node||t instanceof
  ve(t).Node:!1}function Fe(t){return di()?t instanceof Element||t instanceof
ve(t).Node:!l}function Fe(t){return di()?t instanceof Element||t instanceof
ve(t).Element:!l}function Ke(t){return di()?t instanceof HTMLElement||t instanceof
ve(t).HTMLElement:!l}function mh(t){return!di()||typeof ShadowRoot>"u"?!l:t instanceof ShadowRoot||t
instanceof ve(t).ShadowRoot}var zx=new Set(["inline","contents"]);function An(t){let{overflow:e,over}
flowX:n,overflowY:r,display:o}=[]e(t);return/auto||scroll||overlay||hidden||clip/.test(e+r+n)&\day{lext.has(o)}
}var Hx=new Set(["table","td","th"]);function yh(t){return Hx.has(tn(t))}var Fx=[":popover-
open",":modal"];function yr(t){return Fx.some(e=>{try{return t.matches(e)}catch{return!l}})}var []x=[
"transform","translate","scale","rotate","perspective"],Vx=["transform","translate","scale","rotate"
,"perspective","filter"],Wx=["paint","layout","strict","content"];function fi(t){let
e=hi(),n=Fe(t)?[]e(t):t;return []x.some(r=>n[r]?n[r]!=="none":!1)|||le&&(n filter!=="none":!1)|||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":!1)||le&&(n filter!=="none":"1)||le&&(n filter!=="none":"1)
  "normal":!1|||!e&&(n.backdropFilter?n.backdropFilter!=="none":!1)||!e&&(n.filter?n.filter!=="none":!1)||Vx.some(r=>(n.willChange||"").includes(r))||Wx.some(r=>(n.contain||"").includes(r))}function
bh(t)\{let\ e=St(t);for(;Ke(e)\&\&!nn(e);)\{if(fi(e))return\ e;if(yr(e))return\ null;e=St(e)\}return\ null\}function\ hi()\{return\ typeof\ CSS>"u"||!CSS.supports?!1:CSS.supports("-webkit-backdropfilter","none")\}var _x=new Set(["html","body","#document"]);function\ nn(t)\{return\ null\}function\ nn(t)
       x.has(tn(t)) function \prod e(t) {return ve(t).getComputedStyle(t)} function br(t) {return Fe(t)?{scrollLef
  t:t.scrollLeft,scrollTop:t.scrollTop}:{scrollLeft:t.scrollX,scrollTop:t.scrollY}}function
 St(t)\{if(tn(t)==="html") | return t; let e=t.assignedSlot||t.parentNode||mh(t)&&t.host||ot(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t); return mh(e)?e.host:e\}function xh(t)\{let e=St(t);
  nn(e)?t.ownerDocument?t.ownerDocument.body:t.body:Ke(e)&An(e)?e:xh(e)}function ui(t,e,n){var}
  r; e===void 0\&\&(e=[]), n===void 0\&\&(n=!0); let o=xh(t), i=o===((r=t.ownerDocument)==null?void
  0:r.body),s=ve(o);if(i){let l=pi(s);return
  e.concat(s,s.visualViewport||[],An(o)?o:[],l\&An?ui(l):[])\} return\ e.concat(o,ui(o,[],n))\} function
  pi(t){return t.parent&&Object.getPrototypeOf(t.parent)?t.frameElement:null}function kh(t){let e=□e(t
  ),n=parseFloat(e.width)||0,r=parseFloat(e.height)||0,o=Ke(t),i=o?t.offsetWidth:n,s=o?t.offsetHeight:
  r,l=gr(n)!==i||gr(r)!==s; return l\&\&(n=i,r=s),\{width:n,height:r,[:l]\} function Ch(t)\{return\}
  Fe(t)?t:t.contextElement}function En(t){let e=Ch(t);if(!Ke(e))return e(1);let n=e.getBoundingClient
 Rect(), \{ width: r, height: o, ||:i\} = kh(e), s = (i?gr(n.width): n.width)/r, l = (i?gr(n.height): n.height)/o; return (!s||!Number.isFinite(s)) & (s=1), (!l||!Number.isFinite(l)) & (l=1), \{x:s,y:l\} \ var jx = e(0); function ||...| | ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||...| ||..
  Mh(t) {let e=ve(t); return!hi()||!e.visualViewport?jx:{x:e.visualViewport.offsetLeft,\overline{y}:e.visualViewpor
  t.offsetTop}}function Kx(t,e,n){return e===void 0\&\&(e=!1),!n||e\&\&n!==ve(t)?!1:e}function
  xr(t,e,n,r) {e===void 0\&\&(e=!1),n===void <math>0\&\&(n=!1); let
 o=t.getBoundingClientRect(),i=Ch(t),s=_e(1);e&&(r?Fe(r)&&(s=En(r)):s=En(t));let\\l=Kx(i,n,r)?Mh(i):_e(0),a=(o.left+l.x)/s.x,c=(o.top+l.y)/s.y,u=o.width/s.x,d=o.height/s.y;if(i){let}
  f=ve(i), h=r\&\&Fe(r); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p); ve(r):r,p=f,m=pi(p)
  □e(m),x=y.left+(m.clientLeft+parseFloat(b.paddingLeft))*g.x,C=y.top+(m.clientTop+parseFloat(b.paddin
 gTop))*g.y;a*=g.x,c*=g.y,u*=g.x,d*=g.y,a+=x,c+=C,p=ve(m),m=pi(p)}}return wt({width:u,height:d,x:a,y:c})}function Yl(t,e){let n=br(t).scrollLeft;return
  e?e.left+n:xr(ot(t)).left+n\\function vh(t,e,n)\\function ft+e.scrollLeft-(n?0:Yl(t,r)), i=r.top+e.scrollTop; return\{x:o,y:i\}\} function \ Ux(t)\{let\{elements:e,rect:n,offsetParent:r,strategy:o\}=t,i=o==="fixed",s=ot(r),l=e?yr(e.floating):!1; if(r===s||l&&i)return\{x:o,y:i\}\} function \ Ux(t)\{let\{elements:e,rect:n,offsetParent:r,strategy:o\}=t,i=o===="fixed",s=ot(r),l=e?yr(e.floating):!1; if(r===s||l&&i)return[x:o,y:i]=t,i=o==="fixed",s=ot(r),l=e?yr(e.floating):!1; if(r===s||l&&i)return[x:o,y:i]=t,i=o===="fixed",s=ot(r),l=e?yr(e.floating):!1; if(r===s||l&&i)return[x:o,y:i]=t,i=o===s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l&i|return[x:o,y:i]=t,i=o==s||l|return[x:o,y:i]=t,i=o==s||l|return[x:o,y:i]=t,i=o==s||l|re
  n n; let a={scrollLeft:0,scrollTop:0}, c= e(1), u= e(0), d=Ke(r); if((d||!d&&!i)&&((tn(r)!=="body"||An(s)))
```

```
\&(a=br(r)),Ke(r)){let h=xr(r);c=En(r),u.x=h.x+r.clientLeft,u.y=h.y+r.clientTop}let f=s&&!d&&!i?vh
   (s,a,!0): e(0);return{width:n.width*c.x,height:n.height*c.y,x:n.x*c.x
a.scrollLeft*c.x+u.x+f.x,y:n.y*c.y-a.scrollTop*c.y+u.y+f.y}}function Jx(t){return
Array.from(t.getClientRects())}function qx(t){let e=ot(t),n=br(t),r=t.ownerDocument.body,o=fe(e.scrollWidth,e.clientWidth,r.scrollWidth,r.scrollHeight
   ,r.clientHeight),s=-n.scrollLeft+Yl(t),l=-n.scrollTop;return
 [e(r).direction == "rtl" \& (s+=fe(e.clientWidth,r.clientWidth)-o), {width:o,height:i,x:s,y:l} function
 Gx(t,e){let n=ve(t),r=ot(t),o=n.visualViewport,i=r.clientWidth,s=r.clientHeight,l=0,a=0;if(o){i=o.wi
 dth,s=o.height;let
 c=hi();(!c||c\&e==="fixed")\&\&(l=o.offsetLeft,a=o.offsetTop)\}return\{width:i,height:s,x:l,y:a\}\}var
  Yx = \text{new Set}(["absolute", "fixed"]); function \ Xx(t,e) \{ \text{let n=xr}(t,!0,e==="fixed"), r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r=n.top+t.clientTop,o=n, r
   .left+t.clientLeft,i=Ke(t)?En(t): e(1),s=t.clientWidth*i.x,l=t.clientHeight*i.y,a=o*i.x,c=r*i.y;retu
 rn{width:s,height:l,x:a,y:c}}function wh(t,e,n){let r;if(e==="viewport")r=Gx(t,n);else
 if(e==="document")r=qx(ot(t));else if(Fe(e))r=Xx(e,n);else{let
 o=Mh(t); r=\{x: e.x-o.x, y: e.y-o.y, width: e.width, height: e.height\}\} return \ wt(r)\} function \ Th(t,e) \{let the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
 n=St(t); return n===e|\int |Fe(n)| |nn(n)| \cdot 1 = e(n). position==="fixed" ||Th(n,e)} function Qx(t,e) {let
 n=e.get(t); if(n) return n; let r=ui(t,[],[1).filter(l=>Fe(l)&&tn(l)!=="body"), o=null, i=[e(t).position="filter(l=>Fe(l)&&tn(l)!=="body"), o=null, i=[e(t).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l=>Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="filter(l==Fe(l).position="fi
 =="fixed", s=i?St(t):t; for(; Fe(s)&&!nn(s);) {let l=\squaree(s), a=fi(s);!a&&l.position==="fixed"&&(o=null),(i=\squaree(s), i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=\squaree(s),(i=
?!a&&!o:!a&&l.position==="static"&&!!o&&Yx.has(o.position)||An(s)&&!a&&Th(t,s))?r=r.filter(u=>u!==s):o=l,s=St(s)}return e.set(t,r),r}function Zx(t){let{element:e,boundary:n,rootBoundary:r,strategy:o}= t,s=[...n==="clippingAncestors"?yr(e)?[]:Qx(e,this._c):[].concat(n),r],l=s[0],a=s.reduce((c,u)=>{let
 d=wh(e,u,o);return c.top=fe(d.top,c.top),c.right=ze(d.right,c.right),c.bottom=ze(d.bottom,c.bottom),
 c.left=fe(d.left,c.left),c},wh(e,l,o));return{width:a.right-a.left,height:a.bottom-
 a.top,x:a.left,y:a.top}}function ew(t){let{width:e,height:n}=kh(t);return{width:e,height:n}}function
 tw(t,e,n){let
 h=xr(e,!0,i,e); a.x=h.x+e.clientLeft, a.y=h.y+e.clientTop\} else o\&\&c(); i\&\&!r\&\&o\&\&c(); let u=o\&\&!r\&\&!i?vh let v=o&\&!r\&\&!i?vh let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk let v=o&\&!i.vk
 (o,l):_e(0),d=s.left+l.scrollLeft-a.x-u.x,f=s.top+l.scrollTop-a.y-
 u.y;return{x:d,y:f,width:s.width,height:s.height}}function Gl(t){return
 \label{eq:continuous} $$ \Box e(t).position ==="static"} function $$ Sh(t,e)_{if(!Ke(t)||\Box e(t).position ==="fixed") return } $$
 \overline{\text{null}}; \overline{\text{if}}(e) return e(t); let n=t.offsetParent; return ot(t)===n&&(n=n.ownerDocument.body), n} function
 Ah(t,e){let n=ve(t);if(yr(t))return n;if(!Ke(t)){let
 o=St(t); for(;o\&\&!nn(o);) \{if(Fe(o)\&\&!Gl(o)) return \ o;o=St(o)\} return \ n\} let
 r=Sh(t,e); for(;r\&\&yh(r)\&\&Gl(r);)r=Sh(r,e); return r\&\&nn(r)\&\&Gl(r)\&\&!fi(r)?n:r||bh(t)||n} var nw=asvnc results for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
 function(t){let e=this.getOffsetParent||Ah,n=this.getDimensions,r=await
 n(t.floating); return{reference: tw(t.reference, await
e(t.floating),t.strategy),floating:{x:0,y:0,width:r.width,height:r.height}}};function rw(t){return []e(t).direction==="rtl"}var ow={convertOffsetParentRelativeRectToViewportRelativeRect:Ux,getDocument
 Element:ot,getClippingRect:Zx,getOffsetParent:Ah,getElementRects:nw,getClientRects:Jx,getDimensions:
 ew,getScale:En,isElement:Fe,isRTL:rw};var Eh=fh,Oh=lh,mi=hh,gi=ah,Nh=ph,Rh=ch,Dh=sh,Ph=dh;var
 yi=(t,e,n)=\{\text{let }r=\text{new Map,o}=\{\text{platform:ow,...n}\}, i=\{...o.,\text{platform, c:r}\}; \text{return}\}
 ih(t,e,{...o,platform:i})};var Ih=(t,e)=>{yi({getBoundingClientRect:()=>{let{from:r,to:o}=t.state.se
 lection,i=t.view.coordsAtPos(r),s=t.view.coordsAtPos(o);return{top:Math.min(i.top,s.top),bottom:Math.max(i.bottom,s.bottom),left:Math.min(i.left,s.left),right:Math.max(i.right,s.right),width:Math.abs(
 s.right-i.left),height:Math.abs(s.bottom-
 \verb|i.top|, x: Math.min(i.left, s.left), y: Math.min(i.top, s.top)|}|, e, {placement: "bottom-start", strategy: "about the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the con
1.top),x:Math:Min(1.telt,s.telt),y:Math.Min(1.top,s.top);;;e,{ptacement: bottom-start ,strategy: ab solute",middleware:[mi(),gi()]}).then(({x:r,y:o,strategy:i})=>{e.style.width="max-content",e.style.p osition=i,e.style.left=`[{r}px`,e.style.top=`[{o}px`})},Lh=({mergeTags:t,noMergeTagSearchResultsMess age:e})=>({items:({query:n}}=>t.filter(r=>r.toLowerCase().replace(/\s/g,"").includes(n.toLowerCase()),render:()=>{let n,r=0,o=null,i=()=>{let d=document.createElement("div");return d.className="fidropdown-panel fi-dropdown-list",d},s=()=>{if(!n||!o)return;let d=o.items||[];if(n.innerHTML="",d.length)d.forEach((f,h)=>{let
p=document.createElement("button");p.className=`fi-dropdown-list-item fi-dropdown-list-item-label

[h===r?"fi-selected":""}`,p.textContent=f,p.type="button",p.addEventListener("click",()=>l(h)),n.ap

pendChild(p)});else{let f=document.createElement("div");f.className="fi-dropdown-
 header",f.textContent=e,n.appendChild(f)}},l=d=>{if(!o)return;let
 h=(o.items||[])[d];h\&\&o.command(\{id:h\})\}, a=()=>\{if(!o)return;let
  d=o.items \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() => \{if(!o)return; let d=o.items] \\ |[]; d.length! == 0 \& (r=(r+d.length-1)%d.length, s()) \}, c=() == (r+d.length-1)%d.length, s() == (r+d.length-1)%d.length, s() == (r+d.length-1)%d.length, s() == (r+d.le
    length!==0&&(r=(r+1)%d.length,s())},u=()=>{l(r)};return{onStart:d=>{o=d,r=0,n=i(),n.style.position=.
  "absolute", s(), document.body.appendChild(n), d.clientRect\&\&Ih(d.editor, n)\}, onUpdate: d=>\{o=d, r=0, s(), d, d, d, d, d, editor, d, d, d, editor, d, d, editor, d, d, editor, d, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, d, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, editor, e
 ter"?(u(),!0):!1,onExit:()=>{n&&n.parentNode&&n.parentNode.removeChild(n)}}});var Bh=async({customExtensionUrls:t,deleteCustomBlockButtonIconHtml:e,editCustomBlockButtonIconHtml:n,editCustomBlockUsin
g:r,insertCustomBlockUsing:o,key:i,mergeTags:s,noMergeTagSearchResultsMessage:l,placeholder:a,stateP
ath:c,uploadingFileMessage:u,[wire:d})=>[yd,bd,0l,xd,wd,Sd.configure({deleteCustomBlockButtonIconHtm
 l:e,editCustomBlockButtonIconHtml:n,editCustomBlockUsing:r,insertCustomBlockUsing:o}),Cd,vd,Md,Td,pd
   md,Ad,Ed,Od,Nd,Rd,Pd.configure({inline:!0}),Id,Yd.configure({autolink:!0,openOnČlick:!1}),Nl,af.con,
 figure({get_WireUsing:()=>d,key:i,statePath:c,uploadingMessage:u}),...s.length?[uf.configure({delete
 .configure({placeholder:a}),hf,pf,mf,gf,Jf.configure({table:{resizable:!0}}),qf,Gf.configure({types: ["heading","paragraph"],alignments:["start","center","end","justify"],defaultAlignment:"start"}),Yf,
```

```
gd,...(await Promise.all(t.map(async f=>(new RegExp("^(?:[a-z+]+:)?//","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?//","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?//","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?//","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?//","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp("^(?:[a-z+]+:)?/","i").test(f)||(f=new RegExp(").test(f))||(f=new 
URL(f,document.baseURI).href),(await import(f)).default)))).flat()];function iw(t,e){let n=Math.min(t.top,e.top),r=Math.max(t.bottom,e.bottom),o=Math.min(t.left,e.left),s=Math.max(t.right,e.right)-
o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ DOMRect(a, c, s, l) \} var \ sw = class\{constructor(\{editor: t, element: e, view: n, update o, l = r-n, a = o, c = n; return \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \ new \
teDelay:r=250,resizeDelay:o=60,shouldShow:i,options:s}){this.preventHide=!1,this.isVisible=!1,this.f
loatingUIOptions={strategy:"absolute",placement:"top",offset:8,flip:{},shift:{},arrow:!1,size:!1,aut
oPlacement:!1,hide:!1,inline:!1,onShow:void 0,onHide:void 0,onUpdate:void 0,onDestroy:void 0},this.s
houldShow=({view:l,state:a,from:c,to:u})=>{let{doc:d,selection:f}=a,{empty:h}=f,p=!d.textBetween(c,u)
).length&&ao(a.selection), m=this.element.contains(document.activeElement); return!(!(l.hasFocus()||m)||h||p||!this.editor.isEditable)}, this.mousedownHandler=()=>{this.preventHide=!0}, this.dragstartHand
ler=()=>{this.hide()},this.resizeHandler=()=>{this.resizeDebounceTimer&&clearTimeout(this.resizeDebo
unceTimer), this.resizeDebounceTimer=window.setTimeout(()=>{this.updatePosition()}, this.resizeDelay)}
 this.focusHandler=()=>{setTimeout(()=>this.update(this.editor.view))},this.blurHandler=({event:l})=
>{var a;if(this.preventHide){this.preventHide=!1;return}l?.relatedTarget&&((a=this.element.parentNod
e)!=null&&a.contains(l.relatedTarget))||l?.relatedTarget!==this.editor.view.dom&&this.hide()},this.h
andleDebouncedUpdate=(l,a)=>{let c=!a?.selection.eq(l.state.selection),u=!a?.doc.eq(l.state.doc);!c&
&!u||(this.updateDebounceTimer&&clearTimeout(this.updateDebounceTimer),this.updateDebounceTimer=wind
et{composing:d}=l;if(d||!a&&!c)return;if(!this.getShouldShow(u)){this.hide();return}this.updatePosition(),this.show()},this.editor=t,this.element=e,this.view=n,this.updateDelay=r,this.resizeDelay=o,th
is.floatingUIOptions={...this.floatingUIOptions,...s},this.element.tabIndex=0,i&&(this.shouldShow=i)
  this.element.addEventListener("mousedown",this.mousedownHandler,{capture:!0}),this.view.dom.addEven,
tListener("dragstart", this.dragstartHandler), this.editor.on("focus", this.focusHandler), this.editor.o
n("blur", this.blurHandler), window.addEventListener("resize", this.resizeHandler), this.update(n,n.state), this.getShouldShow()&this.show()}get middlewares(){let t=[];return
this.floatingUIOptions.flip&&t.push(gi(typeof
this.floatingUIOptions.flip!="boolean"?this.floatingUIOptions.flip:void
0)),this.floatingUIOptions.shift&&t.push(mi(typeof
this.floatingUIOptions.shift!="boolean"?this.floatingUIOptions.shift:void
0)),this.floatingUIOptions.offset&&t.push(Eh(typeof
this.floatingUIOptions.offset!="boolean"?this.floatingUIOptions.offset:void 0)),this.floatingUIOptio
ns.arrow&&t.push(Dh(this.floatingUIOptions.arrow)),this.floatingUIOptions.size&&t.push(Nh(typeof
this.floatingUIOptions.size!="boolean"?this.floatingUIOptions.size:void
0)), this.floatingUIOptions.autoPlacement&&t.push(Oh(typeof
this.floatingUIOptions.autoPlacement!="boolean"?this.floatingUIOptions.autoPlacement:void
0)),this.floatingUIOptions.hide&&t.push(Rh(typeof
this.floatingUIOptions.hide!="boolean"?this.floatingUIOptions.hide:void
0)),this.floatingUIOptions.inline&&t.push(Ph(typeof
this.floatingUIOptions.inline!="boolean"?this.floatingUIOptions.inline:void 0)),t}updatePosition(){l
et\{selection:t\}=this.editor.state,e=\{getBoundingClientRect:()=> \square u(this.view,t.from,t.to)\}; if(the selection) = the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the selection of the select
instanceof K) {let{\partial anchorCell:n,\partial headCell:r}=t,o=n?n.pos:r.pos,i=r?r.pos:n.pos,s=this.view.nodeDOM(o
),l=this.view.nodeDOM(i);if(!s||!l)return;let a=s===l?s.getBoundingClientRect():iw(s.getBoundingClie
ntRect(),l.getBoundingClientRect());e={getBoundingClientRect:()=>a}}yi(e,this.element,{placement:thi
s.floatingUIOptions.placement,strategy:this.floatingUIOptions.strategy,middleware:this.middlewares})
 .then(({x:n,y:r,strategy:o})=>{this.element.style.width="max-content",this.element.style.position=o,
this.element.style.left=`[(n)px`,this.element.style.top=`[(r)px`,this.isVisible&&this.floatingUIOptions.onUpdate()})}update(t,e){let{state:n}=t,r=n.selection.from!==n.}
selection.to; if (this.updateDelay>0 \& r) \{this.handleDebouncedUpdate(t,e); return\} let o=!e?.selection.eq and the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contractio
  (t.state.selection),i=!e?.doc.eq(t.state.doc);this.updateHandler(t,o,i,e)}getShouldShow(t){var e;let
{state:n}=this.view,{selection:r}=n,{ranges:o}=r,i=Math.min(...o.map(a=>a. ∏from.pos)),s=Math.max(...
o.map(a=>a.\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textstarry=\textst
  t.appendChild(this.element),this.floatingUIOptions.onShow&&this.floatingUIOptions.onShow(),this.is|
isible=!0)}hide(){this.isVisible&&(this.element.style.visibility="hidden",this.element.style.opacity
="0",this.element.remove(),this.floatingUIOptions.onHide&&this.floatingUIOptions.onHide(),this.isVis
ible=!1)}destroy(){this.hide(),this.element.removeEventListener("mousedown",this.mousedownHandler,{c
apture:!0}), this.view.dom.removeEventListener("dragstart",this.dragstartHandler),window.removeEventListener("resize",this.resizeHandler),this.editor.off("focus",this.focusHandler),this.editor.off("blu r",this.blurHandler),this.floatingUIOptions.onDestroy&&this.floatingUIOptions.onDestroy()}},Xl=t=>ne
w N({key:typeof t.pluginKey=="string"?new L(t.pluginKey):t.pluginKey,view:e=>new sw({view:e,...t})})
  ,Cv=j.create({name:"bubbleMenu",addÕptions(){return{element:null,pluginKey:"bubbleMenu",updateDelay:
void 0, shouldShow: null}}, addProseMirrorPlugins(){return this.options.element?[Xl({pluginKey:this.opt
ions.pluginKey,editor:this.editor,element:this.options.element,updateDelay:this.options.updateDelay,
options:this.options.options,shouldShow:this.options.shouldShow})]:[]}});function lw({activePanel:t,
deleteCustomBlockButtonIconHtml:e,editCustomBlockButtonIconHtml:n,extensions:r,key:o,isDisabled:i,is
LiveDebounced:s,isLiveOnBlur:l,liveDebounce:a,livewireId:c,mergeTagS:u,noMergeTagSearchResultsMessag
e:d,placeholder:f,state:h,statePath:p,uploadingFileMessage:m,floatingToolbars:g}){let y;return{state:h,activePanel:t,editorSelection:{type:"text",anchor:1,head:1},isUploadingFile:!1,shouldUpdateState:
 !0,editorUpdatedAt:Date.now(),async init(){y=new
rd({editable:!i,element:this.□refs.editor,extensions:await Bh({customExtensionUrls:r,deleteCustomBlo
ckButtonIconHtml:e,editCustomBlockButtonIconHtml:n,editCustomBlockUsing:(b,x)=>this. [wire.mountActio
n("customBlock", {editorSelection:this.editorSelection,id:b,config:x,mode:"edit"}, {schemaComponent:o}
```

public\js\filament\forms\components\rich-editor.js

insert"},{schemaComponent:o}),key:o,mergeTags:u,noMergeTagSearchResultsMessage:d,placeholder:f,stat ePath:p,uploadingFileMessage:m, \wire:this.\wire,floatingToolbars:g}),content:this.state}),Object.key $s(g).forEach(b=>\{let x=this. | refs[`floatingToolbar:: | \{b\}`\}; if(!x)\{console.warn(`Floating`toolbar:: | \{b\}`\}; if(!x)\{console.warn($ [[]{b}] not found.`);return}y.registerPlugin(Xl({editor:y,element:x,pluginKey:`floatingToolbar::[{b}`
,shouldShow:({editor:C})=>C.isFocused&&C.isActive(b),options:{placement:"bottom",offset:15}}))}),y.o n("create",()=>{this.editorUpdatedAt=Date.now()}),y.on("update",({editor:b})=>this. \[nextTick(()=>{this.editorUpdatedAt=Date.now(),this.shouldUpdateState=!1,s&&Alpine.debounce(() =>this. \(\text{wire.commit(), a??300)})), y.on("selectionUpdate", (\(\text{transaction:b}) => \text{this.editorUpdatedAt=Date.now(), this.editorSelection=b.selection.toJSON()}), l&&y.on("blur", ()=> this.\(\text{wire.commit()), this.} \(\text{wire.commit()), this.} \(\text{wire.commit())} \) tch("state",()=>{if(!this.shouldUpdateState){this.shouldUpdateState=!0; return}y.commands.setContent(this.state)}),window.addEventListener("run-rich-editor-commands",b=>{b.detail.livewireId===c&b.detail.key===o&this.runEditorCommands(b.detail)}),window.addEventListener("rich-editor-uploading-file", b=>{b.detail.livewireId===c&&b.detail.key===o&&(this.isUploadingFile=!0,b.stopPropagation())}),windo w.addEventListener("rich-editor-uploaded-file",b=>{b.detail.livewireId===c&&b.detail.key===o&&(this. isUploadingFile=!1,b.stopPropagation())}),window.dispatchEvent(new CustomEvent(`schema-te.doc,this.editorSelection)),!0)).run())},runEditorCommands({commands:b,editorSelection:x}){this.se tEditorSelection(x); let C=y.chain(); b.forEach(S=>C=C[S.name](...S.arguments??[])), C.run()}, togglePan el(b=null){if(this.isPanelActive(b)){this.activePanel=null;return}this.activePanel=b},isPanelActive(b=null){return b===null?this.activePanel!==null:this.activePanel===b},insertMergeTag(b){y.chain().focus().insertContent([{type:"mergeTag",attrs:{id:b}},{type:"text",text:" "}]).run()}}}export{lw as default}:

```
 var \ tt=Math.min, V=Math.max, et=Math.round; var \ D=i=>(\{x:i,y:i\}), Gt=\{left:"right", right:"left", bottom:"left", bottom
), n=bt(i), o=gt(n), r=n==="x"?s===(e?"end":"start")?"right":"left":s==="start"?"bottom":"top"; return t.reference[o]>t.floating[o]&&(r=Z(r)),[r,Z(r)]}function At(i){let
t=Z(i); return[lt(i),t,lt(t)]} function lt(i){return i.replace(/start|end/g,t=>Xt[t])} var vt=["left","right"],Lt=["right","left"],Zt=["top","bottom"],te=["bottom","top"]; function ee(i,t,e){switch(i){case"top":case"bottom":return e?t?Lt:vt:t?vt:Lt;case"left":case"right":return
 t?Zt:te;default:return[]}}function St(i,t,e,s){let n=st(i),o=ee(z(i),e==="start",s);return
 n\&\&(o=o.map(r=>r+"-"+n),t\&\&(o=o.concat(o.map(lt)))),o\}function Z(i){return
 i.replace(/left|right|bottom|top/g,t=>Gt[t])}function
 ie(i){return{top:0,right:0,bottom:0,left:0,...i}}function Ct(i){return typeof
i!="number"?ie(i):{top:i,right:i,bottom:i,left:i}}function U(i){let{x:t,y:e,width:s,height:n}=i;retu
 rn{width:s,height:n,top:e,left:t,right:t+s,bottom:e+n,x:t,y:e}}function Et(i,t,e){let{reference:s,fl
oating:n}=i,o=M(t),r=bt(t),l=gt(r),a=z(t),c=o==="y",h=s.x+s.width/2-n.width/2,d=s.y+s.height/2-n.height/2,p=s[l]/2-n[l]/2,f;switch(a){case"top":f={x:h,y:s.y-n.height}};break;case"bottom":f={x:h,y:s.y+s.height};break;case"right":f={x:s.x+s.width,y:d};break;case"left":f={x:s.x-n.width,y:d};break;default:f={x:s.x,y:s.y}}switch(st(t)){case"start":f[r]-=p*(e&&c?-1:1);break;case"end":f[r]+=p*(e&&c?-1:1);break}return f}var Dt=async(i,t,e)=>{let{placement:s="bottom",strategy:n="absolute",middleware:o=[],platform:r}=e,l=o.filter(Boolean),a=await(r.isRTL
 ==null?void 0:r.isRTL(t)),c=await
 r.getElementRects(\{reference: i,floating: t,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n\}) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), p=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), q=s,f=\{\}, u=0; for(let,strategy: n]) = Et(c,s,a), q=s,f=\{\}, u=
m=0; m<1.length; m++){let{name:g,fn:y}=l[m],{x:b,y:v,data:l,reset:x}=await y({x:h,y:d,initialPlacement:s,placement:p,strategy:n,middlewareData:f,rects:c,platform:r,elements:{reference:i,floating:t}});h=
 b??h,d=v??d,f={...f,[g]:{...f[g],...L}},x&u<=50&(u++,typeof
 x=="object"&&(x.placement&&(p=x.placement),x.rects&&(c=x.rects===!0?await r.getElementRects({referen
 ce:i,floating:t,strategy:n}):x.rects),{x:h,y:d}=Et(c,p,a)),m=-
 1) \} return\{x:\bar{h},y:d,placement:p,strategy:n,middlewareData:f\}\}; async function wt(i,t)\{var\ e;t===void\ 0\&in (x:h,y):d,placement:p,strategy:n,middlewareData:f\}\}; async function wt(i,t)[var\ e;t===void\ 0\&in (x:h,y):d,placement:p,strategy:n,middlewareData:f\}\}; async function wt(i,t)[var\ e;t===void\ 0\&in (x:h,y):d,placement:p,strategy:n,middlewareData:f\}\}; async function wt(i,t)[var\ e;t===void\ 0\&in (x:h,y):d,placement:p,strategy:n,middlewareData:f]\}; async function wt(i,t)[var\ e;t===void\ 0\&in (x:h,y):d,placement:p,strategy:n,middlewareData:f]\}; async function wt(i,t)[var\ e;t===void\ 0\&in (x:h,y):d,placement:p,strategy:n,middlewareData:f]
 \&(t=\{\}); let\{x:s,y:n,platform:o,rects:r,elements:l,strategy:a\}=i,\{boundary:c="clippingAncestors",rootalised for the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy
 Boundary: h="viewport", elementContext: d="floating", altBoundary: p=!1, padding: f=0 \} = it(t,i), u=Ct(f), g=l[t,i], u=Ct(f), d=l[t,i], u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f), u=Ct(f
 p?d==="floating"?"reference":"floating":d],y=U(await
 o.getClippingRect({element:(e=await(o.isElement==null?void
 0:o.isElement(g))) == null||e?g:g.contextElement||await(o.getDocumentElement==null?void 0:o.getDocumentElement==null?void 0:o.getDocument==null?void etDocument==null 0:o.getDocument==null 0:o.getDocument==null 0:o.getDocument==null 0:o.getDocume
 tElement(l.floating)),boundary:c,rootBoundary:h,strategy:a})),b=d==="floating"?{x:s,y:n,width:r.floa
 ting.width,height:r.floating.height}:r.reference,v=await(o.getOffsetParent==null?void
 0:o.getOffsetParent(l.floating)),L=await(o.isElement==null?void
 0: o. \\ is Element(v))? a wait(o.get\\ Scale == null? void \\ 0: o.get\\ Scale(v)) \\ || \\ \{x:1,y:1\}: \\ \{x:1,y:1\}, \\ x=U(o.convertOff) \\ is Element(v) \\ || \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,x:1\}: \\ \{x:1,y:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,
 setParentRelativeRectToViewportRelativeRect?await o.convertOffsetParentRelativeRectToViewportRelativ
 eRect({elements:l,rect:b,offsetParent:v,strategy:a}):b);return{top:(y.top-
x.top+u.top)/L.y,bottom:(x.bottom-y.bottom+u.bottom)/L.y,left:(y.left-
x.left+u.left)/L.x,right:(x.right-y.right+u.right)/L.x}}var Rt=function(i){return i===void
 0&&(i={}),{name:"flip",options:i,async fn(t){var e,s;let{placement:n,middlewareData:o,rects:r,initia
 lPlacement:l,platform:a,elements:c}=t,{mainAxis:h=!0,crossAxis:d=!0,fallbackPlacements:p,fallbackStr
0:s.overflows)||[];if(h&&F.push(□[y]),d){let
very(E=>E.overflows[0]>0&&M(E.placement)===b)))return{data:{index:A,overflows:I},reset:{placement:T}
}; let W=(j=I.filter(P=>P.overflows[0]<=0).sort((P,E)=>P.overflows[1]-E.overflows[1])[0])==null?void 0: j.placement; if(!W)switch(f){case"bestFit":{var Y;let P=(Y=I.filter(E=>{if(q){let})}}}
H=M(E.placement); return H===b||H==="y"} return!0\}). map(E=>[E.placement,E.overflows.filter(H=>H>0).red uce((H,Yt)=>H+Yt,0)]). sort((E,H)=>E[1]-H[1])[0])==null?void 0:Y[0]; P&&(W=P); break} case"initialPlacement": W=l; break} if(n!==W) return{reset: {placement:W}}} return{}}; var se=new Set(["left","top"]); asynce the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placeme
function ne(i,t) {let{placement:e,platform:s,elements:n}=i,o=await(s.isRTL==null?void 0:s.isRTL(n.flo ating)),r=z(e),l=st(e),a=M(e)==="y",c=se.has(r)?-1:1,h=o&&a?-1:1,d=it(t,i),{mainAxis:p,crossAxis:f,alignmentAxis:u}=typeof d=="number"?{mainAxis:d,crossAxis:0,alignmentAxis:u}=typeof d=="number"?{mainAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossA
ignmentAxis:null}:{mainAxis:d.mainAxis||0,crossAxis:d.crossAxis||0,alignmentAxis:d.alignmentAxis};re
turn l&typeof u=="number"&&(f=l==="end"?u*-1:u),a?{x:f*h,y:p*c}:{x:p*c,y:f*h}}var
It=function(i){return i===void 0&&(i=0),{name:"offset",options:i,async fn(t){var
 e,s; let\{x:n,y:o,placement:r,middlewareData:l\} = t,a=await \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ ne(t,
c={x:e,y:s},h=await wt(t,a),d=M(z(n)),p=mt(d),f=c[p],u=c[d];if(o){let
g=p==="y"?"top":"left",y=p==="y"?"bottom":"right",b=f+h[g],v=f-h[y];f=ut(b,f,v)}if(r){let
g=d==="y"?"top":"left",y=d==="y"?"bottom":"right",b=u+h[g],v=u-h[y];u=ut(b,u,v)}let
 m=l.fn({...t,[p]:f,[d]:u});return{...m,data:{x:m.x-e,y:m.y-s,enabled:{[p]:o,[d]:r}}}}};function
```

```
ct(){return typeof window<"u"}function K(i){return</pre>
Pt(i)?(i.nodeName||"").toLowerCase():"#document"}function O(i){var t;return(i==null||(t=i.ownerDocument)==null?void 0:t.defaultView)||window}function k(i){var
t;return(t=(Pt(i)?i.ownerDocument:i.document)||window.document)==null?void
0:t.documentElement}function Pt(i){return ct()?i instanceof Node||i instanceof O(i).Node:!1}function
 S(i){return ct()?i instanceof Element||i instanceof O(i).Element:!1}function R(i){return ct()?i
 instanceof HTMLElement||i instanceof 0(i).HTMLElement:!1}function kt(i){return!ct()||typeof
 ShadowRoot>"u"?!1:i instanceof ShadowRoot||i instanceof O(i).ShadowRoot}var oe=new
 Set(["inline","contents"]);function G(i){let{overflow:t,overflowX:e,overflowY:s,display:n}=C(i);retu
 rn/auto|scroll|overlay|hidden|clip/.test(t+s+e)&&!oe.has(n)}var re=new
 Set(["table","td","th"]);function Mt(i){return re.has(K(i))}var le=[":popover-
open",":modal"];function mt(i){return le.some(t=>{try{return i.matches(t)}catch{return!1}})}var ae=[
"transform","translate","scale","rotate","perspective"],ce=["transform","translate","scale","rotate"
,"perspective","filter"],de=["paint","layout","strict","content"];function dt(i){let
t=ht(),e=S(i)?C(i):i;return ae.some(s=>e[s]?e[s]!=="none":!1)||(e.containerType?e.containerType!=="n
 ormal":!1)||!t&&(e.backdropFilter?e.backdropFilter!=="none":!1)||!t&&(e.filter?e.filter!=="none":!1)
| ce.some(s=>(e.willChange||"").includes(s))||de.some(s=>(e.contain||"").includes(s))}function
| tip | ce.some(s=>(e.willChange||"").includes(s))||de.some(s=>(e.contain||"").includes(s))}function
| tip | ce.some(s=>(e.willChange||"").includes(s))}function
| tip | ce.some(s=>(e.contain||"").includes(s))}function
| tip | ce.some(s==(e.contain||"").includes(s))}function
| tip | ce.some(s==(e.contain||"").includes(s))}function
| tip | ce.some(s==(e.contain||"").includes(s))}function
| tip | ce.some(s==(e.contain|"").includes(s))}function
| tip | ce.some(s==(e.contain|"").
scrollLeft,scrollTop:i.scrollTop}:{scrollLeft:i.scrollX,scrollTop:i.scrollY}}function
B(i){if(K(i)==="html")return i;let t=i.assignedSlot||i.parentNode||kt(i)&&i.host||k(i);return
 kt(t)?t.host:t}function Nt(i){let t=B(i);return
  (t)?i.ownerDocument?i.ownerDocument.body:i.body:R(t)\&\&G(t)?t:Nt(t)}function at(i,t,e){var
 s; t===void 0\&\&(t=[]), e===void 0\&\&(e=!0); let n=Nt(i), o=n===((s=i.ownerDocument)==null?void
 0:s.body, r=0(n); if (o) {let l=ft(r); return
 t.concat(r,r.visual Viewport||[],G(n)?n:[],l\&e?at(l):[])} return t.concat(n,at(n,[],e))} function
 ft(i){return i.parent&&Object.getPrototypeOf(i.parent)?i.frameElement:null}function Vt(i){let t=C(i)}
  e=parseFloat(t.width)||0,s=parseFloat(t.height)||0,n=R(i),o=n?i.offsetWidth:e,r=n?i.offsetHeight:s,
 l=et(e)!==o||et(s)!==r; return l\&\&(e=o,s=r), {width:e,height:s,[:l]} function zt(i){return
 S(i)?i:i.context \\ Element \\ function \\ X(i) \\ \{let t=zt(i); if(!R(t)) \\ return \\ D(1); let e=t.get \\ Bounding \\ Client \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Recture \\ Re
 (), {width:s,height:n,[:o}=Vt(t),r=(o?et(e.width):e.width)/s,l=(o?et(e.height):e.height)/n;return(!r|
 |!Number.isFinite(r))&(r=1),(!|||Number.isFinite(l))&(l=1),(x:r,y:l)}var fe=D(0);function || t(i){let t=0(i);return!ht()||!t.visualViewport?fe:{x:t.visualViewport.offsetLeft,y:t.visualViewport}
  .offsetTop}}function pe(i,t,e){return t===void 0\&\&(t=!1),!e||t&&e!==0(i)?!1:t}function
 rt(i,t,e,s){t===void 0&&(t=!1),e===void 0&&(e=!1);let
 n=i.getBoundingClientRect(), o=zt(i), r=D(1); t&&(s?S(s)&&(r=X(s)): r=X(i)); let
 l=pe(o,e,s)?[t(o):D(0),a=(n.left+l.x)/r.x,c=(n.top+l.y)/r.y,h=n.width/r.x,d=n.height/r.y;if(o){let}
p=0(o),f=s\&\&S(s)?0(s):s,u=p,m=ft(u);for(;m\&\&s\&\&f!==u;)\{let\ g=X(m),y=m.getBoundingClientRect(),b=C(m),v=y.left+(m.clientLeft+parseFloat(b.paddingLeft))*g.x,L=y.top+(m.clientTop+parseFloat(b.paddingTop))
)*g.y;a*=g.x,c*=g.y,h*=g.x,d*=g.y,a+=v,c+=L,u=0(m),m=ft(u)}}return U(\{width:h,height:d,x:a,y:c\})\}function xt(i,t)\{let\ e=ot(i).scrollLeft;return\}
 t?t.left+e:rt(k(i)).left+efunction Wt(i,t,e){e===void 0\&\&(e=!1);let s=i.getBoundingClientRect(),n=s
  .left+t.scrollLeft-(e?0:xt(i,s)),o=s.top+t.scrollTop; return\{x:n,y:o\}\} function ue(i)\{let\{elements:t,r,y:o\}\} function ue(i)
ect:e,offsetParent:s,strategy:n}=i,o=n==="fixed",r=k(s),l=t?nt(t.floating):!1;if(s===r||l&&o)return e;let a={scrollLeft:0,scrollTop:0},c=D(1),h=D(0),d=R(s);if((d||!d&&!o)&&((K(s)!=="body"||G(r))&&(a=o)).
 t(s)), R(s))) \\ \{let \ f=rt(s); c=X(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ p=r\&\&!d\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientLeft, h.y=f.y+s.cl
 D(0);return{width:e.width*c.x,height:e.height*c.y,x:e.x*c.x-a.scrollLeft*c.x+h.x+p.x,y:e.y*c.
 a.scrollTop*c.y+h.y+p.y}}function me(i){return Array.from(i.getClientRects())}function ge(i){let t=k
 (i), e=ot(i), s=i.ownerDocument.body, n=V(t.scrollWidth, t.clientWidth, s.scrollWidth, s.clientWidth), o=V(
 t.scrollHeight,t.clientHeight,s.scrollHeight,s.clientHeight),r=-e.scrollLeft+xt(i),l=-
 e.scrollTop:return
 C(s). direction === "rtl" \& (r+=V(t.clientWidth, s.clientWidth) - n), \\ \{ width: n, height: o, x: r, y: l \} \} function = (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - n + (s.clientWidth) - (s.clientWidth) - (s.clientWidth) - (s.clientWidth) - (s.clientWidth) - (s.clientWidth) - (s.clientWidth) - (s.clientWidth)
 be(i,t){let e=0(i),s=k(i),n=e.visualViewport,o=s.clientWidth,r=s.clientHeight,l=0,a=0;if(n){o=n.widt
 h,r=n.height;let
 c=ht(); (!c|[c\&\&t==="fixed")\&\&(l=n.offsetLeft,a=n.offsetTop)\} return\{width:o,height:r,x:l,y:a\}\} varwe=new Set(["absolute","fixed"]); function ye(i,t)\{let e=rt(i,!0,t==="fixed"),s=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.
.left+i.clientLeft,o=R(i)?X(i):D(1),r=i.clientWidth*o.x,l=i.clientHeight*o.y,a=n*o.x,c=s*o.y;return{
width:r,height:l,x:a,y:c}}function Ft(i,t,e){let s;if(t==="viewport")s=be(i,e);else
 if(t==="document")s=ge(k(i));else if(S(t))s=ye(t,e);else{let}
n=□t(i);s={x:t.x-n.x,y:t.y-n.y,width:t.width,height:t.height}}return U(s)}function Ut(i,t){let e=B(i);return e===t|!S(e)||_(e)?!1:C(e).position==="fixed"||Ut(e,t)}function xe(i,t){let e=t.get(i);if(e)return e;let s=at(i,[],!1).filter(l=>S(l)&&K(l)!=="body"),n=null,o=C(i).position==="fixed",r=o?B(i):i;for(;S(r)&&!(r);){let l=C(r),a=dt(r);!a&&l.position==="fixed"&&(n=null),(o?!a&&!n=null).
 :!a\&\&l.position === "static"\&\&!!n\&\&we.has(n.position)||G(r)\&\&!a\&\&Ut(i,r))?s=s.filter(h=>h!==r):n=l,r=B
 (r)}return t.set(i,s),s}function ve(i){let{element:t,boundary:e,rootBoundary:s,strategy:n}=i,r=[...e
==="clippingAncestors"?nt(t)?[]:xe(t,this._c):[].concat(e),s],l=r[0],a=r.reduce((c,h)=>{let
 d=Ft(t,h,n); return c.top=V(d.top,c.top),c.right=tt(d.right,c.right),c.bottom=tt(d.bottom,c.bottom),c
  .left=V(d.left,c.left),c},Ft(t,l,n));return{width:a.right-a.left,height:a.bottom-
 a.top,x:a.left,y:a.top}}function Le(i){let{width:t,height:e}=Vt(i);return{width:t,height:e}}function
 0e(i,t,e){let
 s=R(t), n=k(t), o=e==="fixed", r=rt(i, !0, o, t), l=\{scrollLeft: 0, scrollTop: 0\}, a=D(0); function
```

```
c()\{a.x=xt(n)\}if(s||!s\&\&!o)if((K(t)!=="body"||G(n))\&\&(l=ot(t)),s)\{let(x,y)\}if(x,y)\}if(x,y)\}if(x,y)
 f=rt(t,!0,o,t);a.x=f.x+t.clientLeft,a.y=f.y+t.clientTop\}else n\&\&c();o\&\&!s\&\&n\&\&c();let h=n\&\&!s\&\&!o?Wt
 (n,l):D(0),d=r.left+l.scrollLeft-a.x-h.x,p=r.top+l.scrollTop-a.y-
h.y;return{x:d,y:p,width:r.width,height:r.height}}function yt(i){return}
C(i).position==="static"}function Ht(i,t){if(!R(i)||C(i).position==="fixed")return null;if(t)return}
 t(i); let e=i.offsetParent; return k(i)===e\&(e=e.ownerDocument.body), efunction Kt(i,t){let
 e=0(i); if(nt(i)) return \ e; if(!R(i)) \{let \ n=B(i); for(; n\&\&!\_(n);) \{if(S(n)\&\&!yt(n)) return \ n; n=B(n)\} return \ e\} let \ s=Ht(i,t); for(; s\&\&Mt(s)\&\&yt(s);) s=Ht(s,t); return \ s\&\&\_(s)\&\&yt(s)\&\&!dt(s)?e:s||Bt(i)||e\} var 
 Ae=async function(i){let t=this.getOffsetParent||Kt,e=this.getDimensions,s=await
 e(i.floating); return{reference:0e(i.reference, await
 t(i.floating),i.strategy),floating:{x:0,y:0,width:s.width,height:s.height}}};function Se(i){return
 C(i).direction==="rtl"}var Ce={convertOffsetParentRelativeRectToViewportRelativeRect:ue,getDocumentE
 lement:k,getClippingRect:ve,getOffsetParent:Kt,getElementRects:Ae,getClientRects:me,getDimensions:Le
,getScale:X,isElement:S,isRTL:Se};var _t=It,var qt=Tt,Jt=Rt;var jt=(i,t,e)=>{let s=new}
Map,n={platform:Ce,...e},o={...n.platform,_c:s};return Dt(i,t,{...n,platform:o})};function
N(i){return i==null||i===""||typeof i=="string"&&i.trim()===""}function w(i){return!N(i)}var pt=clas
 s{constructor({element:t,options:e,placeholder:s,state:n,canOptionLabelsWrap:o=!0,canSelectPlacehold
 er:r=!0,initialOptionLabel:l=null,initialOptionLabels:a=null,initialState:c=null,isHtmlAllowed:h=!1,
 isAutofocused:d=!1,isDisabled:p=!1,isMultiple:f=!1,isSearchable:u=!1,getOptionLabelUsing:m=null,getO
 ptionLabelsUsing:g=null,getOptionsUsing:y=null,getSearchResultsUsing:b=null,hasDynamicOptions:v=!1,h
 as Dynamic Search \ref{Results:L=!0}, search Prompt: x = "Search...", search Debounce: q = 1e3, loading Message: Q = "Loading Messa
 g...",searchingMessage:]="Searching...",noSearchResultsMessage:F="No results
found",maxItems:I=null,maxItemsMessage:J="Maximum number of items selected",optionsLimit:j=null,posi
tion:Y=null, searchableOptionFields:A=["label"],livewireId:T=null, statePath:W=null, onStateChange:P=() =>{}}){this.element=t,this.options=e,this.originalOptions=JSON.parse(JSON.stringify(e)),this.placeho
 lder=s, this.state=n, this.can Option Labels Wrap=o, this.can Select Placeholder=r, this.initial Option Label=labels Wrap=o, this.can Select Placeholder=r, this.initial Option Labels Wrap=o, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=
  this.initialOptionLabels=a,this.initialState=c,this.isHtmlAllowed=h,this.isAutofocused=d,this.isDis,
 abled=p,this.isMultiple=f,this.isSearchable=u,this.getOptionLabelUsing=m,this.getOptionLabelsUsing=g
 , this.getOptionsUsing=y, this.getSearchResultsUsing=b, this.hasDynamicOptions=v, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicOptions=v, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResul
 esults=L,this.searchPrompt=x,this.searchDebounce=q,this.loadingMessage=Q,this.searchingMessage=[],thi
 \verb|s.noSearchResultsMessage=F, this.maxItems=I, this.maxItemsMessage=J, this.optionsLimit=j, this.position=|s.noSearchResultsMessage=F, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.maxItems=I, this.
 Y, this.searchableOptionFields=Array.isArray(A)?A:["label"],this.livewireId=T,this.statePath=W,this.o
 nStateChange=P,this.labelRepository={},this.isOpen=!1,this.selectedIndex=
 1, this.searchQuery="", this.searchTimeout=null, this.render(), this.setUpEventListeners(), this.isAutofocused&&this.selectButton.focus()} populateLabelRepositoryFromOptions(t) {if(!(!t||!Array.isArray(t)))} for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the
 or(let e of t)e.options&&Array.isArray(e.options)?this.populateLabelRepositoryFromOptions(e.options)
  :e.value!==void 0&&e.label!==void 0&&(this.labelRepository[e.value]=e.label)}render(){this.populateL
 abelRepositoryFromOptions(this.options),this.container=document.createElement("div"),this.container.
 className="fi-select-input-ctn",this.canOptionLabelsWrap||this.container.classList.add("fi-select-input-ctn-option-labels-not-wrapped"),this.container.setAttribute("aria-haspopup","listbox"),this.se
 lectButton=document.createElement("button"),this.selectButton.className="fi-select-input-
 btn",this.selectButton.type="button",this.selectButton.setAttribute("aria-expanded","false"),this.se
 lectedDisplay=document.createElement("div"),this.selectedDisplay.className="fi-select-input-value-ct
 n",this.updateSelectedDisplay(),this.selectButton.appendChild(this.selectedDisplay),this.dropdown=do
 cument.createElement("div"),this.dropdown.className="fi-dropdown-panel fi-scrollable",this.dropdown.
 setAttribute("role","listbox"),this.dropdown.setAttribute("tabindex","
 1"),this.dropdown.style.display="none",this.dropdownId=`fi-select-input-dropdown-
ctn", this.searchInput=document.createElement("input"), this.searchInput.className="fi-input", this.searchInput.type="text", this.searchInput.placeholder=this.searchInput, this.searchInput.setAttribute("a ria-label", "Search"), this.searchContainer.appendChild(this.searchInput), this.dropdown.appendChild(th
 is.searchContainer), this.searchInput.addEventListener("input",t=>{this.isDisabled||this.handleSearch(t)}),this.searchInput.addEventListener("keydown",t=>{if(!this.isDisabled){if(t.key==="Tab"){t.preve
 ntDefault();let e=this.getVisibleOptions();if(e.length===0)return;t.shiftKey?this.selectedIndex=e.le
 ngth-1:this.selectedIndex=0,e.forEach(s=>{s.classList.remove("fi-
 selected")}),e[this.selectedIndex].classList.add("fi-selected"),e[this.selectedIndex].focus()}else i
f(t.key==="ArrowDown"){if(t.preventDefault(),t.stopPropagation(),this.getVisibleOptions().length===0
 )return; this.selectedIndex=-1, this.searchInput.blur(), this.focusNextOption()}else
 if(t.key==="ArrowUp"){t.preventDefault(),t.stopPropagation();let e=this.getVisibleOptions();if(e.len
 gth===0) return; this. selectedIndex=e.length-
1,this.searchInput.blur(),e[this.selectedIndex].classList.add("fi-selected"),e[this.selectedIndex].focus(),e[this.selectedIndex].id&&this.dropdown.setAttribute("aria-
 active descendant ", e[this.selectedIndex].id), this.scroll OptionInto View (e[this.selectedIndex]) \} \})), this.scroll OptionInto View (e[this.selectedIndex]) \} \})), this.scroll OptionInto View (e[this.selectedIndex]) \} \})), this.scroll OptionInto View (e[this.selectedIndex]) \} \})), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this.scroll OptionInto View (e[this.selectedIndex]), this (e[this.selectedIndex]), this.scroll OptionInto View (e[thi
 is.optionsList=document.createElement("ul"),this.renderOptions(),this.container.appendChild(this.sel
ectButton), this.container.appendChild(this.dropdown), this.element.appendChild(this.container), this.a pplyDisabledState()}renderOptions(){this.optionsList.innerHTML="";let t=0,e=this.options,s=0,n=!1;th is.options.forEach(l=>{l.options&&Array.isArray(l.options)?(s+=l.options.length,n=!0):s++}),n?this.o
 ptionsList.className="fi-select-input-options-ctn":s>0&&(this.optionsList.className="fi-dropdown-
 list"); let o=n?null:this.optionsList,r=0; for(let l of
 e)\{if(this.optionsLimit\&r>=this.optionsLimit)break;if(l.options\&Array.isArray(l.options))\{let a=l.optionsLimit\&r>=this.optionsLimit)break;if(l.options&Array.isArray(l.options))\{let a=l.optionsLimit)break;if(l.options&Array.isArray(l.options))\}
 options; if (this.isMultiple&&Array.isArray(this.state)&&this.state.length>0&&(a=l.options.filter(c=>!
```

```
this.state.includes(c.value))),a.length>0){if(this.optionsLimit){let c=this.optionsLimit-
r; c< a.length\&\&(a=a.slice(0,c)) this.renderOptionGroup(l.label,a),r+=a.length,t+=a.length}}else{if(thermose)} else {if(thermose)} else {if(the
is.isMultiple&&Array.isArray(this.state)&&this.state.includes(l.value))continue;!o&&n&&(o=document.c
reateElement("ul"),o.className="fi-dropdown-list",this.optionsList.appendChild(o));let a=this.create
OptionElement(l.value,l);o.appendChild(a),r++,t++}}t===0?(this.searchQuery?this.showNoResultsMessage
 ():this.isMultiple&&this.isOpen&&!this.isSearchable&&this.closeDropdown(),this.optionsList.parentNod
e===this.dropdown&this.dropdown.removeChild(this.optionsList)):(this.hideLoadingState(),this.option
sList.parentNode!==this.dropdown&this.dropdown.appendChild(this.optionsList))}renderOptionGroup(t,e
/{if(e.length===0)return;let s=document.createElement("li");s.className="fi-select-input-option-group";let n=document.createElement("div");n.className="fi-dropdown-header",n.textContent=t;let o=document.createElement("ul");o.className="fi-dropdown-list",e.forEach(r=>{let l=this.createOptionE
lement(r.value,r);o.appendChild(l)}),s.appendChild(n),s.appendChild(o),this.optionsList.appendChild(
s)}createOptionElement(t,e){let s=t,n=e,o=!1;typeof e=="object"&&e!==null&&"label"in e&&"value"in
e&&(s=e.value,n=e.label,o=e.isDisabled||!1);let r=document.createElement("li");r.className="fi-dropdown-list-item fi-select-input-option",o&&r.classList.add("fi-disabled");let l=`fi-select-input-
Geton=
[{Math.random().toString(36).substring(2,11)}`;if(r.id=l,r.setAttribute("role","option"),r.setAttrib
ute("data-value",s),r.setAttribute("tabindex","0"),o&&r.setAttribute("aria-
disabled","true"),this.isHtmlAllowed&&typeof n=="string"){let
h=document.createElement("div");h.innerHTML=n;let
d=h.textContent||h.innerText||n;r.setAttribute("aria-label",d)}let a=this.isMultiple?Array.isArray(t
his.state)&&this.state.includes(s):this.state===s;r.setAttribute("aria-
selected",a?"true":"false"),a&&r.classList.add("fi-selected");let
c=document.createElement("span");return this.isHtmlAllowed?c.innerHTML=n:c.textContent=n,r.appendChi
ld(c),o||r.addEventListener("click",h=>{h.preventDefault(),h.stopPropagation(),this.selectOption(s),
this.isMultiple\&(this.isSearchable\&this.searchInput?setTimeout(()=>\{this.searchInput.focus()\},0):searchInput.focus()\},0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.fo
this.isMultiple){if(!Array.isArray(this.state)||this.state.length===0){let s=document.createElement,
("span");s.textContent=this.placeholder,this.selectedDisplay.appendChild(s);return}let e=await this.getLabelsForMultipleSelection();this.addBadgesForSelectedOptions(e),this.isOpen&&this.positionDropdo
wn(); return}if(this.state===null||this.state===""){let e=document.createElement("span"); e.textConten
t=this.placeholder,this.selectedDisplay.appendChild(e);return}let t=await
this.getLabelForSingleSelection(); this.addSingleSelectionDisplay(t)}async
getLabelsForMultipleSelection(){let
t=this.getSelectedOptionLabels(),e=[];if(Array.isArray(this.state))\{for(let\ n\ of\ this.state)if(!w(this.labelRepository[n]))\{if(w(t[n]))\{this.labelRepository[n]=t[n];continue\}e.push(n)\}\}if(e.length>0\&\&labelRepository[n])\}
w(this.initialOptionLabels)\&\&JSON.stringify(this.state) === JSON.stringify(this.initialState)){if(Arra}
y.isArray(this.initialOptionLabels))for(let n of this.initialOptionLabels)w(n)&&n.value!==void
0&&n.label!==void 0&&e.includes(n.value)&&(this.labelRepository[n.value]=n.label)}else
if(e.length>0&&this.getOptionLabelsUsing)try{let n=await this.getOptionLabelsUsing();for(let o of
n)w(o)&&o.value!==void 0&&o.label!==void
0&&(this.labelRepository[o.value]=o.label)}catch(n){console.error("Error fetching option
labels:",n) \} let \ s=[]; if (Array.isArray(this.state)) for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for
?s.push(this.labelRepository[n]): w(t[n])?s.push(t[n]): s.push(n); return s \} createBadgeElement(t,e) \{ let all this labelRepository[n] \} = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = 
s=document.createElement("span");s.className="fi-badge fi-size-md fi-color fi-color-primary fi-text-
color-600 dark:fi-text-color-200",w(t)&&s.setAttribute("data-value",t);let
n=document.createElement("span");n.className="fi-badge-label-ctn";let
o=document.createElement("span");o.className="fi-badge-
label", this.canOptionLabelsWrap&&o.classList.add("fi-
wrapped"),this.isHtmlAllowed?o.innerHTML=e:o.textContent=e,n.appendChild(o),s.appendChild(n);let
r = this.createRemoveButton(t,e); return s.appendChild(r),screateRemoveButton(t,e){let
s=document.createElement("button");return s.type="button",s.className="fi-badge-delete
btn",s.innerHTML='<svg class="fi-icon fi-size-xs" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16" fill="currentColor" aria-hidden="true" data-slot="icon"><path d="M5.28 4.22a.75.75 0 0 0-1.06 1.06L6.94 81-2.72 2.72a.75.75 0 1 0 1.06 1.06L8 9.06l2.72 2.72a.75.75 0 1 0 1.06-1.06L9.06
tedOptions(t){let e=document.createElement("div");e.className="fi-select-input-value-badges
ctn",t.forEach((s,n)=>{let o=Array.isArray(this.state)?this.state[n]:null,r=this.createBadgeElement(
o,s);e.appendChild(r)}),this.selectedDisplay.appendChild(e)}async getLabelForSingleSelection(){let t
=this.labelRepository[this.state];if(N(t)&&(t=this.getSelectedOptionLabel(this.state)),N(t)&&w(this.
initialOptionLabel)&&this.state===this.initialState)t=this.initialOptionLabel,w(this.state)&&(this.l
abel Repository[this.state] = t); else if (N(t) \&\&this.get Option Label Using) try \{t=await this.get Option Label Using(), w(t) \&\&w(this.state) \&\&(this.label Repository[this.state] = t)\} catch(e) \{console.error("Error Using(), w(t) &\&w(this.state) &\&(this.label Repository[this.state]) \}
fetching option label: ",e),t=this.state}else N(t)&(t=this.state); return
t}addSingleSelectionDisplay(t){let e=document.createElement("span");if(e.className="fi-select-input-
value-label", this.isHtmlAllowed?e.innerHTML=t:e.textContent=t,this.selectedDisplay.appendChild(e),!t
his.canSelectPlaceholder)return;let
s=document.createElement("button");s.type="button",s.className="fi-select-input-value-remove-btn",s.innerHTML='<svg class="fi-icon fi-size-sm" viewBox="0 0 20 20" fill="currentColor"><path fill-rule="evenodd" d="M4.293 4.293a1 1 0 011.414 0L10 8.58614.293-4.293a1 1 0 111.414 1.414L11.414
```

```
turn this.labelRepository[t];let e="";for(let s of
this.options)if(s.options&&Array.isArray(s.options)){for(let n of
s.options)if(n.value===t){e=n.label.this.labelRepositorv[t]=e:break}}else
if(s.value===t){e=s.label,this.labelRepository[t]=e;break}return e}setUpEventListeners(){this.button
ClickListener=()=>{this.toggleDropdown()},this.documentClickListener=t=>{!this.container.contains(t.
target) \& this. is Open \& this. close Dropdown()\}, this. button Keydown Listener = t => \{this. is Disabled | | this. handle of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context 
dleSelectButtonKeydown(t)},this.dropdownKeydownListener=t=>{this.isDisabled||this.isSearchable&&docu
ment.activeElement===this.searchInput&&!["Tab","Escape"].includes(t.key)||this.handleDropdownKeydown
(t)},this.selectButton.addEventListener("click",this.buttonClickListener),document.addEventListener("click")
"click", this.documentClickListener), this.selectButton.addEventListener("keydown", this.buttonKeydownListener), this.dropdownKeydownListener), !this.isMultiple&&th
is.livewireId&&this.statePath&&this.getOptionLabelUsing&&(this.refreshOptionLabelListener=async t=>{
if(t.detail.livewireId===this.livewireId&&t.detail.statePath===this.statePath&&w(this.state))try{del
ete this.labelRepository[this.state];let e=await
this.getOptionLabelUsing();w(e)&&(this.labelRepository[this.state]=e);let s=this.selectedDisplay.querySelector(".fi-select-input-value-label");w(s)&&(this.isHtmlAllowed?s.inn
erHTML=e:s.textContent=e), this.updateOptionLabelInList(this.state,e)}catch(e){console.error("Error refreshing option label:",e)}}, window.addEventListener("filament-forms::select.refreshSelectedOption
Label", this.refreshOptionLabelListener))}updateOptionLabelInList(t,e){this.labelRepository[t]=e;let
s=this.getVisibleOptions();for(let n of s)if(n.getAttribute("data-
value")===String(t)){if(n.innerHTML="",this.isHtmlAllowed){let
o=document.createElement("span");o.innerHTML=e,n.appendChild(o)}else
n.appendChild(document.createTextNode(e));break}for(let n of
this.options)if(n.options&&Array.isArray(n.options)){for(let o of
n.options)if(o.value===t){o.label=e;break}}else if(n.value===t){n.label=e;break}for(let n of
this.originalOptions)if(n.options&&Array.isArray(n.options)){for(let o of
\verb|n.options|| if (o.value===t) {o.label=e;break} e if (n.value===t) {n.label=e;break} and le Select Button Kerner for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
eydown(t){switch(t.key){case"ArrowDown":t.preventDefault(),t.stopPropagation(),this.isOpen?this.focu
sNextOption():this.openDropdown();break;case"ArrowUp":t.preventDefault(),t.stopPropagation(),this.is
Open?this.focusPreviousOption():this.openDropdown();break;case"
   :if(t.preventDefault(),this.isOpen){if(this.selectedIndex>=0){let
e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}}else this.openDropdown();break;case"Ent
er":break;case"Escape":this.isOpen&&(t.preventDefault(),this.closeDropdown());break;case"Tab":this.isOpen&&this.closeDropdown();break}}handleDropdownKeydown(t){switch(t.key){case"ArrowDown":t.preventD
efault(),t.stopPropagation(),this.focusNextOption();break;case"ArrowUp":t.preventDefault(),t.stopPropagation(),this.focusPreviousOption();break;case" ":if(t.preventDefault(),this.selectedIndex>=0){let
e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()]break;case"Enter":if(t.preventDefault().
this.selectedIndex>=0){let e=this.getVisibleOptions()[this.selectedIndex];e&e.click()}else{let e=this.element.closest("form");e&e.submit()}break;case"Escape":t.preventDefault(),this.closeDropdown(),
this.selectButton.focus();break;case"Tab":this.closeDropdown();break}}toggleDropdown(){if(!this.isDi
sabled){if(this.isOpen){this.closeDropdown();return}this.isMultiple&&!this.isSearchable&&!this.hasAv
ailableOptions()||this.openDropdown()}}hasAvailableOptions(){for(let t of
this.options)if(t.options&&Array.isArray(t.options)){for(let e of
t.options)if(!Array.isArray(this.state)||!this.state.includes(e.value))return!0}else
if(!Array.isArray(this.state)||!this.state.includes(t.value))return!0;return!1}async
openDropdown(){this.dropdown.style.display="block",this.dropdown.style.opacity="0";let
t=this.selectButton.closest(".fi-absolute-positioning-context")!==null;if(this.dropdown.style.positi
on=t?"absolute":"fixed",this.dropdown.style.width=`[{this.selectButton.offsetWidth}px`,this.selectButton.setAttribute("aria-expanded","true"),this.isOpen=!0,this.positionDropdown(),this.resizeListener
||(this.resizeListener=()=>{this.dropdown.style.width=`[{this.selectButton.offsetWidth}px`,this.posi
tionDropdown()},window.addEventListener("resize",this.resizeListener)),this.scrollListener||(this.scrollListener=()=>this.positionDropdown(),window.addEventListener("scroll",this.scrollListener,!0)),t
his.dropdown.style.opacity="1",this.hasDynamicOptions&&this.getOptionsUsing){this.showLoadingState(! 1);try{let e=await this.getOptionsUsing();this.options=e,this.originalOptions=JSON.parse(JSON.string
ify(e)), this populateLabelRepositoryFromOptions(e), this renderOptions()) catch(e) {console error("Erro
r fetching options: ",e), this.hideLoadingState()}}if(this.hideLoadingState(),this.isSearchable&&this.searchInput)this.searchInput.value="",this.searchInput.focus(),this.searchQuery="",this.options=JSON
.parse(JSON.stringify(this.originalOptions)),this.renderOptions();else{this.selectedIndex=-1;let e=t his.getVisibleOptions();if(this.isMultiple){if(Array.isArray(this.state)&&this.state.length>0){for(l
et s=0;s<e.length;s++)if(this.state.includes(e[s].getAttribute("data-
value"))){this.selectedIndex=s;break}}}else for(let s=0;s<e.length;s++)if(e[s].getAttribute("data-va</pre>
lue")===this.state){this.selectedIndex===
1&&e.length>0&&(this.selectedIndex=0),this.selectedIndex>=0&&(e[this.selectedIndex].classList.add("f
i-selected"),e[this.selectedIndex].focus())}}positionDropdown(){let t=this.position==="top"?"top-
start":"bottom-start",e=[\_t(4),qt(\{padding:5\})];this.position!=="top"\&\&this.position!=="bottom"\&\&e.push(Jt());let]
s=this.selectButton.closest(".fi-absolute-positioning-context")!==null;jt(this.selectButton,this.dro
pdown,{placement:t,middleware:e,strategy:s?"absolute":"fixed"}).then(({x:n,y:o})=>{0bject.assign(thi
```

```
s.dropdown.style, \{left: `[\{n\}px`,top: `[\{o\}px`\})\})\} closeDropdown() \{this.dropdown.style.display="none",this.selectButton.setAttribute("aria-expanded","false"),this.isOpen=!1,this.resizeListener&&(window.removeEventListener("resize",this.resizeListener),this.resizeListener=null),this.scrollListener&&(window.removeEventListener),this.resizeListener),this.resizeListener=null),this.scrollListener&&(window.removeEventListener),this.resizeListener),this.resizeListener=null),this.scrollListener&&(window.removeEventListener),this.resizeListener),this.resizeListener=null),this.scrollListener&&(window.removeEventListener),this.resizeListener=null),this.scrollListener&&(window.removeEventListener),this.resizeListener=null),this.scrollListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener),this.resizeListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.
ndow.removeEventListener("scroll",this.scrollListener,!0),this.scrollListener=null),this.getVisibleOptions().forEach(e=>{e.classList.remove("fi-selected")})}focusNextOption(){let t=this.getVisibleOpti
ons(); if(t.length!==0){if(this.selectedIndex>=0&&this.selectedIndex<t.length&&t[this.selectedIndex].}
classList.remove("fi-selected"),this.selectedIndex===t.length-
1&&this.isSearchable&&this.searchInput){this.selectedIndex=
1,this.searchInput.focus(),this.dropdown.removeAttribute("aria-activedescendant");return}this.select
edIndex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex + 1) %t.length, t[
selected"),t[this.selectedIndex].focus(),t[this.selectedIndex].id&&this.dropdown.setAttribute("aria-
activedescendant",t[this.selectedIndex].id),this.scrollOptionIntoView(t[this.selectedIndex])}}focusP
reviousOption(){let t=this.getVisibleOptions();if(t.length!==0){if(this.selectedIndex>=0&&this.selec
tedIndex<t.length&&t[this.selectedIndex].classList.remove("fi-selected"),(this.selectedIndex===0||th
is.selectedIndex===-1)&&this.isSearchable&&this.searchInput){this.selectedIndex=
1,this.searchInput.focus(),this.dropdown.removeAttribute("aria-activedescendant");return}this.select
edIndex=(this.selectedIndex-1+t.length)%t.length,t[this.selectedIndex].classList.add("fi-
selected"),t[this.selectedIndex].focus(),t[this.selectedIndex].id&&this.dropdown.setAttribute("aria-
activedescendant",t[this.selectedIndex].id),this.scrollOptionIntoView(t[this.selectedIndex])}}scroll OptionIntoView(t){if(!t)return;let e=this.dropdown.getBoundingClientRect(),s=t.getBoundingClientRect
 ();s.bottom>e.bottom?this.dropdown.scrollTop+=s.bottom-
e.bottom:s.top<e.top&(this.dropdown.scrollTop-=e.top-s.top)}getVisibleOptions(){let
t=[];this.optionsList.classList.contains("fi-dropdown-
                 ')?t=Array.from(this.optionsList.querySelectorAll(':scope >
li[role="option"]')):t=Array.from(this.optionsList.querySelectorAll(':scope > ul.fi-dropdown-list >
li[role="option"]')); let e=Array.from(this.optionsList.querySelectorAll('li.fi-select-input-option-group > ul > li[role="option"]')); return[...t,...e]}getSelectedOptionLabels(){if(!Array.isArray(this
  .state)||this.state.length===0)return{};let t={};for(let e of this.state){let s=!1;for(let n of
this.options)if(n.options&&Array.isArray(n.options)){for(let o of
n.options)if(o.value===e){t[e]=o.label,s=!0;break}if(s)break}else
if(n.value===e){t[e]=n.label,s=!0;break}}return t}handleSearch(t){let e=t.target.value.trim().toLowe
rCase();if(this.searchQuery=e,this.searchTimeout&&clearTimeout(this.searchTimeout),e===""){this.opti
ons=JSON.parse(JSON.stringify(this.originalOptions)),this.renderOptions();return}if(!this.getSearchResultsUsing||typeof this.getSearchResultsUsing!="function"||!this.hasDynamicSearchResults){this.filt
erOptions(e); return}this.searchTimeout=setTimeout(async()=>{try{this.showLoadingState(!0);let
s=await this.getSearchResultsUsing(e);this.options=s,this.populateLabelRepositoryFromOptions(s),this
.hideLoadingState(),this.renderOptions(),this.isOpen&&this.positionDropdown(),this.options.length===
0&&this.showNoResultsMessage()}catch(s){console.error("Error fetching search results:",s),this.hideL
oadingState(),this.options=JSON.parse(JSON.stringify(this.originalOptions)),this.renderOptions()}},t
\label{linear_his.searchDebounce} his.searchDebounce) \} show Loading State (t=!1) \{ this.options List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode==this.dropdown \& (this.option List.parentNode=this.dropdown st.innerHTML=""),this.hideLoadingState();let e=document.createElement("div");e.className="fi
select-input-message",e.textContent=t?this.searchingMessage:this.loadingMessage,this.dropdown.append
Child(e)}hideLoadingState(){let t=this.dropdown.querySelector(".fi-select-input-message");t&&t.remove()}showNoResultsMessage(){this.optionsList.parentNode===this.dropdown&this.optionsList.children.le
ngth>0&&(this.optionsList.innerHTML=""),this.hideLoadingState();let
t=document.createElement("div");t.className="fi-select-input-
message", t.textContent=this.noSearchResultsMessage, this.dropdown.appendChild(t)}filterOptions(t){let
e=this.searchableOptionFields.includes("label"),s=this.searchableOptionFields.includes("value"),n=[];for(let o of this.originalOptions)if(o.options&Array.isArray(o.options)){let r=o.options.filter(l=
\verb|-e&&l.label.toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t))||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&String(l.value).toLowerCase().includes(t)||s&String(l.value).toLowerCase().includes(t)||s&String(l.value).toLowerC
ush({label:o.label,options:r})}else(e&&o.label.toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&String(o.value).toLowerCase().includes(t)||s&String(o.value).toLowerCase().include
Case().includes(t))&&n.push(o);this.options=n,this.renderOptions(),this.options.length====0&&this.sho
wNoResultsMessage(),this.isOpen&&this.positionDropdown()}selectOption(t){if(this.isDisabled)return;if(!this.isMultiple){this.state=t,this.updateSelectedDisplay(),this.renderOptions(),this.closeDropdow
n(),this.selectButton.focus(),this.onStateChange(this.state);return}let
e=Array.isArray(this.state)?[...this.state]:[];if(e.includes(t)){let
n=this.selectedDisplay.querySelector(`[data-value="□{t}"]`);if(w(n)){let o=n.parentElement;w(o)&&o.c
hildren.length===1?(e=e.filter(r=>r!==t),this.state=e,this.updateSelectedDisplay()):(n.remove(),e=e.filter(r=>r!==t),this.state=e,this.updateSelectedDisplay()):
his.render Options(), this.is Open \& this.position Dropdown(), this.maintain Focus In Multiple Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior Mode(), this.on Superior
tate Change (this.state); return \} if (this.maxItems \& e.length >= this.maxItems) \{this.maxItems Message \& alerter for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t
 (this.maxItemsMessage);return}e.push(t),this.state=e;let s=this.selectedDisplay.querySelector(".fi-
select-input-value-badges-ctn");N(s)?this.updateSelectedDisplay():this.addSingleBadge(t,s),this.rend
erOptions(), this.isOpen&&this.positionDropdown(), this.maintainFocusInMultipleMode(), this.onStateChan
\label{lem:geta} $$ ge(this.state)$ async addSingleBadge(t,e){let s=this.labelRepository[t];} if(N(s)\&\&(s=this.getSelectedOptionLabel(t),w(s)\&\&(this.labelRepository[t]=s)),N(s)\&\&this.getOptionLabelSUsing)try{let o=await} $$
this.getOptionLabelsUsing(); for(let r of o)if(w(r)\&\&r.value===t\&\&r.label!==void
0){s=r.label,this.labelRepository[t]=s;break}}catch(o){console.error("Error fetching option
label:",o)}N(s)&(s=t);let n=this.createBadgeElement(t,s);e.appendChild(n)}maintainFocusInMultipleMo
de(){if(this.isSearchable&&this.searchInput){this.searchInput.focus();return}let t=this.getVisibleOp
tions();if(t.length!==0){if(this.selectedIndex=-
1, Array.isArray(this.state)&&this.state.length>0) {for(let
e=0;e<t.length;e++)if(this.state.includes(t[e].getAttribute("data-value"))){this.selectedIndex=e;bre
```

```
ak\} \\ this.selectedIndex == -1\& (this.selectedIndex = 0), \\ t[this.selectedIndex]. \\ classList. \\ add("fi-selectedIndex = 0), \\ t[this.selectedIndex]. \\ classList. \\ add("fi-selectedIndex = 0), \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex 
   ),t[this.selectedIndex].focus()}}disable(){this.isDisabled||(this.isDisabled=!0,this.applyDisabledS
 tate(),this.isOpen&&this.closeDropdown())}enable(){this.isDisabled&&(this.isDisabled=!1,this.applyDi
sabledState())}applyDisabledState(){if(this.isDisabled){if(this.selectButton.setAttribute("disabled"), this.selectButton.setAttribute("aria-
disabled", "true"), this.selectButton.classList.add("fi-
disabled"), this.isMultiple&&this.container.querySelectorAll(".fi-select-input-badge-
remove").forEach(e=>{e.setAttribute("disabled", "disabled"), e.classList.add("fi-
disabled")}),!this.isMultiple&&this.canSelectPlaceholder){let t=this.container.querySelector(".fi-select-input-value-remove-btn");t&&(t.setAttribute("disabled","disabled"),t.classList.add("fi-disabled"))}this.isSearchable&&this.searchInput&&(this.searchInput.setAttribute("disabled","disabled"),thi
 s.searchInput.classList.add("fi-disabled"))}else{if(this.selectButton.removeAttribute("disabled"),th
 is.selectButton.removeAttribute("aria-disabled"),this.selectButton.classList.remove("fi-
disabled"), this.isMultiple&&this.container.querySelectorAll(".fi-select-input-badge-remove").forEach(e=>{e.removeAttribute("disabled"),e.classList.remove("fi-
 \label{linear_disabled} disabled") \end{substitute}, is \begin{substitute}Multiple \& this.can Select Placeholder \ \{let t=this.container.query Selector(".fiselect-input-value-remove-btn"); t \& (t.remove Attribute("disabled"), t.class List.add("fi-disabled")) \ \} this.is \begin{substitute}Multiple \& this.can Select Placeholder \ \{let t=this.container.query Selector(".fi-select-input-value-remove-btn"); t \& (t.remove Attribute("disabled"), t.class List.add("fi-disabled")) \ \} this.is \begin{substitute}Multiple \& this.can Select Placeholder \ \{let t=this.container.query Selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-selector(".fi-
 is.isSearchable&&this.searchInput&&(this.searchInput.removeAttribute("disabled"),this.searchInput.cl
 assList.remove("fi-disabled"))}}destroy(){this.selectButton&&this.buttonClickListener&&this.selectBu
 tton.removeEventListener("click",this.buttonClickListener),this.documentClickListener&&document.remo
veEventListener("click", this.documentClickListener), this.selectButton&&this.buttonKeydownListener&&this.selectButton.removeEventListener("keydown", this.buttonKeydownListener), this.dropdown&&this.dropdownKeydownListener&&this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdown", this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.d
 esizeListener&&(window.removeEventListener("resize",this.resizeListener),this.resizeListener=null),t
 his.scrollListener&&(window.removeEventListener("scroll",this.scrollListener,!0),this.scrollListener
 =null),this.refreshOptionLabelListener&&window.removeEventListener("filament-forms::select.refreshSe
 lectedOptionLabel",this.refreshOptionLabelListener),this.isOpen&&this.closeDropdown(),this.searchTim
 eout&&(clearTimeout(this.searchTimeout),this.searchTimeout=null),this.container&&this.container.remo
 ve()}};function Ee({canOptionLabelsWrap:i,canSelectPlaceholder:t,isHtmlAllowed:e,getOptionLabelUsing
  :s,getOptionLabelsUsing:n,getOptionsUsing:o,getSearchResultsUsing:r,initialOptionLabel:l,initialOpti
 onLabels:a,initialState:c,isAutofocused:h,isDisabled:d,isMultiple:p,isSearchable:f,hasDynamicOptions
 :u, hasDynamicSearchResults:m, livewireId:g, loadingMessage:y, maxItems:b, maxItemsMessage:v, noSearchResu
 ltsMessage:L,options:x,optionsLimit:q,placeholder:Q,position:□,searchDebounce:F,searchingMessage:I,s
 earchPrompt:J,searchableOptionFields:j,state:Y,statePath:A}){return{select:null,state:Y,init(){this.
 select=new pt({element:this. ☐refs.select,options:x,placeholder:Q,state:this.state,canOptionLabelsWra
 p:i,canSelectPlaceholder:t,initialOptionLabel:l,initialOptionLabels:a,initialState:c,isHtmlAllowed:e
  ,isAutofocused:h,isDisabled:d,isMultiple:p,isSearchable:f,getOptionLabelUsing:s,getOptionLabelsUsing
 :n,getOptionsUsing:o,getSearchResultsUsing:r,hasDynamicOptions:u,hasDynamicSearchResults:m,searchPro
 mpt:J,searchDebounce:F,loadingMessage:y,searchingMessage:I,noSearchResultsMessage:L,maxItems:b,maxIt
emsMessage:v,optionsLimit:q,position:[],searchableOptionFields:j,livewireId:g,statePath:A,onStateChan
ge:T=>{this.state=T}}),this.[]watch("state",T=>{this.select.state!==T&&(this.select.state
e=T,this.select.updateSelectedDisplay(),this.select.renderOptions())}),destroy(){this.select&&(this.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select.select
 .select.destroy(),this.select=null)}}}export{Ee as default};
```

```
var I;(function(r){r.Range="range",r.Steps="steps",r.Positions="positions",r.Count="count",r.Values=
||(0={}));function we(r){return rt(r)&&typeof r.from=="function"}function rt(r){return typeof
        =="object"&&typeof r.to=="function"}function zt(r){r.parentElement.removeChild(r)}function
 St(r){return r!=null}function Ft(r){r.preventDefault()}function Ce(r){return
 r.filter(function(t){return this[t]?!1:this[t]=!0},{})}function Ee(r,t){return
\label{eq:matching} \begin{tabular}{ll} Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action & Action
  r=="number"&&!isNaN(r)&&isFinite(r)}function
 Rt(r,t,s){s>0&&(L(r,t),setTimeout(function(){et(r,t)},s))}function jt(r){return
 Math.max(Math.min(r,100),0)}function it(r){return Array.isArray(r)?r:[r]}function
Pe(r){r=String(r);var t=r.split(".");return t.length>1?t[1].length:0}function L(r,t){r.classList&&!/\s/.test(t)?r.classList.add(t):r.className+=" "+t}function
et(r,t){r.classList&&!/\s/.tess(t)\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\footnote{\f
rollTop;return{x:f,y:u}}function De(){return window.navigator.pointerEnabled?{start:"pointerdown",move:"pointermove",end:"pointerup"}:window.navigator.msPointerEnabled?{start:"MSPointerDown",move:"MSPointerMove",end:"MSPointerUp"}:{start:"mousedown touchstart",move:"mousemove touchmove",end:"mouseup
touchend"}}function ye(){var r=!1;try{var t=0bject.defineProperty({},"passive",{get:function(){r=!0}});window.addEventListener("test",null,t)}catch{}return r}function ke(){return window.CSS&&CSS.supports&&CSS.supports("touch-action","none")}function bt(r,t){return 100/(t-r)}function xt(r,t,s){return t*100/(r[s+1]-r[s])}function Ue(r,t){return 100/(t-r)}function xt(r,t,s){return 100/(t-r)}function ve(s)
 xt(r,r[0]<0?t+Math.abs(r[0]):t-r[0],0) function Me(r,t) {return t*(r[1]-r[0])/100+r[0]} function
 G(r,t){for(var s=1;r>=t[s];)s+=1;return s}function e(r,t,s){if(s>=r.slice(-1)[0])return 100;var
 f=G(s,r), u=r[f-1], d=r[f], v=t[f-1], w=t[f]; return v+Ue([u,d],s)/bt(v,w) function
 Le(r,t,s)\{if(s>=100)\ return\ r.slice(-1)[0]; var\ f=G(s,t), u=r[f-1], d=r[f], v=t[f-1], w=t[f]; return\ Me([u,d],(s-v)*bt(v,w))\} function\ Oe(r,t,s,f)\{if(f===100)\ return\ f; var\ u=G(f,r), d=r[u-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[t-1], v=r[u]; return\ f=G(s,t), u=r[u]; 
 s?f-d>(v-d)/2?v:d:t[u-1]?r[u-1]+Ee(f-r[u-1],t[u-1]):f}var Kt=function()\{function r(t,s,f)\{this.xPct=
  [], this.xVal=[], this.xSteps=[], this.xNumSteps=[], this.xHighestCompleteStep=[], this.xSteps=[f||!1], th
 is.xNumSteps=[!1],this.snap=s;var
 u,d=[];for(0bject.keys(t).forEach(function(v){d.push([it(t[v]),v])}),d.sort(function(v,w){return v[0]}))
 wold[0]])),u=0;u<d.length;u++)this.handleEntryPoint(d[u][1],d[u][0]);for(this.xNumSteps=this.xSteps.s
 lice(0),u=0;u<this.xNumSteps.length;u++)this.handleStepPoint(u,this.xNumSteps[u])}return
 r.prototype.getDistance=function(t){for(var
 s=[], f=0; f<this.xNumSteps.length-1; f++)s[f]=xt(this.xVal,t,f); return
 s}.r.prototype.getAbsoluteDistance=function(t,s,f){var
u=0;if(t<this.xPct[this.xPct.length-1])for(;t>this.xPct[u+1];)u++;else t===this.xPct[this.xPct.length-1]&&(u=this.xPct.length-2);!f&&t===this.xPct[u+1]&&u++,s===null&&(s=[]);var d,v=1,w=s[u],C=0,p=0,D=0,y=0;for(f?d=(t-this.xPct[u])/(this.xPct[u+1]-this.xPct[u]):d=(this.xPct[u+1]-t)/(this.xPct[u+1]-this.xPct[u]):d=(this.xPct[u+1]-t)/(this.xPct[u+1]-this.xPct[u]):d=(this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]-this.xPct[u+1]
this.xPct[u]);w>0;)C=this.xPct[u+1+y]-this.xPct[u+y],s[u+y]*v+100-d*100>100?(p=C*d,v=(w-100*d)/s[u+y],d=1):(p=s[u+y]*C/100*v,v=0),f?(D=D-p,this.xPct.length+y>=1&&y-
 ):(D=D+p,this.xPct.length-y>=1&&y++),w=s[u+y]*v;return
t+D},r.prototype.toStepping=function(t){return
 t=_e(this.xVal,this.xPct,t),t,r.prototype.fromStepping=function(t){return}
 Le(this.xVal,this.xPct,t)},r.prototype.getStep=function(t){return
 t = 0e(this.xPct, this.xSteps, this.snap, t), t\}, r.prototype.getDefaultStep = function(t, s, f) \{var \ u = G(t, this.xPct, this.xSteps, this.snap, t), t\}, r.prototype.getDefaultStep = function(t, s, f) \{var \ u = G(t, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct, this.xPct,
.xPct); return(t===100||s&&t===this.xPct[u-1])&&(u=Math.max(u-1,1)), (this.xVal[u]-this.xVal[u-1])/f}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: this.xPct}}, r.prototype.getNearbySteps=function(t) {var s=G(t,this.xPct); return{stepBefore: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {startValue: {star
 s.xVal[s-2],step:this.xNumSteps[s-2],highestStep:this.xHighestCompleteStep[s-
 2]},thisStep:{startValue:this.xVal[s-1],step:this.xNumSteps[s-
 1], highestStep:this.xHighestCompleteStep[s-
 1]},stepAfter:{startValue:this.xVal[s],step:this.xNumSteps[s],highestStep:this.xHighestCompleteStep[
 s]}}},r.prototype.countStepDecimals=function(){var t=this.xNumSteps.map(Pe);return
 Math.max.apply(null,t)},r.prototype.hasNoSize=function(){return
 this.xVal[0] = = this.xVal[this.xVal.length-1]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.prototype.convert = function(t) \{return this.xVal[this.xVal]\}, r.turn = function(t) \{return this.xVal[this.xVal[this.xVal]], r.turn = function(t) \{return this.xVal[this.xVal]], r.turn = function(t) \{return this.xVal[this.xVal]\}, r.turn = function(t) \{return this.xVal[this.xVal]\}, r.turn = function(t) \{
this.getStep(this.toStepping(t))},r.prototype.handleEntryPoint=function(t,s){var
f;if(t==="min"?f=0:t==="max"?f=100:f=parseFloat(t),!R(f)||!R(s[0]))throw new Error("noUiSlider:
'range' value isn't numeric.");this.xPct.push(f),this.xVal.push(s[0]);var_u=Number(s[1]);f?this.xSte
 ps.push(isNaN(u)?!1:u):isNaN(u)||(this.xSteps[0]=u), this.xHighestCompleteStep.push(0)\}, r.prototype.h
 and le Step Point = function(t,s) \{ if(s) \{ if(this.xVal[t] = ==this.xVal[t+1] \} \{ this.xSteps[t] = this.xHighestCom \} \} \\
 pleteStep[t]=this.xVal[t];return}this.xSteps[t]=xt([this.xVal[t],this.xVal[t+1]],s,0)/bt(this.xPct[t
  ],this.xPct[t+1]);var f=(this.xVal[t+1]
 this.xVal[t])/this.xNumSteps[t],u=Math.ceil(Number(f.toFixed(3))-
1),d=this.xVal[t]+this.xNumSteps[t]*u;this.xHighestCompleteStep[t]=d}},r}(),Nt={to:function(r){return r===void 0?"":r.toFixed(2)},from:Number},It={target:"target",base:"base",origin:"origin",handle:"handle",handleLower:"handle-lower",handleUpper:"handle-upper",touchArea:"touch-area",horizontal:"horizontal",vertical:"vertical",background:"background",connect:"connects:"connects:"connects",ltr:"ltr",
```

```
rtl:"rtl",textDirectionLtr:"txt-dir-ltr",textDirectionRtl:"txt-dir-
rtl:"rtl",textDirectionLtr:"txt-dir-ltr",textDirectionRtl:"txt-dir-
rtl",draggable:"draggable",drag:"state-drag",tap:"state-
tap",active:"active",tooltip:"tooltip",pips:"pips",pipsHorizontal:"pips-
horizontal",pipsVertical:"pips-vertical",marker:"marker",markerHorizontal:"marker-
horizontal",markerVertical:"marker-vertical",markerNormal:"marker-normal",markerLarge:"marker-
large",markerSub:"marker-sub",value:"value",valueHorizontal:"value-horizontal",valueVertical:"value-
vertical",valueNormal:"value-normal",valueLarge:"value-large",valueSub:"value-
sub"},K={tooltips:".__tooltips",aria:".__aria"};function He(r,t){if(!R(t))throw new
Error("noUiSlider: 'step' is not numeric.");r.singleStep=t}function ze(r,t){if(!R(t))throw new
Error("noUiSlider: 'keyboardPageMultiplier' is not numeric.");r.keyboardPageMultiplier=t}function
Fe(r,t){if(!R(t))throw new Error("noUiSlider: 'keyboardMultiplier' is not
numeric.");r.keyboardMultiplier=t}function Re(r,t){if(!R(t))throw new Error("noUiSlider:
 numeric.");r.keyboardMultiplier=t}function Re(r,t){if(!R(t))throw new Error("noUiSlider:
  'keyboardDefaultStep' is not numeric.");r.keyboardDefaultStep=t}function je(r,t){if(typeof
t!="object"||Array.isArray(t))throw new Error("noUiSlider: 'range' is not an object.");if(t.min===void 0||t.max===void 0)throw new Error("noUiSlider: Missing 'min' or 'max' in 'range'.");r.spectrum=new Kt(t,r.snap||!1,r.singleStep)}function
 Ne(r,t){if(t=it(t),!Array.isArray(t)||!t.length)throw new Error("noUiSlider: 'start' option is
 incorrect.");r.handles=t.length,r.start=t}function Be(r,t){if(typeof t!="boolean")throw new
Error("noUiSlider: 'snap' option must be a boolean.");r.snap=t}function Ke(r,t){if(typeof t!="boolean");r.animate=t}function t!="boolean");r.animate=t}function
 Ie(r,t){if(typeof t!="number")throw new Error("noUiSlider: 'animationDuration' option must be a
                       );r.animationDuration=t}function qt(r,t){var s=[!1],f;if(t==="lower"?t=[!0,!1]:t==="upper"&&
 (t=[!1,!0]),t===!0||t===!1){for(f=1;f<r.handles;f++)s.push(t);s.push(!1)}else{if(!Array.isArray(t)||
!t.length||t.length!==r.handles+1)throw new Error("noUiSlider: 'connect' option doesn't match handle</pre>
 count.");s=t}r.connect=s}function
qe(r,t){switch(t){case"horizontal":r.ort=0;break;case"vertical":r.ort=1;break;default:throw new Error("noUiSlider: 'orientation' option is invalid.")}}function Tt(r,t){if(!R(t))throw new Error("noUiSlider: 'margin' option must be
numeric."); t!==0\&\&(r.margin=r.spectrum.getDistance(t)) function Te(r,t)\{if(!R(t))throw\ new\ Error("noUiSlider: 'limit' option must be
numeric."); if(r.limit=r.spectrum.getDistance(t),!r.limit||r.handles<2)throw new Error("noUiSlider: 'limit' option is only supported on linear sliders with 2 or more handles.")} function Xe(r,t) {var
 s;if(!R(t)&&!Array.isArray(t))throw new Error("noUiSlider: 'padding' option must be numeric or array
 of exactly 2 numbers."); if (Array.isArray(t)\&\&!(t.length===2||R(t[0])||R(t[1]))) throw new
 Error("noUiSlider: 'padding' option must be numeric or array of exactly 2 numbers.");if(t!==0){for(A
 rray.is Array(t) \mid \mid (t = [t, t]), r. padding = [r. spectrum.getDistance(t[0]), r. spectrum.getDistance(t[1])], s = 0
  ;s<r.spectrum.xNumSteps.length-1;s++)if(r.padding[0][s]<0||r.padding[1][s]<0)throw new
 Error("noUiSlider: 'padding' option must be a positive number(s).");var
f=t[0]+t[1],u=r.spectrum.xVal[0],d=r.spectrum.xVal[r.spectrum.xVal.length-1];if(f/(d-u)>1)throw new Error("noUiSlider: 'padding' option must not exceed 100% of the range.")}}function
Ye(r,t){switch(t){case"ltr":r.dir=0;break;case"rtl":r.dir=1;break;default:throw new Error("noUiSlider: 'direction' option was not recognized.")}}function We(r,t){if(typeof t!="string")throw new Error("noUiSlider: 'behaviour' must be a string containing options.");var s=t.indexOf("tap")>=0,f=t.indexOf("drag")>=0,u=t.indexOf("fixed")>=0,d=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.indexOf("snap")>=0,v=t.ind
 "hover")>=0,w=t.indexOf("unconstrained")>=0,C=t.indexOf("invert-connects")>=0,p=t.indexOf("drag-
all")>=0,D=t:indexOf("smooth-steps")>=0;if(u){if(r.handles!==2)throw new Error("noUiSlider: 'fixed' behaviour must be used with 2 handles");Tt(r,r.start[1]-r.start[0])}if(C&&r.handles!==2)throw new
Error("noUiSlider: 'invert-connects' behaviour must be used with 2
handles");if(w&&(r.margin||r.limit))throw new Error("noUiSlider: 'unconstrained' behaviour cannot be
used with margin or limit");r.events={tap:s||d,drag:f,dragAll:p,smoothSteps:D,fixed:u,snap:d,hover:v
  ,unconstrained:w,invertConnects:C}}function
 [e(r,t)\{if(t)==!1\}if(t)==!0||rt(t)\}\{r.tooltips=[];for(var)\}
 s=0; s< r.handles; s++)r.tooltips.push(t)\}else{if(t=it(t),t.length!==r.handles)throw new}
Error("noUiSlider: must pass a formatter for all handles.");t.forEach(function(f){if(typeoff!="boolean"&&!rt(f))throw new Error("noUiSlider: 'tooltips' must be passed a formatter or
'false'.")}),r.tooltips=t}}function Ge(r,t){if(t.length!==r.handles)throw new Error("noUiSlider: must pass a attributes for all handles.");r.handleAttributes=t}function Je(r,t){if(!rt(t))throw new Error("noUiSlider: 'ariaFormat' requires 'to' method.");r.ariaFormat=t}function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format=t)function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format=t)function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format=t)function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format=t)function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format=t)function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format=t)function Ze(r,t){if(!we(t))throw new Error("noUiSlider: 'format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format-to' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requires 'to' and 'from' methods ");r.format' requi
Ze(r,t){if(!we(t))throw new Error("noulslider: lormat requires to and room methods.");r.format=t}function Qe(r,t){if(typeof t!="boolean")throw new Error("noUiSlider: 'keyboardSupport' option must be a boolean.");r.keyboardSupport=t}function tr(r,t){r.documentElement=t}function er(r,t){if(typeof t!="string"&&t!==!1)throw new
Error("noUiSlider: 'cssPrefix' must be a string or `false`.");r.cssPrefix=t}function rr(r,t){if(typeof t!="object")throw new Error("noUiSlider: 'cssClasses' must be an object.");typeof
 r.cssPrefix=="string"?(r.cssClasses={},Object.keys(t).forEach(function(s){r.cssClasses[s]=r.cssPrefi
x+t[s]})):r.cssClasses=t}function Xt(r){var t={margin:null,limit:null,padding:null,animate:!0,animat
ionDuration:300,ariaFormat:Nt,format:Nt},s={step:{r:!1,t:Re},keyboardPageMultiplier:{r:!1,t:ze},keyb
oardMultiplier:{r:!1,t:Fe},keyboardDefaultStep:{r:!1,t:Re},start:{r:!0,t:Ne},connect:{r:!0,t:qt},dir
ection:{r:!0,t:Ye},snap:{r:!1,t:Be},animate:{r:!1,t:Ke},animationDuration:{r:!1,t:Ie},range:{r:!0,t:
 je},orientation:{r:!1,t:qe},margin:{r:!1,t:Tt},limit:{r:!1,t:Te},padding:{r:!1,t:Xe},behaviour:{r:!0
  t:We},ariaFormat:{r:!1,t:Je},format:{r:!1,t:Ze},tooltips:{r:!1,t:∐e},keyboardSupport:{r:!0,t:Qe},do,
 cumentElement:{r:!1,t:tr},cssPrefix:{r:!0,t:er},cssClasses:{r:!0,t:rr},handleAttributes:{r:!1,t:Ge}}
,f={connect:!1,direction:"ltr",behaviour:"tap",orientation:"horizontal",keyboardSupport:!0,cssPrefix
```

```
:"noUi-
     ,cssClasses:It,keyboardPageMultiplier:5,keyboardMultiplier:1,keyboardDefaultStep:10};r.format&&!r.a
riaFormat&&(r.ariaFormat=r.format),Object.keys(s).forEach(function(C){if(!St(r[C])&&f[C]===void 0){if(s[C].r)throw new Error("noUiSlider: '"+C+"' is required.");return}s[C].t(t,St(r[C])?r[C]:f[C])}),t.pips=r.pips;var u=document.createElement("div"),d=u.style.msTransform!==void 0,v=u.style.transform!==void 0;t.transformRule=v?"transform":"webkitTransform";var
 w=[["left","top"],["right","bottom"]];return t.style=w[t.dir][t.ort],t}function ir(r,t,s){var f=De()
,u=ke(),d=u&&ye(),v=r,w,C,p,D,y,j,m=t.spectrum,z=[],b=[],M=[],Y=0,F={},q=!1,B=r.ownerDocument,H=t.do
cumentElement||B.documentElement,J=B.body,Wt=B.dir==="rtl"||t.ort===1?0:100;function N(e,i){var
 a=B.createElement("div"); return i \&\&L(a,i), e.appendChild(a), a} function <math>\Box t(e,i) \{var \ a=N(e,t.cssClasses a), e.appendChild(a), a} function (a) function (b) function (b) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (c) function (
.origin), n=N(a,t.cssClasses.handle); if (N(n,t.cssClasses.touchArea),n.setAttribute("data-handle",String(i)),t.keyboardSupport&&(n.setAttribute("tabindex","0"),n.addEventListener("keydown",function(l){r})
 eturn ce(l,i)})),t.handleAttributes!==void 0){var
o=t.handleAttributes[i];Object.keys(o).forEach(function(l){n.setAttribute(l,o[l])})}return
n.setAttribute("role", "slider"),n.setAttribute("aria-orientation",t.ort?"vertical": "horizontal"),i==
 =0?L(n,t.cssClasses.handleLower):i===t.handles-
 1&&L(n,t.cssClasses.handleUpper),a.handle=n,a}function at(e,i){return
 i?N(e,t.cssClasses.connect):!1}function
 Gt(e,i)\{C=N(i,t.cssClasses.connects),p=[],D=[],D.push(at(C,e[0]));for(var)\}
 et), t.dir === 0? L(e, t.cssClasses.ltr) : L(e, t.cssClasses.rtl), t.ort === 0? L(e, t.cssClasses.horizontal) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.cssClasses.ltr) : L(e, t.
  ,t.cssClasses.vertical);var i=getComputedStyle(e).direction;return i==="rtl"?L(e,t.cssClasses.textDi
 rectionRtl):L(e,t.cssClasses.textDirectionLtr),N(e,t.cssClasses.base)}function
 Zt(e,i){return!t.tooltips||!t.tooltips[i]?!1:N(e.firstChild,t.cssClasses.tooltip)}function
 wt(){return v.hasAttribute("disabled")}function nt(e){var i=p[e];return
i.hasAttribute("disabled")}function Qt(e){e!=null?(p[e].setAttribute("disabled",""),p[e].handle.remo
veAttribute("tabindex")):(v.setAttribute("disabled",""),p.forEach(function(i){i.handle.removeAttribute("tabindex")}))}function te(e){e!=null?(p[e].removeAttribute("disabled"),p[e].handle.setAttribute(
"tabindex","0")):(v.removeAttribute("disabled"),p.forEach(function(i){i.removeAttribute("disabled"),
"tabindex","0")):(v.removeAttribute("disabled"),p.forEach(function(i){i.removeAttribute("disabled"),
i.handle.setAttribute("tabindex","0")}))}function
st(){j&&(W("update"+K.tooltips),j.forEach(function(e){e&&zt(e)}),j=null)}function
Ct(){st(),j=p.map(Zt),ct("update"+K.tooltips,function(e,i,a){if(!(!j||!t.tooltips)&&j[i]!==!1){var
 n = e[i]; t.tooltips[i]! = !0\&\&(n = t.tooltips[i].to(a[i])), j[i].innerHTML = n\}\}) \} function
 ee()\{W("update"+K.aria),ct("update"+K.aria,function(e,i,a,n,o)\{M.forEach(function(l)\{var\ h=p[l],c=Z(l,a,n,o)\}\})\}
 b,l,0,!0,!0,!0, S=Z(b,l,100,!0,!0,!0,!0), X=o[l], E=String(t.ariaFormat.to(a[l])); C=m.fromStepping(c).toFormat.to(a[l])
 ixed(1), S=m. fromStepping(S). toFixed(1), x=m. fromStepping(x). toFixed(1), h. children[0]. setAttribute("ar in the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the cont
ia-valuemin",c),h.children[0].setAttribute("aria-valuemax",S),h.children[0].setAttribute("aria-valuemax",E)})})}function
re(e){if(e.mode===I.Range||e.mode===I.Steps)return m.xVal;if(e.mode===I.Count){if(e.values<2)throw new Error("noUiSlider: 'values' (>= 2) required for mode 'count'.");for(var
 i=e.values-1,a=100/i,n=[];i--;)n[i]=i*a;return n.push(100),Et(n,e.stepped)}return e.mode===I.Positio
 ns?Et(e.values,e.stepped):e.mode===I.Values?e.stepped?e.values.map(function(o){return
 m.fromStepping(m.getStep(m.toStepping(o)))}):e.values:[]}function Et(e,i){return
 e.map(function(a)\{return\ m.fromStepping(i?m.getStep(a):a)\})\}function\ ie(e)\{function\ i(x,E)\{return\ m.fromStepping(i?m.getStep(a):a)\}\}\}
 Number((x+E).toFixed(7))\} var \ a=re(e), n=\{\}, o=m.xVal[0], l=m.xVal[m.xVal.length-1], h=!1, c=!1, S=0; return length (a) is a constant. The sum of the constant is a constant. The sum of the constant is a constant. The sum of the constant is a constant. The sum of the constant is a constant. The sum of the constant is a constant. The constant is a constant is a constant. The constant is a constant is a constant. The constant is a constant is a constant in the constant is a constant. The constant is a constant is a constant in the constant is a constant in the constant is a constant in the constant is a constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant in the constant i
 a=Ce(a.slice().sort(function(x,E){return
 x-E})),a[0]!==o&&(a.unshift(o),h=!0),a[a.length-1]!==l&&(a.push(l),c=!0),a.forEach(function(x,E){var}))
 A,g,V,=x,k=a[E+1],U,dt,pt,mt,Lt,gt,0t,Ht=e.mode===I.Steps;for(Ht&&(A=m.xNumSteps[E]),A||(A=k-1),E=0.
tepping(pt),0];mt=a.index0f(g)>
1?0.LargeValue:Ht?0.SmallValue:0.NoValue,!E&&h&&g!==k&&(mt=0),g===k&&c||(n[U.toFixed(5)]=[g,mt]),S=U}}),n}function ae(e,i,a){var n,o,l=B.createElement("div"),h=(n={},n[0.None]="",n[0.NoValue]=t.cssClasses.valueNormal,n[0.LargeValue]=t.cssClasses.valueLarge,n[0.SmallValue]=t.cssClasses.valueSub,n),c=(o={},o[0.None]="",o[0.NoValue]=t.cssClasses.markerNormal,o[0.LargeValue]=t.cssClasses.markerLarge,o
  [O.SmallValue]=t.cssClasses.markerSub,o),S=[t.cssClasses.valueHorizontal,t.cssClasses.valueVertical]
  ,x=[t.cssClasses.markerHorizontal,t.cssClasses.markerVertical];L(l,t.cssClasses.pips),L(l,t.ort===0?
,x=[t.cssClasses.markerHorizontal,t.cssClasses.markerverTical];L(t,t.cssClasses.pips),L(t,t.ort===0:t.cssClasses.pipsHorizontal:t.cssClasses.pipsVertical);function E(g,V){var = V===t.cssClasses.value,k=_?5:x,U=_?h:c;return V+" "+k[t.ort]+" "+U[g]}function A(g,V,_){if(_=i?i(V,_):__,!==0.None){var k=N(l,!!);k.className=E(_,t.cssClasses.marker),k.style[t.style]=g+"%",_>0.NoValue&&(k=N(l,!!),k.className=E(_,t.cssClasses.value),k.setAttribute("data-value",String(V)),k.style[t.style]=g+"%",k.innerHTML=String(a.to(V)))}}return Object.keys(e).forEach(function(g){A(g,e[g][0],e[g][1])},l}function ot(){y&&(zt(y),y=null)}function Object.keys(e).forEach(function(g){A(g,e[g][0],e[g][1])},l}function(g){Areturn String(Math.round(g))}}:return
 lt(e) \{ot(); var\ i=ie(e), a=e.filter, n=e.format|| \{to:function(o)\{return\ String(Math.round(o))\}\}; return \}
 y=v.appendChild(ae(i,a,n)),y}function At(){var
 e=w.getBoundingClientRect(),i="offset"+["Width","Height"][t.ort];return
 t.ort===0?e.width||w[i]:e.height||w[i]}function T(e,i,a,n){var o=function(h){var c=ne(h,n.pageOffset
  ttons!==void 0&&c.buttons>1||n.hover&&c.buttons)return!1;d||c.preventDefault(),c.calcPoint=c.points[
 t.ort],a(c,n)},l=[];return e.split("
   ).forEach(function(h){i.addEventListener(h,o,d?{passive:!0}:!1),l.push([h,o])}),l}function
 ne(e,i,a){var n=e.type.indexOf("touch")===0,o=e.type.indexOf("mouse")===0,l=e.type.indexOf("pointer"
```

```
)===0,h=0,c=0;if(e.type.index0f("MSPointer")===0&&(l=!0),e.type==="mousedown"&&!e.buttons&&!e.touche
 s)return!1;if(n){var S=function(A){var g=A.target;return
 g===a||a.contains(g)||e.composed&&e.composedPath().shift()===a};if(e.type==="touchstart"){var
 x=Array.prototype.filter.call(e.touches,S);if(x.length>1)return!1;h=x[0].pageX,c=x[0].pageY}else{var
 E=Array.prototype.find.call(e.changedTouches,S);if(!E)return!1;h=E.pageX,c=E.pageY}}return i=i||Bt(B
 ), (0||1)&(h=e.clientX+i.x,c=e.clientY+i.y), e.pageOffset=i,e.points=[h,c],e.cursor=o||l,e}function
 Pt(e){var i=e-Ae(w,t.ort),a=i*100/At();return a=jt(a),t.dir?100-a:a}function se(e){var
 i=100,a=!1;return p.forEach(function(n,o){if(!nt(o)){var
 l=b[o], h=Math.abs(l-e), c=h==100\&i===100, S=h<i, x=h<=i\&e>l; (S||x||c)\&\&(a=o,i=h)\}\}), a\} function
 oe(e,i){e.type==="mouseout"&&e.target.nodeName==="HTML"&&e.relatedTarget===null&&ft(e,i)}function le(e,i){if(navigator.appVersion.indexOf("MSIE 9")===-1&&e.buttons===0&&i.buttonsProperty!==0)return
 ft(e,i); var a=(t.dir?-1:1)*(e.calcPoint-
 i.startCalcPoint),n=a*100/i.baseSize;Dt(a>0,n,i.locations,i.handleNumbers,i.connect)}function ft(e,i
\label{eq:control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_co
 %(i.handleNumbers.forEach(function(a){X(a,b[a],!0,!0,!1,!1)}),i.handleNumbers.forEach(function(a){P("update",a)})),i.handleNumbers.forEach(function(a){P("change",a),P("set",a),P("end",a)})}function
ut(e,i){if(!i.handleNumbers.some(nt)){var a;if(i.handleNumbers.length===1){var n=p[i.handleNumbers[0]];a=n.children[0],Y+=1,L(a,t.cssClasses.active)}e.stopPropagation();var o=[],l
 =T(f.move,H,le,{target:e.target,handle:a,connect:i.connect,listeners:o,startCalcPoint:e.calcPoint,ba
 seSize:At(), pageOffset:e.pageOffset, handleNumbers:i.handleNumbers, buttonsProperty:e.buttons, location
s:b.slice()}),h=T(f.end,H,ft,{target:e.target,handle:a,listeners:o,doNotReject:!0,handleNumbers:i.handleNumbers}),c=T("mouseout",H,oe,{target:e.target,handle:a,listeners:o,doNotReject:!0,handleNumbers:i.handleNumbers});o.push.apply(o,l.concat(h,c)),e.cursor&&(J.style.cursor=getComputedStyle(e.target))
 ).cursor,p.length>1&&L(v,t.cssClasses.drag),J.addEventListener("selectstart",Ft,!1)),i.handleNumbers .forEach(function(S)\{P("start",S)\}\}function fe(e)\{e.stopPropagation();var i=Pt(e.calcPoint),a=se(i=1)\}
  );a!==!1&&(t.events.snap||Rt(v,t.cssClasses.tap,t.animationDuration),X(a,i,!0,!0),vt(),P("slide",a,!
0),P("update",a,!0),t.events.snap?ut(e,{handleNumbers:[a]}):(P("change",a,!0),P("set",a,!0)))}functi
on ue(e){var i=Pt(e.calcPoint),a=m.getStep(i),n=m.fromStepping(a);0bject.keys(F).forEach(function(o)
{o.split(".")[0]==="hover"&&F[o].forEach(function(l){l.call(tt,n)})}}function
ce(e,i){if(wt()||nt(i))return!1;var a=["Left","Right"],n=["Down","Up"],o=["PageDown","PageUp"],l=["H
ome","End"];t.dir&&!t.ort?a.reverse():t.ort&&!t.dir&&(n.reverse(),o.reverse());var h=e.key.replace("
Arrow", ""), c=h===o[0], S=h===o[1], x=h===n[0]||h===a[0]||c,E=h===n[1]||h===a[1]||S,A=h===l[0], g=h===l[1]; if (!x&&!E&&!A&&!g) return!0; e.preventDefault(); var V; if (E||x) {var _=x?0:1,k=Mt(i),U=k[_]; if (U===nult) return!1; U===!1&&(U=m.getDefaultStep(b[i],x,t.keyboardDefaultStep)),S||c?U*=t.keyboardPageMultiplier:U*=t.keyboardMultiplier,U=Math.max(U,1e-7),U=(x?-1:1)*U,V=z[i]+U}else
g?V=t.spectrum.xVal[t.spectrum.xVal.length-1]:V=t.spectrum.xVal[0];return
X(i,m.toStepping(V),!0,!0),P("slide",i),P("update",i),P("change",i),P("set",i),!1}function Vt(e){e.f
ixed||p.forEach(function(i,a){T(f.start,i.children[0],ut,{handleNumbers:[a]})}),e.tap&&T(f.start,w,f)
 e, \{\}), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, \{hover: !0\}), e. drag \& D. for Each (function(i, a) \{if(!(i===!1||a===0||a===D.lef), e. hover \& T(f.move, w, ue, a) \}
 ength-1) {var n=p[a-1],o=p[a],l=[i],h=[n,o],c=[a-
 1,a]; L(i,t.cssClasses.draggable), e.fixed \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0])), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0]), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0]), e.drag All \& \& (l.push(n.children[0]), l.push(o.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), e.drag All \& (l.push(n.children[0]), e.drag All \& \& (l.push(n.children[0]), 
h=p,c=M),l.forEach(function(S)\{T(f.start,S,ut,\{handles:h,handleNumbers:c,connect:i\})\})\}\})\\function(c,i)\{F[e]=F[e]||[],F[e].push(i),e.split(".")[0]==="update"&&p.forEach(function(a,n)\{P("update",n)\})\}\\function(a,n)\{P(update,n)\}\}\\function(a,n)\{P(update,n)\}\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\function(a,n)\{P(update,n)\}\\functi
\label{eq:continuity} \begin{tabular}{ll} $(e,1)_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=1}^{f=1}_{f=
 Z(\texttt{e},\texttt{i},\texttt{a},\texttt{n},\texttt{o},\texttt{l},\texttt{h}) \{ \texttt{var c}; \texttt{return p.length} > 1\&\&! \texttt{t.events.unconstrained} \&\& (\texttt{n}\&\&\texttt{i} > 0\&\& (\texttt{c=m.getAbsoluteDistance p.length}) \} \} \} 
  (e[i-1],t.margin,!1),a=Math.max(a,c)),o\&i< p.length-
 1\&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0\&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&(n\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&t.limit\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0),a=Math.min(a,c))),p.length>1\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0)),p.length>1\&\&i>0&\&(c=m.getAbsoluteDistance(e[i+1],t.margin,!0)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.min(a,c)),a=Math.
 . getAbsoluteDistance(e[i-1], t.limit,!1), a=Math.min(a,c)), o&\&i < p.length-1&&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0), a=Math.max(a,c))), t.padding&&(i===0&&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), t.padding&&(i===0&(c=m.getAbsoluteDistance(e[i+1], t.limit,!0)), a=Math.max(a,c))), a=Math.max(a,c)), a=Math.max(a,c)), a=Math.max(a,c)), a
 \label{eq:definition} Distance(0,t.padding[0],!1), a= Math.max(a,c)), i===p.length-
 1\&\&(c=m.getAbsoluteDistance(100,t.padding[1],!0),a=Math.min(a,c))),h||(a=m.getStep(a)),a=jt(a),a===e
 [i] &&!l?!1:a} function ht(e,i) {var a=t.ort; return(a?i:e)+", "+(a?e:i)} function Dt(e,i,a,n,o) {var l=a.
slice(),h=n[0],c=t.events.smoothSteps,S=[!e,e],x=[e,!e];n=n.slice(),e&n.reverse(),n.length>1?n.forE
ach(function(A,g){var V=Z(l,A,l[A]+i,S[g],var [e,!e];n=n.slice(),e&n.reverse(),n.length>1?n.forE
1; n.forEach(function(A,g){E=X(A,a[A]+i,S[g],x[g],!1,c)||E}), E&&(n.forEach(function(A){P("update",A),P("slide",A)}),o!=null&&P("drag",h))}function yt(e,i){return t.dir?100-e-i:e}function
ve(e,i){b[e]=i,z[e]=m.fromStepping(i);var a=yt(i,0)-
Wt,n="translate("+ht(a+"%","0")+")";if(p[e].style[t.transformRule]=n,t.events.invertConnects&&b.leng
th>1){var o=b.every(function(l,h,c){return
 vt(){M.forEach(function(e){var
 i=b[e]>50?-1:1,a=3+(p.length+i*e);p[e].style.zIndex=String(a)}) function X(e,i,a,n,o,l) {return}
 o||(i=Z(b,e,i,a,n,!1,l)),i===!1?!1:(ve(e,i),!0)\} function I(e) {if(D[e]) {var}
 i=b.slice();q&&i.sort(function(c,S){return c-S});var
```

```
format.from(e), e! == !1\&\&(e=m.toStepping(e)), e=== !1 | |isNaN(e))?b[i] := \\ function Q(e,i,a) \\ \{varable : varable M.length===1?0:1;if(o\&\&m.hasNoSize()\&\&(a=!0,b[0]=0,M.length>1)) \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{var\ h=100/(M.length-1)\} \{v
 1); M. forEach(function(c){b[c]=c*h})}for(; l<M.length; ++l)M.forEach(function(c){X(c,b[c],!0,!0,a)}); vt
  (), M. for Each (function (c) {P("update", c), n[c]! = null \& \& \& P("set", c)})} function
 de(e) \{ Q(t.start,e) \} function pe(e,i,a,n) \{ if(e=Number(e),!(e>=0\&\&e<M.length) \} throw new
Error("noUiSlider: invalid handle number, got: "+e); X(e, kt(i,e), !0, !0, n), P("update", e), a\&P("set", e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function P(e) function 
  (K.aria), W(K.tooltips), Object.keys(t.cssClasses).forEach(function(e){et(v,t.cssClasses[e])}); v.first
 Child;)v.removeChild(v.firstChild);delete v.noUiSlider}function Mt(e){var i=b[e],a=m.getNearbySteps(
 i), n=z[e], o=a.thisStep.step, l=null; if(t.snap) return[n-
 a.stepBefore.startValue||null,a.stepAfter.startValue-
 n|[null]; o!==!1\&\&n+o>a.stepAfter.startValue\&\&(o=a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.startValue-a.stepAfter.start
 n),n>a.thisStep.startValue?l=a.thisStep.step:a.stepBefore.step===!1?l=!1:l=n-
 a. stepBefore. highestStep, i===100? o=null: i===0\&\&(l=null); var\ h=m. countStepDecimals(); return
o! = \text{null\&\&o!} = \text{!1\&\&}(o=\text{Number}(o.\text{toFixed}(h))), \text{!!} = \text{null\&\&l!} = \text{!1\&\&}(\text{l=Number}(\text{l.toFixed}(h))), \text{[l,o]} \text{function ge}() \text{{return M.map}(Mt)} \text{{function Se}(e,i)} \text{{var a=Ut}(),n=["margin","limit","padding","range","animate","s nap","step","format","pips","tooltips","connect"];n.forEach(function(l){e[l]!==void 0&&(s[l]=e[l])});var o=Xt(s);n.forEach(function(l){e[l]!==void 0&&(t[l]=o[l])}), m=o.spectrum,t.marging(section of the section of 
 (e.start)?e.start:a,i),e.connect&& t()}function
      t(){for(;C.firstChild;)C.removeChild(C.firstChild);for(var
 e=0; e<=t.handles; e++)D[e]=at(C,t.connect[e]), <math>[(e); \forall t(\{drag:t.events.drag,fixed:!0\})\} function
xe()\{q=!q,qt(t,t.connect.map(function(e)\{return!e\})), t()\}function be()\{w=Jt(v),Gt(t.connect,w),Vt(t.events),Q(t.start),t.pips&&lt(t.pips),t.tooltips&&Ct(),ee()\}be();var tt=\{destroy:me,steps:ge,on:ct,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upips,var,upip
 off:W,get:Ut,set:Q,setHandle:pe,reset:de,disable:Qt,enable:te,__moveHandles:function(e,i,a){Dt(e,i,b
,a)},options:s,updateOptions:Se,target:v,removePips:ot,removeTooltips:st,getPositions:function(){ret urn b.slice()},getTooltips:function(){return j},getOrigins:function(){return p},pips:lt};return
 ttfunction ar(r,t){if(!r||!r.nodeName)throw new Error("noUiSlider: create requires a single
 element, got: "+r);if(r.noUiSlider)throw new Error("noUiSlider: Slider was already
 initialized.");var s=Xt(t),f=ir(r,s,t);return r.noUiSlider=f,f}var
Yt={__spectrum:Kt,cssClasses:It,create:ar};function nr({arePipsStepped:r,behavior:t,decimalPlaces:s,fillTrack:f,isDisabled:u,isRtl:d,isVertical:v,maxDifference:w,minDifference:C,maxValue:p,minValue:D,
nonLinearPoints:y,pipsDensity:j,pipsFilter:m,pipsFormatter:z,pipsMode:b,pipsValues:M,rangePadding:Y,
state:F,step:q,tooltips:B}){return{state:F,slider:null,init(){this.slider=Yt.create(this.]el,{behavi}}
our:t,direction:d?"rtl":"ltr",connect:f,format:{from:H=>H,to:H=>s!==null?+H.toFixed(s):H},limit:w,ma rgin:C,orientation:v?"vertical":"horizontal",padding:Y,pips:b?{density:j??10,filter:m,format:z,mode:b,stepped:r,values:M}:null,range:{min:D,...y??{},max:p},start:Alpine.raw(this.state),state),state
 :B}),u&&this.slider.disable(),this.slider.on("change",H=>{this.state=H.length>1?H:H[0]}),this.[watch ("state",()=>{this.slider.set(Alpine.raw(this.state))})},destroy(){this.slider.destroy(),this.slider
 =null}}}export{nr as default};
```

public\js\filament\forms\components\tags-input.js

public\js\filament\forms\components\textarea.js

function $r(\{initialHeight:t,shouldAutosize:i,state:s\})\{return\{state:s,wrapperEl:null,init()\{this.wrapperEl=this._parentNode,this.setInitialHeight(),i?this._watch("state",()=>\{this.resize()\}):this.setUpResizeObserver()\},setInitialHeight()\{this._pl.scrollHeight<=0||(this.wrapperEl.style.height=+"rem")\},resize()\{if(this.setInitialHeight(),this._pl.scrollHeight<=0)return;let e=this._pl.scrollHeight+"px";this.wrapperEl.style.height!==e&&(this.wrapperEl.style.height=e)\},setUpResizeObserver()\{new ResizeObserver(()=>\{this.wrapperEl.style.height=this._pl.style.height}).observe(this._pl)}\}$ export{ras default};

```
(()=>{var 0=0bject.create;var N=0bject.defineProperty;var V=0bject.get0wnPropertyDescriptor;var
 Y=Object.getOwnPropertyNames;var H=Object.getPrototypeOf,W=Object.prototype.hasOwnProperty;var
 d=(i,t)=>(i)=>(t||i((t=\{exports:\{\}\}).exports,t),t.exports);var_j=(i,t,e,s)=>\{if(t\&typeoff),t.exports,t)\}
 t=="object"||typeof t=="function")for(let n of
 Y(t)!\dot{W}.call(\dot{i},\dot{n})&\dot{M}!==e&\dot{M}(\dot{i},\dot{n},{get:()=>t[\dot{n}],enumerable:!(\dot{M}=V(\dot{i},\dot{n})||s.enumerable});return \dot{i}};var \dot{J}
 =(i,t,e)=>(e=i!=null?0(H(i)):\{\},j[t||!i||!i.__esModule?N(e,"default",\{value:i,enumerable:!0\}):e,i));
 var S=d((ut,_)=>{var v,g=typeof
 Uint8Array(16),v=function(){return g.getRandomValues(y),y});var y;v||(T=new
 Array(16), v=function() {for(var
 i=0,t;i<16;i++)(i&3)===0&(t=Math.random()*4294967296),T[i]=t>>>((i&3)<<3)&255;return T});var
                 (ct,U) = \{var P = []; for(f = 0; f < 256; ++f)P[f] = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(1); var = (f + 256) .toString(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .substr(16) .subs
"+s[i[e++]]+s[i[e++]]+s[i[e++]]+s[i[e++]]+s[i[e++]]+s[i[e++]]}U.exports=K}); var R=d((lt,b)=>{var}
 Q=S(), X=C(), a=Q(), Z=[a[0], a[1], a[1], a[2], a[3], a[4], a[5], F=(a[6], <8|a[7]) & 16383, D=0, A=0; function
 \label{tt} tt(i,t,e) \{var\ s=t\&\&e||0,n=t||[];i=i||\{\};var\ r=i.clockseq!==void\ 0?i.clockseq:F,o=i.msecs!==void\ 0?i.clockseq:F,o=i
 0?i.msecs:new Date().getTime(),h=i.nsecs!==void
 0?i.nsecs:A+1,l=o-D+(h-A)/1e4;if(l<0\&\&i.clockseq===void 0\&\&(r=r+1\&16383),(l<0||o>D)\&\&i.nsecs===void 0&&(r=r+1&16383),(l<0||o>D)&&i.nsecs===void 0&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&16383),(l<0||o>D)&&(r=r+1&163833),(l<0||o>D)&&(r=r+1&163833),(l<
 0&&(h=0),h>=1e4)throw new Error("uuid.v1(): Can't create more than 10M
 uuids/sec"); D=0, A=h, F=r, O+=122192928e5; var c=((o&268435455)*1e4+h)%4294967296; n[s++]=c>>>24&255, n[s++]=c>>>24&255
 +]=c>>>16&255,n[s++]=c>>>8&255,n[s++]=c&255;var u=o/4294967296*1e4&268435455;n[s++]=u>>>8&255,n[s++]
 =u&255,n[s++]=u>>>24&15|16,n[s++]=u>>>16&255,n[s++]=r>>>8|128,n[s++]=r&255;for(var
 =i.node||Z,m=0;m<6;++m)n[s+m]=[m];return t||X(n)]b.exports=tt});var I=d((dt,G)=>{var}
  it=S(), et=C(); function st(i,t,e){var s=t&&e||0; typeof i=="string"&&(t=i=="binary"?new
 Array(16):null,i=null),i=i||{};var
 n=i.random||(i.rng||it)();if(n[6]=n[6]&15|64,n[8]=n[8]&63|128,t)for(var)
 r=0;r<16;++r)t[s+r]=n[r];return t||et(n)|G.exports=st|);var z=d((ft,M)=>{var}
 nt=R(), L=I(), E=L; E.v1=nt; E.v4=L; M.exports=E\}); function k(i,t=()=>{}){let e=!1; return}
 function(){e?t.apply(this,arguments):(e=!0,i.apply(this,arguments))}}var q=i=>{i.data("notificationC
 omponent",({notification:t})=>({isShown:!1,computedStyle:null,transitionDuration:null,transitionEasi
ng:null,init(){this.computedStyle=window.getComputedStyle(this.☐el),this.transitionDuration=parseFlo at(this.computedStyle.transitionDuration)*1e3,this.transitionEasing=this.computedStyle.transitionTim
 ingFunction, this.configureTransitions(), this.configureAnimations(), t.duration&t.duration!=="persist ent"&&setTimeout(()=>{if(!this.\Boxel.matches(":hover")){this.close();return}this.\Boxel.addEventListener("mouseleave",()=>this.close())},t.duration),this.isShown=!0},configureTransitions(){let e=this.compu
tedStyle.display,s=()=>{i.mutateDom(()=>{this. [el.style.setProperty("display",e),this. [el.style.setProperty("visibility","visible")}),this. [el. x_isShown=!0},n=()=>{i.mutateDom(()=>{this. [el. x_isShown?this. [el.style.setProperty("visibility","hidden"):this. [el.style.setProperty("display","none")})}, r=k(o=>o?s():n(),o=>{this. [el. x_toggleAndCascadeWithTransitions(this. [el.o,s,n)});i.effect(()=>r(th
 is.isShown))},configureAnimations(){let e;Livewire.hook("commit",({component:s,commit:n,succeed:r,fa
 il:o,respond:h})=>{s.snapshot.data.isFilamentNotificationsComponent&&requestAnimationFrame(()=>{let
 sform:`translateY(∏{c-
 l()}px)`},{transform:"translateY(0px)"}],{duration:this.transitionDuration,easing:this.transitionEas
 ing})},this. [el.getAnimations().forEach(u=>u.finish())}),r(({snapshot:u,effect:[]})=>{e()})})}),clos
 e(){this.isShown=!1,setTimeout(()=>window.dispatchEvent(new CustomEvent("notificationClosed",{detail
:{id:t.id}})),this.transitionDuration)},markAsRead(){window.dispatchEvent(new
CustomEvent("markedNotificationAsRead",{detail:{id:t.id}}))},markAsUnread(){window.dispatchEvent(new
CustomEvent("markedNotificationAsUnread",{detail:{id:t.id}}))}});var
B=J(z(),1),p=class{constructor(){return this.id((0,B.v4)()),this}id(t){return
 this.id=t,this}title(t){return this.title=t,this}body(t){return this.body=t,this}actions(t){return
 this.actions=t,this}status(t){return this.status=t,this}color(t){return
 this.color = t, this \} icon(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this \} iconColor(t) \{return\ this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this.icon = t, this
 this.iconColor=t,this}duration(t){return this.duration=t,this}seconds(t){return
 this.duration (\texttt{t*le3}), this \} persistent() \{ return \ this.duration (\texttt{"persistent"}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*le3}), this \} danger() \{ return \ this.duration (\texttt{t*
 this.status("danger"),this}info(){return this.status("info"),this}success(){return this.status("success"),this}warning(){return this.status("warning"),this}view(t){return this}view(t){return this}view(t){return this}view(t){return this}view(t){return this}view(t){return this}view(t)
this.view=t,this}viewData(t){return this.viewData=t,this}send(){return window.dispatchEvent(new CustomEvent("notificationSent",{detail:{notification:this}})),this}},w=class{constructor(t){return this.viewData=t,this}})),this}},w=class{constructor(t){return this.viewData=t,this}})),this}},w=class{constructor(t){return this.viewData=t,this}})),this}},w=class{constructor(t){return this.viewData=t,this}})),this}
 this.name(t),this}name(t){return this.name=t,this}color(t){return
 this.color=t,this}dispatch(t,e){return this.event(t),this.eventData(e),this}dispatchSelf(t,e){return
 this.dispatch(t,e),this.dispatchDirection="self",this}dispatchTo(t,e,s){return
this.dispatch(e,s),this.dispatchDirection="to",this.dispatchToComponent=t,this}emit(t,e){return this.dispatch(t,e),this}emitSelf(t,e){return this.dispatchSelf(t,e),this}emitTo(t,e,s){return this.dispatchSelf(t,e),this}emitTo(t,e,s
 this.dispatch To(t,e,s), this \} dispatch Direction(t) \{return example of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the co
 this.dispatchDirection=t,this}dispatchToComponent(t){return
 this.dispatch To Component = t, this \} event(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this \} event Data(t) \{ return\ this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this.event = t, this
 this.eventData=t,this}extraAttributes(t){return this.extraAttributes=t,this}icon(t){return
 this.icon=t,this}iconPosition(t){return this.iconPosition=t,this}outlined(t=!0){return
 this.isOutlined=t,this}disabled(t=!0){return this.isDisabled=t,this}label(t){return
 this.label=t,this}close(t=!0){return this.shouldClose=t,this}openUrlInNewTab(t=!0){return
 this.shouldOpenUrlInNewTab=t,this}size(t){return this.size=t,this}url(t){return
```

public\js\filament\notifications\notifications.js

this.url=t,this}view(t){return this.view=t,this}button(){return this.view("filament-actions::button-action"),this}grouped(){return this.view("filament-actions::grouped-action"),this}link(){return this.view("filament-actions::link-action"),this}},x=class{constructor(t){return this.actions(t),this}actions(t){return this.actions=t.map(e=>e.grouped()),this}color(t){return this.color=t,this}icon(t){return this.iconPosition(t){return this.iconPosition=t,this}label(t){return this.label=t,this}tooltip(t){return this.tooltip=t,this};window.FilamentNotificationActionGroup=x;window.FilamentNotification=p;document.addEventListener("alpine:init",()=>{window.Alpine.plugin(q)});})();

public\js\filament\schemas\schemas.js

```
(()=>{var
m=()=>{{isSticky:!1,init(){this.evaluatePageScrollPosition()},evaluatePageScrollPosition(){let n=thi
s=(]=>{{isSticky:!1,init(){this.evaluatePageScrollPosition()},evaluatePageScrollPosition(){let n=thi
s=[]=!.getBoundingClientRect(),e=n.top>window.innerHeight,i=n.top<window.innerHeight&&n.bottom>window
.innerHeight;this.isSticky=e||i}});var c=function(n,e,i){let
t=n;if(e.startsWith("/")&&(i=!0,e=e.slice(1)),i)return e;for(;e.startsWith("../");)t=t.includes(".")
?t.slice(0,t.lastIndexOf(".")):null,e=e.slice(3);return["",null,void
0].includes(t)?e:`[]{t}...[{e}`},w=n=>{let e=Alpine.findClosest(n,i=>i.__livewire);if(!e)throw"Could
not find Livewire component in DOM tree.";return e.__livewire};document.addEventListener("alpine:ini
t",()=>{window.Alpine.data("filamentSchema",({livewireId:n})=>{{handleFormValidationError(e)}{e.detai
l.livewireId===n&&this._[nextTick(()=>{let i=this._[el.querySelector("[data-validation-
error]");if(!i)return;let t=i;for(;t);l.dispatchEvent(new
CustomEvent("expand")),t=t.parentNode;setTimeout(()=>i.closest("[data-field-wrapper]").scrollIntoVie
w({behavior:"smooth",block:"start",inline:"start"}),200)}})}))), window.Alpine.data("filamentSchemaCom
ponent",({path:n,containerPath:e,isLive:i,[]wire:t})=>({[]statePath:n,[]get:(r,l)=>t.[]get(c(e,r,l)),[]se
t:(r,l,a,o=null)=>(o??(o=i),t.[]set(c(e,r,a),l,o)),get []state(){return t.[]get:(n)}})), window.Alpine.da
ta("filamentActionsSchemaComponent",m),Livewire.hook("commit",({component:n,commit:e,respond:i,succe
ed:t,fail:r})=>{t(({snapshot:l,effects:a}})=>{a.dispatches?,forEach(o=>{if(!o.params?.awaitSchemaComponent)}...effects:a})=>{a.dispatches?,forEach(o=>{if(!o.params?.awaitSchemaComponent)}...effects:a})=>{a.dispatches?,forEach(o=>{if(!o.params?.awaitSchemaComponent)}...effects:a})=>{a.dispatches?,forEach(o=>{if(!o.params?.awaitSchemaComponent)}...effects:a})=>{a.dispatches?,forEach(o=>{if(!o.params?.awaitSchemaComponent)}...effects:a})=>{a.dispatches?,forEach(o=>{if(!o.params.awaitSchemaComponent)}...effects.a})})})}))))))))
```

public\js\filament\schemas\components\actions.js

 $\label{lem:continuous} $$ var o=()=>(\{isSticky:!1,init()\{this.evaluatePageScrollPosition()\},evaluatePageScrollPosition()\{let i=this.]=l.getBoundingClientRect(),t=i.top>window.innerHeight,e=i.top<window.innerHeight&i.bottom>window.innerHeight;this.isSticky=t||e});export{o as default};$

public\js\filament\schemas\components\tabs.js

function u({activeTab:a,isTabPersistedInQueryString:e,livewireId:h,tab:o,tabQueryStringKey:s}){return{tab:o,init(){let t=this.getTabs(),i=new URLSearchParams(window.location.search);e&&i.has(s)&&t.includes(i.get(s))&&(this.tab=i.get(s)),this.||watch("tab",()=>this.updateQueryString()),(!this.tab||!t.includes(this.tab))&&(this.tab=t[a-1]),Livewire.hook("commit",({component:r,commit:f,succeed:c,fail:l,respond:b})=>{c(({snapshot:d,effect:m})=>{this.||nextTick(()=>{if(r.id!==h)return;letn=this.getTabs();n.includes(this.tab)||(this.tab=n[a-1]??this.tab)})})})})}),getTabs(){returnthis.||refs.tabsData?JSON.parse(this.||refs.tabsData.value):[]},updateQueryString(){if(!e)return;lett=new URL(window.location.href);t.searchParams.set(s,this.tab),history.replaceState(null,document.title,t.toString())}}}export{u as default};

public\js\filament\schemas\components\wizard.js

```
function o({isSkippable:s,isStepPersistedInQueryString:i,key:r,startStep:h,stepQueryStringKey:n}){re
turn{step:null,init(){this.]watch("step",()=>this.updateQueryString()),this.step=this.getSteps().at(
h-1),this.autofocusFields()},async requestNextStep(){await this.]wire.callSchemaComponentMethod(r,"n
extStep",{currentStepIndex:this.getStepIndex(this.step)})},goToNextStep(){let t=this.getStepIndex(th
is.step)+1;t>=this.getSteps().length||(this.step=this.getSteps()[t],this.autofocusFields(),this.scro
l())},goToPreviousStep(){let t=this.getStepIndex(this.step)-
1;t<0||(this.step=this.getSteps()[t],this.autofocusFields(),this.scroll())},scroll(){this.]nextTick()
+{this.}refs.header?.children[this.getStepIndex(this.step)].scrollIntoView({behavior:"smooth",block:"start"})})},autofocusFields(){this.]nextTick(()=>this.]refs[`step-
[{this.step}`].querySelector("[autofocus]")?.focus())},getStepIndex(t){let
e=this.getSteps().findIndex(p=>p===t);return e===-1?0:e},getSteps(){return
JSON.parse(this.]refs.stepsData.value)},isFirstStep(){return
this.getStepIndex(this.step)<=0},isLastStep(){return
this.getStepIndex(this.step)+1>=this.getStepIndex(t)},updateQueryString(){if(!i)return;let t=new URL
(window.location.href);t.searchParams.set(n,this.step),history.replaceState(null,document.title,t.to
String())}}export{o as default};
```

```
(()=>{var qo=0bject.create;var Ti=0bject.defineProperty;var Go=0bject.get0wnPropertyDescriptor;var
  Ko=Object.getOwnPropertyNames;var Jo=Object.getPrototypeOf,Qo=Object.prototype.hasOwnProperty;var
  Kr=(e,t)=>()=>(t)|e((t=\{exports:\{\}\}).exports,t),t.exports); var Zo=(e,t,r,n)=>\{if(t&\&typeof
  t=="object"||typeof t=="function")for(let i of
  \label{eq:Ko(t))!Qo.call(e,i)&&i!==r&Ti(e,i,\{get:()=>t[i],enumerable:!(n=Go(t,i))||n.enumerable\}); return} \\
  e; var ea=(e,t,r)=>(r=e!=null?qo(Jo(e)):{},Zo(t||!e||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e||!e. dule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule?Ti(r,"default",{value:e,enumerabl}):{},Zo(t||!e. esModule.):{},Zo(t||!e. esModule.):{},Zo(t||!e. esModule.):{},Zo(t||!e. esModule.):{},Zo(t||!e. esModule.):{},Zo(t||!e. esModule.):{},Zo(t||!e. esModule.):{},Zo(
e:!0}):r,e));var uo=Kr(()=>{});var po=Kr(()=>{});var ho=Kr((Hs,yr)=>{(function(){"use strict";var e="input is invalid type",t="finalize already called",r=typeof window=="object",n=r?window:{};n.JS_MD5_NO_WINDOW&&(r=!1);var i=!r&&typeof
  self=="object",o=!n.JS MD5 NO NODE JS&&typeof
  process=="object"&&process.versions&&process.versions.node;o?n=qlobal:i&&(n=self);var
 a=!n.JS_MD5_NO_COMMON_JS&&typeof yr=="object"&&yr.exports,d=typeof define=="function"&&define.amd,f=!n.JS_MD5_NO_ARRAY_BUFFER&&typeof ArrayBuffer<"u",u="0123456789abcd
ef".split(""),y=[128,32768,8388608,-
2147483648],m=[0,8,16,24],O=["hex","array","digest","buffer","arrayBuffer","base64"],E="ABCDEFGHIJKL
MNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/".split(""),S=[],_;if(f){var I=new
  ArrayBuffer(68);_=new Uint8Array(I),S=new Uint32Array(I)}var
☐=Array.isArray;(n.JS_MD5_NO_NODE_JS||!☐)&&(☐=function(l){return}

Object.prototype.toString.call(l)==="[object Array]"});var

A=ArrayBuffer.isView;f&&(n.JS_MD5_NO_ARRAY_BUFFER_IS_VIEW||!A)&&(A=function(l){return typeof
  l=="object"&&l.buffer&&l.buffer.constructor===ArrayBuffer});var k=function(l){var h=typeof
  l;if(h==="string")return[l,!0];if(h!=="object"||l===null)throw new
   Error(e); if (f \&\&l.constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l),!1]; if (! [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l), [(l) \&\&! A(l)) throw new line of the constructor === Array Buffer) return [new Uint8 Array(l), [(l) \&\&! A(l)] throw new line of the constructor === Array Buffer) return [new Uint8 
  Error(e); return[l,!1]}, Y=function(l) { return function(h) { return new
  X(!0).update(h)[l]()}, ne=function(){var l=Y("hex");o&&(l=J(l)),l.create=function(){return new}
  X},l.update=function(p){return l.create().update(p)};for(var h=0;h<0.length;++h){var
 v=0[h];l[v]=Y(v)}return l},J=function(l){var
h=uo(),v=po().Buffer,p;v.from&&!n.JS_MD5_NO_BUFFER_FROM?p=v.from:p=function(M){return new v(M)};var
  j=function(M){if(typeof M=="string")return
h.createHash("md5").update(M,"utf8").digest("hex");if(M==null)throw new Error(e);return
  M.constructor===ArrayBuffer&&(M=new Uint8Array(M)), \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (M) \) \( (
 . update(p(M)). digest("hex"):l(M)); return j, V=function(l) \{return function(h,v) \{return new Q(h,!0).update(v)[l]()\}\}, de=function() \{var l=V("hex"); l.create=function(p) \{return new left) for the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the prope
  Q(p)\}, l.update=function(p,j)\{return\ l.create(p).update(j)\}; for(var\ h=0;h<0.length;++h)\{var\ v=0[h]; l[v]=V(v)\}return\ l\}; function\ X(l)\{if(l)S[0]=S[16]=S[1]=S[2]=S[3]=S[4]=S[5]=S[6]=S[7]=S[8]=S[9]
   ]=S[10]=S[11]=S[12]=S[13]=S[14]=S[15]=0, this.blocks=S, this.buffer8=; else if(f) {var h=new}
ArrayBuffer(68);this.buffer8=new Uint8Array(h),this.blocks=new Uint32Array(h)}else this.blocks=[0,0,0,0,0,0,0,0,0,0,0,0,0,0];this.h0=this.h1=this.h2=this.h3=this.start=this.bytes=this.hBytes=0,this.finalized=this.hashed=!1,this.first=!0}X.prototype.update=function(l){if(this.finalized)throw new Error(t);var h=k(l);l=h[0];for(var v=h[1],p,j=0,M,R=l.length,Z=this.blocks,ze=this.buffer8;j<R;){if(this.hashed&&(this.hashed=!1,Z[0]=Z[16]=Z[1]=Z[2]=Z[3]=Z[4]=Z[5]=Z[6]=Z[7]=Z[8]=Z[9]=Z[9]=Z[10]=Z[111]=Z[12]=Z[12]=Z[12]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13]=Z[13
  Z[11]=Z[12]=Z[13]=Z[14]=Z[15]=0),v)if(f)for(M=this.start;j<R&&M<64;++j)p=1.charCodeAt(j),p<128?ze[M++]=p:p<2048?(ze[M++]=192|p>>>6,ze[M++]=128|p&63):p<55296||p>=57344?(ze[M++]=224|p>>>12,ze[M++]=128|
  p>>>6\&63, ze[M++] = 128 \mid p\&63): (p=65536+((p\&1023) <<10 \mid l. charCodeAt(++j)\&1023), ze[M++] = 240 \mid p>>>18, ze[M++] = 128 \mid p\&63
  =128|p>>>12&63,ze[M++]=128|p>>>6&63,ze[M++]=128|p&63);else for(M=this.start;j<R&&M<64;++j)p=1.charCo
  \label{eq:deat} \begin{split} \text{deAt(j),p<128?Z[M>>>2]} &= \text{p<m[M++&3]:p<2048?(Z[M>>>2]]} = (192 | \text{p>>>6}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>2]} = (128 | \text{p&63}) < \text{m[M++&3],Z[M>>>
  M++&3]):p<55296||p>=57344?(Z[M>>>2]|=(224|p>>>12)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],Z[M>>>2]|=(128|p>>6&63)<<m[M++&3],
  >2]|=(128|p\&63)<m[M++&3]):(p=65536+((p\&1023)<10|L.charCodeAt(++j)\&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]):(p=65536+((p&1023)<10|L.charCodeAt(++j)&1023),Z[M>>>2]|=(240|p>>>18)<m[M++&3]
  m[M++&3]; else if(f)for(M=this.start; j<R&&M<64;++j)ze[M++]=l[j]; else for(M=this.start; j<R&&M<64;++j)
  Z[M>>>2]|=l[j]<<m[M++&3];this.lastByteIndex=M,this.bytes+=M-this.start,M>=64?(this.start=M-
  64, this.hash(), this.hashed=!0):this.start=M}return this.bytes>4294967295&&(this.hBytes+=this.bytes/4
  294967296<<0,this.bytes=this.bytes%4294967296),this},X.prototype.finalize=function(){if(!this.finali
  zed){this.finalized=!0;var l=this.blocks,h=this.lastByteIndex;l[h>>>2]|=y[h&3],h>=56&&(this.hashed|| this.hash(),l[0]=l[16],l[16]=l[1]=l[2]=l[3]=l[4]=l[5]=l[6]=l[7]=l[8]=l[9]=l[10]=l[11]=l[12]=l[13]=l[
  14]=l[15]=0),l[14]=this.bytes<<3,l[15]=this.hBytes<<3|this.bytes>>>29,this.hash()}},X.prototype.hash
  =function(){var l,h,v,p,j,M,R=this.blocks;this.first?(l=R[0]-680876937,l=(l<<7|l>>>25)-271733879<<0,p=(-1732584194^l&2004318071)+R[1]-117830708,p=(p<<12|p>>>20)+l<<0,v=(-271733879^p&(l^-
  271733879)+R[2]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>15)+p<<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<<17|v>>>120)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(v<0)+q<0,h=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126478375,v=(l^v&(p^l))+R[3]-1126
  1316259209, h=(h<<22|h>>>10)+v<<0): (l=this.h0,h=this.h1,v=this.h2,p=this.h3,l+=(p^h&(v^p))+R[0]-this.h2,p=this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-this.h3,l+=(p^h&(v^p))+R[0]-t
  680876936, l=(l << 7 | l >>> 25) + h << 0, p+=(v^l_{(h^v)}) + R[1]
  389564586, p = (p < 12 | p >>> 20) + 1 < (0, v += (h^p \& (l^h)) + R[2] + 606105819, v = (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[3] - 1044525330, h = (h < 22 | h >>> 10) + v < (0), l += (p^h \& (v^p)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >>> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >> 15) + p < (0, h += (l^v \& (p^l)) + R[4] - (v < 17 | v >> 15) + p < (0
  176418897, l = (l <<7 | l >>> 25) + h <<0, p += (v^1 & (h^v)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[5] + 1200080426, p = (p << 12 | p >>> 20) + l <<0, v += (h^p & (l^h)) + R[1] + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^h) + (h^
  [6]-1473231341,v=(v<<17|v>>>15)+p<<0,h+=(l^v&(p^l))+R[7]-
45705983,h=(h<<22|h>>>10)+v<<0,l+=(p^h&(v^p))+R[8]+1770035416,l=(l<<7|l>>>>25)+h<<0,p+=(v^l&(h^v))+R[
  9]-1958414417, p=(p<<12|p>>>20)+l<<0, v+=(h^p&(l^h))+R[10]-
  42063, v=(v<<17|v>>>15)+p<<0, h+=(l^v&(p^l))+R[11]
  1990404162, h=(h<22|h>>>10)+v<0, l=(p^h&(v^p))+R[12]+1804603682, l=(l<7|l>>>25)+h<0, p+=(v^l&(h^v))
 +R[13]-40341101, p=(p<<12 \mid p>>>20)+l<<0, v+=(h^p&(l^h))+R[14]-1502002290, v=(v<<17 \mid v>>>15)+p<<0, h+=(l^v&(p^l))+R[15]+1236535329, h=(h<<22 \mid h>>>10)+v<<0, l+=(v^p&(h^v))+R[15]+1236535329, h=(h^v)+R[15]+1236535329, (h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)+R[15]+12365329, h=(h^v)
   )+R[1]-165796510,l=(l<<5|l>>>27)+h<<0,p+=(h^v&(l^h))+R[6]-
  1069501632, p = (p << 9 \mid p >>> 23) + 1 << 0, v += (l^h \& (p^l)) + R[11] + 643717713, v = (v << 14 \mid v >>> 18) + p << 0, h += (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p)) + (p^l \& (v^p))
```

```
R[0]-373897302, h=(h<<20|h>>>12)+v<<0, l+=(v^p&(h^v))+R[5]-100
  701558691, l = (l << 5|l >>> 27) + h << 0, p += (h^v & (l^h)) + R[10] + 38016083, p = (p << 9|p >>> 23) + l << 0, v += (l^h & (p^l)) + R[1]
  5]-660478335, v=(v<<14|v>>>18)+p<<0, h+=(p^l&(v^p))+R[4]-
  405537848, h = (h < 20 | h >>> 12) + v < 0, l += (v^p & (h^v)) + R[9] + 568446438, l = (l << 5 | l >>> 27) + h << 0, p += (h^v & (l^h)) + R[9] + 568446438, l = (l << 5 | l >>> 27) + h << 0, p += (h^v & (l^h)) + R[9] + 568446438, l = (l << 5 | l >>> 27) + h << 0, p += (h^v & (l^h)) + R[9] + 568446438, l = (l << 5 | l >>> 27) + h << 0, p += (h^v & (l^h)) + R[9] + 568446438, l = (l << 5 | l >>> 27) + h << 0, p += (h^v & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + 568446438, l = (l^h & (l^h)) + R[9] + (l^h & (l^h)) + R[9] + (l^h & (l^h)) + R[9] + (l^h & (l^h)) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (l^h) + (
  14] - 1019803690, p=(p << 9 | p >>> 23) + l << 0, v+=(l^h&(p^l)) + R[3]
  187363961, v = (v < 14 | v >> 18) + p < 0, h = (p^1 & (v^p)) + R[8] + 1163531501, h = (h < 20 | h >> 12) + v < 0, l = (v^p & (h^v)) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) + (h^v) 
  R[13] - 1444681467, l = (1 << 5 | 1 >>> 27) + h << 0, p += (h^v & (1^h)) + R[2] - 51403784, p = (p << 9 | p >>> 23) + l << 0, v += (l^h & (p^1)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + R[7] + 1735328473, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + 1735324, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + 1735324, v = (v << 14 | v >>> 18) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h += (p^1 & (v^p)) + p << 0, h 
   \begin{array}{l} 12] - 1926607734 \,, \\ h = (h < < 20 \, | h >> > 12) + v < < 0 \,, \\ j = h^{\circ}v \,, \\ l + = (j^{\circ}p) + R[5] - 378558 \,, \\ l = (l < < 4 \, | l >> > 28) + h < < 0 \,, \\ p + = (j^{\circ}l) + R[8] - 2022574463 \,, \\ p = (p < < 11 \, | p >> > 21) + l < < 0 \,, \\ M = p^{\circ}l \,, \\ v + = (M^{\circ}h) + R[11] + 1839030562 \,, \\ v = (v < 16 \, | v >> > 16) + p < < 0 \,, \\ h + = (M^{\circ}v) + R[14] + 1839030562 \,, \\ h = (p < 12 \, | p < 12 \, | p < 12 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, | p < 13 \, 
2022574403, p=(p<<11|p>>>21)+t<<0,ri=p t,v+-(n n)+n[1]+1035030302, v=(v<10|v>>20, p><0,ri=(n v)+n[1]-15309556, h=(h<23|h>>>9)+v<0, j=h^v, l+=(j^p)+R[1]-1530992060, l=(l<4|l>>>28)+h<0, p+=(j^l)+R[4]+1272893353, p=(p<<11|p>>>21)+l<<0, M=p^l, v+=(M^h)+R[7]-155497632, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-155497632, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<<0, h+=(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<0, h==(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<0, h==(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<0, h==(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<0, h==(M^v)+R[10]-15649763, v=(v<16|v>>16)+p<0, h==(M^v)+R[10]-16649763, v=(v<16|v>>16]+p<0, h==(M^v)+R[10]-16649763, v=(v<16|v>>16]+p<0, h==(M^v)+R[10]-16649763, v=(v<16|v>>16]+p<0, h==(M^v)+
  1094730640, h=(h<23|h>>>9)+v<<0, j=h^v, l=(j^p)+R[13]+681279174, l=(l<4|l>>>28)+h<<0, p+=(j^l)+R[0]-1
  358537222,p=(p<<11|p>>>21)+1<<0,M=p^1,v+=(M^v)+R[3]-722521979,v=(v<<16|v>>>16)+p<<0,h+=(M^v)+R[6]+76029189,h=(h<<23|h>>>9)+v<<0,j=h^v,l+=(j^p)+R[9]-
  640364487, l=(l<<4|l>>>28)+h<<0, p+=(j^l)+R[12]-
  421815835, p = (p << 11 | p >>> 21) + 1 << 0, M = p^1, v += (M^h) + R[15] + 530742520, v = (v << 16 | v >>> 16) + p << 0, h += (M^v) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2] - (M^h) + R[2]
  995338651, h = (h < 23 | h >> 9) + v < 0, l = (v^(h | p)) + R[0]
  198630844, l = (l <<6 | l >>> 26) + h <<0, p += (h^{(l | \sim v)}) + R[7] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + 1126891415, p = (p << 10 | p >>> 22) + l <<0, v += (l^{(p | \sim h)}) + R[1] + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p | \sim h)}) + (l^{(p 
  4] -1416354905, v=(v<<15 | v>>>17)+p<<0, h+=(p^(v|~l))+R[5]
 57434055, h = (h <<21 | h >>>11) + v <<0, l += (v^(h | \sim p)) + R[12] + 1700485571, l = (l <<6 | l >>>26) + h <<0, p += (h^(l | \sim v)) + R[3] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p >>>22) + l <<0, v += (l^(p | \sim h)) + R[10] - 1894986606, p = (p <<10 | p <0) + l < (p < h) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h)) + l <0, v += (l^(p | \sim h
  1051523, v = (v < 15 | v >>> 17) + p < < 0, h + = (p^(v | ~l)) + R[1]
  2054922799, h = (h << 21 | h >>> 11) + v << 0, l += (v^(h | \sim p)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 1873313359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 18733133359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 18733133359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + R[8] + 18733133359, l = (l << 6 | l >>> 26) + h << 0, p += (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v)) + (h^(l | \sim v
  15] -30611744, p=(p << 10 | p>>> 22) + l << 0, v+=(l^(p|\sim h)) + R[6] -
   \begin{array}{l} R[4]-145523070, l = (l <<6 \mid l >>> 26) + h <<0 , p += (h^{(l \mid \sim v)}) + R[11] - 1120210379, p = (p << 10 \mid p >>> 22) + l <<0 , v += (l^{(p \mid \sim h)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 718787259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 71878259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 71878259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + 71878259, v = (v << 15 \mid v >>> 17) + p <<0 , h += (p^{(v \mid \sim l)}) + R[2] + (p^{(v \mid \sim l)}) + R[2] + (p^{(v \mid \sim l)}) + R[2] + (p^{(v \mid \sim l)}) + R[2] + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + R[2] + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v \mid \sim l)}) + (p^{(v
  9]-343485551, h=(h<<21|h>>>11)+v<<0. this.first?(this.h0=l+1732584193<<0. this.h1=h-
  271733879<<0,this.h2=v-
  1732584194 < 0, this.h3 = p + 271733878 < 0, this.first = 11: (this.h0 = this.h0 + t < 0, this.h1 = this.h1 + t < 0, this.h1 = this.h1 + t < 0, this.h1 = this.h1 + t < 0, this.h1 = this.h1 + t < 0, this.h1 = this.h1 + t < 0, this.h1 = this.h1 + t < 0, this.h1 = this.h1 + t < 0, this.
  h2=this.h2+v<<0,this.h3=this.h3+p<<0)},X.prototype.hex=function(){this.finalize();var
  &15]+u[\>>>16&15]+u[\>>>28&15]+u[\>>>24&15]+u[h>>>4&15]+u[h&15]+u[h>>>12&15]+u[h>>>8&15]+u[h>>>20&15
   ]+u[h>>>16&15]+u[h>>>28&15]+u[h>>>24&15]+u[v>>>4&15]+u[v>>>12&15]+u[v>>>8&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>>20&15]+u[v>>20&15]+u[v>>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>20&15]+u[v>>
  [v>>>16&15]+u[v>>>28&15]+u[v>>>24&15]+u[p>>>4&15]+u[p>>>12&15]+u[p>>>8&15]+u[p>>>20&15]+u[p>
  >>16\&15]+u[p>>>28\&15]+u[p>>>24\&15]\}, X.prototype.toString=X.prototype.hex, X.prototype.digest=function () {this.finalize(); var l=this.h0,h=this.h1,v=this.h2,p=this.h3; return[l&255,l>>>8&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>>16&255,l>>16&255,l>>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&255,l>>16&2
 >24&255,h&255,h>>>8&255,h>>>16&255,b>>>24&255,v&255,v>>>8&255,v>>>16&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255,p>>>24&255]
   .finalize(); var l=new ArrayBuffer(16),h=new Uint32Array(\bar{1}); return h[0]=this.h0,h[1]=this.h1,h[2]=thi
  s.h2,h[3]=this.h3,l},X.prototype.buffer=X.prototype.arrayBuffer,X.prototype.base64=function(){for(va
 r l,h,v,p="",j=this.array(),M=0;M<15;)l=j[M++],h=j[M++],v=j[M++],p+=E[l>>>2]+E[(l<<4|h>>>4)&63]+E[(h<<2|v>>>6)&63]+E[v&63];return l=j[M],p+=E[l>>>2]+E[l<<4&63]+"==",p};function Q(l,h){var v,p=k(l);if(l=p[0],p[1]){var j=[],M=l.length,R=0,Z;for(v=0;v<M;++v)Z=l.charCodeAt(v),Z<128?j[R++]=Z:
  Z<2048?(j[R++]=192|Z>>>6,j[R++]=128|Z&63):Z<55296||Z>=57344?(j[R++]=224|Z>>>12,j[R++]=128|Z>>>6&63,j
  [R++]=128|Z&63):(Z=65536+((Z&1023)<<10|l.charCodeAt(++v)&1023),j[R++]=240|Z>>>18,j[R++]=128|Z>>>12&6
3,j[R++]=128|Z>>>6&63,j[R++]=128|Z&63);l=j}l.length>64&&(l=new X(!0).update(l).array());var
  ze=[], Rt=[]; for(v=0; v<64; ++v) \{var\ Ut=l[v]||0; ze[v]=92^Ut, Rt[v]=54^Ut\} X. call(this,h), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update(Rt), this.update
  this.oKeyPad=ze,this.inner=!0,this.sharedMemory=h}Q.prototype=new
  X,Q.prototype.finalize=function(){if(X.prototype.finalize.call(this),this.inner){this.inner=!1;var l
  =this.array(); X.call(this,this.sharedMemory),this.update(this.oKeyPad),this.update(l),X.prototype.fi
  nalize.call(this)}};var
mattlee.catt(this);;,var
me=ne();me.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){{return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){{return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){{return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){{return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){{return
me=ne();we.md5=me,me.md5.hmac=de(),a?yr.exports=me:(n.md5=me,d&&define(function(){{return
me=ne();we.md5=me,da.md}],Mi=Hi.reduce((e,t)=>e.concat(t
,t+"-"+Pi[0],t+"-"
"+Pi[0],t+"-"
"+Pi[1]),[]),Et=Math.min,tt=Math.max,hr=Math.round,pr=Math.floor,nn=e=>({x:e,y:e}),ta={left:"right",
right:"left",bottom:"top",top:"bottom"},na={start:"end",end:"start"};function_Jr(e,t,r){return
me=ne(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tarta=de(),tar
tt(e,Et(t,r))}function jt(e,t){return typeof e=="function"?e(t):e}function pt(e){return e.split("-")[0]}function xt(e){return e.split("-")[1]}function \[ \] i(e){return e==="x"?"y":"x"}function \[ \] Qr(e){return e==="y"?"height":"width"}function \[ \] Pn(e){return ["top", "bottom"].includes(pt(e))?"y":"x"}function \[ \] Zr(e){return \[ \] i(Pn(e))}function \[ \] Wi(e,t,r){r===void 0&&(r=!1);let n=xt(e),i=Zr(e),o=Qr(i),a=i==="x"?n===(r?"end":"start")?"right":"le
  ft":n==="start"?"bottom":"top";return t.reference[o]>t.floating[o]&&(a=mr(a)),[a,mr(a)]}function ra(e){let t=mr(e);return[vr(e),t,vr(t)]}function vr(e){let t=mr(e);return[vr(e),t,vr(e),t,vr(e)]}function vr(e){let t=mr(e);return[vr(e),t,vr(e),t,vr(e),t,vr(e)]}function vr(e){let t=mr(e);return[vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e)]}function vr(e){let t=mr(e);return[vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e)]}function vr(e){let t=mr(e);return[vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),t,vr(e),
e.replace(/start|end/g,t=>na[t])}function in (e,t,r){let n=["left","right"],i=["right","left"],o=["to p","bottom"],a=["bottom","top"];switch(e){case"top":case"bottom":return r?t?i:n:t?n:i;case"left":case"right":return t?o:a;default:return[]}}function oa(e,t,r,n){let
 i=xt(e),o=ia(pt(e),r==="start",n);return
i&&(o=o.map(a=>a+"-"+i),t&&(o=o.concat(o.map(vr)))),o}function mr(e){return
  e.replace(/left|right|bottom|top/g,t=>ta[t])}function
  aa(e){return{top:0,right:0,bottom:0,left:0,...e}}function ei(e){return typeof
```

```
e!="number"?aa(e):{top:e,right:e,bottom:e,left:e}}function
Cn(e){return{...e,top:e,y,left:e.x,right:e.x+e.width,bottom:e.y+e.height}}function Ri(e,t,r){let{ref erence:n,floating:i}=e,o=Pn(t),a=Zr(t),d=Qr(a),f=pt(t),u=0==="y",y=n.x+n.width/2-i.width/2,m=n.y+n.height/2-i.height/2,0=n[d]/2-i[d]/2,E;switch(f){case"top":E={x:y,y:n.y-i.height};break;case"bottom":E={x:y,y:n.y+n.height};break;case"right":E={x:n.x+n.width,y:m};break;case"left":E={x:n.x-i.width,y:m};break;default:E={x:n.x,y:n.y}}switch(xt(t)){case"start":E[a]-
 =0*(r\&\&u?-1:1); break; case"end":E[a]+=0*(r\&\&u?-1:1); break\} return E \} var sa=async(e,t,r)=> \{let\{placement:n="bottom",strategy:i="absolute",middleware:o=[],platform:a\}=r,d=o.filter(Boolean),f=await(a.isRTL lett) return to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
  ==null?void 0:a.isRTL(t)),u=await
  a. \texttt{getElementRects}(\{\texttt{reference:e,floating:t,strategy:i}\}), \{\texttt{x:y,y:m}\} = \texttt{Ri}(\texttt{u,n,f}), \texttt{0} = \texttt{n,E} = \{\}, \texttt{S=0}; \texttt{for}(\texttt{let}) = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} = \texttt{monorized} =
         =0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots = 0; \dots
  t:n,placement:0,strategy:i,middlewareData:E,rects:u,platform:a,elements:{reference:e,floating:t}});y
  =A??y, m=k??m, E={...E, [I]:{...E[I], ...Y}}, ne&&S<=50&&(S++, typeof)
  ne=="object"&&(ne.placement&&(0=ne.placement),ne.rects&&(u=ne.rects===!0?await a.getElementRects({re
  ference:e,floating:t,strategy:i}):ne.rects),{x:y,y:m}=Ri(u,0,f)),_=-
  1)}return{x:y,y:m,placement:0,strategy:i,middlewareData:E}};async function n(e,t){var r;t===void 0&
  \& (t=\{\}); let \{x:n,y:i,platform:o,rects:a,elements:d,strategy:f\} = e, \{boundary:u="clippingAncestors",rootalised for the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the pro
  Boundary: y="viewport", elementContext: m="floating", altBoundary: 0=!1, padding: E=0}=jt(t,e), S=ei(E), I=d[
 O?m==="floating"?"reference":"floating":m], [=Cn(await o.getClippingRect({element:(r=await(o.isElement==null?void
  0: o. is Element(I))) == null || r?I:I.contextElement|| await(o.getDocumentElement == null?void 0: o.getDocumentElement == null 0: o.getDocumentElement == null 0: o.getDocumentElement == null 0: o.getDocumentElement == null 0: o.ge
  tElement(d.floating)),boundary:u,rootBoundary:y,strategy:f})),A=m==="floating"?{...a.floating,x:n,y:i}:a.reference,k=await(o.getOffsetParent==null?void
 0:o.getOffsetParent(d.floating)),Y=await(o.isElement==null?void
0:o.isElement(k))?await(o.getScale==null?void 0:o.getScale(k))||{x:1,y:1}:{x:1,y:1},ne=Cn(o.convert0
  ff set Parent Relative Rect To Viewport Relative Rect? await \ o. convert Off set Parent Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Relative Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Rect To Viewport Re
  iveRect({elements:d,rect:A,offsetParent:k,strategy:f}):A);return{top:(].top
ne.top+S.top)/Y.y,bottom:(ne.bottom-\_.bottom+S.bottom)/Y.y,left:(\_.left-
ne.left+S.left)/Y.x,right:(ne.right-\_.right+S.right)/Y.x}}var la=e=>({name: "arrow",options:e,async f
n(t){let{x:r,y:n,placement:i,rects:o,platform:a,element:d,middlegt=t}-t,{element:u,padding:y=
 0}=jt(e,t)||{};if(u==null)return{};let m=ei(y),0={x:r,y:n},E=Zr(i),S=Qr(E),_=await a.getDimensions(u),I=E==="y", =1?"top":"left",A=I?"bottom":"right",k=I?"clientHeight":"clientWidth",Y=o.reference[S]+
  o.reference[E]-0[E]-o.floating[S],ne=0[E]-o.reference[E],J=await(a.getOffsetParent==null?void
 1,Q=Et(m[[],X),me=Et(m[A],X),l=Q,h=V-_[S]-me,v=V/2-
_[S]/2+de,p=Jr(l,v,h),j=!f.arrow&&xt(\bar{1})!=null&&v!==p&&o.reference[S]/2-(v<l?Q:me)-
          [S]/2<0,M=j?v<l?v-l:v-h:0;return{[E]:0[E]+M,data:{[E]:p,centerOffset:v-p-
   \label{eq:main_model} \hline \texttt{M}, \dots j \& \{a \text{lignmentOffset:M}\}, reset:j\}\}\}); function \ fa(e,t,r)\{return(e?[\dotsr.filter(i=>xt(i)===e), \dots r.filter(i=>xt(i)!==e)]:r.filter(i=>pt(i)===i)).filter(i=>e?xt(i)===e||(t?vr(i)!==i:!1):!0)\} \\ \texttt{var} = \{a \text{lignmentOffset:M}\}, reset:j\}\}\}); function \ fa(e,t,r)\{return(e?[\dotsr.filter(i=>xt(i)===e), \dots r.filter(i=>xt(i)===e), \dots r.filter(i==xt(i)===e), \dots r.filter(i==xt(i)===e), \dots r.filter(i==xt(i)===e), \dots r.filter(i==xt(i)===e)
   \text{ca=function(e)} \\ \text{freturn e===void } \\ 0\&\&(\text{e=}\{\}), \\ \text{fneets:o,middlewareData:a,placement:d,platform:f,elements:u} \\ \text{=}t,\\ \text{fcrossAxis:y=!1,alignment:m,allowedPlacement:d,platform:f,elements:u} \\ \text{=}t,\\ \text{form:delement:d,platform:f,element:d,platform:f,elements:u} \\ \text{=}t,\\ \text{form:delement:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,element:d,platform:f,elemen
  ements:0=Mi, autoAlignment:E=!0,...S}=jt(e,t), =m!==void 0||0==Mi?fa(m||null,E,0):0,I=await _n(t,S),<math>\square=((r=a.autoPlacement)==null?void 0:r.index)||0,A=[<math>\square];if(A==null)return{};let
  k=Wi(A,o,await(f.isRTL==null?void
  0:f.isRTL(u.floating)));if(d!==A)return{reset:{placement:_[0]}};let
  Y=[I[pt(A)],I[k[0]],I[k[1]]],ne=[...((n=a.autoPlacement)==null?void 0:n.overflows)||[],{placement:A,}
  overflows:Y}],J=[[]+1];if(J)return{data:{index:[]+1,overflows:ne},reset:{placement:J}};let
  V=ne.map(Q=>\{let\ me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)\} = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows.slice(0,2).reduce((l,h)=>l+1)] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&y?Q.overflows] = (let me=xt(Q.placement); return[Q.placement,me&y?Q.overflows] = (let me=x
  h,0):Q.overflows[0],Q.overflows]}).sort((Q,me)=>Q[1]-
  me[1]), X=((i=V.filter(Q=>Q[2].slice(0,xt(Q[0])?2:3).every(me=>me<=0))[0])==null?void
  0:i[0])||V[0][0];return
  X!==d?{data:{index:□+1,overflows:ne},reset:{placement:X}}:{}}},ua=function(e){return e===void
l=Wi(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{i(de=[...de,\{placement:i,overflows:V\}],!V.every(l=>l<=0)) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[1]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[0]],J[l[0]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[0]],J[l[0]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[0]],J[l[0]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[0]],J[l[0]],J[l[0]]) [l[0]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]]) \\ \{var_i(i,a,k); V.push(J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]],J[l[0]]
  X,Q; let l=(((X=o.flip)==null?void)
  0:X.index)||0)+1,h=ne[l];if(h)return{data:{index:l,overflows:de},reset:{placement:h}};let
 v = (Q = de.filter(p = p.overflows[0] < = 0).sort((p, j) = p.overflows[1] - j.overflows[1])[0]) = = null?void \\ 0:Q.placement;if(!v)switch(E)\{case"bestFit":\{var me;let p = (me = de.map(j = > [j.placement, j.overflows.filter(M = > M > 0).reduce((M,R) = > M + R,0)]).sort((j,M) = > j[1] - M[1])[0]) = = null?void 0:me[0];p&&(v = p);break\}case 
      initialPlacement":v=d;break}if(i!==v)return{reset:{placement:v}}}return{}}};function Ii(e,t){retur"
  n{top:e.top-t.height,right:e.right-t.width,bottom:e.bottom-t.height,left:e.left-t.width}}function
  Li(e){return Hi.some(t=>e[t]>=0)}var da=function(e){return e===void
0\&\&(e=\{\}), \{name:"hide", options:e, async fn(t) \{let\{rects:r\}=t, \{strategy:n="referenceHidden", ...i\}=jt(e,t); switch(n) \{case"referenceHidden": \{let o=await _n(t, \{...i, elementContext: "reference"\}), a=Ii(o,r.reference); return \{data: \{referenceHiddenOffsets:a, referenceHidden:Li(a)\}\} case"escaped": \{let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=await _n | let o=
   (t,{...i,altBoundary:!0}),a=Ii(o,r.floating);return{data:{escaped0ffsets:a,escaped:Li(a)}}}default:r
```

```
eturn{}}\}; function Ui(e) {let t=Et(...e.map(o=>o.left)), r=Et(...e.map(o=>o.top)), n=tt(...e.map(o=>o.top))
 .right)),i=tt(...e.map(o=>o.bottom));return{x:t,y:r,width:n-t,height:i-r}}function pa(e){let
t=e.slice().sort((i,o)=>i.y-o.y),r=[],n=null;for(let i=0;i<t.length;i++){let
 \begin{array}{l} \text{c=e.stice().soft((1,0)=>1.y-0.y), i-[], i-indit, iof(tet=1-0,1<t.tengti,1++)[tet=1-0]} \\ \text{o=t[i];!n||o.y-n.y>n.height/2?r.push([o]):r[r.length-1].push(o), n=o} \\ \text{return e===void } 0\&\&(e=\{\}), \{\text{name: "inline", options: e, async } fn(t) \{\text{let}\{\text{placement: r, elements: n, rects: i, platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the placement: r, elements: n, rects: i, platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the placement: r, elements: n, rects: i, platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the placement: r, elements: n, rects: i, platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the placement: r, elements: n, rects: i, platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the placement: r, elements: n, rects: i, platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{Array. from (await(o.getClientRest))} \\ \text{to state of the platform: o, strategy: a}=t, \{\text{padding: d=2, x: f, y: u}\}=\text{jt(e, t)}, y=\text{a}=t, \text{padding: d=2, x: f, y: u}\}
cts==null?void 0:o.getClientRects(n.reference))||[]),m=pa(y),0=Cn(Ui(y)),E=ei(d);function S(){if(m.length===2&&m[0].left>m[1].right&&f!=null&&u!=null)return m.find(I=>f>I.left-
E.left&&f<I.right+E.right&&u>I.top-
E.top\&u<I.bottom+E.bottom) \mid 0; if(m.length>=2) \{if(Pn(r)==="y") \{let Q=m[0], me=m[m.length-purple = 0], me=m[m.length-purple = 0] \}
1], l=pt(r)==="top", h=Q.top, v=me.bottom, p=l?Q.left:me.left, j=l?Q.right:me.right, M=j-p, R=v-
Q=>Q.right)), A=Et(...m.map(Q=>Q.left)), k=m.filter(Q=>I?Q.left===A:Q.right===□), Y=k[0].top, ne=k[k.len
gth-1].bottom, J=A, V=\Box, de=V-J, X=ne-
Y;return{top:Y,bottom:ne,left:J,right:V,width:de,height:X,x:J,y:Y}}return 0}let =await
o.getElementRects({reference:{getBoundingClientRect:S},floating:n.floating,strategy:a});return i.ref
erence.x!==_.reference.y!==_.reference.y||i.reference.width||i.reference.width||i.reference.height!==_.reference.height?{reset:{rects:_}}};async function
va(e,t){let{placement:r,platform:n,elements:i}=e,o=await(n.isRTL==null?void 0:n.isRTL(i.floating)),a
=pt(r),d=xt(r),f=Pn(r)==="y",u=["left","top"].includes(a)?-1:1,y=o&&f?-
1:1,m=jt(t,e),{mainAxis:0,crossAxis:E,alignmentAxis:S}=typeof m=="number"?{mainAxis:m,crossAxis:0,alignmentAxis:S}=typeof m=="number"?{mainAxis:m,crossAxis:0,alignmentAxis:S}
ignmentAxis:null}:{mainAxis:0,crossAxis:0,alignmentAxis:null,...m};return d&&typeof
S=="number"\&\&(E=d==="end"?S*-1:S),f?\{x:E*y,y:0*u\}:\{x:0*u,y:E*y\}\} var\ Vi=function(e)\{return\ e===void\ 0\&\&(e=0),\{name:"offset",options:e,async\ fn(t)\{var\}\} var\ Vi=function(e)
r,n;let{x:i,y:o,placement:a,middlewareData:d}=t,f=await va(t,e);return a===((r=d.offset)==null?void
0:r.placement)&&(n=d.arrow)!=null&&n.alignmentOffset?{}:{x:i+f.x,y:o+f.y,data:{...f,placement:a}}}},    ,ma=function(e){return e===void 0\&\&(e={}),{name:"shift",options:e,async fn(t){let{x:r,y:n,placement:a}}}
; i]=t, {mainAxis:o=!0,crossAxis:a=!1,limiter:d={fn:I=>{let{x:[,y:A}=I;return{x:[,y:A}}},...f}=jt(e,t), u={x:r,y:n},y=await _n(t,f),m=Pn(pt(i)),0=[i(m),E=u[0],S=u[m];if(o){let I=0==="y"?"top":"left",[=0==="y"?"bottom":"right",A=E+y[I],k=E-y[]];E=Jr(A,E,k)}if(a){let I=m==="y"?"top":"left",[=m==="y"?"bottom":"right",A=S+y[I],k=S-y[];S=Jr(A,S,k)}let
    =d.fn(\{...t,[0]:E,[m]:S\});return\{...,data:\{x:.x-r,y:.y-n\}\}\}\},ga=function(e)\{return e===void\}
\overline{0}\&(e=\{\}), {name: "size", options: e, async
fn(t) \{let\{placement: r, rects: n, platform: i, elements: o\} = t, \{apply: a=() => \{\}, \ldots d\} = jt(e,t), f=await \_n(t,d), u=pt(r), y=xt(r), m=Pn(r) === "y", \{width: 0, height: E\} = n. floating, S, _; u=== "top" | | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "bottom"? (S=u, _=y=== "top") | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u=== "top" | u===
  (await(i.isRTL==null?void
0:i.isRTL(o.floating))?"start":"end")?"left":"right"):( =u,S=y==="end"?"top":"bottom");let
I=E-f[S], \square=0-f[], A=!t.middlewareData.shift, k=I, Y=\square; if(m) {let}
 J=0-f.left-f.right; Y=y||A?Et([],J):J\}else\{let\ J=E-f.top-f.bottom; k=y||A?Et(I,J):J\}if(A\&\&!y)\{let\ J=tt(I,J):J\}if(A\&\&!y)\} 
f.left,0),V=tt(f.right,0),de=tt(f.top,0),X=tt(f.bottom,0);m?Y=0-
2*(J!=0||V!=0?J+V:tt(f.left,f.right)):k=E-2*(de!==0||X!==0?de+X:tt(f.top,f.bottom))await
a({...t,availableWidth:Y,availableHeight:k}); let ne=await i.getDimensions(o.floating); return
0!==ne.width||E!==ne.height?{reset:{rects:!0}}:{}}};function rn(e){return
zi(e)?(e.nodeName||"").toLowerCase():"#document"}function ft(e){var
t;return(e==null||(t=e.ownerDocument)==null?void 0:t.defaultView)||window}function Bt(e){var
t;return(t=(zi(e)?e.ownerDocument:e.document)||window.document)==null?void
0:t.documentElement}function zi(e){return e instanceof Node||e instanceof ft(e).Node}function
kt(e){return e instanceof Element||e instanceof ft(e).Element}function Tt(e){return e instanceof
\label{thm:lement}  HTMLElement||e instance of ft(e).HTMLElement| function Fi(e) {return type of ShadowRoot>"u"?!1:e instance of ShadowRoot||e instance of ft(e).ShadowRoot} function zn(e) {let{overflow:t,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,overflowX:r,over
lowY: n, display: i\} = ht(e); return/auto|scroll|overlay|hidden|clip/.test(t+n+r)&\&!["inline","contents"]. includes(i)\} function ba(e) {return["table","td","th"].includes(rn(e))} function ti(e) {let t=ni(),r=ht(e); return r.transform!=="none"||r.perspective!=="none"||(r.containerType?r.containerType) | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | the containerType | 
!=="normal":!1)||!t\&(r.backdropFilter?r.backdropFilter!=="none":!1)||!t\&(r.filter?r.filter!=="none":!1)||!t&(r.filter?r.filter!=="none":!1)||:|tansform", "perspective", "filter"].some(n=>(r.willChange||"").includes(n))||["paint", "layout", "strict", "content"].some(n=>(r.contain||"").includes(n))}function ya(e){let}
t=Tn(e);for(;Tt(t)&&!gr(t);){if(ti(t))return t;t=Tn(t)}return null}function ni(){return typeof CSS>"u"||!CSS.supports?!1:CSS.supports("-webkit-backdrop-filter", "none")}function gr(e){return["html", "body", "#document"].includes(rn(e))}function ht(e){return ft(e).getComputedStyle(e)}function br(e){return kt(e)?{scrollLeft:e.scrollLeft,scrollTop:e.scrollTop
}:{scrollLeft:e.pageX0ffset,scrollTop:e.pageY0ffset}}function Tn(e){if(rn(e)==="html")return e;let
t=e.assignedSlot||e.parentNode||Fi(e)&&e.host||Bt(e);return Fi(t)?t.host:t}function Yi(e){let
t=Tn(e); return gr(t)?e.ownerDocument?e.ownerDocument.body:e.body:Tt(t)&&zn(t)?t:Yi(t)}function
Vn(e,t,r){var n;t===void 0&&(t=[]),r===void 0&&(r=!0);let
i=Yi(e),o=i===((n=e.ownerDocument)==null?void 0:n.body),a=ft(i);return o?t.concat(a,a.visualViewport
||[],zn(i)?i:[],a.frameElement&&r?Vn(a.frameElement):[]):t.concat(i,Vn(i,[],r))}function Xi(e){let t
=ht(e),r=parseFloat(t.width)||0,n=parseFloat(t.height)||0,i=Tt(e),o=i?e.offsetWidth:r,a=i?e.offsetHe ight:n,d=hr(r)!==o||hr(n)!==a;return d&&(r=o,n=a),{width:r,height:n,d=d}}function ri(e){return}
kt(e)?e:e.contextElement}function Dn(e){let t=ri(e);if(!Tt(t))return nn(1);let r=t.getBoundingClient
Rect(), {width:n,height:i,\square:o}=Xi(t),a=(o?hr(r.width):r.width)/n,d=(o?hr(r.height):r.height)/i;return (!a||!Number.isFinite(a))&&(a=1),(!d||!Number.isFinite(d))&&(d=1),{x:a,y:d}}var wa=nn(0);function
qi(e){let t=ft(e);return!ni()||!t.visualViewport?wa:{x:t.visualViewport.offsetLeft,y:t.visualViewpor
t.offsetTop}}function xa(e,t,r){return t===void 0\&\&(t=!1),!r||t\&\&r!==ft(e)?!1:t}function
```

```
vn(e,t,r,n){t===void 0\&\&(t=!1),r===void 0\&\&(r=!1);let
   i=e.getBoundingClientRect(),o=ri(e),a=nn(1);t&&(n?kt(n)&&(a=Dn(n)):a=Dn(e));let
    d=xa(o,r,n)?qi(o):nn(0),f=(i.left+d.x)/a.x,u=(i.top+d.y)/a.y,y=i.width/a.x,m=i.height/a.y;if(o)\{leta(a,y),a.y,y=i.width/a.x,m=i.height/a.y;if(o)\} 
  0=ft(o), E=n\&kt(n)?ft(n):n, S=0, \_=S.frameElement; for(;\_\&\&n\&\&E!==S;) \{let \ I=Dn(\_), \_=\_.getBoundingClient \ Rect(), A=ht(\_), k=\_.left+(\_.clientLeft+parseFloat(A.paddingLeft))*I.x, Y=\_.top+(\_.clientTop+parseFloat(A.paddingLeft))*I.x, =\_.top+(\_.clientTop+parseFloat(A.paddingLeft)*I.x, Y=\_.top+(\_.clientTop+parseFloat(A.paddingLeft)*I.x, Y=\_.top+(\_
 (A.paddingTop))*I.y;f*=I.x,u*=I.y,y*=I.x,m*=I.y,f+=k,u+=Y,S=ft(_),_=S.frameElement}}return Cn({width:y,height:m,x:f,y:u})}var Ea=[":popover-open",":modal"];function Gi(e){return Ea.some(t=>{try{return e.matches(t)}catch{return!1}})}function Oa(e){let{elements:t,rect:r,offsetPar
   ent:n, strategy:i}=e,o=i==="fixed",a=Bt(n),d=t?Gi(t.floating):t1;if(n===a||d&&o)return r;let f={scrol}
   lleft:0,scrollTop:0\},u=nn(1),y=nn(0),m=Tt(n);if((m||!m&&!o)\&&((rn(n)!=="body"||zn(a))\&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f=br(n)),Tt(n)|=(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||zn(a))&&(f-body"||z
   n))){let 0=vn(n);u=Dn(n),y.x=0.x+n.clientLeft,y.y=0.y+n.clientTop}return{width:r.width*u.x,height:r.
  height*u.y,x:r.x*u.x-f.scrollLeft*u.x+y.x,y:r.y*u.y-f.scrollTop*u.y+y.y}}function Sa(e){return vn(Bt(e)).left+br(e).scrollLeft}function
   Aa(e) \\ \{let \ t=Bt(e), r=br(e), n=e. owner Document.body, i=tt(t.scrollWidth, t.clientWidth, n.scrollWidth, 
   ientWidth),o=tt(t.scrollHeight,t.clientHeight,n.scrollHeight,n.clientHeight),a=
   r.scrollLeft+Ki(e),d=-r.scrollTop;return
   ht(n).direction==="rtl"&&(a+=tt(t.clientWidth,n.clientWidth)-i),{width:i,height:o,x:a,y:d}}function
   Da(e,t){let r=ft(e),n=Bt(e),i=r.visualViewport,o=n.clientWidth,a=n.clientHeight,d=0,f=0;if(i){o=i.wi
  dth,a=i.height;let u=ni();(!u||u&&t==="fixed")&&(d=i.offsetLeft,f=i.offsetTop)}return{width:o,height:a,x:d,y:f}}function Ca(e,t){let r=vn(e,!0,t==="fixed"),n=r.top+e.clientTop,i=r.left+e.clientLeft,o=
  Tt(e)?Dn(e):nn(1),a=e.clientWidth*o.x,d=e.clientHeight*o.y,f=i*o.x,u=n*o.y;return{width:a,height:d,x
:f,y:u}}function Ni(e,t,r){let n;if(t==="viewport")n=Da(e,r);else if(t==="document")n=Aa(Bt(e));else
  if(kt(t))n=Ca(t,r);else{let i=qi(e);n={...t,x:t.x-i.x,y:t.y-i.y}}return Cn(n)}function Ji(e,t){let
r=Tn(e);return r===t||!kt(r)||gr(r)?!1:ht(r).position==="fixed"||Ji(r,t)}function _a(e,t){let
r=t.get(e);if(r)return r;let n=Vn(e,[],!1).filter(d=>kt(d)&&rn(d)!=="body"),i=null,o=ht(e).position=
   =="fixed", a=o?Tn(e):e; for(;kt(a)\&\&!gr(a);) \\ \{let \ d=ht(a), f=ti(a); !f\&\&d.position==="fixed"\&\&(i=null), (o, f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a), f=ti(a
   ?!f&&!::!f&&d.position==="static"&&!!i&&["absolute","fixed"].includes(i.position)||zn(a)&&!f&&Ji(e,a
 ))?n=n.filter(y=>y!==a):i=d,a=Tn(a)}return t.set(e,n),n}function Ta(e){let{element:t,boundary:r,root}} Boundary:n,strategy:i}=e,a=[...r==="clippingAncestors"?_a(t,this._c):[].concat(r),n],d=a[0],f=a.reduce((u,y)=>{let m=Ni(t,y,i);return u.top=tt(m.top,u.top),u.right=Et(m.right,u.right),u.bottom=Et(m.bo
   ttom, u.bottom), u.left=tt(m.left, u.left), u}, Ni(t,d,i)); return{width:f.right-f.left, height:f.bottom-
   f.top,x:f.left,y:f.top}}function Pa(e){let{width:t,height:r}=Xi(e);return{width:t,height:r}}function
 \label{eq:matching} $$ Ma(e,t,r)_{let \ n=Tt(t),i=Bt(t),o=r==="fixed",a=vn(e,!0,o,t),d=\{scrollLeft:0,scrollTop:0\},f=nn(0);if(n-l)!=ncollent for all the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the second formula in the 
  t-f.x,y=a.top+d.scrollTop-f.y;return{x:u,y,width:a.width,height:a.height}}function
ki(e,t){return!Tt(e)||ht(e).position==="fixed"?null:t?t(e):e.offsetParent}function Qi(e,t){let
   r=ft(e);if(!Tt(e)||Gi(e))return r;let
  \begin{array}{ll} n=ki(e,t); & \text{for}(;n\&\&ba(n)\&\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&\&ba(n)\&\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static"\&\&!ti(n))?} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static"\&\&!ti(n))?} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&ba(n)\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(;n\&ht(n).position==="static";)} \\ n=ki(e,t); & \text{for}(
   function(e){let
   t=this.getOffsetParent||Qi,r=this.getDimensions;return{reference:Ma(e.reference,await
  t(e.floating),e.strategy),floating:{x:0,y:0,...await r(e.floating)}}};function Ia(e){return ht(e).direction==="rtl"}var La={convertOffsetParentRelativeRectToViewportRelativeRect:0a,getDocument
   Element:Bt,getClippingRect:Ta,getOffsetParent:Qi,getElementRects:Ra,getClientRects:Sa,getDimensions:
   Pa, getScale: Dn, is Element: kt, is RTL: Ia\}; function \ Fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ fa(e,t) \{let \ r=null, n, \check{i}=Bt(e); function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o() \{varante e, t, is RTL: Ia\}; function \ o()
   d; clearTimeout(n), (d=r) == null \mid |d.disconnect(), r=null \} function \ a(d,f) \\ \{d===void \ 0\&\& (d=!1), f===void \ 0\&
   (f=1),o();let\{left:u,top:y,width:m,height:0\}=e.getBoundingClientRect();if(d||t(),!m||!0)return;let
  E=pr(y),S=pr(i.clientWidth-(u+m)),=pr(i.clientHeight-(y+0)),I=pr(u),A={rootMargin:-E+"px "+-S+"px "+-_+"px "+-I+"px",threshold:tt(0,Et(1,f))||1},k=!0;function Y(ne){let
   J=ne^-[0].intersectionRatio;if(J!==f){if(!k)return
   a(); J?a(!1,J): n=setTimeout(()=>{a(!1,1e-7)},100)}k=!1}try{r=new}
   IntersectionObserver(Y, {...A, root:i.ownerDocument})) catch {r=new
 IntersectionObserver(Y,A)}r.observe(e)}return a(!0),o}function ji(e,t,r,n){n===void 0&&(n={});let{ancestorScroll:i=!0,ancestorResize:o=!0,elementSize:a=typeof ResizeObserver=="function",layoutShift:d=typeof IntersectionObserver=="function",animationFrame:f=!1
   \}=n,u=ri(e),y=i||o?[\dots u?Vn(u):[],\dots Vn(t)]:[];y.forEach([]=>\{i\&\&[].addEventListener("scroll",r,\{passing value of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context 
   ve:\{0\}),o&\{1.addEventListener("resize",r)\});let m=u&\{2d?Fa\{1,1\}.null,0=-1,E=null;a&\{2\}6(E=new Resize0bse
  S, =f?vn(e):null;f&&I();function I(){let | = (x, y) | = (x, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) | = (y, y) |
entListener("scroll",r),o&&A.removeEventListener("resize",r)}),m?.(),([=E)==null||[.disconnect(),E=null,f&&cancelAnimationFrame(S)}}var ii=ca,Zi=ma,eo=ua,to=ga,no=da,ro=la,io=ha,Bi=(e,t,r)=>{let n=new Map,i={platform:La,...r},o={...i.platform,_c:n};return sa(e,t,{...i,platform:o})},Na=e=>{let t={placement:"bottom",strategy:"absolute",middleware:[]},r=Object.keys(e),n=i=>e[i];return r.include s("offset")&&t.middleware.push(Vi(n("offset"))),r.includes("teleport")&&(t.strategy="fixed"),r.includes("placement")&&t.middleware.push(vi(n("offset"))),r.includes("autoPlacement")&&t.middleware.push(eo(n("flip"))),r.includes("flip")&&t.middleware.push(eo(n("flip"))),r.includes("shift")&&t.middleware.push(io(n("inline"))),r.includes("arrow")&&t.middleware.push(ro(n("arrow"))),r.includes("hide")&&t.middleware.push(no(n("inline"))),r.includes("size")&&t.middleware.push(to(n("size"))),t},ka=(e,t)=>{let r={component:{trap::ll},loat:{placement:"bottom",strategy:"absolute".middleware:[ll},n=i=>e[e.indexOf(i)+1]:if(e.includes("inline"))
   p:!1}, float:{placement:"bottom", strategy: absolute", middleware:[]}}, n=i=>e[e.indexOf(i)+1]; if(e.incl
```

```
udes("trap")\&\&(r.component.trap=!0), e.includes("teleport")\&\&(r.float.strategy="fixed"), e.includes("offset")\&\&r.float.middleware.push(Vi(t.offset||10)), e.includes("placement")\&\&(r.float.placement=n("placement")), e.includes("autoPlacement")\&\&!e.includes("flip")\&\&r.float.middleware.push(ii(t.autoPlacement")), e.includes("autoPlacement")&&!e.includes("flip")&&r.float.middleware.push(ii(t.autoPlacement")), e.includes("autoPlacement")&&!e.includes("flip")&&r.float.middleware.push(ii(t.autoPlacement")), e.includes("autoPlacement"), e.includes("flip")&&r.float.middleware.push(ii(t.autoPlacement")), e.includes("flip")&&r.float.middleware.push(ii(t.autoPlacement")), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("flip"), e.includes("fli
ent)),e.includes("flip")&&r.float.middleware.push(eo(t.flip)),e.includes("shift")&&r.float.middleware.push(Zi(t.shift)),e.includes("inline")&&r.float.middleware.push(io(t.inline)),e.includes("arrow")&
 \&r.float.middleware.push(ro(t.arrow)), e.includes("hide") \&\&r.float.middleware.push(no(t.hide)), e.includes("hide") \&\&r.float.middleware.push(no(t.hide)), e.includes("hide") &\&r.float.middleware.push(no(t.hide)), e.includes("hide") &&r.float.middleware.push(no(t.hide)), e.includes("hide") &&r.float.middleware.push("hide") &&r.float.middleware.push(no(t.hide)),
 udes("size")){let i=t.size?.availableWidth??null,o=t.size?.availableHeight??null;i&&delete
 t.size.availableWidth,o&&delete t.size.availableHeight,r.float.middleware.push(to({...t.size,apply({
 $$\max \text{Height:} [\{o??d\}px^{})\})$$ return r, ja=e=>{var t="0123456789}$$ABCDEFGHIJKLMNOPQRSTUVWXTZabcdefghiklmnopqrstuvwxyz".split(""),r="";e||(e=Math.floor(Math.random()*t.length));for(var).$$$ return r, ja=e=>{var t="0123456789}$$ABCDEFGHIJKLMNOPQRSTUVWXTZabcdefghiklmnopqrstuvwxyz".split(""),r="";e||(e=Math.floor(Math.random()*t.length));for(var).$$
n=0;n<e;n++)r+=t[Math.floor(Math.random()*t.length)];return r};function Ba(e,t=()=>{}){let r=!1;return function(){r?t.apply(this,arguments):(r=!0,e.apply(this,arguments))}}function Ha(e){let t={dismissable:!0,trap:!1};function r(n,i=null){if(n){if(n.hasAttribute("aria-
 expanded")||n.setAttribute("aria-expanded",!1),i.hasAttribute("id"))n.setAttribute("aria-
expanded")||n.setAttribute("aria-expanded",!1),1.nasAttribute("id"))n.setAttribute("aria-controls",i.getAttribute("id"));else{let o=`panel-\[ [ja(8)\]`;n.setAttribute("aria-controls",o),i.setAttribute("id",o)\]i.setAttribute("aria-modal",!0),i.setAttribute("role","dialog")\]e.magic("float",n=>(i={\},o={\})=>{let a={\dots,d=0bject.keys(i).length>0?Na(i):{\diadleware:[ii()]\},f=n,u=n.parentElement.closest("[x-data]"),y=u.querySelector('[x-ref="panel"]');r(f,y);function m()\{return y.style.display=="block"\}function 0()\{y.style.display="none",f.setAttribute("aria-expanded","false"),a.trap&\&y.setAttribute("x-trap","false"),ji(n,y,_)\}function
 E(){y.style.display="block",f.setAttribute("aria-
expanded","true"),a.trap&y.setAttribute("x-trap","true"),_()}function S(){m()?0():E()}async function _(){return await Bi(n,y,d).then(({middlewareData:I,placement:[],x:A,y:k})=>{if(I.arrow){let } f(I.arrow)
Y=I.arrow?.x,ne=I.arrow?.y,J=d.middleware.filter(de=>de.name=="arrow")[0].options.element,V={top:"bo ttom",right:"left",bottom:"top",left:"right"}[_.split("-
")[0]];Object.assign(J.style,{left:Y!=null?`[{Y}px`:"",top:ne!=null?`[{ne}px`:"",right:"",bottom:"",
 [V]:"-
4px"})}if(I.hide){let{referenceHidden:Y}=I.hide;Object.assign(y.style,{visibility:Y?"hidden":"visibl
e"})}Object.assign(y.style,{left:`\[A}px`,top:`\[k}px`})}a.dismissable&&(window.addEventListener("click",I=>{!u.contains(I.target)&&m()&&S()}),window.addEventListener("keydown",I=>{I.key==="Escape"& &m()&&S()},!0)),S()}),e.directive("float",(n,{modifiers:i,expression:o},{evaluate:a,effect:d})=>{let f=o?a(o):{},u=length>o?ka(i,f):{},y=null;u.float.strategy=="fixed"&&(n.style.position="fixed");let
m=V=>n.parentElement&&!n.parentElement.closest("[x-
data]").contains(V.target)?n.close():null,0=V=>V.key==="Escape"?n.close():null,E=n.getAttribute("x-
 ref"), S=n.parentElement.closest("[x-
 function(V){n.trigger=V.currentTarget?V.currentTarget:V,Y(!0),n.trigger.setAttribute("aria-expanded"
 ,"true"),u.component.trap&&n.setAttribute("x-
trap","true"),y=ji(n.trigger,n,()=>{Bi(n.trigger,n,u.float).then(({middlewareData:de,placement:X,x:Q
  ,y:me})=>{if(de.arrow){let l=de.arrow?.x,h=de.arrow?.y,v=u.float.middleware.filter(j=>j.name=="arrow")
 ")[0].options.element,p={top:"bottom",right:"left",bottom:"top",left:"right"}[X.split("-
")[0]];Object.assign(v.style,{left:l!=null?`[{l}px`:"",top:h!=null?`[{h}px`:"",right:"",bottom:"",[p
 4px"})}if(de.hide){let{referenceHidden:l}=de.hide;Object.assign(n.style,{visibility:l?"hidden":"visi
 ble"})}Object.assign(n.style,{left:`[{0}px`,top:`[{me}px`})}),,window.addEventListener("click",m),w
 indow.addEventListener("keydown",0,!0)},n.close=function(){if(!n._x_isShown)return!1;Y(!1),n.trigger
.setAttribute("aria-expanded","false"),u.component.trap&&n.setAttribute("x-
\label{trap} trap", "false"), y(), window.removeEventListener("click", m), window.removeEventListener("keydown", 0,!1) }, n.toggle=function(V) \\ \{n._x_isShown?n.close():n.open(V)\}\}) \\ var oo=Ha; function(V) \\ \{n._x_isShown?n.close():n.open(V)\}\}
 ☐a(e){e.store("lazyLoadedAssets",{loaded:new Set,check(a){return Array.isArray(a)?a.every(d=>this.lo
 aded.has(d)):this.loaded.has(a)},markLoaded(a){Array.isArray(a)?a.forEach(d=>this.loaded.add(d)):thi
 s.loaded.add(a)}});let t=a=>new
,u):f.appendChild(y)),y},n=(a,d,f={},u=null,y=null)=>{let m=a==="link"? link[href="□{d}"]`:`script[s
 rc = \|\{d\}^{"}\}; if(document.querySelector(m)) | | e.store(\|lazyLoadedAssets^{"}).check(d)) return \\ Promise.resolve(); let 0 = a == \|link^{"}\}; ...f, href:d\}; \{...f, src:d\}, E = r(a, 0, u, y); return new \\ Promise((S, _) => \{E.onload = () => \{e.store(\|lazyLoadedAssets^{"}).markLoaded(d), S()\}, E.onerror = () => \{_(new = 1), a = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b = 1, b 
 Error(`Failed to load [{a}: [{d}`))}}),i=async(a,d,f=null,u=null)=>{let
y={type:"text/css",rel:"stylesheet"};d&&(y.media=d);let m=document.head,0=null;if(f&&u){let E=docume nt.querySelector(`link[href*="[u]"]`);E?(m=E.parentElement,0=f==="before"?E:E.nextSibling):(console .warn(`Target ([u]) not found for [u]{a}. Appending to head.`),m=document.head,0=null)}await
 n("link",a,y,m,\bar{0})\}, o=async(a,d,f=nu\bar{l},u=nu\bar{l},y=nu\bar{l}) => \{let \ m=document.head,0=null;if(f\&\&u)\{let \ S=document.head,0=null;if(f\&\&u)\} \}
 ument.querySelector(`script[src*="[[u]"]`);S?(m=S.parentElement,O=f==="before"?S:S.nextSibling):(con
```

```
sole.warn(`Target ([\{u\})) not found for [\{a\}]. Falling back to head or
dispatch"), 0=a.getAttribute("data-css-before")?"before":a.getAttribute("data-css-
 after")?"after":null,E=a.getAttribute("data-css-before")||a.getAttribute("data-css-after")||null;Pro
 \label{eq:mise-allow} mise.all(u.map(S=>i(S,y,0,E))).then(()=>\{m\&\&window.dispatchEvent(t(`[\{m\}=x,y,0]))\}.
 css`))}).catch(console.error)}),e.directive("load-
js",(a,{expression:d,modifiers:f},{evaluate:u})=>{let y=u(d),m=new Set(f),0=a.getAttribute("data-js-before")?"before":a.getAttribute("data-js-after")?"after":null,E=a.getAttribute("data-js-before")||a.getAttribute("data-js-after")||null,S=a.getAttribute("data-js-as-module")||a.getAttribute("data-as-module")||!1,_=a.getAttribute("data-dispatch");Promise.all(y.map(I
 =>o(I,m,0,E,S)) then (()=>{\&window.dispatchEvent(t(`<math>\sqcap\{ \}-js`))\}).catch(console.error)}) var
 ao=□a; function Wa(){return!0}function Ua({component:e,argument:t}){return new
 Promise(r=>{if(t)window.addEventListener(t,()=>r(),{once:!0});else{let
 n=i=>{i.detail.id===e.id&&(window.removeEventListener("async-
  alpine:load",n),r())\}; window.addEventListener("async-alpine:load",n)\}\}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){return new Promise(e=>{"requestIdleCallback"in"}}) \\ function Va(){requestIdleCallback"in"}
 window?window.requestIdleCallback(e):setTimeout(e,200)})}function za({argument:e}){return new
 Promise(t=>{if(!e)return console.log("Async Alpine: media strategy requires a media query. Treating
 as 'eager'"),t();let
 r=window.matchMedia(`([{e})`);r.matches?t():r.addEventListener("change",t,{once:!0})}) function
 Ya({component:e,argument:t}){return new Promise(r=>{let n=t||"0px 0px 0px 0px ",i=new Intersection0bs
 erver(o=>{o[0].isIntersecting&&(i.disconnect(),r())},{rootMargin:n});i.observe(e.el)})}var
 so={eager:Wa,event:Ua,idle:Va,media:za,visible:Ya};async function Xa(e){let t=qa(e.strategy);await
 oi(e,t)}async function oi(e,t){if(t.type==="expression"){if(t.operator==="&&")return Promise.all(t.parameters.map(r=>oi(e,r)));if(t.operator==="||")return
 Promise.any(t.parameters.map(r=>oi(e,r)))}return
 so[t.method]?so[t.method]({component:e,argument:t.argument}):!1}function qa(e){let
so[t.method]?so[t.method](\{component:e,argument:t.argument\}):!1\}function \ qa(e)\{let \ t=Ga(e),r=fo(t);return \ r.type==="method"?\{type:"expression",operator:"&&",parameters:[r]}:r\}function \ Ga(e)\{let \ t=/\s*([()])\s*|\s*(\|\||&&\|\|)\s*|\s*((?:[^()&\|+\([^()]+\\))][^()&\|+\))s*/g,r=[],n;for(;(n=t.exec(e))!=null;)\{let[i,o,a,d]=n;if(o!==void 0)r.push(\{type:"parenthesis",value:o\});else \ if(a!==void 0)r.push(\{type:"operator",value:a==="|"?"&&":a});else\{let \ f=\{type:"method",method:d.trim \ ()\};d.includes("(")&&(f.method=d.substring(0,d.index0f("(")).trim(),f.argument=d.substring(d.index0f("(")+1,d.index0f(")"))),d.method==="immediate"&&(d.method="eager"),r.push(f)}\}return \ r\}function \ fo(e)\{let \ t=lo(e);for(;e.length>0&&(e[0].value==="&&"||e[0].value==="|"||e[0].value==="||");)\{let \ r=e.shift().value,n=lo(e);t.type==="expression"&&t.operator==r?t.parameters.push(n):t=\{type:"expression",operator:r,parameters:[t,n]}\}return \ t\}function \ lo(e)\{if(e[0].value==="("){e.shift()};let \ t=fo(e):return \ e[0].value====""("){e.shift()};let \ t=fo(e):return \ e[
 t=fo(e);return e[0].value===")"&&e.shift(),t}else return e.shift()}function co(e){let
 t="load", r=e.prefixed("load-
 \begin{array}{l} \text{src"}), \text{n=e.prefixed("ignore"),i=} \{ \text{defaultStrategy:"eager",keepRelativeURLs:!1}, \text{o=!1,a=} \}, \text{d=0;function } \\ \text{f()} \{ \text{return d++} \} \}, \text{e.asyncData=} \{ \text{a.i.,...A} \}, \text{e.asyncData=} \{ \text{a.asyncUrl=} \{ \text{a.asyncUrl=} \{ \text{a.syncUrl=} \{ \text{a.syncUrl=} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUrl-} \{ \text{a.syncUr
  I(A)\{return(A||"").split(/[({]/g})[0]||`\_x\_async\_[{f()}`\}function\_[(A)\{return\ i.keepRelativeURLs||newRegExp("^(?:[a-z+]+:)?//","i").test(A)?A:new URL(A,document.baseURI).href}\}var
 Xo = ea(ho(), 1); function vo(e, t) {var r = 0bject.keys(e); if(0bject.get0vnPropertySymbols) {var var}
 n=Object.getOwnPropertySymbols(e);t&&(n=n.filter(function(i){return
 Object.getOwnPropertyDescriptor(e,i).enumerable})),r.push.apply(r,n)}return r}function Mt(e){for(var t=1;t<arguments.length;t++)}{var r=arguments[t]!=null?arguments[t]:{};t%2?vo(Object(r),!0).forEach(fu
 nction(n){Ka(e,n,r[n])}):Object.getOwnPropertyDescriptors?Object.defineProperties(e,Object.getOwnPro
 pertyDescriptors(r)): vo(Object(r)). for Each(function(n) \{Object.defineProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.getOwnProperty(e,n,Object.ge
 tyDescriptor(r,n))})}return e}function Sr(e){"@babel/helpers - typeof";return typeof Symbol=="function"&&typeof Symbol.iterator=="symbol"?Sr=function(t){return typeof
 t}:Sr=function(t){return t&&typeof
 Symbol=="function"&&t.constructor===Symbol&&t!==Symbol.prototype?"symbol":typeof t},Sr(e)}function
 Ka(e,t,r){return t in
 e?Object.defineProperty(e,t,{value:r,enumerable:!0,configurable:!0,writable:!0}):e[t]=r,e}function
```

```
r=\{\}, n=0bject.keys(e), i, o; for(o=0; o< n.length; o++)i=n[o], !(t.index0f(i)>=0)&&(r[i]=e[i]); return of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
 r}function Qa(e,t){if(e==null)return{};var r=Ja(e,t),n,i;if(Object.getOwnPropertySymbols){var o=Obje
 \texttt{ct.get0wnPropertySymbols(e);for(i=0;i<0.length;i++)n=o[i],!(t.index0f(n)>=0)\&\&0bject.prototype.prope}
rtyIsEnumerable.call(e,n)&&(r[n]=e[n])}return r}var Za="1.15.6";function Ht(e){if(typeof window<"u"&&window.navigator)return!!navigator.userAgent.match(e)}var Wt=Ht(/(?:Trident.*rv[
 :]?11\.|msie|iemobile|Windows Phone)/i),er=Ht(/Edge/i),mo=Ht(/firefox/i),Gn=Ht(/safari/i)&&!Ht(/chro
 me/i)&&!Ht(/android/i),yi=Ht(/iP(ad|od|hone)/i),So=Ht(/chrome/i)&&Ht(/android/i),Ao={capture:!1,pass
 ive: !1}; function Oe(e,t,r){e.addEventListener(t,r,!Wt&&Ao)} function
 Ee(e,t,r){e.removeEventListener(t,r,!Wt&&Ao)}function
 Tr(e,t)\{if(t)\{if(t[0]===">"&&(t=t.substring(1)),e)try\{if(e.matches)return
 e.matches(t); if (e.msMatchesSelector) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector) )) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e.webkitMatchesSelector(t)) return \ e.msMatchesSelector(t); if (e
 e.webkitMatchesSelector(t)}catch{return!1}return!1}function Do(e){return
 e.host&e!==document&e.host.nodeType?e.host:e.parentNode}function St(e,t,r,n){if(e){r=r||document;d}}
 \begin{array}{l} \text{c.nostake} := \text{document kake.nost.} & \text{nost.} mputedStyle?r=document.defaultView.getComputedStyle(e, ""):e.currentStyle&&(r=e.currentStyle),t===v oid 0?r:r[t];!(t in n)&&t.indexOf("webkit")===-1&&(t="-webkit-"+t),n[t]=r+(typeof r=="string"?"":"px")}}function Fn(e,t){var r="";if(typeof e=="string")r=e;else do{var n=ae(e, "transform");n&n!=="none"&&(r=n+" "+r)}while(!t&&(e=e.parentNode));var
 i=window.DOMMatrix||window.WebKitCSSMatrix||window.CSSMatrix||window.MSCSSMatrix;return i&&new
 i(r)}function Co(e,t,r){if(e){var
 n = e.getElementsByTagName(t), i = 0, o = n.length; if(r)for(; i < o; i + +)r(n[i], i); return \ n \} return[] \} function for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 Pt(){var e=document.scrollingElement;return e||document.documentElement}function
 ode&&e!==Pt()?(o=e.getBoundingClientRect(),a=o.top,d=o.left,f=o.bottom,u=o.right,y=o.height,m=o.widt
 h):(a=0,d=0,f=window.innerHeight,u=window.innerWidth,y=window.innerHeight,m=window.innerWidth),(t||r
 )&&e!==window&&(i=i||e.parentNode,!Wt))do
 if (i\&\&i.getBoundingClientRect\&\&(ae(i,"transform")! == "none" | | r\&\&ae(i,"position")! == "static")) \{varanteeline | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range | range |
 O=i.getBoundingClientRect();a-=0.top+parseInt(ae(i, "border-top-
 width")),d-=0.left+parseInt(ae(i, "border-left-
 width")), f=a+o.height, u=d+o.width; break}while(i=i.parentNode); if(n&&e!==window){var E=Fn(i||e),S=E&&
  E.a, = E\&\&E.d; E\&\&(a/=\_,d/=S,m/=S,y/=\_,f=a+y,u=d+m) \} return\{top:a,left:d,bottom:f,right:u,width:m,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,height:b,
t:y}}}function bo(e,t,r){for(var n=sn(e,!0),i=qe(e)[t];n;){var o=qe(n)[r],a=void 0;if(r==="top"||r==="left"?a=i>=o:a=i<=o,!a)return n;if(n===Pt())break;n=sn(n,!1)}return!1}function
 Nn(e,t,r,n) {for(var i=0,o=0,a=e.children;o<a.length;){if(a[o].style.display!=="none"&&a[o]!==se.ghos
 t\&\&(n||a[o]!==se.dragged)\&\&St(a[o],r.draggable,e,!1)) \\ \{if(i==+t)return\ a[o];i++\}o++\}return \\ null\}function\ wi(e,t) \\ \{for(var\ r=e.lastElementChild;r\&\&(r===se.ghost||ae(r,"display")==="none"||t&\&!The content is the content of the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content is the content i
 r(r,t)); r=r. previous Element Sibling; return r = r(r,t); r=r. previous Element Sibling; return r = r(r,t); r=r.
 r+=e.scrollTop*a\} while (e!==n\& (e=e.parentNode)); return [t,r] \} function \ es (e,t) \{for (var \ r \ in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
e)if(e.hasOwnProperty(r)){for(var n in t)if(t.hasOwnProperty(n)&&t[n]===e[r][n])return
Number(r)}return-1}function sn(e,t){if(!e||!e.getBoundingClientRect)return Pt();var r=e,n=!1;do
 if(r.clientWidth<r.scrollWidth||r.clientHeight<r.scrollHeight){var i=ae(r);if(r.clientWidth<r.scroll
\label{thm:continuous} Width \& (i.overflowX=="auto"||i.overflowX=="scroll")||r.clientHeight< r.scrollHeight \& (i.overflowY=="auto"||i.overflowY=="scroll")||f(!r.getBoundingClientRect||r===document.body)||r.clientHeight< r.scrollHeight & (i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||i.overflowY=="auto"||
 Pt(); if(n||t) return r; n=!0} while (r=r.parentNode); return Pt()} function ts(e,t){if(e\&t)for(var r in the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of th
 t)t.hasOwnProperty(r)&&(e[r]=t[r]);return e}function ai(e,t){return Math.round(e.top)===Math.round(t
    .top)&&Math.round(e.left)===Math.round(t.left)&&Math.round(e.height)===Math.round(t.height)&&Math.ro
und(e.width)===Math.round(t.width)}var Kn;function _o(e,t){return function(){if(!Kn){var r=arguments,n=this;r.length===1?e.call(n,r[0]):e.apply(n,r),Kn=setTimeout(function(){Kn=void
 0},t)}}}function ns(){clearTimeout(Kn),Kn=void 0}function
 To(e,t,r){e.scrollLeft+=t,e.scrollTop+=r}function Po(e){var
 t=window.Polymer,r=window.jQuery||window.Zepto;return
t\&\&t.dom?t.dom(e).cloneNode(!0):r?r(e).clone(!0)[0]:e.cloneNode(!0)\} function \ Mo(e,t,r) \{varn=\{\}; return \ Array.from(e.children).forEach(function(i) \{varner(e,t)\}; return \ Array.from(e.children).forEach(function(e,t)\} \}
 o,a,d,f;if(!(!St(i,t.draggable,e,!1)||i.animated||i===r)){var
 u=qe(i);n.left=Math.min((o=n.left)!==null&&o!==void
 0?o:1/0,u.left),n.top=Math.min((a=n.top)!==null&&a!==void
 0?a:1/0,u.top),n.right=Math.max((d=n.right)!==null&&d!==void
 0?d:-1/0,u.right),n.bottom=Math.max((f=n.bottom)!==null&&f!==void
 0?f:-1/0,u.bottom)}}),n.width=n.right-n.left,n.height=n.bottom-n.top,n.x=n.left,n.y=n.top,n}var
 st="Sortable"+new Date().getTime();function rs(){var
 e=[],t;return{captureAnimationState:function(){if(e=[],!!this.options.animation){var n=[].slice.call}}
(this.el.children); n.forEach(function(i)\{if(!(ae(i,"display")==="none"||i===se.ghost))\{e.push(\{targeti:,rect:qe(i)\}); var o=Mt(\{\},e[e.length-1].rect); if(i.thisAnimationDuration)\{var a=Fn(i,!0); a&&(o.to) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i) = Ac(i
 p-=a.f,o.left-
 = a.e) \\ \\ \text{i.fromRect=o} \\ \\ \text{)} \\ \\ \text{)} \\ \text{,} \\ \text{addAnimationState:function(n)} \\ \text{(e.push(n))}, \\ \text{removeAnimationState:function(n)} \\ \text{(e.push(n))}, \\ \text{(e.push(n))}, \\ \text{(final option of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the prop
 splice(es(e,{target:n}),1)},animateAll:function(n){var
```

```
i=this; if(!this.options.animation){clearTimeout(t),typeof n=="function"&&n();return}var
o=!1,a=0;e.forEach(function(d){var f=0,u=d.target,y=u.fromRect,m=qe(u),0=u.prevFromRect,E=u.prevToRect,S=d.rect,_=Fn(u,!0);_&&(m.top-=_.f,m.left-
 =_.e),u.toRect=m,u.thisAnimationDuration&ai(0,m)&&!ai(y,m)&&(S.top-m.top)/(S.left-m.left)===(y.top-m.top)/
 m.top)/(y.left
 m.left) & (f=os(S,0,E,i.options)), ai(m,y)||(u.prevFromRect=y,u.prevToRect=m,f||(f=i.options.animation)||(f=i.options.animation)||(f=i.options.animation)||(f=i.options.animation)||(f=i.options.animation)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.options)||(f=i.
 ),i.animate(u,S,m,f)),f&&(o=!0,a=Math.max(a,f),clearTimeout(u.animationResetTimer),u.animationResetT
 imer=setTimeout(function(){u.animationTime=0,u.prevFromRect=null,u.fromRect=null,u.prevToRect=null,u
 \label{thm:continuous} $$ \frac{1}{t^{n-1}} = \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{1}{t^{n-1}} \cdot \frac{
 o.left)/(f||1), m=(i.top-
 o.top)/(u||1);n.animatingX=!!y,n.animatingY=!!m,ae(n,"transform","translate3d("+y+"px,"+m+"px,0)"),t
his.forRepaintDummy=is(n),ae(n,"transition","transform "+a+"ms"+(this.options.easing?" "+this.options.easing:"")),ae(n,"transform","translate3d(0,0,0)"),typeof n.animated=="number"&&clear Timeout(n.animated),n.animated=setTimeout(function(){ae(n,"transition",""),ae(n,"transform",""),n.an
 imated=!1,n.animatingX=!1,n.animatingY=!1},a)}}}function is(e){return e.offsetWidth}function
 os(e,t,r,n){return Math.sqrt(Math.pow(t.top-e.top,2)+Math.pow(t.left-
e.left,2))/Math.sqrt(Math.pow(t.top-r.top,2)+Math.pow(t.left-r.left,2))*n.animation}var
Mn=[],si={initializeByDefault:!0},tr={mount:function(t){for(var r in si)si.hasOwnProperty(r)&&!(r in
t) \& \& (t[r]=si[r]); \\ Mn.forEach(function(n)\{if(n.pluginName===t.pluginName)throw"Sortable: Cannot mount plugin ".concat(t.pluginName," more than once")\}), \\ Mn.push(t)\}, \\ pluginEvent: function(t,r,n)\{varante (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName)throw (t.pluginName
  i=this;this.eventCanceled=!1,n.cancel=function(){i.eventCanceled=!0};var o=t+"Global";Mn.forEach(fun
 \begin{array}{l} \text{ction(a)} \{r[a.pluginName]\&\&(r[a.pluginName][o]\&\&r[a.pluginName][o](Mt(\{sortable:r\},n)),r.options[a.pluginName]\&\&r[a.pluginName][t](Mt(\{sortable:r\},n)))\}\}, initializePlugins:function (t,r,n,i)\{Mn.forEach(function(d)\{var\ f=d.pluginName;if(!(!t.options[f]\&\&!d.initializeByDefault))\{var\ f=d.pluginName,if(!(!t.options[f]\&\&!d.initializeByDefault))\}\}, and the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the standard properties of the stand
 u=new\ d(t,r,t.options);u.sortable=t,u.options=t.options,t[f]=u, t(n,u.defaults)));for(var o in the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract
 t.options)if(t.options.hasOwnProperty(o)){var a=this.modifyOption(t,o,t.options[o]);typeof
 a<"u"&&(t.options[o]=a)}, getEventProperties:function(t,r){var n={}; return
 Mn.forEach(function(i)) {typeof i.eventProperties=="function"&&\Boxt(n,i.eventProperties.call(r[i.pluginN
 ame], t))\}), n\}, modifyOption: function(t, r, n)\{var\ i; return
 \label{lem:mn.forEach} \mbox{\tt Mn.forEach(function(o)\{t[o.pluginName]\&\&o.optionListeners\&\&typeoflection of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th
 o. optionListeners [r] == "function" \& \& (i=o. optionListeners [r]. call (t[o.pluginName], n)) \}), i\} \}; function the properties of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the cont
 as(e) {var t=e.sortable,r=e.rootEl,n=e.name,i=e.targetEl,o=e.cloneEl,a=e.toEl,d=e.fromEl,f=e.oldIndex
   ,u=e.newIndex,y=e.oldDraggableIndex,m=e.newDraggableIndex,O=e.originalEvent,E=e.putSortable,S=e.extr
 aEventProperties;if(t=t||r&&r[st],!!t){var
          , I=t.options, \square="on"+n.charAt(0).toUpperCase()+n.substr(1); window.CustomEvent\&\&!Wt\&\&!er?\_=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!Wt&&!er?=new CustomEvent&&!er?=new CustomEv
 Event(n, {bubbles:!0, cancelable:!0}):(_=document.createEvent("Event"),_.initEvent(n,!0,!0)),_.to=a||r
,_.from=d||r,_.item=i||r,_.clone=o,_.oldIndex=f,_.newIndex=u,_.oldDraggableIndex=y,_.newDraggableInd
ex=m,_.originalEvent=0,_.pullMode=E?E.lastPutMode:void 0;var
A=Mt(Mt({},S),tr.getEventProperties(n,t));for(var k in
 A)_{[k]=A[k];r\&\&r.dispatchEvent(\_),I[_]]\&\&I[_]].call(t,\_)\}\} var\ ss=["evt"],at=function(t,r)\{var, setal example of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
n=arguments.length>2&&arguments[2]!==void 0?arguments[2]:{},i=n.evt,o=Qa(n,ss);tr.pluginEvent.bind(se)(t,r,Mt({dragEl:N,parentEl:Ve,ghostEl:ue,rootEl:ke,nextEl:bn,lastDownEl:Ar,cloneEl:We,cloneHidden:
 an,dragStarted:Yn,putSortable:Qe,activeSortable:se.active,originalEvent:i,oldIndex:Ln,oldDraggableIn
 dex:Jn,newIndex:ut,newDraggableIndex:on,hideGhostForTarget:Fo,unhideGhostForTarget:No,cloneNowHidden
 :function(){an=!0},cloneNowShown:function(){an=!1},dispatchSortableEvent:function(d){it({sortable:r,
 name: d, original Event: i\})\}\}, o))\}; function it (e) \{as(Mt(\{putSortable: Qe, cloneEl: We, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, targetEl: N, rootEl: ke, ta
  ,oldIndex:Ln,oldDraggableIndex:Jn,newIndex:ut,newDraggableIndex:on},e))}var N,Ve,ue,ke,bn,Ar,We,an,L
\label{eq:control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_co
 e=document.createElement("x");return e.style.cssText="pointer
events:auto",e.style.pointerEvents==="auto"}}(),Io=function(t,r){var n=ae(t),i=parseInt(n.width)-parseInt(n.paddingLeft)-parseInt(n.paddingRight)-parseInt(n.borderLeftWidth)-
parseInt(n.borderRightWidth), o=Nn(t,0,r), a=Nn(t,1,r), d=o\&\&ae(o), f=a\&\&ae(a), u=d\&\&parseInt(d.marginLeft) + parseInt(d.marginRight) + qe(o).width, y=f\&\&parseInt(f.marginLeft) + parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginLeft) + qe(a).width, y=f&&parseInt(f.marginLeft) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRight) + qe(a).width, y=f&&parseInt(f.marginRig
th;if(n.display==="flex")return n.flexDirection==="column"||n.flexDirection==="column-reverse"?"vertical":"horizontal";if(n.display==="grid")return n.gridTemplateColumns.split("
  ").length<=1?"vertical":"horizontal";if(o&&d.float&&d.float!=="none"){var
 m=d.float==="left"?"left":"right";return
 ==="flex"||d.display==="table"||d.display==="grid"||u>=i&&n[Eo]==="none"||a&&n[Eo]==="none"&&u+y>i)?
"vertical": "horizontal"},fs=function(t,r,n){var i=n?t.left:t.top,o=n?t.right:t.bottom,a=n?t.width:t.
 height,d=n?r.left:r.top,f=n?r.right:r.bottom,u=n?r.width:r.height;return
 i===d||o===f||i+a/2===d+u/2, cs=function(t,r){var n; return Mr.some(function(i){var})}
 o=i[st].options.emptyInsertThreshold;if(!(!o||wi(i))){var
 a=qe(i), d=t>=a.left-o\&\&t<=a.right+o,f=r>=a.top-o\&\&r<=a.bottom+o;if(d\&\&f)return
 n=i\}\}),n\},Lo=function(t)\{function r(o,a)\{return function(d,f,u,y)\{var m=d.options.group.name&&f.options(d,f,u,y)\}\}
 ons.group.name&\&d.options.group.name===f.options.group.name;if(o==null&&(a||m))return!0;if(o==null||
o===!1)return!1;if(a&&o==="clone")return o;if(typeof o=="function")return r(o(d,f,u,y),a)(d,f,u,y);var O=(a?d:f).options.group.name;return o===!0||typeof
 o=="string" \& \& o===0 | |0.join \& \& o.index of (0) > -1 \}  var n=\{\}, i=t.group; (!i||Sr(i)!="object") \& \& (i=\{name:i\}),
```

```
n.name=i.name,n.checkPull=r(i.pull,!0),n.checkPut=r(i.put),n.revertClone=i.revertClone,t.group=n\}, Fo=function()\{!Ro&&ue&&ae(ue,"display","none")\}, No=function()\{!Ro&&ue&&ae(ue,"display","")\}; Lr&&!So&&document.addEventListener("click",function(e)\{if(Pr)return e.preventDefault(),e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagation&&e.stopPropagatio
  opPropagation(),e.stopImmediatePropagation&e.stopImmediatePropagation(),Pr=!1,!1},!0);var
  qn=function(t)\{if(N)\{t=t.touches?t.touches[0]:t;var r=cs(t.clientX,t.clientY);if(r)\{var n=\{\};for(var n=0):t;var n=0\}\}
   \tilde{1} in t)t.hasOwnProperty(i)&\&(n[i]=t[i]);n.target=n.rootEl=r,n.preventDefault=void
  0, n. stopPropagation=void
  0, r[st].\_onDrag0ver(n)\}\}\}, us=function(t)\{N\&\&N.parentNode[st].\_isOutsideThisEl(t.target)\}; function(t)\{N\&\&N.parentNode[st].\_isOutsideThisEl(t.target)\}; 
  se(e,t){if(!(e&&e.nodeType&e.nodeType===1))throw"Sortable: `el` must be an HTMLElement, not ".concat({}.toString.call(e));this.el=e,this.options=t=□t({},t),e[st]=this;var r={group:null,sort:!0
     , disabled: 1, store: null, handle: null, draggable: /^[uo]l / i. test(e.nodeName)?">li": ">*", swapThreshold: 1
      invertSwap:!1,invertedSwapThreshold:null,removeCloneOnHide:!0,direction:function(){return,
  Io(e,this.options)},ghostClass:"sortable-ghost",chosenClass:"sortable-chosen",dragClass:"sortable-
 drag",ignore:"a, img",filter:null,preventOnFilter:!0,animation:0,easing:null,setData:function(a,d){a
    .setData("Text",d.textContent)},dropBubble:!1,dragoverBubble:!1,dataIdAttr:"data-id",delay:0,delayOn
  TouchOnly: !1, touchStartThreshold: (Number.parseInt?Number:window).parseInt(window.devicePixelRatio,10
  )||1,forceFallback:!1,fallbackClass:"sortable-fallback",fallbackOnBody:!1,fallbackTolerance:0,fallbackOffset:\{x:0,y:0\},supportPointer:se.supportPointer!==!1&&"PointerEvent"in
window&&(!Gn||yi),emptyInsertThreshold:5};tr.initializePlugins(this,e,r);for(var n in r)!(n in t)&&(t[n]=r[n]);Lo(t);for(var i in this)i.charAt(0)==="_"&&typeof this[i]=="function"&&(this[i]=this [i].bind(this));this.nativeDraggable=t.forceFallback?!1:ls,this.nativeDraggable&&(this.options.touch
StartThreshold=1),t.supportPointer?0e(e,"pointerdown",this._onTapStart):(0e(e,"mousedown",this._onTapStart),0e(e,"touchstart",this._onTapStart)),this.nativeDraggable&&(0e(e,"dragover",this),0e(e,"dragenter",this)),Mr.push(this.el),t.store&&t.store.get&&this.sort(t.store.get(this)||[]),[]t(this,rs())} se.prototype={constructor:se,_isOutsideThisEl:function(t){!this.el.contains(t)&&t!==this.el&&(Rn=nul)
  l)}, getDirection:function(t,r){return typeof this.options.direction=="function"?this.options.direct
 ion.call(this,t,r,N):this.options.direction},_onTapStart:function(t){if(t.cancelable){var r=this,n=t
his.el,i=this.options,o=i.preventOnFilter,a=t.type,d=t.touches&&t.touches[0]||t.pointerType&&t.point
  erType === "touch" \& t, f = (d \mid \mid t) \cdot target, u = t \cdot target \cdot shadow Root \& (t \cdot path \& t \cdot path \mid 0 \mid \mid \mid t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed Path \& t \cdot composed P
  posedPath()[0])||f,y=i.filter;if(ys(n),!N&&!(/mousedown|pointerdown/.test(a)&&t.button!==0||i.disablanting|
  ed)&&!u.isContentEditable&&!(!this.nativeDraggable&&Gn&&f.tagName.toUpperCase()==="SELECT")&&(f=S
 t(f,i.draggable,n,!1),!(f\&\&f.animated)\&Ar!==f))\{if(Ln=vt(f),Jn=vt(f,i.draggable),typeof\ y=="function")\{if(y.call(this,t,f,this))\{it(\{sortable:r,rootEl:u,name:"filter",targetEl:f,toEl:n,fromEl:n\}),at(filter)\}
  "filter",r,{evt:t}),o&&t.preventDefault();return}}else
if(y&&(y=y.split(",").some(function(m){if(m=St(u,m.trim(),n,!1),m)return it({sortable:r,rootEl:m,nam
  e:"filter",targetEl:f,fromEl:n,toEl:n}),at("filter",r,{evt:t}),!0}),y)){o&&t.preventDefault();return
  \label{eq:continuous} $$ i.handle&. \\ St(u,i.handle,n,!1) | \\ this.\_prepareDragStart(t,d,f)$ },\_prepareDragStart:function(t,r,n) \\ var i=this,o=i.el,a=i.options,d=o.ownerDocument,f;if(n&&!N&&n.parentNode===o) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var u=qe(n);if(ke=o,N=o.one) \\ var 
  n, Ve=N. parentNode, bn=N. nextSibling, Ar=n, wr=a. group, se. dragged=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N. nextSibling, Ar=n, wr=a. group, se. dragged=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N. nextSibling, Ar=n, wr=a. group, se. dragged=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N. nextSibling, Ar=n, wr=a. group, se. dragged=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=\{target: N, clientX: (r||t). clientX, parentNode, bn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, mn=N, m
  clientY: (r||t).clientY},wo=mn.clientX-u.left,xo=mn.clientY-
  u.top,this._lastX=(r||t).clientX,this._lastY=(r||t).clientY,N.style["will-change"]="all",f=function(
  ){if(at("delayEnded",i,{evt:t}),se.eventCanceled){i._onDrop();return}i._disableDelayedDragEvents(),!
\label{eq:control} $$ \{1^{(at(detayended',1,\{evt:t\}'),se.eventcanceted)}\{1\_onbrop(),return\}1\_dIsabtebetayendragevents(),: mo&\&i.nativeDraggable&&(N.draggable=!0),i.\_triggerDragStart(t,r),it(\{sortable:i,name:"choose",origin alEvent:t\}),ct(N,a.chosenClass,!0)\},a.ignore.split(",").forEach(function(y)\{Co(N,y.trim(),ui)\}),0e(d,"dragover",gn),0e(d,"mousemove",gn),0e(d,"touchmove",gn),a.supportPointer?(0e(d,"pointerup",i.\_onDrop),!this.nativeDraggable&&0e(d,"pointercancel",i.\_onDrop)):(0e(d,"mouseup",i.\_onDrop),0e(d,"touchend",i.\_onDrop)),0e(d,"touchcancel",i.\_onDrop)),mo&&this.nativeDraggable&&(this.options.touchStartThreshold=4,N.draggable=!0),at("delayStart",this,{evt:t}),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.nativ),a.delay&&(!a.delayOnTouchOnly||r)&&(!this.na
  eDraggable | | !(er||Wt))) \{ if (se.eventCanceled) \{ this.\_onDrop(); return \} a.supportPointer? (0e(d, "pointerup the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
 ",i.\_disable Delayed Drag), 0e(d,"pointer cancel",i.\_disable Delayed Drag)): (0e(d,"mouseup",i.\_disable Delayed Drag), 0e(d,"touchend",i.\_disable Delayed Drag), 0e(d,"touch cancel",i.\_disable Delayed Drag)), 0e(d,"mouseup",i.\_disable Dela
  semove",i._delayedDragTouchMoveHandler),Oe(d,"touchmove",i._delayedDragTouchMoveHandler),a.supportPo
  inter&&Oe(d, "pointermove", i. delayedDragTouchMoveHandler), i. dragStartTimer=setTimeout(f, a.delay)}el
  se f()}}, delayedDragTouchMoveHandler:function(t){var
 r=t.touches?t.touches[0]:t;Math.max(Math.abs(r.clientX-this._lastX),Math.abs(r.clientY-this._lastY)) >=Math.floor(this.options.touchStartThreshold/(this.nativeDraggable&&window.devicePixelRatio||1))&&t
  \label{lem:his.disableDelayedDrag()}, \\ \underline{\mbox{disableDelayedDrag:function()}} \\ \{N\&\&ui(N), \\ \underline{\mbox{clearTimeout(this.\_dragStartTimeont(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox{disableDelayedDrag(N), } \\ \underline{\mbox
  ),this._disableDelayedDragEvents()},_disableDelayedDragEvents:function(){var t=this.el.ownerDocument;Ee(t,"mouseup",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag),Ee(t,"touchend",this._disableDelayedDrag)
;Ee(t, "mouseup", this._disableDelayedDrag), Ee(t, "touchend", this._disableDelayedDrag), Ee(t, "touchcance l", this._disableDelayedDrag), Ee(t, "pointerup", this._disableDelayedDrag), Ee(t, "pointercancel", this._disableDelayedDrag), Ee(t, "mousemove", this._delayedDragTouchMoveHandler), Ee(t, "touchmove", this._delayedDragTouchMoveHandler)}, _triggerDragStart:func tion(t,r){r=r||t.pointerType=="touch"&&t,!this.nativeDraggable||r?this.options.supportPointer?0e(doc ument, "pointermove", this._onTouchMove):r?0e(document, "touchmove", this._onTouchMove):0e(document, "mou semove", this._onTouchMove):(0e(N, "dragend", this), 0e(ke, "dragstart", this._onDragStart));try{document.selection.org/fr(function());document.selection.org/fr(function());document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection.org/fr(function());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selection());try{document.selectio
  selection?(r(function()(document.selection.empty())): window.getSelection().removeAllRanges()) catch{}\},\_dragStarted:function(t,r){if(In=!1,ke&&N){at("dragStarted",this,{evt:r}),this.nativeDraggable&&0e}
 (document, "dragover", us); var n=this.options;!t&&ct(N,n.dragClass,!1),ct(N,n.ghostClass,!0),se.active
=this,t&&this._appendGhost(),it({sortable:this,name:"start",originalEvent:r})}else this._nulling()},
_emulateDragOver:function(){if(Ot){this._lastX=Ot.clientX,this._lastY=Ot.clientY,Fo();for(var t=docu
  ment.elementFromPoint(Ot.clientX,Ot.clientY),r=t;t&&t.shadowRoot&&(t=t.shadowRoot.elementFromPoint(O
  t.clientX,Ot.clientY),t!==r);)r=t;if(N.parentNode[st]. isOutsideThisEl(t),r)do{if(r[st]){var n=void
  0;if(n=r[st]. onDragOver({clientX:0t.clientX,clientY:0t.clientY,target:t,rootEl:r}),n&&!this.options
```

```
.dragoverBubble)break}t=r\}while(r=Do(r));No()\}\}, onTouchMove:function(t){if(mn){var r=this.options,n}}
= r.fallbackTolerance, i = r.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = t.e, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = t.e, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&Fn(ue,!0), d = ue&&a.a, a = v.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&a.fallbackOffset, o = t.touches?t.touches[0]:t, a = ue&&a.fallbackOffset, o = t.touches.fallbackOffset, o =
 n.clientY+i.y)/(f||1)+(u?u[1]-ci[1]:0)/(f||1); if(!se.active\&\&!In) \\ \{if(n\&\&Math.max(Math.abs(o.clientX-in)), if(!se.active\&\&!In)\} \\ \{if(n\&\&Math.max(Math.abs(o.clientX-in)), if(!se.active\&\&!In)\} \\ \{if(n\&\&Math.max(Math.abs(o.clientX-in)), if(!se.active\&\&!In)\} \\ \{if(n\&\&Math.max(Math.abs(o.clientX-in)), if(!se.active\&\&!In)\} \\ \{if(n\&\&Math.abs(o.clientX-in)), if(!se.active\&\&!In)\} \\ \{if(n\&\&Math.abs(o.clientA-in)), if(!se.active\&!In)\} \\ \{if(n\&\&Math.abs(o.clientA-in)), if(!se.active\&!In)\} \\ \{if(n\&\&Math.abs(o.clientA-in)), if(!se.active\&!In)\} \\ \{if(n\&\&Math.abs(o.clientA-in)), if(!se.active\&!In)\} \\ \{if(n\&\&Math.abs(o.
this._lastX),Math.abs(o.clientY-this._lastY))<n)return;this._onDragStart(t,!0)}if(ue){a?(a.e+=y-(li||0),a.f+=m-(fi||0)):a={a:1,b:0,c:0,d:1,e:y,f:m};var 0="matrix(".concat(a.a,",").concat(a.b,",").concat(a.c,",").concat(a.d,",").concat(a.e,",").concat(a.f,"));ae(ue,"webkitTransform",0),ae(ue,"mozTransform",0),ae(ue,"msTransform",0),ae(ue,"transform",0),li=y,fi=m,0t=o}t.cancelable&&t.preventDefault()}},_appendGhost:function(){if(!ue){var t=this.options.fallbackOnBody?document.body.ke,r=qe(N,!)}
 0,Er,!0,t],n=this.options;if(Er){for(nt=t;ae(nt,"position")==="static"&&ae(nt,"transform")==="none"&
 &nt!==document;)nt=nt.parentNode;nt!==document.body&&nt!==document.documentElement?(nt===document&&(
nt=Pt()),r.top+=nt.scrollTop,r.left+=nt.scrollLeft):nt=Pt(),ci=yo(nt)}ue=N.cloneNode(!0),ct(ue,n.gho stClass,!1),ct(ue,n.fallbackClass,!0),ct(ue,n.dragClass,!0),ae(ue,"transition",""),ae(ue,"transform",""),ae(ue,"box-sizing","border-box"),ae(ue,"margin",0),ae(ue,"top",r.top),ae(ue,"left",r.left),ae(ue,"width",r.width),ae(ue,"height",r.height),ae(ue,"opacity","0.8"),ae(ue,"position",Er?"absolute":"fixed"),ae(ue,"zIndex","100000"),ae(ue,"pointerEvents","none"),se.ghost=ue,t.appendChild(ue),ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transition",ae(ue,"transit
 ransform-origin",wo/parseInt(ue.style.width)*100+"%
    "+xo/parseInt(ue.style.height)*100+"%")}},_onDragStart:function(t,r){var n=this,i=t.dataTransfer,o=n
 .options;if(at("dragStart",this,{evt:t}),se.eventCanceled){this._onDrop();return}at("setupClone",this),se.eventCanceled||(We=Po(N),We.removeAttribute("id"),We.draggable=!1,We.style["will-change"]="",t
 his. hideClone(),ct(We,this.options.chosenClass,!1),se.clone=We),n.cloneId=Cr(function(){at("clone",
n),!se.eventCanceled&&(n.options.removeCloneOnHide||ke.insertBefore(We,N),n._hideClone(),it({sortable:n,name:"clone"}))}),!r&&ct(N,o.dragClass,!0),r?(Pr=!0,n._loopId=setInterval(n._emulateDragOver,50)):(Ee(document,"mouseup",n._onDrop),Ee(document,"touchend",n._onDrop),Ee(document,"touchend",n._onDrop),i&(i.effectAllowed="move",o.setData&&o.setData.call(n,i,N)),0e(document,"drop",n),ae(N,"tran
sform", "translateZ(0)")), In=!0, n.\_dragStartId=Cr(n.\_dragStarted.bind(n,r,t)), 0e(document, "selectstart",n), Yn=!0, window.getSelection().removeAllRanges(), Gn&&ae(document.body, "user-select", "none")}, _onDragOver:function(t) {var r=this.el,n=t.target,i,o,a,d=this.options,f=d.group,u=select", "none")}, _onDragOver:function(t) {var r=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,o,a,d=this.el,n=t.target,i,
 e.active,y=wr===f,m=d.sort,0=Qe||u,E,S=this,_=!1;if(vi)return;function I(R,Z){at(R,S,Mt({evt:t,isOwner:y,axis:E?"vertical":"horizontal",revert:a,dragRect:i,targetRect:o,canSort:m,fromSortable:0,target
  :n,completed:A,onMove:function(Rt,Ut){return Or(ke,r,N,i,Rt,qe(Rt),t,Ut)},changed:k},Z))}function □(
\label{eq:continuous} $$ \{I("drag0verAnimationCapture"), S. captureAnimationState(), S! == 0\&\&0. captureAnimationState()\} function $$ A(R)\{return \ I("drag0verCompleted", \{insertion:R\}), R\&\&(y?u._hideClone():u._showClone(S), S! == 0\&\&(ct(N,Q), R), A(R)\} $$ A(R)$ and A(R)$ are the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum
 e?Qe.options.ghostClass:u.options.ghostClass,!1),ct(N,d.ghostClass,!0)),Qe!==S\&\&S!==se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.active?Qe=se.act
 ===se.active\&\&Qe\&\&(Qe=null), 0===S\&\&(S._ignoreWhileAnimating=n), S.animateAll(function() \{I("dragOverAnimationComplete"), S._ignoreWhileAnimating=null\}), S!==0\&\&(O.animateAll(), O._ignoreWhileAnimating=null\})
 )), (n===N&&!N.animated||n===r&&!n.animated)&&(Rn=null),!d.dragoverBubble&&!t.rootEl&&n!==document&&(
 N.parentNode[st]. isOutsideThisEl(t.target),!R&&gn(t)),!d.dragoverBubble&&t.stopPropagation&&t.stopP
 ropagation(), \underline{=} \underline{!0} function \ k() \{ut = vt(N), on = vt(N, d.draggable), it(\{sortable: S, name: "change", toEl: r, new part of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the prop
 Index:ut,newDraggableIndex:on,originalEvent:t})}if(t.preventDefault!==void
 0&&t.cancelable&&t.preventDefault(),n=St(n,d.draggable,r,!0),I("drag0ver"),se.eventCanceled)return
   ;if(N.contains(t.target)||n.animated&&n.animatingX&&n.animatingY||S. ignoreWhileAnimating===n)return
 t))&&f.checkPut(this,u,N,t))){if(E=this. getDirection(t,n)==="vertical",i=qe(N),I("dragOverValid"),s
e.eventCanceled)return _;if(a)return Ve=ke,□(),this._hideClone(),I("revert"),se.eventCanceled||(bn?ke.insertBefore(N,bn):ke.appendChild(N)),A(!0);var
 Y=wi(r,d.draggable);if(!Y||vs(t,E,this)&&!Y.animated){if(Y===N)return
 A(!1); if(Y&&r==t.target&&(n=Y), n&&(o=ge(n)), 0r(ke,r,N,i,n,o,t,!!n)!==!1) return
 (),Y&&Y.nextSibling?r.insertBefore(N,Y.nextSibling):r.appendChild(N),Ve=r,k(),A(!0)}else
A(!1);Rn=n,Qn=J;var p=n.nextElementSibling,j=!1;j=J===1;var M=Or(ke,r,N,i,n,o,t,j);if(M!==!1)return(
 1)&&(j=M===1), vi=!0, setTimeout(ps,30), \prod(), j&&!p?r.appendChild(N):n.parentNode.insertBefore(N,j?p:n),
\label{eq:me&forme} \begin{tabular}{ll} me\&\&To(me,0,1-me.scrollTop),Ve=N.parentNode,V!==void\\ 0\&\&!xr\&\&(Dr=Math.abs(V-qe(n)[Q])),k(),A(!0)\}if(r.contains(N))return \ A(!1)\}return!1\}, ignoreWhileAnim \ A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!1),A(!
ating:null,_offMoveEvents:function(){Ee(document, "mousemove", this._onTouchMove), Ee(document, "touchmove", this._onTouchMove), Ee(document, "gn), Ee(document, "mousemove", gn), Ee(document, "touchmove", gn)},_offUpEvents:function(){var t=this.el.ownerDocument; Ee(t, "mouseup", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "pointerup", this._onDrop), Ee(t, "pointerup", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "pointerup", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop), Ee(t, "touchend", this._onDrop),
 op:function(t){var r=this.el,n=this.options;if(ut=vt(N),on=vt(N,n.draggable),at("drop",this,{evt:t})
 ,Ve=N&&N.parentNode,ut=vt(N),on=vt(N,n.draggable),se.eventCanceled){this. nulling();return}In=!1,xr=!1,Zn=!1,clearInterval(this. loopId),clearTimeout(this. dragStartTimer),mi(this.cloneId),mi(this. dr
&(Yn&&(t.cancelable&&t.preventDefault(),!n.dropBubble&&t.stopPropagation()),ue&&ue.parentNode&&ue.pa
 rentNode.removeChild(ue),(ke===Ve||Qe&&Qe.lastPutMode!=="clone")&&We&&We.parentNode&&We.parentNode.r
```

```
emoveChild(We),N&&(this.nativeDraggable&&Ee(N, "dragend",this),ui(N),N.style["will-change"]="",Yn&&!I
 n&&ct(N,Qe?Qe.options.ghostClass:this.options.ghostClass,!1),ct(N,this.options.chosenClass,!1),it({s
ortable:this,name:"unchoose",toEl:Ve,newIndex:null,newDraggableIndex:null,originalEvent:t}),ke!==Ve? (ut>=0&&(it({rootEl:Ve,name:"add",toEl:Ve,fromEl:ke,originalEvent:t}),it({sortable:this,name:"remove ",toEl:Ve,originalEvent:t}),it({rootEl:Ve,name:"sort",toEl:Ve,fromEl:ke,originalEvent:t}),it({sortable:this,name:"sort",toEl:Ve,originalEvent:t})),Qe&&Qe.save()):ut!==Ln&&ut>=0&&(it({sortable:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:this,name:th
 e: "update", toEl: Ve, originalEvent:t}), it({sortable: this, name: "sort", toEl: Ve, originalEvent:t})), se.act
 ive&&((ut==null||ut===
 1) \& (ut = Ln, on = Jn), it (\{sortable: this, name: "end", to El: Ve, original Event: t\}), this.save()))), this._nullingle is the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
 g()}, nulling:function(){at("nulling",this),ke=N=Ve=ue=bn=We=Ar=an=mn=Ot=Yn=ut=on=Ln=Jn=Rn=Qn=Qe=wr=
 se.dragged=se.ghost=se.clone=se.active=null,Rr.forEach(function(t){t.checked=!0}),Rr.length=li=fi=0}
, handleEvent:function(t) {switch(t.type) {case"drop":case"dragend":this._onDrop(t);break;case"dragenter":case"dragover":N&&(this._onDragOver(t),ds(t));break;case"selectstart":t.preventDefault();break}}, toArray:function() {for(var t=[],r,n=this.el.children,i=0,o=n.length,a=this.options;i<o;i++)r=n[i],St
  (r,a.draggable,this.el,!1)&&t.push(r.getAttribute(a.dataIdAttr)||bs(r));return
 t},sort:function(t,r){var n={},i=this.el;this.toArray().forEach(function(o,a){var d=i.children[a];St
(d, this.options.draggable, i, !1) \& (n[o]=d) \}, this), r \& this.capture Animation State(), t.for Each (function(o) \{n[o] \& (i.remove Child(n[o]), i.append Child(n[o])) \}), r \& this.animate All() \}, save: function() \{varantee All(), t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (function(o) \{n[o], t.for Each (f
 t = this.options.store; t\&\&t.set\&\&t.set(this)\}, closest: function(t,r) \{returnder the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content 
 St(t,r||this.options.draggable,this.el,!1)},option:function(t,r){var n=this.options;if(r===void
 0)return n[t];var i=tr.modifyOption(this,t,r);typeof
 i<"u"?n[t]=i:n[t]=r,t==="group"\&\&Lo(n)\},destroy:function(){at("destroy",this);var t=this.el;t[st]=nu}
ll, Ee(t, "mousedown", this._onTapStart), Ee(t, "touchstart", this._onTapStart), Ee(t, "pointerdown", this._onTapStart), this.nativeDraggable&&(Ee(t, "dragover", this), Ee(t, "dragenter", this)), Array.prototype.forE ach.call(t.querySelectorAll("[draggable]"), function(r){r.removeAttribute("draggable")}), this._onDrop
(), this._disableDelayedDragEvents(), Mr.splice(Mr.indexOf(this.el),1), this.el=t=null},_hideClone:func tion(){if(!an){if(at("hideClone", this), se.eventCanceled) return; ae(We, "display", "none"), this.options. removeCloneOnHide&&We.parentNode&&We.parentNode.removeChild(We), an=!0}},_showClone:function(t){if(t.lastPutMode!=="clone"){this._hideClone(); return}if(an){if(at("showClone", this), se.eventCanceled) return; N.parentNode==ke&&:insertBefore(We, N):bn?ke.insertBefore(We, N)
  :ke.appendChild(We),this.options.group.revertClone&&this.animate(N,We),ae(We, "display", ""),an=!1}}};
 ds(e) {e.dataTransfer&{e.drapEffect="move"},e.cancelable&&e.preventDefault()} function
Or(e,t,r,n,i,o,a,d){var f,u=e[st],y=u.options.onMove,m;return window.CustomEvent&&!Wt&&!er?f=new CustomEvent("move",{bubbles:!0,cancelable:!0}):(f=document.createEvent("Event"),f.initEvent("move",!0,!
 0)),f.to=t,f.from=e,f.dragged=r,f.draggedRect=n,f.related=i||t,f.relatedRect=o||qe(t),f.willInsertAf
 ter=d,f.originalEvent=a,e.dispatchEvent(f),y&&(m=y.call(u,f,a)),m}function
 ui(e){e.draggable=!1}function ps(){vi=!1}function hs(e,t,r){var
 n=qe(Nn(r.el,0,r.options,!0)),i=Mo(r.el,r.options,ue),o=10;return t?e.clientX<i.left-
 o||e.clientY<n.top&&e.clientX<n.right:e.clientY<i.top
 o||e.clientY<n.bottom&&e.clientX<n.left}function vs(e,t,r){var
 n=qe(wi(r.el,r.options.draggable)),i=Mo(r.el,r.options,ue),o=10;return t?e.clientX>i.right+o||e.clie
 ntY>n.bottom&&e.clientX>n.left:e.clientY>i.bottom+o||e.clientX>n.right&&e.clientY>n.top}function
if(\tilde{Q}_{n==1}?f < y+Dr:f > m-Dr) return-Qnelse if(f > y+u*(1-i)/2& (1-i)/2) return gs(t) return
 0=0||a,0\&\&(f<y+u*o/2||f>m-u*o/2)?f>y+u/2?1:-1:0 function gs(e)\{return\ vt(N)<vt(e)?1:-1\} function
 bs(e){for(var
 t=e.tagName+e.className+e.src+e.href+e.textContent,r=t.length,n=0;r--;)n+=t.charCodeAt(r);return
 n.toString(36)}function ys(e){Rr.length=0;for(var
 t = e.getElementsByTagName("input"), r = t.length; r - +;) \{var \ n = t[r]; n.checked\&\&Rr.push(n)\} \} function
 Cr(e){return setTimeout(e,0)}function mi(e){return clearTimeout(e)}Lr&&Oe(document,"touchmove",funct
 ion(e){(se.active||In)&&e.cancelable&&e.preventDefault()});se.utils={on:0e,off:Ee,css:ae,find:Co,is:
 function(t,r){return!!St(t,r,t,!1)},extend:ts,throttle: o,closest:St,toggleClass:ct,clone:Po,index:vt,nextTick:Cr,cancelNextTick:mi,detectDirection:Io,getChild:Nn,expando:st};se.get=function(e){return}
 [0].constructor===Array&(t=t[0]),t.forEach(function(n){if(!n.prototype||!n.prototype.constructor)th
 row"Sortable: Mounted plugin must be a constructor function, not ".concat({}.toString.call(n));n.uti
ls\&(se.utils=Mt(Mt({}_{1},se.utils),n.utils)),tr.mount(n){}_{1};se.create=function(e,t){return new se(e,t)};se.version=Za;var Xe=[],Xn,gi,bi=!1,di,pi,Ir,qn;function ws(){function e(){this.defaults={seta}}_{1},di,pi,Ir,qn;function ws(){this.defaults={seta}}_{1},di,pi,Ir,qn;function l: !0, forceAutoScrollFallback: !1, scrollSensitivity: 30, scrollSpeed: 10, bubbleScroll: !0}; for (var t
 in this)t.charAt(0)===" "&&typeof this[t]=="function"&&(this[t]=this[t].bind(this))}return
 e.prototype={dragStarted:function(r){var n=r.originalEvent;this.sortable.nativeDraggable?0e(document
,"dragover",this._handleAutoScroll):this.options.supportPointer?0e(document,"pointermove",this._handleFallbackAutoScroll):0e(document, "mousemove",this._handleFallbackAutoScroll);0e(document, "mousemove",this._handleFallbackAutoScroll)},dragOverCompleted:function(r){var n=r.originalEvent;!th
is.options.dragOverBubble&&!n.rootEl&&this._handleAutoScroll(n)},drop:function(){this.sortable.nativeDraggable?Ee(document, "dragover",this._handleAutoScroll):(Ee(document, "pointermove",this._handleFallbackAutoScroll),Ee(document, "mousemove",this._handleFallbackAutoScroll),Ee(document, "mousemove",this._handleFallbackAutoScroll),Ee(document, "mousemove",this._handleFallbackAutoScroll),Oo(),_r(),ns()},nulling!AutoScroll)
 =0], handleFallbackAutoScroll:function(r){this. handleAutoScroll(r,!0)}, handleAutoScroll:function(r
  ,n){var i=this,o=(r.touches?r.touches[0]:r).clientX,a=(r.touches?r.touches[0]:r).clientY,d=document.
 elementFromPoint(o,a); if (Ir=r,n||this.options.forceAutoScrollFallback||er||Wt||Gn) \\ \{hi(r,this.options.forceAutoScrollFallback||er||Wt||Gn) \\ \{hi(r,this.options.forceAutoScrollFallback|
```

```
,d,n);var f=sn(d,!0);bi&\&(!qn||o!==di||a!==pi)\&\&(qn\&\&oo(),qn=setInterval(function(){var u=sn(documen}))
croll",initializeByDefault:!0})}function
       r(){Xe.forEach(function(e){clearInterval(e.pid)}),Xe=[]}function 0o(){clearInterval(qn)}var
 hi= o(function(e,t,r,n)\{if(t.scroll)\{var i=(e.touches?e.touches[0]:e).clientX,o=(e.touches?e.touches
 [0]:e).clientY,a=t.scrollSensitivity,d=t.scrollSpeed,f=Pt(),u=!1,y;gi!==r&&(gi=r,_r(),Xn=t.scroll,y=
 t.scrollFn,Xn===!0\&(Xn=sn(r,!0))); var m=0,0=Xn; do\{var\}, for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
  E=0, S=qe(E), \_=S.top, I=S.bottom, \\ \square=S.left, A=S.right, \\ k=S.width, Y=S.height, \\ ne=void \ 0, J=void \ 0, V=E.scroll \ (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + (A=S) + 
 X.overflowX==="scroll"||X.overflowX==="visible"),J=Y<de&&(X.overflowY==="auto"||X.overflowY==="scrol
 Xe[v] = Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m] \cdot Xe[m
 Interval(Xe[m].pid),(l!=0||h!=0)&&(u=!0,Xe[m].pid=setInterval(function(){n&&this.layer===0&&se.activ
 e. onTouchMove(Ir); var
 p=Xe[this.layer].vy?Xe[this.layer].vy*d:0,j=Xe[this.layer].vx?Xe[this.layer].vx*d:0;typeof y=="funct"
 \label{localization} ion "\& \& y. call(se.dragged.parentNode[st], j, p, e, Ir, Xe[this.layer].el)! == "continue" | |To(Xe[this.layer].ell, j, p) \ . bind(\{layer:m\}), 24))), m++ \} while(t.bubbleScroll& \& 0! == f \& (0=sn(0,!1)); bi=u \} , 30), ko=function(layer). The substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of th
 t){var r=t.originalEvent,n=t.putSortable,i=t.dragEl,o=t.activeSortable,a=t.dispatchSortableEvent,d=t
   . \\ hideGhostForTarget, f=t.unhideGhostForTarget; \\ if (r) \\ \{var\ u=n||o;d(); var\ y=r.changedTouches\&r.changedTouches, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget, f=t.unhideGhostForTarget,
 ouches.length?r.changedTouches[0]:r,m=document.elementFromPoint(y.clientX,y.clientY);f(),u&&!u.el.co
 ntains(m)&&(a("spill"),this.onSpill({dragEl:i,putSortable:n}))}};function
 xi(){}xi.prototype={startIndex:null,dragStart:function(t){var
 r=t.oldDraggableIndex;this.startIndex=r},onSpill:function(t){var
 r=t.dragEl,n=t.putSortable;this.sortable.captureAnimationState(),n&&n.captureAnimationState();var i=
 Nn (this.sortable.el, this.startIndex, this.options); i? this.sortable.el.insertBefore (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i): this.sortable (r,i
  .el.appendChild(r),this.sortable.animateAll(),n&n.animateAll()},drop:ko};□t(xi,{pluginName:"revert0
 nSpill"});function Ei(){}Ei.prototype={onSpill:function(t){var r=t.dragEl,n=t.putSortable,i=n||this.
sortable;i.captureAnimationState(),r.parentNode&r.parentNode.removeChild(r),i.animateAll()},drop:ko
}; [t(Ei,{pluginName:"removeOnSpill"});se.mount(new ws);se.mount(Ei,xi);var
0i=se;window.Sortable=0i;var jo=e=>{e.directive("sortable",t=>{let r=parseInt(t.dataset?.sortableAnimationDuration);r!==0&&!r&&(r=300),t.sortable=0i.create(t,{group:t.getAttribute("x-sortable-group"),draggable:"[x-sortable-item]",handle:"[x-sortable-handle]",dataIdAttr:"x-sortable-
 item",animation:r,qhostClass:"fi-sortable-ghost"})});var xs=Object.create,Di=Object.defineProperty,
Es=Object.getPrototypeOf,Os=Object.prototype.hasOwnProperty,Ss=Object.getOwnPropertyNames,As=Object.getOwnPropertyDescriptor,Ds=e=>Di(e,"_esModule",\{value: 0\}),Bo=(e,t)=>()=>(t||(t={exports:{}}},e(t.exports,t)),t.exports),Cs=(e,t,r)=>{if(t&&typeoft=="object"||typeoft=="function")}for(let n of Ss(t))
)!0s.call(e,n)&\&n!=="default"&\&Di(e,n,{get:()=>t[n],enumerable:!(r=As(t,n))||r.enumerable});return e},Ho=e=>Cs(Ds(Di(e!=null?xs(Es(e)):{},"default",e&&e.__esModule&&"default"in e?{get:()=>e.default,enumerable:!0}:{value:e,enumerable:!0})),e),_s=Bo(e=>{"use strict";0bject.defineProperty(e,"__esModule",{value:!0});function t(c){var s=c.getBoundingClientRect
  (); return{width:s.width, height:s.height,top:s.top, right:s.right,bottom:s.bottom,left:s.left,x:s.left
   ,y:s.top}}function r(c){if(c==null)return window;if(c.toString()!=="[object Window]"){var
 s=c.ownerDocument; return s&&s.defaultView||window|return c}function n(c){var
 s=r(c), b=s. pageXOffset, T=s. pageYOffset; return{scrollLeft:b,scrollTop:T}}function i(c){var}
 s=r(c). Element; return c instanceof s||c instanceof Element} function o(c) {var
 s=r(c).HTMLElement;return c instanceof s||c instanceof HTMLElement}function a(c){if(typeof
ShadowRoot>"u")return!1;var s=r(c).ShadowRoot;return c instanceof s||c instanceof ShadowRoot}function d(c){return{scrollLeft:c.scrollLeft,scrollTop:c.scrollTop}}function f(c){return}
 c===r(c)||!o(c)?n(c):d(c)}function u(c){return c?(c.nodeName||"").toLowerCase():null}function
 y(c){return((i(c)?c.ownerDocument:c.document)||window.document).documentElement}function m(c){return}
 t(y(c)).left+n(c).scrollLeft}function O(c){return r(c).getComputedStyle(c)}function E(c){var s=0(c),
b=s.overflowX,P=s.overflowY;return/auto|scroll|overlay|hidden/.test(b+P+T)}function S(c,s,b){b===void 0\&\&(b=!1);var T=y(s),P=t(c),F=o(s),U={scrollLeft:0,scrollTop:0},H={x:0,y:0};return (F||!F&&!b)&&((u(s)!=="body"||E(T))&&(U=f(s)),o(s)?(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientTop):T&&(H=t(s),H.x+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientLeft,H.y+=s.clientL
   .x=m(T))), {x:P.left+U.scrollLeft-H.x,y:P.top+U.scrollTop-H.y,width:P.width,height:P.height}}function
       (c) {var s=t(c),b=c.offsetWidth,T=c.offsetHeight;return Math.abs(s.width-
 \overline{b})<=1&&(b=s.width),Math.abs(s.height-
 T)<=1&(T=s.height), {x:c.offsetLeft,y:c.offsetTop,width:b,height:T}}function I(c){return}
  u(c) = = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)} \\ function \ \Box(c) \\ \{return[\text{"html"}, \text{"model}] \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)} \\ function \ \Box(c) \\ \{return[\text{"html"}, \text{"model}] \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||c.parentNode||(a(c)?c.host:null)||y(c)|| \\ = \text{"html"}?c:c.assignedSlot||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.parentNode||c.
 body", "\#document"]. index Of(u(c)) >= 0?c.owner Document.body: o(c) \& E(c)?c: [(I(c))] function A(c,s) \{varantering A(c,s), varantering A(c,s),
 b; s===void\ 0\&\&(s=[]); var\ T=[(c), P=T===((b=c.ownerDocument)==null?void]
0:b.body),F=r(T),U=P?[F].concat(F.visualViewport||[],E(T)?T:[]):T,H=s.concat(U);return
P?H:H.concat(A(I(U)))}function k(c){return["table","td","th"].indexOf(u(c))>=0}function
Y(c){return!o(c)||0(c).position==="fixed"?null:c.offsetParent}function ne(c){var s=navigator.userAge
nt.toLowerCase().indexOf("firefox")!==-1,b=navigator.userAgent.indexOf("Trident")!==-
 1;if(b&&o(c)){var T=0(c);if(T.position==="fixed")return null}for(var
P=I(c);o(P)&&["html","body"].indexOf(u(P))<0;){var F=O(P);if(F.transform!=="none"||F.perspective!=="none"||F.contain==="paint"||["transform","perspective"].indexOf(F.willChange)!==-
```

```
"right",Q="left",me="auto",l=[V,de,X,Q],h="start",v="end",p="clippingParents",j="viewport",M="popper ",R="reference",Z=l.reduce(function(c,s){return
 ,.._ reference ,z=c.reduce(tunction(c,s){return c.concat([s+"-"+h,s+"-"+v])},[]),ze=[].concat(l,[me]).reduce(function(c,s){return c.concat([s,s+"-"+h,s+"-"+v])},[]),ze=[].concat(l,[me]).reduce(function(c,s){return c.concat([s,s+"-"+h,s+"-"+v])},[]),ze=[].concat([s,s+"-"+h,s+"-"+v])].reduce(function(c,s){return c.concat([s,s+"-"+h,s+"-"+v])},[]),ze=[].concat([s,s+"-"+h,s+"-"+v])].reduce(function(c,s){return c.concat([s,s+"-"+h,s+"-"+v])},[]),ze=[].concat([s,s+"-"+h,s+"-"+v])].reduce(function(c,s){return c.concat([s,s+"+h,s+"+v])},[]),ze=[].concat([s,s+"+h,s+"+v])].reduce([s,s+"+h,s+"+v])].reduce([s,s+"+h,s+"+v])].reduce([s,s+"+h,s+"+v])].reduce([s,s+"+h,s+"+v])].reduce([s,s+"+h,s+"+v])].reduce([s,s+"+h,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s+"+v])].reduce([s,s
"+v])},[]),Rt="beforeRead",Ut="read",Fr="afterRead",Nr="beforeMain",kr="main",Vt="afterMain",nr="beforeWrite",jr="write",rr="afterWrite",It=[Rt,Ut,Fr,Nr,kr,Vt,nr,jr,rr];function Br(c){var s=new Map,b=new Set,T=[];c.forEach(function(F){s.set(F.name,F)});function P(F){b.add(F.name);var
  U=[].concat(F.requires||[],F.requiresIfExists||[]);U.forEach(function(H){if(!b.has(H)){var
  G=s.get(H);G\&\&P(G)\}\}, T.push(F)\} return c.forEach(function(F)\{b.has(F.name)||P(F)\}), T.function(F)\{b.has(F.name)||P(F)\}\}
  mt(c){var s=Br(c);return It.reduce(function(b,T){return b.concat(s.filter(function(P){return
  P.phase===T}))},[])}function zt(c){var s;return function(){return s||(s=new
  Promise(function(b){Promise.resolve().then(function(){s=void 0,b(c())}))),s}}function At(c){for(var
  s=arguments.length,b=new
  Array(s>1?s-1:0),T=1;T<s;T++)b[T-1]=arguments[T];return[].concat(b).reduce(function(P,F){return
 P.replace(/%s/,F)},c)}var Dt='Popper: modifier "%s" provided an invalid %s property, expected %s but got %s',Hr='Popper: modifier "%s" requires "%s", but "%s" modifier is not available',Ze=["name","enabled","phase","fn","effect","requires","options"];function
available', Ze=["name", "enabled", "phase", "fn", "effect", "requires", "options"]; function

[r(c){c.forEach(function(s){0bject.keys(s).forEach(function(b){switch(b){case"name":typeof s.name!="
string"&&console.error(At(Dt,String(s.name), '"name"', '"string"', '"'+String(s.name)+'"')); break; case"
enabled":typeof s.enabled!="boolean"&&console.error(At(Dt,s.name, '"enabled"', '"boolean"', '"'+String(s.enabled)+'"')); case"phase":It.indexOf(s.phase)<0&&console.error(At(Dt,s.name, '"phase"', "either
"+It.join(", "), '"'+String(s.phase)+'"')); break; case"fn":typeof s.fn!="function"&&console.error(At(Dt,s.name, '"fn"', '"function"', '"'+String(s.fn)+'"')); break; case"effect!="function"&&console.error(At(Dt,s.name, '"requires"; '"array"', ""'+String(s.requires)+'"')); break; case"requiresIfExists", '"array", '"'+String(s.requiresIfExists)||console.error(At(Dt,s.name, '"requiresIfExists)||console.error(At(Dt,s.name, '"requiresIfExists)||console.error(At(Dt,
ault:console.error('PopperJS: an invalid property has been provided to the "'+s.name+'" modifier, valid properties are '+Ze.map(function(T){return'"'+T+'"'}).join(", ")+'; but "'+b+'" was provided.')}s.requires&&s.requires.forEach(function(T){c.find(function(P){return P.name===T})==null&&console.error(At(Hr,String(s.name),T,T))})})}}function Wr(c,s){var b=new
 Set; return c.filter(function(T){var P=s(T); if(!b.has(P)) return b.add(P),!0})} function ot(c){return c.split("-")[0]} function Ur(c){var s=c.reduce(function(b,T){var }P=b[T.name]; return b[T.name]=P?0bjec}
  t.assign({},P,T,{options:Object.assign({},P.options,T.options),data:Object.assign({},P.data,T.data)}
  ):T,b},{});return Object.keys(s).map(function(b){return s[b]})}function ir(c){var
  s=r(c),b=y(c),T=s.visualViewport,P=b.clientWidth,F=b.clientHeight,U=0,H=0;return T&&(P=T.width,F=T.h
  eight,/^((?!chrome|android).)*safari/i.test(navigator.userAgent)||(U=T.offsetLeft,H=T.offsetTop)),{w
  idth:P,height:F,x:U+m(c),y:H}}var gt=Math.max,ln=Math.min,Yt=Math.round;function or(c){var
  s,b=y(c),T=n(c),P=(s=c.ownerDocument)==null?void 0:s.body,F=gt(b.scrollWidth,b.clientWidth,P?P.scrol
  lwidth: 0, P?P. clientWidth: 0), U=gt(b.scrollHeight, b.clientHeight, P?P.scrollHeight: 0, P?P. clientHeight:  ),H=-T.scrollLeft+m(c),G=-T.scrollTop;return O(P||b).direction==="rtl"&&(H+=gt(b.clientWidth,P?P.cli
  entWidth:0)-F), {width:F,height:U,x:H,y:G}}function kn(c,s){var
  b=s.getRootNode\&\&s.getRootNode();if(c.contains(s))return!0;if(b\&\&a(b)){var}
  T=s; do\{if(T\&\&c.isSameNode(T)) return!0; T=T.parentNode||T.host\} while(T)\} return!1\} function \ Xt(c)\{return to the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the firs
Object.assign({},c,{left:c.x,top:c.y,right:c.x+c.width,bottom:c.y+c.height}))}function ar(c){var s=t(c);return s.top=s.top+c.clientTop,s.left=s.left+c.clientLeft,s.bottom=s.top+c.clientHeight,s.rig ht=s.left+c.clientWidth,s.width=c.clientWidth,s.veight=c.clientHeight,s.x=s.left,s.y=s.top,s}functio
  n sr(c,s){return s===j?Xt(ir(c)):o(s)?ar(s):Xt(or(y(c)))}function yn(c){var}
  s=A(I(c)), b=["absolute", "fixed"].indexOf(O(c).position)>=0, T=b&o(c)?J(c):c; return
  i(T) ?s. filter(function(P) \{return \ i(P) \& kn(P,T) \& u(P) ! == "body" \}) : [] \} function \ wn(c,s,b) \{varT=s==="clippingParents" ?yn(c) : [].concat(s), P=[].concat(T,[b]), F=P[0], U=P.reduce(function(H,G) \{varT=s==-clippingParents "?yn(c) : [].concat(s), P=[].concat(T,[b]), F=P[0], U=P.reduce(function(H,G) \{varT=s=-clippingParents "?yn(c) : [].concat(s), P=[].concat(s), P
  oe=sr(c,G); return\ H.\ top=gt(oe.top,H.top), H.\ right=ln(oe.right,H.right), H.\ bottom=ln(oe.bottom,H.bottom), the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
   ),H.left=gt(oe.left,H.left),H},sr(c,F));return
 U.width=U.right-U.left,U.height=U.bottom-U.top,U.x=U.left,U.y=U.top,U}function fn(c){return
c.split("-")[1]}function dt(c){return["top","bottom"].indexOf(c)>=0?"x":"y"}function lr(c){var s=c.r
eference,b=c.element,T=c.placement,P=T?ot(T):null,F=T?fn(T):null,U=s.x+s.width/2-
 b.width/2, H=s.y+s.height/2-b.height/2, G; switch(P) \{case \ V:G=\{x:U,y:s.y-b.height\}; break; case \ de:G=\{x:U,y:s.y+s.height\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break; case \ X:G=\{x:s.x+s.width,y:H\}; break
  Q:G=\{x:s.x-b.width,y:H\}; break; default:G=\{x:s.x,y:s.y\}\} var oe=P?dt(P):null; if (oe!=null) \{varz=oe==="y"?"height":"width"; switch(F) \{case h:G[oe]=G[oe]-(s[z]/2-b[z]/2); break; case v:G[oe]=G[oe]+(s[z]/2-b[z]/2); break\}\} return G \{function \} 
 fr()\{return\{top:0,right:0,bottom:0,left:0\}\} function \ cr(c)\{return\ 0bject.assign(\{\},fr(),c)\} function \ ur(c,s)\{return\ s.reduce(function(b,T)\{return\ b[T]=c,b\},\{\})\} function \ qt(c,s)\{s===void\ 0\&\&(s=\{\}); varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ varantees \ 
  b = s, T = b. placement, P = T = = = void \ 0?c. placement: T, F = b. boundary, U = F = = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c. placement = void \ 0?c
  0?p:F,H=b.rootBoundary,G=H===void 0?j:H,oe=b.elementContext,z=oe===void
  0?M:oe,Ce=b.altBoundary,Fe=Ce===void 0?!1:Ce,De=b.padding,xe=De===void 0?0:De,Me=cr(typeof xe!="numb
  er"?xe:ur(xe,l)),Se=z==M?R:M,Be=c.elements.reference,Re=c.rects.popper,He=c.elements[Fe?Se:z],fe=wn
  (i(He)?He:He.contextElement||y(c.elements.popper),U,G),Pe=t(Be),_e=lr({reference:Pe,element:Re,strat
 egy: "absolute", placement: P}), Ne=Xt(Object.assign({},Re,_e)), Le=z==M?Ne: Pe, Ye={top:fe.top-Le.top+Me.top,bottom:Le.bottom-fe.bottom+Me.bottom,left:fe.left-Le.left+Me.left,right:Le.right-
  fe.right+Me.right, =ec.modifiersData.offset; if(z===M&\&=e){var}
  Ue=□e[P];Object.keys(Ye).forEach(function(wt){var
```

```
et=[X,de].index0f(wt)>=0?1:-1,Ft=[V,de].index0f(wt)>=0?"y":"x";Ye[wt]+=Ue[Ft]*et})}return Ye}var dr="Popper: Invalid reference or popper argument provided. They must be either a DOM element or
 virtual element.", Vr="Popper: An infinite loop in the modifiers cycle has been detected! The cycle
has been interrupted to prevent a browser crash.",xn={placement:"bottom",modifiers:[],strategy:"absolute"};function cn(){for(var
 c=arguments.length,s=new
 Array(c), b=0; b<c; b++)s[b]=arguments[b]; return!s.some(function(T){return!(T&typeof
 T.getBoundingClientRect=="function")})}function En(c){c===void 0\&\&(c={});var}
 s=c,b=s.defaultModifiers,T=b===void 0?[]:b,P=s.defaultOptions,F=P===void 0?xn:P;return function(H,G,oe){oe===void 0&&(oe=F);var z={placement:"bottom",orderedModifiers:[],options:Object.as
 sign({},xn,F),modifiersData:{},elements:{reference:H,popper:G},attributes:{},styles:{}},Ce=[],Fe=!1,
 De={state:z,setOptions:function(Be){Me(),z.options=Object.assign({},F,z.options,Be),z.scrollParents=
 {reference:i(H)?A(H):H.contextElement?A(H.contextElement):[],popper:A(G)};var
 Re=mt(Ur([].concat(T,z.options.modifiers)));z.orderedModifiers=Re.filter(function(<math>\square e){return
 \Boxe.enabled});var He=Wr([].concat(Re,z.options.modifiers),function(\Boxe){var Ue=\Boxe.name;return
Ue: Inableu(), var ne=wr([].contar(ke,z.options.modifiers), Tunction(||e){var Ue=||e.name; return Ue}); if(||r(He),ot(z.options.placement)===me){var fe=z.orderedModifiers.find(function(||e){var Ue=||e.name; return Ue==="flip"}); fe||console.error(['Popper: "auto" placements require the "flip" modifier be', "present and enabled to work."].join(" "))}var Pe=O(G), _e=Pe.marginTop,Ne=Pe.marginRigh t,Le=Pe.marginBottom,Ye=Pe.marginLeft; return[_e,Ne,Le,Ye].some(function(||e){return parseFloat(||e|)})&console.warn(['Popper: CSS "margin" styles cannot be used to apply padding' "between the popper and its reference clament or boundary." ""To replicate reserve."
padding', "between the popper and its reference element or boundary.", "To replicate margin, use the `offset` modifier, as well as", "the `padding` option in the `preventOverflow` and `flip`", "modifiers."].join(" ")), xe(), De.update()}, forceUpdate: function() { if (!Fe) { var Be=z.elements,
Re=Be.reference,He=Be.popper;if(!cn(Re,He)){console.error(dr);return}z.rects={reference:S(Re,J(He),z.options.strategy==="fixed"),popper:_(He)},z.reset=!1,z.placement=z.options.placement,z.orderedModif
 iers.forEach(function(Ue){return z.modifiersData[Ue.name]=Object.assign({},Ue.data)});for(var fe=0,P
 e=0;Pe<z.orderedModifiers.length;Pe++){if(fe+=1,fe>100){console.error(Vr);break}if(z.reset===!0){z.r
 eset=!1,Pe=-1;continue}var e=z.orderedModifiers[Pe],Ne= e.fn,Le= e.options,Ye=Le===void
 0?{}:Le,∏e= e.name;typeof
 Ne == "function" \& (z = Ne(\{state: z, options: Ye, name: | e, instance: De\}) | |z)\} \}, update: zt(function() \{return | e, instance: De\}) | |z) | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| | |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z| |z|
 Promise(function(Se){De.forceUpdate(),Se(z)})}),destroy:function(){Me(),Fe=!0}};if(!cn(H,G))return c
 onsole.error(dr), De; De.setOptions(oe).then(function(Se){!Fe&oe.onFirstUpdate&oe.onFirstUpdate(Se)}
 );function xe(){z.orderedModifiers.forEach(function(Se){var Be=Se.name,Re=Se.options,He=Re====void
 0?{}:Re,fe=Se.effect;if(typeof fe=="function"){var
\label{eq:peffe} Pe=fe(\{state:z,name:Be,instance:De,options:He}\}), \\ e=function()\{\};Ce.push(Pe||_e)\}\}) \\ function\\ Me()\{Ce.forEach(function(Se)\{return Se()\}),Ce=[]\}return De\}\} \\ var On=\{passive:!0\};function zr(c)\{varn Se()\}\}, \\ function zr(c)\{v
 s=c.state,b=c.instance,T=c.options,P=T.scroll,F=P===void 0?!0:P,U=T.resize,H=U===void
0?!0:U,G=r(s.elements.popper),oe=[].concat(s.scrollParents.reference,s.scrollParents.popper);return\\F\&\&oe.forEach(function(z)\{z.addEventListener("scroll",b.update,0n)\}),H\&\&G.addEventListener("resize"),b.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0n),d.update,0
b.update, On), function() \{F\&\&oe.forEach(function(z)\{z.removeEventListener("scroll",b.update,On)\}), H\&\&G.removeEventListener("resize",b.update,On)\}\} var
 in={name:"eventListeners",enabled:!0,phase:"write",fn:function(){},effect:zr,data:{}};function
Yr(c){var s=c.state,b=c.name;s.modifiersData[b]=lr({reference:s.rects.reference,element:s.rects.popp
er,strategy: "absolute",placement:s.placement})}var Bn={name:"popperOffsets",enabled:!0,phase:"read",fn:Yr,data:{}},Xr={top:"auto",right:"auto",bottom:"auto",left:"auto"};function qr(c){var s=c.x,b=c.y,T=window,P=T.devicePixelRatio||1;return{x:Yt(Yt(s*P)/P)||0,y:Yt(Yt(b*P)/P)||0}}function
 Hn(c) \{var\ s,b=c.popper,T=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.offsets,U=c.position,H=c.gpuAcceleration,G=c.popperRect,P=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=c.placement,F=
   .adaptive,oe=c.roundOffsets,z=oe===!0?qr(F):typeof oe=="function"?oe(F):F,Ce=z.x,Fe=Ce===void
 0?0:Ce,De=z.y,xe=De===void
0?0: De, Me=F. has 0 wn Property ("x"), Se=F. has 0 wn Property ("y"), Be=Q, Re=V, He=window; if (G) \{var fe=J(b), Pe="clientHeight", e="clientWidth"; fe===r(b) & (fe=y(b), 0 (fe). position!=="static" & (Pe="scrollHeight", e="scrollWidth")), fe=fe, P===V& (Re=de, xe-=fe[Pe]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P===Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe*=H?1:-1), P==Q& (Be=X, Fe-=fe[e]-T. height, xe
T.width, Fe*=H?1:-1) \} var \ Ne=Object.assign(\{position:U\}, G\&\&Xr); if(H) \{var \ Le; return \ Object.assign(\{\}, Ne, Le=\{\}, Le[Re]=Se?"0":"", Le[Be]=Me?"0":"", Le.transform=(He.devicePixelRatio||1)<2?"translate("+Fe+"pixelRatio||1)<2?"translate("+Fe+"pixelRatio||1)<2?"translate("+Fe+"pixelRatio||1)<2?"translate("+Fe+"pixelRatio||1)<2.
x, "+xe+"px)":"translate3d("+Fe+"px, "+xe+"px, 0)",Le))}return
Object.assign({},Ne,(s={},s[Re]=Se?xe+"px":"",s[Be]=Me?Fe+"px":"",s.transform="",s))}function
g(c){var s=c.state,b=c.options,T=b.gpuAcceleration,P=T===void 0?!0:T,F=b.adaptive,U=F===void 0?!0:F,H=b.roundOffsets,G=H===void 0?!0:H,oe=O(s.elements.popper).transitionProperty||"";U&&["transform="",b]
 orm","top","right","bottom","left"].some(function(Ce){return
oe.indexOf(Ce)>=0})&&console.warn(["Popper: Detected CSS transitions on at least one of the following", 'CSS properties: "transform", "top", "right", "bottom", "left".',`
`,'Disable the "computeStyles" modifier\'s `adaptive` option to allow',"for smooth transitions, or remove these properties from the CSS","transition declaration on the popper element if only
 transitioning", "opacity or background-color for example.",
`,"We recommend using the popper element as a wrapper around an inner","element that can have any CSS property transitioned for animations."].join(" "));var z=\{placement:ot(s.placement),popper:s.elements.popper,popperRect:s.rects.popper,gpuAcceleration:P\};s.modifiersData.popperOffsets!=null&&(s.st)
```

yles.popper=Object.assign({},s.styles.popper,Hn(Object.assign({},z,{offsets:s.modifiersData.popperOffsets,position:s.options.strategy,adaptive:U,roundOffsets:G})))),s.modifiersData.arrow!=null&&(s.styles.arrow=Object.assign({},s.styles.arrow,Hn(Object.assign({},z,{offsets:s.modifiersData.arrow,posit

```
ion:"absolute",adaptive:!1,roundOffsets:G})))),s.attributes.popper=Object.assign({},s.attributes.pop
per,{"data-popper-placement":s.placement})}var
w={name:"computeStyles",enabled:!0,phase:"beforeWrite",fn:g,data:{}};function D(c){var
 s=c.state;Object.keys(s.elements).forEach(function(b){var T=s.styles[b]||{},P=s.attributes[b]||{},F=
 s.elements[b]; !o(F)||!u(F)||(Object.assign(F.style,T),Object.keys(P).forEach(function(U){var})
 H=P[U];H===!1?F.removeAttribute(U):F.setAttribute(U,H===10?"":H)}))})}function L(c){var s=c.state,b=
{popper:{position:s.options.strategy,left:"0",top:"0",margin:"0"},arrow:{position:"absolute"},refere nce:{}};return Object.assign(s.elements.popper.style,b.popper),s.styles=b,s.elements.arrow&&Object.a
ssign(s.elements.arrow.style,b.arrow),function(){Object.keys(s.elements).forEach(function(T){var P=s .elements[T],F=s.attributes[T]||{},U=Object.keys(s.styles.hasOwnProperty(T)?s.styles[T]:b[T]),H=U.re duce(function(G,oe){return G[oe]="",G},{});!o(P)||!u(P)||(Object.assign(P.style,H),Object.keys(F).fo
 rEach(function(G){P.removeAttribute(G)}))})}}var
q={name: "applyStyles", enabled: !0, phase: "write", fn:D, effect:L, requires: ["computeStyles"]}; function
W(c,s,b){var T=ot(c), P=[0,V].indexOf(T)>=0?-1:1, F=typeof
b=="function"?b(Object.assign({{{}},s,{{placement:c}})):b,U=F[0],H=F[1]; return
 U=U|\{0,H=(H|\{0\})*P,[0,X].index0f(T)\}=0?\{x:H,y:U\}:\{x:U,y:H\}\} function B(c){var
 s=c.state,b=c.options,T=c.name,P=b.offset,F=P===void 0?[0,0]:P,U=ze.reduce(function(z,Ce){return z[C
 e]=W(Ce,s.rects,F),z},{}),H=U[s.placement],G=H.x,oe=H.y;s.modifiersData.popperOffsets!=null&&(s.modi
 fiersData.popperOffsets.x+=G,s.modifiersData.popperOffsets.y+=oe),s.modifiersData[T]=U}var be={name:
    "offset",enabled:!0,phase:"main",requires:["popperOffsets"],fn:B},le={left:"right",right:"left",bott
om:"top",top:"bottom"};function pe(c){return c.replace(/left|right|bottom|top/g,function(s){return le[s]})}var ye={start:"end",end:"start"};function Te(c){return
 c.replace(/start|end/g,function(s){return ye[s]})}function je(c,s){s===void 0&&(s={});var b=s,T=b.pl}
acement,P=b.boundary,F=b.rootBoundary,U=b.padding,H=b.flipVariations,G=b.allowedAutoPlacements,oe=G= ==void 0?ze:G,z=fn(T),Ce=z?H?Z:Z.filter(function(xe){return}
 fn(xe)===z}):l,Fe=Ce.filter(function(xe){return
 oe.indexOf(xe) >= 0}); Fe.length===0&&(Fe=Ce,console.error(["Popper: The `allowedAutoPlacements` option
 did not allow any", "placements. Ensure the `placement` option matches the variation", "of the allowed
placements.", 'For example, "auto" cannot be used to allow "bottom-start".', 'Use "auto-start" instead.'].join(" "))); var De=Fe.reduce(function(xe,Me){return
 xe[Me]=qt(c,{placement:Me,boundary:P,rootBoundary:F,padding:U})[ot(Me)],xe},{});return
 Object.keys(De).sort(function(xe,Me){return De[xe]-De[Me]})}function
 Ae(c)\{if(ot(c)===me) \ return[]; var \ s=pe(c); return[Te(c),s,Te(s)]\} function \ Ie(c)\{var \ s=pe(c)\} function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) function \ Ie(c) fun
 s=c.state,b=c.options,T=c.name;if(!s.modifiersData[T]._skip){for(var P=b.mainAxis,F=P===void
 0?!0:P,U=b.altAxis,H=U===void 0?!0:U,G=b.fallbackPlacements,oe=b.padding,z=b.boundary,Ce=b.rootBound
 ary,Fe=b.altBoundary,De=b.flipVariations,xe=De===void 0?!0:De,Me=b.allowedAutoPlacements,Se=s.option
 s.placement, Be=ot(Se), Re=Be===Se, He=G||(Re||!xe?[pe(Se)]:Ae(Se)), fe=[Se].concat(He).reduce(function(Se)), fe=[Se].concat(He).concat(He).reduce(function(Se)), fe=[Se].concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He).concat(He
 te,ge){return te.concat(ot(ge)===me?je(s,{placement:ge,boundary:z,rootBoundary:Ce,padding:oe,flipVar
iations:xe,allowedAutoPlacements:Me\}):ge\},[]),Pe=s.rects.reference,_e=s.rects.popper,Ne=new Map,Le=!0,Ye=fe[0],\squaree=0;\squaree<fe.length;\squaree++)\{var Ue=fe[\squaree],wt=ot(Ue),et=fn(Ue)===h,Ft=[V,de].indexOf(w
 t)>=0,dn=Ft?"width":"height",Qt=qt(s,{placement:Ue,boundary:z,rootBoundary:Ce,altBoundary:Fe,padding
  &&Zt.push(Qt[Nt]<=0,Qt[\squaren]<=0),Zt.every(function(te){return
 te})){Ye=Ue,Le=!1;break}Ne.set(Ue,Zt)}if(Le)for(var Sn=xe?3:1,Wn=function(ge){var
we=fe.find(function(Ke){var Je=Ne.get(Ke);if(Je)return Je.slice(0,ge).every(function(Ct){return Ct})});if(we)return Ye=we,"break"},C=Sn;C>0;C--){var K=Wn(C);if(K==="break")break}s.placement!==Ye&&
  (s.modifiersData[T]. skip=!0,s.placement=Ye,s.reset=!0)}}var
 re={name:"flip",enabled:!0,phase:"main",fn:Ie,requiresIfExists:["offset"],data:{_skip:!1}};function
he(c){return c==="x"?"y":"x"}function ve(c,s,b){return gt(c,ln(s,b))}function ee(c){var s=c.state,b=c.options,T=c.name,P=b.mainAxis,F=P===void 0?!0:P,U=b.altAxis,H=U===void
 0?!1:U,G=b.boundary,oe=b.rootBoundary,z=b.altBoundary,Ce=b.padding,Fe=b.tether,De=Fe===void
 0?!0:Fe,xe=b.tetherOffset,Me=xe===void 0?0:xe,Se=qt(s,{boundary:G,rootBoundary:oe,padding:Ce,altBoun
dary:z}), Be=ot(s.placement), Re=fn(s.placement), He=!Re, fe=dt(Be), Pe=he(fe), _e=s.modifiersData.popperOffsets, Ne=s.rects.reference, Le=s.rects.popper, Ye=typeof Me=="function"?Me(Object.assign({}, s.rects, { placement})):Me, □e={x:0,y:0};if(_e){if(F||H)}{var Ue=fe==="y"?V:Q,wt=fe==="y"?de:X,et=fe="bullet"}
 =="y"?"height":"width",Ft=_e[fe],dn=_e[fe]+Se[Ue],Qt=_e[fe]-Se[wt],Nt=De?-
 Le[et]/2:0, \exists n=Re===h?Ne[et]:Le[et], Zt=Re===h?-Le[et]:-
 Ne[et], Sn=s.elements.arrow, Wn=De&&Sn? (Sn):{width:0,height:0},C=s.modifiersData["arrow#persistent"]?
 s.modifiersData["arrow#persistent"].padding:fr(), K=C[Ue], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], ge=ve(0,Ne[et],Wn[et]), we=He?Ne[et], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt], te=C[wt],
 ]/2-Nt-ge-K-Ye: \Pi n-ge-K-Ye, Ke=He?-
 Ne[et]/\bar{2} + Nt + ge + \bar{t}e + \bar{Y}e : Zt + ge + te + Ye , Je = s. elements.arrow \& J(s.elements.arrow) , Ct = Je?fe = = "y"?Je.clientTollow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je = s.elements.arrow & Je =
 p | | 0: Je.clientLeft | | 0:0, Un = s.modifiersData.offset?s.modifiersData.offset[s.placement][fe]:0, \_t = \_e[fe] | 0: Je.clientLeft | 0:0, Un = s.modifiersData.offset?s.modifiersData.offset[s.placement][fe]:0, \_t = \_e[fe] | 0: Je.clientLeft | 0:0, Un = s.modifiersData.offset?s.modifiersData.offset[s.placement][fe]:0, \_t = \_e[fe] | 0: Je.clientLeft | 0:0, Un = s.modifiersData.offset?s.modifiersData.offset?s.modifiersData.offset[s.placement][fe]:0, \_t = \_e[fe] | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 0: Je.clientLeft | 
]+we-Un-Ct,An=_e[fe]+Ke-Un;if(F){var pn=ve(De?ln(dn,_t):dn,Ft,De?gt(Qt,An):Qt);_e[fe]=pn,De[fe]=pn-Ft}if(H){var en=fe==="x"?V:Q,Gr=fe==="x"?de:X,tn=_e[Pe],hn=tn+Se[en],Ci=tn-Se[Gr],_i=ve(De?ln(hn,_t):hn,tn,De?gt(Ci,An):Ci);_e[Pe]=_i,De[Pe]=_i-tn}}s.modifiersData[T]=De}var ie={name: "preventOverflow",enabled:!0,phase: "main",fn:ee,requiresIfExists: ["offset"]},x=function(s,b) {return s=typeof s===formalized sets of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement of the placement
 s!="number"?s:ur(s,l))};function Ge(c){var s,b=c.state,T=c.name,P=c.options,F=b.elements.arrow,U=b.m
odifiersData.popperOffsets,H=ot(b.placement),G=dt(H),oe=[0,X].indexOf(H)>=0,z=oe?"height":"width";if (!(!F||!U)){var Ce=x(P.padding,b),Fe=_(F),De=G==="y"?V:Q,xe=G==="y"?de:X,Me=b.rects.reference[z]+b.r
ects.reference[G]-U[G]-b.rects.popper[z],Se=U[G]-b.rects.reference[G],Be=J(F),Re=Be?G==="y"?Be.clientHeight||0:Be.clientWidth||0:0,He=Me/2-
 Se/2, fe=Ce[De], Pe=Re-Fe[z]-Ce[xe], e=Re/2-
```

```
Fe[z]/2 + He, Ne = ve(fe, \_e, Pe), Le = G; b.modifiersData[T] = (s = \{\}, s[Le] = Ne, s.centerOffset = Ne - \_e, s)\} function for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 ce(c){var s=c.state,b=c.options,T=b.element,P=T===void 0?"[data-popper-
 arrowl":T;if(P!=null&&!(typeof
P = "string" \&\& (P = s.elements.popper.querySelector(P),!P))) \{if(o(P)||console.error(['Popper: "arrow" element must be an HTMLElement (not an SVGElement).',"To use an SVG arrow, wrap it in an HTMLElement
:0,y:0}),{top:c.top-s.height-b.y,right:c.right-s.width+b.x,bottom:c.bottom-s.height+b.y,left:c.left-
 s.width-b.x\}function Gt(c){return[V,X,de,Q].some(function(s){return c[s]>=0})}function Kt(c){var s=
 c.state, b=c.name, T=s.rects.reference, P=s.rects.popper, F=s.modifiersData.preventOverflow, U=qt(s, {elem
 entContext:"reference"}),H=qt(s,{altBoundary:!0}),G=bt(U,T),oe=bt(H,P,F),z=Gt(G),Ce=Gt(oe);s.modifie
rsData[b]={referenceClippingOffsets:G,popperEscapeOffsets:oe,isReferenceHidden:z,hasPopperEscaped:Ce},s.attributes.popper=Object.assign({},s.attributes.popper,{"data-popper-reference-hidden":z,"data-popper-escaped":Ce})}var Jt={name: "hide",enabled:!0,phase: "main",requiresIfExists:["preventOverflow"
  ],fn:Kt},rt=[jn,Bn,w,q],lt=En({defaultModifiers:rt}),yt=[jn,Bn,w,q,be,re,ie,Lt,Jt],un=En({defaultMod
 ifiers:yt});e.applyStyles=q,e.arrow=Lt,e.computeStyles=w,e.createPopper=un,e.createPopperLite=lt,e.d
 efaultModifiers=yt,e.detectOverflow=qt,e.eventListeners=jn,e.flip=re,e.hide=Jt,e.offset=be,e.popperG
 enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \}) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = Bn, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.popperOffsets = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} \} \ ) \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} \} \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} \} \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = ie \} \} \ , \\ \square o = Bo \ (e = > \{ "use or enerator = En, e.preventOverflow = En, e.preventOverflow = ie \} \} \ , \\ \squareo = Bo \ (e = > \{ "use or enerator = En, e.p
 strict";0bject.defineProperty(e,"__esModule",{value:!0});var t=_s(),r='<svg width="16" height="6" xmlns="http://www.w3.org/2000/svg"><path d="M0 6s1.796-.013 4.67-3.615C5.851.9 6.93.006 8
 0c1.07-.006 2.148.887 3.343 2.385C14.233 6.005 16 6 16 6H0z"></svg>',n="tippy-box",i="tippy
content",o="tippy-backdrop",a="tippy-arrow",d="tippy-svg-arrow",f={passive:!0,capture:!0};function u(g,w){return{}.hasOwnProperty.call(g,w)}function y(g,w,D){if(Array.isArray(g)){var L=g[w];return}
 L??(Array.isArray(D)?D[w]:D)\} return g function m(g,w) \{var D=\{\}.toString.call(g); return D.indexOf("[object")===0&&D.indexOf(w+"]")>-1\} function O(g,w) \{return typeof B.indexOf(w+") | (a) | (b) | (b) | (b) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) | (c) 
 g=="function"?g.apply(void 0,w):g}function E(g,w){if(w===0)return g;var D;return
  function(L){clearTimeout(D),D=setTimeout(function(){g(L)},w)}}function S(g,w){var
 D=Object.assign({},g);return w.forEach(function(L){delete D[L]}),D}function (g){return
 g.split(/\s+/).filter(Boolean)function I(g){return[].concat(g)}function
Y(g){return[].slice.call(g)}function ne(g){return Object.keys(g).reduce(function(w,D){return
g[D]!==void\ 0\&\&(w[D]=g[D]),w\},\{\})\} function J() {return document.createElement("div")} function V(g) {return["Element", "Fragment"].some(function(w){return m(g,w)})} function de(g){return m(g,w)})} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de(g){return m(g,w)}} function de
                 "NodeList")}function X(g){return m(g, "MouseEvent")}function
 Q(g) \{ return!! (g\&\&g.\_tippy\&\&g.\_tippy.reference === g) \} function \ me(g) \{ return \} = \{ return \} 
 V(g)?[g]:de(g)?Y(g):Array.isArray(g)?g:Y(document.querySelectorAll(g))}function
 l(g,w){g.forEach(function(D){D&&(D.style.transitionDuration=w+"ms")})}function
\label{local-prop} $$h(g,w)_{g.forEach(function(D)_{D&D.setAttribute("data-state",w)})_{function v(g)_{var w,D=I(g),L=D[0];return!(L==null)_{w=L.ownerDocument)==null)_{w}.} $$ body?L.ownerDocument:document_{function p(g,w)_{var}.} $$ eturn!(L==null)_{var}.$$
 D=w.clientX,L=w.clientY;return g.every(function(q){var W=q.popperRect,B=q.popperState,be=q.props,le=
 be.interactiveBorder,pe=k(B.placement),ye=B.modifiersData.offset;if(!ye)return!0;var Te=pe==="bottom"
 "?ye.top.y:0,je=pe==="top"?ye.bottom.y:0,Ae=pe==="right"?ye.left.x:0,Ie=pe==="left"?ye.right.x:0,re=
 W.top-L+Te>le,he=L-W.bottom-je>le,ve=W.left-D+Ae>le,ee=D-W.right-Ie>le;return
 re||he||ve||ee}))function j(g,w,D){var
Z(){M.isTouch||(M.isTouch=!0,window.performance&&document.addEventListener("mousemove",ze))}function
 ze(){var
 q=performance.now();q-R<20&&(M.isTouch=!1,document.removeEventListener("mousemove",ze)),R=q}function
 Rt(){var g=document.activeElement;if(Q(g)){var
                 _tippy;g.blur&&!w.state.isVisible&&g.blur()}}function
Ut(){document.addEventListener("touchstart",Z,f),window.addEventListener("blur",Rt)}var Fr=typeof window<"u"&&typeof document<"u",Nr=Fr?navigator.userAgent:"",kr=/MSIE |Trident\//.test(Nr);function Vt(g){var w=g==="destroy"?"n already-":" ";return[g+"() was called on a"+w+"destroyed instance. This is a no-op but", "indicates a potential memory leak."].join(" ")}function nr(g){var w=/[ \t]2,}/g,D=/^[ \t]*/gm;return g.replace(w," ").replace(D,"").trim()}function jr(g){return nr(`
        %ctippy.js
        %c`+nr(q)+`
        %c\u{1F477}\u200D This is a development-only message. It will be removed in production.
`)}function rr(g){return[jr(g),"color: #00C584; font-size: 1.3em; font-weight: bold;","line-height: 1.5","color: #a6a095;"]}var It;Br();function Br(){It=new Set}function mt(g,w){if(g&&!It.has(w))}{var D;It.add(w),(D=console).warn.apply(D,rr(w))}}function
ml(q,w){if(q&&:it.has(w)){var D;It.add(w),(D=console).error.apply(D,rr(w))}}function
zt(g,w){if(q&&:it.has(w)){var D;It.add(w),(D=console).error.apply(D,rr(w))}}function At(g){var
w=!g,D=Object.prototype.toString.call(g)==="[object Object]"&&!g.addEventListener;zt(w,["tippy() was
passed","`"+String(g)+"`","as its targets (first) argument. Valid types are: String,
Element,","Element[], or NodeList."].join(" ")),zt(D,["tippy() was passed a plain object which is
not supported as an argument","for virtual positioning. Use props.getReferenceClientRect
instead."].join(" "))}var Dt={animateFill:!1,followCursor:!1,inlinePositioning:!1,sticky:!1},Hr={all
```

```
owHTML:!1,animation:"fade",arrow:!0,content:"",inertia:!1,maxWidth:350,role:"tooltip",theme:"",zInde
 x:9999},Ze=Object.assign({appendTo:function(){return document.body},aria:{content:"auto",expanded:"a
 uto"},delay:0,duration:[300,250],getReferenceClientRect:null,hideOnClick:10,ignoreAttributes:!1,inte
ractive: !1, interactiveBorder: 2, interactiveDebounce: 0, moveTransition: "", offset: [0, 10], onAfterUpdate: function() {}, onBeforeUpdate: function() {}, onCreate: function() {}, onDestroy: function() {}, onHidden: function() {}, onDestroy: function() {}, onCreate: function() {}, onDestroy: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate: function() {}, onCreate:
 on()\{\}, on Hide: function()\{\}, on Mount: function()\{\}, on Show: function()\{\}, on Shown: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: function()\{\}, on Trigger: functi
 unction(){},onUntrigger:function(){},onClickOutside:function(){},placement:"top",plugins:[],popperOp
 tions:{}, render:null, showOnCreate:!1, touch:!0, trigger: "mouseenter
focus", triggerTarget:null}, Dt,\{\},Hr),[]r=0bject.keys(Ze),Wr=function(w)\{gt(w,[]);var D=0bject.keys(w);D.forEach(function(L)\{Ze[L]=w[L]\}\}\};function ot(g)\{var
 w=g.plugins[|[],D=w.reduce(function(L,q){var W=q.name,B=q.defaultValue;return W&&(L[W]=g[W]!==void)}
 0?g[W]:B),L\},\{\}); return Object.assign(\{\},g,\{\},D)\} function Ur(g,w)\{var\}
D=w?Object.keys(ot(Object.assign({},Ze,{plugins:w}))):[r,L=D.reduce(function(q,W){var}]
B=(g.getAttribute("data-tippy-"+W)||"").trim();if(!B)return q;if(W==="content")q[W]=B;else
try{q[W]=JSON.parse(B)}catch{q[W]=B}return q},{});return L}function ir(g,w){var}
 D=Object.assign({},w,{content:O(w.content,[g])},w.ignoreAttributes?{}:Ur(g,w.plugins));return D.aria
 =Object.assign({},Ze.aria,{},D.aria),D.aria={expanded:D.aria.expanded==="auto"?w.interactive:D.aria.
 expanded,content:D.aria.content==="auto"?w.interactive?null:"describedby":D.aria.content},D}function
gt(g,w){g===void 0\&\&(g={}),w===void 0\&\&(w={}));var D=Object.keys(g);D.forEach(function(L){var q=S(Ze,Object.keys(Dt)),W=!u(q,L);W&&(W=w.filter(function(B){return B.name===L}).length===0),mt(W,["`"+L+"`","is not a valid prop. You may have spelled it incorrectly, or if it's","a plugin, forgot to pass it in an array as props.plugins.",`
              `All props: https://atomiks.github.io/tippyjs/v6/all-props/
 `,`All props: https://atomiks.github.io/tippyjs/vo/acc-props/
`,"Plugins: https://atomiks.github.io/tippyjs/v6/plugins/"].join(" "))})}var
 ln=function(){return"innerHTML"}; function Yt(g,w){g[ln()]=w}function or(g){var w=J(); return}
 q===!0?w.className=a:(w.className=d,V(g)?w.appendChild(g):Yt(w,g)),w}function
 \begin{array}{l} \text{kn}(g,w) \{V(w.\text{content})?(Yt(g,""),g.\text{appendChild}(w.\text{content})):typeof} \\ \text{w.content!} = \text{"function"} \&\&(w.\text{allowHTML}?Yt(g,w.\text{content}):g.\text{textContent} = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content} = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content} = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } Xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text{function } xt(g) \{var(w.\text{content}) = w.\text{content})\} \\ \text
 w=g.firstElementChild,D=Y(w.children);return{box:w,content:D.find(function(L){return
 L.classList.contains(i)}),arrow:D.find(function(L){return
 L.classList.contains(a)||L.classList.contains(d)}),backdrop:D.find(function(L){return
\label{local-prop} L. classList.contains(o) \}) \} \\ function ar(g) \\ \{var w=J(),D=J();D. className=n,D. setAttribute("data-state","hidden"),D. setAttribute("tabindex","-1");var L=J();L. className=i,L. setAttribute("data-state","hidden"),kn(L,g.props),w.appendChild(D),D.appendChild(L),q(g.props,g.props);function \\ \\ \end{tabular}
 q(\textbf{W},\textbf{B}) \\ \{ \textbf{var be} = \textbf{Xt(w), le} = \textbf{be.box, pe} = \textbf{be.content, ye} = \textbf{be.arrow; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("data-row; B.theme?le.setAttribute("da
 theme", B. theme): le.removeAttribute("data-theme"), typeof B.animation=="string"?le.setAttribute("data-
animation", B.animation):le.removeAttribute("data-animation"),B.inertia?le.setAttribute("data-inertia"),le.style.maxWidth=typeof B.maxWidth=="number"?B.maxWidth+"px":B.maxWidth,B.role?le.setAttribute("role",B.role):le.removeAttribute("role"),(W.content!==B
   .content||W.allowHTML!==B.allowHTML)&&kn(pe,g.props),B.arrow?ye?W.arrow!==B.arrow&&(le.removeChild(y
 e),le.appendChild(or(B.arrow))):le.appendChild(or(B.arrow)):ye&&le.removeChild(ye)}return{popper:w,o
 nUpdate:q}ar. decomple for the first open constant of the first open constant of the first open constant of the first open constant of the first open constant of the first open constant of the first open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open constant open cons
ne(w)))),L,q,W,B=!1,be=!1,le=!1,ye,Te,je,Ae=[],Ie=E(Re,D.interactiveDebounce),re,he=sr++,ve=nu ll,ee=A(D.plugins),ie={isEnabled:!0,isVisible:!1,isDestroyed:!1,isMounted:!1,isShown:!1},x={id:he,re}
 ference:g,popper:J(),popperInstance:ve,props:D,state:ie,plugins:ee,clearDelayTimeouts:Ft,setProps:dn
    ,setContent:Qt,show:Nt,hide:□n,hideWithInteractivity:Zt,enable:wt,disable:et,unmount:Sn,destroy:Wn};
  if(!D.render)return zt(!0,"render() function has not been supplied."),x;var
 Ge=D.render(x),ce=Ge.popper,Lt=Ge.onUpdate;ce.setAttribute("data-tippy-
root",""),ce.id="tippy-"+x.id,x.popper=ce,g._tippy=x,ce._tippy=x;var_bt=ee.map(function(C){return C.fn(x)}),Gt=g.hasAttribute("aria-expanded");return Me(),P(),s(),b("onCreate",[x]),D.showOnCreate&&[ e(),ce.addEventListener("mouseenter",function(){x.props.interactive&&x.state.isVisible&&x.clearDelay
\label{thm:contourse} Timeouts())), ce.addEventListener("mouseleave",function(C)\{x.props.interactive\&x.props.trigger.index of("mouseenter")>=0&&(yt().addEventListener("mousemove",Ie),Ie(C))\}),x;function Kt()\{var C=x.props.touch;return Array.isArray(C)?C:[C,0]\}function Jt()\{return Kt()[0]==="hold"}function \\
rt(){var C;return!!((C=x.props.render)!=null&&C.\bigcitippy)}function lt(){return re||g}function yt(){var C=lt().parentNode;return C?v(C):document}function un(){return Xt(ce)}function c(C){return x
 .state.isMounted&&!x.state.isVisible||M.isTouch||ye&&ye.type==="focus"?0:y(x.props.delay,C?0:1,Ze.delay)}function s(){ce.style.pointerEvents=x.props.interactive&&x.state.isVisible?"":"none",ce.style.z
 Index=""+x.props.zIndex}function b(C,K,te){if(te===void
 0\&\&(te=!0), bt.forEach(function(we){we[C]&&we[C].apply(void 0,K)}),te){var}
ge; (ge=x.props)[C].apply(ge,K)}}function T(){var C=x.props.aria;if(C.content){var K="aria-"+C.content,te=ce.id,ge=I(x.props.triggerTarget||g);ge.forEach(function(we){var Ke=we.getAttribute(K);if(x.state.isVisible)we.setAttribute(K,Ke?Ke+" "+te:te);else{var
 Je=Ke\&\bar{K}e.replace(te,"").trim(); Je?we.setAttribute(K,Je):we.removeAttribute(K)}))}function
 P(){if(!(Gt||!x.props.aria.expanded)){var
  C=I(x.props.triggerTarget||g); C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute")\}; C.forEach(function(K)\{x.props.interactive?K.setAttribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute("aria-ribute
 \begin{array}{l} \text{expanded", x. state.isVisible\&\&K===lt()?"true":"false"):K.removeAttribute("aria-expanded")})} \\ \text{function} \\ \text{F()} \\ \text{yt().removeEventListener("mousemove", Ie), yn=yn.filter(function(C)\{return \ C!==Ie\})} \\ \text{function } \text{U(C)} \\ \text{if(!(M.isTouch\&\&(le||C.type==="mousedown"))\&\&!(x.props.interactive\&&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))\&\&!(x.props.interactive\&&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&\&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.target)))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.target))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.type=="mousedown"))} \\ \text{(if(!(M.isTouch\&\&(le||C.type==="mousedown"))&\&!(x.props.interactive\&ce.contains(C.type=="mousedown")} \\ \text{(if(!(M.isTouch\&\&(le||C.typ
 contains(C.target)){if(M.isTouch||x.state.isVisible&&x.props.trigger.indexOf("click")>=0)return}else
 b("onClickOutside",[x,C]);x.props.hideOnClick===!0&&(x.clearDelayTimeouts(),x.hide(),be=!0,setTimeou
 t(function()\{be=!1\}), x.state.isMounted||z())\}\} function H()\{le=!0\} function G()\{le=!1\} function
```

```
oe() \{var \ C=yt(); C. add Event Listener("moused own", U,!0), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener("touchend", U,f), C. add Event Listener
stener("touchstart",G,f),C.addEventListener("mousedown",U,!U),C.addEventListener("touchend",U,f),C.addEventListener("touchstart",G,f),C.addEventListener("touchmove",H,f)}function z(){var C=yt();C.removeEventListener("touchend",U,f),C.removeEventListener("touchstart",G,f),C.removeEventListener("touchmove",H,f)}function Ce(C,K){De(C,function(){!x.state.isVisible&&ce.parentNode&&ce.parentNode.contains(ce)&&K()})}function Fe(C,K){De(C,K)}function De(C,K){var te=un().box;function ge(we){we.target===te&(j(te,"remove",ge),K())}if(C===0)return K();j(te,"remove",Te),j(te,"add",ge),Te=ge}function xe(C,K,te){te===void 0&&(te=!1);var ge=I(x.props)}if(Te,Te),for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for participation for pa
  .triggerTarget[]g);ge.forEach(function(we){we.addEventListener(C,K,te),Ae.push({node:we.eventType:C,
handler:K,options:te})})}function Me(){Jt()&&(xe("touchstart",Be,{passive:!0}),xe("touchend",He,{passive:!0})),_(x.props.trigger).forEach(function(C){if(C!=="manual")switch(xe(C,Be),C){case"mouseenter ":xe("mouseleave",He);break;case"focus":xe(kr?"focusout":"blur",fe);break;case"focusin":xe("focusout")
 ",fe);break}})}function Se(){Ae.forEach(function(C){var
 K=C.node, te=C.eventType, qe=C.handler, we=C.options; K.removeEventListener(te,qe,we)}), Ae=[]}function
Be(C)\{var \ K, te=!1; if(!(!x.state.isEnabled||Pe(C)||be))\{var \ ge=((K=ye)==null?void \ 0:K.type)==="focus"; ye=C, re=C.currentTarget, P(), !x.state.isVisible&&X(C)&&yn.forEach(function(we)\{return \ we(C)\}), C.type \\ \\ Authorized the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the contraction of the cont
 ==="click"&&(x.props.trigger.indexOf("mouseenter")<0||B)&&x.props.hideOnClick!==!1&&x.state.isVisibl
 e?te=!0: \exists e(C), C.type==="click" \&\&(B=!te), te\&\&! ge\&\&Ue(C)} function Re(C) {var}
 K=C.target, te=lt().contains(K)||ce.contains(K);if(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type==="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type===="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type======"mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&&te))||f(!(C.type====="mousemove"&*te))||f(!(C.type====="mousemove"&*te))||f(!(C.type====="mousemove"&*te))||f(!(C.type====="mousemove"&*te))||f(!(C.type===
ge=Ye().concat(ce).map(function(we){var Ke,Je=we._tippy,Ct=(Ke=Je.popperInstance)==null?void
0:Ke.state;return Ct?{popperRect:we.getBoundingClientRect(),popperState:Ct,props:D}:null}).filter(Bo
 olean); p(ge,C)\&\&(F(),Ue(C)) function He(C) {var K=Pe(C)||x.props.trigger.indexOf("click")>=0&&B; if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!number if(!nu
 K){if(x.props.interactive){x.hideWithInteractivity(C); return}Ue(C)}}function fe(C){x.props.trigger.i
 get)||Ue(C)}function Pe(C){return M.isTouch?Jt()!==C.type.indexOf("touch")>=0:!1}function
      e(){Ne();var C=x.props,K=C.popperOptions,te=C.placement,ge=C.offset,we=C.getReferenceClientRect,Ke=
 \overline{\mathsf{C}}.\mathsf{moveTransition}, \mathsf{Je=rt()}?\mathsf{Xt(ce)}.\mathsf{arrow}: \mathsf{null}, \mathsf{Ct=we}? \{\mathsf{getBoundingClientRect}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}. \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{we}, \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{contextElement}: \mathsf{c
Element||lt()}:g,Un={name:"\dispy",enabled:!0,phase:"beforeWrite",requires:["computeStyles"],fn:function(pn){var en=pn.state;if(rt()){var Gr=un(),tn=Gr.box;["placement","reference-hidden","escaped"].forEach(function(hn){hn==="placement"?tn.setAttribute("data-placement):en.placement):en.attributes.popper["data-popper-"+hn]?tn.setAttribute("data-
     "+hn,""):tn.removeAttribute("data-
"+hn)}),en.attributes.popper={}}}},_t=[{name: "offset",options:{offset:ge}},{name: "preventOverflow",options:{padding:{top:2,bottom:2,left:5,right:5}}},{name: "flip",options:{padding:5}},{name: "computeStyles",options:{adaptive:!Ke}},Un];rt()&&Je&&_t.push({name: "arrow",options:{element:Je,padding:3}}),_t.push.apply(_t,K?.modifiers||[]),x.popperInstance=t.createPopper(Ct,ce,Object.assign({},K,{placemen
 t:te,onFirstUpdate:je,modifiers: t}))}function
 Ne()\{x.popperInstance\&\{x.popperInstance.destroy(),x.popperInstance=null\}\} function Le()\{var\ C=x.prop\}
 s.appendTo,K,te=lt();x.props.interactive&&C===Ze.appendTo||C==="parent"?K=te.parentNode:K=0(C,[te]),
K.contains(ce)||K.appendChild(ce),_e(),mt(x.props.interactive&&C===Ze.appendTo&&te.nextElementSiblin g!==ce,["Interactive tippy element may not be accessible via keyboard", "navigation because it is not directly after the reference element", "in the DOM source order.",`
  `,"Using a wrapper <div> or <span> tag around the reference element","solves this by creating a new
 parentNode context.",
         ,"Specifying `appendTo: document.body` silences this warning, but it","assumes you are using a
 focus management solution to handle", "keyboard navigation.",
       ,"See: https://atomiks.github.io/tippyjs/v6/accessibility/#interactivity"].join(" "))}function
Ye(){return Y(ce.querySelectorAll("[data-tippy-root]"))}function

□e(C){x.clearDelayTimeouts(),C&&b("onTrigger",[x,C]),oe();var K=c(!0),te=Kt(),ge=te[0],we=te[1];M.is

Touch&&ge==="hold"&&we&&(K=we),K?L=setTimeout(function(){x.show()},K):x.show()}function Ue(C){if(x.clearDelayTimeouts(),b("onUnrigger",[x,C]),!x.state.isVisible){z();return}if(!(x.props.trigger.index

Of("mouseenter")>=0&&x.props.trigger.indexOf("click")>=0&&["mouseenter","mousemove"].indexOf(C.type)
 >=0&&B)){var K=c(!1);K?q=setTimeout(function(){x.state.isVisible&&x.hide()},K):W=requestAnimationFra
 me(function(){x.hide()})}}function wt(){x.state.isEnabled=!0}function
 et(){x.hide(),x.state.isEnabled=!1}function
 Ft() \{ clear Timeout(L), clear Timeout(q), cancel Animation Frame(W) \} function \ dn(C) \{ if(mt(x.state.isDestroyed), cancel Animation Frame(W) \} \} \} \\
eDebounce&&(F(),Ie=E(Re,te.interactiveDebounce)),K.triggerTarget&&!te.triggerTarget?I(K.triggerTarge
 t).forEach(function(ge){ge.removeAttribute("aria-
 expanded")}):te.triggerTarget&&g.removeAttribute("aria-expanded"),P(),s(),Lt&&Lt(K,te),x.popperInsta
\label{local-control} $$ nce&&(=e),Ye().forEach(function(ge)\{requestAnimationFrame(ge.\_tippy.popperInstance.forceUpdate)\})), $$ b("onAfterUpdate",[x,C])\}{function Qt(C)\{x.setProps(\{content:C\})\}{function Nt()\{mt(x.state.isDestroyed,Vt("show"));var C=x.state.isVisible,K=x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=!x.state.isDestroyed,te=
\label{lem:constraint} Enabled, ge=M.isTouch\&\&!x.props.touch, we=y(x.props.duration,0,Ze.duration); if(!(C||K||te||ge)\&\&!lt().hasAttribute("disabled")\&\&(b("onShow",[x],!1),x.props.onShow(x)!==!1)) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&\&(b("onShow",[x],!1),x.props.onShow(x)!==!1)) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&\&(b("onShow",[x],!1),x.props.onShow(x)!==!1)) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x)!==!1)) \ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x)!==!1) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x)!==!1) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x)!==!1) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x)!==!1) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x)!==!1) \\ \{if(x.state.isVisible=!0,rt()\&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onShow(x) \\ \{if(x.state.isVisible=!0,rt()&.hasAttribute("disabled")&&(b("onShow",[x],!1),x.props.onSho
 &(ce.style.visibility="visible"),s(),oe(),x.state.isMounted||(ce.style.transition="none"),rt()){var
 e=!0,ce.offsetHeight,ce.style.transition=x.props.moveTransition,rt()&&x.props.animation){var An=un()
```

```
)\{x.state.isShown=!0,b("onShown",[x])\}\},\{Le()\}\}function [n()\{mt(x.state.isDestroyed,Vt("hide"));var\}
 C=!x.state.isVisible, K=x.state.isDestroyed, te=!x.state.isEnabled, ge=y(x.props.duration,1, Ze.duration); if(!(C||K||te)&&(b("onHide",[x],!1),x.props.onHide(x)!==!1)){if(x.state.isVisible=!1,x.state.isSho)}
 wn=!1,pe=!1,B=!1,rt()\&(ce.style.visibility="hidden"),F(),z(),s(),rt()) \\  \{var\ we=un(),Ke=we.box,Je=we.content;x.props.animation&(l([Ke,Je],ge),h([Ke,Je],"hidden"))\}T(),P(),x.props.animation?rt()&&Ce(ge,x.unmount):x.unmount()\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add\} \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity")),yt().add] \\  \{function\ Zt(C)\{mt(x.state.isDestroyed,Vt("hideWithInteractivity"),yt().add] \\  \{function
EventListener("mousemove",Ie),\Box(yn,Ie),\Box(yn,Ie),\Box(c)}function Sn(){mt(x.state.isDestroyed,Vt("unmount")),x.state.isVisible&&x.hide(),x.state.isMounted&&(Ne(),Ye().forEach(function(C){C. tippy.unmount()}),ce.p
arentNode\&ce.parentNode.removeChild(ce), wn=wn.filter(function(C)\{return C!==x\}), x.state.isMounted=!1,b("onHidden",[x]))\}function Wn()\{mt(x.state.isDestroyed,Vt("destroy")), arentNode&ce.parentNode.removeChild(ce), wn=wn.filter(function(C)\{return C!==x\}), x.state.isMounted=!1,b("onHidden",[x]))\}function Wn()\{mt(x.state.isDestroyed,Vt("destroy")), arentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNode&ce.parentNo
\label{eq:control_problem} $$ \frac{1}{x}. \text{ state.isDestroyed&&(x.clearDelayTimeouts(),x.unmount(),Se(),delete} $$ g. tippy,x.state.isDestroyed=!0,b("onDestroy",[x]))} $$ function $$ dt(g,w)_{w===void 0&&(w={});var D=Ze.plugins.concat(w.plugins||[]);At(g),gt(w,D),Ut();var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w===void 0&&(w={});var $$ dt(g,w)_{w==void ect.assign({},w,{plugins:D}),q=me(g),W=V(L.content),B=q.length>1;mt(W&&B,["tippy() was passed an Element as the `content` prop, but more than","one tippy instance was created by this invocation.
 This means the", "content element will only be appended to the last tippy instance."
          "Instead, pass the .innerHTML of the element, or use a function that","returns a cloned version of,
 the element instead.",
 `,`1) content: element.innerHTML
`,"2) content: () => element.cloneNode(true)"].join(" "));var be=q.reduce(function(le,pe){var
 ye=pe&&fn(pe,L);return ye&&le.push(ye),le},[]);return
 V(g)?be[0]:be\}dt.defaultProps=Ze,dt.setDefaultProps=Wr,dt.currentInput=M; var lr=function(w) \{vareaultProps=Vr,dt.currentInput=M; var lr=function(w) \} 
 D=w===void 0?{}:w,L=D.exclude,q=D.duration;wn.forEach(function(W){var
 B=!1; if(L\&\&(B=Q(L)?W.reference===L:W.popper===L.popper), !B) {var be=W.props.duration; W.setProps({duration}) {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W.props.duration} {var be=W
 tion:q}),W.hide(),W.state.isDestroyed||W.setProps({duration:be})}})},fr=Object.assign({},t.applyStyl
es,{effect:function(w){var D=w.state,L={popper:{position:D.options.strategy,left:"0",top:"0",margin:
"0"},arrow:{position:"absolute"},reference:{}};0bject.assign(D.elements.popper.style,L.popper),D.sty
les=L,D.elements.arrow&&Object.assign(D.elements.arrow)}}),cr=function(w,D){var
L;D===void 0\&\&(D={}),zt(!Array.isArray(w),["The first argument passed to createSingleton() must be an array of","tippy instances. The passed value was",String(w)].join(" "));var q=w,W=[],B,be=D.overrides,le=[],pe=!1;function ye(){W=q.map(function(ee){return}})
ee.reference})}function Te(ee){q.forEach(function(ie){ee?ie.enable():ie.disable()})}function
je(ee){return q.map(function(ie){var x=ie.setProps;return ie.setProps=function(Ge){x(Ge),ie.referenc
 e == B\&\&ee.setProps(Ge)\}, function() \{ie.setProps = x\}\}) \} function Ae(ee,ie) \{varelember | Ae(ee,ie)\} \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} function Ae(ee,ie) \} functio
 x=W.indexOf(ie);if(ie!==B){B=ie;var Ge=(be||[]).concat("content").reduce(function(ce,Lt){return
ce[Lt]=q[x].props[Lt],ce},{});ee.setProps(Object.assign({},Ge,{getReferenceClientRect:typeof} Ge.getReferenceClientRect="function"?Ge.getReferenceClientRect:function(){return ie.getBoundingClientRect()}})}}Te(!1),ye();var Ie={fn:function(){return{onDestroy:function(){Te(!0)}}}}
 \}, on Hidden: function() \{B=null\}, on ClickOutside: function(x) \{x.props.showOnCreate \& \{pe\& (pe=!0,B=null)\}, and the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the 
onShow:function(x)\{x.props.showOnCreate\&\&!pe\&\&(pe=!0,Ae(x,W[0]))\},onTrigger:function(x,Ge)\{Ae(x,Ge.currentTarget)\}\}\},re=dt(J(),Object.assign(\{\},S(D,["overrides"]),\{plugins:[Ie].concat(D.plugins||[]),
 triggerTarget:W,popperOptions:Object.assign({},D.popperOptions,{modifiers:[].concat(((L=D.popperOpti
 ons)==null?void
0:L.modifiers)||[],[fr])}))),he=re.show;re.show=function(ee){if(he(),!B&&ee==null)return Ae(re,W[0]);if(!(B&&ee==null)){if(typeof ee=="number")return}
 W[ee]&&Ae(re,W[ee]);if(q.includes(ee)){var ie=ee.reference;return Ae(re,ie)}if(W.includes(ee))return
 Ae(re,ee)}},re.showNext=function(){var ee=W[0];if(!B)return re.show(0);var
 ie=W.indexOf(B); re.show(W[ie+1]||ee)}, re.showPrevious=function(){var ee=W[W.length-1];if(!B)return
 re.show(ee); var ie=W.indexOf(B), x=W[ie-1] || ee; re.show(x) \}; var ve=re.setProps; return re.setProps=function for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the con
 tion(ee) \{be = e.overrides \mid |be,ve(ee)\}, re.setInstances = function(ee) \{Te(!0), le.forEach(function(ie))\} \} 
urn ie()}),q=ee,Te(!1),ye(),je(re),re.setProps({triggerTarget:W})},le=je(re),re},ur={mouseover:"mouseenter",focusin:"focus",click:"click"};function qt(g,w){zt(!(w&&w.target),["You must specity a `target` prop indicating a CSS selector string matching", "the target elements that should receive a tippy."].join(" "));var D=[],L=[],q=!1,W=w.target,B=S(w,["target"]),be=Object.assign({},B,{trigger:"manual",touch::1}),le=Object.assign({},B,{showOnCreate::0}),pe=dt(g,be),ye=I(pe);function
 Te(he){if(!(!he.target||q)){var ve=he.target.closest(W);if(ve){var ee=ve.getAttribute("data-tippy-
 trigger")||w.trigger||Ze.trigger;if(!ve._tippy&&!(he.type==="touchstart"&&typeofle.touch=="boolean")&&!(he.type!=="touchstart"&etypeofle.touch="boolean")&&!(he.type!=="touchstart"&ee.indexOf(ur[he.type])<0)){var
 ie=dt(ve,le); ie\&\&(L=L.concat(ie))\}\}\} function je(he,ve,ee,ie) \{ie===void\ 0\&\&(ie=!1),he.addEventListen\}
 er(ve,ee,ie),D.push({node:he,eventType:ve,handler:ee,options:ie})}function Ae(he){var ve=he.referenc
e;je(ve, "touchstart",Te,f),je(ve, "mouseover",Te),je(ve, "focusin",Te),je(ve, "click",Te)}function
Ie(){D.forEach(function(he){var ve=he.node,ee=he.eventType,ie=he.handler,x=he.options;ve.removeEvent
 Listener(ee,ie,x)}),D=[]}function re(he){var
 ve=he.destroy, ee=he.enable, ie=he.disable; he.destroy=function(x) \\ \{x===void\ 0\&\&(x=!0), x\&\&L.forEach(function(Ge)\{Ge.destroy()\}), L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function()\{ee(), L.forEach(function(x)\{return equation()\}, L=[], Ie(), ve()\}, he.enable=function(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), Ve(), L=[], Ie(), L=[], Ie(), L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[], L=[
 x.enable()), q=!1, he.disable=function(){ie(),L.forEach(function(x){return})}
 x.disable()}),q=!0},Ae(he)}return ye.forEach(re),pe}var
 dr={name: "animateFill", defaultValue: !1, fn: function(w) {var
D;if(!((D=w.props.render)!=null&&D.□□tippy))return zt(w.props.animateFill,"The `animateFill` plugin requires the default render function."),{};var L=Xt(w.popper),q=L.box,W=L.content,B=w.props.animateFill?Vr():null;return{onCreate:function(){B&&(q.insertBefore(B,q.firstElementChild),q.setAttribute("d
```

```
ata-animatefill",""),q.style.overflow="hidden",w.setProps({arrow:!1,animation:"shift-
away"}))},onMount:function()\{if(B)\{var le=q.style.transitionDuration,pe=Number(le.replace("ms","")); W.style.transitionDelay=Math.round(pe/10)+"ms",B.style.transitionDuration=le,h([B],"visible")}\},onSh
ow:function(){B\&\&(B.style.transitionDuration="0ms")},onHide:function(){B\&\&h([B],"hidden")}}};function Vr(){var g=J();return g.className=o,h([g],"hidden"),g}var xn={clientX:0,clientY:0},cn=[];function
En(g) {var w=g.clientX,D=g.clientY;xn={clientX:w,clientY:D}} function On(g) {g.addEventListener("mousemove",En)} function zr(g) {g.removeEventListener("mousemove",En)} var
 in={name: "followCursor", defaultValue: !1, fn: function(w){var
 Ď=w.reference,L=v(w.props.triggerTarget||D),q=!1,W=!1,B=!0,be=w.props;function le(){return
 w.props.followCursor==="initial"&&w.state.isVisible}function
pe(){L.addEventListener("mousemove",je)}function ye(){L.removeEventListener("mousemove",je)}function Te(){q=!0,w.setProps({getReferenceClientRect:null}),q=!1}function je(re){var he=re.target?D.contains
 (re.target):!0,ve=w.props.followCursor,ee=re.clientX,ie=re.clientY,x=D.getBoundingClientRect(),Ge=ee
  -x.left,ce=ie-x.top;(he||!w.props.interactive)&&w.setProps({getReferenceClientRect:function(){var
bt=D.getBoundingClientRect(),Gt=ee,Kt=ie;ve==="initial"&&(Gt=bt.left+Ge,Kt=bt.top+ce);var Jt=ve==="horizontal"?bt.top:Kt,rt=ve==="vertical"?bt.right:Gt,lt=ve==="horizontal"?bt.bottom:Kt,yt=ve==="vertical"?bt.right:Gt,lt=ve==="horizontal"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vertical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=ve==="vextical"?bt.bottom:Kt,yt=
 cal"?bt.left:Gt;return{width:rt-yt,height:lt-Jt,top:Jt,right:rt,bottom:lt,left:yt}}})}function
 Ae(){w.props.followCursor&&(cn.push({instance:w,doc:L}),On(L))}function
 Ie(){cn=cn.filter(function(re){return re.instance!==w}),cn.filter(function(re){return re.doc===L}).l
 ength = = 0 \& zr(L) return {on Create: Ae, on Destroy: Ie, on Before Update: function() {be=w.props}, on After Update
  : function(he, ve) \\ \{var ee=ve. followCursor; q | | ee! == void 0 \\ \& be. followCursor! == ee \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& be. followCursor! == ee \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& be. followCursor! == ee \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& be. followCursor! == ee \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae(), w. state)) \\ == void 0 \\ \& (Ie(), ee?(Ae
    . is Mounted \&\& ! W\&\& ! le()\&\&pe()) : (ye(), Te())) \}, on Mount: function() \{w.props.followCursor\&\& ! W\&\& (B\&\&(je(xn), Cursork)) \} \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn), Cursork) \}, on Mounted \&\& (be(xn
 B=!1),le()||pe())},onTrigger:function(he,ve)\{X(ve)\&\&(xn=\{clientX:ve.clientX,clientY:ve.clientY\}),W=v
e.type==="focus"},onHidden:function(){w.props.followCursor&&(Te(),ye(),B=!0)}}};function
Yr(g,w){var D;return{popperOptions:Object.assign({},g.popperOptions,{modifiers:[].concat((((D=g.popperOptions)))})
erOptions)==null?void 0:D.modifiers)||[]).filter(function(L){var q=L.name; return q!==w.name}),[w])})}var Bn={name:"inlinePositioning",defaultValue:!1,fn:function(w){var
 D=w.reference; function L(){return!!w.props.inlinePositioning}var
 q,W=-1,B=!1,be={name:"tippyInlinePositioning",enabled:!0,phase:"afterWrite",fn:function(je){var
 Ae = je.state; L() \& (q! = Ae.placement \& w.setProps(\{getReferenceClientRect: function()\{returndering a setProps(\{getReferenceClientRect: function()\}\}) \} = function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() function() functio
le(Ae.placement)}}),q=Ae.placement)}};function le(Te){return
Xr(k(Te),D.getBoundingClientRect(),Y(D.getClientRects()),W)}function
 pe(Te){B=!0,w.setProps(Te),B=!1}function ye(){B||pe(Yr(w.props,be))}return{onCreate:ye,onAfterUpdate
  :ye,onTrigger:function(je,Ae){if(X(Ae)){var
 Ie=Y(w.reference.getClientRects()), re=Ie.find(function(he){return he.left-
 2<=Ae.clientX&&he.right+2>=Ae.clientX&&he.top-
 2<=Ae.clientY&&he.bottom+2>=Ae.clientY}); W=re.indexOf(re)}}, onUntrigger:function() {W=-1}}}; function
 Xr(g,w,D,L)\{if(D.length<2||g===null)return\ w;if(D.length===2\&\&L>=0\&\bar{D}[0].left>D[1].right)return\ w
 D[L]||w;switch(g){case"top":case"bottom":{var q=D[0],W=D[D.length-
 1],B=g==="top",be=q.top,le=W.bottom,pe=B?q.left:W.left,ye=B?q.right:W.right,Te=ye-pe,je=le-
be;return{top:be,bottom:le,left:pe,right:ye,width:Te,height:je}}case"left":case"right":{var
Ae=Math.min.apply(Math,D.map(function(ce){return
 ce.left})),Ie=Math.max.apply(Math,D.map(function(ce){return
 ce.right})),re=D.filter(function(ce){return
 g==="left"?ce.left===Ae:ce.right===Ie}),he=re[0].top,ve=re[re.length-1].bottom,ee=Ae,ie=Ie,x=ie-
ee,Ge=ve-he;return{top:he,bottom:ve,left:ee,right:ie,width:x,height:Ge}}default:return w}}var
qr={name:"sticky",defaultValue:!1,fn:function(w){var D=w.reference,L=w.popper;function q(){return}
 w.popperInstance?w.popperInstance.state.elements.reference:D}function W(pe){return
 w.props.sticky===!0||w.props.sticky===pe}var B=null,be=null;function le(){var pe=W("reference")?q().
 qetBoundingClientRect():null,ye=W("popper")?L.getBoundingClientRect():null;(pe&&Hn(B,pe)|/ye&&Hn(be,
\label{eq:continuous} ye))\&\&w.popperInstance\&\&w.popperInstance.update(),B=pe,be=ye,w.state.isMounted\&\&requestAnimationFrame(le))return{onMount:function()\{w.props.sticky\&\&le()\}\}\}}; function Hn(g,w)\{return g\&\&w?g.top!==w.top| and the proposed property of the proposed property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the pr
 |g.right!==w.right||g.bottom!==w.bottom||g.left!==w.left:!0}dt.setDefaultProps({render:ar}),e.animat
 eFill=dr,e.createSingleton=cr,e.default=dt,e.delegate=qt,e.followCursor=jn,e.hideAll=lr,e.inlinePosi
 tioning=Bn,e.roundArrow=r,e.sticky=qr\}), Si=Ho([o()),Ts=Ho([o())),Ps=e=>\{let\ t=\{plugins:[]\},r=i=>e[e.i]\})
')?i.split("
 ").map(o=>parseInt(o)):parseInt(i)}if(e.includes("cursor")){t.plugins.push(Ts.followCursor);let i=r(
 "cursor");["x","initial"].includes(i)?t.followCursor=i==="x"?"horizontal":"initial":t.followCursor=!
 0 \} e.includes("on") \& \& (t.trigger=r("on")), e.includes("arrowless") \& \& (t.arrow=!1), e.includes("html") \& \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=!1), e.includes("html") & \& (t.arrow=
  .allowHTML=!0),e.includes("interactive")&&(t.interactive=!0),e.includes("border")&&t.interactive&&(t
.interactive=!0/,e.Includes( Interactive )&&(.Interactive=!0/,e.Includes( border )&&t.Interactive&&(t.interactive&&(t.interactiveDebou nce=parseInt(r("border"))),e.includes("debounce")&&t.interactive&&(t.interactiveDebou nce=parseInt(r("debounce"))),e.includes("max-width")&&(t.maxWidth=parseInt(r("max-width"))),e.includes("theme")&&(t.theme=r("theme")),e.includes("placement")&&(t.placement=r("placement"));let
 n=\{\}; return e.includes("no-flip")&(n.modifiers=[]), n.modifiers.push({name:"flip",enab})
ssion:n},{evaluateLater:i,effect:o,cleanup:a})=>{let d=r.length>0?Ps(r):{};t.__x_tippy||(t.__x_tippy
=(0.Si.default)(t.d)),a(()=>{t. x tippy&&(t. x tippy.destroy(),delete t.__x_tippy)});let f=()=>t.__
=(0,Si.default)(t,d)),a(()=>{t. _x_tippy&&(t._x_tippy.destroy(),delete t._x_tippy)});let f=()=>t._x_tippy.enable(),u=()=>t._x_tippy.disable(),y=m=>{m?(f(),t._x_tippy.setContent(m)):u()};if(r.incl_udes("raw"))y(n);else{let _m=i(n);o(()=>{m(0=>{typeof 0=="object"?(t._x_tippy.setProps(0),f()):y(0)}}
```

```
)})}})iAi.defaultProps=e=>(Si.default.setDefaultProps(e),Ai);var Ms=Ai,Wo=Ms;var Uo=()=>({toggle(e){
this. refs.panel?.toggle(e)},open(e){this.refs.panel?.open(e)},close(e){this.refs.panel?.close(e)}
});var Vo=()=>({form:null,isProcessing:!1,processingMessage:null,init(){let
e=this. [el.closest("form");e?.addEventListener("form-processing-started",t=>{this.isProcessing=!0,this.processingMessage=t.detail.message}),e?.addEventListener("form-processing-
finished",()=>{this.isProcessing=!1}))));var zo=({id:e})=>({isOpen:!1,isWindowVisible:!1,livewire:nu
ll,init(){this. | nextTick(()=>{this.isWindowVisible=this.isOpen, this. | watch("isOpen", ()=>this.isWindo
wVisible=this.isOpen)})},close(){this.closeQuietly(),this. | dispatch("modal-closed",{id:e})},closeQui
etly(){this.isOpen=!1},open(){this._nextTick(()=>{this.isOpen=!0,document.dispatchEvent(new CustomEvent("x-modal-opened",{bubbles:!0,composed:!0,detail:{id:e}}))})});document.addEventListener ("livewire:init",()=>{let e=t=>{let r=Alpine.findClosest(t,n=>n.__livewire);if(!r)throw"Could not
find Livewire component in DOM tree.";return r. livewire};Livewire.hook("commit",({component:t,commit:r,respond:n,succeed:i,fail:o})=>{n(()=>{queueMicrotask(()=>{if(!t.effects.html)for(let[f,u]of
Object.entries(t.effects.partials??{})){let y=Array.from(t.el.querySelectorAll(`[wire\\:partial="[]{f
}"]`)).filter(_=>e(_)===t);if(!y.length)continue;if(y.length>1)throw`Multiple elements found for
partial [∏{f}].`;let m=y[0],0=m.parentElement?m.parentElement.tagName.toLowerCase():"div",E=document
f.hasAttribute("wire:id")})));var Yo=(e,t,r)=>{let n=(y,m)=>{for(let 0 of y){let
E=i(0,m);if(E!==null)return E}, i=(y,m)=>{let}
0=y.match(/^[\{\[]([^\[\]\\\])\*)]\(.*)/s);if(0===null||0.length!==3)return null;let
E=0[1],S=0[2];if(E.includes(",")){let[_,I]=E.split(",",2);if(I==="*"&&m>=_)return
S;if(_==="*"&&m<=I)return S;if(m>=_&&m<=I)return S}return E==m?S:null},o=y=>y.toString().charAt(0).t
OUpperCase()+y.toString().slice(1),a=(y,m)=>{if(m.length===0)return y;let 0={};for(let[E,S]of Object .entries(m))0[":"+o(E??"")]=o(S??""),0[":"+E.toUpperCase()]=S.toString().toUpperCase(),0[":"+E]=S;return Object.entries(0).forEach(([E,S])=>{y=y.replaceAl((E,S))},y},d=y=>y.map(m=>m.replace(/^[\{[]([^\[]\{\}]*)[\}\]]),"")),f=e.split("|"),u=n(f,t);return u!=null?a(u.trim(),r):(f=d(f),a(f.length>1&& t>1?f[1]:f[0],r))};document.addEventListener("alpine:init",()=>{window.Alpine.plugin(oo),window.Alpine.plugin(oo),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via),window.Alpine.plugin(via
ne.plugin(ao),window.Alpine.plugin(co),window.Alpine.plugin(jo),window.Alpine.plugin(Wo),window.Alpi
ne.data("filamentDropdown",Uo),window.Alpine.data("filamentFormButton",Vo),window.Alpine.data("filam
entModal",zo)});window.jsMd5=Xo.md5;window.pluralize=Yo;})();
/*! Bundled license information:
js-md5/src/md5.js:
       * [js-md5]{@link https://github.com/emn178/js-md5}
       * @namespace md5
           Oversion 0.8.3
          @author Chen, Yi-Cyuan [emn178@gmail.com]
       * @copyright Chen, Yi-Cyuan 2014-2023
       * @license MIT
sortablejs/modular/sortable.esm.js:
       * Sortable 1.15.6
       * @author
                                   RubaXa
                                                       <trash@rubaxa.org>
          @author
                                   owenm
                                                       <owen23355@gmail.com>
          @license MIT
```

```
(()=>{var g=({canTrackDeselectedRecords:u,currentSelectionLivewireProperty:o,maxSelectableRecords:l,
 selectsCurrentPageOnly:r, [wire:s]) => ({checkboxClickController:null,collapsedGroups:[],isLoading:!1,s
 electedRecords:new Set,deselectedRecords:new Set,isTrackingDeselectedRecords:!1,shouldCheckUniqueSel
ection:!0,lastCheckedRecord:null,livewireId:null,entangledSelectedRecords:o?s. [entangle(o):null,init (){this.livewireId=this.[root.closest("[wire\\:id]")?.attributes["wire:id"].value,s. [on("deselectAll
 Table Records", () => this. deselect All Records()), o \& (l! == 1? this. selected Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All Records = new All 
 Set(this.entangledSelectedRecords):this.selectedRecords=new Set(this.entangledSelectedRecords?[this.
 entangledSelectedRecords]:[])),this. nextTick(()=>this.watchForCheckboxClicks()),Livewire.hook("elem
ent.init",({component:e})=>{e.id===this.livewireId&&this.watchForCheckboxClicks()})},mountAction(...e){s.set("isTrackingDeselectedTableRecords",this.isTrackingDeselectedRecords,!1),s.set("selectedTableRecords")
 eRecords",[...this.selectedRecords],!1),s.set("deselectedTableRecords",[...this.deselectedRecords],!
 1),s.mountAction(...e)},toggleSelectRecordsOnPage(){let e=this.getRecordsOnPage();if(this.areRecords
 Selected(e)){this.deselectRecords(e); return}this.selectRecords(e)},toggleSelectRecords(e){this.areRe
cordsSelected(e)?this.deselectRecords(e):this.selectRecords(e)},getSelectedRecordsCount(){return this.isTrackingDeselectedRecords?(this.prefs.allSelectableRecordsCount?.value??this.deselectedRecords.s
ize)-this.deselectedRecords.size:this.selectedRecords.size},getRecordsOnPage(){let e=[];for(let t of this.⊡root?.getElementsByClassName("fi-ta-record-checkbox")??[])e.push(t.value);return
 e},selectRecords(e){l===1&&(this.deselectAllRecords(),e=e.slice(0,1));for(let t of e)if(!this.isReco
 rdSelected(t)) \{ if (this.isTrackingDeselectedRecords) \{ this.deselectedRecords.delete(t); continue \} this.selectedRecords \} \{ this.deselectedRecords \} \{ 
electedRecords.add(t)}this.updatedSelectedRecords()},deselectRecords(e){for(let t of e){if(this.isTr ackingDeselectedRecords){this.deselectedRecords.add(t);continue}this.selectedRecords.delete(t)}this.updatedSelectedRecords()},updatedSelectedRecords(){if(l!==1){this.entangledSelectedRecords=[...this.
 selectedRecords];return}this.entangledSelectedRecords=[...this.selectedRecords][0]??null},toggleSele
 ctedRecord(e){if(this.isRecordSelected(e)){this.deselectRecords([e]); return}this.selectRecords([e])}
  async selectAllRecords(){if(!u||r){this.isLoading=!0,this.selectedRecords=new Set(await s.getAllSet,
 ectableTableRecordKeys()),this.updatedSelectedRecords(),this.isLoading=!1;return}this.isTrackingDese
 lectedRecords=!0,this.selectedRecords=new Set,this.deselectedRecords=new
 Set, this.updated Selected Records()\}, can Select All Records() \{if(r)\{letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), letal Records(), l
 i=this.getRecordsOnPage();return!this.areRecordsSelected(i)&&this.areRecordsToggleable(i)}let
 e=parseInt(this. | refs.allSelectableRecordsCount?.value);if(!e)return!1;let
 t=this.getSelectedRecordsCount();return e===t?!1:l===null||e<=l},deselectAllRecords(){this.isTrackin
 qDeselectedRecords=!1,this.selectedRecords=new Set,this.deselectedRecords=new
 \ref{Set,this.updatedSelectedRecords()}, is Record Selected (e) \{return\ this. is Tracking Deselected Records?! this are the selected for the selected Records and the selected Records are the selected Records and the selected Records are the selected Records and the selected Records are the selected Records and the selected Records are the selected Records are the selected Records and the selected Records are the selected Records and the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the selected Records are the sel
   .deselectedRecords.has(e):this.selectedRecords.has(e)},areRecordsSelected(e){return
 e.every(t=>this.isRecordSelected(t))},areRecordsToggleable(e){if(l===null||l===1)return!0;let
 t=e.filter(i=>this.isRecordSelected(i));return t.length===e.length?!0:this.getSelectedRecordsCount()
 +(e.length-
 t.lengt \bar{h}) <= l\}, toggleCollapseGroup(e) \{if(this.isGroupCollapsed(e)) \{this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.collapsedGroups.splice(this.coll
 ollapsedGroups.indexOf(e),1);return}this.collapsedGroups.push(e)},isGroupCollapsed(e){return this.co
 llapsedGroups.includes(e)\}, resetCollapsedGroups() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGroups=[]\}, watchForCheckboxClicks() \{this.collapsedGr
 this.checkboxClickController&&this.checkboxClickController.abort(),this.checkboxClickController=new
 AbortController; let{signal:e}=this.checkboxClickController; this. ☐root?.addEventListener("click", t=>t
.target?.matches(".fi-ta-record-checkbox")&&this.handleCheckboxClick(t,t.target),{signal:e})},handleCheckboxClick(e,t){if(!this.lastChecked){this.lastChecked=t;return}if(e.shiftKey){let
 i=Array.from (this. \_root?.getElements By Class Name ("fi-ta-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-record-re
 checkbox")??[]);if(!i.includes(this.lastChecked)){this.lastChecked=t;return}let
 d=i.indexOf(this.lastChecked), n=i.indexOf(t), a=[d,n].sort((c,R)=>c-R), h=[]; for(let c=a[0]; c<=a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[1]; c+a[
+)h.push(i[c].value);if(t.checked){if(!this.areRecordsToggleable(h)){t.checked=!1,this.deselectRecords([t.value]);return}this.selectRecords(h)}else
 this.deselect Records(h)\} this.last Checked=t\}\}); function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) \{return\{error:void\ 0,i\}\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o\}) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{columns:u,isLive:o]) function f(\{colum
 sLoading:!1,columns:u,isLive:o,init(){if(!this.columns||this.columns.length===0){this.columns=[];ret
 urn}},get groupedColumns(){let l={};return this.columns.filter(r=>r.type==="group").forEach(r=>{l[r.
name]=this.calculateGroupedColumns(r)}),l},calculateGroupedColumns(l){if((l?.columns?.filter(i=>!i.i sHidden)??[]).length===0)return{hidden:!0,checked:!1,disabled:!1,indeterminate:!1};let s=l.columns.f
 ilter(i=>!i.isHidden&&i.isToggleable!==!1);if(s.length===0)return{checked:!0,disabled:!0,indetermina
 e=s.filter(i=>i.isToggled).length,t=l.columns.filter(i=>!i.isHidden&&i.isToggleable===!1);return e==
 =0&&t.length>0?{checked:!0,disabled:!1,indeterminate:!0}:e===0?{checked:!1,disabled:!1,indeterminate
 :!1}:e===s.length?{checked:!0,disabled:!1,indeterminate:!1}:{checked:!0,disabled:!1,indeterminate:!0
 >e.name===l):this.columns.find(s=>s.name===l)},toggleGroup(l){let
 r=this.columns.find(d=>d.type==="group"&d.name===1);if(!r?.columns)return;let
 s=this.calculateGroupedColumns(r);if(s.disabled)return;let t=r.columns.filter(d=>d.isToggleable!==!1
  ).some(d=>d.isToggled),i=s.indeterminate?!0:!t;r.columns.filter(d=>d.isToggleable!==!1).forEach(d=>{
 d.isToggled=i}),this.columns=[...this.columns],this.isLive&&this.applyTableColumnManager()},toggleCo
 lumn(l,r=null){let s=this.getColumn(l,r);!s||s.isToggleable===!1||(s.isToggled=!s.isToggled,this.col
umns=[...this.columns],this.isLive&&this.applyTableColumnManager())},reorderColumns(l){(et r=l.map(s =>s.split("::"));this.reorderTopLevel(r),this.isLive&&this.applyTableColumnManager()},reorderGroupCo
 lumns(l,r){let s=this.columns.find(i=>i.type==="group"&&i.name===r);if(!s)return;let
e=l.map(i=>i.split("::")),t=[];e.forEach(([i,d])=>{let n=s.columns.find(a=>a.name===d);n&&t.push(n)}),s.columns=t,this.columns=[...this.columns],this.isLive&&this.applyTableColumnManager()},reorderTopLevel(l){let r=this.columns,s=[];l.forEach(([e,t])=>{let i=r.find(d=>e==="group"?d.type===="group"&&d".type===="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type==="group"&&d".type=="group"&&d".type==="group"&&d".type==="group"
   .name===t:e==="column"?d.type!=="group"&&d.name===t:!1);i&&s.push(i)}),this.columns=s},async
```

public\js\filament\tables\tables.js

applyTableColumnManager(){this.isLoading=!0;try{await
this._wire.call("applyTableColumnManager",this.columns),this.error=void
0}catch(l){this.error="Failed to update column visibility",console.error("Table toggle columns error
:",l)}finally{this.isLoading=!1}}}document.addEventListener("alpine:init",()=>{window.Alpine.data("
filamentTable",g),window.Alpine.data("filamentTableColumnManager",f)});;)();

public\js\filament\tables\components\columns\checkbox.js

function o({name:i,recordKey:s,state:a}){return{error:void 0,isLoading:!1,state:a,init(){Livewire.ho
ok("commit",({component:e,commit:r,succeed:n,fail:h,respond:u})=>{n(({snapshot:f,effect:d})=>{this.[]
nextTick(()=>{if(this.isLoading||e.id!==this.[root.closest("[wire\\:id]")?.attributes["wire:id"].val
ue)return;let t=this.getServerState();t===void
0||Alpine.raw(this.state)===t||(this.state=t)})})}),this.[watch("state",async()=>{let
e=this.getServerState();if(e===void 0||Alpine.raw(this.state)===e)return;this.isLoading=!0;let
r=await this.[wire.updateTableColumnState(i,s,this.state);this.error=r?.error??void 0,!this.error&&t
his.[refs.serverState&&(this.[refs.serverState.value=this.state?"1":"0"),this.isLoading=!1})},getSer
verState(){if(this.[refs.serverState)return[1,"1"].includes(this.[refs.serverState.value)}}}export{o
as default};

```
var tt=Math.min, =Math.max, et=Math.round; var T=i=>({x:i,y:i}), Gt={left:"right", right:"left", bottom:"
), n=bt(i), o=gt(n), r=n==="x"?s===(e?"end":"start")?"right":"left":s==="start"?"bottom":"top"; return t.reference[o]>t.floating[o]&&(r=Z(r)),[r,Z(r)]}function At(i){let
t=Z(i); return[lt(i),t,lt(t)]} function lt(i){return i.replace(/start|end/g,t=>Xt[t])} var vt=["left","right"],Lt=["right","left"],Zt=["top","bottom"],te=["bottom","top"]; function ee(i,t,e){switch(i){case"top":case"bottom":return e?t?Lt:vt:t?vt:Lt;case"left":case"right":return
  t?Zt:te;default:return[]}}function St(i,t,e,s){let n=st(i),o=ee(z(i),e==="start",s);return
  n\&\&(o=o.map(r=>r+"-"+n),t\&\&(o=o.concat(o.map(lt)))),o\}function Z(i){return
  i.replace(/left|right|bottom|top/g,t=>Gt[t])}function
  ie(i){return{top:0,right:0,bottom:0,left:0,...i}}function Ct(i){return typeof
i!="number"?ie(i):{top:i,right:i,bottom:i,left:i}}function U(i){let{x:t,y:e,width:s,height:n}=i;retu
  rn{width:s,height:n,top:e,left:t,right:t+s,bottom:e+n,x:t,y:e}}function Et(i,t,e){let{reference:s,fl
oating:n}=i,o=B(t),r=bt(t),l=gt(r),a=z(t),c=o==="y",h=s.x+s.width/2-n.width/2,d=s.y+s.height/2-n.height/2,u=s[l]/2-n[l]/2,f;switch(a){case"top":f={x:h,y:s.y-n.height}};break;case"bottom":f={x:h,y:s.y+s.height}};break;case"right":f={x:s.x+s.width,y:d};break;case"left":f={x:s.x-n.width,y:d};break;default:f={x:s.x,y:s.y}}switch(st(t)){case"start":f[r]-=u*(e&&c?-1:1);break};case"end":f[r]+=u*(e&&c?-1:1);break};return f}var Dt=async(i,t,e)=>{let{placemen}} chapters start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start start st
  t:s="bottom",strategy:n="absolute",middleware:o=[],platform:r}=e,l=o.filter(Boolean),a=await(r.isRTL
  ==null?void 0:r.isRTL(t)),c=await
  r.getElementRects(\{reference: i,floating: t,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\},p=0; for(let,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\}, p=0; for(let,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\}, p=0; for(let,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\}, p=0; for(let,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\}, p=0; for(let,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\}, p=0; for(let,strategy: n\}), \{x:h,y:d\} = Et(c,s,a), u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{\}, u=s,f=\{
 m=0; m<1.length; m++){let{name:g,fn:y}=l[m],{x:b,y:v,data:0,reset:x}=await y({x:h,y:d,initialPlacement:s,placement:u,strategy:n,middlewareData:f,rects:c,platform:r,elements:{reference:i,floating:t}});h=
  b??h,d=v??d,f={...f,[g]:{...f[g],...0}},x&&p<=50&&(p++,typeof
  x=="object"&&(x.placement&&(u=x.placement),x.rects&&(c=x.rects===!0?await r.getElementRects({referen
  ce:i,floating:t,strategy:n}):x.rects),{x:h,y:d}=Et(c,u,a)),m=-
  1)} return\{x:h,y:d,p\} acement:u,strategy:n,middlewareData:f}}; async function wt(i,t)\{var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t===void 0 \& var e;t==void =\{\}); let\{x:s,y:n,platform:o,rects:r,elements:l,strategy:a\}=i,\{boundary:c="clippingAncestors",rootalised for the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy of the strategy
  u?d==="floating"?"reference":"floating":d],y=U(await
  o.getClippingRect({element:(e=await(o.isElement==null?void
  0:o.isElement(g))) == null||e?g:g.contextElement||await(o.getDocumentElement==null?void 0:o.getDocumentElement==null?void 0:o.getDocument==null?void lement(l.floating)),boundary:c,rootBoundary:h,strategy:a})),b=d==="floating"?{x:s,y:n,width:r.floa
  ting.width,height:r.floating.height}:r.reference,v=await(o.getOffsetParent==null?void
  0:o.getOffsetParent(l.floating)),0=await(o.isElement==null?void
  0: o. \\ is Element(v))? a wait(o.get\\ Scale == null? void \\ 0: o.get\\ Scale(v)) \\ || \\ \{x:1,y:1\}: \\ \{x:1,y:1\}, \\ x=U(o.convertOff) \\ is Element(v) \\ || \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,y:1\}: \\ \{x:1,x:1\}: \\ \{x:1,y:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,x:1\}: \\ \{x:1,
  setParentRelativeRectToViewportRelativeRect?await o.convertOffsetParentRelativeRectToViewportRelativ
  eRect({elements:l,rect:b,offsetParent:v,strategy:a}):b);return{top:(y.top-
 x.top+p.top)/0.y,bottom:(x.bottom-y.bottom+p.bottom)/0.y,left:(y.left-
x.left+p.left)/0.x,right:(x.right-y.right+p.right)/0.x}}var Rt=function(i){return i===void
  0&&(i={}),{name:"flip",options:i,async fn(t){var e,s;let{placement:n,middlewareData:o,rects:r,initia
Placement:I, platform:a, elements:c}=t, {mainAxis:h=!0,crossAxis:d=!0,fallbackPlacements:u,fallbackStr ategy:f="bestFit",fallbackAxisSideDirection:p="none",flipAlignment:m=!0,...g}=it(i,t);if((e=o.arrow) !=null&&e.alignmentOffset)return{};let y=z(n),b=B(l),v=z(l)===l,0=await(a.isRTL==null?void 0:a.isRTL(c.floating)),x=u||(v||!m?[Z(l)]:At(l)),q=p!=="none";!u&&q&&x.push(...St(l,m,p,0));let G=[l,...x],W=await wt(t,g),L=[],S=((s=o.flip)==null?void 0.5 | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p,0) | ...xf(l,m,p
  0:s.overflows)||[];if(h&&L.push(W[y]),d){let
  D=0t(n,r,0); L.push(W[D[0]],W[D[1]])\} if(S=[\ldots S,\{placement:n,overflows:L\}], !L.every(D=>D<=0)) \{varable (a,r,0); L.push(W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],W[D[0]],
  very(I=>I.overflows[0]>0&&B(I.placement)===b)))return{data:{index:D,overflows:S},reset:{placement:J}
  };let R=(X=S.filter(M=>M.overflows[0]<=0).sort((M,I)=>M.overflows[1]-I.overflows[1])[0])==null?void
  0:X.placement;if(!R)switch(f){case"bestFit":{var 0;let M=(Q=S.filter(I=>{if(q){let
 V=B(I.placement); return V===b||V==="y"} return!0\}). map(I=>[I.placement,I.overflows.filter(V=>V>0).red uce((V,Yt)=>V+Yt,0)]). sort((I,V)=>I[1]-V[1])[0])==null?void 0:Q[0]; M&&(R=M); break} case"initialPlacement":R=l; break} if(n!==R) return{reset:{placement:R}} return{}}; var se=new Set(["left","top"]); asyncticles as a second content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the con
function ne(i,t) {let{placement:e,platform:s,elements:n}=i,o=await(s.isRTL==null?void 0:s.isRTL(n.flo ating)),r=z(e),l=st(e),a=B(e)==="y",c=se.has(r)?-1:1,h=o&&a?-1:1,d=it(t,i),{mainAxis:u,crossAxis:f,alignmentAxis:p}=typeof d=="number"?{mainAxis:d,crossAxis:0,alignmentAxis:p}=typeof d=="number"?{mainAxis:d,crossAxis:0,alignmentAxis:d,crossAxis:0,alignmentAxis:d,crossAxis:0,alignmentAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossAxis:d,crossA
ignmentAxis:null}:{mainAxis:d.mainAxis:||0,crossAxis:d.crossAxis||0,alignmentAxis:d.alignmentAxis};re
turn l&typeof p=="number"&&(f=l==="end"?p*-1:p),a?{x:f*h,y:u*c}:{x:u*c,y:f*h}}var
It=function(i){return i===void 0&&(i=0),{name:"offset",options:i,async fn(t){var
  e,s; let\{x:n,y:o,placement:r,middlewareData:l\} = t,a=await \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ r===((e=l.offset)==null?void \ ne(t,i); return \ ne(t,
0:e.placement)&&(s=l.arrow)!=null&&s.alignmentOffset?{}:{x:n+a.x,y:o+a.y,data:{...a,placement:r}}}},
Tt=function(i){return i===void 0&&(i={}),{name:"shift",options:i,async fn(t){let{x:e,y:s,placement:}}}-t,{mainAxis:o=!0,rorosAxis:r=!1,limiter:l={fn:g=>{let{x:y,y:b}=g;return{x:y,y:b}}},...a}=it(i,t),
c={x:e,y:s},h=await wt(t,a),d=B(z(n)),u=mt(d),f=c[u],p=c[d];if(o){let
g=u==="y"?"top":"left",y=u==="y"?"bottom":"right",b=f+h[g],v=f-h[y];f=pt(b,f,v)}if(r){let
g=d==="y"?"top":"left",y=d==="y"?"bottom":"right",b=p+h[g],v=p-h[y];p=pt(b,p,v)}let
  m=l.fn({...t,[u]:f,[d]:p});return{...m,data:{x:m.x-e,y:m.y-s,enabled:{[u]:o,[d]:r}}}}}};function
```

```
ct(){return typeof window<"u"}function K(i){return</pre>
Pt(i)?(i.nodeName||"").toLowerCase():"#document"}function A(i){var t;return(i==null||(t=i.ownerDocument)==null?void 0:t.defaultView)||window}function P(i){var
t;return(t=(Pt(i)?i.ownerDocument:i.document)||window.document)==null?void
0:t.documentElement}function Pt(i){return ct()?i instanceof Node||i instanceof A(i).Node:!1}function
 C(i){return ct()?i instanceof Element||i instanceof A(i).Element:!1}function k(i){return ct()?i
 instanceof HTMLElement||i instanceof A(i).HTMLElement:!1}function kt(i){return!ct()||typeof
 ShadowRoot>"u"?!1:i instanceof ShadowRoot||i instanceof A(i).ShadowRoot}var oe=new
Set(["inline", "contents"]); function j(i){let{overflow:t,overflowX:e,overflowY:s,display:n}=E(i); return/auto|scroll|overlay|hidden|clip/.test(t+s+e)&&!oe.has(n)}var re=new
 Set(["table","td","th"]);function Mt(i){return re.has(K(i))}var le=[":popover-
open",":modal"];function mt(i){return le.some(t=>{try{return i.matches(t)}catch{return!1}})}var ae=[
"transform","translate","scale","rotate","perspective"],ce=["transform","translate","scale","rotate"
,"perspective","filter"],de=["paint","layout","strict","content"];function dt(i){let
t=ht(),e=C(i)?E(i):i;return ae.some(s=>e[s]?e[s]!=="none":!1)||(e.containerType?e.containerType!=="n
 ormal":!1)||!t&&(e.backdropFilter?e.backdropFilter!=="none":!1)||!t&&(e.filter?e.filter!=="none":!1)
| ce.some(s=>(e.willChange||"").includes(s))||de.some(s=>(e.contain||"").includes(s))}function
| till tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) to the contain tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) tell(i) 
scrollLeft,scrollTop:i.scrollTop}:{scrollLeft:i.scrollX,scrollTop:i.scrollY}}function
N(i){if(K(i)==="html")return i;let t=i.assignedSlot||i.parentNode||kt(i)&&i.host||P(i);return
 kt(t)?t.host:t}function Nt(i){let t=N(i);return
   (t)?i.ownerDocument?i.ownerDocument.body:i.body:k(t)\&\&j(t)?t:Nt(t)}function at(i,t,e){var
 s; t===void 0\&\&(t=[]), e===void 0\&\&(e=!0); let n=Nt(i), o=n===((s=i.ownerDocument)==null?void
 0:s.body),r=A(n);if(o){let l=ft(r);return
 t.concat(r,r.visualViewport||[],j(n)?n:[],l&e?at(l):[])}return t.concat(n,at(n,[],e))}function
 ft(i){return i.parent&&Object.getPrototypeOf(i.parent)?i.frameElement:null}function Vt(i){let t=E(i)
   e=parseFloat(t.width)||0,s=parseFloat(t.height)||0,n=k(i),o=n?i.offsetWidth:e,r=n?i.offsetHeight:s,
 l=et(e)!==o||et(s)!==r; return \ l\&\&(e=o,s=r), \\ \{width:e,height:s, []:l\} \} function \ []t(i) \\ \{return \ left(e):=o||et(s):=r; return \ left(e):=o||et(s):=o||et(s):=r; return \ left(e):=o||et(s):=r; et(s):=r; return \ left(e):=o||et(s):=r; return \ left(e):=o||et(s):=r; return \ left(e):=o||et(s):=r; return \ left(e):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o||et(s):=o|
 C(i)?i:i.context\\ Element\\ function\ Y(i)\\ \{let\ t= \exists t(i); if(!k(t))return\ T(1); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); if(!k(t))return\ T(i); let\ e=t.get\\ Bounding\\ Client\\ Rect\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T(i); let\ T
 (), {width:s,height:n,[:o}=Vt(t),r=(o?et(e.width):e.width)/s,l=(o?et(e.height):e.height)/n;return(!r|
 |!Number.isFinite(r))&&(r=1),(!1|!Number.isFinite(l))&&(1-1),1-2 | Number.isFinite(r))&&(1-1),1-2 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-3 | Number.isFinite(l))&&(1-1),1-1) | Number.isFinite(l))&&(1-1),1-1) | Number.isFinite(l))&&(1-1),1-1) | Number.isFinite(l))&&(1-1),1-1) | Number.is
 .offsetTop}}function ue(i,t,e){return t===void 0\&\&(t=!1),!e||t&&e!==A(i)?!1:t}function
 rt(i,t,e,s){t===void 0&&(t=!1),e===void 0&&(e=!1);let
 n=i.getBoundingClientRect(),o=[]t(i),r=T(1);t\&\&(s?C(s)\&\&(r=Y(s)):r=Y(i));let
 l=ue(o,e,s)?zt(o):T(0),a=(n.left+l.x)/r.x,c=(n.top+l.y)/r.y,h=n.width/r.x,d=n.height/r.y;if(o)\{letx,c=(n.top+l.y)/r.y,h=n.width/r.x,d=n.height/r.y;if(o)\}
  u = A(o), f = s\&\&C(s)?A(s):s, p = u, m = ft(p); for(; m\&\&s\&f! = p;) \{let g = Y(m), y = m.getBoundingClientRect(), b = E(m), y = y.left + (m.clientLeft + parseFloat(b.paddingLeft))*g.x, 0 = y.top + (m.clientTop + parseFloat(b.paddingTop)) 
 )*g.y;a*=g.x,c*=g.y,h*=g.x,d*=g.y,a+=v,c+=0,p=A(m),m=ft(p)}return
 U(\{width:h,height:d,x:a,y:c\})\} function xt(i,t)\{let\ e=ot(i).scrollLeft;return\}
 t?t.left+e:rt(P(i)).left+efunction Wt(i,t,e){e===void 0\&\&(e=!1);let s=i.getBoundingClientRect(),n=s
  .left+t.scrollLeft-(e?0:xt(i,s)),o=s.top+t.scrollTop; return\{x:n,y:o\}\} function pe(i)\{let\{elements:t,r,y:o\}\}
ect:e,offsetParent:s,strategy:n}=i,o=n==="fixed",r=P(s),l=t?nt(t.floating):!1;if(s===r||l&&o)return e;let a={scrollLeft:0,scrollTop:0},c=T(1),h=T(0),d=k(s);if((d||!d&&!o)&&((K(s)!=="body"||f(r))&&(a=o)).
 t(s)), k(s))) \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ let \ u=r\&\&!d\&\&!o?Wt(r,a,!0): h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientTop\} \\ \{let \ f=rt(s); c=Y(s), h.x=f.x+s.clientLeft, h.y=f.y+s.clientLeft, T(0);return{width:e.width*c.x,height:e.height*c.y,x:e.x*c.x-a.scrollLeft*c.x+h.x+u.x,y:e.y*c.
 a.scrollTop*c.y+h.y+u.y}}function me(i){return Array.from(i.getClientRects())}function ge(i){let t=P
 (i),e=ot(i),s=i.ownerDocument.body,n=∏(t.scrollWidth,t.clientWidth,s.scrollWidth,s.clientWidth),o=∏(
 t.scrollHeight,t.clientHeight,s.scrollHeight,s.clientHeight),r=-e.scrollLeft+xt(i),l=-
 e.scrollTop:return
 E(s). direction === "rtl" \&\& (r+= [(t.clientWidth, s.clientWidth) - n), \{width: n, height: o, x: r, y: l\} \} function
 be(i,t){let e=A(i),s=P(i),n=e.visualViewport,o=s.clientWidth,r=s.clientHeight,l=0,a=0;if(n){o=n.widt
 h,r=n.height;let
 c=ht(); (!c|[c\&\&t==="fixed")\&\&(l=n.offsetLeft,a=n.offsetTop)\} return\{width:o,height:r,x:l,y:a\}\} varwe=new Set(["absolute","fixed"]); function ye(i,t)\{let e=rt(i,!0,t==="fixed"),s=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop,n=e.top+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.clientTop+i.
.left+i.clientLeft,o=k(i)?Y(i):T(1),r=i.clientWidth*o.x,l=i.clientHeight*o.y,a=n*o.x,c=s*o.y;return{
width:r,height:l,x:a,y:c}}function Ft(i,t,e){let s;if(t==="viewport")s=be(i,e);else
 if(t==="document")s=ge(P(i));else if(C(t))s=ye(t,e);else{let
n=zt(i);s={x:t.x-n.x,y:t.y-n.y,width:t.width,height:t.height}}return U(s)}function Ut(i,t){let e=N(i);return e===t|!C(e)||_(e)?!1:E(e).position==="fixed"||Ut(e,t)}function xe(i,t){let e=t.get(i);if(e)return e;let s=at(i,[],!1).filter(l=>C(l)&&K(l)!=="body"),n=null,o=E(i).position==="fixed",r=o?N(i):i;for(;C(r)&&!(r);){let l=E(r),a=dt(r);a&&l.position==="fixed"&&(n=null),(o?!a&&!n=null).
 :!a\&\&l.position === "static"\&\&!!n\&\&we.has(n.position)||j(r)\&\&!a\&\&Ut(i,r))?s=s.filter(h=>h!==r):n=l,r=N
 (r)}return t.set(i,s),s}function ve(i){let{element:t,boundary:e,rootBoundary:s,strategy:n}=i,r=[...e
==="clippingAncestors"?nt(t)?[]:xe(t,this._c):[].concat(e),s],l=r[0],a=r.reduce((c,h)=>{let
 d=Ft(t,h,n);return c.top=□(d.top,c.top),c.right=tt(d.right,c.right),c.bottom=tt(d.bottom,c.bottom),c
   .left=[](d.left,c.left),c},Ft(t,l,n));return{width:a.right-a.left,height:a.bottom-
 a.top,x:a.left,y:a.top}}function Le(i){let{width:t,height:e}=Vt(i);return{width:t,height:e}}function
 0e(i,t,e){let
 s=k(t), n=P(t), o=e==="fixed", r=rt(i,!0,o,t), l=\{scrollLeft:0,scrollTop:0\}, a=T(0); function
```

```
c()\{a.x=xt(n)\}if(s||!s\&\&!o)if((K(t)!=="body"||j(n))\&\&(l=ot(t)),s)\{let(x,y)\}if(x,y)\}if(x,y)\}if(x,y)
 f=rt(t,!0,o,t);a.x=f.x+t.clientLeft,a.y=f.y+t.clientTop\}else n\&\&c();o\&\&!s\&\&n\&\&c();let h=n\&\&!s\&\&!o?Wt
  (n,l):T(0),d=r.left+l.scrollLeft-a.x-h.x,u=r.top+l.scrollTop-a.y-
h.y;return{x:d,y:u,width:r.width,height:r.height}}function yt(i){return}
E(i).position==="static"}function Ht(i,t){if(!k(i)||E(i).position==="fixed")return null;if(t)return}
 t(i); let e=i.offsetParent; return P(i)===e\&(e=e.ownerDocument.body), efunction Kt(i,t){let
 e=A(i); if(nt(i)) return \ e; if(!k(i)) \{let \ n=N(i); for(; n\&\&!\_(n);) \{if(C(n)\&\&!yt(n)) return \ n; n=N(n)\} return \ e\} let \ s=Ht(i,t); for(; s\&\&Mt(s)\&\&yt(s);) s=Ht(s,t); return \ s\&\&\_(s)\&\&yt(s)\&\&!dt(s)?e:s||Bt(i)||e\} var 
 Ae=async function(i){let t=this.getOffsetParent||Kt,e=this.getDimensions,s=await
 e(i.floating); return{reference:0e(i.reference, await
 t(i.floating),i.strategy),floating:{x:0,y:0,width:s.width,height:s.height}}};function Se(i){return
 E(i).direction==="rtl"}var Ce={convertOffsetParentRelativeRectToViewportRelativeRect:pe,getDocumentE
 lement:P,getClippingRect:ve,getOffsetParent:Kt,getElementRects:Ae,getClientRects:me,getDimensions:Le
,getScale:Y,isElement:C,isRTL:Se};var _t=It,var qt=Tt,Jt=Rt;var jt=(i,t,e)=>{let s=new}
Map,n={platform:Ce,...e},o={...n.platform,_c:s};return Dt(i,t,{...n,platform:o})};function
F(i){return i==null||i===""||typeof i=="string"&&i.trim()===""}function w(i){return!F(i)}var ut=clas
 s{constructor({element:t,options:e,placeholder:s,state:n,canOptionLabelsWrap:o=!0,canSelectPlacehold
 er:r=!0,initialOptionLabel:l=null,initialOptionLabels:a=null,initialState:c=null,isHtmlAllowed:h=!1,
 isAutofocused:d=!1,isDisabled:u=!1,isMultiple:f=!1,isSearchable:p=!1,getOptionLabelUsing:m=null,getO
 ptionLabels Using: g=null, get Options Using: y=null, get Search Results Using: b=null, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dynamic Options: v=1, has Dy
 as Dynamic Search \ref{Results:0} = !0, search Prompt: x = "Search...", search Debounce: q = 1e3, loading Message: G = "Loading Mes
 g...",searchingMessage:W="Searching...",noSearchResultsMessage:L="No results found",maxItems:S=null,maxItemsMessage:H="Maximum number of items selected",optionsLimit:X=null,posi
tion:Q=null,searchableOptionFields:D=["label"],livewireId:J=null,statePath:R=null,onStateChange:M=() =>{}}){this.element=t,this.options=e,this.originalOptions=JSON.parse(JSON.stringify(e)),this.placeho
 lder=s, this.state=n, this.can Option Labels Wrap=o, this.can Select Placeholder=r, this.initial Option Label=labels Wrap=o, this.can Select Placeholder=r, this.initial Option Labels Wrap=o, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=r, this.can Select Placeholder=
   this.initialOptionLabels=a,this.initialState=c,this.isHtmlAllowed=h,this.isAutofocused=d,this.isDis,
 abled=u,this.isMultiple=f,this.isSearchable=p,this.getOptionLabelUsing=m,this.getOptionLabelsUsing=g
  , this.getOptionsUsing=y, this.getSearchResultsUsing=b, this.hasDynamicOptions=v, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicOptions=v, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResultsUsing=b, this.hasDynamicSearchResul
 esults=0,this.searchPrompt=x,this.searchDebounce=q,this.loadingMessage=G,this.searchingMessage=W,thi
 \verb|s.noSearchResultsMessage=L,this.maxItems=S,this.maxItemsMessage=H,this.optionsLimit=X,this.position=|s.noSearchResultsMessage=L,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxItems=S,this.maxIt
 Q,this.searchableOptionFields=Array.isArray(D)?D:["label"],this.livewireId=J,this.statePath=R,this.o
 nStateChange=M,this.labelRepository={},this.isOpen=!1,this.selectedIndex=
 1, this.searchQuery="", this.searchTimeout=null, this.render(), this.setUpEventListeners(), this.isAutofocused&&this.selectButton.focus()} populateLabelRepositoryFromOptions(t) {if(!(!t||!Array.isArray(t)))} for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the
 or(let e of t)e.options&&Array.isArray(e.options)?this.populateLabelRepositoryFromOptions(e.options)
  :e.value!==void 0&&e.label!==void 0&&(this.labelRepository[e.value]=e.label)}render(){this.populateL
 abelRepositoryFromOptions(this.options),this.container=document.createElement("div"),this.container.
 className="fi-select-input-ctn",this.canOptionLabelsWrap||this.container.classList.add("fi-select-input-ctn-option-labels-not-wrapped"),this.container.setAttribute("aria-haspopup","listbox"),this.se
 lectButton=document.createElement("button"),this.selectButton.className="fi-select-input-
 btn",this.selectButton.type="button",this.selectButton.setAttribute("aria-expanded","false"),this.se
 lectedDisplay=document.createElement("div"),this.selectedDisplay.className="fi-select-input-value-ct
 n",this.updateSelectedDisplay(),this.selectButton.appendChild(this.selectedDisplay),this.dropdown=do
 cument.createElement("div"),this.dropdown.className="fi-dropdown-panel fi-scrollable",this.dropdown.
 setAttribute("role","listbox"),this.dropdown.setAttribute("tabindex","
 1"),this.dropdown.style.display="none",this.dropdownId=`fi-select-input-dropdown-
ctn", this.searchInput=document.createElement("input"), this.searchInput.className="fi-input", this.searchInput.type="text", this.searchInput.placeholder=this.searchInput, this.searchInput.setAttribute("a ria-label", "Search"), this.searchContainer.appendChild(this.searchInput), this.dropdown.appendChild(th
 is.searchContainer), this.searchInput.addEventListener("input",t=>{this.isDisabled||this.handleSearch(t)}),this.searchInput.addEventListener("keydown",t=>{if(!this.isDisabled){if(t.key==="Tab"){t.preve
 ntDefault();let e=this.getVisibleOptions();if(e.length===0)return;t.shiftKey?this.selectedIndex=e.le
 ngth-1:this.selectedIndex=0,e.forEach(s=>{s.classList.remove("fi-
 selected")}),e[this.selectedIndex].classList.add("fi-selected"),e[this.selectedIndex].focus()}else i
f(t.key==="ArrowDown"){if(t.preventDefault(),t.stopPropagation(),this.getVisibleOptions().length===0
 )return; this.selectedIndex=-1, this.searchInput.blur(), this.focusNextOption()}else
 if(t.key==="ArrowUp"){t.preventDefault(),t.stopPropagation();let e=this.getVisibleOptions();if(e.len
 gth===0) return; this. selectedIndex=e.length-
1,this.searchInput.blur(),e[this.selectedIndex].classList.add("fi-selected"),e[this.selectedIndex].focus(),e[this.selectedIndex].id&&this.dropdown.setAttribute("aria-
 active descendant ", e[this.selectedIndex].id), this.scroll OptionInto View (e[this.selectedIndex]) \} \})), this.scroll OptionInto View (e[this.selectedIndex]) \} \})), this.scroll OptionInto View (e[this.selectedIndex]), and the scroll OptionInto View (e
is.optionsList=document.createElement("ul"),this.renderOptions(),this.container.appendChild(this.sel ectButton),this.container.appendChild(this.dropdown),this.element.appendChild(this.container),this.applyDisabledState()}renderOptions(){this.optionsList.innerHTML="";let t=0,e=this.options,s=0,n=!1;this.options.forEach(l=>{l.options&Array(l.options)?(s+=l.options.length,n=!0):s++}),n?this.options.described and applicable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the colorable of the 
 ptionsList.className="fi-select-input-options-ctn":s>0&&(this.optionsList.className="fi-dropdown-
 list"); let o=n?null:this.optionsList,r=0; for(let l of
 e)\{if(this.optionsLimit\&r>=this.optionsLimit)break;if(l.options\&Array.isArray(l.options))\{let a=l.optionsLimit\&r>=this.optionsLimit)break;if(l.options&Array.isArray(l.options))\{let a=l.optionsLimit)break;if(l.options&Array.isArray(l.options))\}
 options; if (this.isMultiple&&Array.isArray(this.state)&&this.state.length>0&&(a=l.options.filter(c=>!
```

```
this.state.includes(c.value))),a.length>0){if(this.optionsLimit){let c=this.optionsLimit-
 r; c< a.length\&\&(a=a.slice(0,c)) this.renderOptionGroup(l.label,a),r+=a.length,t+=a.length}}else{if(thermose)} else {if(thermose)} else {if(the
 is.isMultiple&&Array.isArray(this.state)&&this.state.includes(l.value))continue;!o&&n&&(o=document.c
reateElement("ul"),o.className="fi-dropdown-list",this.optionsList.appendChild(o));let a=this.create
OptionElement(l.value,l);o.appendChild(a),r++,t++}}t===0?(this.searchQuery?this.showNoResultsMessage
 ():this.isMultiple&&this.isOpen&&!this.isSearchable&&this.closeDropdown(),this.optionsList.parentNod
 e===this.dropdown&this.dropdown.removeChild(this.optionsList)):(this.hideLoadingState(),this.option
 sList.parentNode!==this.dropdown&this.dropdown.appendChild(this.optionsList))}renderOptionGroup(t,e
/{if(e.length===0)return;let s=document.createElement("li");s.className="fi-select-input-option-group";let n=document.createElement("div");n.className="fi-dropdown-header",n.textContent=t;let o=document.createElement("ul");o.className="fi-dropdown-list",e.forEach(r=>{let l=this.createOptionE
 lement(r.value,r);o.appendChild(l)}),s.appendChild(n),s.appendChild(o),this.optionsList.appendChild(
 s)}createOptionElement(t,e){let s=t,n=e,o=!1;typeof e=="object"&&e!==null&&"label"in e&&"value"in
e&&(s=e.value,n=e.label,o=e.isDisabled||!1);let r=document.createElement("li");r.className="fi-dropdown-list-item fi-select-input-option",o&&r.classList.add("fi-disabled");let l=`fi-select-input-
Geton=
[{Math.random().toString(36).substring(2,11)}`;if(r.id=l,r.setAttribute("role","option"),r.setAttrib
ute("data-value",s),r.setAttribute("tabindex","0"),o&&r.setAttribute("aria-
disabled","true"),this.isHtmlAllowed&&typeof n=="string"){let
h=document.createElement("div");h.innerHTML=n;let
 d=h.textContent||h.innerText||n;r.setAttribute("aria-label",d)}let a=this.isMultiple?Array.isArray(t
 his.state)&&this.state.includes(s):this.state===s;r.setAttribute("aria-
 selected",a?"true":"false"),a&&r.classList.add("fi-selected");let
 c=document.createElement("span");return this.isHtmlAllowed?c.innerHTML=n:c.textContent=n,r.appendChi
 ld(c),o||r.addEventListener("click",h=>{h.preventDefault(),h.stopPropagation(),this.selectOption(s),
 this.isMultiple\&(this.isSearchable\&this.searchInput?setTimeout(()=>\{this.searchInput.focus()\},0):searchInput.focus()\},0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.focus(),0):searchInput.fo
 this.isMultiple){if(!Array.isArray(this.state)||this.state.length===0){let s=document.createElement,
("span");s.textContent=this.placeholder,this.selectedDisplay.appendChild(s);return}let e=await this.getLabelsForMultipleSelection();this.addBadgesForSelectedOptions(e),this.isOpen&&this.positionDropdo
 wn(); return}if(this.state===null||this.state===""){let e=document.createElement("span"); e.textConten
 t=this.placeholder,this.selectedDisplay.appendChild(e);return}let t=await
 this.getLabelForSingleSelection(); this.addSingleSelectionDisplay(t)}async
 getLabelsForMultipleSelection(){let
t=this.getSelectedOptionLabels(),e=[];if(Array.isArray(this.state))\{for(let\ n\ of\ this.state)if(!w(this.labelRepository[n]))\{if(w(t[n]))\{this.labelRepository[n]=t[n];continue\}e.push(n)\}\}if(e.length>0\&\&labelRepository[n])\}
 w(this.initialOptionLabels)\&\&JSON.stringify(this.state) === JSON.stringify(this.initialState)){if(Arra}
 y.isArray(this.initialOptionLabels))for(let n of this.initialOptionLabels)w(n)&&n.value!==void
 0&&n.label!==void 0&&e.includes(n.value)&&(this.labelRepository[n.value]=n.label)}else
 if(e.length>0&&this.getOptionLabelsUsing)try{let n=await this.getOptionLabelsUsing();for(let o of
 n)w(o)&&o.value!==void 0&&o.label!==void
 0&&(this.labelRepository[o.value]=o.label)}catch(n){console.error("Error fetching option
 labels:",n) \} let \ s=[]; if (Array.isArray(this.state)) for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for (let \ n \ of \ this.state) w (this.labelRepository[n]) \} for
 ?s.push(this.labelRepository[n]): w(t[n])?s.push(t[n]): s.push(n); return s \} createBadgeElement(t,e) \{ let all this labelRepository[n] \} = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = (this labelRepository[n]) = 
 s=document.createElement("span");s.className="fi-badge fi-size-md fi-color fi-color-primary fi-text-
 color-600 dark:fi-text-color-200",w(t)&&s.setAttribute("data-value",t);let
 n=document.createElement("span");n.className="fi-badge-label-ctn";let
 o=document.createElement("span");o.className="fi-badge-
 label", this.canOptionLabelsWrap&&o.classList.add("fi-
 wrapped"),this.isHtmlAllowed?o.innerHTML=e:o.textContent=e,n.appendChild(o),s.appendChild(n);let
 r = this.createRemoveButton(t,e); return s.appendChild(r),screateRemoveButton(t,e){let
 s=document.createElement("button");return s.type="button",s.className="fi-badge-delete
btn",s.innerHTML='<svg class="fi-icon fi-size-xs" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 16 16" fill="currentColor" aria-hidden="true" data-slot="icon"><path d="M5.28 4.22a.75.75 0 0 0-1.06 1.06L6.94 81-2.72 2.72a.75.75 0 1 0 1.06 1.06L8 9.06l2.72 2.72a.75.75 0 1 0 1.06-1.06L9.06
tedOptions(t){let e=document.createElement("div");e.className="fi-select-input-value-badges
 \verb|ctn||, t.forEach|((s,n) => \{let o=Array.isArray(this.state)?this.state[n]:null, r=this.createBadgeElement((s,n) => \{let o=Array.isArray(this.state)?this.state[n]:null, r=this.state[n]:null, r=th
 o,s);e.appendChild(r)}),this.selectedDisplay.appendChild(e)}async getLabelForSingleSelection(){let t
 =this.labelRepository[this.state];if(F(t)&&(t=this.getSelectedOptionLabel(this.state)),F(t)&&w(this.
 initialOptionLabel)&&this.state===this.initialState)t=this.initialOptionLabel,w(this.state)&&(this.l
abel Repository[this.state] = t); else if (F(t) \&\&this.get Option Label Using) try \{t=await this.get Option Label Using(), w(t) \&\&w(this.state) \&\&(this.label Repository[this.state] = t)\} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{console.error("Error") try (this.state) = t) \} catch(e) \{c
 fetching option label: ",e),t=this.state}else F(t)\&(t=this.state); return
 t}addSingleSelectionDisplay(t){let e=document.createElement("span");if(e.className="fi-select-input-
 value-label", this.isHtmlAllowed?e.innerHTML=t:e.textContent=t,this.selectedDisplay.appendChild(e),!t
 his.canSelectPlaceholder)return;let
s=document.createElement("button");s.type="button",s.className="fi-select-input-value-remove-btn",s.innerHTML='<svg class="fi-icon fi-size-sm" viewBox="0 0 20 20" fill="currentColor"><path fill-rule="evenodd" d="M4.293 4.293a1 1 0 011.414 0L10 8.58614.293-4.293a1 1 0 111.414 1.414L11.414
```

```
turn this.labelRepository[t];let e="";for(let s of
this.options)if(s.options&&Array.isArray(s.options)){for(let n of
s.options)if(n.value===t){e=n.label.this.labelRepositorv[t]=e:break}}else
if(s.value===t){e=s.label,this.labelRepository[t]=e;break}return e}setUpEventListeners(){this.button
ClickListener=()=>{this.toggleDropdown()},this.documentClickListener=t=>{!this.container.contains(t.
target) \& this. is Open \& this. close Drop down()\}, this. button Keydown Listener = t => \{this. is Disabled | | this. handle for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the contex
dleSelectButtonKeydown(t)},this.dropdownKeydownListener=t=>{this.isDisabled||this.isSearchable&&docu
ment.activeElement===this.searchInput&&!["Tab","Escape"].includes(t.key)||this.handleDropdownKeydown
(t)},this.selectButton.addEventListener("click",this.buttonClickListener),document.addEventListener("click")
"click", this.documentClickListener), this.selectButton.addEventListener("keydown", this.buttonKeydownListener), this.dropdownKeydownListener), !this.isMultiple&&th
is.livewireId&&this.statePath&&this.getOptionLabelUsing&&(this.refreshOptionLabelListener=async t=>{
if(t.detail.livewireId===this.livewireId&&t.detail.statePath===this.statePath&&w(this.state))try{del
ete this.labelRepository[this.state];let e=await
this.getOptionLabelUsing();w(e)&&(this.labelRepository[this.state]=e);let s=this.selectedDisplay.querySelector(".fi-select-input-value-label");w(s)&&(this.isHtmlAllowed?s.inn
erHTML=e:s.textContent=e), this.updateOptionLabelInList(this.state,e)}catch(e){console.error("Error refreshing option label:",e)}}, window.addEventListener("filament-forms::select.refreshSelectedOption
Label", this.refreshOptionLabelListener))}updateOptionLabelInList(t,e){this.labelRepository[t]=e;let
s=this.getVisibleOptions();for(let n of s)if(n.getAttribute("data-
value")===String(t)){if(n.innerHTML="",this.isHtmlAllowed){let
o=document.createElement("span");o.innerHTML=e,n.appendChild(o)}else
n.appendChild(document.createTextNode(e));break}for(let n of
this.options)if(n.options&&Array.isArray(n.options)){for(let o of
n.options)if(o.value===t){o.label=e;break}}else if(n.value===t){n.label=e;break}for(let n of
this.originalOptions)if(n.options&&Array.isArray(n.options)){for(let o of
\verb|n.options|| if (o.value===t) {o.label=e;break} else if (n.value===t) {n.label=e;break} handle Select Button Karaman else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value===t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value==t) {n.label=e;break} else if (n.value=t) {n.label=e;break} else if (n.value=t) {n.label=e;break} else if (n.value=t) {n.label=e;break} else if (n.value=t) {n.label=e;break} else if (n.value=t) {n.label=e;break} else if (n.value=t) {n.label=e;break} else if (n.value=t) {n.label=
eydown(t){switch(t.key){case"ArrowDown":t.preventDefault(),t.stopPropagation(),this.isOpen?this.focu
sNextOption():this.openDropdown();break;case"ArrowUp":t.preventDefault(),t.stopPropagation(),this.is
Open?this.focusPreviousOption():this.openDropdown();break;case"
   :if(t.preventDefault(),this.isOpen){if(this.selectedIndex>=0){let
e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}}else this.openDropdown();break;case"Ent
er":break;case"Escape":this.isOpen&&(t.preventDefault(),this.closeDropdown());break;case"Tab":this.isOpen&&this.closeDropdown();break}}handleDropdownKeydown(t){switch(t.key){case"ArrowDown":t.preventD
efault(),t.stopPropagation(),this.focusNextOption();break;case"ArrowUp":t.preventDefault(),t.stopPropagation(),this.focusPreviousOption();break;case" ":if(t.preventDefault(),this.selectedIndex>=0){let
e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()]break;case"Enter":if(t.preventDefault().
this.selectedIndex>=0){let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()}else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()]else{let e=this.getVisibleOptions()[this.selectedIndex];e&&e.click()[this.selectedIndex];e&e.click()[this.selectedIndex];e&e.click()[this.selectedIndex];e&e.click()[this.selectedIndex];e&e.click()[this.selectedIndex];e&e.click()[this.selectedIndex];e&e.click()[this.selectedIndex];e&e.click()[this.selec
this.selectButton.focus();break;case"Tab":this.closeDropdown();break}}toggleDropdown(){if(!this.isDi
sabled){if(this.isOpen){this.closeDropdown();return}this.isMultiple&&!this.isSearchable&&!this.hasAv
ailableOptions()||this.openDropdown()}}hasAvailableOptions(){for(let t of
this.options)if(t.options&&Array.isArray(t.options)){for(let e of
t.options)if(!Array.isArray(this.state)||!this.state.includes(e.value))return!0}else
if(!Array.isArray(this.state)||!this.state.includes(t.value))return!0;return!1}async
openDropdown(){this.dropdown.style.display="block",this.dropdown.style.opacity="0";let
t=this.selectButton.closest(".fi-absolute-positioning-context")!==null;if(this.dropdown.style.positi
on=t?"absolute":"fixed",this.dropdown.style.width=`[{this.selectButton.offsetWidth}px`,this.selectButton.setAttribute("aria-expanded","true"),this.isOpen=!0,this.positionDropdown(),this.resizeListener
 ||(this.resizeListener=()=>{this.dropdown.style.width=`[{this.selectButton.offsetWidth}px`,this.posi
tionDropdown()},window.addEventListener("resize",this.resizeListener)),this.scrollListener||(this.scrollListener=()=>this.positionDropdown(),window.addEventListener("scroll",this.scrollListener,!0)),t
his.dropdown.style.opacity="1",this.hasDynamicOptions&&this.getOptionsUsing){this.showLoadingState(! 1);try{let e=await this.getOptionsUsing();this.options=e,this.originalOptions=JSON.parse(JSON.string
ify(e)), this populateLabelRepositoryFromOptions(e), this renderOptions()) catch(e) {console error("Erro
r fetching options: ",e), this.hideLoadingState()}}if(this.hideLoadingState(),this.isSearchable&&this.searchInput)this.searchInput.value="",this.searchInput.focus(),this.searchQuery="",this.options=JSON
.parse(JSON.stringify(this.originalOptions)),this.renderOptions();else{this.selectedIndex=-1;let e=t his.getVisibleOptions();if(this.isMultiple){if(Array.isArray(this.state)&&this.state.length>0){for(l
et s=0;s<e.length;s++)if(this.state.includes(e[s].getAttribute("data-
value"))){this.selectedIndex=s;break}}}else for(let s=0;s<e.length;s++)if(e[s].getAttribute("data-va</pre>
lue")===this.state){this.selectedIndex===
1&&e.length>0&&(this.selectedIndex=0),this.selectedIndex>=0&&(e[this.selectedIndex].classList.add("f
i-selected"),e[this.selectedIndex].focus())}}positionDropdown(){let t=this.position==="top"?"top-
start":"bottom-start",e=[\_t(4),qt(\{padding:5\})];this.position!=="top"\&\&this.position!=="bottom"\&\&e.push(Jt());let]
s=this.selectButton.closest(".fi-absolute-positioning-context")!==null;jt(this.selectButton,this.dro
pdown,{placement:t,middleware:e,strategy:s?"absolute":"fixed"}).then(({x:n,y:o})=>{0bject.assign(thi
```

```
s.dropdown.style, \{left: `[\{n\}px`,top: `[\{o\}px`\})\}) \} closeDropdown() \{this.dropdown.style.display="none", this.selectButton.setAttribute("aria-expanded", "false"), this.isOpen=!1, this.resizeListener&&(window.removeEventListener("resize", this.resizeListener), this.resizeListener=null), this.scrollListener&&(window.removeEventListener), this.resizeListener), this.resizeListener=null), this.scrollListener&&(window.removeEventListener), this.resizeListener=null), this.scrollListener&&(window.removeEventListener), this.resizeListener=null), this.scrollListener&&(window.removeEventListener), this.resizeListener=null), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener), this.scrollListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.removeEventListener&&(window.r
ndow.removeEventListener("scroll",this.scrollListener,!0),this.scrollListener=null),this.getVisibleOptions().forEach(e=>{e.classList.remove("fi-selected")})}focusNextOption(){let t=this.getVisibleOpti
 ons(); if(t.length!==0){if(this.selectedIndex>=0&&this.selectedIndex<t.length&&t[this.selectedIndex].}
 classList.remove("fi-selected"),this.selectedIndex===t.length-
 1&&this.isSearchable&&this.searchInput){this.selectedIndex=
 1,this.searchInput.focus(),this.dropdown.removeAttribute("aria-activedescendant");return}this.select
 edIndex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex].classList.add("findex = (this.selectedIndex + 1) %t.length, t[this.selectedIndex + 1) %t.length, t[
 selected \verb|"|,t[this.selectedIndex]|.id\& \verb| this.selectedIndex]|.id\& \verb| this.dropdown.setAttribute("aria-right of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conten
 activedescendant",t[this.selectedIndex].id),this.scrollOptionIntoView(t[this.selectedIndex])}}focusP
 reviousOption(){let t=this.getVisibleOptions();if(t.length!==0){if(this.selectedIndex>=0&&this.selec
 tedIndex<t.length&&t[this.selectedIndex].classList.remove("fi-selected"),(this.selectedIndex===0||th
 is.selectedIndex===-1)&&this.isSearchable&&this.searchInput){this.selectedIndex=
 1,this.searchInput.focus(),this.dropdown.removeAttribute("aria-activedescendant");return}this.select
 edIndex=(this.selectedIndex-1+t.length)%t.length,t[this.selectedIndex].classList.add("fi-
 selected"),t[this.selectedIndex].focus(),t[this.selectedIndex].id&&this.dropdown.setAttribute("aria-
activedescendant",t[this.selectedIndex].id),this.scrollOptionIntoView(t[this.selectedIndex])}}scroll OptionIntoView(t){if(!t)return;let e=this.dropdown.getBoundingClientRect(),s=t.getBoundingClientRect
 ();s.bottom>e.bottom?this.dropdown.scrollTop+=s.bottom-
 e.bottom:s.top<e.top&(this.dropdown.scrollTop-=e.top-s.top)}getVisibleOptions(){let
 t=[];this.optionsList.classList.contains("fi-dropdown-
                    ')?t=Array.from(this.optionsList.querySelectorAll(':scope >
 li[role="option"]')):t=Array.from(this.optionsList.querySelectorAll(':scope > ul.fi-dropdown-list >
li[role="option"]')); let e=Array.from(this.optionsList.querySelectorAll('li.fi-select-input-option-group > ul > li[role="option"]')); return[...t,...e]}getSelectedOptionLabels(){if(!Array.isArray(this
   .state)||this.state.length===0)return{};let t={};for(let e of this.state){let s=!1;for(let n of
 this.options)if(n.options&&Array.isArray(n.options)){for(let o of
 n.options)if(o.value===e){t[e]=o.label,s=!0;break}if(s)break}else
 if(n.value===e){t[e]=n.label,s=!0;break}}return t}handleSearch(t){let e=t.target.value.trim().toLowe
 rCase();if(this.searchQuery=e,this.searchTimeout&&clearTimeout(this.searchTimeout),e===""){this.opti
ons=JSON.parse(JSON.stringify(this.originalOptions)),this.renderOptions();return}if(!this.getSearchResultsUsing||typeof this.getSearchResultsUsing!="function"||!this.hasDynamicSearchResults){this.filt
 erOptions(e); return}this.searchTimeout=setTimeout(async()=>{try{this.showLoadingState(!0);let
 s=await this.getSearchResultsUsing(e);this.options=s,this.populateLabelRepositoryFromOptions(s),this
.hideLoadingState(),this.renderOptions(),this.isOpen&&this.positionDropdown(),this.options.length===
 0&&this.showNoResultsMessage()}catch(s){console.error("Error fetching search results:",s),this.hideL
 oadingState(),this.options=JSON.parse(JSON.stringify(this.originalOptions)),this.renderOptions()}},t
 \label{linear_his.searchDebounce} his.searchDebounce) \} show Loading State (t=!1) \{ this.options List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode===this.dropdown \& (this.option List.parentNode==this.dropdown \& (this.option List.parentNode=this.dropdown ist.innerHTML=""),this.hideLoadingState();let e=document.createElement("div");e.className="fi
 select-input-message",e.textContent=t?this.searchingMessage:this.loadingMessage,this.dropdown.append
Child(e)}hideLoadingState(){let t=this.dropdown.querySelector(".fi-select-input-message");t&&t.remove()}showNoResultsMessage(){this.optionsList.parentNode===this.dropdown&this.optionsList.children.le
 ngth>0&&(this.optionsList.innerHTML=""),this.hideLoadingState();let
 t=document.createElement("div");t.className="fi-select-input-
 message", t.textContent=this.noSearchResultsMessage, this.dropdown.appendChild(t)}filterOptions(t){let
 e=this.searchableOptionFields.includes("label"),s=this.searchableOptionFields.includes("value"),n=[];for(let o of this.originalOptions)if(o.options&Array.isArray(o.options)){let r=o.options.filter(l=
 \verb|-e&&l.label.toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t))||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&&String(l.value).toLowerCase().includes(t)||s&String(l.value).toLowerCase().includes(t)||s&String(l.value).toLowerCase().includes(t)||s&String(l.value).toLowerC
 ush({label:o.label,options:r})}else(e&&o.label.toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&&String(o.value).toLowerCase().includes(t)||s&String(o.value).toLowerCase().includes(t)||s&String(o.value).toLowerCase().include
 Case().includes(t))&&n.push(o);this.options=n,this.renderOptions(),this.options.length====0&&this.sho
wNoResultsMessage(),this.isOpen&&this.positionDropdown()}selectOption(t){if(this.isDisabled)return;if(!this.isMultiple){this.state=t,this.updateSelectedDisplay(),this.renderOptions(),this.closeDropdow
 n(),this.selectButton.focus(),this.onStateChange(this.state);return}let
 e=Array.isArray(this.state)?[...this.state]:[];if(e.includes(t)){let
 n=this.selectedDisplay.querySelector(`[data-value="□{t}"]`);if(w(n)){let o=n.parentElement;w(o)&&o.c
 hildren.length===1?(e=e.filter(r=>r!==t),this.state=e,this.updateSelectedDisplay()):(n.remove(),e=e.filter(r=>r!==t),this.state=e,this.updateSelectedDisplay()):
 his.render Options (), this.is Open \& this.position Dropdown (), this.maintain Focus In Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Mode (), this.on Superior Multiple Multiple Mode (), this.on Superior Multiple Multiple Mode (), this.on Superior Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple Multiple M
 tate Change (this.state); return \} if (this.maxItems \& e.length >= this.maxItems) \{this.maxItems Message \& alerter for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t
  (this.maxItemsMessage);return}e.push(t),this.state=e;let s=this.selectedDisplay.querySelector(".fi-
 select-input-value-badges-ctn");F(s)?this.updateSelectedDisplay():this.addSingleBadge(t,s),this.rend
 erOptions(), this.isOpen&&this.positionDropdown(), this.maintainFocusInMultipleMode(), this.onStateChan
\label{lem:geta} $$ ge(this.state)$ async addSingleBadge(t,e){let s=this.labelRepository[t];} if(F(s)\&\&(s=this.getSelectedOptionLabel(t),w(s)\&\&(this.labelRepository[t]=s)),F(s)\&\&this.getOptionLabelSUsing)try{let o=await} $$
 this.getOptionLabelsUsing(); for(let r of o)if(w(r)\&\&r.value===t\&r.label!==void
 0){s=r.label,this.labelRepository[t]=s;break}}catch(o){console.error("Error fetching option
 label:",o)}f(s)&g(s=t);let n=this.createBadgeElement(t,s);e.appendChild(n)}maintainFocusInMultipleMo
 de(){if(this.isSearchable&&this.searchInput){this.searchInput.focus();return}let t=this.getVisibleOp
 tions();if(t.length!==0){if(this.selectedIndex=-
 1, Array.isArray(this.state)&&this.state.length>0) {for(let
 e=0;e<t.length;e++)if(this.state.includes(t[e].getAttribute("data-value"))){this.selectedIndex=e;bre
```

```
ak\} \\ this.selectedIndex == -1\& (this.selectedIndex = 0), \\ t[this.selectedIndex]. \\ classList.add("fi-selectedIndex = 0), \\ t[this.selectedIndex]. \\ classList.add("fi-selectedIndex = 0), \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], \\ t[this.selectedIndex = 0], 
  ),t[this.selectedIndex].focus()}}disable(){this.isDisabled||(this.isDisabled=!0,this.applyDisabledS
tate(),this.isOpen&&this.closeDropdown())}enable(){this.isDisabled&&(this.isDisabled=!1,this.applyDi
sabledState())}applyDisabledState(){if(this.isDisabled){if(this.selectButton.setAttribute("disabled"), this.selectButton.setAttribute("aria-").
disabled", "true"), this.selectButton.classList.add("fi-
disabled"), this.isMultiple&&this.container.querySelectorAll(".fi-select-input-badge-
remove").forEach(e=>{e.setAttribute("disabled", "disabled"), e.classList.add("fi-
disabled")}),!this.isMultiple&&this.canSelectPlaceholder){let t=this.container.querySelector(".fi-select-input-value-remove-btn");t&&(t.setAttribute("disabled","disabled"),t.classList.add("fi-disabled"))}this.isSearchable&&this.searchInput&&(this.searchInput.setAttribute("disabled","disabled"),thi
s.searchInput.classList.add("fi-disabled"))}else{if(this.selectButton.removeAttribute("disabled"),th
is.selectButton.removeAttribute("aria-disabled"),this.selectButton.classList.remove("fi-
disabled"), this.isMultiple&&this.container.querySelectorAll(".fi-select-input-badge-remove").forEach(e=>{e.removeAttribute("disabled"),e.classList.remove("fi-
disabled")}),!this.isMultiple&&this.canSelectPlaceholder){let t=this.container.querySelector(".fi-select-input-value-remove-btn");t&&(t.removeAttribute("disabled"),t.classList.add("fi-disabled"))}th
is.isSearchable&&this.searchInput&&(this.searchInput.removeAttribute("disabled"),this.searchInput.cl
assList.remove("fi-disabled"))}}destroy(){this.selectButton&&this.buttonClickListener&&this.selectBu
tton.removeEventListener("click",this.buttonClickListener),this.documentClickListener&&document.remo
veEventListener("click", this.documentClickListener), this.selectButton&&this.buttonKeydownListener&&this.selectButton.removeEventListener("keydown", this.buttonKeydownListener), this.dropdown&&this.dropdownKeydownListener&&this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.removeEventListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener), this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdownKeydownListener("keydown", this.dropdown", this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.dropdown this.d
esizeListener&&(window.removeEventListener("resize",this.resizeListener),this.resizeListener=null),t
his.scrollListener&&(window.removeEventListener("scroll",this.scrollListener,!0),this.scrollListener
=null),this.refreshOptionLabelListener&&window.removeEventListener("filament-forms::select.refreshSe
lectedOptionLabel",this.refreshOptionLabelListener),this.isOpen&&this.closeDropdown(),this.searchTim
eout&&(clearTimeout(this.searchTimeout),this.searchTimeout=null),this.container&&this.container.remo
ve()}};function Ee({canOptionLabelsWrap:i,canSelectPlaceholder:t,getOptionLabelUsing:e,getOptionsUsi
ng:s,getSearchResultsUsing:n,hasDynamicOptions:o,hasDynamicSearchResults:r,initialOptionLabel:l,isDi
sabled:a,isHtmlAllowed:c,isNative:h,isSearchable:d,loadingMessage:u,name:f,noSearchResultsMessage:p,
options:m,optionsLimit:g,placeholder:y,position:b,recordKey:v,searchableOptionFields:0,searchDebounc
e:x,searchingMessage:q,searchPrompt:G,state:W}){return{error:void 0,isLoading:!1,select:null,state:W,init(){h||(this.select=new ut({element:this.□refs.select,options:
m,placeholder:y,state:this.state,canOptionLabelsWrap:i,canSelectPlaceholder:t,initialOptionLabel:l,i
sHtmlAllowed:c,isDisabled:a,isSearchable:d,getOptionLabelUsing:e,getOptionsUsing:s,getSearchResultsU
sing:n,hasDynamicOptions:o,hasDynamicSearchResults:r,searchPrompt:G,searchDebounce:x,loadingMessage:
u,searchingMessage:q,noSearchResultsMessage:p,optionsLimit:g,position:b,searchableOptionFields:0,onStateChange:L=>{this.state=L}})),Livewire.hook("commit",({component:L,commit:S,succeed:H,fail:X,respo
nd:Q})=>{H(({snapshot:D,effect:J})=>{this. nextTick(()=>{if(this.isLoading||L.id!==this. root.closes
t("[wire\\:id]")?.attributes["wire:id"].value)return;let R=this.getServerState();R===void
0||this.getNormalizedState()===R||(this.state=R)})}))), this. \( \text{watch("state", async L=>{!h&&this.select}} \)
&&this.select.state!==L&&(this.select.state=L,this.select.updateSelectedDisplay(),this.select.render
Options());let S=this.getServerState();if(S===void
0||this.getNormalizedState()===S)return;this.isLoading=!0;let H=await
s.serverState&&(this.∏refs.serverState.value=this.getNormalizedState()),this.isLoading=!1})},getServ
erState(){if(this. refs.serverState)return[null,void 0].includes(this. refs.serverState.value)?"":th is. refs.serverState.value.replaceAll('\\"','"')}, getNormalizedState(){let L=Alpine.raw(this.state);return[null,void 0].includes(L)?"":L}}}export{Ee as default};
```

public\js\filament\tables\components\columns\text-input.js

```
function o({name:i,recordKey:s,state:a}){return{error:void 0,isLoading:!1,state:a,init(){Livewire.ho
ok("commit",({component:e,commit:r,succeed:n,fail:d,respond:u})=>{n(({snapshot:f,effect:h})=>{this.[]
nextTick(()=>{if(this.isLoading||e.id!==this.[]root.closest("[wire\\:id]")?.attributes["wire:id"].val
ue)return;let t=this.getServerState();t===void
0||this.getNormalizedState()===t||(this.state=t)})})}),this.[watch("state",async()=>{let
e=this.getServerState();if(e===void 0||this.getNormalizedState()===e)return;this.isLoading=!0;let
r=await this.[wire.updateTableColumnState(i,s,this.state);this.error=r?.error??void 0,!this.error&&t
his.[]refs.serverState&&(this.[]refs.serverState.value=this.getNormalizedState()),this.isLoading=!1})},
getServerState(){if(this.[]refs.serverState)return[null,void 0].includes(this.[]refs.serverState.valu
e)?"":this.[]refs.serverState.value.replaceAll('\\"','"')},getNormalizedState(){let
e=Alpine.raw(this.state);return[null,void 0].includes(e)?"":e}}}export{o as default};
```

public\js\filament\tables\components\columns\toggle.js

function o({name:i,recordKey:s,state:a}){return{error:void 0,isLoading:!1,state:a,init(){Livewire.ho
ok("commit",({component:e,commit:r,succeed:n,fail:h,respond:u})=>{n(({snapshot:f,effect:d})=>{this.[]
nextTick(()=>{if(this.isLoading||e.id!==this.[root.closest("[wire\\:id]")?.attributes["wire:id"].val
ue)return;let t=this.getServerState();t===void
0||Alpine.raw(this.state)===t||(this.state=t)})})}),this.[watch("state",async()=>{let
e=this.getServerState();if(e===void 0||Alpine.raw(this.state)===e)return;this.isLoading=!0;let
r=await this.[wire.updateTableColumnState(i,s,this.state);this.error=r?.error??void 0,!this.error&&t
his.[refs.serverState&&(this.[refs.serverState.value=this.state?"1":"0"),this.isLoading=!1})},getSer
verState(){if(this.[refs.serverState)return[1,"1"].includes(this.[refs.serverState.value)}}}export{o
as default};

```
var Xc=Object.defineProperty;var Kc=(s,t,e)=>t in
  s?Xc(s,t,{enumerable:!0,configurable:!0,writable:!0,value:e}):s[t]=e;var S=(s,t,e)=>Kc(s,typeof
  t!="symbol"?t+"":t,e);function ks(s){return s+.5|0}var
  ee=(s,t,e)=>Math.max(Math.min(s,e),t); function ws(s){return ee(ks(s*2.55),0,255)}function
  se(s){return ee(ks(s*255),0,255)}function Bt(s){return ee(ks(s/2.55)/100,0,1)}function Or(s){return
  ee(ks(s*100),0,100)}var _t={0:0,1:1,2:2,3:3,4:4,5:5,6:6,7:7,8:8,9:9,A:10,B:11,C:12,D:13,E:14,F:15,a:10,b:11,c:12,d:13,e:14,f:15},En=[..."0123456789ABCDEF"],Jc=s=>En[s&15],Qc=s=>En[(s&240)>>4]+En[s&15]
  vi=s=>(s\&240)>>4===(s\&15), th=s=>vi(s.r)\&&vi(s.g)\&&vi(s.b)\&&vi(s.a); function eh(s){var=s=>(s\&240)>>4===(s\&15)}
  \begin{array}{l} \text{t=s.length,e;return s[0]==="#"&\&(t===4||t===5?e=\{r:255\&\_t[s[1]]*17,g:255\&\_t[s[2]]*17,b:255\&\_t[s[3]]*17,a:t===5?\_t[s[4]]*17:255\}:(t===7||t===9)&&(e=\{r:\_t[s[1]]<<4|\_t[s[2]],g:\_t[s[3]]<<4|\_t[s[4]],b:\_t[s[5]]<<4|\_t[s[6]],a:t===9?\_t[s[7]]<<4|\_t[s[8]]:255})),e} \\ \text{var} sh=(s,t)=>s<255?t(s):"";function \\ \end{array} 
  ih(s){var t=th(s)?Jc:Qc;return s?"#"+t(s.r)+t(s.g)+t(s.b)+sh(s.a,t):void 0}var nh=/^(hsla?|hwb|hsv)\
  (\s*([-+.e\d]+)(?:deg)?[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%(?:[\s,]+([-
  +.e(]+)(%)?)?(s*)[]/;function Cr(s,t,e){let i=t*Math.min(e,1-e),n=(o,r=(o+s/30)%12)=>e-t.e(]+)(%)?)?(s*)[]/;function Cr(s,t,e){let i=t*Math.min(e,1-e),n=(o,r=(o+s/30)%12)=>e-t.e(]+)(%)?)?(s*)[]/;function Cr(s,t,e){let i=t*Math.min(e,1-e),n=(o,r=(o+s/30)%12)=>e-t.e(]+)(%)?)?(s*)[]/;function Cr(s,t,e){let i=t*Math.min(e,1-e),n=(o,r=(o+s/30)%12)=>e-t.e(]+)(%)?)?(s*)[]/;function Cr(s,t,e){let i=t*Math.min(e,1-e),n=(o,r=(o+s/30)%12)=>e-t.e(]+)(%)?(s*)[]/;function Cr(s,t,e){let i=t*Math.min(e,1-e),n=(o,r=(o+s/30)%12)=>e-t.e(]+)(%)?(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(s*)[]/(
  i*Math.max(Math.min(r-3,9-r,1),-1); return[n(0),n(8),n(4)] function oh(s,t,e){let
  i=(n,o=(n+s/60)\%6)=>e-e*t*Math.max(Math.min(o,4-o,1),0); return[i(5),i(3),i(1)] function
  rh(s,t,e) {let i=Cr(s,1,.5), n; for(t+e>1&&(n=1/(t+e),t*=n,e*=n),n=0; n<3; n++) i[n]*=1-t-e, i[n]+=t; return
  ifunction ah(s,t,e,i,n){return s===n?(t-e)/i+(t<e?6:0):t===n?(e-s)/i+2:(s-t)/i+4}function In(s){let
 e=s.r/255, i=s.g/255, n=s.b/255, o=Math.max(e,i,n), r=Math.min(e,i,n), a=(o+r)/2, l,c,h; return o!==r&&(h=o-r,c=a>.5?h/(2-o-r):h/(o+r), l=ah(e,i,n,h,o), l=l*60+.5), [l|0,c||0,a]} function
  Cn(s,t,e,i){return(Array.isArray(t)?s(t[0],t[1],t[2]):s(t,e,i)).map(se)}function Fn(s,t,e){return
  Cn(Cr,s,t,e) function Lh(s,t,e) {return Cn(rh,s,t,e)} function Ch(s,t,e) {return Cn(oh,s,t,e)} function
  Fr(s){return(s%360+360)%360}function hh(s){let
  t=nh.exec(s), e=255, i; if(!t) return; t[5]!==i&&(e=t[6]?ws(+t[5]):se(+t[5])); let
  \begin{array}{l} \text{n=Fr(+t[2]),o=+t[3]/100,r=+t[4]/100;return} \\ \text{t[1]==="hwb"?i=lh(n,o,r):t[1]==="hsv"?i=ch(n,o,r):i=Fn(n,o,r),\{r:i[0],g:i[1],b:i[2],a:e\}} \\ \text{function} \end{array} 
uh(s,t) {var e=In(s);e[0]=Fr(e[0]+t),e=Fn(e),s.r=e[0],s.g=e[1],s.b=e[2] \bar{f} function
  t.keys(Er),e=0bject.keys(Dr),i,n,o,r,a;for(i=0;i<t.length;i++){for(r=a=t[i],n=0;n<e.length;n++)o=e[n
  ], a=a.replace(o,Dr[o]); o=parseInt(Er[r],16), s[a]=[o>>16&255,o>>8&255,o&255] return s}var Ti; function
  mh(s){Ti||(Ti=fh(),Ti.transparent=[0,0,0,0]);let t=Ti[s.toLowerCase()];return
 n = +t[3], o = +t[5], i = 255\&(t[2]?ws(i): ee(i,0,255)), n = 255\&(t[4]?ws(n): ee(n,0,255)), o = 255\&(t[6]?ws(o): ee(o,0,255)), o = 25\&(t[6]?ws(o): ee(o,0,255)), o = 25\&(t[6]?ws(o): ee(o,0,2
   ,0,255)),\{r:i,g:n,b:o,a:e\}\}function yh\{s\}return s\{s,a<255\} rgba\{a,c\}, \{s,c\}, \{s,b\}, \{s,b\}
 Bt(s.g)), o=Re(Bt(s.b)); return\{r:se(Dn(i+e*(Re(Bt(t.r))-i))), g:se(Dn(n+e*(Re(Bt(t.g))-i)))\}
  n))), b:se(Dn(o+e*(Re(Bt(t.b))-o))), a:s.a+e*(t.a-s.a)} function Oi(s,t,e){if(s){let i=In(s);i[t]=Math(b)}} function Oi(s,t,e){if(s){let i=In(s);i[t]=Math(b)}}
 a:1\}),t.a=se(t.a)),t\}function xh(s)\{return s.charAt(0)==="r"?ph(s):hh(s)\}var Ss=class
  s{constructor(t){if(t instanceof s)return t;let e=typeof
  t,i;e==="object"?i=Ir(t):e==="string"&&(i=eh(t)||mh(t)||xh(t)),this. rgb=i,this. valid=!!i}get
  valid(){return this. valid}get rgb(){var t=Ar(this. rgb);return t&&(t.a=Bt(t.a)),t}set
```

```
rgb(t){this. rgb=Ir(t)}rgbString(){return this. valid?yh(this. rgb):void 0}hexString(){return
 this._valid?ih(this._rgb):void 0}hslString(){return this._valid?dh(this._rgb):void 0}mix(t,e){if(t){let i=this.rgb,n=t.rgb,o,r=e===0?.5:e,a=2*r-1,l=i.a-n.a,c=((a*l===-
  1?a:(a+l)/(1+a*l))+1)/2;o=1-
  \texttt{c,i.r} = 255 \& \texttt{c*i.r} + \texttt{o*n.r} + .5, \texttt{i.g} = 255 \& \texttt{c*i.g} + \texttt{o*n.g} + .5, \texttt{i.b} = 255 \& \texttt{c*i.b} + \texttt{o*n.b} + .5, \texttt{i.a} = \texttt{r*i.a} + (1 - \texttt{o*n.b} + .5) + \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{o*n.b} + .5, \texttt{
  r)*n.a,this.rgb=i}return this}interpolate(t,e){return
 t\&\&(this.\_rgb=bh(this.\_rgb,t.\_rgb,e)),this}clone()\{return\ new\ s(this.rgb)\}alpha(t)\{return\ this.\_rgb.a=se(t),this\}clearer(t)\{let\ e=this.\_rgb;return\ e.a*=1-t,this\}greyscale()\{let\ alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alphabeta(this),alpha
  t=this._rgb,e=ks(t.r*.3+t.g*.59+t.b*.11);return t.r=t.g=t.b=e,this}opaquer(t){let e=this. rgb;return
 e.a*=1+t,this}negate(){let t=this._rgb;return
t.r=255-t.r,t.g=255-t.g,t.b=255-t.b,this}lighten(t){return 0i(this. rgb,2,t),this}darken(t){return
  Oi(this._rgb,2,-t),this}saturate(t){return Oi(this._rgb,1,t),this}desaturate(t){return
  0i(this.\_rgb,1,-t),this\\ rotate(t)\\ \{return\ uh(this.\_rgb,t),this\\ \}; function\ Nt()\\ \{\}var\ jr=(()=>\{let\ s=0; return()=>s++\})(); function\ A(s)\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null\\ \}function\ A(s),this\\ \{return\ s==null
  [(s){if(Array.isArray&&Array.isArray(s))return!0;let t=0bject.prototype.toString.call(s);return
t.slice(0,7) == "[object"\&\&t.slice(-6) == "Array]" \} function \ L(s) \{return \ s! == null\&\&Object.prototype.toString.call(s) == "[object Object]" \} function \ Z(s) \{return(typeof s== "number" || s instanceof Number)\&\&isFinite(+s) \} function \ ut(s,t) \{return \ Z(s)?s:t\} function \ ut(s,t) \} 
I(s,t){return typeof s>"u"?t:s}var Ur=(s,t)=>typeof
s=="string"&&s.endsWith("%")?parseFloat(s)/100:+s/t,Nn=(s,t)=>typeof
s=="string"&&s.endsWith("%")?parseFloat(s)/100*t:+s;function B(s,t,e){if(s&&typeof
 s.call=="function")return s.apply(e,t)}function V(s,t,e,i){let n,o,r;if((s))if(o=s.length,i)for(n=o-1;n>=0;n--)t.call(e,s[n],n);else
  for(n=0;n<o;n++)t.call(e,s[n],n);else
  if(L(s)) for(r=0bject.keys(s),o=r.length,n=0;n<o;n++)t.call(e,s[r[n]],r[n]) \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ \{let e,i,n++\} \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(s,t) \\ function Ts(
  n,o;if(!s||!t||s.length!==t.length) return!1; for (e=0,i=s.length;e<i;++e) if (n=s[e],o=t[e],n.datasetInd
  ex!==0.datasetIndex|[n.index!==0.index)return!1;return!0}function Fi(s){if([(s)])return
  s.map(Fi);if(L(s)){let
t=Object.create(null),e=Object.keys(s),i=e.length,n=0;for(;n<i;++n)t[e[n]]=Fi(s[e[n]]);return
t}return s}function Yr(s){return["__proto__","prototype","constructor"].indexOf(s)===-1}function
_h(s,t,e,i){if(!Yr(s))}return;let n=t[s],o=e[s];L(n)&&L(o)?ze(n,o,i):t[s]=Fi(o)}function</pre>
  ze(s,t,e) \{ let \ i= \exists (t)?t: [t], n=i.length; if (!L(s)) return \ s; e=e||\{\}; let \ o=e.merger||\_h,r; for (let a=0;a<n;++a) \{ if (r=i[a],!L(r)) continue; let l=0 bject.keys(r); for (let a=0;a<n;++a) \} 
  c=0,h=1.length; c<h;++c)o(l[c],s,r,e) return s function He(s,t) {return ze(s,t,\{merger:wh\})} function
  wh(s,t,e){if(!Yr(s))return;let
 \begin{aligned} &\text{wh}(s,t,e)_{\{11(s,t),e\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{1\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{2\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{2\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{2\}}, \text{n}_{\{2\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{2\}}, \text{n}_{\{2\}}, \text{n}_{\{2\}}, \text{n}_{\{2\}} = t\\ &\text{i}_{\{2\}}, \text{n}_{\{2\}},  s.charAt(0).toUpperCase()+s.slice(1)}var Be=s=>typeof s<"u", [t=s=>typeof]
  s=="function", Rn=(s,t)=>{if(s.size!==t.size)return!1; for(let e of
  s)if(!t.has(e))return!1;return!0};function Zr(s){return
 s.type==="mouseup"||s.type==="click"||s.type==="contextmenu"}var N=Math.PI,j=2*N,Mh=j+N,Ai=Number.P0 SITIVE_INFINITY,vh=N/180,X=N/2,be=N/4,Pr=N*2/3,jt=Math.log10,0t=Math.sign;function □e(s,t,e){return
  \label{lem:math.abs} $$\operatorname{Math.abs}(s-t)< e} function $$\operatorname{Wn}(s)_{let} t= \operatorname{Math.round}(s); s= [e(s,t,s/1e3)?t:s; let] $$
  e=Math.pow(10,Math.floor(jt(s))),i=s/e;return(i<=1?1:i<=2?2:i<=5?5:10)*e}function qr(s){let}
  \begin{array}{l} t=[], e=Math.sqrt(s), i; for(i=1;i < e;i++)s\%i===0\&\{(t.push(i),t.push(s/i)); return \\ e===(e|0)\&\{t.push(e),t.sort((n,o)=>n-o).pop(),t\}function \\ Th(s)\{return \\ typeof \\ s=="symbol"||typeof(s)=symbol|||typeof(s)=symbol|||typeof(s)=symbol|||typeof(s)=symbol|||typeof(s)=symbol|||typeof(s)=symbol|||typeof(s)=symbol|||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=symbol||typeof(s)=sym
 s=="object"&&s!==null&&!(Symbol.toPrimitive in s||"toString"in s||"valueOf"in s)}function
we(s){return!Th(s)&&!isNaN(parseFloat(s))&&isFinite(s)}function Gr(s,t){let e=Math.round(s);return
  e-t <= s\&e+t >= s function zn(s,t,e) {let i,n,o;for(i=0,n=s.length;i < n;i++)o=s[i][e],isNaN(o)||(t.min=Maximum)|| (t.min=Maximum)||   th.min(t.min,o),t.max=Math.max(t.max,o))}function wt(s){return s*(N/180)}function Ri(s){return
 s*(180/N) \\ function Vn(s) \\ \{if(!Z(s)) \\ return; let \\ t=1, e=0; \\ for(;Math.round(s*t)/t!==s;) \\ t*=10, e++; \\ return \\ e\\ function Hn(s,t) \\ \{let \\ e=t.x-s.x, \\ i=t.y-s.y, \\ n=Math.sqrt(e*e+i*i), \\ o=Math.atan2(i,e); \\ return \\ function Hn(s,t) \\ \{let \\ e=t.x-s.x, \\ i=t.y-s.y, \\ n=Math.sqrt(e*e+i*i), \\ o=Math.atan2(i,e); \\ return \\ function Hn(s,t) \\ \{let \\ e=t.x-s.x, \\ i=t.y-s.y, \\ n=Math.sqrt(e*e+i*i), \\ o=Math.atan2(i,e); \\ return \\ function Hn(s,t) \\ \{let \\ e=t.x-s.x, \\ i=t.y-s.y, \\ n=Math.sqrt(e*e+i*i), \\ o=Math.atan2(i,e); \\ return \\ n=t.y-s.y, \\ n=Math.sqrt(e*e+i*i), \\ n=t.y-s.y, \\ n=Math.sqrt(e*e+i*i), \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.y-s.y, \\ n=t.
  o<-.5*N\&\&(o+=j),{angle:o,distance:n}}function Li(s,t){return}
  Math.sqrt(Math.pow(t.x-s.x,2)+Math.pow(t.y-s.y,2))}function Oh(s,t){return(s-t+Mh)%j-N}function
  ot(s){return(s%j+j)%j}function je(s,t,e,i){let
  \begin{array}{l} \text{n=ot(s), o=ot(e), a=ot(o-n), l=ot(n-o), h=ot(n-r); return} \\ \text{n===o||n===r||i&&o===r||a>l&&c<h} \\ \text{function tt(s,t,e)} \\ \text{freturn Math.max(t,Math.min(e,s))} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{function tt(s,t,e)} \\ \text{
  Xr(s){return tt(s,-32768,32767)}function Rt(s,t,e,i=1e-6){return
  s=Math.min(t,e)-i\&s=math.max(t,e)+ifunction Wi(s,t,e){e=e||(r=>s[r]<t);let
  i=s.length-1,n=0,o;for(;i-n>1;)o=n+i>>1,e(o)?n=o:i=o;return{lo:n,hi:i}}var
 i=0, n=s. length; for(;i<n\&s[i]<t;)i++; for(;n>i&\&s[n-1]>e;)n--; return \\ i>0||n<s. length?s. slice(i,n):s \} var Qr=["push","pop", "shift", "splice", "unshift"]; function ta(s,t){if(i)} ||n<s||n-1|>e; ||n-1|>e; hartjs){s._chartjs.listeners.push(t);return}Object.defineProperty(s,"_chartjs",{configurable:!0,
 enumerable:!1,value:{listeners:[t]}}),Qr.forEach(e=>{let
i="_onData"+Ni(e),n=s[e];Object.defineProperty(s,e,{configurable:!0,enumerable:!1,value(...o){let
  r=n.apply(this,o);return s._chartjs.listeners.forEach(a=>{typeof
  a[i] = \text{"function"} \& \& a[i](...o]), r\}))) \text{ function } Bn(s,t) \{ \text{let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;} let e=s.\_chartjs;} if(!e) \text{ return;
  i=e.listeners, n=i.index0f(t); n!==-1&&i.splice(n,1),!(i.length>0)&&(Qr.forEach(o=>{delete}))
```

```
s[o]), delete s. chartjs)}function [n(s)\{let t=new Set(s); return tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor tensor te
t.size===s.length?s:Array.from(t)}var jn=function(){return typeof window>"u"?function(s){return s()}:window.requestAnimationFrame}();function Un(s,t){let e=[],i=!1;return function(...n){e=n,i||(i=!0,jn.call(window,()=>{i=!1,s.apply(t,e)}))}}function ea(s,t){let e;return function(...n){e=n,i||(i=!0,jn.call(window,()=>{i=!1,s.apply(t,e)}))}}function ea(s,t){let e;return function(...n)}
 function(...i){return t?(clearTimeout(e),e=setTimeout(s,t,i)):s.apply(this,i),t}}var zi=s=>s==="star"
 t"?"left":s==="end"?"right":"center",rt=(s,t,e)=>s==="start"?t:s==="end"?e:(t+e)/2,sa=(s,t,e,i)=>s==
 =(i?"left":"right")?e:s==="center"?(t+e)/2:t;function Yn(s,t,e){let i=t.length,n=0,o=i;if(s. sorted)}
 {let{iScale:r,vScale:a,_parsed:l}=s,c=s.dataset&&s.dataset.options?s.dataset.options.spanGaps:null,h
 =r.axis,{min:u,max:d,minDefined:f,maxDefined:m}=r.getUserBounds();if(f){if(n=Math.min(Lt(l,h,u).lo,e
 ?i:Lt(t,h,r.getPixelForValue(u)).lo),c){let
 q=1.slice(0,n+1).reverse().findIndex(p=>!A(p[a.axis]));n-=Math.max(0,q)}n=tt(n,0,i-1)}if(m){let}
 g=Math.max(Lt(l,r.axis,d,!0).hi+1,e?0:Lt(t,h,r.getPixelForValue(d),!0).hi+1);if(c){let
 p=l.slice(g-1).findIndex(y=>!A(y[a.axis]));g+=Math.max(0,p)}o=tt(g,n,i)-n\}else
 o=i-n}return{start:n,count:o}}function Zn(s){let{xScale:t,yScale:e,_scaleRanges:i}=s,n={xmin:t.min,x
 max:t.max,ymin:e.min,ymax:e.max};if(!i)return s._scaleRanges=n,!0;let
 o=i.xmin!==t.min||i.xmax!==t.max||i.ymin!==e.min||i.ymax!==e.max;return Object.assign(i,n),o}var Di=
 s=s==0||s===1,Nr=(s,t,e)=>-(Math.pow(2,10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*j/e)),Rr=(s,t,e)=>Math.pow(2,-10*(s-i))*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.sin((s-i)*i)*Math.si
 10*s)*Math.sin((s-t)*j/e)+1, We={linear:s=>s, easeInQuad:s=>s*s, easeOutQuad:s=>-s*(s-t)
2),easeInOutQuad:s=>(s/=.5)<1?.5*s*s:-.5*(--s*(s-2)-1),easeInCubic:s=>s*s*s,easeOutCubic:s=>(s-=1)*s*s+1,easeInOutCubic:s=>(s/=.5)<1?.5*s*s:-.5*((s-
 =2)*s*s+2), easeInQuart: s=>s*s*s*s, easeOutQuart: s=>-((s-=1)*s*s*s-
 2),easeInOuint:s=>s*s*s*s*s,easeOutOuint:s=>(s-
 =1)*s*s*s*s+1.easeInOutOuint:s=>(s/=.5)<1?.5*s*s*s*s*.5*((s-=2)*s*s*s*s*s+2).easeInSine:s=>-
 Math.cos(s*X)+1,easeOutSine:s=>Math.sin(s*X),easeInOutSine:s=>-.5*(Math.cos(N*s)-
 1),easeInExpo:s=>s===0?0:Math.pow(2,10*(s-1)),easeOutExpo:s=>s===1?1:-Math.pow(2,
 10*s)+1,easeInOutExpo:s=>Di(s)?s:s<.5?.5*Math.pow(2,10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.pow(2,-10*(s*2-1)):.5*(-Math.
 1))+2), easeInCirc:s=>s>=1?s:-(Math.sqrt(1-s*s)-1), easeOutCirc:s=>Math.sqrt(1-(s-s))
 =1)*s),easeInOutCirc:s=>(s/=.5)<1?-.5*(Math.sqrt(1-s*s)-1):.5*(Math.sqrt(1-(s-
 =2)*s)+1),easeInElastic:s=>Di(s)?s:Nr(s,.075,.3),easeOutElastic:s=>Di(s)?s:Rr(s,.075,.3),easeInOutEl
 astic(s){return Di(s)?s:s<.5?.5*Nr(s*2,.1125,.45):.5+.5*Rr(s*2-1,.1125,.45)},easeInBack(s){return s*
 s*((1.70158+1)*s-1.70158)},easeOutBack(s){return(s-
 =1)*s*((1.70158+1)*s+1.70158)+1, easeInOutBack(s){let t=1.70158; return(s/=.5)<1?.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.525)))*1.5*(s*s*(((t*=1.52
 +1)*s-t):.5*((s-=2)*s*(((t*=1.525)+1)*s+t)+2)},easeInBounce:s=>1-We.easeOutBounce(1-
 s),easeOutBounce(s){return s<1/2.75?7.5625*s*s:s<2/2.75?7.5625*(s-
 =1.5/2.75)*s+.75:s<2.5/2.75?7.5625*(s-=2.25/2.75)*s+.9375:7.5625*(s-=2.25/2.75)
 =2.625/2.75)*s+.984375, easeInOutBounce:s=>s<.5?We.easeInBounce(s*2)*.5:We.easeOutBounce(s*2-seaseOutBounce)*
 1)*.5+.5}; function qn(s){if(s&&typeof s=="object"){let t=s.toString(); return t==="[object
CanvasPattern]"||t==="[object CanvasGradient]"|return!1|function Gn(s)|{return qn(s)|?s:new Ss(s)|function An(s)|{return qn(s)|?s:new Ss(s)|}function An(s)|{return qn(s)|?s:new Ss(s)|.saturate(.5).darken(.1).hexString()|{return qn(s)|?s:new Ss(s)|.satura
t("transitions", {active: {animation: {duration: 400}}, resize: {animation: {duration: 0}}, show: {animations: {colors: {from: "transparent"}, visible: {type: "boolean", duration: 0}}}, hide: {animations: {colors: {to: "transparent"}, visible: {type: "boolean", easing: "linear", fn:t=>t | 0}}}))} function
Intl.NumberFormat(s,t), Wr.set(e,i)), i} function Ue(s,t,e){return Fh(t,e).format(s)} varia={values(s){return  | (s) ? s: "+s }, numeric(s,t,e){if(s===0)return"0";let
i=this.chart.options.locale,n,o=s;if(e.length>1)\{let\ c=Math.max(Math.abs(e[0].value),Math.abs(e[e.length-1].value));(c<le-4||c>le15)&(n="scientific"),o=Ah(s,e)\}let\ r=jt(Math.abs(o)),a=isNaN(r)?1:Math.abs(o))
 .max(Math.min(
 1*Math.floor(r),20),0),l={notation:n,minimumFractionDigits:a,maximumFractionDigits:a};return
Object.assign(l,this.options.ticks.format),Ue(s,i,l)},logarithmic(s,t,e){if(s===0)return"0";let i=e[t].significand||s/Math.pow(10,Math.floor(jt(s)));return[1,2,3,5,10,15].includes(i)||t>.8*e.length?ia.numeric.call(this,s,t,e):""}};function Ah(s,t){let e=t.length>3?t[2].value-t[1].value:t[1].value-t[0].value;return
Math.abs(e)>=1&&s!==Math.floor(s)&&(e=s-Math.floor(s)),e}var Os={formatters:ia};function Lh(s){s.set ("scale",{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:{display:!0,lineWidth:1,drawOnChartArea:!0,drawTicks:!0,tickLength:8,tickWidth:(t,e)=>e.lineWidth,tickColor
  :(t,e)=>e.color,offset:!1},border:{display:!0,dash:[],dashOffset:0,width:1},title:{display:!1,text:"
      , padding: \{top: 4, bottom: 4\}\}, ticks: \{minRotation: 0, maxRotation: 50, mirror: !1, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0, textStrokeWidth: 0
                                           padding:3,display:!0,autoSkip:!0,autoSkipPadding:3,labelOffset:0,callback:0s.formatters.v
kecotor: "", padding:3,disptay::0,autoSkip::0,autoSkipPadding:3,tabetOffset:0,cattback:Us.formatters.v
alues,minor:{},major:{},align: "center",crossAlign: "near",showLabelBackdrop:!1,backdropColor: "rgba(25
5, 255, 255, 0.75)",backdropPadding:2}}),s.route("scale.ticks","color","","color"),s.route("scale.gr
id","color","","borderColor"),s.route("scale.border","color","","borderColor"),s.route("scale.title","color","","color"),s.describe("scale",{_fallback:!1,_scriptable:t=>!t.startsWith("before")&\text{!startsWith("before")}&\text{!startsWith("after")}&\text{!}=="callback"&\text{!}=="parser",_indexable:t=>t!=="borderDash"&\text{!}=="tickBorderDash"&\text{!}=="tickBorderDash"&\text{!}=="dash"}),s.describe("scales",{_fallback:"scale"}),s.describe("scale.ticks",{_scriptable:t=>t!=="backdropPadding"})}var
```

```
ne=Object.create(null), Vi=Object.create(null); function Ms(s,t){if(!t)return s; let
e=t.split(".");for(let i=0,n=e.length;i<n;++i){let o=e[i];s=s[o]||(s[o]=0bject.create(null))}return s}function Ln(s,t,e){return typeof t=="string"?ze(Ms(s,t),e):ze(Ms(s,""),t)}var Pn=class{constructor(t,e){this.animation=void 0,this.backgroundColor="rgba(0,0,0,0.1)",this.borderColor="rgba(0,0,0,0.1)",this.color="#666",this.datasets={},this.devicePixelRatio=i=>i.chart.platform.g etDevicePixelRatio(),this.elements={},this.events=["mousemove","mouseout","click","touchstart","touc
 hmove"],this.font={family:"'Helvetica Neue', 'Helvetica', 'Arial', sans-serif",size:12,style:"normal ",lineHeight:1.2,weight:null},this.hover={},this.hoverBackgroundColor=(i,n)=>An(n.backgroundColor),t
his.hoverBorderColor=(i,n)=>An(n.borderColor), this.hoverColor=(i,n)=>An(n.color), this.indexAxis="x", this.interaction={mode: "nearest", intersect: !0, includeInvisible: !1}, this.maintainAspectRatio=!0, this.onHover=null, this.onClick=null, this.parsing=!0, this.plugins={}, this.responsive=!0, this.scale=void 0,
 this.scales={},this.showLine=!0,this.drawActiveElementsOnTop=!0,this.describe(t),this.apply(e)}set(t
   ,e){return Ln(this,t,e)}qet(t){return Ms(this,t)}describe(t,e){return
 Ln(Vi,t,e)}override(t,e){return Ln(ne,t,e)}route(t,e,i,n){let o=Ms(this,t),r=Ms(this,i),a=" "+e;0bje
 ct.defineProperties(o,{[a]:{value:o[e],writable:!0},[e]:{enumerable:!0,get(){let
 l=this[a],c=r[n];return
 L(l)?0bject.assign(\{\},c,l):I(l,c)\},set(l)\{this[a]=l\}\}))apply(t)\{t.forEach(e=>e(this))\}\},U=new\ Pn(\{l,c,l\},c,l):I(l,c)\},set(l)\{this[a]=l\}\})\}
scriptable:s=>!s.startsWith("on"),_indexable:s=>s!=="events",hover:{_fallback:"interaction"},interaction:{_scriptable:!1,_indexable:!1}},[Ih,Ch,Lh]);function
 Ph(s) \{return!s | |A(s.size)| | A(s.family)?null: (s.style?s.style+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight?s.weight+" ":"") + (s.weight+" ) + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"") + (s.weight+"")
           "")+s.size+"px "+s.family}function vs(s,t,e,i,n){let o=t[n];return
 o||(o=t[n]=s.measureText(n).width,e.push(n)),o>i&&(i=o),i}function na(s,t,e,i){i=i||{}};let n=i.data=
 i.data||{},o=i.garbageCollect=i.garbageCollect||[];i.font!==t&&(n=i.data={},o=i.garbageCollect=[],i.
 font=t),s.save(),s.font=t;let
 if([(u))for(c=0,h=u.length;c< h;c++)d=u[c],d!=null&&![(d)&&(r=vs(s,n,o,r,d));s.restore();let
 f=o.length/2; if(f>e.length) \{for(l=0;l< f;l++)delete n[o[l]]; o.splice(0,f)\} return r \} function
 oe(s,t,e){let i=s.currentDevicePixelRatio,n=e!==0?Math.max(e/2,.5):0;return
\label{eq:math:round} $$ Math.round((t-n)*i)/i+n$ function $Xn(s,t)_{!t&\&!s||(t=t||s.getContext("2d"),t.save(),t.resetTransform(),t.clearRect(0,0,s.width,s.height),t.restore())$ function $Hi(s,t,e,i)_{Kn(s,t,e,i,null)}$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ 
Kn(s,t,e,i,n) {let o,r,a,l,c,h,u,d,f=t.pointStyle,m=t.rotation,g=t.radius,p=(m||0)*vh;if(f&&typeoff=="object"&&(o=f.toString(),o==="[object HTMLImageElement]"||o==="[object HTMLCanvasElement]")){s.s}
ave(),s.translate(e,i),s.rotate(p),s.drawImage(f,-f.width/2,-f.width/2,f.width,f.height),s.restore();return}if(!(isNaN(g)||g<=0)){switch(s.beginPath(),f){defaul}
 t:n?s.ellipse(e,i,n/2,g,\bar{0},0,j):s.arc(e,i,g,0,j),s.closePath();break;case"triangle":h=n?n/2:g,s.moveTath();break;case"triangle = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n/2:g,s.moveTath();break;case = h=n?n
 o(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*h,i-Math.cos(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin(p)*g),p+=Pr,s.lineTo(e+Math.sin
 Math.cos(p)*g), p+=Pr,s.lineTo(e+Math.sin(p)*h,i-
 Math.cos(p)*g),s.closePath();break;case"rectRounded":c=g*.516,l=g-
c,r=Math.cos(p+be)*l,u=Math.cos(p+be)*(n?n/2-c:l),a=Math.sin(p+be)*l,d=Math.sin(p+be)*(n?n/2-c:l),s.arc(e-u,i-a,c,p-N,p-X),s.arc(e+d,i-r,c,p-X,p),s.arc(e+u,i+a,c,p,p+X),s.arc(e-d,i+r,c,p+X,p+N),s.closePath();break;case"rect":if(!m){l=Math.SQRT1_2*g,h=n?n/2:l,s.rect(e-h,i-a,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(e-d,i-r,c,p-X,p-X),s.arc(
 1,2*h,2*l; break}p+=be; case "rectRot": u=Math.cos(p)*(n?n/2:g), r=Math.cos(p)*g, a=Math.sin(p)*g, d=Math.
 \sin(p)*(n?n/2:g), s.moveTo(e-u,i-a), s.lineTo(e+d,i-r), s.lineTo(e+u,i+a), s.lineTo(e-
d,i+r),s.closePath();break;case"crossRot":p+=be;case"cross":u=Math.cos(p)*(n?n/2:g),r=Math.cos(p)*g,
a=Math.sin(p)*g,d=Math.sin(p)*(n?n/2:g),s.moveTo(e-u,i-a),s.lineTo(e+u,i+a),s.moveTo(e+d,i-
 r),s.lineTo(e-
 d,i+r); break; case "star": u=Math.cos(p)*(n?n/2:q), r=Math.cos(p)*q, a=Math.sin(p)*q, d=Math.sin(p)*(n?n/2:q)
 :g),s.moveTo(e-u,i-a),s.lineTo(e+u,i+a),s.moveTo(e+d,i-r),s.lineTo(e-
 d,i+r), p+=be, u=Math.cos(p)*(n?n/2:g), r=Math.cos(p)*g, a=Math.sin(p)*g, d=Math.sin(p)*(n?n/2:g), s.moveT
 o(e-u,i-a),s.lineTo(e+u,i+a),s.moveTo(e+d,i-r),s.lineTo(e-
d,i+r);break;case"line":r=n?n/2:Math.cos(p)*g,a=Math.sin(p)*g,s.moveTo(e-r,i-
a),s.lineTo(e+r,i+a);break;case"dash":s.moveTo(e,i),s.lineTo(e+Math.cos(p)*(n?n/2:g),i+Math.sin(p)*g
 ); break; case!1:s.closePath(); break}s.fill(),t.borderWidth>0\&\&s.stroke()} function Pt(s,t,e){return}
 e=e||.5,!t||s\&\&s.x>t.left-e\&\&s.x<t.right+e\&\&s.y>t.top-e\&\&s.y<t.bottom+e}function
 Ds(s,t){s.save(),s.beginPath(),s.rect(t.left,t.top,t.right-t.left,t.bottom-t.top),s.clip()}function
 Es(s)\{s.restore()\} function \ oa(s,t,e,i,n)\{if(!t)return \ s.lineTo(e.x,e.y); if(n===|middle|)\} let the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of the substitute of 
 o=(t.x+e.x)/2; s.lineTo(o,t.y), s.lineTo(o,e.y)}else
 n == "after"! = ! ! i?s.lineTo(t.x,e.y) : s.lineTo(e.x,t.y) ; s.lineTo(e.x,e.y) \} function
 ra(s,t,e,i){if(!t)return s.lineTo(e.x,e.y);s.bezierCurveTo(i?t.cp1x:t.cp2x,i?t.cp1y:t.cp2y,i?e.cp2x:
 e.cplx,i?e.cp2y:e.cply,e.x,e.y)}function Nh(s,t){t.translation&s.translate(t.translation[0],t.translation}
 lation[1]), \\ A(\texttt{t.rotation}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} \& (s.fillStyle=\texttt{t.color}), \\ \texttt{t.textAlign} \& (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{textAlign}) | | s.rotate(\texttt{t.rotation}), \\ \texttt{t.color} & (s.\texttt{t.rotation}), \\ \texttt{t.color} &
 ign=t.textAlign),t.textBaseline&&(s.textBaseline=t.textBaseline)}function
 Rh(s,t,e,i,n){if(n.strikethrough||n.underline){let o=s.measureText(i),r=t-
 o.actualBoundingBoxLeft,a=t+o.actualBoundingBoxRight,l=e-
 o.actualBoundingBoxAscent,c=e+o.actualBoundingBoxDescent,h=n.strikethrough?(l+c)/2:c;s.strokeStyle=s
   .fillStyle,s.beginPath(),s.lineWidth=n.decorationWidth||2,s.moveTo(r,h),s.lineTo(a,h),s.stroke()}}fu
 nction Wh(s,t){let
e=s.fillStyle;s.fillStyle=t.color,s.fillRect(t.left,t.top,t.width,t.height),s.fillStyle=e\}function \\ re(s,t,e,i,n,o=\{\})\{let r=[](t)?t:[t],a=o.strokeWidth>0&&o.strokeColor!=="",l,c;for(s.save(),s.font=n.string,Nh(s,o),l=0;l<r.length;++l)c=r[l],o.backdrop&&Wh(s,o.backdrop),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeColor&&(s.strokeSt),a&&(o.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.strokeColor&&(s.stroke
 yle=o.strokeColor),A(o.strokeWidth)||(s.lineWidth=o.strokeWidth),s.strokeText(c,e,i,o.maxWidth)),s.f
 ill Text(c,e,i,o.maxWidth), Rh(s,e,i,c,o), i+=Number(n.lineHeight); s.restore() \} function \ \ Ye(s,t) \{ let \{x:e,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,c,a,b,
   ,y:i,w:n,h:o,radius:r}=t;s.arc(e+r.topLeft,i+r.topLeft,r.topLeft,1.5*N,N,!0),s.lineTo(e,i+o-
```

```
r.bottomLeft), s.arc(e+r.bottomLeft, i+o-r.bottomLeft, r.bottomLeft, N, X, !0), s.lineTo(e+n-bottomLeft)
 r.bottomRight,i+o),s.arc(e+n-r.bottomRight,i+o-
 r.bottomRight, r.bottomRight, X, 0, !0), s.lineTo(e+n, i+r.topRight), s.arc(e+n-
r.topRight,i+r.topRight,r.topRight,0,-X,!0),s.lineTo(e+r.topLeft,i)}var
zh=/^(normal|(\d+(?:\.\d+)?)(px|em|%)?)□/,Vh=/^(normal|italic|initial|inherit|unset|(oblique(
  -?[0-9]?[0-9]\deg)?)) \square/; function \ Hh(s,t) \{let \ e=(""+s).match(zh); if(!e||e[1]==="normal") return
 t*1.2; switch(s=+e[2],e[3]){case"px":return s; case"%":s/=100; break}return t*s}var
 Bh=s=>+s||0;function Bi(s,t){let
 n)e[r]=Bh(o(r));return e}function Jn(s){return Bi(s,{top:"y",right:"x",bottom:"y",left:"x"})}function ae(s){return Bi(s,["topLeft","topRight","bottomLeft","bottomRight"])}function at(s){let t=Jn(s);return t.width=t.left+t.right,t.height=t.top+t.bottom,t}function Q(s,t){s=s||{},t=t||U.font;let
e=I(s.size,t.size);typeof e=="string"&&(e=parseInt(e,10));let
i=I(s.style,t.style);i&&!(""+i).match(Vh)&&(console.warn('Invalid font style specified:
"'+i+'"'),i=void 0);let n={family:I(s.family,t.family),lineHeight:Hh(I(s.lineHeight,t.lineHeight),e)
,size:e,style:i,weight:I(s.weight,t.weight),string:""};return n.string=Ph(n),n}function
Ze(s,t,e,i){let n=!0,o,r,a;for(o=0,r=s.length;o<r;++o)if(a=s[o],a!==void 0&&(t!==void 0&&typeof</pre>
a=="function"\&\&(a=a(t),n=!1),e!==void 0\&\&[(a)\&\&(a=a[e\%a.length],n=!1),a!==void 0)) \ return i\&\&!n\&\&(i.cacheable=!1),a}function aa(s,t,e) \{let\{min:i,max:n\}=s,o=Nn(t,(n-a))\} \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] \ return i\&\&!n\&\&(a=a[e\%a.length],a] 
i)/2), r=(a,l)=>e\&\&a===0?0:a+l; return\{\min:r(i,-Math.abs(o)),\max:r(n,o)\}\} function Yt(s,t)\{return Object.assign(Object.create(s),t)\} function \exists i(s,t=[""],e,i,n=()=>s[0])\{let o=e||s;typeof output)\}
 i>"u"&&(i=ha(" fallback",s));let r={[Symbol.toStringTag]:"Object",_cacheable:!0,_scopes:s,_rootScope
s:o,_fallback:i,_getTarget:n,override:a=>□i([a,...s],t,o,i)};return new
Proxy(r,{deleteProperty(a,l){return delete a[l],delete a._keys,delete s[0][l],!0},get(a,l){return
 la(a,l,()=>Xh(l,t,s,a))},getOwnPropertyDescriptor(a,l){return
Reflect.getOwnPropertyDescriptor(a._scopes[0],l)},getPrototypeOf(){return
Reflect.getPrototypeOf(s[0])},has(a,l){return Vr(a).includes(l)},ownKeys(a){return
Vr(a)}, set(a,l,c){let h=a._storage||(a._storage=n()); return a[l]=h[l]=c,delete
a._keys,!0}})}function _e(s,t,e,i){let n={_cacheable:!1,_proxy:s,_context:t,_subProxy:e,_stack:new
 Set, descriptors:Qn(s,i), setContext:o=> e(s,o,e,i), override:o=> e(s.override(o),t,e,i)}; return new
 Proxy(n,{deleteProperty(o,r){return delete o[r],delete s[r],!0},qet(o,r,a){return
la(o,r,()=>jh(o,r,a))},getOwnPropertyDescriptor(o,r){return
o._descriptors.allKeys?Reflect.has(s,r)?{enumerable:!0,configurable:!0}:void
 0:Reflect.getOwnPropertyDescriptor(s,r)},getPrototypeOf(){return
 Reflect.getPrototypeOf(s)\}, has(o,r)\{return\ Reflect.has(s,r)\}, ownKeys()\{return\ R
 Reflect.ownKeys(s)}, set(o,r,a){return s[r]=a,delete o[r],!0}})}function Qn(s,t=\{scriptable:!0,indexa
ble:!0}){let{_scriptable:e=t.scriptable,_indexable:i=t.indexable,_allKeys:n=t.allKeys}=s;return{allK eys:n,scriptable:e,indexable:it(e)?e:()=>e,isIndexable:[t(i)?i:()=>i}}var [h=(s,t)=>s?s+Ni(t):t,to=(s,t)=>L(t)&&s!=="adapters"&&(Object.getPrototypeOf(t)===null||t.constructor===Object)
 ;function la(s,t,e){if(Object.prototype.hasOwnProperty.call(s,t)||t==="constructor")return s[t];let
 i=e();return s[t]=i,i}function
 jh(s,t,e)\{let\{\_proxy:i,\_context:n,\_subProxy:o,\_descriptors:r\}=s,a=i[t];return \ \Box t(a)\&r.isScriptable(a)
  \dot{t}) \& \& (a=Uh(t,a,\bar{s},e)), \\ \square(a) \& \& a.length \\ \& \& (a=Yh(t,a,\bar{s},r.isIndexable)), \\ to (t,a) \& \& (a=e(a,n,o\&o[t],r)), \\ a\} function \\ \dot{t}) \& \& (a=Uh(t,a,\bar{s},e)), \\ \square(a) \& \& (a=e(a,n,o\&o[t],r)), \\ a\} function \\ \dot{t}) \& \& (a=Uh(t,a,\bar{s},e)), \\ \square(a) \& \& (a=e(a,n,o\&o[t],r)), \\ a\} function \\ \dot{t}) \& \& (a=Uh(t,a,\bar{s},e)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\&o[t],r)), \\ \dot{t}) \& \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)), \\ \dot{t}) \& (a=e(a,n,o\oo[t],r)),
ction Uh(s,t,e,i){let{ proxy:n, context:o, subProxy:r, stack:a}=e;if(a.has(s))throw new Error("Recursion detected: "+Array.from(a).join("->")+"->"+s);a.add(s);let l=t(o,r||i);return
a.delete(s),to(s,l)&\{(l=eo(n.scopes,n,s,l)),l\}function Yh(s,t,e,i)\{let\{proxy:n,context:o,subProxy:r,descriptors:a\}=e;if(typeof o.index<"u"&&i(s))return t[o.index%t.length];if(L(t[0]))\{let l=t,c=n.scopes.filter(h=>h!==l);t=[];for(let h of l)\{let l=t,c=n.scopes.filter(h=>h!==l);t=[];for(let h of l)\{let l=t,c=n.scopes.filter(h=>h!=sl);t=[];for(let h of l)\{let l=t,c=n.scopes.filter(h=>h!=sl
 u=eo(c,n,s,h); t.push( e(u,o,r\&\&r[s],a))}}return t}function ca(s,t,e){return \exists t(s)?s(t,e):s}var
Zh=(s,t)=>s==!0?t:typeof\ s=="string"?Ut(t,s):void\ 0;function\ qh(s,t,e,i,n)\{for(let\ o\ of\ t)\{let\ r=Zh(e,o);if(r)\{s.add(r);let\ a=ca(r._fallback,e,n);if(typeof\ a<"u"\&\&a!==e\&\&a!==i)return\ a\}else\ if(r===!1\&\&typeof\ i<"u"\&\&e!==i)return\ null\}return!1\}function\ eo(s,t,e,i)\{let\ a=ca(r,e,a),elet\ a=ca(r,e,a)\}
 n=t. rootScopes,o=ca(t. fallback,e,i),r=[...s,...n],a=new Set;a.add(i);let l=zr(a,r,e,o||e,i);return
 l===null||typeof
 o<"u"\&\&o!==e\&\&(l=zr(a,r,o,l,i),l===null)?!1: [i(Array.from(a),[""],n,o,()=>Gh(t,e,i))] function
  zr(s,t,e,i,n) \{ for(;e;) e = qh(s,t,e,i,n); return \ e \} function \ Gh(s,t,e) \{ let \ i = s.\_getTarget(); t \ in \} \} 
 i||(i[t]={});let n=i[t];return <math>[n] \& L(e)?e:n||{}\} function Xh(s,t,e,i){let n;for(let o of the let n)} for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let n) for (let
 t) if (n=ha([h(o,s),e),typeof n<"u") return to(s,n)?eo(e,i,s,n):n function ha(s,t) {for(let e of e) in the function ha(s,t) for the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the end of the 
 t){if(!e)continue;let i=e[s];if(typeof i<"u")return i}}function Vr(s){let t=s. keys;return
 t||(t=s. keys=Kh(s. scopes)),t}function Kh(s){let t=new Set;for(let e of s)for(let i of
 Object.keys(e).filter(n=>!n.startsWith("_")))t.add(i);return Array.from(t)}function
 so(s,t,e,i){let{iScale:n}=s,{key:o="r"}=this._parsing,r=new
 Array(i), a, l, c, h; for(a=0, l=i; a< l; ++a)c=a+e, h=\overline{t}[c], r[a]=\{r: n. parse(Ut(h, o), c)\}; return r\} var
 \label{lem:Jh=Number.EPSILON||1e-14,Ve=(s,t)=>t<s.length&&!s[t].skip&&s[t],ua=s=>s==="x"?"y":"x";function and the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum o
 Qh(s,t,e,i) {let n=s.skip?t:s,o=t,r=e.skip?t:e,a=Li(o,n),l=Li(r,o),c=a/(a+l),h=l/(a+l);c=isNaN(c)?0:c
h=isNaN(h)?0:h;let u=i*c,d=i*h;return{previous:{x:o.x-u*(r.x-n.x),y:o.y-u*(r.y-n.y)},next:{x:o.x+d*(r.x-n.x),y:o.y+d*(r.y-n.y)}}}function tu(s,t,e){let
 i=s.length,n,o,r,a,l,c=Ve(s,0);for(let h=0;h<i
1; ++h) if (l=c,c=Ve(s,h+1),!(!l||!c)) \{ if ([e(t[h],0,Jh)) \{ e[h]=e[h+1]=0; continue \} n=e[h]/t[h],o=e[h+1]/t[h],a=Math.pow(o,2),!(a<=9) && (r=3/Math.sqrt(a),e[h]=n*r*t[h],e[h+1]=o*r*t[h]) \} function for the continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuou
 eu(s,t,e="x"){let i=ua(e), n=s.length, o, r, a, l=Ve(s,0); for (let
 c=0; c<n; ++c) \{if(r=a,a=l,l=Ve(s,c+1),!a) continue; let h=a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[i]; r&&(o=(h-r[e])/3,a[`cp1[]{e}`]=h-a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u=a[e], u
```

```
o,a[\cp1[\{i\}\]=u-o*t[c]),l\&\{(o=(l[e]-h)/3,a[\cp2[\{e\}\]=h+o,a[\cp2[\{i\}\]]=u+o*t[c])\}\} function
su(s,t="x"){let e=ua(t),i=s.length,n=Array(i).fill(0),o=Array(i),r,a,l,c=Ve(s,0);for(r=0;r<i;++r)if(a=l,l=c,c=Ve(s,r+1),!!l){if(c){let h=c[t]-l[t];n[r]=h!==0?(c[e]-l[e])/h:0}o[r]=a?c?Ot(n[r-
 1])! = 0t(n[r])?0:(n[r-1]+n[r])/2:n[r-1]:n[r]\}tu(s,n,o),eu(s,o,t)\}function \ Ei(s,t,e)\{return(s,n,o),eu(s,o,t)\}function \ Ei(s,t,e)\{return(s,o,t),eu(s,o,t)\}function \ Ei(s,t,e)\{return(s,o,t),eu(s,o,t
 Math.max(Math.min(s,e),t) function iu(s,t) {let e,i,n,o,r,a=Pt(s[0],t); for(e=0,i=s.length;e< i;++e)r=o
 1\&\&Pt(s[e+1],t), o\&\&(n=s[e],r\&\&(n.cp1x=Ei(n.cp1x,t.left,t.right),n.cp1y=Ei(n.cp1y,t.top,t.bottom)), a\&
 &(n.cp2x=Ei(n.cp2x,t.left,t.right),n.cp2y=Ei(n.cp2y,t.top,t.bottom)))}function da(s,t,e,i,n){let o,r
 ,a,l;if(t.spanGaps&&(s=s.filter(c=>!c.skip)),t.cubicInterpolationMode==="monotone")su(s,n);else{let
c=i?s[s.length-1]:s[0];for(o=0,r=s.length;o<r;++o)a=s[o],l=Qh(c,a,s[Math.min(o+1,r-</pre>
  (i?0:1))%r],t.tension),a.cplx=l.previous.x,a.cply=l.previous.y,a.cp2x=l.next.x,a.cp2y=l.next.y,c=a}t
    .capBezierPoints&&iu(s,e)}function ji(){return typeof window<"u"&&typeof document<"u"}function
 Ui(s){let t=s.parentNode;return t&&t.toString()==="[object ShadowRoot]"&&(t=t.host),t}function
 Pi(s,t,e){let i;return typeof
 s=="string"?(i=parseInt(s,10),s.indexOf("%")!==-1\&\&(i=i/100*t.parentNode[e])):i=s,i\} varentNode[e])
Yi=s=>s.ownerDocument.defaultView.getComputedStyle(s,null);function nu(s,t){return
Yi(s).getPropertyValue(t)}var ou=["top","right","bottom","left"];function xe(s,t,e){let
i={};e=e?"-"+e:"";for(let n=0;n<4;n++){let o=ou[n];i[o]=parseFloat(s[t+"-"+o+e])||0}return
 i.width=i.left+i.right,i.height=i.top+i.bottom,i}var
 ru=(s,t,e)=>(s>0||t>0)\&\&(!e||!e.shadowRoot); function \ au(s,t)\{let \ e=s.touches,i=e\&\&e.length?e[0]:s,\{outlete,ve,e\}\} \}
 ffset X: n, offset Y: o\} = i, r = !1, a, l; if(ru(n, o, s.target)) a = n, l = o; else \{let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a : let a
 c=t.getBoundingClientRect();a=i.clientX-c.left,l=i.clientY-c.top,r=!0}return{x:a,y:l,box:r}}function
 le(s,t){if("native"in s)return
s;let{canvas:e,currentDevicePixelRatio:i}=t,n=Yi(e),o=n.boxSizing==="border-box",r=xe(n,"padding"),a =xe(n,"border","width"),{x:l,y:c,box:h}=au(s,e),u=r.left+(h&&a.left),d=r.top+(h&&a.top),{width:f,hei
 ght:m}=t; return o\&\&(f-=r.width+a.width,m-=r.height+a.height), {x:Math.round((l-x))} = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x) = f(x)
 \ddot{u})/f*e.width/i),y:Math.round((c-d)/m*e.height/i)}}function \ddot{u}(s,t,e){let i,n;if(t===void 0||e===void  ==||e===||e====||e===||e===||e===||e===
 0){let o=s&&Ui(s);if(!o)t=s.clientWidth,e=s.clientHeight;else{let r=o.getBoundingClientRect(),a=Yi(o
),l=xe(a,"border","width"),c=xe(a,"padding");t=r.width-c.width-l.width,e=r.height-c.height-l.height,i=Pi(a.maxWidth,o,"clientWidth"),n=Pi(a.maxHeight,o,"clientHeight")}}return{width:t,height:e,maxWidth:i||Ai,maxHeight:n||Ai}}var Ii=s=>Math.round(s*10)/10;function fa(s,t,e,i){let n=Yi(s),o=xe(n,"margin"),r=Pi(n.maxWidth,s,"clientWidth")||Ai,a=Pi(n.maxHeight,s,"clientHeight")||Ai,l=lu(s,t,e)
 ),{width:c,height:h}=l;if(n.boxSizing==="content-box"){let
d=xe(n,"border","width"),f=xe(n,"padding");c-=f.width+d.width,h-=f.height+d.height}return c=Math.max
(0,c-o.width),h=Math.max(0,i?c/i:h-
 o.height), c=Ii(Math.min(c,r,l.maxWidth)), h=Ii(Math.min(h,a,l.maxHeight)), c&&!h&&(h=Ii(c/2)),(t!==voi)
 d \theta = = void
 0)\&\&i\&\&l.height\&\&h>l.height\&\&(h=l.height,c=Ii(Math.floor(h*i))), \{width:c,height:h\}\} function
 io(s,t,e){let i=t||1,n=Math.floor(s.height*i),o=Math.floor(s.width*i);s.height=Math.floor(s.height),
 s.width=Math.floor(s.width); let r=s.canvas; return r.style&&(e||!r.style.height&&!r.style.width)&&(r.style.width)&&(r.style.height&&: r=s.canvas; return r.style&&(e||:r.style.height&&:r.style.width)&&(r.style.height&&: r=s.canvas; return r.style&&(e||:r.style.height&&:r.style.width)&&(r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style.height&&:r.style
 style.height=`[{s.height}px`,r.style.width=`[{s.width}px`),s.currentDevicePixelRatio!==i||r.height!=
 =n||r.width!==o?(s.currentDevicePixelRatio=i,r.height=n,r.width=o,s.ctx.setTransform(i,0,0,i,0,0),!0
=\|\r.\width!==\r.\width!==\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\r.\width!=\
 eturn ie(c,h,e)}var cu=function(s,t){return{x(e){return}
s+s+t-e}, setWidth(e) {t=e}, textAlign(e) {return e=="center"?e:e==="right"?"left":"right"}, xPlus(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForLtr(e,i) {return e-i}, leftForL
 e-i}}},hu=function(){return{x(s){return s},setWidth(s){},textAlign(s){return s},xPlus(s,t){return
 s+t, leftForLtr(s,t){return s}}; function Se(s,t,e){return s?cu(t,e):hu()}function oo(s,t){let e,i;(
 t = = "ltr" | | t = = "rtl") \& (e = s. canvas. style, i = [e.getPropertyValue("direction"), e.getPropertyPriority("direction"), e.getPro
 irection")],e.setProperty("direction",t,"important"),s.prevTextDirection=i)}function
 ro(s,t){t!==void 0\&\&(delete)
 s.prevTextDirection, s.canvas.style.setProperty("direction", t[0], t[1])) function ya(s) {return s==="an interpretable of the setProperty ("direction", t[0], t[1]))}
 gle"?{between:je,compare:Oh,normalize:ot}:{between:Rt,compare:(t,e)=>t-e,normalize:t=>t}}function Hr
    ({start:s,end:t,count:e,loop:i,style:n}){return{start:s%e,end:t%e,loop:i&&(t-
 s+1)%e===0,style:n}}function uu(s,t,e){let{property:i,start:n,end:o}=e,{between:r,normalize:a}=ya(i)
   , l=t.length, {start:c,end:h,loop:u}=s,d,f;if(u) {for(c+=l,h+=l,d=0,f=l;d<f&&r(a(t[c%l][i]),n,o);++d)c--,h--;c%=l,h%=l} return h<c&&(h+=l), {start:c,end:h,loop:u,style:s.style}} function ao(s,t,e) {if(!e) return h<c&&(h+=l), {start:c,end:h,loop:u,style:s.style}} function ao(s,t,e) {if(!e) return h<c&&(h+=l), {start:c,end:h,loop:u,style:s.style}} function ao(s,t,e) {if(!e) return h<c&&(h+=l), {start:c,end:h,loop:u,style:s.style}} function ao(s,t,e) {if(!e) return h<c&(h+=l), {start:c,end:h,loop:u,style}} function ao(s,t,e) {if(!
 urn[s];let{property:i,start:n,end:o}=e,r=t.length,{compare:a,between:l,normalize:c}=ya(i),{start:h,e
 \begin{array}{l} \text{nd:} \dot{u}, \dot{loop:} \dot{d}, \dot{style:} \dot{f}\} = \dot{u}u(s,t,e), \\ m = [], \dot{g} = \dot{1}, p = null, \dot{y}, \dot{b}, \\ -, \dot{w} = () = > \dot{l}(n, \_, y) \& \dot{a}(n, \_)! = = 0, \\ \dot{x} = () = > \dot{a}(\dot{o}, y) = = = 0 \\ \dot{l}(o, \_, y), \\ k = () = > \dot{g}||w(), \\ M = () = > \dot{g}||x(); \\ for(let \ v = h, 0 = h; v < = u; + + v) \\ b = t[v * r], \\ lb. skip \& \& (y = c(b[i]), y! = = \_& \& (g = l) \\ \end{pmatrix} 
   (y,n,o), p===null\&\&k()\&\&(p=a(y,n)===0?v:0), p!==null\&\&M()\&\&(m.push(Hr({start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,loop:d,count:r,start:p,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end:v,end
 yle:f})),p=null),0=v,_=y));return
 p! = null \& \&m.push(Hr(\{\bar{s}tart:p,end:u,loop:d,count:r,style:f\})), m \} function \ lo(s,t) \{letaline for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for each of the count for eac
 e=[],i=s.segments;for(let n=0;n<i.length;n++){let
 o=ao(i[n],s.points,t);o.length\&\&e.push(...o) return e}function du(s,t,e,i) {let n=0,o=t-1}
 1; if(e&\&!i)for(; n<t&\&!s[n].skip;)n++; for(; n<t&&s[n].skip;)n++; for(n'=t,e&&(o+=n);o>n&&s[o*t].skip;)o
       -;return o%=t,{start:n,end:o}}function fu(s,t,e,i){let
 n=s.length,o=[],r=t,a=s[t],l;for(l=t+1;l<=e;++l){let c=s[l%n];c.skip||c.stop?a.skip||(i=!1,o.push({sinterior of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content
```

```
tart:t%n,end:(l-1)%n,loop:i)),t=r=c.stop?l:null):(r=l,a.skip&&(t=l)),a=c}return
 r!==null&&o.push({start:t%n,end:r%n,loop:i}),o}function ba(s,t){let
 e=s.points,i=s.options.spanGaps,n=e.length;if(!n)return[];let
 o=!!s._loop,{start:r,end:a}=du(e,n,o,i);if(i===!0)return Br(s,[{start:r,end:a,loop:o}],e,t);let
 l=a<r?a+n:a,c=!!s._fullLoop&&r===0&&a===n-1; return Br(s,fu(e,r,l,c),e,t) function
 Br(s,t,e,i){return!i||!i.setContext||!e?t:mu(s,t,e,i)}function mu(s,t,e,i){let n=s. chart.getContext}
(),o=\Boxr(s.options),{\BoxdatasetIndex:r,options:{spanGaps:a}}=s,l=e.length,c=[],h=o,u=t[0].start,d=u;function f(m,g,p,y){let b=a?-1:1;if(m!==g){for(m+=l;e[m%l].skip;)m-
 = b; for(;e[g%l].skip;)g+=b; m%l! == g%l&&(c.push({start:m%l,end:g%l,loop:p,style:y}),h=y,u=g%l)} for(let = for example a substitution of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of t
 m of t)\{u=a?u:m.start; let g=e[u%l],p; for(d=u+1;d<=m.end;d++)\{let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d<=m.end;d++){let y=e[d%l];p=|r(i.setContext(Yt(n,{ty})), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), for(d=u+1;d), f
 pe: "segment",p0:q,p1:y,p0DataIndex:(d-1)%l,p1DataIndex:d%l,datasetIndex:r})),qu(p,h)&&f(u,d-
 1,m.loop,h),g=y,h=p}u<d-1&&f(u,d-1,m.loop,h)}return c}function □r(s){return{backgroundColor:s.backgr
 oundColor,borderCapStyle:s.borderCapStyle,borderDash:s.borderDash0ffset:s.borderDash0ffse
 t,borderJoinStyle:s.borderJoinStyle,borderWidth:s.borderWidth,borderColor:s.borderColor}}function
 gu(s,t){if(!t)return!1;let e=[],i=function(n,o){return
 qn(o)?(e.includes(o)||e.push(o),e.indexOf(o)):o};return
JSON.stringify(s,i)!==JSON.stringify(t,i)}function Ci(s,t,e){return s.options.clip?s[e]:t[e]}function pu(s,t){let{xScale:e,yScale:i}=s;return e&i?{left:Ci(e,t,"left"), right:Ci(e,t,"right"),top:Ci(i,t,"top"),bottom:Ci(i,t,"bottom")}:t}function co(s,t){let e=t._clip;if(e.disabled)return!1;let i=pu(t,s.chartArea);return{left:e.left===!170:i.left-
 (e.left===!0?0:e.left),right:e.right===!1?s.width:i.right+(e.right===!0?0:e.right),top:e.top===!1?0:
 i.top-(e.top===!0?0:e.top),bottom:e.bottom===!1?s.height:i.bottom+(e.bottom===!0?0:e.bottom)}}var
So=class{constructor(){this. request=null,this._charts=new Map,this._running=!1,this._lastDate=void 0}_notify(t,e,i,n){let o=e.listeners[n],r=e.duration;o.forEach(a=>a({chart:t,initial:e.initial,numSt
 eps:r,currentStep:Math.min(i-
 e.start,r)}))}_refresh(){this._request||(this._running=!0,this._request=jn.call(window,()=>{this._up
date(),this._request=null,this._running&&this._refresh()}))}_update(t=Date.now()){let
e=0;this._charts.forEach((i,n)=>{if(!i.running||!i.items.length)return;let o=i.items,r=o.length-
 1,a=!1,l; for(;r>=0;
 r) l = o[r], l.\_active?(l.\_total>i.duration \& (i.duration = l.\_total), l.tick(t), a = !0) : (o[r] = o[o.length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-l
1], o.pop()); a\&\&(n.draw(), this.\_notify(n,i,t,"progress")), o.length||(i.running=!1,this.\_notify(n,i,t,"complete"),i.initial=!1), e+=o.length|), this.\_lastDate=t, e===0&&(this.\_running=!1)}_getAnims(t) { let e=this.\_charts,i=e.get(t); return i||(i={running}:!1,initial:!0,items:[],listeners:{complete:[],progre}
ss:[]}},e.set(t,i)),i}listen(t,e,i){this._getAnims(t).listeners[e].push(i)}add(t,e){!e||!e.length||this._getAnims(t).items.length>0}start(t){let e=this
  . charts.get(t);e&&(e.running=!0,e.start=Date.now(),e.duration=e.items.reduce((i,n)=>Math.max(i,n. d
uration),0),this._refresh())}running(t){if(!this._running)return!1;let
e=this._charts.get(t);return!(!e||!e.running||!e.items.length)}stop(t){let
 e=this. charts.get(t);if(!e||!e.items.length)return;let i=e.items,n=i.length-1;for(;n>=0;--
n)i[n].cancel();e.items=[],this._notify(t,e,Date.now(),"complete")}remove(t){return
this._charts.delete(t)}},Zt=new So,xa="transparent",yu={boolean(s,t,e){return}
 e>.5?t:s\}, color(s,t,e) \{let \ i=Gn(s||xa), n=i.valid\&Gn(t||xa); return \} \}
 n&&n.valid?n.mix(i,e).hexString():t},number(s,t,e){return
s+(t-s)*e}},ko=class{constructor(t,e,i,n){let o=e[i];n=Ze([t.to,n,o,t.from]);let r=Ze([t.from,o,n]);this._active=!0,this._fn=t.fn||yu[t.type||typeof r],this._easing=We[t.easing]||We.linear,this._start=Math.floor(Date.now()+(t.delay||0)),this._duration=this._total=Math.floor(t.dura
tion), this._loop=!!t.loop, this._target=e, this._prop=i, this._from=r, this._to=n, this._promises=void 0}active(){return this._active}update(t,e,i){if(this._active){this._notify(!1);let n=this._target[th
 is._prop],o=i-this._start,r=this._duration
o; this._start=i, this._duration=Math.floor(Math.max(r,t.duration)), this._total+=o,this._loop=!!t.loop,this._to=Ze([t.to,e,n,t.from]),this._from=Ze([t.from,n,e])}}cancel(){this._active&&(this.tick(Date.now()),this._active=!1,this._notify(!1))}tick(t){let e=t-
this._start,i=this._duration,n=this._prop,o=this._from,r=this._loop,a=this._to,l;if(this._active=o!= =a&&(r||e<i),!this._active){this._target[n]=a,this._notify(!0);return}if(e<0){this._target[n]=o;return}
 rn}l=e/i%2,l=r&l>1?2
 l:l,l=this. easing(Math.min(1,Math.max(0,l))),this. target[n]=this. fn(o,a,l)}wait(){let
 t=this. promises||(this. promises=[]);return new
 Promise((e,i) => \{t.push(\{res:e,rej:i\})\})\} \ notify(t) \{let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t?"res": "rej", i=this. \ promises||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; for(let e=t]) ||[]; fo
 n=0;n<i.length;n++)i[n][e]()}},en=class{constructor(t,e){this._chart=t,this._properties=new
 Map,this.configure(e)}configure(t){if(!L(t))return;let
 e=Object.keys(U.animation),i=this.properties;Object.getOwnPropertyNames(t).forEach(n=>{let
 o=t[n];if(!L(o)) return; let r=\{\};for(let a of e)r[a]=o[a];([(o.properties)\&\&o.properties)|[n]).forEac
h(a=>{(a===n||!i.has(a))&&i.set(a,r)})}}_animateOptions(t,e){let i=e.options,n=xu(t,i);if(!n)return[];let o=this._createAnimations(n,i);return
 i. \_ shared \& bu(t.options. \_ animations, i). then(() = > \{t.options = i\}, () = > \{\}), o\}\_create Animations(t, e) \{ let i = i\}, (i) = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i| = |i
=this._properties,n=[],o=t.\squareanimations||(t.\squareanimations={}),r=0bject.keys(e),a=Date.now(),l;for(l=r.length-1;l>=0;--l){let c=r[l];if(c.charAt(0)==="\square")continue;if(c==="options"){n.push(...this._animate
 Options(t,e));continue}let
 h=e[c], u=o[c], d=i.get(c); if(u)if(d&&u.active()) \{u.update(d,h,a); continue\}else
  u.cancel(); if(!d||!d.duration)\{t[c]=h; continue\}o[c]=u=new \ ko(d,t,c,h), n.push(u)\} return \\ 
 n}update(t,e){if(this. properties.size===0){Object.assign(t,e);return}let
 i=this. createAnimations(t,e);if(i.length)return Zt.add(this._chart,i),!0}};function bu(s,t){let
 e=[],i=\overline{0}bject.keys(t);for(let n=0;n<i.length;n++){let}
```

```
o=s[i[n]];o\&o.active()\&o.active(). Promise.all(e)} function xu(s,t){if(!t)return;let
 e=s.options;if(!e){s.options=t;return}return
 e=s&&s.options||{},i=e.reverse,n=e.min===void 0?t:0,o=e.max===void
 0?t:0; return{start:i?o:n,end:i?n:o}{function u(s,t,e){if(e===!1)} return!1;let}
 i= a(s,e),n= a(t,e);return{top:n.end,right:i.end,bottom:n.start,left:i.start}}function wu(s){let
t,e,i,n;return L(s)?(t=s.top,e=s.right,i=s.bottom,n=s.left):t=e=i=n=s,{top:t,right:e,bottom:i,left:n,disabled:s===!1}}function bl(s,t){let
e=[],i=s._getSortedDatasetMetas(t),n,o;for(n=0,o=i.length;n<o;++n)e.push(i[n].index);return
e}function wa(s,t,e,i={}){let n=s.keys,o=i.mode==="single",r,a,l,c;if(t===null)return;let h=!1;for(r
 =0, a=n. length; r < a; ++r) {if(l=+n[r], l===0) {if(h=!0, i.all) continue; break} c=s. values[l=1, Z(c)&&(o=1) c=1
ho(s,t){let e=s&&s.options.stacked;return e||e===void 0&&t.stack!==void 0}function
 ku(s,t,e){return`|\{s.id\}.||\{t.id\}.||\{e.type\}`\}function Mu(s){let{min:t,max:e,minDefined:i,max}
 Defined:n}=s.getUserBounds();return{min:i?t:Number.NEGATIVE_INFINITY,max:n?e:Number.POSITIVE_INFINIT
 Y \} \{ unction \ vu(s,t,e) \} \{ et \ i=s[t] | |(s[t]=\{\}); return \ i[e] | |(i[e]=\{\}) \} \{ unction \ Sa(s,t,e,i) \} \{ for(let \ n \ of \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let 
 \label{t.qetMatchingVisibleMetas(i).reverse())} \\ \{ \text{let o=s[n.index]; if(e\&\&o>0||!e\&\&o<0) return n.index} \} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.index} \\ \text{return n.i
 \begin{array}{lll} \text{null} & \text{function } & \text{ka(s,t)} & \text{let} & \text{cachedMeta:i} = \text{s,n=e.} & \text{stacks} & \text{|(e.\_stacks=\{\}),\{iScale:o,vScale:r,index:a\}=i,l=o.axis,c=r.axis,h=ku(o,r,i),u=t.length,d;for(let f=0;f<u;++f)\{let m=t[f],\{[l]:g,[c]:p\}=m,d;for(let f=0;f<u;++f)\} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stacks=\{\}),f} & \text{|(e.\_stac
 y=m._stacks||(m._stacks={});d=y[c]=vu(n,h,g),d[a]=p,d._top=Sa(d,r,!0,i.type),d._bottom=Sa(d,r,!1,i.t
 ype); let b=d._visualValues=||(d._visualValues={}); b[a]=p} function uo(s,t) {let e=s.scales; return
 Object.keys(e).filter(i=>e[i].axis===t).shift()}function Tu(s,t){return Yt(s,{active:!1,dataset:void
Object.Reys(e).fifter(1=>e[i].axis===1).shirt()}function fu(s,t){leturn ft(s,{active})}, datasetIndex:t,index:t,mode:"default",type:"dataset"})}function Ou(s,t,e){return ft(s,{active}), function files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files, files
 e=s.controller.index, i=s.vScale\&\&s.vScale.axis; if (i) \\ \{t=t | | s._parsed; for (let n of t) \\ \{let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t, t | let n of t
 o=n. stacks;if(!o||o[i]===void 0||o[i][e]===void 0)return;delete o[i][e],o[i]. visualValues!==void
0\&\&o[i].\_visualValues[e]!==void 0\&\&delete o[i].\_visualValues[e]\}} \} var fo=s=>s==="reset"||s==="none", Ma=(s,t)=>t?s:0bject.assign({},s),Du=(s,t,e)=>s&\&!t.hidden&\&t.\_stacked&&\{keys:bl(e,!0),values:null\}, Ma=(s,t)=>t?s:0bject.assign({},s),Du=(s,t,e)=>s&&!t.hidden&&t.\_stacked&&\{keys:bl(e,!0),values:null\}, Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null\}, Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null\}, Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null\}, Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], Ma=(s,t)=stacked&&\{keys:bl(e,!0),values:null], 
 pt=class\{constructor(t,e)\{this.chart=t,this.\_ctx=t.ctx,this.index=e,this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_cachedDataOpts=\{\},this.\_ca
 chedMeta=this.getMeta(),this._type=this._cachedMeta.type,this.options=void
0,this._parsing=!1,this._data=void 0,this._objectData=void 0,this._sharedOptions=void 0,this._drawStart=void 0,this._drawCount=void
 0,this.enableOptionSharing=!1,this.supportsDecimation=!1,this.□context=void 0,this._syncList=[],this
   .datasetElementType=new.target.datasetElementType,this.dataElementType=new.target.dataElementType,th
is.initialize()}initialize(){let t=this._cachedMeta;this.configure(),this.linkScales(),t._stacked=ho (t.vScale,t),this.addElements(),this.options.fill&&!this.chart.isPluginEnabled("filler")&&console.wa rn("Tried to use the 'fill' option without the 'Filler' plugin enabled. Please import and register the 'Filler' plugin and make sure it is not displayed to the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill option' the 'fill opti
 options") \} update \breve{I} ndex(t) \{this.index! == t\&\&Is(this.\_cachedMeta), this.index = t\} linkScales() \{let t = this.cachedMeta\} \} \} the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitu
hart,e=this._cachedMeta,i=this.getDataset(),n=(u,d,f,m)=>u==="x"?d:u==="r"?m:f,o=e.xAxisID=I(i.xAxisID,uo(t,"x")),r=e.yAxisID=I(i.yAxisID,uo(t,"y")),a=e.rAxisID=I(i.rAxisID,uo(t,"r")),l=e.indexAxis,c=
 e.iAxisID=n(l,o,r,a),h=e.vAxisID=n(l,r,o,a);e.xScale=this.getScaleForId(o),e.yScale=this.getScaleFor
 Id(r), e. rScale = this.getScaleForId(a), e. iScale = this.getScaleForId(c), e. vScale = this.getScaleForId(h) \} getScaleForId(h) = this.getScaleForId(h) taset(){return this.chart.data.datasets[this.index]}getMeta(){return
 this.chart.getDatasetMeta(this.index)}getScaleForId(t){return
 this.chart.scales[t]}_getOtherScale(t){let e=this._cachedMeta;return
t==e.iScale?e.vScale:e.iScale}reset(){this._update("reset")}_destroy(){let t=this._cachedMeta;this._data&&Bn(this._data,this),t._stacked&&Is(t)}_dataCheck(){let
 t=this.getDataset(),e=t.data||(t.data=[]),i=this._data;if(L(e)){let
n=this.\_cachedMeta;this.\_data=Su(e,n)\}else\ if(i!==e)\{if(i)\{Bn(i,this);let\ n=this.\_cachedMeta;Is(n),n.\_parsed=[]\}e\&\&0bject.isExtensible(e)\&\&ta(e,this),this.\_syncList=[],this.\_data=e\}\}addElements()\{let n=this.\_cachedMeta;Is(n),n.\_parsed=[],this.\_data=e\}\}addElements()\{let n=this.\_cachedMeta;Is(n),n.\_parsed=[],this.\_data=e\}
t=this._cachedMeta;this._dataCheck(),this.datasetElementType&&(t.dataset=new this.datasetElementType)}buildOrUpdateElements(t){let
 e=this. cachedMeta,i=this.getDataset(),n=!1;this. dataCheck();let o=e. stacked;e. stacked=ho(e.vScal
 e,e),e.stack!=i.stack\&(n=!0,Is(e),e.stack=i.stack),this._resyncElements(t),(n||o!==e.\_stacked)&(k=!0,Is(e),e.stack=i.stack)
 a(this,e._parsed),e._stacked=ho(e.vScale,e))}configure(){let t=this.chart.config,e=t.datasetScopeKey
 s(this.\_type), i=t.get0ptionScopes(this.getDataset(),e,!0); this.options=t.createResolver(i,this.getContinuous), and the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of th
 ntext()),this. parsing=this.options.parsing,this. cachedDataOpts={}}parse(t,e){let{ cachedMeta:i, da
ta:n}=this,{iScale:o,_stacked:r}=i,a=o.axis,l=t===0&&e===n.length?!0:i._sorted,c=t>0&&i._parsed[t-1],h,u,d;if(this._parsing===!1)i._parsed=n,i._sorted=!0,d=n;else{[(n[t])?d=this.parseArrayData(i,n,t,e):L(n[t])?d=this.parseObjectData(i,n,t,e):d=this.parsePrimitiveData(i,n,t,e);let f=()=>u[a]===null
||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);.-h=0;h+e)|| ||c\&\&([a];for(h=0;h+e);h+e)|| ||c\&\&([a];for(h=0;h+e);h+e)|| ||c\&\&([a];for(h=0;h+e);h+e)|| ||c\&\&([a];
 Array(n),d,f,m;for(d=0,f=n;d<f;++d)m=d+i,u[d]={[a]:h||o.parse(c[m],m),[l]:r.parse(e[m],m)};return
u}parseArrayData(t,e,i,n){let{xScale:o,yScale:r}=t,a=new
Array(n),l,c,h,u;for(l=0,c=n;l<c;++l)h=l+i,u=e[h],a[l]={x:o.parse(u[0],h),y:r.parse(u[1],h)};return</pre>
 a}parseObjectData(t,e,i,n){let{xScale:o,yScale:r}=t,{xAxisKey:a="x",yAxisKey:l="y"}=this._parsing,c=
 new Array(n),h,u,d,f;for(h=0,u=n;h<u;++h)d=h+i,f=e[d],c[h]=\{x:o.parse(Ut(f,a),d),y:r.parse(Ut(f,l),d)\}
 )};return c}getParsed(t){return this. cachedMeta. parsed[t]}getDataElement(t){return
 this._cachedMeta.data[t]}applyStack(t,e,i){let n=this.chart,o=this._cachedMeta,r=e[t.axis],a={keys:b
```

```
l(n,!0), values:e. stacks[t.axis]. visualValues}; return
 wa(a,r,o.index,{mode:i})}updateRangeFromParsed(t,e,i,n){let o=i[e.axis],r=o===null?NaN:o,a=n&i. sta
 \mathsf{cks}[\texttt{e.axis}]; \texttt{n\&\&a\&\&(n.values=a,r=wa(n,o,this.\_cachedMeta.index)),t.min=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.max=Math.min(t.min,r),t.m
ax(t.max,r)}getMinMax(t,e){let i=this._cachedMeta,n=i._parsed,o=i._sorted&&t===i.iScale,r=n.length,a
=this._getOtherScale(t),l=Du(e,i,this.chart),c={min:Number.POSITIVE_INFINITY,max:Number.NEGATIVE_INFINITY
 INITY\}, {min:h,max:u}=Mu(a),d,f;function m(){f=n[d];let q=f[a.axis];return!Z(f[t.axis])||h>q||u<q}for
\label{eq:hedMeta.parsed,i=[],n,o,r;for(n=0,o=e.length;n<o;++n)r=e[n][t.axis],Z(r)\&\&i.push(r);return
i}getMaxOverflow(){return!1}getLabelAndValue(t){let e=this._cachedMeta,i=e.iScale,n=e.vScale,o=this.getParsed(t);return{label:i?""+i.getLabelForValue(o[i.axis]):"",value:n?""+n.getLabelForValue(o[n.axis]):""}}_update(t){let e=this._cachedMeta;this.update(t)|"default"),e._clip=wu(I(this.options.clip,
 u(e.xScale,e.yScale,this.getMaxOverflow())))}update(t){}draw(){let t=this._ctx,e=this.chart,i=this.
   cachedMeta,n=i.data||[],o=e.chartArea,r=[],a=this. drawStart||0,l=this. drawCount||n.length-
a,c=this.options.drawActiveElementsOnTop,h;for(i.dataset&&i.dataset.draw(t,o,a,l),h=a;h<a+l;++h)\{letu=n[h];u.hidden||(u.active&&c?r.push(u):u.draw(t,o))\}for(h=0;h<r.length;++h)r[h].draw(t,o)\}getStyle(length;++h)r[h].draw(t,o)
 t,e){let i=e?"active":"default";return t===void 0&&this._cachedMeta.dataset?this.resolveDatasetEleme
 ntOptions(i):this.resolveDataElementOptions(t||0,i)}getContext(t,e,i){let
 n=this.getDataset(),o;if(t>=0&&t<this. cachedMeta.data.length){let r=this. cachedMeta.data[t];o=r. □c
ontext||(r.\_context=Ou(this.getContext(),t,r)),o.parsed=this.getParsed(t),o.raw=n.data[t],o.index=o.dataIndex=t}else o=this.\_context||(this.\_context=Tu(this.chart.getContext(),this.index)),o.dataset=n
 ,o.index=o.datasetIndex=this.index;return
 o.active=!!e,o.mode=i,o}resolveDatasetElementOptions(t){return
 this. resolveElementOptions(this.datasetElementType.id,t)}resolveDataElementOptions(t,e){return
this._resolveElementOptions(this.dataElementType.id,e,t)}_resolveElementOptions(t,e="default",i){let n=e==="active",o=this._cachedDataOpts,r=t+"-"+e,a=o[r],l=this.enableOptionSharing&Be(i);if(a)return
 Ma(a,l); let c=this.chart.config,h=c.datasetElementScopeKeys(this. type,t),u=n?[`∏{t}Hover`,"hover",t
         "]:[t,""],d=c.get0ptionScopes(this.getDataset(),h),f=0bject.keys(U.elements[t]),m=()=>this.getCont
 ext(i,n,e),g=c.resolveNamedOptions(d,f,m,u);return
 n=this.chart,o=this._cachedDataOpts,r=`animation-□{e}`,a=o[r];if(a)return a;let
l;if(n.options.animation!==!1){let h=this.chart.config,u=h.datasetAnimationScopeKeys(this. type,e),d
 =h.getOptionScopes(this.getDataset(),u);l=h.createResolver(d,this.getContext(t,i,e))}let c=new
 en(n, l&&l.animations); return
 l\&\&l.\_cacheable\&\&(o[r]=0bject.freeze(c)), c\}getSharedOptions(t)\{if(t.\_shared)return\ this.\ sharedOptions(t)\} if(t.\_shared) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOptions(t) for the sharedOption
 ns||(\overline{this}\_sharedOptions=Object.assign(\{\},t))\} includeOptions(t,e) \{return!e||fo(t)||this.\overline{chart}\_animalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianimalianim
 tionsDisabled} getSharedOptions(t,e){let i=this.resolveDataElementOptions(t,e),n=this._sharedOptions
  o=this.getSharedOptions(i),r=this.includeOptions(e,o)||o!==n;return this.updateSharedŌptions(o,e,i),
  , \{shared Options: o, include Options: r\} \} update Element(t, e, i, n) \{fo(n)? Object. assign(t, i): this.\_resolve Animal Control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the co
 mations(e,n).update(t,i)updateSharedOptions(t,e,i){t&&!fo(e)&&this. resolveAnimations(void
0,e). update(t,i)\}\_setStyle(t,e,i,n)\{t.active=n;let\ o=this.getStyle(e,n);this.\_resolveAnimations(e,i,n).update(t,\{options:!n\&this.getSharedOptions(o)||o\})\}removeHoverStyle(t,e,i)\{this.\_setStyle(t,i,"animations(e,i,n),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update(t,e,i),update
 ctive",!1)}setHoverStyle(t,e,i){this._setStyle(t,i,"active",!0)}_removeDatasetHoverStyle(){let
t=this._cachedMeta.dataset;t&&this._setStyle(t,void 0,"active",!1)}_setDatasetHoverStyle(){let t=this._cachedMeta.dataset;t&&this._setStyle(t,void 0,"active",!0)}_resyncElements(t){let
 e=this._data,i=this._cachedMeta.data;for(let[a,l,c]of
 this.\_syncList) this [\overline{a}] (l,c); this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, o=e.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l}]; let \ n=i.length, r=Math.min(o,n); r\&\ this.\_syncList=[\overline{l
 e(0,r),o>n?this. insertElements(n,o-n,t):o<n&\dthis. removeElements(o,n-
 o)}_insertElements(t,e,i=!0){let n=this._cachedMeta,o=n.data,r=t+e,a,l=c=>{for(c.length+=e,a=c.lengt
 h-1;a>=r;a--)c[a]=c[a-e]; for (l(o),a=t;a< r; ++a)o[a]=new this.dataElementType; this._parsing&&l(n._parsing).
sed), this.parse(t,e), i&&this.updateElements(o,t,e,"reset")}updateElements(t,e,i,n){}_removeElements(t,e){let i=this._cachedMeta;if(this._parsing){let n=i._parsed.splice(t,e);i._stacked&&Is(i,n)}i.data
 .splice(t,e)} sync(t){if(this. parsing)this. syncList.push(t);else{let[e,i,n]=t;this[e](i,n)}this.ch
 art. dataChanges.push([this.index,...t])} onDataPush(){let t=arguments.length;this. sync(["insertEl
 ements", this.getDataset().data.length-
t,t])}_onDataPop(){this._sync(["_removeElements",this._cachedMeta.data.length-
1,1])}_onDataShift(){this._sync(["_removeElements",0,1])}_onDataSplice(t,e){e&&this._sync(["_removeElements",0,1])}
lements",t,e]);let i=arguments.length-
2;i&&this._sync(["_insertElements",t,i])}_onDataUnshift(){this._sync(["_insertElements",0,arguments.
length])}};S(pt,"defaults",{}),S(pt,"datasetElementType",null),S(pt,"dataElementType",null);function
Eu(s,t){if(!s._cache._bar){let e=s.getMatchingVisibleMetas(t),i=[];for(let n=0,o=e.length;n<o;n++)i=</pre>
 i.concat(e[n].controller.getAllParsedValues(s));s.\_cache.\_bar=\_n(i.sort((n,o)=>n-o))}return
 s. cache. \squarebar}function Iu(s){let t=s.iScale, e=Eu(t,s.type), i=t. length, n, o, r, a, l=()=>{r===32767||r==
 =-32768||(Be(a)&&(i=Math.min(i,Math.abs(r-
 a)||i)\rangle, a=r); for (n=0,o=e.length;n<o;++n) r=t.getPixelForValue(e[n]),l(); for (a=void)
 0, n=0, o=t.ticks.length; n<0; ++n) r=t.getPixelForTick(n), l(); return i} function Cu(s,t,e,i) {let}
 n=e.barThickness,o,r;return A(n)?(o=t.min*e.categoryPercentage,r=e.barPercentage):(o=n*i,r=1),{chunk
 :o/i,ratio:r,start:t.pixels[s]-o/2}}function Fu(s,t,e,i){let n=t.pixels,o=n[s],r=s>0?n[s-
 1]:null,a=s<n.length-1?n[s+1]:null,l=e.categoryPercentage;r===null&&(r=o-(a===null?t.end-t.start:a-
 o)), a===null\&\&(a=o+o-r); let
 c=o-(o-Math.min(r,a))/2*l; return\{chunk:Math.abs(a-r)/2*l/i, ratio:e.barPercentage, start:c\}\} function
 Au(s,t,e,i) {let n=e.parse(s[0],i),o=e.parse(s[1],i),r=Math.min(n,o),a=Math.max(n,o),l=r,c=a;Math.abs
 (r)>Math.abs(a)&&(l=a,c=r),t[e.axis]=c,t. custom={barStart:l,barEnd:c,start:n,end:o,min:r,max:a}}fun
```

```
ction xl(s,t,e,i){return [(s)]?Au(s,t,e,i):t[e.axis]=e.parse(s,i),t}function va(s,t,e,i){let n=s.iSca}
parse(r[c],c),l.push(xl(d,u,o,c));return l}function mo(s){return s&&s.barStart!==void
0&&s.barEnd!==void 0}function Lu(s,t,e){return
 s! = = 0?0t(s):(t.isHorizontal()?1:-1)*(t.min> = e?1:-1) \\ function Pu(s) \\ \{let t,e,i,n,o;return s.horizontal?(t=s.base>s.x,e="left",i="right"):(t=s.base>s.x,e="bottom",i="top"),t?(n="end",o="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="st
    o="end"),{start:e,end:i,reverse:t,top:n,bottom:o}}function Nu(s,t,e,i){let n=t.borderSkipped,o={};,
if(!n){s.borderSkipped=o;return}if(n===!0){s.borderSkipped={top:!0,right:!0,bottom:!0,left:!0};retur
n}let{start:r,end:a,reverse:l,top:c,bottom:h}=Pu(s);n==="middle"&&e&&(s.enableBorderRadius=!0,(e._to
p||0\rangle ===i?n=c:(e.\ bottom||0\rangle ===i?n=h:(o[Ta(h,r,a,l)]=!0,n=c)),o[Ta(n,r,a,l)]=!0,s.borderSkipped=o]fu
nction Ta(s,t,e,i){return i?(s=Ru(s,t,e),s=Oa(s,e,t)):s=Oa(s,t,e),s}function Ru(s,t,e){return
s===t?e:s===e?t:s}function 0a(s,t,e){return s==="start"?t:s==="end"?e:s}function
Wu(s,{inflateAmount:t},e){s.inflateAmount=t==="auto"?e===1?.33:0:t}var Ge=class extends
pt{parsePrimitiveData(t,e,i,n){return va(t,e,i,n)}parseArrayData(t,e,i,n){return va(t,e,i,n)}parseOb jectData(t,e,i,n){let{iScale:o,vScale:r}=t,{xAxisKey:a="x",yAxisKey:l="y"}=this._parsing,c=o.axis=== "x"?a:l,h=r.axis==="x"?a:l,u=[],d,f,m,g;for(d=i,f=i+n;d<f;++d)g=e[d],m={},m[o.axis]=o.parse(Ut(g,c),
d),u.push(xl(Ut(g,h),m,r,d));return
u}updateRangeFromParsed(t,e,i,n){super.updateRangeFromParsed(t,e,i,n);let o=i. custom;o&e===this. c
achedMeta.vScale&&(t.min=Math.min(t.min,o.min),t.max=Math.max(t.max,o.max))}getMaxOverflow(){return
0}getLabelAndValue(t){let
e=this._cachedMeta,{iScale:i,vScale:n}=e,o=this.getParsed(t),r=o._custom,a=mo(r)?"["+r.start+", "+r.
end+"]":""+n.getLabelForValue(o[n.axis]);return{label:""+i.getLabelForValue(o[i.axis]),value:a}}init
ialize(){this.enableOptionSharing=!0,super.initialize();let
t=this. cachedMeta;t.stack=this.getDataset().stack}update(t){let
e=this._cachedMeta;this.updateElements(e.data,0,e.data.length,t)}updateElements(t,e,i,n){let o=n==="
reset",{index:r,_cachedMeta:{vScale:a}}=this,l=a.getBasePixel(),c=a.isHorizontal(),h=this.getRuler(
),\{sharedOptions:u,includeOptions:d\}=this.getSharedOptions(e,n);for(let f=e;f<e+i;f++)\{let m=this.getParsed(f),g=o||A(m[a.axis])?\{base:l,head:l\}:this._calculateBarValuePixels(f),p=this._calculateBarI
ndexPixels(f,h),y=(m._stacks||{})[a.axis],b={horizontal:c,base:g.base,enableBorderRadius:!y||mo(m. c
ustom)||r===y._top||r===y._bottom,x:c?g.head:p.center,y:c?p.center:g.head,height:c?p.size:Math.abs(g
 .size), width: c?Math.abs(g.size):p.size); d&&(b.options=u||this.resolveDataElementOptions(f,t[f].activ
e?"active":n));let _=b.options||t[f].options;Nu(b,_,y,r),Wu(b,_,h.ratio),this.updateElement(t[f],f,b,n)}}_getStacks(t,e){let{iScale:i}=this._cachedMeta,n=i.getMatchingVisibleMetas(this._type).filter(h
=>h.controller.options.grouped),o=i.options.stacked,r=[],a=this.cachedMeta.controller.getParsed(e),
l=a&&a[i.axis],c=h=>{let
u=h. parsed.find(f=>f[i.axis]===l),d=u&&u[h.vScale.axis];if(A(d)||isNaN(d))return!0};for(let h of
0)&&r.push(h.stack),h.index===t))break;return r.length||r.push(void 0),r}_getStackCount(t){return
this._getStacks(void 0,t).length}_getAxisCount(){return
this. getAxis().length}getFirstScaleIdForIndexAxis(){let
t=this.chart.scales,e=this.chart.options.indexAxis;return
Object.keys(t).filter(i=>t[i].axis===e).shift()}_getAxis(){let
t={},e=this.getFirstScaleIdForIndexAxis();for(let i of
this.chart.data.datasets)t[I(this.chart.options.indexAxis==="x"?i.xAxisID:i.yAxisID,e)]=!0;return
Object.keys(t)} getStackIndex(t,e,i){let n=this. getStacks(t,i),o=e!==void 0?n.indexOf(e):-1;return
o===-1?n.length-1:o} getRuler(){let t=this.options,e=this._cachedMeta,i=e.iScale,n=[],o,r;for(o=0,r=
e.data.length;o<r;++o)n.push(i.getPixelForValue(this.getParsed(o)[i.axis],o));let a=t.barThickness;r
eturn{min:a||Iu(e),pixels:n,start:i._startPixel,end:i._endPixel,stackCount:this._getStackCount(),sca
le:i,grouped:t.grouped,ratio:a?1:t.categoryPercentage*t.barPercentage}} calculateBarValuePixels(t){l
et{_cachedMeta:{vScale:e,_stacked:i,index:n},options:{base:o,minBarLength:r}}=this,a=o||0,l=this.get
Parsed(t),c=l._custom,h=mo(c),u=l[e.axis],d=0,f=i?this.applyStack(e,l,i):u,m,g;f!==u&&(d=f-
 u, f=u), h\&\&(u=c.barStart, f=c.barEnd-c.barStart, u!==0\&\&0t(u)!==0t(c.barEnd)\&\&(d=0), d+=u); let p=!A(o)\&\&(d=0), d+=u); let p=!A(o)&&(d=0), d+=u); let p=
!h?o:d,y=e.getPixelForValue(p);if(this.chart.getDataVisibility(t)?m=e.getPixelForValue(d+f):m=y,g=m-
y, Math.abs(g)<r\) {g=Lu(g,e,a)*r,u===a&\( (y-=g/2) ; let b=e.getPixelForDecimal(0), =e.getPixelForDecimal(1), w=Math.min(b, _), x=Math.max(b, _); y=Math.max(Math.min(y,x),w), m=y+g,i&&!h&&(l._stacks[e.axis]._visualValues[n]=e.getValueForPixel(m)-e.getValueForPixel(y))} if (y===e.getPixelForValue(a)) {let b=0t(g)*e}
 .getLineWidthForValue(a)/2;y+=b,g-
=b}return{size:g,base:y,head:m,center:m+g/2}}_calculateBarIndexPixels(t,e){let i=e.scale,n=this.opti
ons,o=n.skipNull,r=I(n.maxBarThickness,1/0),a,l,c=this._getAxisCount();if(e.grouped){let h=o?this._getStackCount(t):e.stackCount,u=n.barThickness==="flex"?Fu(t,e,n,h*c):Cu(t,e,n,h*c),d=this.chart.options.indexAxis==="x"?this.getDataset().xAxisID:this.getDataset().yAxisID,f=this._getAxis().indexOf(I(
d,this.getFirstScaleIdForIndexAxis())),m=this._getStackIndex(this.index,this._cachedMeta.stack,o?t:v
oid 0)+f;a=u.start+u.chunk*m+u.chunk/2,l=Math.min(r,u.chunk*u.ratio)}else a=i.getPixelForValue(this.
getParsed(t)[i.axis],t),l=Math.min(r,e.min*e.ratio);return{base:a-
\label{lem:cachedMeta} $$ 1/2, head:a+1/2, center:a, size:l} draw() \{ let t=this.\_cachedMeta, e=t.vScale, i=t.data, n=i.length, o=0; for (;o<n;++o)this.getParsed(o)[e.axis]!==null&&!i[o].hidden&&i[o].draw(this.\_ctx) \} ; S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "id", "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "bar"), S(Ge, "b
Ge, "defaults", {datasetElementType:!1, dataElementType: "bar", categoryPercentage:.8, barPercentage:.9, gr ouped:!0, animations: {numbers: {type: "number", properties: ["x", "y", "base", "width", "height"]}}), S(Ge, "o verrides", {scales: {_index_: {type: "category", offset:!0, grid: {offset:!0}}, _value_: {type: "linear", begin
AtZero: !0}}}); var Xe=class extends
pt{initialize(){this.enableOptionSharing=!0,super.initialize()}parsePrimitiveData(t,e,i,n){let
o=super.parsePrimitiveData(t,e,i,n);for(let
r=0; r<0.length; r++)o[r]._custom=this.resolveDataElementOptions(r+i).radius; return
```

```
o}parseArrayData(t,e,i,n){let o=super.parseArrayData(t,e,i,n);for(let r=0;r<o.length;r++){let
 a=e[i+r];o[r]. custom=I(a[2],this.resolveDataElementOptions(r+i).radius)}return
 o}parseObjectData(t,e,i,n){let o=super.parseObjectData(t,e,i,n);for(let r=0;r<o.length;r++){let
 a=e[i+r];o[r]._custom=I(a&&a.r&&+a.r,this.resolveDataElementOptions(r+i).radius)}return
 o}getMaxOverflow(){let t=this. cachedMeta.data,e=0;for(let
 i=t.length-1;i>=0;--i)e=Math.max(e,t[i].size(this.resolveDataElementOptions(i))/2);return
 e > 0 \& \& e \} get Label And Value(t) \{ let e = this.\_cached Meta, i = this. chart. data.label s | | [], \{xScale:n, yScale:o\} = e, r = this. get Parsed(t), a = n. get Label For Value(r.x), l = o. get Label For Value(r.y), c = r.\_custom; return \{ label:i[], the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the properties of the p
 t]||"",value:"("+a+", "+l+(c?", "+c:"")+")"}}update(t){let
 e=this. cachedMeta.data;this.updateElements(e,0,e.length,t)}updateElements(t,e,i,n){let o=n==="reset"
 ",{iScale:r,vScale:a}=this._cachedMeta,{sharedOptions:l,includeOptions:c}=this._getSharedOptions(e,n
),h=r.axis,u=a.axis;for(let d=e;d<e+i;d++){let f=t[d],m=!o&&this.getParsed(d),g={},p=g[h]=o?r.getPixelForDecimal(.5):r.getPixelForValue(m[h]),y=g[u]=o?a.getBasePixel():a.getPixelForValue(m[u]);g.skip=
 isNaN(p) | | isNaN(y), c&&(g.options=l||this.resolveDataElementOptions(d,f.active?"active":n),o&&(g.options=l) | this.resolveDataElementOptions(d,f.active?"active":n),o&&(g.options=l) | this.resolveDataElementOptions(d,f.active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?
 ons.radius=0)),this.updateElement(f,d,g,n)}}resolveDataElementOptions(t,e){let i=this.getParsed(t),n
 =super.resolveDataElementOptions(t,e);n._shared&&(n=0bject.assign(\{\},n,\{_shared:!1\}));iet
o=n.radius;return e!=="active"&&(n.radius=0),n.radius+=I(i&&i._custom,o),n}};S(Xe,"id","bubble"),S(Xe,"defaults",{datasetElementType:!1,dataElementType:"point",animations:{numbers:{type:"number",properties:["x","y","borderWidth","radius"]}}}),S(Xe,"overrides",{scales:{x:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"linear"},y:{type:"line
 ar"}}}); function zu(s,t,e){let i=1,n=1,o=0,r=0; if (t<j){let a=s,l=a+t,c=Math.cos(a),h=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math.sin(a),u=Math
ath.cos(l), d=Math.sin(l), f=(_,w,x)=>je(_,a,l,!0)?1:Math.max(w,w*e,x,x*e), m=(_,w,x)=>je(_,a,l,!0)?1:Math.min(w,w*e,x,x*e), g=f(0,c,u),p=f(X,h,d),y=m(N,c,u),b=m(N+X,h,d);i=(g-y)/2,n=(p-b)/2,o=-(g+y)/2,r=-(p+b)/2}return{ratioX:i,ratioY:n,offsetX:o,offsetY:r}}var Gt=class extends
 pt{constructor(t,e){super(t,e),this.enableOptionSharing=!0,this.innerRadius=void
 0,this.outerRadius=void 0,this.offsetX=void 0,this.offsetY=void 0}linkScales(){}parse(t,e){let
 i=this.getDataset().data,n=this._cachedMeta;if(this._parsing===!1)n._parsed=i;else{let
 o=l=>+i[l];if(L(i[t])){let{key:l="value"}=this._parsing;o=c=>+Ut(i[c],l)}let
\label{eq:raise} $$r,a;for(r=t,a=t+e;r<a;++r)n.\_parsed[r]=o(r)}$ getRotation(){return wt(this.options.rotation-90)}$ getCircumference(){return}
wt(this.options.circumference)}_getRotationExtents(){let t=j,e=-j;for(let i=0;i<this.chart.data.data sets.length;++i)if(this.chart.isDatasetVisible(i)&&this.chart.getDatasetMeta(i).type===this. type){l
et n=this.chart.getDatasetMeta(i).controller,o=n._getRotation(),r=n._getCircumference();t=Math.min(t,o),e=Math.max(e,o+r)}return{rotation:t,circumference:e-t}}update(t){let e=this.chart,{chartArea:i}=
 e,n=this.cachedMeta,o=n.data,r=this.getMaxBorderWidth()+this.getMaxOffset(o)+this.options.spacing,a
 =Math.max((Math.min(i.width,i.height)
r)/2,0),l=Math.min(Ur(this.options.cutout,a),1),c=this._getRingWeight(this.index),{circumference:h,rotation:u}=this._getRotationExtents(),{ratioX:d,ratioY:f,offsetX:m,offsetY:g}=zu(u,h,l),p=(i.width-index),figure (i.width-index),figure (i.width-index)
 r)/d,y=(i.height-
 r)/f,b=Math.max(Math.min(p,y)/2,0), =Nn(this.options.radius,b),w=Math.max( *1,0),x=(
 w)/this. getVisibleDatasetWeightTotal();this.offsetX=m* ,this.offsetY=g*_,n.total=this.calculateTota
 l(),this.outerRadius=
 x*this. getRingWeightOffset(this.index),this.innerRadius=Math.max(this.outerRadius-
 x*c,0), this.updateElements(o,0,o.length,t)}_circumference(t,e){let
i=this.options,n=this._cachedMeta,o=this._getCircumference();return e&&i.animation.animateRotate||!this.chart.getDataVisibility(t)||n._parsed[t]===null||n.data[t].hidden?0:this.calculateCircumference()
 n._parsed[t]*o/j)}updateElements(t,e,i,n){let o=n==="reset",r=this.chart,a=r.chartArea,c=r.options.a
 nimation,h=(a.left+a.right)/2,u=(a.top+a.bottom)/2,d=o&&c.animateScale,f=d?0:this.innerRadius,m=d?0:
 this.outerRadius,{sharedOptions:g,includeOptions:p}=this._getSharedOptions(e,n),y=this._getRotation(),b;for(b=0;b<e;++b)y+=this._circumference(b,o);for(b=e;b<e+i;++b){let _=this._circumference(b,o),w=
t[b], x=\{x:h+this.offsetX, y:u+this.offsetY, startAngle:y, endAngle:y+\_, circumference:\_, outerRadius:m, in nerRadius:f\}; p&&(x.options=g||this.resolveDataElementOptions(b,w.active?"active":n)), y+=\_, this.updataelementOptions(b,w.active?"active":n)), e?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"acti
 eElement(w,b,x,n)}}calculateTotal(){let
 t=this. cachedMeta,e=t.data,i=0,n;for(n=0;n<e.length;n++){let o=t._parsed[n];o!==null&&!isNaN(o)&&th
 is.chart.getDataVisibility(n)&&!e[n].hidden&&(i+=Math.abs(o))}return i}calculateCircumference(t){let
e=this._cachedMeta.total;return e>0&&!isNaN(t)?j*(Math.abs(t)/e):0}getLabelAndValue(t){let e=this._c
 achedMeta,i=this.chart,n=i.data.labels||[],o=Ue(e. parsed[t],i.options.locale);return{label:n[t]||
\label{eq:control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_co
 n 0; for(n=0,o=t.length;n<o;++n)l=a.resolveDataElementOptions(n),l.borderAlign!=="inner" & (e=Math.max in o;for(n=0,o=t.length;n<o;++n)l=a.resolveDataElementOptions(n),l.borderAlign!=="inner" & (e=Math.max in o;++n)l=a.resolveDataElementOptions(n),l.borderAlign!=="inner" & (e=Math.max in o;++n)l=a.resolveDataElementOptions(n),l.borderAlign*=="inner" & (e=Math.max in o;++n)l=a.resolveDataElementOptions(n),l.borderAlign*=="inner" & (e=Math.max in o;++n)l=a.resolveDataElementOptions(n),l.borderAlign*=="inner" & (e=Math.ma
 (e,l.borderWidth||0,l.hoverBorderWidth||0));return egetMaxOffset(t){let e=\bar{0};for(let
 i=0,n=t.length;i<n;++i){let
 o=this.resolveDataElementOptions(i);e=Math.max(e,o.offset||0,o.hoverOffset||0)}return
 e} getRingWeightOffset(t){let e=0;for(let
 i=0;i<t;++i)this.chart.isDatasetVisible(i)&&(e+=this. getRingWeight(i));return
 e} getRingWeight(t){return
\label{lem:max} $$ Math.max(I(this.chart.data.datasets[t].weight,1),0) = getVisibleDatasetWeightTotal(){return this._getRingWeightOffset(this.chart.data.datasets.length)||1}; S(Gt,"id","doughnut"), S(Gt,"defaults", {datasets.length)||1}; S(Gt,"id", "doughnut"), S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {datasets.length)||1}; S(Gt,"defaults", {data
tElementType:!1,dataElementType:"arc",animation:{animateRotate:!0,animateScale:!1},animations:{numbe rs:{type:"number",properties:["circumference","endAngle","innerRadius","outerRadius","startAngle","x ","y","offset","borderWidth","spacing"]}},cutout:"50%",rotation:0,circumference:360,radius:"100%",spacing:0,indexAxis:"r"}),S(Gt,"descriptors",{_scriptoble:t=>t!=="spacing",_indexable:t=>t!=="spacing",&&!t.startsWith("borderDash")&&!t.startsWith("hoverBorderDash")}),S(Gt,"overrides",{aspectRatio:1,plendings:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod:{loggod
 ugins: \{legend: \{labels: \{generate Labels(t) \} \{let e=t.data; if (e.labels.length \& e.datasets.length) \} \{let \{labels: \{generate Labels(t), \{let e=t.data; if (e.labels.length \& e.datasets.length), \{let \{labels: \{generate Labels(t), \{let e=t.data; if (e.labels.length \& e.datasets.length), \{let \{labels: \{generate Labels(t), \{let e=t.data; if (e.labels.length \& e.datasets.length), \{let \{labels: \{generate Labels(t), \{let e=t.data; if (e.labels.length \& e.datasets.length), \{let \{labels: \{generate Labels(t), \{let e=t.data; if (e.labels.length \& e.datasets.length), \{let \{labels: \{generate Labels(t), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let e=t.data; if (e.labels), \{let
```

```
els:\{pointStyle:i,color:n\}\}=t.legend.options;return e.labels.map((o,r)=>\{let l=t.getDatasetMeta(0).color:n\}\}=t.legend.options;return e.labels.map((o,r)=>{let l=t.getDatasetMeta(0).color:n}=t.legend.options;return e.labels.map((o,r)=>{let l=t.getDatasetMeta(0).color:n}=t.legend.option
ontroller.getStyle(r);return{text:o,fillStyle:l.backgroundColor,strokeStyle:l.borderColor,fontColor:
n,lineWidth:l.borderWidth,pointStyle:i,hidden:!t.getDataVisibility(r),index:r}})}return[]}},onClick(
 t, e, i) \{i. chart. toggleDataVisibility (e.index), i. chart. update()\} \}\}); var Ke=class extends pt \{initialize a chart. toggleDataVisibility (e.index), i. chart. update(), i. chart. toggleDataVisibility (e.index), i. chart. update(), i. chart. toggleDataVisibility (e.index), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. chart. update(), i. cha
 e(){this.enableOptionSharing=!0,this.supportsDecimation=!0,super.initialize()}update(t){let e=this.
 cached Meta, \{ dataset: i, data: n=[], \ dataset: o \} = e, r=this. chart. \ animations Disabled, \{ start: a, count: l \} = Yn \overline{(l)} = (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l) - (l
e,n,r); this._drawStart=a,this._drawCount=l,Zn(e)\&\&(a=0,l=n.length),i._chart=this.chart,i._datasetIndex=this.index,i._decimated=!!o._decimated,i.points=n;let c=this.resolveDatasetElementOptions(t);this
    . options.show \\ \texttt{Line}||(\texttt{c.borderWid} \\ \\ \texttt{th=0}), \\ \texttt{c.segment=this.options.segment}, \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.options.segment}, \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.options.segment}, \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.options.segment}, \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateElement}(\texttt{i.void}) \\ \\ \texttt{this.updateEleme
 0,{animated:!r,options:c},t),this.updateElements(n,a,l,t)}updateElements(t,e,i,n){let o=n==="reset",
 {iScale:r,vScale:a,_stacked:l,_dataset:c}=this._cachedMeta,{sharedOptions:h,includeOptions:u}=this.
getSharedOptions(e,n),d=r.axis,f=a.axis,{spanGaps:m,segment:g}=this.options,p=we(m)?m:Number.POSITIV
E_INFINITY,y=this.chart._animationsDisabled||o||n==="none",b=e+i,_=t.length,w=e>0&&this.getParsed(e-1);for(let x=0;x<_;++x){let k=t[x],M=y?k:{};if(x<e||x>=b){M.skip=!0;continue}let v=this.getParsed(x)
   0=A(v[f]), E=M[d]=r. getPixelForValue(v[d],x), C=M[f]=o||0?a. getBasePixel():a. getPixelForValue(l?this.
 applyStack(a,v,l):v[f],x);M.skip=isNaN(E)||isNaN(C)||0,M.stop=x>0&&Math.abs(v[d]
 w[d]) > p, g \& (M.parsed=v, M.raw=c.data[x]), u \& (M.options=h||this.resolveDataElementOptions(x, k.active?"), where the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the secon
 active":n)),y||this.updateElement(k,x,M,n),w=v\}|getMaxOverflow()\{let\ t=this.\_cachedMeta,e=t.dataset,letter(k,x,M,n),w=v\}|getMaxOverflow()|
 i=e.options&&e.options.borderWidth||0,n=t.data||[];if(!n.length)return i;let_o=n[0].size(this.resolv
 eDataElementOptions(0)),r=n[n.length-1].size(this.resolveDataElementOptions(n.length-1));return
 Math.max(i,o,r)/2}draw(){let t=this. cachedMeta;t.dataset.updateControlPoints(this.chart.chartArea,t
Math.max(i,o,r)/2}draw(){let t=this._cachedMeta;t.dataset.updateControlPoints(this.chart.chartArea,t.iScale.axis),super.draw()}};S(Ke,"id","line"),S(Ke,"defaults",{datasetElementType:"line",dataElementType:"point",showLine:!0,spanGaps:!1}),S(Ke,"overrides",{scales:{_index_:{type:"category"},_value_:{type:"linear"}}});var Oe=class extends pt{constructor(t,e){super(t,e),this.innerRadius=void 0,this.outerRadius=void 0}getLabelAndValue(t){let e=this._cachedMeta,i=this.chart,n=i.data.labels||[],o=Ue(e._parsed[t].r,i.options.locale);return{label:n[t]||"",value:o}}parseObjectData(t,e,i,n){return}
 rn so.bind(this)(t,e,i,n)}update(t){let
 e=this.\_cached Meta.data; this.\_update Radius(), this.update Elements(e,0,e.length,t)\} get Min Max() \{letal Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control 
 t=this. cachedMeta,e={min:Number.POSITIVE INFINITY,max:Number.NEGATIVE INFINITY};return
 t.data.forEach((i,n)=>{let o=this.getParsed(n).r;!isNaN(o)&&this.chart_getDataVisibility(n)&&(o<e.mi
 n\&\&(e.min=o),o>e.max\&\&(e.max=o))\}),e\}\_updateRadius()\\\{let\ t=this.chart,e=t.chartArea,i=t.options,n=Mandare,e=t.chartArea,i=t.options,n=Mandare,e=t.chartArea,i=t.options,n=Mandare,e=t.chartArea,i=t.options,n=Mandare,e=t.chartArea,i=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.option
 th.min(e.right-e.left,e.bottom-
 e.top),o=Math.max(n/2,0),r=Math.max(i.cutoutPercentage?o/100*i.cutoutPercentage:1,0),a=(o-
 r)/t.getVisibleDatasetCount();this.outerRadius=o-a*this.index,this.innerRadius=this.outerRadius-
a}updateElements(t,e,i,n){let o=n==="reset",r=this.chart,l=r.options.animation,c=this._cachedMeta.rS cale,h=c.xCenter,u=c.yCenter,d=c.getIndexAngle(0)-
    .5*N,f=d,m,g=360/this.countVisibleElements();for(m=0;m<e;++m)f+=this._computeAngle(m,n,g);for(m=e;m<
e+i;m++){let p=t[m],y=f,b=f+this._computeAngle(m,n,g),_=r.getDataVisibility(m)?c.getDistanceFromCent erForValue(this.getParsed(m).r):0;f=b,o&&(l.animateScale&&(=0),l.animateRotate&&(y=b=d));let w={x:h}
,y:u,innerRadius:0,outerRadius:_,startAngle:y,endAngle:b,options:this.resolveDataElementOptions(m,p.
active?"active":n)};this.updateElement(p,m,w,n)}}countVisibleElements(){let
 t=this. cachedMeta,e=0;return t.data.forEach((i,n)=>{!isNaN(this.getParsed(n).r)&&this.chart.getData
 taElementOptions(t,e).angle||i):0}};S(0e,"id","polarArea"),S(0e,"defaults",{dataElementType:"arc",an imation:{animateRotate:!0,animateScale:!0},animations:{numbers:{type:"number",properties:["x","y","s tartAngle","endAngle","innerRadius","outerRadius"]}},indexAxis:"r",startAngle:0}),S(0e,"overrides",{ aspectRatio:1,plugins:{legend:{labels:{generateLabels(t){let e=t.data;if(e.labels.length&e.datasets}}}
    .length){let{labels:{pointStyle:i,color:n}}=t.legend.options;return e.labels.map((o,r)=>{let l=t.get
 DatasetMeta(0).controller.getStyle(r);return{text:o,fillStyle:l.backgroundColor,strokeStyle:l.border
 Color, fontColor:n, lineWidth:l.borderWidth, pointStyle:i, hidden:!t.getDataVisibility(r), index:r}})}ret
 urn[]}},onClick(t,e,i){i.chart.toggleDataVisibility(e.index),i.chart.update()}}},scales:{r:{type:"ra
 dialLinear",angleLines:{display:!1},beginAtZero:!0,grid:{circular:!0},pointLabels:{display:!1},start
 Angle:0}});var Ps=class extends
 Gt{};S(Ps,"id","pie"),S(Ps,"defaults",{cutout:0,rotation:0,circumference:360,radius:"100%"});var
Je=class extends pt{getLabelAndValue(t){let e=this._cachedMeta.vScale,i=this.getParsed(t);return{lab el:e.getLabels()[t],value:""+e.getLabelForValue(i[e.axis])}}parseObjectData(t,e,i,n){return
 so.bind(this)(t,e,i,n)}update(t){let
 e=this._cachedMeta,i=e.dataset,n=e.data||[],o=e.iScale.getLabels();if(i.points=n,t!=="resize"){let
 r=this.resolveDatasetElementOptions(t); this.options.showLine||(r.borderWidth=0);let
 a={ loop:!0, fullLoop:o.length===n.length,options:r};this.updateElement(i,void
 0,a,t)}this.updateElements(n,0,n.length,t)}updateElements(t,e,i,n){let
 o=this._cachedMeta.rScale,r=n==="reset";for(let a=e;a<e+i;a++){let l=t[a],c=this.resolveDataElement0
 ptions(\overline{a}, l.active?"active":n), h=o.getPointPositionForValue(a, this.getParsed(a).r), u=r?o.xCenter:h.x, and the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set
e:"radialLinear"}}});var Qe=class extends pt{getLabelAndValue(t){let e=this._cachedMeta,i=this.chart
. data.labels | | [], \{xScale:n,yScale:o\} = e, r = this.getParsed(t), a = n.getLabelForValue(r.x), l = o.getLabelForValue(r.y); return \{label:i[t]||"",value:"("+a+", "+l+")"\} \} update(t) \{let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{label:i[t]||"",value:"("+a+", "+l+")", let e = this._cachedMeta, \{data:i=[labelForValue(r.y), return \{labelForValue(r.y), ,n=this.chart._animationsDisabled,{start:o,count:r}=Yn(e,i,n);if(this._drawStart=o,this._drawCoun
 t=r, Zn(e)\&(o=0, r=i.length), this.options.showLine){this.datasetElementType||this.addElements();let{datasetElementType||this.addElements();let{datasetElementType||this.addElements();let{datasetElementType||this.addElementS();let{datasetElementType||this.addElementS();let{datasetElementType||this.addElementS();let{datasetElementType||this.addElementS();let{datasetElementType||this.addElementS();let{datasetElementType||this.addElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS();let{datasetElementS
 ataset:a,_dataset:l}=e;a._chart=this.chart,a._datasetIndex=this.index,a._decimated=!!l._decimated,a.
 points=i; let
```

```
c = this.\,resolve Dataset Element Options(t); c.\,segment = this.\,options.\,segment, this.\,update Element(a,void); c.\,segment = this.\,options.\,segment, this.\,update Element(a,void); c.\,segment = this.\,options.\,segment = t
 0,{animated:!n,options:c},t)}else this.datasetElementType&&(delete e.dataset,this.datasetElementType
 =!1); this.updateElements(i,o,r,t)}addElements(){let{showLine:t}=this.options;!this.datasetElementTyp
e&&t&&(this.datasetElementType=this.chart.registry.getElement("line")),super.addElements()}updateElements(t,e,i,n){let o=n==="reset",{iScale:r,vScale:a,_stacked:l,_dataset:c}=this._cachedMeta,h=this.r
 esolve Data Element Options (e,n), u=this.get Shared Options (h), d=this.include Options (n,u), f=r.axis, m=a.axis, d=this.get Shared Options (h), d=this.include Options (h), d=this.include Options (h), d=this.get Shared Options (h), d=this.include Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shar
 s,{spanGaps:g,segment:p}=this.options,y=we(g)?g:Number.POSITIVE INFINITY,b=this.chart. animationsDis
abled | o | n = = "none", = e > 0 \& this.getParsed(e-1); for (let w = e; w < e + i; ++w) {let x = t[w], k = this.getParsed(w), M = b ? x : \{\}, v = A(k[m]), 0 = M[f] = r. getPixelForValue(k[f], w), E = M[m] = o | v ? a. getBasePixel(): a.getPixelForValue(l?this.applyStack(a, k, l): k[m], w); M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  M = s x = s x  
        [f])>y,p&&(M.parsed=k,M.raw=c.data[w]),d&&(M.options=u||this.resolveDataElementOptions(w,x.active?"
active":n)),b||this.updateElement(x,w,M,n),_=kthis.updateSharedOptions(u,n,h)getMaxOverflow(){let t=this._cachedMeta,e=t.data||[];if(!this.options.showLine){let a=0;for(let
 l=e.length-1; l>=0; --l)a=Math.max(a,e[l].size(this.resolveDataElementOptions(l))/2); return a>0\&\&a\}let = length-1; l>=0; --l)a=Math.max(a,e[l].size(this.resolveDataElementOptions(l))/2); return a>0&&a\}let = length-1; l>=0; --l)a=Math.max(a,e[l].size(this.resolveDataElementOptions(l))/2); return a>0&a
 i=t.dataset,n=i.options&&i.options.borderWidth||0;if(!e.length)return n;let o=e[0].size(this.resolve
 DataElementOptions(0)),r=e[e.length-1].size(this.resolveDataElementOptions(e.length-1));return Math.
max(n,o,r)/2}};S(Qe,"id","scatter"),S(Qe,"defaults",{datasetElementType:!1,dataElementType:"point",s
howLine:!1,fill:!1}),S(Qe,"overrides",{interaction:{mode:"point"},scales:{x:{type:"linear"},y:{type:
"linear"}}});var Vu=Object.freeze({__proto__:null,BarController:Ge,BubbleController:Xe,DoughnutController:Ge,LineController:Ke,PieController:Ps,PolarAreaController:Oe,RadarController:Je,Scales:datasetElementType:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:{type:"linear"},v:
 ler:Qe}); function ke(){throw new Error("This method is not implemented: Check that a complete date
adapter is provided.")}var Mo=class s{constructor(t){S(this,"options");this.options=t||{}}static override(t){0bject.assign(s.prototype,t)}init(){}formats(){return ke()}parse(){return ke()}endOf(){return ke()}}omat(){return ke()}endOf(){return ke(
\label{eq:ke()} ke()\}\}, No=\{\text{date:Mo}\}; function \ Hu(s,t,e,i)\{\text{let}\{\text{controller:n,data:o,\_sorted:r}\}=s,a=n.\_\text{cachedMeta.iScale,les.dataset&&s.dataset.options?s.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&&t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&a,t===a.axis&&t!=="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&a,t===a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a&a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t!==="r"&&r&&o.len.dataset.options.spanGaps:null;if(a,t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis&&t==a.axis
gth){let c=a._reversePixels?Kr:Lt;if(i){if(n._sharedOptions){let h=o[0],u=typeofh.getRange=="function"&&h.getRange(t);if(u){let
  d=c(o,t,e-u), f=c(o,t,e+u); \\ return\{lo:d.lo,hi:f.hi\}\} \} else\{let\ h=c(o,t,e); \\ if(l)\{let\{vScale:u\}=n.\_cache,hi\}\} \} else\{let\{vScale:u\}=n.\_cache,hi\}\} \} else\{let\{vScale:u\}=n.\_cache,hi\}\} \} else\{let\{vScale:u\}=n.\_cache,hi\}\} \} else\{let\{vScale:u\}=n.\_cache,hi\}\} \} else\{let\{vScale:u\}=n.\_cache,hi\}\} else\{let\{vScale:u\}=n.\_cache,hi\}\} \} else\{let\{vScale:u\}=n.\_cache,hi\}\} else\{let\{vScale:u\}=n.\_cache,hi\}\} else\{let\{vScale:u\}=n.\_cache,hi\}\} else\{let\{vScale:u\}=n.\_cache,hi\}\} else\{let\{vScale:u\}=n.\_cach
 dMeta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.lo-deta, \{ parsed: d \} = s, f = d.slice(0,h.lo+1).reverse().findIndex(g => !A(g[u.axis])); h.
 =Math.max(0,f); let m=d.slice(h.hi).findIndex(q=>!A(q[u.axis]));h.hi+=Math.max(0,m)}return
h}}return{lo:0,hi:o.length-1}}function Ys(s,t,e,i,n){let o=s.getSortedVisibleDatasetMetas(),r=e[t];for(let
 a=0,\bar{l}=o.length;a<l;++a)\{let\{index:c,data:h\}=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h\}=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h\}=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h\}=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],\{lo:u,hi:d\}=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,n);for(let,data:h)=o[a],[lo:u,hi:d]=Hu(o[a],t,r,
 f=u; f <= d; ++\bar{f}) {let m=h[f]; m.skip||i(m,c,f)}} function Bu(s) {let
 t=s.indexOf("x")!==-1,e=s.indexOf("y")!==-1;return function(i,n){let
o=t?Math.abs(i.x-n.x):0, r=e?Math.abs(i.y-n.y):0; return Math.sqrt(Math.pow(o,2)+Math.pow(r,2))} function go(s,t,e,i,n) {let o=[]; return!n&&!s.isPointInArea(t)||Ys(s,e,t,function(a,l,c){!n&&!Pt(a,s.chartArea,0)||a.inRange(t.x,t.y,i)&&o.push({element:a,datasetIndex:l,index:c})},!0),o} function [u(s,t,e,i) {let n=[]; function o(r,a,l) {let{startAngle:c,endAngle:c,endAngle:c}
 h=r.getProps(["startAngle","endAngle"],i),{angle:u}=Hn(r,{x:t.x,y:t.y});je(u,c,h)&&n.push({element:
 r,datasetIndex:a,index:\}}}return Ys(s,e,t,o),n}function ju(s,t,e,i,n,o){\leftr=[],a=Bu(e),l=Number.POSITIVE_INFINITY;function c(h,u,d){\leftleft}lettreft.
 f=h.inRange(t.x,t.y,n);if(i&&!f)return;let
 m=h.getCenterPoint(n); if(!(!!o||s.isPointInArea(m))&!f)return; let p=a(t,m); p<l?(r=[{element:h,datas})return; let p=a(t,m); p</li>(r=[{element:h,datas})return; let p=a(t,m); p(r=[{element:h,datas})return; let p=a(t,m); p
 etIndex:u,index:d}],l=p):p===l&&r.push({element:h,datasetIndex:u,index:d})}return
 Ys(s,e,t,c),r}function
 po(s,t,e,i,n,o){return!o&&!s.isPointInArea(t)?[]:e==="r"&&!i?]u(s,t,e,n):ju(s,t,e,i,n,o)}function
\label{eq:def:Da} Da(s,t,e,i,n) \{ \text{let o=[],r=e===} x"?"inXRange":"inYRange",a=!1;return Ys(s,e,t,(l,c,h)=>\{l[r]&&l[r](t[e],n)&&(o.push(\{element:l,datasetIndex:c,index:h\}),a=a||l.inRange(t.x,t.y,n))\}),i&&!a?[]:o]var
 \label{thm:uu} Uu = \{evaluateInteractionItems: Ys, modes: \{index(s,t,e,i)\} \{let n=le(t,s), o=e.axis\} | "x", r=e.includeInvisib n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=le(t,s), o=e.axis | let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=let n=l
sh({element:u,datasetIndex:c.index,index:h})}),l):[]},dataset(s,t,e,i){let n=le(t,s),o=e.axis||"xy",
 r=e.includeInvisible||!1,a=e.intersect?go(s,n,o,i,r):po(s,n,o,!1,i,r);if(a.length>0){let
 l=a[0].datasetIndex,c=s.getDatasetMeta(l).data;a=[];for(let
 h=0;h<c.length;++h)a.push({element:c[h],datasetIndex:l,index:h})}return a},point(s,t,e,i){let
n=le(t,s),o=e.axis||"xy",r=e.includeInvisible||!1;return go(s,n,o,i,r)},nearest(s,t,e,i){let n=le(t,s),o=e.axis||"xy",r=e.includeInvisible||!1;return po(s,n,o,e.intersect,i,r)},x(s,t,e,i){let n=le(t,s);return Da(s,n,"x",e.intersect,i)},y(s,t,e,i){let n=le(t,s);return Da(s,n,"x",e.intersect,i)}},_l=["left","top","right","bottom"];function Cs(s,t){return
 s.filter(e=>e.pos===t)}function Ea(s,t){return
 n=t?i:e,o=t?e:i;return n.weight===o.weight?n.index-o.index:n.weight-o.weight})}function Yu(s){let t=
  [],e,i,n,o,r,a; for (e=0,i=(s||[]).length;e<i;++e)n=s[e], \{position:o,options:\{stack:r,stackWeight:a=1\}\}
 }=n,t.push({index:e,box:n,pos:o,horizontal:n.isHorizontal(),weight:n.weight,stack:r&&o+r,stackWeight
  :a});return t}function Zu(s){let t={};for(let e of
 s){let{stack:i,pos:n,stackWeight:o}=e;if(!i||! l.includes(n))continue;let
 r=t[i]||(t[i]=\{count:0,placed:0,weight:0,size:\overline{0}\});r.count++,r.weight+=o\} return t\} function
 qu(s,t){let e=Zu(s), {vBoxMaxWidth:i,hBoxMaxHeight:n}=t,o,r,a;for(o=0,r=s.length;o< r;++o){a=s[o];let{
 fullSize:l}=a.box,c=e[a.stack],h=c&&a.stackWeight/c.weight;a.horizontal?(a.width=h?h*i:l&&t.availabl
eWidth,a.height=n):(a.width=i,a.height=h?h*n:l&&t.availableHeight)}return e}function Gu(s){let t=Yu(s),e=Fs(t.filter(c=>c.box.fullSize),!0),i=Fs(Cs(t,"left"),!0),n=Fs(Cs(t,"right")),o=Fs(Cs(t,"top"),!
```

```
0),r=Fs(Cs(t,"bottom")),a=Ea(t,"x"),l=Ea(t,"y");return{fullSize:e,leftAndTop:i.concat(o),rightAndBot
tom:n.concat(l).concat(r).concat(a),chartArea:Cs(t,"chartArea"),vertical:i.concat(n).concat(l),horiz
ontal:o.concat(r).concat(a)}}function Ia(s,t,e,i){return
(s.left,t.left),s.bottom=Math.max(s.bottom,t.bottom),s.right=Math.max(s.right,t.right)}function
ze:0,count:1};u.size=Math.max(u.size,e.horizontal?o.height:o.width),e.size=u.size/u.count,s[n]+=e.si
ze}o.getPadding&&wl(r,o.getPadding());let a=Math.max(0,t.outerWidth-
Ia(r,s,"left","right")),l=Math.max(0,t.outerHeight-
Ia(r,s,"top","bottom")),c=a!==s.w,h=l!==s.h;return
s.w=a,s.h=l,e.horizontal?\{same:c,other:h\}:\{same:h,other:c\}\} function \ Ku(s)\{lethorizontal\} function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) function \ Ku(s)(lethorizontal) 
t=s.maxPadding;function e(i){let n=Math.max(t[i]-s[i],0);return
s[i]+=n,ns.y+=e("top"),s.x+=e("left"),e("right"),e("bottom")}function <math>Ju(s,t){let
e=t.maxPadding;function i(n){let o={left:0,top:0,right:0,bottom:0};return
n.forEach(r=>{o[r]=Math.max(t[r],e[r])}),o}return i(s?["left","right"]:["top","bottom"])}function
Ns(s,t,e,i) \\ \{let \ n=[],o,r,a,l,c,h; for(o=0,r=s.length,c=0;o< r; ++o) \\ \{a=s[o],l=a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.update(a.width||t.a.box,l.u
w,a.height||t.h,Ju(a.horizontal,t));let{same:u,other:d}=Xu(t,e,a,i);c|=u&&n.length,h=h||d,l.fullSize
 ||n.push(a)|return c&&Ns(n,t,e,i)||h|function
Zi(s,t,e,i,n){s.top=e,s.left=t,s.right=t+i,s.bottom=e+n,s.width=i,s.height=n}function
Ca(s,t,e,i){let n=e.padding,{x:o,y:r}=t;for(let a of s){let
l=a.box,c=i[a.stack]||{count:1,placed:0,weight:1},h=a.stackWeight/c.weight||1;if(a.horizontal){let u
=t.w*h,d=c.size||l.height;Be(c.start)&&(r=c.start),l.fullSize?Zi(l,n.left,r,e.outerWidth-n.right
\label{eq:n.left} $$ n.left,d): Zi(l,t.left+c.placed,r,u,d),c.start=r,c.placed+=u,r=l.bottom\}else\{let\ u=t.h*h,d=c.size||l.width;Be(c.start)&&(o=c.start),l.fullSize?Zi(l,o,n.top,d,e.outerHeight-n.bottom-definitions).
n.top):Zi(l,o,t.top+c.placed,d,u),c.start=o,c.placed+=u,o=l.right}}t.x=o,t.y=r}var ct={addBox(s,t){s}
.boxes||(s.boxes=[]),t.fullSize=t.fullSize||!1,t.position=t.position||"top",t.weight=t.weight||0,t.__
layers=t. layers||function(){return[{z:0,draw(e){t.draw(e)}}]},s.boxes.push(t)},removeBox(s,t){let e
=s.boxes?s.boxes.index0f(t):-1;e!==
1\&\&s.boxes.splice(e,1)\}, configure(s,t,e) \\ \{t.fullSize=e.fullSize,t.position=e.position,t.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.weight=e.
ht},update(s,t,e,i){if(!s)return;let n=at(s.options.layout.padding),o=Math.max(t-
n.width, 0), r=Math.max(e-n.height, 0), a=Gu(s.boxes), l=a.vertical, c=a.horizontal; V(s.boxes, g=>\{typeofallowers, f=a.horizontal\}, v=a.horizontal; V(s.boxes, g=>\{typeofallowers, f=a.horizontal\}, v=a.horizontal\}, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.horizontal, v=a.ho
q.beforeLayout=="function"&&q.beforeLayout()});let h=l.reduce((q,p)=>p.box.options&&p.box.options.di
splay===!1?q:q+1,0)||1,u=Object.freeze({outerWidth:t,outerHeight:e,padding:n,availableWidth:o,availa
ble Height: r, vBox Max Width: o/2/h, hBox Max Height: r/2\}), d=0bject. as sign(\{\},n); wl(d,at(i)); let f=0bject. as sign(\{maxPadding:d,w:o,h:r,x:n.left,y:n.top\},n), m=qu(l.concat(c),u); Ns(a.fullSize,f,u,m), Ns(l,f,u,m); Ns(a.fullSize,f,u,m), Ns(l,f,u,m); Ns(a.fullSize,f,u,m), Ns(l,f,u,m); Ns(a.fullSize,f,u,m), Ns(l,f,u,m); Ns(a.fullSize,f,u,m); N
NS(c,f,u,m)\&\&NS(l,f,u,m),Ku(f),Ca(a.leftAndTop,f,u,m),f.x+=f.w,f.y+=f.h,Ca(a.rightAndBottom,f,u,m),s.chartArea={left:f.left,top:f.top,right:f.left+f.w,bottom:f.top+f.h,height:f.h,width:f.w},V(a.chartArea=f.eft)
Area,g=>{let p=g.box;0bject.assign(p,s.chartArea),p.update(f.w,f.h,{left:0,top:0,right:0,bottom:0})}
)}},sn=class{acquireContext(t,e){}releaseContext(t){return!1}addEventListener(t,e,i){}removeEventLis
tener(t,e,i){}getDevicePixelRatio(){return 1}getMaximumSize(t,e,i,n){return e=Math.max(0,e||t.width)
  i=i||t.height,{width:e,height:Math.max(0,n?Math.floor(e/n):i)}}isAttached(t){return!0}updateConfig,
t){}},vo=class extends sn{acquireContext(t){return } t&t.getContext&t.getContext("2d")||null}updateC}
onfig(t){t.options.animation=!1}},Qi="□chartis",Qu={touchstart:"mousedown",touchmove:"mousemove",tou
chend: "mouseup", pointerenter: "mouseenter", pointerdown: "mousedown", pointermove: "mousemove", pointerup: "mouseup", pointerleave: "mouseout", pointerout: "mouseout", Fa=s=>s===null||s===""; function td(s,t){let
e=s.style,i=s.getAttribute("height"),n=s.getAttribute("width");if(s[Qi]={initial:{height:i,width:n,s
tyle:{display:e.display,height:e.height,width:e.width}}},e.display=e.display||"block",e.boxSizing=e.
boxSizing||"border-box",Fa(n)){let o=no(s,"width");o!==void
0\&\&(s.width=o)\} if(Fa(i)) if(s.style.height==="")s.height=s.width/(t||2); else{let}
o=no(s,"height");o!==void 0&&(s.height=o)}return s}var Sl=ma?{passive:!0}:!1;function
ed(s,t,e){s\&\&s.addEventListener(t,e,Sl)}function
sd(s,t,e){s\&\&s.canvas\&\&s.canvas.removeEventListener(t,e,Sl)}function id(s,t){let
e=Qu[s.type]||s.type,{x:i,y:n}=le(s,t);return{type:e,chart:t,native:s,x:i!==void 0?i:null,y:n!==void
0?n:null}}function nn(s,t){for(let e of s)if(e===t||e.contains(t))return!0}function nd(s,t,e){let i=s.canvas,n=new MutationObserver(o=>{let r=!1;for(let a of
o)r=r||nn(a.addedNodes,i),r=r&&!nn(a.removedNodes,i);r&&e()});return
n.observe(document,{childList:!0,subtree:!0}),n}function od(s,t,e){let i=s.canvas,n=new
MutationObserver(o=>{let r=!1;for(let a of
o)r=r||nn(a.removedNodes,i),r=r&&!nn(a.addedNodes,i);r&&e()});return
n.observe(document,{childList:!0,subtree:!0}),n}var []s=new Map,Aa=0;function kl(){let s=window.devic
ePixelRatio; s! == Aa\&(Aa = s, \exists s. for Each((t,e) => \{e. current Device PixelRatio! == s\&t()\}))\} function
rd(s,t)\{[s.size] | window.addEventListener("resize",kl),[s.set(s,t)]\} function ad(s)\{[s.delete(s),[s.size] | window.removeEventListener("resize",kl)\} function ld(s,t,e)\{let(s,t),[s.size] | window.removeEventListener("resize",kl)\}
i=s.canvas, n=i\&Ui(i); if(!n) return; let o=Un((a,l)=>{let}
 c=n.clientWidth; e(a,l), c< n.clientWidth\&e()\}, window), r=new \ ResizeObserver(a=>\{letaline and the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content
l=a[0], c=l.contentRect.width, h=l.contentRect.height; c===0\&h===0||o(c,h)\}); return
r.observe(n), rd(s,o), r function yo(s,t,e) {e&e.disconnect(), t==="resize"&ad(s)} function
cd(s,t,e){let i=s.canvas,n=Un(o=>{s.ctx!==null&&e(id(o,s))},s);return ed(i,t,n),n}var To=class
extends sn\{acquireContext(t,e)\{let\ i=t\&\&t.getContext\&t.getContext("2d");return
i\&\&i.canvas===t?(td(t,e),i):null\}releaseContext(t)\{let\ e=t.canvas;if(!e[Qi])return!1;let\ i=e[Qi].initial;["height","width"].forEach(o=>\{let
r=i[o];A(r)?e.removeAttribute(o):e.setAttribute(o,r)});let n=i.style||{};return
Object.keys(n).forEach(o=>{e.style[o]=n[o]}),e.width=e.width,delete
```

```
e[Qi], !0addEventListener(t,e,i){this.removeEventListener(t,e);let n=t.\Boxproxies||(t.\Boxproxies={}),r={
 roxies={}),n=i[e];if(!n)return;({attach:yo,detach:yo,resize:yo}[e]||sd)(t,e,n),i[e]=void
 O}getDevicePixelRatio(){return window.devicePixelRatio}getMaximumSize(t,e,i,n){return
 fa(t,e,i,n) is Attached(t) {let e=t\&\&Ui(t); return!!(e\&\&e.isConnected)}}; function
 hd(s){return!ji()||typeof OffscreenCanvas<"u"&&s instanceof OffscreenCanvas?vo:To}var yt=class{const
ructor(){S(this, "x");S(this, "y");S(this, "active",!1);S(this, "options");S(this, "painmations")}tooltip Position(t){let{x:e,y:i}=this.getProps(["x","y"],t);return{x:e,y:i}}hasValue(){return we(this.x)&&we(this.y)}getProps(t,e){let i=this.painmations;if(!e||!i)return this;let n={};return t. forEach(o=>{n[o]=i[o]&&i[o].active()?i[o]. to:this[o]}),n};S(yt, "defaults",{}),S(yt, "defaultRoutes");function ud(s,t){let e=s.options.ticks,i=dd(s),n=Math.min(e.maxTicksLimit||i,i),o=e.major.enabled?
 \label{eq:mdd}  \mbox{ md(t):[],r=o.length,a=o[0],l=o[r-1],c=[];if(r>n)return gd(t,c,o,r/n),c;let h=fd(o,t,n);if(r>0){let u,d,f=r>1?Math.round((l-a)/(r-1)):null;for(qi(t,c,h,A(f))?0:a-f,a),u=0,d=r-}  \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ } \mbox{ 
 1; u < d; u++)qi(t,c,h,o[u],o[u+1]); return qi(t,c,h,l,A(f)?t.length:l+f),c}return qi(t,c,h),c}function
dd(s){let t=s.options.offset,e=s._tickSize(),i=s._length/e+(t?0:1),n=s._maxLength/e;return
Math.floor(Math.min(i,n))}function fd(s,t,e){let i=pd(s),n=t.length/e;if(!i)return Math.max(n,1);let
 o=qr(i);for(let r=0,a=o.length-1;r<a;r++){let l=o[r];if(l>n)return l}return Math.max(n,1)}function
 md(s){let t=[],e,i;for(e=0,i=s.length;e<i;e++)s[e].major&&t.push(e);return t}function
 gd(s,t,e,i){let
 n=0, o=e[0], r; for(i=Math.ceil(i), r=0; r<s.length; r++) r===o&&(t.push(s[r]), n++, o=e[n*i])} function
 qi(s,t,e,i,n) {let o=I(i,0), r=Math.min(I(n,s.length),s.length), <math>a=0,l,c,h; for (e=Math.ceil(e),n\&(l=n-1))
 i,e=1/Math.floor(l/e)),h=o;h<0;)a++,h=Math.round(o+a*e);for(c=Math.max(o,0);c<r;c++)c===h&&(t.push(s
 [c]),a++,h=Math.round(o+a*e))}function pd(s){let
t=s.length,e,i;if(t<2)return!1;for(i=s[0],e=1;e<t;++e)if(s[e]-s[e-1]!==i)return!1;return i}var yd=s=
>s==="left"?"right":s==="right"?"left":s,La=(s,t,e)=>t==="top"||t==="left"?s[t]+e:s[t]-
 e, Pa=(s,t)=>Math.min(t||s,s); function Na(s,t){let}
 e=[],i=s.length/t,n=s.length,o=0;for(;o<n;o+=i)e.push(s[Math.floor(o)]);return e}function
bd(s,t,e)\{let\ i=s.ticks.length,n=Math.min(t,i-1),o=s.\ startPixel,r=s.\ endPixel,a=1e-6,l=s.getPixelForTick(n),c;if(!(e&&(i===1?c=Math.max(\bar{l}-o,r-l):t===0?c=(s.getPixelForTick(1)-1))\}
 \label{local_local} l)/2: c = (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a))) return \ l\} function \ xd(s,t) \\ \{V(s,e=>\{let = l)/2: c = (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-a||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t||l>r+a)) \\ (l-s.getPixelForTick(n-1))/2, l+=n< t||l-s.getPixelForTick(n-1))/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n< t||l-s.getPixelForTick(n-1)|/2, l+=n
 i=e.gc, n=i.length/2, o; if(n>t) \{for(o=0; o< n; ++o) delete e.data[i[o]]; i.splice(0,n)\}\}) \} function
 As(s){return s.drawTicks?s.tickLength:0}function Ra(s,t){if(!s.display)return 0;let
e=Q(s.font,t),i=at(s.padding);return([(s.text)?s.text.length:1)*e.lineHeight+i.height}function
_d(s,t){return Yt(s,{scale:t,type:"scale"})}function wd(s,t,e){return
Yt(s,{tick:e,index:t,type:"tick"})}function Sd(s,t,e){let
 i=zi(s); return(e\&\&t!=="right"||!e\&\&t==="right")\&\&(i=yd(i)),i function kd(s,t,e,i) {let{top:n,left:o,b}
 ottom:r,right:a,chart:l}=s,{chartArea:c,scales:h}=l,u=0,d,f,m,g=r-n,p=a-
 o;if(s.isHorizontal()){if(f=rt(i,o,a),L(e)){let
y=0bject.keys(e)[0],b=e[y];m=h[y].getPixelForValue(b)+g-t}else
e==="center"?m=(c.bottom+c.top)/2+g-t:m=La(s,e,t);d=a-o}else{if(L(e)){let
 y=Object.keys(e)[0],b=e[y];f=h[y].getPixelForValue(b)-p+t}else e==="center"?f=(c.left+c.right)/2-
 p+t:f=La(s,e,t);m=rt(i,r,n),u=e==="left"?-X:X}return{titleX:f,titleY:m,maxWidth:d,rotation:u}}var
 Ee=class s extends yt{constructor(t){super(),this.id=t.id,this.type=t.type,this.options=void
0,this.ctx=t.ctx,this.chart=t.chart,this.top=void 0,this.bottom=void 0,this.left=void 0,this.right=void 0,this.width=void 0,this.height=void
 \texttt{0,this.\_margins=} \{ \texttt{left:0,right:0,top:0,bottom:0} \}, \texttt{this.maxWidth=void 0,this.maxHeight=void 0} \} \}
 0,this.paddingTop=void 0,this.paddingBottom=void 0,this.paddingLeft=void 0,this.paddingRight=void
 0,this.axis=void 0,this.labelRotation=void 0,this.min=void 0,this.max=void 0,this.range=void 0,this
.ticks=[],this._gridLineItems=null,this._labelItems=null,this._labelSizes=null,this._length=0,this._
maxLength=0,this._longestTextCache={},this._startPixel=void 0,this._endPixel=void 0,this._reversePixels=!1,this._userMax=void 0,this._userMin=void 0,this._suggestedMax=void
0,this._suggestedMin=void 0,this._ticksLength=0,this._borderValue=0,this._cache={},this._dataLimitsCached=!1,this._context=void 0}init(t){this.options=t.setContext(this.getContext()),this.axis=t.axis,
 this.\_user \texttt{Min=this.parse(t.min),this.}\_user \texttt{Max=this.parse(t.max),this.}\_suggested \texttt{Min=this.parse(t.sugg)}
 estedMin), this. suggestedMax=this.parse(t.suggestedMax)parse(t,e){return}
t}getUserBounds(){let{_userMin:t,_userMax:e,_suggestedMin:i,_suggestedMax:n}=this;return t=ut(t,Numb er.POSITIVE_INFINITY),e=ut(e,Number.NEGATIVE_INFINITY),i=ut(i,Number.POSITIVE_INFINITY),n=ut(n,Numbe r.NEGATIVE_INFINITY),{min:ut(t,i),max:ut(e,n),minDefined:Z(t),maxDefined:Z(e)}}getMinMax(t){let{min:
e,max:i,minDefined:n,maxDefined:o}=this.getUserBounds(),r;if(n&&o)return{min:e,max:i};let
a=this.getMatchingVisibleMetas();for(let l=0,c=a.length;l<c;++l)r=a[l].controller.getMinMax(this,t),
n||(e=Math.min(e,r.min)),o||(i=Math.max(i,r.max));return e=o&&e>i?i:e,i=n&&e>i?e:i,{min:ut(e,ut(i,e))}
 ), \max: ut(i, ut(e, i))} getPadding(){return{left:this.paddingLeft||0, top:this.paddingTop||0, right:this.paddingTop||0, 
 padding Right | \{0, bottom: this.padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{return\ this.ticks\} get Labels() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding Bottom | \{0\}\} get Ticks() \{leteration of the padding B
 t = this.chart.data; return\ this.options.labels | | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | (this.isHorizontal()?t.xLabels:t.yLabels) | | t.labels| | t.labels| | (this.isHorizontal()?t.xLabels) | | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels| | t.labels|
 ]}getLabelItems(t=this.chart.chartArea){return this._labelItems||(this._labelItems=this._computeLabelItems(t))}beforeLayout(){this._cache={},this._dataLimitsCached=!1}beforeUpdate(){B(this.options.beforeLayout()}
 ore Update, [this]) \} update(t,e,i) \overline{\{let\{beginAtZero:n,grace:o,ticks:r\}=this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.options,a=r.sampleSize;this.optio
 beforeUpdate(),this.maxWidth=t,this.maxHeight=e,this.margins=i=Object.assign({left:0,right:0,top:0,
 bottom:0},i),this.ticks=null,this. labelSizes=null,this. gridLineItems=null,this. labelItems=null,th
 is.before SetDimensions(), this.setD\overline{l}mensions(), this.after \overline{SetDimensions()}, this.\_max \overline{L}ength = this.isHoriz
 ontal()?this.width+i.left+i.right:this.height+i.top+i.bottom,this._dataLimitsCached||(this.beforeDat
aLimits(),this.determineDataLimits(),this.afterDataLimits(),this._range=aa(this,o,n),this._dataLimits()cached=!0),this.beforeBuildTicks(),this.ticks=this.buildTicks()||[],this.afterBuildTicks();let l=a<
```

```
this.ticks.length; this. convertTicksToLabels(l?Na(this.ticks,a):this.ticks), this.configure(), this.be
foreCalculateLabelRotation(), this.calculateLabelRotation(), this.afterCalculateLabelRotation(), r.disp
lay&&(r.autoSkip||r.source==="auto")&&(this.ticks=ud(this.this.ticks),this._labelSizes=null,this.aft
erAutoSkip()),l&&this. convertTicksToLabels(this.ticks),this.beforeFit(),this.fit(),this.afterFit(),
this.afterUpdate()}configure(){let t=this.options.reverse,e,i;this.isHorizontal()?(e=this.left,i=thi
s.right):(e=this.top,i=this.bottom,t=!t),this. startPixel=e,this. endPixel=i,this. reversePixels=t,t
his._length=i-
e,this. alignToPixels=this.options.alignToPixels}afterUpdate(){B(this.options.afterUpdate,[this])}be
fore Set \overline{D} imensions() \\ \{B(this.options.before Set Dimensions, [this]) \\ \} set Dimensions() \\ \{this.is Horizontal()? (this.is Horizontal())? (this.is Horizontal())? (this.is Horizontal()) \\ (this.is Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horizontal() Horiz
this.width=this.maxWidth,this.left=0,this.right=this.width):(this.height=this.maxHeight,this.top=0,t
his.bottom=this.height),this.paddingLeft=0,this.paddingTop=0,this.paddingRight=0,this.paddingBottom=
0) after Set Dimensions() \\ \{B(this.options.after Set Dimensions, [this])\} \\ \_ call Hooks(t) \\ \{this.chart.notify Plug, fine the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the first of the firs
ins(t,this.getContext()),B(this.options[t],[this])}beforeDataLimits(){this._callHooks("beforeDataLim")}
its")}determineDataLimits(){}afterDataLimits(){this. callHooks("afterDataLimits")}beforeBuildTicks()
{this. callHooks("beforeBuildTicks")}buildTicks(){return[]}afterBuildTicks(){this. callHooks("afterB
uildTicks")}beforeTickToLabelConversion(){B(this.options.beforeTickToLabelConversion,[this])}generat
[o.value,i,t],this)}afterTickToLabelConversion(){B(this.options.afterTickToLabelConversion,[this])}
beforeCalculateLabelRotation(){B(this.options.beforeCalculateLabelRotation,[this])}calculateLabelRot
ation(){let t=this.options,e=t.ticks,i=Pa(this.ticks.length,t.ticks.maxTicksLimit),n=e.minRotation||
0,o=e.maxRotation,r=n,a,l,c;if(!this.isVisible()||!e.display||n>=o||i<=1||!this.isHorizontal()){thi
s.labelRotation=n;return}let h=this._getLabelSizes(),u=h.widest.width,d=h.highest.height,f=tt(this.c hart.width-u,0,this.maxWidth);a=t.offset?this.maxWidth/i:f/(i-1),u+6>a&&(a=f/(i-
 (t.offset?.5:1)),l=this.maxHeight-As(t.grid)-e.padding-Ra(t.title,this.chart.options.font),c=Math.sq
rt(u*u+d*d),r=Ri(Math.min(Math.asin(tt((h.highest.height+6)/a,-1,1)),Math.asin(tt(l/c,-1,1))-
Math.asin(tt(d/c,
1,1)))), r=Math.max(n,Math.min(o,r))), this.labelRotation=r}afterCalculateLabelRotation(){B(this.optionalculateLabelRotation()}
ns.afterCalculateLabelRotation,[this])}afterAutoSkip(){}beforeFit(){B(this.options.beforeFit,[this])}
}fit(){let t={width:0,height:0},{chart:e,options:{ticks:i,title:n,grid:o}}=this,r=this._isVisible(),
a=this.isHorizontal();if(r){let l=Ra(n,e.options.font);if(a?(t.width=this.maxWidth,t.height=As(o)+l)
:(t.height=this.maxHeight,t.width=As(o)+l),i.display&&this.ticks.length){let{first:c,last:h,widest:u
 highesť:d}=this. getLabelSizes(),f=i.padding*2,m=wť(this.labelRotation),g=Math.cos(m),p=Math.sin(m),
 ;if(a){let y=i.mirror?0:p*u.width+g*d.height;t.height=Math.min(this.maxHeight,t.height+y+f)}else{let
y=i.mirror?0:g*u.width+p*d.height;t.width=Math.min(this.maxWidth,t.width+y+f)this._calculatePadding
 (c,h,p,g)}}this._handleMargins(),a?(this.width=this._length=e.width-this._margins.left-
this. margins.right, this.height=t.height):(this.width=t.width, this.height=this.length=e.height
this._margins.top-this._margins.bottom)}_calculatePadding(t,e,i,n){let{ticks:{align:o,padding:r},position:a}=this.options,l=this.labelRotation!==0,c=a!=="top"&&this.axis==="x";if(this.isHorizontal()){
let h=this.getPixelForTick(0)-this.left,u=this.right-this.getPixelForTick(this.ticks.length-
1), d=0, f=0; \tilde{l}?c?(d=n*t.width, f=i*e.height):(d=i*t.height, f=\tilde{n}*e.width):o==="start"?f=e.width:o==="end"
?d=t.width:o!=="inner"&&(d=t.width/2,f=e.width/2),this.paddingLeft=Math.max((d-
\label{lem:u} \begin{tabular}{ll} u),0)} else \{let h=e.height/2,u=t.height/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height,u=0),theight/2;o==="start"?(h=0,u=t.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o==="end"\&\&(h=e.height):o===="end"\&\&(h=e.height):o===="end"\&\&(h=e.height):o===="end"\&\&(h=e.height):o===="end"\&\&(h=e.height):o=
is.paddingTop=h+r,this.paddingBottom=u+r}} handleMargins(){this. margins&&(this. margins.left=Math.m
ax(this.paddingLeft,this. margins.left),this. margins.top=Math.max(this.paddingTop,this. margins.top
),this. margins.right=Math.max(this.paddingRight,this. margins.right),this. margins.bottom=Math.max(
this.paddingBottom,this._margins.bottom))}afterFit(){B(this.options.afterFit,[this])}isHorizontal(){
let{axis:t,position:e}=this.options;return e==="top"||e==="bottom"||t==="x"}isFullSize(){return this
 .options.fullSize}_convertTicksToLabels(t){this.beforeTickToLabelConversion(),this.generateTickLabel
s(t); let e,i; for (e=0,i=t.length; e< i; e++) A(t[e].label) &&(t.splice(e,1),i--,e-
); this.afterTickToLabelConversion()}_getLabelSizes(){let t=this._labelSizes;if(!t){let e=this.option s.ticks.sampleSize,i=this.ticks;e<i.length&&(i=Na(i,e)),this._labelSizes=t=this._computeLabelSizes(i,i.length,this.options.ticks.maxTicksLimit)}return t}_computeLabelSizes(t,e,i){let{ctx:n,_longestTex}}
tCache:o}=this,r=[],a=[],l=Math.floor(e/Pa(e,i)),c=0,h=0,u,d,f,m,g,p,y,b,_,w,x;for(u=0;u<e;u+=l){if(m=t[u].label,g=this._resolveTickFontOptions(u),n.font=p=g.string,y=o[p]=o[p]||{data:{},gc:[]},b=g.lineHeight,=w=0,!A(m)&&!\Box(m))_=vs(n,y.data,y.gc,_,m),w=b;else if(\Box(m))for(d=0,f=m.length;d<f;++d)x=m[
d],!A(x)&&(=vs(n,y.data,y.gc,_,x),w+=b);r.push(_),a.push(w),c=Math.max(_,c),h=Math.max(w,h)} xd(o,e);let k=r.indexOf(c),M=a.indexOf(h),v=0=>({width:r[0]||0,height:a[0]||0});return{first:v(0),la}
st:v(e-1),widest:v(k),highest:v(M),widths:r,heights:a}}getLabelForValue(t){return
t}getPixelForValue(t,e){return NaN}getValueForPixel(t){}getPixelForTick(t){let e=this.ticks;return t
<0||t>e.length
1?null:this.getPixelForValue(e[t].value)}getPixelForDecimal(t){this. reversePixels&&(t=1-t);let
e=this. startPixel+t*this. length; return
Xr(this._alignToPixels?oe(this.chart,e,0):e)}getDecimalForPixel(t){let
e=(t-this._startPixel)/this._length;return this._reversePixels?1-e:e}getBasePixel(){return
this.getPixelForValue(this.getBaseValue())}getBaseValue(){let{min:t,max:e}=this;return
i. □context||(i. □context=wd(this.getContext(),t,i))}return
this. context | (this. context = d(this.chart.getContext(), this))} tickSize() {let t=this.options.ticks
 , e=wt(this.labe(Rotation), i=Math.abs(Math.cos(e)), n=Math.abs(Math.sin(e)), o=this.\_getLabe(Sizes(), r=1), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.sin(e)), abs(Math.
t.autoSkipPadding||0,a=o?o.widest.width+r:0,l=o?o.highest.height+r:0;return
this.isHorizontal()?l*i>a*n?a/i:l/n:l*n<a*i?l/i:a/n} isVisible(){let t=this.options.display;return
t!=="auto"?!!t:this.getMatchingVisibleMetas().length>0} computeGridLineItems(t){let e=this.axis,i=th
```

```
is.chart, n=this.options, \{grid:o,position:r,border:a\}=n, l=o.offset, c=this.isHorizontal(), u=this.ticks\}
.length+(l?1:0),d=As(o),f=[],m=a.setContext(this.getContext()),g=m.display?m.width:0,p=g/2,y=functio
n(Y){return oe(i,Y,g)},b,_,w,x,k,M,v,0,E,C,P,nt;if(r==="top")b=y(this.bottom),M=this.bottom-d,0=b-
p,C=y(t.top)+p,nt=t.bottom;else
if(r==="bottom")b=y(this.top),C=t.top,nt=y(t.bottom)-p,M=b+p,O=this.top+d;else
 if(r==="left")b=y(this.right),k=this.right-d,v=b-p,E=y(t.left)+p,P=t.right;else
 if(r==="right")b=y(this.left),E=t.left,P=y(t.right)-p,k=b+p,v=this.left+d;else
if(e==="x"){if(r==="center")b=y((t.top+t.bottom)/2+.5);else if(L(r)){let Y=0bject.keys(r)[0],J=r[Y];
 b=y(this.chart.scales[Y].getPixelForValue(J))}C=t.top,nt=t.bottom,M=b+p,O=M+d}else
 if(e==="y")\{if(r==="center")b=y((t.left+t.right)/2);else\ if(L(r))\{let\ Y=0bject.keys(r)[0],J=r[Y];b=y(t.left+t.right)/2\}\}
 (this.chart.scales[Y].getPixelForValue(J))}k=b-p,v=k-d,E=t.left,P=t.right}let
gt=I(n.ticks.maxTicksLimit,u),H=Math.max(1,Math.ceil(u/gt));for(=0; <u; +=H){let Y=this.getContext(
_),J=o.setContext(Y),Tt=a.setContext(Y),lt=J.lineWidth,Pe=J.color,Mi=Tt.dash||[],Ne=Tt.dashOffset,xs
=J.tickWidth,pe=J.tickColor,_s=J.tickBorderDash||[],ye=J.tickBorderDashOffset;w=bd(this,_,l),w!==void 0&&(x=oe(i,w,lt),c?k=v=E=P=x:M=0=C=nt=x,f.push({tx1:k,ty1:M,tx2:v,ty2:0,x1:E,y1:C,x2:P,y2:nt,width})
 :lt,color:Pe,borderDash:Mi,borderDashOffset:Ne,tickWidth:xs,tickColor:pe,tickBorderDash: s,tickBorde
 rDashOffset:ye\}))\} return\ this.\_ticksLength=u, this.\_borderValue=b, f\}\_computeLabelItems(t)\overline{\{let\ e=this.equal to the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the computeLabelItems(t), the 
 axis, i=this.options, {position:n, ticks:o}=i, r=this.isHorizontal(), a=this.ticks, {align:l,crossAlign:c,
padding:h,mirror:u}=o,d=As(i.grid),f=d+h,m=u?-h:f,g=-
wt(this.labelRotation),p=[],y,b,_,w,x,k,M,v,0,E,C,P,nt="middle";if(n==="top")k=this.bottom-
m,M=this._getXAxisLabelAlignment();else
if(n==="bottom")k=this.top+m,M=this._getXAxisLabelAlignment();else if(n==="left"){let
H=this._getYAxisLabelAlignment(d);M=H.textAlign,x=H.x}else if(n==="right"){let
 H=this._getYAxisLabelAlignment(d);M=H.textAlign,x=H.x}else
 is.chart.scales[H].getPixelForValue(Y)+f}M=this._getXAxisLabelAlignment()}else
if(e==="y"){if(n==="center")x=(t.left+t.right)/2-f;else if(L(n)){let H=0bject.keys(n)[0],Y=n[H];x=th
 is.chart.scales[H].getPixelForValue(Y)}M=this._getYAxisLabelAlignment(d).textAlign}e==="y"&&(l==="st
 art"?nt="top":l==="end"&&(nt="bottom"));let
  \texttt{gt=this. getLabelSizes();} for (y=0,b=a.length; y<b; ++y) \{ \texttt{\_=a[y],w=\_.label;} let \ \texttt{H=o.setContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(this.getContext(t
text(y));v=this.getPixelForTick(y)+o.labelOffset,0=this._resolveTickFontOptions(y),E=0.lineHeight,C=
[(w)?w.length:1;let Y=C/2,J=H.color,Tt=H.textStrokeColor,lt=H.textStrokeWidth,Pe=M;r?(x=v,M==="inner")
    '&&(y===b-
1?Pe=this.options.reverse?"left":"right":y===0?Pe=this.options.reverse?"right":"left":Pe="center"),n ==="top"?c==="near"||g!==0?Pe-C*E+E/2:c==="center"?Pe-gt.highest.height/2-Y*E+E:Pe-
 gt.highest.height+E/2:c==="near"||g!==0?P=E/2:c==="center"?P=gt.highest.height/2-
,_s=P-Ne.top,ye=0-Ne.left;switch(nt){case"middle":_s-=xs/2;break;case"bottom":_s-
=xs;break}switch(M){case"center":ye-=pe/2;break;case"right":ye-=pe;break;case"inner":y===b-1?ye-
 =pe/2);break}Mi={left:ye,top: s,width:pe+Ne.width,height:xs+Ne.height,color:H.backdropColor}}p.push(
 {label:w,font:0,textOffset:P,options:{rotation:g,color:J,strokeColor:Tt,strokeWidth:lt,textAlign:Pe,
 textBaseline:nt,translation:[x,k],backdrop:Mi}})}return
 p} getXAxisLabelAlignment(){let{position:t,ticks:e}=this.options;if(-wt(this.labelRotation))return
 t==="top"?"left":"right";let n="center";return e.align==="start"?n="left":e.align==="end"?n="right":
e.align==="inner"&&(n="inner"),n}_getYAxisLabelAlignment(t){let{position:e,ticks:{crossAlign:i,mirror:n,padding:o}}=this.options,r=this._getLabelSizes(),a=t+o,l=r.widest.width,c,h;return e==="left"?n? (h=this.right+o,i==="near"?c="left":i==="center"?(c="center",h+=l/2):(c="right",h+=l)):(h=this.right-a,i==="near"?c="right":i==="center"?(c="center",h-
 =1/2):(c="left",h=this.left)):e==="right"?n?(h=this.left+o,i==="near"?c="right":i==="center"?(c="cen
ter",h-=l/2):(c="left",h-
=l)):(h=this.left+a,i==="near"?c="left":i==="center"?(c="center",h+=l/2):(c="right",h=this.right)):c
 ="right", {textAlign:c,x:h}}_computeLabelArea(){if(this.options.ticks.mirror)return;let t=this.chart,
 e=this.options.position;if(e==="left"||e==="right")return{top:0,left:this.left,bottom:t.height,right
 :this.right};if(e==="top"||e==="bottom")return{top:this.top,left:0,bottom:this.bottom,right:t.width}
\label{lem:continuous} $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)} = \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)}.$$ In $$ \frac{\theta(t,s)}{\theta(t,s)}
 e=this.options.grid;if(!this._isVisible()||!e.display)return 0;let
 n=this.ticks.findIndex(o=>o.value===t);return
 n>=0?e.setContext(this.getContext(n)).lineWidth:0}drawGrid(t){let e=this.options.grid,i=this.ctx,n=t
his._gridLineItems||(this._gridLineItems=this._computeGridLineItems(t)),o,r,a=(l,c,h)=>{!h.width||!h.color||(i.save(),i.lineWidth=h.width,i.strokeStyle=h.color,i.setLineDash(h.borderDash||[]),i.lineDa
 sh0ffset=h.borderDash0ffset,i.beginPath(),i.moveTo(l.x,l.y),i.lineTo(c.x,c.y),i.stroke(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore(),i.restore()
 )}; if(e.display)for(o=0,r=n.length;o<r;++o){let l=n[o];e.drawOnChartArea&&a(\{x:l.x1,y:l.y1\},\{x:l.x2,y:l.y1\},\{x:l.x2,y:l.y1\}}
y:l.y2},l),e.drawTicks&&a({x:l.tx1,y:l.ty1},{x:l.tx2,y:l.ty2},{color:l.tickColor,width:l.tickWidth,borderDash:l.tickBorderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orderDash.orde
  ,options:{border:i,grid:n}}=this,o=i.setContext(this.getContext()),r=i.display?o.width:0;if(!r)retur
 n;let a=n.setContext(this.getContext(0)).lineWidth,l=this._borderValue,c,h,u,d;this.isHorizontal()?(
 c=oe(t,this.left,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.right,a)+a/2,u=d=l):(u=oe(t,this.top,r)-r/2,h=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,r)-r/2,u=d=l):(u=oe(t,this.top,
 r/2,d=oe(t,this.bottom,a)+a/2,c=h=l),e.save(),e.lineWidth=o.width,e.strokeStyle=o.color,e.beginPath(
 ),e.moveTo(c,u),e.lineTo(h,d),e.stroke(),e.restore()}drawLabels(t){if(!this.options.ticks.display)re
 turn; let i=this.ctx,n=this._computeLabelArea();n&&Ds(i,n); let o=this.getLabelItems(t); for(let r of
```

```
o){let a=r.options,l=r.font,c=r.label,h=r.text0ffset;re(i,c,0,h,l,a)}n\&&Es(i)}drawTitle(){let{ctx:t,}}
options:{position:e,title:i,reverse:n}}=this;if(!i.display)return;let o=Q(i.font),r=at(i.padding),a=i.align,l=o.lineHeight/2;e==="bottom"||e==="center"||L(e)?(l+=r.bottom,□(i.text)&&(l+=o.lineHeight*(
i.text.length-
1))):l+=r.top;let{titleX:c,titleY:h,maxWidth:u,rotation:d}=kd(this,l,e,a);re(t,i.text,0,0,o,{color:i
  .color,maxWidth:u,rotation:d,textAlign:Sd(a,e,n),textBaseline:"middle",translation:[c,h]})}draw(t){t
his. isVisible()&&(this.drawBackground(),this.drawGrid(t),this.drawBorder(),this.drawTitle(),this.dr
awLabels(t))} layers(){let t=this.options,e=t.ticks&&t.ticks.z||0,i=I(t.grid&&t.grid.z,
1),n=I(t.border&&t.border.z,0);return!this._isVisible()||this.draw!==s.prototype.draw?[{z:e,draw:o=>
 {this.draw(o)}}]:[{z:i,draw:o=>{this.drawBackground(),this.drawGrid(o),this.drawTitle()}},{z:n,draw:
 ()=>{this.drawBorder()}},{z:e,draw:o=>{this.drawLabels(o)}}]}getMatchingVisibleMetas(t){let e=this.c
hart.getSortedVisibleDatasetMetas(),i=this.axis+"AxisID",n=[],o,r;for(o=0,r=e.length;o<r;++o){let
a=e[o];a[i]===this.id&&(!t||a.type===t)&&n.push(a)}return n} resolveTickFontOptions(t){let
e=this.options.ticks.setContext(this.getContext(t));return Q(e.font)}_maxDigits(){let t=this._resolv
eTickFontOptions(0).lineHeight;return(this.isHorizontal()?this.width:this.height)/t}},ss=class{const
ructor(t,e,i){this.type=t,this.scope=e,this.override=i,this.items=0bject.create(null)}isForType(t){r
eturn Object.prototype.isPrototypeOf.call(this.type.prototype,t.prototype)}register(t){let
e=Object.getPrototypeOf(t),i;Td(e)&&(i=this.register(e));let
n=this.items,o=t.id,r=this.scope+"."+o;if(!o)throw new Error("class does not have id: "+t);return o
in n||(n[o]=t,Md(t,r,i),this.override&&U.override(t.id,t.overrides)),r}get(t){return}
this.items[t]}unregister(t){let e=this.items,i=t.id,n=this.scope;i in e&&delete e[i],n&&i in
U[n]\&\&(delete\ U[n][i],this.override\&\&delete\ ne[i])\}; function Md(s,t,e){let i=ze(Object.create(null)})
  ,[e?U.get(e):{},U.get(t),s.defaults]);U.set(t,i),s.defaultRoutes&&vd(t,s.defaultRoutes),s.descriptor
,[ef0.get(ef),g.defaults]);0.set(t,f),s.defaultRoutes&&vd(t,s.defaultRoutes),s.descriptor
s&&U.describe(t,s.descriptors)}function vd(s,t){0bject.keys(t).forEach(e=>{let i=e.split("."),n=i.po
p(),o=[s].concat(i).join("."),r=t[e].split("."),a=r.pop(),l=r.join(".");U.route(o,n,l,a)})}function
Td(s){return"id"in s&&"defaults"in s}var Oo=class{constructor(){this.controllers=new
ss(pt,"datasets",!0),this.elements=new ss(yt,"elements"),this.plugins=new
ss(pt, datasets, to), this.etements=new ss(yt, etements, this.ptdgins=new ss(object, "plugins"), this.scales=new ss(Ee, "scales"), this._typedRegistries=[this.controllers, this.scales, this.elements]}add(...t){this._each("register",t)}remove(...t){this._each("unregister",t)}addControllers(...t){this._each("register",t, this.controllers)}addElements(...t){this._each("register",t, this.controllers)}addElements(...t){this._each("register",t, this.controllers)}addElements(...t){this._each("register",t, this.controllers)}
this.elements)\} add Plugins (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("regist
qister",t,this.scales) getController(\overline{t}){return
this._get(t,this.controllers,"controller")}getElement(t){return
this._get(t,this.elements,"element")}getPlugin(t){return this._get(t,this.scales,"scale")}removeControl
lers(...t){this._each("unregister",t,this.controllers)}removeElements(...t){this._each("unregister",t,this.elements)}removePlugins(...t){this._each("unregister",t,this.plugins)}removeScales(...t){this._each("unregister",t,this.plugins)}removeScales(...t){this._each("unregister",t,this.scales)}_each(t,e,i){[...e].forEach(n=>{let o=i||this._getRegistryForType}]
 (n);i||o.isForType(n)||o===this.plugins&&n.id?this._exec(t,o,n):V(n,r=>{let
a=i||this. getRegistryForType(r);this. exec(t,a,r)})}) exec(t,e,i){let
n=Ni(t);B(i["before"+n],[],i),e[t](i),B(i["after"+n],[],i)}_getRegistryForType(t){for(let e=0;e<this._typedRegistries.length;e++){let i=this._typedRegistries[e];if(i.isForType(t))return i}return this.plugins}_get(t,e,i){let n=e.get(t);if(n===void 0)throw new Error('"'+t+'" is not a
registered '+i+".");return n}},zt=new 0o,Do=class{constructor(){this._init=[]}notify(t,e,i,n){e==="b
eforeInit"&&(this._init=this._createDescriptors(t,!0),this._notify(this._init,t,"install"));let o=n?this._descriptors(t).filter(n):this._descriptors(t),r=this._notify(o,t,e,i);return e==="afterDestroy"&&(this._notify(o,t,"stop"),this._notify(this._init,t,"uninstall")),r}_notify(t,e,i,n){n=n||{}; for(let o of t){let r=o.plugin,a=r[i],l=[e,n,o.options];if(B(a,l,r)===!1&&n.cancelable)return!1}retu
rn!0}invalidate(){A(this._cache)||(this._oldCache=this._cache,this._cache=void
0)}_descriptors(t){if(this._cache)return this._cache;let e=this._cache=this._createDescriptors(t);return
this._notifyStateChanges(t),e}_createDescriptors(t,e){let
i=t&&t.config,n=I(i.options&&i.options.plugins,{}),o=Od(i);return
n===!1&&!e?[]:Ed(t,o,n,e)}_notifyStateChanges(t){let e=this._oldCache||[],i=this._cache,n=(o,r)=>o.f ilter(a=>!r.some(l=>a.plugin.id===l.plugin.id));this._notify(n(e,i),t,"stop"),this._notify(n(i,e),t, "start")}};function Od(s){let t={},e=[],i=Object.keys(zt.plugins.items);for(let
o=0; o<i.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.plugins||[]; for(let o=0; o<n.length; o++)e.push(zt.getPlugin(i[o])); let n=s.push(i[o]); let n=s.push(i[o]); let n=s.push(i[o]); let n=s.push(i[o]); let n=s.push(i[o]
 r=n[o];e.indexOf(r)==-1&&(e.push(r),t[r.id]=!0)} return{plugins:e,localIds:t}}function
 \begin{aligned} &\text{Dd}(s,t) \{ \text{return!} &\text{t&\&s} === !1? \text{null:} s=== !0? \{ \} :s \} &\text{function Ed}(s,\{\text{plugins:}t,\text{localIds:}e\},i,n) \{ \} \\ &\text{o=}[], r=s.\text{getContext}(); &\text{for(let a of t)} \{ \} &\text{let l=a.id}, &\text{c=Dd}(i[]],n); \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{pull}(s) \\ &\text{c:} s=\text{
s.config,{plugin:a,local:e[l]},c,r)})}return o}function Id(s,{plugin:t,local:e},i,n){let
o=s.pluginScopeKeys(t), r=s.getOptionScopes(i,o); return e\&\&t.defaults\&r.push(t.defaults), s.createRes
olver(r,n,[""],{scriptable:!1,indexable:!1,allKeys:!0})}function Eo(s,t){let e=U.datasets[s]||{};ret
urn((t.datasets||{})[s]||{}).indexAxis||t.indexAxis||e.indexAxis||"x"}function Cd(s,t){let e=s;return s==="_index_"?e=t:s==="_value_"&&(e=t==="x"?"y":"x"),e}function Fd(s,t){return s===t?"_index_":"_value_"}function Wa(s){if(s==="x"||s==="y"||s==="r")return s}function Ad(s){if(s==="top"||s==="bottom")return"x";if(s==="left"||s==="right")return"y"}function Io(s,...t){if(Wa(s))return s;for(let e of t){let
i=e.axis||Ad(e.position)||s.length>1&&Wa(s[0].toLowerCase());if(i)return i}throw new Error(`Cannot
determine type of '[s]' axis. Please provide 'axis' or 'position' option.')}function za(s,t,e){if(e[t+"AxisID"]===s)return{axis:t}}function Ld(s,t){if(t.data&&t.data.datasets){let
e=t.data.datasets.filter(i=>i.xAxisID===s||i.yAxisID===s);if(e.length)return
za(s, "x", e[0]) | | za(s, "y", e[0]) \} return{} function Pd(s,t){let
```

```
e = ne[s.type] \mid | \{scales: \{\}\}, i = t.scales \mid | \{\}, n = Eo(s.type, t), o = 0bject.create(null); returned in the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 Object.keys(i).for Each(r => \{let \ a = i[r]; if(!L(a)) \ return \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ scale \ configuration \ for \ console.error(`Invalid \ \ configuration \ console.error(`Invalid \ configuration \ console.error(`Invalid \ configuration \ console.error(`Invalid \ configuration \ console.error(`Invalid \ configuration \ console.error(`Invalid \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ configuration \ co
 scale: [[{r}`);if(a. proxy)return console.warn(`Ignoring resolver passed as options for scale:
 {axis:l},a,h[l],h[c]])}),s.data.datasets.forEach(r=>{let
 a=r.type||s.type,l=r.indexAxis||Eo(a,t),h=(ne[a]||{}).scales||{};0bject.keys(h).forEach(u=>{let d=Cd
  (u,l),f=r[d+"AxisID"]||d;o[f]=o[f]||0bject.create(null),He(o[f],[\{axis:d\},i[f],h[u]])\})),Object.key
 s(o).forEach(r=>{let a=o[r];He(a,[U.scales[a.type],U.scale])}),o}function Ml(s){let
 t=s.options = \{1, s.options 
s=s||{},s.datasets=s.datasets||[],s.labels=s.labels||[],s}function Nd(s){return
s=s||{},s.data=vl(s.data),Ml(s),s}var Va=new Map,Tl=new Set;function Gi(s,t){let e=Va.get(s);return
 e||(e=t(),Va.set(s,e),Tl.add(e)),e|var Ls=(s,t,e)=>\{let i=Ut(t,e);i!==void
 0\&\&s.add(i)},Co=class{constructor(t){this. config=Nd(t),this. scopeCache=new}
 Map,this._resolverCache=new Map}get platform(){return this. config.platform}get type(){return
this._config.type}set type(t){this._config.type=t}get data(){return this._config.data}set data(){this._config.data=vl(t)}get options(){return this._config.options}set
 options(t){this. config.options=t}get plugins(){return this. config.plugins}update(){let t=this. con
fig; this.clear Cache(), Ml(t) \} clear Cache() \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \} dataset the scope Keys(t) \{return Gi(t,()=>[[`datasets.[\{t\}`,""]])\} dataset Animation Scope Keys(t,e) \{return Gi(`[\{t\}`,""]], the scope Keys(t,e) \{return Gi(`[\{t\}`,""]], the scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \{return Gi(`[\{t\}`,""]], the scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \{return Gi(`[\{t\}`,""]], the scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \{return Gi(`[\{t\}`,""]], the scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t,e) \} dataset Animation Scope Keys(t
   et e=t.id,i=this.type;return
 Gi(\[]\{i\}-plugin-\[]\{e\}\],()=>[[\[plugins.\[]\{e\}\],...t.additionalOptionScopes||[]]])\} cachedScopes(t,e){let
 i=this. scopeCache, n=i.get(t); return(!n||e)&&(n=new Map,i.set(t,n)), n}getOptionScopes(t,e,i){let{opt}}
ions:n, type:o\} = this, r = this. cached Scopes(t,i), a = r.get(e); if(a) return \ a; let l = new Set; e. for Each(h = > \{t, \&(l.add(t), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = > Ls(l, n, u)), h.for Each(u = Ls(l, u)), h.for Each(u = Ls(l, u)), h.for Each(u = Ls(l, u)), h.for Each(u = Ls(l, u)), h.for Each(u = Ls(l, u)), h.for Each(u = Ls(l, u)), h.for Each(u = 
  \text{ch}(u = \text{Ls}(l, U, u)), \text{h.forEach}(u = \text{Ls}(l, Vi, u)) \}); \\ \text{let } c = \text{Array.from}(l); \\ \text{return } c. \\ \text{length} = = 0 \& c. \\ \text{push}(0 \\ \text{bject.c}) 
  reate(null), Tl.has(e)\&x.set(e,c),cchartOptionScopes()\{let\{options:t,type:e\}=this;return[t,ne[e]]\}
 \{\}, U.datasets[e]||\{\}, \{type:e\}, U, Vi]\} resolveNamedOptions(t, e, i, n = [""])\{let o = \{[shared:!0\}, \{resolver: resolver: ubPrefixes:a}=Ha(this._resolverCache,t,n),l=r;if(Wd(r,e)){o.□shared=!1,i=□t(i)?i():i;let
c=this.createResolver(t,i,a);l=_e(r,i,c)}for(let c of e)o[c]=l[c];return
o}createResolver(t,e,i=[""],n){let{resolver:o}=Ha(this._resolverCache,t,i);return L(e)?_e(o,e,void)
0,n):o}};function Ha(s,t,e){let i=s.get(t);i||(i=new Map,s.set(t,i));let
n=e.join(),o=i.get(n);return o||(o={resolver:□i(t,e),subPrefixes:e.filter(a=>!a.toLowerCase().includ
 es("hover"))\}, i.set(n,o)), o\} var Rd = s = > L(s) \&\&Object.getOwnPropertyNames(s).some(t = > [t(s[t])); function(t = s(t)) | t(s[t])) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t]) | t(s[t])
 Wd(s,t){let{isScriptable:e,isIndexable:i}=Qn(s);for(let n of t){let}
 o=e(n), r=i(n), a=(r||o)\&\&s[n]; if(o\&\&(||t(a)||Rd(a))||r\&\&||(a)) return!0 return!1} var
e[s]==i[s]?e[t]-i[t]:e[s]-i[s]}function ja(s){let
 t=s.chart,e=t.options.animation;t.notifyPlugins("afterRender"),B(e&&e.onComplete,[s],t)}function
 Hd(s) {let t=s.chart,e=t.options.animation; B(e\&\&e.onProgress,[s],t)} function Ol(s){return
 ji()&&typeof
 s=="string"?s=document.getElementById(s):s&&s.length&&(s=s[0]),s&&s.canvas&&(s=s.canvas),s}var
tn={},Ua=s=>{let t=Ol(s);return Object.values(tn).filter(e=>e.canvas===t).pop()};function
Bd(s,t,e){let i=Object.keys(s);for(let n of i){let o=+n;if(o>=t){let r=s[n];delete
 St=class{static register(...t){zt.add(...t),Ya()}static
 unregister(...t){zt.remove(...t),Ya()}constructor(t,e){let i=this.config=new}
Co(e), n=Ol(t), o=Ua(n); if(o)throw new Error("Canvas is already in use. Chart with ID '"+o.id+"' must be destroyed before the canvas with ID '"+o.canvas.id+"' can be reused."); let r=i.createResolver(i.c
 hartOptionScopes(),this.getContext());this.platform=new(i.platform||hd(n)),this.platform.updateConfi
 g(i);let a=this.platform.acquireContext(n,r.aspectRatio),l=a&&a.canvas,c=l&&l.height,h=l&&l.width;if
  this.id=jr(),this.ctx=a,this.canvas=l,this.width=h,this.height=c,this._options=r,this._aspectRatio=
this.aspectRatio,this._layers=[],this._metasets=[],this._stacks=void 0,this.boxes=[],this.currentDevicePixelRatio=void 0,this.chartArea=void
 0, this.\_active=[], this.\_lastEvent=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=\{\}, this.\_responsiveListeners=void \ 0, this.\_listeners=void \ 0, this.\_
 0, this. sortedMetasets=[], this.scales={}, this. plugins=new
 Do,this. □proxies={},this. hiddenIndices={},this.attached=!1,this. animationsDisabled=void
0,this. context=void 0,this. doResize=ea(u=>this.update(u),r.resizeDelay||0),this. dataChanges=[],tn [this.id]=this,!a||!l){console.error("Failed to create chart: can't acquire context from the given i
tem");return}Zt.listen(this,"complete",ja),Zt.listen(this,"progress",Hd),this._initialize(),this.att ached&&this.update()}get aspectRatio(){let{options:{aspectRatio:t,maintainAspectRatio:e},width:i,hei ght:n,_aspectRatio:o}=this;return A(t)?e&&o?o:n?i/n:null:t}get data(){return this.config.data}set
 data(t){this.config.data=t}get options(){return this._options}set
 options(t){this.config.options=t}get registry(){return zt} initialize(){return this.notifyPlugins("b
 eforeInit"), this.options.responsive?this.resize():io(this, this.options.devicePixelRatio), this.bindEv
ents(),this.notifyPlugins("afterInit"),this}clear(){return
Xn(this.canvas,this.ctx),this}stop(){return Zt.stop(this),this}resize(t,e){Zt.running(this)?this._re
 size Before Draw = \{width: t, height: e\}: this.\_resize(t, e)\}\_resize(t, e) \{let i = this.options, n = this.canvas, o = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n =
 i.maintainAspectRatio&this.aspectRatio,r=this.platform.getMaximumSize(n,t,e,o),a=i.devicePixelRatio
 ||this.platform.getDevicePixelRatio(),l=this.width?"resize":"attach";this.width=r.width,this.height=
```

```
r.height,this. aspectRatio=this.aspectRatio,io(this,a,!0)&&(this.notifyPlugins("resize",{size:r}),B(
i.onResize, [this,r], this), this.attached \& this.\_doResize(l) \& this.render()) \} ensure Scales Have IDs() \{ let e=this.options.scales | | \{ \}; V(e,(i,n)=> \{i.id=n\}) \} build 0 r Update Scales() \{ let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.options, e=t.scales, i let t=this.o
=this.scales,n=Object.keys(i).reduce((r,a)=>(r[a]=!1,r),{}),o=[];e&&(o=o.concat(Object.keys(e).map(r=>{let a=e[r],l=Io(r,a),c=l==="r",h=l==="x";return{options:a,dposition:c?"chartArea":h?"bottom":"lef t",dtype:c?"radialLinear":h?"category":"linear"}}))),V(o,r=>{let
a=r.options, l=a.id, c=Io(l,a), h=I(a.type,r.dtype); (a.position===void 0||Ba(a.position,c)!==Ba(r.dposition))&(a.position=r.dposition), n[l]=!0; let u=null; if(l in
i&&i[l].type===h)u=i[l];else{let d=zt.getScale(h);u=new
d(\{id:l,type:h,ctx:this.ctx,chart:this\}),i[u.id]=u\}u.init(a,t)\}),V(n,(r,a)=>\{r||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||delete||dele
i[a]}),V(i,r=>{ct.configure(this,r,r.options),ct.addBox(this,r)})} updateMetasets(){let t=this. meta
sets,e=this.data.datasets.length,i=t.length;if(t.sort((n,o)=>n.index-o.index),i>e){for(let n=e;n<i;+
+n)this._destroyDatasetMeta(n);t.splice(e,i-
e)}this. sortedMetasets=t.slice(0).sort([a("order","index"))}_removeUnreferencedMetasets(){let{_meta}
sets:t,data:{datasets:e}}=this;t.length>e.length&&delete this. stacks,t.forEach((i,n)=>{e.filter(o=>
o===i. dataset).length===0&&this. destroyDatasetMeta(n)})}buildOrUpdateControllers(){let
t=[],e=this.data.datasets,i,n;for(this._removeUnreferencedMetasets(),i=0,n=e.length;i<n;i++){let o=e [i],r=this.getDatasetMeta(i),a=o.type||this.config.type;if(r.type&&r.type!==a&&(this._destroyDataset
Meta(i),r=this.getDatasetMeta(i)),r.type=a,r.indexAxis=o.indexAxis||Eo(a,this.options),r.order=o.ord
er||0,r.index=i,r.label=""+o.label,r.visible=this.isDatasetVisible(i),r.controller)r.controller.upda
teIndex(i),r.controller.linkScales();else{let l=zt.getController(a),{datasetElementType:c,dataElemen
tType:h}=U.datasets[a];Object.assign(l,{dataElementType:zt.getElement(h),datasetElementType:c&&zt.ge
tElement(c)}),r.controller=new l(this,i),t.push(r.controller)}}return this._updateMetasets(),t}_rese
tElements(){V(this.data.datasets,(t,e)=>{this.getDatasetMeta(e).controller.reset()},this)}reset(){this._resetElements(),this.notifyPlugins("reset")}update(t){let e=this.config;e.update();let i=this._options=e.createResolver(e.chartOptionScopes(),this.getContext()),n=this._animationsDisabled=!i.anima
tion;if(this._updateScales(),this._checkEventBindings(),this._updateHiddenIndices(),this._plugins.in
validate(), this.notifyPlugins("beforeUpdate", {mode:t,cancelable:!0})===!1)return;let o=this.build0rUpdateControllers();this.notifyPlugins("beforeElementsUpdate");let r=0;for(let c=0,h=t
his.data.datasets.length;c<h;c++){let{controller:u}=this.getDatasetMeta(c),d=!n&&o.indexOf(u)===
1;u.buildOrUpdateElements(d),r=Math.max(+u.getMaxOverflow(),r)}r=this. minPadding=i.layout.autoPaddi
=>{ct.removeBox(this,t)}),this.ensureScalesHaveIDs(),this.buildOrUpdateScales()}_checkEventBindings(
){let t=this.options,e=new Set(Object.keys(this._listeners)),i=new Set(t.events);(!Rn(e,i)||!!this.
responsiveListeners!==t.responsive) & (this.unbindEvents(), this.bindEvents()) | updateHiddenIndices()\overline{\{}
let{ hiddenIndices:t}=this,e=this. getUniformDataChanges()||[];for(let{method:i,start:n,count:o}of
e) \{ \text{let } r = \text{i} = \text{e} \text{moveElements} ?-\text{o:o;Bd(t,n,r)} \} \_ getUniformDataChanges() \{ \text{let } r = \text{i} = \text{e} \text{moveElements} ?-\text{o:o;Bd(t,n,r)} \} \_ getUniformDataChanges() \} 
t=this._dataChanges;if(!t||!t.length)return;this._dataChanges=[];let
e=this.data.datasets.length,i=o=>new
rt:+o[2],count:+o[3]}))} updateLayout(t){if(this.notifyPlugins("beforeLayout",{cancelable:!0})===!1)
return; ct.update(this, this.width, this.height, t); let e=this.chartArea, i=e.width<=0||e.height<=0; this. _layers=[], V(this.boxes, n=>{i&&n.position==="chartArea"||(n.configure&&n.configure(), this._layers.pu
sh(...n. layers()))},this, this. layers.forEach((n,o)=>{n. idx=o}),this.notifyPlugins("afterLayout")}_updateDatasets(t){if(this.notifyPlugins("beforeDatasetsUpdate",{mode:t,cancelable:!0})!==!1){for(let e=0,i=this.data.datasets.length;e<i;++e)this.getDatasetMeta(e).controller.configure();for(let e=0
 i=this.data.datasets.length;e<i;++e)this._updateDataset(e,□t(t)?t({datasetIndex:e}):t);this.notify,
lugins("afterDatasetSUpdate", \{mode:t\})\} \_ updateDataset(t,e) \\ \{let i=this.getDatasetMeta(t),n=\{meta:i,i,net:t,mode:e,cancelable:!0\}; this.notifyPlugins("beforeDatasetUpdate",n)!==!1&&(i.controller.\_update",n) \\ = (let i=this.getDatasetMeta(t),n=\{meta:i,i,net:t,mode:e,cancelable:!0\}; this.notifyPlugins("beforeDatasetUpdate",n)!==!1&&(i.controller.\_update",n) \\ = (let i=this.getDatasetMeta(t),n=\{meta:i,i,net:t,mode:e,cancelable:!0\}; this.notifyPlugins("beforeDatasetUpdate",n)!==!1&&(i.controller.\_update",n) \\ = (let i=this.getDatasetMeta(t),n=\{meta:i,i,net:t,mode:e,cancelable:!0\}; this.notifyPlugins("beforeDatasetUpdate",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1&&(i.controller.\_update",n)!==!1
(e), n. cancelable=!1, this.notifyPlugins("afterDatasetUpdate",n))} render(){this.notifyPlugins("beforeRender",{cancelable:!0})!==!1&&(Zt.has(this)?this.attached&&!Zt.running(this)&&Zt.start(this):(this.defined).
raw(),ja({chart:this})))}draw(){let t;if(this._resizeBeforeDraw){let{width:i,height:n}=this._resizeB
eforeDraw;this._resizeBeforeDraw=null,this._resize(i,n)}if(this.clear(),this.width<=0||this.height<=0||this.notifyPlugins("beforeDraw",{cancelable:!0})===!1)return;let e=this._layers;for(t=0;t<e.lengt
h&&e[t].z<=0;++t)e[t].draw(this.chartArea);for(this._drawDatasets();t<e.length;++t)e[t].draw(this.ch
artArea); this.notifyPlugins("afterDraw")} getSortedDatasetMetas(t){let
e=this._sortedMetasets,i=[],n,o;for(n=0,o=e.length;n<o;++n){let
r=e[n];(!t||r.visible)&&i.push(r)}return i}qetSortedVisibleDatasetMetas(){return this. getSortedData
set Metas(!0)\} \_ draw Datasets() \{ if (this.notify Plugins("before Datasets Draw", \{ cancelable: !0 \}) === !1) \ return = !1 \} 
;let t=this.getSortedVisibleDatasetMetas();for(let e=t.length-1;e>=0;--
e)this._drawDataset(t[e]);this.notifyPlugins("afterDatasetsDraw")}_drawDataset(t){let e=this.ctx,i={
meta:t, index:t.index, cancelable:!0}, n=co(this,t); this.notifyPlugins("beforeDatasetDraw",i)!==!1&&(n&
&Ds(e,n),t.controller.draw(),n&&Es(e),i.cancelable=!1,this.notifyPlugins("afterDatasetDraw",i))}isPo
intInArea(t){return Pt(t,this.chartArea,this._minPadding)}getElementsAtEventForMode(t,e,i,n){let
o=Uu.modes[e];return typeof o=="function"?o(this,t,i,n):[]}getDatasetMeta(t){let e=this.data.datasets[t],i=this._metasets,n=i.filter(o=>o&o._dataset===e).pop();return n||(n={type:n
ull,data:[],dataset:null,controller:null,hidden:null,xAxisID:null,yAxisID:null,order:e&&e.order||0,i
ndex:t,_dataset:e,_parsed:[],_sorted:!1},i.push(n)),n}getContext(){return
this._context||(this._context=Yt(null,{chart:this,type:"chart"}))}getVisibleDatasetCount(){return
this.getSortedVisibleDatasetMetas().length}isDatasetVisible(t){let
```

```
e=this.data.datasets[t];if(!e)return!1;let i=this.getDatasetMeta(t);return typeof
 i.hidden=="boolean"?!i.hidden:!e.hidden}setDatasetVisibility(t,e){let i=this.getDatasetMeta(t);i.hid
 den=!e}toggleDataVisibility(t){this. hiddenIndices[t]=!this. hiddenIndices[t]}getDataVisibility(t){r
eturn!this._hiddenIndices[t]}_updateVisibility(t,e,i){let n=i?"show":"hide",o=this.getDatasetMeta(t),r=o.controller._resolveAnimations(void 0,n);Be(e)?(o.data
 [e].hidden=!i,this.update()):(this.setDatasetVisibility(t,\overline{1}),r.update(o,{visible:i}),this.update(a=>
 a.datasetIndex===t?n:void 0))}hide(t,e){this. updateVisibility(t,e,!1)}show(t,e){this. updateVisibil
 ity(t,e,!0)} destroyDatasetMeta(t){let
 e=this.\_metasets[t]; e\&e.controller\&e.controller.\_destroy(), delete \ this.\_metasets[t]\}\_stop() \{let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ 
 e;for(this.stop(),Zt.remove(this),t=0,e=this.data.datasets.length;t<e;++t)this. destroyDatasetMeta(t
 ) } destroy() { this.notifyPlugins("beforeDestroy"); let{canvas:t.ctx:e} = this: this. stop(), this.config.cl
 ear Cache(), t\&\&(this.unbindEvents(), Xn(t,e), this.platform.release Context(e), this.canvas = null, this.ctx
 =null), delete tn[this.id], this.notifyPlugins("afterDestroy")}toBase64Image(...t){return this.canvas.
 toDataURL(...t)}bindEvents(){this.bindUserEvents(),this.options.responsive?this.bindResponsiveEvents
   ():this.attached=!0}bindUserEvents(){let t=this. listeners,e=this.platform,i=(o,r)=>{e.addEventListe
 ner(this,o,r),t[o]=r},n=(o,r,a)=>{o.offsetX=r,o.offsetY=a,this.eventHandler(o)};V(this.options.even
 ts,o=>i(o,n))\} bindResponsiveEvents() \{this.\_responsiveListeners| | (this.\_responsiveListeners=\{\}); let the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the 
 = this.\_responsive Listeners, e = this.platform, i = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = > \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (
t[l]\&\&(e.removeEventListener(this,l,c),delete\ t[l])\},o=(l,c)=>\{this.canvas\&\&this.resize(l,c)\},r,a=(l)=>\{n("attach",a),this.attached=!0,this.resize(l,i("resize",o),i("detach",r)\};r=(l)=>\{this.attached=!1,n("resize",o),this._stop(l,this._resize(l,0),i("attach",a)\},e.isAttached(this.canvas)?a(l):r(l)\}unbin=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c)=line(l,c
 dEvents(){V(this._listeners,(t,e)=>{this.platform.removeEventListener(this,e,t)}),this._listeners={}
    ,V(this._responsiveListeners,(t,e)=>{this.platform.removeEventListener(this,e,t)}),this._responsiveL
 isteners=void 0}updateHoverStyle(t,e,i){let n=i?"set":"remove",o,r,a,l;for(e==="dataset"&&(o=this.ge tDatasetMeta(t[0].datasetIndex),o.controller["_"+n+"DatasetHoverStyle"]()),a=0,l=t.length;a<l;++a){r
 =t[a];let c=r&&this.getDatasetMeta(r.datasetIndex).controller;c&&c[n+"HoverStyle"](r.element,r.datas
 etIndex, r.index)\}\} getActiveElements() \{return\ this.\_active||[]\} setActiveElements(t) \{letActiveElements(t), letActiveElements(t), =this._active||[],i=t.map(({datasetIndex:o,index:r})=>{let a=this.getDatasetMeta(o);if(!a)throw new
 Error("No dataset found at index "+o);return{datasetIndex:o,element:a.data[r],index:r}});!Ts(i,e)&&(
this._active=i,this._lastEvent=null,this._updateHoverStyles(i,e))}notifyPlugins(t,e,i){return this._plugins.notify(this,t,e,i)}isPluginEnabled(t){return
 this._plugins._cache.filter(e=>e.plugin.id===t).length===1}_updateHoverStyles(t,e,i){let n=this.opti
 ons.hover, o=(l,c) => l.filter(h=>!c.some(u=>h.datasetIndex===u.datasetIndex\&\&h.index===u.index)), r=o(e,c) == l.filter(h=>!c.some(u=>h.datasetIndex===u.datasetIndex&\&h.index===u.index)), r=o(e,c) == l.filter(h=>!c.some(u=>h.datasetIndex===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index===u.datasetIndex&&h.index==u.datasetIndex&&h.index==u.datasetIndex&&h.index==u.datasetIndex&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.index&&h.in
    t),a=i?t:o(t,e);r.length&&this.updateHoverStyle(r,n.mode,!1),a.length&&n.mode&&this.updateHoverStyl,
 e(a,n.mode,!0)} eventHandler(t,e){let i={event:t,replay:e,cancelable:!0,inChartArea:this.isPointInAr
 ea(t)},n=r=>(r.options.events||this.options.events).includes(t.native.type);if(this.notifyPlugins("b
 efore Event", \verb|i,n|| ===!1| return; let o=this.\_handle Event(t,e,i.inChartArea); return i.cancelable = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_han
 notifyPlugins("afterEvent",i,n),(o||i.changed)&&this.render(),this}_handleEvent(t,e,i){let{_active:n
 = [], options:o\} = this, r=e, a=this.\_getActiveElements(t,n,i,r), l=Zr(t), c= []d(t,this.\_lastEvent,i,l); i\&\&(t,n,i,r), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t), l=Zr(t)
 \label{linear_his} his.\_lastEvent=null, B(o.onHover,[t,a,this],this), l\&B(o.onClick,[t,a,this],this)); let h=!Ts(a,n); returned by the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the last of the l
  urn(h||e) \& \& (this.\_active=a, this.\_update Hover Styles(a, n, e)), this.\_last Event=c, h \}\_get Active Elements(t, active=b, b) \} and the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the p
e,i,n){if(t.type==="mouseout")return[];if(!i)return e;let o=this.options.hover;return this.getElemen tsAtEventForMode(t,o.mode,o,n)}};S(St,"defaults",U),S(St,"instances",tn),S(St,"overrides",ne),S(St,"registry",zt),S(St,"version",zd),S(St,"getChart",Ua);function Ya(){return this.getElemen tsAtEventForMode(t,o.mode,o,n)}};S(St,"defaults",U);function Ya(){return this.getElemen tsAtEventForMode(t,o.mode,o,n)};S(St,"defaults",U);function Ya(){return this.getElemen tsAtEventForMode(t,o.mode,o,n)};function Ya(){return this.get
 V(\tilde{S}t.instances,s=>s.\_plugins.invalidate())\} function jd(s,t,e) \{let\{startAngle:i,x:n,y:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRadius:r,v:o,outerRad
    ,innerRadius:a,options:l}=t,{borderWidth:c,borderJoinStyle:h}=l,u=Math.min(c/r,ot(i-
 e));if(s.beginPath(),s.arc(n,o,r-c/2,i+u/2,e-u/2),a>0){let
 d=Math.min(c/a,ot(i-e));s.arc(n,o,a+c/2,e-d/2,i+d/2,!0)\}else{let}
 d=Math.min(c/2,r*ot(i-e));if(h==="round")s.arc(n,o,d,e-N/2,i+N/2,!0);else if(h==="bevel"){let f=2*d*}
 d,m=-f*Math.cos(e+N/2)+n,g=-
 f^*Math.sin(e+N/2)+o,p=f^*Math.cos(i+N/2)+n,y=f^*Math.sin(i+N/2)+o;s.lineTo(m,g),s.lineTo(p,y)\}\}s.close
 Path(),s.moveTo(0,0),s.rect(0,0,s.canvas.width,s.canvas.height),s.clip("evenodd")}function Ud(s,t,e)
  {let{startAngle:i,pixelMargin:n,x:o,y:r,outerRadius:a,innerRadius:l}=t,c=n/a;s.beginPath(),s.arc(o,r
,a,i-c,e+c),/>n?(c=n/l,s.arc(o,r,l,e+c,i-c,!0)):s.arc(o,r,n,e+X,i-X),s.closePath(),s.clip()}function
Yd(s){return Bi(s,["outerStart","outerEnd","innerStart","innerEnd"])}function Zd(s,t,e,i){let
n=Yd(s.options.borderRadius),o=(e-t)/2,r=Math.min(o,i*t/2),a=l=>{let c=(e-Math.min(o,l))*i/2;return
 tt(l,0,Math.min(o,c))};return{outerStart:a(n.outerStart),outerEnd:a(n.outerEnd),innerStart:tt(n.inne
 rStart,0,r),innerEnd:tt(n.innerEnd,0,r)}}function
 \label{eq:qe(s,t,e,i)} $$ \operatorname{qe}(s,t,e,i)_{return}(x:e+s*Math.cos(t),y:i+s*Math.sin(t))$$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i,n,o)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function on(s,t,e,i)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function(t,e,i)_{let}(x:r,y:a,startAn, return(t,e,i),t). $$ function(
 gle:l,pixelMargin:c,innerRadius:h}=t,u=Math.max(t.outerRadius+i+e-c,0),d=h>0?h+i+e+c:0,f=0,m=n
  \tilde{l}; if(i){let H=h>0?h-i:0,Y=u>0?u-i:0,J=(H+Y)/2,Tt=J!==0?m*J/(J+i):m;f=(m-Tt)/2}let q=Math.max(.001,m*
u-e/N)/u,p=(m-g)/2,y=l+p+f,b=n-p-f,{outerStart:_,outerEnd:w,innerStart:x,innerEnd:k}=Zd(t,d,u,b-y),M=u-_,v=u-w,0=y+_/M,E=b-w/v,C=d+x,P=d+k,nt=y+x/C,gt=b-k/P;if(s.beginPath(),o){let H=(0+E)/2;if(s.arc(r,a,u,0,H),s.arc(r,a,u,H,E),w>0){let lt=qe(v,E,r,a);s.arc(lt.x,lt.y,w,E,b+X)}let
Y=qe(P,b,r,a);if(s.lineTo(Y.x,Y.y),k>0){let lt=qe(P,gt,r,a);s.arc(lt.x,lt.y,k,b+X,gt+Math.PI)}let 
J=(b-k/d+(y+x/d))/2;if(s.arc(r,a,d,b-k/d,J,!0),s.arc(r,a,d,J,y+x/d,!0),x>0){let lt=qe(C,nt,r,a);s.arc(lt.x,lt.y,x,nt+Math.PI,y-X)}let Tt=qe(M,y,r,a);if(s.lineTo(Tt.x,Tt.y),_>0){let
cles:o,startAngle:r,circumference:a}=t,l=t.endAngle;if(o){on(s,t,e,i,l,n);for(let
c=0;c<o;++c)s.fill();isNaN(a)||(l=r+(a%j||j))}return on(s,t,e,i,l,n),s.fill(),l}function Gd(s,t,e,i,</pre>
 n){let{fullCircles:o,startAngle:r,circumference:a,options:l}=t,{borderWidth:c,borderJoinStyle:h,bord
```

```
erDash:u,borderDashOffset:d,borderRadius:f}=l,m=l.borderAlign==="inner";if(!c)return;s.setLineDash(u
 ||[]), s. lineDashOffset=d, m? (s. lineWidth=c*2, s. lineJoin=h||"round"): (s. lineWidth=c, s. lineJoin=h||"bevel"); let g=t.endAngle; if (o) {on(s,t,e,i,g,n); for(let p=0;p<o;++p)s.stroke(); isNaN(a)||(g=r+(a%j||j))} || (s. lineWidth=c, s. lineJoin=h||"bevel"); let g=t.endAngle; if (o) {on(s,t,e,i,g,n); for(let p=0;p<o;++p)s.stroke(); isNaN(a)||(g=r+(a%j||j))} || (s. lineWidth=c, s. lineJoin=h||"bevel"); let g=t.endAngle; if (o) {on(s,t,e,i,g,n); for(let p=0;p<o;++p)s.stroke(); isNaN(a)||(g=r+(a%j||j))} || (s. lineWidth=c, s. lineJoin=h||"bevel"); let g=t.endAngle; if (o) {on(s,t,e,i,g,n); for(let p=0;p<o;++p)s.stroke(); isNaN(a)||(g=r+(a%j||j))} || (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineJoin=h|| (s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidth=c, s. lineWidt
options=void 0,this.circumference=void 0,this.startAngle=void 0,this.endAngle=void
 0,this.innerRadius=void 0,this.outerRadius=void
 0, this.pixelMargin=0, this.fullCircles=0, e\&Object.assign(this,e)\} in Range(e,i,n) \{let\ o=this.getProps(assign(this,e), this.pixelMargin=0, this.getProps(assign(this,e), this.pixelMargin=0, this.getProps(assign(this,e), this.pixelMargin=0, this.getProps(assign(this,e), this.pixelMargin=0, this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProps(assign(this,e), this.getProp
 ["x","y"],n),{angle:r,distance:a}=Hn(o,{x:e,y:i}),{startAngle:l,endAngle:c,innerRadius:h,outerRadius}
:u,circumference:d}=this.getProps(["startAngle","endAngle","innerRadius","outerRadius","circumference
 e"],n),f=(this.options.spacing+this.options.borderWidth)/2,m=I(d,c-
l),g=je(r,l,c)&&l!==c,p=m>=j||g,y=Rt(a,h+f,u+f);return p&&y}getCenterPoint(e){let{x:i,y:n,startAngle}}
:o,endAngle:r,innerRadius:a,outerRadius:l}=this.getProps(["x","y","startAngle","endAngle","innerRadius","outerRadius"],e),{offset:c,spacing:h}=this.options,u=(o+r)/2,d=(a+l+h+c)/2;return{x:i+Math.cos(
 u)*d,y:n+Math.sin(u)*d}}tooltipPosition(e){return this.getCenterPoint(e)}draw(e){let{options:i,circu
 mference:n}=this,o=(i.offset||0)/4,r=(i.spacing||0)/2,a=i.circular;if(this.pixelMargin=i.borderAlign
 ==="inner"?.33:0,this.fullCircles=n>j?Math.floor(n/j):0,n===0||this.innerRadius<0||this.outerRadius<
 0)return;e.save();let
 l = (this.startAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)
 \label{eq:math.sin(Math.min(N,n||0)),h=o*c;e.fillStyle=i.backgroundColor,e.strokeStyle=i.borderColor,qd(e,this)} Math.sin(Math.min(N,n||0)),h=o*c;e.fillStyle=i.backgroundColor,e.strokeStyle=i.borderColor,qd(e,this)),h=o*c;e.fillStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,e.strokeStyle=i.backgroundColor,
 ,h,r,a),Gd(e,this,h,r,a),e.restore()}};S(ve,"id","arc"),S(ve,"defaults",{borderAlign:"center",borderColor:"#fff",borderDash:[],borderDashOffset:0,borderJoinStyle:void
0,borderRadius:0,borderWidth:2,offset:0,spacing:0,angle:void 0,circular:!0,selfJoin:!1}),S(ve,"defau ltRoutes",{backgroundColor:"backgroundColor"}),S(ve,"descriptors",{_scriptable:!0,_indexable:e=>e!== "borderDash"});function Dl(s,t,e=t){s.lineCap=I(e.borderCapStyle,t.borderCapStyle),s.setLineDash(I(e.borderCapStyle))}
   .borderDash,t.borderDash)),s.lineDashOffset=I(e.borderDashOffset,t.borderDashOffset),s.lineJoin=I(e.
 borderJoinStyle,t.borderJoinStyle),s.lineWidth=I(e.borderWidth,t.borderWidth),s.strokeStyle=I(e.bord
 erColor,t.borderColor) function Xd(s,t,e) {s.lineTo(e.x,e.y)} function Kd(s){return
 s.stepped?oa:s.tension||s.cubicInterpolationMode==="monotone"?ra:Xd}function El(s,t,e={}){let i=s.le
 ngth,{start:n=0,end:o=i
 1 = e, {start:r,end:a}=t,l=Math.max(n,r),c=Math.min(o,a),h=n<r\&0<r||n>a\&0>a;return{count:i,start:l,l
 \begin{array}{l} \text{oop:t.loop,ilen:c<l\&\&!h?i+c-l:c-l} \\ \text{function Jd(s,t,e,i)} \\ \text{let\{points:n,options:o\}=t,\{count:r,start:a,loop:l,ilen:c\}=El(n,e,i),h=Kd(o),\{move:u=!0,reverse:d\}=i||\{\},f,m,g;for(f=0;f<=c;++f)m=n[(a+(d?c-i),f)] \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{function Jd(s,t,e,i)} \\ \text{f
 f:f)%r],!m.skip&&(u?(s.moveTo(m.x,m.y),u=!1):h(s,g,m,d,o.stepped),g=m);return
\label{lem:lem:alpha} $$ l\&(m=n[(a+(d?c:0))%r],h(s,g,m,d,o.stepped)),!!l} function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=w=>(r+(c?a-b)). $$ function Qd(s,t,e,i){let n=t.points,{count:o,start:r,ilen:a}=El(n,e,i),{move:l=!0,reverse:c}=i||{},h=0,u=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,b=0,d,f,m,g,p,y,f,m,g,f,m,g,p,y,b=0,d,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,f,m,g,g
 \text{w:w}) \% 0, \underline{\quad } = () = > \{g! = = p\&\&(s.lineTo(h,p),s.lineTo(h,g),s.lineTo(h,y))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k)))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k))))\}; for(l\&\&(f=n[b(0)],s.moveTo(f.x,f.k))))
 y)), d=0; \overline{d}<=a; ++d){if(f=n[b(d)],f.skip)continue;let w=f.x,x=f.y,k=w[0;k===m?(x<g?g=x:x>p&(p=x),h=(u*x))}
 h+w)/++u: (_(),s.lineTo(w,x), m=k, u=0, g=p=x), y=x. () function Fo(s) {let t=s.options,e=t.borderDash&&t
   .borderDash.length;return!s. decimated&&!s. loop&&!t.tension&&t.cubicInterpolationMode!=="monotone"&
 &!t.stepped&&!e?Qd:Jd}function tf(s){return
 s.stepped?ga:s.tension||s.cubicInterpolationMode==="monotone"?pa:ie}function ef(s,t,e,i){let
 n=t._path;n||(n=t._path=new
 Path\overline{2D}, t.path(n,e,\overline{i})&\lambda.closePath()),Dl(s,t.options),s.stroke(n)}function
 sf(s,t,e,i){let{segments:n,options:o}=t,r=Fo(t);for(let a of
n)Dl(s,o,a.style),s.beginPath(),r(s,t,a,{start:e,end:e+i-1})&&s.closePath(),s.stroke()}var nf=typeof Path2D=="function";function of(s,t,e,i){nf&&!t.options.segment?ef(s,t,e,i):sf(s,t,e,i)}var Vt=class
 extends yt{constructor(t){super(),this.animated=!0,this.options=void 0,this._chart=void
 0,this._loop=void 0,this._fullLoop=void 0,this._path=void 0,this._points=void 0,this._segments=void
 0,this._decimated=!1,this._pointsUpdated=!1,this._datasetIndex=void
 0,t\&\&0b ject.assign(this,t) updateControlPoints(t,e) {let i=this.options;if((i.tension||i.cubicInterpoints))}
 lationMode==="monotone")&&!i.stepped&&!this._pointsUpdated){let
n=i.spanGaps?this._loop:this._fullLoop;da(this._points,i,t,n,e),this._pointsUpdated=!0}}set
points(t){this._points=t,delete this._segments,delete this._path,this._pointsUpdated=!1}get
 points(){return this._points}get segments(){return
 this._segments||(this._segments=ba(this,this.options.segment))}first(){let
 t=this.segments,e=this.points;return t.length&&e[t[0].start]}last(){let
 t=this.segments, e=this.points, i=t.length; return \ i\&\&e[t[i-1].end]\} interpolate(t,e) \{letaline the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 i=this.options,n=t[e],o=this.points,r=lo(this,{property:e,start:n,end:n});if(!r.length)return;let a=
 [], l=tf(i), c, h; for(c=0, h=r. length; c<h; ++c){let{start:u,end:d}=r[c], f=o[u], m=o[d]; if(f===m){a.push(f)}
;continue}let g=Math.abs((n-f[e])/(m[e]-f[e])),p=l(f,m,g,i.stepped);p[e]=t[e],a.push(p)}return a.length===1?a[0]:a}pathSegment(t,e,i){return Fo(this)(t,this,e,i)}path(t,e,i){let
n=this.segments,o=Fo(this),r=this._loop;e=e||0,i=i||this.points.length-e;for(let a of n)r&=o(t,this,a,{start:e,end:e+i-1});return!!r}draw(t,e,i,n){let o=this.options||{};(this.points||[]
in | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapid | Rapi
 Math.abs(t-o)<n.radius+n.hitRadius}var ts=class extends
 yt{constructor(e){super();S(this,"parsed");S(this,"skip");S(this,"stop");this.options=void
```

```
 0, this.parsed=void \ 0, this.skip=void \ 0, this.stop=void \ 0, e\&Object.assign(this,e)\} in Range(e,i,n) \{ let o=this.options, \{x:r,y:a\}=this.getProps(["x","y"],n); return \\ Math.pow(e-r,2)+Math.pow(i-a,2) < Math.pow(o.hitRadius+o.radius,2) \} in XRange(e,i) \{ return \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XRange(e,i) \} in XR
  Za(this,e,"x",i)}inYRange(e,i){return Za(this,e,"y",i)}getCenterPoint(e){let{x:i,y:n}=this.getProps(
    ["x","y"],e); return\{x:i,y:n\}size\{e\}
  i=e.radius||0;i=Math.max(i,i&&e.hoverRadius||0);let
  n=i&&e.borderWidth||0;return(i+n)*2}draw(e,i){let n=this.options;this.skip||n.radius<.1||!Pt(this,i,
  this.size(n)/2)||(e.strokeStyle=n.borderColor,e.lineWidth=n.borderWidth,e.fillStyle=n.backgroundColo
  r,Hi(e,n,this.x,this.y))}getRange(){let e=this.options||{};return e.radius+e.hitRadius}};S(ts,"id",
point"),S(ts,"defaults",{borderWidth:1,hitRadius:1,hoverBorderWidth:1,hoverRadius:4,pointStyle:"circ le",radius:3,rotation:0}),S(ts,"defaultRoutes",{backgroundColor:"backgroundColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"borderColor:"bord
  height"],t),a,l,c,h,u;return s.horizontal?(u=r/2,a=Math.min(e,n),l=Math.max(e,n),c=i-
  u, h=i+u): (u=o/2, a=e-
   u, l = e + u, c = Math.min(i,n), h = Math.max(i,n)), \{left: a, top: c, right: l, bottom: h\} \} function \ ce(s, t, e, i) \{return = l, return 0:tt(t,e,i)}function rf(s,t,e){let i=s.options.borderWidth,n=s.borderSkipped,o=Jn(i);return{t:ce(n
      .top,o.top,0,e),r:ce(n.right,o.right,0,t),b:ce(n.bottom,o.bottom,0,e),l:ce(n.left,o.left,0,t)}}funct
 \label{top:convergence} ion \ af(s,t,e) \{ let\{enableBorderRadius:i\} = s.getProps(["enableBorderRadius"]),n = s.options.borderRadius, o = ae(n),r = Math.min(t,e),a = s.borderSkipped,l = i||L(n);return\{topLeft:ce(!l||a.top||a.left,o.topLeft,0,0,0), return\{topLeft:ce(!l||a.top||a.left,o.topLeft,0,0,0), return\{topLeft:ce(!l||a.top||a.left,0,0,0), return\{topLeft:ce(!l||a.left,0,0,0), return\{topLeft:ce(!l||a.left,0,0,0), return\{topLeft:ce(!l||a.left,0,0,0), return\{topLeft:ce(!l||a.left,0,0,0), return\{topLeft:ce(!l||a.left,0,0,0), return\{topLeft:ce(!l||a.left,0,0,0), return[topLeft,0,0,0,0], return[topLeft,0,0,0,0], return[topLeft,0,0,0], return[topLeft,0,0,0], return[topLeft,0,
  r),topRight:ce(!l||a.top||a.right,o.topRight,0,r),bottomLeft:ce(!l||a.bottom||a.left,o.bottomLeft,0,
  r),bottomRight:ce(!l||a.bottom||a.right,o.bottomRight,0,r)}}function lf(s){let t=Il(s),e=t.right-
  t.left,i=t.bottom-
  t.top, n=rf(s,e/2,i/2), o=af(s,e/2,i/2); return\{outer:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.left,y:t.top,w:e,h:i,radius:o\},inner:\{x:t.top,w:e,h:i,radius:o\},inner:\{x:t.top,w:e,h:i,radius:o\},inner:\{x:t.top,w:e,h:i,radius:o\},inner:\{
  ft+n.l,y:t.top+n.t,w:e-n.l-n.r,h:i-n.t-n.b,radius:{topLeft:Math.max(0,o.topLeft-
  Math.max(n.t,n.l)),topRight:Math.max(0,o.topRight-
  Math.max(n.t,n.r)),bottomLeft:Math.max(0,o.bottomLeft-
  Math.max(n.b,n.l)),bottomRight:Math.max(0,o.bottomRight-Math.max(n.b,n.r))}}}}function
  bo(s,t,e,i){let n=t===null,o=e===null,a=s\&\&!(n\&\&o)\&\&Il(s,i);return
  a\&\&(n||Rt(t,a.left,a.right))\&\&(o||Rt(e,a.top,a.bottom))\}function cf(s){return}
  s.topLeft||s.topRight||s.bottomLeft||s.bottomRight|function hf(s,t){s.rect(t.x,t.y,t.w,t.h)}function
  xo(s,t,e={})\{let i=s.x!==e.x?-t:0,n=s.y!==e.y?-t:0,o=(s.x+s.w!==e.x+e.w?t:0)-t.u=0
  i,r=(s.y+s.h!==e.y+e.h?t:0)-n;return\{x:s.x+i,y:s.y+n,w:s.w+o,h:s.h+r,radius:s.radius\}\}var es=class
  extends yt{constructor(t){super(),this.options=void 0,this.horizontal=void 0,this.base=void
 0, this.width=void\ 0, this.height=void\ 0, this.inflateAmount=void\ 0, t\&\&0bject.assign(this,t)\}draw(t) \{letaline talks a continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the continuous and the co
  radius)?Ye:hf;t.save(),(r.w!==o.w||r.h!==o.h)&&(t.beginPath(),a(t,xo(r,e,o)),t.clip(),a(t,xo(o,-beginPath()),a(t,xo(r,e,o)),t.clip(),a(t,xo(o,-beginPath()),a(t,xo(r,e,o)),t.clip(),a(t,xo(c,-beginPath()),a(t,xo(r,e,o)),t.clip(),a(t,xo(c,-beginPath()),a(t,xo(r,e,o)),t.clip(),a(t,xo(c,-beginPath()),a(t,xo(r,e,o)),t.clip(),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath()),a(t,xo(c,-beginPath(
  (e,r), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (t,x), (
  }inRange(t,e,i){return bo(this,t,e,i)}inXRange(t,e){return bo(this,t,null,e)}inYRange(t,e){return bo
 (this,null,t,e)}getCenterPoint(t){let{x:e,y:i,base:n,horizontal:o}=this.getProps(["x","y","base","ho
rizontal"],t);return{x:o?(e+n)/2:e,y:o?i:(i+n)/2}}getRange(t){return t==="x"?this.width/2:this.heigh
t/2}};S(es,"id","bar"),S(es,"defaults",{borderSkipped:"start",borderWidth:0,borderRadius:0,inflateAm
ount:"auto",pointStyle:void
0}),S(es,"defaultRoutes",{backgroundColor:"backgroundColor",borderColor:"borderColor"});var_uf=0bjec t.freeze({__proto__:null,ArcElement:ve,BarElement:es,LineElement:Vt,PointElement:ts}),Ao=["rgb(54, 162, 235)","rgb(255, 99, 132)","rgb(255, 159, 64)","rgb(255, 205, 86)","rgb(75, 192, 192)","rgb(153, 102, 255)","rgb(201, 203, 207)"],qa=Ao.map(s=>s.replace("rgb(","rgba(").replace(")",", 0.5)"));function Cl(s){return Ao[s%Ao.length]}function Fl(s){return qa[s%qa.length]}function
  df(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.borderColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Cl(t), s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ return \ s.backgroundColor=Fl(t), ++t \} function \ ff(s,t) \{ r
  s.backgroundColor=s.data.map(()=>Cl(t++)),t}function mf(s,t){return s.backgroundColor=s.data.map(()=>Fl(t++)),t}function gf(s){let t=0;return(e,i)=>{let
  n=s.getDatasetMeta(i).controller;n instanceof Gt?t=ff(e,t):n instanceof
  0e?t=mf(e,t):n\&(t=df(e,t))\} function Ga(s)\{let\ t;for(t\ in\ a)\}
  s) if (s[t].borderColor||s[t].backgroundColor) return! 0; return! 1) function pf (s) \{return to the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color o
  s&&(s.borderColor||s.backgroundColor)}function yf(){return
   U.borderColor! == "rgba(0,0,0,0.1)" | | U.backgroundColor! == "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = \{id: "colors", default = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(0,0.1)" | var bf = "rgba(
 s: \{enabled: !0, force0 verride: !1\}, beforeLayout(s,t,e) \{if(!e.enabled) return; let\{data: \{datasets: i\}, options: n\} = s. config, \{elements: o\} = n, r = Ga(i) || pf(n) || o&&Ga(o) || yf(); if(!e.force0 verride&&r) return; let || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) || f(s) 
  a=gf(s);i.forEach(a)};function xf(s,t,e,i,n){let o=n.samples||i;if(o>=e)return s.slice(t,t+e);let
  r = [], a = (e-2)/(o-2), l = 0, c = t + e-1, h = t, u, d, f, m, g; for (r[l++] = s[h], u = 0; u < o-2; u++) \\ \{let p = 0, y = 0, b, \_=Math.floor((u+1)*a) + 1 + t, w = Math.min(Math.floor((u+2)*a) + 1, e) + t, x = w - t = 0.
             ; for(b=\_;b< w;b++)p+=s[b].x,y+=s[b].y;p/=x,y/=x;let k=Math.floor(u*a)+1+t,M=Math.min(Math.floor((u+1)+1+t)+1+t)+1+t, for(b=\_;b< w;b++)p+=s[b].x,y+=s[b].y;p/=x,y/=x;let k=Math.floor(u*a)+1+t,for(b=\_;b< w;b++)p+=s[b].x,y+=s[b].y;p/=x,y/=x;let k=Math.floor(u*a)+1+t,for(b=\_;b< w;b++)p+=s[b].x,y+=s[b].y;p/=x,y/=x;let k=Math.floor(u*a)+1+t,for(b=\_;b< w;b++)p+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,y+=s[b].x,
  \overline{)}*a)+1,e\overline{)}+t,\{x:v,y:0\}=s[h];for(f=m=-1,b=k;b<M;b++)m=.5*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-b)=.6*Math.abs((v-p)*(s[b].y-0)-(v-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b].x)*(y-s[b]
  0)),m = f \& (f = m, d = s[b], g = b); r[l++] = d, h = g return r[l++] = s[c], r f unction f(s,t,e,i) {let n=0,o=0,r,a,l,c}
     \{x,y,z\} = \{y,z\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, \{x,y\} = \{y\}, 
  x = l + 0; if(x = -h)c < m^{2}(m = c, u = r) : c > g & (g = c, d = r), n = (o*n + a.x) / + + o; else {let k = r - 1; if(!A(u) & (d)) {let M = Ma | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | Mark | 
  th.min(u,d), v=Math.max(u,d); M! == f\&\&M! == k\&\&p.push(\{...s[M],x:n\}), v! == f\&\&v! == k\&\&p.push(\{...s[v],x:n\})\}
   r>0\&\&k!==f\&\&p.push(s[k]),p.push(a),h=x,o=0,m=g=c,u=d=f=r\}\} return \ p\} function
Al(s){if(s._decimated){let t=s._data;delete s._decimated,delete s._data,Object.defineProperty(s,"dat a",{configurable:!0,enumerable:!0,writable:!0,value:t})}}function
Xa(s){s.data.datasets.forEach(t=>{Al(t)})}function wf(s,t){let
  e=t.length, i=0, n, \{iScale:o\}=s, \{min:r, max:a, minDefined:l, maxDefined:c\}=o.getUserBounds(); return and the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of th
  l\&\{(i=tt(Lt(t,o.axis,r).lo,0,e-1)),c?n=tt(Lt(t,o.axis,a).hi+1,i,e)-i:n=e-i,\{start:i,count:n\}\} varable between the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
  Sf={id: "decimation", defaults: {algorithm: "min-
```

```
max", enabled: !1}, beforeElementsUpdate: (s,t,e) => {if(!e.enabled){Xa(s); return}let i=s.width; s.data.dat
 asets.forEach((n,0)=>{let{ data:r,indexAxis:a}=n,l=s.getDatasetMeta(0),c=r||n.data;if(Ze([a,s.option
 s.indexAxis])==="y"||!l.controller.supportsDecimation)return;let h=s.scales[l.xAxisID];if(h.type!==""")
 \label{linear} $$\lim_{h\to\infty} \frac{1}{h} = \lim_{h\to\infty} \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac
f(d <= f) \{Al(n); return\}A(r) \&\&(n.\_data = c, delete \\ n. data, Object. define Property(n, "data", \{configurable:!0, enumerable:!0, get:function() \{return this.\_decimated\}, set:function(g) \{this.\_data = g\}\})); let \\ m; switch(e.algorithm) \{case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "lttb": m = xf(c, u, d, i, e); break; case "min-" | this case "
max":m=f(c,u,d,i);break;default:throw new Error(`Unsupported decimation algorithm '[e.algorithm]')n_decimated=m),destroy(s)\{Xa(s)\};function kf(s,t,e){let i=s.segments,n=s.points,o=t.points,r=[];for(let a of i){let{start:l,end:c}=a;c=ln(l,c,n);let h=Lo(e,
 n[l],n[c],a.loop);if(!t.segments){r.push({source:a,target:h,start:n[l],end:n[c]});continue}let
  u = lo(t,h); for(let \ d \ of \ u) \{let \ f = Lo(e,o[d.start],o[d.end],d.loop), m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ g \ of \ m)r.push(\{a,b,c\},b,c\}, m = ao(a,n,f); for(let \ 
 source:q,tarqet:d,start:{[e]:Ka(h,f,"start",Math.max)},end:{[e]:Ka(h,f,"end",Math.min)}})}}return
 r}function Lo(s,t,e,i){if(i)return; let n=t[s],o=e[s]; return
 s == "angle" \&\& (n = ot(n), o = ot(o)), \{property: s, start: n, end: o\}\} function
 \label{eq:mf} \mbox{Mf(s,t){let}{x:e=null,y:i=null}=s||{}}, \mbox{n=t.points,o=[];return}
 t.segments.forEach((\{\text{start:r,end:a}\}\})=>\{a=\ln(r,a,n); \text{let l=n[r],c=n[a];i}\}!==null?(o.push(\{x:l.x,y:i\}),o
 .push(\{x:c.x,y:i\})):e!==null&&(o.push(\{x:e,y:l.y\}),o.push(\{x:e,y:c.y\}))}),o}function ln(s,t,e){for(;t>s;t--){let i=e[t];if(!isNaN(i.x)&&!isNaN(i.y))break}return t}function
 Ka(s,t,e,i){return s\&t?i(s[e],t[e]):s?s[e]:t?t[e]:0}function Ll(s,t){let e=[],i=!1;return
 [(s)?(i=!0,e=s):e=Mf(s,t),e.length?new]
vt({points:e,options:{tension:0},_loop:i,_fullLoop:i}):null}function Ja(s){return
s&&s.fill!==!1}function vf(s,t,e){let n=s[t].fill,o=[t],r;if(!e)return
n;for(;n!==!1&&o.indexOf(n)===-1;){if(!Z(n))return n;if(r=s[n],!r)return!1;if(r.visible)return
 n;o.push(n),n=r.fill}return!1}function Tf(s,t,e){let i=If(s);if(L(i))return isNaN(i.value)?!1:i;let
 n=parseFloat(i); return Z(n)\&\&Math.floor(n)===n?0f(i[0],t,n,e):["origin","start","end","stack","shape
     ].indexOf(i)>=0&&i}function
 e=null;return s==="start"?e=t.bottom:s==="end"?e=t.top:L(s)?e=t.getPixelForValue(s.value):t.getBaseP
 ixel&&(e=t.getBasePixel()),e}function Ef(s,t,e){let i;return s==="start"?i=e:s==="end"?i=t.options.r
 everse?t.min:t.max:L(s)?i=s.value:i=t.getBaseValue(),i}function If(s){let
 t=s.options,e=t.fill,i=I(e&&e.target,e);return i===void
 0\&\&(i=!!t.backgroundColor), i===!1||i===null?!1:i===!0?"origin":i}function Cf(s){let{scale:t,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e
 line:i\} = s, n = [], o = i.segments, r = i.points, a = Ff(t, e); a.push(Ll(\{x:null,y:t.bottom\},i)); for(let it is a finite of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property o
 l=0; l<0.length; l++){let c=o[l]; for(let h=c.start; h<=c.end; h++)Af(n,r[h],a)}return new
 \label{thm:points:notion} $$Vt(\{points:n,options:\{\}\})\}$ function $Ff(s,t)_{let} = [],i=s.getMatchingVisibleMetas("line"); for(let in the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the pro
 n=0;n<i.length;n++){let o=i[n];if(o.index===t)break;o.hidden||e.unshift(o.dataset)}return e}function
if(s.push(l),!a)break}}s.push(...i)}function Lf(s,t,e){let i=s.interpolate(t,e);if(!i)return{};let
 n=i[e], o=s. segments, r=s. points, a=!1, l=!1; for (let c=0; c<o. length; c++) {let h=o[c], u=r[h.start][e], d=r[h.start][e]
 or(t){this.x=t.x,this.y=t.y,this.radius=t.radius}pathSegment(t,e,i){let{x:n,y:o,radius:r}=this;retur
n e=e||{start:0,end:j},t.arc(n,o,r,e.end,e.start,!0),!i.bounds}interpolate(t){let{x:e,y:i,radius:n}=
 this, o=t.angle; return\{x:e+Math.cos(o)*n,y:i+Math.sin(o)*n,angle:o\}\}\}; function
 Pf(s){let{chart:t,fill:e,line:i}=s;if(Z(e))return Nf(t,e);if(e==="stack")return
 Cf(s);if(e==="shape")return!0;let n=Rf(s);return n instanceof rn?n:Ll(n,i)}function Nf(s,t){let
e=s.getDatasetMeta(t); return e\&s.isDatasetVisible(t)?e.dataset:null\} function Rf(s) \{return(s.scale||{}\}).getPointPositionForValue?zf(s):Wf(s)\} function
 Wf(s)\{let\{scale:t=\{\},fill:e\}=s,i=Df(e,t);if(Z(i))\{let\}\}
 n=t.isHorizontal();return{x:n?i:null,y:n?null:i}}return null}function zf(s){let{scale:t,fill:e}=s,i=
 t.options,n=t.getLabels().length,o=i.reverse?t.max:t.min,r=Ef(e,t,o),a=[];if(i.grid.circular){let
 l=t.getPointPositionForValue(0,0);return new
rn({x:l.x,y:l.y,radius:t.getDistanceFromCenterForValue(r)})}for(let
 l=0; l<n; ++\hat{l}) a.push (t.getPointPositionForValue(l,r)); return a \} function \verb| _o(s,t,e) \{ let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n, let i=Pf(t), \{ chart: n,
   index:o,line:r,scale:a,axis:l}=t,c=r.options,h=c.fill,u=c.backgroundColor,{above:d=u,below:f=u}=h|,
  \{\}, m=n.getDatasetMeta(o), g=co(n,m); i&&r.points.length&&(Ds(s,e),Vf(s,{line:r,target:i,above:d,below:
f, area:e, scale:a, axis:l, clip:g}), Es(s))} function Vf(s,t) { let { line:e, target:i, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:r, scale:a, clip:l}=t, c=e._loop?"angle":t.axis;s.save(); let h=o;o!==n&&(c==="x"?(Qa(s,i,r.top), wo(s, { line:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, below:o, area:h, target:I, above:n, area:h, target:I, above:n, area:h, target:I, above
 e:e,target:i,color:n,scale:a,property:c,clip:l}),s.restore(),s.save(),Qa(s,i,r.bottom)):c==="y"&&(tl
  (s,i,r.left),wo(s,{line:e,target:i,color:o,scale:a,property:c,clip:l}),s.restore(),s.save(),tl(s,i,r
   .right),h=n)),wo(s,{line:e,target:i,color:h,scale:a,property:c,clip:l}),s.restore()}function
Qa(s,t,e)\{\text{let}\{\text{segments:i,points:n}\}=t,o=!0,r=!1;s.\text{beginPath}();\text{for}(\text{let a of i)}\{\text{let}\{\text{start:l,end:c}\}=a,h=n[l],u=n[ln(l,c,n)];o?(s.moveTo(h.x,h.y),o=!1):(s.lineTo(h.x,e),s.lineTo(h.x,h.y)),r=!!t.pathSegment
  (s,a,{move:r}),r?s.closePath():s.lineTo(u.x,e)}s.lineTo(t.first().x,e),s.closePath(),s.clip()}functi
 on tl(s,t,e) {let{segments:i,points:n}=t,o=!0,r=!1;s.beginPath();for(let a of i){let{start:l,end:c}=a of i)}
  h=n[l], u=n[ln(l,c,n)]; o?(s.moveTo(h.x,h.y),o=!1): (s.lineTo(e,h.y),s.lineTo(h.x,h.y)), r=!!t.pathSegm
ent(s,a,{move:r}),r?s.closePath():s.lineTo(e,u.y)}s.lineTo(e,t.first().y),s.closePath(),s.clip()}fun
ction wo(s,t){let{line:e,target:i,property:n,color:o,scale:r,clip:a}=t,l=kf(e,i,n);for(let{source:c,
target:h,start:u,end:d}of l){let{style:{backgroundColor:f=o}={}}=c,m=i!==!0;s.save(),s.fillStyle=f,H
 f(s,r,a,m&&Lo(n,u,d)),s.beginPath();let
 g=!!e.pathSegment(s,c),p;if(m){g?s.closePath():el(s,i,d,n);let y=!!i.pathSegment(s,h,{move:g,reverse
```

```
::0); p=g\&v,p|el(s,i,u,n)s.closePath(),s.fill(p?"evenodd":"nonzero"),s.restore()}}function
 Hf(s,t,e,i) \{ \text{let } n=t.\text{chart.chartArea}, \{ \text{property:o,start:r,end:a} \} = i \mid \{ \}; \text{if}(o==="x" \mid |o==="y")} \{ \text{let } l,c,h,u;o==="x"?(l=r,c=n.top,h=a,u=n.bottom):} (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,c=r,h=n.right,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=n.bottom); (l=n.left,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math.max(l,e),h=a,u=a),s.beginPath(),e&&(l=Math
   .left),h=Math.min(h,e.right),c=Math.max(c,e.top),u=Math.min(u,e.bottom)),s.rect(l,c,h-l,u-
 c),s.clip()}}function el(s,t,e,i){let n=t.interpolate(e,i);n\&\&s.lineTo(n.x,n.y)}var
 Bf={id:"filler",afterDatasetsUpdate(s,t,e){let i=(s.data.datasets||[]).length,n=[],o,r,a,l;for(r=0;r
 <i;++r)o=s.getDatasetMeta(r),a=o.dataset,l=null,a&&a.options&&a instanceof Vt&&(l={visible:s.isDatas
etVisible(r),index:r,fill:Tf(a,r,i),chart:s,axis:o.controller.options.indexAxis,scale:o.vScale,line: a}),o.\[filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\]filler=\filler=\]filler=\]filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler=\filler
 eforeDraw(s,t,e){let
 i=e.drawTime==="beforeDraw",n=s.getSortedVisibleDatasetMetas(),o=s.chartArea;for(let
 r=n.length-1;r>=0;--r){let a=n[r].∏filler;a&&(a.line.updateControlPoints(o,a.axis),i&&a.fill&& o(s.c
 tx,a,o))\}, beforeDatasetsDraw(s,t,e){if(e.drawTime!=="beforeDatasetsDraw")return;let
 i=s.qetSortedVisibleDatasetMetas();for(let n=i.length-1;n>=0;--n){let
 o=i[n].[filler;Ja(o)\&\&\_o(s.ctx,o,s.chartArea)], beforeDatasetDraw(s,t,e){let i=t.meta.[filler;!Ja(i)]}
  ||e.drawTime!=="beforeDatasetDraw"|| o(s.ctx,i,s.chartArea)},defaults:{propagate:!0,drawTime:"before
 DatasetDraw"}},sl=(s,t)=>{let{boxHeight:e=t,boxWidth:i=t}=s;return s.usePointStyle&&(e=Math.min(e,t)
  , i = s.pointStyleWidth | | Math.min(i,t)), \{boxWidth: i, boxHeight: e, itemHeight: Math.max(t,e)\}\}, \\ | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the | f = (s,t) = s.the |
 ==null&&t!==null&&s.datasetIndex===t.datasetIndex&s.index===t.index,an=class extends yt{constructor
   (t){super(),this._added=!1,this.legendHitBoxes=[],this._hoveredItem=null,this.doughnutMode=!1,this.c
 hart=t.chart,this.options=t.options,this.ctx=t.ctx,this.legendItems=void 0,this.columnSizes=void
 0,this.lineWidths=void 0,this.maxHeight=void 0,this.maxWidth=void 0,this.top=void 0,this.bottom=void
 0,this.left=void 0,this.right=void 0,this.height=void 0,this.width=void 0,this. margins=void
 0,this.position=void 0,this.weight=void 0,this.fullSize=void 0}update(t,e,i){this.maxWidth=t,this.ma
 xHeight=e,this._margins=i,this.setDimensions(),this.buildLabels(),this.fit()}setDimensions(){this.is
 Horizontal()?(this.width=this.maxWidth,this.left=this.margins.left,this.right=this.width):(this.hei
ght=this.maxHeight,this.top=this._margins.top,this.bottom=this.height)}buildLabels(){let t=this.opti ons.labels||{},e=B(t.generateLabels,[this.chart],this)||[];t.filter&&(e=e.filter(i=>t.filter(i,this.
 chart.data))), t.sort\&\&(e=e.sort((i,n)=>t.sort(i,n,this.chart.data))), this.options.reverse\&\&e.reverse((i,n,this.chart.data))), this.options.reverse((i,n,this.chart.data))), this.options.reverse((i,n,this.chart.data))), this.options.reverse((i,n,this.data))), this.options((i,n,this.data))),  this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i,n,this.data))), this.options((i
   (),this.legendItems=e}fit(){let{options:t,ctx:e}=this;if(!t.display){this.width=this.height=0;return
}let i=t.labels,n=Q(i.font),o=n.size,r=this._computeTitleHeight(),{boxWidth:a,itemHeight:l}=sl(i,o),
c,h;e.font=n.string,this.isHorizontal()?(c=this.maxWidth,h=this._fitRows(r,o,a,l)+10):(h=this.maxHei
ght,c=this._fitCols(r,n,a,l)+10),this.width=Math.min(c,t.maxWidth||this.maxWidth),this.height=Math.m
 in(h,t.maxHeight||this.maxHeight)}_fitRows(t,e,i,n){let{ctx:o,maxWidth:r,options:{labels:{padding:a}
 }}=this,l=this.legendHitBoxes=[],c=this.lineWidths=[0],h=n+a,u=t;o.textAlign="left",o.textBaseline="
 middle";let d=-1,f=-h;return this.legendItems.forEach((m,g)=>{let p=i+e/2+o.measureText(m.text).widt
 h; (g===0)|c[c.length-1]+p+2*a>r)&&(u+=h,c[c.length-1]+p+2*a>r)
  (g>0?0:1)j=0,f+=h,d++),l[g]=\{left:0,top:f,row:d,width:p,height:n\},c[c.length-in]
 1]+=p+a}),u}_fitCols(t,e,i,n){let{ctx:o,maxHeight:r,options:{labels:{padding:a}}}=this,l=this.legend
 HitBoxes=[],C=this.columnSizes=[],D=r-t,D=a,D=0,f=0,m=0,g=0;return this.legendItems.forEach((p,y)=>{
 let\{itemWidth:b,itemHeight:\_\}=jf(i,e,o,p,n);y>0\&6+\_+2*a>h\&\&(u+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f\}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.push(\{width:d,height:f}),m+=d+a,c.pus
a,g++,d=f=0),l[y]={left:m,top:f,col:g,width:b,height:_},d=Math.max(d,b),f+=_+a}),u+=d,c.push({width:d,height:f}),u}adjustHitBoxes(){if(!this.options.display)return;let t=this._computeTitleHeight(),{le
 gendHitBoxes:e,options:{align:i,labels:{padding:n},rtl:o}}=this,r=Se(o,this.left,this.width);if(this
   .isHorizontal()){let a=0,l=rt(i,this.left+n,this.right-this.lineWidths[a]);for(let c of
 e)a!==c.row&&(a=c.row,l=rt(i,this.left+n,this.right-
 this.lineWidths[a])), c.top+=this.top+t+n, c.left=r.leftForLtr(r.x(l), c.width), l+=c.width+n)else{let}
 a=0,l=rt(i,this.top+t+n,this.bottom-this.columnSizes[a].height); for(let c of
 e)c.col! == a\&\&(a=c.col,l=rt(i,this.top+t+n,this.bottom-this.columnSizes[a].height)),c.top=l,c.left+=this.bottom-this.columnSizes[a].height)),c.top=l,c.left+=this.bottom-this.columnSizes[a].height)),c.top=l,c.left+=this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.
 his.left+n,c.left=r.leftForLtr(r.x(c.left),c.width),l+=c.height+n}}isHorizontal(){return
 this.options.position==="top"||this.options.position==="bottom"}draw(){if(this.options.display){let
 t=this.ctx; Ds(t,this), this.\_draw(), Es(t)\}\}\_draw()\{let\{options:t,columnSizes:e,lineWidths:i,ctx:n\}=this.ctx; Ds(t,this), this.\_draw(), Es(t,this), , {align:o,labels:r}=t,a=U.color,l=Se(t.rtl,this.left,this.width),c=Q(r.font),{padding:h}=r,u=c.siz
 e,d=u/2,f;this.drawTitle(),n.textAlign=l.textAlign("left"),n.textBaseline="middle",n.lineWidth=.5,n.
font=c.string; let{boxWidth:m,boxHeight:g,itemHeight:p}=sl(r,u),y=function(k,M,v){if(isNaN(m)||m<=0||isNaN(g)||g<0)return;n.save();let 0=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.lineWidth,1);if(n.fillStyle=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I(v.fillStyle,a),n.lineCap=I
 ine Cap, "butt"), n. line Dash Offset = I(v.line Dash Offset, 0), n. line Join = I(v.line Join, "miter"), n. line Width = O(1), and the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the prop
   n.strokeStyle=I(v.strokeStyle,a),n.setLineDash(I(v.lineDash,[])),r.usePointStyle){let E={radius:g*M,
 ath.SQRT2/2, pointStyle: v.pointStyle, rotation: v.rotation, borderWidth: 0\}, C=1.xPlus(k,m/2), P=M+d; Kn(n,E), at the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
 ,C,P,r.pointStyleWidth&&m)}else{let E=M+Math.max((u-
 q)/2,0),C=l.leftForLtr(k,m),P=ae(v.borderRadius);n.beqinPath(),Object.values(P).some(nt=>nt!==0)?Ye(
 n, \{x:C,y:E,w:m,h:g,radius:P\}):n.rect(C,E,m,g),n.fill(),0!==0\&\&n.stroke()\}n.restore()\},b=function(k,M,v)\{re(n,v.text,k,M+p/2,c,\{strikethrough:v.hidden,textAlign:l.textAlign(v.textAlign)\})\},=this.isHorely.
 izontal(),w=this._computeTitleHeight();_?f={x:rt(o,this.left+h,this.right-
i[0]),y:this.top+h+w,line:0}:f={x:this.left+h,y:rt(o,this.top+w+h,this.bottom-
 e[0].height),line:0},oo(this.ctx,t.textDirection);let
i[f.line])):M>0&&P+x>this.bottom&&(C=f.x=C+e[f.line].width+h,f.line++,P=f.y=rt(o,this.top+w+h,this.b)
 ottom-e[f.line].height));let
 \label{eq:nt} nt=l.x(C); if(y(nt,P,k),C=sa(0,C+m+d,\_?C+E:this.right,t.rtl), b(l.x(C),P,k), \ )f.x+=E+h; else if(typeof,P,k), f.x+=E+h; else if(typeof,P,k
 k.text!="string"){let gt=c.lineHeight;f.y+=Pl(k,gt)+h}else
```

```
f.y+=x}),ro(this.ctx,t.textDirection)}drawTitle(){let
 t=this.options,e=t.title,i=Q(e.font),n=at(e.padding);if(!e.display)return;let o=Se(t.rtl,this.left,t
 his.width),r=this.ctx,a=e.position,l=i.size/2,c=n.top+l,h,u=this.left,d=this.width;if(this.isHorizon
 tal())d=Math.max(...this.lineWidths),h=this.top+c,u=rt(t.align,u,this.right-d);else{let
 m=this.columnSizes.reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.top,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p.height),0); h=c+rt(t.align,this.bottom-reduce((g,p)=>Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.max(g,p)=Math.
 m-t.labels.padding-this._computeTitleHeight())}let f=rt(a,u,u+d);r.textAlign=o.textAlign(zi(a)),r.te
xtBaseline="middle",r.strokeStyle=e.color,r.fillStyle=e.color,r.font=i.string,re(r,e.text,f,h,i)}_computeTitleHeight(){let t=this.options.title,e=Q(t.font),i=at(t.padding);return}
 t.display?e.lineHeight+i.height:0\}\_getLegendItemAt(t,e)\{let\ i,n,o;if(Rt(t,this.left,this.right)\&Rt(t,e)\}\}
 e,this.top,this.bottom)){for(o=this.legendHitBoxes,i=0;i<o.length;++i)if(n=o[i],Rt(t,n.left,n.left+n
 .width)&&Rt(e,n.top,n.top+n.height))return this.legendItems[i]}return null}handleEvent(t){let
 e=this.options;if(!Zf(t.type,e))return;let
 i=this. getLegendItemAt(t.x,t.y); if(t.type==="mousemove"||t.type==="mouseout"){let n=this. hoveredIt
em, o=\Box f(n,i); n\&\&!o\&\&B(e.onLeave,[t,n,this],this), this. hoveredItem=i,i\&\&!o\&\&B(e.onHover,[t,i,this],this)}else i\&\&B(e.onClick,[t,i,this],this)}; function jf(s,t,e,i,n){let
 o=Uf(i,s,t,e),r=Yf(n,i,t.lineHeight);return{itemWidth:o,itemHeight:r}}function Uf(s,t,e,i){let
 n=s.text;return n&&typeof
 \begin{array}{lll} \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} = & \text{n!} 
 onHover||t.onLeave)||t.onClick&&(s==="click"||s==="mouseup"))}var
 qf={id:"legend",_element:an,start(s,t,e){let i=s.legend=new an({ctx:s.ctx,options:e,chart:s});ct.con
 figure(s,i,e),ct.addBox(s,i)},stop(s){ct.removeBox(s,s.legend),delete
 s.legend}, before Update(s,t,e){let i=s.legend;ct.configure(s,i,e),i.options=e},after Update(s){let t=s.legend;ct.configure(s,i,e),i.options=e},after Update(s)
  .legend;t.buildLabels(),t.adjustHitBoxes()},afterEvent(s,t){t.replay||s.legend.handleEvent(t.event)}
 ,defaults:{display:!0,position:"top",align:"center",fullSize:!0,reverse:!1,weight:1e3,onClick(s,t,e)
{let i=t.datasetIndex,n=e.chart;n.isDatasetVisible(i)?(n.hide(i),t.hidden=!0):(n.show(i),t.hidden=!1)
 )},onHover:null,onLeave:null,labels:{color:s=>s.chart.options.color,boxWidth:40,padding:10,generateL
 abels(s){let t=s.data.datasets,{labels:{usePointStyle:e,pointStyle:i,textAlign:n,color:o,useBorderRa
dius:r,borderRadius:a}}=s.legend.options;return s._getSortedDatasetMetas().map(l=>{let
c=l.controller.getStyle(e?0:void 0),h=at(c.borderWidth);return{text:t[l.index].label,fillStyle:c.bac
 kgroundColor,fontColor:o,hidden:!l.visible,lineCap:c.borderCapStyle,lineDash:c.borderDash,lineDash0f
 fset:c.borderDashOffset,lineJoin:c.borderJoinStyle,lineWidth:(h.width+h.height)/4,strokeStyle:c.bord
 erColor,pointStyle:i||c.pointStyle,rotation:c.rotation,textAlign:n||c.textAlign,borderRadius:r&&(a||
c.borderRadius),datasetIndex:l.index}},this)}},title:{color:s=>s.chart.options.color,display:!1,position:"center",text:""}},descriptors:{_scriptable:s=>!s.startsWith("on"),labels:{_scriptable:s=>!["generateLabels","filter","sort"].includes(s)}}},js=class extends yt{constructor(t){super(),this.chart=t.chart,this.options=t.options,this.ctx=t.ctx,this._padding=void 0,this.top=void 0,this.bottom=void 0,this.left=void 0,this.right=void 0,this.woight=void 0,this.position=void 0,this.voight=void 0,this.fullSize=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=void 0,this.top=
 0, this.weight=void 0, this.fullSize=void 0}update(t,e){let i=this.options;if(this.left=0, this.top=0,!
 i.display){this.width=this.height=this.right=this.bottom=0;return}this.width=this.right=t,this.heigh
 t=this.bottom=e;let n=[(i.text)?i.text.length:1;this._padding=at(i.padding);let o=n*Q(i.font).lineHe ight+this._padding.height;this.isHorizontal()?this.height=o:this.width=o}isHorizontal(){let
 t=this.options.position;return t==="top"||t==="bottom"}_drawArgs(t){let{top:e,left:i,bottom:n,right:
 o,options:r}=this,a=r.align,l=0,c,h,u;return this.isHorizontal()?(h=rt(a,i,o),u=e+t,c=o-
 i):(r.position === "left"?(h=i+t,u=rt(a,n,e),l=N*-.5):(h=o-t,u=rt(a,e,n),l=N*.5),c=n-.6
 e),{titleX:h,titleY:u,maxWidth:c,rotation:l}}draw(){let
 t=this.ctx,e=this.options;if(!e.display)return;let i=Q(e.font),o=i.lineHeight/2+this._padding.top,{t
itleX:r,titleY:a,maxWidth:l,rotation:c}=this._drawArgs(o);re(t,e.text,0,0,i,{color:e.color,maxWidth:l,rotation:c,textAlign:zi(e.align),textBaseline:"middle",translation:[r,a]})}};function Gf(s,t){let
 e = new js(\{ctx:s.ctx, options:t, chart:s\}); ct.configure(s,e,t), ct.addBox(s,e), s.titleBlock = e\} variable for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the sta
 Xf = \{id: "title", element: js, start(s,t,e) \{Gf(s,e)\}, stop(s) \{let t=s.titleBlock; ct.removeBox(s,t), delete\}
 s.titleBlock}, beforeUpdate(s,t,e){let i=s.titleBlock;ct.configure(s,i,e),i.options=e}, defaults:{alig
n:"center",display:!1,font:{weight:"bold"},fullSize:!0,padding:10,position:"top",text:"",weight:2e3},defaultRoutes:{color:"color"},descriptors:{_scriptable:!0,_indexable:!1}},Xi=new
 WeakMap,Kf={id:"subtitle",start(s,t,e){let i=new js({ctx:s.ctx,options:e,chart:s});ct.configure(s,i,
e),ct.addBox(s,i),Xi.set(s,i)},stop(s){ct.removeBox(s,Xi.get(s)),Xi.delete(s)},beforeUpdate(s,t,e){let i=Xi.get(s);ct.configure(s,i,e),i.options=e},defaults:{align:"center",display:!1,font:{weight:"no rmal"},fullSize:!0,padding:0,position:"top",text:"",weight:1500},defaultRoutes:{color:"color"},descriptors:{_scriptoble:!0,_indexable:!1}},Rs={average(s){if(!s.length)return!};let_t,e,i=new
 Set, n=0, o=0; for(t=0, e=s.length; t<e; ++t) \{let \ a=s[t]. element; if(a\&\&a.hasValue()) \{let \ a=s[t]. element; if(a\&\&a.hasValue()) \} \}
 l=a.tooltipPosition(); i.add(l.x), n+=l.y, ++o) \\ return o==0 \\ | i.size===0?!1: \\ \{x:[...i].reduce((a,l)=>a+l.y) \\ | i.size==0?!1: \\ \{x:[...i].reduce((a,l)=
 )/i.size,y:n/o}},nearest(s,t){if(!s.length)return!1;let
e=t.x,i=t.y,n=Number.POSITIVE_INFINITY,o,r,a;for(o=0,r=s.length;o<r;++o){let l=s[o].element;if(l&&l.hasValue()){let c=l.getCenterPoint(),h=Li(t,c);h<n&&(n=h,a=l)}}if(a){let
 l=a.tooltipPosition();e=l.x,i=l.y}return{x:e,y:i}}};function Wt(s,t){return
 t\&\&([(t)?Array.prototype.push.apply(s,t):s.push(t)),sfunction qt(s){return(typeof s=="string"||s
 instanceof String)&&s.indexOf(
    )>-1?s.split(
    ):s}function Jf(s,t){let{element:e,datasetIndex:i,index:n}=t,o=s.getDatasetMeta(i).controller,{labe}
 l:r,value:a}=o.getLabelAndValue(n);return{chart:s,label:r,parsed:o.getParsed(n),raw:s.data.datasets[
 i].data[n],formattedValue:a,dataset:o.getDataset(),dataIndex:n,datasetIndex:i,element:e}}function
 il(s,t){let e=s.chart.ctx,{body:i,footer:n,title:o}=s,{boxWidth:r,boxHeight:a}=t,l=Q(t.bodyFont),c=Q
```

```
(t.titleFont), h=Q(t.footerFont), u=o.length, d=n.length, f=i.length, m=at(t.padding), g=m.height, p=0, y=i.
 reduce((w,x)=>w+x.before.length+x.lines.length+x.after.length,0);if(y+=s.beforeBody.length+s.afterBo
 dy.length,u&&(g+=u*c.lineHeight+(u-1)*t.titleSpacing+t.titleMarginBottom),y){let w=t.displayColors?M
ath.max(a,l.lineHeight):l.lineHeight; g+=f*w+(y-f)*l.lineHeight+(y-1)*t.bodySpacing}d\&\&(g+=t.footerMarginTop+d*h.lineHeight+(d-1)*t.footerSpacing); let
 b=0,_=function(w){p=Math.max(p,e.measureText(w).width+b)};return e.save(),e.font=c.string,V(s.title,
_),e.font=l.string,V(s.beforeBody.concat(s.afterBody),_),b=t.displayColors?r+2+t.boxPadding:0,V(i,w= >{V(w.before,_),V(w.lines,_),V(w.after,_)}),b=0,e.font=h.string,V(s.footer,_),e.restore(),p+=m.width,{width:p,height:g}}function Qf(s,t){let{y:e,height:i}=t;return e<i/2?"top":e>s.height-i/2?"bottom":"center"}function tm(s,t,e,i){let{x:n,width:o}=i,r=e.caretSize+e
 .caretPadding;if(s==="left"&&n+o+r>t.width||s==="right"&&n-o-r<0)return!0}function
em(s,t,e,i){let{x:n,width:o}=e,{width:r,chartArea:{left:a,right:l}}=s,c="center";return i==="center"
?c=n<=(a+l)/2?"left":"right":n<=o/2?c="left":n>=r-
 o/2\&\&(c="right"),tm(c,s,t,e)\&\&(c="center"),c}function nl(s,t,e){let}
 i=e.yAlign|||t.yAlign|||Qf(s,e); return\{xAlign:e.xAlign||t.xAlign||em(s,t,e,i),yAlign:i\}\} function
 sm(s,t){let{x:e,width:i}=s;return t==="right"?e-=i:t==="center"&&(e-=i/2),e}function
 im(s,t,e){let{y:i,height:n}=s;return t==="top"?i+=e:t==="bottom"?i-=n+e:i-=n/2,i}function ol(s,t,e,i
 ){let{caretSize:n,caretPadding:o,cornerRadius:r}=s,{xAlign:a,yAlign:l}=e,c=n+o,{topLeft:h,topRight:u
 t.width),y:tt(g,0,i.height-t.height)}}function Ki(s,t,e){let i=at(e.padding);return
 t==="center"?s.x+s.width/2:t==="right"?s.x+s.width-i.right:s.x+i.left}function rl(s){return
 Wt([],qt(s))}function nm(s,t,e){return Yt(s,{tooltip:t,tooltipItems:e,type:"tooltip"})}function
al(s,t) \{ let \ e=t\&\&t.dataset\&\&t.dataset.tooltip\&\&t.dataset.tooltip.callbacks; return \ e?s.override(e):s \} var \ Nl=\{beforeTitle:Nt,title(s)\{if(s.length>0)\{let \ t=s[0],e=t.chart.data.labels,i=therefore \ the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution of the substitution 
 e?e.length:0; if (this \& this.options \& this.options.mode === "dataset") return
 t.dataset.label||"";if(t.label)return t.label;if(i>0&&t.dataIndex<i)return e[t.dataIndex]}return""},
afterTitle:Nt,beforeBody:Nt,beforeLabel:Nt,label(s){if(this&&this.options&&this.options.mode==="data set")return s.label+": "+s.formattedValue||s.formattedValue;let t=s.dataset.label||"";t&&(t+=":
   "); let e=s.formattedValue; return A(e) \mid \mid (t+=e), t \}, labelColor(s) {let e=s.chart.getDatasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datasetMeta(s.datas
 tIndex). controller.getStyle (s.dataIndex); return \{borderColor: e.borderColor, backgroundColor: e.backgroundColor: e.backgro
 ndColor,borderWidth:e.borderWidth,borderDash:e.borderDash,borderDashOffset:e.borderDashOffset,border
 Radius:0}},labelTextColor(){return this.options.bodyColor},labelPointStyle(s){let e=s.chart.getDatas
 etMeta(s.datasetIndex).controller.getStyle(s.dataIndex);return{pointStyle:e.pointStyle,rotation:e.ro
tation}},afterLabel:Nt,afterBody:Nt,beforeFooter:Nt,footer:Nt,afterFooter:Nt};function
dt(s,t,e,i){let n=s[t].call(e,i);return typeof n>"u"?Nl[t].call(e,i):n}var Bs=class extends
 yt{constructor(t){super(),this.opacity=0,this.active=[],this.eventPosition=void 0,this.size=void
 0,this. cachedAnimations=void 0,this. tooltipItems=[],this. □animations=void 0,this. □context=void
0,this.chart=t.chart,this.options=t.options,this.dataPoints=void 0,this.title=void 0,this.beforeBody=void 0,this.body=void 0,this.afterBody=void 0,this.footer=void 0,this.xAlign=void
 0,this.yAlign=void 0,this.x=void 0,this.y=void 0,this.height=void 0,this.width=void
 0,this.caretX=void 0,this.caretY=void 0,this.labelColors=void 0,this.labelPointStyles=void
 0,this.labelTextColors=void 0}initialize(t){this.options=t,this. cachedAnimations=void
0,this. context=void 0}_resolveAnimations(){let t=this.cachedAnimations;if(t)return t;let e=this.ch art,i=this.options.setContext(this.getContext()),n=i.enabled&&e.options.animation&i.animations,o=ne
 w en(this.chart,n);return
 n. cacheable&&(this. cachedAnimations=Object.freeze(o)),o}getContext(){return this.∏context||(this.∏
context=nm(this.chart.getContext(),this,this._tooltipItems))}getTitle(t,e){let{callbacks:i}=e,n=dt(i,"beforeTitle",this,t),o=dt(i,"title",this,t),r=dt(i,"afterTitle",this,t),a=[];return
a=Wt(a,qt(n)),a=Wt(a,qt(o)),a=Wt(a,qt(r)),a}getBeforeBody(t,e){return
rl(dt(e.callbacks, "beforeBody", this,t))}getBody(t,e){let{callbacks:i}=e,n=[];return V(t,o=>{let r={b efore:[],lines:[]},a=al(i,o);Wt(r.before,qt(dt(a, "beforeLabel",this,o))),Wt(r.lines,dt(a, "l
abel",this,o)),Wt(r.after,qt(dt(a,"afterLabel",this,o))),n.push(r)}),n}getAfterBody(t,e){return rl(dt(e.callbacks,"afterBody",this,t))}getFooter(t,e){let{callbacks:i}=e,n=dt(i,"beforeFooter",this,t),o=dt(i,"footer",this,t),r=dt(i,"afterFooter",this,t),a=[];return
lter((h,u,d)=>t.filter(h,u,d,i))),t.itemSort\&\&(a=a.sort((h,u)=>t.itemSort(h,u,i))),V(a,h=>\{let\ u=al(t.callbacks,h);n.push(dt(u,"labelColor",this,h)),o.push(dt(u,"labelPointStyle",this,h)),r.push(dt(u,"labelTextColor",this,h)),this.labelColors=n,this.labelPointStyles=o,this.labelTextColors=r,this.d
ataPoints=a,a}update(t,e){let i=this.options.setContext(this.getContext()),n=this._active,o,r=[];if(!n.length)this.opacity!==0&&(o={opacity:0});else{let a=Rs[i.position].call(this,n,this._eventPosition)
 n);r=this. createItems(i),this.title=this.getTitle(r,i),this.beforeBody=this.getBeforeBody(r,i),this
  .body=this.getBody(r,i),this.afterBody=this.getAfterBody(r,i),this.footer=this.getFooter(r,i);let l=
 this. size=il(this,i),c=Object.assign({},a,l),h=nl(this.chart,i,c),u=ol(i,c,h,this.chart);this.xAlig
 n=h.xAlign, this.yAlign=h.yAlign, o=\{opacity:1, x: u.x, y: u.y, width:l.width, height:l.height, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x, caretX: a.x
 retY: a.y \} this.\_tooltipItems = r, this.\_context = void \ 0, o\& this.\_resolve Animations().update(this, o), t\& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the context = void \ 0, o\& this.\_resolve Animations().update(this, o), t& in the 
  .external&&i.external.call(this,{chart:this.chart,tooltip:this,replay:e})}drawCaret(t,e,i,n){let o=t
 his.getCaretPosition(t,i,n);e.lineTo(o.x1,o.y1),e.lineTo(o.x2,o.y2),é.lineTo(o.x3,o.y3)}getCaretPosi
 tion(t,e,i){let{xAlign:n,yAlign:o}=this,{caretSize:r,cornerRadius:a}=i,{topLeft:l,topRight:c,bottomL
 eft:h,bottomRight:u}=ae(a),{x:d,y:f}=t,{width:m,height:g}=e,p,y,b,_,w,x;return o==="center"?(w=f+g/2
 ,n==="left"?(p=d,y=p-r,_=w+r,x=w-r):(p=d+m,y=p+r,_=w-
r,x=w+r),b=p):(n==="left"?y=d+Math.max(l,h)+r:n==="right"?y=d+m-Math.max(c,u)-
```

```
r: y = this. caretX, o === "top"?(\_=f, w = \_-r, p = y - r, b = y + r): (\_=f + g, w = \_+r, p = y + r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y - r, b = y -
r),x=_),{x1:p,x2:y,x3:b,y1:_,y2:w,y3:x}}drawTitle(t,e,i){let n=this.title,o=n.length,r,a,l;if(o){let c=Se(i.rtl,this.x,this.width);for(t.x=Ki(this,i.titleAlign,i),e.textAlign=c.textAlign(i.titleAlign),
 e.textBaseline="middle",r=Q(i.titleFont),a=i.titleSpacing,e.fillStyle=i.titleColor,e.font=r.string,l
 =0; <0; ++1)e. fillText(n[l], c.x(t.x), t.y+r.lineHeight/2), t.y+=r.lineHeight+a, l+1===o&(t.y+=i.titleMa)
 rginBottom-a)}} drawColorBox(t,e,i,n,o){let r=this.labelColors[i],a=this.labelPointStyles[i],{boxHei
ght:l,boxWidth:c}=o,h=Q(o.bodyFont),u=Ki(this,"left",o),d=n.x(u),f=l<h.lineHeight?(h.lineHeight-l)/2:0,m=e.y+f;if(o.usePointStyle){let g={radius:Math.min(c,l)/2,pointStyle:a.pointStyle,rotation:a.rotation,borderWidth:1},p=n.leftForLtr(d,c)+c/2,y=m+l/2;t.strokeStyle=o.multiKeyBackground,t.fillSty
 le=o.multiKeyBackground, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.borderColor, t.fillStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r.backgroundColor, Hi(t,g,p,y), t.strokeStyle=r
  ,p,y)}else{t.lineWidth=L(r.borderWidth)?Math.max(...Object.values(r.borderWidth)):r.borderWidth||1,t
   .strokeStyle=r.borderColor,t.setLineDash(r.borderDash||[]),t.lineDashOffset=r.borderDashOffset||0;le
 t g=n.leftForLtr(d,c),p=n.leftForLtr(n.xPlus(d,1),c-
 2), y=ae(r.borderRadius); Object.values(y).some(b=>b!==0)?(t.beginPath(),t.fillStyle=o.multiKeyBackgro
 und,Ye(t,{x:g,y:m,w:c,h:l,radius:y}),t.fill(),t.stroke(),t.fillStyle=r.backgroundColor,t.beginPath()
  ,Ye(t,{x:p,y:m+1,w:c-2,h:l-}
 2,radius:y),t.fill()):(t.fillStyle=o.multiKeyBackground,t.fillRect(g,m,c,l),t.strokeRect(g,m,c,l),t
     .fillStyle=r.backgroundColor,t.fillRect(p,m+1,c-2,l-
 2))}t.fillStyle=this.labelTextColors[i]}drawBody(t,e,i){let{body:n}=this,{bodySpacing:o,bodyAlign:r,
 displayColors:a,boxHeight:l,boxWidth:c,boxPadding:h}=i,u=Q(i.bodyFont),d=u.lineHeight,f=0,m=Se(i.rtl
  , this.x, this.width), g=function(v)\{e.fillText(v,m.x(t.x+f),t.y+d/2),t.y+=d+o\},p=m.textAlign(r),y,b,_x,x,this.x,this.width)
w,x,k,M;for(e.textAlign=r,e.textBaseline="middle",e.font=u.string,t.x=Ki(this,p,i),e.fillStyle=i.bod
yColor,V(this.beforeBody,g),f=a&&p!=="right"?r==="center"?c/2+h:c+2+h:0,w=0,k=n.length;w<k;++w){for(
y=n[w],b=this.labelTextColors[w],e.fillStyle=b,V(y.before,g),_=y.lines,a&&_.length&&(this._drawColor</pre>
 Box(e,t,w,m,i),d=Math.max(u.lineHeight,l)),x=0,M= .length;x < M; ++x)g([x]), d=u.lineHeight; V(y.after,g)
)}f=0,d=u.lineHeight,V(this.afterBody,g),t.y-=o}drawFooter(t,e,i){let n=this.footer,o=n.length,r,a;if(o){let l=Se(i.rtl,this.x,this.width);for(t.x=Ki(this,i.footerAlign,i
  ),t.y+=i.footerMarginTop,e.textAlign=l.textAlign(i.footerAlign),e.textBaseline="middle",r=Q(i.footer
 Font), e.fillStyle=i.footerColor, e.font=r.string, a=0; a<0; ++a)e.fillText(n[a],l.x(t.x),t.y+r.lineHeight/2),t.y+=r.lineHeight+i.footerSpacing} drawBackground(t,e,i,n) {let{xAlign:o,yAlign:r}=this,{x:a,y:left}} for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 }=t,{width:c,height:h}=i,{topLeft:u,topRight:d,bottomLeft:f,bottomRight:m}=ae(n.cornerRadius);e.fill
 Style=n.backgroundColor,e.strokeStyle=n.borderColor,e.lineWidth=n.borderWidth,e.beginPath(),e.moveTo
  (a+u,l),r==="top"&&this.drawCaret(t,e,i,n),e.lineTo(a+c-
d,l),e.quadraticCurveTo(a+c,l,a+c,l+d),r==="center"&&o==="right"&&this.drawCaret(t,e,i,n),e.lineTo(a
+c,l+h-m),e.quadraticCurveTo(a+c,l+h,a+c-
 m,l+h), r=== bottom \& this.drawCaret(t,e,i,n), e.lineTo(a+f,l+h), e.quadraticCurveTo(a,l+h,a,l+h-m)
 f),r==="center"&&o==="left"&&this.drawCaret(t,e,i,n),e.lineTo(a,l+u),e.quadraticCurveTo(a,l,a+u,l),e
  .closePath(),e.fill(),n.borderWidth>0&&e.stroke()} updateAnimationTarget(t){let
 e=this.chart,i=this.□animations,n=i&&i.x,o=i&&i.y;if(n||o){let
 r=Rs[t.position].call(this,this._active,this._eventPosition);if(!r)return;let a=this._size=il(this,t),l=Object.assign({},r,this._size),c=nl(e,t,l),h=ol(t,l,c,e);(n._to!==h.x||o._to!==h.y)&&(this.xAlign)
 n=c.xAlign,this.yAlign=c.yAlign,this.width=a.width,this.height=a.height,this.caretX=r.x,this.caretY=
 r.y,this. resolveAnimations().update(this,h))}} willRender(){return!!this.opacity}draw(t){let e=this
  .options.setContext(this.getContext()),i=this.opacity;if(!i)return;this._updateAnimationTarget(e);le
 t n=\{width: this.width, height: this.height\}, o=\{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y\}; i=Math.abs(i) <.001?0: i; let r=at(e.path) = \{x: this.x, y: this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this.y : this
 dding),a=this.title.length||this.beforeBody.length||this.body.length||this.afterBody.length||this.fo
oter.length; e. enabled \& \& \& (t. save(), t. global Alpha=i, this. draw Background(o, t, n, e), oo(t, e. textDirection), o. y+=r.top, this. draw Title(o, t, e), this. draw Body(o, t, e), this. draw Footer(o, t, e), ro(t, e. textDirection), or the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfer of the same transfe
),t.restore())}getActiveElements(){return this._active||[]}setActiveElements(t,e){let i=this._active,n=t.map(({datasetIndex:a,index:l})=>{let c=this.chart.getDatasetMeta(a);if(!c)throw
 new Error("Cannot find a dataset at index "+a);return{datasetIndex:a,element:c.data[l],index:l}}),o=
!Ts(i,n), r=this.\_positionChanged(n,e); (o||r)&&(this.\_active=n,this.\_eventPosition=e,this.\_ignoreReplayEvents=!0,this.update(!0))} handleEvent(t,e,i=!0) {if(e&&this.\_ignoreReplayEvents)return!1;this.\_ignoreReplayEvents=!1;let n=this.options,o=this.\_active||[],r=this.\_getActiveElements(t,o,e,i),a=this.\_positionChanged(r,t),l=e||!Ts(r,o)||a;return l&&(this.\_active=r,(n.enabled|n.external)&&(this.\_eventPositionChanged(r,t),l=e||!Ts(r,o)||a;return l&&(this.\_active=r,(n.enabled|n.external)&&(this.\_eventPositionChanged(r,t),l=e||!Ts(r,o)||a;return l&&(this.\_active=r,(n.enabled|n.external)&&(this.\_eventPositionChanged(r,t),l=e||!Ts(r,o)||a;return l&&(this.\_active=r,(n.enabled|n.external)&&(this.\_eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eventPosition=e,this._eve
tPosition={x:t.x,y:t.y},this.update(!0,e))),l}_getActiveElements(t,e,i,n){let o=this.options;if(t.type==="mouseout")return[];if(!n)return e.filter(a=>this.chart.data.datasets[a.d
 atasetIndex]&&this.chart.getDatasetMeta(a.datasetIndex).controller.getParsed(a.index)!==void 0);let
 r = this.chart.getElementsAtEventForMode(t,o.mode,o,i); return o.reverse\&r.reverse(),r\}\_positionChange
 d(t,e) \{ let\{caretX: i, caretY: n, options: o\} = this, r=Rs[o.position]. call(this, t, e); return r! ==!1&&(i!==r.x||n!==r.y) \} \}; S(Bs, "positioners", Rs); var 
 om = \{id: "tooltip", \_element: Bs, positioners: Rs, afterInit(s,t,e) \\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options:element: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs(\{chart:s,options: Bs, positioners: Bs, positioners: Rs, afterInit(s,t,e)\}\\ \{e\&\&(s.tooltip=new\ Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positioners: Bs, positione
 \}))\}, before Update \overline{(s,t,e)}\{s.tooltip\&\&s.tooltip.initialize(e)\}, reset(s,t,e)\{s.tooltip\&\&s.tooltip.initialize(e)\}
 alize (e)\}, after Draw (s) \{let \ t=s.tooltip; if (t\&\&t.\_will Render ()) \{let \ e=\{tooltip:t\}; if (s.notify Plugins (to be a fixed by the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the c
 beforeTooltipDraw",{...e,cancelable:!0})===!1)return;t.draw(s.ctx),s.notifyPlugins("afterTooltipDraw
      ,e)}},afterEvent(s,t){if(s.tooltip){let e=t.replay;s.tooltip.handleEvent(t.event,e,t.inChartArea)&&
(t.changed=!0)}},defaults:{enabled:!0,external:null,position:"average",backgroundColor:"rgba(0,0,0,0 .8)",titleColor:"#fff",titleFont:{weight:"bold"},titleSpacing:2,titleMarginBottom:6,titleAlign:"left ",bodyColor:"#fff",bodySpacing:2,bodyFont:{},bodyAlign:"left",footerColor:"#fff",footerSpacing:2,footerMarginTop:6,footerFont:{weight:"bold"},footerAlign:"left",padding:6,caretPadding:2,caretSize:5,co
 rnerRadius:6,boxHeight:(s,t)=>t.bodyFont.size,boxWidth:(s,t)=>t.bodyFont.size,multiKeyBackground:"#fff",displayColors:0,boxPadding:0,borderColor:"rgba(0,0,0,0)",borderWidth:0,animation:0,animation:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxPadding:0,boxP
 easing: "easeOutQuart"}, animations: {numbers: {type: "number", properties: ["x", "y", "width", "height", "care
```

```
tX","caretY"]},opacity:{easing:"linear",duration:200}},callbacks:Nl},defaultRoutes:{bodyFont:"font",
footerFont: "font", titleFont: "font"}, descriptors: { _scriptable: s=>s!=="filter"&&s!=="itemSort"&&s!=="external", _indexable:!1, callbacks: { _scriptable:!1, _indexable:!1}, animation: { _fallback: "l}, animations: { _fallback: "animation"}}, additionalOptionScopes: ["interaction"]}, rm=Object.freeze({ __proto__:null,Colors:bf,Decimation:Sf,Filler:Bf,Legend:qf,SubTitle:Kf,Title:Xf,Tooltip:om}), am=(s,t,e,i)=>(typeof
 t=="string"?(e=s.push(t)-1,i.unshift({index:e,label:t})):isNaN(t)&&(e=null),e);function
lm(s,t,e,i) \{ let \ n=s.indexOf(t); if (n==-1) return \ am(s,t,e,i); let \ o=s.lastIndexOf(t); return \ n!==o?e:n \} var \ cm=(s,t)=>s===null?null:tt(Math.round(s),0,t); function \ ll(s) \{ let \ n=s.indexOf(t); return \ n=-1 \} var \ cm=(s,t)=>s==-null?null:tt(Math.round(s),0,t); function \ ll(s) \} var \ cm=(s,t)=>s=-null?null:tt(Math.round(s),0,t); function \ ll(s) \} var \ cm=(s,t)=>s=-null:tt(Math.round(s),0,t); function \ ll(s) \} var \ cm=(s,t)=>s=-nu
 t=this.getLabels();return s>=0&&s<t.length?t[s]:s}var Ws=class extends
 Ee{constructor(t){super(t),this._startValue=void
 0,this. valueRange=0,this. addedLabels=[]}init(t){let e=this. addedLabels;if(e.length){let
 i=this.getLabels();for(let{index:n,label:o}of
 e)i[n] ===o\&i.splice(n,1); this. addedLabels=[]} super.init(t)} parse(t,e){if(A(t))} return null; let
 i=this.getLabels();return e=isFinite(e)&&i[e]===t?e:lm(i,t,I(e,t),this._addedLabels),cm(e,i.length-
 1)}determineDataLimits(){let{minDefined:t,maxDefined:e}=this.getUserBounds(),{min:i,max:n}=this.getM
 inMax(!0); this.options.bounds==="ticks"&&(t||(i=0),e||(n=this.getLabels().length-inMax(!0));
 1)), this.min=i, this.max=n}buildTicks(){let t=this.min,e=this.max,i=this.options.offset,n=[],o=this.g
  etLabels(); o=t==0\&\&e===o.length-1?o:o.slice(t,e+1), this._valueRange=Math.max(o.length-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.ength-1.e
  (i?0:1),1), this._startValue=this.min-(i?.5:0); for(let r=t;r<=e;r++)n.push(\{value:r\}); return
 n}getLabelForValue(t){return ll.call(this,t)}configure(){super.configure(),this.isHorizontal()||(thi
 s. reversePixels=!this. reversePixels)}qetPixelForValue(t){return typeof t!="number"&&(t=this.parse(
 t)),t===null?NaN:this.getPixelForDecimal((t-
 this. startValue)/this. valueRange)}getPixelForTick(t){let e=this.ticks;return
 t<0||\bar{t}>e.length-1?null:\bar{t}his.getPixelForValue(e[t].value)}getValueForPixel(t){return}
 Math.round(this._startValue+this.getDecimalForPixel(t)*this._valueRange)}getBasePixel(){return
this.bottom}};S(Ws,"id","category"),S(Ws,"defaults",{ticks:{callback:ll}});function hm(s,t){let e=[],{bounds:n,step:o,min:r,max:a,precision:l,count:c,maxTicks:h,maxDigits:u,includeBounds:d}=s,f=o||1,m
 =h-1, \{\min:g, \max:p\}=t, y=!A(r), b=!A(a), =!A(c), w=(p-g)/(u+1), x=Wn((p-g)/m/f)*f, k, M, v, 0; if(x<1e-14&&!y&&!b) return[\{value:g\}, \{value:p\}]; 0=Math.ceil(p/x)-
(0-(v-1)/x,h), (a-r)/0, (m-v-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-y-1); (m-
 M)/x, \exists e(0,Math.round(0),x/1e\overline{3})?0=Math.round(0):0=Math.ceil(0));let
 E=Math.max(Vn(x),Vn(M));k=Math.pow(10,A(l))?E:l),M=Math.round(M*k)/k,v=Math.round(v*k)/k;let C=0;for(M*k)/k,v=Math.round(V*k)/k;let C=0;for(M*k)/k,v=Math.round(V*k)/k;let C=0;for(M*k)/k,v=Math.round(V*k)/k;let C=0;for(M*k)/k;let C=0;for(M*
y \& (d \& M! = r?(e.push(\{value:r\}), M < r \& C++, []e(Math.round((M+C*x)*k)/k, r, cl(r, w, s)) \& C++): M < r \& C++); C < 0; ++C) \\ \{let P = Math.round((M+C*x)*k)/k; if(b \& P > a) b reak; e.push(\{value:P\})\} return b \& & d & v! == a?e.length & & []e(Math.round(M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & (M+C*x)*k)/k; if(b & A) b reak; e.push(\{value:P\}) return b & (M+C*x)*k)/k; if(b & A) b rea
 e(e[e.length-1].value,a,cl(a,w,s))?e[e.length-
 1].value=a:e.push(\{value:a\}):(\{b||v===a\}\&\&e.push(\{value:v\}),e\}function
 cl(s,t,{horizontal:e,minRotation:i}){let
 n=wt(i), o=(e?Math.sin(n):Math.cos(n))||.001, r=.75*t*(""+s).length; return Math.min(t/o,r)}var
 is=class extends Ee{constructor(t){super(t),this.start=void 0,this.end=void 0,this. startValue=void
 Number) \overline{\&} \& ! is Finite(+t)? null: + \overline{t} handle TickRange Options() \{ let \{ begin At Zero: t \} = this.options, \{ minDefined: t \} \} \} = this.options for the sum of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the p
 e, maxDefined:i} = this.getUserBounds(), {min:n, max:o} = this, r = l => n = e?n:l, a = l => o = i?o:l; if(t){let}
 l=0t(n), c=0t(0); l<0&&c<0?a(0): l>0&&c>0&&r(0)} if(n===0){let}
 l=o===0?1:Math.abs(o*.05);a(o+l),t||r(n-l)}this.min=n,this.max=o}getTickLimit(){let}
t=this.options.ticks,{maxTicksLimit:e,stepSize:i}=t,n;return i?(n=Math.ceil(this.max/i)-Math.floor(this.min/i)+1,n>le3&&(console.warn(`scales.[{this.id}.ticks.stepSize: [{i} would result
 generating up to [n] ticks. Limiting to
 1000.), n=1e3): (n=this.computeTickLimit(), e=e||11), e&&(n=Math.min(e,n)), n}computeTickLimit(){return}
 Number.POSITIVE INFINITY}buildTicks(){let
 t=this.options,e=t.ticks,i=this.getTickLimit();i=Math.max(2,i);let n={maxTicks:i,bounds:t.bounds,min
  :t.min,max:t.max,precision:e.precision,step:e.stepSize,count:e.count,maxDigits:this. maxDigits(),hor
 izontal:this.isHorizontal(),minRotation:e.minRotation||0,includeBounds:e.includeBounds!==!1},o=this.
 _range||this,r=hm(n,o);return t.bounds==="ticks"&&zn(r,this,"value"),t.reverse?(r.reverse(),this.start=this.max,this.end=this.min):(this.start=this.min,this.end=this.max),r}configure(){let
 t=this.ticks,e=this.min,i=this.max;if(super.configure(),this.options.offset&&t.length){let n=(i-
e)/Math.max(t.length-1,1)/2;e-=n,i+=n}this._startValue=e,this._endValue=i,this._valueRange=i-e}getLabelForValue(t){return Ue(t,this.chart.options.locale,this.options.ticks.format)}},zs=class
extends is{determineDataLimits(){let{min:t,max:e}=this.getMinMax(!0);this.min=Z(t)?t:0,this.max=Z(e)?e:1,this.handleTickRangeOptions()}computeTickLimit(){let t=this.isHorizontal(),e=t?this.width:this.
 \label{lem:height,i=wt} $$ height,i=wt(this.options.ticks.minRotation),n=(t?Math.sin(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i))||.001,o=this._resolveTickFills(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Math.cos(i):Ma
 ontOptions(0);return Math.ceil(e/Math.min(40,o.lineHeight/n))}getPixelForValue(t){return t===null?Na
N:this.getPixelForDecimal((t-this._startValue)/this._valueRange)}getValueForPixel(t){return this._st artValue+this.getDecimalForPixel(t)*this._valueRange}};S(zs,"id","linear"),S(zs,"defaults",{ticks:{c allback:0s.formatters.numeric}});var Us=s=>Math.floor(jt(s)),Me=(s,t)=>Math.pow(10,Us(s)+t);function
 hl(s){return s/Math.pow(10,Us(s))===1}function ul(s,t,e){let}
 i=Math.pow(10,e),n=Math.floor(s/i);return Math.ceil(t/i)-n}function um(s,t){let}
 e=t-s, i=Us(e); for(;ul(s,t,i)>10;)i++; for(;ul(s,t,i)<10;)i--; return Math.min(i,Us(s))) function
 dm(s,\{\min:t,\max:e\})\{t=ut(s,\min,t);let\ i=[],n=Us(t),o=um(t,e),r=o<0?Math.pow(10,Math.abs(o)):1,a=Math.pow(10,o),l=n>o?Math.pow(10,n):0,c=Math.round((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)*r)/r,h=Math.floor((t-l)
 l)/a/10)*a*10,u=Math.floor((c-
 h)/Math.pow(10,o)),d=ut(s.min,Math.round((l+h+u*Math.pow(10,o))*r)/r);for(;d<e;)i.push({value:d,majo
```

```
r:hl(d), significand:u\}), u>=10?u=u<15?15:20:u++, u>=20\&\&(o++, u=2, r=o>=0?1:r), d=Math.round((l+h+u*Math.round)), u>=10?u=u<15?15:20:u++, u>=20&&(o++, u=2, r=o>=0?1:r), d=Math.round((l+h+u*Math.round)), u>=10?u=u<15?15:20:u++, u>=20&&(o++, u=2, r=o>=0?1:r), d=Math.round((l+h+u*Math.round)), u>=10?u=u<15?15:20:u++, u>=20&(o++, u=2, r=o>=0?1:r), d=Math.round((l+h+u*Math.round)), u>=10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.00:u+10.0
 pow(10,o))*r)/r;let f=ut(s.max,d);return i.push({value:f,major:hl(f),significand:u}),i}var Vs=class
 extends Ee{constructor(t){super(t),this.start=void 0,this.end=void 0,this._startValue=void
 0,this._valueRange=0}parse(t,e){let
 i=is.prototype.parse.apply(this,[t,e]); if(i===0){this. zero=!0; return} return Z(i)&&i>0?i:null}determ
 ineDataLimits(){let{min:t,max:e}=this.getMinMax(!0);this.min=Z(t)?Math.max(0,t):null,this.max=Z(e)?M
ath.max(0,e):null,this.options.beginAtZero&&(this._zero=!0),this._zero&&this.min!==this._suggestedMin&&!Z(this. userMin)&&(this.min=t===Me(this.min,0)?Me(this.min,-
 1):Me(this.min,0)),this.handleTickRangeOptions()}handleTickRangeOptions(){let{minDefined:t,maxDefine}
 (o(Me(i,-1)),r(Me(n,1)))), i \le 0\&\&o(Me(n,-1)),n \le 0\&\&r(Me(i,1)), this.min=i, this.max=n}buildTicks(){let
 t=this.options,e={min:this._userMin,max:this._userMax},i=dm(e,this);return t.bounds==="ticks"&&zn(i,
 this, "value"), t.reverse?(i.reverse(), this.start=this.max, this.end=this.min):(this.start=this.min, thi
 s.end=this.max),i}getLabelForValue(t){return t===void
 0?"0":Ue(t,this.chart.options.locale,this.options.ticks.format)}configure(){let t=this.min;super.con
 figure(),this. startValue=jt(t),this. valueRange=jt(this.max)-
 jt(t)\} getPixelForValue(t)\{return(t===void 0||t===0)\&(t=this.min), t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t===null||isNaN(t)?NaN:this.getPix=this.min\}, t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.min], t==null||isNaN(t)?NaN:this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=this.getPix=th
 elForDecimal(t===this.min?0:(jt(t)-this._startValue)/this._valueRange)}getValueForPixel(t){let
 e=this.getDecimalForPixel(t);return Math.pow(10,this. startValue+e*this. valueRange)}};S(Vs,"id","lo
garithmic"),S(Vs,"defaults",{ticks:{callback:0s.formatters.logarithmic,major:{enabled:!0}}});functio
n Po(s){let t=s.ticks;if(t.display&&s.display){let e=at(t.backdropPadding);return
 I(t.font&&t.font.size,U.font.size)+e.height}return 0}function fm(s,t,e){return
 e=[(e)?e:[e],\{w:na(s,t.string,e),h:e.length*t.lineHeight\}\}function dl(s,t,e,i,n){return
 s==i||s===n?\{start:t-e/2,end:t+e/2\}:s<i||s>n?\{start:t-e,end:t\}:\{start:t,end:t+e\}\} function \ mm(s)\{letart:t-e,end:t\}:\{start:t-e,end:t+e\}\} function \ mm(s)\{letart:t-e,end:t+e\}\} function \ mm(s)\{letart:t-e,en
t={l:s.left+s. padding.left,r:s.right-s._padding.right,t:s.top+s._padding.top,b:s.bottom-s._padding.bottom},e=Object.assign({},t),i=[],n=[],o=s._pointLabels.length,r=s.options.pointLabels,a=r.centerPointLabels?N/o:0;for(let l=0;l<o;l++){let
 c=r.setContext(s.getPointLabelContext(l));n[l]=c.padding;let
\label{eq:hessign} $$h=s.getPointPosition(l,s.drawingArea+n[l],a),u=Q(c.font),d=fm(s.ctx,u,s.\_pointLabels[l]);i[l]=d;letf=ot(s.getIndexAngle(l)+a),m=Math.round(Ri(f)),g=dl(m,h.x,d.w,0,180),p=dl(m,h.y,d.h,90,270);gm(e,t,f),d=fm(s.ctx,u,s.\_pointLabels[l]);i[l]=d;letf=ot(s.getIndexAngle(l)+a),m=Math.round(Ri(f)),g=dl(m,h.x,d.w,0,180),p=dl(m,h.y,d.h,90,270);gm(e,t,f),d=fm(s.ctx,u,s.\_pointLabels[l]);i[l]=d;letf=ot(s.getIndexAngle(l)+a),m=Math.round(Ri(f)),g=dl(m,h.x,d.w,0,180),p=dl(m,h.y,d.h,90,270);gm(e,t,f),d=fm(s.ctx,u,s.\_pointLabels[l]);i[l]=d;letf=ot(s.getIndexAngle(l)+a),m=Math.round(Ri(f)),g=dl(m,h.x,d.w,0,180),p=dl(m,h.y,d.h,90,270);gm(e,t,f),d=fm(s.ctx,u,s.\_pointLabels[l]);i[l]=d;letf=ot(s.getIndexAngle(l)+a),m=Math.round(Ri(f)),g=dl(m,h.x,d.w,0,180),p=dl(m,h.y,d.h,90,270);gm(e,t,f),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s.ctx,u,g.h,g),d=fm(s
  ,g,p)}s.setCenterPoint(t.l-e.l,e.r-t.r,t.t-e.t,e.b-t.b),s. pointLabelItems=bm(s,i,n)}function
 gm(s,t,e,i,n) {let o=Math.abs(Math.sin(e)), r=Math.abs(Math.cos(e)), a=0,l=0;i.start<t.l?(a=(t.l-
 i.start)/o,s.l=Math.min(s.l,t.l-a)):i.end>t.r&&(a=(i.end-
 t.r)/o, s.r=Math.max(s.r,t.r+a)), n.start< t.t?(l=(t.t-n.start)/r, s.t=Math.min(s.t,t.t-a))
 l)):n.end>t.b&&(l=(n.end-t.b)/r,s.b=Math.max(s.b,t.b+l))}function pm(s,t,e){let i=s.drawingArea,{ext}
 ra:n,additionalAngle:o,padding:r,size:a}=e,l=s.getPointPosition(t,i+n+r,o),c=Math.round(Ri(ot(l.angl
 e+X))),h=wm(l.y,a.h,c),u=xm(c),d=_m(l.x,a.w,u);return{visible:!0,x:l.x,y:h,textAlign:u,left:d,top:h,
 right:d+a.w,bottom:h+a.h}}function ym(s,t){if(!t)return!0;let{left:e,top:i,right:n,bottom:o}=s;retur
  n! (Pt(\{x:e,y:i\},t)) | Pt(\{x:e,y:o\},t) | | Pt(\{x:n,y:i\},t) | | Pt(\{x:n,y:o\},t)) \} \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t,e) \{let i=[],n,t] \\ function bm(s,t
 =s. pointLabels.length,o=s.options,{centerPointLabels:r,display:a}=o.pointLabels,l={extra:Po(o)/2,ad
 ditionalAngle:r?N/n:0},c;for(let h=0;h<n;h++){l.padding=e[h],l.size=t[h];let
 u=pm(s,h,l); i.push(u), a==="auto"\&\&(u.visible=ym(u,c),u.visible\&\&(c=u))\} return \ i\} function \\ xm(s) \{return \ s===0||s===180?"center":s<180?"left":"right"\} function \\ \_m(s,t,e) \{return \ s==0||s===180?"center":s<180?"left":"right"\} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180?"left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180."left":"right"} function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180."left":"right"] function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180."left":"right"] function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180."left":s<180."left":"right"] function \\ \_m(s,t,e) \{return \ s==0||s==180?"center":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."left":s<180."le
 e==="right"?s-=t:e==="center"\&(s-=t/2),sfunction wm(s,t,e){return
 e==90||e==270?s-=t/2:(e>270||e<90)&&(s-=t),s}function
 Sm(s,t,e) {let{left:i,top:n,right:o,bottom:r}=e,{backdropColor:a}=t;if(!A(a)){let}
 l=ae(t.borderRadius),c=at(t.backdropPadding);s.fillStyle=a;let h=i-c.left,u=n-c.top,d=o-
 i+c.width.f=r
 n+c.height; Object.values(l).some(m=>m!==0)?(s.beginPath(), Ye(s, \{x:h,y:u,w:d,h:f,radius:l\}), s.fill()) \\
  :s.fillRect(h,u,d,f)}}function km(s,t){let{ctx:e,options:{pointLabels:i}}=s;for(let
 n=t-1;n>=0;n--){let o=s. pointLabelItems[n];if(!o.visible)continue;let
 r=i.s\acute{e}tCon\acute{t}ext(\ref{s.getPointLabelContext(n)}); \ref{s.getPointLabelContext(n)}; \ref{s.getPointLabelContext(n)}; \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \ref{s.getPointLabelS(n)}, \r
 Rl(s,t,e,i){let{ctx:n}=s;if(e)n.arc(s.xCenter,s.yCenter,t,0,j);else{let
 o=s.getPointPosition(0,t);n.moveTo(o.x,o.y);for(let
 r=1; \\ r<i; \\ r++) \\ o=s. \\ getPointPosition(r,t), \\ n.lineTo(o.x,o.y)\} \\ function \\ Mm(s,t,e,i,n) \\ \{let o=s.ctx, \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.circing(s,t), \\ r=t.cir
 ular, \{color: a, lineWidth: l\} = t; !r\&\&! i||!a||!l||e<0||(o.save(), o.strokeStyle=a, o.lineWidth=l, o.setLineDiamonal (o.save(), o.save(), o.strokeStyle=a, o.lineWidth=l, o.setLineDiamonal (o.save(), o.save(), (n.dash||[]),o.lineDashOffset=n.dashOffset,o.beginPath(),Rl(s,e,r,i),o.closePath(),o.stroke(),o.r
estore())}function vm(s,t,e){return Yt(s,{label:e,index:t,type:"pointLabel"})}var Te=class extends is{constructor(t){super(t),this.xCenter=void 0,this.yCenter=void 0,this.drawingArea=void
 0,this.pointLabels=[],this.pointLabelItems=[]}setDimensions(){let t=this.padding=at(Po(this.optio
 ns)/2), e=this.width=this.maxWidth-t.width, i=this.height=this.maxHeight-
 t.height; this.xCenter=Math.floor(this.left+e/2+t.left), this.yCenter=Math.floor(this.top+i/2+t.top), t
 \label{limits} his.drawing Area=Math.floor(Math.min(e,i)/2) \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1), let(min:t,max)\} \} determine Data Limits() for the limits() and the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the limits() for the 
   );this.min=Z(t)&&!isNaN(t)?t:0,this.max=Z(e)&&!isNaN(e)?e:0,this.handleTickRangeOptions()}computeTic
 kLimit(){return Math.ceil(this.drawingArea/Po(this.options))}generateTickLabels(t){is.prototype.gene
rateTickLabels.call(this,t),this._pointLabels=this.getLabels().map((e,i)=>{let
n=B(this.options.pointLabels.callback,[e,i],this);return
 n||n===0?n:"
                                                           "}).filter((e,i)=>this.chart.getDataVisibility(i))}fit(){let t=this.options;t.display&&t
   .pointLabels.display?mm(this):this.setCenterPoint(0,0,0,0)}setCenterPoint(t,e,i,n){this.xCenter+=Mat
 h.floor((t-e)/2),this.yCenter+=Math.floor((i-n)/2),this.drawingArea-
 =Math.min(this.drawingArea/2,Math.max(t,e,i,n))}getIndexAngle(t){let
 e=j/(this. pointLabels.length||1),i=this.options.startAngle||0;return
```

```
ot(t*e+wt(i))getDistanceFromCenterForValue(t){if(A(t))return NaN;let e=this.drawingArea/(this.max-
this.min); return
this.options.reverse?(this.max-t)*e:(t-this.min)*e}getValueForDistanceFromCenter(t){if(A(t))return
NaN; let e=t/(this.drawingArea/(this.max-this.min)); return
this.options.reverse?this.max-e:this.min+e}getPointLabelContext(t){let
e=this._pointLabels||[];if(t>=0&&t<e.length){let i=e[t];return
vm(this.getContext(),t,i)}}getPointPosition(t,e,i=0){let n=this.getIndexAngle(t)-
X+i; return{x: Math.cos(n) *e+this.xCenter,y: Math.sin(n) *e+this.yCenter,angle:n}}qetPointPositionForVal
ue(t.e){return
this.getPointPosition(t,this.getDistanceFromCenterForValue(e))}getBasePosition(t){return this.getPoi
ntPositionForValue(t||0,this.getBaseValue()))}getPointLabelPosition(t){let{left:e,top:i,right:n,botto
m:o}=this._pointLabelItems[t];return{left:e,top:i,right:n,bottom:o}}drawBackground(){let{backgroundC}
olor:t,grid:{circular:e}}=this.options;if(t){let i=this.ctx;i.save(),i.beginPath(),Rl(this,this.getD istanceFromCenterForValue(this._endValue),e,this._pointLabels.length),i.closePath(),i.fillStyle=t,i.fill(),i.restore()}}drawGrid(){let t=this.ctx,e=this.options,{angleLines:i,grid:n,border:o}=e,r=this
  pointLabels.length,a,l,c;if(e.pointLabels.display&&km(this,r),n.display&&this.ticks.forEach((h,u)=
>{if(u!==0||u===0&&this.min<0){l=this.getDistanceFromCenterForValue(h.value);let d=this.getContext(u
),f=n.setContext(d),m=o.setContext(d);Mm(this,f,l,r,m)}}),i.display){for(t.save(),a=r-1;a>=0;a--
){let h=i.setContext(this.getPointLabelContext(a)),{color:u,lineWidth:d}=h;!d||!u||(t.lineWidth=d,t.
strokeStyle=u,t.setLineDash(h.borderDash),t.lineDashOffset=h.borderDashOffset,l=this.getDistanceFrom
CenterForValue(e.reverse?this.min:this.max),c=this.getPointPosition(a,l),t.beginPath(),t.moveTo(this
.xCenter,this.yCenter),t.lineTo(c.x,c.y),t.stroke())}t.restore()}}drawBorder(){}drawLabels(){let
t=this.ctx,e=this.options,i=e.ticks;if(!i.display)return;let n=this.getIndexAngle(0),o,r;t.save(),t.
translate(this.xCenter,this.yCenter),t.rotate(n),t.textAlign="center",t.textBaseline="middle",this.t icks.forEach((a,l)=>{if(l===0&&this.min>=0&&!e.reverse)return;let c=i.setContext(this.getContext(l))
 ,h=Q(c.font);if(o=this.getDistanceFromCenterForValue(this.ticks[l].value),c.showLabelBackdrop){t.fon
t=h.string,r=t.measureText(a.label).width,t.fillStyle=c.backdropColor;let u=at(c.backdropPadding);t.
fillRect(-r/2-u.left,-o-h.size/2-u.top,r+u.width,h.size+u.height)}re(t,a.label,0,
o,h,{color:c.color,strokeColor:c.textStrokeColor,strokeWidth:c.textStrokeWidth})}),t.restore()}drawTitle(){}};S(Te,"id","radialLinear"),S(Te,"defaults",{display:!0,animate:!0,position:"chartArea",angleLines:{display:!0,lineWidth:1,borderDash:[],borderDashOffset:0},grid:{circular:!1},startAngle:0,tic
ks:{showLabelBackdrop:!0,callback:0s.formatters.numeric},pointLabels:{backdropColor:void
0,backdropPadding:2,display:!0,font:{size:10},callback(t){return t},padding:5,centerPointLabels:!1}}
),S(Te,"defaultRoutes",{"angleLines.color":"borderColor","pointLabels.color":"color";"ticks.color":"color"}),S(Te,"descriptors",{angleLines:{_fallback:"grid"}});var cn={millisecond:{common:!0,size:1,s}}
teps:1e3},second:{common:!0,size:1e3,steps:60},minute:{common:!0,size:6e4,steps:60},hour:{common:!0,
size:36e5,steps:24},day:{common:!0,size:864e5,steps:30},week:{common:!1,size:6048e5,steps:4},month:{
common: !0, size: 2628e6, steps: 12}, quarter: {common: !1, size: 7884e6, steps: 4}, year: {common: !0, size: 3154e7}
f(s,t), ft=Object.keys(cn); function fl(s,t){return s-t}function ml(s,t){if(A(t))} return null; let
e=s._adapter,{parser:i,round:n,isoWeekday:o}=s._parseOpts,r=t;return typeof
 = \text{"function"} \&\&(\text{r=i(r)}), Z(\text{r}) | | (\text{r=typeof i=="string"}?e.parse(\text{r,i}):e.parse(\text{r})), r===null?null:(n\&(\text{r=n=="week"}\&\&(\text{we}(\text{o})||\text{o===!0})?e.start0f(\text{r,"isoWeek",o}):e.start0f(\text{r,n}),+r)} \text{function gl}(s,t,e,i) \{ \text{let}(\text{otherwise}) \} 
n=ft.length;for(let o=ft.indexOf(s);o<n-1;++o){let r=cn[ft[o]],a=r.steps?r.steps:Number.MAX SAFE INT
EGER; if (r.common\&Math.ceil((e-t)/(a*r.size)) \le i) return ft[o] return ft[n-1] function
Tm(s,t,e,i,n) {for(let o=ft.length-1;o>=ft.index0f(e);o--)} {let
r=ft[o];if(cn[r].common\&\&s.\_adapter.diff(n,i,r)>=t-1) return r} return ft[e?ft.index0f(e):0]} function
Om(s) {for(let t=ft.indexOf(\overline{s})+1,e=ft.length;t<e;++t)if(cn[ft[t]].common)return ft[t]} function
pl(s,t,e){if(!e)s[t]=!0;else}
if(e.length)\{let\{lo:i,hi:n\}=Wi(e,t),o=e[i]>=t?e[i]:e[n];s[o]=!0\}\} function \ Dm(s,t,e,i)\{let \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \ n=s.\_adapt \
er,o=+n.startOf(t[0].value,i),r=t[t.length-
1].value,a,l;for(a=o;a<=r;a=+n.add(a,1,1))l=e[a],l>=0&&(t[l].major=!0);return t}function
yl(s,t,e){let
i=[],n={},o=t.length,r,a;for(r=0;r<o;++r)a=t[r],n[a]=r,i.push({value:a,major:!1});return
o===0||!e?i:Dm(s,i,n,e)}var De=class extends Ee{constructor(t){super(t),this. cache={data:[],labels:
[],all:[]},this. unit="day",this. majorUnit=void
0, this.\_offsets = \overline{\{\}\}}, this.\_normalized = !1, this.\_parse0pts = void \ 0\} init(t, e = \{\}) \{ let = (a, b) \} 
i=t.time||(t.time={}),n=this. adapter=new No. date(t.adapters.date);n.init(e),He(i.displayFormats,n.
formats()),this. parseOpts={parser:i.parser,round:i.round,isoWeekday:i.isoWeekday},super.init(t),thi
s._normalized=e.normalized}parse(t,e){return t===void 0?null:ml(this,t)}beforeLayout(){super.beforeLayout(),this._cache={data:[],labels:[],all:[]}}determineDataLimits(){let t=this.options,e=this._adap
ter,i=t.time.unit||"day",{min:n,max:o,minDefined:r,maxDefined:a}=this.getUserBounds();function l(c){
!r\&\&!isNaN(c.min)\&\&(n=Math.min(n,c.min)),!a\&\&!isNaN(c.max)\&\&(o=Math.max(o,c.max))\}(!r||!a)\&\&(l(this.max))
  getLabelBounds()),(t.bounds!=="ticks"||t.ticks.source!=="labels")&&l(this.getMinMax(!1))),n=Z(n)&&!
\overline{is}NaN(n)?n:+e.start0f(Date.now(),i),o=Z(o)&&!isNaN(o)?o:+e.end0f(Date.now(),i)+1,this.min=Math.min(n)
 ,o-1),this.max=Math.max(n+1,o)}_getLabelBounds(){let
t=this.getLabelTimestamps(),e=Number.POSITIVE INFINITY,i=Number.NEGATIVE INFINITY;return
t.length\&\&(e=t[0],i=t[t.length-1]),\\ \{min:e,max:i\}\\ buildTicks()\\ \{let\ t=this.options,e=t.time,i=t.ticks,n=i.source==="labels"?this.getLabelTimestamps():this._generate();t.bounds==="ticks"&&n.length&&(this._min=this._userMin||n[0],this.max=this._userMax||n[n.length-1]);let
o=this.min,r=this.max,a=Jr(n,o,r);return this._unit=e.unit||(i.autoSkip?gl(e.minUnit,this.min,this.m
ax,this. getLabelCapacity(o)):Tm(this,a.length,e.minUnit,this.min,this.max)),this. majorUnit=!i.majo
r.enabled||this._unit==="year"?void 0:Om(this._unit),this.initOffsets(n),t.reverse&&a.reverse(),yl(this,a,this._majorUnit)}afterAutoSkip(){this.options.offsetAfterAutoSkip&&this.initOffsets(this.ticks)
```

```
.map(t=>+t.value))}initOffsets(t=[]){let e=0,i=0,n,o;this.options.offset&&t.length&&(n=this.getDecim
alForValue(t[0]),t.length===1?e=1-n:e=(this.getDecimalForValue(t[1])-
n)/2.o=this.qetDecimalForValue(t[t.length-1]),t.length===1?i=o:i=(o-
this.getDecimalForValue(t[t.length-2]))/2);let r=t.length<3?.5:.25;e=tt(e,0,r),i=tt(i,0,r),this._off
sets={start:e,end:i,factor:1/(e+1+i)}}_generate(){let t=this._adapter,e=this.min,i=this.max,n=this.o
ptions, o=n.time, r=o.unit||gl(o.minUnit,e,i,this._getLabelCapacity(e)), a=I(n.ticks.stepSize,1), l=r=== "week"?o.isoWeekday:!1,c=we(l)||l===!0,h={},u=e,d,f;if(c&&(u=+t.start0f(u,"isoWeek",l)),u=+t.start0f(u,c?"day":r),t.diff(i,e,r)>le5*a)throw new Error(e+" and "+i+" are too far apart with stepSize of
  "+a+" "+r);let m=n.ticks.source==="data"&&this.getDataTimestamps();for(d=u,f=0;d<i;d=+t.add(d,a,r),f
++)pl(h,d,m);return(d===i||n.bounds==="ticks"||f===1)&pl(h,d,m),Object.keys(h).sort(fl).map(g=>+g)}
getLabelForValue(t){let e=this. adapter,i=this.options.time;return
i.tooltipFormat?e.format(t,i.tooltipFormat):e.format(t,i.displayFormats.datetime)}format(t,e){let
n=this.options.time.displayFormats,o=this._unit,r=e||n[o];return
this. adapter.format(t,r)} tickFormatFunction(t,e,i,n){let
o=this.options,r=o.ticks.callback;if(r)return B(r,[t,e,i],this);let a=o.time.displayFormats,l=this._unit,c=this. majorUnit,h=l&&a[l],u=c&&a[c],d=i[e],f=c&&u&&d&&d.major;return
this.\_adapter.format(t,n||(f?u:h)) \\ generateTickLabels(t) \\ \{let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]\} \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t.length;e<i;++e)n=t[e]) \\ (let\ e,i,n;for(e=0,i=t
 t===null?NaN:(t-this.min)/(this.max-this.min)}getPixelForValue(t){let
e=this. offsets,i=this.getDecimalForValue(t);return
this.getPixelForDecimal((e.start+i)*e.factor)}getValueForPixel(t){let
e=this._offsets,i=this.getDecimalForPixel(t)/e.factor-e.end;return this.min+i*(this.max-
this.min)} getLabelSize(t){let e=this.options.ticks,i=this.ctx.measureText(t).width,n=wt(this.isHori
zontal()?e.maxRotation:e.minRotation),o=Math.cos(n),r=Math.sin(n),a=this.resolveTickFontOptions(0).
size; return{w:i*o+a*r,h:i*r+a*o}}_getLabelCapacity(t){let e=this.options.time,i=e.displayFormats,n=i [e.unit]||i.millisecond,o=this._tickFormatFunction(t,0,yl(this,[t],this._majorUnit),n),r=this._getLa
belSize(o),a=Math.floor(this.isHorizontal()?this.width/r.w:this.height/r.h)-1;return
a>0?a:1}getDataTimestamps(){let t=this._cache.data||[],e,i;if(t.length)return t;let
n=this.getMatchingVisibleMetas();if(this. normalized&&n.length)return this. cache.data=n[0].controll
er.getAllParsedValues(this);for(e=0,i=n.length;e<i;++e)t=t.concat(n[e].controller.getAllParsedValues (this));return this._cache.data=this.normalize(t)}getLabelTimestamps(){let
t=this._cache.labels[|[],e,i;if(t.length)return t;let
n=this.getLabels();for(e=0,i=n.length;e<i;++e)t.push(ml(this,n[e]));return</pre>
this. cache.labels=this. normalized?t:this.normalize(t)}normalize(t){return ∏n(t.sort(fl))}};S(De,"i
d", "time"), S(De, "defaults", {bounds: "data", adapters: {}, time: {parser: !1, unit: !1, round: !1, isoWeekday: !1, minUnit: "millisecond", displayFormats: {}}, ticks: {source: "auto", callback: !1, major: {enabled: !1}}}); fun
ction Ji(s,t,e){let i=0,n=s.length-
1, o, r, a, l; e?(t>=s[i].pos\&\&t<=s[n].pos\&\&(\{lo:i,hi:n\}=Lt(s,"pos",t)), \{pos:o,time:a\}=s[i], \{pos:r,time:l\}=s[n]):(t>=s[i].time&&t<=s[n].time&&(\{lo:i,hi:n\}=Lt(s,"time",t)), \{time:o,pos:a\}=s[i], \{time:r,pos:l\}=s[i], \{time:r,pos:l]=s[i], \{
=s[n]);let c=r-o;return c?a+(l-a)*(t-o)/c:a}var Hs=class extends
De{constructor(t){super(t),this._table=[],this._minPos=void 0,this._tableRange=void
0}initOffsets(){let t=this. getTimestampsForTable(),e=this. table=this.buildLookupTable(t);this. min
Pos=Ji(e,this.min),this._tableRange=Ji(e,this.max)-
this. minPos, super.initOffsets(t) | buildLookupTable(t) { let{min:e,max:i}=this,n=[],o=[],r,a,l,c,h;for(
r=0, a=t.length; r<a; ++r) c=t[r], c>=e&&c<=i&&n.push(c); if(n.length<2) return[{time:e,pos:0},{time:i,pos:push(c);if(n.length<2)}]
1}];for(r=0,a=n.length;r<a;++r)h=n[r+1],l=n[r-1]
1], c=n[r], Math.round((h+l)/2)! == c\&o.push(\{time:c,pos:r/(a-1)\}); return o\}_generate()\{let t=this.min, let the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of
e=this.max,i=super.getDataTimestamps();return(!i.includes(t)||!i.length)&&i.splice(0,0,t),(!i.includ
es(e) \mid | i.length ===1) \& (i.push(e), i.sort((n,o) => n-o))  getTimestampsForTable()  {let
t=this. cache.all||[];if(t.length)return t;let
e=this.\overline{getDataTimestamps()}, i=this.\overline{getLabelTimestamps()}; return \ e.length\&i.length?t=this.normalize(e.
this._minPos)/this._tableRange}getValueForPixel(t){let e=this._offsets,i=this.getDecimalForPixel(t)/e.factor-e.end;return Ji(this._table,i*this._tableRange
+this._minPos,!0)}};S(Hs,"id","timeseries"),S(Hs,"defaults",De.defaults);var Em=Object.freeze({__property}),S(Hs,"defaults",De.defaults);var Em=Object.freeze({_property}),S(Hs,"defaults",De.defaults);var Em=Object.freeze({_property}),S(Hs,"defaults);var Em=Object.freeze({_propert
SeriesScale:Hs)),Wl=[Vu,uf,rm,Em];St.register(...Wl);var Ht=St;var Xt=class extends Error{},hn=class
T,month:T,day:T},Zs={year:T,month:It,day:T},Ro={year:T,month:It,day:T,weekday:It},qs={year:T,month:b
t,day:T},Gs={year:T,month:bt,day:T,weekday:bt},Xs={hour:T,minute:T},Ks={hour:T,minute:T},second:T},Js
={hour:T,minute:T,second:T,timeZoneName:It},Qs={hour:T,minute:T,second:T,timeZoneName:bt},ti={hour:T,minute:T,hourCycle:"h23"},si={hour:T,minute:T,second:T,hourCycle:"h23"},si={hour:T,minute:T,second:T,hourCycle:"h23",timeZoneName:It},ii={hour:T,minute:T,second:T,hourCycle:"h23",timeZoneName:bt},ni=
{year:T,month:T,day:T,hour:T,minute:T},oi={year:T,month:T,day:T,hour:T,minute:T,second:T},ri={year:T,month:It,day:T,hour:T,minute:T},ai={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T},wo={year:T,month:It,day:T,hour:T,minute:T,minute:T},wo={year:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,day:T,month:It,
h:It,day:T,weekday:It,hour:T,minute:T},li={year:T,month:bt,day:T,hour:T,minute:T,timeZoneName:It},ci
={year:T,month:bt,day:T,hour:T,minute:T,second:T,timeZoneName:It},hi={year:T,month:bt,day:T,weekday:
bt,hour:T,minute:T,timeZoneName:bt},ui={year:T,month:bt,day:T,weekday:bt,hour:T,minute:T,second:T,ti
meZoneName:bt};var mt=class{get type(){throw new Et}get name(){throw new Et}get ianaName(){return
```

```
this.name\}get isUniversal()\{throw new Et\}offsetName\{t,e\}\{throw new Et\}formatOffset\{t,e\}\{throw new Et\}
Et}offset(t){throw new Et}equals(t){throw new Et}get isValid(){throw new Et}};var zo=null,ue=class s
extends mt{static get instance(){return zo===null&&(zo=new s),zo}get type(){return"system"}get
name(){return new Intl.DateTimeFormat().resolvedOptions().timeZone}get
isUniversal(){return!1}offsetName(t,{format:e,locale:i}){return mn(t,e,i)}formatOffset(t,e){return}
de(this.offset(t),e) offset(t){return-new Date(t).getTimezoneOffset()}equals(t){return-new Date(t).getTimezoneOffset()}equals(t){ret
t.type==="system"}get isValid(){return!0}};var Ho=new Map;function Im(s){let t=Ho.get(s);return
t===void 0&{(t=new Intl.DateTimeFormat("en-US",{hour12:!1,timeZone:s,year:"numeric",month:"2-
digit",day:"2-digit",hour:"2-digit",minute:"2-digit",second:"2-
digit",era:"short"}),Ho.set(s,t)),t}var
Cm={year:0,month:1,day:2,era:3,hour:4,minute:5,second:6};function Fm(s,t){let
e=s.format(t).replace(/\u200E/g,""),i=/(\d+)\/(\d+)\/(\d+) (AD|BC),?
(\d+):(\d+):(\d+)/.exec(e),[,n,o,r,a,l,c,h]=i;return[r,n,o,a,l,c,h]}function Am(s,t){let
e=s.formatToParts(t),i=[];for(let n=0;n<e.length;n++){let{type:o,value:r}=e[n],a=Cm[o];o==="era"?i[a]=r:D(a)||(i[a]=parseInt(r,10))}return i}var Vo=new Map,ht=class s extends mt{static create(t){let
e=Vo.get(t);return e===void 0&&Vo.set(t,e=new s(t)),e}static
resetCache(){Vo.clear(),Ho.clear()}static isValidSpecifier(t){return this.isValidZone(t)}static
isValidZone(t){if(!t)return!1;try{return new Intl.DateTimeFormat("en-US",{timeZone:t}).format(),!0}c
atch{return!1}}constructor(t){super(),this.zoneName=t,this.valid=s.isValidZone(t)}get
type(){return"iana"}get name(){return this.zoneName}get
isUniversal(){return!1}offsetName(t,{format:e,locale:i}){return
mn(t,e,i,this.name) formatOffset(t,e) {return de(this.offset(t),e)} offset(t) {if(!this.valid)} return
NaN; let e=new Date(t); if(isNaN(e)) return NaN; let
i=Im(this.name), [n,o,r,a,l,c,h]=i.formatToParts?Am(i,e):Fm(i,e); a==="BC"&&(n=-Math.abs(n)+1); let
d=os({year:n,month:o,day:r,hour:l===24?0:l,minute:c,second:h,millisecond:0}),f=+e,m=f%le3;return
f-=m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"\&\&t.name===this.name\} get \} = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"\&\&t.name===this.name\} get \} = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"\&\&t.name===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"\&\&t.name===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"\&\&t.name===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"\&\&t.name===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type==="iana"&\&t.name===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type===="iana"&\&t.name===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type===m===this.name] = f-m>=0?m:1e3+m,(d-f)/(60*1e3)\} equals(t) \{return\ t.type===m===m====this.na
isValid()\{return\ this.valid\}\}; var\ zl=\{\}; function\ Lm(s,t=\{\})\{let\ Lm(s,t=\{\})\}\}
e=JSON.stringify([s,t]),i=zl[e];return i||(i=new Intl.ListFormat(s,t),zl[e]=i),i}var Bo=new Map;function \Boxo(s,t={}){let e=JSON.stringify([s,t]),i=Bo.get(e);return i===void 0\&(i=new
Intl.DateTimeFormat(s,t),Bo.set(e,i)),i}var jo=new Map;function Pm(s,t={}){let
e=JSON.stringify([s,t]),i=jo.get(e);return i===void 0&&(i=new Intl.NumberFormat(s,t),jo.set(e,i)),i}var Uo=new Map;function
Nm(s,t=\{\})\{let\{base:e,\ldots i\}=t,n=JSON.stringify([s,i]),o=Uo.get(n);return\ o===void\ 0\&\&(o=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=new\ Intl.RelativeTimeFormat(s,t),Uo.set(n,o)),o\}var\ di=null;function\ Rm()\{return\ di||(di=ne
Intl.DateTimeFormat().resolvedOptions().locale,di)}var Yo=new Map;function Vl(s){let
t=Yo.get(s);return t===void 0&&(t=new Intl.DateTimeFormat(s).resolvedOptions(),Yo.set(s,t)),t}var
Zo=new Map; function Wm(s){let t=Zo.get(s); if(!t){let e=new Intl.Locale(s); t="getWeekInfo"in
e?e.getWeekInfo():e.weekInfo,"minimalDays"in t||(t={...Hl,...t}),Zo.set(s,t)}return t}function zm(s){let t=s.indexOf("-x-");t!==-1&&(s=s.substring(0,t));let e=s.indexOf("-u-");if(e===-1)return[s];{let i,n;try{i=[o(s).resolvedOptions(),n=s}catch{let l=s.subs}
\exists \{t\})),s}function Hm(s){let t=[];for(let e=1;e<=12;e++){let i=F.utc(2009,e,1);t.push(s(i))}return
\bar{t}function Bm(s){let t=[];for(let e=1;e<=7;e++){let i=F.utc(2016,11,13+e);t.push(s(i))}return
t function gn(s,t,e,i) {let n=s.listingMode(); return n==="error"?null:n==="en"?e(t):i(t)} function
is.padTo=i.padTo||0,this.floor=i.floor||!1;let{padTo:n,floor:o,...r}=i;if(!e||0bject.keys(r).length>
0){let a={useGrouping:!1,...i};i.padTo>0&&(a.minimumIntegerDigits=i.padTo),this.inf=Pm(t,a)}}format(
t){if(this.inf){let e=this.floor?Math.floor(t):t;return this.inf.format(e)}else{let
e=this.floor?Math.floor(t):rs(t,3);return
q(e,this.padTo)}}},Go=class{constructor(t,e,i){this.opts=i,this.originalZone=void 0;let n;if(this.opts.timeZone)this.dt=t;else if(t.zone.type==="fixed"){let r=-
1*(t.offset/60),a=r>=0?`Etc/GMT-[{r}`:`Etc/GMT-[{r}`:`t.offset!==0&&ht.create(a).valid?(n=a,this.dt=t)
:(n="UTC",this.dt=t.offset===0?t:t.setZone("UTC").plus({minure:t.offset}),this.originalZone=t.zone)
:(n="UTC",this.dt=t.getZone("UTC").plus({minure:t.offset}).this.originalZone=t.zone)
}else t.zone.type==="system"?this.dt=t:t.zone.type==="iana"?(this.dt=t,n=t.zone.name):(n="UTC",this.
dt=t.setZone("UTC").plus({minutes:t.offset}),this.originalZone=t.zone);let
o=\{\dots this.opts\}; o.timeZone=o.timeZone||n,this.dtf=[]o(e,o)\} format() \{return\ this.originalZone?this.formatToParts().map((\{value:t\})=>t).join(""):this.dtf.format(this.dt.toJSDate())\} formatToParts() \{let = (value:t)=>t) ||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||formatToParts()||fo
t=this.dtf.formatToParts(this.dt.toJSDate());return
this.originalZone?t.map(e=>{if(e.type==="timeZoneName"){let i=this.originalZone.offsetName(this.dt.t
s,{locale:this.dt.locale,format:this.opts.timeZoneName});return{...e,value:i}}else return
e}):t}resolvedOptions(){return this.dtf.resolvedOptions()}},Xo=class{constructor(t,e,i)}{this.opts={s
tyle:"long",...i},!e&&pn()&&(this.rtf=Nm(t,i))}format(t,e){return this.rtf?this.rtf.format(t,e):Bl(e
  t,this.opts.numeric,this.opts.style!=="long")}formatToParts(t,e){return
this.rtf?this.rtf.formatToParts(t,e):[]}},Hl={firstDay:1,minimalDays:4,weekend:[6,7]},W=class
s{static fromOpts(t){return
s.create(t.locale,t.numberingSystem,t.outputCalendar,t.weekSettings,t.defaultToEN)}static
create(t,e,i,n,o=!1){let r=t||R.defaultLocale,a=r||(o?"en-US":Rm()),l=e||R.defaultNumberingSystem,c=
i \mid \mid R.defaultOutputCalendar,h=fi(n) \mid \mid R.defaultWeekSettings; return new s(a,l,c,h,r) \} static
resetCache(){di=null,Bo.clear(),jo.clear(),Vo.clear(),Yo.clear(),So.clear()}static
fromObject({locale:t,numberingSystem:e,outputCalendar:i,weekSettings:n}={}){return s.create(t,e,i,n)
}constructor(t,e,i,n,o){let[r,a,l]=zm(t);this.locale=r,this.numberingSystem=e||a||null,this.outputCa
```

```
lendar=i||l||null, this.weekSettings=n, this.intl=Vm(this.locale, this.numberingSystem, this.outputCalen
 \label{lem:dar} dar)\ , this.weekdays Cache=\{format:\{\}\ , standalone:\{\}\}\ , this.months Cache=\{format:\{\}\ , standalone:\{\}\}\ , this.me
 ridiem Cache = null, this.era Cache = \{\}, this.specified Locale = 0, this.fast Numbers Cached = null\} get a constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the 
 fastNumbers(){return this.fastNumbersCached==null&&(this.fastNumbersCached=[m(this)),this.fastNumber
 sCached}listingMode(){let t=this.isEnglish(),e=(this.numberingSystem====null||this.numberingSystem===
  "latn")&&(this.outputCalendar===null||this.outputCalendar==="gregory");return t&&e?"en":"intl"}clone
  (t) {return!t||Object.getOwnPropertyNames(t).length===0?this:s.create(t.locale||this.specifiedLocale,
 t.numberingSystem||this.numberingSystem,t.outputCalendar||this.outputCalendar,fi(t.weekSettings)||th
 is.weekSettings,t.defaultToEN||!1)}redefaultToEN(t={}){return
 this.clone({...t,defaultToEN: !0})}redefaultToSystem(t={}){return
this.clone({...t,defaultToEN:!1})}months(t,e=!1){return gn(this,t,Ko,()=>{let i=this.intl==="ja"||this.intl.startsWith("ja-");e&=!i;let n=e?{month:t,day:"numeric"}:{month:t},o=e?"format":"standalone";if(!this.monthsCache[o][t]){let r=i?
 a=>this.dtFormatter(a,n).format():a=>this.extract(a,n,"month");this.monthsCache[o][t]=Hm(r)}return
 this.monthsCache[o][t]\})\} weekdays(t,e=!1) \{return \ gn(this,t,Jo,()=>\{let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{weekday:t,year:"numeric", let \ i=e?\{w
   ,month:"long",day:"numeric"}:{weekday:t},n=e?"format":"standalone";return this.weekdaysCache[n][t]||
(this.weekdaysCache[n][t]=Bm(o=>this.extract(o,i,"weekday"))),this.weekdaysCache[n][t]])}meridiems() {return gn(this,void 0,()=>Qo,()=>{if(!this.meridiemCache){let t={hour:"numeric",hourCycle:"h12"};this.meridiemCache=[F.utc(2016,11,13,9),F.utc(2016,11,13,19)].map(e=>this.extract(e,t,"dayperiod"))}re
 turn this.meridiemCache)eras(t){return gn(this,t,tr,()=>{let e={era:t};return this.eraCache[t]||(t
 his.eraCache[t]=[F.utc(
40,1,1),F.utc(2017,1,1)].map(i=>this.extract(i,e,"era"))),this.eraCache[t]})}extract(t,e,i){let n=this.dtFormatter(t,e),o=n.formatToParts(),r=o.find(a=>a.type.toLowerCase()===i);return
 r?r.value:null}numberFormatter(t={}){return new
 qo(this.intl,t.forceSimple||this.fastNumbers,t)}dtFormatter(t,e={}){return new
 Go(t,this.intl,e)}relFormatter(t={}){return new
 this.locale==="en"||this.locale.toLowerCase()==="en-us"||Vl(this.intl).locale.startsWith("en-
 this. week Settings? this. week Settings: yn()? Wm(this.locale): Hl\}get Start Of Week() \{returnder Start Of Week(), returnder S
 this.getWeekSettings().firstDay}getMinDaysInFirstWeek(){return
 this.getWeekSettings().minimalDays}getWeekendDays(){return
 this.getWeekSettings().weekend}equals(t){return this.locale===t.locale&&this.numberingSystem===t.num
 beringSystem&&this.outputCalendar===t.outputCalendar}toString(){return`Locale([[{this.locale},
s(t)}static parseSpecifier(t){if(t){let e=t.match(/^utc(?:([+-]\d{1,2})(?::(\d{2}))?)?□/i);if(e)return new s(Ie(e[1],e[2]))}return
null}constructor(t){super(),this.fixed=t}get type(){return"fixed"}get name(){return
this.fixed===0?"UTC": `UTC[]{de(this.fixed,"narrow")}`}get ianaName(){return
this.fixed===0?"Etc/UTC": `Etc/GMT[]{de(-this.fixed,"narrow")}`}offsetName(){return
 this.name}formatOffset(t,e){return de(this.fixed,e)}qet isUniversal(){return!0}offset(){return
 this.fixed}equals(t){return t.type==="fixed"&&t.fixed===this.fixed}get isValid(){return!0}};var
as=class extends mt{constructor(t){super(),this.zoneName=t}get type(){return"invalid"}get name(){return this.zoneName}get isUniversal(){return!1}offsetName(){return
 null}formatOffset(){return""}offset(){return NaN}equals(){return!1}get isValid(){return!1}};function
Ct(s,t){let e;if(D(s)||s===null)return t;if(s instanceof mt)return s;if([](s)){let
i=s.toLowerCase();return i==="default"?t:i==="local"||i==="system"?ue.instance:i==="utc"||i==="gmt"?
et.utcInstance:et.parseSpecifier(i)||ht.create(s)}else return Ft(s)?et.instance(s):typeof s=="object"&&"offset"in s&&typeof s.offset=="function"?s:new as(s)}var nr={arab:"[\u0660-\u0669]",arabext:"[\u0660-\u0669]",bali:"[\u1850-\u1859]",beng:"[\u0966-\u096F]",deva:"[\u0966-\u096F]",fullwide:"[\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u1750-\u
,latn:"\\d"},jl={arab:[1632,1641],arabext:[1776,1785],bali:[6992,7001],beng:[2534,2543],deva
  :[2406,2415],fullwide:[65296,65303],gujr:[2790,2799],khmr:[6112,6121],knda:[3302,3311],laoo:[3792,38
01], limb: [6470,6479], mlym: [3430,3439], mong: [6160,6169], mymr: [4160,4169], orya: [2918,2927], tamldec: [30 46,3055], telu: [3174,3183], thai: [3664,3673], tibt: [3872,3881]}, jm=nr.hanidec.replace(/[\[|\]]/g,"").sp lit(""); function Ul(s) {let t=parseInt(s,10); if(isNaN(t)) {t=""; for(let e=0;e<s.length;e++) {let
 i=s.charCodeAt(e);if(s[e].search(nr.hanidec)!==-1)t+=jm.indexOf(s[e]);else for(let n in
 i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t, t) = i(t,
Yl(){ir.clear()}function kt({numberingSystem:s},t=""){let e=s||"latn",i=ir.get(e);i===void 0&&(i=new Map,ir.set(e,i));let n=i.get(t);return n===void 0&&(n=new RegExp(`[{nr[e]}[{t}`),i.set(t,n)),n}var Zl=()=>Date.now(),ql="system",Gl=null,Xl=null,Xl=null,Jl=60,Ql,tc=null,R=class{static get
 now(){return Zl}static set now(t){Zl=t}static set defaultZone(t){ql=t}static get
 defaultZone(){return Ct(ql,ue.instance)}static get defaultLocale(){return Gl}static set
defaultLocale(t){Gl=t}static get defaultNumberingSystem(){return Xl}static set
defaultNumberingSystem(t){Xl=t}static get defaultOutputCalendar(){return Kl}static set
 defaultOutputCalendar(t)\{Kl=t\} static \ get \ defaultWeekSettings()\{return \ tc\} static \ set \ defaultOutputCalendar(t)\} for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for the static set \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ defaultOutputCalendar(t) for \ default
 defaultWeekSettings(t)\{tc=fi(t)\}static\ get\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ Jl\}static\ set\ two DigitCutoffYear()\{return\ LeftYear()\{return\ LeftYear()\}\}static\ set\ two DigitCutoffYear()\{return\ LeftYear()\{return\ LeftYear()\}\}static\ set\ two DigitCutoffYear()\{return\ LeftYear()\}static\ s
 twoDigitCutoffYear(t){Jl=t%100}static get throwOnInvalid(){return Ql}static set
```

```
throwOnInvalid(t){Ql=t}static resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCache(),t.resetCac
 st=class{constructor(t,e){this.reason=t,this.explanation=e}toMessage(){return
this.explanation?`[\{\text{this.reason}\}: [\{\text{this.explanation}\}: \text{this.reason}\}; \text{ var ec}=[0,31,59,90,120,151,181,212,243,273,304,334],sc}=[0,31,60,91,121,152,182,213,244,274,305,335]; \text{function Mt(s,t)} \{\text{return new this.explanation}\}: \text{this.reason}\}
 st("unit out of range", `you specified \square\{t\} (of type \square\{typeof t\}) as a \square\{s\}, which is invalid`)}function bn(s,t,e){let i=new
 Date(Date.UTC(s,t-1,e));s<100&&s>=0&&i.setUTCFullYear(i.getUTCFullYear()-1900);let
 n=i.getUTCDay();return n===0?7:n}function ic(s,t,e){return e+(Fe(s)?sc:ec)[t-1]}function nc(s,t){let
 e=Fe(s)?sc:ec,i=e.findIndex(o=>o<t),n=t-e[i];return{month:i+1,day:n}}function
 xn(s,t){return(s-t+7)%7+1}function mi(s,t=4,e=1){let{year:i,month:n,day:o}=s,r=ic(i,n,o),a=xn(bn(i,n))}
 (r-a+14-t)/7, c; return l<1?(c=i-1)
 1,l=Ce(c,t,e): l>Ce(i,t,e)? (c=i+1,l=1): c=i, \{weekYear: c, weekNumber: l, weekday: a,...pi(s)\} function or (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1,l=1): (c=i+1
 s, t=4, e=1 {let{weekYear:i,weekNumber:n,weekday:o}=s,r=xn(bn(i,1,t),e),a=fe(i),l=n*7+o-r-
 7+t,c;l<1?(c=i-1,l+=fe(c)):l>a?(c=i+1,l-
 =fe(i)):c=i;let{month:h,day:u}=nc(c,l);return{year:c,month:h,day:u,...pi(s)}}function
    n(s){let{year:t,month:e,day:i}=s,n=ic(t,e,i);return{year:t,ordinal:n,...pi(s)}}function
 rr(s){let{year:t,ordinal:e}=s,{month:i,day:n}=nc(t,e);return{year:t,month:i,day:n,...pi(s)}}function
 ar(s,t) {if(!D(s.localWeekday)||!D(s.localWeekNumber)||!D(s.localWeekYear)) {if(!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)||!D(s.weekday)
 ekNumber)||!D(s.weekYear))throw new Dt("Cannot mix locale-based week fields with ISO-based week
 fields"); return \ D(s.localWeekday) | | (s.weekday=s.localWeekday), D(s.localWeekNumber) | | (s.weekNumber=s.localWeekday), D(s.localWeekNumber) | | (s.weekday=s.localWeekday), D(s.localWeekNumber) | | (s.weekNumber=s.localWeekNumber), D(s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.localWeekNumber=s.local
 localWeekNumber), D(s.localWeekYear)||(s.weekYear=s.localWeekYear), delete s.localWeekday, delete
 s.localWeekNumber,delete
 s.localWeekYear,{minDaysInFirstWeek:t.getMinDaysInFirstWeek(),startOfWeek:t.getStartOfWeek()}}else
 return{minDaysInFirstWeek:4,startOfWeek:1}}function oc(s,t=4,e=1){let
 i=gi(s.weekYear), n=xt(s.weekNumber, 1, Ce(s.weekYear, t, e)), o=xt(s.weekday, 1, 7); return
 i?n?o?!1:Mt("weekday",s.weekday):Mt("week",s.weekNumber):Mt("weekYear",s.weekYear)}functionrc(s){let t=gi(s.year),e=xt(s.ordinal,1,fe(s.year));return
t?e?!1:Mt("ordinal",s.ordinal):Mt("year",s.year)}function lr(s){let t=gi(s.year),e=xt(s.month,1,12),i=xt(s.day,1,ls(s.year,s.month));return t?e?i?!1:Mt("day",s.day):Mt("month",s.month):Mt("year",s.year)}function cr(s){let{hour:t,minute:e,se cond:i,millisecond:n}=s,o=xt(t,0,23)||t===24&&e===0&&i===0&&n===0,r=xt(e,0,59),a=xt(i,0,59),l=xt(n,0,99);return o?r?a?l?!1:Mt("millisecond",n):Mt("second",i):Mt("minute",e):Mt("hour",t)}function
 D(s){return typeof s>"u"}function Ft(s){return typeof s=="number"}function gi(s){return typeof
s = \text{"number"\&\&s\$1} = = 0 \} \text{function } |l(s) \{ \text{return typeof s} = \text{"string"} \} \text{function } |l(s) \{ \text{return Object.prototype.toString.call}(s) = = \text{"[object Date]"} \} \text{function pn()} | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l(s) | |l
 Intl<"u"&&!!Intl.RelativeTimeFormat}catch{return!1}}function yn(){try{return typeof
Intl<"u"&&!!Intl.Locale&&("weekInfo"in Intl.Locale.prototype||"getWeekInfo"in</pre>
 Intl.Locale.prototype)}catch{return!1}}function cc(s){return Array.isArray(s)?s:[s]}function
 hr(s,t,e){if(s.length!==0)return s.reduce((i,n)=>{let o=[t(n),n];return}
 i\&\&e(i[0],o[0])===i[0]?i:o\},null)[1] function hc(s,t) {return
 t.reduce((e,i)=>(e[i]=s[i],e),{})function me(s,t){return
 Object.prototype.hasOwnProperty.call(s,t)}function fi(s){if(s==null)return null;if(typeof
 s!="object")throw new K("Week settings must be an object");if(!xt(s.firstDay,1,7)||!xt(s.minimalDays,1,7)||!Array.isArray(s.weekend)||s.weekend.some(t=>!xt(t,1,7)))throw new K("Invalid week settings")
 ;return{firstDay:s.firstDay,minimalDays:s.minimalDays,weekend:Array.from(s.weekend)}}function
 \begin{array}{lll} xt(s,t,e) \{ \text{return gi}(s) \& s>= t \& s<=e \} & \text{function Um}(s,t) \{ \text{return s-t*Math.floor}(s/t) \} & \text{function q}(s,t=2) \{ \text{let e=s<0,i;return e?i="-"+(""+-s).padStart}(t,"0"):i=(""+s).padStart}(t,"0"),i \} & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \} & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ & \text{function q}(s,t=2) \\ &
 \begin{aligned} &\mathsf{Kt}(s) \{ &\mathsf{if}(!(D(s)) | | s === \mathsf{null} | | s === "") ) \\ &\mathsf{return} \  \, \mathsf{parseInt}(s,10) \} \\ &\mathsf{function} \\ &\mathsf{ge}(s) \{ &\mathsf{if}(!(D(s)) | | s === \mathsf{null} | | s === "") ) \\ &\mathsf{return} \  \, \mathsf{parseFloat}(s) \} \\ &\mathsf{function} \end{aligned} 
 yi(s){if(!(D(s))|s===null||s==="")){let t=parseFloat("0."+s)*1e3; return Math.floor(t)}}function
 rs(s,t,e="round"){let i=10**t;switch(e){case"expand":return
s>0?Math.ceil(s*i)/i:Math.floor(s*i)/i;case"trunc":return Math.trunc(s*i)/i;case"round":return
 Math.round(s*i)/i;case"floor":return Math.floor(s*i)/i;case"ceil":return
 Math.ceil(s*i)/i;default:throw new RangeError(`Value rounding ∏{e} is out of range`)}}function
 Fe(s){return s%4===0\&\&(s%100!==0||s%400===0)}function fe(s){return Fe(s)?366:365}function
 ls(s,t) \{ let \ e=Um(t-1,12)+1, i=s+(t-e)/12; return \\ e===2?Fe(i)?29:28:[31,null,31,30,31,30,31,30,31,30,31][e-1] \} function os(s) \{ let \ e=Um(t-1,12)+1, i=s+(t-e)/12; return \\ e==-2?Fe(i)?29:28:[31,null,31,30,31,30,31,30,31,30,31][e-1] \} function os(s) \{ let \ e=Um(t-1,12)+1, i=s+(t-e)/12; return \\ e==-2?Fe(i)?29:28:[31,null,31,30,31,30,31,30,31,30,31][e-1] \} function os(s) \} 
 t=Date.UTC(s.year,s.month-1,s.day,s.hour,s.minute,s.second,s.millisecond);return
 s.year<100\&\&s.year>=0\&\&(t=new Date(t),t.setUTCFullYear(s.year,s.month-1,s.day)),+t}function
 ac(s,t,e){return-xn(bn(s,1,t),e)+t-1}function Ce(s,t=4,e=1){let
 i=ac(s,t,e),n=ac(s+1,t,e);return(fe(s)-i+n)/7}function bi(s){return
s>99?s:s>R.twoDigitCutoffYear?1900+s:2e3+s}function mn(s,t,e,i=null){let n=new Date(s),o={hourCycle:
"h23",year:"numeric",month:"2-digit",day:"2-digit",hour:"2-digit",minute:"2-
digit"};i&&(o.timeZone=i);let r={timeZoneName:t,...o},a=new
Intl.DateTimeFormat(e,r).formatToParts(n).find(l=>l.type.toLowerCase()==="timezonename");return
 a?a.value:null}function Ie(s,t){let e=parseInt(s,10);Number.isNaN(e)&&(e=0);let
 i=parseInt(t,10)||0,n=e<0||0bject.is(e,-0)?-i:i;return e*60+n}function ur(s){let}
t=Number(s);if(typeof s=="boolean"||s===""||!Number.isFinite(t))throw new K(`Invalid unit value [s]');return tfunction cs(s,t){let e={};for(let i in s)if(me(s,i)){let n=s[i];if(n==null)continue;e[t(i)]=ur0.}return e}function de(s,t){let e=Math.trunc(Math.abs(s/60)),
 i=Math.trunc(Math.abs(s%60)), n=s>=0?"+":
   ";switch(t){case"short":return`[{n}[[q(e,2)}:[[q(i,2)}`;case"narrow":return`[[{n}[[e}[[i>0?`:[[{i}`:""
 \ ; case "techie": return \[ \{n\} \] \{q(i,2)\} \]; default: throw new Range Error (`Value format \[ \{t\} \] is
```

```
out of range for property format`)}}function pi(s){return
out of range for property format`)}}function pi(s){return
hc(s,["hour","minute","second","millisecond"])}var Ym=["January","February","March","April","May","J
une","July","August","September","October","November","December"],dr=["Jan","Feb","Mar","Apr","May",
"Jun","Jul","Aug","Sep","Oct","Nov","Dec"],Zm=["J","F","M","A","M","J","J","A","S","O","N","D"];func
tion Ko(s){switch(s){case"narrow":return[...Zm];case"short":return[...dr];case"long":return[...Ym];c
ase"numeric":return["1","2","3","4","5","6","7","8","9","10","11","12"];case"2-
digit":return["01","02","03","04","05","06","07","08","09","10","11","12"];default:return null}}var
fr=["Monday","Tuesday","Wednesday","Thursday","Friday","Saturday","Sunday"],mr=["Mon","Tue","Wed","T
hu","Fri","Sat","Sun"],qm=["M","T","W","T","F","S","S"];function Jo(s){switch(s){case"narrow":return
[...qm];case"short":return[...mr];case"long":return[...fr];case"numeric":return["1","2","3","4","5",
"6","7"];default:return null}}var Qo=["AM","PM"],Gm=["Before Christ","Anno
Domini"],Xm=["BC","AD"],Km=["B","A"];function tr(s){switch(s){case"narrow":return[...Km];case"short"
:return[...Xm];case"long":return[...Gm];default:return null}}function uc(s){return
   :return[...Xm];case"long":return[...Gm];default:return null}}function uc(s){return
 r=0bject.is(t,-0)||t<0,a=Math.abs(t),l=a===1,c=n[s],h=i?l?c[1]:c[2]||c[1]:l?n[s][0]:s;return r?`[{a}
 r=Object.is(t,-0)||t<0,a=Math.abs(t),l=a===1,C=n[s],n=1?!?C[1]:C[2]||C[1]:!?n[s][v]:s;return r? U{a} [h] ago`:`in [{a} [h]`}function gc(s,t){let e="";for(let i of s)i.literal?e+=i.val:e+=t(i.val);return e}var Jm={D:he,DD:Zs,DDD:qs,DDDD:Gs,t:Xs,tt:Ks,ttt:Js,tttt:Qs,T:ti,TT:ei,TTT:si,TTTT:ii,f:ni,ff:ri,fff:li,ffff:hi,F:oi,FF:ai,FFF:ci,FFFF:ui},it=class s{static create(t,e={}){return new s(t,e)}static parseFormat(t){let e=null,i="",n=!1,o=[];for(let r=0;r<t.length;r++){let a=t.charAt(r);a===""?((i.length>0&\do.push({literal:n||/^\s+||/.test(i),val:i}),o=null,i="",n=!n):n||a===e?i+=a:(i.length>0&\do.push({literal:/^\s+||/.test(i),val:i}),o}),i=a,e=a)}return i.length>0&\do.push({literal:n||/^\s+||/.test(i),val:i}),o}static
  macroTokenToFormatOpts(t){return Jm[t]}constructor(t,e){this.opts=e,this.loc=t,this.systemLoc=null}f
  ormatWith System Default (t,e) \{ return \ this.system Loc == null \& (this.system Loc = this.loc.redefault To System Loc == null \& (this.system Loc) \} \\
   ()),this.systemLoc.dtFormatter(t,{...this.opts,...e}).format()}dtFormatter(t,e={}){return
  this.loc.dtFormatter(t,{...this.opts,...e})}formatDateTime(t,e){return
  this.dtFormatter(t,e).format()}formatDateTimeParts(t,e){return
  \label{this.dtFormatter} this.dtFormatter(t,e).formatToParts()) formatInterval(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start,e).dtf.formatRange(t.start.toJSDate(),t.end.toJSDate())\} resolvedOptions(t,e) \{return\ this.dtFormatter(t.start.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJSDate(),t.end.toJ
  this.d\bar{t} Formatter(\texttt{t},\texttt{e}).resolved 0 ptions() \} num(\texttt{t},\texttt{e}=\texttt{0},\texttt{i}=\texttt{void} \ \texttt{0}) \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.forceSimple}) return \} \\ \{if(\texttt{this.opts.force
  q(t,e); let n=\{\dots this.opts\}; return e>0\&\&(n.padTo=e), i\&\&(n.signDisplay=i), this.loc.numberFormatter(n)
    .format(t)}formatDateTimeFromString(t,e){let i=this.loc.listingMode()==="en",n=this.loc.outputCalend
 ar&\text{this.loc.outputCalendar!=="gregory",o=(f,m)=>this.loc.extract(t,f,m),r=f=>t.isOffsetFixed&\text{t.off} set===0&\text{f.allowZ?"Z":t.isValid?t.zone.formatOffset(t.ts,f.format):"",a=()=>i?uc(t):o(\text{fhour:"numeric ",hourCycle:"h12"},"dayperiod"),l=(f,m)=>i?fc(t,f):o(m?\text{month:f}:\text{month:f,day:"numeric"},"month"),c=(f,m)=>i?dc(t,f):o(m?\text{weekday:f}:\text{weekday:f},month:"long",day:"numeric"},"weekday"),h=f=>\text{let}
  m=s.macroTokenToFormatOpts(f); return m?this.formatWithSystemDefault(t,m):f}, u=f=xi?mc(t,f):o(\{era:f\})
        "era"),d=f=>{switch(f){case"S":return this.num(t.millisecond);case"u":case"SSS":return
  this.num(t.millisecond,3); case"s":return this.num(t.second); case"ss":return
  this.num(t.second,2);case"uu":return this.num(Math.floor(t.millisecond/10),2);case"uuu":return
  this.num(Math.floor(t.millisecond/100));case"m":return this.num(t.minute);case"mm":return
  this.num(t.minute,2);case"h":return this.num(t.hour%12===0?12:t.hour%12);case"hh":return
  this.num(t.hour%12===0?12:t.hour%12,2);case"H":return this.num(t.hour);case"HH":return
 this.num(t.hour,2);case"Z":return r({format:"narrow",allowZ:this.opts.allowZ});case"ZZ":return r({format:"short",allowZ:this.opts.allowZ});case"ZZZ":return r({format:"techie",allowZ:this.opts.allowZ});case"ZZZZ":return
 t.zone.offsetName(t.ts,{format:"short",locale:this.loc.locale});case"ZZZZZ":return t.zone.offsetName(t.ts,{format:"long",locale:this.loc.locale});case"z":return t.zoneName;case"a":return a();case"d":return
 n?o({day:"numeric"},"day"):this.num(t.day);case"dd":return
n?o({day:"2-digit"},"day"):this.num(t.day,2);case"c":return this.num(t.weekday);case"ccc":return
c("short",!0);case"cccc":return c("long",!0);case"cccc":return c("narrow",!0);case"EEEE":return
this.num(t.weekday);case"EEEE":return c("short",!1);case"EEEEE":return c("long",!1);case"EEEEE":return
this.num(t.weekday); case "EEE": return c("short",!1); case "EEEE": return c("long",!1); case "LEEEE": return c("narrow",!1); case "LEEEE": return n?o({month: "numeric", day: "numeric"}, "month"): this.num(t.month); case "LL": return n?o({month: "2-digit", day: "numeric"}, "month"): this.num(t.month,2); case "LLL": return l("short",!0); case "LLLL": return l("long",!0); case "LLLL": return l("narrow",!0); case "M": return n?o({month: "numeric"}, "month"): this.num(t.month); case "MM": return n?o({month: "2-digit"}, "month"): this.num(t.month,2); case "MMM": return l("short",!1); case "MMMM": return l("long",!1); case "MMMMM": return l("narrow",!1); case "y": return n?o({year: "numeric"}, "year"): this.num(t.year); case "yy": return n?o({year: "numeric"}, "year"): this.num(t.year,4); case "yyyyyy": return n?o({year: "numeric"}, "year"): this.num(t.year,4); case "yyyyyy": return n?o({year: "numeric"}, "year"): this.num(t.year,6); case "G: return u("short"); case "GG: return u("long"); case "GGGGG": return u("narrow"); case "kkk": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.weekYear,4); case "W": return this.num(t.
  this.num(t.weekYear.toString().slice(-2),2);case"kkkk":return this.num(t.weekYear,4);case"W":return
  this.num(t.weekNumber);case"WW":return this.num(t.weekNumber,2);case"n":return
```

```
this.num(t.localWeekNumber);case"nn":return this.num(t.localWeekNumber,2);case"ii":return
 this.num(t.localWeekYear.toString().slice(-2),2);case"iiii":return
 this.num(t.localWeekYear,4);case"o":return this.num(t.ordinal);case"ooo":return
this.num(t.ordinal,3);case"q":return this.num(t.quarter);case"qq":return this.num(t.quarter);case"x":return this.num(Math.floor(t.ts/le3));case"x":return
 this.num(t.ts); default: return \ h(f)\}\}; return \ gc(s.parseFormat(e),d)\} formatDurationFromString(t,e) \{ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \
 i=this.opts.signMode==="negativeLargestOnly"?-
 1:1.n=h=>{switch(h[0]){case"S":return"milliseconds";case"s":return"seconds";case"m":return"minutes";
 case"h":return"hours";case"d":return"days";case"w":return"weeks";case"M":return"months";case"y":return"years";default:return null}},o=(h,u)=>d=>{let f=n(d);if(f){let
m=u.isNegativeDuration&&f!==u.largestUnit?i:1,g;return this.opts.signMode==="negativeLargestOnly"&&f!==u.largestUnit?g="never":this.opts.signMode==="all"?g="always":g="auto",this.num(h.get(f)*m,d.length,g)}else return d},r=s.parseFormat(e),a=r.reduce((h,{literal:u,val:d})=>u?h:h.concat(d),[]),l=t.sh
 iftTo(...a.map(n).filter(h=>h)),c={isNegativeDuration:l<0,largestUnit:Object.keys(l.values)[0]};retu</pre>
rn gc(r,o(l,c))};var yc=/[A-Za-za-y-+-]{1,256}(?:\/[A-Za-z0-9+-]{1,256})?)?/;function us(...s){let t=s.reduce((e,i)=>e+i.source,"");return RegExp(`^\[{t}\]`)}function ds(...s){return t=>s.reduce(([e,i,n],o)=>{let[r,a,l]=o(t,n);return[{...e,...r},a||i,l]},[{},null,1]).slice(0,2)}function
 fs(s,...t){if(s==null)return[null,null];for(let[e,i]of t){let n=e.exec(s);if(n)return
i(n)}return[null,null]}function bc(...s){return(t,e)=>{let
i={},n;for(n=0;n<s.length;n++)i[s[n]]=Kt(t[e+n]);return[i,null,e+n]}}var xc=/(?:([Zz])|([+-</pre>
[\{wc.source\}]?`); function hs(s,t,e)\{let i=s[t]; return D(i)?e:Kt(i)\} function
 ag(s,t){return[{year:hs(s,t),month:hs(s,t+1,1),day:hs(s,t+2,1)},null,t+3]}function ms(s,t){return[{h
ag(s,t){!eturn[qear.iis(s,t),month.iis(s,t+1,1),udy:iis(s,t+2,1)},nutt,t+3]}!unction ms(s,t){return[qours:hs(s,t,0),minutes:hs(s,t+1,0),seconds:hs(s,t+2,0),milliseconds:yi(s[t+3])},nutl,t+4]}function xi(s,t){let e=!s[t]&&!s[t+1],i=Ie(s[t+1],s[t+2]),n=e?null:et.instance(i);return[{},n,t+3]}function _i(s,t){let e=s[t]?ht.create(s[t]):null;return[{},e,t+1]}var lg=RegExp(`^T?[[qr.source][`),cg=/^-?P(?:(?:(-?\d{1,20})(?:\.\d{1,20})?)M)?(?:(-?\d{1,20})?)M)?(?:(-?\d{1,20})?)M)?(?:(-?\d{1,20})?)M)?(?:(-?\d{1,20})?)M)?(?:(-?\d{1,20})(?:\.\d{1,20}))?(?:[.,](-2\d{1,20}))?(?:[.,](-2\d{1,20}))?(...)d(-2\d{1,20})?)M)?(?:(-?\d{1,20}))?(?:[.,](-2\d{1,20}))?(...)d(-2\d{1,20})?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20})?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20})?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20})?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(...)d(-2\d{1,20}))?(
 (1,20))?(1,20))?(1,20); function
 hg(s)\{let[t,e,i,n,o,r,a,l,c]=s,h=t[0]==="-",u=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&[0]==="-",d=(f,m=!1)=>f!==void\ 0\&\&(m||f\&\&h)?-mu=l\&\&h]
f:f;return[{years:d(ge(e)),months:d(ge(i)),weeks:d(ge(n)),days:d(ge(o)),hours:d(ge(r)),minutes:d(ge(a)),seconds:d(ge(l),l==="-0"),milliseconds:d(yi(c),u)}]}var
ug={GMT:0,EDT:-4*60,EST:-5*60,CDT:-5*60,CST:-6*60,MDT:-6*60,MST:-7*60,PDT:-7*60,PST:-8*60};function
 yr(s,t,e,i,n,o,r){let
 a={year:t.length===2?bi(Kt(t)):Kt(t),month:dr.indexOf(e)+1,day:Kt(i),hour:Kt(n),minute:Kt(o)};return
 r\&\&(a.second=Kt(r)), s\&\&(a.weekday=s.length>3?fr.indexOf(s)+1:mr.indexOf(s)+1), a\}var\ dg=/^(?:(Mon|Tue)
 \label{eq:local_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_control_cont
 gg=/^(Mon|Tue|Wed|Thu|Fri|Sat|Sun), (\d\d) (Jan|Feb|Mar|Apr|May|Jun|Jul|Aug|Sep|Oct|Nov|Dec) (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d): (\d\d)
   (\d\d)-(Jan|Feb|Mar|Apr|May|Jun|Jul|Aug|Sep|Oct|Nov|Dec)-(\d\d) (\d\d):(\d\d):(\d\d)
 pc(s){let[,t,e,i,n,o,r,a]=s;return[yr(t,n,i,e,o,r,a),et.utcInstance]}function
 bg(s)\{let[,t,e,i,n,o,r,a]=s;return[yr(t,a,e,i,n,o,r),et.utcInstance]\}var xg=us(tg,pr), g=us(eg,pr), w
g=us(sg,pr),Sg=us(_c),Sc=ds(ag,ms,xi,_i),kg=ds(ig,ms,xi,_i),Mg=ds(ng,ms,xi,_i),vg=ds(ms,xi,_i);funct
ion kc(s){return fs(s,[xg,Sc],[_g,kg],[wg,Mg],[Sg,vg])}function Mc(s){return
fs(mg(s),[dg,fg])}function vc(s){return fs(s,[gg,pc],[pg,pc],[yg,bg])}function Tc(s){return
 fs(s,[cg,hg])}var Tg=ds(ms);function Oc(s){return fs(s,[lg,Tg])}var
 Og=us(og,rg), Dg=us(wc), Eg=ds(ms,xi,\_i); function Dc(s){return fs(s,[0g,Sc],[Dg,Eg])} var Ec="Invalid Duration",Fc={weeks:{days:7,hours:7*24,minutes:7*24*60,seconds:7*24*60*60,milliseconds:7*24*60*60*1e3} variable for the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the condition of the c
 },days:{hours:24,minutes:24*60,seconds:24*60*60,milliseconds:24*60*60*1e3},hours:{minutes:60,seconds
  :60*60,milliseconds:60*60*1e3},minutes:{seconds:60,milliseconds:60*1e3},seconds:{milliseconds:1e3}},
Ig={years:{quarters:4,months:12,weeks:52,days:365,hours:365*24,minutes:365*24*60,seconds:365*24*60*60,milliseconds:365*24*60*1e3},quarters:{months:3,weeks:13,days:91,hours:91*24,minutes:91*24*60,se
 conds:91*24*60*60, milliseconds:91*24*60*60*1e3}, months:{weeks:4,days:30,hours:30*24,minutes:30*24*60
 , seconds: 30*24*60*60, milliseconds: 30*24*60*60*1e3}, . . . Fc}, vt=146097/400, gs=146097/4800, Cg={years: {qu} | . . . Fc}
 arters:4, months:12, weeks:vt/7, days:vt, hours:vt*24, minutes:vt*24*60, seconds:vt*24*60*60, milliseconds:
 vt*24*60*60*1e3},quarters:{months:3,weeks:vt/28,days:vt/4,hours:vt*24/4,minutes:vt*24*60/4,seconds:v
t*24*60*60/4,milliseconds:vt*24*60*60*1e3/4},months:{weeks:gs/7,days:gs,hours:gs*24,minutes:gs*24*60,seconds:gs*24*60*60,milliseconds:gs*24*60*60*1e3},...Fc},Ae=["years","quarters","months","weeks","days","hours","minutes","seconds","milliseconds"],Fg=Ae.slice(0).reverse();function Jt(s,t,e=!1){leti={values:e?t.values:{...s.values,...t.values||{}},loc:s.loc.clone(t.loc),conversionAccuracy:t.conve
 rsionAccuracy||s.conversionAccuracy,matrix:t.matrix||s.matrix};return new G(i)}function Ac(s,t){let
 e=t.milliseconds??0;for(let i of Fg.slice(1))t[i]&&(e+=t[i]*s[i].milliseconds);return e}function
```

```
Ic(s,t){let e=Ac(s,t)<0?-1:1;Ae.reduceRight((i,n)=>{if(D(t[n]))return i;if(i){let}}
o=t[i]*e,r=s[n][i],a=Math.floor(o/r);t[n]+=a*e,t[i]-=a*r*e}return
n},null),Ae.reduce((i,n)=>{if(D(t[n]))return i;if(i){let o=t[i]%1;t[i]-=o,t[n]+=o*s[i][n]}return
n},null)}function Cc(s){let t={};for(let[e,i]of Object.entries(s))i!==0&&(t[e]=i);return t}var G=class s{constructor(t){let e=t.conversionAccuracy==="longterm"||!1,i=e?Cg:Ig;t.matrix&&(i=t.matrix
 ),this.values=t.values,this.loc=t.loc||W.create(),this.conversionAccuracy=e?"longterm":"casual",this
 .invalid=t.invalid||null,this.matrix=i,this.isLuxonDuration=!0}static fromMillis(t,e){return
s.fromObject({milliseconds:t},e)}static fromObject(t,e={}){if(t==null||typeof t!="object")throw new
 K(`Duration.fromObject: argument \ expected \ to \ be \ an \ object, \ got \ \square\{t===null?"null":typeof \ t\}`); return
 new s({values:cs(t,s.normalizeUnit),loc:W.fromObject(e),conversionAccuracy:e.conversionAccuracy,matr
 ix:e.matrix})}static fromDurationLike(t){if(Ft(t))return s.fromMillis(t);if(s.isDuration(t))return
i?s.fromObject(i,e):s.invalid("unparsable",`the input "\prod{t}" can't be parsed as ISO 8601`)}static
from ISOTime(t,e) {let[i]=0c(t); return i?s.from 0bject(i,e):s.invalid("unparsable", `the input "\Box{t}" can't be parsed as ISO 8601`)} static invalid(t,e=null){if(!t)throw new K("need to specify a reason to be parsed as ISO 8601`)}
 the Duration is invalid"); let i=t instanceof st?t:new st(t,e); if(R.throwOnInvalid)throw new
 dn(i);return new s({invalid:i})}static normalizeUnit(t){let e={year:"years",years:"years",quarter:"q
uarters",quarters:"quarters",month:"months:"months:"months:"week:"weeks:"weeks:"weeks:"days",days",days:"days",hour:"hours",hours:"hours",minute:"minutes:"minutes:"minutes:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"seconds:"s
 ns(t);return e}static isDuration(t){return t&&t.isLuxonDuration||!1}get locale(){return
 this.isValid?this.loc.locale:null}get numberingSystem(){return
 this.isValid?this.loc.numberingSystem:null}toFormat(t,e={}){let
 i={...e,floor:e.round!==!1&&e.floor!==!1};return this.isValid?it.create(this.loc,i).formatDurationFr
omString(this,t):Ec}toHuman(t={}){if(!this.isValid)return Ec;let e=t.showZeros!==!1,i=Ae.map(n=>{let o=this.values[n];return D(o)||o===0&&!e?null:this.loc.numberFormatter({style:"unit",unitDisplay:"lon this.values[n];return D(o)||o===0&&!e?null:this.loc.numberFormatter(\{ \} \} 
g",...t,unit:n.slice(0,-1)}).format(o)}).filter(n=>n);return this.loc.listFormatter({type:"conjuncti
on",style:t.listStyle||"narrow",...t}).format(i)}toObject(){return
this.isValid?{...this.values}:{}}toISO(){if(!this.isValid)return null;let t="P";return this.years!==
 0\&\&(t+=this.years+"Y"),(this.months!==0|[this.quarters!==0)\&\&(t+=this.months+this.quarters*3+"M"),this.quarters*3+"M")
is.weeks! == 0\&\&(t+=this.weeks+"W"), this.days! == 0\&\&(t+=this.days+"D"), (this.hours! == 0 | | this.minutes! == 0 | | this.milliseconds! == 0 | 0. & (t+=this.hours! == 0. & (t+=this.hours+"H"), this.minutes! == 0 | 0. & (t+=this.hours+"H"), this.minutes! == 0 | 0. & (t+=this.hours+"H"), this.minutes! == 0 | 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.hours+"H"), this.minutes! == 0. & (t+=this.
es!==0\&\&(t+=this.minutes+"M"),(this.seconds!==0||this.milliseconds!==0)\&\&(t+=rs(this.seconds+this.milliseconds/1e3,3)+"S"),t==="P"&\&(t+="TOS"),t]toISOTime(t={}){if(!this.isValid)return null;let}e=this.toMillis();return e<0||e>=864e5?null:(t={suppressMilliseconds:!1,suppressSeconds:!1,includePressMilliseconds:!1,suppressSeconds:!1,includePressMilliseconds:!1,suppressSeconds:!1,includePressMilliseconds:!1,suppressSeconds:!1,includePressMilliseconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSeconds:!1,suppressSecon
 efix:!1,format:"extended",...t,includeOffset:!1},F.fromMillis(e,{zone:"UTC"}).toISOTime(t))}toJSON()
  {return this.toISO()}toString(){return
this.toISO()}[Symbol.for("nodejs.util.inspect.custom")](){return this.isValid?`Duration { values: [{JSON.stringify(this.values)} }`:`Duration { Invalid, reason: [[{this.invalidReason} }`}`}toMillis(){return this.isValid?Ac(this.matrix,this.values):NaN}valueOf(){return
 this.toMillis()) plus(t) \{ if(!this.isValid) return this; let e=s.fromDurationLike(t), i={}; for(let n of this.toMillis(t)) \} 
 Ae) \, (\mathsf{me}(e.\mathsf{values},\mathsf{n}) \, | \, | \, \mathsf{me}(\mathsf{this}.\mathsf{values},\mathsf{n})) \, \& \& (\mathsf{i}[\mathsf{n}] = e.\mathsf{get}(\mathsf{n}) + \mathsf{this}.\mathsf{get}(\mathsf{n})) \, ; \, \mathsf{return} \, \\
 Jt(this,{values:i},!0)}minus(t){if(!this.isValid)return this;let e=s.fromDurationLike(t);return
 this.plus(e.negate())}mapUnits(t){if(!this.isValid)return this;let e={};for(let i of
 Object.keys(this.values))e[i]=ur(t(this.values[i],i));return Jt(this,{values:e},!0)}get(t){return
 this[s.normalizeUnit(t)]]set(t){if(!this.isValid)return this;let
 e={...this.values,...cs(t,s.normalizeUnit)};return
 Jt(this,{values:e})}reconfigure({locale:t,numberingSystem:e,conversionAccuracy:i,matrix:n}={}){let
r={loc:this.loc.clone({locale:t,numberingSystem:e}),matrix:n,conversionAccuracy:i};return
Jt(this,r)}as(t){return this.isValid?this.shiftTo(t).get(t):NaN}normalize(){if(!this.isValid)return
 this;let t=this.toObject();return
 Ic(this.matrix,t), Jt(this, \{values:t\}, !0)\} rescale() \{if(!this.isValid) return\ this; let it is the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 t=Cc(this.normalize().shiftToAll().toObject());return
 \label{lem:this} Jt(this,\{values:t\},!0)\} shiftTo(...t)\{if(!this.isValid) return\ this;if(t.length===0) return\ this;t=t.map(r=>s.normalizeUnit(r));let\ e=\{\},i=\{\},n=this.to0bject(),o;for(let\ r\ of this,to0bject(),o;for(let\ r\ of this,to)bject(),o;for(let\ r\ of
Ae)if(t.index0f(r)>=0){o=r;let a=0;for(let c in i)a+=this.matrix[c][r]*i[c],i[c]=0;Ft(n[r])&&(a+=n[r]);let
 l=Math.trunc(a); e[r]=l,i[r]=(a*1e3-l*1e3)/1e3} else Ft(n[r])\&\&(i[r]=n[r]); for(let r in left) = left for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of t
 i)i[r]!==0\&\&(e[o]+=r===o?i[r]:i[r]/this.matrix[o][r]);return
Ic(this.matrix,e), Jt(this, {values:e},!0)} shift To All() {return this.is Valid? this.shift To("years", "mont hs", "weeks", "days", "hours", "minutes", "seconds", "milliseconds"): this } negate() {if(!this.is Valid) return this; let t={}; for (let e of Object.keys(this.values)) t[e] = this.values[e] = == 0?0: -this.values[e]; return
 Jt(this,{values:t},!0)}removeZeros(){if(!this.isValid)return this;let t=Cc(this.values);return
Jt(this,{values:t},!0)}get years(){return this.isValid?this.values.years||0:NaN}get
 quarters(){return this.isValid?this.values.quarters||0:NaN}get months(){return
 this.isValid?this.values.months||0:NaN}get weeks(){return this.isValid?this.values.weeks||0:NaN}get
 days(){return this.isValid?this.values.days||0:NaN}get hours(){return
 this.isValid?this.values.hours||0:NaN}get minutes(){return
 this.isValid?this.values.minutes||0:NaN}get seconds(){return
 this.isValid?this.values.seconds||0:NaN}get milliseconds(){return
this.isValid?this.values.milliseconds||0:NaN}get isValid(){return this.invalid===null}get invalidReason(){return this.invalid?this.invalid.reason:null}get invalidExplanation(){return this.invalid.reason:null}get invalid.reason:null invalid.reason:null invalid.reason:null invalid
```

```
valid?this.invalid.explanation:null}equals(t){if(!this.isValid||!t.isValid||!this.loc.equals(t.loc))
return!1; function e(i,n) {return i===void 0 \mid |i===0?n===void <math>0 \mid |n===0:i===n\} for (let i of
Ae)if(!e(this.values[i],t.values[i]))return!1;return!0}};var ps="Invalid Interval";function
Ag(s,t){return!s||!s.isValid?Qt.invalid("missing or invalid
start"):!t||!t.isValid?Qt.invalid("missing or invalid end"):t<s?Qt.invalid("end before start",`The
end of an interval must be after its start, but you had start=□{s.toISO()} and
end=[[{t.toISO()}]):null}var Qt=class s{constructor(t){this.s=t.start,this.e=t.end,this.invalid=t.inv
alid||null,this.isLuxonInterval=!0}static invalid(t,e=null){if(!t)throw new K("need to specify a
reason the Interval is invalid"); let i=t instanceof st?t:new st(t,e); if(R.throwOnInvalid)throw new
un(i);return new s({invalid:i})}static fromDateTimes(t,e){let i=ys(t),n=ys(e),o=Ag(i,n);return
o??new s({start:i,end:n})}static after(t,e){let i=G.fromDurationLike(e),n=ys(t);return
s.fromDateTimes(n,n.plus(i))}static before(t,e){let i=G.fromDurationLike(e),n=ys(t);return
s.fromDateTimes(n.minus(i),n)}static fromISO(t,e){let[i,n]=(t||"").split("/",2);if(i&&n){let
c=G.fromISO(n,e);if(c.isValid)return s.after(o,c)}else if(l){let
c=G.fromISO(i,e); if (c.isValid) return \ s.before (a,c)\} return \ s.invalid ("unparsable", `the input " [ \{t\} " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] " [ t] "
can't be parsed as ISO 8601`)}static isInterval(t){return t&&t.isLuxonInterval||!1}get
start(){return this.isValid?this.s:null}get end(){return this.isValid?this.e:null}get
lastDateTime(){return this.isValid&&this.e?this.e.minus(1):null}get isValid(){return
this.invalidReason===null}qet invalidReason(){return this.invalid?this.invalid.reason:null}qet
invalidExplanation(){return
this.invalid?this.invalid.explanation:null}length(t="milliseconds"){return
this.isValid?this.toDuration(t).get(t):NaN}count(t="milliseconds",e){if(!this.isValid)return NaN;let
i=this.start.startOf(t,e),n;return e?.useLocaleWeeks?n=this.end.reconfigure({locale:i.locale}):n=thi
s.end, n=n.startOf(t,e), Math.floor(n.diff(i,t).qet(t))+(n.valueOf())!==this.end.valueOf())} hasSame(t){
return this.isValid?this.isEmpty()||this.e.minus(1).hasSame(this.s,t):!1}isEmpty(){return this.s.valueOf()}==this.e.valueOf()}isAfter(t){return this.isValid?this.s>t:!1}isBefore(t){return
this.isValid?this.e<=t:!1}contains(t){return
this.isValid?this.s<=t&&this.e>t:!1}set({start:t,end:e}={}){return
this.isValid?s.fromDateTimes(t||this.s,e||this.e):this}splitAt(...t){if(!this.isValid)return[];let e
=t.map(vs).filter(r=>this.contains(r)).sort((r,a)=>r.toMillis()-
a.toMillis()),i=[],{s:n}=this,o=0;for(;n<this.e;){let
r=e[o]||this.e,a=+r>+this.e?this.e:r;i.push(s.fromDateTimes(n,a)),n=a,o+=1}return i}splitBy(t){let e
=G.fromDurationLike(t);if(!this.isValid||!e.isValid||e.as("milliseconds")===0)return[];let{s:i}=this
 ,n=1,o,r=[];for(;i<this.e;){let a=this.start.plus(e.mapUnits(l=>l*n));o=+a>+this.e?this.e:a,r.push(s
  fromDateTimes(i,o)),i=o,n+=1}return r}divideEqually(t){return
Valid) return this; let e=this.s>t.s?this.s:t.s,i=this.e<t.e?this.e:t.e; return
e>=i?null:s.fromDateTimes(e,i)}union(t){if(!this.isValid)return this;let
e=this.s<t.s?this.s:t.s,i=this.e>t.e?this.e:t.e;return s.fromDateTimes(e,i)}static merge(t){let[e,i]
=t.sort((n,o)=>n.s-
o.s). reduce(([n,o],r) => o?o.overlaps(r) | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n.concat([o]),r]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n,r],[[],n] | |o.abutsStart(r)?[n,o.union(r)]:[n,r],[[],n] | |o.abutsStart(r)?[n,r],[[],n] | |o.abutsStart(r)?[n,r],[[],n] | |o.abutsStart(r)?[n,r],[[],n] | |o.abutsStart(r).[[],n] | |o.abutsStart(r)
ull]); return i\&\&e.push(i),e} static xor(t){let e=null,i=0,n=[],o=t.map(l=>[{time:l.s,type:"s"},{time:
l.e,type:"e"}]),r=Array.prototype.concat(...o),a=r.sort((l,c)=>l.time-c.time);for(let l of a)i+=l.ty
pe==="s"?1:-1,i===1?e=1.time:(e&&+e!=+l.time&&n.push(s.fromDateTimes(e,l.time)),e=null);return
s.merge(n)}difference(...t){return
s.xor([this].concat(t)).map(e=>this.intersection(e)).filter(e=>e&!e.isEmpty())} toString() {return this.isValid?`[<math>\Box{this.s.toISO()} \u2013
\{this.e.toISO()\}\}):ps}[Symbol.for("nodejs.util.inspect.custom")](){return this.isValid?`Interval {
start: [{this.s.toISO()}, end: [{this.e.toISO()} }`:`Interval { Invalid, reason:
[{this.invalidReason} }`}toLocaleString(t=he,e={}){return
this.isValid?it.create(this.s.loc.clone(e),t).formatInterval(this):ps}toISO(t){return
this.isValid?`[{this.s.toISO(t)}/[{this.e.toISO(t)}`:ps}toISODate(){return this.isValid?`[{this.s.toISODate()}/[{this.e.toISODate()}`:ps}toISOTime(t){return this.isValid?`[{this.s.toISOTime(t)}/[{this.e.toISOTime(t)}`:ps}toFormat(t,{separator:e=" \u2013
  "}={}){return
this.isValid?\[ \Pi\{this.s.toFormat(t)\}\Pi\{e\}\Pi\{this.e.toFormat(t)\}\] :ps\}toDuration(t,e)\{return
this.isValid?this.e.diff(this.s,t,e):G.invalid(this.invalidReason)}mapEndpoints(t){return
s.fromDateTimes(t(this.s),t(this.e))}; var te=class{static hasDST(t=R.defaultZone){let}
e=F.now().setZone(t).set({month:12});return!t.isUniversal&&e.offset!==e.set({month:6}).offset}static
isValidIANAZone(t){return ht.isValidZone(t)}static normalizeZone(t){return
Ct(t,R.defaultZone)}static
getStart0fWeek(\{locale:t=null,loc0bj:e=null\}=\{\})\{return(e||W.create(t)).getStart0fWeek()\}static getMinute for the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start 
inimumDaysInFirstWeek({locale:t=null,loc0bj:e=null}={}){return(e||W.create(t)).getMinDaysInFirstWeek
()}static getWeekendWeekdays({locale:t=null,loc0bj:e=null}={}){return(e||W.create(t)).getWeekendDays
().slice()}static months(t="long",{locale:e=null,numberingSystem:i=null,loc0bj:n=null,outputCalendar
:o="gregory"}={}){return(n||W.create(e,i,o)).months(t)}static monthsFormat(t="long",{locale:e=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,number
```

```
\label{lem:weekdays} W.create(e,i,null)). weekdays(t) \\ \} static weekdays \\ Format(t="long", {locale:e=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numberingSystem:i=null,numb
  ,locObj:n=null}={}){return(n||W.create(e,i,null)).weekdays(t,!0)}static
meridiems({locale:t=null}={}){return W.create(t).meridiems()}static
    eras(t="short",{locale:e=null}={}){return W.create(e,null, "gregory").eras(t)}static
    features()\{return\{relative:pn(),localeWeek:yn()\}\}\}; function Lc(s,t)\{lete=n=>n.toUTC(0,\{keepLocalTime:!0\}).startOf("day").valueOf(),i=e(t)-e(s); return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) return(tout) r
     \begin{tabular}{ll} Math.floor(G.fromMillis(i).as("days")) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function Lg(s,t,e) & function
  l.year],[ quarters ,(t,c)=>cquarter : cquarter : c
    s,t),a=o.plus(n),a>t?(n[l]--,s=o.plus(n),s>t&&(a=s,n[l]-
  \label{eq:condition} $$ s=0.$ plus(n)): s=a); return[s,n,a,r] function $Pc(s,t,e,i) \{let[n,o,r,a]=Lg(s,t,e),l=t-n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","milliseconds"].index0f(u)>=0); c.length===0&&(r<t&(r=n,c=e.filter(u=>["hours","minutes","seconds","minutes","minutes","seconds","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minutes","minut
     .plus(\{[a]:1\})),r!==n&&(o[a]=(o[a]||0)+l/(r-n)));let h=G.fromObject(o,i);return
  c.length>0?G.fromMillis(l,i).shiftTo(...c).plus(h):h}var Pg="missing Intl.DateTimeFormat.formatToParts support";function
  z(s,t=e=>e)\{return\{regex:s,deser:([e]]=>t(Ul(e))\}\} var\ Ng="\xA0",Wc=`[\ [\{Ng\}]`,zc=new \ RegExp(Wc,"g");function\ Rg(s)\{return\ s.replace(/\./g,"\\.?").replace(zc,Wc)\}function\ Nc(s)\{return\ s.replace(/\./g,"").replace(zc," ").toLowerCase()\}function\ At(s,t)\{return\ s===null?null:\{regex:RegEx\ p(s.map(Rg).join("|")),deser:([e])=>s.findIndex(i=>Nc(e)===Nc(i))+t\}\}function 
    Rc(s,t){return{regex:s,deser:([,e,i])=>Ie(e,i),groups:t}}function
    wn(s){return{regex:s,deser:([t])=>t}}function Wg(s){return
z(i);case"H":return z(a);case"hh":return z(i);case"h":return z(a);case"mm":return z(i);case"m":return z(a);case"q":return z(a);case"q":return z(a);case"s":return z(a)
    wn(h); case "uu": return wn(a); case "uuu": return z(e); case "a": return
    At(t.meridiems(),0);case kkk":return z(o);case kk":return z(u,bi);case W":return
 z(a);case"WW":return z(i);case"C":return z(e);case"EEE":return At(t.weekdays("short",!1),1);case"EEEE":return At(t.weekdays("short",!0),1);case"CCC":return At(t.weekdays("long",!0),1);case"Z":return  Rc(new RegExp(`([+-][{a.source})(?::([{i.source}))?`),2);case"ZZZ":return Rc(new RegExp(`([+-][{a.source})(?`),2);case"z":return wn(/[a-z_+-/]{1,256}?/i);case" ":return
    wn(/[^\S\n\r]/);default:return f(p)}})(s)||{invalidReason:Pg};return g.token=s,g}var Vg={year:{"2-
 wn / [^\snr]/); default: return f(p)\})(s)|| \{ invalidReason: rg \}; return g. token-s, g \} var vg-tycar. Let digit": "yy", numeric: "yyyyy" \}, month: \{ numeric: "M", "2-digit": "MM", short: "MMM", long: "MMMM" \}, day: \{ numeric: "d", "2-digit": "dd" \}, weekday: { short: "EEE", long: "EEEE" }, dayperiod: "a", dayPeriod: "a", hour12: { numeric: "h", "2-digit": "hh" }, hour24: { numeric: "H", "2-digit": "HH" }, minute: { numeric: "m", "2-digit": "mm" }, second: { numeric: "s", "2-digit": "ss" }, timeZoneName: { long: "ZZZZZ", short: "ZZZ" } }; function Hg(s,t,e) { let { type: i, value: n} = s; if (i === "literal") { let l = /^s + [/.test(n); return { literal: !l, val: !?" ":n} } let o=t[i], r=i; i === "hour" && (t. hour12! = null? r=t. hour12? "hour12": "hour24": t. hourCycle! = null? t. hourCycle === "h11" | lt hourCycle === "h12" | r = "hour12": r = "hour24": r = e. hour12? "hour12": "hour24"); let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let | let
    rCycle==="h11"||t.hourCycle==="h12"?r="hour12":r="hour24":r=e.hour12?"hour12":"hour24");let
    a=Vg[r]; if(typeof a=="object"\&\&(a=a[o]),a) return\{literal:!1,val:a\}\} function
  Bg(s)\{return[`^{[s.map(e=>e.regex).reduce((e,i)=>`[{e}([(i.source])`,"")][`,s]\}function \\ [g(s,t,e)\{let i=s.match(t);if(i)\{let n={},o=1;for(let r in e)if(me(e,r))\{let a=e[r],l=a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.groups?a.gro
    ups+1:1;!a.literal&&a.token&&(n[a.token.val[0]]=a.deser(i.slice(o,o+l))),o+=l}return[i,n]}else
 return[i,{}]}function jg(s){let t=o=>{switch(o){case"S":return"millisecond";case"s":return"second";case"m":return"minute";case"h":case"H":return"hour";case"d":return"day";case"o":return"ordinal";case"L":case"M":return"month";case"y":return"year";case"E":case"c":return"weekday";case"W":return"weekNumber";case"k":return"weekYear";case"q":return"quarter";default:return null}},e=null,i;return
D(s.z)||(e=ht.create(s.z)),D(s.Z)||(e||(e=new et(s.Z)),i=s.Z),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q)||(s.M=(s.q-1)),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),D(s.q-1),
    1)*3+1),D(s.h)||(s.h<12&&s.a==1?s.h+=12:s.h===12&&s.a===0&&(s.h=0)),s.G===0&&s.y&&(s.y=-1)*3+1),D(s.h)||(s.h<12&&s.a==1?s.h+=12:s.h==12&&s.a==0&&(s.h=0)),s.G===0&&s.y&&(s.y=-1)*3+1),D(s.h)||(s.h<12&&s.a==1?s.h+=12:s.h==12&&s.a==0&&(s.h=0)),s.G===0&&s.y&&(s.y=-1)*3+1),D(s.h)||(s.h<12&&s.a==1?s.h+=12:s.h==12&&s.a==0&&(s.h=0)),s.G===0&&s.y&&(s.y=-1)*3+1),D(s.h)||(s.h<12&&s.a==1?s.h+=12:s.h==12&&s.a==0&&(s.h=0)),s.G===0&&s.y&&(s.y=-1)*3+1),D(s.h)||(s.h<12&&s.a==12&&s.a==0&&s.a==0&&(s.h=0)),s.G===0&&s.y&&(s.y=-1)*3+1),D(s.h<12&&s.a==12&&s.a==12&&s.a==0&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a==12&&s.a=
    s.y), D(s.u) \mid \mid (s.S=yi(s.u)), [Object.keys(s).reduce((o,r)=>\{let\ a=t(r); return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), return\ a=t(r), 
    a\&\&(o[a]=s[r]),o\},\{\}),e,i]\}var br=null;function Ug(){return
    br||(br=F.fromMillis(1555555555555)),br|function Yg(s,t){if(s.literal)return s;let}
    e=it.macroTokenToFormatOpts(s.val),i=wr(e,t);return i==null||i.includes(void 0)?s:i}function
    xr(s,t){return Array.prototype.concat(...s.map(e=>Yg(e,t)))}var wi=class{constructor(t,e){if(this.loshid)}}
    \verb|cale=t,this.format=e,this.tokens=xr(it.parseFormat(e),t),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.units=this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>zg(i,t)),this.tokens.map(i=>
        .disqualifyingUnit=this.units.find(i=>i.invalidReason),!this.disqualifyingUnit){let[i,n]=Bg(this.uni
 ts); this.regex=RegExp(i, "i"), this.handlers=n}}explainFromTokens(t){if(this.isValid){let[e,i]=\process(t,this.regex,this.handlers),[n,o,r]=i?jg(i):[null,null,void 0];if(me(i, "a")&&me(i, "H"))throw new Dt("Can't include meridiem when specifying 24-hour format"); return{input:t,tokens:this.tokens,regex:
    this.regex,rawMatches:e,matches:i,result:n,zone:o,specificOffset:r}}else
    return{input:t,tokens:this.tokens,invalidReason:this.invalidReason}}get
```

```
isValid(){return!this.disqualifyingUnit}get invalidReason(){return
  this.disqualifyingUnit?this.disqualifyingUnit.invalidReason:null}};function r(s,t,e){return new
  wi(s,e).explainFromTokens(t)}function
  Vc(s,t,e){let{result:i,zone:n,specificOffset:o,invalidReason:r}=_r(s,t,e);return[i,n,o,r]}function
  wr(s,t){if(!s)return null;let
  i=it.create(t,s).dtFormatter(Ug()),n=i.formatToParts(),o=i.resolvedOptions();return
  n.map(r=>Hg(r,s,o))}var Sr="Invalid DateTime",Hc=864e13;function Si(s){return new st("unsupported zone",`the zone "□{s.name}" is not supported`)}function kr(s){return
  s. weekData = == null \& (s. weekData = mi(s.c)), s. weekData \} function \ Mr(s) \{ return \ s. local WeekData = == null \& (s. weekData) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} function \ Mr(s) \} functio
  local \textit{W} eek \textit{D} at \textit{a} = \textit{mi} (\textit{s.c,s.loc.getMinDaysInFirstWeek(),s.loc.getStartOfWeek())),s.local \textit{W} eek \textit{D} at \textit{a} \textit{function} \\
  Le(s,t){let e={ts:s.ts,zone:s.zone,c:s.c,o:s.o,loc:s.loc,invalid:s.invalid};return new
  F(\{...e,...t,old:e\})\} function qc(s,t,e)\{let
  i=s-t*60*1e3, n=e.offset(i); if(t===n) return[i,t]; i-=(n-t)*60*1e3; let o=e.offset(i); return
  n===o?[i,n]:[s-Math.min(n,o)*60*1e3,Math.max(n,o)]}function Sn(s,t){s+=t*60*1e3;let e=new Date(s);re turn{year:e.getUTCFullYear(),month:e.getUTCMonth()+1,day:e.getUTCDate(),hour:e.getUTCHours(),minute:
  e.getUTCMinutes(),second:e.getUTCSeconds(),millisecond:e.getUTCMilliseconds()}}function
  Mn(s,t,e) {return qc(os(s),t,e)} function Bc(s,t) {let e=s.o,i=s.c. year+Math.trunc(t.years), n=s.c. month
  +Math.trunc(t.months)+Math.trunc(t.quarters)*3,o={...s.c,year:i,month:n,day:Math.min(s.c.day,ls(i,n)
  )+Math.trunc(t.days)+Math.trunc(t.weeks)*7},r=G.fromObject({years:t.years-
Math.trunc(t.years),quarters:t.quarters-Math.trunc(t.quarters),months:t.months-
  Math.trunc(t.months), weeks:t.weeks-Math.trunc(t.weeks), days:t.days-Math.trunc(t.days), hours:t.hours,
  minutes:t.minutes,seconds:t.seconds,milliseconds:t.milliseconds}).as("milliseconds"),a=os(o),[l,c]=q
  c(a,e,s.zone); return r!==0&&(l+=r,c=s.zone.offset(l)),{ts:l,o:c}}function
  bs(s,t,e,i,n,o){let{setZone:r,zone:a}=e;if(s&&Object.keys(s).length!==0||t){let
  l=t \mid \mid a,c=F.from0bject(s,\{...e,zone:l,specific0ffset:o\}); return \ r?c:c.setZone(a) \} else \ return
  F.invalid(new st("unparsable", `the input "[{n}" can't be parsed as [{i}`))}function kn(s,t,e=!0){return s.isValid?it.create(W.create("en-
  \begin{tabular}{ll} Kh(s,t,e=:0)_{tettrin} s.. is valid it. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Create(w. Cre
  \begin{array}{lll} (s.c.second)) & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{line}(s), & \text{li
  ame+"]"),|}var Gc={month:1,day:1,hour:0,minute:0,second:0,millisecond:0},Zg={weekNumber:1,weekday:1,
ame+"]"),l}var Gc={month:1,day:1,hour:0,minute:0,second:0,millisecond:0},Zg={weekNumber:1,weekday:1,hour:0,minute:0,second:0,millisecond:0},qg={ordinal:1,hour:0,minute:0,second:0,millisecond:0},vn=["year","month","day","hour","minute","second","millisecond"],Gg=["weekYear","weekNumber","weekday","hour","minute","second","millisecond"];function Tn(s){let t={year:"year",years:"year",month:"month:"months:"monthh:",day:"day",days:"day",hour: "hour",hours:"hour",minute:"minute",minutes:"minute",quarter:"quarter:",quarters:"quarter",second:"second:",seconds:"second:"millisecond:"milliseconds:"millisecond:"weekday:"weekday:",weekday:"weekday:"weekday:",weekday:",weekday:",weekday:",weekday:",weekday:",weekyear:"weekNumber:"weekNumber:",weekNumber:",weekNumber:",weekNumber:",weekNumber:",return t}function jc(s){switch(s.toLowerCase()){case"localweekday":case"localweekdays:":return"localWeekyear:"case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case"localweekyear::case::case"localweekyear::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case::case
  0\&\&(e=s.offset(ki),Tr.set(t,e)),e\\function\ Uc(s,t)\\\{let\ e=Ct(t.zone,R.defaultZone);if(!e.isValid)return\ F.invalid(Si(e));let
  i=W.from0bject(t),n,o;if(D(s.year))n=R.now();else\{for(let\ l\ of\ vn)D(s[l])\&\&(s[l]=Gc[l]);let\ r=lr(s)||cr(s);if(r)return\ F.invalid(r);let\ a=Kg(e);[n,o]=Mn(s,a,e)\}return\ new
  F(\{ts:n,zone:e,loc:i,o\})\} function Yc(s,t,e)\{let\ i=D(e.round)?!0:e.round,n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.round.n=D(e.rounding)?"trunc":e.rounding)
  (a);if(e.unit)return o(r(e.unit),e.unit);for(let a of e.units){let l=r(a);if(Math.abs(l)>=1)return o(l,a)}return o(s>t?-0:0,e.units[e.units.length-1])}function Zc(s){let t={},e;return
  s.length>0&&typeof s[s.length-1]=="object"?(t=s[s.length-1],e=Array.from(s).slice(0,s.length-
  1)):e=Array.from(s),[t,e]}var ki,Tr=new Map,F=class s{constructor(t){let
  e=t.zone||R.defaultZone,i=t.invalid||(Number.isNaN(t.ts)?new st("invalid
  input"):null)||(e.isValid?null:Si(e));this.ts=D(t.ts)?R.now():t.ts;let n=null,o=null;if(!i)if(t.old&left)||(e.isValid?null:Si(e));this.ts=D(t.ts)?R.now():t.ts;let n=null,o=null;if(!i)if(t.old&left)||(e.isValid?null:Si(e));this.ts=D(t.ts)?R.now():t.ts;let n=null,o=null;if(!i)if(t.old&left)||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid?null:Si(e))||(e.isValid)||(e.isValid)||(e.isValid)||(e.isValid)||(e.isValid)||(e.isVal
  &t.old.ts===this.ts&&t.old.zone.equals(e))[n,o]=[t.old.c,t.old.o];else{let
  a=Ft(t.o)\&\&!t.old?t.o:e.offset(this.ts);n=Sn(this.ts,a),i=Number.isNaN(n.year)?new st("invalid input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input input
    "):null,n=i?null:n,o=i?null:a}this. zone=e,this.loc=t.loc||W.create(),thiś.invalid=i,this.weekData=n
  ull, this.localWeekData=null, this.c=n, this.o=o, this.isLuxonDateTime=!0}static now(){return new
  s({})}static local(){let[t,e]=Zc(arguments),[i,n,o,r,a,l,c]=e;return
Uc({year:i,month:n,day:o,hour:r,minute:a,second:l,millisecond:c},t)}static
  utc(){let[t,e]=Zc(arguments),[i,n,o,r,a,l,c]=e;return
  t.zone=et.utcInstance,Uc({year:i,month:n,day:o,hour:r,minute:a,second:l,millisecond:c},t)}static
  from JSDate(t, e=\{\})\{let i=lc(t)?t.valueOf():NaN;if(Number.isNaN(i))return s.invalid("invalid")
  input"); let n=Ct(e.zone, R.defaultZone); return n.isValid?new
```

```
s(\{ts:i,zone:n,loc:W.fromObject(e)\}):s.invalid(Si(n))\}static fromMillis\{t,e=\{\}\}{if\{ft(t)\}return
t<-Hc||t>Hc?s.invalid("Timestamp out of range"):new
s({ts:t,zone:Ct(e.zone,R.defaultZone),loc:W.fromObject(e)});throw new K(`fromMillis requires a
numerical input, but received a  [\{typeof t\}]  with value  [\{t\}] ) static
fromSeconds(t,e={}){if(Ft(t))return new
s({ts:t*le3,zone:Ct(e.zone,R.defaultZone),loc:W.fromObject(e)});throw new K("fromSeconds requires a
numerical input")}static fromObject(t,e={}){t=t||{}};let
i=Ct(e.zone,R.defaultZone);if(!i.isValid)return s.invalid(Si(i));let n=W.fromObject(e),o=cs(t,jc),{m
inDaysInFirstWeek:r,startOfWeek:a}=ar(o,n),l=R.now(),c=D(e.specificOffset)?i.offset(l):e.specificOff
set, h=!D(o.ordinal), u=!D(o.year), d=!D(o.month)||!D(o.day), f=u||d, m=o.weekYear||o.weekNumber; if((f||h, m=o.weekYear)), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=!D(o.year), d=
)&&m)throw new Dt("Can't mix weekYear/weekNumber units with year/month/day or
ordinals");if(d&&h)throw new Dt("Can't mix ordinal dates with month/day");let
\overline{w}=g?oc(o,r,a):h?rc(o):lr(o),x=w||cr(o);if(x)return s.invalid(x);let
k=q?or(o,r,a):h?rr(o):o,[M,v]=Mn(k,c,i),0=new s({ts:M,zone:i,o:v,loc:n});return
o.weekday&f&t.weekday!==0.weekday?s.invalid("mismatched weekday", `you can't specify both a weekday of [0.weekday] and a date of [0.toISO()]`):0.isValid?0:s.invalid(0.invalid)}static
fromISO(t,e={}){let[i,n]=kc(t);return bs(i,n,e,"ISO 8601",t)}static fromRFC2822(t,e={}){let[i,n]=Mc(t);return bs(i,n,e,"RFC 2822",t)}static
fromHTTP(t,e={}){let[i,n]=vc(t);return bs(i,n,e,"HTTP",e)}static fromFormat(t,e,i={}){if(D(t)||D(e))throw new K("fromFormat requires an input string and a format");l
et{locale:n=null,numberingSystem:o=null}=i,r=W.fromOpts({locale:n,numberingSystem:o,defaultToEN:!0}), [a,l,c,h]=Vc(r,t,e);return h?s.invalid(h):bs(a,l,i,`format []{e}`,t,c)}static fromString(t,e,i={}){return s.fromFormat(t,e,i)}static fromSQL(t,e={}){let[i,n]=Dc(t);return
bs(i,n,e, "SQL",t)}static invalid(t,e=null){if(!t)throw new K("need to specify a reason the DateTime
is invalid"); let i=t instanceof st?t:new st(t,e); if(R.throwOnInvalid)throw new hn(i); return new s(\{invalid:i\})static isDateTime(t)\{return\ t\&t.isLuxonDateTime||!1\}static
parseFormatForOpts(t,e={}){let i=wr(t,W.fromObject(e));return
i?i.map(n=>n?n.val:null).join(""):null}static expandFormat(t,e={}){return
xr(it.parseFormat(t),W.fromObject(e)).map(n=>n.val).join("")}static resetCache(){ki=void
0,Tr.clear()}get(t){return this[t]}get isValid(){return this.invalid===null}get invalidReason(){return this.invalid?this.invalid.reason:null}get invalidExplanation(){return this.invalid.explanation:null}get locale(){return this.isValid?this.loc.locale:null}get
numberingSystem(){return this.isValid?this.loc.numberingSystem:null}get outputCalendar(){return
this.isValid?this.loc.outputCalendar:null}get zone(){return this. zone}get zoneName(){return
this.isValid?this.zone.name:null}get year(){return this.isValid?this.c.year:NaN}get quarter(){return this.isValid?Math.ceil(this.c.month/3):NaN}get month(){return this.isValid?this.c.month:NaN}get
day(){return this.isValid?this.c.day:NaN}get hour(){return this.isValid?this.c.hour:NaN}get
minute(){return this.isValid?this.c.minute:NaN}get second(){return
this.isValid?this.c.second:NaN}get millisecond(){return this.isValid?this.c.millisecond:NaN}get
weekYear(){return this.isValid?kr(this).weekYear:NaN}get weekNumber(){return
this.isValid?kr(this).weekNumber:NaN}get weekday(){return this.isValid?kr(this).weekday:NaN}get
isWeekend(){return this.isValid&&this.loc.getWeekendDays().includes(this.weekday)}get localWeekday(){return this.isValid?Mr(this).weekday:NaN}get localWeekNumber(){return
this.isValid?Mr(this).weekNumber:NaN}get localWeekYear(){return
this.isValid?Mr(this).weekYear:NaN}get ordinal(){return this.isValid? n(this.c).ordinal:NaN}get
monthIsinorit(){return this.isValid:te.months("long", {locObj:this.loc})[this.month-1]:null}get
monthLong(){return this.isValid?te.weekdays("short", {locObj:this.loc})[this.weekday-1]:null}get
weekdayLong(){return this.isValid?te.weekdays("long", {locObj:this.loc})[this.weekday-1]:null}get
weekdayLong(){return this.isValid?te.weekdays("long", {locObj:this.loc})[this.weekday-1]:null}get
offset(){return this.isValid?+this.o:NaN}get offsetNameShort(){return
this.isValid?this.zone.offsetName(this.ts,{format:"short",locale:this.locale}):null}get
offsetNameLong(){return
this.isValid?this.zone.offsetName(this.ts,{format:"long",locale:this.locale}):null}get isOffsetFixed(){return this.isValid?this.zone.isUniversal:null}get isInDST(){return this.isOffsetFix
ed?!1:this.offset>this.set({month:1,day:1}).offset||this.offset>this.set({month:5}).offset}getPossib
leOffsets(){if(!this.isValid||this.isOffsetFixed)return[this];let t=864e5,e=6e4,i=os(this.c),n=this.
zone.offset(i-t),o=this.zone.offset(i+t),r=this.zone.offset(i-n*e),a=this.zone.offset(i-
o*e);if(r===a)return[this];let l=i-r*e,c=i-a*e,h=Sn(l,r),u=Sn(c,a);return h.hour===u.hour&h.minute=
== u.minute \& h.second == u.second \& h.millisecond == u.millisecond? [Le(this, \{ts:l\}), Le(this, \{ts:c\})]: [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, \{ts:c], [this, [this, \{ts:c], [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this, [this,
is]}get isInLeapYear(){return Fe(this.year)}get daysInMonth(){return ls(this.year,this.month)}get
daysInYear(){return this.isValid?fe(this.year):NaN}get weeksInWeekYear(){return
this.isValid?Ce(this.weekYear):NaN}get weeksInLocalWeekYear(){return this.isValid?Ce(this.localWeekY
ear, this.loc.getMinDaysInFirstWeek(), this.loc.getStartOfWeek()): NaN} resolvedLocaleOptions(t=\{\}){let{
locale:e,numberingSystem:i,calendar:n}=it.create(this.loc.clone(t),t).resolvedOptions(this);return{l
ocale:e,numberingSystem:i,outputCalendar:n}}toUTC(t=0,e={}){return
this.setZone(et.instance(t),e)\} to Local() \{return\ this.setZone(R.defaultZone)\} setZone(t,\{keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLocalTime,keepLo
 :e=!1,keepCalendarTime:i=!1}={}){if(t=Ct(t,R.defaultZone),t.equals(this.zone))return
this;if(t.isValid){let n=this.ts;if(e||i){let
o=t.offset(this.ts), r=this.toObject(); [n]=Mn(r,o,t) \} return \ Le(this,\{ts:n,zone:t\}) \} else \ return \ s.invalid(Si(t)) \} reconfigure(\{locale:t,numberingSystem:e,outputCalendar:i\}=\{\}) \{ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ let \ l
n=this.loc.clone({locale:t,numberingSystem:e,outputCalendar:i});return
```

```
Le(this,{loc:n})}setLocale(t){return this.reconfigure({locale:t})}set(t){if(!this.isValid)return
 this;let e=cs(t,jc),{minDaysInFirstWeek:i,startOfWeek:n}=ar(e,this.loc),o=!D(e.weekYear)||!D(e.weekN
 umber) \mid \mid !D(e.weekday), r=!D(e.ordinal), a=!D(e.year), l=!D(e.month) \mid \mid !D(e.day), c=a \mid \mid l, h=e.weekYear \mid \mid e.weekYear \mid \mid \mid e.weekYear \mid \mid \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid v \mid 
eekNumber; if ((c||r)\&\&h) throw new Dt("Can't mix weekYear/weekNumber units with year/month/day or ordinals"); if (\&\&r) throw new Dt("Can't mix ordinal dates with month/day"); let u; o?u=or({...mi(this.c}
   (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (u-1), (
th),u.day))):u=rr({..._n(this.c),...e});let[d,f]=Mn(u,this.o,this.zone);return
Le(this,{ts:d,o:f})}plus(t){if(!this.isValid)return this;let e=G.fromDurationLike(t);return
 Le(this,Bc(this,e))}minus(t){if(!this.isValid)return this;let
 e=G.fromDurationLike(t).negate();return
 Le(this,Bc(this,e))start0f(t,{useLocaleWeeks:e=!1}={}){if(!this.isValid)return this;let i={},n=G.no.eta}
rmalizeUnit(t); switch(n) {case"years":i.month=1; case"quarters":case"months":i.day=1; case"weeks":case" days":i.hour=0; case"hours":i.minute=0; case"minutes":i.second=0; case"seconds":i.millisecond=0; break; case"milliseconds":break}if(n==="weeks")if(e) {let o=this.loc.getStartOfWeek(), {weekday:r}=this; r<o&&(i.weekNumber=this.weekNumber-1), i.weekday=o}else
 i.weekday=1;if(n==="quarters"){let o=Math.ceil(this.month/3);i.month=(o-1)*3+1}return
 this.set(i)}endOf(t,e){return
 this.isValid?this.plus({[t]:1}).startOf(t,e).minus(1):this}toFormat(t,e={}){return this.isValid?it.c
reate(this.loc.redefaultToEN(e)).formatDateTimeFromString(this,t):Sr}toLocaleString(t=he,e={}){return this.isValid?it.create(this.loc.clone(e),t).formatDateTime(this):Sr}toLocaleParts(t={}){return this.isValid}.
 s.is Valid? it.create (this.loc.clone(t),t).format Date Time Parts (this): [] \\ format: t="extended", supplied the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context o
 pressSeconds:e=!1,suppressMilliseconds:i=!1,includeOffset:n=!0,extendedZone:o=!1,precision:r="millis
 econds"}={}){if(!this.isValid)return null;r=Tn(r);let a=t==="extended",l=vr(this,a,r);return vn.inde
c")}toISOTime({suppressMilliseconds:t=!1,suppressSeconds:e=!1,includeOffset:i=!0,includePrefix:n=!1,
extendedZone:o=!1,format:r="extended",precision:a="milliseconds"}={}){return this.isValid?(a=Tn(a),(n&vn.indexOf(a)>=3?"T":"")+[c(this,r==="extended",e,t,i,o,a)):null}toRFC2822(){return kn(this,"EEE,dd LLL yyyy HH:mm:ss ZZZ",!1)}toHTTP(){return kn(this.toUTC(),"EEE, dd LLL yyyy HH:mm:ss 'GMT'")}toSQLDate(){return this.isValid?vr(this,!0):null}toSQLTime({includeOffset:t=!0,includeZone:e
 ").e?n+="z":t&&(n+="ZZ")),kn(this,n,!0)}toSQL(t={}){return this.isValid?`\Box{this.toSQLDate()}
 [{this.toSQLTime(t)}`:null}toString(){return
this.isValid?this.toISO():Sr}[Symbol.for("nodejs.util.inspect.custom")](){return this.isValid?DateTime { ts: [{this.toISO()}, zone: [{this.zone.name}, locale: [{this.locale}} }`:`DateTime { Invalid, reason: [[{this.invalidReason} }`}valueOf(){return this.toMillis()}toMillis(){return this.isValid?this.ts:NaN}toSeconds(){return
 this.isValid?this.ts/1e3:NaN}toUnixInteger(){return
 this.isValid?Math.floor(this.ts/le3):NaN}toJSON(){return this.toISO()}toBSON(){return
 this.toJSDate()}toObject(t={}){if(!this.isValid)return{};let e={...this.c};return t.includeConfig&&(
 e.outputCalendar=this.outputCalendar,e.numberingSystem=this.loc.numberingSystem,e.locale=this.loc.lo
 cale).e}toJSDate(){return new
Date(this.isValid?this.ts:NaN)}diff(t,e="milliseconds",i={}){if(!this.isValid||!t.isValid)return G.invalid("created by diffing an invalid DateTime");let n={locale:this.locale,numberingSystem:this.n
 umberingSystem,...i},o=cc(e).map(G.normalizeUnit),r=t.valueOf()>this.valueOf(),a=r?this:t,l=r?t:this
   ,c=Pc(a,l,o,n);return r?c.negate():c}diffNow(t="milliseconds",e={}){return
 this.diff(s.now(),t,e)}until(t){return
 this.isValid?Qt.fromDateTimes(this,t):this}hasSame(t,e,i){if(!this.isValid)return!1;let
 n=t.valueOf(),o=this.setZone(t.zone,{keepLocalTime:!0});return
 o.startOf(e,i) <= n\& \\  n <= o.endOf(e,i) \\  \} equals(t) \\  \{return\ this.is \\  Valid \\  \& t.is \\  Valid \\  \& this.valueOf() === t.value) \\  \{return\ this.is \\  Valid \\  \& t.is \\  Valid \\  \& this.valueOf() === t.value) \\  \{return\ this.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  \& t.is \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Valid \\  Val
 e0f()\&\&this.zone.equals(t.zone)\&\&this.loc.equals(t.loc)\}toRelative(t={}){if(!this.isValid)}return
null; let e=t.base||s.fromObject({}, {zone:this.zone}),i=t.padding?this<e?-t.padding:t.padding:0,n=["years","months","days","hours","minutes","seconds"],o=t.unit;return Array.isArray(t.unit)&&(n=t.unit,o=void
0),Yc(e,this.plus(i),{...t,numeric:"always",units:n,unit:o})}toRelativeCalendar(t={}){return this.is Valid?Yc(t.base||s.fromObject({},{zone:this.zone}),this,{...t,numeric:"auto",units:["years","months","days"],calendary:!0}):null}static min(...t){if(!t.every(s.isDateTime))throw new K("min requires
 all arguments be DateTimes"); return hr(t,e=>e.valueOf(), Math.min)} static
 max(...t){if(!t.every(s.isDateTime))throw new K("max requires all arguments be DateTimes");return
 hr(t,e=>e.valueOf(),Math.max)}static fromFormatExplain(t,e,i={}){let{locale:n=null,numberingSystem:o
 =null}=i,r=W.fromOpts({locale:n,numberingSystem:o,defaultToEN:!0});return r(r,t,e)}static
 from String Explain(t,e,i=\{\}) \{return \ s.from Format Explain(t,e,i)\} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \overline{Format Parser}(t,e=\{\}) \{let\{let,e,i\}\} \} static \ build \ build \ build \ bui
 ocale:i=null,numberingSystem:n=null}=e,o=W.fromOpts({locale:i,numberingSystem:n,defaultToEN:!0});ret
urn new wi(o,t)}static fromFormatParser(t,e,i={}){if(D(t)||D(e))throw new K("fromFormatParser requires an input string and a format parser");let{locale:n=null,numberingSystem:o=null}=i,r=W.fromO
 \verb|pts(\{locale:n,numberingSystem:o,defaultToEN:!0\})|; if (!r.equals(e.locale)) \\ throw new \\
 K(\from Format Parser\ called\ with\ a\ locale\ of\ [\{r\},\ but\ the\ format\ parser\ was\ created\ for\ for\ parser\ was\ created\ for\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parser\ for\ parse
[{e.locale}`);let{result:a,zone:l,specificOffset:c,invalidReason:h}=e.explainFromTokens(t);return h?s.invalid(h):bs(a,l,i,`format [{e.format}`,t,c)}static get DATE_SHORT(){return he}static get DATE_MED(){return Zs}static get DATE_MED_WITH_WEEKDAY(){return Ro}static get DATE_FULL(){return definition of the format is a cleated for the format is a cleated for the format is a cleated for the format is a cleated for the format is a cleated for the format is a cleated for the format is a cleated for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parset was created for the format parse
 qs}static get DATE HUGE(){return Gs}static get TIME SIMPLE(){return Xs}static get
 TIME WITH SECONDS(){return Ks}static get TIME WITH SHORT OFFSET(){return Js}static get
 TIME_WITH_LONG_OFFSET(){return Qs}static get TIME_24_SIMPLE(){return ti}static get
```

```
TIME_24_WITH_SECONDS(){return ei}static get TIME_24_WITH_SHORT_0FFSET(){return si}static get
TIME 24 WITH LONG OFFSET(){return ii}static get DATETIME SHORT(){return ni}static get DATETIME SHORT WITH SECONDS(){return oi}static get DATETIME MED(){return ri}static get
DATETIME_MED_WITH_SECONDS(){return ai}static get DATETIME_MED_WITH_WEEKDAY(){return Wo}static get DATETIME_FULL(){return li}static get DATETIME_FULL_WITH_SECONDS(){return ci}static get DATETIME_HUGE(){return hi}static get DATETIME_HUGE_WITH_SECONDS(){return ui}};function
ys(s){if(F.isDateTime(s))return s;if(s&&s.valueOf&&Ft(s.valueOf()))return F.fromJSDate(s);if(s&&typeof s=="object")return F.fromObject(s);throw new K(`Unknown datetime
argument: [s], of type [typeof s]) }var

Jg={datetime:F.DATETIME_MED_WITH_SECONDS, millisecond: "h:mm:ss.SSS a", second:F.TIME_WITH_SECONDS, minute:F.TIME_SIMPLE, hour: {hour: "numeric"}, day: {day: "numeric", month: "short"}, week: "DD", month: {month: "sho
rt", year: "numeric"}, quarter: "'Q'q - yyyy", year: {year: "numeric"}}; No._date.override({_id:"luxon",_create:function(s){return F.fromMillis(s,this.options)},init(s){this.options.locale||(this.options.locale=s.locale)}, formats:function(){ret
urn Jg},parse:function(s,t){let e=this.options,i=typeof s;return
s===null||i==="undefined"?null:(i==="number"?s=this._create(s):i==="string"?typeof
t=="string"?s=F.fromFormat(s,t,e):s=F.fromISO(s,e):s instanceof
Date?s=F.fromJSDate(s,e):i==="object"&&!(s instanceof
F)&&(s=F.fromObject(s,e)),s.isValid?s.valueOf():null)},format:function(s,t){let
e=this. create(s); return typeof
t=="string"?e.toFormat(t):e.toLocaleString(t)},add:function(s,t,e){let i={};return
i[e]=t,this._create(s).plus(i).valueOf()},diff:function(s,t,e){return this._create(s).diff(this._cre
ate(t)).as(e).valueOf()},startOf:function(s,t,e){if(t==="isoWeek"){e=Math.trunc(Math.min(Math.max(0,t))})}
e),6));let i=this. create(s);return
i.minus({days:(i.weekday-e+7)%7}).startOf("day").valueOf()}return
t?this. create(s).startOf(t).valueOf():s},endOf:function(s,t){return
this.\_create(s).endOf(t).valueOf()\}); function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e\}) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e]) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e]) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e]) \{return\{init()\} \} function On(\{cachedData:s,options:t,type:e]) \{return\{init()\} \} function On(\{cachedData:s,opt
s.initChart(),this. [wire. [on("updateChartData", ({data:i})=>{0n=this.getChart(),0n.data=i,0n.update("
resize")}),Alpine.effect(()=>{Alpine.store("theme"),this. [nextTick(()=>{this.getChart()&&(this.getChart()),destroy(),this.initChart())})),window.matchMedia("(prefers-color-scheme: dark)").addEventList
ener("change",()=>{Alpine.store("theme")==="system"&&nd.[]nextTick(()=>{this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),this.getChart(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),destroy(),d
his.initChart()})}),initChart(i=null){var r,a,l,c,h,u,d,f,m,g,p,y,b,_;if(!this.|refs.canvas||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement||!this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement|||this.|refs.backgroundColorElement||this.|refs.backgroundColorElement||this.|refs.backgroundColorElement||this.|refs.
efs.gridColorElement)return;Ht.defaults.animation.duration=0,Ht.defaults.backgroundColor=getComputed
Style(this. | refs.backgroundColorElement).color; let n=getComputedStyle(this. | refs.borderColorElement)
 .cólor;Ht.defaults.borderColor=n,Ht.defaults.cólor=getComputedStyle(this.∏refs.textColorElement).col
or,Ht.defaults.font.family=getComputedStyle(this.□el).fontFamily,Ht.defaults.plugins.legend.labels.b
oxWidth=12,Ht.defaults.plugins.legend.position="bottom";let
o=getComputedStyle(this. refs.gridColorElement).color; return t??(t={}),t.borderWidth??(t.borderWidth
=2),t.pointBackgroundColor??(t.pointBackgroundColor=n),t.pointHitRadius??(t.pointHitRadius=4),t.poin
tRadius??(t.pointRadius=2),t.scales??(t.scales={}),(r=t.scales).x??(r.x={}),(a=t.scales.x).border??(a.border={}),(l=t.scales.x).border).display??(l.display=!1),(c=t.scales.x).grid??(c.grid={}),(h=t.scales.x.grid).color??(h.color?),(u=t.scales.x.grid).display??(u.display?!1),(d=t.scales).y??(d.y={}),
splay=!1)),new Ht(this.□refs.canvas,{type:e,data:i??s,options:t,plugins:window.filamentChartJsPlugin
s??[]})},getChart(){return this. refs.canvas?Ht.getChart(this. refs.canvas):null}}}export{On as
default}
/*! Bundled license information:
@kurkle/color/dist/color.esm.js:
       (*!
          * @kurkle/color v0.3.4
           * https://github.com/kurkle/color#readme
          * (c) 2024 Jukka Kurkela
          * Released under the MIT License
chart.js/dist/chunks/helpers.dataset.js:
chart.js/dist/chart.js:
      (*!
* Chart.js v4.5.0
          * https://www.chartjs.org
           * (c) 2025 Chart.js Contributors
           * Released under the MIT License
chartjs-adapter-luxon/dist/chartjs-adapter-luxon.esm.js:
       (*!
          * chartis-adapter-luxon v1.3.1
           * https://www.chartjs.org
          * (c) 2023 chartjs-adapter-luxon Contributors
```

public\js\filament\widgets\components\chart.js

```
* Released under the MIT license
*)
*/
```

```
var Zo=Object.defineProperty;var Jo=(i,t,e)=>t in
    i?Zo(i,t,{enumerable:!0,configurable:!0,writable:!0,value:e}):i[t]=e;var M=(i,t,e)=>Jo(i,typeof
    t!="symbol"?t+"":t,e);function ye(i){return i+.5|0}var
    wt=(i,t,e)=>Math.max(Math.min(i,e),t); function xe(i){return wt(ye(i*2.55),0,255)} function
    St(i){return wt(ye(i*255),0,255)}function mt(i){return wt(ye(i/2.55)/100,0,1)}function zs(i){return
    wt(ye(i*100),0,100)}var nt={0:0,1:1,2:2,3:3,4:4,5:5,6:6,7:7,8:8,9:9,A:10,B:11,C:12,D:13,E:14,F:15,a:10,b:11,c:12,d:13,e:14,f:15},Ai=[..."0123456789ABCDEF"],Qo=i=>Ai[i&15],ta=i=>Ai[(i&240)>>4]+Ai[i&15]
      (i.8240) > 4 = = (i.815), ea = i = Ye(i.r) & Ye(i.g) & Ye(i.b) & Ye(i.a); function ia(i) {var}
     \dot{t} = i.length, e; \dot{r}eturn \ \dot{i} [0] = \dot{=} "\#"\&\&(t = \dot{=} 4| \dot{t} = = \dot{5}?e = \dot{\{r:25\dot{5}\&nt[i[1]]*17,g:255\&nt[i[2]]*17,b:255\&nt[i[3]]*17,g:255\&nt[i[2]]*17,b:255\&nt[i[3]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:255\&nt[i[2]]*17,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:250,g:2
    17,a:t==5?nt[i[4]]*17:255\}:(t==7||t==9)\&\&(e=\{r:nt[i[1]]<<4|nt[i[2]],g:nt[i[3]]<<4|nt[i[4]],b:nt[i[4]]|
    [5]]<<4|nt[i[6]],a:t===9?nt[i[7]]<<4|nt[i[8]]:255})),e}var sa=(i,t)=>i<255?t(i):"";function
    na(i){var t=ea(i)?Qo:ta;return i?"#"+t(i.r)+t(i.g)+t(i.b)+sa(i.a,t):void 0}var oa=/^(hsla?|hwb|hsv)\
    (\s^*([-+.e\d]+)(?:deg)?[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%(?:[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[\s,]+([-+.e\d]+)%[
    s*Math.max(Math.min(a-3,9-a,1),-1); return[n(0),n(8),n(4)]} function aa(i,t,e){let
    s=(n,o=(n+i/60)\%6)=>e-e*t*Math.max(Math.min(o,4-o,1),0); return[s(5),s(3),s(1)] function
    ra(i,t,e) {let s=Ns(i,1,.5), n; for(t+e>1&&(n=1/(t+e),t*=n,e*=n),n=0; n<3; n++)s[n]*=1-t-e, s[n]+=t; return
    s}function la(i,t,e,s,n){return i===n?(t-e)/s+(t-e)/s+(t-e)/s+2:(i-t)/s+2:(i-t)/s+4}function Ti(i){let
    \begin{array}{l} \text{e=i.r/255,s=i.g/255,n=i.b/255,o=Math.max(e,s,n),a=Math.min(e,s,n),r=(o+a)/2,l,c,h;return o!==a\&\&(h=o-a,c=r>.5?h/(2-o-a):h/(o+a),l=la(e,s,n,h,o),l=l*60+.5),[l]0,c]|0,r]} \\ \text{function} \end{array} 
    \label{linear} Li(i,t,e,s)\{return(Array.isArray(t)?i(t[0],t[1],t[2]):i(t,e,s)).map(St)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e,s)\}\\ function \ Ri(i,t,e)\{return(t,e
    Li(Ns,i,t,e) function Ca(i,t,e) freturn Li(ra,i,t,e) function Ca(i,t,e) function Ca(i,t,e) function
    Hs(i){return(i%360+360)%360}function da(i){let
    t=oa.exec(i).e=255.s:if(!t)return:t[5]!==s&&(e=t[6]?xe(+t[5]);St(+t[5])):let
    \begin{array}{l} \text{n=Hs(+t[2]),o=+t[3]/100,a=+t[4]/100;return} \\ \text{t[1]==="hwb"?s=ca(n,o,a):t[1]==="hsv"?s=ha(n,o,a):s=Ri(n,o,a),\{r:s[0],g:s[1],b:s[2],a:e\}} \\ \text{function} \end{array} 
t[1]==="hwb"?s=ca(n,o,a):t[1]==="hsv"?s=ha(n,o,a):s=Ri(n,o,a), {r:s[0],g:s[1],b:s[2],a:e}}function
ua(i,t){var e=Ti(i);e[0]=Hs(e[0]+t),e=Ri(e),i.r=e[0],i.g=e[1],i.b=e[2]}function
fa(i){if(!1)return;let t=Ti(i),e=t[0],s=zs(t[1]),n=zs(t[1]);return i.a<255? hsla([]{e}), []{s}*, []{n}*,
[!mt(i.a)}): hsl([]{e}, []{s}*, []{n}*,) }var Bs={x:"dark",Z:"light",Y:"re",X:"blu",W:"gr",V:"medium",U
:"slate",A:"ee",T:"ol",S:"or",B:"ra",C:"lateg",D:"ights",R:"in",0:"turquois",E:"hi",P:"ro",0:"al",N:
'"le",M:"de",L:"yello",F:"en",K:"ch",G:"arks",H:"ea",I:"ightg",J:"wh"},Vs={0icxXe:"f0f8ff",antiquewEt
e:"faebd7",aqua:"ffff",aquamarRe:"7fffd4",azuV:"f0fffff",beige:"f5f5c",bisque:"ffe4c4",black:"0",bla
Keddmond:"ffebcd",Xe:"fff",XeviTet:"Ba2be2",bPwn:"a522a2",burlywood:"deb887",caMtxe:"59ea0",KartYus
e:"7fff00",KocTate:"d269le",cS0:"ff7f50",cSnflowerXe:"6495ed",cSnsilk:"fff8dc",crimson:"dc143c",cyan
:"fffff",xXe:"8b",xcyan:"8b8b",xTiwegYF:"556b2f",xSange:"ff8600",xScEdc":"9932cc",xYd:"8b000",xsCmon:"e9967a",xs
HgYF:"8fbc8f",xUXe:"483d8b",xUWay:"2f4f4f",xUgYy:"2f4f4f",xQe:"ced1",xviTet:"9400d3",dAppRk:"ff1493"
,dApskyXe:"bfff",dimWay:"696969",dingYy:"696969",dodgerXe:"le90ff",jiYprick:"b22222",flS0wEte:"fff60"
0",f0yfstWAn:"228b22",fuKs:a:"fff6f0f",gaRsbSo:"dcdcdc",ghostwEte:"f8f8ff",gTd:"ff6700",gTMPd:"daa520
",Way:"880808",gYF:"80000",gYFLw:"adff2f",gyy:"808080",honeyMw:"f0fff0",hotpRk:"ff69b4",RdianYd:"cd5c
5c",Rdigo:"4b0082",ivSy:"ffff6f0",khaki:"f0e68c",lavFMr:"e6e6fa",lavFMrxsh:"fff6f5",lawgy:"778899"
.ZdyY:"778899",ZstAlXe:"b0c4de",ZLw:"ffffe0",lime:"ff00",lime:"ff676",yarpNr:"8760e6,rive:"808000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",XgyF:"378000",X
    ua(i,t){var e=Ti(i);e[0]=Hs(e[0]+t),e=Ri(e),i.r=e[0],i.g=e[1],i.b=e[2]}function
    t.keys(Vs),e=Object.keys(Bs),s,n,o,a,r;for(s=0;s<t.length;s++){for(a=r=t[s],n=0;n<e.length;n++)o=e[n
    ], r=r.replace(o,Bs[o]); o=parseInt(Vs[a],16), i[r]=[o>>16&255,o>>8&255,o&255]} return i) var Ue; function
    pa(i){Ue||(Ue=ga(),Ue.transparent=[0,0,0,0]);let t=Ue[i.toLowerCase()];return
     \begin{array}{l} t\&\{r:t[0],g:t[1],b:t[2],a:t.\ length===4?t[3]:255\}\} var\ ma=/^rgba? \\ (\s^*([-+.\ld]+)(\%)?[\s,]+([-+.e\ld]+)(\%)?(?:[\s,/]+([-+.e\ld]+)(\%)?)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?(\s^*([-+.e\ld]+)(\%)?)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld]+)(\%)?\ s^*\) ||/; function\ ba(i) \{let \} \\ (\s^*([-+.e\ld
    t=ma.exec(i),e=255,s,n,o;if(t){if(t[7]!==s){let a=+t[7];e=t[8]?xe(a):wt(a*255,0,255)}return s=+t[1],
    n = +t[3], o = +t[5], s = 255\&(t[2]?xe(s):wt(s,0,255)), n = 255\&(t[4]?xe(n):wt(n,0,255)), o = 255\&(t[6]?xe(o):wt(o,0,255)),  = 255\&(t[6]?xe(o):wt(o,0,25)), o = 255\&(t[6]?xe(o):wt(o,0,25)), o = 255\&(t[6]?xe(o)
      ,0,255)),\{r:s,g:n,b:o,a:e\}\}\}function xa(i)\{return\ i\&\&(i.a<255?\ rgba([\{i.r\},\ [\{i.g\},\ [\{i.b\},\ [a]\},\ [a]\},\ [a]\},\ [a]\},\ [a]\}
   mt(i.g)), o=qt(mt(i.b)); return\{r:St(Ci(s+e*(qt(mt(t.r))-s))), g:St(Ci(n+e*(qt(mt(t.g))-s)))
    n))),b:St(Ci(o+e*(qt(mt(t.b))-o))),a:i.a+e*(t.a-i.a)}function Xe(i,t,e){if(i){let s=Ti(i);s[t]=Math}
  a:1\}),t.a=St(t.a)),t\}function ya(i)\{return i.charAt(0)==="r"?ba(i):da(i)\}var _e=class
    i{constructor(t){if(t instanceof i)return t;let e=typeof
    t,s;e==="object"?s=Ws(t):e==="string"\&\&(s=ia(t)||pa(t)||ya(t)),this.\_rgb=s,this.\_valid=!!s\\
    valid(){return this._valid}get rgb(){var t=js(this._rgb);return t&&(t.a=mt(t.a)),t}set
```

```
rgb(t){this. rgb=Ws(t)}rgbString(){return this. valid?xa(this. rgb):void 0}hexString(){return
 this._valid?na(this._rgb):void 0}hslString(){return this._valid?fa(this._rgb):void 0}mix(t,e){if(t){let s=this.rgb,n=t.rgb,o,a=e===0?.5:e,r=2*a-1,l=s.a-n.a,c=((r*l===-
  1?r:(r+l)/(1+r*l))+1)/2;o=1-
  c,s.r = 255\&c*s.r + o*n.r + .5,s.g = 255\&c*s.g + o*n.g + .5,s.b = 255\&c*s.b + o*n.b + .5,s.a = a*s.a + (1 - a*s.b + o*n.b + .5)
  a)*n.a,this.rgb=s}return this}interpolate(t,e){return
 t\&\&(this.\_rgb=a(this.\_rgb,t.\_rgb,e)),this}clone()\{return\ new\ i(this.rgb)\}alpha(t)\{return\ this.\_rgb.a=St(t),this\}clearer(t)\{let\ e=this.\_rgb;return\ e.a*=1-t,this\}greyscale()\{let\ alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha alpha al
  t=this._rgb,e=ye(t.r*.3+t.g*.59+t.b*.11);return t.r=t.g=t.b=e,this}opaquer(t){let e=this. rgb;return
 e.a*=1+t,this}negate(){let t=this._rgb;return
t.r=255-t.r,t.g=255-t.g,t.b=255-t.b,this}lighten(t){return Xe(this._rgb,2,t),this}darken(t){return
Xe(this._rgb,2,-t),this}saturate(t){return Xe(this._rgb,1,t),this}desaturate(t){return Xe(this._rgb,1,-t),this}rotate(t){return ua(this._rgb,t),this}};function dt(){}var tn=(()=>{let i=0;return()=>i++})();function A(i){return i==null}function
  z(i){if(Array.isArray&&Array.isArray(i))return!0;let t=Object.prototype.toString.call(i);return
 t.slice(0,7)==="[object"&&t.slice(-6)==="Array]"}function T(i){return i!==null&&Object.prototype.toString.call(i)==="[object Object]"}function N(i){return(typeof
  i=="number"||i instanceof Number)&&isFinite(+i)}function J(i,t){return N(i)?i:t}function
D(i,t){return typeof i>"u"?t:i}var en=(i,t)=>typeof i=="string"&&i.endsWith("%")?parseFloat(i)/100:+i/t,zi=(i,t)=>typeof i=="string"&&i.endsWith("%")?parseFloat(i)/100*t:+i;function F(i,t,e){if(i&&typeof)}
 i.call=="function")return i.apply(e,t)}function E(i,t,e,s){let
n,o,a;if(z(i))if(o=i.length,s)for(n=o-1;n>=0;n--)t.call(e,i[n],n);else
  for(n=0;n<o;n++)t.call(e,i[n],n);else
  if(T(i))for(a=0bject.keys(i),o=a.length,n=0;n<o;n++)t.call(e,i[a[n]],a[n])\}function \ ke(i,t)\{let\ e,s,all(e,i[a[n]],a[n])\}function \ ke(i,t)\{let\ e,s,all(e,i[a[n]],a[n])\}f
  n,o;if(!i||!t||i.length!==t.length) return!1; for (e=0,s=i.length;e< s;++e) if (n=i[e],o=t[e],n.datasetInd
  ex!==o.datasetIndex||n.index!==o.index)return!1;return!0}function Je(i){if(z(i))return
  i.map(Je); if(T(i)){\dot{let}}
 \begin{array}{ll} \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Timp(SC), } & \text{Tim
  Zt(i,t,e){let s=z(t)?t:[t],n=s.length;if(!T(i))return i;e=e||{};let o=e.merger||va,a;for(let r=0;r<n;++r){if(a=s[r],!T(a))continue;let l=0bject.keys(a);for(let</pre>
  c=0,h=l.length; c<h;++c)o(l[c],i,a,e) return i) function Qt(i,t) (return Zt(i,t,\{merger:Ma\})) function
  Ma(i,t,e){if(!sn(i))return;let
 \begin{array}{ll} \text{Tr}(s, h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), h(t), 
  i.charAt(0).toUpperCase()+i.slice(1)}var te=i=>typeof i<"u",bt=i=>typeof
  i=="function",Bi=(i,t)=>{if(i.size!==t.size)return!1;for(let e of
  i)if(!t.has(e))return!1;return!0};function nn(i){return
 i.type==="mouseup"||i.type==="click"||i.type==="contextmenu"}var R=Math.PI,B=2*R,Sa=B+R,Qe=Number.P0 SITIVE_INFINITY,Pa=R/180,H=R/2,It=R/4,Ys=R*2/3,xt=Math.log10,lt=Math.sign;function ee(i,t,e){return
 \label{lem:math.abs} $$\operatorname{Math.abs}(i-t)<e\}$ function $Vi(i)$ (let t=Math.round(i);i=ee(i,t,i/le3)?t:i;let e=Math.pow(10,Math.floor(xt(i))),s=i/e;return(s<=1?1:s<=2?2:s<=5?5:10)*e}$ function on(i)$ (let t=Math.round(i);i=ee(i,t,i/le3)?t:i;let e=Math.round(i);i=ee(i,t,i/le3)?t:i;let e=
  t=[],e=Math.sqrt(i),s;for(s=1;s<e;s++)i%s===0&&(t.push(s),t.push(i/s));return
 \begin{array}{l} \text{e===}(\text{e}|0)\&\&\text{t.push}(\text{e}),\text{t.sort}((\text{n,o})\text{=>n-o}).\text{pop}(),\text{t}}\text{function Da}(\text{i})\{\text{return typeof i=="symbol"}||\text{typeof i=="symbol"}||\text{typeof i=="object"}\&\&\text{i}!=\text{null}\&\&\text{!}(\text{Symbol.toPrimitive in i}||\text{"toString"in i}||\text{"valueOf"in i})}\text{function Bt}(\text{i})\{\text{return!Da}(\text{i})\&\&\text{!isNaN}(\text{parseFloat}(\text{i}))\&\&\text{isFinite}(\text{i})}\}\text{function an}(\text{i},\text{t})\{\text{let e=Math.round}(\text{i});\text{return}(\text{i})\}\text{function an}(\text{i},\text{t})\}\} \\ \end{array} 
  e-t \le \&e+t > =i function Wi(i,t,e) {let s,n,o; for (s=0,n=i.length;s < n;s++)o=i[s][e], is NaN(o)||(t.min=Maximum)|| (t.min=Maximum)|| .min(t.min,o),t.max=Math.max(t.max,o))}function ot(i){return i*(R/180)}function si(i){return
 i*(180/R)\} function \ Ni(i)\{if(!N(i))return; let \ t=1,e=0; for(;Math.round(i*t)/t!==i;)t*=10,e++; return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.atan2(s,e); return \ e\} function \ Hi(i,t)\{let \ e=t.x-i.x,s=t.y-i.y,n=Math.sqrt(e*e+s*s),o=Math.sqrt(e*e+s*s),o=M
  o<-.5*R\&\{(o+=B),\{angle:o,distance:n\}\}\function ti(i,t){return}
  Math.sqrt(Math.pow(t.x-i.x,2)+Math.pow(t.y-i.y,2))}function Oa(i,t){return(i-t+Sa)%B-R}function
  X(i){return(i%B+B)%B}function ie(i,t,e,s){let
  \begin{array}{l} n = X(i), o = X(t), a = X(e), r = X(o-n), l = X(a-n), c = X(n-o), h = X(n-a); return \\ n = = o \mid \mid n = = a \mid \mid s \& o = = a \mid \mid r > l \& c < h \} function \\ Y(i, t, e) \{return \ Math.max(t, Math.min(e, i))\} function \\ \end{array} 
  rn(i){return Y(i,-32768,32767)}function ut(i,t,e,s=1e-6){return
  i \ge Math.min(t,e) - s\&i < Math.max(t,e) + s \ function ni(i,t,e) \ \{e = e \mid | (a = > i[a] < t); \ let = (a > i[a] < t) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(i,t,e) \ function ni(
  s=i.length-1, n=0, o; for(; s-n>1;) o=n+s>>1, e(o)? n=o: s=o; return\{lo:n, hi:s\}\} var
  \begin{array}{l} \text{ct=(i,t,e,s)=>ni(i,e,s?n=>\{let\ o=i[n][t];return} \\ \text{o<e}||o===e\&i[n+1][t]==e\}:n=>i[n][t]<e),ln=(i,t,e)=>ni(i,e,s=>i[s][t]>=e);function\ cn(i,t,e)\{let\ o==e\&i[n+1][t]==e\}:n=>i[n][t]<e),ln=(i,t,e)=>ni(i,e,s=>i[s][t]>=e);function\ cn(i,t,e)\{let\ o==e\&i[n][t]=e\}:n=(i,t,e)=>ni(i,e,s=>i[s][t]>=e);function\ cn(i,t,e)==e\}:n=(i,t,e)==ni(i,e,s=>i[s][t]>=e);function\ cn(i,t,e)==ni(i,e,s=>i[s][t]>=e);function\ cn(i,t,e)==ni(i,e,s==i[s][t]>=e);function\  \begin{array}{l} = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 0, \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ = 1. \\ =
  i._chartjs){i._chartjs.listeners.push(t); return}Object.defineProperty(i, "_chartjs", {configurable:!0,
 enumerable:!1,value:{listeners:[t]}}),hn.forEach(e=>{let
s="_onData"+ii(e),n=i[e];Object.defineProperty(i,e,{configurable:!0,enumerable:!1,value(...o){let
  a=n.apply(this,o);return i._chartjs.listeners.forEach(r=>{typeof
  r[s]=="function"\&\&r[s](...o]),a})))function ji(i,t){let e=i._chartjs;if(!e)return;let
  s=e.listeners, n=s.indexOf(t); n!==-1&&s.splice(n,1),!(s.length>0)&&(hn.forEach(o=>{delete})
```

```
i[o]}),delete i. chartjs)}function □i(i){let t=new Set(i);return
t.size===i.length?i:Array.from(t)}var Yi=function(){return typeof window>"u"?function(i){return i()}:window.requestAnimationFrame}();function Ui(i,t){let e=[],s=!1;return
 function(...n) \\ \{e=n,s \mid |(s=!0,Yi.call(window,()=>\{s=!1,i.apply(t,e)\}))\} \\ \{function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un(i,t),function(un
 function(...s){return t?(clearTimeout(e),e=setTimeout(i,t,s)):i.apply(this,s),t}}var oi=i=>i==="star"
 (s?"left":"right")?e:i==="center"?(t+e)/2:t;function Xi(i,t,e){let s=t.length,n=0,o=s;if(i. sorted){
 let{iScale:a,vScale:r,_parsed:l}=i,c=i.dataset&&i.dataset.options?i.dataset.options.spanGaps:null.h=
 s:ct(t,h,a.getPixelForValue(d)).lo),c){let
 p=1.slice(0,n+1).reverse().findIndex(m=>!A(m[r.axis]));n-=Math.max(0,p)}n=Y(n,0,s-1)}if(q){let}
 p=Math.max(ct(l,a.axis,u,!0).hi+1,e?0:ct(t,h,a.getPixelForValue(u),!0).hi+1);if(c){let}
 m=l.slice(p-1).findIndex(b=>!A(b[r.axis]));p+=Math.max(0,m)}o=Y(p,n,s)-n}else
 o=s-n}return{start:n,count:o}}function Ki(i){let{xScale:t,yScale:e,_scaleRanges:s}=i,n={xmin:t.min,x
 max:t.max,ymin:e.min,ymax:e.max};if(!s)return i._scaleRanges=n,!0;let
o=s.xmin!==t.min||s.xmax!==t.max||s.ymin!==e.min||s.ymax!==e.max;return Object.assign(s,n),o}var Ke= i=>i==0||i===1,Us=(i,t,e)=>-(Math.pow(2,10*(i-=1))*Math.sin((i-t)*B/e)),Xs=<math>(i,t,e)=>Math.pow(2,-
 10*i)*Math.sin((i-t)*B/e)+1, Gt=\{linear: i=>i, easeInQuad: i=>i*i, easeOutQuad: i=>-i*(i-t)*B/e\}
=2)*i*i+2), easeInQuart: i=>i*i*i*i, easeOutQuart: i=>-((i-=1)*i*i*i-
 1), easeInOutQuart:i = (i/=.5) < 1?.5*i*i*i*i:-.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i--.5*((i-=2)*i*i*i*
 2),easeInOuint:i=>i*i*i*i*i,easeOutOuint:i=>(i-
 =1)*i*i*i*i1.easeInOutOuint;i=>(i/=.5)<1?.5*i*i*i*i*:.5*((i-=2)*i*i*i*i*i+2).easeInSine;i=>-
 Math.cos(i*H)+1,easeOutSine:i=>Math.sin(i*H),easeInOutSine:i=>-.5*(Math.cos(R*i)-
 1), easeInExpo:i=>i===0?0:Math.pow(2,10*(i-1)), easeOutExpo:i=>i===1?1:-Math.pow(2,10*(i-1))
 10*i)+1,easeInOutExpo:i=>Ke(i)?i:i<.5?.5*Math.pow(2,10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.pow(2,-10*(i*2-1)):.5*(-Math.
 1))+2),easeInCirc:i=>i>=1?i:-(Math.sqrt(1-i*i)-1),easeOutCirc:i=>Math.sqrt(1-(i-
=1)*i), easeInOutCirc:i=>(i/=.5)<1?-.5*(Math.sqrt(1-i*i)-1):.5*(Math.sqrt(1-(i-=2)*i)+1), easeInElastic:i=>Ke(i)?i:US(i,.075,.3), easeInOutEl
 astic(i){return Ke(i)?i:i<.5?.5*Us(i*2,.1125,.45):.5+.5*Xs(i*2-1,.1125,.45)},easeInBack(i){return i*
 i*((1.70158+1)*i-1.70158)},easeOutBack(i){return(i-
 =1)*i*((1.70158+1)*i+1.70158)+1},easeInOutBack(i){let t=1.70158;return(i/=.5)<1?.5*(i*i*(((t*=1.525))*i*((1.70158+1)*i+1.70158)+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1.70158+1)*i*((1
 +1)*i-t)):.5*((i-=2)*i*(((t*=1.525)+1)*i+t)+2)},easeInBounce:i=>1-Gt.easeOutBounce(1-
 i),easeOutBounce(i){return i<1/2.75?7.5625*i*i:i<2/2.75?7.5625*(i-
 =1.5/2.75)*i+.75:i<2.5/2.75?7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375:7.5625*(i-=2.25/2.75)*i+.9375*(i-=2.25/2.75)*i+.9375*(i-=2.25/2.75)*i+.9375*(i-=2.25/2.75)*i+.9375*(i-=2.25/2.75)*i+.9375*(i-=2.25/2.75)*i+.9375*(i-=2.25/2.
 =2.625/2.75)*i+.984375, easeInOutBounce:i=>i<.5?Gt.easeInBounce(i*2)*.5:Gt.easeOutBounce(i*2-10.5)*i+.984375
 1)*.5+.5}; function qi(i){if(i&&typeof i=="object"){let t=i.toString(); return t==="[object
CanvasPattern]"||t==="[object CanvasGradient]"}return!1}function Gi(i){return qi(i)?i:new
    _e(i)}function Ei(i){return qi(i)?i:new _e(i).saturate(.5).darken(.1).hexString()}var
Ca=["x","y","borderWidth","radius","tension"], Aa=["color","borderColor","backgroundColor"]; function Ta(i){i.set("animation",{delay:void 0,duration:1e3,easing:"easeOutQuart",fn:void 0,from:void
0,loop:void 0,to:void 0,type:void 0}),i.describe("animation",{_fallback:!1,_indexable:!1,_scriptable:t=>t!=="onProgress"&&t!=="onComplete"&&t!=="fn"}),i.set("animations",{colors:{type:"color",properties:Aa},numbers:{type:"number",properties:Ca}}),i.describe("animations",{_fallback:"animation"}),i.se
t("transitions", {active: {animation: {duration: 400}}, resize: {animation: {duration: 0}}, show: {animations: {colors: {from: "transparent"}, visible: {type: "boolean", duration: 0}}}, hide: {animations: {colors: {to: "transparent"}, visible: {type: "boolean", easing: "linear", fn:t=>t | 0}}}))} function
La(i){i.set("layout",{autoPadding:!0,padding:{top:0,right:0,bottom:0,left:0}})}var Ks=new Map;function Ra(i,t){t=t||{};let e=i+JSON.stringify(t),s=Ks.get(e);return s||(s=new
Intl.NumberFormat(i,t),Ks.set(e,s)),s}function se(i,t,e){return Ra(t,e).format(i)}var
gn={values(i){return z(i)?i:""+i},numeric(i,t,e){if(i===0)return"0";let
s=this.chart.options.locale,n,o=i;if(e.length>1)\{let c=Math.max(Math.abs(e[0].value),Math.abs(e[e.length-1].value));(c<le-4||c>le15)&(n="scientific"),o=Ea(i,e)\}let a=xt(Math.abs(o)),r=isNaN(a)?1:Math.abs(o))
 .max(Math.min(
 1*Math.floor(a)\,,20)\,,0)\,,l=\{notation:n,minimumFractionDigits:r,maximumFractionDigits:r\};return
Object.assign(l,this.options.ticks.format),se(i,s,l)},logarithmic(i,t,e){if(i===0)return"0";let s=e[t].significand||i/Math.pow(10,Math.floor(xt(i)));return[1,2,3,5,10,15].includes(s)||t>.8*e.length?gn.numeric.call(this,i,t,e):""}};function Ea(i,t){let e=t.length>3?t[2].value-t[1].value:t[1].value-t[0].value;return
\label{eq:math_abs} $$ Math.abs(e) = 1&\&i! = Math.floor(i)\&(e=i-Math.floor(i)),e \ var we = \{formatters:gn\}; function Ia(i)\{i.set ("scale", \{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:\{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:\{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:\{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:\{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:\{display:!0,offset:!1,reverse:!1,beginAtZero:!1,bounds:"ticks",clip:!0,grace:0,grid:\{display:!0,offset:!1,reverse:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,beginAtZero:!1,
 y:!0,lineWidth:1,drawOnChartArea:!0,drawTicks:!0,tickLength:8,tickWidth:(t,e)=>e.lineWidth,tickColor
   :(t,e)=>e.color,offset:!1},border:{display:!0,dash:[],dash0ffset:0,width:1},title:{display:!1,text:'
      ,padding:{top:4,bottom:4}},ticks:{minRotation:0,maxRotation:50,mirror:!1,textStrokeWidth:0,textStro
                                         padding:3,display:!0,autoSkip:!0,autoSkipPadding:3,labelOffset:0,callback:we.formatters.v
alues,minor:{},major:{},align:"center",crossAlign:"near",showLabelBackdrop:!1,backdropColor:"rgba(25 5, 255, 255, 0.75)",backdropPadding:2}}),i.route("scale.ticks","color","","color"),i.route("scale.grid","color","","borderColor"),i.route("scale.border","color","","borderColor"),i.route("scale.title","color","","color"),i.describe("scale",{_fallback:!1,_scriptable:t=>!t.startsWith("before")&&!t.sta
rtsWith("after")&&t!=="callback"&&t!=="parser",_indexable:t=>t!=="borderDash"&&t!=="tickBorderDash"& &t!=="dash"}),i.describe("scales",{_fallback:"scale"}),i.describe("scale.ticks",{_scriptable:t=>t!== "backdropPadding"&&t!=="callback",_indexable:t=>t!== "backdropPadding"})}var
```

```
Dt=Object.create(null),ai=Object.create(null);function ve(i,t){if(!t)return i;let
e=t.split(".");for(let s=0,n=e.length;s<n;++s){let o=e[s];i=i[o]||(i[o]=0bject.create(null))}return i}function Ii(i,t,e){return typeof t=="string"?Zt(ve(i,t),e):Zt(ve(i,""),t)}var Fi=class{constructor(t,e){this.animation=void 0,this.backgroundColor="rgba(0,0,0,0.1)",this.borderColor="rgba(0,0,0,0.1)",this.color="#666",this.datasets={},this.devicePixelRatio=s=>s.chart.platform.g
 etDevicePixelRatio(),this.elements={},this.events=["mousemove","mouseout","click","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart","touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touchstart,"touc
 hmove"],this.font={family:"'Helvetica Neue', 'Helvetica', 'Arial', sans-serif",size:12,style:"normal ",lineHeight:1.2,weight:null},this.hover={},this.hoverBackgroundColor=(s,n)=>Ei(n.backgroundColor),t
his.hoverBorderColor=(s,n)=>Ei(n.borderColor), this.hoverColor=(s,n)=>Ei(n.color), this.indexAxis="x", this.interaction={mode: "nearest", intersect: !0, includeInvisible: !1}, this.maintainAspectRatio=!0, this.onHover=null, this.onClick=null, this.parsing=!0, this.plugins={}, this.responsive=!0, this.scale=void 0,
 this.scales={},this.showLine=!0,this.drawActiveElementsOnTop=!0,this.describe(t),this.apply(e)}set(t
   ,e){return Ii(this,t,e)}get(t){return ve(this,t)}describe(t,e){return
 Ii(ai,t,e)}override(t,e){return Ii(Dt,t,e)}route(t,e,s,n){let o=ve(this,t),a=ve(this,s),r=" "+e;0bje
 ct.defineProperties(o,{[r]:{value:o[e],writable:!0},[e]:{enumerable:!0,get(){let
 l=this[r],c=a[n];return
 T(l)?0bject.assign(\{\},c,l):D(l,c)\},set(l)\{this[r]=l\}\}))apply(t)\{t.forEach(e=>e(this))\}\}, V=new\ Fi(\{l,c,l\},c,l)\}
scriptable:i=>!i.startsWith("on"),_indexable:i=>i!=="events",hover:{_fallback:"interaction"},interaction:{_scriptable:!1,_indexable:!1}},[Ta,La,Ia]);function
 \label{eq:fa} Fa(i) \{ \overline{return!i} | | A(i.s\overline{i}ze) | | A(i.family)?null: (i.style?i.style+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight?i.weight+" ":"") + (i.weight+" ":""") + (i.weight+" ":"") + (i.weight+" ":"") + (i.weight+"") + (i.weight+"")
            "")+i.size+"px "+i.family}function Me(i,t,e,s,n){let o=t[n];return
 o||(o=t[n]=i.measureText(n).width,e.push(n)),o>s&&(s=o),s}function pn(i,t,e,s){s=s||{}};let n=s.data=
 s.data[\{\}, o=s.garbageCollect=s.garbageCollect[[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]==t&&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]=t&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]=t&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]=t&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]=t&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]=t&(n=s.data=\{\}, o=s.garbageCollect=[], s.font]=t&(n=s.data=\{\}, o=s.data=\{\}, o=s.da
 font=t),i.save(),i.font=t;let
 a=0, r=e.length, l, c, h, d, u; for (l=0; l< r; l++) if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l], d!=null& ! z(d)) a=Me(i, n, o, a, d); else if (d=e[l],
 if(z(d))for(c=0,h=d.length;c< h;c++)u=d[c],u!=null&&!z(u)&&(a=Me(i,n,o,a,u));i.restore();let
 f=0.length/2; if(f>e.length) \{for(l=0;l< f;l++)delete n[o[l]]; o.splice(0,f)\} return a \} function
 Ot(i,t,e){let s=i.currentDevicePixelRatio,n=e!==0?Math.max(e/2,.5):0;return
\label{eq:math:round} $$ Math.round((t-n)*s)/s+n$ function $Zi(i,t)_{!t&\&!i||(t=t||i.getContext("2d"),t.save(),t.resetTransform(),t.clearRect(0,0,i.width,i.height),t.restore())} $$ function $ri(i,t,e,s)_{Ji(i,t,e,s,null)}$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function $$ function 
Ji(i,t,e,s,n) {let o,a,r,l,c,h,d,u,f=t.pointStyle,g=t.rotation,p=t.radius,m=(g||0)*Pa;if(f&&typeoff=="object"&&(o=f.toString(),o==="[object HTMLImageElement]"||o==="[object HTMLCanvasElement]")){i.s
 ave(),i.translate(e,s),i.rotate(m),i.drawImage(f,-f.width/2)
 f. height/2, f. width, f. height), i.restore(); return if(!(isNaN(p)||p <= 0)) \{switch(i.beginPath(), f) \{defaul\}\}
 t: n?i.ellipse(e,s,n/2,p,\bar{0},0,B): i.arc(e,s,p,0,B), i.closePath(); break; case"triangle": h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case"triangle = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n?n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case = h=n/2:p,i.moveTake(b,s,p,0,B), i.closePath(); break; case
 o(e+Math.sin(m)*h,s-Math.cos(m)*p),m+=Ys,i.lineTo(e+Math.sin(m)*h,s-
 Math.cos(m)*p),m+=Ys,i.lineTo(e+Math.sin(m)*h,s
 Math.cos(m)*p),i.closePath();break;case"rectRounded":c=p*.516,l=p-
c,a=Math.cos(m)*p/,1.closePath();break;case rectRounded :C=p*.516,t=p-
c,a=Math.cos(m+It)*l,d=Math.cos(m+It)*(n?n/2-c:l),r=Math.sin(m+It)*l,u=Math.sin(m+It)*(n?n/2-c:l),i.arc(e-d,s-r,c,m-R,m-H),i.arc(e+u,s-a,c,m-H,m),i.arc(e+d,s+r,c,m,m+H),i.arc(e-u,s+a,c,m+H,m+R),i.closePath();break;case"rect":if(!g){l=Math.SQRT1_2*p,h=n?n/2:l,i.rect(e-h,s-l,2*h,2*l);break}m+=It;case"rectRot":d=Math.cos(m)*(n?n/2:p),a=Math.cos(m)*p,r=Math.sin(m)*p,u=Math.sin(m)*(n?n/2:p),i.moveTo(e-d,s-r),i.lineTo(e+u,s-a),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+r),i.lineTo(e+d,s+
u,s+a),i.closePath();break;case"crossRot":m+=It;case"cross":d=Math.cos(m)*(n?n/2:p),a=Math.cos(m)*p,r=Math.sin(m)*p,u=Math.sin(m)*(n?n/2:p),i.moveTo(e-d,s-r),i.lineTo(e+d,s+r),i.moveTo(e+u,s-
 a).i.lineTo(e-
  u, s+a); break; case"star": d=Math.cos(m)*(n?n/2:p), a=Math.cos(m)*p, r=Math.sin(m)*p, u=Math.sin(m)*(n?n/2:p), a=Math.cos(m)*(n?n/2:p), a=Math.cos(m)*p, r=Math.sin(m)*p, u=Math.sin(m)*p, u=
 :p),i.moveTo(e-d,s-r),i.lineTo(e+d,s+r),i.moveTo(e+u,s-a),i.lineTo(e-
 u,s+a), m+=It, d=Math.cos(m)*(n?n/2:p), a=Math.cos(m)*p, r=Math.sin(m)*p, u=Math.sin(m)*(n?n/2:p), i.moveT
 o(e-d,s-r),i.lineTo(e+d,s+r),i.moveTo(e+u,s-a),i.lineTo(e-
u,s+a);break;case"line":a=n?n/2:Math.cos(m)*p,r=Math.sin(m)*p,i.moveTo(e-a,s-r),i.lineTo(e+a,s+r);break;case"dash":i.moveTo(e,s),i.lineTo(e+Math.cos(m)*(n?n/2:p),s+Math.sin(m)*p
 ); break; case!1:i.closePath(); break}i.fill(),t.borderWidth>0&&i.stroke()}} function ht(i,t,e){return}
 e = e \mid |.5,!t| \mid i\&\&i.x > t.left - e\&\&i.x < t.right + e\&\&i.y > t.top - e\&\&i.y < t.bottom + e \} function
 Se(i,t){i.save(),i.beginPath(),i.rect(t.left,t.top,t.right-t.left,t.bottom-t.top),i.clip()}function
Pe(i){i.restore()}function mn(i,t,e,s,n){if(!t)return i.lineTo(e.x,e.y);if(n==="middle"){let o=(t.x+e.x)/2;i.lineTo(o,t.y),i.lineTo(o,e.y)}else
 n == "after"! = !!s?i.lineTo(t.x,e.y):i.lineTo(e.x,t.y);i.lineTo(e.x,e.y) \} function
 bn(i,t,e,s){if(!t)return i.lineTo(e.x,e.y);i.bezierCurveTo(s?t.cplx:t.cp2x,s?t.cply:t.cp2y,s?e.cp2x:
 e.cplx,s?e.cp2y:e.cply,e.x,e.y)}function za(i,t){t.translation&i.translate(t.translation[0],t.trans}
 lation[1]),A(t.rotation)||i.rotate(t.rotation),t.color&&(i.fillStyle=t.color),t.textAlign&&(i.textAl
 ign=t.textAlign),t.textBaseline&&(i.textBaseline=t.textBaseline)}function
 Ba(i,t,e,s,n) { if (n.strikethrough||n.underline) { let o=i.measureText(s),a=t-i.measureText(s) }
 o.actualBoundingBoxLeft, r=t+o.actualBoundingBoxRight, l=e-
 o.actualBoundingBoxAscent,c=e+o.actualBoundingBoxDescent,h=n.strikethrough?(l+c)/2:c;i.strokeStyle=i
   .fillStyle,i.beginPath(),i.lineWidth=n.decorationWidth||2,i.moveTo(a,h),i.lineTo(r,h),i.stroke()/}fu
 nction Va(i,t){let
e=i.fillStyle=t.color,i.fillRect(t.left,t.top,t.width,t.height),i.fillStyle=e\}function \\ Ct(i,t,e,s,n,o=\{\})\{let\ a=z(t)?t:[t],r=o.strokeWidth>0\&\&o.strokeColor!=="",l,c;for(i.save(),i.font=n.string,za(i,o),l=0;l<a.length;++l)c=a[l],o.backdrop&&Va(i,o.backdrop),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeSt),r&&(o.strokeColor&&(i.strokeColor&&(i.strokeColor&&(i.st
 yle=o.strokeColor),A(o.strokeWidth)||(i.lineWidth=o.strokeWidth),i.strokeText(c,e,s,o.maxWidth)),i.f
 illText(c,e,s,o.maxWidth),Ba(i,e,s,c,o),s+=Number(n.lineHeight);i.restore()}function ne(i,t){let{x:e
   ,y:s,w:n,h:o,radius:a}=t;i.arc(e+a.topLeft,s+a.topLeft,a.topLeft,1.5*R,R,!0),i.lineTo(e,s+o-
```

```
a.bottomLeft), i.arc(e+a.bottomLeft, s+o-a.bottomLeft, a.bottomLeft, R, H, !0), i.lineTo(e+n-bottomLeft)
 a.bottomRight,s+o),i.arc(e+n-a.bottomRight,s+o-
 a.bottomRight, a.bottomRight, H, O, !0), i.lineTo(e+n, s+a.topRight), i.arc(e+n-
a.topRight,s+a.topRight,a.topRight,0,-H,!0),i.lineTo(e+a.topLeft,s)}var
Wa=/^(normal|(\d+(?:\.\d+)?)(px|em|%)?)□/,Na=/^(normal|italic|initial|inherit|unset|(oblique(
   -?[0-9]?[0-9]\deg)?))/; function Ha(i,t){let e=(""+i).match(Wa);if(!e||e[1]==="normal")return
 t*1.2; switch(i=+e[2], e[3]){case"px":return i; case"%":i/=100; break} return t*i} var
 ja=i=>+i||0;function li(i,t){let
 e=\{\}, s=T(t), n=s?0bject.keys(t):t, o=T(i)?s?a=>D(i[a],i[t[a]]):a=>i[a]:()=>i;for(let a of a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous set a continuous se
 n)e[a]=ja(o(a));return e}function Qi(i){return
li(i, {top: "y", right: "x", bottom: "y", left: "x"})}function At(i){return
li(i, ["topLeft", "topRight", "bottomLeft", "bottomRight"])}function q(i){let t=Qi(i); return
t.width=t.left+t.right, t.height=t.top+t.bottom, t}function [(i,t){i=i||{}},t=t||V.font; let
e=D(i.size,t.size); typeof e=="string"&&(e=parseInt(e,10)); let s=D(i.style,t.style); s&&!(""+s).match(Na)&&(console.warn('Invalid font style specified: "'+s+'"'), s=void 0); let n={family:D(i.family,t.family),lineHeight:Ha(D(i.lineHeight,t.lineHeight),e), size:e, style:s, weight:D(i.weight,t.weight), string:""}; return n.string=Fa(n),n}function oe(i,t,e,s){let n=!0,o,a,r; for(o=0,a=i.length;o<a; ++o)if(r=i[o],r!==void 0&&(t!==void 0&&typeof
 r==\text{"function"} \&\&(r=r(t),n=!1),e!==\text{void }0\&\&z(r)\&\&(r=r[e\&r.length],n=!1),r!==\text{void }0)) \ return \\ s\&\&!n\&\&(s.cacheable=!1),r\} \ function \ xn(i,t,e) \{let\{min:s,max:n\}=i,o=zi(t,(n-s),r\}=i,o=zi(t,n-s)\} \}
s)/2), a=(r,l)=>e\&r==0?0:r+l; return\{min:a(s,-Math.abs(o)), max:a(n,o)\}\} function yt(i,t)\{return\{min:a(s,-Math.abs(o)), max:
s:o,_fallback:s,_getTarget:n,override:r=>ci([r,...i],t,o,s)};return new
Proxy(a,{deleteProperty(r,l){return delete r[l],delete r._keys,delete i[0][l],!0},get(r,l){return
       n(r,l,()=>Za(l,t,i,r))},getOwnPropertyDescriptor(r,l){return
\label{eq:return} Reflect.get0wnPropertyDescriptor(r.\_scopes[0],l)\}, getPrototype0f()\{return Reflect.getPrototype0f(i[0])\}, has(r,l)\{return Gs(r).includes(l)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r), ownKeys(r)\}, ownKeys(r)\{return Gs(r
Gs(r)},set(r,l,c){let h=r._storage||(r._storage=n());return r[l]=h[l]=c,delete r._keys,!0}})}function zt(i,t,e,s){let n={_cacheable:!1,_proxy:i,_context:t,_subProxy:e,_stack:new
 Set, descriptors:ts(i,s),setContext:o=>zt(i,o,e,s),override:o=>zt(i.override(o),t,e,s)};return new
 Proxy(n,{deleteProperty(o,a){return delete o[a],delete i[a],!0},get(o,a,r){return
      _n(o,a,()=>Ya(o,a,r))},getOwnPropertyDescriptor(o,a){return
 o._descriptors.allKeys?Reflect.has(i,a)?{enumerable:!0,configurable:!0}:void
 0:Reflect.getOwnPropertyDescriptor(i,a)},getPrototypeOf(){return
Reflect.getPrototypeOf(i)},has(o,a){return Reflect.has(i,a)},ownKeys(){return Reflect.ownKeys(i)},set(o,a,r){return i[a]=r,delete o[a],!0}})function ts(i,t={scriptable:!0,indexable:!0}){let{_scriptable:e=t.scriptable,_indexable:s=t.indexable,_allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{allKeys}=i;return{all
 ?i+ii(t):t,es=(i,t)=>T(t)&&i!=="adapters"&&(Object.getPrototypeOf(t)===null||t.constructor===Object);function _n(i,t,e){if(Object.prototype.hasOwnProperty.call(i,t)||t==="constructor")return i[t];let
 s=e();return i[t]=s,s}function
 Ya(i,t,e)\{let\{proxy:s,\_context:n,\_subProxy:o,\_descriptors:a\}=i,r=s[t];return\ bt(r)\&a.isScriptable(t)
 t)\&\&(r=Ua(t,r,\bar{i},e)),z(r)\&\&r.length\&\&(r=Xa(t,r,\bar{i},a.isIndexable)),es(t,r)\&\&(r=zt(r,n,o\&\&o[t],a)),r\}fundaments and the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of the sum of t
ction Ua(i,t,e,s){let{ proxy:n, context:o, subProxy:a, stack:r}=e;if(r.has(i))throw new Error("Recursion detected: "+Array.from(r).join("->")+"->"+i);r.add(i);let l=t(o,a||s);return
 r.delete(i)\,,es(i,l)\&(l=is(n.\_scopes,n,i,l))\,,l\} function
\label{eq:context} Xa(i,t,e,s)\{let\{\_proxy:n,\_context:o,\_subProxy:a,\_descriptors:r\}=e;if(typeof\ o.index<"u"\&\&s(i))return\ t[o.index%t.length];if(T(t[0]))\{let\ l=t,c=n.\_scopes.filter(h=>h!==l);t=[];for(let\ h\ of\ l)\{let\ l=t,c=n.\_scopes.filter(h=>h!=sl);t=[];for(let\ h\ of\ l)\{let\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.filter(h=sl);t=[];for(let\ h\ of\ l=t,c=n.\_scopes.fil
 d=is(c,n,i,h);t.push(zt(d,o,a\&\&a[i],r))}return tfunction yn(i,t,e){return bt(i)?i(t,e):i}var
Ka=(i,t)=>i==!0?t:typeof i=="string"?\_t(t,i):void 0;function qa(i,t,e,s,n)\{for(let o of t)\{let a=Ka(e,o);if(a)\{i.add(a);let r=yn(a._fallback,e,n);if(typeof r<"u"&&r!==e&&r!==s)return r\}else
 if(a===!1&&typeof s<"u"&&e!==s)return null}return!1}function is(i,t,e,s){let
 n=t. rootScopes,o=yn(t. fallback,e,s),a=[...i,...n],r=new Set;r.add(s);let l=qs(r,a,e,o||e,s);return
 l===null||typeof
 o<"u"&&o!==e&(l=qs(r,a,o,l,s),l===null)?!1:ci(Array.from(r),[""],n,o,()=>Ga(t,e,s))}function
  qs(i,t,e,s,n) \{ for(;e;) e = qa(i,t,e,s,n); return \ e \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s = i.\_getTarget(); t \ in \} \\  function \ Ga(i,t,e) \{ let \ s 
 s||(s[t]={});let n=s[t];return z(n)&&T(e)?e:n||{}}function Za(i,t,e,s){let n;for(let o of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the 
 t) if (n=vn([a(o,i),e),typeof n<"u") return es(i,n)? is (e,s,i,n):n function vn(i,t) {for (let e of (e,s,i,n):n) function vn(i,t) {for (let e of (e,s,i,n):n) function vn(i,t) {for (let e of (e,s,i,n):n) function vn(i,t) {for (let e of (e,s,i,n):n) function vn(i,t) {for (let e of (e,s,i,n):n) function vn(i,t) {for (let e of (e,s,i,n):n) function (e,s,i,n):n {for (let e of (e,s,i,n):n) function (e,s,i,n):n {for (let e of (e,s,i,n):n) function (e,s,i,n):n {for (let e of (e,s,i,n):n) function (e,s,i,n):n {for (let e of (e,s,i,n):n) function (e,s,i,n):n {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e of (e,s,i,n):n) {for (let e 
 t){if(!e)continue;let s=e[i];if(typeof s<"u")return s}}function Gs(i){let t=i. keys;return
t||(t=i._keys=Ja(i._scopes)),t}function Ja(i){let t=new Set;for(let e of i)for(let s of Object.keys(e).filter(n=>!n.startsWith("_")))t.add(s);return Array.from(t)}function
 ss(i,t,e,s){let{iScale:n}=i,{key:o="r"}=This._parsing,a=new
 Array(s), r, l, c, h; for(r=0, l=s; r<l; ++r)c=r+e, h=t[c], a[r]=\{r:n.parse(t(h,o),c)\}; return a\} var
 Qa=Number.EPSILON||le-14,Jt=(i,t)=>t<i.length&&!i[t].skip&&i[t],Mn=i=>i==="x"?"y":"x";function
 tr(i,t,e,s) {let n=i.skip?t:i,o=t,a=e.skip?t:e,r=ti(o,n),l=ti(a,o),c=r/(r+l),h=l/(r+l);c=isNaN(c)?0:c=tr(i,t,e,s)}
    h=isNaN(h)?0:h;let d=s*c,u=s*h;return{previous:{x:o.x-d*(a.x-n.x),y:o.y-d*(a.y-
 \{x:0.x+u*(a.x-n.x),y:0.y+u*(a.y-n.y)\}\}\function er(i,t,e){let
 s=i.length, n, o, a, r, l, c=Jt(i, 0); for(let h=0; h< s-1)
1; ++h) if (l=c,c=Jt(i,h+1),!(!l||!c)) \{if(ee(t[h],0,Qa))\{e[h]=e[h+1]=0; continue\} n=e[h]/t[h], o=e[h+1]/t[h], r=Math.pow(n,2)+Math.pow(o,2),!(r<=9) &&(a=3/Math.sqrt(r),e[h]=n*a*t[h],e[h+1]=o*a*t[h])\} function
 ir(i,t,e="x"){let s=Mn(e),n=i.length,o,a,r,l=Jt(i,0);for(let
 c=0; c<n; ++c) \{ if(a=r,r=l,l=Jt(i,c+1),!r) continue; let \ h=r[e], d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h-a[e])/3,r[\ cp1[]\{e\}\ ]=h-a(e), d=r[s]; a\&\&(o=(h
```

```
o,r[\cp1[\{s\}\]=d-o*t[c]),l\&\{(o=(l[e]-h)/3,r[\cp2[\{e\}\]=h+o,r[\cp2[\{s\}\]]=d+o*t[c])\}\} function
sr(i,t="x"){let e=Mn(t),s=i.length,n=Array(s).fill(0),o=Array(s),a,r,l,c=Jt(i,0);for(a=0;a<s;++a)if(r=l,l=c,c=Jt(i,a+1),!!l){if(c){let h=c[t]-l[t];n[a]=h!==0?(c[e]-l[e])/h:0}o[a]=r?c?lt(n[a-</pre>
 1])!==lt(n[a])?0:(n[a-1]+n[a])/2:n[a-1]:n[a]}er(i,n,o),ir(i,o,t)}function qe(i,t,e){return
 Math.max(Math.min(i,e),t) function nr(i,t) {let e,s,n,o,a,r=ht(i[0],t); for(e=0,s=i.length;e< s;++e)a=o
 1\&\&ht(i[e+1],t), o\&\&(n=i[e],a\&\&(n.cp1x=qe(n.cp1x,t.left,t.right),n.cp1y=qe(n.cp1y,t.top,t.bottom)), r\&hot(i[e+1],t), o\&\&(n=i[e],a\&\&(n.cp1x=qe(n.cp1x,t.left,t.right),n.cp1y=qe(n.cp1y,t.top,t.bottom)), r\&hot(i[e+1],t)
 &(n.cp2x=qe(n.cp2x,t.left,t.right),n.cp2y=qe(n.cp2y,t.top,t.bottom)))) function &(i,t,e,s,n) {let o,a
 ,r,l;if(t.spanGaps&&(i=i.filter(c=>!c.skip)),t.cubicInterpolationMode==="monotone")sr(i,n);else{let c=s?i[i.length-1]:i[0];for(o=0,a=i.length;o<a;++o)r=i[o],l=tr(c,r,i[Math.min(o+1,a-</pre>
  (s?0:1))%a],t.tension),r.cplx=l.previous.x,r.cply=l.previous.y,r.cp2x=l.next.x,r.cp2y=l.next.y,c=r}t
    .capBezierPoints&&nr(i,e)}function hi(){return typeof window<"u"&&typeof document<"u"}function
 di(i){let t=i.parentNode;return t&&t.toString()==="[object ShadowRoot]"&&(t=t.host),t}function
 ei(i,t,e){let s;return typeof
 i=="string"?(s=parseInt(i,10),i.index0f("%")!==-1&&(s=s/100*t.parentNode[e])):s=i,s}varentNode[e])
ui=i=>i.ownerDocument.defaultView.getComputedStyle(i,null);function or(i,t){return
ui(i).getPropertyValue(t)}var ar=["top","right","bottom","left"];function Ft(i,t,e){let
s={};e=e?"-"+e:"";for(let n=0;n<4;n++){let o=ar[n];s[o]=parseFloat(i[t+"-"+o+e])||0}return</pre>
 s.width=s.left+s.right,s.height=s.top+s.bottom,s}var
  r = (i,t,e) = > (i>0| |t>0) \& \& (!e| |!e.shadowRoot); function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length?e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot\}; function \\ lr(i,t) \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i, \{output | e.shadowRoot]\}; function \\ \{let e=i.touches, s=e\& \& e.length.e[0]:i,
 ffsetX:n,offsetY:o}=s,a=!1,r,l;if(rr(n,o,i.target))r=n,l=o;else{let
 c=t.getBoundingClientRect();r=s.clientX-c.left,l=s.clientY-c.top,a=!0}return{x:r,y:l,box:a}}function
 Tt(i,t){if("native"in i)return
 i;let{canvas:e,currentDevicePixelRatio:s}=t,n=ui(e),o=n.boxSizing==="border-box",a=Ft(n,"padding"),r
 = Ft(n, "border", "width"), \{x:l,y:c,box:h\} = lr(i,e), d=a.left + (h\&\&r.left), u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.top + (h\&\&r.top), \{width:f,heilder, u=a.t
 ght:g}=t; return o\&&(f-=a.width+r.width,g-=a.height+r.height), {x:Math.round((l-a.width+r.width,g-=a.height+r.height), height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.height+r.he
 d)/f^*e.width/s), y: Math.round((c-u)/g^*e.\bar{h}eight/s\bar{)} \} \\ function cr(i,t,e) \\ \{let s,n; if(t===void 0||e===void   0||e=====void 0||e=====void 0||e======||e=====||e====||e=====
 0) \{ let \ o=i \& \& di(i); if(!o)t=i.client \ Width, e=i.client \ Height; else \{ let \ a=o.get Bounding \ Client \ Rect(), r=ui(o) \} \} \} 
),l=Ft(r,"border","width"),c=Ft(r,"padding");t=a.width-c.width-l.width,e=a.height-c.height-l.height,s=ei(r.maxWidth,o,"clientWidth"),n=ei(r.maxHeight,o,"clientHeight")}}return{width:t,height:e,maxWidth:s||Qe,maxHeight:n||Qe}}var Ge=i=>Math.round(i*10)/10;function wn(i,t,e,s){let n=ui(i),o=Ft(n,"margin"),a=ei(n.maxWidth,i,"clientWidth")||Qe,r=ei(n.maxHeight,i,"clientHeight")||Qe,l=cr(i,t,e)
 ),{width:c,height:h}=l;if(n.boxSizing==="content-box"){let
u=Ft(n,"border","width"),f=Ft(n,"padding");c-=f.width+u.width,h-=f.height+u.height}return c=Math.max (0,c-o.width),h=Math.max(0,s?c/s:h-
 o.height), c=Ge(Math.min(c,a,l.maxWidth)), h=Ge(Math.min(h,r,l.maxHeight)), c&&!h&&(h=Ge(c/2)),(t!==voi)
 d \theta = = void
 0) \& \& \& \& l. height \& h>l. height \& (h=l. height, c=Ge(Math.floor(h*s))), \{width: c, height: h\} function for the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit of the limit 
 ns(i,t,e){let s=t||1,n=Math.floor(i.height*s),o=Math.floor(i.width*s);i.height=Math.floor(i.height),
 i.width = \texttt{Math.floor}(i.width); let a = i.canvas; return a.style \& \& (e||!a.style.height \& !a.style.width) \& \& (a.style.height \& !a.style.width) & \& (a.style.height \& !a.style.width) & \& (a.style.height \& !a.style.height \& !a.style.height & || a.style.height & |
 style.height=`[{i.height}px`,a.style.width=`[{i.width}px`),i.currentDevicePixelRatio!==s||a.height!=
 =n||a.width!==o?(i.currentDevicePixelRatio=s,a.height=n,a.width=o,i.ctx.setTransform(s,0,0,s,0,0),!0
=n||a.width!==0/(i.currentbevicePixetRatio=s,a.neignt=n,a.width=o,i.ctx.setransform(s,0,0,s,0,0),!0
):!1}var Sn=function(){let i=!1;try{let t={get passive(){return i=!0,!1}};hi()&&(window.addEventList
ener("test",null,t),window.removeEventListener("test",null,t))}catch{}return i}();function
os(i,t){let e=or(i,t),s=e&&e.match(/^(\d+)(\.\d+)?px[]/);return s?+s[1]:void 0}function
Pt(i,t,e,s){return{x:i.x+e*(t.x-i.x),y:i.y+e*(t.y-i.y)}}function Pn(i,t,e,s){return{x:i.x+e*(t.x-i.x),y:s==="middle"?e<.5?i.y:t.y:s==="after"?e<1?i.y:t.y:e>0?t.y:i.y}}function Dn(i,t,e,s){let n={x:i.cp2x,y:i.cp2y},o={x:t.cp1x,y:t.cp1y},a=Pt(i,n,e),r=Pt(o,t,e),c=Pt(a,r,e),h=Pt(r,l,e);return Pt/should be foreturn to function(i,t){foreturn}
 eturn Pt(c,h,e)}var hr=function(i,t){return{x(e){return}
i+i+t-e}, setWidth(e) {t=e}, textAlign(e) {return
e==="center"?e:e==="right"?"left":"right"}, xPlus(e,s) {return e-s}, leftForLtr(e,s) {return
e-s}}}, dr=function() {return{x(i) {return i}, setWidth(i) {}, textAlign(i) {return i}, xPlus(i,t) {return
e-s}}}, dr=function() {return{x(i) {return i}, setWidth(i) {}, textAlign(i) {return i}, xPlus(i,t) {return
e-s}}}, dr=function() {return{x(i) {return i}, setWidth(i) {}, textAlign(i) {return i}, xPlus(i,t) {return
e-s}}}
 i+t},leftForLtr(i,t){return i}}};function Vt(i,t,e){return i?hr(t,e):dr()}function as(i,t){let e,s;(
 t==="ltr"||t==="rtl")&&(e=i.canvas.style,s=[e.getPropertyValue("direction"),e.getPropertyPriority("d
 irection")],e.setProperty("direction",t,"important"),i.prevTextDirection=s)}function
 rs(i,t){t!==void 0&&(delete
 i.prevTextDirection,i.canvas.style.setProperty("direction",t[0],t[1]))}function On(i){return i==="an
 gle"?{between:ie,compare:0a,normalize:X}:{between:ut,compare:(t,e)=>t-e,normalize:t=>t}}function Zs(
   {start:i,end:t,count:e,loop:s,style:n}){return{start:i%e,end:t%e,loop:s&&(t-
 i+1)%e===0,style:n}}function ur(i,t,e){let{property:s,start:n,end:o}=e,{between:a,normalize:r}=0n(s)
  , l=t.length, {start:c,end:h,loop:d}=i,u,f;if(d) {for(c+=l,h+=l,u=0,f=l;u<f&&a(r(t[c%l][s]),n,o);++u)c--,h--;c%=l,h%=l} return h<c&&(h+=l), {start:c,end:h,loop:d,style:i.style} {function ls(i,t,e)} {if(!e)ret}
 urn[i];let{property:s,start:n,end:o}=e,a=t.length,{compare:r,between:l,normalize:c}=0n(s),{start:h,e
  \text{nd:d,loop:u,style:f} = \text{ur(i,t,e),g=[],p=!1,m=null,b,x,v,y=()=>l(n,v,b)} \\ \& \text{r(n,v)!==0,\_=()=>r(o,b)===0||l|} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,style:f} \\ = \text{loop:u,s
  (o,v,b),k=()=>p||y(),w=()=>!p||();for(let S=h,P=h;S<=d;++S)x=t[S%a],!x.skip&(b=c(x[s]),b!==v&&(p=l)
  yle:f})),m=null),P=S,v=b));return
 e=[],s=i.segments;for(let n=0;n<s.length;n++){let
 o=ls(s[n],i.points,t);o.length\&\&e.push(...o)} return e}function fr(i,t,e,s){let n=0,o=t-1}
 1; if(e&\&!s)for(; n<t&\&!i[n].skip;)n++; for(; n<t&&i[n].skip;)n++; for(n%=t,e&&(o+=n);o>n&&i[o%t].skip;)o
     --;return o%=t,{start:n,end:o}}function gr(i,t,e,s){let
 n=i.length,o=[],a=t,r=i[t],l;for(l=t+1;l=e;++l){let c=i[l%n];c.skip||c.stop?r.skip||(s=!1,o.push({s c=i[l%n];c.skip||c.stop?r.skip||(s=!1,o.push({s c=i[l%n];c.skip||c.stop?r.skip||(s=!1,o.push({s c=i[l%n];c.skip||c.stop?r.skip||c.stop?r.skip||(s=!1,o.push({s c=i[l%n];c.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip||c.stop?r.skip
```

```
tart:t%n,end:(l-1)%n,loop:s)),t=a=c.stop?l:null):(a=l,r.skip&&(t=l)),r=c}return
a!==null&&o.push({start:t%n,end:a%n,loop:s}),o}function Cn(i,t){let
e=i.points,s=i.options.spanGaps,n=e.length;if(!n)return[];let
o=!!i.loop,{start:a,end:r}=fr(e,n,o,s);if(s===!0)return Js(i,[{start:a,end:r,loop:o}],e,t);let
l=r<a?r+n:r,c=!!i._fullLoop&&a===0&&r===n-1; return Js(i,gr(e,a,l,c),e,t) function
Js(i,t,e,s){return\overline{!}s||!s.setContext||!e?t:pr(i,t,e,s)}function pr(i,t,e,s){let n=i. chart.getContext}
()\,,o=Qs\,(i.\,options)\,,\{\_datasetIndex:a\,,options:\{spanGaps:r\}\}=i\,,l=e\,.\,length\,,c=[]\,,h=o\,,d=t\,[0]\,.\,start\,,u=d\,;fun=1,\ldots,n
ction f(g,p,m,b){let x=r?-1:1;if(g!==p){for(g+=l;e[g%l].skip;)g-
=x; for(;e[p\&l].skip;)p+=x;g\&l!==p\&l\&(c.push(\{start:g\&l,end:p\&l,loop:m,style:b\}),h=b,d=p\&l)\}\} for(let)
g of t)\{d=r?d:g.start;let p=e[d%l],m;for(u=d+1;u<=g.end;u++)\{let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u<=g.end;u++){let b=e[u%l];m=Qs(s.setContext(yt(n,{ty})),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u),m;for(u=d+1;u)
pe: "segment",p0:p,p1:b,p0DataIndex:(u-1)%l,p1DataIndex:u%l,datasetIndex:a}))),mr(m,h)&&f(d,u
1,g.loop,h),p=b,h=m\}d< u-1\&\&f(d,u-1,g.loop,h)\}return c\}function Qs(i)\{return\{backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.backgroundColor:i.bac
oundColor,borderCapStyle:i.borderCapStyle,borderDash:i.borderDash,borderDashOffset:i.borderDashOffse
t,borderJoinStyle:i.borderJoinStyle,borderWidth:i.borderWidth,borderColor:i.borderColor}}function
mr(i,t){if(!t)return!1;let e=[],s=function(n,o){return
qi(o)?(e.includes(o)||e.push(o),e.indexOf(o)):o};return
JSON.stringify(i,s)!==JSON.stringify(t,s)}function Ze(i,t,e){return
i.options.clip?i[e]:t[e]}function br(i,t){let{xScale:e,yScale:s}=i;return e&&s?{left:Ze(e,t,"left"),
right:Ze(e,t,"right"),top:Ze(s,t,"top"),bottom:Ze(s,t,"bottom")}:t}function hs(i,t){let
e=t._clip;if(e.disabled)return!1;let s=br(t,i.chartArea);return{left:e.left===!1?0:s.left-
 (e.left===!0?0:e.left),right:e.right===!1?i.width:s.right+(e.right===!0?0:e.right),top:e.top===!1?0:
s.top-(e.top===!0?0:e.top),bottom:e.bottom===!1?i.height:s.bottom+(e.bottom===!0?0:e.bottom)}}var
Ms=class{constructor(){this. request=null,this._charts=new Map,this._running=!1,this._lastDate=void 0}_notify(t,e,s,n){let o=e.listeners[n],a=e.duration;o.forEach(r=>r({chart:t,initial:e.initial,numSt
eps:a,currentStep:Math.min(s-
e.start,a)}))}_refresh(){this._request||(this._running=!0,this._request=Yi.call(window,()=>{this._up
date(),this._request=null,this._running&&this._refresh()}))}_update(t=Date.now()){let
e=0;this._charts.forEach((s,n)=>{if(!s.running||!s.items.length)return;let o=s.items,a=o.length-
1, r=!1, l; for(;a>=0; -
a) l = o[a], l.\_active?(l.\_total>s.duration \& (s.duration = l.\_total), l.tick(t), r = !0) : (o[a] = o[o.length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-length-l
1], o.pop()); r\&\&(n.draw(), this.\_notify(n,s,t,"progress")), o.length||(s.running=!1,this.\_notify(n,s,t,"complete"),s.initial=!1),e+=o.length|),this.\_lastDate=t,e===0&&(this.\_running=!1)}_getAnims(t){let e=this.\_charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{complete:[],progrestimes._charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:{charts,s=e.get(t);return s||(s={running:!1,initial:!0,items:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:[],listeners:
ss:[]}},e.set(t,s)),s}listen(t,e,s){this._getAnims(t).listeners[e].push(s)}add(t,e){!e||!e.length||this._getAnims(t).items.length>0}start(t){let e=this
  . charts.get(t);e&&(e.running=!0,e.start=Date.now(),e.duration=e.items.reduce((s,n)=>Math.max(s,n. d
uration),0),this._refresh())}running(t){if(!this._running)return!1;let
e=this._charts.get(t);return!(!e||!e.running||!e.items.length)}stop(t){let
e=this. charts.get(t);if(!e||!e.items.length)return;let s=e.items,n=s.length-1;for(;n>=0;--
n)s[n].cancel();e.items=[],this._notify(t,e,Date.now(),"complete")}remove(t){return this._charts.delete(t)}},vt=new Ms,An="transparent",xr={boolean(i,t,e){return}
e > .5?\bar{t}:i\}, color(i,t,e) \\ \{let \ s = Gi(i||An), n = s.valid\&\&Gi(t||An); return \}
n&&n.valid?n.mix(s,e).hexString():t},number(i,t,e){return
i+(t-i)*e}},ks=class{constructor(t,e,s,n){let o=e[s];n=oe([t.to,n,o,t.from]);let a=oe([t.from,o,n]);this._active=!0,this._fn=t.fn||xr[t.type||typeof a],this._easing=Gt[t.easing]||Gt.linear,this._start=Math.floor(Date.now()+(t.delay||0)),this._duration=this._total=Math.floor(t.dura
tion), this._loop=!!t.loop, this._target=e, this._prop=s, this._from=a, this._to=n, this._promises=void 0}active(){return this._active}update(t,e,s){if(this._active){this._notify(!1);let n=this._target[th
is. prop],o=s-this. start,a=this. duration-
o; this._start=s, this._duration=Math.floor(Math.max(a,t.duration)), this._total+=o,this._loop=!!t.loop,this._to=oe([t.to,e,n,t.from]),this._from=oe([t.from,n,e])}}cancel(){this._active&&(this.tick(Date.now()),this._active=!1,this._notify(!1))}tick(t){let e=t-
this._start,s=this._duration,n=this._prop,o=this._from,a=this._loop,r=this._to,l;if(this._active=o!= =r&&(a||e<s),!this._active){this._target[n]=r,this._notify(!0);return}if(e<0){this._target[n]=o;return}
rn}l=e/s%2,l=a&&l>1?2
l:l,l=this.\ easing(Math.min(1,Math.max(0,l))),this.\ target[n]=this.\ fn(o,r,l)\}wait(){let}
t=this._promises||(this._promises=[]);return new
Promise((e,s)=>{t.push({res:e,rej:s})})}_notify(t){let e=t?"res":"rej",s=this._promises||[];for(let n=0;n<s.length;n++)s[n][e]()}},vi=class{constructor(t,e){this._chart=t,this._properties=new}}</pre>
Map,this.configure(e)}configure(t){if(!T(t))return;let
e=Object.keys(V.animation),s=this.properties;Object.getOwnPropertyNames(t).forEach(n=>{let
o=t[n];if(!T(o)) return; let a=\{\};for(let r of e)a[r]=o[r];(z(o.properties)\&o.properties[|[n]).forEac
h(r=>{(r===n||!s.has(r))&&s.set(r,a)})}}_animateOptions(t,e){let s=e.options,n=yr(t,s);if(!n)return[];let o=this._createAnimations(n,s);return
ength-1;l>=0;--l){let c=a[l];if(c.charAt(0)==="0")continue;if(c==="options"){n.push(...this._animate
Options(t,e));continue}let
h=e[c], d=o[c], u=s.get(c); if(d)if(u&&d.active()){d.update(u,h,r); continue}else
 d.cancel(); if(!u||!u.duration)\{t[c]=h; continue\}o[c]=d=new \ ks(u,t,c,h), n.push(d)\}return 
n}update(t,e){if(this. properties.size===0){Object.assign(t,e);return}let
s=this. createAnimations(t,e);if(s.length)return vt.add(this. chart,s),!0}};function r(i,t){let
e=[],s=\overline{0}bject.keys(t);for(let n=0;n<s.length;n++){let}
```

```
o=i[s[n]];o\&o.active()\&o.active(). Promise.all(e)} function yr(i,t){if(!t)return;let
e=i.options;if(!e){i.options=t;return}return
e. \\ \\ \exists shared \\ \& (i.options = e=0bject.assign(\{\}, e, \{\\ \\ \exists shared: !1, \\ \\ \exists nimations: \{\}\})), e \} \\ function \\ \\ Tn(i,t) \\ \{let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let i, let 
e=i&&i.options||{},s=e.reverse,n=e.min===void 0?t:0,o=e.max===void
0?t:0;return{start:s?o:n,end:s?n:o}}function vr(i,t,e){if(e===!1)return!1;let
s=Tn(i,e), n=Tn(t,e); return\{top:n.end, right:s.end, bottom:n.start, left:s.start\}\} function <math>Mr(i)\{let, left:s.end\}
t,e,s,n;return T(i)?(t=i.top,e=i.right,s=i.bottom,n=i.left):t=e=s=n=i,{top:t,right:e,bottom:s,left:n
 .disabled:i===!1}}function Ao(i,t){let
e=[],s=i._getSortedDatasetMetas(t),n,o;for(n=0,o=s.length;n<o;++n)e.push(s[n].index);return
e}function Ln(i,t,e,s={}){let n=i.keys,o=s.mode==="single",a,r,l,c;if(t===null)return;let h=!1;for(a
=0, r=n.length; a < r; ++a) {if(l=+n[a], l===0) {if(h=!0, s.all)continue; break} c=i.values[l], N(c) & (o||t===0|
wr(i,t,e){return`[i.id].[t.id].[e.stack|e.type]}function Sr(i){let{min:t,max:e,minDefined:s,max
Defined:n}=i.getUserBounds();return{min:s?t:Number.NEGATIVE_INFINITY,max:n?e:Number.POSITIVE_INFINIT
Y}}function Pr(i,t,e){let s=i[t]||(i[t]=\{\});return s[e]||(s[e]=\{\}))function Rn(i,t,e,s){for(let n of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of th
t.getMatchingVisibleMetas(s).reverse()) \{let o=i[n.index]; if (e\&\&o>0|| !e\&\&o<0) return n.index\} return \} \\
null}function En(i,t){let{chart:e,_cachedMeta:s}=i,n=e._stacks||(e._stacks={}),{iScale:o,vScale:a,in
dex:r}=s,l=o.axis,c=a.axis,h=wr(o,a,s),d=t.length,u;for(let f=0;f<d;++f){let g=t[f],{[l]:p,[c]:m}=g,</pre>
b=g._stacks||(g._stacks={});u=b[c]=Pr(n,h,p),u[r]=m,u._top=Rn(u,a,!0,s.type),u._bottom=Rn(u,a,!1,s.type);let x=u._visualValues||(u._visualValues={});x[r]=m}}function us(i,t){let e=i.scales;return
Object.keys(e].filter(s=>e[s].axis===t).shift())function Dr(i,t){return yt(i,{active:!1,dataset:void 0,datasetIndex:t,index:t,mode:"default",type:"dataset"})}function Or(i,t,e){return yt(i,{active:!1,dataIndex:t,parsed:void 0,raw:void
0,element:e,index:t,mode:"default",type:"data"})}function De(i,t){let
e=i.controller.index,s=i.vScale&&i.vScale.axis;if(s){t=t||i._parsed;for(let n of t){let o=n._stacks;if(!o||o[s]===void 0||o[s][e]===void 0)return;delete o[s][e],o[s]._visualValues!==void
0\&\&o[s]. \ \ visualValues[e]!==void \ 0\&\&delete \ o[s]. \ \ \ visualValues[e]\}} var \ fs=i=>i==="reset"||i==="none", In=(i,t)=>t?i:0bject.assign({},i),Cr=(i,t,e)=>i&\&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=>t?i:0bject.assign({},i),Cr=(i,t,e)=>i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=>t?i:0bject.assign({},i),Cr=(i,t,e)=>i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)==t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)==t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)==t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)==t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)==t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&!t.hidden&&t.\_stacked&&{keys:Ao(e,!0),values:null}, In=(i,t)=t?i&&t.hidden&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_stacked&t.\_sta
it=class{constructor(t,e){this.chart=t,this._ctx=t.ctx,this.index=e,this._cachedDataOpts={},this._cachedMeta=this.getMeta(),this._type=this._cachedMeta.type,this.options=void
0,this. parsing=!1,this. data=void 0,this. objectData=void 0,this. sharedOptions=void
0,this._drawStart=void 0,this._drawCount=void
0,this.enableOptionSharing=!1,this.supportsDecimation=!1,this.□context=void 0,this._syncList=[],this
  .datasetElementType=new.target.datasetElementType,this.dataElementType=new.target.dataElementType,th
is.initialize()}initialize(){let t=this._cachedMeta;this.configure(),this.linkScales(),t._stacked=ds
 (t.vScale,t),this.addElements(),this.options.fill&&!this.chart.isPluginEnabled("filler")&&console.wa
rn("Tried to use the 'fill' option without the 'Filler' plugin enabled. Please import and register the 'Filler' plugin and make sure it is not disabled in the
\label{eq:continuous} options") \} updateIndex(t) \{this.index! == t\&De(this.\_cachedMeta), this.index = t\}linkScales() \{let t=this.chart, e=this.\_cachedMeta, s=this.getDataset(), n=(d,u,f,g) => d==="x"?u:d==="r"?g:f,o=e.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xAxisID=D(s.xA
ID, us(t, "x"]), a=e.yAxisID=D(s.yAxisID, us(t, "y")), r=e.rAxisID=D(s.rAxisID, us(t, "r")), l=e.indexAxis, c=e.iAxisID=n(l, o, a, r), h=e.vAxisID=n(l, a, o, r); e.xScale=this.getScaleForId(o), e.yScale=this.getScaleForId(a), e.rScale=this.getScaleForId(r), e.iScale=this.getScaleForId(c), e.vScale=this.getScaleForId(h)}g
etDataset(){return this.chart.data.datasets[this.index]}getMeta(){return
this.chart.getDatasetMeta(this.index)}getScaleForId(t){return
this.chart.scales[t]} getOtherScale(t){let e=this. cachedMeta;return
t==e.iScale?e.vScale:e.iScale}reset(){this._update("reset")}_destroy(){let t=this._cachedMeta;this._data&ji(this._data,this),t._stacked&&De(t)}_dataCheck(){let t=this.getDataset(),e=t.data||(t.data=[]),s=this._data;f(T(e)){let
n=this. cachedMeta; this. data=kr(e,n)}else if(s!==e){if(s){ji(s,this);let n=this. cachedMeta;De(n),n
  ._parsed=[]}e&&Object.isExtensible(e)&&dn(e,this),this._syncList=[],this._data=e}}addElements(){let
t=this._cachedMeta;this._dataCheck(),this.datasetElementType&&(t.dataset=new this.datasetElementType)}buildOrUpdateElements(t){let
e=this._cachedMeta,s=this.getDataset(),n=!1;this._dataCheck();let o=e._stacked;e._stacked=ds(e.vScal
e,e),e.stack!=s.stack\&(n=!0,De(e),e.stack=s.stack),this. resyncElements(t),(n|[0]==e. stacked)&(E
n(this,e. parsed),e. stacked=ds(e.vScale,e))}configure(){\left t=this.chart.config,e=t.datasetScopeKey
s(this._type),s=t.getOptionScopes(this.getDataset(),e,!0);this.options=t.createResolver(s,this.getContext()),this._parsing=this.options.parsing,this._cachedDataOpts={}}parse(t,e){let{_cachedMeta:s,_da
1],h,d,u;if(this._parsing===!1)s._parsed=n,s._sorted=!0,u=n;else{z(n[t])?u=this.parseArrayData(s,n,t,e):T(n[t])?u=this.parseObjectData(s,n,t,e):u=this.parsePrimitiveData(s,n,t,e);let f=()=>d[r]===null
Array(n), u, f, g; for(u=0, f=n; u< f; ++u)g=u+s, d[u]={[r]:h||o.parse(c[g],g),[l]:a.parse(e[g],g)}; return
d}parseArrayData(t,e,s,n){let{xScale:o,yScale:a}=t,r=new
Array(n),l,c,h,d;for(l=0,c=n;l<c;++l)h=l+s,d=e[h],r[l]={x:o.parse(d[0],h),y:a.parse(d[1],h)};return
r}parseObjectData(t,e,s,n){let{xScale:o,yScale:a}=t,{xAxisKey:r="x",yAxisKey:l="y"}=this._parsing,c=
new Array(n),h,d,u,f;for(h=0,d=n;h< d;++h)u=h+s,f=e[u],c[h]=\{x:o.parse(_t(f,r),u),y:a.parse(_t(f,l),u)\}
)};return c}getParsed(t){return this. cachedMeta. parsed[t]}getDataElement(t){return
this. cachedMeta.data[t]}applyStack(t,e,s){let n=this.chart,o=this. cachedMeta,a=e[t.axis],r={keys:A
```

```
o(n,!0), values:e. stacks[t.axis]. visualValues}; return
Ln(r,a,o.index,{mode:s})}updateRangeFromParsed(t,e,s,n){let o=s[e.axis],a=o===null?NaN:o,r=n&&s. sta
cks[e.axis]; n\& r\&\& (n.values=r, a=Ln(n, o, this.\_cachedMeta.index)), t.min=Math.min(t.min, a), t.max=Math.min(t.min, a)
ax(t.max,a)}getMinMax(t,e){let s=this._cachedMeta,n=s._parsed,o=s._sorted&&t===s.iScale,a=n.length,r=this._getOtherScale(t),l=Cr(e,s,this.chart),c={min:Number.POSITIVE_INFINITY,max:Number.NEGATIVE_INFINITY
INITY},{min:h,max:d}=Sr(r),u,f;function q(){f=n[u];let p=f[r.axis];return!N(f[t.axis])||h>p||d<p}for</pre>
\label{lem:hedMeta.parsed,s=[],n,o,a;for(n=0,o=e.length;n<o;++n)a=e[n][t.axis],N(a)\&\&s.push(a);return} \\
s}getMaxOverflow(){return!1}getLabelAndValue(t){let e=this._cachedMeta,s=e.iScale,n=e.vScale,o=this.getParsed(t);return{label:s?""+s.getLabelForValue(o[s.axis]):"",value:n?""+n.getLabelForValue(o[n.axis]):""}}_update(t){let e=this._cachedMeta;this.update(t)|"default"),e._clip=Mr(D(this.options.clip,
vr(e.xScale,e.yScale,this.getMaxOverflow())))}update(t){}draw(){let t=this._ctx,e=this.chart,s=this.
   cachedMeta,n=s.data||[],o=e.chartArea,a=[],r=this.drawStart||0,l=this.drawCount||n.length-
\label{eq:continuous} $$r,c=this.options.drawActiveElementsOnTop,h;for(s.dataset&&s.dataset.draw(t,o,r,l),h=r;h<r+l;++h){let $d=n[h];d.hidden||(d.active&&c?a.push(d):d.draw(t,o))}for(h=0;h<a.length;++h)a[h].draw(t,o)}getStyle(
t,e){let s=e?"active":"default";return t===void 0&&this._cachedMeta.dataset?this.resolveDatasetEleme
ntOptions(s):this.resolveDataElementOptions(t||0,s)}getContext(t,e,s){let
n=this.getDataset(),o;if(t>=0&&t<this. cachedMeta.data.length){let a=this. cachedMeta.data[t];o=a. ☐c
ontext||(a.||context=0r(this.getContext(),t,a)),o.parsed=this.getParsed(t),\overline{o}.raw=n.data[t],o.index=o.
dataIndex=t}else o=this.]context||(this.]context=Dr(this.chart.getContext(),this.index)),o.dataset=n
 ,o.index=o.datasetIndex=this.index;return
o.active=!!e,o.mode=s,o}resolveDatasetElementOptions(t){return
this. resolveElementOptions(this.datasetElementType.id,t)}resolveDataElementOptions(t,e){return
this._resolveElementOptions(this.dataElementType.id,e,t)}_resolveElementOptions(t,e="default",s){let n=e==="active",o=this._cachedDataOpts,a=t+"-"+e,r=o[a],l=this.enableOptionSharing&&te(s);if(r)return
In(r,l);let c=this.chart.config,h=c.datasetElementScopeKeys(this. type,t),d=n?[`\[\text{T}\]{t}Hover\],"hover\],
  ,""]:[t,""],u=c.getOptionScopes(this.getDataset(),h),f=Object.key5(V.elements[t]),g=()=>this.getCont
ext(s,n,e),p=c.resolveNamedOptions(u,f,g,d);return
n=this.chart,o=this._cachedDataOpts,a=`animation-□{e}`,r=o[a];if(r)return r;let l;if(n.options.animation!==!1){let h=this.chart.config,d=h.datasetAnimationScopeKeys(this. type,e),u
=h.getOptionScopes(this.getDataset(),d);l=h.createResolver(u,this.getContext(t,s,e))}let c=new
vi(n,l&&l.animations);return
l\&\&l.\_cacheable\&\&(o[a]=0bject.freeze(c)), c\}getSharedOptions(t)\{if(t.\_shared)return\ this.\ sharedOptions(t)\} if(t.\_shared) for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
ns||(\bar{t}his. sharedOptions=Object.assign({},t))|includeOptions(t,e)|return|e||fs(t)||this.chart. anima
tionsDisabled} getSharedOptions(t,e){let s=this.resolveDataElementOptions(t,e),n=this._sharedOptions
  o=this.getSharedOptions(s),a=this.includeOptions(e,o)||o!==n;return this.updateSharedOptions(o,e,s),
 , \{shared Options: o, include Options: a\} \} update Element(t, e, s, n) \{fs(n)? Object. assign(t, s): this.\_resolve Animal Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Co
mations(e,n).update(t,s)updateSharedOptions(t,e,s){t&&!fs(e)&&this.resolveAnimations(void
0,e). update(t,s)\}\_setStyle(t,e,s,n)\{t.active=n;let\ o=this.getStyle(e,n);this.\_resolveAnimations(e,s,n).update(t,\{options:!n\&this.getSharedOptions(o)||o\})\}removeHoverStyle(t,e,s)\{this.\_setStyle(t,s,"an).update(t,active)\}
ctive",!1)}setHoverStyle(t,e,s){this._setStyle(t,s,"active",!0)}_removeDatasetHoverStyle(){let t=this._cachedMeta.dataset;t&&this._setStyle(t,void 0,"active",!1)}_setDatasetHoverStyle(){let t=this._cachedMeta.dataset;t&&this._setStyle(t,void 0,"active",!0)}_resyncElements(t){let c=this._data_sethic._cachedMeta.dataset;data_sethic._cachedMeta.dataset;data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.data_sethic._cachedMeta.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.dataset.datase
e=this._data,s=this._cachedMeta.data;for(let[r,l,c]of this._syncList)this[r](l,c);this._syncList=[];let n=s.length,o=e.length,a=Math.min(o,n);a&&this.pars
e(0,a),o>n?this. insertElements(n,o-n,t):o<n\&\&this. removeElements(o,n-n,t):o<n\&\&this.
o)}_insertElements(t,e,s=!0){let n=this._cachedMeta,o=n.data,a=t+e,r,l=c=>{for(c.length+=e,r=c.lengt
h-1;r>=a;r--)c[r]=c[r-e]};for(l(o),r=t;r<a;++r)o[r]=new this.dataElementType;this._parsing&&l(n._par
sed), this.parse(t,e), s&&this.updateElements(o,t,e,"reset")}updateElements(t,e,s,n){}_removeElements(t,e){let s=this._cachedMeta;if(this._parsing){let n=s._parsed.splice(t,e);s._stacked&De(s,n)}s.data
 .splice(t,e)} sync(t){if(this. parsing)this. syncList.push(t);else{let[e,s,n]=t;this[e](s,n)}this.ch
art. dataChanges.push([this.index,...t])} onDataPush(){let t=arguments.length;this. sync(["insertEl
ements", this.getDataset().data.length-
t,t])}_onDataPop(){this._sync(["_removeElements",this._cachedMeta.data.length-
1,1])}_onDataShift(){this._sync(["_removeElements",0,1])}_onDataSplice(t,e){e&&this._sync(["_removeElements",0,1])}
lements",t,e]);let s=arguments.length-
2;s&&this._sync(["_insertElements",t,s])}_onDataUnshift(){this._sync(["_insertElements",0,arguments.
length])}};M(it,"defaults",{}),M(it,"datasetElementType",null),M(it,"dataElementType",null);function
Ar(i,t){if(!i._cache._bar){let e=i.getMatchingVisibleMetas(t),s=[];for(let n=0,o=e.length;n<o;n++)s=</pre>
s.concat(e[n].controller.getAllParsedValues(i));i._cache._bar=_i(s.sort((n,o)=>n-o))}return
i._cache._bar}function Tr(i){let t=i.iScale,e=Ar(t,i.type),s=t._length,n,o,a,r,l=()=>{a===32767||a==
=-\overline{3}2768||(te(r)&&(s=Math.min(s,Math.abs(a-
r)||s\rangle, r=a\rangle; for (n=0,o=e.length;n<o;++n)a=t.getPixelForValue(e[n]),l(); for <math>(r=voiden)
0,n=0,o=t.ticks.length;n<o;++n)a=t.getPixelForTick(n),l();return s}function Lr(i,t,e,s){let}
n=e.barThickness,o,a;return A(n)?(o=t.min*e.categoryPercentage,a=e.barPercentage):(o=n*s,a=1),{chunk
:o/s,ratio:a,start:t.pixels[i]-o/2}}function Rr(i,t,e,s){let n=t.pixels,o=n[i],a=i>0?n[i-
1]:null,r=i<n.length-1?n[i+1]:null,l=e.categoryPercentage;a===null&&(a=o-(r===null?t.end-t.start:r-
o)), r===null\&(r=o+o-a); let
c=o-(o-Math.min(a,r))/2*l; return\{chunk:Math.abs(r-a)/2*l/s, ratio:e.barPercentage, start:c\}\} function
Er(i,t,e,s) {let n=e.parse(i[0],s),o=e.parse(i[1],s),a=Math.min(n,o),r=Math.max(n,o),l=a,c=r;Math.abs
 (a)>Math.abs(r)&&(l=r,c=a),t[e.axis]=c,t. custom={barStart:l,barEnd:c,start:n,end:o,min:a,max:r}}fun
```

```
 \text{ction To(i,t,e,s)} \\ \{ \text{return z(i)} ? \text{Er(i,t,e,s)} : t[e.axis] = e.parse(i,s), t \} \\ \text{function Fn(i,t,e,s)} \\ \{ \text{let n=i.iScalar} \} \\ \text{function Fn(i,t,e,s)} \\ \{ \text{let n=i.iScalar} \} \\ \text{function Fn(i,t,e,s)} \\ \{ \text{let n=i.iScalar} \} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{function Fn(i,t,e,s)} \\ \text{fun
 le,o=i.vScale,a=n.getLabels(),r=n===o,l=[],c,h,d,u;for(c=e,h=e+s;c<h;++c)u=t[c],d={},d[n.axis]=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r||n.axis|=r|
 parse(a[c],c),l.push(To(u,d,o,c));return l}function gs(i){return i&&i.barStart!==void
 0&&i.barEnd!==void 0}function Ir(i,t,e){return
  i! = 0?lt(i):(t.isHorizontal()?1:-1)*(t.min>=e?1:-1) \\  function Fr(i) \\  \{let t,e,s,n,o;return i.horizontal?(t=i.base>i.x,e="left",s="right"):(t=i.base<i.y,e="bottom",s="top"),t?(n="end",o="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="start"):(n="star
          o="end"),{start:e,end:s,reverse:t,top:n,bottom:o}}function zr(i,t,e,s){let n=t.borderSkipped,o={};,
 if(!n){i.borderSkipped=o;return}if(n===!0){i.borderSkipped={top:!0,right:!0,bottom:!0,left:!0};retur
\label{lem:normalization} $$ \prod_{i=1}^n e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-ix_i} e^{-i
 nction zn(i,t,e,s){return s?(i=Br(i,t,e),i=Bn(i,e,t)):i=Bn(i,t,e),i}function Br(i,t,e){return
 i===t?e:i===e?t:i}function Bn(i,t,e){return i==="start"?t:i==="end"?e:i}function
 Vr(i,{inflateAmount:t},e){i.inflateAmount=t==="auto"?e===1?.33:0:t}var re=class extends
it{parsePrimitiveData(t,e,s,n){return Fn(t,e,s,n)}parseArrayData(t,e,s,n){return Fn(t,e,s,n)}parseOb
jectData(t,e,s,n){let{iScale:o,vScale:a}=t,{xAxisKey:r="x",yAxisKey:l="y"}=this._parsing,c=o.axis===
"x"?r:l,h=a.axis==="x"?r:l,d=[],u,f,g,p;for(u=s,f=s+n;u<f;++u)p=e[u],g={},g[o.axis]=o.parse(_t(p,c),</pre>
 u),d.push(To( t(p,h),g,a,u));return
 \label{lem:decomparised} d \} update Range From Parsed (t,e,s,n) \\ \{super.update Range From Parsed (t,e,s,n); let o=s.\_custom; o \& e===this.\_custom; o \& 
 achedMeta.vScale&&(t.min=Math.min(t.min,o.min),t.max=Math.max(t.max,o.max))}qetMaxOverflow(){return
 0\getLabelAndValue(t){let
 e=this._cachedMeta,{iScale:s,vScale:n}=e,o=this.getParsed(t),a=o._custom,r=gs(a)?"["+a.start+", "+a.
                                            :""+n.getLabelForValue(o[n.axis]);return{label:""+s.getLabelForValue(o[s.axis]),value:r}}init
 ialize(){this.enableOptionSharing=!0.super.initialize();let
 t=this._cachedMeta;t.stack=this.getDataset().stack}update(t){let
 e=this.\_cached Meta; this.update Elements (e.data, 0, e.data.length, t) \} update Elements (t, e, s, n) \{let o=n==="length" length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | length | leng
 reset", {\(\)index:a, cachedMeta:\(\)vScale:r\)}=this,l=r.getBasePixel(),c=r.isHorizontal(),h=this. getRuler(
), \{sharedOptions:d,includeOptions:u\}=this.\_getSharedOptions(e,n); for(let f=e;f<e+s;f++) \{let g=this.getParsed(f),p=o||A(g[r.axis])?\{base:l,head:l\}:this.\_calculateBarValuePixels(f),m=this.\_calculateBarI
 ustom)||a===b._top||a===b._bottom,x:c?p.head:m.center,y:c?m.center:p.head,height:c?m.size:Math.abs(p
  .size), width: c?Math.abs(p.size):m.size};u&&(x.options=d||this.resolveDataElementOptions(f,t[f].activ
e?"active":n)); let v=x.options||t[f].options; zr(x,v,b,a), Vr(x,v,h.ratio), this.updateElement(t[f],f,x,n)}}_getStacks(t,e){let{iScale:s}=this._cachedMeta,n=s.getMatchingVisibleMetas(this._type).filter(h.get)}
 =>h.controller.options.grouped),o=s.options.stacked,a=[],r=this.cachedMeta.controller.getParsed(e),
 l=r\&r[s.axis], c=h=>{let}
 d=h. parsed.find(f=>f[s.axis]===l),u=d&&d[h.vScale.axis];if(A(u)||isNaN(u))return!0};for(let h of
  n) if (!(e!==void\ 0\&\&c(h))\&\&((o===!1||a.index0f(h.stack)==-1||o===void\ 0\&\&h.stack===void\ 0\&\&h.stack
 0)&&a.push(h.stack),h.index===t))break;return a.length||a.push(void 0),a} getStackCount(t){return
 this. getStacks(void 0,t).length} getAxisCount(){return
 this._getAxis().length}getFirstScaleIdForIndexAxis(){let t=this.chart.scales,e=this.chart.options.indexAxis;return
 Object.keys(t).filter(s=>t[s].axis===e).shift()} getAxis(){let
 t={},e=this.getFirstScaleIdForIndexAxis();for(let s of
 this.chart.data.datasets)t[D(this.chart.options.indexAxis==="x"?s.xAxisID:s.yAxisID,e)]=!0;return
Object.keys(t)}_getStackIndex(t,e,s){let n=this._getStacks(t,s),o=e!==void 0?n.indexOf(e):-1;return o==-1?n.length-1:o}_getRuler(){let t=this.options,e=this._cachedMeta,s=e.iScale,n=[],o,a;for(o=0,a=
 e.data.length;o<a;++o)n.push(s.getPixelForValue(this.getParsed(o)[s.axis],o));let r=t.barThickness;r
 eturn{min:r||Tr(e),pixels:n,start:s._startPixel,end:s._endPixel,stackCount:this._getStackCount(),scale:s,grouped:t.grouped,ratio:r?1:t.categoryPercentage*t.barPercentage}}_calculateBarValuePixels(t){l
 et\{\_cachedMeta: \{vScale:e,\_stacked:s,index:n\}, options: \{base:o,minBarLengTh:a\}\} = this, r=o||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=this.get||0,l=
 Parsed(t), c=1.\_custom, h=gs(c), d=1[e.axis], u=0, f=s?this.applyStack(e,l,s):d,g,p;f!==d\&\&(u=f-1)
 d, f=d), h\&\&(d=c.barStart, f=c.barEnd-c.barStart, d!==0\&\&lt(d)!==lt(c.barEnd)\&\&(u=0), u+=d); let m=!A(o)\&\&(d=c.barEnd)&\&(u=0), u+=d); let m=!A(o)&&(d=c.barEnd)&&(u=0), rEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)&&(d=c.barEnd)
 !h?o:u,b=e.getPixelForValue(m);if(this.chart.getDataVisibility(t)?g=e.getPixelForValue(u+f):g=b,p=g-
 b, Math.abs(p)<a){p=Ir(p,e,r)*a,d===r&{(b-=p/2);let x=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixelForDecimal(0),v=e.getPixe
1), y=Math.min(x,v), =Math.max(x,v); b=Math.max(Math.min(b,_),y), g=b+p, s&&!h&&(l._stacks[e.axis]._visualValues[n]=e.getValueForPixel(g)-e.getValueForPixel(b))} if (b==e.getPixelForValue(r)) {let x=lt(p)*e}
  .getLineWidthForValue(r)/2;b+=x,p-
 =x}return{size:p,base:b,head:g,center:g+p/2}} calculateBarIndexPixels(t,e){let s=e.scale,n=this.opti
ons,o=n.skipNull,a=D(n.maxBarThickness,1/0),r,l,c=this._getAxisCount();if(e.grouped){let h=o?this._getStackCount(t):e.stackCount,d=n.barThickness==="flex"?Rr(t,e,n,h*c):Lr(t,e,n,h*c),u=this.chart.opti
 ons.indexAxis==="x"?this.getDataset().xAxisID:this.getDataset().yAxisID,f=this._getAxis().indexOf(D(
u,this.getFirstScaleIdForIndexAxis())),g=this._getStackIndex(this.index,this._cachedMeta.stack,o?t:void 0)+f;r=d.start+d.chunk*g+d.chunk/2,l=Math.min(a,d.chunk*d.ratio)}else r=s.getPixelForValue(this.
 getParsed(t)[s.axis],t),l=Math.min(a,e.min*e.ratio);return{base:r-
 \label{lem:normalize} $$ l/2,head:r+l/2,center:r,size:l} draw(){let t=this.\_cachedMeta,e=t.vScale,s=t.data,n=s.length,o=0;for (;o<n;++o)this.getParsed(o)[e.axis]!==null&&!s[o].hidden&&s[o].draw(this.\_ctx)}}; M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), M(re,"id","bar"), 
re, "defaults", {datasetElementType:!1, dataElementType:"bar", categoryPercentage:.8, barPercentage:.9, gr ouped:!0, animations:{numbers:{type:"number",properties:["x","y","base","width","height"]}}}), M(re, "o verrides", {scales:{_index_:{type:"category",offset:!0,grid:{offset:!0}},_value_:{type:"linear",begin
AtZero:!0}}});var le=class extends it{initialize(){this.enableOptionSharing=!0,super.initialize()}parsePrimitiveData(t,e,s,n){let
 o=super.parsePrimitiveData(t,e,s,n);for(let
 a=0;a<o.length;a++)o[a]. custom=this.resolveDataElementOptions(a+s).radius;return
```

```
o}parseArrayData(t,e,s,n){let o=super.parseArrayData(t,e,s,n);for(let a=0;a<o.length;a++){let
 r=e[s+a];o[a]. custom=D(r[2],this.resolveDataElementOptions(a+s).radius)}return
 o}parseObjectData(t,e,s,n){let o=super.parseObjectData(t,e,s,n);for(let a=0;a<o.length;a++){let
 r=e[s+a];o[a]._custom=D(r&&r.r&&+r.r,this.resolveDataElementOptions(a+s).radius)}return
 o}getMaxOverflow(){let t=this. cachedMeta.data,e=0;for(let
 s=t.length-1; s>=0; --s)e=Math.max(e,t[s].size(this.resolveDataElementOptions(s))/2); return
 e > 0 \& \& e \} get Label And Value(t) \{let e = this.\_cached Meta, s = this.chart.data.label s | | [], \{xScale:n, yScale:o\} = e > 0 \& \& e \} get Label And Value(t), r = n.get Label For Value(a.x), l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l = o.get Label For Value(a.y), c = a.\_custom; return \{label:s[], l
 t]||"",value:"("+r+", "+l+(c?", "+c:"")+")"}}update(t){let
 e=this. cachedMeta.data;this.updateElements(e,0,e.length,t)}updateElements(t,e,s,n){let o=n==="reset"
  ",{iScale:a,vScale:r}=this._cachedMeta,{sharedOptions:l,includeOptions:c}=this._getSharedOptions(e,n
), h=a.axis, d=r.axis; for(let u=e; u<e+s; u++) {let f=t[u], g=!o&&this.getParsed(u), p={}, m=p[h]=o?a.getPixelForDecimal(.5):a.getPixelForValue(g[h]), b=p[d]=o?r.getBasePixel():r.getPixelForValue(g[d]); p.skip=
 isNaN(m)||isNaN(b),c\&\&(p.options=l||this.resolveDataElementOptions(u,f.active?"active":n),o\&\&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active":n),o&&(p.options=l)||this.resolveDataElementOptions(u,f.active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"active?"activ
 ons.radius=0)), this.updateElement(f,u,p,n)}resolveDataElementOptions(t,e){let s=this.getParsed(t), n
 =super.resolveDataElementOptions(t,e);n.[]shared&&(n=Object.assign({}),n,{[]shared:!1}));let
o=n.radius; return e!=="active"&&(n.radius=0),n.radius+=D(s&&s._custom,o),n}; M(le, "id", "bubble"), M(le, "defaults", {datasetElementType:!1,dataElementType:"point",animations:{numbers:{type:"number",properties:["x","y","borderWidth","radius"]}}}), M(le,"overrides",{scales:{x:{type:"linear"},y:{type:"linear"}}}); function Wr(i,t,e){let s=1,n=1,o=0,a=0;if(t<B){let r=i,l=r+t,c=Math.cos(r),h=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=Math.sin(r),d=M
ath.cos(l), u=Math.sin(l), f=(v,y,_)=>ie(v,r,l,!0)?1:Math.max(y,y*e,_,_*e), g=(v,y,_)=>ie(v,r,l,!0)?1:Math.min(y,y*e,_,_*e), p=f(0,c,d), m=f(H,h,u), b=g(R,c,d), x=g(R+H,h,u); s=(p-b)/2, n=(m-x)/2, o=-(p+b)/2, a=-(m+x)/2} return{ratioX:s,ratioY:n,offsetX:o,offsetY:a}} var kt=class extends
 it{constructor(t,e){super(t,e),this.enableOptionSharing=!0,this.innerRadius=void
 0,this.outerRadius=void 0,this.offsetX=void 0,this.offsetY=void 0}linkScales(){}parse(t,e){let
 s=this.getDataset().data,n=this. cachedMeta;if(this. parsing===!1)n. parsed=s;else{let
 o=l=>+s[l];if(T(s[t])){let{key:l="value"}=this._parsing;o=c=>+_t(s[c],l)}let
 a,r; for(a=t,r=t+e;a< r; ++a)n.\_parsed[a]=o(a)\}\}\_getRotation()\{returned = (a)\}
 ot(this.options.rotation-90)}_getCircumference(){return
ot(this.options.circumference)}_getRotationExtents(){let t=B,e=-B;for(let s=0;s<this.chart.data.data sets.length;++s)if(this.chart.isDatasetVisible(s)&&this.chart.getDatasetMeta(s).type===this._type){l
et n=this.chart.getDatasetMeta(s).controller,o=n._getRotation(),a=n._getCircumference();t=Math.min(t,o),e=Math.max(e,o+a)}return{rotation:t,circumference:e-t}}update(t){let e=this.chart,{chartArea:s}=
 e,n=this.cachedMeta,o=n.data,a=this.getMaxBorderWidth()+this.getMaxOffset(o)+this.options.spacing,r
 =Math.max((Math.min(s.width,s.height)
a)/2,0),l=Math.min(en(this.options.cutout,r),1),c=this._getRingWeight(this.index),{circumference:h,rotation:d}=this._getRotationExtents(),{ratioX:u,ratioY:f,offsetX:g,offsetY:p}=Wr(d,h,l),m=(s.width-
 a)/u,b=(s.height-
 a)/f,x=Math.max(Math.min(m,b)/2,0),v=zi(this.options.radius,x),y=Math.max(v*l,0),=(v-a)/a
 y)/this._getVisibleDatasetWeightTotal();this.offsetX=g*v,this.offsetY=p*v,n.total=this.calculateTota
 l().this.outerRadius=v
       *this. getRingWeightOffset(this.index),this.innerRadius=Math.max(this.outerRadius-
 *c,0),this.updateElements(o,0,o.length,t)}_circumference(t,e){let
s=this.options,n=this._cachedMeta,o=this._getCircumference();return e&&s.animation.animateRotate||!this.chart.getDataVisibility(t)||n._parsed[t]===null||n.data[t].hidden?0:this.calculateCircumference(n._parsed[t]*o/B)}updateElements(t,e,s,n){let o=n==="reset",a=this.chart,r=a.chartArea,c=a.options.a
 nimation, h = (r.left + r.right)/2, d = (r.top + r.bottom)/2, u = o&&c.animateScale, f = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.innerRadius, g = u?0: this.i
 this.outerRadius,{sharedOptions:p,includeOptions:m}=this.getSharedOptions(e,n),b=this.getRotation(
 ),x;for(x=0;x<e;++x)b+=this. circumference(x,0);for(x=e;x<e+s;++x){let v=this. circumference(x,0),y=
 t[x],_={x:h+this.offsetX,y:d+this.offsetY,startAngle:b,endAngle:b+v,circumference:v,outerRadius:g,in
 nerRadius:f};m&&(_.options=p||this.resolveDataElementOptions(x,y.active?"active":n)),b+=v,this.updat
 eElement(y,x, ,n)}}calculateTotal(){let
 t=this. cachedMeta,e=t.data,s=0,n;for(n=0;n<e.length;n++){let o=t._parsed[n];o!==null&&!isNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&&thisNaN(o)&thisNaN(o)&&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(o)&thisNaN(
 is.chart.getDataVisibility(n)\&\&!e[n].hidden\&\&(s+=Math.abs(o))\} return s \\ calculateCircumference(t) \\ \{letality(n), letality(n), leta
e=this._cachedMeta.total;return e>0&&!isNaN(t)?B*(Math.abs(t)/e):0}getLabelAndValue(t){let e=this._c
 achedMeta,s=this.chart,n=s.data.labels||[],o=se(e. parsed[t],s.options.locale);return{label:n[t]||}
  , value: o\} \\ get \\ \texttt{MaxBorderWidth(t)\{let e=0,s=this.chart,n,o,a,r,l;if(!t)\{for(n=0,o=s.data.datasets.lengt,n,o,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,l,a,r,
 h;n<o;++n)if(s.isDatasetVisible(n)){a=s.getDatasetMeta(n),t=a.data,r=a.controller;break}}if(!t)retur
 n 0;for(n=0,o=t.length;n<o;++n)l=r.resolveDataElementOptions(n),l.borderAlign!=="inner"&&(e=Math.max
 (e,l.borderWidth||0,l.hoverBorderWidth||0));return egetMaxOffset(t){let e=\bar{0};for(let
 s=0, n=t.length; s< n; ++s) {let}
 o=this.resolveDataElementOptions(s);e=Math.max(e,o.offset||0,o.hoverOffset||0)}return
 e} getRingWeightOffset(t){let e=0;for(let
 s=0; s<t; ++s) this.chart.isDatasetVisible(s)&&(e+=this. getRingWeight(s)); return
 e} getRingWeight(t){return
 Math.max(D(this.chart.data.datasets[t].weight,1),0)} getVisibleDatasetWeightTotal(){return this. get
 RingWeightOffset(this.chart.data.datasets. \cite{length})||1\cite{length}||1\cite{length}||3\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1\cite{length}||1
tElementType:!1,dataElementType:"arc",animation:{animateRotate:!0,animateScale:!1},animations:{numbe rs:{type:"number",properties:["circumference","endAngle","innerRadius","outerRadius","startAngle","x ","y","offset","borderWidth","spacing"]}},cutout:"50%",rotation:0,circumference:360,radius:"100%",spacing:0,indexAxis:"r"}),M(kt,"descriptors",{_scriptoble:t=>t!=="spacing",_indexable:t=>t!=="spacing",&&!t.startsWith("borderDash")&&!t.startsWith("borderDash")&.
 ugins:{legend:{labels:{generateLabels(t){let e=t.data;if(e.labels.length&e.datasets.length){let{lab
```

```
els:\{pointStyle:s,color:n\}\}=t.legend.options;return e.labels.map((o,a)=>\{let l=t.getDatasetMeta(0).color.options;return e.labels.map((o,a)=>{let l=t.getDatasetMeta(0).color.options})
ontroller.getStyle(a);return{text:o,fillStyle:l.backgroundColor,strokeStyle:l.borderColor,fontColor:
n,lineWidth:l.borderWidth,pointStyle:s,hidden:!t.getDataVisibility(a),index:a}})}return[]}},onClick(
 t,e,s) \{s. chart.toggleDataVisibility (e.index), s. chart.update()\}\}\}); var ce=class extends it \{initialize a context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the
 e(){this.enableOptionSharing=!0,this.supportsDecimation=!0,super.initialize()}update(t){let e=this.
 cached Meta, \{ dataset: s, data: n = [], \ dataset: o \} = e, a = this. chart. \ animations Disabled, \{ start: r, count: l \} = Xi(l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l) = (l
e,n,a); this._drawStart=r,this._drawCount=l,Ki(e)&&(r=0,l=n.length),s._chart=this.chart,s._datasetInd ex=this.index,s._decimated=!!o._decimated,s.points=n;let c=this.resolveDatasetElementOptions(t);this
    . options.show \\ \texttt{Line}||(\texttt{c.borderWid} \\ \\ \texttt{th=0}), \\ \texttt{c.segment=this.options.segment}, \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \\ \texttt{this.options.segment} \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}) \\ \texttt{this.updateElement}(\texttt{s,void}
 0,{animated:!a,options:c},t),this.updateElements(n,r,l,t)}updateElements(t,e,s,n){let o=n==="reset",
 {iScale:a,vScale:r,_stacked:l,_dataset:c}=this._cachedMeta,{sharedOptions:h,includeOptions:d}=this.
getSharedOptions(e,n),u=a.axis,f=r.axis,{spanGaps:g,segment:p}=this.options,m=Bt(g)?g:Number.POSITIV
E_INFINITY,b=this.chart._animationsDisabled||o||n==="none",x=e+s,v=t.length,y=e>0&&this.getParsed(e-1);for(let _=0;_<v;++_){let k=t[_],w=b?k:{};if(_<e||_>=x){w.skip=!0;continue}let S=this.getParsed(_)
 P=A(S[f]), O=w[u]=a.getPixelForValue(S[u], _), C=w[f]=o||P?r.getBasePixel():r.getPixelForValue(l?this.applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[f],_); w.skip=isNaN(0)||isNaN(C)||P,w.stop=_>0&&Math.abs(S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applyStack(r,S,l):S[u]-applySt
 y[u]) > m, p\&\&(w.parsed=S, w.raw=c.data[\_]), d\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.parsed=S, w.raw=c.data[\_]), d\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.parsed=S, w.raw=c.data[\_]), d\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.parsed=S, w.raw=c.data[\_]), d\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.parsed=S, w.raw=c.data[\_]), d\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.parsed=S, w.raw=c.data[\_]), d\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.options=h||this.resolveDataElementOptions(\_, k.active?")) > m, p\&\&(w.options=h||this.resolvePataElementOptions(\_, k.active?")) > m, p\&\&(w.options=h||this.resolvePataEl
active":n)),b||this.updateElement(k, ,w,n),y=S}}getMaxOverflow(){let t=this._cachedMeta,e=t.dataset, s=e.options&&e.options.borderWidth||0,n=t.data||[];if(!n.length)return s;let o=n[0].size(this.resolv
 eDataElementOptions(0)), a=n[n.length-1].size(this.resolveDataElementOptions(n.length-1)); return
 Math.max(s,o,a)/2}draw(){let t=this. cachedMeta;t.dataset.updateControlPoints(this.chart.chartArea,t
Math.max(s,o,a)/2}draw(){let t=this._cachedMeta;t.dataset.updateControlPoints(this.chart.chartArea,t.iScale.axis),super.draw()}};M(ce,"id","line"),M(ce,"defaults",{datasetElementType:"line",dataElementType:"point",showLine:!0,spanGaps:!1}),M(ce,"overrides",{scales:{_index_:{type:"category"},_value_:{type:"linear"}}});var \[ \] t=class extends it{constructor(t,e){super(t,e),this.innerRadius=void 0,this.outerRadius=void 0}getLabelAndValue(t){let e=this._cachedMeta,s=this.chart,n=s.data.labels||[],o=se(e._parsed[t].r,s.options.locale);return{label:n[t]||"",value:o}}parseObjectData(t,e,s,n){returns.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.constructor(t).data.cons
 rn ss.bind(this)(t,e,s,n)}update(t){let
 e=this.\_cached Meta.data; this.\_update Radius(), this.update Elements(e,0,e.length,t)\} get Min Max() \{letal Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the Content of the C
 t=this. cachedMeta,e={min:Number.POSITIVE INFINITY,max:Number.NEGATIVE INFINITY};return
 t.data.forEach((s,n)=>{let o=this.getParsed(n).r;!isNaN(o)&&this.chart_getDataVisibility(n)&&(o<e.mi
 n\&\&(e.min=o),o>e.max\&\&(e.max=o))\}),e\}\_updateRadius()\\\{let\ t=this.chart,e=t.chartArea,s=t.options,n=Mandare,e=t.chartArea,s=t.options,n=Mandare,e=t.chartArea,s=t.options,n=Mandare,e=t.chartArea,s=t.options,n=Mandare,e=t.chartArea,s=t.options,n=Mandare,e=t.chartArea,s=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mandare,e=t.options,n=Mand
 th.min(e.right-e.left,e.bottom-
 e.top),o=Math.max(n/2,0),a=Math.max(s.cutoutPercentage?o/100*s.cutoutPercentage:1,0),r=(o-
 a)/t.getVisibleDatasetCount();this.outerRadius=o-r*this.index,this.innerRadius=this.outerRadius-
r}updateElements(t,e,s,n){let o=n==="reset",a=this.chart,l=a.options.animation,c=this._cachedMeta.rS cale,h=c.xCenter,d=c.yCenter,u=c.getIndexAngle(0)-
    .5*R,f=u,g,p=360/this.countVisibleElements();for(g=0;g<e;++g)f+=this._computeAngle(g,n,p);for(g=e;g<
 e+s;g++)\{\text{let }m=t[g],b=f,x=f+this.\_computeAngle(g,n,p),v=a.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDistanceFromCentary(g,n,p),v=b.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisibility(g)?c.getDataVisi
 erForValue(this.getParsed(g).r):0; f=x, o\&\&(l.animateScale\&\&(v=0),l.animateRotate\&\&(b=x=u)); let y=\{x:h
,y:d,innerRadius:0,outerRadius:v,startAngle:b,endAngle:x,options:this.resolveDataElementOptions(g,m.active?"active":n)};this.updateElement(m,g,y,n)}}countVisibleElements(){let
 t=this. cachedMeta,e=0;return t.data.forEach((s,n)=>{!isNaN(this.getParsed(n).r)&&this.chart.getData
 Visibil \"ity(n) \& \& e++ \}), e \\ \_compute Angle(t,e,s) \\ \{return\ this.chart.get Data Visibil ity(t) ? ot(this.resolve Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get Data Visibil ity(t)) \\ \{return\ this.chart.get
\label{table-properties} $$ taElementOptions(t,e).angle||s):0} ; M([t,"id","polarArea"), M([t,"defaults",{dataElementType:"arc",animation:{animateRotate:!0,animateScale:!0},animations:{numbers:{type:"number",properties:["x","y","startAngle","endAngle","innerRadius","outerRadius"]}}, indexAxis:"r", startAngle:0}), M([t,"overrides",{animateRotate:!0}], M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"overrides",{animateRotate:!0}]), M([t,"override
 aspectRatio:1,plugins:{legend:{labels:{generateLabels(t){let e=t.data;if(e.labels.length&e.datasets
     length){let{labels:{pointStyle:s,color:n}}=t.legend.options;return e.labels.map((o,a)=>{let l=t.get.
 DatasetMeta(0).controller.getStyle(a);return{text:o,fillStyle:l.backgroundColor,strokeStyle:l.border
 Color, fontColor:n, lineWidth:l.borderWidth, pointStyle:s, hidden:!t.getDataVisibility(a), index:a}})}ret
 urn[]}},onClick(t,e,s){s.chart.toggleDataVisibility(e.index),s.chart.update()}}},scales:{r:{type:"ra
 dialLinear",angleLines:{display:!1},beginAtZero:!0,grid:{circular:!0},pointLabels:{display:!1},start
 Angle:0}});var Le=class extends
 kt{};M(Le, "id", "pie"),M(Le, "defaults",{cutout:0,rotation:0,circumference:360,radius:"100%"});var
he=class extends it{getLabelAndValue(t){let e=this._cachedMeta.vScale,s=this.getParsed(t);return{lab el:e.getLabels()[t],value:""+e.getLabelForValue(s[e.axis])}}parseObjectData(t,e,s,n){return
 ss.bind(this)(t,e,s,n)}update(t){let
 e=this. cachedMeta,s=e.dataset,n=e.data||[],o=e.iScale.getLabels();if(s.points=n,t!=="resize"){let
 a=this.resolveDatasetElementOptions(t); this.options.showLine||(a.borderWidth=0); let
 r={ loop:!0, fullLoop:o.length===n.length,options:a};this.updateElement(s,void
 0,r,t) this update Elements (n,0,n.length,t) update Elements (t,e,s,n) {let
o=this._cachedMeta.rScale,a=n==="reset";for(let r=e;r<e+s;r++){let l=t[r],c=this.resolveDataElement0 ptions(r,l.active?"active":n),h=o.getPointPositionForValue(r,this.getParsed(r).r),d=a?o.xCenter:h.x,
u=a?o.yCenter:h.y,f={x:d,y:u,angle:h.angle,skip:isNaN(d)||isNaN(u),options:c};this.updateElement(l,r,f,n)}};M(he,"id","radar"),M(he,"defaults",{datasetElementType:"line",dataElementType:"point",index
Axis:"r",showLine:!0,elements:{line:{fill:"start"}}}),M(he,"overrides",{aspectRatio:1,scales:{r:{typ}}},
 e:"radialLinear"}}});var de=class extends it{getLabelAndValue(t){let e=this._cachedMeta,s=this.chart
}=e,n=this.chart._animationsDisabled,{start:o,count:a}=Xi(e,s,n);if(this. drawStart=o,this. drawCoun
 t=a,Ki(e)\&\&(o=0,a=s.length),this.options.showLine){this.datasetElementType||this.addElements();let{datasetElementType}
 ataset:r,_dataset:l}=e;r._chart=this.chart,r._datasetIndex=this.index,r._decimated=!!l._decimated,r.
 points=s; let
```

```
c = this.resolveDatasetElementOptions(t); c.segment = this.options.segment, this.updateElement(r, void)
 0,{animated:!n,options:c},t)}else this.datasetElementType&&(delete e.dataset,this.datasetElementType
 =!1); this.updateElements(s,o,a,t)}addElements(){let{showLine:t}=this.options;!this.datasetElementTyp
e&&t&&(this.datasetElementType=this.chart.registry.getElement("line")),super.addElements()}updateElements(t,e,s,n){let o=n==="reset",{iScale:a,vScale:r,_stacked:l,_dataset:c}=this._cachedMeta,h=this.r
 esolve Data Element Options (e,n), d=this.get Shared Options (h), u=this.include Options (n,d), f=a.axis, g=r.axis, d=this.get Shared Options (h), u=this.include Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.get Shared Options (h), d=this.ge
 s,{spanGaps:p,segment:m}=this.options,b=Bt(p)?p:Number.POSITIVE INFINITY,x=this.chart.animationsDis
 abled||o||n==="none", v=e>0\&bthis.getParsed(e-1); for(let y=e; y<e+s; ++y) {let _=t[y], k=this.getParsed(y=e); } 
),w=x?_:{},S=A(k[g]),P=w[f]=a.getPixelForValue(k[f],y),0=w[g]=o||S?r.getBasePixel():r.getPixelForValue(l?this.applyStack(r,k,l):k[g],y);w.skip=isNaN(P)||isNaN(0)||S,w.stop=y>0&&Math.abs(k[f]-
 v[f])>b,m&&(w.parsed=k,w.raw=c.data[y]),u&&(w.options=d||this.resolveDataElementOptions(y, .active?"
active":n)),x||this.updateElement(_,y,w,n),v=kthis.updateSharedOptions(d,n,h)getMaxOverflow(){let t=this._cachedMeta,e=t.data||[];if(!this.options.showLine){let r=0;for(let
 l=e.length-1; l>=0; --l)r=Math.max(r,e[l].size(this.resolveDataElementOptions(l))/2); return r>0&&r}let
 s=t.dataset, n=s.options\&s.options.borderWidth||0;if(!e.length)return n;let o=e[0].size(this.resolve)
 DataElementOptions(0)),a=e[e.length-1].size(this.resolveDataElementOptions(e.length-1));return Math.
max(n,o,a)/2}};M(de,"id","scatter"),M(de,"defaults",{datasetElementType:!1,dataElementType:"point",s
howLine:!1,fill:!1}),M(de,"overrides",{interaction:{mode:"point"},scales:{x:{type:"linear"},y:{type:
"linear"}}});var Nr=Object.freeze({__proto__:null,BarController:re,BubbleController:le,DoughnutController:kt,LineController:ce,PieController:Le,PolarAreaController:□t,RadarController:he,ScatterControl
 ler:de}); function Wt(){throw new Error("This method is not implemented: Check that a complete date
gth){let c=r._reversePixels?ln:ct;if(s){if(n._sharedOptions){let h=o[0],d=typeof h.getRange=="function"&&h.getRange(t);if(d){let
  u=c(o,t,e-d), f=c(o,t,e+d); \\ return\{lo:u.lo,hi:f.hi\}\}\} else\{let\ h=c(o,t,e); \\ if(l)\{let\{vScale:d\}=n.\_cached\}\} \\ return\{lo:u.lo,hi:f.hi\}\}\} else\{let\ h=c(o,t,e); \\ if(l)\{let\{vScale:d\}=n.\_cached\}\} \\ return\{lo:u.lo,hi:f.hi\}\}\} else\{let\ h=c(o,t,e); \\ if(l)\{let\{vScale:d\}=n.\_cached\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\}\} \\ return\{lo:u.lo,hi:f.hi\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return\{lo:u.lo,hi:f.hi]\} \\ return
 =Math.max(0,f);let g=u.slice(h.hi).findIndex(p=>!A(p[d.axis]));h.hi+=Math.max(0,g)}return
h}}return{\(\)(.0,\)hi:o.length-1}}function je(i,t,e,s,n){\}let o=i.getSortedVisibleDatasetMetas(),a=e[t];for(let
 r=0,\bar{l}=0.length; r<1;++r){let{index:c,data:h}=o[r],{lo:d,hi:u}=jr(o[r],t,a,n);for(let)}
f=d; f<=u; ++f) {let g=h[f]; g.skip||s(g,c,f)}} function ||r(i)|{let t=i.indexOf("x")!=-1,e=i.indexOf("y")!=-1; return function(s,n){let
o=t?Math.abs(s.x-n.x):0,a=e?Math.abs(s.y-n.y):0;return
Math.sqrt(Math.pow(o,2)+Math.pow(a,2))}}function ps(i,t,e,s,n){let o=[];return!n&&!i.isPointInArea(t
 )||je(i,e,t,function(r,l,c){!n&&!ht(r,i.chartArea,0)||r.inRange(t.x,t.y,s)&&o.push({element:r,datase tIndex:l,index:c})},!0),o}function Yr(i,t,e,s){let n=[];function O(a,r,l){let{startAngle:c,endAngle:
 h=a.getProps(["startAngle","endAngle"],s),{angle:d}=Hi(a, \{x:t.x,y:t.y\});ie(d,c,h)\&\&n.push(\{element:angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,angle,an
a,datasetIndex:r,index:\}}}return je(i,e,t,o),n}function Ur(i,t,e,s,n,o){\leta=[],r=□r(e),l=Number.POSITIVE_INFINITY;function c(h,d,u){\leta=(h,d,u)}
 f=h.inRange(t.x,t.y,n);if(s&&!f)return;let
 q=h.getCenterPoint(n);if(!(!!o||i.isPointInArea(g))&&!f)return;let m=r(t,q);m<l?(a=[{element:h,datas})
 etIndex:d,index:u}],l=m):m====&&a.push({element:h,datasetIndex:d,index:u}))}return
 je(i,e,t,c),a}function
 ms(i,t,e,s,n,o){return!o&&!i.isPointInArea(t)?[]:e==="r"&&!s?Yr(i,t,e,n):Ur(i,t,e,s,n,o)}function
sh(\{element: d, datasetIndex: c.index, index: h\})\}), l):[]\}, dataset(i, t, e, s)\{let n=Tt(t, i), o=e.axis||"xy", at a set (i, t, e, s) for all the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set o
 a=e.includeInvisible||!1,r=e.intersect?ps(i,n,o,s,a):ms(i,n,o,!1,s,a);if(r.length>0){let
 l=r[0].datasetIndex,c=i.getDatasetMeta(l).data;r=[];for(let
 h=0;h<c.length;++h)r.push({element:c[h],datasetIndex:l,index:h})}return r},point(i,t,e,s){let
n=Tt(t,i),o=e.axis||"xy",a=e.includeInvisible||!1;return ps(i,n,o,s,a)},nearest(i,t,e,s){let n=Tt(t,i),o=e.axis||"xy",a=e.includeInvisible||!1;return ms(i,n,o,e.intersect,s,a)},x(i,t,e,s){let n=Tt(t,i);return Vn(i,n,"x",e.intersect,s)},y(i,t,e,s){let n=Tt(t,i);return Vn(i,n,"x",e.intersect,s)}},Lo=["left","top","right","bottom"];function Oe(i,t){return
 i.filter(e=>e.pos===t)}function Wn(i,t){return
 i.filter(e=>Lo.indexOf(e.pos)===-1&&e.box.axis===t)}function Ce(i,t){return i.sort((e,s)=>{let
 n=t?s:e,o=t?e:s;return n.weight===o.weight?n.index-o.index:n.weight-o.weight})}function Kr(i){let t=
 [], e, s, n, o, a, r; for (e=0, s=(i||[]).length; e<s; ++e) \\ n=i[e], \{position: o, options: \{stack: a, stackWeight: r=1\}\}
 }=n,t.push({index:e,box:n,pos:o,horizontal:n.isHorizontal(),weight:n.weight,stack:a&&o+a,stackWeight
  :r});return t}function qr(i){let t={};for(let e of
 i){let{stack:s,pos:n,stackWeight:o}=e;if(!s||!Lo.includes(n))continue;let
 a=t[s]||(t[s]={count:0,placed:0,weight:0,size:0});a.count++,a.weight+=o}return t}function
 Gr(i,t){let e=qr(i),{vBoxMaxWidth:s,hBoxMaxHeight:n}=t,o,a,r;for(o=0,a=i.length;o<a;++o){r=i[o];let{
 fullSize:l}=r.box,c=e[r.stack],h=c&&r.stackWeight/c.weight;r.horizontal?(r.width=h?h*s:l&&t.availabl
  \begin{array}{ll} \text{eWidth,r.height=n):} (\text{r.width=s,r.height=h?h*n:l\&\&t.availableHeight)} \text{return e} \\ \text{function Zr(i)} \\ \text{let t=Kr(i),e=Ce(t.filter(c=>c.box.fullSize),!0),s=Ce(0e(t,"left"),!0),n=Ce(0e(t,"right")),o=Ce(0e(t,"top"),!0), \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Zr(i)} \\ \text{function Z
```

```
0), a=Ce(0e(t,"bottom")), r=Wn(t,"x"), l=Wn(t,"y"); return\{fullSize:e,leftAndTop:s.concat(o),rightAndBottor
 tom:n.concat(l).concat(a).concat(r),chartArea:0e(t,"chartArea"),vertical:s.concat(n).concat(l),horiz
 ontal:o.concat(a).concat(r)}}function Nn(i,t,e,s){return
 \label{eq:mathmax} Math.max(i[e],t[e])+Math.max(i[s],t[s])\} function \\ Ro(i,t)\{i.top=Math.max(i.top,t.top),i.left=Math.max(i[e],t[e])\} function \\ Ro(i,t)\{i.top=Math.max(i[e],t[e]),t[e])\} function \\ Ro(i,t)\{i.top=Math.max(i[e
  (i.left,t.left),i.bottom=Math.max(i.bottom,t.bottom),i.right=Math.max(i.right,t.right)}function
 Jr(i,t,e,s){let{pos:n,box:o}=e,a=i.maxPadding;if(!T(n)){e.size&&(i[n]-=e.size);let d=s[e.stack]||{sizek}
 ze:0,count:1};d.size=Math.max(d.size,e.horizontal?o.height:o.width),e.size=d.size/d.count,i[n]+=e.si
 ze}o.getPadding&&Ro(a,o.getPadding());let r=Math.max(0,t.outerWidth-
Nn(a,i,"left","right")),l=Math.max(0,t.outerHeight-
Nn(a,i,"top","bottom")),c=r!==i.w,h=l!==i.h;return
 i.w=r,i.h=l,e.horizontal?\{same:c,other:h\}:\{same:h,other:c\}\} function \ Qr(i)\{lethorizontal\} function \ Qr(i) for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context
 t=i.maxPadding;function e(s){let n=Math.max(t[s]-i[s],0);return
 i[s]+=n,n}i.y+=e("top"),i.x+=e("left"),e("right"),e("bottom")}function tl(i,t){let
e=t.maxPadding;function s(n){let o={left:0,top:0,right:0,bottom:0};return n.forEach(a=>{o[a]=Math.max(t[a],e[a])}),o}return s(i?["left","right"]:["top","bottom"])}function
 Re(i,t,e,s) {let n=[],o,a,r,l,c,h; for(o=0,a=i.length,c=0;o< a;++o) {r=i[o],l=r.box,l.update(r.width||t.equiv a;++o) } {r=i[o],l=r.box,l.update(r.width||t.equiv a;++o) }
 w,r.height||t.h,tl(r.horizontal,t));let{same:d,other:u}=Jr(t,e,r,s);c|=d&&n.length,h=h||u,l.fullSize
 ||n.push(r)|return c&&Re(n,t,e,s)||h}function
 fi(i,t,e,s,n){i.top=e,i.left=t,i.right=t+s,i.bottom=e+n,i.width=s,i.height=n}function
 Hn(i,t,e,s){let n=e.padding,{x:o,y:a}=t;for(let r of i){let
 l=r.box,c=s[r.stack]||{count:1,placed:0,weight:1},h=r.stackWeight/c.weight||1;if(r.horizontal){let d
 =t.w*h,u=c.size||l.height;te(c.start)&&(a=c.start),l.fullSize?fi(l,n.left,a,e.outerWidth-n.right
n.left,u):fi(l,t.left+c.placed,a,d,u),c.start=a,c.placed+=d,a=l.bottom}else{let d=t.h*h,u=c.size||l.width;te(c.start)&&(o=c.start),l.fullSize?fi(l,o,n.top,u,e.outerHeight-n.bottom-
n.top): fi(l,o,t.top+c.placed,u,d), c.start=o,c.placed+=d,o=l.right\} \\ fi.x=o,t.y=a \\ var Z= \\ \{addBox(i,t)\{i.boxes=[]\},t.fullSize=t.fullSize=[],t.position=t.position=[],t.weight=t.weight=[],t.position=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.fullSize=[],t.ful
                                 layers||function()\{return[\{z:0,draw(e)\}t.draw(e)\}\}\}\},i.boxes.push(t)\{return[\{z:0,draw(e)\}\}\}\}
 i.boxes?ī.boxes.index0f(t):-1;e!==
1\&\&i.boxes.splice(e,1)\}, configure(i,t,e)\{t.fullSize=e.fullSize,t.position=e.position,t.weight=e.weight\}, update(i,t,e,s)\{if(!i)return;let n=q(i.options.layout.padding),o=Math.max(t-boxes)\}
 n.width, 0), a=Math.max(e-n.height, 0), r=Zr(i.boxes), l=r.vertical, c=r.horizontal; E(i.boxes, p=>\{typeofallowers, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(i.boxes, p=>(
 p.beforeLayout=="function"&&p.beforeLayout()}); let h=l.reduce((p,m)=>m.box.options&&m.box.options.di
 splay===!1?p:p+1,0)||1,d=0bject.freeze({outerWidth:t,outerHeight:e,padding:n,availableWidth:o,availa
bleHeight:a,vBoxMaxWidth:o/2/h,hBoxMaxHeight:a/2}),u=Object.assign({},n);Ro(u,q(s));let f=Object.assign({maxPadding:u,w:o,h:a,x:n.left,y:n.top},n),g=Gr(l.concat(c),d);Re(r.fullSize,f,d,g),Re(l,f,d,g),
Re(c,f,d,g)\&\&Re(l,f,d,g),Qr(f),Hn(r.leftAndTop,f,d,g),f.x+=f.w,f.y+=f.h,Hn(r.rightAndBottom,f,d,g),i.chartArea=\{left:f.left,top:f.top,right:f.left+f.w,bottom:f.top+f.h,height:f.h,width:f.w\},E(r.chartArea=\{left:f.left,top:f.top,right:f.left+f.w,bottom:f.top+f.h,height:f.h,width:f.w\},E(r.chartArea=\{left:f.left,top:f.top,right:f.left+f.w,bottom:f.top+f.h,height:f.h,width:f.w\},E(r.chartArea=\{left:f.left,top:f.top,right:f.top,right:f.top+f.h,height:f.h,width:f.w\},E(r.chartArea=\{left:f.top+f.h,height:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,right:f.top,ri
 rea,p=>{let m=p.box;Object.assign(m,i.chartArea),m.update(f.w,f.h,{left:0,top:0,right:0,bottom:0})})
}},Mi=class{acquireContext(t,e){}releaseContext(t){return!1}addEventListener(t,e,s){}removeEventList
ener(t,e,s){}getDevicePixelRatio(){return 1}getMaximumSize(t,e,s,n){return e=Math.max(0,e||t.width),
 s=s||t.height, \{width:e,height:Math.max(0,n?Math.floor(e/n):s)\}\} is Attached(t)\{return!0\} update Config(t)
 ){}},Ss=class extends Mi{acquireContext(t){return t&&t.getContext&&t.getContext("2d")||null}updateCo
 nfig(t){t.options.animation=!1}},_i="□chartjs",el={touchstart:"mousedown",touchmove:"mousemove",touc
hend: "mouseup", pointerenter: "mouseenter", pointerdown: "mousedown", pointermove: "mousemove", pointerup: "mouseup", pointerleave: "mouseout", pointerout: "mouseout"}, jn=i=>i==null||i===""; function il(i,t){let e=i.style, s=i.getAttribute("height"), n=i.getAttribute("width"); if(i[_i]={initial: {height: s, width: n, s}
 tyle:{display:e.display,height:e.height,width:e.width}}},e.display=e.display||"block",e.boxSizing=e.
boxSizing||"border-box",jn(n))\{let\ o=os(i,"width");o!==void\ 0\&\&(i.width=o)\}if(jn(s))if(i.style.height==="")i.height=i.width/(t||2);else\{let o=os(i,"width=o)\}if(jn(s))if(i.style.height==="")i.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(i.style.height==="")i.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(i.style.height==="")i.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(i.style.height==="")i.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(i.style.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(i.style.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(i.style.height=i.width/(t||2);else{let o=os(i,"width=o)}if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(jn(s))if(
 o=os(i, "height"); o!==void 0&&(i.height=o)} return i}var Eo=Sn?{passive:!0}:!1;function
 sl(i,t,e){i&&i.addEventListener(t,e,Eo)}function
 nl(i,t,e){i&&i.canvas&&i.canvas.removeEventListener(t,e,Eo)}function ol(i,t){let
 e=el[i.type]||i.type,{x:s,y:n}=Tt(i,t);return{type:e,chart:t,native:i,x:s!==void 0?s:null,y:n!==void
0?n:null}}function ki(i,t){for(let e of i)if(e===t||e.contains(t))return!0}function al(i,t,e){let s=i.canvas,n=new MutationObserver(o=>{let a=!1;for(let r of
 o)a=a||ki(r.addedNodes,s),a=a&&!ki(r.removedNodes,s);a&&e()});return
 n.observe(document,{childList:!0,subtree:!0}),n}function rl(i,t,e){let s=i.canvas,n=new
 MutationObserver(o=>{let a=!1:for(let r of
 o) a = a \mid \mid ki(r.removedNodes,s), a = a\&\&!ki(r.addedNodes,s); a\&\&e()\}); return
 n.observe(document,{childList:!0,subtree:!0}),n}var We=new Map, □n=0;function Io(){let i=window.devic
 ePixelRatio; i! == [] n\& ([] n=i, We.forEach((t,e) => \{e.currentDevicePixelRatio! == i\& t()\})) \} function
ll(i,t){We.size||window.addEventListener("resize",Io),We.set(i,t)}function
cl(i){We.delete(i),We.size||window.removeEventListener("resize",Io)}function hl(i,t,e){let
 s=i.canvas,n=s\&\&di(s);if(!n)return;let o=Ui((r,l)=>{let}
 c=n.clientWidth; e(r,l), c< n.clientWidth \& e()\}, window), a=new \ Resize 0 bserver (r=> \{let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let resize 0 bserver (r=> let 
 l=r[0], c=l.contentRect.width, h=l.contentRect.height; c===0&&h===0||o(c,h)|); return
 a.observe(n), ll(i,o), a} function bs(i,t,e){e&e.disconnect(),t==="resize"&&cl(i)} function
 dl(i,t,e){let s=i.canvas,n=Ui(o=>{i.ctx!==null&&e(ol(o,i))},i);return sl(s,t,n),n}var Ps=class
 extends Mi\{acquireContext(t,e)\{let\ s=t\&\&t.getContext\&\&t.getContext("2d"); return \}
s&&s.canvas===t?(il(t,e),s):null}releaseContext(t){let e=t.canvas;if(!e[_i])return!1;let
s=e[_i].initial;["height","width"].forEach(o=>{let
 a=s[o];A(a)?e.removeAttribute(o):e.setAttribute(o,a)});let n=s.style||{};return
 Object.keys(n).forEach(o=>{e.style[o]=n[o]}),e.width=e.width,delete
```

```
e[ i],!0}addEventListener(t,e,s){this.removeEventListener(t,e);let n=t.\Boxproxies||(t.\Boxproxies={}),a={
roxies={}),n=s[e];if(!n)return;({attach:bs,detach:bs,resize:bs}[e]||nl)(t,e,n),s[e]=void
0}getDevicePixelRatio(){return window.devicePixelRatio}getMaximumSize(t,e,s,n){return
wn(t,e,s,n) is Attached(t) {let e=t\&\&di(t); return!!(e\&\&e.isConnected)}}; function
ul(i){return!hi()||typeof OffscreenCanvas<"u"&&i instanceof OffscreenCanvas?Ss:Ps}var st=class{const
ructor(){M(this, "x");M(this, "y");M(this, "active",!1);M(this, "options");M(this, "[animations")}tooltip Position(t){let{x:e,y:s}=this.getProps(["x","y"],t);return{x:e,y:s}}hasValue(){return Bt(this.x)}&Bt(this.y)}getProps(t,e){let s=this.[animations;if(!e||!s)return this;let n={};return t. forEach(o=>{n[o]=s[o]&&s[o].active()?s[o]. to:this[o]}),n};M(st, "defaults",{}),M(st, "defaultRoutes");function fl(i,t){let e=i.options.ticks,s=gl(i),n=Math.min(e.maxTicksLimit||s,s),o=e.major.enabled?
1; d < u; d + + )gi(t, c, h, o[d], o[d + 1]); return gi(t, c, h, l, A(f)?t.length:l + f), c} return gi(t, c, h), c} function gl(i) {let t = i.options.offset, e = i._tickSize(), s = i._length/e + (t?0:1), n = i._maxLength/e; return Math.floor(Math.min(s,n))} function <math>gl(i, t, e) {let s = xl(i), n = t.length/e; if(!s) return Math.max(n,1); let
o=on(s);for(let a=0,r=o.length-1;a<r;a++){let l=o[a];if(l>n)return l}return Math.max(n,1)}function ml(i){let t=[],e,s;for(e=0,s=i.length;e<s;e++)i[e].major&&t.push(e);return t}function
bl(i,t,e,s){let
n=0, o=e[0], a; for(s=Math.ceil(s), a=0; a<i.length; a++) a===o&&(t.push(i[a]), n++, o=e[n*s])} function
qi(i,t,e,s,n) {let o=D(s,0), a=Math.min(D(n,i.length),i.length), <math>r=0,l,c,h; for (e=Math.ceil(e),n\&(l=n-1))
s, e=1/Math.floor(l/e)), h=o;h<0;) r++, h=Math.round(o+r*e); for (c=Math.max(o,0);c<a;c++)c===h&&(t.push(i))
[c]),r++,h=Math.round(o+r*e))}function xl(i){let
t=i.length,e,s;if(t<2)return!1;for(s=i[0],e=1;e<t;++e)if(i[e]-i[e-1]!==s)return!1;return s}var _l=i=>i==="left"?"right":i==="right"?"left":i,Yn=(i,t,e)=>t==="top"||t==="left"?i[t]+e:i[t]-
e,Un=(i,t)=>Math.min(t||i,i);function Xn(i,t){let
e=[],s=i.length/t,n=i.length,o=0;for(;o<n;o+=s)e.push(i[Math.floor(o)]);return e}function
yl(i,t,e){let s=i.ticks.length,n=Math.min(t,s-1),o=i._startPixel,a=i._endPixel,r=1e-6,l=i.getPixelForTick(n),c;if(!(e&&(s===1?c=Math.max(l-o,a-l):t===0?c=(i.getPixelForTick(1)-1)).
\label{local-control} $$ l)/2: c=(l-i.getPixelForTick(n-1))/2, l+=n< t?c:-c, l<o-r||l>a+r))$ return $l$ function $vl(i,t) $$ E(i,e=>{let local-control of the control of 
s=e.gc,n=s.length/2,o;if(n>t){for(o=0;o<n;++o)delete e.data[s[o]];s.splice(0,n)})}function
Ae(i){return i.drawTicks?i.tickLength:0}function Kn(i,t){if(!i.display)return 0;let
e=□(i.font,t),s=q(i.padding);return(z(i.text)?i.text.length:1)*e.lineHeight+s.height}function
Ml(i,t){return yt(i,{scale:t,type:"scale"})}function kl(i,t,e){return yt(i,{tick:e,index:t,type:"tick"})}function wl(i,t,e){let s=oi(i);return(e&&t!=="right"||!e&&t==="right")&&(s=_l(s)),s}function Sl(i,t,e,s){let{top:n,left:o,b}}
ottom:a,right:r,chart:l}=i,{chartArea:c,scales:h}=l,d=0,u,f,g,p=a-n,m=r-
o;if(i.isHorizontal()){if(f=K(s,o,r),T(e)){let
b=Object.keys(e)[0],x=e[b];g=h[b].getPixelForValue(x)+p-t}else
e=="center"?g=(c.bottom+c.top)/2+p-t:g=Yn(i,e,t);u=r-o}else{if(T(e)){let
b=Object.keys(e)[0],x=e[b];f=h[b].getPixelForValue(x)-m+t}else e==="center"?f=(c.left+c.right)/2-m+t:f=Yn(i,e,t);g=K(s,a,n),d=e==="left"?-H:H}return{titleX:f,titleY:g,maxWidth:u,rotation:d}}var
Ut=class i extends st{constructor(t){super(),this.id=t.id,this.type=t.type,this.options=void
0,this.ctx=t.ctx,this.chart=t.chart,this.top=void 0,this.bottom=void 0,this.left=void 0,this.right=void 0,this.width=void 0,this.height=void
\texttt{0,this.\_margins=} \{ \texttt{left:0,right:0,top:0,bottom:0} \}, \texttt{this.maxWidth=void 0,this.maxHeight=void 0} \}
0,this.paddingTop=void 0,this.paddingBottom=void 0,this.paddingLeft=void 0,this.paddingRight=void
0,this.axis=void 0,this.labelRotation=void 0,this.min=void 0,this.max=void 0,this. range=void 0,this
.ticks=[],this._gridLineItems=null,this._labelItems=null,this._labelSizes=null,this._length=0,this._
maxLength=0,this._longestTextCache={},this._startPixel=void 0,this._endPixel=void 0,this._reversePixels=!1,this._userMax=void 0,this._userMin=void 0,this._suggestedMax=void
0,this._suggestedMin=void 0,this._ticksLength=0,this._borderValue=0,this._cache={},this._dataLimitsCached=!1,this._context=void 0}init(t){this.options=t.setContext(this.getContext()),this.axis=t.axis,
this.\_user \texttt{Min=this.parse(t.min),this.}\_user \texttt{Max=this.parse(t.max),this.}\_suggested \texttt{Min=this.parse(t.sugg)}
estedMin), this. suggestedMax=this.parse(t.suggestedMax)}parse(t,e){return}
t}getUserBounds(){let{_userMin:t,_userMax:e,_suggestedMin:s,_suggestedMax:n}=this;return t=J(t,Numbe r.POSITIVE_INFINITY),e=J(e,Number.NEGATIVE_INFINITY),s=J(s,Number.POSITIVE_INFINITY),n=J(n,Number.NE
GATIVE INFINITY), {min:J(t,s), max:J(e,n), minDefined:N(t), maxDefined:N(e)}}getMinMax(t){let{min:e,max:
r = this.getMatchingVisibleMetas(); for(let l=0,c=r.length; l<c;++l)a=r[l].controller.getMinMax(this,t),
n|(e=Math.min(e,a.min)),o|(s=Math.max(s,a.max));return e=o&&e>s?s:e,s=n&&e>s?e:s,{min:J(e,J(s,e)),}
\label{lem:max:J} $$\max:J(s,J(e,s))}$ getPadding(){return{left:this.paddingLeft||0,top:this.paddingTop||0,right:this.paddingRight||0,bottom:this.paddingBottom||0}}$ getTicks(){return this.ticks}$ getLabels(){let}
t=this.chart.data;return this.options.labels||(this.isHorizontal()?t.xLabels:t.yLabels)||t.labels||[
]}getLabelItems(t=this.chart.chartArea){return this._labelItems||(this._labelItems=this._computeLabelItems(t))}beforeLayout(){this._cache={},this._dataLimitsCached=!1}beforeUpdate(){F(this.options.beforeUpdate()}
ore Update, [this]) \} update(t,e,s) \overline{\{let\{beginAtZero:n,grace:o,ticks:a\}=this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.options,r=a.sampleSize;this.optio
beforeUpdate(),this.maxWidth=t,this.maxHeight=e,this.margins=s=Object.assign({left:0,right:0,top:0,
bottom:0},s),this.ticks=null,this. labelSizes=null,this. gridLineItems=null,this. labelItems=null,th
is.beforeSetDimensions(),this.setD\overline{i}mensions(),this.after\overline{S}etDimensions(),this. max\overline{L}ength=this.isHoriz
ontal()?this.width+s.left+s.right:this.height+s.top+s.bottom,this._dataLimitsCached||(this.beforeDat
aLimits(),this.determineDataLimits(),this.afterDataLimits(),this._range=xn(this,o,n),this._dataLimits()cached=!0),this.beforeBuildTicks(),this.ticks=this.buildTicks()||[],this.afterBuildTicks();let l=r<
```

```
this.ticks.length; this. convertTicksToLabels(l?Xn(this.ticks,r):this.ticks), this.configure(), this.be
 foreCalculateLabelRotation(), this.calculateLabelRotation(), this.afterCalculateLabelRotation(), a.disp
 lay&&(a.autoSkip||a.source==="auto")&&(this.ticks=fl(this.this.ticks),this. labelSizes=null,this.aft
 erAutoSkip()),l&&this. convertTicksToLabels(this.ticks),this.beforeFit(),this.fit(),this.afterFit(),
 this.afterUpdate()}configure(){let t=this.options.reverse,e,s;this.isHorizontal()?(e=this.left,s=thi
 s.right):(e=this.top,s=this.bottom,t=!t),this. startPixel=e,this. endPixel=s,this. reversePixels=t,t
 his._length=s-
 e,this. alignToPixels=this.options.alignToPixels}afterUpdate(){F(this.options.afterUpdate,[this])}be
 fore Set \overline{D} imensions() \{F(this.options.before Set Dimensions, [this])\} set Dimensions() \{this.isHorizontal()? (this.isHorizontal)\} \} the set Dimensions (this.isHorizontal) \{this.isHorizontal()? (this.isHorizontal)\} \} the set Dimensions (this.isHorizontal) \{this.isHorizontal()? (this.isHorizontal)\} \} the set Dimensions (this.isHorizontal) \{this.isHorizontal()? (this.isHorizontal)\} \} the set Dimensions (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isHorizontal()? (this.isH
 this.width=this.maxWidth,this.left=0,this.right=this.width):(this.height=this.maxHeight,this.top=0,t
 his.bottom=this.height),this.paddingLeft=0,this.paddingTop=0,this.paddingRight=0,this.paddingBottom=
 0) after Set Dimensions() \{F(this.options.after Set Dimensions, [this])\}\_call Hooks(t) \{this.chart.notify Plug, and the set Dimensions, [this], and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the set Dimensions (this), and the s
 ins(t,this.getContext()),F(this.options[t],[this])}beforeDataLimits(){this._callHooks("beforeDataLim
 its")}determineDataLimits(){}afterDataLimits(){this. callHooks("afterDataLimits")}beforeBuildTicks()
 {this. callHooks("beforeBuildTicks")}buildTicks(){return[]}afterBuildTicks(){this. callHooks("afterB
 uildTicks")}beforeTickToLabelConversion(){F(this.options.beforeTickToLabelConversion.[this])}generat
 [o.value,s,t],this)}afterTickToLabelConversion(){F(this.options.afterTickToLabelConversion,[this])}
 before Calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation, [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Calculate Label Rotation(), [this])\} calculate Label Rotation() \{F(this.options.before Ca
 ation(){let t=this.options,e=t.ticks,s=Un(this.ticks.length,t.ticks.maxTicksLimit),n=e.minRotation||
 0,o=e.maxRotation,a=n,r,l,c;if(!this.isVisible()||!e.display||n>=o||s<=1||!this.isHorizontal()){thi
s.labelRotation=n; return}let h=this._getLabelSizes(),d=h.widest.width,u=h.highest.height,f=Y(this.ch art.width-d,0,this.maxWidth); r=t.offset?this.maxWidth/s:f/(s-1),d+6>r&&(r=f/(s-
  (t.offset?.5:1)),l=this.maxHeight-Ae(t.grid)-e.padding-Kn(t.title,this.chart.options.font),c=Math.sq
 rt(d*d+u*u), a=si(Math.min(Math.asin(Y((h.highest.height+6)/r, -1,1)), Math.asin(Y(l/c,-1,1))
 Math.asin(Y(u/c,
1,1)))), a=Math.max(n,Math.min(o,a))), this.labelRotation=a\\afterCalculateLabelRotation()\\\{F(this.options.afterCalculateLabelRotation,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit,[this])\\afterAutoSkip()\\\{beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.options.beforeFit()\\\{F(this.opt
 }fit(){let t={width:0,height:0},{chart:e,options:{ticks:s,title:n,grid:o}}=this,a=this._isVisible(),
r=this.isHorizontal();if(a){let l=Kn(n,e.options.font);if(r?(t.width=this.maxWidth,t.height=Ae(o)+l)
  :(t.height=this.maxHeight,t.width=Ae(o)+l),s.display&&this.ticks.length){let{first:c,last:h,widest:d
   highest:u}=this. getLabelSizes(),f=s.padding*2,g=ot(this.labelRotation),p=Math.cos(g),m=Math.sin(g),
  ;if(r){let b=s.mirror?0:m*d.width+p*u.height;t.height=Math.min(this.maxHeight,t.height+b+f)}else{let
 b = s.mirror?0: p*d.width + m*u.height; t.width = Math.min(this.maxWidth, t.width + b + f) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calculate Padding = b + f(this.maxWidth) \\ \\ this.\_calcu
  (c,h,m,p)}}this._handleMargins(),r?(this.width=this._length=e.width-this._margins.left-
 this. margins.right, this.height=t.height):(this.width=t.width, this.height=this.length=e.height
 this._margins.top-this._margins.bottom)}_calculatePadding(t,e,s,n){let{ticks:{align:o,padding:a},position:r}=this.options,l=this.labelRotation!==0,c=r!=="top"&&this.axis==="x";if(this.isHorizontal()){
 let h=this.getPixelForTick(0)-this.left,d=this.right-this.getPixelForTick(this.ticks.length-
 1), u=0, f=0; \tilde{l}?c?(u=n*t.width, f=s*e.height):(u=s*t.height, f=\tilde{n}*e.width):o==="start"?f=e.width:o==="end"
 ?u=t.width:o!=="inner"&&(u=t.width/2,f=e.width/2),this.paddingLeft=Math.max((u-
 d),0)}else{let h=e.height/2,d=t.height/2;o==="start"?(h=0,d=t.height):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o==="end"&&(h=e.height,d=0),theight):o===(h=e.height,d=0),theight):o===(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o==(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.height,d=0),theight):o=(h=e.
 is.paddingTop=h+a,this.paddingBottom=d+a}} handleMargins(){this. margins&&(this. margins.left=Math.m
 ax(this.paddingLeft,this. margins.left),this. margins.top=Math.max(this.paddingTop,this. margins.top
 ),this. margins.right=Math.max(this.paddingRight,this._margins.right),this._margins.bottom=Math.max(
 this.paddingBottom,this._margins.bottom))}afterFit(){F(this.options.afterFit,[this])}isHorizontal(){
let{axis:t,position:e}=this.options;return e==="top"||e==="bottom"||t==="x"}isFullSize(){return this
  .options.fullSize}_convertTicksToLabels(t){this.beforeTickToLabelConversion(),this.generateTickLabel
 s(t); let e,s; for (e=0,s=t.length; e< s; e++) A(t[e].label) &&(t.splice(e,1),s--,e-
); this.afterTickToLabelConversion()}_getLabelSizes() {let t=this._labelSizes; if(!t) {let e=this.option s.ticks.sampleSize, s=this.ticks; e<s.length&&(s=Xn(s,e)), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes(s=t), this._labelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=t=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes=this._computeLabelSizes
    s.length,this.options.ticks.maxTicksLimit)}return t}_computeLabelSizes(t,e,s){let{ctx:n,_longestTex,
 \label{total condition}  \begin{tabular}{ll} tCache: o} = this, a = [], r = [], l = Math.floor(e/Un(e,s)), c = 0, h = 0, d, u, f, g, p, m, b, x, v, y, \_; for(d = 0; d < e; d + = l) {if(g = t[d].label, p = this.\_resolveTickFontOptions(d), n.font = m = p.string, b = o[m] = o[m] | [data: {}, gc: []}, x = p.lineHeight, v = y = 0, !A(g) &&! z(g)) v = Me(n, b.data, b.gc, v, g), y = x; else if(z(g)) for(u = 0, f = g.length; u < f; + + u) = g[x + u] = g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + g[x + u] + 
u],!A(_)&&!z(_)&&(v=Me(n,b.data,b.gc,v,_),y+=x);a.push(v),r.push(y),c=Math.max(v,c),h=Math.max(y,h)}vl(o,e);let k=a.indexOf(c),w=r.indexOf(h),S=P=>({width:a[P]||0,height:r[P]||0});return{first:S(0),la}
 st:S(e-1), widest:S(k), highest:S(w), widths:a, heights:r}}getLabelForValue(t){return
 t}getPixelForValue(t,e){return NaN}getValueForPixel(t){jgetPixelForTick(t){let e=this.ticks;return t
 <0||t>e.length
 1?null:this.getPixelForValue(e[t].value)}getPixelForDecimal(t){this. reversePixels&&(t=1-t);let
 e=this. startPixel+t*this. length; return
 rn(this._alignToPixels?Ot(This.chart,e,0):e)}getDecimalForPixel(t){let
 e=(t-this._startPixel)/this._length;return this._reversePixels?1-e:e}getBasePixel(){return
 this.getPixelForValue(this.getBaseValue())}getBaseValue(){let{min:t,max:e}=this;return
 t<0\&\&e<0?e:t>0\&\&e>0?t:0\}getContext(t)\{let\ e=this.ticks||[];if(t>=0\&\&t<e.length)\{let\ s=e[t];return\} \}
 s. □context | | (s. □context = kl(this.getContext(),t,s))}return
 this. context | (this. context = Ml(this.chart.getContext(), this))} tickSize() { let t = this.options.ticks
  , \texttt{e} = \texttt{ot}(\texttt{this.labelRotation}) \,, \texttt{s} = \texttt{Math.abs}(\texttt{Math.cos}(e)) \,, \texttt{n} = \texttt{Math.abs}(\texttt{Math.sin}(e)) \,, \texttt{o} = \texttt{this.\_getLabelSizes}() \,, \texttt{a} = \texttt{math.abs}(\texttt{Math.sin}(e)) \,, \texttt{o} = \texttt{this.\_getLabelSizes}() \,, \texttt{a} = \texttt{math.abs}(\texttt{Math.sin}(e)) \,, \texttt{o} = \texttt{this.\_getLabelSizes}() \,, \texttt{a} = \texttt{math.abs}(\texttt{Math.sin}(e)) \,, \texttt{o} = \texttt{this.\_getLabelSizes}() \,, \texttt{a} = \texttt{math.abs}(\texttt{Math.sin}(e)) \,, \texttt{o} = \texttt{this.\_getLabelSizes}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.abs}() \,, \texttt{a} = \texttt{math.ab
 t.autoSkipPadding||0,r=o?o.widest.width+a:0,l=o?o.highest.height+a:0;return
 this.isHorizontal()?l*s>r*n?r/s:l/n:l*n<r*s?l/s:r/n} isVisible(){let t=this.options.display;return
 t!=="auto"?!!t:this.getMatchingVisibleMetas().length>0} computeGridLineItems(t){let e=this.axis,s=th
```

```
is.chart, n=this.options, \{grid:o,position:a,border:r\}=n, l=o.offset, c=this.isHorizontal(), d=this.ticks\}
 .length+(l?1:0),u=Ae(o),f=[],g=r.setContext(this.getContext()),p=g.display?g.width:0,m=p/2,b=functio
n(W){return Ot(s,W,p)},x,v,y,_,k,w,S,P,O,C,L,U;if(a==="top")x=b(this.bottom),w=this.bottom-u,P=x-
m,C=b(t.top)+m,U=t.bottom;else
if(a==="bottom")x=b(this.top),C=t.top,U=b(t.bottom)-m,w=x+m,P=this.top+u;else
if(a==="left")x=b(this.right),k=this.right-u,S=x-m,O=b(t.left)+m,L=t.right;else
if(a==="right")x=b(this.left),O=t.left,L=b(t.right)-m,k=x+m,S=this.left+u;else
if(e==="x"){if(a==="center")x=b((t.top+t.bottom)/2+.5);else if(T(a)){let W=Object.keys(a)[0],j=a[W];
x=b(this.chart.scales[W].getPixelForValue(j))}C=t.top,U=t.bottom,w=x+m,P=w+u}else
(this.chart.scales[W].getPixelForValue(j))}k=x-m,S=k-u,O=t.left,L=t.right}let
et=D(n.ticks.maxTicksLimit,d),I=Math.max(1,Math.ceil(d/et));for(v=0;v<d;v+=I){let W=this.getContext(
v), j=o.setContext(W), rt=r.setContext(W), G=j.lineWidth, Xt=j.color, □e=rt.dash||[], Kt=rt.dashOffset, me=
\label{eq:controller} j.tickWidth,Rt=j.tickColor,be=j.tickBorderDash|[],Et=j.tickBorderDash0ffset;y=yl(this,v,l),y!==void \\ 0\&\&(\_0t(s,y,G),c?k=S=0=L=\_:w=P=C=U=\_,f.push(\{tx1:k,ty1:w,tx2:S,ty2:P,x1:0,y1:C,x2:L,y2:U,width:G,color,be=j.tickBorderDash0ffset;y=yl(this,v,l),y!==void \\ 0&\&(\_0t(s,y,G),c?k=S=0=L=\_:w=P=C=U=\_,f.push(\{tx1:k,ty1:w,tx2:S,ty2:P,x1:0,y1:C,x2:L,y2:U,width:G,color,be=j.tickBorderDash0ffset;y=yl(this,v,l),y!==void \\ 0&\&(\_0t(s,y,G),c?k=S=0=L=\_:w=P=C=U=\_,f.push(\{tx1:k,ty1:w,tx2:S,ty2:P,x1:0,y1:C,x2:L,y2:U,width:G,color,be=j.tickBorderDash0ffset;y=yl(this,v,l),y!==void \\ 0&&(\_0t(s,y,G),c?k=S=0=L=\_:w=P=C=U=\_,f.push(\{tx1:k,ty1:w,tx2:S,ty2:P,x1:0,y1:C,x2:L,y2:U,width:G,color,be=j.tickBorderDash0ffset;y=yl(this,v,l),y!=void \\ 0&&(\_0t(s,y,G),c?k=S=0=L=\_:w=P=C=U=\_,f.push(\{tx1:k,ty1:w,tx2:S,ty2:P,x1:0,y1:C,x2:L,y2:U,width:G,color,be=j.tickBorderDash0ffset;y=yl(this,v,l),y!=void \\ 0&&(\_0t(s,y,G),c),y!=void \\ 0&(\_0t(s,y,G),c),y!=void \\ 0&(\_0t(s,y,G
lor:Xt,borderDash:∏e,borderDashOffset:Kt,tickWidth:me,tickColor:Rt,tickBorderDash:be,tickBorderDash0
ffset:Et}))}return this._ticksLength=d,this._borderValue=x,f}_computeLabelItems(t){let e=this.axis,s
=this.options,{position:n,ticks:o}=s,a=this.isHorizontal(),r=this.ticks,{align:l,crossAlign:c,paddin
g:h,mirror:d\}=0,u=Ae(s.grid),f=u+h,g=d?-h:f,p=-
ot(this.labelRotation),m=[],b,x,v,y,_,k,w,S,P,O,C,L,U="middle";if(n==="top")k=this.bottom-g,w=this._getXAxisLabelAlignment();else
if(n==="bottom")k=this.top+g,w=this._getXAxisLabelAlignment();else if(n==="left"){let
I=this._getXAxisLabelAlignment(u);w=I.textAlign,_=I.x}else if(n==="right"){let
I=this._getYAxisLabelAlignment(u);w=I.textAlign,_=I.x}else
if(e==="x"){if(n==="center")k=(t.top+t.bottom)/2+f;else if(T(n)){let I=0bject.keys(n)[0],W=n[I];k=th
is.chart.scales[I].getPixelForValue(W)+f}w=this._getXAxisLabelAlignment()}else
if(e==="y"){if(n==="center")_=(t.left+t.right)/2-f;else if(T(n)){let I=0bject.keys(n)[0],W=n[I];_=th
is.chart.scales[I].getPixelForValue(W)}w=this._getYAxisLabelAlignment(u).textAlign}e==="y"&&(l==="st
art"?U="top":l==="end"&&(U="bottom"));let
et=this._getLabelSizes();for(b=0,x=r.length;b< x;++b){v=r[b],y=v.label;let I=0.setContext(this.getContext)
text(b));S=this.getPixelForTick(b)+o.labelOffset,P=this.resolveTickFontOptions(b),O=P.lineHeight,C=
z(y)?y.length:1;let W=C/2,j=I.color,rt=I.textStrokeColor,G=I.textStrokeWidth,Xt=w;a?( =S,w==="inner"
&&(h===x-
1?\dot{X}t=this.options.reverse?"left":"right":b===0?Xt=this.options.reverse?"right":"left":Xt="center"),n
==="top"?c==="near"||p!==0?L=-C*0+0/2:c==="center"?L=-et.highest.height/2-W*0+0:L=-
et.highest.height+0/2:c==="near"||p!==0?L=0/2:c==="center"?L=et.highest.height/2-
be=L-Kt.top,Et=0-Kt.left;switch(U){case"middle":be-=me/2;break;case"bottom":be-
=me; break}switch(w) {case"center": Et-=Rt/2; break; case"right": Et-=Rt; break; case"inner": b===x-1?Et-
=Rt/2);break}∏e={left:Et,top:be,width:Rt+Kt.width,height:me+Kt.height,color:I.backdropColor}}m.push(
{label:y,font:P,textOffset:L,options:{rotation:p,color:j,strokeColor:rt,strokeWidth:G,textAlign:Xt,t
extBaseline:U,translation:[_,k],backdrop:[e}})}return
m}_getXAxisLabelAlignment(){let{position:t,ticks:e}=this.options;if(-ot(this.labelRotation))return
t==="top"?"left":"right";let n="center";return e.align==="start"?n="left":e.align==="end"?n="right":
e.align === "inner" \& (n = "inner"), n \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: s, mirrollower left), n \\ \} \\ getYAxisLabelAlignment(t) \\ \{let\{position: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: e, ticks: \{crossAlign: 
r:n,padding:o}}=this.options,a=this._getLabelSizes(),r=t+o,l=a.widest.width,c,h;return e==="left"?n?
(h=this.right+o,s==="near"?c="left":s==="center"?(c="center",h+=l/2):(c="right",h+=l)):(h=this.right-r,s==="near"?c="right":s==="center"?(c="center",h-
=1/2):(c="left",h=this.left)):e==="right"?n?(h=this.left+o,s==="near"?c="right":s==="center"?(c="cen
ter", h-=l/2):(c="left", h-
=1)):(h=this.left+r,s==="near"?c="left":s==="center"?(c="center",h+=1/2):(c="right",h=this.right)):c
="right",{textAlign:c,x:h}}_computeLabelArea(){if(this.options.ticks.mirror)return;let t=this.chart,
e=this.options.position;if(e==="left"||e==="right")return{top:0,left:this.left,bottom:t.height,right
:this.right};if(e==="top"||e==="bottom")return{top:this.top,left:0,bottom:this.bottom,right:t.width}
\label{lem:continuous} $$ \frac{1}{rawBackground()}{\left(t_s,t_options:\left\{backgroundColor:e\right\},\left[t_s,t_op:n,width:o,height:a\right\}=this;e&(t_save(),t_fillStyle=e,t_fillRect(s,n,o,a),t_restore())}$$ getLineWidthForValue(t){\left(t_options:\left\{backgroundColor:e\right\},\left[t_options:\left\{backgroundColor:e\right\},\left[t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_options:t_opt
e=this.options.grid;if(!this._isVisible()||!e.display)return 0;let
n=this.ticks.findIndex(o=>o.value===t);return
n>=0?e.setContext(this.getContext(n)).lineWidth:0}drawGrid(t){let e=this.options.grid,s=this.ctx,n=t
his._gridLineItems||(this._gridLineItems=this._computeGridLineItems(t)),o,a,r=(l,c,h)=>{!h.width||!h.color||(s.save(),s.lineWidth=h.width,s.strokeStyle=h.color,s.setLineDash(h.borderDash||[]),s.lineDa
sh0ffset=h.borderDash0ffset,s.beginPath(),s.moveTo(l.x,l.y),s.lineTo(c.x,c.y),s.stroke(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore(),s.restore()
)};if(e.display)for(o=0,a=n.length;o<a;++o){let l=n[o];e.draw0nChartArea&&r({x:l.x1,y:l.y1},{x:l.x2,
y:l.y2},l),e.drawTicks&&r({x:l.tx1,y:l.ty1},{x:l.tx2,y:l.ty2},{color:l.tickColor,width:l.tickWidth,borderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBorderDash:l.tickBord
  options:{border:s,grid:n}}=this,o=s.setContext(this.getContext()),a=s.display?o.width:0;if(!a)retur,
n;let r=n.setContext(this.getContext(0)).lineWidth,l=this._borderValue,c,h,d,u;this.isHorizontal()?(
c=0t(t,this.left,a)-a/2,h=\bar{0}t(t,this.right,r)+r/2,d=u=1):(d=0t(t,this.top,a)
a/2,u=0t(t,this.bottom,r)+r/2,c=h=l),e.save(),e.lineWidth=o.width,e.strokeStyle=o.color,e.beginPath(
),e.moveTo(c,d),e.lineTo(h,u),e.stroke(),e.restore()}drawLabels(t){if(!this.options.ticks.display)re
turn; let s=this.ctx, n=this.computeLabelArea(); n\&\&Se(s,n); let o=this.getLabelItems(t); for(let a of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the s
```

```
o){let r=a.options,l=a.font,c=a.label,h=a.text0ffset;Ct(s,c,0,h,l,r)}n\&\&Pe(s)}drawTitle(){let{ctx:t,}}
options:{position:e,title:s,reverse:n}}=this;if(!s.display)return;let o=[(s.font),a=q(s.padding),r=s.align,l=o.lineHeight/2;e==="bottom"||e==="center"||T(e)?(l+=a.bottom,z(s.text)&&(l+=o.lineHeight*(s.text)).
  .text.length-
1))):l+=a.top;let{titleX:c,titleY:h,maxWidth:d,rotation:u}=Sl(this,l,e,r);Ct(t,s.text,0,0,o,{color:s
  .color,maxWidth:d,rotation:u,textAlign:wl(r,e,n),textBaseline:"middle",translation:[c,h]})}draw(t){t
his. isVisible()&&(this.drawBackground(),this.drawGrid(t),this.drawBorder(),this.drawTitle(),this.dr
awLabels(t))} layers(){let t=this.options,e=t.ticks&&t.ticks.z||0,s=D(t.grid&&t.grid.z,
1),n=D(t.border&&t.border.z,0);return!this._isVisible()||this.draw!==i.prototype.draw?[{z:e,draw:o=>
 {this.draw(o)}}]:[{z:s,draw:o=>{this.drawBackground(),this.drawGrid(o),this.drawTitle()}},{z:n,draw:
 ()=>{this.drawBorder()}},{z:e,draw:o=>{this.drawLabels(o)}}]}getMatchingVisibleMetas(t){let e=this.c
hart.getSortedVisibleDatasetMetas(),s=this.axis+"AxisID",n=[],o,a;for(o=0,a=e.length;o<a;++o){let
 r=e[o]:r[s]===this.id\&\&(!t||r.type===t)\&\&n.push(r)\} return n\}_resolveTickFontOptions(t)\{letarreleff | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| | resolveTickFontOptions(t)| 
e=this.options.ticks.setContext(this.getContext(t));return [(e.font)]_maxDigits(){let t=this._resolv
eTickFontOptions(0).lineHeight;return(this.isHorizontal()?this.width:this.height)/t}},ge=class{const
ructor(t,e,s){this.type=t,this.scope=e,this.override=s,this.items=0bject.create(null)}isForType(t){r
eturn Object.prototype.isPrototypeOf.call(this.type.prototype,t.prototype)}register(t){let
e=Object.getPrototypeOf(t),s;Ol(e)&&(s=this.register(e));let n=this.items,o=t.id,a=this.scope+"."+o;if(!o)throw new Error("class does not have id: "+t);return o
in n||(n[o]=t,Pl(t,a,s),this.override&&V.override(t.id,t.overrides)),a}get(t){return}
this.items[t]}unregister(t){let e=this.items,s=t.id,n=this.scope;s in e&&delete e[s],n&&s in
V[n]&(delete\ V[n][s],this.override&(delete\ Dt[s])); function Pl(i,t,e){let s=Zt(0bject.create(null))}; function Pl(i,t,e){let s=Zt(0bject.create(null))}
  ,[e?V.get(e):{},V.get(t),i.defaults]);V.set(t,s),i.defaultRoutes&&Dl(t,i.defaultRoutes),i.descriptor
s&&V.describe(t,i.descriptors)}function Dl(i,t){Object.keys(t).forEach(e=>{let s=e.split("."),n=s.pop(),o=[i].concat(s).join("."),a=t[e].split("."),r=a.pop(),l=a.join(".");V.route(o,n,l,r)})}function Ol(i){return"id"in i&&"defaults"in i}var Ds=class{constructor(){this.controllers=new ge(it,"datasets",!0),this.elements=new ge(st,"elements"),this.plugins=new
ge(lt, datasets, to), this.etements=new ge(st, etements, this.ptdgins=new
ge(Object, "plugins"), this.scales=new ge(Ut, "scales"), this._typedRegistries=[this.controllers, this.sc
ales, this.elements]}add(...t){this._each("register",t)}remove(...t){this._each("unregister",t)}addCo
ntrollers(...t){this._each("register",t, this.controllers)}addElements(...t){this._each("register",t,
this._each("register",t,
this.elements)\} add Plugins (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.plugins)\} add Scales (\dots t) \{this.\_each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("register", t, this.each ("regist
qister",t,this.scales) getController(\overline{t}){return
this._get(t,this.controllers,"controller")}getElement(t){return
this._get(t,this.elements,"element")}getPlugin(t){return this._get(t,this.scales,"scale")}removeControl
lers(...t){this._each("unregister",t,this.controllers)}removeElements(...t){this._each("unregister",t,this.elements)}removePlugins(...t){this._each("unregister",t,this.plugins)}removeScales(...t){this._each("unregister",t,this.plugins)}removeScales(...t){this._each("unregister",t,this.scales)}_each(t,e,s){[...e].forEach(n=>{let o=s||this._getRegistryForType
 (n);s||o.isForType(n)||o===this.plugins&&n.id?this._exec(t,o,n):E(n,a=>{let
r=s||this._getRegistryForType(a);this._exec(t,r,a)})})}_exec(t,e,s){let n=ii(t);F(s["before"+n],[],s),e[t](s),F(s["after"+n],[],s)}_getRegistryForType(t){for(let e=0;e<this._typedRegistries.length;e++){let s=this._typedRegistries[e];if(s.isForType(t))return s}return this.plugins}_get(t,e,s){let n=e.get(t);if(n===void 0)throw new Error('"'+t+'" is not a
registered '+s+".");return n}},gt=new Ds,Os=class{constructor(){this._init=[]}notify(t,e,s,n){e==="b
eforeInit"&&(this._init=this._createDescriptors(t,!0),this._notify(this._init,t,"install"));let o=n?this._descriptors(t).filter(n):this._descriptors(t),a=this._notify(o,t,e,s);return e==="afterDestroy"&&(this._notify(o,t,"stop"),this._notify(this._init,t,"uninstall")),a}_notify(t,e,s,n){n=n||{}; for(let o of t){let a=o.plugin,r=a[s],l=[e,n,o.options];if(F(r,l,a)===!1&&n.cancelable)return!1}retu
rn!0}invalidate(){A(this._cache)||(this._oldCache=this._cache,this._cache=void
0)}_descriptors(t){if(this._cache)return this._cache;let e=this._cache=this._createDescriptors(t);return
this._notifyStateChanges(t),e}_createDescriptors(t,e){let
s=t&&t.config,n=D(s.options&&s.options.plugins,{}),o=Cl(s);return
n===!1&&!e?[]:Tl(t,o,n,e)}_notifyStateChanges(t){let e=this._oldCache||[],s=this._cache,n=(o,a)=>o.f ilter(r=>!a.some(l=>r.plugin.id===l.plugin.id));this._notify(n(e,s),t,"stop"),this._notify(n(s,e),t, "start")}};function Cl(i){let t={},e=[],s=Object.keys(gt.plugins.items);for(let
o=0; o<s.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++){let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]; for(let o=0; o<n.length; o++)e.push(gt.getPlugin(s[o])); let n=i.plugins||[]
a=n[o];e.indexOf(a)==-1&&(e.push(a),t[a.id]=!0)} return{plugins:e,localIds:t}}function
Al(i,t){return!t&&i===!1?null:i===!0?{}:i}function Tl(i,{plugins:t,localIds:e},s,n){let o=[],a=i.getContext();for(let r of t){let l=r.id,c=Al(s[l],n);c!==null&&o.push({plugin:r,options:Ll(i.config,{plugin:r,local:e[l]},c,a)})}return o}function Ll(i,{plugin:t,local:e},s,n){let
o=i.pluginScopeKeys(t), a=i.getOptionScopes(s,o); return e\&\&t.defaults\&\&a.push(t.defaults), i.createRes
olver(a,n,[""],{scriptable:!1,indexable:!1,allKeys:!0})}function Cs(i,t){let e=V.datasets[i]||{};ret
urn((t.datasets||{})[i]||{}).indexAxis||t.indexAxis||e.indexAxis||"x"}function Rl(i,t){let
e=i;return i==="_index_"?e=t:i==="_value_"&&(e=t==="x"?"y":"x"),e}function El(i,t){return
i===t?"_index__":"_value_"}function qn(i){if(i==="x"||i==="y"||i==="r")return i}function
Il(i){if(i==="top"||i==="bottom")return"x";if(i==="left"||i==="right")return"y"}function
As(i,...t){if(qn(i))return i;for(let e of t){let
s=e.axis||Îl(e.position)||i.length>1&&qn(i[0].toLowerCase());if(s)return s}throw new Error(`Cannot
determine type of '[i]' axis. Please provide 'axis' or 'position' option.')}function Gn(i,t,e){if(e[t+"AxisID"]===i)return{axis:t}}function Fl(i,t){if(t.data&&t.data.datasets){let
e=t.data.datasets.filter(s=>s.xAxisID===i||s.yAxisID===i);if(e.length)return
Gn(i, "x", e[0]) | |Gn(i, "y", e[0]) \} return\{\}\} function zl(i, t) \{ let \}
```

```
e=Dt[i.type] \mid | \{scales: \{\}\}, s=t.scales \mid | \{\}, n=Cs(i.type,t), o=Object.create(null); returned to the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the cont
 Object.keys(s).for Each (a => \{let \ r = s[a]; if (!T(r)) return \ console.error(`Invalid \ scale \ configuration \ for the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the se
 scale: [{a}`);if(r. proxy)return console.warn(`Ignoring resolver passed as options for scale:
 [a]); let l=As(a,r,Fl(a,i),V.scales[r.type]), c=El(l,n), h=e.scales[|{};o[a]=Qt(Object.create(null),[
  {axis:l},r,h[l],h[c]])}),i.data.datasets.forEach(a=>{let
 r=a.type||i.type,l=a.indexAxis||Cs(r,t),h=(Dt[r]||{}).scales||{};0bject.keys(h).forEach(d=>{let u=Rl
   (\mathsf{d},\mathsf{l}),\mathsf{f} = \mathsf{a}[\mathsf{u} + \mathsf{"AxisID"}] \mid |\mathsf{u};\mathsf{o}[\mathsf{f}] = \mathsf{o}[\mathsf{f}] \mid |\mathsf{0bject.create(null)}, \mathsf{Qt}(\mathsf{o}[\mathsf{f}],[\{\mathsf{axis:u}\},\mathsf{s}[\mathsf{f}],\mathsf{h}[\mathsf{d}]])\})), \mathsf{0bject.key} 
 s(o).forEach(a=>\{let r=o[a];Qt(r,[V.scales[r.type],V.scale])\}),o\}function Fo(i)\{let r=o[a];Qt(r,[V.scales[r.type],V.scale])\}),o\}function Fo(i){let r=o[a]}
 t=i.options||(i.options={});t.plugins=D(t.plugins,{}),t.scales=zl(i,t)}function zo(i){return
i=i||{},i.datasets=i.datasets||[],i.labels=i.labels||[],i}function Bl(i){return
i=i||{},i.data=zo(i.data),Fo(i),i}var Zn=new Map,Bo=new Set;function pi(i,t){let e=Zn.get(i);return
 e||(e=t(),Zn.set(i,e),Bo.add(e)),e|var Te=(i,t,e)=>\{let s=t(t,e);s!==void(e),E|
 0&i.add(s)},Ts=class{constructor(t){this. config=Bl(t),this. scopeCache=new
 Map,this._resolverCache=new Map}get platform(){return this. config.platform}get type(){return
this._config.type}set type(t){this._config.type=t}get data(){return this._config.data}set data(){this._config.data=zo(t)}get options(){return this._config.options}set
 options(t){this. config.options=t}get plugins(){return this. config.plugins}update(){let t=this. con
fig; this. clear Cache(), Fo(t) \\ clear Cache() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_resolver Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_scope Cache.clear() \\ \{this.\_scope Cache.clear(), this.\_sc
et e=t.id,s=this.type;return
 pi(\[s]-plugin-\[e]\]) cachedScopes(t,e){let
 s=this. scopeCache, n=s.get(t); return(!n||e)&&(n=new Map,s.set(t,n)), n}getOptionScopes(t,e,s){let{opt}}
ions:n, type:o\} = this, a = this. cached Scopes(t,s), r = a.get(e); if(r) return r; let l = new Set; e.for Each(h = > \{t. \& \& (l. add(t), h. for Each(d = > Te(l,t,d))), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d = > Te(l,n,d)), h. for Each(d =
  ch(d=>Te(l,V,d)), h. for Each(d=>Te(l,ai,d))\}); let c=Array. from(l); return c.length===0\&c.push(0bject.c), from(l); return c.length===0&c.push(0bject.c), from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l); from(l);
  reate(null), Bo.has(e)\&a.set(e,c),cchartOptionScopes()\{let\{options:t,type:e\}=this;return[t,Dt[e]]\}
 \{\}, V.datasets[e]||\{\}, \{type:e\}, V,ai]\}resolveNamedOptions(t,e,s,n=[""])\{let o=\{[shared:!0\}, \{resolver:a
, subPrefixes:r}=Jn(this._resolverCache,t,n), l=a;if(Wl(a,e)){o.□shared=!1,s=bt(s)?s():s;let
c=this.createResolver(t,s,r);l=zt(a,s,c)}for(let c of e)o[c]=l[c];return
o}createResolver(t,e,s=[""],n){let{resolver:o}=Jn(this._resolverCache,t,s);return T(e)?zt(o,e,void)
 0,n):o}}; function Jn(i,t,e){let s=i.get(t);s||(s=new Map,i.set(t,s));let
n=e.join(),o=s.get(n);return o||(o={resolver:ci(t,e),subPrefixes:e.filter(r=>!r.toLowerCase().includes("hover"))},s.set(n,o)),o}var Vl=i=>T(i)&&Object.getOwnPropertyNames(i).some(t=>bt(i[t]));function Wl(i,t){let{isScriptable:e,isIndexable:s}=ts(i);for(let n of t){let
 o=e(n), a=s(n), r=(a||o)\&\&i[n]; if(o\&\&(bt(r)||Vl(r))||a\&\&z(r))return!0} return!1}var
Nl="4.5.0", Hl=["top","bottom","left","right","chartArea"]; function Qn(i,t){return} i==="top"||i==="bottom"||Hl.index0f(i)===-1&&t==="x"}function to(i,t){return function(e,s){return}} i==="top"||i==="bottom"||Hl.index0f(i)===-1&&t==="x"}function to(i,t){return function(e,s){return}} i==="top"||i==="bottom"||Hl.index0f(i)===-1&&t==="x"}function to(i,t){return} i==="top"||function(e,s){return}||function(e,s){return}||function(e,s){return}||function(e,s){return}||function(e,s){return}||function(e,s){return}||function(e,s){return}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity}||function(e,s){topularity
 e[i]===s[i]?e[t]-s[t]:e[i]-s[i]}function eo(i){let
 t=i.chart,e=t.options.animation;t.notifyPlugins("afterRender"),F(e&&e.onComplete,[i],t)}function
 jl(i){let t=i.chart,e=t.options.animation;F(e&&e.onProgress,[i],t)}function Vo(i){return
 hi()&&tvpeof
 i=="string"?i=document.getElementById(i):i&&i.length&&(<math>i=i[0]),i&&i.canvas&&(i=i.canvas),i}var
yi={},io=i=>{let t=Vo(i);return Object.values(yi).filter(e=>e.canvas===t).pop()};function
| | (i,t,e) {let s=Object.keys(i);for(let n of s) {let o=+n;if(o>=t) {let a=i[n];delete}
 i[n], (e>0||o>t)\&\&(i[o+e]=a)\}\} function \ Yl(i,t,e,s) \{return!e||i.type==="mouseout"?null:s?t:i\} varantee for the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of
 at=class{static register(...t){gt.add(...t),so()}static
 unregister(\dots t) \{gt.remove(\dots t),so()\} constructor(t,e) \{let s=this.config=new to the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige of the confige o
Ts(e),n=Vo(t),o=io(n);if(o)throw new Error("Canvas is already in use. Chart with ID '"+o.id+"' must be destroyed before the canvas with ID '"+o.canvas.id+"' can be reused.");let a=s.createResolver(s.c
 hartOptionScopes(),this.getContext());this.platform=new(s.platform||ul(n)),this.platform.updateConfi
 g(s); let r=this.platform.acquireContext(n,a.aspectRatio), <math>l=r\&\&r.canvas, c=l\&\&l.height, h=l\&\&l.width; if
   (this.id=tn(),this.ctx=r,this.canvas=l,this.width=h,this.height=c,this._options=a,this._aspectRatio=
this.aspectRatio,this. layers=[],this._metasets=[],this._stacks=void 0,this.boxes=[],this.currentDevicePixelRatio=void 0,this.chartArea=void
0,this._active=[],this._lastEvent=void 0,this._listeners={},this._responsiveListeners=void
0,this._sortedMetasets=[],this.scales={},this._plugins=new
 Os,this. proxies={},this. hiddenIndices={},this.attached=!1,this. animationsDisabled=void
0,this. context=void 0,this. doResize=un(d=>this.update(d),a.resizeDelay||0),this. dataChanges=[],yi [this.id]=this,!r||!l){console.error("Failed to create chart: can't acquire context from the given i
tem");return}vt.listen(this,"complete",eo),vt.listen(this,"progress",jl),this._initialize(),this.att ached&&this.update()}get aspectRatio(){let{options:{aspectRatio:t,maintainAspectRatio:e},width:s,hei ght:n,_aspectRatio:o}=this;return A(t)?e&&o?o:n?s/n:null:t}get data(){return this.config.data}set
 data(t){this.config.data=t}get options(){return this._options}set
 options(t){this.config.options=t}get registry(){return gt}_initialize(){return this.notifyPlugins("b
 eforeInit"), this.options.responsive?this.resize():ns(this, this.options.devicePixelRatio), this.bindEv
ents(),this.notifyPlugins("afterInit"),this}clear(){return
Zi(this.canvas,this.ctx),this}stop(){return vt.stop(this),this}resize(t,e){vt.running(this)?this._re
 size Before Draw = \{width: t, height: e\}: this.\_resize(t, e)\}\_resize(t, e) \{let s = this.options, n = this.canvas, o = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n = this.options, n =
 s. maintain A spect Ratio \& this. a spect Ratio, a = this. platform. get Maximum Size (n, t, e, o), r = s. device Pixel Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio A spect Ratio 
 ||this.platform.getDevicePixelRatio(),l=this.width?"resize":"attach";this.width=a.width,this.height=
```

```
a.height, this. aspectRatio=this.aspectRatio, ns(this, r, !0)\&\&(this.notifyPlugins("resize", {size:a}), F(
s.onResize, [this,a], this), this.attached \& this.\_doResize(l) \& this.render()) \} ensure Scales Have IDs() \{ let e=this.options.scales | | \{ \}; E(e,(s,n)=> \{s.id=n\}) \} build 0 r Update Scales() \{ let t=this.options, e=t.scales, s let express the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales of the scales
=this.scales,n=Object.keys(s).reduce((a,r)=>(a[r]=!1,a),{}),o=[];e&&(o=o.concat(Object.keys(e).map(a =>{let r=e[a],l=As(a,r),c=l==="r",h=l==="x";return{options:r,dposition:c?"chartArea":h?"bottom":"lef t",dtype:c?"radialLinear":h?"category":"linear"}}))),E(o,a=>{let
r=a.options, l=r.id, c=As(l,r), h=D(r.type,a.dtype); (r.position===void 0||Qn(r.position,c)!==Qn(a.dposition))&(r.position=a.dposition), n[l]=!0; let d=null; if(l in l) ||Qn(r.position=a.dposition), dposition), n[l]=!0; let d=null; if(l in l) ||Qn(r.position=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a.dposition=a
 s\&\&s[l].type===h)d=s[l];else{let u=gt.getScale(h);d=new}
 u(\{id:l,type:h,ctx:this.ctx,chart:this\}),s[d.id]=d\}d.init(r,t)\}),E(n,(a,r)=>\{a||delete|
 s[r]}),E(s,a=>{Z.configure(this,a,a.options),Z.addBox(this,a)})} updateMetasets(){let t=this. metase
 ts,e=this.data.datasets.length,s=t.length;if(t.sort((n,o)=>n.index-o.index),s>e){for(let n=e;n<s;++n
 )this._destroyDatasetMeta(n);t.splice(e,s-
 e)}this. sortedMetasets=t.slice(0).sort(to("order","index"))}_removeUnreferencedMetasets(){let{_meta}
sets:t,data:{datasets:e}}=this;t.length>e.length&&delete this. stacks,t.forEach((s,n)=>{e.filter(o=>
o===s. dataset).length===0&&this. destroyDatasetMeta(n)})}buildOrUpdateControllers(){let
 t=[],e=this.data.datasets,s,n;for(this._removeUnreferencedMetasets(),s=0,n=e.length;s<n;s++){let o=e [s],a=this.getDatasetMeta(s),r=o.type||this.config.type;if(a.type&&a.type!==r&&(this._destroyDataset
 Meta(s),a=this.getDatasetMeta(s)),a.type=r,a.indexAxis=o.indexAxis||Cs(r,this.options),a.order=o.ord
 er||0,a.index=s,a.label=""+o.label,a.visible=this.isDatasetVisible(s),a.controller)a.controller.upda
 teIndex(s),a.controller.linkScales();else{let l=gt.getController(r),{datasetElementType:c,dataElemen
 tElement(c)}),a.controller=new l(this,s),t.push(a.controller)}}return this._updateMetasets(),t}_rese
tElements(){E(this.data.datasets,(t,e)=>{this.getDatasetMeta(e).controller.reset()},this)}reset(){this._resetElements(),this.notifyPlugins("reset")}update(t){let e=this.config;e.update();let s=this._options=e.createResolver(e.chartOptionScopes(),this.getContext()),n=this._animationsDisabled=!s.anima
 tion;if(this._updateScales(),this._checkEventBindings(),this._updateHiddenIndices(),this._plugins.in
validate(),this.notifyPlugins("beforeUpdate",{mode:t,cancelable:!0})===!1)return;let
o=this.build0rUpdateControllers();this.notifyPlugins("beforeElementsUpdate");let a=0;for(let c=0,h=t)
 his.data.datasets.length; c< h; c++) \{let\{controller:d\}=this.getDatasetMeta(c), u=!n&&o.indexOf(d)===
 1;d.buildOrUpdateElements(u),a=Math.max(+d.getMaxOverflow(),a)}a=this. minPadding=s.layout.autoPaddi
\label{eq:constraints} $$ ng?a:0, this.\_updateLayout(a), n||E(o,c=>\{c.reset()\}), this.\_updateDatasets(t), this.notifyPlugins("afterUpdate", {mode:t}), this.\_layers.sort(to("z","_idx"));let{\_active:r,\_lastEvent:l}=this;l?this.\_eventHandler(l,!0):r.length&this.\_updateHoverStyles(r,r,!0), this.render()}\_updateScales(){E(this.scales,t)} $$
 =>{Z.removeBox(this,t)}),this.ensureScalesHaveIDs(),this.buildOrUpdateScales()}_checkEventBindings() {let t=this.options,e=new Set(Object.keys(this._listeners)),s=new Set(t.events);(!Bi(e,s)||!!this._r
 et\{\_hiddenIndices:t\}=this\_,e=this\_\_getUniformDataChanges()||[];for(let\{method:s\_,start:n\_,count:o\}) of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the co
 e) { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"?-o:o; [l(t,n,a)] _getUniformDataChanges() { let a=s==="_removeElements"}
 t=this._dataChanges;if(!t||!t.length)return;this._dataChanges=[];let
 e=this.data.datasets.length,s=o=>new
Set(t.filter(a=>a[0]===o).map((a,r)=>r+","+a.splice(1).join(","))),n=s(0);for(let o=1;o<e;o++)if(!Bi(n,s(o)))return;return Array.from(n).map(o=>o.split(",")).map(o=>({method:o[1],sta
 rt:+o[2],count:+o[3]}))}_updateLayout(t){if(this.notifyPlugins("beforeLayout",{cancelable:!0})===!1)
 return; Z.update(this, this.width, this.height, t); let e=this.chartArea, s=e.width<=0||e.height<=0;this._layers=[], E(this.boxes, n=>{s&&n.position==="chartArea"||(n.configure&&n.configure(), this._layers.pus
s=this.data.datasets.length; e< s; ++e) this. \_updateDataset(e,bt(t)?t(\{datasetIndex:e\}):t); this.notifyPlane the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set of the set o
\label{lem:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controller:controlle
 aw(),eo({chart:this})))}draw(){let t;if(this._resizeBeforeDraw){let{width:s,height:n}=this._resizeBe
 foreDraw;this._resizeBeforeDraw=null,this._resize(s,n)}if(this.clear(),this.width<=0||this.height<=0
||this.notifyPlugins("beforeDraw",{cancelable:!0})===!1)return;let e=this._layers;for(t=0;t<e.length</pre>
 &&e[t].z<=0;++t)e[t].draw(this.chartArea);for(this._drawDatasets();t<e.length;++t)e[t].draw(this.cha
 rtArea); this.notifyPlugins("afterDraw")}_getSortedDatasetMetas(t){let
 e=this._sortedMetasets,s=[],n,o;for(n=0,o=e.length;n<o;++n){let
 a = e[n]; (!t||a.visible) \& s.push(a) \} return \ s \} getSortedVisibleDatasetMetas() \{ return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSortedDatasetMetas() \} return \ this. \ getSor
 setMetas(!0)}_drawDatasets(){if(this.notifyPlugins("beforeDatasetsDraw",{cancelable:!0})===!1)return
 ;let t=this.getSortedVisibleDatasetMetas();for(let e=t.length-1;e>=0;--
e)this._drawDataset(t[e]);this.notifyPlugins("afterDatasetsDraw")}_drawDataset(t){let e=this.ctx,s={
 meta:t, index:t.index, cancelable:!0}, n=hs(this,t); this.notifyPlugins("beforeDatasetDraw",s)!==!1&&(n&
 &Se(e,n),t.controller.draw(),n&&Pe(e),s.cancelable=!1,this.notifyPlugins("afterDatasetDraw",s))}isPo
 intInArea(t){return ht(t,this.chartArea,this._minPadding)}getElementsAtEventForMode(t,e,s,n){let
o=Xr.modes[e];return typeof o=="function"?o(this,t,s,n):[]}getDatasetMeta(t){let e=this.data.datasets[t],s=this._metasets,n=s.filter(o=>o&o._dataset===e).pop();return n||(n={type:n
 ull,data:[],dataset:null,controller:null,hidden:null,xAxisID:null,yAxisID:null,order:e&&e.order||0,i
 ndex:t,\_dataset:e,\_parsed:[],\_sorted:!1\}, s.push(n)), n\} getContext() \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{returndering a context () \{re
 this. context | (this. context = yt(null, {chart:this, type: chart }))}getVisibleDatasetCount(){return
 this.getSortedVisibleDatasetMetas().length}isDatasetVisible(t){let
```

```
e=this.data.datasets[t];if(!e)return!1;let s=this.getDatasetMeta(t);return typeof
 s.hidden=="boolean"?!s.hidden:!e.hidden}setDatasetVisibility(t,e){let s=this.getDatasetMeta(t);s.hid
 den=!e}toggleDataVisibility(t){this._hiddenIndices[t]=!this._hiddenIndices[t]}getDataVisibility(t){r
eturn!this._hiddenIndices[t]}_updateVisibility(t,e,s){let n=s?"show":"hide",o=this.getDatasetMeta(t),a=o.controller._resolveAnimations(void 0,n);te(e)?(o.data
 [e].hidden=!s,this.update()):(this.setDatasetVisibility(t,s),a.update(o,{visible:s}),this.update(r=>
 r.datasetIndex===t?n:void 0))}hide(t,e){this. updateVisibility(t,e,!1)}show(t,e){this. updateVisibil
 ity(t,e,!0)} destroyDatasetMeta(t){let
 e=this.\_metasets[t]; e\&e.controller\&e.controller.\_destroy(), delete \ this.\_metasets[t]\}\_stop() \{let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ t, let \ 
 e;for(this.stop(),vt.remove(this),t=0,e=this.data.datasets.length;t<e;++t)this. destroyDatasetMeta(t
 ) } destroy() { this.notifyPlugins("beforeDestroy"); let{canvas:t.ctx:e} = this: this. stop(), this.config.cl
 ear Cache(), t\&\&(this.unbindEvents(), Zi(t,e), this.platform.release Context(e), this.canvas = null, this.ctx
 =null),delete yi[this.id],this.notifyPlugins("afterDestroy")}toBase64Image(...t){return this.canvas.
 toDataURL(...t)}bindEvents(){this.bindUserEvents(),this.options.responsive?this.bindResponsiveEvents
   ():this.attached=!0}bindUserEvents(){let t=this. listeners,e=this.platform,s=(o,a)=>{e.addEventListe
 ner(this,o,a),t[o]=a},n=(o,a,r)=>{o.offsetX=a,o.offsetY=r,this.eventHandler(o)};E(this.options.even
 ts,o=>s(o,n))\} bindResponsiveEvents()\{this.\_responsiveListeners|||(this.\_responsiveListeners=\{\}); let the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the pr
 = this.\_responsive Listeners, e = this.platform, s = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) => \{e.add Event Listener(this,l,c),t[l] = c\}, n = (l,c) = (l,c) == (l,c) = (l,c) == (l,c) = (l,c) == (l,c) = (l,c) == (l,c) = (l,c) = (l,c) = (l,c) == (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l,c) = (l
t[l]\&\&(e.removeEventListener(this,l,c),delete\ t[l])\},o=(l,c)=>\{this.canvas\&\&this.resize(l,c)\},a,r=()=>\{n("attach",r),this.attached=!0,this.resize(),s("resize",o),s("detach",a)\};a=()=>\{this.attached=!1,n("resize",o),this._stop(),this._resize(0,0),s("attach",r)\},e.isAttached(this.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)?r():a()}unbin=(a.canvas)*(a.canvas)?r():a()}unbin=(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)*(a.canvas)
 dEvents(){E(this._listeners,(t,e)=>{this.platform.removeEventListener(this,e,t)}),this._listeners={}
    E(this._responsiveListeners,(t,e)=>{this.platform.removeEventListener(this,e,t)}),this._responsiveL,
 isteners=void 0}updateHoverStyle(t,e,s){let n=s?"set":"remove",o,a,r,l;for(e==="dataset"&&(o=this.ge tDatasetMeta(t[0].datasetIndex),o.controller["_"+n+"DatasetHoverStyle"]()),r=0,l=t.length;r<l;++r){a
 =t[r];let c=a&&this.getDatasetMeta(a.datasetIndex).controller;c&&c[n+"HoverStyle"](a.element,a.datas
 etIndex, a.index)\}\} getActiveElements() \{return\ this.\_active||[]\} setActiveElements(t) \{letActiveElements(t), letActiveElements(t), =this._active||[],s=t.map(({datasetIndex:o,index:a})=>{let r=this.getDatasetMeta(o);if(!r)throw new results and results are results and results are results and results are results are results and results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are results are
 Error("No dataset found at index "+o);return{datasetIndex:o,element:r.data[a],index:a}});!ke(s,e)&&(
this._active=s,this._lastEvent=null,this._updateHoverStyles(s,e))}notifyPlugins(t,e,s){return this._plugins.notify(this,t,e,s)}isPluginEnabled(t){return
 this._plugins._cache.filter(e=>e.plugin.id===t).length===1}_updateHoverStyles(t,e,s){let n=this.opti
 ons.hover, o=(l,c) => l.filter(h=>!c.some(d=>h.datasetIndex===d.datasetIndex\&\&h.index===d.index)), a=o(e,c) == l.filter(h=>!c.some(d=>h.datasetIndex&&h.index===d.index)), a=o(e,c) == l.filter(h=>!c.some(d=>h.datasetIndex===d.index)), a=o(e,c) == l.filter(h=>!c.some(d=>h.datasetIndex===d.index)), a=o(e,c) == l.filter(h==h.datasetIndex===d.index)), a=o(e,c) == l.filter(h==h.datasetIndex==d.index)), a=o(e,c) == l.filter(h==h.datasetIndex)), a=o(e,c) == l.
    t),r=s?t:o(t,e);a.length&&this.updateHoverStyle(a,n.mode,!1),r.length&&n.mode&&this.updateHoverStyl,
 e(r,n.mode,!0)} eventHandler(t,e){let s={event:t,replay:e,cancelable:!0,inChartArea:this.isPointInAr
 ea(t)},n=a=>(a.options.events||this.options.events).includes(t.native.type);if(this.notifyPlugins("b
 efore Event", s, n) = == !1) return; let o=this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle Event(t, e, s. in Chart Area); return s. cancelable = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_handle = !1, this.\_
 notifyPlugins("afterEvent",s,n),(o||s.changed)&&this.render(),this}_handleEvent(t,e,s){let{_active:n
 = [], options:o\} = this, a=e, r=this.\_getActiveElements(t,n,s,a), l=nn(t), c=Yl(t,this.\_lastEvent,s,l); s\&(t,this,lastEvent,s,l); s&(t,this,lastEvent,s,l); Event,s,lastEvent,s,lastEvent,s,lastEvent,s,lastEvent,s,lastEvent,s,lastEvent,s,lastEvent,s,la
 \label{like-equation} his.\_lastEvent=null, F(o.onHover,[t,r,this],this), l\&F(o.onClick,[t,r,this],this)); let h=!ke(r,n); return for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for the like for 
  urn(h||e) \& \& (this.\_active=r, this.\_update Hover Styles(r,n,e)), this.\_last Event=c,h \}\_get Active Elements(t,active) \} and the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property o
e,s,n){if(t.type==="mouseout")return[];if(!s)return e;let o=this.options.hover;return this.getElemen tsAtEventForMode(t,o.mode,o,n)}};M(at,"defaults",V),M(at,"instances",yi),M(at,"overrides",Dt),M(at,"registry",gt),M(at,"version",Nl),M(at,"getChart",io);function so(){return
 E(at.instances,i=>i.\_plugins.invalidate())\} function \ Ul(i,t,e) \{let\{startAngle:s,x:n,y:o,outerRadius:a,v:n,y:o,outerRadius:a,v:n,y:o,outerRadius:a,v:n,y:o,outerRadius:a,v:n,y:o,outerRadius:a,v:n,v:o,outerRadius:a,v:n,v:o,outerRadius:a,v:n,v:o,outerRadius:a,v:n,v:o,outerRadius:a,v:n,v:o,outerRadius:a,v:n,v:o,outerRadius:a,v:n,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,outerRadius:a,v:o,o
   , innerRadius:r, options:l}=t, \{borderWidth:c, borderJoinStyle:h}=l, d=Math.min(c/a, X(s-math.min(c/a, ));if(i.beginPath(),i.arc(n,o,a-c/2,s+d/2,e-d/2),r>0){let
,g=-f*Math.cos(e+R/2)+n,p=-
f*Math.sin(e+R/2)+o,m=f*Math.cos(s+R/2)+n,b=f*Math.sin(s+R/2)+o;i.lineTo(g,p),i.lineTo(m,b)}}i.close
 Path(),i.moveTo(0,0),i.rect(0,0,i.canvas.width,i.canvas.height),i.clip("evenodd")}function Xl(i,t,e)
 {let{startAngle:s,pixelMargin:n,x:o,y:a,outerRadius:r,innerRadius:l}=t,c=n/r;i.beginPath(),i.arc(o,a
,r,s-c,e+c), \lambda n?(c=n/l,i.arc(0,a,l,e+c,s-c,!0)):i.arc(0,a,n,e+H,s-H),i.closePath(),i.clip()} function
Kl(i){return li(i,["outerStart","outerEnd","innerStart","innerEnd"])} function ql(i,t,e,s){let
n=Kl(i.options.borderRadius),o=(e-t)/2,a=Math.min(o,s*t/2),r=l=>{let c=(e-Math.min(o,l))*s/2;return
 Y(\texttt{l,0,Math.min(o,c)}); return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.innerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.innerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.innerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.innerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.innerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.innerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerEnd}), innerStart: Y(\texttt{n.outerStart})\}; return\{outerStart: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.outerStart}), outerEnd: r(\texttt{n.oute
 tart,0,a),innerEnd:Y(n.innerEnd,0,a)}}function
 ae(i,t,e,s)\{return\{x:e+i*Math.cos(t),y:s+i*Math.sin(t)\}\} function \ wi(i,t,e,s,n,o)\{let\{x:a,y:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,startAn,a,v:r,st
 gle:l,pixelMargin:c,innerRadius:h}=t,d=Math.max(t.outerRadius+s+e-c,0),u=h>0?h+s+e+c:0,f=0,g=n
  Ĭ;if(s){let I=Ň>0?h-s:0,W=d>0?d-s:0,j=(I+W)/2,rt=j!==0?g*j/(j+s):g;f=(g-rt)/2}let p=Math.max(.001,g*
d-e/R)/d,m=(g-p)/2,b=l+m+f,x=n-m-f,{outerStart:v,outerEnd:y,innerStart:_,innerEnd:k}=ql(t,u,d,x-b),w=d-v,S=d-y,P=b+v/w,0=x-y/S,C=u+_,L=u+k,U=b+_/C,et=x-k/L;if(i.beginPath(),o){let
 I = (P+0)/2; if (i.arc(a,r,d,P,I),i.arc(a,r,d,I,0),\overline{y} > 0) {let G = ae(S,0,a,r); i.arc(G.x,G.y,y,0,x+H)} let
 \label{eq:weaks} $$W=ae(L,x,a,r); if(i.lineTo(W.x,W.y),k>0)$ {let $G=ae(L,et,a,r); i.arc(G.x,G.y,k,x+H,et+Math.PI)$ } let $$W=ae(L,x,a,r); if(i.lineTo(W.x,W.y),k>0)$ {let $G=ae(L,et,a,r); i.arc(G.x,G.y,k,x+H,et+Math.PI)$ } let $$W=ae(L,x,a,r); i.arc(G.x,x,a,r); -k/u+(b+/u))/2;if(i.arc(a,r,u,x-k/u,j,!0),i.arc(a,r,u,j,b+/u,!0), >0){let
  G=ae(C,U,a,r); i.arc(G.x,G.y,\_,U+Math.PI,b-H) \} \\ let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0) \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,r); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0), \\ \{let rt=ae(w,b,a,rt.y); if(i.lineTo(rt.x,rt.y),v>0, \\ \{le
 G=ae(w,P,a,r);i.arc(G.x,G.y,v,b-H,P)}}else{i.moveTo(a,r);let
 I=Math.cos(P)*d+a,W=Math.sin(P)*d+r;i.lineTo(I,W);let
 j=Math.cos(0)*d+a,rt=Math.sin(0)*d+r;i.lineTo(j,rt)i.closePath()}function Gl(i,t,e,s,n){let{fullCir}
cles:o,startAngle:a,circumference:r}=t,l=t.endAngle;if(o){wi(i,t,e,s,l,n);for(let
c=0;c<o;++c)i.fill();isNaN(r)||(l=a+(r%B||B))}return wi(i,t,e,s,l,n),i.fill(),l}function Zl(i,t,e,s,</pre>
 n){let{fullCircles:o,startAngle:a,circumference:r,options:l}=t,{borderWidth:c,borderJoinStyle:h,bord
```

```
 erDash: d, borderDashOffset: u, borderRadius: f\} = l, g=l.borderAlign === "inner"; if (!c) return; i.setLineDash (d | | []), i.lineDashOffset = u, g? (i.lineWidth = c*2, i.lineJoin = h|| "round"): (i.lineWidth = c, i.lineJoin = h|| "bevel"); let p=t.endAngle; if (o) {wi(i,t,e,s,p,n); for (let m=0; m<0; ++m) i.stroke(); isNaN(r) || (p=a+(r%B||B))} g&Xl(i,t,p), l.selfJoin&p-a>=R&&f===0&h!== "miter"&Ul(i,t,p), o|| (wi(i,t,e,s,p,n), i.stroke()) } var Ht=class extends st{constructor(e)} {super(); M(this, "circumference"); M(this, "endAngle"); M(this, "fullCircles"); M(this, "innerRadius"); M(this, "pixelMargin"); M(this, "startAngle"); this. } 
 options=void 0, this.circumference=void 0, this.startAngle=void 0, this.endAngle=void
 0,this.innerRadius=void 0,this.outerRadius=void
 0, this.pixel \texttt{Margin=0}, this.full \texttt{Circles=0}, e \& \texttt{Object.assign(this,e)} \\ \texttt{inRange(e,s,n)} \\ \{ \texttt{let o=this.getProps(e,s,n)} \} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{o=this.getProps(e,s,n)} \\ \texttt{
[\dot{x}, \dot{y}], n), {angle:a,distance:r}=Hi(o,\dot{x}:e,\dot{y}:s}), {startAngle:l,endAngle:c,innerRadius:h,outerRadius:d,circumference:u}=this.getProps(["startAngle","endAngle","innerRadius","outerRadius","circumference"],n),f=(this.options.spacing+this.options.borderWidth)/2,g=D(u,c-
 \label{eq:continuous} 1), p=ie(a,l,c)\&\&l!==c, m=g>=B||p,b=ut(r,h+f,d+f); return \ m\&\&b\}getCenterPoint(e)\{let\{x:s,y:n,startAngle,det(a,l,c),b,det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),det(a,l,c),
 :o,endAngle:a,innerRadius:r,outerRadius:l}=this.getProps(["x","y","startAngle","endAngle","innerRadius","outerRadius"],e),{offset:c,spacing:h}=this.options,d=(o+a)/2,u=(r+l+h+c)/2;return{x:s+Math.cos(
 d)*u,y:n+Math.sin(d)*u}}tooltipPosition(e){return this.getCenterPoint(e)}draw(e){let{options:s,circu
 mference:n}=this,o=(s.offset||0)/4,a=(s.spacing||0)/2,r=s.circular;if(this.pixelMargin=s.borderAlign
 ==="inner"?.33:0,this.fullCircles=n>B?Math.floor(n/B):0,n===0||this.innerRadius<0||this.outerRadius<
 0)return;e.save();let
 l = (this.startAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle + this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o); let c = 1-this.endAngle)/2; e.translate(Math.cos(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)*o,Math.sin(l)
 \label{eq:math.sin(Math.min(R,n||0)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.borderColor,Gl(e,this)} Math.sin(Math.min(R,n||0)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.borderColor,Gl(e,this)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.borderColor,Gl(e,this)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.borderColor,Gl(e,this)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.borderColor,Gl(e,this)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.borderColor,Gl(e,this)),h=o*c;e.fillStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.backgroundColor,e.strokeStyle=s.
 ,h,a,r),Zl(e,this,h,a,r),e.restore()}};M(Ht,"id","arc"),M(Ht,"defaults",{borderAlign:"center",borderColor:"#fff",borderDash:[],borderDashOffset:0,borderJoinStyle:void
0,borderRadius:0,borderWidth:2,offset:0,spacing:0,angle:void 0,circular:!0,selfJoin:!1}),M(Ht,"defau
ltRoutes",{backgroundColor:"backgroundColor"}),M(Ht,"descriptors",{_scriptable:!0,_indexable:e=>e!==
"borderDash"});function Wo(i,t,e=t){i.lineCap=D(e.borderCapStyle,t.borderCapStyle),i.setLineDash(D(e))
    .borderDash,t.borderDash)),i.lineDashOffset=D(e.borderDashOffset,t.borderDashOffset),i.lineJoin=D(e.
border Join Style, t.border Join Style), i.line Width = D(e.border Width, t.border Width), i.stroke Style = D(e.border Color, t.border Color) \\ function Jl(i,t,e) \\ \{i.line To(e.x,e.y)\} \\ function Ql(i) \\ \{return Color, t.border Color, t.border Color, t.border Color, t.border Color, t.border Color, t.border Color) \\ \} \\ function Dl(i,t,e) \\ \{i.line To(e.x,e.y)\} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color) \\ \} \\ function Color, t.border Color, t.border Color) \\ \} \\ function Color Color, t.border Color) \\ \} \\ function Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color Color C
 i.stepped?mn:i.tension||i.cubicInterpolationMode==="monotone"?bn:Jl}function No(i,t,e={}){let s=i.le
 ngth,{start:n=0,end:o=s
 1 = e, {start:a,end:r}=t,l=Math.max(n,a),c=Math.min(o,r),h=n<a&&o<a||n>r&&o>r;return{count:s,start:l,l}
 oop:t.loop,ilen:c<l\&\&!h?s+c-l:c-l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{points:n,options:o\}=t,\{count:a,start:r,l\}\} function \ tc(i,t,e,s)\{let\{point:a,start:r,l\}\} function \ tc(i,t
 oop:l, ilen:c\} = No(n, e, s), h=Ql(o), \{move:d=!0, reverse:u\} = s||\{\}, f, g, p; for(f=0; f <= c; ++f)g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u) + f)g + f]g = n[(r+(u
 f:f))%a],!g.skip&&(d?(i.moveTo(g.x,g.y),d=!1):h(i,p,g,u,o.stepped),p=g);return
y:y)%o,v=()=>{p!==m&&(i.lineTo(h,m),i.lineTo(h,p),i.lineTo(h,b))};for(l&&(f=n[x(0)],i.moveTo(f.x,f.b))
&!t.stepped&&!e?ec:tc}function ic(i){return
 i.stepped?Pn:i.tension||i.cubicInterpolationMode==="monotone"?Dn:Pt}function sc(i,t,e,s){let
n=t._path;n||(n=t._path=new
Path2D,t.path(n,e,s)&&n.closePath()),Wo(i,t.options),i.stroke(n)}function
 nc(i,t,e,s){let{segments:n,options:o}=t,a=Ls(t);for(let r of
 n)Wo(i,o,r.style), i.beginPath(),a(i,t,r,{start:e,end:e+s-1})&&i.closePath(),i.stroke()}var oc=typeof
 Path2D=="function"; function ac(i,t,e,s){oc&&!t.options.segment?sc(i,t,e,s):nc(i,t,e,s)}var pt=class
 extends st{constructor(t){super(),this.animated=!0,this.options=void 0,this._chart=void
 0,this._decimated=!1,this._pointsUpdated=!1,this._datasetIndex=void
 0,t&&Object.assign(this,t) updateControlPoints(t,e) {let s=this.options;if((s.tension||s.cubicInterpo
 lationMode==="monotone")&&!s.stepped&&!this._pointsUpdated){let
 n=s.spanGaps?this._loop:this._fullLoop;kn(this._points,s,t,n,e),this._pointsUpdated=!0}}set
 points(t){this._points=t,delete this._segments,delete this._path,this._pointsUpdated=!1}get
 points(){return this._points}get segments(){return
 this.\_segments||(this.\_segments=Cn(this,this.options.segment))\} first() \{let it is a continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous continuous c
 t=this.segments,e=this.points;return t.length&&e[t[0].start]}last(){let
 t = this.segments, e = this.points, s = t.length; return s \&\&e[t[s-1].end]\} interpolate(t,e) \{ let this.segments, e = this.points, s = t.length; return s \&\&e[t[s-1].end] \} interpolate(t,e) \{ let this.segments, e = this.points, s = t.length; return s \&\&e[t[s-1].end] \} interpolate(t,e) \{ let this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.segments, e = this.
 s=this.options,n=t[e],o=this.points,a=cs(this,{property:e,start:n,end:n});if(!a.length)return;let r=
 [],l=ic(s),c,h;for(c=0,h=a.length;c<h;++c){let{start:d,end:u}=a[c],f=o[d],g=o[u];if(f===g){r.push(f)}
;continue}let p=Math.abs((n-f[e])/(g[e]-f[e])),m=l(f,g,p,s.stepped);m[e]=t[e],r.push(m)}return r.length===1?r[0]:r}pathSegment(t,e,s){return Ls(this)(t,this,e,s)}path(t,e,s){let n=this.segments,o=Ls(this),a=this.loop;e=e||0,s=s||this.points.length-e;for(let r of
 n)a\&=o(t,this,r,\{start:e,end:e+s-1\}); return!!a\}draw(t,e,s,n)\{let\ o=this.options||\{\};(this.points||[],end(t,e,s,n)\}| \}
).length&&o.borderWidth&&(t.save(),ac(t,this,s,n),t.restore()),this.animated&&(this._pointsUpdated=!
1,this._path=void 0)}};M(pt,"id","line"),M(pt,"defaults",{borderCapStyle:"butt",borderDashOffset:0,borderJoinStyle:"miter",borderWidth:3,capBezierPoints:!0,cubicInterpolationMode:"defaul
t",fill:!1,spanGaps:!1,stepped:!1,tension:0}),M(pt,"defaultRoutes",{backgroundColor:"backgroundColor
",borderColor:"borderColor"}),M(pt,"descriptors",{_scriptable:!0,_indexable:t=>t!=="borderDash"&&t!=
="fill"});function no(i,t,e,s){let n=i.options,{[e]:o}=i.getProps([e],s);return
 Math.abs(t-o)<n.radius+n.hitRadius}var ue=class extends
 st{constructor(e){super();M(this,"parsed");M(this,"skip");M(this,"stop");this.options=void
```

```
 0, this.parsed=void \ 0, this.skip=void \ 0, this.stop=void \ 0, e\&Object.assign(this,e)\} in Range(e,s,n) \{ let o=this.options, \{x:a,y:r\}=this.getProps(["x","y"],n); return \\ Math.pow(e-a,2)+Math.pow(s-r,2)<Math.pow(o.hitRadius+o.radius,2) \} in XRange(e,s) \{ return \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRange(e,s) \} in XRan
 no(this,e,"x",s)}inYRange(e,s){return no(this,e,"y",s)}getCenterPoint(e){let{x:s,y:n}=this.getProps(
 ["x","y"],e);return{x:s,y:n}}size(e){e=e||this.options||{};let
 s=e.radius||0;s=Math.max(s,s&&e.hoverRadius||0);let
 n=s&&e.borderWidth||0;return(s+n)*2}draw(e,s){let n=this.options;this.skip||n.radius<.1||!ht(this,s,
 this.size(n)/2)||(e.strokeStyle=n.borderColor,e.lineWidth=n.borderWidth,e.fillStyle=n.backgroundColo
 r, ri(e, n, this.x, this.y)) \} getRange() \{ let e=this.options | | \{ \}; return e.radius + e.hitRadius \} \}; M(ue, "id", return e.radius + e.hitRadius \} \} f(ue, "id", return e.radius + e.hitRadius \} \} f(ue, "id", return e.radius + e.hitRadius \} \} f(ue, "id", return e.radius + e.hitRadius \} \} f(ue, "id", return e.radius + e.hitRadius \} \} f(ue, "id", return e.radius + e.hitRadius ) \} f(ue, "id", return e.radius + e.hitRadius t"),M(ue, "defaults",{borderWidth:1,hitRadius:1,hoverBorderWidth:1,hoverRadius:4,pointStyle:"circ
le",radius:3,rotation:0}),M(ue,"defaultRoutes",{backgroundColor:"backgroundColor",borderColor:"borde
 rColor"});function Ho(i,t){let{x:e,y:s,base:n,width:o,height:a}=i.getProps(["x","y","base","width","
 height"],t),r,l,c,h,d;return i.horizontal?(d=a/2,r=Math.min(e,n),l=Math.max(e,n),c=s-
 d, h=s+d): (d=o/2, r=e-
 d,l=e+d,c=Math.min(s,n),h=Math.max(s,n)), \{left:r,top:c,right:l,bottom:h\}\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\}\} nction \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c,right:l,bottom:h\} function \ Lt(i,t,e,s) \{return \ left:r,top:c
 i?0:Y(t,e,s)}function rc(i,t,e){let s=i.options.borderWidth,n=i.borderSkipped,o=Qi(s);return{t:Lt(n.
 top,o.top,0,e),r:Lt(n.right,o.right,0,t),b:Lt(n.bottom,o.bottom,0,e),l:Lt(n.left,o.left,0,t)}}functi
on lc(i,t,e) {let{enableBorderRadius:s}=i.getProps(["enableBorderRadius"]),n=i.options.borderRadius,o=At(n),a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!|||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!||||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!||r.top|||r.left,o.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!||r.top|||r.left,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!||r.top|||r.top|||r.top||r.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return{topLeft:Lt(!||r.top|||r.top||r.topLeft,0,a=Math.min(t,e),r=i.borderSkipped,l=s||T(n);return[topLeft,0,a=Math.min(t,e),r=i.borderSkip
 ),topRight:Lt(!l||r.top||r.right,o.topRight,0,a),bottomLeft:Lt(!l||r.bottom||r.left,o.bottomLeft,0,a
 ),bottomRight:Lt(!|||r.bottom||r.right,o.bottomRight,0,a)}}function cc(i){let t=Ho(i),e=t.right-
 t.left,s=t.bottom-
 t.top, n=rc(i,e/2,s/2), o=lc(i,e/2,s/2); return\{outer: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.left,y:t.top,w:e,h:s,radius:o\}, inner: \{x:t.le
 ft+n.l,y:t.top+n.t,w:e-n.l-n.r,h:s-n.t-n.b,radius:{topLeft:Math.max(0,o.topLeft-
 Math.max(n.t,n.l)),topRight:Math.max(0,o.topRight-
 Math.max(n.t,n.r)),bottomLeft:Math.max(0,o.bottomLeft-
 Math.max(n.b,n.l)),bottomRight:Math.max(0,o.bottomRight-Math.max(n.b,n.r))}}}}function
 xs(i,t,e,s){let n=t===null,o=e===null,r=i&&!(n&&o)&&Ho(i,s);return
 r\&\&(n||ut(t,r.left,r.right))\&\&(o||ut(e,r.top,r.bottom))\}function hc(i){return}
 i.topLeft||i.topRight||i.bottomLeft||i.bottomRight\}function dc(i,t){i.rect(t.x,t.y,t.w,t.h)}function
     s(i,t,e={})\{\text{let } s=i.x!==e.x?-t:0,n=i.y!==e.y?-t:0,o=(i.x+i.w!==e.x+e.w?t:0)-t.y!==e.x+e.w?t:0}
 s,a=(i.y+i.h!==e.y+e.h?t:0)-n;return{x:i.x+s,y:i.y+n,w:i.w+o,h:i.h+a,radius:i.radius}}var fe=class
 extends st{constructor(t){super(),this.options=void 0,this.horizontal=void 0,this.base=void
0, this.width=void\ 0, this.height=void\ 0, this.inflateAmount=void\ 0, t&\&0bject.assign(this,t)\}draw(t) \{letaline the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
radius)?ne:dc;t.save(),(a.w!==o.w||a.h!==o.h)&&(t.beginPath(),r(t,_s(a,e,o)),t.clip(),r(t,_s(o,e,a)),t.fillStyle=s,t.fill("evenodd")),t.beginPath(),r(t,_s(o,e)),t.fillStyle=n,t.fill(),t.restore()
 }inRange(t,e,s){return xs(this,t,e,s)}inXRange(t,e){return xs(this,t,null,e)}inYRange(t,e){return xs
(this,null,t,e)}getCenterPoint(t){let{x:e,y:s,base:n,horizontal:o}=this.getProps(["x","y","base","horizontal"],t);return{x:o?(e+n)/2:e,y:o?s:(s+n)/2}}getRange(t){return t==="x"?this.width/2:this.height/2}};M(fe,"id","bar"),M(fe,"defaults",{borderSkipped:"start",borderWidth:0,borderRadius:0,inflateAmount:"auto",pointStyle:void
 0}),M(fe,"defaultRoutes",{backgroundColor:"backgroundColor",borderColor:"borderColor"});var uc=Objec
t.freeze({__proto__:null,ArcElement:Ht,BarElement:fe,LineElement:pt,PointElement:ue}),Rs=["rgb(54,
162, 235)","rgb(255, 99, 132)","rgb(255, 159, 64)","rgb(255, 205, 86)","rgb(75, 192, 192)","rgb(153,
102, 255)","rgb(201, 203, 207)"],oo=Rs.map(i=>i.replace("rgb(","rgba(").replace(")",",
0.5)"));function jo(i){return Rs[i%Rs.length]}function [o(i){return oo[i%oo.length]}function
 fc(i,t){return i.borderColor=jo(t),i.backgroundColor=[o(t),++t]function gc(i,t){return
i.backgroundColor=i.data.map(()=>jo(t++)),t}function pc(i,t){return i.backgroundColor=i.data.map(()=>[0(t++)),t}function mc(i){let t=0;return(e,s)=>{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=>}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)=}{let t=0;return(e,s)
 n=i.getDatasetMeta(s).controller;n instanceof kt?t=gc(e,t):n instanceof
 \exists t?t=pc(e,t):n\&(t=fc(e,t))\} function ao(i){let t;for(t in
  i)if(i[t].borderColor||i[t].backgroundColor)return!0;return!1}function bc(i){return
 i&&(i.borderColor||i.backgroundColor)}function xc(){return
 \label{lem:vborderColor} V.borderColor! == "rgba(0,0,0,0.1)" | | V.backgroundColor! == "rgba(0,0,0,0.1)" \} var \quad c = \{id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (id: "colors", default = (i
 s:{enabled:!0,forceOverride:!1},beforeLayout(i,t,e){if(!e.enabled)return;let{data:{datasets:s},optio
 ns:n}=i.config,{elements:o}=n,a=ao(s)||bc(n)||o&ao(o)||xc();if(!e.force0verride&a)return;let
 r=mc(i); s.forEach(r)}}; function yc(i,t,e,s,n){let o=n.samples||s;if(o>=e)return i.slice(t,t+e); let
 a = [], r = (e-2)/(o-2), l = 0, c = t + e - 1, h = t, d, u, f, g, p; for (a[l++]=i[h], d = 0; d < o - 2; d + +) \{let m = 0, b = 0, x, v = Math.floor((d+1)*r) + 1 + t, y = Math.min(Math.floor((d+2)*r) + 1, e) + t, _ = y - v; for (x = v; x < y; x + +) m + = i[x].x, b + = i[x].y; m/=_, b/=_; let k = Math.floor((d*r) + 1 + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t, w = Math.min(Math.floor((d+1) + 1) + t,
  P)),q > f \& (f = q, u = i[x], p = x); a[l + +] = u, h = p} return a[l + +] = i[c], a} function vc(i, t, e, s) {let n = 0, o = 0, a, r, l, c}
   ,h,d,u,f,g,p,m=[],b=t+e-1,x=i[t].x,y=i[b].x-x;for(a=t;a<t+e;++a){r=i[a],l=(r.x-x)/y*s,c=r.y;let __=l|0;if(_===h)c<g?(g=c,d=a):c>p&&(p=c,u=a),n=(o*n+r.x)/++o;else{let k=a-1;if(!A(d)&&!A(u)){let w=Ma
 \overline{\text{th.min}}(d,\overline{\textbf{u}}), S=\text{Math.max}(d,\textbf{u}); \\ \text{w!}==\text{f\&\&w!}==\text{k\&\&m.push}(\{\ldots i[w],x:n\}), \\ S!==\text{f\&\&S!}==\text{k\&\&m.push}(\{\ldots i[S],x:n\})\}
 a>0\&k!==f\&\&m.push(i[k]),m.push(r),h=_,o=0,g=p=c,d=u=f=a}\}return m}function
Yo(i){if(i._decimated){let t=i._data;delete i._decimated,delete i._data,Object.defineProperty(i,"dat a",{configurable:!0,enumerable:!0,writable:!0,value:t})}}function
 ro(i){i.data.datasets.forEach(t=>{Yo(t)})}function Mc(i,t){let
 e=t.length, s=0, n, \{iScale:o\}=i, \{min:a, max:r, minDefined:l, maxDefined:c\}=o.getUserBounds(); return \\ l\&\&(s=Y(ct(t,o.axis,a).lo,0,e-1)), c?n=Y(ct(t,o.axis,r).hi+1,s,e)-s:n=e-s, \{start:s, count:n\}\} var 
 kc={id:"decimation",defaults:{algorithm:"min-
```

```
max", enabled: !1}, beforeElementsUpdate: (i,t,e) => {if(!e.enabled) {ro(i); return} let s=i.width; i.data.dat
 asets.forEach((n,0)=>{let{ data:a,indexAxis:r}=n,l=i.getDatasetMeta(0),c=a||n.data;if(oe([r,i.option]))
 s.indexAxis])==="y"||!l.controller.supportsDecimation)return;let h=i.scales[l.xAxisID];if(h.type!==""")
 \label{linear} $$\lim_{h\to\infty} \frac{1}{h} = \lim_{h\to\infty} \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac{1}{h} \cdot \frac
f(u <= f) \{Yo(n); return\} A(a) \&\&(n.\_data = c, delete \\ n. data, Object. define Property (n, "data", \{configurable: !0, enumerable: !0, get: function() \{return this.\_decimated\}, set: function(p) \{this.\_data = p\}\})); let \\ g; switch(e.algorithm) \{case "lttb": g = yc(c, d, u, s, e); break; case "min-"
max":g=vc(c,d,u,s);break;default:throw new Error(`Unsupported decimation algorithm
'[{e.algorithm}'`)}n._decimated=g})},destroy(i){ro(i)}};function wc(i,t,e){let
s=i.segments,n=i.points,o=t.points,a=[];for(let r of s){let{start:l,end:c}=r;c=Di(l,c,n);let h=Es(e,
 n[l],n[c],r.loop);if(!t.segments){a.push({source:r,target:h,start:n[l],end:n[c]});continue}let
d=cs(t,h);for(let u of d){let f=Es(e,o[u.start],o[u.end],u.loop),g=ls(r,n,f);for(let p of g)a.push({
    source:p,target:u,start:{[e]:lo(h,f,"start",Math.max)},end:{[e]:lo(h,f,"end",Math.min)}})}}return
 a}function Es(i,t,e,s){if(s)return; let n=t[i],o=e[i]; return
i = = \text{"angle"} \&\&(n = X(n), o = X(o)), \{property:i, start:n, end:o\} \} function \\ Sc(i,t) \{let\{x:e=null,y:s=null\}=i||\{\},n=t.points,o=[]; return \} 
 t.segments.forEach((\{start:a,end:r\})=>\{r=Di(a,r,n);let\ l=n[a],c=n[r];s!==null?(o.push(\{x:l.x,y:s\}),o)\}
.push(\{x:c.x,y:s\})):e!==null\&\&(o.push(\{x:e,y:l.y\}),o.push(\{x:e,y:c.y\}))\}),o\}function Di(i,t,e)\{for(;t>i;t--)\{let s=e[t];if(!isNaN(s.x)&&!isNaN(s.y))break\}return t\}function Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion Di(i,t)Axion D
 lo(i,t,e,s){return i\&\&t?s(i[e],t[e]):i?i[e]:t?t[e]:0}function lo(i,t){let e=[1,s=!1;return]
 z(i)?(s=!0, e=i):e=Sc(i,t), e.length?new
pt({points:e,options:{tension:0},_loop:s,_fullLoop:s}):null}function co(i){return
i&&i.fill!==!1}function Pc(i,t,e){let n=i[t].fill,o=[t],a;if(!e)return
n;for(;n!==!1&&o.indexOf(n)===-1;){if(!N(n))return n;if(a=i[n],!a)return!1;if(a.visible)return
 n;o.push(n),n=a.fill}return!1}function Dc(i,t,e){let s=Tc(i);if(T(s))return isNaN(s.value)?!1:s;let
 n=parseFloat(s);return N(n)&&Math.floor(n)===n?Oc(s[0],t,n,e):["origin","start","end","stack","shape
     '].indexOf(s)>=0&&s}function
\label{eq:continuous} Oc(i,t,e,s) \{ return(i==="-"||i==="+") \& (e=t+e), e===t||e<0||e>=s?!1:e \} \\ function Cc(i,t) \{ let e=null; return i==="start"?e=t.bottom:i==="end"?e=t.top:T(i)?e=t.getPixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBasePixelForValue(i.value):t.getBas
 ixel&&(e=t.getBasePixel()),e}function Ac(i,t,e){let s;return i==="start"?s=e:i==="end"?s=t.options.r
 everse?t.min:t.max:T(i)?s=i.value:s=t.getBaseValue(),s}function Tc(i){let
 t=i.options,e=t.fill,s=D(e&&e.target,e);return s===void
 0\&\&(s=!!t.backgroundColor), s===!1[|s===null?!1:s===!0?"origin":s]function Lc(i){let{scale:t,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e,index:e
 line:s=i,n=[],o=s.segments,a=s.points,r=Rc(t,e);r.push(Uo({x:null,y:t.bottom},s));for(let)
 l=0; l<0.length; l++)  {let c=o[l]; for(let h=c.start; h<=c.end; h++) Ec(n,a[h],r) } return new
 pt({points:n,options:{}})}function Rc(i,t){let e=[],s=i.getMatchingVisibleMetas("line");for(let
 n=0;n<s.length;n++){let o=s[n];if(o.index===t)break;o.hidden||e.unshift(o.dataset)}return e}function
 Ec(i,t,e) \{ let s=[]; for(let n=0; n<e.length; n++) \{ let o=e[n], \{ first:a, last:r, point:l \} = Ic(o,t,"x"); if(!(!l||a&&r)) \{ if(a)s.unshift(l); else \} 
 if(i.push(l),!r)break}}i.push(...s)}function Ic(i,t,e){let s=i.interpolate(t,e);if(!s)return{};let
 n=s[e], o=i.segments, a=i.points, r=!1, l=!1; for(let c=0; c<o.length; c++) \\ \{let h=o[c], d=a[h.start][e], u=a[h.start][e], h.end][e];if(ut(n,d,u)){r=n===d,l=n===u;break}}return{first:r,last:l,point:s}}var Si=class{construct
or(t){this.x=t.x,this.y=t.y,this.radius=t.radius}pathSegment(t,e,s){let{x:n,y:o,radius:a}=this;return e=e||{start:0,end:B},t.arc(n,o,a,e.end,e.start,!0),!s.bounds}interpolate(t){let{x:e,y:s,radius:n}=
 this, o=t.angle; return\{x:e+Math.cos(o)*n,y:s+Math.sin(o)*n,angle:o\}\}\}; function
 Fc(i){let{chart:t,fill:e,line:s}=i;if(N(e))return zc(t,e);if(e==="stack")return
 Lc(i);if(e==="shape")return!0;let n=Bc(i);return n instanceof Si?n:Uo(n,s)}function zc(i,t){let
e=i.getDatasetMeta(t);return e&&i.isDatasetVisible(t)?e.dataset:null}function
Bc(i){return(i.scale||{}}).getPointPositionForValue?Wc(i):Vc(i)}function
 Vc(i){let{scale:t={},fill:e}=i,s=Cc(e,t);if(N(s)){let}
 n=t.isHorizontal();return{x:n?s:null,y:n?null:s}}return null}function Wc(i){let{scale:t,fill:e}=i,s=
 t.options,n=t.getLabels().length,o=s.reverse?t.max:t.min,a=Ac(e,t,o),r=[];if(s.grid.circular){let
l=0; l< n; ++l) \\ r.push(t.getPointPositionForValue(l,a)); \\ return \\ r \\ function \\ ys(i,t,e) \\ \{let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ let \\ s=Fc(t), \\ \{chart: n, let \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\ s=Fc(t), \\
    ,index:o,line:a,scale:r,axis:l}=t,c=a.options,h=c.fill,d=c.backgroundColor,{above:u=d,below:f=d}=h||
  \{\}, g=n.getDatasetMeta(o), p=hs(n,g); s\&\&a.points.length\&\&(Se(i,e),Nc(i,\{line:a,target:s,above:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below:u,below
f, area:e, scale:r, axis:l, clip:p}), Pe(i))} function Nc(i,t) {let{line:e, target:s, above:n, below:o, area:a, scale:r, clip:l}=t, c=e._loop?"angle":t.axis;i.save(); let h=o;o!==n&&(c==="x"?(ho(i,s,a.top),vs(i,{line:e,target:s, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, area:a, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n, below:o, above:n
 e:e, target:s, color:n, scale:r, property:c, clip:l\}), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l\}), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l\}), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), i.save(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, clip:l]), i.restore(), ho(i, s, a.bottom)):c === "y" \&\& (uolor:n, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, property:c, scale:r, pr
  (i,s,a.left),vs(i,{line:e,target:s,color:o,scale:r,property:c,clip:l}),i.restore(),i.save(),uo(i,s,a
    .right),h=n)),vs(i,{line:e,target:s,color:h,scale:r,property:c,clip:l}),i.restore()}function
ho(i,t,e){let{segments:s,points:n}=t,o=!0,a=!1;i.beginPath();for(let r of s){let{start:l,end:c}=r,h=n[l],d=n[Di(l,c,n)];o?(i.moveTo(h.x,h.y),o=!1):(i.lineTo(h.x,e),i.lineTo(h.x,h.y)),a=!!t.pathSegment
  (i,r,{move:a}),a?i.closePath():i.lineTo(d.x,e)}i.lineTo(t.first().x,e),i.closePath(),i.clip()}functi
 on uo(i,t,e){let{segments:s,points:n}=t,o=!0,a=!1;i.beginPath();for(let r of s){let{start:l,end:c}=r
  h=n[l], d=n[Di(l,c,n)]; o?(i.moveTo(h.x,h.y),o=!1): (i.lineTo(e,h.y),i.lineTo(h.x,h.y)),a=!!t.pathSegm
ent(i,r,{move:a}),a?i.closePath():i.lineTo(e,d.y)}i.lineTo(e,t.first().y),i.closePath(),i.clip()}function vs(i,t){let{line:e,target:s,property:n,color:o,scale:a,clip:r}=t,l=wc(e,s,n);for(let{source:c,
 target:h,start:d,end:u}of l){let{style:{backgroundColor:f=o}={}}=c,g=s!==!0;i.save(),i.fillStyle=f,H
 c(i,a,r,g&&Es(n,d,u)),i.beginPath();let
 p=!!e.pathSegment(i,c),m;if(g){p?i.closePath():fo(i,s,u,n);let b=!!s.pathSegment(i,h,{move:p,reverse})}
```

```
::0); m=p\&b, m||fo(i,s,d,n)i.closePath(),i.fill(m?"evenodd":"nonzero"),i.restore()}} function
Hc(i,t,e,s)\{\text{let } n=\text{t.chart.chartArea}, \{\text{property:o,start:a,end:r}\}=s||\{\}; \text{if}(o==="x"||o==="y")}\{\text{let } l,c,h,d;o==="x"?(l=a,c=n.top,h=r,d=n.bottom):(l=n.left,c=a,h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&(l=Math.max(l,e),h=n.right,d=r),i.beginPath(),e&(l=Math.max(l,e),h=n.right,d
  .left),h=Math.min(h,e.right),c=Math.max(c,e.top),d=Math.min(d,e.bottom)),i.rect(l,c,h-l,d-
 c),i.clip()}}function fo(i,t,e,s){let n=t.interpolate(e,s);n\&\&i.lineTo(n.x,n.y)}var
 jc={id:"filler",afterDatasetsUpdate(i,t,e){let s=(i.data.datasets||[]).length,n=[],o,a,r,l;for(a=0;a
<s;++a)o=i.getDatasetMeta(a),r=o.dataset,l=null,r&&r.options&&r instanceof pt&&(l={visible:i.isDatas}
etVisible(a),index:a,fill:Dc(r,a,s),chart:i,axis:o.controller.options.indexAxis,scale:o.vScale,line:</pre>
 r),o.\Boxfiller=l,n.push(l);for(a=0;a<s;++a)l=n[a],!(!l||l.fill===!1)&((l.fill=Pc(n,a,e.propagate))},b
 eforeDraw(i,t,e){let
 s=e.drawTime==="beforeDraw",n=i.getSortedVisibleDatasetMetas(),o=i.chartArea;for(let
 a=n.length-1;a>=0;--a){let r=n[a].∏filler;r&&(r.line.updateControlPoints(o,r.axis),s&&r.fill&&ys(i.c
 tx,r,o))}},beforeDatasetsDraw(i,t,e){if(e.drawTime!=="beforeDatasetsDraw")return;let
 s=i.getSortedVisibleDatasetMetas();for(let n=s.length-1;n>=0;--n){let
o=s[n].[filler;co(o)&&ys(i.ctx,o,i.chartArea)}},beforeDatasetDraw(i,t,e){let s=t.meta.[filler;!co(s) | le.drawTime!=="beforeDatasetDraw"||ys(i.ctx,s,i.chartArea)},defaults:{propagate:!0,drawTime:"before
 DatasetDraw"}},go=(i,t)=>{let{boxHeight:e=t,boxWidth:s=t}=i;return i.usePointStyle&&(e=Math.min(e,t)
 , s=i.pointStyleWidth||Math.min(s,t)), \{boxWidth:s,boxHeight:e,itemHeight:Math.max(t,e)\}\}, [c=(i,t)=>i!]
 ==null&&t!==null&&i.datasetIndex===t.datasetIndex&&i.index===t.index,Pi=class extends st{constructor
 (t){super(),this._added=!1,this.legendHitBoxes=[],this._hoveredItem=null,this.doughnutMode=!1,this.c
 hart=t.chart,this.options=t.options,this.ctx=t.ctx,this.legendItems=void 0,this.columnSizes=void
 0,this.lineWidths=void 0,this.maxHeight=void 0,this.maxWidth=void 0,this.top=void 0,this.bottom=void
 0,this.left=void 0,this.right=void 0,this.height=void 0,this.width=void 0,this. margins=void
0, this.position=void 0, this.weight=void 0, this.fullSize=void 0}update(t,e,s){this.maxWidth=t,this.maxWeight=e,this._margins=s,this.setDimensions(),this.buildLabels(),this.fit()}setDimensions(){this.is
 Horizontal()?(this.width=this.maxWidth,this.left=this.margins.left,this.right=this.width):(this.hei
 ght=this.maxHeight,this.top=this._margins.top,this.bottom=this.height)}buildLabels(){let t=this.opti
 ons.labels || \{\}, e=F(t.generateLabels, [this.chart], this) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s,this.eta)) || []; t.filter \& \& (e=e.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s=>t.filter(s==t.filter(s=>t.filter(s==t.filter(s=>t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s==t.filter(s=
 (),this.legendItems=e}fit(){let{options:t,ctx:e}=this;if(!t.display){this.width=this.height=0;return
}let s=t.labels,n=(s.font),o=n.size,a=this._computeTitleHeight(),(boxWidth:r,itemHeight:l)=go(s,o), c,h;e.font=n.string,this.isHorizontal()?(c=this.maxWidth,h=this._fitRows(a,o,r,l)+10):(h=this.maxHeight,c=this._fitCols(a,n,r,l)+10),this.width=Math.min(c,t.maxWidth||this.maxWidth),this.height=Math.m
 in(h,t.maxHeight||this.maxHeight)}_fitRows(t,e,s,n){let{ctx:o,maxWidth:a,options:{labels:{padding:r}}
 }}=this,l=this.legendHitBoxes=[],c=this.lineWidths=[0],h=n+r,d=t;o.textAlign="left",o.textBaseline="
 middle; let u=-1, f=-h; return this.legendItems.forEach((g,p)=>{let m=s+e/2+o.measureText(g.text).widt
 h; (p==0)|c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*r>a)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&(d+=h,c[c.length-1]+m+2*raa)&&
 (p>0?0:1) =0, f+=h,u++), l[p]=\{left:0,top:f,row:u,width:m,height:n\}, c[c.length-f]
 1]+=m+r, d_{r} itCols(t,e,s,n){let{ctx:0,maxHeight:a,options:{labels:{padding:r}}}=this,l=this.legend
\label{eq:hitBoxes} \begin{tabular}{ll} HitBoxes=[], C=this.columnSizes=[], h=a-t, d=r, u=0, f=0, g=0, p=0; return this.legendItems.forEach((m,b)=>{let{itemWidth:x,itemHeight:v}=Yc(s,e,o,m,n);b>0&&f+v+2*r>h&&(d+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f}),g+=u+r,c.push({width:u,height:f})
r,p++,u=f=0),l[b]={left:g,top:f,col:p,width:x,height:v},u=Math.max(u,x),f+=v+r}),d+=u,c.push({width:u,height:f}),d}adjustHitBoxes(){if(!this.options.display)return;let t=this._computeTitleHeight(),{le
 gendHitBoxes:e,options:{align:s,labels:{padding:n},rtl:o}}=this,a=Vt(o,this.left,this.width);if(this
   isHorizontal()){let r=0,l=K(s,this.left+n,this.right-this.lineWidths[r]);for(let c of.
 e)r!==c.row&&(r=c.row,l=K(s,this.left+n,this.right-
 this.lineWidths[r])),c.top+=this.top+t+n,c.left=a.leftForLtr(a.x(l),c.width),l+=c.width+n}else{let
 r=0,l=K(s,this.top+t+n,this.bottom-this.columnSizes[r].height);for(let c of
 e) \verb|c.col|!==r&&(r=c.col,l=K(s,this.top+t+n,this.bottom-this.columnSizes[r].height))|, c.top=l,c.left+=this.bottom-this.columnSizes[r].height)|, c.top=l,c.left+=this.bottom-this.columnSizes[r].height)|, c.top=l,c.left+=this.bottom-this.columnSizes[r].height)|, c.top=l,c.left+=this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-th
 is.left+n,c.left=a.leftForLtr(a.x(c.left),c.width),l+=c.height+n}}isHorizontal(){return
 this.options.position==="top"||this.options.position==="bottom"}draw(){if(this.options.display){let
t=this.ctx;Se(t,this),this._draw(),Pe(t)}}_draw(){let{options:t,columnSizes:e,lineWidths:s,ctx:n}=this,{align:o,labels:a}=t,r=V.color,l=Vt(t.rtl,this.left,this.width),c=[(a.font),{padding:h}=a,d=c.siz
 e,u=d/2,f;this.drawTitle(),n.textAlign=l.textAlign("left"),n.textBaseline="middle",n.lineWidth=.5,n.
 font=c.string; let\{boxWidth:g,boxHeight:p,itemHeight:m\} = go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d), b=function(k,w,S)\{if(isNaN(g))|g <= 0\} + go(a,d) + go(a,d) + go(a,d) + go(a,d) + go(a,d) + go(a,d) + go(a,d) + go(a,d) + go(a,d
 isNaN(p)||p<0) return; n.save(); let P=D(S.lineWidth,1); if (n.fillStyle=D(S.fillStyle,r), n.lineCap=D(S.lineWidth,1); if (n.fillStyle=D(S.fillStyle,r), n.lineCap=D(S.fillStyle,r), n.lineCap=D(S.
ineCap, "butt"), n.lineDashOffset=D(S.lineDashOffset,0), n.lineJoin=D(S.lineJoin, "miter"), n.lineWidth=P
,n.strokeStyle=D(S.strokeStyle,r), n.setLineDash(D(S.lineDash,[])), a.usePointStyle){let 0={radius:p*M
ath.SQRT2/2,pointStyle:S.pointStyle,rotation:S.rotation,borderWidth:P}, C=l.xPlus(k,g/2), L=w+u; Ji(n,0)
 ,C,L,a.pointStyleWidth&&g)}else{let 0=w+Math.max((d-
 p)/2,0),C=l.leftForLtr(k,g),L=At(S.borderRadius);n.beginPath(),Object.values(L).some(U=>U!==0)?ne(n,
 \{x:C,y:0,w:g,h:p,radius:L\}\}:n.rect(C,0,g,p),n.fill(),P!==0\&\&n.stroke()\}n.restore()\},x=function(k,w,S)\{Ct(n,S.text,k,w+m/2,c,\{strikethrough:S.hidden,textAlign:l.textAlign(S.textAlign)\})\},v=this.isHoriz
 ontal(),y=this._computeTitleHeight();v?f={x:K(o,this.left+h,this.right-
 s[0]),y:this.top+h+y,line:0}:f={x:this.left+h,y:K(o,this.top+y+h,this.bottom-
 e[0].height),line:0},as(this.ctx,t.textDirection);let
     =m+h;this.legendItems.forEach((k,w)=>{n.strokeStyle=k.fontColor,n.fillStyle=k.fontColor;let S=n.mea
 sureText(k.text).width,P=l.textAlign(k.textAlign||(k.textAlign=a.textAlign)),O=g+u+S,C=f.x,L=f.y;l.s
 etWidth(this.width), v?w>0\&\&C+0+h>this.right\&\&(L=f.y+=\_,f.line++,C=f.x=K(o,this.left+h,this.right))\\
 s[f.line]): w>0\&\&L+ > this.bottom\&\&(C=f.x=C+e[f.line].width+h,f.line++,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,this.top+y+h,this.bottom,L=f.y=K(o,thi
 ttom-e[f.line].height));let
 U=l.x(C); if(b(U,L,k),C=fn(P,C+g+u,v?C+0:this.right,t.rtl),x(l.x(C),L,k),v)f.x+=0+h; else\ if(typeofk.text!="string"){let\ et=c.lineHeight;f.y+=Xo(k,et)+h}else
```

```
f.y+= }),rs(this.ctx,t.textDirection)}drawTitle(){let
 t=this.options,e=t.title,s=[(e.font),n=q(e.padding);if(!e.display)return;let o=Vt(t.rtl,this.left,th
 is.width),a=this.ctx,r=e.position,l=s.size/2,c=n.top+l,h,d=this.left,u=this.width;if(this.isHorizont
 al())u=Math.max(...this.lineWidths),h=this.top+c,d=K(t.align,d,this.right-u);else{let
 g=this.columnSizes.reduce((p,m)=>Math.max(p,m.height),0);h=c+K(t.align,this.top,this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bottom-this.bot
 g-t.labels.padding-this. computeTitleHeight())}let f=K(r,d,d+u);a.textAlign=o.textAlign(oi(r)),a.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.textAlign=o.tex
tBaseline="middle",a.strokeStyle=e.color,a.fillStyle=e.color,a.font=s.string,Ct(a,e.text,f,h,s)}_computeTitleHeight(){let t=this.options.title,e=□(t.font),s=q(t.padding);return
 t.display?e.\bar{l}ine Height+s.height:0\}\_getLegend I\bar{t}em At(t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.right)\& ut(t,e)\} \\ (t,e) \\ \{let\ s,n,o;i\bar{f}(ut(t,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this.left,this
 e, this.top, this.bottom)) \{for(o=this.legendHitBoxes, s=0; s< o.length; ++s)if(n=o[s], ut(t,n.left,n.left+n)\}
 .width)&&ut(e,n.top,n.top+n.height))return this.legendItems[s]}return null}handleEvent(t){let
 e=this.options;if(!Kc(t.type,e))return;let
 s=this.\_getLegendItemAt(t.x,t.y); if (t.type==="mousemove"||t.type==="mouseout") \{let \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt \ n=this. \ hoveredIt 
 his)}else s&&F(e.onClick,[t,s,this],this)}};function Yc(i,t,e,s,n){let
 o=Uc(s,i,t,e),a=Xc(n,s,t.lineHeight);return{itemWidth:o,itemHeight:a}}function Uc(i,t,e,s){let
 n=i.text;return n&&typeof
 n!="string"\&\&(n=n.reduce((o,a)=>o.length>a.length?o:a)),t+e.size/2+s.measureText(n).width}function
Xc(i,t,e){let s=i;return typeof t.text!="string"&&(s=Xo(t,e)),s}function Xo(i,t){let e=i.text?i.text.length:0;return t*e}function Kc(i,t){return!!((i==="mousemove"||i==="mouseout")&&(t.
 onHover||t.onLeave)||t.onClick&&(i==="click"||i==="mouseup"))}var
 qc={id:"legend",_element:Pi,start(i,t,e){let s=i.legend=new Pi({ctx:i.ctx,options:e,chart:i});Z.conf
 igure(i,s,e),Z.addBox(i,s)\},stop(i){Z.removeBox(i,i.legend),delete i.legend},beforeUpdate(i,t,e){let}
 s=i.legend;Z.configure(i,s,e),s.options=e},afterUpdate(i){let t=i.legend;t.buildLabels(),t.adjustHit
 Boxes(\r)\}, after Even \r(i,t) \r\{t.replay | | i.legend.handle Even \r(t.even t)\}, defaults: \r\{display: !0, position: "top the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the p
      ,align:"center",fullSize:!0,reverse:!1,weight:1e3,onClick(i,t,e){let s=t.datasetIndex,n=e.chart;n.i
 sDatasetVisible(s)?(n.hide(s),t.hidden=!0):(n.show(s),t.hidden=!1)},onHover:null,onLeave:null,labels
   :{color:i=>i.chart.options.color,boxWidth:40,padding:10,generateLabels(i){let t=i.data.datasets,{lab
 els:{usePointStyle:e,pointStyle:s,textAlign:n,color:o,useBorderRadius:a,borderRadius:r}}=i.legend.op
 tions; return \ i. \_getSortedDatasetMetas(). map(l => \{let \ c=l.controller.getStyle(e?0:void \ 0), h=q(c.border.getStyle(e?0:void \ 0), h=q(c.border.getStyl
 Width);return{text:t[l.index].label,fillStyle:c.backgroundColor,fontColor:o,hidden:!l.visible,lineCa
 p:c.borderCapStyle,lineDash:c.borderDash,lineDashOffset:c.borderDashOffset,lineJoin:c.borderJoinStyl
 e,lineWidth:(h.width+h.height)/4,strokeStyle:c.borderColor,pointStyle:s||c.pointStyle,rotation:c.rót
ation,textAlign:n||c.textAlign,borderRadius:a&&(r||c.borderRadius),datasetIndex:l.index}},this)}},tite:{color:i=>i.chart.options.color,display:!1,position:"center",text:""}},descriptors:{_scriptable:i=>!i.startsWith("on"),labels:{_scriptable:i=>!["generateLabels","filter","sort"].includes(i)}}},Ne=
class extends st\{constructor(t)\{super(),this.chart=t.chart,this.options=t.options,this.ctx=t.ctx,this.padding=void 0,this.top=void 0,this.bottom=void 0,this.left=void 0,this.right=void
 0,this.width=void 0,this.height=void 0,this.position=void 0,this.weight=void 0,this.fullSize=void
 0}update(t,e){let s=this.options;if(this.left=0,this.top=0,!s.display){this.width=this.height=this.r
 ight=this.bottom=0;return}this.width=this.right=t,this.height=this.bottom=e;let
 n=z(s.text)?s.text.length:1;this. padding=q(s.padding);let o=n*[(s.font).lineHeight+this.padding.he]
 ight; this.isHorizontal()?this.height=o:this.width=o}isHorizontal(){let
 t=this.options.position;return t==="top"||t==="bottom"}_drawArgs(t){let{top:e,left:s,bottom:n,right:
 o,options:a}=this,r=a.align,l=0,c,h,d;return this.isHorizontal()?(h=K(r,s,o),d=e+t,c=o-
 s): (a.position==="left"?(h=s+t,d=K(r,n,e),l=R*-.5):(h=o-t,d=K(r,e,n),l=R*.5),c=n-.6
 e),{titleX:h,titleY:d,maxWidth:c,rotation:l}}draw(){let
 t=this.ctx,e=this.options;if(!e.display)return;let s=[(e.font),o=s.lineHeight/2+this._padding.top,{t
itleX:a,titleY:r,maxWidth:l,rotation:c}=this__drawArgs(o);Ct(t,e.text,0,0,s,{color:e.color,maxWidth:l,rotation:c,textAlign:oi(e.align),textBaseline:"middle",translation:[a,r]})}};function Gc(i,t){let e=new Ne({ctx:i.ctx,options:t,chart:i});Z.configure(i,e,t),Z.addBox(i,e),i.titleBlock=e}var
  Zc = \{id: "title", \_element: Ne, start(i,t,e) \{Gc(i,e)\}, stop(i) \{let t=i.titleBlock; Z.removeBox(i,t), delete i.titleBlock\}, beforeUpdate(i,t,e) \{let s=i.titleBlock; Z.configure(i,s,e), s.options=e\}, defaults: \{align temperature of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the context of the contex
:"center",display:!1,font:{weight:"bold"},fullSize:!0,padding:10,position:"top",text:"",weight:2e3},
defaultRoutes:{color:"color"},descriptors:{_scriptable:!0,_indexable:!1}},mi=new
 WeakMap,Jc={id:"subtitle",start(i,t,e){let s=new Ne({ctx:i.ctx,options:e,chart:i});Z.configure(i,s,e
),Z.addBox(i,s),mi.set(i,s)},stop(i){Z.removeBox(i,mi.get(i)),mi.delete(i)},beforeUpdate(i,t,e){let s=mi.get(i);Z.configure(i,s,e),s.options=e},defaults:{align:"center",display:!1,font:{weight:"normal "},fullSize:!0,padding:0,position:"top",text:"",weight:1500},defaultRoutes:{color:"color"},descripto rs:{_scriptable:!0,_indexable:!1}},Ee={average(i){if(!i.length)return!1;let t,e,s=new}
 Set, n=0, o=0; for (t=0, e=i.length; t<e; ++t) {let r=i[t].element; if (r\&r.hasValue()) {let
 l=r.tooltipPosition(); s.add(l.x), n+=l.y, ++o\} return o===0 | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o\} | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l)=>r+l.y, ++o] | |s.size===0?!1: \{x:[...s].reduce((r,l
 )/s.size,y:n/o}},nearest(i,t){if(!i.length)return!1;let
 e=t.x,s=t.y,n=Number.POSITIVE_INFINITY,o,a,r;for(o=0,a=i.length;o<a;++o){let
 l=i[o].element; if(l\&\&l.hasValue()){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h=ti(t,c);h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}}if(r){let c=l.getCenterPoint(),h<n&(n=h,r=l)}if(r){let c=l.getCenterPoint(),h<n&(n=h,
 l=r.tooltipPosition();e=l.x,s=l.y}return{x:e,y:s}}};function ft(i,t){return
 t\&\&(z(t)?Array.prototype.push.app[y(i,t):i.push(t)),i]function Mt(i){return(typeof i=="string"||i.mush(t)),i}function Mt(i){return(typeof i=="string"||i.mush(typeof i=
 instanceof String)&&i.indexOf(
      )>-1?i.split(
     ):i}function Qc(i,t){let{element:e,datasetIndex:s,index:n}=t,o=i.getDatasetMeta(s).controller,{labe}
 l:a,value:r}=o.getLabelAndValue(n);return{chart:i,label:a,parsed:o.getParsed(n),raw:i.data.datasets[
 s]. data[n], formatted Value: r, dataset: o.getDataset(), dataIndex: n, datasetIndex: s, element: e\} \\ function
 po(i,t){let e=i.chart.ctx,{body:s,footer:n,title:o}=i,{boxWidth:a,boxHeight:r}=t,l=[(t.bodyFont),c=]
```

```
 \begin{array}{l} \text{educe((y,\_)=>y+\_.before.length+\_.lines.length+\_.after.length,0);} \\ \text{if(b+=i.beforeBody.length+i.afterBody.length,d&&(p+=d*c.lineHeight+(d-1)*t.titleSpacing+t.titleMarginBottom),b)} \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let} \ \ y=t.displayColors?MarginBottom) \\ \text{let}
 th.max(r,l.lineHeight):l.lineHeight;p+=f*y+(b-f)*l.lineHeight+(b-
 1)*t.bodySpacing}u&&(p+=t.footerMarginTop+u*h.lineHeight+(u-1)*t.footerSpacing);let
 x=0, v=function(y) = Math.max(m,e.measureText(y).width+x); return e.save(),e.font=c.string,E(i.title,
 v),e.font=l.string,E(i.beforeBody.concat(i.afterBody),v),x=t.displayColors?a+2+t.boxPadding:0,E(s,y=
 >{E(y.before,v),E(y.lines,v),E(y.after,v)}),x=0,e.font=h.string,E(i.footer,v),e.restore(),m+=g.width
ih(i,t,e,s){let{x:n,width:o}=e,{width:a,chartArea:{left:r,right:l}}=i,c="center";return s==="center"
 (r+1)/2"left":"right":n<=0/2?c="left":n>=a-
 o/2&&(c="right"),eh(c,i,t,e)&&(c="center"),c}function mo(i,t,e){let
 s = e.yAlign | |t.yAlign| | th(i,e); return {xAlign: e.xAlign| |t.xAlign| | ih(i,t,e,s), yAlign: s} } function for the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the conte
 sh(i,t){let{x:e,width:s}=i;return t==="right"?e-=s:t==="center"&&(e-=s/2),e}function
 nh(i,t,e){let{y:s,height:n}=i;return t==="top"?s+=e:t==="bottom"?s-=n+e:s-=n/2,s}function bo(i,t,e,s)
 ){let{caretSize:n,caretPadding:o,cornerRadius:a}=i,{xAlign:r,yAlign:l}=e,c=n+o,{topLeft:h,topRight:d
t.width),y:Y(p,0,s.height-t.height)}}function bi(i,t,e){let s=q(e.padding);return
 t==="center"?i.x+i.width/2:t==="right"?i.x+i.width-s.right:i.x+s.left}function xo(i){return ft([],Mt(i))}function oh(i,t,e){return yt(i,{tooltip:t,tooltipItems:e,type:"tooltip"})}function
     o(i,t){let e=t&&t.dataset&&t.dataset.tooltip&&t.dataset.tooltip.callbacks;return
 e?i.override(e):i}var Ko={beforeTitle:dt,title(i){if(i.length>0){let t=i[0],e=t.chart.data.labels,s=
 e?e.length:0; if (this \& this.options \& this.options.mode === "dataset") return
 t.dataset.label||""; if (t.label) return t.label; if (s>0 \& \& t.dataIndex < s) return e[t.dataIndex] return"" \}, the second of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the second content of the
afterTitle:dt,beforeBody:dt,beforeLabel:dt,label(i){if(this&&this.options&&this.options.mode==="data set")return i.label+": "+i.formattedValue||i.formattedValue;let t=i.dataset.label||"";t&&(t+=": ");let e=i.formattedValue;return A(e)||(t+=e),t},labelColor(i){let e=i.chart.getDatasetMeta(i.datase
 tIndex). controller.getStyle (i.dataIndex); return \{borderColor: e.borderColor, backgroundColor: e.backgroundColor: e.backgro
 ndColor,borderWidth:e.borderWidth,borderDash:e.borderDash,borderDashOffset:e.borderDashOffset,border
 Radius:0}},labelTextColor(){return this.options.bodyColor},labelPointStyle(i){let e=i.chart.getDatas
 etMeta(i.datasetIndex).controller.getStyle(i.dataIndex);return{pointStyle:e.pointStyle,rotation:e.ro
tation}},afterLabel:dt,afterBody:dt,beforeFooter:dt,footer:dt,afterFooter:dt};function
Q(i,t,e,s){let n=i[t].call(e,s);return typeof n>"u"?Ko[t].call(e,s):n}var Ve=class extends
 st\{constructor(t)\{super(),this.opacity=0,this.\_active=[],this.\_eventPosition=void\ 0,this.\_size=void\ 0,this.\_size=void\ 0,this.\_eventPosition=void\ 0,this.\_eventPositi
 0,this. cachedAnimations=void 0,this. tooltipItems=[],this. animations=void 0,this. context=void
0,this.chart=t.chart,this.options=t.options,this.dataPoints=void 0,this.title=void 0,this.beforeBody=void 0,this.body=void 0,this.afterBody=void 0,this.footer=void 0,this.xAlign=void
  \hbox{0,this.yAlign=void 0,this.x=void 0,this.y=void 0,this.height=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=void 0,this.width=
 0,this.caretX=void 0,this.caretY=void 0,this.labelColors=void 0,this.labelPointStyles=void
 0,this.labelTextColors=void 0}initialize(t){this.options=t,this._cachedAnimations=void
0,this. context=void 0}_resolveAnimations(){let t=this.cachedAnimations;if(t)return t;let e=this.ch art,s=this.options.setContext(this.getContext()),n=s.enabled&&e.options.animation&s.animations,o=ne
 w vi(this.chart,n);return
 n. cacheable&&(this. cachedAnimations=Object.freeze(o)),o}getContext(){return this.□context||(this.□
context=oh(this.chart.getContext(),this,this._tooltipItems))}getTitle(t,e){let{callbacks:s}=e,n=Q(s, "beforeTitle",this,t),o=Q(s,"title",this,t),a=Q(s,"afterTitle",this,t),r=[];return r=ft(r,Mt(n)),r=ft(r,Mt(o)),r=ft(r,Mt(a)),r}getBeforeBody(t,e){return}
l'', this, o), ft(a.after, Mt(Q(r, "afterLabel", this, o))), n.push(a)}), n\}getAfterBody(t, e){return xo(Q(e.c.)}
all backs, "after Body", this, t)) \\ get Footer(t,e) \\ \{let\{call backs:s\} = e, n=Q(s, "before Footer", this, t), o=Q(s, 'before Footer'', this, t), o=Q(s, 'before Footer'', this, t), r=[]; return \\ (a) \\ (b) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) \\ (c) 
  r=ft(r,Mt(n)), r=ft(r,Mt(o)), r=ft(r,Mt(a)), r\} createItems(t) \{let e=this.\_active, s=this.chart.data, n=[], o=[], a=[], r=[], l, c; for(l=0, c=e.length; l<c; ++l)r.push(Qc(this.chart,e[l])); return t.filter&&(r=r.filter) | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.filter | t.fi
 lter((h,d,u)=>t.filter(h,d,u,s))), t.itemSort\&\&(r=r.sort((h,d)=>t.itemSort(h,d,s))), E(r,h=>\{let\ d=\_o(h,d,u)=>t.hemSort(h,d,s))\}
t.callbacks,h); n.push(Q(d, "labelColor", this,h)), o.push(Q(d, "labelPointStyle", this,h)), a.push(Q(d, "labelPointStyle", this,h)), a.push(Q(d, "labelPointStyle", this,h)), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.labelTextColors=a, this.data), a.push(Q(d, "labelPointStyles=o, this.data), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=o, this.data)), a.push(Q(d, "labelPointStyles=
 Points=r,r\} update(t,e) \{let s=this.options.setContext(this.getContext()), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.active), n=this.\_active,o,a=[]; if(!n.ac
 length)this.opacity!==0&&(o={opacity:0});else{let r=Ee[s.position].call(this,n,this.eventPosition);
 a=this.createItems(s),this.title=this.getTitle(a,s),this.beforeBody=this.getBeforeBody(a,s),this.bo
dy=this.getBody(a,s),this.afterBody=this.getAfterBody(a,s),this.footer=this.getFooter(a,s);let l=thi
s._size=po(this,s),c=Object.assign({},r,l),h=mo(this.chart,s,c),d=bo(s,c,h,this.chart);this.xAlign=h
    .xAlign,this.yAlign=h.yAlign,o={opacity:1,x:d.x,y:d.y,width:l.width,height:l.height,caretX:r.x,caret
 Y:r.y}}this._tooltipItems=a,this._context=void 0,o&&this._resolveAnimations().update(this,o),t&&s.ex
 ternal&&s.external.call(this,{chart:this.chart,tooltip:this,replay:e})}drawCaret(t,e,s,n){let o=this
.getCaretPosition(t,s,n);e.lineTo(o.x1,o.y1),e.lineTo(o.x2,o.y2),e.lineTo(o.x3,o.y3)\}getCaretPosition(t,e,s)\{let\{xAlign:n,yAlign:o\}=this,\{caretSize:a,cornerRadius:r\}=s,\{topLeft:l,topRight:c,bottomLeft:lineTo(o,x2,o,y3)\}getCaretPosition(t,e,s)\}
 :h,bottomRight:d}=At(r),{x:u,y:f}=t,{width:g,height:p}=e,m,b,x,v,y,_;return o==="center"?(y=f+p/2,n=
 =="left"?(m=u,b=m-a,v=y+a,_=y-a):(m=u+g,b=m+a,v=y-
 a_{y+a}, x=m: (n==="left"?b=u+Math.max(l,h)+a:n==="right"?b=u+g-Math.max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-max(c,d)-ma
```

```
a:b=this.caretX,o==="top"?(v=f,y=v-a,m=b-a,x=b+a):(v=f+p,y=v+a,m=b+a,x=b-a),\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y2:y,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y3:\\ [=v], \{x1:m,x2:b,x3:x,y1:v,y3:\\ [=v], \{x1:m,x3:b,x3:x,y1:v,y3:\\ [=v], \{x1:m,x3:b,x3:x,y1:x,y3:\\ [=v], \{x1:m,x3:x,y1:x,y3:\\ [=v], \{x1:m,x3:x,y3:\\ [=v], \{x1:m,x
 e.textBaseline="middle",a=[](s.titleFont),r=s.titleSpacing,e.fillStyle=s.titleColor,e.font=a.string,l
 =0; <0; ++1)e. fillText(n[l], c.x(t.x), t.y+a.lineHeight/2), t.y+=a.lineHeight+r, l+1===o&(t.y+=s.titleMa)
 rginBottom-r)}} drawColorBox(t,e,s,n,o){let a=this.labelColors[s],r=this.labelPointStyles[s],{boxHei
ght:l,boxWidth:c}=o,h=[](o.bodyFont),d=bi(this,"left",o),u=n.x(d),f=l<h.lineHeight?(h.lineHeight-l)/2:0,g=e.y+f;if(o.usePointStyle){let p={radius:Math.min(c,l)/2,pointStyle:r.pointStyle,rotation:r.
 rotation, border \verb|Width:1||, m=n.leftForLtr(u,c)+c/2|, b=g+l/2|, t.strokeStyle=o.multiKeyBackground, t.fillStyle=o.multiKeyBackground, t.fi
 le=o.multiKeyBackground, ri(t,p,m,b), t.strokeStyle=\bar{a}.borderColor, t.fillStyle=a.backgroundColor, ri(t,p,m,b), t.strokeStyle=\bar{a}.borderColor, t.fillStyle=a.backgroundColor, ri(t,p,m,b), t.strokeStyle=\bar{a}.borderColor, t.fillStyle=a.backgroundColor, ri(t,p,m,b), t.strokeStyle=\bar{a}.borderColor, t.fillStyle=a.backgroundColor, ri(t,p,m,b), t.strokeStyle=\bar{a}.borderColor, t.fillStyle=a.backgroundColor, ri(t,p,m,b), t.strokeStyle=\bar{a}.borderColor, t.fillStyle=a.backgroundColor, ri(t,p,m,b), t.strokeStyle=a.backgroundColor,   ,m,b)}else{t.lineWidth=T(a.borderWidth)?Math.max(...Object.values(a.borderWidth)):a.borderWidth||1,t
    .strokeStyle=a.borderColor,t.setLineDash(a.borderDash||[]),t.lineDashOffset=a.borderDashOffset||0;le
 t p=n.leftForLtr(u,c),m=n.leftForLtr(n.xPlus(u,1),c-
 2), b=At(a.borderRadius); Object.values(b).some(x=>x!==0)?(t.beginPath(),t.fillStyle=o.multiKeyBackgro
 und,ne(t,{x:p,y:g,w:c,h:l,radius:b}),t.fill(),t.stroke(),t.fillStyle=a.backgroundColor,t.beginPath()
  , ne(t, \{x:m, y:g+1, w:c-2, h:l-
 2,radius:b}),t.fill()):(t.fillStyle=o.multiKeyBackground,t.fillRect(p,g,c,l),t.strokeRect(p,g,c,l),t
     .fillStyle=a.backgroundColor,t.fillRect(m,g+1,c-2,l-
 2))}t.fillStyle=this.labelTextColors[s]}drawBody(t,e,s){let{body:n}=this,{bodySpacing:o,bodyAlign:a,
 b=n[y],x=this.labelTextColors[y],e.fillStyle=x,E(b.before,p),v=b.lines,r&&v.length&&(this._drawColor Box(e,t,y,g,s),u=Math.max(d.lineHeight,l)),_=0,w=v.length;_<w;++_)p(v[_]),u=d.lineHeight;E(b.after,p))f=0,u=d.lineHeight,E(this.afterBody,p),t.y-=o}drawFooter(t,e,s){let
 n=this.footer,o=n.length,a,r;if(o){let l=Vt(s.rtl,this.x,this.width);for(t.x=bi(this,s.footerAlign,s
  ),t.y+=s.footerMarginTop,e.textAlign=l.textAlign(s.footerAlign),e.textBaseline="middle",a=∏(s.footer
Font), e.fillStyle=s.footerColor, e.font=a.string, r=0; r<0; ++r)e.fillText(n[r], l.x(t.x), t.y+a.lineHeight/2), t.y+=a.lineHeight+s.footerSpacing}}drawBackground(<math>t,e,s,n){let{xAlign:o,yAlign:a}=this,{x:r,y:lineHeight+s.footerSpacing}}
 }=t,{width:c,height:h}=s,{topLeft:d,topRight:u,bottomLeft:f,bottomRight:g}=At(n.cornerRadius);e.fill
 Style=n.backgroundColor,e.strokeStyle=n.borderColor,e.lineWidth=n.borderWidth,e.beginPath(),e.moveTo
  (r+d,l),a==="top"&&this.drawCaret(t,e,s,n),e.lineTo(r+c-
 u,l),e. \\  quadraticCurveTo(r+c,l,r+c,l+u),a==="center"\&\&o==="right"\&\&this.drawCaret(t,e,s,n),e.lineTo(r+c,l+h-g),e.quadraticCurveTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+c-lineTo(r+c,l+h,r+
 \label{eq:global_global_global} g, l+h), a==="bottom" \& this.drawCaret(t,e,s,n),e.lineTo(r+f,l+h),e.quadraticCurveTo(r,l+h,r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r,l+h-r
  f),a==="center"&&o==="left"&&this.drawCaret(t,e,s,n),e.lineTo(r,l+d),e.quadraticCurveTo(r,l,r+d,l),e
  .closePath(),e.fill(),n.borderWidth>0&&e.stroke()} updateAnimationTarget(t){let
 e=this.chart,s=this.\squareanimations,n=s&&s.x,o=s&&s.y;\overline{if}(n||o){let
a=Ee[t.position].call(this,this._active,this._eventPosition);if(!a)return;let r=this._size=po(this,t),l=Object.assign({},a,this._size),c=mo(e,t,l),h=bo(t,l,c,e);(n._to!==h.x||o._to!==h.y)&&(this.xAlig)
 n=c.xAlign,this.yAlign=c.yAlign,this.width=r.width,this.height=r.height,this.caretX=a.x,this.caretY=
 a.y,this. resolveAnimations().update(this,h))}} willRender(){return!!this.opacity}draw(t){let e=this
   . options. \overline{s} et Context (this. get Context()), s = this. opacity; if (!s) return; this. \underline{updateAnimationTarget(e)}; learning the following the set of the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following the following 
 t \ n=\{width: this.width, height: this.height\}, o=\{x: this.x, y: this.y\}; s=Math.a\overline{b}s(s) < .001?0: s; let \ a=q(e.pad) + (e.pad) l{length} \verb|ding|, r=this.title.length|| this.before Body.length|| this.body.length|| this.after Body.length|| this.foologies after Body.length|| this.foologies after Body.length|| this.after Body.length|| this.before Body.length|| this.before Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.after Body.length|| this.a
 ter.length; e.enabled\&\&r\&\&(t.save(),t.globalAlpha=s,this.drawBackground(o,t,n,e),as(t,e.textDirection)
 ),o.y+=a.top,this.drawTitle(o,t,e),this.drawBody(o,t,e),this.drawFooter(o,t,e),rs(t,e.textDirection)
 ,t.restore())}getActiveElements(){return this._active||[]}setActiveElements(t,e){let
s=this._active,n=t.map(({datasetIndex:r,index:l})=>{let c=this.chart.getDatasetMeta(r);if(!c)throw
 new Error("Cannot find a dataset at index "+r);return{datasetIndex:r,element:c.data[l],index:l}}),o=
!ke(s,n), a=this.\_positionChanged(n,e); (o||a)&&(this.\_active=n,this.\_eventPosition=e,this.\_ignoreReplayEvents=!0,this.update(!0))} handleEvent(t,e,s=!0) { if (e&&this.\_ignoreReplayEvents) return!1; this.\_ignoreReplayEvents=!1; let n=this.options,o=this.\_active||[],a=this.\_getActiveElements(t,o,e,s),r=this.\_positionChanged(a,t),l=e||:ke(a,o)||r; return l&&(this.\_active=a,(n.enabled||n.external)&&(this.\_eventPositionChanged(a,t),l=e||:ke(a,o)||r; return l&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_active=a,(n.enabled||n.external)&&(this.\_act
 tPosition={x:t.x,y:t.y},this.update(!0,e))),l}_getActiveElements(t,e,s,n){let
 o=this.options;if(t.type==="mouseout")return[];if(!n)return e.filter(r=>this.chart.data.datasets[r.d
 atasetIndex]&&this.chart.getDatasetMeta(r.datasetIndex).controller.getParsed(r.index)!==void 0);let
 a = this.chart.getElementsAtEventForMode(t,o.mode,o,s); return \ o.reverse\& a.reverse(),a \}\_positionChange
 d(t,e){let{caretX:s,caretY:n,options:o}=this,a=Ee[o.position].call(this,t,e);return
 a!==!1\&\&(s!==a.x||n!==a.y)\}; M(Ve, "positioners", Ee); var
ah={id:"tooltip",_element:Ve,positioners:Ee,afterInit(i,t,e){e&&(i.tooltip=new Ve({chart:i,options:e}))},beforeUpdate(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip&&i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.tooltip.initialize(e)},reset(i,t,e){i.
 alize (e)\}, after Draw (i) \{let \ t=i.tooltip; if (t\&\&t.\_will Render ()) \{let \ e=\{tooltip:t\}; if (i.notify Plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te for the plugins ("alize te 
beforeTooltipDraw",{...e,cancelable:!0})===!1)return;t.draw(i.ctx),i.notifyPlugins("afterTooltipDraw",e)}},afterEvent(i,t){if(i.tooltip){let e=t.replay;i.tooltip.handleEvent(t.event,e,t.inChartArea)&&
(t.changed=!0)}},defaults:{enabled:!0,external:null,position:"average",backgroundColor:"rgba(0,0,0,0)
.8)",titleColor:"#fff",titleFont:{weight:"bold"},titleSpacing:2,titleMarginBottom:6,titleAlign:"left
",bodyColor:"#fff",bodySpacing:2,bodyFont:{},bodyAlign:"left",footerColor:"#fff",footerSpacing:2,footerMarginTop:6,footerFont:{weight:"bold"},footerAlign:"left",padding:6,caretPadding:2,caretSize:5,co
 rnerRadius:6,boxHeight:(i,t)=>t.bodyFont.size,boxWidth:(i,t)=>t.bodyFont.size,multiKeyBackground:"#fff",displayColors:!0,boxPadding:0,borderColor:"rgba(0,0,0,0)",borderWidth:0,animation:{duration:400,
 easing: "easeOutQuart"}, animations: {numbers: {type: "number", properties: ["x", "y", "width", "height", "care
```

```
tX", "caretY"]}, opacity:{easing:"linear",duration:200}}, callbacks:Ko},defaultRoutes:{bodyFont:"font",
footerFont:"font",titleFont:"font"},descriptors:{_scriptable:i=>i!=="filter"&&i!=="itemSort"&&i!=="e
xternal",_indexable:!1,callbacks:{_scriptable:!1,_indexable:!1},animation:{_fallback:!1},animations:
{_fallback:"animation"}},additionalOptionScopes:["interaction"]},rh=Object.freeze({__proto__:null,Co})
 lors: c,Decimation:kc,Filler:jc,Legend:qc,SubTitle:Jc,Title:Zc,Tooltip:ah}),lh=(i,t,e,s)=>(typeof
 t=="string"?(e=i.push(t)-1,s.unshift({index:e,label:t})):isNaN(t)&&(e=null),e);function
ch(i,t,e,s){let n=i.index0f(t);if(n===-1)return lh(i,t,e,s);let o=i.lastIndex0f(t);return
n!==o?e:n}var hh=(i,t)=>i===null?null:Y(Math.round(i),0,t);function yo(i){let
 t=this.getLabels();return i>=0&&i<t.length?t[i]:i}var Ie=class extends
Ut{constructor(t){super(t),this._startValue=void
0,this. valueRange=0,this. addedLabels=[]}init(t){let e=this. addedLabels;if(e.length){let
 s=this.getLabels();for(let{index:n,label:o}of
 e)s[n] == o\&\&s.splice(n,1); this.\_addedLabels = [] \\ super.init(t) \\ parse(t,e) \\ \{if(A(t)) \\ return \\ null; let \\ addedLabels = [] \\ super.init(t) \\ parse(t,e) \\ \{if(A(t)) \\ return \\ null; let \\ addedLabels = [] \\ super.init(t) \\ parse(t,e) \\ \{if(A(t)) \\ return \\ null; let \\ addedLabels = [] \\ super.init(t) \\ parse(t,e) \\ \{if(A(t)) \\ return \\ null; let \\ addedLabels = [] \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ super.init(t) \\ sup
 s=this.getLabels(); return e=isFinite(e) \&\&s[e]===t?e:ch(s,t,D(e,t),this. addedLabels), hh(e,s.length-labels)
 1)}determineDataLimits(){let{minDefined:t,maxDefined:e}=this.getUserBounds(),{min:s,max:n}=this.getM
 inMax(!0); this.options.bounds==="ticks"&&(t||(s=0),e||(n=this.getLabels().length-
 1)),this.min=s,this.max=n}buildTicks(){let t=this.min,e=this.max,s=this.options.offset,n=[],o=this.g
 etLabels(); o=t===0&&e===o.length-1?o:o.slice(t,e+1),this._valueRange=Math.max(o.length-
 (s?0:1),1), this._startValue=this.min-(s?.5:0); for(let a=t;a<=e;a++)n.push(\{value:a\}); return
 n}getLabelForValue(t){return yo.call(this,t)}configure(){super.configure(),this.isHorizontal()||(thi
 s. reversePixels=!this. reversePixels)}getPixelForValue(t){return typeof t!="number"&&(t=this.parse(
 t)), t===null?NaN:this.getPixelForDecimal((t-
 this. startValue)/this. valueRange)}getPixelForTick(t){let e=this.ticks;return
 t<0||t>e.length-1?null:This.getPixelForValue(e[t].value)}getValueForPixel(t){return
Math.round(this._startValue+this.getDecimalForPixel(t)*this._valueRange)}getBasePixel(){return this.bottom}};M(Ie,"id","category"),M(Ie,"defaults",{ticks:{callback:yo}});function dh(i,t){let e=[],{bounds:n,step:o,min:a,max:r,precision:l,count:c,maxTicks:h,maxDigits:d,includeBounds:u}=i,f=o||1,g
 =h-1, \{\min:p,\max:m\}=t,b=!A(a),x=!A(r),v=!A(c),y=(m-p)/(d+1), =Vi((m-p)/g/f)*f,k,w,S,P;if(\_<le-model)
14&&!b&&!x)return[{value:p},{value:m}];P=Math.ceil(m/_)-
Math.floor(p/_),P>g&&(_=Vi(P*_/g/f)*f),A(l)||(k=Math.pow(10,l),_=Math.ceil(_*k)/k),n==="ticks"?(w=Math.floor(p/_)*_,S=Math.ceil(m/_)*_):(w=p,S=m),b&&x&&o&an((r-a)/o,_/1e3)?(P=Math.round(Math.min((r-a)/_,h)),_=(r-a)/P,w=a,S=r):v?(w=b?a:w,S=x?r:S,P=c-1,_=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P):(P=(S-w)/P)
w)/_,ee(P,Math.round(P),_/1e3)?P=Math.round(P):P=Math.ceil(P));let

O=Math.max(Ni(_),Ni(w));k=Math.pow(10,A(l)?0:l),w=Math.round(w*k)/k,S=Math.round(S*k)/k;let C=0;for(
b\&\&(u\&\&w!==a?(e.push(\{value:a\}),w<a\&\&C++,ee(Math.round((w+C*_)*k)/k,a,vo(a,y,i))\&\&C++):w<a\&\&C++);C<P;++C)\{let L=Math.round((w+C*_)*k)/k;if(x&\&L>r)break;e.push(\{value:L\})\}return x&&u&&S!==r?e.length&&e
 e(e[e.length-1].value,r,vo(r,y,i))?e[e.length-1].value=r:e.push(\{value:r\}):(!x||S===r)\&\&e.push(\{value:S\}),e\}function
 vo(i,t,{horizontal:e,minRotation:s}){let
 n=ot(s), o=(e?Math.sin(n):Math.cos(n))||.001,a=.75*t*(""+i).length; return Math.min(t/o,a)}var
 pe=class extends Ut{constructor(t){super(t),this.start=void 0,this.end=void 0,this._startValue=void
 0,this. endValue=void 0,this. valueRange=0}parse(t,e){return A(t)||(typeof t=="number"||t instanceof
 Number)\bar{\&}!isFinite(+t)?null:+\bar{t}}handleTickRangeOptions(){let{beginAtZero:t}=this.options,{minDefined:
 e, maxDefined:s}=this.getUserBounds(), {min:n, max:o}=this, a=l=>n=e?n:l, r=l=>o=s?o:l;if(t){let
 l=lt(n), c=lt(0); l<0\&\&c<0?r(0): l>0\&\&c>0\&\&a(0)\} if(n===0){let}
 l=o==0?1:Math.abs(o^*.05); \\ r(o+l),t||a(n-l)| \\ this.min=n,this.max=o|getTickLimit()| \\ let = o==0?1:Math.abs(o^*.05); \\ r(o+l),t||a(n-l)| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.min=n,this.max=o|getTickLimit()| \\ this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,this.min=n,
 t=this.options.ticks,{maxTicksLimit:e,stepSize:s}=t,n;return s?(n=Math.ceil(this.max/s)-
 Math.floor(this.min/s)+1,n>1e3&&(console.warn(`scales.\Pi{this.id}.ticks.stepSize: \Pi{s} would result
 generating up to \[ ]\{n\} \] ticks. Limiting to
 1000.), n=1e3): (n=this.computeTickLimit(), e=e||11), e&&(n=Math.min(e,n)), n}computeTickLimit(){return}
 Number.POSITIVE INFINITY}buildTicks(){let
 t=this.options,e=t.ticks,s=this.qetTickLimit();s=Math.max(2,s);let n={maxTicks:s,bounds:t.bounds,min
 :t.min, max:t.max, precision:e.precision, step:e.stepSize, count:e.count, maxDigits:this.\_maxDigits(), horeup and the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the count of the co
 izontal:this.isHorizontal(), minRotation:e.minRotation||0, includeBounds:e.includeBounds!==!1}, o=this.
   range||this,a=dh(n,o);return t.bounds==="ticks"&&Wi(a,this,"value"),t.reverse?(a.reverse(),this.sta_
 rt=this.max,this.end=this.min):(this.start=this.min,this.end=this.max),a}configure(){let
 t=this.ticks,e=this.min,s=this.max;if(super.configure(),this.options.offset&&t.length){let n=(s-
e)/Math.max(t.length-1,1)/2;e-=n,s+=n}this._startValue=e,this._endValue=s,this._valueRange=s-e}getLabelForValue(t){return se(t,this.chart.options.locale,this.options.ticks.format)}},Fe=class
 extends \ pe\{determineDataLimits()\{let\{min:t,max:e\}=this.getMinMax(!0);this.min=N(t)?t:0,this.max=N(e)\} \\
 ?e:1,this.handleTickRangeOptions()}computeTickLimit(){let t=this.isHorizontal(),e=t?this.width:this.
 height, s=ot(this.options.ticks.minRotation), n=(t?Math.sin(s):Math.cos(s))||.001,o=this.resolveTickF
ontOptions(0);return Math.ceil(e/Math.min(40,o.lineHeight/n))}getPixelForValue(t){return t===null?Na
N:this.getPixelForDecimal((t-this._startValue)/this._valueRange)}getValueForPixel(t){return this._st
artValue+this.getDecimalForPixel(t)*this._valueRange}};M(Fe,"id","linear"),M(Fe,"defaults",{ticks:{callback:we.formatters.numeric}});var He=i=>Math.floor(xt(i)),Nt=(i,t)=>Math.pow(10,He(i)+t);function Mo(i){return i/Math.pow(10,He(i))===1}function ko(i,t,e){let
 s=Math.pow(10,e), n=Math.floor(i/s); return \ Math.ceil(t/s)-n \} function \ uh(i,t) \{let \ math.pow(10,e), n=Math.floor(i/s); return \ Math.ceil(t/s)-n \} function \ uh(i,t) \} the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec
e=t-i,s=He(e); for(;ko(i,t,s)>10;)s++; for(;ko(i,t,s)<10;)s--; return Math.min(s,He(i)) \} function \\ fh(i,\{min:t,max:e\}) \{t=J(i.min,t); let s=[],n=He(t),o=uh(t,e),a=o<0?Math.pow(10,Math.abs(o)):1,r=Math.min(s,He(i)) a=o<0.
 pow(10,o), l=n>o? Math.pow(10,n):0, c=Math.round((t-l)*a)/a, h=Math.floor((t-l)*a)/a
 l)/r/10)*r*10,d=Math.floor((c-
 h)/Math.pow(10,o)), u=J(i.min,Math.round((l+h+d*Math.pow(10,o))*a)/a); for(;u<e;)s.push({value:u,major})
```

```
:Mo(u), significand:d\}), d>=10?d=d<15?15:20:d++, d>=20&&(o++, d=2, a=o>=0?1:a), u=Math.round((l+h+d*Math.p))
 ow(10,0))*a)/a;let f=J(i.max,u);return s.push({value:f,major:Mo(f),significand:d}),s}var ze=class
 extends Ut{constructor(t){super(t),this.start=void 0,this.end=void 0,this. startValue=void
 0,this._valueRange=0}parse(t,e){let
 s=pe.prototype.parse.apply(this,[t,e]); if(s===0){this. zero=!0; return} return N(s)&&>0?s:null}determ
 ineDataLimits(){let{min:t,max:e}=this.getMinMax(!0);this.min=N(t)?Math.max(0,t):null,this.max=N(e)?M
ath.max(0,e):null,this.options.beginAtZero&&(this._zero=!0),this._zero&&this.min!==this._suggestedMin&&!N(this. userMin)&&(this.min=t===Nt(this.min,0)?Nt(this.min,-
 1):Nt(this.min,0)),this.handleTickRangeOptions()}handleTickRangeOptions(){let{minDefined:t,maxDefine}
 d:e\}=this.getUserBounds(),s=this.min,n=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0?(o(1),a(10)):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0?(o(1),a(10)):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=>s=t?s:r,a=r=>n=e?n:r;s===n&(s<=0.01):s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,o=r=s=this.max,
 (o(Nt(s,-1)),a(Nt(n,1)))), s<=0\&\&o(Nt(n,-1)), n<=0\&\&a(Nt(s,1)), this.min=s, this.max=n}buildTicks(){let
t=this.options,e={min:this._userMin,max:this._userMax},s=fh(e,this);return t.bounds==="ticks"&&Wi(s,this,"value"),t.reverse?(s.reverse(),this.start=this.max,this.end=this.min):(this.start=this.min,thi
 s.end=this.max),s}getLabelForValue(t){return t===void
 0?"0":se(t,this.chart.options.locale,this.options.ticks.format)}configure(){let t=this.min;super.con
 figure(),this. startValue=xt(t),this. valueRange=xt(this.max)-
 xt(t)getPixelForValue(t){return(t===Void 0||t===0)&(t=this.min),t===null||isNaN(t)?NaN:this.getPix
 elForDecimal(t===this.min?0:(xt(t)-this._startValue)/this._valueRange)}getValueForPixel(t){let
 e=this.getDecimalForPixel(t);return Math.pow(10,this. startValue+e*this. valueRange)}};M(ze,"id","lo
garithmic"),M(ze,"defaults",{ticks:{callback:we.formatters.logarithmic,major:{enabled:!0}}});functio
n Is(i){let t=i.ticks;if(t.display&&i.display){let e=q(t.backdropPadding);return
 D(t.font&&t.font.size, V.font.size) +e.height} return 0} function gh(i,t,e) {return
 e=z(e)?e:[e],\{w:pn(i,t.string,e),h:e.length*t.lineHeight\}\}function wo(i,t,e,s,n){return
 i = = s | |i = = n?{start:t-e/2,end:t+e/2}:i < s | |i > n?{start:t-e,end:t}:{start:t,end:t+e}} function ph(i){let i = = s | |i = = n?{start:t-e/2,end:t+e/2}:i < s | |i > n?{start:t-e,end:t}:{start:t,end:t+e}} function ph(i){let i = = s | |i = = n?{start:t-e/2,end:t+e/2}:i < s | |i > n?{start:t-e,end:t}:{start:t,end:t+e}} function ph(i){let i = = s | |i = = n?{start:t-e/2,end:t+e/2}:i < s | |i > n?{start:t-e,end:t}:{start:t,end:t+e}} function ph(i){let i = = s | |i = = s | |i = = n?{start:t-e/2,end:t+e/2}:i < s | |i > n?{start:t-e,end:t}:{start:t,end:t+e}} function ph(i){let i = s | |i = = s | |i = = s | |i = = s | |i = = s | |i = = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = s | |i = 
t={l:i.left+i._padding.left,r:i.right-i._padding.right,t:i.top+i._padding.top,b:i.bottom-
i._padding.bottom},e=0bject.assign({},t),s=[],n=[],o=i._pointLabels.length,a=i.options.pointLabels,r
=a.centerPointLabels?R/o:0;for(let l=0;l<o;l++){let</pre>
 c=a.setContext(i.getPointLabelContext(l));n[l]=c.padding;let
 h=i.getPointPosition(l,i.drawingArea+n[l],r),d=[(c.font),u=gh(i.ctx,d,i._pointLabels[l]);s[l]=u;let
 f=X(\dot{1}.getIndexAngle(l)+r),g=Math.round(si(f)),p=wo(g,h.x,u.w,0,180),m=wo(g,h.y,u.h,90,270);mh(e,t,f,g)
 p,m)\} i.setCenterPoint(t.l-e.l,e.r-t.r,t.t-e.t,e.b-t.b), i.\_pointLabelItems = \_h(i,s,n)\} function
 mh(i,t,e,s,n){let o=Math.abs(Math.sin(e)),a=Math.abs(Math.cos(e)),r=0,l=0;s.start<t.l?(r=(t.l-
 s.start)/o,i.l=Math.min(i.l,t.l-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.end-r)):s.end>t.r&(r=(s.
 t.r)/o, i.r = Math.max(i.r,t.r+r)), n.start < t.t?(l = (t.t-n.start)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, i.t = Math.min(i.t,t.t-r)/a, 
 \label{local-continuity} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \begin{subarray}{ll} \be
 ra:n,additionalAngle:o,padding:a,size:r}=e,l=i.getPointPosition(t,s+n+a,o),c=Math.round(si(X(l.angle
+H))), h=Mh(l.y,r.h,c),d=yh(c),u=vh(l.x,r.w,d);return{visible:!0,x:l.x,y:h,textAlign:d,left:u,top:h,right:u+r.w,bottom:h+r.h}}function xh(i,t){if(!t)return!0;let{left:e,top:s,right:n,bottom:o}=i;return
 !(ht(\{x:e,y:s\},t)||ht(\{x:e,y:o\},t)||ht(\{x:n,y:s\},t)||ht(\{x:n,y:o\},t))\}function _h(i,t,e)\{let\ s=[],n=1\}
 i. pointLabels.length,o=i.options,{centerPointLabels:a,display:r}=o.pointLabels,l={extra:Is(o)/2,add
 itionalAngle:a?R/n:0},c;for(let h=0;h<n;h++){l.padding=e[h],l.size=t[h];let
e = = "right"?i-=t:e = = "center" \& (i-=t/2), i \} function Mh(i,t,e) \{ return e = -t/2, i \} function Mh(i,t,e) \} 
 e==90||e==270?i-=t/2:(e>270||e<90)&(i-=t),i}function
 kh(i,t,e){let{left:s,top:n,right:o,bottom:a}=e,{backdropColor:r}=t;if(!A(r)){let
 l=At(t.borderRadius),c=q(t.backdropPadding);i.fillStyle=r;let h=s-c.left,d=n-c.top,u=o-
 s+c.width.f=a-
 n+c.height;Object.values(l).some(g=>g!==0)?(i.beginPath(),ne(i,{x:h,y:d,w:u,h:f,radius:l}),i.fill())
 :i.fillRect(h,d,u,f)}}function wh(i,t){let{ctx:e,options:{pointLabels:s}}=i;for(let
 n=t-1;n>=0;n--){let o=i._pointLabelItems[n];if(!o.visible)continue;let
a=s.setContext(i.getPointLabelContext(n));kh(e,a,o);let r=[(a.font),{x:l,y:c,textAlign:h}=o;Ct(e,i._pointLabels[n],l,c+r.lineHeight/2,r,{color:a.color,textAlign:h,textBaseline:"middle"})}}function qo(i,t,e,s){let{ctx:n}=i;if(e)n.arc(i.xCenter,i.yCenter,t,0,B);else{let o=i.getPointPosition(0,t);n.moveTo(o.x,o.y);for(let
 a=1; a<s; a++) o=i.getPointPosition(a,t), n.lineTo(o.x,o.y)\} \\ function Sh(i,t,e,s,n) \\ \{let o=i.ctx, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=t.circ, a=
 ular, \{color:r, lineWidth:l\}=t; !a\&\&!s||!r||!l||e<0||(o.save(), o.strokeStyle=r, o.lineWidth=l, o.setLineDiamonth of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the color of the
 ash(n.dash||[]),o.lineDashOffset=n.dashOffset,o.beginPath(),qo(i,e,a,s),o.closePath(),o.stroke(),o.r
estore())}function Ph(i,t,e){return yt(i,{label:e,index:t,type:"pointLabel"})}var jt=class extends
pe{constructor(t){super(t),this.xCenter=void 0,this.yCenter=void 0,this.drawingArea=void
 0,this. pointLabels=[],this. pointLabelItems=[]}setDimensions(){let t=this. padding=q(Is(this.option
 s)/2), e=this.width=this.maxWidth-t.width, s=this.height=this.maxHeight-
 t.height;this.xCenter=Math.floor(this.left+e/2+t.left),this.yCenter=Math.floor(this.top+s/2+t.top),t
 \label{limits} his.drawing Area = Math.floor(Math.min(e,s)/2) \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)\} \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max:e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max,e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max,e\}=this.getMinMax(!1,max)] \} determine Data Limits() \{let\{min:t,max,e\}=this.getMinMax(!1,max)] \} determin
 ); this.min=N(t)&&!isNaN(t)?t:0, this.max=N(e)&&!isNaN(e)?e:0, this.handleTickRangeOptions()} computeTic
 kLimit(){return Math.ceil(this.drawingArea/Is(this.options))}generateTickLabels(t){pe.prototype.gene
rateTickLabels.call(this,t),this._pointLabels=this.getLabels().map((e,s)=>{let
n=F(this.options.pointLabels.callback,[e,s],this);return
 .pointLabels.display?ph(this):this.setCenterPoint(0,0,0,0)}setCenterPoint(t,e,s,n){this.xCenter+=Mat
 h.floor((t-e)/2),this.yCenter+=Math.floor((s-n)/2),this.drawingArea-
 =Math.min(this.drawingArea/2,Math.max(t,e,s,n))}getIndexAngle(t){let
 e=B/(this. pointLabels.length||1),s=this.options.startAngle||0;return
```

```
X(t*e+ot(s))}getDistanceFromCenterForValue(t){if(A(t))return NaN;let e=this.drawingArea/(this.max-
this.min); return
this.options.reverse?(this.max-t)*e:(t-this.min)*e}getValueForDistanceFromCenter(t){if(A(t))return
NaN; let e=t/(this.drawingArea/(this.max-this.min)); return
this.options.reverse?this.max-e:this.min+e}getPointLabelContext(t){let
e=this._pointLabels||[];if(t>=0&&t<e.length){let s=e[t];return
Ph(this.getContext(),t,s)}}getPointPosition(t,e,s=0){let n=this.getIndexAngle(t)-
H+s; return{x: Math.cos(n)*e+this.xCenter,y: Math.sin(n)*e+this.yCenter,angle:n}}qetPointPositionForVal
ue(t.e){return
this.getPointPosition(t,this.getDistanceFromCenterForValue(e))}getBasePosition(t){return this.getPoi
ntPositionForValue(t||0,this.getBaseValue()))}getPointLabelPosition(t){let{left:e,top:s,right:n,botto
m:o}=this._pointLabelItems[t];return{left:e,top:s,right:n,bottom:o}}drawBackground(){let{backgroundC}
olor:t,grid:{circular:e}}=this.options;if(t){let s=this.ctx;s.save(),s.beginPath(),qo(this,this.getD istanceFromCenterForValue(this._endValue),e,this._pointLabels.length),s.closePath(),s.fillStyle=t,s.fill(),s.restore()}}drawGrid(){let t=this.ctx,e=this.options,{angleLines:s,grid:n,border:o}=e,a=this
   pointLabels.length,r,l,c;if(e.pointLabels.display&&wh(this,a),n.display&&this.ticks.forEach((h,d)=
>{if(d!==0||d===0&&this.min<0){l=this.getDistanceFromCenterForValue(h.value);let u=this.getContext(d
),f=n.setContext(u),g=o.setContext(u);Sh(this,f,l,a,g)}}),s.display){for(t.save(),r=a-1;r>=0;r--)}{let h=s.setContext(this.getPointLabelContext(r)),{color:d,lineWidth:u}=h;!u||!d||(t.lineWidth=u,t.
strokeStyle=d,t.setLineDash(h.borderDash),t.lineDashOffset=h.borderDashOffset,l=this.getDistanceFrom
CenterForValue(e.reverse?this.min:this.max),c=this.getPointPosition(r,l),t.beginPath(),t.moveTo(this
.xCenter,this.yCenter),t.lineTo(c.x,c.y),t.stroke())}t.restore()}}drawBorder(){}drawLabels(){let
t=this.ctx,e=this.options,s=e.ticks;if(!s.display)return;let n=this.getIndexAngle(0),o,a;t.save(),t.
translate(this.xCenter,this.yCenter),t.rotate(n),t.textAlign="center",t.textBaseline="middle",this.t icks.forEach((r,l)=>{if(l===0&&this.min>=0&&!e.reverse)return;let c=s.setContext(this.getContext(l))
 h=(c.font); if(o=this.getDistanceFromCenterForValue(this.ticks[l].value), c.showLabelBackdrop){t.fon}
t=h.string,a=t.measureText(r.label).width,t.fillStyle=c.backdropColor;let d=q(c.backdropPadding);t.f
illRect(-a/2-d.left,-o-h.size/2-d.top,a+d.width,h.size+d.height)}Ct(t,r.label,0,
o,h,{color:c.color,strokeColor:c.textStrokeColor,strokeWidth:c.textStrokeWidth})}),t.restore()}drawT
itle(){}};M(jt,"id","radialLinear"),M(jt,"defaults",{display:!0,animate:!0,position:"chartArea",angl
eLines:{display:!0,lineWidth:1,borderDash:[],borderDashOffset:0},grid:{circular:!1},startAngle:0,tic
ks:{showLabelBackdrop:!0,callback:we.formatters.numeric},pointLabels:{backdropColor:void
0,backdropPadding:2,display:!0,font:{size:10},callback(t){return t},padding:5,centerPointLabels:!1}}
),M(jt,"defaultRoutes",{"angleLines.color":"borderColor","pointLabels.color":"color","ticks.color":"
color"}),M(jt,"descriptors",{angleLines:{_fallback:"grid"}});var 0i={millisecond:{common:!0,size:1,s}}
teps:1e3},second:{common:!0,size:1e3,steps:60},minute:{common:!0,size:6e4,steps:60},hour:{common:!0,
size:36e5,steps:24},day:{common:!0,size:864e5,steps:30},week:{common:!1,size:6048e5,steps:4},month:{
common: !0, size: 2628e6, steps: 12}, quarter: {common: !1, size: 7884e6, steps: 4}, year: {common: !0, size: 3154e7}
t=0, tt=0bject.keys(0i); function So(i,t){return i-t}function Po(i,t){if(A(t))return null; let
e=i._adapter,{parser:s,round:n,isoWeekday:o}=i._parseOpts,a=t;return typeof
 = \text{"function"} \&\&(a=s(a)), N(a) \mid | (a=typeof s=="string"?e.parse(a,s):e.parse(a)), a===null?null:(n&&(a=n=="week"&&(Bt(o)||o===!0)?e.start0f(a,"isoWeek",o):e.start0f(a,n)),+a)} function Do(i,t,e,s) {let the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property o
n=tt.length;for(let o=tt.indexOf(i);o<n-1;++o){let a=0i[tt[o]],r=a.steps?a.steps:Number.MAX SAFE INT
EGER; if (a.common\&Math.ceil((e-t)/(r*a.size)) \le s) return tt[o] return tt[n-1] function
Dh(i,t,e,s,n){for(let o=tt.length-1;o>=tt.indexOf(e);o--){let
a = tt[o]; if(0i[a].common\&\&i. adapter.diff(n,s,a) >= t-1) return a \} return tt[e?tt.index0f(e):0] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[t] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[t] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[t] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[t] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[tt] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[tt] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[tt] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]].common) return tt[tt] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]]].common) return tt[tt] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]]].common) return tt[tt] \} function 0h(i) \{ for(let t=tt.index0f(i)+1,e=tt.length;t<e;++t) if(0i[tt[t]]].common (let t=tt.length;t<e;++t) if(0i[tt]]].common (let t=tt.leng
0o(i,t,e)\{if(!e)i[t]=!0;else
if(e.length)\{let\{lo:s,hi:n\}=ni(e,t),o=e[s]>=t?e[s]:e[n];i[o]=!0\}\}function Ch(i,t,e,s)\{let n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. adapt n=i. ad
er,o=+n.startOf(t[0].value,s),a=t[t.length-
1].value,r,l;for(r=0;r<=a;r=+n.add(r,1,s))l=e[r],l>=0&&(t[l].major=!0);return t}function
Co(i,t,e){let
s=[],n={},o=t.length,a,r;for(a=0;a<o;++a)r=t[a],n[r]=a,s.push({value:r,major:!1});return
o===0||!e?s:Ch(i,s,n,e)}var Yt=class extends Ut{constructor(t){super(t),this._cache={data:[],labels:
[],all:[]},this. unit="day",this. majorUnit=void
0, this.\_offsets = \{\}, this.\_normalized = !1, this.\_parse0pts = void \ 0\} init(t, e = \{\}) \{ let = (a, b) \} 
s=t.time||(t.time={}),n=this._adapter=new Hr._date(t.adapters.date);n.init(e),Qt(s.displayFormats,n.
formats()),this. parseOpts={parser:s.parser,round:s.round,isoWeekday:s.isoWeekday},super.init(t),thi
s._normalized=e.normalized}parse(t,e){return t===void 0?null:Po(this,t)}beforeLayout(){super.beforeLayout(),this._cache={data:[],labels:[],all:[]}}determineDataLimits(){let t=this.options,e=this._adap
ter,s=t.time.unit||"day",{min:n,max:o,minDefined:a,maxDefined:r}=this.getUserBounds();function l(c){
!a&&!isNaN(c.min)&&(n=Math.min(n,c.min)),!r&&!isNaN(c.max)&&(o=Math.max(o,c.max))}(!a||!r)&&(l(this.
   getLabelBounds()),(t.bounds!=="ticks"||t.ticks.source!=="labels")&&l(this.getMinMax(!1))),n=N(n)&&!
\overline{is}NaN(n)?n:+e.start0f(Date.now(),s),o=N(o)&&!isNaN(o)?o:+e.end0f(Date.now(),s)+1,this.min=Math.min(n)
 ,o-1),this.max=Math.max(n+1,o)}_getLabelBounds(){let
t=this.getLabelTimestamps(),e=Number.POSITIVE INFINITY,s=Number.NEGATIVE INFINITY;return
t.length\&\&(e=t[0],s=t[t.length-1]),\\ \{min:e,max:s\}\\ buildTicks()\\ \{let\ t=this.options,e=t.time,s=t.ticks,n=s.source==="labels"?this.getLabelTimestamps():this._generate();t.bounds==="ticks"&&n.length&&(this._min=this._userMin||n[0],this.max=this._userMax||n[n.length-1]);let
o=this.min,a=this.max,r=cn(n,o,a);return this._unit=e.unit||(s.autoSkip?Do(e.minUnit,this.min,this.m
ax,this. getLabelCapacity(o)):Dh(this,r.length,e.minUnit,this.min,this.max)),this. majorUnit=!s.majo
r.enabled||this._unit==="year"?void 0:0h(this._unit),this.initOffsets(n),t.reverse&&r.reverse(),Co(this,r,this._majorUnit)}afterAutoSkip(){this.options.offsetAfterAutoskip&&this.initOffsets(this.ticks)
```

```
.map(t=>+t.value))}initOffsets(t=[]){let e=0,s=0,n,o;this.options.offset&&t.length&&(n=this.getDecim
 alForValue(t[0]),t.length===1?e=1-n:e=(this.getDecimalForValue(t[1])-
 n)/2.o=this.qetDecimalForValue(t[t.length-1]),t.length===1?s=o:s=(o-
 this.getDecimalForValue(t[t.length-2]))/2);let a=t.length<3?.5:.25;e=Y(e,0,a),s=Y(s,0,a),this._offse
 ts={start:e,end:s,factor:1/(e+1+s)}}_generate(){let t=this._adapter,e=this.min,s=this.max,n=this.opt
 ions,o=n.time,a=o.unit||Do(o.minUnit,e,s,this.getLabelCapacity(e)),r=D(n.ticks.stepSize,1),l=a==="w
eek"?o.isoWeekday:!1,c=Bt(l)||l===!0,h={},d=e,u,f;if(c&&(d=+t.start0f(d,"isoWeek",l)),d=+t.start0f(d,c?"day":a),t.diff(s,e,a)>1e5*r)throw new Error(e+" and "+s+" are too far apart with stepSize of "+r+" "+a);let g=n.ticks.source==="data"&&this.getDataTimestamps();for(u=d,f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,a),f=0;u<s;u=+t.add(u,r,
 ++)0o(h,u,g);return(u===s||n.bounds==="ticks"||f===1)&\(00(h,u,g),0bject.keys(h).sort(So).map(p=>+p)\)
 getLabelForValue(t){let e=this. adapter,s=this.options.time;return
 s.tooltipFormat?e.format(t,s.tooltipFormat):e.format(t,s.displayFormats.datetime)}format(t,e){let
 n=this.options.time.displayFormats,o=this.unit,a=e||n[o];return
 this. adapter.format(t,a)} tickFormatFunction(t,e,s,n){let
 o=this.options,a=o.ticks.callback;if(a)return F(a,[t,e,s],this);let r=o.time.displayFormats,l=this.
 unit,c=this. majorUnit,h=1\&\&r[1],d=c\&\&r[c],u=s[e],f=c\&\&d\&\&u\&\&u.major;return
 this.\_adapter.format(t,n||(f?d:h)) \\ generateTickLabels(t) \\ \{let\ e,s,n;for(e=0,s=t.length;e< s; ++e)n=t[e]\} \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ (e) \\ 
  t===null?NaN:(t-this.min)/(this.max-this.min)}getPixelForValue(t){let
 e=this. offsets,s=this.getDecimalForValue(t);return
 this.getPixelForDecimal((e.start+s)*e.factor)}getValueForPixel(t){let
 e=this._offsets,s=this.getDecimalForPixel(t)/e.factor-e.end;return this.min+s*(this.max-
 this.min)_getLabelSize(t){let e=this.options.ticks,s=this.ctx.measureText(t).width,n=ot(this.isHori)}
 zontal()?e.maxRotation:e.minRotation),o=Math.cos(n),a=Math.sin(n),r=this.resolveTickFontOptions(0).
 size; return{w:s*o+r*a,h:s*a+r*o}}_getLabelCapacity(t){let e=this.options.time,s=e.displayFormats,n=s
[e.unit]||s.millisecond,o=this._tickFormatFunction(t,0,Co(this,[t],this._majorUnit),n),a=this._getLa
 belSize(o), r=Math.floor(this.isHorizontal()?this.width/a.w:this.height/a.h)-1; return
 r>0?r:1}getDataTimestamps(){let t=this._cache.data||[],e,s;if(t.length)return t;let
 n=this.getMatchingVisibleMetas();if(this. normalized&&n.length)return this. cache.data=n[0].controll
 er.get All Parsed Values (this); for (e=0, s=n.length; e< s; ++e) t=t.concat (n[e].controller.get All Parsed Values) the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the secon
 (this));return this._cache.data=this.normalize(t)}getLabelTimestamps(){let
 t=this._cache.labels[|[],e,s;if(t.length)return t;let
 n=this.getLabels();for(e=0,s=n.length;e<s;++e)t.push(Po(this,n[e]));return</pre>
 this. cache.labels=this. normalized?t:this.normalize(t)}normalize(t){return ∏i(t.sort(So))}};M(Yt,"i
d", "time"), M(Yt, "defaults", {bounds: "data", adapters: {}, time: {parser: !1, unit: !1, round: !1, isoWeekday: !1, minUnit: "millisecond", displayFormats: {}}, ticks: {source: "auto", callback: !1, major: {enabled: !1}}}); fun
 ction xi(i,t,e){let s=0,n=i.length-
1,o,a,r,l;e?(t>=i[s].pos\&t<=i[n].pos&(\{lo:s,hi:n\}=ct(i,"pos",t)),\{pos:o,time:r\}=i[s],\{pos:a,time:l\}=i[n]):(t>=i[s].time&t<=i[n].time&(\{lo:s,hi:n\}=ct(i,"time",t)),\{time:o,pos:r\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l\}=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{time:a,pos:l]=i[s],\{t
 =i[n]);let c=a-o;return c?r+(l-r)*(t-o)/c:r}var Be=class extends
 Yt{constructor(t){super(t),this._table=[],this._minPos=void 0,this._tableRange=void
 0}initOffsets(){let t=this. getTimestampsForTable(),e=this. table=this.buildLookupTable(t);this. min
 Pos=xi(e,this.min),this._tableRange=xi(e,this.max)-
 this. minPos, super.initOffsets(t) | buildLookupTable(t) { let{min:e,max:s}=this,n=[],o=[],a,r,l,c,h;for(
 a=0, r=t.length; a< r; ++a) c=t[a], c>=e&&c<=s&&n.push(c); if(n.length<2) return[{time:e,pos:0},{time:s,pos:}]
 1\}]; for(a=0,r=n.length;a< r;++a)h=n[a+1],l=n[a-1]
 1], c=n[a], Math.round((h+l)/2)! == c\&o.push(\{time: c, pos: a/(r-1)\}); return o\}_generate()\{let t=this.min, let the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant of the constant
 e=this.max,s=super.getDataTimestamps();return(!s.includes(t)||!s.length)&\overline{\&s}s.splice(0,0,t),(!s.includ
 es(e)||s.length===1)&&s.push(e),s.sort((n,o)=>n-o)} getTimestampsForTable(){let
 t=this. cache.all||[];if(t.length)return t;let
 e=this.\overline{getDataTimestamps()}, s=this.\overline{getLabelTimestamps()}; return \ e.length\&s.length?t=this.normalize(e.
 concat(s)): t=e.length?e:s,t=this._cache.all=t,t}getDecimalForValue(t){return(xi(this._table,t)-
this._minPos)/this._tableRange}getValueForPixel(t){let e=this._offsets,s=this.getDecimalForPixel(t)/e.factor-e.end;return xi(this._table,s*this._tableRange
 +this._minPos,!0)}};M(Be,"id","timeseries"),M(Be,"defaults",Yt.defaults);var Ah=Object.freeze({__pro
               :null,CategoryScale:Ie,LinearScale:Fe,LogarithmicScale:ze,RadialLinearScale:jt,TimeScale:Yt,Time
 SeriesScale:Be)),Go=[Nr,uc,rh,Ah];at.register(...Go);var Fs=at;function Th({dataChecksum:i,labels:t,
values:e}){return{dataChecksum:i,init(){Alpine.effect(()=>{Alpine.store("theme");let
s=this.getChart();s&s.destroy(),this.initChart()}),window.matchMedia("(prefers-color-scheme:
dark)").addEventListener("change",()=>{Alpine.store("theme")==="system"&&this. [nextTick(()=>{let s=t})]
 his.getChart();s&&s.destroy(),this.initChart()})}),initChart(){if(!(!this.prefs.canvas||!this.prefs
  .backgroundColorElement||!this. refs. borderColorElement))return new Fs(this. refs. canvas, type: line
",data:{labels:t,datasets:[{data:e,borderWidth:2,fill:"start",tension:.5,backgroundColor:getComputed Style(this.prefs.backgroundColorElement).color,borderColor:getComputedStyle(this.prefs.backgroundColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).color.borderColorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).colorElement).co
 ement).color}]},options:{animation:{duration:0},elements:{point:{radius:0}},maintainAspectRatio:!1,p
 lugins:{legend:{display:!1}},scales:{x:{display:!1}},tooltips:{enabled:!1}}})},getCha
 rt(){return this. refs.canvas?Fs.getChart(this. refs.canvas):null}}}export{Th as default};
 /*! Bundled license information:
 @kurkle/color/dist/color.esm.js:
        (*!

* @kurkle/color v0.3.4

//ai+huh.com/ki
```

* https://github.com/kurkle/color#readme

public\js\filament\widgets\components\stats-overview\stat\chart.js

```
* (c) 2024 Jukka Kurkela
* Released under the MIT License
*)

chart.js/dist/chunks/helpers.dataset.js:
chart.js/dist/chart.js:
    (*!
    * Chart.js v4.5.0
    * https://www.chartjs.org
    * (c) 2025 Chart.js Contributors
    * Released under the MIT License
    *)
*/
```

resources\css\app.css

```
@import 'tailwindcss';
@plugin 'tailwindcss-animate':
@source '../views';
@source '../../vendor/laravel/framework/src/Illuminate/Pagination/resources/views/*.blade.php';
@custom-variant dark (&:is(.dark *));
@theme {
     --font-sans:
'Instrument Sans', ui-sans-serif, system-ui, sans-serif, 'Apple Color Emoji', 'Segoe UI Emoji', 'Segoe UI Symbol', 'Noto Color Emoji';
     --radius-lg: var(--radius);
     --radius-md: calc(var(--radius) - 2px);
--radius-sm: calc(var(--radius) - 4px);
     --color-background: var(--background);
     --color-foreground: var(--foreground);
     --color-card: var(--card);
     --color-card-foreground: var(--card-foreground);
     --color-popover: var(--popover);
     --color-popover-foreground: var(--popover-foreground);
     --color-primary: var(--primary);
--color-primary-foreground: var(--primary-foreground);
     --color-secondary: var(--secondary);
     --color-secondary-foreground: var(--secondary-foreground);
     --color-muted: var(--muted):
     --color-muted-foreground: var(--muted-foreground);
     --color-accent: var(--accent);
     --color-accent-foreground: var(--accent-foreground);
     --color-destructive: var(--destructive);
     --color-destructive-foreground: var(--destructive-foreground);
     --color-border: var(--border);
     --color-input: var(--input);
     --color-ring: var(--ring);
     --color-chart-1: var(--chart-1);
     --color-chart-2: var(--chart-2);
     --color-chart-3: var(--chart-3);
     --color-chart-4: var(--chart-4);
--color-chart-5: var(--chart-5);
     --color-sidebar: var(--sidebar);
     --color-sidebar-foreground: var(--sidebar-foreground);
     --color-sidebar-primary: var(--sidebar-primary);
     --color-sidebar-primary-foreground: var(--sidebar-primary-foreground);

--color-sidebar-accent: var(--sidebar-accent);

--color-sidebar-accent-foreground: var(--sidebar-accent-foreground);
     --color-sidebar-border: var(--sidebar-border);
     --color-sidebar-ring: var(--sidebar-ring);
}
:root {
     --background: oklch(1 0 0);
--foreground: oklch(0.145 0 0);
     --card: oklch(1 0 0);

--card-foreground: oklch(0.145 0 0);

--popover: oklch(1 0 0);
     --popover-foreground: oklch(0.145 0 0);
--primary: oklch(0.205 0 0);
     --primary-foreground: oklch(0.985 0 0);
     --secondary: oklch(0.97 0 0);
     --secondary-foreground: oklch(0.205 0 0);
```

```
--muted: oklch(0.97 0 0);
--muted-foreground: oklch(0.556 0 0);
     --accent: oklch(0.97 0 0);
     --accent-foreground: oklch(0.205 0 0);
--destructive: oklch(0.577 0.245 27.325);
     --destructive-foreground: oklch(0.577 0.245 27.325);
     --border: oklch(0.922 0 0);
     --input: oklch(0.922 0 0);
     --ring: oklch(0.87 0 0);

--chart-1: oklch(0.646 0.222 41.116);
     --chart-2: oklch(0.6 0.118 184.704);

--chart-3: oklch(0.398 0.07 227.392);
     --chart-4: oklch(0.828 0.189 84.429);
     --chart-5: oklch(0.769 0.188 70.08);
     --radius: 0.625rem;
     --sidebar: oklch(0.985 0 0);
--sidebar-foreground: oklch(0.145 0 0);
     --sidebar-primary: oklch(0.205 0 0);
     --sidebar-primary-foreground: oklch(0.985 0 0);
--sidebar-accent: oklch(0.97 0 0);
     --sidebar-accent-foreground: oklch(0.205 0 0);
     --sidebar-border: oklch(0.922 0 0);
     --sidebar-ring: oklch(0.87 0 0);
}
.dark {
     --background: oklch(0.145 0 0);
     --foreground: oklch(0.985 0 0);
--card: oklch(0.145 0 0);
     --card-foreground: oklch(0.985 0 0);
     --popover: oklch(0.145 0 0);
     --popover-foreground: oklch(0.985 0 0);
     --primary: oklch(0.985 0 0);
--primary-foreground: oklch(0.205 0 0);
--secondary: oklch(0.269 0 0);
     --secondary-foreground: oklch(0.985 0 0);
     --muted: oklch(0.269 0 0);
     --muted-foreground: oklch(0.708 0 0);
     --accent: oklch(0.269 0 0);
--accent-foreground: oklch(0.985 0 0);
     --destructive: oklch(0.396 0.141 25.723);
     --destructive-foreground: oklch(0.637 0.237 25.331);
     --border: oklch(0.269 0 0);
     --input: oklch(0.269 0 0);
     --ring: oklch(0.439 0 0);
--chart-1: oklch(0.488 0.243 264.376);
     --chart-2: oklch(0.696 0.17 162.48);
     --chart-3: oklch(0.769 0.188 70.08);
     --chart-4: oklch(0.627 0.265 303.9);
     --chart-5: oklch(0.645 0.246 16.439);
--sidebar: oklch(0.205 0 0);
     --sidebar-foreground: oklch(0.985 0 0);

--sidebar-primary: oklch(0.985 0 0);

--sidebar-primary-foreground: oklch(0.985 0 0);
     --sidebar-accent: oklch(0.269 0 0);
     --sidebar-accent-foreground: oklch(0.985 0 0);
     --sidebar-border: oklch(0.269 0 0);
--sidebar-ring: oklch(0.439 0 0);
}
@layer base {
     * {
          @apply border-border;
     }
     body {
          @apply bg-background text-foreground;
}
```

resources\js\app.tsx

```
import '../css/app.css';
import { createInertiaApp } from '@inertiajs/react';
import { resolvePageComponent } from 'laravel-vite-plugin/inertia-helpers';
import { createRoot } from 'react-dom/client';
import { initializeTheme } from './hooks/use-appearance';

const appName = import.meta.env.VITE_APP_NAME || 'Laravel';

createInertiaApp({
    title: (title) => title ? `[{title} - [{appName} `: appName,
    resolve: (name) => resolvePageComponent(`./pages/[{name}.tsx`,
import.meta.glob('./pages/**/*.tsx')),
    setup({ el, App, props }) {
        const root = createRoot(el);

        root.render(<App {...props} />);
    },
    progress: {
        color: '#4B5563',
    },
});

// This will set light / dark mode on load...
initializeTheme();
```

resources\js\ssr.tsx

```
import { createInertiaApp } from '@inertiajs/react';
import createServer from '@inertiajs/react/server';
import { resolvePageComponent } from 'laravel-vite-plugin/inertia-helpers';
import ReactDOMServer from 'react-dom/server';

const appName = import.meta.env.VITE_APP_NAME || 'Laravel';

createServer((page) =>
    createInertiaApp({
        page,
        render: ReactDOMServer.renderToString,
        title: (title) => (title ? `[{title} - [{appName} `: appName),
        resolve: (name) => resolvePageComponent(`./pages/[{name}.tsx`,
import.meta.glob('./pages/**/*.tsx')),
        setup: ({ App, props }) => {
            return <App {...props} />;
        },
    }),
});
```

resources\js\components\app-content.tsx

```
import { SidebarInset } from '@/components/ui/sidebar';
import * as React from 'react';

interface AppContentProps extends React.ComponentProps<'main'> {
    variant?: 'header' | 'sidebar';
}

export function AppContent({ variant = 'header', children, ...props }: AppContentProps) {
    if (variant === 'sidebar') {
        return <SidebarInset {...props}>{children}</SidebarInset>;
    }

    return (
        <main className="mx-auto flex h-full w-full max-w-7xl flex-1 flex-col gap-4 rounded-xl"
{...props}>
        {children}
        </main>
    );
}
```

```
import { Breadcrumbs } from '@/components/breadcrumbs';
import { Icon } from '@/components/icon';
import { Avatar, AvatarFallback, AvatarImage } from '@/components/ui/avatar';
import { Button } from '@/components/ui/button';
import { DropdownMenu, DropdownMenuContent, DropdownMenuTrigger } from '@/components/ui/dropdown-
menu';
import { NavigationMenu, NavigationMenuItem, NavigationMenuList, navigationMenuTriggerStyle } from
'@/components/ui/navigation-menu';
          Sheet, SheetContent, SheetHeader, SheetTitle, SheetTrigger } from '@/components/ui/sheet'; Tooltip, TooltipContent, TooltipProvider, TooltipTrigger } from '@/components/ui/tooltip'; UserMenuContent } from '@/components/user-menu-content';
import {
import {
import {
import { useInitials } from '@/hooks/use-initials';
import { cn } from '@/lib/utils';
          dashboard } from '@/routes';
import {
          type BreadcrumbItem, type NavItem, type SharedData } from '@/types';
Link, usePage } from '@inertiajs/react';
import {
import {
import { BookOpen, Folder, LayoutGrid, Menu, Search } from 'lucide-react';
import AppLogo from './app-logo';
import AppLogoIcon from './app-logo-icon';
const mainNavItems: NavItem[] = [
         title: 'Dashboard',
         href: dashboard(),
         icon: LayoutGrid,
    }.
];
const rightNavItems: NavItem[] = [
     {
         title: 'Repository',
href: 'https://github.com/laravel/react-starter-kit',
         icon: Folder,
         title: 'Documentation',
href: 'https://laravel.com/docs/starter-kits#react',
         icon: BookOpen,
     },
1:
const activeItemStyles = 'text-neutral-900 dark:bg-neutral-800 dark:text-neutral-100';
interface AppHeaderProps {
     breadcrumbs?: BreadcrumbItem[];
export function AppHeader({ breadcrumbs = [] }: AppHeaderProps) {
     const page = usePage<SharedData>();
     const { auth } = page.props;
     const getInitials = useInitials();
     return (
         <>
              <div className="border-b border-sidebar-border/80">
                   <div className="mx-auto flex h-16 items-center px-4 md:max-w-7xl">
                        {/* Mobile Menu */}
                        <div className="lg:hidden">
                             <Sheet>
                                 <SheetTrigger asChild>
                                      <Button variant="ghost" size="icon" className="mr-2 h-[34px]</pre>
w-[34px]">
                                           <Menu className="h-5 w-5" />
                                      </Button>
                                 </SheetTrigger>
                                 <SheetContent side="left" className="flex h-full w-64 flex-col items-</pre>
stretch justify-between bg-sidebar">
                                      <SheetTitle className="sr-only">Navigation Menu</SheetTitle>
                                      <SheetHeader className="flex justify-start text-left">
                                           <AppLogoIcon className="h-6 w-6 fill-current text-black</pre>
dark:text-white" />
                                      </SheetHeader>
                                      <div className="flex h-full flex-1 flex-col space-y-4 p-4">
                                           <div className="flex h-full flex-col justify-between text-sm">
```

```
<div className="flex flex-col space-y-4">
                                            {mainNavItems.map((item) => (
                                                <Link key={item.title} href={item.href}</pre>
className="flex items-center space-x-2 font-medium">
                                                   {item.icon && <Icon iconNode={item.icon}
className="h-5 w-5" />}
                                                    <span>{item.title}</span>
                                            ))}
                                        </div>
                                        <div className="flex flex-col space-y-4">
                                            {rightNavItems.map((item) => (
                                                    kev={item.title}
                                                   href={typeof item.href === 'string' ? item.href
: item.href.url}
                                                   target=" blank"
                                                   rel="noopener noreferrer"
                                                   className="flex items-center space-x-2 font-
medium"
                                                    {item.icon && <Icon iconNode={item.icon}
className="h-5 w-5" />}
                                                    <span>{item.title}</span>
                                               </a>
                                           ))}
                                        </div>
                                   </div>
                                </div>
                            </SheetContent>
                       </Sheet>
                   </div>
                    <Link href={dashboard()} prefetch className="flex items-center space-x-2">
                       <AppLogo />
                    {/* Desktop Navigation */}
                    <div className="ml-6 hidden h-full items-center space-x-6 lg:flex">
                        <NavigationMenu className="flex h-full items-stretch">
                            <NavigationMenuList className="flex h-full items-stretch space-x-2">
                               items-center">
                                        I ink
                                           href={item.href}
                                            className={cn(
                                               navigationMenuTriggerStyle(),
                                                page.url === (typeof item.href === 'string' ?
item.href : item.href.url) && activeItemStyles,
                                                'h-9 cursor-pointer px-3',
                                            )}
                                            {item.icon && <Icon iconNode={item.icon} className="mr-2</pre>
h-4 w-4" />}
                                            {item.title}
                                        </Link>
                                        {page.url === item.href && (
                                           <div className="absolute bottom-0 left-0 h-0.5 w-full</pre>
translate-y-px bg-black dark:bg-white"></div>
                                        ) }
                                    </NavigationMenuItem>
                               ))}
                            </NavigationMenuList>
                       </NavigationMenu>
                    </div>
                    <div className="ml-auto flex items-center space-x-2">
                       <div className="relative flex items-center space-x-1">
                            <Button variant="ghost" size="icon" className="group h-9 w-9 cursor-</pre>
pointer">
                                <Search className="!size-5 opacity-80 group-hover:opacity-100" />
```

resources\js\components\app-header.tsx

```
</Button>
                           <div className="hidden lg:flex">
                               {rightNavItems.map((item) => (
                                   <TooltipProvider key={item.title} delayDuration={0}>
                                       <Tooltip>
                                           <TooltipTrigger>
                                               <a
                                                   href={typeof item.href === 'string' ? item.href
: item.href.url}
                                                   target=" blank"
                                                   rel="noopener noreferrer"
                                                   className="group ml-1 inline-flex h-9 w-9 items-
center justify-center rounded-md bg-transparent p-0 text-sm font-medium text-accent-foreground ring-
offset-background transition-colors hover:bg-accent hover:text-accent-foreground focus-
visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 focus-visible:outline-none
disabled:pointer-events-none disabled:opacity-50"
                                                   <span className="sr-only">{item.title}</span>
                                                   {item.icon && <Icon iconNode={item.icon}
className="size-5 opacity-80 group-hover:opacity-100" />}
                                               </a>
                                           </TooltipTrigger>
                                           <TooltipContent>
                                               {item.title}
                                           </TooltipContent>
                                       </Tooltip>
                                   </TooltipProvider>
                               ))}
                           </div>
                       </div>
                       <DropdownMenu>
                           <DropdownMenuTrigger asChild>
                               <AvatarImage src={auth.user.avatar} alt={auth.user.name} />
                                       <AvatarFallback className="rounded-lg bg-neutral-200 text-</pre>
black dark:bg-neutral-700 dark:text-white">
                                           {getInitials(auth.user.name)}
                                       </AvatarFallback>
                                   </Avatar>
                               </Button>
                           </DropdownMenuTrigger>
                           chropdownMenuContent className="w-56" align="end">
                               <UserMenuContent user={auth.user} />
                           </DropdownMenuContent>
                       </DropdownMenu>
                   </div>
               </div>
           </div>
           {breadcrumbs.length > 1 && (
               <div className="flex w-full border-b border-sidebar-border/70">
                   <div className="mx-auto flex h-12 w-full items-center justify-start px-4 text-</pre>
neutral-500 md:max-w-7xl">
                       <Breadcrumbs breadcrumbs={breadcrumbs} />
                   </div>
   )}
</>
               </div>
```

resources\js\components\app-logo-icon.tsx

```
import { SVGAttributes } from 'react';
export default function AppLogoIcon(props: SVGAttributes<SVGElement>) {
      return (
            <svg {...props} viewBox="0 0 40 42" xmlns="http://www.w3.org/2000/svg">
                  <path
                       fillRule="evenodd"
                       clipRule="evenodd"
                       d="M17.2 5.63325L8.6 0.855469L0 5.63325V32.1434L16.2 41.1434L32.4 32.1434V23.699L40
19.4767V9.85547L31.4 5.07769L22.8 9.85547V18.2999L17.2 21.411V5.63325ZM38 18.2999L32.4 21.411V15.2545L38 12.1434V18.2999ZM36.9409 10.4439L31.4 13.5221L25.8591 10.4439L31.4 7.36561L36.9409 10.4439ZM24.8 18.2999V12.1434L30.4 15.2545V21.411L24.8 18.2999ZM23.8 20.0323L29.3409 23.1105L16.2 30.411L10.6591 27.3328L23.8 20.0323ZM7.6 27.9212L15.2 32.1434V38.2999L2 30.9666V7.92116L7.6
11.0323V27.9212ZM8.6 9.29991L3.05913 6.22165L8.6 3.14339L14.1409 6.22165L8.6 9.29991ZM30.4
24.8101L17.2 32.1434V38.2999L30.4 30.9666V24.8101ZM9.6 11.0323L15.2 7.92117V22.5221L9.6
25.6333V11.0323Z"
                 />
            </svq>
      );
}
```

resources\js\components\app-logo.tsx

resources\js\components\app-shell.tsx

```
import { SidebarProvider } from '@/components/ui/sidebar';
import { SharedData } from '@/types';
import { usePage } from '@inertiajs/react';

interface AppShellProps {
    children: React.ReactNode;
    variant?: 'header' | 'sidebar';
}

export function AppShell({ children, variant = 'header' }: AppShellProps) {
    const isOpen = usePage<SharedData>().props.sidebarOpen;

    if (variant === 'header') {
        return <div className="flex min-h-screen w-full flex-col">{children}</div>;
    }

    return <SidebarProvider defaultOpen={isOpen}>{children}</sidebarProvider>;
}
```

resources\js\components\app-sidebar-header.tsx

resources\js\components\app-sidebar.tsx

```
import { NavFooter } from '@/components/nav-footer';
import { NavMain } from '@/components/nav-rooter;
import { NavMain } from '@/components/nav-main';
import { NavUser } from '@/components/nav-user';
import { Sidebar, SidebarContent, SidebarFooter, SidebarHeader, SidebarMenu, SidebarMenuButton,
SidebarMenuItem } from '@/components/ui/sidebar';
import { dashboard } from '@/routes';
import { dashboard } from '@/routes';
import { type NavItem } from '@/types';
import { Link } from '@inertiajs/react';
import { BookOpen, Folder, LayoutGrid } from 'lucide-react';
import AppLogo from './app-logo';
const mainNavItems: NavItem[] = [
      {
            title: 'Dashboard',
           href: dashboard(),
           icon: LayoutGrid,
      },
];
const footerNavItems: NavItem[] = [
           title: 'Repository',
href: 'https://github.com/laravel/react-starter-kit',
           icon: Folder,
      },
{
           title: 'Documentation',
           href: 'https://laravel.com/docs/starter-kits#react',
           icon: BookOpen,
      },
];
export function AppSidebar() {
      return (
           <Sidebar collapsible="icon" variant="inset">
                 <SidebarHeader>
                       <SidebarMenu>
                             <SidebarMenuItem>
                                   <SidebarMenuButton size="lg" asChild>
                                         <Link href={dashboard()} prefetch>
                                              <AppLogo />
                                         </Link>
                                   </SidebarMenuButton>
                             </SidebarMenuItem>
                       </SidebarMenu>
                 </SidebarHeader>
                 <SidebarContent>
                       <NavMain items={mainNavItems} />
                  </SidebarContent>
                  <SidebarFooter>
                       <NavFooter items={footerNavItems} className="mt-auto" />
                       <NavUser />
                  </SidebarFooter>
           </Sidebar>
     );
}
```

```
import { Button } from '@/components/ui/button';
import { DropdownMenu, DropdownMenuContent, DropdownMenuItem, DropdownMenuTrigger } from
'@/components/ui/dropdown-menu';
import { useAppearance } from '@/hooks/use-appearance';
import { Monitor, Moon, Sun } from 'lucide-react';
import { HTMLAttributes } from 'react';
export default function AppearanceToggleDropdown({ className = '', ...props }:
HTMLAttributes<HTMLDivElement>) {
    const { appearance, updateAppearance } = useAppearance();
    const getCurrentIcon = () => {
        switch (appearance) {
    case 'dark':
                return <Moon className="h-5 w-5" />;
            case 'light':
                return <Sun className="h-5 w-5" />;
            default:
                return <Monitor className="h-5 w-5" />;
        }
    };
    return (
        <div className={className} {...props}>
            <DropdownMenu>
                .
<DropdownMenuTrigger asChild>
                    <Button variant="ghost" size="icon" className="h-9 w-9 rounded-md">
                         {getCurrentIcon()}
                        <span className="sr-only">Toggle theme</span>
                    </Button>
                </DropdownMenuTrigger>
                <DropdownMenuContent align="end">
                    Light
                        </span>
                    </DropdownMenuItem>
                    <DropdownMenuItem onClick={() => updateAppearance('dark')}>
                        Dark
                        </span>
                    </DropdownMenuItem>
                    <DropdownMenuItem onClick={() => updateAppearance('system')}>
                        <span className="flex items-center gap-2">
                             <Monitor className="h-5 w-5" />
                             System
                         </span>
                    </DropdownMenuItem>
                </DropdownMenuContent>
            </DropdownMenu>
       </div>
    );
}
```

resources\js\components\appearance-tabs.tsx

```
import { Appearance, useAppearance } from '@/hooks/use-appearance';
import { cn } from '@/lib/utils';
import { LucideIcon, Monitor, Moon, Sun } from 'lucide-react';
import { HTMLAttributes } from 'react';
export default function AppearanceToggleTab({ className = '', ...props }:
HTMLAttributes<HTMLDivElement>) {
     const { appearance, updateAppearance } = useAppearance();
     const tabs: { value: Appearance; icon: LucideIcon; label: string }[] = [
          { value: 'light', icon: Sun, label: 'Light' },
{ value: 'dark', icon: Moon, label: 'Dark' },
{ value: 'system', icon: Monitor, label: 'System' },
     ];
     return (
          <div className={cn('inline-flex gap-1 rounded-lg bg-neutral-100 p-1 dark:bg-neutral-800',</pre>
<button
                         key={value}
                         onClick={() => updateAppearance(value)}
                         className={cn(
                              flex items-center rounded-md px-3.5 py-1.5 transition-colors',
                             appearance === value
                                  ? 'bg-white shadow-xs dark:bg-neutral-700 dark:text-neutral-100'
: 'text-neutral-500 hover:bg-neutral-200/60 hover:text-black dark:text-
neutral-400 dark:hover:bg-neutral-700/60',
                        )}
                         <Icon className="-ml-1 h-4 w-4" />
                         <span className="ml-1.5 text-sm">{label}</span>
                    </button>
    ))}
</div>
}
```

resources\js\components\breadcrumbs.tsx

```
import { Breadcrumb, BreadcrumbItem, BreadcrumbLink, BreadcrumbList, BreadcrumbPage,
BreadcrumbSeparator } from '@/components/ui/breadcrumb';
import { type BreadcrumbItem as BreadcrumbItemType } from '@/types';
import { Link } from '@inertiajs/react';
import { Fragment } from 'react';
export function Breadcrumbs({ breadcrumbs }: { breadcrumbs: BreadcrumbItemType[] }) {
      return (
           <>
                 {breadcrumbs.length > 0 \&\& (
                      <Breadcrumb>
                            <BreadcrumbList>
                                  {breadcrumbs.map((item, index) => {
                                       const isLast = index === breadcrumbs.length - 1;
                                       return (
                                             <Fragment key={index}>
                                                  <BreadcrumbItem>
                                                        {isLast ? (
                                                              <BreadcrumbPage>{item.title}</BreadcrumbPage>
                                                        ) : (
                                                              <BreadcrumbLink asChild>
    <Link href={item.href}>{item.title}</Link>
                                                              </BreadcrumbLink>
                                                        )}
                                                   </BreadcrumbItem>
                                                   {!isLast && <BreadcrumbSeparator />}
                                             </Fragment>
                                       );
   })}
</Breadcr
</Breadcrumb>
)}
</>
);
                                 })}
                            </BreadcrumbList>
}
```

resources\js\components\delete-user.tsx

```
import { destroy } from '@/actions/App/Http/Controllers/Settings/ProfileController';
import HeadingSmall from '@/components/heading-small';
import InputError from '@/components/input-error';
import Inputer or from @/components/input-error;
import { Button } from '@/components/ui/button';
import { Dialog, DialogClose, DialogContent, DialogDescription, DialogFooter, DialogTitle,
DialogTrigger } from '@/components/ui/dialog';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { Labet } from '@inertiajs/react';
import { useRef } from 'react';
export default function DeleteUser() {
    const passwordInput = useRef<HTMLInputElement>(null);
     return (
         <div className="space-y-6">
             <HeadingSmall titlé="Delete account" description="Delete your account and all of its</pre>
resources"
             <div className="space-y-4 rounded-lg border border-red-100 bg-red-50 p-4 dark:border-</pre>
red-200/10 dark:bg-red-700/10">
                  Please proceed with caution, this cannot be undone.
                  </div>
                  <Dialog>
                      <DialogTrigger asChild>
                           <Button variant="destructive">Delete account/Button>
                      </DialogTrigger>
                      <DialogContent>
                           <DialogTitle>Are you sure you want to delete your account?</DialogTitle>
                           <DialogDescription>
Once your account is deleted, all of its resources and data will also be permanently deleted. Please enter your password
                               to confirm you would like to permanently delete your account.
                          </DialogDescription>
                          <Form
                               {...destroy.form()}
                               options={{
                                   preserveScroll: true,
                               onError={() => passwordInput.current?.focus()}
                               reset0nSuccess
                               className="space-y-6"
                               {({ resetAndClearErrors, processing, errors }) => (
                                        <div className="grid gap-2">
                                            <Label htmlFor="password" className="sr-only">
                                                Password
                                            </Label>
                                            <Input
                                                 id="password"
                                                 type="password"
                                                name="password"
                                                 ref={passwordInput}
                                                 placeholder="Password"
                                                 .autoComplete="current-password"
                                            <InputError message={errors.password} />
                                        </div>
                                        <DialogFooter className="gap-2">
                                            <DialogClose asChild>
                                                 <Button variant="secondary" onClick={() =>
resetAndClearErrors()}>
                                                     Cancel
                                                </Button>
                                            </DialogClose>
```

resources\js\components\delete-user.tsx

resources\js\components\heading-small.tsx

resources\js\components\heading.tsx

resources\js\components\icon.tsx

```
import { cn } from '@/lib/utils';
import { type LucideProps } from 'lucide-react';
import { type ComponentType } from 'react';
interface IconProps extends Omit<LucideProps, 'ref'> {
    iconNode: ComponentType<LucideProps>;
}

export function Icon({ iconNode: IconComponent, className, ...props }: IconProps) {
    return <IconComponent className={cn('h-4 w-4', className)} {...props} />;
}
```

resources\js\components\input-error.tsx

resources\js\components\nav-footer.tsx

```
import { Icon } from '@/components/icon';
import { SidebarGroup, SidebarGroupContent, SidebarMenu, SidebarMenuButton, SidebarMenuItem } from
'@/components/ui/sidebar';
import { type NavItem } from '@/types';
import { type ComponentPropsWithoutRef } from 'react';
export function NavFooter({
    items,
    className,
     ...props
}: ComponentPropsWithoutRef<typeof SidebarGroup> & {
    items: NavItem[];
   {
     return (
         <SidebarGroup {...props} className={`group-data-[collapsible=icon]:p-0 [{className || ''}`}>
              <SidebarGroupContent>
                  <SidebarMenu>
                       {items.map((item) => (
                           <SidebarMenuItem key={item.title}>
                                <SidebarMenuButton
                                    asChild
                                    className="text-neutral-600 hover:text-neutral-800 dark:text-
neutral-300 dark:hover:text-neutral-100"
                                     <a href={typeof item.href === 'string' ? item.href : item.href.url}</pre>
target=" blank" rel="noopener noreferrer">
                                         {item.icon && <Icon iconNode={item.icon} className="h-5 w-5" />}
                                         <span>{item.title}</span>
                                     </a>
                                </SidebarMenuButton>
                           </SidebarMenuItem>
                       ))}
                  </SidebarMenu>
              </SidebarGroupContent>
         </SidebarGroup>
    );
}
```

resources\js\components\nav-main.tsx

```
import { SidebarGroup, SidebarGroupLabel, SidebarMenu, SidebarMenuButton, SidebarMenuItem } from
'@/components/ui/sidebar';
import { type NavItem } from '@/types';
import { Link, usePage } from '@inertiajs/react';
export function NavMain({ items = [] }: { items: NavItem[] }) {
    const page = usePage();
    return (
        <SidebarMenu>
                 \{items.map((item) => (
                     <SidebarMenuItem key={item.title}>
                          <SidebarMenuButton
                              asChild
                              isActive={page.url.startsWith(typeof item.href === 'string' ? item.href
: item.href.url)}
                              tooltip={{ children: item.title }}
                              <Link href={item.href} prefetch>
                                  {item.icon && <item.icon />} <span>{item.title}</span>
                              </Link>
                          </SidebarMenuButton>
                      </SidebarMenuItem>
                 ))}
             </SidebarMenu>
        </SidebarGroup>
    );
}
```

resources\js\components\nav-user.tsx

```
import { DropdownMenu, DropdownMenuContent, DropdownMenuTrigger } from '@/components/ui/dropdown-
menu';
import { SidebarMenu, SidebarMenuButton, SidebarMenuItem, useSidebar } from
'@/components/user-info';
import { UserInfo } from '@/components/user-info';
import { UserMenuContent } from '@/components/user-menu-content';
import { useIsMobile } from '@/hooks/use-mobile';
import { type SharedData } from '@/types';
import { usePage } from '@inertiajs/react';
import { ChevronsUpDown } from 'lucide-react';
export function NavUser() {
     const { auth } = usePage<SharedData>().props;
const { state } = useSidebar();
     const isMobile = useIsMobile();
     return (
          <SidebarMenu>
               <SidebarMenuItem>
                    <DropdownMenu>
                         <DropdownMenuTrigger asChild>
                              <SidebarMenuButton size="lg" className="group text-sidebar-accent-foreground</pre>
data-[state=open]:bg-sidebar-accent">
                                   <UserInfo user={auth.user} />
                                    <ChevronsUpDown className="ml-auto size-4" />
                              </SidebarMenuButton>
                         </DropdownMenuTrigger>
                         <DropdownMenuContent
                              className="w-(--radix-dropdown-menu-trigger-width) min-w-56 rounded-lg"
                              align="end"
                              side={isMobile ? 'bottom' : state === 'collapsed' ? 'left' : 'bottom'}
                              <UserMenuContent user={auth.user} />
                         </DropdownMenuContent>
                    </DropdownMenu>
               </SidebarMenuItem>
          </SidebarMenu>
     );
}
```

resources\js\components\text-link.tsx

resources\js\components\user-info.tsx

```
import { Avatar, AvatarFallback, AvatarImage } from '@/components/ui/avatar';
import { useInitials } from '@/hooks/use-initials';
import { type User } from '@/types';
export function UserInfo({ user, showEmail = false }: { user: User; showEmail?: boolean }) {
   const getInitials = useInitials();
    return (
        <>
            <Avatar className="h-8 w-8 overflow-hidden rounded-full">
                <AvatarImage src={user.avatar} alt={user.name} />
                <AvatarFallback className="rounded-lg bg-neutral-200 text-black dark:bg-neutral-700</pre>
dark:text-white">
                     {getInitials(user.name)}
                </AvatarFallback>
            </Avatar>
            foreground">{user.email}</span>}
            </div>
        </>
    );
}
```

resources\js\components\user-menu-content.tsx

```
import { DropdownMenuGroup, DropdownMenuItem, DropdownMenuLabel, DropdownMenuSeparator } from
'@/components/ui/dropdown-menu';
import { UserInfo } from '@/components/user-info';
import { useMobileNavigation } from '@/hooks/use-mobile-navigation';
import { logout } from '@/routes';
import { edit } from '@/routes/profile';
import {
import { type User } from '@/types';
import { Link, router } from '@inertiajs/react';
import { LogOut, Settings } from 'lucide-react';
interface UserMenuContentProps {
    user: User;
export function UserMenuContent({ user }: UserMenuContentProps) {
    const cleanup = useMobileNavigation();
    const handleLogout = () => {
         cleanup();
router.flushAll();
    };
    return (
             <DropdownMenuLabel className="p-0 font-normal">
                  </div>
             </DropdownMenuLabel>
             <DropdownMenuSeparator />
             <DropdownMenuGroup>
                  <DropdownMenuItem asChild>
                      .
<Link className="block w-full" href={edit()} as="button" prefetch
onClick={cleanup}>
                          <Settings className="mr-2" />
                          Settings
                      </Link>
                  </DropdownMenuItem>
             </DropdownMenuGroup>
             <DropdownMenuSeparator />
             <DropdownMenuItem asChild>
                  <Link className="block w-full" href={logout()} as="button" onClick={handleLogout}>
                      <LogOut className="mr-2" />
   </Link>
</DropdownMenuItem>
</>);
                      Log out
}
```

```
import * as React from "react"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@/lib/utils"
const alertVariants = cva(
  "relative w-full rounded-lg border px-4 py-3 text-sm grid has-[>svg]:grid-
cols-[calc(var(--spacing)*4) 1fr] grid-cols-[0 1fr] has-[>svg]:gap-x-3 gap-y-0.5 items-start
[&>svg]:size-4 [&>svg]:translate-y-0.5 [&>svg]:text-current",
  {
    variants: {
      variant: {
        default: "bg-background text-foreground",
        destructive:
          "text-destructive-foreground [&>svg]:text-current *:data-[slot=alert-description]:text-
destructive-foreground/80",
     },
    defaultVariants: {
      variant: "default",
    },
 }
)
function Alert({
  className,
  variant,
   ..props
}: React.ComponentProps<"div"> & VariantProps<typeof alertVariants>) {
  return (
    <div
      data-slot="alert"
      role="alert'
      className={cn(alertVariants({ variant }), className)}
      {...props}
}
function AlertTitle({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="alert-title"
      className={cn(
        "col-start-2 line-clamp-1 min-h-4 font-medium tracking-tight",
        className
      )}
      {...props}
}
function AlertDescription({
  className,
   ..props
}: React ComponentProps<"div">) {
  return (
    <div
      data-slot="alert-description"
      className={cn(
        "text-muted-foreground col-start-2 grid justify-items-start gap-1 text-sm [&_p]:leading-
relaxed",
        className
      )}
      {...props}
    />
export { Alert, AlertTitle, AlertDescription }
```

```
import * as React from "react"
import * as AvatarPrimitive from "@radix-ui/react-avatar"
import { cn } from "@/lib/utils"
function Avatar({
  className,
  ...props
}: React.ComponentProps<typeof AvatarPrimitive.Root>) {
  return (
    <AvatarPrimitive.Root
  data-slot="avatar"</pre>
      className={cn(
         "relative flex size-8 shrink-0 overflow-hidden rounded-full",
        className
      )}
      {...props}
   />
  )
function AvatarImage({
  className,
   ..props
}: React.ComponentProps<typeof AvatarPrimitive.Image>) {
  return (
    <AvatarPrimitive.Image
      data-slot="avatar-image"
className={cn("aspect-square size-full", className)}
      {...props}
}
function AvatarFallback({
  className,
   ...props
}: React.ComponentProps<typeof AvatarPrimitive.Fallback>) {
  return (
    <AvatarPrimitive.Fallback</pre>
      data-slot="avatar-fallback"
      className={cn(
         "bg-muted flex size-full items-center justify-center rounded-full",
        className
      )}
      {...props}
    />
  )
export { Avatar, AvatarImage, AvatarFallback }
```

resources\js\components\ui\badge.tsx

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@/lib/utils"
const badgeVariants = cva(
  "inline-flex items-center justify-center rounded-md border px-2 py-0.5 text-xs font-medium w-fit
whitespace-nowrap shrink-0 [&>svg]:size-3 gap-1 [&>svg]:pointer-events-none focus-visible:border-ring focus-visible:ring-ring/50 focus-visible:ring-[3px] aria-invalid:ring-destructive/20 dark:aria-
invalid:ring-destructive/40 aria-invalid:border-destructive transition-[color,box-shadow] overflow-
auto",
  {
    variants: {
      variant: {
        default:
           "border-transparent bg-primary text-primary-foreground [a&]:hover:bg-primary/90",
           "border-transparent bg-secondary text-secondary-foreground [a&]:hover:bg-secondary/90",
        destructive:
           "border-transparent bg-destructive text-white [a&]:hover:bg-destructive/90 focus-
visible:ring-destructive/20 dark:focus-visible:ring-destructive/40",
        outline:
           "text-foreground [a&]:hover:bg-accent [a&]:hover:text-accent-foreground",
      },
    defaultVariants: {
      variant: "default",
    },
  }
function Badge({
  className,
  variant,
  asChild = false,
   ...props
}: React.ComponentProps<"span"> &
  VariantProps<typeof badgeVariants> & { asChild?: boolean }) {
  const Comp = asChild ? Slot : "span"
  return (
    <Comp
      data-slot="badge"
      className={cn(badgeVariants({ variant }), className)}
      {...props}
    />
  )
export { Badge, badgeVariants }
```

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { ChevronRight, MoreHorizontal } from "lucide-react"
import { cn } from "@/lib/utils"
function Breadcrumb({ ...props }: React.ComponentProps<"nav">) {
  return <nav aria-label="breadcrumb" data-slot="breadcrumb" {...props} />
function BreadcrumbList({ className, ...props }: React.ComponentProps<"ol">) {
  return (
   <ol
      data-slot="breadcrumb-list"
      className={cn(
        text-muted-foreground flex flex-wrap items-center gap-1.5 text-sm break-words sm:gap-2.5",
        className
      )}
      {...props}
   />
 )
function BreadcrumbItem({ className, ...props }: React.ComponentProps<"li">) {
  return (
   <li
     data-slot="breadcrumb-item"
      className={cn("inline-flex items-center gap-1.5", className)}
      {...props}
   />
  )
function BreadcrumbLink({
  asChild,
  className,
   ..props
}: React.ComponentProps<"a"> & {
 asChild?: boolean
}) {
  const Comp = asChild ? Slot : "a"
  return (
      data-slot="breadcrumb-link"
      className={cn("hover:text-foreground transition-colors", className)}
      {...props}
    />
  )
function BreadcrumbPage({ className, ...props }: React.ComponentProps<"span">) {
  return (
    <span
      data-slot="breadcrumb-page"
      role="link"
      aria-disabled="true"
      aria-current="page"
      className={cn("text-foreground font-normal", className)}
      {...props}
   />
function BreadcrumbSeparator({
  children,
  className,
  ...props
}: React.ComponentProps<"li">) {
  return (
   <li
      data-slot="breadcrumb-separator"
      role="presentation"
```

```
aria-hidden="true"
       className={cn("[&>svg]:size-3.5", className)}
       {...props}
       {children ?? <ChevronRight />}
     }
function BreadcrumbEllipsis({
  className,
   ..props
}: React.ComponentProps<"span">) {
  return (
     <span
       data-slot="breadcrumb-ellipsis"
role="presentation"
aria-hidden="true"
       className={cn("flex size-9 items-center justify-center", className)}
       {...props}
       <MoreHorizontal className="size-4" />
<span className="sr-only">More</span>
     </span>
  )
export {
   Breadcrumb,
  BreadcrumbList,
  BreadcrumbItem,
  BreadcrumbLink,
  BreadcrumbPage,
  BreadcrumbSeparator,
  BreadcrumbEllipsis,
```

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@/lib/utils"
const buttonVariants = cva(
  "inline-flex items-center justify-center gap-2 whitespace-nowrap rounded-md text-sm font-medium
transition-[color,box-shadow] disabled:pointer-events-none disabled:opacity-50 [& svg]:pointer-
events-none [& svg:not([class*='size-'])]:size-4 [& svg]:shrink-0 outline-none focus-visible:border-
ring focus-visible:ring-ring/50 focus-visible:ring-[3px] aria-invalid:ring-destructive/20 dark:aria-
invalid:ring-destructive/40 aria-invalid:border-destructive",
  {
    variants: {
  variant:
        default:
           "bg-primary text-primary-foreground shadow-xs hover:bg-primary/90",
        destructive:
           "bg-destructive text-white shadow-xs hover:bg-destructive/90 focus-visible:ring-
destructive/20 dark:focus-visible:ring-destructive/40".
        outline:
           "border border-input bg-background shadow-xs hover:bg-accent hover:text-accent-
foreground",
        secondary:
           "bg-secondary text-secondary-foreground shadow-xs hover:bg-secondary/80",
        ghost: "hover:bg-accent hover:text-accent-foreground",
link: "text-primary underline-offset-4 hover:underline",
        default: "h-9 px-4 py-2 has-[>svg]:px-3",
        sm: "h-8 rounded-md px-3 has-[>svg]:px-2.5", lg: "h-10 rounded-md px-6 has-[>svg]:px-4",
        icon: "size-9",
      },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  }
function Button({
  className.
  variant,
  size
  asChild = false,
   ..props
}: React.ComponentProps<"button"> &
  VariantProps<typeof buttonVariants> & {
    asChild?: boolean
  }) {
  const Comp = asChild ? Slot : "button"
  return (
    <Comp
      data-slot="button"
      className={cn(buttonVariants({ variant, size, className }))}
      {...props}
  )
export { Button, buttonVariants }
```

```
import * as React from "react"
import { cn } from "@/lib/utils"
function Card({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card"
      className={cn(
        "bg-card text-card-foreground flex flex-col gap-6 rounded-xl border py-6 shadow-sm",
        className
      )}
      {...props}
}
function CardHeader({ className, ...props }: React.ComponentProps<"div">) {
    <div
      data-slot="card-header"
      className={cn("flex flex-col gap-1.5 px-6", className)}
      {...props}
}
function CardTitle({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-title"
      className={cn("leading-none font-semibold", className)}
      {...props}
  )
}
function CardDescription({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-description"
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
}
function CardContent({ className, ...props }: React.ComponentProps<"div">) {
    <div
      data-slot="card-content"
      className={cn("px-6", className)}
      {...props}
    />
}
function CardFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="card-footer"
      className={cn("flex items-center px-6", className)}
      {...props}
}
export { Card, CardHeader, CardFooter, CardTitle, CardDescription, CardContent }
```

resources\js\components\ui\checkbox.tsx

```
import * as React from "react"
import * as CheckboxPrimitive from "@radix-ui/react-checkbox"
import { CheckIcon } from "lucide-react"
import { cn } from "@/lib/utils"
function Checkbox({
  className,
    ..props
}: React.ComponentProps<typeof CheckboxPrimitive.Root>) {
   return (
     <CheckboxPrimitive.Root
        data-slot="checkbox"
        className={cn(
"peer border-input data-[state=checked]:bg-primary data-[state=checked]:text-primary-foreground data-[state=checked]:border-primary focus-visible:border-ring focus-visible:ring-ring/50 aria-invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-
destructive size-4 shrink-0 rounded-[4px] border shadow-xs transition-shadow outline-none focus-visible:ring-[3px] disabled:cursor-not-allowed disabled:opacity-50",
           className
        )}
        {...props}
        <CheckboxPrimitive.Indicator</pre>
           data-slot="checkbox-indicator"
           className="flex items-center justify-center text-current transition-none"
           <CheckIcon className="size-3.5" />
        </CheckboxPrimitive.Indicator>
     </CheckboxPrimitive.Root>
export { Checkbox }
```

resources\js\components\ui\collapsible.tsx

```
import * as CollapsiblePrimitive from "@radix-ui/react-collapsible"
function Collapsible({
   ...props
}: React.ComponentProps<typeof CollapsiblePrimitive.Root>) {
  return <CollapsiblePrimitive.Root data-slot="collapsible" {...props} />
function CollapsibleTrigger({
...props
}: React.ComponentProps<typeof CollapsiblePrimitive.CollapsibleTrigger>) {
  return (
    <CollapsiblePrimitive.CollapsibleTrigger
      data-slot="collapsible-trigger"
      {...props}
    />
  )
}
function CollapsibleContent({
...props
}: React.ComponentProps<typeof CollapsiblePrimitive.CollapsibleContent>) {
  return (
    <CollapsiblePrimitive.CollapsibleContent
      data-slot="collapsible-content"
      {...props}
  )
export { Collapsible, CollapsibleTrigger, CollapsibleContent }
```

```
import * as React from "react"
import * as DialogPrimitive from "@radix-ui/react-dialog"
import { XIcon } from "lucide-react"
import { cn } from "@/lib/utils"
function Dialog({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Root>) {
  return <DialogPrimitive.Root data-slot="dialog" {...props} />
function DialogTrigger({
   ..props
}: React.ComponentProps<typeof DialogPrimitive.Trigger>) {
  return <DialogPrimitive.Trigger data-slot="dialog-trigger" {...props} />
function DialogPortal({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Portal>) {
  return <DialogPrimitive.Portal data-slot="dialog-portal" {...props} />
function DialogClose({
  ...props
}: React.ComponentProps<typeof DialogPrimitive.Close>) {
  return <DialogPrimitive.Close data-slot="dialog-close" {...props} />
function DialogOverlay({
  className.
   ..props
}: React.ComponentProps<typeof DialogPrimitive.Overlay>) {
  return (
    <DialogPrimitive.Overlay</pre>
      data-slot="dialog-overlay"
      className={cn(
        "data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0
data-[state=open]:fade-in-0 fixed inset-0 z-50 bg-black/80",
        className
      )}
      {...props}
    />
  )
function DialogContent({
  className,
  children,
   ..props
}: React.ComponentProps<typeof DialogPrimitive.Content>) {
    <DialogPortal data-slot="dialog-portal">
      <DialogOverlay />
      <DialogPrimitive.Content
        data-slot="dialog-content"
        className={cn(
          "bg-background data-[state=open]:animate-in data-[state=closed]:animate-out
data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95
data-[state=open]:zoom-in-95 fixed top-[50%] left-[50%] z-50 grid w-full max-w-[calc(100%-2rem)]
translate-x-[-50%] translate-y-[-50%] gap-4 rounded-lg border p-6 shadow-lg duration-200 sm:max-w-
lg",
          className
        )}
        {...props}
        {children}
        <DialogPrimitive.Close className="ring-offset-background focus:ring-ring</pre>
data-[state=open]:bg-accent data-[state=open]:text-muted-foreground absolute top-4 right-4 rounded-
xs opacity-70 transition-opacity hover:opacity-100 focus:ring-2 focus:ring-offset-2 focus:outline-
hidden disabled:pointer-events-none [&_svg]:pointer-events-none [&_svg]:shrink-0
[& svg:not([class*='size-'])]:size-4">
```

```
<XIcon />
          <span className="sr-only">Close</span>
        </DialogPrimitive.Close>
      </DialogPrimitive.Content>
    </DialogPortal>
  )
function DialogHeader({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="dialog-header"
      className={cn("flex flex-col gap-2 text-center sm:text-left", className)}
      {...props}
  )
function DialogFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="dialog-footer"
      className={cn(
        "flex flex-col-reverse gap-2 sm:flex-row sm:justify-end",
        className
      )}
      {...props}
   />
 )
}
function DialogTitle({
  className,
   ..props
}: React.ComponentProps<typeof DialogPrimitive.Title>) {
    <DialogPrimitive.Title
      data-slot="dialog-title"
      className={cn("text-lg leading-none font-semibold", className)}
      {...props}
    />
function DialogDescription({
  className,
   ..props
}: React.ComponentProps<typeof DialogPrimitive.Description>) {
  return (
    <DialogPrimitive.Description
      data-slot="dialog-description"
      className={cn("text-muted-foreground text-sm", className)}
      {...props}
}
export {
  Dialog,
  DialogClose,
  DialogContent,
  DialogDescription,
  DialogFooter,
  DialogHeader,
  DialogOverlay,
  DialogPortal,
  DialogTitle,
  DialogTrigger,
}
```

```
import * as React from "react"
import * as DropdownMenuPrimitive from "@radix-ui/react-dropdown-menu"
import { CheckIcon, ChevronRightIcon, CircleIcon } from "lucide-react"
import { cn } from "@/lib/utils"
function DropdownMenu({
  ...props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Root>) {
  return CoropdownMenuPrimitive.Root data-slot="dropdown-menu" {...props} />
function DropdownMenuPortal({
    .props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Portal>) {
  return
    <DropdownMenuPrimitive.Portal data-slot="dropdown-menu-portal" {...props} />
function DropdownMenuTrigger({
   ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Trigger>) {
  return
    <DropdownMenuPrimitive.Trigger</pre>
      data-slot="dropdown-menu-trigger"
      {...props}
    />
  )
}
function DropdownMenuContent({
  className.
  sideOffset = 4.
   ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Content>) {
    <DropdownMenuPrimitive.Portal>
      <DropdownMenuPrimitive.Content</pre>
        data-slot="dropdown-menu-content"
        sideOffset={sideOffset}
        className={cn(
           'bg-popover text-popover-foreground data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
in-from-bottom-2 z-50 min-w-[8rem] overflow-hidden rounded-md border p-1 shadow-md",
          className
        {...props}
    </DropdownMenuPrimitive.Portal>
}
function DropdownMenuGroup({
    .props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Group>) {
  return
    <DropdownMenuPrimitive.Group data-slot="dropdown-menu-group" {...props} />
function DropdownMenuItem({
  className,
  inset,
  variant = "default",
  ...props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Item> & {
  inset?: boolean
  variant?: "default" | "destructive"
}) {
  return (
```

```
<DropdownMenuPrimitive.Item</pre>
      data-slot="dropdown-menu-item"
      data-inset={inset}
      data-variant={variant}
      className={cn(
         "focus:bg-accent focus:text-accent-foreground data-[variant=destructive]:text-destructive-
foreground data-[variant=destructive]:focus:bg-destructive/10
dark:data-[variant=destructive]:focus:bg-destructive/40 data-[variant=destructive]:focus:text-
destructive-foreground data-[variant=destructive]:*:[svg]:!text-destructive-foreground
[&_svg:not([class*='text-'])]:text-muted-foreground relative flex cursor-default items-center gap-2
rounded-sm px-2 py-1.5 text-sm outline-hidden select-none data-[disabled]:pointer-events-none
data-[disabled]:opacity-50 data-[inset]:pl-8 [& svg]:pointer-events-none [& svg]:shrink-0
[& svg:not([class*='size-'])]:size-4",
        className
      )}
      {...props}
  )
function DropdownMenuCheckboxItem({
  className,
  children,
  checked,
   ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.CheckboxItem>) {
  return (
    <DropdownMenuPrimitive.CheckboxItem</pre>
      data-slot="dropdown-menu-checkbox-item"
      className={cn(
         focus:bq-accent focus:text-accent-foreground relative flex cursor-default items-center"
gap-2 rounded-sm py-1.5 pr-2 pl-8 text-sm outline-hidden select-none data-[disabled]:pointer-events-
none data-[disabled]:opacity-50 [&_svg]:pointer-events-none [&_svg]:shrink-0
[& svg:not([class*='size-'])]:size-4",
        className
      checked={checked}
      {...props}
      <span className="pointer-events-none absolute left-2 flex size-3.5 items-center justify-</pre>
center">
        <DropdownMenuPrimitive.ItemIndicator>
          <CheckIcon className="size-4"
        </DropdownMenuPrimitive.ItemIndicator>
      </span>
       {children}
    </DropdownMenuPrimitive.CheckboxItem>
function DropdownMenuRadioGroup({
}: React.ComponentProps<typeof DropdownMenuPrimitive.RadioGroup>) {
  return (
    <DropdownMenuPrimitive.RadioGroup</pre>
      data-slot="dropdown-menu-radio-group"
      {...props}
    />
  )
function DropdownMenuRadioItem({
  className,
  children.
    ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.RadioItem>) {
  return
    <DropdownMenuPrimitive.RadioItem</pre>
      data-slot="dropdown-menu-radio-item"
      className={cn(
         "focus:bg-accent focus:text-accent-foreground relative flex cursor-default items-center
gap-2 rounded-sm py-1.5 pr-2 pl-8 text-sm outline-hidden select-none data-[disabled]:pointer-events-
none data-[disabled]:opacity-50 [& svg]:pointer-events-none [& svg]:shrink-0
```

```
[& svg:not([class*='size-'])]:size-4",
        className
      ) }
      {...props}
      <span className="pointer-events-none absolute left-2 flex size-3.5 items-center justify-</pre>
center">
        <DropdownMenuPrimitive.ItemIndicator>
          <CircleIcon className="size-2 fill-current" />
        </DropdownMenuPrimitive.ItemIndicator>
      </span>
      {children}
    </DropdownMenuPrimitive.RadioItem>
}
function DropdownMenuLabel({
  className,
  inset,
   ...props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Label> & {
  inset?: boolean
}) {
  return (
    <DropdownMenuPrimitive.Label</pre>
      data-slot="dropdown-menu-label"
      data-inset={inset}
      className={cn(
         "px-2 py-1.5 text-sm font-medium data-[inset]:pl-8",
        className
      )}
      {...props}
   />
  )
}
function DropdownMenuSeparator({
  className,
   ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.Separator>) {
  return (
    <DropdownMenuPrimitive.Separator</pre>
      data-slot="dropdown-menu-separator"
      className={cn("bg-border -mx-1 my-1 h-px", className)}
      {...props}
    />
  )
}
function DropdownMenuShortcut({
  className,
   ..props
}: React.ComponentProps<"span">) {
  return (
    <span
      data-slot="dropdown-menu-shortcut"
      className={cn(
        "text-muted-foreground ml-auto text-xs tracking-widest",
        className
      )}
      {...props}
}
function DropdownMenuSub({
}: React.ComponentProps<typeof DropdownMenuPrimitive.Sub>) {
  return PropdownMenuPrimitive.Sub data-slot="dropdown-menu-sub" {...props} />
function DropdownMenuSubTrigger({
  className,
```

```
inset,
  children,
   ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.SubTrigger> & {
  inset?: boolean
}) {
  return (
    <DropdownMenuPrimitive.SubTrigger</pre>
      data-slot="dropdown-menu-sub-trigger"
      data-inset={inset}
      className={cn(
         "focus:bg-accent focus:text-accent-foreground data-[state=open]:bg-accent
data-[state=open]:text-accent-foreground flex cursor-default items-center rounded-sm px-2 py-1.5
text-sm outline-hidden select-none data-[inset]:pl-8",
        className
      )}
      {...props}
      {children}
      <ChevronRightIcon className="ml-auto size-4" />
    </DropdownMenuPrimitive.SubTrigger>
}
function DropdownMenuSubContent({
  className,
    ..props
}: React.ComponentProps<typeof DropdownMenuPrimitive.SubContent>) {
  return (
    <DropdownMenuPrimitive.SubContent</pre>
      data-slot="dropdown-menu-sub-content"
      className={cn(
"bg-popover text-popover-foreground data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
in-from-bottom-2 z-50 min-w-[8rem] overflow-hidden rounded-md border p-1 shadow-lg",
        className
      )}
      {...props}
    />
  )
export {
  DropdownMenu.
  DropdownMenuPortal,
  DropdownMenuTrigger,
  DropdownMenuContent,
  DropdownMenuGroup,
  DropdownMenuLabel,
  DropdownMenuItem,
  DropdownMenuCheckboxItem,
  DropdownMenuRadioGroup,
  DropdownMenuRadioItem,
  DropdownMenuSeparator,
  DropdownMenuShortcut,
  DropdownMenuSub,
  DropdownMenuSubTrigger,
  DropdownMenuSubContent,
```

resources\js\components\ui\icon.tsx

```
import { LucideIcon } from 'lucide-react';
interface IconProps {
    iconNode?: LucideIcon | null;
    className?: string;
}

export function Icon({ iconNode: IconComponent, className }: IconProps) {
    if (!IconComponent) {
        return null;
    }

    return <IconComponent className={className} />;
}
```

resources\js\components\ui\input.tsx

```
import * as React from "react"
import { cn } from "@/lib/utils"
function Input({ className, type, ...props }: React.ComponentProps<"input">) {
   return (
      <input
         type={type}
         data-slot="input"
         className={cn(
"border-input file:text-foreground placeholder:text-muted-foreground selection:bg-primary selection:text-primary-foreground flex h-9 w-full min-w-0 rounded-md border bg-transparent px-3 py-1
text-base shadow-xs transition-[color,box-shadow] outline-none file:inline-flex file:h-7
file:border-0 file:bg-transparent file:text-sm file:font-medium disabled:pointer-events-none disabled:cursor-not-allowed disabled:opacity-50 md:text-sm",

"focus-visible:border-ring focus-visible:ring-ring/50 focus-visible:ring-[3px]",

"aria-invalid:ring-destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-
destructive",
            className
          )}
         {...props}
export { Input }
```

resources\js\components\ui\label.tsx

```
import * as React from "react"
import * as NavigationMenuPrimitive from "@radix-ui/react-navigation-menu"
import { cva } from "class-variance-authority"
import { ChevronDownIcon } from "lucide-react"
import { cn } from "@/lib/utils"
function NavigationMenu({
  className,
  children,
  viewport = true,
    ..props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Root> & {
  viewport?: boolean
}) {
  return (
    <NavigationMenuPrimitive.Root</pre>
      data-slot="navigation-menu"
      data-viewport={viewport}
      className={cn(
         "group/navigation-menu relative flex max-w-max flex-1 items-center justify-center",
        className
      )}
      {...props}
      {children}
       {viewport && <NavigationMenuViewport />}
    </NavigationMenuPrimitive.Root>
}
function NavigationMenuList({
  className,
   ..props
}: React.ComponentProps<typeof NavigationMenuPrimitive.List>) {
  return (
    <NavigationMenuPrimitive.List</pre>
      data-slot="navigation-menu-list"
      className={cn(
         group flex flex-1 list-none items-center justify-center gap-1",
        className
      )}
      {...props}
}
function NavigationMenuItem({
  className,
    ..props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Item>) {
  return (
    <NavigationMenuPrimitive.Item</pre>
      data-slot="navigation-menu-item"
      className={cn("relative", className)}
      \{\dots,props\}
    />
  )
}
const navigationMenuTriggerStyle = cva(
"group inline-flex h-9 w-max items-center justify-center rounded-md bg-background px-4 py-2 text-sm font-medium hover:bg-accent hover:text-accent-foreground focus:bg-accent focus:text-accent-
foreground disabled:pointer-events-none disabled:opacity-50 data-[active=true]:bg-accent/50
data-[state=open]:bg-accent/50 data-[active=true]:text-accent-foreground ring-ring/10 dark:ring-
ring/20 dark:outline-ring/40 outline-ring/50 transition-[color,box-shadow] focus-visible:ring-4
focus-visible:outline-1
function NavigationMenuTrigger({
  className,
  children,
  ...props
```

```
}: React.ComponentProps<typeof NavigationMenuPrimitive.Trigger>) {
  return (
    <NavigationMenuPrimitive.Trigger
      data-slot="navigation-menu-trigger"
      className={cn(navigationMenuTriggerStyle(), "group", className)}
      {children}{" "}
      <ChevronDownIcon</pre>
        className="relative top-[1px] ml-1 size-3 transition duration-300 group-
data-[state=open]:rotate-180"
        aria-hidden="true"
    </NavigationMenuPrimitive.Trigger>
  )
function NavigationMenuContent({
  className,
   ..props
}: React.ComponentProps<tvpeof NavigationMenuPrimitive.Content>) {
  return (
    <NavigationMenuPrimitive.Content
      data-slot="navigation-menu-content"
      className={cn(
         data-[motion^=from-]:animate-in data-[motion^=to-]:animate-out data-[motion^=from-]:fade-in"
data-[motion^=to-]:fade-out data-[motion=from-end]:slide-in-from-right-52 data-[motion=from-end]
start]:slide-in-from-left-52 data-[motion=to-end]:slide-out-to-right-52 data-[motion=to-start]:slide-out-to-left-52 top-0 left-0 w-full p-2 pr-2.5 md:absolute md:w-auto",
         'group-data-[viewport=false]/navigation-menu:bg-popover group-
data-[viewport=false]/navigation-menu:text-popover-foreground group-
data-[viewport=false]/navigation-menu:data-[state=open]:animate-in group-
data-[viewport=false]/navigation-menu:data-[state=closed]:animate-out group-data-[viewport=false]/navigation-menu:data-[state=closed]:zoom-out-95 group-
data-[viewport=false]/navigation-menu:data-[state=open]:zoom-in-95 group-
data-[viewport=false]/navigation-menu:data-[state=open]:fade-in-0 group-
data-[viewport=false]/navigation-menu:data-[state=closed]:fade-out-0 group-
data-[viewport=false]/navigation-menu:mt-1.5
group-data-[viewport=false]/navigation-menu:overflow-hidden group-data-[viewport=false]/navigation-
menu:rounded-md group-data-[viewport=false]/navigation-menu:border group-
data-[viewport=false]/navigation-menu:shadow group-data-[viewport=false]/navigation-
menu:duration-200 **:data-[slot=navigation-menu-link]:focus:ring-0 **:data-[slot=navigation-menu-
link]:focus:outline-none",
        className
      )}
      {...props}
function NavigationMenuViewport({
  className.
   ..props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Viewport>) {
  return (
    <div
      className={cn(
         absolute top-full left-0 isolate z-50 flex justify-center"
      <NavigationMenuPrimitive.Viewport
        data-slot="navigation-menu-viewport"
        className={cn(
           origin-top-center bg-popover text-popover-foreground data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-90
relative mt-1.5 h-[var(--radix-navigation-menu-viewport-height)] w-full overflow-hidden rounded-md
border shadow md:w-[var(--radix-navigation-menu-viewport-width)]",
          className
        )}
        {...props}
      />
    </div>
```

```
}
function NavigationMenuLink({
  className,
    .props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Link>) {
  return (
    <NavigationMenuPrimitive.Link
      data-slot="navigation-menu-link"
      className={cn(
         "hover:bg-accent hover:text-accent-foreground focus:bg-accent focus:text-accent-foreground
data-[active=true]:bg-accent/50 data-[active=true]:text-accent-foreground ring-ring/10 dark:ring-ring/20 dark:outline-ring/40 outline-ring/50 [& svg:not([class*='text-'])]:text-muted-foreground
flex flex-col gap-1 rounded-sm p-2 text-sm transition-[color,box-shadow] focus-visible:ring-4 focus-visible:outline-1 [&_svg:not([class*='size-'])]:size-4",
         className
       )}
      {...props}
    />
  )
}
function NavigationMenuIndicator({
  className,
   ...props
}: React.ComponentProps<typeof NavigationMenuPrimitive.Indicator>) {
  return (
    <NavigationMenuPrimitive.Indicator</pre>
      data-slot="navigation-menu-indicator"
      className={cn(
         "data-[state=visible]:animate-in data-[state=hidden]:animate-out data-[state=hidden]:fade-
out data-[state=visible]:fade-in top-full z-[1] flex h-1.5 items-end justify-center overflow-
hidden",
         className
       )}
      {...props}
       <div className="bg-border relative top-[60%] h-2 w-2 rotate-45 rounded-tl-sm shadow-md" />
    </NavigationMenuPrimitive.Indicator>
  )
export {
  NavigationMenu.
  NavigationMenuList,
  NavigationMenuItem,
  NavigationMenuContent,
  NavigationMenuTrigger,
  NavigationMenuLink,
  NavigationMenuIndicator,
  NavigationMenuViewport,
  navigationMenuTriggerStyle,
```

resources\js\components\ui\placeholder-pattern.tsx

```
import { useId } from 'react';
interface PlaceholderPatternProps {
    className?: string;
export function PlaceholderPattern({ className }: PlaceholderPatternProps) {
    const patternId = useId();
    return (
        <svg className={className} fill="none">
            <defs>
                <pattern id={patternId} x="0" y="0" width="10" height="10"</pre>
patternUnits="userSpaceOnUse">
                    <path d="M-3 13 15-5M-5 5l18-18M-1 21 17 3"></path>
                </pattern>
            </defs>
            <rect stroke="none" fill={`url(#[{patternId})`} width="100%" height="100%"></rect>
        </svg>
    );
}
```

```
import * as React from "react"
import * as SelectPrimitive from "@radix-ui/react-select"
import { CheckIcon, ChevronDownIcon, ChevronUpIcon } from "lucide-react"
import { cn } from "@/lib/utils"
function Select({
   ...props
}: React.ComponentProps<typeof SelectPrimitive.Root>) {
  return <SelectPrimitive.Root data-slot="select" {...props} />
function SelectGroup({
    ..props
}: React.ComponentProps<typeof SelectPrimitive.Group>) {
  return <SelectPrimitive.Group data-slot="select-group" {...props} />
function SelectValue({
   ...props
}: React.ComponentProps<tvpeof SelectPrimitive.Value>) {
  return <SelectPrimitive.Value data-slot="select-value" {...props} />
function SelectTrigger({
  className,
  children,
   ..props
}: React.ComponentProps<typeof SelectPrimitive.Trigger>) {
  return (
    <SelectPrimitive.Trigger
      data-slot="select-trigger"
       className={cn(
         "border-input data-[placeholder]:text-muted-foreground [& svg:not([class*='text-'])]:text-
muted-foreground focus-visible:border-ring focus-visible:ring-ring/50 aria-invalid:ring-
destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-destructive flex h-9 w-full
items-center justify-between rounded-md border bg-transparent px-3 py-2 text-sm shadow-xs transition-[color,box-shadow] outline-none focus-visible:ring-[3px] disabled:cursor-not-allowed disabled:opacity-50 *:data-[slot=select-value]:flex *:data-[slot=select-value]:items-center
*:data-[slot=select-value]:gap-2 [&_svg]:pointer-events-none [&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4 [&>span]:line-clamp-1",
         className
       )}
      {...props}
       {children}
       <SelectPrimitive.Icon asChild>
         <ChevronDownIcon className="size-4 opacity-50" />
       </SelectPrimitive.Icon>
    </SelectPrimitive.Trigger>
  )
function SelectContent({
  className,
  children.
  position = "popper",
    ..props
}: React.ComponentProps<typeof SelectPrimitive.Content>) {
    <SelectPrimitive.Portal>
       <SelectPrimitive.Content</pre>
         data-slot="select-content"
         className={cn(
            'bg-popover text-popover-foreground data-[state=open]:animate-in
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0
data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[side=bottom]:slide-in-from-top-2
data-[side=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-
in-from-bottom-2 relative z-50 max-h-96 min-w-[8rem] overflow-hidden rounded-md border shadow-md", position === "popper" &&
              "data-[side=bottom]:translate-y-1 data-[side=left]:-translate-x-1
data-[side=right]:translate-x-1 data-[side=top]:-translate-y-1",
           className
```

```
)}
          position={position}
          {...props}
          <SelectScrollUpButton />
          <SelectPrimitive.Viewport</pre>
            className={cn(
               "p-1",
              position === "popper" &&
                 "h-[var(--radix-select-trigger-height)] w-full min-w-[var(--radix-select-trigger-
width)] scroll-my-1'
            )}
            {children}
          </SelectPrimitive.Viewport>
          <SelectScrollDownButton />
       </SelectPrimitive.Content>
     </SelectPrimitive.Portal>
function SelectLabel({
  className,
    ..props
}: React.ComponentProps<typeof SelectPrimitive.Label>) {
  return (
     <SelectPrimitive.Label</pre>
       data-slot="select-label"
       className={cn("px-2 py-1.5 text-sm font-medium", className)}
       {...props}
     />
}
function SelectItem({
   className,
  children,
    ..props
}: React.ComponentProps<typeof SelectPrimitive.Item>) {
  return (
     <SelectPrimitive.Item</pre>
       data-slot="select-item"
       className={cn(
          "focus:bg-accent focus:text-accent-foreground [& svg:not([class*='text-'])]:text-muted-
foreground relative flex w-full cursor-default items-center gap-2 rounded-sm py-1.5 pr-8 pl-2 text-sm outline-hidden select-none data-[disabled]:pointer-events-none data-[disabled]:pointer-events-none [&_svg]:shrink-0 [&_svg:not([class*='size-'])]:size-4 *:[span]:last:flex *:[span]:last:items-center *:[span]:last:gap-2",
          className
       )}
       {...props}
    >
       <span className="absolute right-2 flex size-3.5 items-center justify-center">
          <SelectPrimitive.ItemIndicator>
  <CheckIcon className="size-4" />
          </SelectPrimitive.ItemIndicator>
       </span>
       <SelectPrimitive.ItemText>{children}</SelectPrimitive.ItemText>
     </SelectPrimitive.Item>
function SelectSeparator({
  className,
    ..props
}: React.ComponentProps<typeof SelectPrimitive.Separator>) {
     <SelectPrimitive.Separator</pre>
       data-slot="select-separator"
       className={cn("bg-border pointer-events-none -mx-1 my-1 h-px", className)}
       {...props}
    />
  )
```

```
}
function SelectScrollUpButton({
  className,
   ..props
}: React.ComponentProps<typeof SelectPrimitive.ScrollUpButton>) {
  return (
    <SelectPrimitive.ScrollUpButton</pre>
      data-slot="select-scroll-up-button"
className={cn(
        "flex cursor-default items-center justify-center py-1",
        className
      )}
      {...props}
      <ChevronUpIcon className="size-4" />
    </SelectPrimitive.ScrollUpButton>
  )
function SelectScrollDownButton({
  className,
   ...props
}: React.ComponentProps<typeof SelectPrimitive.ScrollDownButton>) {
    <SelectPrimitive.ScrollDownButton</pre>
      data-slot="select-scroll-down-button"
      className={cn(
         "flex cursor-default items-center justify-center py-1",
        className
      )}
      {...props}
      <ChevronDownIcon className="size-4" />
    </SelectPrimitive.ScrollDownButton>
}
export {
  Select,
SelectContent,
  SelectGroup,
  SelectItem,
  SelectLabel,
  SelectScrollDownButton,
  SelectScrollUpButton,
  SelectSeparator,
  SelectTrigger,
  SelectValue,
```

resources\js\components\ui\separator.tsx

```
import * as React from "react"
 import * as SeparatorPrimitive from "@radix-ui/react-separator"
import { cn } from "@/lib/utils"
function Separator({
   className,
   orientation = "horizontal",
   decorative = true,
   ...props
}: React.ComponentProps<typeof SeparatorPrimitive.Root>) {
   return (
     <SeparatorPrimitive.Root</pre>
       data-slot="separator-root"
decorative={decorative}
       orientation={orientation}
       className={cn(
         "bg-border shrink-0 data-[orientation=horizontal]:h-px data-[orientation=horizontal]:w-full
data-[orientation=vertical]:h-full data-[orientation=vertical]:w-px",
         className
       )}
/>
}
       {...props}
export { Separator }
```

```
import * as React from "react"
import * as SheetPrimitive from "@radix-ui/react-dialog"
import { XIcon } from "lucide-react"
import { cn } from "@/lib/utils"
function Sheet({ ...props }: React.ComponentProps<typeof SheetPrimitive.Root>) {
  return <SheetPrimitive.Root data-slot="sheet" {...props} />
function SheetTrigger({
}: React.ComponentProps<typeof SheetPrimitive.Trigger>) {
  return <SheetPrimitive.Trigger data-slot="sheet-trigger" {...props} />
function SheetClose({
  ...props
}: React.ComponentProps<typeof SheetPrimitive.Close>) {
  return <SheetPrimitive.Close data-slot="sheet-close" {...props} />
function SheetPortal({
}: React.ComponentProps<typeof SheetPrimitive.Portal>) {
  return <SheetPrimitive.Portal data-slot="sheet-portal" {...props} />
function SheetOverlay({
  className,
   ..props
}: React.ComponentProps<typeof SheetPrimitive.Overlay>) {
  return (
    <SheetPrimitive.Overlay</pre>
      data-slot="sheet-overlay"
      className={cn(
         data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0"
data-[state=open]:fade-in-0 fixed inset-0 z-50 bg-black/80",
        className
      )}
      {...props}
    />
function SheetContent({
  className,
  children,
  side = "right",
   ..props
}: React.ComponentProps<typeof SheetPrimitive.Content> & {
   side?: "top" | "right" | "bottom" | "left"
}) {
  return (
    <SheetPortal>
      <SheetOverlay />
      <SheetPrimitive.Content</pre>
        data-slot="sheet-content"
        className={cn(
           "bg-background data-[state=open]:animate-in data-[state=closed]:animate-out fixed z-50
flex flex-col gap-4 shadow-lg transition ease-in-out data-[state=closed]:duration-300
data-[state=open]:duration-500",
          side === "right" &&
             data-[state=closed]:slide-out-to-right data-[state=open]:slide-in-from-right inset-y-0"
right-0 h-full w-3/4 border-l sm:max-w-sm", side === "left" &&
             "data-[state=closed]:slide-out-to-left data-[state=open]:slide-in-from-left inset-y-0
left-0 h-full w-3/4 border-r sm:max-w-sm",
          side === "top" &&
             "data-[state=closed]:slide-out-to-top data-[state=open]:slide-in-from-top inset-x-0
"data-[state=closed]:slide-out-to-bottom data-[state=open]:slide-in-from-bottom
```

```
inset-x-0 bottom-0 h-auto border-t",
           className
         {...props}
         {children}
         <SheetPrimitive.Close className="ring-offset-background focus:ring-ring</pre>
data-[state=open]:bg-secondary absolute top-4 right-4 rounded-xs opacity-70 transition-opacity hover:opacity-100 focus:ring-2 focus:ring-offset-2 focus:outline-hidden disabled:pointer-events-
none">
           <XIcon className="size-4" />
<span className="sr-only">Close</span>
         </SheetPrimitive.Close>
       </SheetPrimitive.Content>
    </SheetPortal>
  )
function SheetHeader({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sheet-header"
      className={cn("flex flex-col gap-1.5 p-4", className)}
      {...props}
}
function SheetFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sheet-footer"
      className={cn("mt-auto flex flex-col gap-2 p-4", className)}
      {...props}
    />
  )
function SheetTitle({
  className,
    ..props
}: React.ComponentProps<typeof SheetPrimitive.Title>) {
    <SheetPrimitive.Title</pre>
      data-slot="sheet-title"
      className={cn("text-foreground font-semibold", className)}
      {...props}
    />
  )
function SheetDescription({
  className,
   ..props
}: React.ComponentProps<typeof SheetPrimitive.Description>) {
    <SheetPrimitive.Description</pre>
      data-slot="sheet-description"
      className={cn("text-muted-foreground text-sm", className)}
       {...props}
    />
export {
  Sheet,
  SheetTrigger,
  SheetClose,
  SheetContent,
  SheetHeader.
  SheetFooter.
  SheetTitle.
  SheetDescription,
```

}

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { VariantProps, cva } from "class-variance-authority"
import { PanelLeftIcon } from "lucide-react"
import { useIsMobile } from "@/hooks/use-mobile"
import { cn } from "@/lib/utils"
import { Button } from "@/components/ui/button"
import { Input } from "@/components/ui/input"
import { Separator } from "@/components/ui/separator"
import {
  Sheet,
  SheetContent,
  SheetDescription,
  SheetHeader,
  SheetTitle,
} from "@/components/ui/sheet"
import { Skeleton } from "@/components/ui/skeleton"
import {
  Tooltip,
  TooltipContent,
  TooltipProvider,
  TooltipTrigger,
} from "@/components/ui/tooltip"
const SIDEBAR COOKIE NAME = "sidebar state"
const SIDEBAR COOKIE MAX AGE = 60 * 60 * 24 * 7 const SIDEBAR WIDTH = "16rem"
const SIDEBAR_WIDTH_MOBILE = "18rem"
const SIDEBAR WIDTH ICON = "3rem"
const SIDEBAR KEYBOARD SHORTCUT = "b"
type SidebarContext = {
  state: "expanded" | "collapsed"
  open: boolean
  setOpen: (open: boolean) => void
openMobile: boolean
  setOpenMobile: (open: boolean) => void
  isMobile: boolean
  toggleSidebar: () => void
const SidebarContext = React.createContext<SidebarContext | null>(null)
function useSidebar() {
  const context = React.useContext(SidebarContext)
  if (!context) {
     throw new Error("useSidebar must be used within a SidebarProvider.")
  return context
function SidebarProvider({
  defaultOpen = true,
  open: openProp,
  onOpenChange: setOpenProp,
  className,
  style,
  children,
   ...props
}: React.ComponentProps<"div"> & {
  defaultOpen?: boolean
  open?: boolean
  onOpenChange?: (open: boolean) => void
}) {
  const isMobile = useIsMobile()
  const [openMobile, setOpenMobile] = React.useState(false)
  // This is the internal state of the sidebar.
  // We use openProp and setOpenProp for control from outside the component.
  const [ open, setOpen] = React.useState(defaultOpen)
  const open = openProp ?? open
```

```
const setOpen = React.useCallback(
    (value: boolean | ((value: boolean) => boolean)) => {
  const openState = typeof value === "function" ? value(open) : value
      if (setOpenProp) {
        setOpenProp(openState)
      } else {
        _setOpen(openState)
      }
      // This sets the cookie to keep the sidebar state.
      document.cookie = `[{SIDEBAR COOKIE NAME}=[{openState}; path=/; max-
age=[{SIDEBAR COOKIE MAX AGE}
    [setOpenProp, open]
  // Helper to toggle the sidebar.
  const toggleSidebar = React.useCallback(() => {
    return isMobile ? setOpenMobile((open) => !open) : setOpen((open) => !open)
  }, [isMobile, setOpen, setOpenMobile])
  // Adds a keyboard shortcut to toggle the sidebar.
  React.useEffect(() => {
   const handleKeyDown = (event: KeyboardEvent) => {
      if (
        event.key === SIDEBAR KEYBOARD SHORTCUT &&
         (event.metaKey || event.ctrlKey)
      ) {
        event.preventDefault()
        toggleSidebar()
      }
    }
    window.addEventListener("keydown", handleKeyDown)
    return () => window.removeEventListener("keydown", handleKeyDown)
  }, [toggleSidebar])
  // We add a state so that we can do data-state="expanded" or "collapsed".
  // This makes it easier to style the sidebar with Tailwind classes.
const state = open ? "expanded" : "collapsed"
  const contextValue = React.useMemo<SidebarContext>(
    () => ({
      state,
      open,
      setOpen,
      isMobile
      openMobile
      setOpenMobile,
      toggleSidebar,
    [state, open, setOpen, isMobile, openMobile, setOpenMobile, toggleSidebar]
  return (
    <SidebarContext.Provider value={contextValue}>
      <TooltipProvider delayDuration={0}>
          data-slot="sidebar-wrapper"
          style={
               "--sidebar-width": SIDEBAR_WIDTH,
               "--sidebar-width-icon": SIDEBAR_WIDTH_ICON,
               ...style,
             } as React.CSSProperties
           className={cn(
             group/sidebar-wrapper has-data-[variant=inset]:bg-sidebar flex min-h-svh w-full","
             className
           {...props}
           {children}
```

```
</div>
      </TooltipProvider>
    </SidebarContext.Provider>
  )
function Sidebar({
  side = "left",
  variant = "sidebar",
  collapsible = "offcanvas",
  className,
  children,
   ...props
}: React.ComponentProps<"div"> & {
    side?: "left" | "right"
  variant?: "sidebar" | "floating" | "inset"
collapsible?: "offcanvas" | "icon" | "none"
}) {
  const { isMobile, state, openMobile, setOpenMobile } = useSidebar()
  if (collapsible === "none") {
    return (
      <div
        data-slot="sidebar"
        className={cn(
           "bg-sidebar text-sidebar-foreground flex h-full w-(--sidebar-width) flex-col",
          className
        )}
        {...props}
         {children}
      </div>
    )
  }
  if (isMobile) {
    return (
      <Sheet open={openMobile} onOpenChange={setOpenMobile} {...props}>
        <SheetHeader className="sr-only">
           <SheetTitle>Sidebar</SheetTitle>
           <SheetDescription>Displays the mobile sidebar.</SheetDescription>
        </SheetHeader>
        <SheetContent
          data-sidebar="sidebar"
          data-slot="sidebar
          data-mobile="true"
          className="bg-sidebar text-sidebar-foreground w-(--sidebar-width) p-0 [&>button]:hidden"
          style={
               "--sidebar-width": SIDEBAR WIDTH MOBILE,
            } as React.CSSProperties
          side={side}
          <div className="flex h-full w-full flex-col">{children}</div>
        </SheetContent>
      </Sheet>
    )
  }
  return (
    <div
      className="group peer text-sidebar-foreground hidden md:block"
      data-state={state}
      data-collapsible={state === "collapsed" ? collapsible : ""}
      data-variant={variant}
      data-side={side}
      data-slot="sidebar"
      {/* This is what handles the sidebar gap on desktop */}
      <div
        className={cn(
           "relative h-svh w-(--sidebar-width) bg-transparent transition-[width] duration-200 ease-
```

```
linear",
          "group-data-[collapsible=offcanvas]:w-0",
          : "group-data-[collapsible=icon]:w-(--sidebar-width-icon)"
        )}
      .
<div
        className={cn(
          "fixed inset-y-0 z-10 hidden h-svh w-(--sidebar-width) transition-[left,right,width]
duration-200 ease-linear md:flex",
          side === "left"
            ? "left-0 group-data-[collapsible=offcanvas]:left-[calc(var(--sidebar-width)*-1)]"
: "right-0 group-data-[collapsible=offcanvas]:right-[calc(var(--sidebar-width)*-1)]",
          // Adjust the padding for floating and inset variants.
variant === "floating" || variant === "inset"
            ? "p-2 group-data-[collapsible=icon]:w-[calc(var(--sidebar-width-
icon)+(--spacing(4))+2px)]
              "group-data-[collapsible=icon]:w-(--sidebar-width-icon) group-
data-[side=left]:border-r group-data-[side=right]:border-l",
          className
        {...props}
        <div
          data-sidebar="sidebar"
          className="bg-sidebar group-data-[variant=floating]:border-sidebar-border flex h-full
w-full flex-col group-data-[variant=floating]:rounded-lg group-data-[variant=floating]:border group-
data-[variant=floating]:shadow-sm"
          {children}
        </div>
      </div>
    </div>
function SidebarTrigger({
  className,
  onClick,
  ...props
}: React.ComponentProps<typeof Button>) {
  const { toggleSidebar } = useSidebar()
  return (
    <Button
      data-sidebar="trigger"
      data-slot="sidebar-trigger"
      variant="ghost"
      size="icon"
      className={cn("h-7 w-7", className)}
      onClick={(event) => {
        onClick?.(event)
        toggleSidebar()
      }}
      {...props}
      <PanelLeftIcon />
      <span className="sr-only">Toggle Sidebar</span>
    </Button>
function SidebarRail({ className, ...props }: React.ComponentProps<"button">) {
  const { toggleSidebar } = useSidebar()
  return (
    <button
      data-sidebar="rail"
      data-slot="sidebar-rail"
      aria-label="Toggle Sidebar"
      tabIndex={-1}
```

```
onClick={toggleSidebar}
      title="Toggle Sidebar
      className={cn(
        hover:after:bg-sidebar-border absolute inset-y-0 z-20 hidden w-4 -translate-x-1/2"
transition-all ease-linear group-data-[side=left]:-right-4 group-data-[side=right]:left-0
after:absolute after:inset-y-0 after:left-1/2 after:w-[2px] sm:flex",
         in-data-[side=left]:cursor-w-resize in-data-[side=right]:cursor-e-resize"
        "[[data-side=left][data-state=collapsed] &]:cursor-e-resize [[data-side=right][data-
data-[collapsible=offcanvas]:translate-x-0 group-data-[collapsible=offcanvas]:after:left-full",
        "[[data-side=left][data-collapsible=offcanvas]&]:-right-2",
"[[data-side=right][data-collapsible=offcanvas] &]:-left-2",
        className
      )}
      {...props}
  )
}
function SidebarInset({ className, ...props }: React.ComponentProps<"main">) {
  return (
    <main
      data-slot="sidebar-inset"
      className={cn(
        "bg-background relative flex max-w-full min-h-svh flex-1 flex-col".
        "peer-data-[variant=inset]:min-h-[calc(100svh-(--spacing(4)))] md:peer-
data-[variant=inset]:m-2 md:peer-data-[variant=inset]:ml-0 md:peer-data-[variant=inset]:rounded-xl
md:peer-data-[variant=inset]:shadow-sm md:peer-data-[variant=inset]:peer-
data-[state=collapsed]:ml-0",
        className
      )}
      {...props}
    />
function SidebarInput({
  className.
   ..props
}: React.ComponentProps<typeof Input>) {
  return (
    <Input
      data-slot="sidebar-input"
      data-sidebar="input"
      className={cn("bg-background h-8 w-full shadow-none", className)}
      {...props}
   />
  )
function SidebarHeader({ className, ...props }: React.ComponentProps<"div">) {
  return (
      data-slot="sidebar-header"
      data-sidebar="header'
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props}
}
function SidebarFooter({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-footer"
      data-sidebar="footer
      className={cn("flex flex-col gap-2 p-2", className)}
      {...props}
   />
 )
```

```
function SidebarSeparator({
  className,
   ..props
}: React.ComponentProps<typeof Separator>) {
  return (
    <Separator
      data-slot="sidebar-separator"
      data-sidebar="separator'
      className={cn("bg-sidebar-border mx-2 w-auto", className)}
      {...props}
    />
}
function SidebarContent({ className, ...props }: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-content"
      data-sidebar="content'
      className={cn(
        "flex min-h-0 flex-1 flex-col gap-2 overflow-auto group-data-[collapsible=icon]:overflow-
hidden",
        className
      )}
      {...props}
}
function SidebarGroup({ className, ...props }: React.ComponentProps<"div">) {
      data-slot="sidebar-group"
      data-sidebar="group
      className={cn("relative flex w-full min-w-0 flex-col p-2", className)}
      {...props}
  )
function SidebarGroupLabel({
  className,
  asChild = false,
  ...props
}: React.ComponentProps<"div"> & { asChild?: boolean }) {
  const Comp = asChild ? Slot : "div'
  return (
    <Comp
      data-slot="sidebar-group-label"
      data-sidebar="group-label'
      className={cn(
        "text-sidebar-foreground/70 ring-sidebar-ring flex h-8 shrink-0 items-center rounded-md px-2
text-xs font-medium outline-hidden transition-[margin,opacity] duration-200 ease-linear focus-
visible:ring-2 [&>svg]:size-4 [&>svg]:shrink-0",
        group-data-[collapsible=icon]:-mt-8 group-data-[collapsible=icon]:opacity-0 group-
data-[collapsible=icon]:select-none group-data-[collapsible=icon]:pointer-events-none",
        className
      )}
      {...props}
   />
}
function SidebarGroupAction({
  className,
  asChild = false,
  ...props
}: React.ComponentProps<"button"> & { asChild?: boolean }) {
  const Comp = asChild ? Slot : "button'
  return (
    <Comp
```

```
data-slot="sidebar-group-action"
      data-sidebar="group-action'
      className={cn(
         text-sidebar-foreground ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-
accent-foreground absolute top-3.5 right-3 flex aspect-square w-5 items-center justify-center
rounded-md p-0 outline-hidden transition-transform focus-visible:ring-2 [&>svg]:size-4
[&>svg]:shrink-0",
         // Increases the hit area of the button on mobile.
         after:absolute after:-inset-2 md:after:hidden",
         "group-data-[collapsible=icon]:hidden",
         className
      {...props}
    />
  )
}
function SidebarGroupContent({
  className,
   ..props
}: React.ComponentProps<"div">) {
  return (
    <div
      data-slot="sidebar-group-content"
      data-sidebar="group-content'
      className={cn("w-full text-sm", className)}
       {...props}
    />
  )
function SidebarMenu({ className, ...props }: React.ComponentProps<"ul">) {
  return (
    ul
      data-slot="sidebar-menu"
       data-sidebar="menu"
      className={cn("flex w-full min-w-0 flex-col gap-1", className)}
      {...props}
  )
}
function SidebarMenuItem({ className, ...props }: React.ComponentProps<"li">) {
  return (
    <li
      data-slot="sidebar-menu-item"
      data-sidebar="menu-item"
       className={cn("group/menu-item relative", className)}
      {...props}
    />
  )
const sidebarMenuButtonVariants = cva(
   peer/menu-button flex w-full items-center gap-2 overflow-hidden rounded-md p-2 text-left text-sm"
outline-hidden ring-sidebar-ring transition-[width,height,padding] hover:bg-sidebar-accent hover:text-sidebar-accent-foreground focus-visible:ring-2 active:bg-sidebar-accent active:text-sidebar-accent-foreground disabled:pointer-events-none disabled:opacity-50 group-has-
data-[sidebar=menu-action]/menu-item:pr-8 aria-disabled:pointer-events-none aria-disabled:opacity-50
data-[active=true]:bq-sidebar-accent data-[active=true]:font-medium data-[active=true]:text-sidebar-
accent-foreground data-[state=open]:hover:bg-sidebar-accent data-[state=open]:hover:text-sidebar-
accent-foreground group-data-[collapsible=icon]:size-8! group-data-[collapsible=icon]:p-2!
[&>span:last-child]:truncate [&>svg]:size-4 [&>svg]:shrink-0",
  {
    variants: {
      variant: {
         default: "hover:bg-sidebar-accent hover:text-sidebar-accent-foreground",
           "bg-background shadow-[0 0 0 1px hsl(var(--sidebar-border))] hover:bg-sidebar-accent
hover:text-sidebar-accent-foreground hover:shadow-[0_0_0_1px_hsl(var(--sidebar-accent))]",
      size: {
         default: "h-8 text-sm",
```

```
sm: "h-7 text-xs",
         lg: "h-12 text-sm group-data-[collapsible=icon]:p-0!",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  }
function SidebarMenuButton({
  asChild = false,
  isActive = false,
variant = "default",
size = "default",
  tooltip,
  className,
   ..props
}: React.ComponentProps<"button"> & {
  asChild?: boolean
  isActive?: boolean
  tooltip?: string | React.ComponentProps<typeof TooltipContent>
} & VariantProps<typeof sidebarMenuButtonVariants>) {
  const Comp = asChild ? Slot : "button"
  const { isMobile, state } = useSidebar()
  const button = (
    <Comp
      data-slot="sidebar-menu-button"
      data-sidebar="menu-button'
      data-size={size}
      data-active={isActive}
      className={cn(sidebarMenuButtonVariants({ variant, size }), className)}
       {...props}
  if (!tooltip) {
    return button
  if (typeof tooltip === "string") {
    tooltip = {
      children: tooltip,
  }
  return (
    <Tooltip>
      <TooltipTrigger asChild>{button}</TooltipTrigger>
      <TooltipContent
side="right"
align="center"
         hidden={state !== "collapsed" || isMobile}
         {...tooltip}
       />
    </Tooltip>
  )
function SidebarMenuAction({
  className,
  asChild = false,
  showOnHover = false,
   ..props
}: React.ComponentProps<"button"> & {
  asChild?: boolean
  showOnHover?: boolean
  const Comp = asChild ? Slot : "button"
  return (
```

```
<Comp
      data-slot="sidebar-menu-action"
      data-sidebar="menu-action"
      className={cn(
        text-sidebar-foreground ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-
accent-foreground peer-hover/menu-button:text-sidebar-accent-foreground absolute top-1.5 right-1
flex aspect-square w-5 items-center justify-center rounded-md p-0 outline-hidden transition-
"peer-data-[size=sm]/menu-button:top-1"
        "peer-data-[size=default]/menu-button:top-1.5",
        "peer-data-[size=lg]/menu-button:top-2.5",
        "group-data-[collapsible=icon]:hidden",
        showOnHover &&
          "peer-data-[active=true]/menu-button:text-sidebar-accent-foreground group-focus-
within/menu-item:opacity-100 group-hover/menu-item:opacity-100 data-[state=open]:opacity-100
md:opacity-0"
        className
      ) }
      {...props}
    />
  )
function SidebarMenuBadge({
  className,
   ..props
}: React.ComponentProps<"div">) {
  return (
      data-slot="sidebar-menu-badge"
      data-sidebar="menu-badge'
      className={cn(
        text-sidebar-foreground pointer-events-none absolute right-1 flex h-5 min-w-5 items-center"
justify-center rounded-md px-1 text-xs font-medium tabular-nums select-none"
        peer-hover/menu-button:text-sidebar-accent-foreground peer-data-[active=true]/menu-
button:text-sidebar-accent-foreground",
        "peer-data-[size=sm]/menu-button:top-1",
        "peer-data-[size=default]/menu-button:top-1.5",
        "peer-data-[size=lg]/menu-button:top-2.5",
        "group-data-[collapsible=icon]:hidden",
        className
      ) }
     {...props}
   />
function SidebarMenuSkeleton({
  className,
  showIcon = false.
    .props
}: React.ComponentProps<"div"> & {
  showIcon?: boolean
  // Random width between 50 to 90%.
  const width = React.useMemo(() => {
    return `[{Math.floor(Math.random() * 40) + 50}%`
  }, [])
  return (
    <div
      data-slot="sidebar-menu-skeleton"
      data-sidebar="menu-skeleton"
      className={cn("flex h-8 items-center gap-2 rounded-md px-2", className)}
      {...props}
      {showIcon && (
        <Skeleton
          className="size-4 rounded-md"
          data-sidebar="menu-skeleton-icon"
        />
```

```
)}
      <Skeleton
        className="h-4 max-w-(--skeleton-width) flex-1"
        data-sidebar="menu-skeleton-text"
        style={
           {
             "--skeleton-width": width,
           } as React.CSSProperties
        }
      />
    </div>
}
function SidebarMenuSub({ className, ...props }: React.ComponentProps<"ul">) {
  return (
    ul
      data-slot="sidebar-menu-sub"
      data-sidebar="menu-sub"
      className={cn(
         border-sidebar-border mx-3.5 flex min-w-0 translate-x-px flex-col gap-1 border-l px-2.5"
className
       )}
      {...props}
  )
function SidebarMenuSubItem({
  className,
   ..props
}: React.ComponentProps<"li">) {
  return (
    li
      data-slot="sidebar-menu-sub-item"
      data-sidebar="menu-sub-item"
      className={cn("group/menu-sub-item relative", className)}
      {...props}
    />
  )
function SidebarMenuSubButton({
  asChild = false,
  size = "md"
  isActive = false,
  className,
   ..props
}: React.ComponentProps<"a"> & {
  asChild?: boolean
size?: "sm" | "md"
  isActive?: boolean
  const Comp = asChild ? Slot : "a"
  return (
    <Comp
      data-slot="sidebar-menu-sub-button"
      data-sidebar="menu-sub-button"
      data-size={size}
      data-active={isActive}
      className={cn(
         text-sidebar-foreground ring-sidebar-ring hover:bg-sidebar-accent hover:text-sidebar-
accent-foreground active:bg-sidebar-accent active:text-sidebar-accent-foreground [&>svg]:text-sidebar-accent-foreground flex h-7 min-w-0 -translate-x-px items-center gap-2 overflow-hidden
rounded-md px-2 outline-hidden focus-visible:ring-2 disabled:pointer-events-none disabled:opacity-50
aria-disabled:pointer-events-none aria-disabled:opacity-50 [&>span:last-child]:truncate
[&>svg]:size-4 [&>svg]:shrink-0",
        "data-[active=true]:bg-sidebar-accent data-[active=true]:text-sidebar-accent-foreground", size === "sm" && "text-xs", size === "md" && "text-sm",
```

resources\js\components\ui\sidebar.tsx

```
"group-data-[collapsible=icon]:hidden",
.ussNam.
//
{...props}
/>
)
}
              className
 export {
    Sidebar,
    SidebarContent,
    SidebarFooter,
    SidebarGroup,
     SidebarGroupAction,
    SidebarGroupContent,
SidebarGroupLabel,
SidebarHeader,
     SidebarInput,
     SidebarInset,
     SidebarMenu,
     SidebarMenuAction,
    SidebarMenuBadge,
SidebarMenuButton,
SidebarMenuItem,
     SidebarMenuSkeleton,
     SidebarMenuSub,
     SidebarMenuSubButton,
    SidebarMenuSubItem,
SidebarProvider,
SidebarRail,
    SidebarSeparator,
SidebarTrigger,
     useSidebar,
```

resources\js\components\ui\skeleton.tsx

resources\js\components\ui\tabs.tsx

```
import * as React from "react"
import * as TabsPrimitive from "@radix-ui/react-tabs"
import { cn } from "@/lib/utils"
const Tabs = TabsPrimitive.Root
const TabsList = React.forwardRef<</pre>
  React.ElementRef<typeof TabsPrimitive.List>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.List>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.List
    ref={ref}
    className={cn(
      "inline-flex h-10 items-center justify-center rounded-md ba-muted p-1 text-muted-foreground",
      className
    ) }
    {...props}
TabsList.displayName = TabsPrimitive.List.displayName
const TabsTrigger = React.forwardRef<</pre>
  React.ElementRef<typeof TabsPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Trigger>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Trigger
    ref={ref}
    className={cn(
      "inline-flex items-center justify-center whitespace-nowrap rounded-sm px-3 py-1.5 text-sm
font-medium ring-offset-background transition-all focus-visible:outline-none focus-visible:ring-2
focus-visible:ring-ring focus-visible:ring-offset-2 disabled:pointer-events-none disabled:opacity-50
data-[state=active]:bg-background data-[state=active]:text-foreground data-[state=active]:shadow-
sm",
      className
    )}
    {...props}
))
TabsTrigger.displayName = TabsPrimitive.Trigger.displayName
const TabsContent = React.forwardRef<</pre>
  React.ElementRef<typeof TabsPrimitive.Content>
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Content>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Content
    ref={ref}
    className={cn(
      "mt-2 ring-offset-background focus-visible:outline-none focus-visible:ring-2 focus-
visible:ring-ring focus-visible:ring-offset-2",
     className
    ) }
    {...props}
TabsContent.displayName = TabsPrimitive.Content.displayName
export { Tabs, TabsList, TabsTrigger, TabsContent }
```

```
import * as React from "react"
import * as ToggleGroupPrimitive from "@radix-ui/react-toggle-group"
import { type VariantProps } from "class-variance-authority"
import { cn } from "@/lib/utils"
import { toggleVariants } from "@/components/ui/toggle"
const ToggleGroupContext = React.createContext<</pre>
  VariantProps<typeof toggleVariants>
>({
  size: "default"
  variant: "defauĺt",
function ToggleGroup({
  className,
  variant,
  size,
  children,
  ...props
}: React.ComponentProps<typeof ToggleGroupPrimitive.Root> &
  VariantProps<typeof toggleVariants>) {
  return (
    <ToggleGroupPrimitive.Root
      data-slot="toggle-group"
      data-variant={variant}
      data-size={size}
      className={cn(
        group/toggle-group flex items-center rounded-md data-[variant=outline]:shadow-xs",
        className
      )}
      {...props}
      <ToggleGroupContext.Provider value={{ variant, size }}>
        {children}
      </ToggleGroupContext.Provider>
    </ToggleGroupPrimitive.Root>
function ToggleGroupItem({
  className,
  children,
  variant,
  size,
   ..props
}: React.ComponentProps<typeof ToggleGroupPrimitive.Item> &
  VariantProps<typeof toggleVariants>) {
  const context = React.useContext(ToggleGroupContext)
  return (
    <ToggleGroupPrimitive.Item
      data-slot="toggle-group-item"
      data-variant={context.variant || variant}
      data-size={context.size || size}
      className={cn(
        toggleVariants({
          variant: context.variant || variant,
          size: context.size || size,
        }),
"min-w-0 shrink-0 rounded-none shadow-none first:rounded-l-md last:rounded-r-md focus:z-10
focus-visible:z-10 data-[variant=outline]:border-l-0 data-[variant=outline]:first:border-l",
        className
      )}
      {...props}
      {children}
    </ToggleGroupPrimitive.Item>
  )
export { ToggleGroup, ToggleGroupItem }
```

resources\js\components\ui\toggle.tsx

```
import * as React from "react"
import * as TogglePrimitive from "@radix-ui/react-toggle"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@/lib/utils"
const toggleVariants = cva(
  "inline-flex items-center justify-center gap-2 rounded-md text-sm font-medium hover:bg-muted
hover:text-muted-foreground disabled:pointer-events-none disabled:opacity-50 data-[state=on]:bg-accent data-[state=on]:text-accent-foreground [&_svg]:pointer-events-none
[& svg:not([class*='size-'])]:size-4 [& svg]:shrink-0 focus-visible:border-ring focus-visible:ring-
ring/50 focus-visible:ring-[3px] outline-none transition-[color,box-shadow] aria-invalid:ring-
destructive/20 dark:aria-invalid:ring-destructive/40 aria-invalid:border-destructive",
  {
    variants: {
      variant: {
         default: "bg-transparent",
           "border border-input bg-transparent shadow-xs hover:bg-accent hover:text-accent-
foreground",
      },
       size: {
        default: "h-9 px-2 min-w-9",
sm: "h-8 px-1.5 min-w-8",
lg: "h-10 px-2.5 min-w-10",
      },
    defaultVariants: {
  variant: "default",
      size: "default",
    },
  }
function Toggle({
  className,
  variant,
  size,
   ...props
}: React.ComponentProps<typeof TogglePrimitive.Root> &
  VariantProps<typeof toggleVariants>) {
    <TogglePrimitive.Root
      data-slot="toggle"
      className={cn(toggleVariants({ variant, size, className }))}
       {...props}
export { Toggle, toggleVariants }
```

```
import * as React from "react"
import * as TooltipPrimitive from "@radix-ui/react-tooltip"
import { cn } from "@/lib/utils"
function TooltipProvider({
  delayDuration = 0,
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Provider>) {
  return (
    <TooltipPrimitive.Provider
      data-slot="tooltip-provider"
      delayDuration={delayDuration}
      {...props}
  )
function Tooltip({
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Root>) {
  return (
    <TooltipProvider>
      <TooltipPrimitive.Root data-slot="tooltip" {...props} />
    </TooltipProvider>
}
function TooltipTrigger({
  ...props
}: React.ComponentProps<typeof TooltipPrimitive.Trigger>) {
  return <TooltipPrimitive.Trigger data-slot="tooltip-trigger" {...props} />
function TooltipContent({
  className,
  sideOffset = 4,
  children,
   ...props
}: React.ComponentProps<typeof TooltipPrimitive.Content>) {
  return (
    <TooltipPrimitive.Portal>
      <TooltipPrimitive.Content
        data-slot="tooltip-content"
        sideOffset={sideOffset}
        className={cn(
          bg-primary text-primary-foreground animate-in fade-in-0 zoom-in-95
data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95
data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2
data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2 z-50 max-w-sm rounded-
md px-3 py-1.5 text-xs",
          className
        )}
        {...props}
        {children}
        -TooltipPrimitive.Arrow className="bg-primary fill-primary z-50 size-2.5
translate-y-[calc(-50%_-_2px)] rotate-45 rounded-[2px]" />
      </TooltipPrimitive.Content>
    </TooltipPrimitive.Portal>
  )
export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider }
```

```
import { useCallback, useEffect, useState } from 'react';
export type Appearance = 'light' | 'dark' | 'system':
const prefersDark = () => {
    if (typeof window === 'undefined') {
        return false;
    return window.matchMedia('(prefers-color-scheme: dark)').matches;
};
const setCookie = (name: string, value: string, days = 365) => {
    if (typeof document === 'undefined') {
        return:
    const maxAge = days * 24 * 60 * 60;
    document.cookie = `∏{name}=∏{value};path=/;max-age=∏{maxAge};SameSite=Lax`;
}:
const applyTheme = (appearance: Appearance) => {
    const isDark = appearance === 'dark' || (appearance === 'system' && prefersDark());
    document.documentElement.classList.toggle('dark', isDark);
    document.documentElement.style.colorScheme = isDark ? 'dark' : 'light';
};
const mediaQuery = () => {
    if (typeof window === 'undefined') {
        return null;
    return window.matchMedia('(prefers-color-scheme: dark)');
}:
const handleSystemThemeChange = () => {
    const currentAppearance = localStorage.getItem('appearance') as Appearance;
    applyTheme(currentAppearance || 'system');
export function initializeTheme() {
    const savedAppearance = (localStorage.getItem('appearance') as Appearance) || 'system';
    applyTheme(savedAppearance);
    // Add the event listener for system theme changes...
   mediaQuery()?.addEventListener('change', handleSystemThemeChange);
export function useAppearance() {
    const [appearance, setAppearance] = useState<Appearance>('system');
    const updateAppearance = useCallback((mode: Appearance) => {
        setAppearance(mode);
        // Store in localStorage for client-side persistence...
        localStorage.setItem('appearance', mode);
        // Store in cookie for SSR.
        setCookie('appearance', mode);
        applyTheme(mode);
   }, []);
   useEffect(() => {
        const savedAppearance = localStorage.getItem('appearance') as Appearance | null;
        updateAppearance(savedAppearance || 'system');
        return () => mediaQuery()?.removeEventListener('change', handleSystemThemeChange);
   }, [updateAppearance]);
    return { appearance, updateAppearance } as const;
```

}

resources\js\hooks\use-initials.tsx

```
import { useCallback } from 'react';

export function useInitials() {
   return useCallback((fullName: string): string => {
      const names = fullName.trim().split(' ');

      if (names.length === 0) return '';
      if (names.length === 1) return names[0].charAt(0).toUpperCase();

      const firstInitial = names[0].charAt(0);
      const lastInitial = names[names.length - 1].charAt(0);

      return `[{firstInitial}[{astInitial}.toUpperCase();
      }, []);
}
```

resources\js\hooks\use-mobile-navigation.ts

resources\js\hooks\use-mobile.tsx

```
import { useEffect, useState } from 'react';
const MOBILE_BREAKPOINT = 768;

export function useIsMobile() {
    const [isMobile, setIsMobile] = useState<boolean>();

    useEffect(() => {
        const mql = window.matchMedia(`(max-width: []{MOBILE_BREAKPOINT - 1}px)`);

        const onChange = () => {
            setIsMobile(window.innerWidth < MOBILE_BREAKPOINT);
        };

        mql.addEventListener('change', onChange);
        setIsMobile(window.innerWidth < MOBILE_BREAKPOINT);

        return () => mql.removeEventListener('change', onChange);
    }, []);

    return !!isMobile;
}
```

resources\js\layouts\app-layout.tsx

resources\js\layouts\auth-layout.tsx

resources\js\layouts\app\app-header-layout.tsx

resources\js\layouts\app\app-sidebar-layout.tsx

resources\js\layouts\auth\auth-card-layout.tsx

```
import AppLogoIcon from '@/components/app-logo-icon';
import AppLogGreen From '@/components/app-togGreen '
import { Card, CardContent, CardDescription, CardHeader, CardTitle } from '@/components/ui/card';
import { home } from '@/routes';
import { Link } from '@inertiajs/react';
import { type PropsWithChildren } from 'react';
export default function AuthCardLayout({
    children,
    title.
    description,
}: PropsWithChildren<{</pre>
    name?: string;
title?: string;
    description?: string;
}>) {
    return (
         <div className="flex min-h-svh flex-col items-center justify-center gap-6 bg-muted p-6</pre>
md:p-10">
             <div className="flex w-full max-w-md flex-col gap-6">
                 </div>
                 </Link>
                 <div className="flex flex-col gap-6">
                      <Card className="rounded-xl">
                          <CardDescription>{description}</CardDescription>
                          <CardContent className="px-10 py-8">{children}</CardContent>
                      </Card>
                 </div>
             </div>
   </div>
}
```

resources\js\layouts\auth\auth-simple-layout.tsx

```
import AppLogoIcon from '@/components/app-logo-icon';
import { home } from '@/routes';
import { Link } from '@inertiajs/react';
import { type PropsWithChildren } from 'react';
interface AuthLayoutProps {
    name?: string;
title?: string;
    description?: string;
}
export default function AuthSimpleLayout({ children, title, description }:
PropsWithChildren<AuthLayoutProps>) {
    return (
         <div className="flex min-h-svh flex-col items-center justify-center gap-6 bg-background p-6</pre>
md: p-10">
              <div className="w-full max-w-sm">
                  <div className="flex flex-col gap-8">
                      <div className="flex flex-col items-center gap-4">
                           <Link href={home()} className="flex flex-col items-center gap-2 font-</pre>
medium">
                                <div className="mb-1 flex h-9 w-9 items-center justify-center rounded-</pre>
md">
                                    <AppLogoIcon className="size-9 fill-current text-[var(--foreground)]</pre>
dark:text-white" />
                                </div>
                                <span className="sr-only">{title}</span>
                           </Link>
                           <div className="space-y-2 text-center">
                                <h1 className="text-xl font-medium">{title}</h1>

foreground">{description}
                           </div>
                       </div>
                       {children}
                  </div>
             </div>
         </div>
    );
}
```

resources\js\layouts\auth\auth-split-layout.tsx

```
import AppLogoIcon from '@/components/app-logo-icon';
import AppLogGreen From '@/routes';
import { type SharedData } from '@/types';
import { Link, usePage } from '@inertiajs/react';
import { type PropsWithChildren } from 'react';
interface AuthLayoutProps {
    title?: string;
    description?: string;
}
export default function AuthSplitLayout({ children, title, description }:
PropsWithChildren<AuthLayoutProps>) {
    const { name, quote } = usePage<SharedData>().props;
    return (
        <div className="relative grid h-dvh flex-col items-center justify-center px-8 sm:px-0</pre>
lg:max-w-none lg:grid-cols-2 lg:px-0">
             <div className="relative hidden h-full flex-col bg-muted p-10 text-white lg:flex</pre>
dark:border-r">
                 <div className="absolute inset-0 bg-zinc-900" /> <Link href=\{home()\}\ className="relative z-20 flex items-center text-lg font-medium">
                     <AppLogoIcon className="mr-2 size-8 fill-current text-white" />
                     {name}
                 </Link>
                 {quote && (
                     <div className="relative z-20 mt-auto">
                          <footer className="text-sm text-neutral-300">{quote.author}</footer>
                          </blockquote>
                     </div>
                 ) }
             </div>
             <div className="w-full lg:p-8">
                 <div className="mx-auto flex w-full flex-col justify-center space-y-6 sm:w-[350px]">
                     <Link href={home()} className="relative z-20 flex items-center justify-center</pre>
lq:hidden">
                          <AppLogoIcon className="h-10 fill-current text-black sm:h-12" />
                     </Link>
                     <div className="flex flex-col items-start gap-2 text-left sm:items-center</pre>
sm:text-center">
                          <hl className="text-xl font-medium">{title}</hl>
                          {description}
                     </div>
                     {children}
                 </div>
             </div>
        </div>
    ):
}
```

```
import Heading from '@/components/heading';
import Reading from '@/components/ui/button';
import { Separator } from '@/components/ui/separator';
import { cn } from '@/lib/utils';
import { appearance } from '@/routes';
import { edit as editPassword } from '@/routes/password';
import { edit } from '@/routes/profile';
import { type NavItem } from '@/types';
import { Link } from '@inertiajs/react';
import { type PropsWithChildren } from 'react';
const sidebarNavItems: NavItem[] = [
     {
          title: 'Profile',
          href: edit(),
          icon: null,
          title: 'Password'
          href: editPassword(),
          icon: null.
          title: 'Appearance',
          href: appearance(),
          icon: null,
     },
];
export default function SettingsLayout({ children }: PropsWithChildren) {
    // When server-side rendering, we only render the layout on the client...
     if (typeof window === 'undefined') {
          return null;
     const currentPath = window.location.pathname;
     return (
          <div className="px-4 py-6">
               <Heading title="Settings" description="Manage your profile and account settings" />
              <div className="flex flex-col lg:flex-row lg:space-x-12">
                    {sidebarNavItems.map((item, index) => (
                                  <Button
                                       key={`□{typeof item.href === 'string' ? item.href :
item.href.url}-[[index]`]
                                       size="sm"
                                       variant="ghost"
                                       asChild
                                       className={cn('w-full justify-start', {
                                             'bg-muted': currentPath === (typeof item.href === 'string' ?
item.href : item.href.url),
                                       })}
                                       <Link href={item.href} prefetch>
                                            {item.icon && <item.icon className="h-4 w-4" />}
                                            {item.title}
                                       </Link>
                                  </Button>
                             ))}
                        </nav>
                    </aside>
                    <Separator className="my-6 lg:hidden" />
                    <div className="flex-1 md:max-w-2xl">
                         <section className="max-w-xl space-y-12">{children}</section>
              </div>
         </div>
```

}

resources\js\lib\utils.ts

```
import { type ClassValue, clsx } from 'clsx';
import { twMerge } from 'tailwind-merge';

export function cn(...inputs: ClassValue[]) {
    return twMerge(clsx(inputs));
}
```

resources\js\pages\dashboard.tsx

```
import { PlaceholderPattern } from '@/components/ui/placeholder-pattern';
import AppLayout from '@/layouts/app-layout';
import { dashboard } from '@/routes'
import { type BreadcrumbItem } from '@/types';
import { Head } from '@inertiajs/react';
const breadcrumbs: BreadcrumbItem[] = [
    {
        title: 'Dashboard',
        href: dashboard().url,
    },
];
export default function Dashboard() {
    return (
        <AppLayout breadcrumbs={breadcrumbs}>
            <Head title="Dashboard" />
            <div className="flex h-full flex-1 flex-col gap-4 overflow-x-auto rounded-xl p-4">
                 <div className="grid auto-rows-min gap-4 md:grid-cols-3">
                     <div className="relative aspect-video overflow-hidden rounded-xl border border-</pre>
sidebar-border/70 dark:border-sidebar-border">
                         <PlaceholderPattern className="absolute inset-0 size-full stroke-
neutral-900/20 dark:stroke-neutral-100/20" />
                     </div>
                     <div className="relative aspect-video overflow-hidden rounded-xl border border-</pre>
sidebar-border/70 dark:border-sidebar-border">
                         <PlaceholderPattern className="absolute inset-0 size-full stroke-
neutral-900/20 dark:stroke-neutral-100/20" />
                     </div>
                     <div className="relative aspect-video overflow-hidden rounded-xl border border-</pre>
sidebar-border/70 dark:border-sidebar-border">
                         <PlaceholderPattern className="absolute inset-0 size-full stroke-
neutral-900/20 dark:stroke-neutral-100/20" />
                     </div>
                 </div>
                 <div className="relative min-h-[100vh] flex-1 overflow-hidden rounded-xl border</pre>
border-sidebar-border/70 md:min-h-min dark:border-sidebar-border">
                     <PlaceholderPattern className="absolute inset-0 size-full stroke-neutral-900/20
dark:stroke-neutral-100/20" />
                 </div>
             </div>
        </AppLayout>
}
```

```
import { dashboard, login, register } from '@/routes';
import { type SharedData } from '@/types';
import { Head, Link, usePage } from '@inertiajs/react';
export default function Welcome() {
   const { auth } = usePage<SharedData>().props;
    return (
       <>
           <Head title="Welcome">
               <link rel="preconnect" href="https://fonts.bunny.net" />
               <link href="https://fonts.bunny.net/css?family=instrument-sans:400,500,600"</pre>
rel="stylesheet" />
           </Head>
           <div className="flex min-h-screen flex-col items-center bg-[#FDFDFC] p-6 text-[#1b1b18]</pre>
lg:justify-center lg:p-8 dark:bg-[#0a0a0a]">
               <header className="mb-6 w-full max-w-[335px] text-sm not-has-[nav]:hidden</pre>
lg:max-w-4xl">
                   <nav className="flex items-center justify-end gap-4">
                       {auth.user ? (
                           I ink
                              href={dashboard()}
                               className="inline-block rounded-sm border border-[#19140035] px-5
py-1.5 text-sm leading-normal text-[#1b1b18] hover:border-[#1915014a] dark:border-[#3E3E3A]
dark:text-[#EDEDEC] dark:hover:border-[#62605b]"
                               Dashboard
                           </Link>
                       ) : (
                           <>
                               <Link
                                  href={login()}
                                  className="inline-block rounded-sm border border-transparent
px-5 py-1.5 text-sm leading-normal text-[#1b1b18] hover:border-[#19140035] dark:text-[#EDEDEC]
dark:hover:border-[#3E3E3A]
                                  Log in
                               </Link>
                               I ink
                                  href={register()}
                                  className="inline-block rounded-sm border border-[#19140035]
px-5 py-1.5 text-sm leading-normal text-[#1b1b18] hover:border-[#1915014a] dark:border-[#3E3E3A]
dark:text-[#EDEDEC] dark:hover:border-[#62605b]'
                                  Register
                               </Link>
                           </>
                       )}
                   </nav>
               </header>
               <div className="flex w-full items-center justify-center opacity-100 transition-</pre>
lg:flex-row">
                       <div className="flex-1 rounded-br-lg rounded-bl-lg bg-white p-6 pb-12</pre>
text-[13px] leading-[20px] shadow-[inset 0px 0px 0px 1px rgba(26,26,0,0.16)] lg:rounded-tl-lg
lg:rounded-br-none lg:p-20 dark:bg-[#161615] dark:text-[#EDEDEC] dark:shadow-[inset_0px_0px_1px_#fffaed2d]">
                           <hl className="mb-1 font-medium">Let's get started</hl>
                           Laravel has an incredibly rich ecosystem.
                               <hr />
                              We suggest starting with the following.
                           className="mb-4 flex flex-col lg:mb-6">
                               before:top-1/2 before:bottom-0 before:left-[0.4rem] before:border-l before:border-[#e3e3e0]
dark:before:border-[#3E3E3A]">
                                  center rounded-full border border-[#e3e3e0] bg-[#FDFDFC]
shadow-[0px 0px 1px 0px rgba(0,0,0,0.03),0px 1px 2px 0px rgba(0,0,0,0.06)] dark:border-[#3E3E3A]
dark:bg-[#161615]">
```

```
<span className="h-1.5 w-1.5 rounded-full bg-[#dbdbd7]</pre>
dark:bg-[#3E3E3A]" />
                                      </span>
                                  </span>
                                  <span>
                                     Read the
                                         href="https://laravel.com/docs"
                                         target="_blank'
                                         className="ml-1 inline-flex items-center space-x-1 font-
medium text-[#f53003] underline underline-offset-4 dark:text-[#FF4433]"
                                          <span>Documentation</span>
                                          <svg
                                             width={10}
                                             height={11}
                                             viewBox="0 0 10 11"
                                             fill="none"
                                             xmlns="http://www.w3.org/2000/svg"
                                             className="h-2.5 w-2.5"
                                             <path
                                                 d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5
3.00001"
                                                 stroke="currentColor"
                                                 strokeLinecap="square"
                                         </svg>
                                     </a>
                                  </span>
                              className="relative flex items-center gap-4 py-2 before:absolute"
before:top-0 before:bottom-1/2 before:left-[0.4rem] before:border-l before:border-[#e3e3e0]
dark:before:border-[#3E3E3A]">
                                  center rounded-full border border-[#e3e3e0] bg-[#FDFDFC]
shadow-[0px_0px_1px_0px_rgba(0,0,0,0.03),0px_1px_2px_0px_rgba(0,0,0,0.06)] dark:border-[#3E3E3A]
dark:bg-[#161615]">
                                         <span className="h-1.5 w-1.5 rounded-full bg-[#dbdbd7]</pre>
dark:bg-[#3E3E3A]" />
                                      </span>
                                  </span>
                                  <span>
                                     Watch video tutorials at
                                         href="https://laracasts.com"
                                         target=" blank"
                                         className="ml-1 inline-flex items-center space-x-1 font-
medium text-[#f53003] underline underline-offset-4 dark:text-[#FF4433]
                                         <span>Laracasts/span>
                                          <svg
                                             width={10}
                                             height=\{11\}
                                             viewBox="0 0 10 11"
                                             fill="none"
                                             xmlns="http://www.w3.org/2000/svg"
                                             className="h-2.5 w-2.5"
                                             <path
                                                 d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5
3.00001"
                                                 stroke="currentColor"
                                                 strokeLinecap="square"
                                         </svq>
                                     </a>
                                  </span>
```

```
<a
                                                 href="https://cloud.laravel.com"
                                                 target=" blank"
                                                 className="inline-block rounded-sm border border-black
bg-[#1b1b18] px-5 py-1.5 text-sm leading-normal text-white hover:border-black hover:bg-black
dark:border-[#eeeeec] dark:bg-[#eeeeec] dark:text-[#1C1C1A] dark:hover:border-white dark:hover:bg-
white'
                                                 Deploy now
                                            </a>
                                       </div>
                             <div className="relative -mb-px aspect-[335/376] w-full shrink-0 overflow-</pre>
hidden rounded-t-lg bg-[#fff2f2] lg:mb-0 lg:-ml-px lg:aspect-auto lg:w-[438px] lg:rounded-t-none
lg:rounded-r-lg dark:bg-[#1D0002]">
                                  <svq
                                       className="w-full max-w-none translate-y-0 text-[#F53003]
opacity-100 transition-all duration-750 dark:text-[#F61500] starting:translate-y-6
starting:opacity-0"
                                       viewBox="0 0 438 104"
                                       fill="none"
                                       xmlns="http://www.w3.org/2000/svg"
                                       <path d="M17.2036 -3H0V102.197H49.5189V86.7187H17.2036V-3Z"</pre>
fill="currentColor" />
                                       <path
d="M110.256 41.6337C108.061 38.1275 104.945 35.3731 100.905 33.3681C96.8667 31.3647 92.8016 30.3618 88.7131 30.3618C83.4247 30.3618 78.5885 31.3389 74.201
33.2923C69.8111 35.2456 66.0474 37.928 62.9059 41.3333C59.7643 44.7401 57.3198 48.6726 55.5754
53.1293C53.8287 57.589 52.9572 62.274 52.9572 67.1813C52.9572 72.1925 53.8287 76.8995 55.5754
81.3069C57.3191 85.7173 59.7636 89.6241 62.9059 93.0293C66.0474 96.4361 69.8119 99.1155 74.201
101.069C78.5885 103.022 83.4247 103.999 88.7131 103.999C92.8016 103.999 96.8667 102.997 100.905 100.994C104.945 98.9911 108.061 96.2359 110.256
92.7282V102.195H126.563V32.1642H110.256V41.6337ZM108.76 75.7472C107.762 78.4531 106.366 80.8078 104.572 82.8112C102.776 84.8161 100.606 86.4183 98.0637 87.6206C95.5202 88.823 92.7004 89.4238
89.6103 89.4238C86.5178 89.4238 83.7252 88.823 81.2324 87.6206C78.7388 86.4183 76.5949 84.8161
74.7998 82.8112C73.004 80.8078 71.6319 78.4531 70.6856 75.7472C69.7356 73.0421 69.2644 70.1868
69.2644 67.1821C69.2644 64.1758 69.7356 61.3205 70.6856 58.6154C71.6319 55.9102 73.004 53.5571
74.7998 51.5522C76.5949 49.5495 78.738 47.9451 81.2324 46.7427C83.7252 45.5404 86.5178 44.9396 89.6103 44.9396C92.7012 44.9396 95.5202 45.5404 98.0637 46.7427C100.606 47.9451 102.776 49.5487 104.572 51.5522C106.367 53.5571 107.762 55.9102 108.76 58.6154C109.756 61.3205 110.256 64.1758
110.256 67.1821C110.256 70.1868 109.756 73.0421 108.76 75.7472Z"
                                            fill="currentColor"
                                       />
                                       <path
d="M242.805 41.6337C240.611 38.1275 237.494 35.3731 233.455 33.3681C229.416 31.3647 225.351 30.3618 221.262 30.3618C215.974 30.3618 211.138 31.3389 206.75
33.2923C202.36 35.2456 198.597 37.928 195.455 41.3333C192.314 44.7401 189.869 48.6726 188.125
53.1293C186.378 57.589 185.507 62.274 185.507 67.1813C185.507 72.1925 186.378 76.8995 188.125
81.3069C189.868 85.7173 192.313 89.6241 195.455 93.0293C198.597 96.4361 202.361 99.1155 206.75 101.069C211.138 103.022 215.974 103.999 221.262 103.999C225.351 103.999 229.416 102.997 233.455 100.994C237.494 98.9911 240.611 96.2359 242.805
92.7282V102.195H259.112V32.1642H242.805V41.6337ZM241.31 75.7472C240.312 78.4531 238.916 80.8078
237.122 82.8112C235.326 84.8161 233.156 86.4183 230.614 87.6206C228.07 88.823 225.251 89.4238 222.16
89.4238C219.068 89.4238 216.275 88.823 213.782 87.6206C211.289 86.4183 209.145 84.8161 207.35
82.8112C205.554 80.8078 204.182 78.4531 203.236 75.7472C202.286 73.0421 201.814 70.1868 201.814 67.1821C201.814 64.1758 202.286 61.3205 203.236 58.6154C204.182 55.9102 205.554 53.5571 207.35
51.5522C209.145 49.5495 211.288 47.9451 213.782 46.7427C216.275 45.5404 219.068 44.9396 222.16
44.9396C225.251 44.9396 228.07 45.5404 230.614 46.7427C233.156 47.9451 235.326 49.5487 237.122
51.5522C238.917 53.5571 240.312 55.9102 241.31 58.6154C242.306 61.3205 242.806 64.1758 242.806
67.1821C242.805 70.1868 242.305 73.0421 241.31 75.7472Z"
                                            fill="currentColor"
                                       cpath d="M438 -3H421.694V102.197H438V-3Z" fill="currentColor" />
                                       <path d="M139.43</pre>
102.197H155.735V48.2834H183.712V32.1665H139.43V102.197Z" fill="currentColor" />
                                       <path
                                            d="M324.49 32.1665L303.995 85.794L283.498
32.1665H266.983L293.748 102.197H314.242L341.006 32.1665H324.49Z"
                                            fill="currentColor"
                                       />
                                       <path
```

```
d="M376.571 30.3656C356.603 30.3656 340.797 46.8497 340.797
67.1828C340.797 89.6597 356.094 104 378.661 104C391.29 104 399.354 99.1488 409.206 88.5848L398.189
80.0226C398.183 80.031 389.874 90.9895 377.468 90.9895C363.048 90.9895 356.977 79.3111 356.977
73.269H411.075C413.917 50.1328 398.775 30.3656 376.571 30.3656ZM357.02 61.0967C357.145 59.7487 359.023 43.3761 376.442 43.3761C393.861 43.3761 395.978 59.7464 396.099 61.0967H357.02Z"
                                                   fill="currentColor"
                                        </svq>
                                        <svg
                                             className="relative -mt-[4.9rem] -ml-8 w-[448px] max-w-none
lg:-mt-[6.6rem] lg:ml-0 dark:hidden"
                                              viewBox="0 0 440 376"
                                              fill="none"
                                              xmlns="http://www.w3.org/2000/svg"
                                              <g className="translate-y-0 opacity-100 transition-all delay-300</pre>
duration-750 starting:translate-y-4 starting:opacity-0">
                                                         d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766
339.761 219.569 328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867
287.358 263.296 279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352 237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97 186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371 239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961 190.486
271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03 270.817 336.841
283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346 333.167 308.408
343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087 405.649L188.263 355.73Z" fill="black"
                                                   <path
                                                         d="M9.11884 226.339L-13.7396 226.338L-42.7286
176.132L43.0733 176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z
                                                         fill="black"
                                                   <path
                                                         d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766
339.761 219.569 328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867
287.358 263.296 279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352 237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97 186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754 176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961 190.486
271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03 270.817 336.841
283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346 333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087 405.649L188.263 355.73Z"
                                                         stroke="#1B1B18"
                                                         strokeWidth={1}
                                                   <path
                                                         d="M9.11884 226.339L-13.7396 226.338L-42.7286
176.132L43.0733 176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z'
                                                         stroke="#1B1B18"
                                                         strokeWidth={1}
                                                   <path
                                                         d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094
311.479 235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077 279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071 253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083 148.239
174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296 155.319C270.289 162.205
287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745 227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055 341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246 377.375L233.415 377.368L204.592 327.4492"
                                                         fill="#F8B803"
                                                   <path
                                                         d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z"
fill="#F8B803"
```

```
<path
                                                              d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094
311.479 235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077 279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071 253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464 199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083 148.239
174.935 144.701 193.487 144.7020212.922 144.703 232.192 148.242 251.296 155.3190270.289 162.205
174.935 144.701 193.467 144.702C212.922 144.703 232.192 146.242 231.296 133.319C270.209 162.203 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745 227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055 341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246 377.375L233.415 377.368L204.592 327.449Z" stroke="#1B1B18"
                                                              strokeWidth={1}
                                                        <path</pre>
d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015 147.854L191.923 377.368L128.979 377.365L25.447 198.058Z"
                                                              stroke="#1B1B18"
                                                              strokeWidth={1}
                                                  </a>
                                                  <q
                                                        style={{ mixBlendMode: 'hard-light' }}
                                                        className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4 starting:opacity-0"
                                                        <path
d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945
236.991 292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14
188.985 266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449 189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833 126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046 133.233C283.039 140.119
300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466 353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969 353.828 274.384C347.424 282.799
337.486 293.127 324.014 305.367L406.172 305.37L434.996 355.289L246.165 355.282L217.342 305.363Z"
                                                              fill="#F0ACB8"
                                                        <path
                                                              d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z"
                                                              fill="#F0ACB8"
                                                        <path
                                                             d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844
289.393 248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991 292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14
188.985 266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449 189.458
141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833 126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046 133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466 353.495 205.532C362.108 220.45
365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969 353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996 355.289L246.165 355.282L217.342 305.363Z"
                                                              stroke="#1B1B18"
                                                              strokeWidth={1}
                                                        <path
                                                              d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z"
                                                              stroke="#1B1B18"
                                                              strokeWidth={1}
                                                  </g>
                                                        /** @ts-expect-error 'plus-darker' doesn't seem to be defined in
the 'csstype' module */
                                                        style={{ mixBlendMode: 'plus-darker' }}
                                                        className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4 starting:opacity-0"
                                                        <path
```

```
d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453
265.823 262.256 254.539C275.617 243.256 285.666 234.267 292.402 227.573C299.027 220.688 303.554
213.421 305.983 205.771C308.412 198.12 307.253 190.183 302.504 181.959C297.203 172.778 289.749
213.421 303.963 203.771C306.412 196.12 307.233 190.163 302.304 161.939C297.203 172.776 269.749 165.415 280.142 159.868C270.645 154.13 260.596 151.26 249.995 151.26C239.615 151.26 232.823 154.033 229.621 159.579C226.309 164.934 227.413 172.393 232.935 181.956L168.335 181.954C159.058 165.888 155.082 151.543 156.407 138.92C157.953 126.298 164.247 116.544 175.289 109.659C186.442 102.583 201.294 99.045 219.846 99.0457C239.281 99.0464 258.551 102.585 277.655 109.663C296.649 116.549
313.986 126.303 329.667 138.927C345.349 151.551 357.827 165.895 367.104 181.961C375.718 196.88 379.528 209.981 378.535 221.265C377.762 232.549 374.063 242.399 367.438 250.814C361.033 259.229
351.095 269.557 337.624 281.796L419.782 281.8L448.605 331.719L259.774 331.712L230.951 281.792Z" fill="#F3BEC7"
                                                           d="M51.8063 152.402L28.9479 152.401L-0.0411453
102.195L85.7608 102.198L218.282 331.711L155.339 331.709L51.8063 152.402Z"
                                                           fill="#F3BEC7"
                                                     <path
                                                           d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453
265.823 262.256 254.539C275.617 243.256 285.666 234.267 292.402 227.573C299.027 220.688 303.554
213.421 305.983 205.771C308.412 198.12 307.253 190.183 302.504 181.959C297.203 172.778 289.749 165.415 280.142 159.868C270.645 154.13 260.596 151.26 249.995 151.26C239.615 151.26 232.823 154.033 229.621 159.579C226.309 164.934 227.413 172.393 232.935 181.956L168.335 181.954C159.058 165.888 155.082 151.543 156.407 138.92C157.953 126.298 164.247 116.544 175.289 109.659C186.442 102.583
201.294 99.045 219.846 99.0457C239.281 99.0464 258.551 102.585 277.655 109.663C296.649 116.549
313.986 126.303 329.667 138.927C345.349 151.551 357.827 165.895 367.104 181.961C375.718 196.88 379.528 209.981 378.535 221.265C377.762 232.549 374.063 242.399 367.438 250.814C361.033 259.229
351.095 269.557 337.624 281.796L419.782 281.8L448.605 331.719L259.774 331.712L230.951 281.7922"
                                                           stroke="#1B1B18"
                                                           strokeWidth={1}
d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608 102.198L218.282 331.711L155.339 331.709L51.8063 152.402Z"
                                                           stroke="#1B1B18"
                                                           strokeWidth={1}
                                               </a>
                                               <g className="translate-y-0 opacity-100 transition-all delay-300</pre>
duration-750 starting:translate-y-4 starting:opacity-0">
                                                     <path
                                                           d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969
339.393 219.772 328.11C233.133 316.826 243.181 307.837 249.917 301.144C253.696 297.217 256.792
293.166 259.205 288.991C261.024 285.845 262.455 282.628 263.499 279.341C265.928 271.691 264.768
263.753 260.02 255.529C254.719 246.349 247.265 238.985 237.657 233.438C228.16 227.7 218.111 224.831
207.51 224.83C197.13 224.83 190.339 227.603 187.137 233.149C183.824 238.504 184.929 245.963 190.45 255.527L125.851 255.524C116.574 239.458 112.598 225.114 113.923 212.491C114.615 206.836 116.261 201.756 118.859 197.253C122.061 191.704 126.709 187.03 132.805 183.229C143.958 176.153 158.81 172.615 177.362 172.616C196.797 172.617 216.067 176.156 235.171 183.233C254.164 190.119 271.502
199.874 287.183 212.497C302.864 225.121 315.343 239.466 324.62 255.532C333.233 270.45 337.044
283.551 336.05 294.835C335.46 303.459 333.16 311.245 329.151 318.194C327.915 320.337 326.515 322.4
324.953 324.384C318.549 332.799 308.611 343.127 295.139 355.367L377.297 355.37L406.121
405.289L217.29 405.282L188.467 355.363Z'
                                                           stroke="#1B1B18"
                                                           strokeWidth={1}
                                                           strokeLinejoin="bevel"
                                                     <path</pre>
d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765 175.768L175.798 405.282L112.854 405.279L9.32197 225.972Z"
                                                           stroke="#1B1B18"
                                                           strokeWidth={1}
                                                           strokeLinejoin="bevel"
                                                     <path
                                                           d = "M345.247\ 111.915C329.566\ 99.2919\ 312.229\ 89.5371\ 293.235
82.6512L235.167 183.228C254.161 190.114 271.498 199.869 287.179 212.492L345.247 111.9152"
                                                           stroke="#1B1B18"
                                                           strokeWidth={1}
                                                           strokeLinejoin="bevel"
                                                     />
                                                     <path</pre>
                                                           d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25
```

```
111.93L287.182 212.506C302.863 225.13 315.342 239.475 324.618 255.541L382.686 154.9642"
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      />
                                      <path
                                          d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434
72.0303L177.366 172.607C196.801 172.608 216.071 176.147 235.175 183.224L293.243 82.6472Z'
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      />
                                          d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688
154.953L324.619 255.53C333.233 270.448 337.044 283.55 336.05 294.834L394.118 194.2572"
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      />
                                          d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875
82.6442L132.806 183.221C143.959 176.145 158.812 172.607 177.363 172.608L235.432 72.0311Z
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      <path</pre>
                                          d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737
132.858L237.669 233.435C228.172 227.697 218.123 224.828 207.522 224.827L265.59 124.25Z
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      <path</pre>
d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013 255.527C254.712 246.347 247.258 238.983 237.651 233.436L295.719 132.859Z"
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      <path
                                          d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117
194.25L336.049 294.827C335.459 303.451 333.159 311.237 329.15 318.185L387.218 217.6082'
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      />
                                      <path</pre>
                                          d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584
124.258L207.516 224.835C197.136 224.834 190.345 227.607 187.143 233.154L245.211 132.577Z"
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      <path
                                          d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573
178.757L263.505 279.334C265.934 271.684 264.774 263.746 260.026 255.522L318.094 154.945Z"
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      />
                                      <path
                                          d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871
                                          122.059 191.702 118.857 197.25L176.925 96.6737Z"
82.6499L132.803 183.227C126.708 187.027
                                          stroke="#1B1B18"
                                          strokeWidth={1}
                                          strokeLinejoin="bevel"
                                      <path</pre>
                                          d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028
223.797L324.96 324.373C326.522 322.39 327.921 320.326 329.157 318.183L387.226 217.606Z
                                          stroke="#1B1B18"
                                          strokeWidth={1}
```

```
strokeLinejoin="bevel"
                                       <path
d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.622 261.019 285.839 259.201 288.985L317.269 188.408Z" stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <nath
                                           d="M245.208 132.573C241.895 137.928 243 145.387 248.522
154.95L190.454 255.527C184.932 245.964 183.827 238.505 187.14 233.15L245.208 132.573Z"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993
111.91L113.925 212.487C114.618 206.831 116.263 201.752 118.862 197.249L176.93 96.6719Z
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path</pre>
                                           d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978
200.566L249.91 301.143C253.689 297.216 256.785 293.166 259.198 288.99L317.266 188.413Z"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13
405.285L464.198 304.708Z"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                           d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023
223.805L324.955 324.382C318.55 332.797 308.612 343.124 295.141 355.364L353.209 254.787Z"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       <path
                                           d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302
355.364L435.37 254.787Z"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853
255.524L183.921 154.947Z"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       <path
                                           d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92
154.947L125.852 255.524C116.575 239.458 112.599 225.114 113.924 212.491L171.992 111.914Z" stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path</pre>
                                           d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842
227.528L219.774 328.105C233.135 316.821 243.183 307.832 249.919 301.139L307.987 200.5622"
                                           stroke="#1B1B18"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
```

```
d="M15.5469 75.1797L44.5359 125.386L-13.5321
225.963L-42.5212 175.756L15.5469 75.1797Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         <path
                                              d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862
254.789L188.794 355.366C195.64 348.481 205.965 339.397 219.768 328.113L277.836 227.536Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                         <path
                                              d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29
405.283L275.358 304.706Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         <path
                                              d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401
225,966144,5279 125,397"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                         <path</pre>
                                              d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733
175.768L101.341 75.1911ZM15.5431 75.19L-42.525 175.767L43.277 175.77L101.345 75.1932L15.5431 75.19Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                         <path
                                              d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798
355.361L246.866 254.784Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                         <path
                                              d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471
355.358L246.539 254.781Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                         <path
                                              d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257
225.967L67.3906 125.391Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                         <path
                                              d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853
405.276L170.921 304.699Z"
                                              stroke="#1B1B18"
                                              strokeWidth={1}
                                              strokeLinejoin="bevel"
                                         />
                                    </g>
                                     <a
                                         style={{ mixBlendMode: 'hard-light' }}
                                         className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4 starting:opacity-0"
                                         <path
                                              d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046
238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03
```

```
245.214 132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885
170.676 124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457 329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311 169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031 223.811C376.627 232.226 366.688
242.554 353.217 254.794L435.375 254.797L464.198 304.716L275.367 304.709L246.544 254.79Z"
                                                          fill="#F0ACB8"
                                                    <path
                                                          d = "M246.544 \ 254.79L246.875 \ 254.79C253.722 \ 247.905 \ 264.046
238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412
295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03
245.214 132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885
170.676 124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457 329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311 169.877 395.121
182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031 223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198 304.716L275.367 304.709L246.544 254.79Z"
                                                          stroke="#1B1B18"
                                                          strokeWidth={1}
                                                          strokeLinejoin="round"
                                                    />
                                               </g>
                                               <g
                                                    style={{ mixBlendMode: 'hard-light' }}
                                                    className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4 starting:opacity-0"
                                                    <path
                                                          d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364
75.1985L233.886 304.712L170.942 304.71L67.41 125.402Z"
                                                          fill="#F0ACB8"
                                                    <path
                                                          d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364
75.1985L233.886 304.712L170.942 304.71L67.41 125.402Z"
                                                          stroke="#1B1B18"
                                                          strokeWidth={1}
                                                    />
                                              </g>
                                         </svg>
                                              className="relative -mt-[4.9rem] -ml-8 hidden w-[448px] max-w-none
lg:-mt-[6.6rem] lg:ml-0 dark:block"
                                              viewBox="0 0 440 376"
                                               fill="none"
                                               xmlns="http://www.w3.org/2000/svg"
                                               <g className="translate-y-0 opacity-100 transition-all delay-300</pre>
duration-750 starting:translate-y-4 starting:opacity-0">
                                                    <path
                                                          d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766
339.761 219.569 328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296 279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352 237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97 186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371 239.825 112.395 225.481 113.72 212.858C115.265 260.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961 190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03 270.817 336.841
283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346 333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087 405.649L188.263 355.73Z"
                                                          fill="black"
                                                    <path
                                                          d="M9.11884 226.339L-13.7396 226.338L-42.7286
176.132L43.0733 176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z'
                                                          fill="black"
                                                    <path
d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867
287.358 263.296 279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062
```

```
239.352 237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97 186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371 239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961 190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03 270.817 336.841
283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346 333.167 308.408
343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087 405.649L188.263 355.73Z"
                                                            stroke="#FF750F"
                                                             strokeWidth={1}
                                                       />
                                                       <path
                                                             d="M9.11884 226.339L-13.7396 226.338L-42.7286
176.132L43.0733 176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z"
                                                             stroke="#FF750F"
                                                             strokeWidth={1}
                                                       />
                                                       <path
d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195
259.077 279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39
231.071 253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464 199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699 211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083 148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296 155.319C270.289 162.205
287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745 227.618C349.358 242.536
353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055 341.078 296.47C334.674 304.885
324.736 315.213 311.264 327.453L393.422 327.456L422.246 377.375L233.415 377.368L204.592 327.449Z"
                                                             fill="#391800"
                                                       />
                                                       <path
                                                             d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z"
                                                            fill="#391800"
                                                       <path
                                                            d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094
311.479 235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077 279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071 253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699 211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083 148.239
174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296 155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745 227.618C349.358 242.536
353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055 341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246 377.375L233.415 377.368L204.592 327.449Z"
                                                             stroke="#FF750F"
                                                             strokeWidth={1}
                                                       />
                                                       <path
                                                             d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z"
                                                             stroke="#FF750F"
                                                             strokeWidth={1}
                                                       />
                                                 </g>
                                                 <g
                                                       className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4 starting:opacity-0"
                                                       style={{ mixBlendMode: 'hard-light' }}
                                                       <path
                                                             d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844
289.393 248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945
236.991 292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985 266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449 189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833 126.153
187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046 133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466 353.495 205.532C362.108 220.45
365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969 353.828 274.384C347.424 282.799
337.486 293.127 324.014 305.367L406.172 305.37L434.996 355.289L246.165 355.282L217.342 305.363Z"
                                                             fill="#733000'
```

```
<path
                                                       d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z"
                                                       fill="#733000"
                                                  />
                                                  <path
                                                       d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844
289.393 248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945
236.991 292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985 266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449 189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833 126.153
187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046 133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466 353.495 205.532C362.108 220.45
365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969 353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996 355.289L246.165 355.282L217.342 305.363L
                                                       stroke="#FF750F"
                                                       strokeWidth={1}
                                                  />
                                                  <path
                                                       d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z"
                                                       stroke="#FF750F"
                                                       strokeWidth={1}
                                            </q>
                                            <g className="translate-y-0 opacity-100 transition-all delay-300</pre>
duration-750 starting:translate-y-4 starting:opacity-0">
                                                 <path
d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393 248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945
236.991 292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14
188.985 266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603 216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.726 205.524C145.449 189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833 126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046 133.233C283.039 140.119
300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466 353.495 205.532C362.108 220.45
365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969 353.828 274.384C347.424 282.799
337.486 293.127 324.014 305.367L406.172 305.37L434.996 355.289L246.165 355.282L217.342 305.363Z"
                                                       stroke="#FF750F"
                                                       strokeWidth={1}
                                                  />
                                                  <path
                                                       d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z"
                                                       stroke="#FF750F"
                                                       strokeWidth={1}
                                            </q>
                                            <g className="translate-y-0 opacity-100 transition-all delay-300</pre>
duration-750 starting:translate-y-4 starting:opacity-0">
                                                 <path</pre>
                                                       d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969
339.393 219.772 328.11C233.133 316.826 243.181 307.837 249.917 301.144C253.696 297.217 256.792 293.166 259.205 288.991C261.024 285.845 262.455 282.628 263.499 279.341C265.928 271.691 264.768
263.753 260.02 255.529C254.719 246.349 247.265 238.985 237.657 233.438C228.16 227.7 218.111 224.831
207.51 224.83C197.13 224.83 190.339 227.603 187.137 233.149C183.824 238.504 184.929 245.963 190.45 255.527L125.851 255.524C116.574 239.458 112.598 225.114 113.923 212.491C114.615 206.836 116.261
201.756 118.859 197.253C122.061 191.704 126.709 187.03 132.805 183.229C143.958 176.153 158.81 172.615 177.362 172.616C196.797 172.617 216.067 176.156 235.171 183.233C254.164 190.119 271.502
199.874 287.183 212.497C302.864 225.121 315.343 239.466 324.62 255.532C333.233 270.45 337.044
283.551 336.05 294.835C335.46 303.459 333.16 311.245 329.151 318.194C327.915 320.337 326.515 322.4
324.953 324.384C318.549 332.799 308.611 343.127 295.139 355.367L377.297 355.37L406.121
405.289L217.29 405.282L188.467 355.363Z'
                                                       stroke="#FF750F"
                                                       strokeWidth={1}
                                                       strokeLinejoin="bevel"
                                                  <path
                                                       d="M9.32197 225.972L-13.5365 225.971L-42.5255
175.765L43.2765 175.768L175.798 405.282L112.854 405.279L9.32197 225.972Z" stroke="#FF750F"
                                                       strokeWidth={1}
```

```
strokeLinejoin="bevel"
                                        />
                                        <path
d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235 82.6512L235.167 183.228C254.161 190.114 271.498 199.869 287.179 212.492L345.247 111.915Z" stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                        <nath
                                            d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25
111.93L287.182 212.506C302.863 225.13 315.342 239.475 324.618 255.541L382.686 154.964Z
                                            stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                        <path
                                            d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434
72.0303L177.366 172.607C196.801 172.608 216.071 176.147 235.175 183.224L293.243 82.6472Z' stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                        <path</pre>
                                            d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688
154.953L324.619 255.53C333.233 270.448 337.044 283.55 336.05 294.834L394.118 194.257Z"
                                            stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                        <path
                                            d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875
                                            158.812 172.607 177.363 172.608L235.432 72.0311Z' stroke="#FF750F"
82.6442L132.806 183.221C143.959 176.145
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                            d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737
132.858L237.669 233.435C228.172 227.697 218.123 224.828 207.522 224.827L265.59 124.25Z
                                            stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        <path
                                            d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081
154.95L260.013 255.527C254.712 246.347 247.258 238.983 237.651 233.436L295.719 132.859Z" stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        <path
                                            d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117
194.25L336.049 294.827C335.459 303.451 333.159 311.237 329.15 318.185L387.218 217.608Z" stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        <path
                                            d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584
124.258L207.516 224.835C197.136 224.834 190.345 227.607 187.143 233.154L245.211 132.577Z" stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                        <path</pre>
                                            d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573
178.757L263.505 279.334C265.934 271.684 264.774 263.746 260.026 255.522L318.094 154.945Z"
                                            stroke="#FF750F"
                                            strokeWidth={1}
                                            strokeLinejoin="bevel"
                                        />
                                        <path
```

```
d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871
82.6499L132.803 183.227C126.708 187.027 122.059 191.702 118.857 197.25L176.925 96.6737Z" stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       <path
                                           d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028
223.797L324.96 324.373C326.522 322.39 327.921 320.326 329.157 318.183L387.226 217.606Z
                                           stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                           d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562
178.758L263.494 279.335C262.451 282.622 261.019 285.839 259.201 288.985L317.269 188.408Z" stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       <path
                                           d="M245.208 132.573C241.895 137.928 243 145.387 248.522
154.95L190.454 255.527C184.932 245.964 183.827 238.505 187.14 233.15L245.208 132.573Z" stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path</pre>
                                           d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993
111.91L113.925 212.487C114.618 206.831 116.263 201.752 118.862 197.249L176.93 96.6719Z" stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978
200.566L249.91 301.143C253.689 297.216 256.785 293.166 259.198 288.99L317.266 188.413Z"
                                           stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13
405.285L464.198 304.708Z"
                                           stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023
223.805L324.955 324.382C318.55 332.797 308.612 343.124 295.141 355.364L353.209 254.787Z"
                                           stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302
355.364L435.37 254.787Z"
                                           stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       />
                                       <path
                                           d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853
255.524L183.921 154.947Z"
                                           stroke="#FF750F"
                                           strokeWidth={1}
                                           strokeLinejoin="bevel"
                                       <path
d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92 154.947L125.852 255.524C116.575 239.458 112.599 225.114 113.924 212.491L171.992 111.914Z"
                                           stroke="#FF750F"
```

```
strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842
227.528L219.774 328.105C233.135 316.821 243.183 307.832 249.919 301.139L307.987 200.562Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212 175.756L15.5469 75.1797Z"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862
254.789L188.794 355.366C195.64 348.481 205.965 339.397 219.768 328.113L277.836 227.536Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29
405.283L275.358 304.706Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401
225.966L44.5279 125.39Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733
175.768L101.341 75.1911ZM15.5431 75.19L-42.525 175.767L43.277 175.77L101.345 75.1932L15.5431 75.19Z"
                                         stroke="#FF750F'
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     <path
                                         d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798
355.361L246.866 254.784Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471
355.358L246.539 254.781Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257
225.967L67.3906 125.391Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
                                     <path
                                         d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853
405.276L170.921 304.699Z"
                                         stroke="#FF750F"
                                         strokeWidth={1}
                                         strokeLinejoin="bevel"
                                     />
```

```
</g>
                                         <g
                                              className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4 starting:opacity-0"
                                              style={{ mixBlendMode: 'hard-light' }}
                                              <path
                                                   d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046
238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418
321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412
295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03
245.214 132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885
170.676 124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457 329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311 169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031 223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198 304.716L275.367 304.709L246.544 254.79Z"
                                                   fill="#4B0600"
                                              <path
                                                   d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046
238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418
321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03
245.214 132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885
170.676 124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457 329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311 169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031 223.811C376.627 232.226 366.688
242.554 353.217 254.794L435.375 254.797L464.198 304.716L275.367 304.709L246.544 254.79Z
                                                   stroke="#FF750F"
                                                   strokeWidth={1}
                                                   strokeLinejoin="round"
                                              />
                                         </g>
                                         <q
                                              className="translate-y-0 opacity-100 transition-all delay-300
duration-750 starting:translate-y-4
                                              starting:opacity-0"
                                              style={{ mixBlendMode: 'hard-light' }}
                                              <path
                                                   d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364
75.1985L233.886 304.712L170.942 304.71L67.41 125.402Z'
                                                   fill="#4B0600"
                                              <path
                                                   d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364
75.1985L233.886 304.712L170.942 304.71L67.41 125.402Z
                                                   stroke="#FF750F"
                                                   strokeWidth={1}
                                         </a>
                                    </svg>
                                    <div className="absolute inset-0 rounded-t-lg</pre>
shadow-[inset_0px_0px_1px_rgba(26,26,0,0.16)] lg:rounded-t-none lg:rounded-r-lg
dark:shadow-[inset_0px_0px_0px_1px_#fffaed2d]" />
                               </div>
                         </main>
                    </div>
                    <div className="hidden h-14.5 lg:block"></div>
         <d
</div>
</>
     );
}
```

resources\js\pages\auth\confirm-password.tsx

```
import { store } from '@/actions/App/Http/Controllers/Auth/ConfirmablePasswordController';
import { store } from '@/actions/App/Http/controtted
import InputError from '@/components/input-error';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import AuthLayout from '@/layouts/auth-layout';
import { Form, Head } from '@inertiajs/react';
import { LoaderCircle } from 'lucide-react';
export default function ConfirmPassword() {
     return (
          <AuthLayout
               title="Confirm your password"
               description="This is a secure area of the application. Please confirm your password
before continuing.
               <Head title="Confirm password" />
               <Form {...store.form()} resetOnSuccess={['password']}>
                    {({ processing, errors }) => (
                         <div className="space-y-6">
                              <div className="grid gap-2">
<InputError message={errors.password} />
                              </div>
                              <div className="flex items-center">
                                   <Button className="w-full" disabled={processing}>
{processing && <LoaderCircle className="h-4 w-4 animate-spin" />}
                                        Confirm password
                                   </Button>
                              </div>
                         </div>
               </Form>
          </AuthLavout>
     );
}
```

```
// Components
import { store } from '@/actions/App/Http/Controllers/Auth/PasswordResetLinkController';
import { login } from '@/routes';
import { Form, Head } from '@inertiajs/react';
import { LoaderCircle } from 'lucide-react';
import InputError from '@/components/input-error';
import TextLink from '@/components/text-link';
import TextLink from '@/components/text-tink;
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import AuthLayout from '@/layouts/auth-layout';
export default function ForgotPassword({ status }: { status?: string }) {
     return (
         <AuthLayout title="Forgot password" description="Enter your email to receive a password</pre>
reset link">
              <Head title="Forgot password" />
              {status && <div className="mb-4 text-center text-sm font-medium text-
green-600">{status}</div>}
              <div className="space-y-6">
                   <Form {...store.form()}>
                       {({ processing, errors }) => (
                                 <div className="grid gap-2">
                                     <Label htmlFor="email">Email address</Label>
<Input id="email" type="email" name="email" autoComplete="off"</pre>
autoFocus placeholder="email@example.com" />
                                     <InputError message={errors.email} />
                                </div>
                                {processing && <LoaderCircle className="h-4"w-4 animate-spin"
/>}
                                          Email password reset link
                                     </Button>
                           </div>
                       )}
                  </Form>
                  <div className="space-x-1 text-center text-sm text-muted-foreground">
                       <span>0r, return to</span>
                       <TextLink href={login()}>log in</TextLink>
                   </div>
              </div>
         </AuthLayout>
    );
}
```

```
import { store } from '@/actions/App/Http/Controllers/Auth/AuthenticatedSessionController';
import InputError from '@/components/input-error';
import InputError from @/components/Input-error;
import TextLink from '@/components/text-link';
import { Button } from '@/components/ui/button';
import { Checkbox } from '@/components/ui/checkbox';
import { Checkbox } from '@/components/ui/check
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import AuthLayout from '@/layouts/auth-layout';
import { reguest } from '@/routes';
import { Form Hoad } from '@/routes/password';
import { Form Hoad } from '@/inportiais/roact';
import { Form, Head } from '@inertiajs/react';
import { LoaderCircle } from 'lucide-react';
interface LoginProps {
     status?: string:
     canResetPassword: boolean;
export default function Login({ status, canResetPassword }: LoginProps) {
     return (
          <AuthLayout title="Log in to your account" description="Enter your email and password below</pre>
to log in">
               <Head title="Log in" />
               <Form {...store.form()} resetOnSuccess={['password']} className="flex flex-col gap-6">
                     {({ processing, errors }) => (
                               <div className="grid gap-6">
                                    <div className="grid gap-2">
                                         <Label htmlFor="email">Email address</Label>
                                         <Input
                                              id="email"
                                              type="email"
name="email"
                                              required
                                              autoFocus
                                              tabIndex={1}
                                              autoComplete="email"
                                              placeholder="email@example.com"
                                         <InputError message={errors.email} />
                                    </div>
                                    <Label htmlFor="password">Password</Label>
                                              {canResetPassword && (
                                                    <TextLink href={request()} className="ml-auto text-sm"
tabIndex={5}>
                                                         Forgot password?
                                                    </TextLink>
                                              ) }
                                         </div>
                                         <Input
                                              id="password"
                                              type="password"
                                              name="password"
                                              required
                                              tabIndex={2}
                                              autoComplete="current-password"
placeholder="Password"
                                         <InputError message={errors.password} />
                                    </div>
                                    <Label htmlFor="remember">Remember me</Label>
                                    <Button type="submit" className="mt-4 w-full" tabIndex={4}</pre>
disabled={processing}>
                                         {processing && <LoaderCircle className="h-4 w-4 animate-spin" />}
```

resources\js\pages\auth\login.tsx

resources\js\pages\auth\register.tsx

```
import { store } from '@/actions/App/Http/Controllers/Auth/RegisteredUserController';
import { login } from '@/routes';
import { Form, Head } from '@inertiajs/react';
import { LoaderCircle } from 'lucide-react';
import InputError from '@/components/input-error';
import TextLink from '@/components/text-link'
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import AuthLayout from '@/layouts/auth-layout';
export default function Register() {
    return (
         <AuthLayout title="Create an account" description="Enter your details below to create your</pre>
account">
              <Head title="Register" />
              <Form {...store.form()} resetOnSuccess={['password', 'password confirmation']}</pre>
disableWhileProcessing className="flex flex-col gap-6">
                  {({ processing, errors }) => (
                       ·
<>
                           <div className="grid gap-6">
                                <div className="grid gap-2">
     <Label htmlFor="name">Name</Label>
                                     <Input
                                         id="name"
                                         type="text"
                                         required
                                         autoFocus
                                         tabIndex={1}
                                         autoComplete="name"
                                         name="name"
                                         placeholder="Full name"
                                    />
                                     <InputError message={errors.name} className="mt-2" />
                                </div>
                                <div className="grid gap-2">
                                    <Label htmlFor="email">Email address</Label>
                                    <Input
                                         id="email"
                                         type="email"
                                         réquired
                                         tabIndex={2}
                                         autoComplete="email"
                                         name="email"
                                         placeholder="email@example.com"
                                     <InputError message={errors.email} />
                                <div className="grid gap-2">
                                    <Label htmlFor="password">Password</Label>
                                         id="password"
                                         type="password"
                                         required
                                         tabIndex={3}
                                         autoComplete="new-password"
                                         name="password"
                                         placeholder="Password"
                                    <InputError message={errors.password} />
                                </div>
                                <div className="grid gap-2">
                                    <Label htmlFor="password confirmation">Confirm password</Label>
                                         id="password_confirmation"
                                         type="password"
required
                                         tabIndex={4}
                                         autoComplete="new-password"
```

resources\js\pages\auth\register.tsx

resources\js\pages\auth\reset-password.tsx

```
import { store } from '@/actions/App/Http/Controllers/Auth/NewPasswordController';
import { Form, Head } from '@inertiajs/react';
import { LoaderCircle } from 'lucide-react';
import InputError from '@/components/input-error';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import AuthLayout from '@/layouts/auth-layout';
interface ResetPasswordProps {
    token: string;
    email: string;
}
export default function ResetPassword({ token, email }: ResetPasswordProps) {
    return (
        <AuthLayout title="Reset password" description="Please enter your new password below">
             <Head title="Reset password" />
             <Form {...store.form()} transform={(data) => ({ ...data, token, email })}
resetOnSuccess={['password', 'password_confirmation']}>
                 {({ processing, errors }) => (
                      <div className="grid gap-6">
                          <div className="grid gap-2">
                              <Label htmlFor="email">Email</Label>
                              <Input id="email" type="email" name="email" autoComplete="email"</pre>
value={email} className="mt-1 block w-full" readOnly />
                               <InputError message={errors.email} className="mt-2" />
                          </div>
                          <div className="grid gap-2">
                               <Label htmlFor="password">Password</Label>
                               <Input
                                   id="password"
                                   type="password"
name="password"
                                   autoComplete="new-password"
                                   className="mt-1 block w-full"
                                   autoFocus
                                   placeholder="Password"
                               <InputError message={errors.password} />
                          </div>
                          <div className="grid gap-2">
                               <Label htmlFor="password_confirmation">Confirm password</Label>
                                   id="password confirmation"
                                   type="password"
name="password_confirmation"
                                   autoComplete="new-password"
                                   className="mt-1 block w-full"
                                   placeholder="Confirm password"
                              <InputError message={errors.password confirmation} className="mt-2" />
                          <Button type="submit" className="mt-4 w-full" disabled={processing}>
                               {processing && <LoaderCircle className="h-4 w-4 animate-spin"</pre>
                              Reset password
                          </Button>
                      </div>
                 )}
             </Form>
        </AuthLayout>
    );
}
```

resources\js\pages\auth\verify-email.tsx

```
// Components
import { store } from '@/actions/App/Http/Controllers/Auth/EmailVerificationNotificationController';
import { logout } from '@/routes';
import { togodt } 'lom' @/routes ,
import { Form, Head } from '@inertiajs/react';
import { LoaderCircle } from 'lucide-react';
import TextLink from '@/components/text-link';
import { Button } from '@/components/ui/button';
import AuthLayout from '@/layouts/auth-layout';
export default function VerifyEmail({ status }: { status?: string }) {
     return (
         <AuthLayout title="Verify email" description="Please verify your email address by clicking</pre>
{status === 'verification-link-sent' && (
                  <div className="mb-4 text-center text-sm font-medium text-green-600">
                       A new verification link has been sent to the email address you provided during
registration.
                  </div>
              )}
              <Form {...store.form()} className="space-y-6 text-center">
                  \{(\{ processing \}) => (
                           <Button disabled={processing} variant="secondary">
    {processing && <LoaderCircle className="h-4 w-4 animate-spin" />}
                                Resend verification email
                           </Button>
                           <TextLink href={logout()} className="mx-auto block text-sm">
                                Log out
                           </TextLink>
                       </>
                  )}
              </Form>
        </AuthLayout>
    );
}
```

resources\js\pages\settings\appearance.tsx

```
import { Head } from '@inertiajs/react';
import AppearanceTabs from '@/components/appearance-tabs';
import HeadingSmall from '@/components/heading-small';
import { type BreadcrumbItem } from '@/types';
import AppLayout from '@/layouts/app-layout';
import AppLayout from '@/tayouts/settings/layout';
import { appearance } from '@/routes';
const breadcrumbs: BreadcrumbItem[] = [
    {
         title: 'Appearance settings',
         href: appearance().url,
    },
1;
export default function Appearance() {
         <AppLayout breadcrumbs={breadcrumbs}>
             <Head title="Appearance settings" />
             <SettingsLayout>
                  <div className="space-y-6">
                      <HeadingSmall title="Appearance settings" description="Update your account's</pre>
appearance settings" />
                      <AppearanceTabs />
                  </div>
             </SettingsLayout>
         </AppLayout>
    );
}
```

```
import { update } from '@/actions/App/Http/Controllers/Settings/PasswordController';
import InputError from '@/components/input-error';
import AppLayout from '@/layouts/app-layout';
import SettingsLayout from '@/layouts/settings/layout';
import { type BreadcrumbItem } from '@/types';
import { Transition } from '@/types';
import { Transition } from '@headlessui/react';
import { Form, Head } from '@inertiajs/react';
import { useRef } from 'react';
import HeadingSmall from '@/components/heading-small';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import { edit } from '@/routes/password';
const breadcrumbs: BreadcrumbItem[] = [
           title: 'Password settings',
          href: edit().url,
     },
];
export default function Password() {
     const passwordInput = useRef<HTMLInputElement>(null);
     const currentPasswordInput = useRef<HTMLInputElement>(null);
          <AppLayout breadcrumbs={breadcrumbs}>
                <Head title="Password settings" />
                <SettingsLayout>
                     <div className="space-y-6">
                          <HeadingSmall title="Update password" description="Ensure your account is using</pre>
a long, random password to stay secure" />
                          <Form
                               {...update.form()}
                               options={{
                                     preserveScroll: true,
                               }}
                               resetOnError={['password', 'password confirmation', 'current password']}
                               resetOnSuccess
                               onError={(errors) => {
                                     if (errors.password) {
                                          passwordInput.current?.focus();
                                     if (errors.current_password) {
                                          currentPasswordInput.current?.focus();
                               className="space-y-6"
                               {({ errors, processing, recentlySuccessful }) => (
                                          <div className="grid gap-2">
                                               <Label htmlFor="current password">Current password</Label>
                                               <Input
                                                     id="current_password"
                                                     ref={currentPasswordInput}
                                                    name="current_password"
type="password"
                                                    className="mt-1 block w-full"
autoComplete="current-password"
placeholder="Current password"
                                               <InputError message={errors.current_password} />
                                          </div>
                                          <div className="grid gap-2">
                                               <Label htmlFor="password">New password</Label>
```

```
<Input
                                         id="password"
                                         ref={passwordInput}
name="password"
type="password"
                                         className="mt-1 block w-full"
autoComplete="new-password"
                                         placeholder="New password"
                                    <InputError message={errors.password} />
                                </div>
                                <div className="grid gap-2">
                                    <Label htmlFor="password_confirmation">Confirm password</Label>
                                         id="password confirmation"
                                         name="password_confirmation"
type="password"
className="mt-1 block w-full"
autoComplete="new-password"
                                         placeholder="Confirm password"
                                    <InputError message={errors.password_confirmation} />
                                </div>
                                <div className="flex items-center gap-4">
                                    <Button disabled={processing}>Save password</Button>
                                    <Transition
                                         show={recentlySuccessful}
                                         enter="transition ease-in-out"
                                         enterFrom="opacity-0"
                                         leave="transition ease-in-out"
                                         leaveTo="opacity-0"
                                         Saved
                          </div>
                                    </Transition>
                  )}
</Form>
             </div>
         </SettingsLayout>
    </AppLayout>
);
```

}

resources\js\pages\settings\profile.tsx

```
import { update } from '@/actions/App/Http/Controllers/Settings/ProfileController';
import { send } from '@/routes/verification';
import { type BreadcrumbItem, type SharedData } from '@/types';
import { Transition } from '@headlessui/react';
import { Form, Head, Link, usePage } from '@inertiajs/react';
import DeleteUser from '@/components/delete-user'
import HeadingSmall from '@/components/heading-small';
import ReadingSmatt From @/components/neading-sma
import InputError from '@/components/input-error';
import { Button } from '@/components/ui/button';
import { Input } from '@/components/ui/input';
import { Label } from '@/components/ui/label';
import AppLayout from '@/layouts/app-layout';
import SettingsLayout from '@/layouts/settings/layout';
import { edit } from '@/routes/profile';
const breadcrumbs: BreadcrumbItem[] = [
     {
          title: 'Profile settings',
          href: edit().url,
     }.
1:
export default function Profile({ mustVerifyEmail, status }: { mustVerifyEmail: boolean; status?:
string }) {
   const { auth } = usePage<SharedData>().props;
     return (
          <AppLayout breadcrumbs={breadcrumbs}>
               <Head title="Profile settings" />
               <SettingsLayout>
                    <div className="space-y-6">
                        <HeadingSmall title="Profile information" description="Update your name and</pre>
email address" />
                        <Form
                             {...update.form()}
                             options={{
                                  preserveScroll: true,
                             className="space-y-6"
                             {({ processing, recentlySuccessful, errors }) => (
                                       <div className="grid gap-2">
                                            <Label htmlFor="name">Name</Label>
                                            <Input
                                                 id="name"
                                                 className="mt-1 block w-full"
                                                 defaultValue={auth.user.name}
                                                 name="name'
                                                 required
                                                 autoComplete="name"
                                                 placeholder="Full name"
                                            <InputError className="mt-2" message={errors.name} />
                                       </div>
                                       <div className="grid gap-2">
                                            <Label htmlFor="email">Email address</Label>
                                            <Input
                                                 id="email"
                                                 type="email"
                                                 className="mt-1 block w-full"
                                                 defaultValue={auth.user.email}
                                                 name="email"
                                                 required
                                                 autoComplete="username"
                                                 placeholder="Email address"
```

resources\js\pages\settings\profile.tsx

```
/>
                                  <InputError className="mt-2" message={errors.email} />
                              </div>
                              {mustVerifyEmail && auth.user.email_verified_at === null && (
                                  <div>
                                      Your email address is unverified.{' '}
                                          <Link
                                             href={send()}
                                             as="button"
                                             className="text-foreground underline decoration-
neutral-300 underline-offset-4 transition-colors duration-300 ease-out hover:decoration-current!
dark:decoration-neutral-500"
                                             Click here to resend the verification email.
                                          </Link>
                                      {status === 'verification-link-sent' && (
                                          <div className="mt-2 text-sm font-medium text-</pre>
green-600">
                                             A new verification link has been sent to your email
address.
                                         </div>
                                      )}
                                  </div>
                              )}
                              <div className="flex items-center gap-4">
                                  <Button disabled={processing}>Save</Button>
                                  <Transition
                                      show={recentlySuccessful}
enter="transition ease-in-out"
                                      enterFrom="opacity-0"
                                      leave="transition ease-in-out"
                                      leaveTo="opacity-0"
                                      Saved
                          </div>
                                  </Transition>
                      )}
                   </Form>
               </div>
               <DeleteUser />
           </SettingsLayout>
       </AppLayout>
   );
}
```

```
import { queryParams, type RouteQueryOptions, type RouteDefinition, type RouteFormDefinition } from
 ./../wayfinder
* @see routes/web.php:6
* @route '/'
*/
export const home = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: home.url(options),
    method: 'get',
})
home.definition = {
    methods: ["get","head"],
    url: '/'
} satisfies RouteDefinition<["get", "head"]>
* @see routes/web.php:6
*
   @route '/'
*/
home.url = (options?: RouteOuervOptions) => {
    return home.definition.url + queryParams(options)
* @see routes/web.php:6
  @route '/
home.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: home.url(options),
    method: 'get',
})
/**
* @see routes/web.php:6
 * @route '/
home.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: home.url(options),
    method: 'head',
})
    /**
 * @see routes/web.php:6
 *
   @route '/'
 */
    const homeForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: home.url(options),
method: 'get',
    })
            /**
 * @see routes/web.php:6
 * @route '/
 */
        homeForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: home.url(options),
            method: 'get',
        })
 * @see routes/web.php:6
 * @route '/
        homeForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: home.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             method: 'HEAD'
                              ...(options?.query ?? options?.mergeQuery ?? {}),
                         }
            }),
method: 'get',
        })
    home.form = homeForm
```

```
* @see routes/web.php:11
 * @route '/dashboard
export const dashboard = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: dashboard.url(options),
    method: 'get',
})
dashboard.definition = {
    methods: ["get", "head"],
    url: '/dashboard'
} satisfies RouteDefinition<["get","head"]>
 * @see routes/web.php:11
* @route '/dashboard'
dashboard.url = (options?: RouteQueryOptions) => {
    return dashboard.definition.url + gueryParams(options)
}
/**
* @see routes/web.php:11
* @route '/dashboard'
*/
dashboard.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: dashboard.url(options),
    method: 'get',
})
/**
* @see routes/web.php:11
*
  @route '/dashboard
dashboard.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: dashboard.url(options),
    method: 'head',
})
 * @see routes/web.php:11
   @route '/dashboard'
    const dashboardForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: dashboard.url(options),
method: 'get',
    })
            /**
 * @see routes/web.php:11
   @route '/dashboard'
        dashboardForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: dashboard.url(options),
            method: 'get',
        })
 * @see routes/web.php:11
  @route '/dashboard'
        dashboardForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: dashboard.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             _method: 'HEAD'
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                         }
            }),
method: 'get',
    dashboard.form = dashboardForm
 * @see routes/settings.php:21
```

```
* @route '/settings/appearance'
*/
export const appearance = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: appearance.url(options),
    method: 'get',
})
appearance.definition = {
    methods: ["get","head"],
url: '/settings/appearance'
} satisfies RouteDefinition<["get","head"]>
* @see routes/settings.php:21
  @route '/settings/appearance'
*/
appearance.url = (options?: RouteQueryOptions) => {
    return appearance.definition.url + queryParams(options)
  @see routes/settings.php:21
  @route '/settings/appearance'
appearance.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: appearance.url(options),
    method: 'get',
})
* @see routes/settings.php:21
*
  @route '/settings/appearance'
appearance.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: appearance.url(options),
    method: 'head',
})
    /**
  @see routes/settings.php:21
  @route '/settings/appearance'
    const appearanceForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: appearance.url(options),
        method: 'get',
   })
 * @see routes/settings.php:21
  @route '/settings/appearance'
        appearanceForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: appearance.url(options),
method: 'get',
        })
            /**
 * @see routes/settings.php:21
  @route '/settings/appearance'
        appearanceForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: appearance.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             _method: 'HEAD'
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                         }
                     }),
            method: 'get',
        })
    appearance.form = appearanceForm
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
  @see app/Http/Controllers/Auth/RegisteredUserController.php:21
 * @route '/register'
```

```
*/
export const register = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: register.url(options),
    method: 'get',
register.definition = {
   methods: ["get","head"],
url: '/register',
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
* @see app/Http/Controllers/Auth/RegisteredUserController.php:21
* @route '/register'
*/
register.url = (options?: RouteQueryOptions) => {
    return register.definition.url + queryParams(options)
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
* @see app/Http/Controllers/Auth/RegisteredUserController.php:21
  @route '/register'
*/
register.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
   url: register.url(options),
    method: 'get',
})
/**
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
* @see app/Http/Controllers/Auth/RegisteredUserController.php:21
* @route '/register'
register.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: register.url(options),
    method: 'head',
})
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
  @see app/Http/Controllers/Auth/RegisteredUserController.php:21
  @route '/register
    const registerForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: register.url(options),
        method: 'get',
    })
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
* @see app/Http/Controllers/Auth/RegisteredUserController.php:21
  @route '/register'
 */
        registerForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: register.url(options),
method: 'get',
        })
* @see \App\Http\Controllers\Auth\RegisteredUserController::register
* @see app/Http/Controllers/Auth/RegisteredUserController.php:21
  @route '/register
        registerForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: register.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             _method: 'HEAD'
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                    }),
            method: 'get',
        })
```

```
register.form = registerForm
/**
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
 * @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19
* @route '/login'
*/
export const login = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: login.url(options),
    method: 'get',
})
login.definition = {
    methods: ["get", "head"],
    url: '/login'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
   @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19
 * @route '/login'
login.url = (options?: RouteQueryOptions) => {
    return login.definition.url + queryParams(options)
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
 \hbox{$^*$ @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19} \\
 * @route '/login'
login.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: login.url(options),
    method: 'get',
/**
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
  @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19
 *
  @route '/login
login.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: login.url(options),
    method: 'head',
})
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
* @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19
   @route '/login'
    const loginForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: login.url(options),
method: 'get',
    })
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
 * @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19
* @route '/login'
 */
        loginForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: login.url(options),
            method: 'get',
        })
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::login
  @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:19
   @route '/login
        loginForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: login.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             _method: 'HEAD'
                             ...(options?.query ?? options?.mergeQuery ?? {}),
```

```
}
            }),
method: 'get'
        })
   login.form = loginForm
/**
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::logout
  @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:42
@route '/logout'
*/
export const logout = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
   url: logout.url(options),
    method: 'post',
})
logout.definition = -
    methods: ["post"],
    url: '/logout'
} satisfies RouteDefinition<["post"]>
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::logout
* @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:42
* @route '/logout'
logout.url = (options?: RouteQueryOptions) => {
    return logout.definition.url + queryParams(options)
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::logout
* @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:42 * @route '/logout'
logout.post = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: logout.url(options),
    method: 'post',
})
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::logout
  @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:42
  @route '/logout'
    const logoutForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: logout.url(options),
method: 'post',
   })
* @see \App\Http\Controllers\Auth\AuthenticatedSessionController::logout
 * @see app/Http/Controllers/Auth/AuthenticatedSessionController.php:42
        logoutForm.post = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: logout.url(options), method: 'post',
    logout.form = logoutForm
```

```
import { queryParams, type RouteQueryOptions, type RouteDefinition, type RouteFormDefinition,
applyUrlDefaults } from './../wayfinder
* @see \App\Http\Controllers\Settings\PasswordController::edit
 * @see app/Http/Controllers/Settings/PasswordController.php:18
 * @route '/settings/password'
export const edit = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: edit.url(options),
    method: 'get',
})
edit.definition = {
   methods: ["get","head"],
   url: '/settings/password'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Settings\PasswordController::edit
  @see app/Http/Controllers/Settings/PasswordController.php:18
  @route '/settings/password'
edit.url = (options?: RouteQueryOptions) => {
    return edit.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Settings\PasswordController::edit
 * @see app/Http/Controllers/Settings/PasswordController.php:18
 * @route '/settings/password'
edit.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: edit.url(options),
    method: 'get',
})
/**
* @see \App\Http\Controllers\Settings\PasswordController::edit
  @see app/Http/Controllers/Settings/PasswordController.php:18
  @route '/settings/password'
edit.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: edit.url(options),
    method: 'head',
})
* @see \App\Http\Controllers\Settings\PasswordController::edit
  @see app/Http/Controllers/Settings/PasswordController.php:18
   @route '/settings/password'
    const editForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: edit.url(options),
method: 'get',
    })
* @see \App\Http\Controllers\Settings\PasswordController::edit
 * @see app/Http/Controllers/Settings/PasswordController.php:18
 * @route '/settings/password'
 */
        editForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: edit.url(options),
method: 'get',
* @see \App\Http\Controllers\Settings\PasswordController::edit
  @see app/Http/Controllers/Settings/PasswordController.php:18
  @route '/settings/password'
 */
        editForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: edit.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             method: 'HEAD',
```

```
...(options?.query ?? options?.mergeQuery ?? {}),
                        }
                    }),
'get'
            method:
        })
    edit.form = editForm
/**
* @see \App\Http\Controllers\Settings\PasswordController::update
 * @see app/Http/Controllers/Settings/PasswordController.php:26
  @route '/settings/password'
export const update = (options?: RouteQueryOptions): RouteDefinition<'put'> => ({
    url: update.url(options),
    method: 'put',
})
update.definition = {
    methods: ["put"],
    url: '/settings/password'
} satisfies RouteDefinition<["put"]>
* @see \App\Http\Controllers\Settings\PasswordController::update
  @see app/Http/Controllers/Settings/PasswordController.php:26
  @route '/settings/password'
update.url = (options?: RouteQueryOptions) => {
    return update.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Settings\PasswordController::update
 * @see app/Http/Controllers/Settings/PasswordController.php:26
  @route '/settings/password'
update.put = (options?: RouteQueryOptions): RouteDefinition<'put'> => ({
    url: update.url(options),
    method: 'put',
})
* @see \App\Http\Controllers\Settings\PasswordController::update
  @see app/Http/Controllers/Settings/PasswordController.php:26
  @route '/settings/password'
    const updateForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: update.url({
                    [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                        _method: 'PUT',
                         ...(options?.query ?? options?.mergeQuery ?? {}),
        method: 'post',
    })
* @see \App\Http\Controllers\Settings\PasswordController::update
* @see app/Http/Controllers/Settings/PasswordController.php:26
  @route '/settings/password'
        updateForm.put = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: update.url({
                        [options?.mergeQuery ? 'mergeQuery' : 'query']: {
    _method: 'PUT',
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                        }
                    })
            method: 'post',
        })
   update.form = updateForm
```

```
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
  @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17
  @route '/forgot-password'
 */
export const request = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: request.url(options),
    method: 'get',
})
request.definition = {
    methods: ["get","head"],
    url: '/forgot-password'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
* @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17
* @route '/forgot-password'
request.url = (options?: RouteQueryOptions) => {
    return request.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
  @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17
  @route '/forgot-password'
request.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: request.url(options),
    method: 'get',
})
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
* @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17
* @route '/forgot-password'
request.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: request.url(options),
method: 'head',
})
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
  @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17
  @route '/forgot-password'
    const requestForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: request.url(options),
method: 'get',
    })
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
  @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17
  @route '/forgot-password'
        requestForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: request.url(options),
method: 'get',
        })
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::request
* @see app/Http/Controllers/Auth/PasswordResetLinkController.php:17 * @route '/forgot-password'
        requestForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: request.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
    _method: 'HEAD',
                              ...(options?.query ?? options?.mergeQuery ?? {}),
                         }
                    }),
```

```
method: 'get',
        })
    request.form = requestForm
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::email
   @see app/Http/Controllers/Auth/PasswordResetLinkController.php:29
   @route '/forgot-password'
export const email = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: email.url(options),
    method: 'post',
})
email.definition = {
    methods: ["post"],
    url: '/forgot-password'
} satisfies RouteDefinition<["post"]>
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::email
 * @see app/Http/Controllers/Auth/PasswordResetLinkController.php:29
 * @route '/forgot-password'
email.url = (options?: RouteQueryOptions) => {
    return email.definition.url + queryParams(options)
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::email
* @see app/Http/Controllers/Auth/PasswordResetLinkController.php:29
 * @route '/forgot-password'
email.post = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: email.url(options),
    method: 'post',
})
    /**
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::email
 * @see app/Http/Controllers/Auth/PasswordResetLinkController.php:29
  @route '/forgot-password'
    const emailForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: email.url(options),
        method: 'post',
    })
* @see \App\Http\Controllers\Auth\PasswordResetLinkController::email
* @see app/Http/Controllers/Auth/PasswordResetLinkController.php:29
  @route
          '/forgot-password
        emailForm.post = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: email.url(options),
            method: 'post',
    email.form = emailForm
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
   @see app/Http/Controllers/Auth/NewPasswordController.php:23
   @route '/reset-password/{token}'
export const reset = (args: { token: string | number } | [token: string | number ] | string |
number, options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: reset.url(args, options),
    method: 'get',
})
reset.definition = {
   methods: ["get","head"],
    url: '/reset-password/{token}',
```

```
} satisfies RouteDefinition<["get","head"]>
.
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
 * @see app/Http/Controllers/Auth/NewPasswordController.php:23
  @route '/reset-password/{token}'
reset.url = (args: { token: string | number } | [token: string | number ] | string | number,
options?: RouteQueryOptions) => {
   if (typeof args === 'string' || typeof args === 'number') {
        args = { token: args }
    if (Array.isArray(args)) {
        args = {
                     token: args[0],
    args = applyUrlDefaults(args)
    const parsedArgs = {
                         .
token: args.token,
    return reset.definition.url
            .replace('\{token\}', parsedArgs.token.toString()) .replace(/\{token\}') + queryParams(options)
}
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
 * @see app/Http/Controllers/Auth/NewPasswordController.php:23
 * @route '/reset-password/{token}'
reset.get = (args: { token: string | number } | [token: string | number ] | string | number,
options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: reset.url(args, options),
    method: 'get',
})
/**
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
 * @see app/Http/Controllers/Auth/NewPasswordController.php:23
 * @route '/reset-password/{token}'
reset.head = (args: { token: string | number } | [token: string | number ] | string | number,
options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: reset.url(args, options),
    method: 'head',
})
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
  @see app/Http/Controllers/Auth/NewPasswordController.php:23
   @route '/reset-password/{token}'
    const resetForm = (args: { token: string | number } | [token: string | number ] | string |
number, options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: reset.url(args, options),
        method: 'get',
    })
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
* @see app/Http/Controllers/Auth/NewPasswordController.php:23
   @route '/reset-password/{token}
        resetForm.get = (args: { token: string | number } | [token: string | number ] | string |
number, options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: reset.url(args, options),
            method: 'get',
        })
```

```
/**
* @see \App\Http\Controllers\Auth\NewPasswordController::reset
 * @see app/Http/Controllers/Auth/NewPasswordController.php:23
           '/reset-password/{token}'
        resetForm.head = (args: { token: string | number } | [token: string | number ] | string |
number, options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: reset.url(args, {
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
   _method: 'HEAD',
                             ...(options?.guery ?? options?.mergeQuery ?? {}),
                    method:
        })
    reset.form = resetForm
/**
* @see \App\Http\Controllers\Auth\NewPasswordController::store
  @see app/Http/Controllers/Auth/NewPasswordController.php:36
   @route '/reset-password'
export const store = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: store.url(options),
    method: 'post',
})
store.definition = {
    methods: ["post"],
    url: '/reset-password',
} satisfies RouteDefinition<["post"]>
* @see \App\Http\Controllers\Auth\NewPasswordController::store
* @see app/Http/Controllers/Auth/NewPasswordController.php:36
   @route '/reset-password'
*/
store.url = (options?: RouteQueryOptions) => {
    return store.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Auth\NewPasswordController::store
  @see app/Http/Controllers/Auth/NewPasswordController.php:36
  @route '/reset-password'
store.post = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: store.url(options),
    method: 'post',
})
* @see \App\Http\Controllers\Auth\NewPasswordController::store
* @see app/Http/Controllers/Auth/NewPasswordController.php:36
   @route '/reset-password'
    const storeForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: store.url(options),
        method: 'post',
    })
* @see \App\Http\Controllers\Auth\NewPasswordController::store
* @see app/Http/Controllers/Auth/NewPasswordController.php:36
* @route '/reset-password'
        storeForm.post = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: store.url(options),
            method: 'post',
        })
    store.form = storeForm
```

```
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
  @see app/Http/Controllers/Auth/ConfirmablePasswordController.php:18
  @route '/confirm-password
 */
export const confirm = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: confirm.url(options),
    method: 'get',
})
confirm.definition = {
    methods: ["get", "head"]
    url: '/confirm-password'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
* @see app/Http/Controllers/Auth/ConfirmablePasswordController.php:18
* @route '/confirm-password'
confirm.url = (options?: RouteQueryOptions) => {
    return confirm.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
  @see app/Http/Controllers/Auth/ConfirmablePasswordController.php:18
  @route '/confirm-password'
confirm.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: confirm.url(options),
    method: 'get',
})
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
\hbox{$^*$ @see app/Http/Controllers/Auth/Confirmable Password Controller.php: 18} \\
  @route
          '/confirm-password'
confirm.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: confirm.url(options),
    method: 'head',
})
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
  @see app/Http/Controllers/Auth/ConfirmablePasswordController.php:18
  @route '/confirm-password'
    const confirmForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: confirm.url(options),
method: 'get',
   })
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
* @see app/Http/Controllers/Auth/ConfirmablePasswordController.php:18
  @route '/confirm-password'
        confirmForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: confirm.url(options),
method: 'get',
        })
* @see \App\Http\Controllers\Auth\ConfirmablePasswordController::confirm
* @see app/Http/Controllers/Auth/ConfirmablePasswordController.php:18 * @route '/confirm-password'
        confirmForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: confirm.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             method: 'HEAD'
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                    }),
```

```
method: 'get',
})

confirm.form = confirmForm
const password = {
   edit,
   update,
   request,
   email,
   reset,
   store,
   confirm,
}

export default password
```

resources\js\routes\profile\index.ts

```
import { queryParams, type RouteQueryOptions, type RouteDefinition, type RouteFormDefinition } from
 ./../wayfinder
* @see \App\Http\Controllers\Settings\ProfileController::edit
* @see app/Http/Controllers/Settings/ProfileController.php:19
* @route '/settings/profile'
export const edit = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: edit.url(options),
    method: 'get',
})
edit.definition = {
    methods: ["get","head"],
url: '/settings/profile'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Settings\ProfileController::edit
  @see app/Http/Controllers/Settings/ProfileController.php:19
  @route '/settings/profile'
edit.url = (options?: RouteQueryOptions) => {
    return edit.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Settings\ProfileController::edit
 * @see app/Http/Controllers/Settings/ProfileController.php:19
* @route '/settings/profile'
edit.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: edit.url(options),
    method: 'get',
})
/**
* @see \App\Http\Controllers\Settings\ProfileController::edit
  @see app/Http/Controllers/Settings/ProfileController.php:19
  @route '/settings/profile'
edit.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: edit.url(options),
    method: 'head',
})
* @see \App\Http\Controllers\Settings\ProfileController::edit
* @see app/Http/Controllers/Settings/ProfileController.php:19
  @route '/settings/profile'
    const editForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: edit.url(options),
method: 'get',
    })
* @see \App\Http\Controllers\Settings\ProfileController::edit
 * @see app/Http/Controllers/Settings/ProfileController.php:19
 * @route '/settings/profile'
        editForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: edit.url(options),
method: 'get',
* @see \App\Http\Controllers\Settings\ProfileController::edit
  @see app/Http/Controllers/Settings/ProfileController.php:19
  @route '/settings/profile
 */
        editForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: edit.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             method: 'HEAD',
```

resources\js\routes\profile\index.ts

```
...(options?.query ?? options?.mergeQuery ?? {}),
                         }
                    }),
'get'
            method:
        })
    edit.form = editForm
/**
* @see \App\Http\Controllers\Settings\ProfileController::update
 * @see app/Http/Controllers/Settings/ProfileController.php:30
  @route '/settings/profile'
export const update = (options?: RouteQueryOptions): RouteDefinition<'patch'> => ({
    url: update.url(options),
    method: 'patch',
})
update.definition = {
    methods: ["patch"],
    url: '/settings/profile'
} satisfies RouteDefinition<["patch"]>
* @see \App\Http\Controllers\Settings\ProfileController::update
  @see app/Http/Controllers/Settings/ProfileController.php:30
  @route '/settings/profile'
update.url = (options?: RouteQueryOptions) => {
    return update.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Settings\ProfileController::update
 * @see app/Http/Controllers/Settings/ProfileController.php:30
  @route '/settings/profile'
update.patch = (options?: RouteQueryOptions): RouteDefinition<'patch'> => ({
    url: update.url(options),
    method: 'patch',
})
* @see \App\Http\Controllers\Settings\ProfileController::update
  @see app/Http/Controllers/Settings/ProfileController.php:30
  @route '/settings/profile'
    const updateForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: update.url({
                    [options?.mergeQuery ? 'mergeQuery' : 'query']: {
   _method: 'PATCH',
                         ...(options?.query ?? options?.mergeQuery ?? {}),
        method: 'post',
    })
* @see \App\Http\Controllers\Settings\ProfileController::update
* @see app/Http/Controllers/Settings/ProfileController.php:30
  @route '/settings/profile'
        updateForm.patch = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: update.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
    _method: 'PATCH',
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                         }
                    })
            method: 'post',
        })
   update.form = updateForm
```

resources\js\routes\profile\index.ts

```
* @see \App\Http\Controllers\Settings\ProfileController::destroy
  @see app/Http/Controllers/Settings/ProfileController.php:46
  @route '/settings/profile'
 */
export const destroy = (options?: RouteQueryOptions): RouteDefinition<'delete'> => ({
    url: destroy.url(options),
    method: 'delete',
})
destroy.definition = {
    methods: ["delete"]
    url: '/settings/profile'
} satisfies RouteDefinition<["delete"]>
,
* @see \App\Http\Controllers\Settings\ProfileController::destroy
* @see app/Http/Controllers/Settings/ProfileController.php:46
* @route '/settings/profile'
destroy.url = (options?: RouteQueryOptions) => {
    return destroy.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Settings\ProfileController::destroy
  @see app/Http/Controllers/Settings/ProfileController.php:46
  @route '/settings/profile'
destroy.delete = (options?: RouteQueryOptions): RouteDefinition<'delete'> => ({
    url: destroy.url(options),
    method: 'delete',
})
* @see \App\Http\Controllers\Settings\ProfileController::destroy
* @see app/Http/Controllers/Settings/ProfileController.php:46
  @route '/settings/profile'
    const destroyForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: destroy.url({
                     [options?.mergeQuery ? 'mergeQuery' : 'query']: {
    _method: 'DELETE',
                         ...(options?.query ?? options?.mergeQuery ?? {}),
                    }
        }),
method: 'post',
    })
* @see \App\Http\Controllers\Settings\ProfileController::destroy
 * @see app/Http/Controllers/Settings/ProfileController.php:46
  @route '/settings/profile'
        destroyForm.delete = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: destroy.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
    _method: 'DELETE',
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                         }
            }),
method: 'post',
        })
    destroy.form = destroyForm
const profile = {
    edit,
update,
destroy,
export default profile
```

resources\js\routes\storage\index.ts

```
import { queryParams, type RouteQueryOptions, type RouteDefinition, type RouteFormDefinition,
applyUrlDefaults } from './../wayfinder'
 * @see vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:98
 * @route '/storage/{path}
 */
export const local = (args: { path: string | number } | [path: string | number ] | string | number,
options?: RouteOuervOptions): RouteDefinition<'get'> => ({
    url: local.url(args, options),
    method: 'get',
})
local.definition = {
    methods: ["get","head"],
    url: '/storage/{path}',
} satisfies RouteDefinition<["get","head"]>
 * @see vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:98
 *
   @route '/storage/{path}'
local.url = (args: { path: string | number } | [path: string | number ] | string | number, options?:
RouteQueryOptions) => {
   if (typeof args === 'string' || typeof args === 'number') {
         args = { path: args }
    if (Array.isArray(args)) {
         args = {
                      path: args[0].
    }
    args = applyUrlDefaults(args)
    const parsedArgs = {
                          path: args.path,
    return local.definition.url
             .replace('{path}', parsedArgs.path.toString())
.replace(/\/+[]/, '') + queryParams(options)
}
/**
 * @see vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:98
   @route '/storage/{path}'
local.get = (args: { path: string | number } | [path: string | number ] | string | number, options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: local.url(args, options),
    method: 'get',
 * @ see \ vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php: 98 \\
 * @route '/storage/{path}'
local.head = (args: { path: string | number } | [path: string | number ] | string | number,
options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: local.url(args, options),
    method: 'head',
})
 * @see vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:98
   @route '/storage/{path}'
    const localForm = (args: { path: string | number } | [path: string | number ] | string | number,
options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
         action: local.url(args, options),
         method: 'get',
    })
```

resources\js\routes\storage\index.ts

```
* @see vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:98
 * @route '/storage/{path}'
         localForm.get = (args: { path: string | number } | [path: string | number ] | string |
number, options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
             action: local.url(args, options),
             method: 'get',
         })
 * @see vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProvider.php:98
 * @route '/storage/{path}'
localForm.head = (args: { path: string | number } | [path: string | number ] | string |
number, options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
             action: local.url(args, {

[options?.mergeQuery ? 'mergeQuery' : 'query']: {

_method: 'HEAD',
                                ...(options?.query ?? options?.mergeQuery ?? {}),
                           }
             }),
method: 'get',
         })
    local.form = localForm
const storage = {
     local,
export default storage
```

```
import { queryParams, type RouteQueryOptions, type RouteDefinition, type RouteFormDefinition,
applyUrlDefaults } from './../wayfinder
.
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController:: invoke
 * @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16
 * @route '/verify-email'
export const notice = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: notice.url(options),
    method: 'get',
})
notice.definition = {
    methods: ["get","head"],
    url: '/verify-email'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController:: invoke
 * @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16
  @route '/verify-email'
notice.url = (options?: RouteQueryOptions) => {
    return notice.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController:: invoke
 * @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16
 * @route '/verify-email'
notice.get = (options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: notice.url(options),
    method: 'get',
})
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController::
 * @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16
 * @route '/verify-email
 * /
notice.head = (options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: notice.url(options),
    method: 'head',
})
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController:: invoke
   @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16
   @route '/verify-email'
    const noticeForm = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: notice.url(options),
method: 'get',
    })
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController:: invoke
 * @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16
 * @route '/verify-email'
 */
        noticeForm.get = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: notice.url(options),
method: 'get',
* @see \App\Http\Controllers\Auth\EmailVerificationPromptController::
* @see app/Http/Controllers/Auth/EmailVerificationPromptController.php:16 * @route '/verify-email'
 */
        noticeForm.head = (options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: notice.url({
                         [options?.mergeQuery ? 'mergeQuery' : 'query']: {
                             _method: 'HEAD',
```

```
...(options?.query ?? options?.mergeQuery ?? {}),
                         }
                     }),
'get'
            method:
        })
    notice.form = noticeForm
/**
* @see \App\Http\Controllers\Auth\VerifyEmailController:: invoke
 * @see app/Http/Controllers/Auth/VerifyEmailController.php:14
 * @route '/verify-email/{id}/{hash}'
export const verify = (args: { id: string | number, hash: string | number } | [id: string | number,
hash: string | number ], options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: verify.url(args, options),
    method: 'get',
verify.definition = {
    methods: ["get","head"],
    url: '/verify-email/{id}/{hash}'
} satisfies RouteDefinition<["get","head"]>
* @see \App\Http\Controllers\Auth\VerifyEmailController:: invoke
 * @see app/Http/Controllers/Auth/VerifyEmailController.php:14
           '/verify-email/{id}/{hash}'
   @route
verify.url = (args: { id: string | number, hash: string | number } | [id: string | number, hash:
string | number ], options?: RouteQueryOptions) => {
    if (Array.isArray(args)) {
        args = {
                     id: args[0]
                     hash: args[1],
                 }
    }
    args = applyUrlDefaults(args)
    const parsedArgs = {
                         id: args.id,
                                  hash: args.hash,
                 }
    return verify.definition.url
            .replace('{id}', parsedArgs.id.toString())
.replace('{hash}', parsedArgs.hash.toString())
.replace(/\/+□/, '') + queryParams(options)
}
* @see \App\Http\Controllers\Auth\VerifyEmailController:: invoke
  @see app/Http/Controllers/Auth/VerifyEmailController.php:14
   @route '/verify-email/{id}/{hash}
 */
verify.get = (args: { id: string | number, hash: string | number } | [id: string | number, hash:
string | number ], options?: RouteQueryOptions): RouteDefinition<'get'> => ({
    url: verify.url(args, options),
    method: 'get',
})
/**
* @see \App\Http\Controllers\Auth\VerifyEmailController::__invoke
   @see app/Http/Controllers/Auth/VerifyEmailController.php:14
   @route '/verify-email/{id}/{hash}'
verify.head = (args: { id: string | number, hash: string | number } | [id: string | number, hash:
string | number ], options?: RouteQueryOptions): RouteDefinition<'head'> => ({
    url: verify.url(args, options),
    method: 'head',
})
* @see \App\Http\Controllers\Auth\VerifyEmailController:: invoke
```

```
* @see app/Http/Controllers/Auth/VerifyEmailController.php:14
  @route '/verify-email/{id}/{hash}'
    const verifyForm = (args: { id: string | number, hash: string | number } | [id: string | number,
hash: string | number ], options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
        action: verify.url(args, options), method: 'get',
    })
* @see \App\Http\Controllers\Auth\VerifyEmailController::__invoke
  @see app/Http/Controllers/Auth/VerifyEmailController.php:14
  @route '/verify-email/{id}/{hash}'
        verifyForm.get = (args: { id: string | number, hash: string | number } | [id: string
number, hash: string | number ], options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: verify.url(args, options), method: 'get',
        })
* @see \App\Http\Controllers\Auth\VerifyEmailController:: invoke
* @see app/Http/Controllers/Auth/VerifyEmailController.php:14
  @route '/verify-email/{id}/{hash}'
        verifyForm.head = (args: { id: string | number, hash: string | number } | [id: string |
number, hash: string | number ], options?: RouteQueryOptions): RouteFormDefinition<'get'> => ({
            action: verify.url(args, {
                        [options?.mergeQuery ? 'mergeQuery' : 'query']: {
    _method: 'HEAD',
                             ...(options?.query ?? options?.mergeQuery ?? {}),
                        }
                    }),
            method: 'get',
        })
   verify.form = verifyForm
* @see \App\Http\Controllers\Auth\EmailVerificationNotificationController::send
  @see app/Http/Controllers/Auth/EmailVerificationNotificationController.php:14
  @route '/email/verification-notification'
export const send = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: send.url(options),
    method: 'post',
})
send.definition = {
    methods: ["post"];
    url: '/email/verification-notification',
} satisfies RouteDefinition<["post"]>
* @see \App\Http\Controllers\Auth\EmailVerificationNotificationController::send
 * @see app/Http/Controllers/Auth/EmailVerificationNotificationController.php:14
  @route '/email/verification-notification'
send.url = (options?: RouteQueryOptions) => {
    return send.definition.url + queryParams(options)
}
* @see \App\Http\Controllers\Auth\EmailVerificationNotificationController::send
  @see app/Http/Controllers/Auth/EmailVerificationNotificationController.php:14
   @route '/email/verification-notification'
send.post = (options?: RouteQueryOptions): RouteDefinition<'post'> => ({
    url: send.url(options),
    method: 'post',
})
* @see \App\Http\Controllers\Auth\EmailVerificationNotificationController::send
 * @see app/Http/Controllers/Auth/EmailVerificationNotificationController.php:14
```

```
* @route '/email/verification-notification'
*/
    const sendForm = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
        action: send.url(options),
        method: 'post',
    })

        /**

* @see \App\Http\Controllers\Auth\EmailVerificationNotificationController::send
    * @see app/Http/Controllers/Auth/EmailVerificationNotificationController.php:14
    * @route '/email/verification-notification'
    */
        sendForm.post = (options?: RouteQueryOptions): RouteFormDefinition<'post'> => ({
            action: send.url(options),
            method: 'post',
        })

        send.form = sendForm
    const verification = {
            notice,
        verify,
        send,
    }

export default verification
```

```
import axios from 'axios'
import { normalizeLang } from './i18n/config';
const API BASE =
    (import.meta as any).env?.VITE_API_URL ||
    'http://localhost:8080/api'
export const api = axios.create({
    baseURL: API_BASE,
    withCredentials: true, // потрібні cookie (cart id)
})
export type Image = {
   id: number
    url: string
    alt?: string
    is_primary?: boolean
}
export type Product = {
    id: number
    name: string
    slug: string
    category_id: number
    price: number | string
    price_old?: number | string | null
    preview url?: string | null
    images?: { url: string; alt?: string; is_primary?: boolean }[];
    [k: string]: any
}
export type ProductsQuery = {
    page?: number;
    per_page?: number;
    category_id?: number;
search?: string;
sort?: 'new'|'price_asc'|'price_desc';
    color?: string[];
size?: string[];
    min_price?: number;
    max price?: number;
    with facets?: 0|1;
};
export type Category = {
    id: number
    name: string
    slug?: string
export type Paginated<T> = {
    data: T[]
    current_page?: number
    last_page?: number
per_page?: number | string
    total?: number
    next page url?: string | null
    prev_page_url?: string | null
[k: string]: any
}
export type CartItem = {
    id: number
    product id: number
    name?: string slug?: string
    image?: string
    price: number | string
    qty: number
    line_total?: number
    product?: Product
}
```

```
export type Cart = {
    id: string
    status: 'active' | 'ordered' | string
    items: CartItem[]
export type Facets = Record<string, Record<string, number>>;
export type PaginatedWithFacets<T> = Paginated<T> & {
    facets?: Facets;
/* ========= PRODUCTS / CATEGORIES ========= */
export const ProductsApi = {
    // list(params: {
    //
            page?: number
    //
            per page?: number
           category_id?: number
sort?: 'price_asc' | 'price_desc' | 'new' | string
    //
    //
            search?: string
    //
            // бек спокійно проігнорує undefined-параметри
            return api.get<Paginated<Product>>('/products', { params }).then(r => r.data)
    //
    // }.
    list(params: {
        page?: number;
        per page?: number;
        search?: string;
        category_id?: number;
        sort?: 'new'|'price_asc'|'price_desc';
with_facets?: 0|1;
    }) {
        return api.get('/products', { params }).then(r => r.data);
    show(slug: string) {
        return api.get<Product>(`/products/∏{encodeURIComponent(slug)}`).then(r => r.data)
    related: fetchRelatedProducts,
}
export const CategoriesApi = {
        return api.get<Category[]>('/categories').then(r => r.data)
    },
}
/* Сумісні з існуючим кодом Catalog.tsx обгортки: */
export async function fetchProducts(params: ProductsQuery) {
    const r = await api.get('/products', {
        params: {
             ...params.
             color: params.color && params.color.length ? params.color : undefined,
                    params.size && params.size.length ? params.size : undefined,
             min price: params.min price ?? undefined,
             max_price: params.max_price ?? undefined,
        }
    });
    return r.data as PaginatedWithFacets<Product>;
}
export async function fetchProductFacets(params: {
    search?: string;
    category_id?: number;
    color?: string[];
    size?: string[];
    const sp = new URLSearchParams();
    if (params.search) sp.set('search', params.search);
    if (params.category_id) sp.set('category_id', String(params.category_id));
(params.color ?? []).forEach(c => sp.append('filter[color][]', c));
(params.size ?? []).forEach(s => sp.append('filter[size][]', s));
```

resources\js\shop\api.tsx

```
const { data } = await api.get(`/products/facets?[{sp.toString()}`);
    return data as {
        facets: {
            ['category_id']?: Record<string, number>;
['attrs.color']?: Record<string, number>;
            ['attrs.size']?: Record<string, number>;
        nbHits: number;
        driver: string;
error?: string;
    };
}
export async function fetchRelatedProducts(
    category_id: number,
    exclude id?: number,
    \lim_{\to} 1
): Promise<Product[]> {
    const res = await fetchProducts({ page: 1, per page: limit + 1, category id, sort: 'new' });
    const items = res.data ?? [];
const filtered = exclude_id ? items.filter(p => p.id !== exclude_id) : items;
    return filtered.slice(0, limit);
}
export async function fetchCategories(): Promise<Category[]> {
    return CategoriesApi.list()
let activeCartId: string | null = null
const setActiveCartId = (id: string) => { activeCartId = id }
export function resetCartCache() {
    activeCartId = null;
}
export const CART KEY = 'cart id'
export async function ensureCartId() { return requireCartId() }
export async function fetchCartById(id: string) {
    const { data } = await api.get<Cart>(`/cart/[{id}`)
    setActiveCartId(data.id)
    return data
}
async function getCart(): Promise<Cart> {
    const { data } = await api.get<Cart>('/cart')
    setActiveCartId(data.id)
    return data
async function showCart(id: string): Promise<Cart> {
    const { data } = await api.get<Cart>(`/cart/□{id}`)
    setActiveCartId(data.id)
    return data
async function requireCartId(): Promise<string> {
    if (activeCartId) return activeCartId
    const { data } = await api.get<Cart>('/cart') // створить активний кошик i поверне id
    setActiveCartId(data.id)
    return data.id
async function addToCart(product_id: number, qty = 1): Promise<Cart> {
    const id = await requireCartId()
    const { data } = await api.post<Cart>(`/cart/[[{id}/items`, { product_id, qty })
    setActiveCartId(data.id)
    return data
async function updateCartItem(item id: number, qty: number): Promise<Cart> {
    const id = await requireCartId()
    const { data } = await api.patch<Cart>(`/cart/[[id]/items/[[item_id]`, { qty }))
    return data
```

resources\js\shop\api.tsx

```
async function removeCartItem(item id: number): Promise<Cart> {
   const id = await requireCartId()
    const { data } = await api.delete<Cart>(`/cart/[{id}/items/[{item id}`)
    return data
async function refreshCart(): Promise<Cart> {
   const c = await showCart(activeCartId);
       if ((c as any)?.status && String(c.status) !== 'active') {
           activeCartId = null;
           return getCart();
       }
       return c;
   } catch {
       activeCartId = null;
       return getCart();
}
export const CartApi = {
    get: getCart,
    show: showCart,
   add: addToCart,
    update: updateCartItem,
    remove: removeCartItem,
    refresh: refreshCart,
/* ========== */
export const OrdersApi = {
    async create(payload: {
       email: string
       shipping address: { name: string; city: string; addr: string }
       note?: string
   }) {
       const cart id = await requireCartId()
       const { data } = await api.post('/orders', { cart_id, ...payload })
       return data
   show(number: string) {
       return api.get(`/orders/[{encodeURIComponent(number)}`).then(r => r.data)
    },
}
export async function refreshOrderStatus(number: string, payment_intent?: string) {
    const res = await fetch(`/api/payment/refresh/[[encodeURIComponent(number)]}`, {
    method: 'POST',
       headers: { 'Content-Type': 'application/json' },
       body: JSON.stringify({ payment intent }),
    if (!res.ok) throw new Error('refresh failed');
    return res.json();
}
```

resources\js\shop\main.tsx

```
import React from 'react';
import {createRoot} from 'react-dom/client';
import {BrowserRouter, Routes, Route, useLocation, createBrowserRouter} from 'react-router-dom';
import QbrowserNouter, Noutes, Noute, user
import CatalogPage from './pages/Catalog';
import ProductPage from './pages/Product';
import CartPage from './pages/Cart';
import CheckoutPage from './pages/Checkout';
import Checkoutrage Tolm ./pages/checkout,
import OrderConfirmationPage from './pages/OrderConfirmation';
import {NotifyProvider, useNotify} from './ui/notify';
import {CartProvider} from './useCart';
import Header from './components/Header';
import {WishlistProvider} from './hooks/useWishlist';
import WishlistPage from './pages/Wishlist';
import '../../css/app.css'
import {AppErrorBoundary} from './ui/ErrorBoundary';
import JsonLd from './components/JsonLd';
import CookieConsent from './components/CookieConsent';
import {initAnalyticsOnLoad} from './ui/analytics';
import {initMonitoring} from './monitoring';
import NotFoundPage from './pages/NotFound';
import './sentry'
import ., selectly ,
import LocaleProvider from './i18n/LocaleProvider';
import {normalizeLang} from './i18n/config';
initAnalyticsOnLoad();
initMonitoring();
const el = document.getElementById('shop-root');
const origin = typeof window !== 'undefined' ? window.location.origin : '';
function LangGate({children}: { children: any }) {
   const seg1 = typeof window !== 'undefined' ?
window.location.pathname.split('/').filter(Boolean)[0] : '';
       const lang = normalizeLang(seg1);
       return <LocaleProvider initial={lang}>{children}</LocaleProvider>;
const websiteLd = {
   '@context': 'https://schema.org',
   '@type': 'WebSite',
   name: 'Shop',
   url: origin || undefined,
      potentialAction: {
             '@type': 'SearchAction',
target: `∐{origin}/?q={search_term_string}`,
'query-input': 'required name=search_term_string'
       }
};
const orgLd = {
   '@context': 'https://schema.org',
      '@type': 'Organization', name: 'Shop',
       url: origin || undefined,
       logo: origin ? `[{origin}/logo.png` : undefined,
       sameAs: [
             // профілі соцмереж за потреби
'https://www.facebook.com/yourpage'
             'https://www.instagram.com/yourpage',
      contactPoint: [{
    '@type': 'ContactPoint',
    telephone: '+380-00-000-0000',

             contactType: 'customer service',
areaServed: 'UA',
             availableLanguage: ['uk']
       }]
};
function RouteToastAutoClear() {
```

resources\is\shop\main.tsx

```
const location = useLocation();
const {clearAll} = useNotify();
React.useEffect(() => {
     clearAll();
}, [location.pathname, location.search, clearAll]);
     return null;
}
if (el) {
    createRoot(el).render(
           <React.StrictMode>
                <NotifyProvider autoCloseMs={0}>
                      <CartProvider>
                           <WishlistProvider>
                                 <LangGate>
                                      <BrowserRouter>
                                            <AppErrorBoundary>
                                                 <RouteToastAutoClear/>
                                                 <CookieConsent/>
                                                 <Header/>
                                                 <JsonLd data={websiteLd}/>
<JsonLd data={orgLd}/>
                                                 <Routes>
                                                       <Route path="/" element={<CatalogPage/>}/>
                                                       <Route path="/product/:slug" element={<ProductPage/>}/>
<Route path="/cart" element={<CartPage/>}/>
<Route path="/checkout" element={<CheckoutPage/>}/>
                                                       <Route path="/order/:number"
element={<OrderConfirmationPage/>}/>
                                                       <Route path="/wishlist" element={<WishlistPage/>}/>
<Route path="*" element={<NotFoundPage/>}/>
                                                 </Routes>
                                            </AppErrorBoundary>
                                      </BrowserRouter>
                                 </LangGate>
                           </WishlistProvider>
                      </CartProvider>
                 </NotifyProvider>
           </React.StrictMode>
     );
}
```

resources\js\shop\monitoring.tsx

```
// resources/js/shop/monitoring.ts
import * as Sentry from '@sentry/react';
export function initMonitoring() {
    const dsn = (import.meta as any).env?.VITE_SENTRY_DSN as string | undefined;
    if (!dsn) return; // якщо DSN не заданий — тихий по-ор
    const env = import.meta.env.MODE:
    const release = (import.meta as any).env?.VITE RELEASE as string | undefined;
    // Якщо користувач відмовився від cookies — не шлемо події
    const allow = (() \Rightarrow \{
        try {
            const c = localStorage.getItem('cookie:analytics-consent');
            return c === 'granted';
        } catch { return false; }
    })();
    if (!allow) return;
    Sentry.init({
        dsn,
        environment: env,
        release,
        integrations: [
            Sentry.browserTracingIntegration(),
            // Легка сесійна реплейка для помилок
            Sentry.replayIntegration({ maskAllText: true, blockAllMedia: true }),
        tracesSampleRate: 0.1,
        replaysSessionSampleRate: 0.0,
        replaysOnErrorSampleRate: 1.0,
    });
}
export function reportError(err: unknown, extra?: Record<string, any>) {
    try {
 // не падати, якщо Sentry не ініціалізовано
        // @ts-ignore
        if (typeof window !== 'undefined' && window.SENTRY_RELEASE !== undefined) {
            Sentry.captureException(err, extra ? { extra } : undefined);
    } catch {}
}
```

resources\js\shop\sentry.tsx

resources\js\shop\styles.css

@import "../../css/app.css";

resources\js\shop\useCart.tsx

```
import React, { createContext, useCallback, useContext, useEffect, useMemo, useState } from 'react';
import {CartApi, type Cart, resetCartCache} from './api';
import { useNotify } from './ui/notify';
type Ctx = {
    cart: Cart | null;
    total: number;
    add: (product id: number, qty?: number) => Promise<void>;
    update: (item_id: number, qty: number) => Promise<void>;
remove: (item_id: number) => Promise<void>;
    clear: () => \overline{P}romise<void>;
    reload: () => Promise<void>;
}:
const CartCtx = createContext<Ctx | null>(null);
export const CartProvider: React.FC<{ children: React.ReactNode }> = ({ children }) => {
    const notify = useNotify();
    const [cart, setCart] = useState<Cart | null>(null);
    const total = useMemo(() => {
         if (!cart) return 0;
         if (typeof cart.total === 'number') return cart.total;
         return (cart.items ?? []).reduce((s, it) => s + Number(it.price ?? 0) * Number(it.qty ?? 0),
0);
    }, [cart]);
    useEffect(() => {
        CartApi.get().then(setCart).catch(() => setCart({ id: '', status: 'active', items: [],
total: 0 } as any));
    }, []);
    const reload = useCallback(async () => {
         const c = await CartApi.refresh();
         setCart(c);
    }, []);
    const add = useCallback(async (product_id: number, qty = 1) => {
        try {
             const c = await CartApi.add(product_id, qty);
             setCart(c);
             notify.success('Додано до кошика', {
                 key: 'cart-add'
                 action: { label: 'Відкрити кошик', onClick: () => location.assign('/cart') },
                 ttl: 3000,
        } catch (e: any) {
             const msg = e?.response?.data?.message;
             if (e?.response?.status === 422 && msg === 'Not enough stock') {
                 notify.error('Недостатньо на складі', { key: 'cart-add', ttl: 5000 });
             } else {
                 notify.error('Не вдалося додати до кошика', { key: 'cart-add', ttl: 4000 });
             throw e;
    }, [notify]);
    const update = useCallback(async (item id: number, qty: number) => {
        try {
             const c = await CartApi.update(item id, qty);
             setCart(c);
             notify.success('Кількість оновлено', { key: 'cart-update', ttl: 2000 });
        } catch (e: any) {
             const msg = e?.response?.data?.message;
             if (e?.response?.status === 422 && msg === 'Not enough stock') {
    notify.error('Недостатньо на складі', { key: 'cart-update', ttl: 4000 });
             } else -
                 notify.error('Помилка оновлення кошика', { key: 'cart-update', ttl: 4000 });
             throw e;
    }, [notify]);
```

resources\js\shop\useCart.tsx

```
const remove = useCallback(async (item id: number) => {
         const c = await CartApi.remove(item id);
         setCart(c);
         notify.success('Видалено з кошика', { key: 'cart-remove', ttl: 2000 });
    }, [notify]);
/** Після успішного замовлення просто рефрешимо— бек створить новий активний кошик і виставить нову cookie */
    const clear = useCallback(async () => {
         resetCartCache();
         const c = await CartApi.get();
         setCart(c);
    }, []);
    const value = useMemo<Ctx>(() => ({
    cart, total, add, update, remove, clear, reload
}), [cart, total, add, update, remove, clear, reload]);
    return React.createElement(CartCtx.Provider, { value }, children);
};
export default function useCart(): Ctx {
    const ctx = useContext(CartCtx);
    if (!ctx) throw new Error('useCart must be used within <CartProvider>');
    return ctx;
}
```

```
import React from 'react';
import { Link } from 'react-router-dom';
type Crumb = { label: string; href?: string };
export default function Breadcrumbs({ items }: { items: Crumb[] }) {
   if (!items?.length) return null;
   return (
      <nav
         aria-label="Breadcrumb"
          className="mb-4 text-sm text-muted-foreground"
         data-testid="breadcrumbs"
         {items.map((it, i) => {
                const isLast = i === items.length - 1;
                const testId =
                   i === 0 ? 'bc-home' : isLast ? 'bc-current' : 'bc-category';
                return (
                   {it.href && !isLast ? (
                          <Link
                             to={it.href}
                             className="hover:underline"
data-testid={testId}
                             {it.label}
                          </Link>
                          <span
                             className={isLast ? 'text-foreground' : undefined}
  data-testid={testId}
}
```

resources\js\shop\components\CookieConsent.tsx

```
import React from 'react';
import { getAnalyticsId, getConsent, setConsent } from '../ui/analytics';
export default function CookieConsent() {
    const gaId = getAnalyticsId();
    const [open, setOpen] = React.useState(false);
    // показуємо банер, якщо: є GA ID і ще нема вибору React.useEffect(() => {
        if (!gaId) return;
        setOpen(getConsent() === null);
    }, [gaId]);
    // даємо можливість відкривати з будь-де
    React.useEffect(() => {
   function onOpen() { setOpen(true); }
        window.addEventListener('open-cookie-preferences' as any, onOpen);
        return () => window.removeEventListener('open-cookie-preferences' as any, onOpen);
    if (!gaId || !open) return null;
    return (
        <div
             role="dialog"
            aria-live="polite"
aria-label="Налаштування cookies"
             className="fixed inset-x-0 bottom-0 z-50"
            data-testid="cookie-consent'
             <div className="mx-auto mb-4 max-w-4xl rounded-xl border bg-white p-4 shadow-lg">
                 <div className="flex flex-col gap-3 sm:flex-row sm:items-center sm:justify-between">
                     <div className="text-sm">
                         Ми використовуємо cookies для аналітики (GA4). Натисніть «Дозволити», щоб
увімкнути.
                          Ви можете змінити вибір будь-коли.
                     </div>
                     <div className="flex gap-2">
                          <but
                              onClick={() => { setConsent('denied'); setOpen(false); }}
                              className="rounded-md border px-3 py-1.5 text-sm hover:bg-gray-50" data-testid="cookies-decline"
                              Віпхилити
                          </button>
                          <button
                              onClick={() => { setConsent('granted'); setOpen(false); }}
                              className="rounded-md bg-black px-3 py-1.5 text-sm text-white
hover:opacity-90"
                              data-testid="cookies-accept"
                              Дозволити
                          </button>
                     </div>
                 </div>
                 <div className="mt-2 text-xs text-gray-500">
                     Обов'язкові cookies не відслідковують вас. Аналітика вмикається лише за згодою.
                 </div>
             </div>
        </div>
    );
}
```

resources\js\shop\components\Header.tsx

```
import { Link, NavLink } from 'react-router-dom';
import useCart from '../useCart';
import MiniCart from './MiniCart';
import WishlistBadge from '../components/WishlistBadge';
import { openCookiePreferences } from '../ui/analytics';
import LanguageSwitcher from "@/shop/components/LanguageSwitcher";
export default function Header() {
   const { cart, total } = useCart();
const itemsCount = (cart?.items ?? []).reduce((s, i) => s + Number(i.qty || 0), 0);
        <header className="sticky top-0 z-30 bg-white/80 backdrop-blur border-b">
            gray-600 hover:text-black'}>
                        Каталог
                    </NavLink>
                    <MiniCart />
                    <WishlistBadge />
                    <button onClick={openCookiePreferences} className="text-xs underline">
                        Налаштувати cookies
                    </button>
                    <LanguageSwitcher />
                </nav>
            </div>
        </header>
}
```

```
import React, { useEffect } from 'react';
type Img = { url: string; alt?: string };
type Props = {
   images: Img[];
    openIndex: number | null;
                                                  // null → закрито
    onClose: () => void;
onPrev: () => void;
onNext: () => void;
};
export default function ImageLightbox({ images, openIndex, onClose, onPrev, onNext }: Props) {
    const isOpen = openIndex != null && images.length > 0;
    const img = isOpen ? images[openIndex as number] : null;
    useEffect(() => {
         if (!isOpen) return;
         const onKey = (e: KeyboardEvent) => {
  if (e.key === 'Escape') onClose();
  if (e.key === 'ArrowLeft') onPrev();
             if (e.key === 'ArrowRight') onNext();
         document.addEventListener('keydown', onKey);
return () => document.removeEventListener('keydown', onKey);
    }, [isOpen, onClose, onPrev, onNext]);
    if (!isOpen || !img) return null;
    return (
         <div
             data-testid="image-lightbox"
             className="fixed inset-0 z-50 bg-black/80 flex items-center justify-center p-4"
             onClick={onClose}
             role="dialog"
             aria-modal="true"
             <button
                  aria-label="Close"
                  onClick={onClose}
                  className="absolute right-4 top-4 rounded bg-white/10 px-3 py-1 text-white hover:bg-
white/20"
             </button>
             <button
                  aria-label="Prev image"
                  onClick={(e) => { e.stopPropagation(); onPrev(); }}
                  className="absolute left-4 top-1/2 -translate-y-1/2 rounded bg-white/10 px-3 py-2
text-white hover:bg-white/20"
             </button>
             <img
                  src={img.url}
                  alt={img.alt´??''}
                  className="max-h-[85vh] max-w-[90vw] object-contain select-none"
                  onClick={(e) => e.stopPropagation()}
             />
             <button
                  aria-label="Next image"
                  onClick={(e) => { e.stopPropagation(); onNext(); }}
                  className="absolute right-4 top-1/2 -translate-y-1/2 rounded bg-white/10 px-3 py-2
text-white hover:bg-white/20"
             </button>
         </div>
    );
}
```

resources\js\shop\components\JsonLd.tsx

```
import { useEffect } from 'react';
type JsonLdProps = { data: any };

export default function JsonLd({ data }: JsonLdProps) {
    useEffect(() => {
        const el = document.createElement('script');
        el.type = 'application/ld+json';
        el.setAttribute('data-json-ld', '1');
        el.text = JSON.stringify(data);
        document.head.appendChild(el);
        return () => { el.remove(); };
    }, [data]);
    return null;
}
```

resources\js\shop\components\LanguageSwitcher.tsx

```
import { useLocale } from '../i18n/LocaleProvider';
import { SUPPORTED LANGS, Lang } from '../i18n/config';
function swapLangInPath(next: Lang) {
   const u = new URL(window.location.href);
     const parts = u.pathname.split('/').filter(Boolean);
    // якщо перший сегмент — мова, замінити; інакше вставити if (SUPPORTED_LANGS.includes(parts[0] as any)) parts[0] = next;
    else parts.unshift(next);
u.pathname = '/' + parts.join('/');
     return u.pathname + u.search + u.hash;
export default function LanguageSwitcher() {
     const { lang, setLang } = useLocale();
     return (
         <div className="flex items-center gap-2">
              {SUPPORTED LANGS.map(l => (
                   <button
                        key={l}
                        onClick={() => { setLang(l); window.location.assign(swapLangInPath(l)); }}
                        className={`text-xs underline □{l===lang ? 'font-semibold' : ''}`}
                        {l.toUpperCase()}
                   </button>
   ))}
</div>
}
```

```
import React from "react";
import { Link, useLocation } from "react-router-dom";
import { Popover, PopoverContent, PopoverTrigger } from "../ui/popover";
import { Button } from "@/components/ui/button";
import useCart from "../useCart";
export default function MiniCart() {
    const { cart, total } = useCart();
const location = useLocation();
    // закривати при зміні маршруту
    const [open, setOpen] = React.useState(false);
React.useEffect(() => { setOpen(false); }, [location.pathname]);
    // безпечні змінні
    const count = cart?.items?.length ?? 0;
    const items = cart?.items ?? [];
const sum = Number(total ?? 0).toFixed(2);
    return (
         <Popover open={open} onOpenChange={setOpen}>
             <PopoverTrigger asChild>
                 <Button variant="outline" data-testid="open-mini-cart">
                       {count}
                 </Button>
             </PopoverTrigger>
             <PopoverContent data-testid="mini-cart" className="w-80" align="end"> \{count > 0 ? (
                      <div className="space-y-3">
                          <div className="max-h-64 overflow-auto divide-y">
                              {items.map(it => (
                                   <div key={it.id} className="flex items-center gap-3 py-2">
                                       {it.image && (
                                           <img
                                                src={it.image}
                                                className="h-10 w-10 rounded border object-cover"
                                           />
                                       ) }
                                       <div className="min-w-0 flex-1">
                                           <div className="truncate text-sm font-medium">
                                                {it.name ?? `#[{it.product_id}`}
                                            </div>
                                           <div className="text-xs text-muted-foreground">
                                                {it.qty} x {Number(it.price ?? 0).toFixed(2)}
                                           </div>
                                       </div>
                                       <div className="text-sm font-semibold">
                                            {(Number(it.qty ?? 0) * Number(it.price ?? 0)).toFixed(2)}
                                       </div>
                                  </div>
                              ))}
                          </div>
                          <div className="flex items-center justify-between border-t pt-2">
                              <div className="text-sm text-muted-foreground">Pa3oM</div>
                              <div className="text-base font-semibold">{sum}
                          </div>
                          <Button variant="outline" className="w-full" data-testid="mini-to-</pre>
cart">
                                       Відкрити кошик
                                   </Button>
                              </Link>
                              <Link to="/checkout" className="w-full">
                                   <Button className="w-full" data-testid="mini-to-checkout">
                                       Оформити
                                   </Button>
                              </Link>
                          </div>
```

resources\js\shop\components\MiniCart.tsx

```
import { useEffect, useMemo, useState } from 'react';
import { loadStripe } from '@stripe/stripe-js';
import { toadstipe } from '@stripe/stripe-js',
import { Elements, PaymentElement, useElements, useStripe } from '@stripe/react-stripe-js';
import { Button } from '@/components/ui/button';
import { useNotify } from '../ui/notify';
function Inner({ number, onPaid }: { number: string; onPaid?: () => void }) {
    const stripe = useStripe();
    const elements = useElements();
    const { error: notifyError, success } = useNotify();
    const [submitting, setSubmitting] = useState(false);
    const origin = typeof window !== 'undefined' ? window.location.origin : '';
    const returnUrl = `[{origin}/order/[{encodeURIComponent(number)}`;
    async function handlePay() {
         if (!stripe || !elements) return;
         setSubmitting(true);
         try {
              const { error } = await stripe.confirmPayment({
                  elements.
                  confirmParams: { return url: returnUrl },
              if (error) {
                  notifyError({ title: error.message || 'Оплата не пройшла' });
              } else {
                  // якщо 3DS потрібен — Stripe зробить редірект
                  success({ title: 'Оплата обробляється...' });
         } finally {
              setSubmitting(false);
    }
    return (
         <div className="space-v-3">
              <PaymentElement />
              </Button>
         </div>
    ):
}
export default function PayOrder({ number, onPaid }: { number: string; onPaid?: () => void }) {
    const [clientSecret, setClientSecret] = useState<string | null>(null);
    const [publishableKey, setPublishableKey] = useState<string | null>(null);
    useEffect(() => {
         let on = true;
         (async () => {
              const res = await fetch('/api/payments/intent', {
                  method: 'POST',
headers: { 'Content-Type': 'application/json' },
                  body: JSON.stringify({ number }),
             }).then(r => r.json());
              if (!on) return;
             setClientSecret(res.clientSecret);
             setPublishableKey(res.publishableKey);
         })();
         return () => { on = false; };
    }, [number]);
    const stripePromise = useMemo(() => publishableKey ? loadStripe(publishableKey) : null,
[publishableKev]);
    if (!clientSecret || !stripePromise) return null;
         <Elements
             stripe={stripePromise}
             options={{
                  clientSecret,
```

resources\js\shop\components\PayOrder.tsx

```
import React from 'react';
import { Link } from 'react-router-dom';
import { Card } from '@/components/ui/card';
import { formatPrice } from '../ui/format';
type RVItem = {
    id: number;
    slug?: string;
    name: string;
price: number | string;
    preview url?: string | null;
type Props = {
    excludeSlug?: string;
    limit?: number; // 4 за замовчуванням
    title?: string;
function readFromStorage(): RVItem[] {
        const raw = localStorage.getItem('recently_viewed');
        const arr = raw ? JSON.parse(raw) : [];
        return Array.isArray(arr) ? arr : [];
    } catch {
        return [];
}
export default function RecentlyViewed({ excludeSlug, limit = 4, title = 'Ви нещодавно переглядали'
}: Props)
    const [items, setItems] = React.useState<RVItem[]>([]);
    const [loading, setLoading] = React.useState(true);
    React.useEffect(() => {
        // миттєве читання з localStorage + мікрозатримка, щоб уникнути миготіння
        const arr = readFromStorage()
             .filter(i => (excludeSlug ? i.slug !== excludeSlug : true))
             .slice(0, limit);
        const t = setTimeout(() => { setItems(arr); setLoading(false); }, 150);
        return () => clearTimeout(t);
    }, [excludeSlug, limit]);
    return (
        <section className="mt-10" data-testid="recently-section">
            <h2 className="mb-3 text-lg font-semibold">{title}</h2>
            {loading ? (
                 <div className="grid grid-cols-2 gap-4 sm:grid-cols-4" data-testid="recently-skel">
                     {Array.from({ length: limit }).map((_, i) => (
                         <Card key={i} className="p-3">
                             <div className="mb-3 h-32 w-full rounded bg-muted/40" />
                             <div className="mb-2 h-4 w-3/4 rounded bg-muted/40" />
                             <div className="h-4 w-1/2 rounded bg-muted/40" />
                         </Card>
                    ))}
                 </div>
            ) : items.length === 0 ? (
                 <div className="text-sm text-muted-foreground" data-testid="recently-empty">
                    Ще не переглядали жодного товару.
                 </div>
            ) : (
                 <div className="grid grid-cols-2 gap-4 sm:grid-cols-4">
                     \{items.map((p) => (
                         <Card key={`∏{p.slug ?? p.id}`} className="overflow-hidden" data-
testid="recently-card">
                             <Link to={`/product/□{p.slug ?? p.id}`} className="block">
                                  <div className="aspect-square bg-muted/40">
                                      {p.preview url ? (
                                          <img src={p.preview url} alt={p.name} className="h-full</pre>
w-full object-cover" />
                                      ) : (
                                          <div className="flex h-full items-center justify-center"</pre>
```

resources\js\shop\components\RecentlyViewed.tsx

```
import { useEffect } from 'react';
type Hreflang = { lang: string; href: string };
type Props = {
    title?: string;
    description?: string;
    image?: string;
                              // absolute URL
    url?: string; // якщо не задано — візьме window.location.href
type?: 'website' | 'article' | string;
    twitterCard?: 'summary' | 'summary_large_image';
    canonical?: boolean | string; // true → current URL; string → свій URL
    siteName?: string:
    prevUrl?: string;
    nextUrl?: string;
    robots?: string;
                              // NEW: наприклад 'noindex, follow'
    hreflangs?: Hreflang[]; // NEW: масив alternate посилань
}:
function upsertMetaName(name: string, content?: string) {
    if (!content) return () => {};
    let el = document.querySelector(`meta[name="□{name}"]`) as HTMLMetaElement | null;
    const created = !el;
    if (!el) { el = document.createElement('meta'); el.name = name; document.head.appendChild(el); }
    const prev = el.content;
    el.content = content;
    return () => { if (el) el.content = prev ?? ''; if (created && el) el.remove(); };
}
function upsertMetaProp(prop: string, content?: string) {
    if (!content) return () => {};
    let el = document.querySelector(`meta[property="□{prop}"]`) as HTMLMetaElement | null;
    const created = !el;
    if (!el) { el = document.createElement('meta'); el.setAttribute('property', prop);
document.head.appendChild(el); }
    const prev = el.content;
    el.content = content;
    return () => { if (ei) el.content = prev ?? ''; if (created && el) el.remove(); };
function upsertLink(rel: string, href?: string) {
    if (!href) return () => {};
    let el = document.querySelector(`link[rel="□{rel}"]`) as HTMLLinkElement | null;
    const created = !el;
    if (!el) { el = document.createElement('link'); el.rel = rel; document.head.appendChild(el); }
    const prev = el.href;
    el.href = href;
    return () => { if (el) el.href = prev ?? ''; if (created && el) el.remove(); };
function upsertLinkRelHreflang(lang: string, href: string | undefined) {
    if (!href || !lang) return () => {};
const sel = `link[rel="alternate"][hreflang="[]{lang}"]`;
    let el = document.querySelector(sel) as HTMLLinkElement | null;
    const created = !el;
    if (!el) {
        el = document.createElement('link');
        el.rel = 'alternate'
        el.setAttribute('hreflang', lang);
        document.head.appendChild(el);
    const prev = el.href;
    el.href = href;
    return () => { if (el) el.href = prev ?? ''; if (created && el) el.remove(); };
export default function SeoHead({
                                     title.
                                     description,
                                     image,
                                     url,
                                     type = 'website',
                                     twitterCard = 'summary large image',
```

```
canonical,
                                               siteName = 'Shop',
                                               prevIIrl.
                                               nextUrl
                                                robots.
                                               hreflangs,
                                          }: Props) {
     useEffect(() => {
          const currentUrl = url || (typeof window !== 'undefined' ? window.location.href :
undefined):
          const cleanups: Array<() => void> = [];
          // <title> + description
          const prevTitle = document.title;
if (title) document.title = title;
          cleanups.push(() => { if (title) document.title = prevTitle; });
          cleanups.push(upsertMetaName('description', description));
          cleanups.push(upsertMetaName('robots', robots));
          // hreflang
          (hreflangs || []).forEach(h => {
               cleanups.push(upsertLinkRelHreflang(h.lang, h.href));
          // OpenGraph
          cleanups.push(upsertMetaProp('og:title', title));
cleanups.push(upsertMetaProp('og:description', description));
          cleanups.push(upsertMetaProp('og:type', type));
cleanups.push(upsertMetaProp('og:url', currentUrl));
          cleanups.push(upsertMetaProp('og:image', image));
cleanups.push(upsertMetaProp('og:site_name', siteName));
          cleanups.push(upsertMetaName('twitter:card', twitterCard));
cleanups.push(upsertMetaName('twitter:title', title));
cleanups.push(upsertMetaName('twitter:description', description));
cleanups.push(upsertMetaName('twitter:image', image));
          // canonical / prev / next
          const canonicalHref = canonical === true ? currentUrl : (typeof canonical === 'string' ?
canonical : undefined):
          cleanups.push(upsertLink('canonical', canonicalHref));
cleanups.push(upsertLink('prev', prevUrl));
cleanups.push(upsertLink('next', nextUrl));
          // hreflang alternate — видаляємо старі, додаємо свої
          // помітимо свої лінки data-seohead="true", щоб чисто прибирати
          const oldAlts = Array.from(document.querySelectorAll('link[rel="alternate"][data-
seohead="true"]'));
          oldAlts.forEach(n => n.parentElement?.removeChild(n));
          const created: HTMLLinkElement[] = [];
          if (hreflangs?.length) {
               hreflangs.forEach(({ lang, href }) => {
    const link = document.createElement('link');
    link.rel = 'alternate';
                     link.hreflang = lang;
                     link.href = href;
                     link.setAttribute('data-seohead', 'true');
                     document.head.appendChild(link);
                     created.push(link);
               });
          cleanups.push(() => { created.forEach(n => n.parentElement?.removeChild(n)); });
          return () => cleanups.forEach(fn => fn());
}, [title, description, image, url, type, twitterCard, canonical, siteName, prevUrl, nextUrl,
robots, JSON.stringify(hreflangs)]);
     return null;
}
```

```
import React from 'react';
import { Link } from 'react-router-dom';
import { Card } from '@/components/ui/card';
import { card } from 'e/components/di/card ,
import { formatPrice } from '../ui/format';
import { fetchProducts, type Product, type Paginated } from '../api';
type Props =
    categoryId?: number;
    currentSlug?: string;
    limit?: number; // по замовчуванню 4
    title?: string;
export default function SimilarProducts({ categoryId, currentSlug, limit = 4, title = 'Схожі товари'
}: Props) -
    const [items, setItems] = React.useState<Product[]>([]);
    const [loading, setLoading] = React.useState(false);
    React.useEffect(() => {
         let on = true;
         if (!categoryId) {
             setItems([]);
             return;
         (async () => {
             setLoading(true);
             try {
                  // Беремо звичайний список по категорії і фільтруємо поточний товар.
                  const res: Paginated<Product> = await fetchProducts({
                      page: 1,
                      per page: limit + 1, // трошки з запасом
                      category_id: categoryId, sort: 'new',
                  });
                  if (!on) return;
                  const arr = (res.data ?? []).filter(p => (currentSlug ? p.slug !== currentSlug :
true)).slice(0, limit);
                  setItems(arr);
             } finally {
                  if (on) setLoading(false);
         })();
         return () => { on = false; };
    }, [categoryId, currentSlug, limit]);
    return (
         <section className="mt-8" data-testid="similar-section">
             <h2 className="mb-3 text-lg font-semibold">{title}</h2>
             {loading ? (
                  <div className="grid grid-cols-2 gap-4 sm:grid-cols-4" data-testid="similar-skel">
                      {Array.from({ length: limit }).map((_, i) => (
                           <Card key={i} className="p-3">
                               <div className="mb-3 h-32 w-full rounded bg-muted/40" />
                               <div className="mb-2 h-4 w-3/4 rounded bg-muted/40" />
<div className="h-4 w-1/2 rounded bg-muted/40" />
                           </Card>
                      ))}
                  </div>
             ) : items.length === 0 ? (
                  <div className="text-sm text-muted-foreground" data-testid="similar-empty">
                      Наразі немає схожих товарів.
                  </div>
             ):(
                  <div className="grid grid-cols-2 gap-4 sm:grid-cols-4">
                      \{items.map((p) => \{
                           const primary
                               p.images?.find(img => img.is_primary) ??
                               (p.preview url ? { url: p.preview url } as any : undefined);
                           return (
                               <Card key={p.id} className="overflow-hidden" data-testid="similar-card">
                                    <Link to={`/product/[{p.slug ?? p.id}`} className="block">
```

resources\js\shop\components\SimilarProducts.tsx

```
<div className="aspect-square bg-muted/40">
                              className="h-full w-full object-cover" />
                              ) : (
                                 <div className="flex h-full items-center justify-center</pre>
text-sm text-muted-foreground">6e3 фото</div>
                              )}
                           </div>
                           medium">{p.name}</div>
                             <div className="mt-1 text-sm text-muted-</pre>
foreground">{formatPrice(p.price)}</div>
                           </div>
                        </Link>
  </Card>
}
```

resources\js\shop\components\WishlistBadge.tsx

```
import React from 'react';
import React from 'react,
import { Link, useLocation } from 'react-router-dom';
import useWishlist from '../hooks/useWishlist';
import { Heart } from 'lucide-react';
export default function WishlistBadge() {
     const { items } = useWishlist();
const { pathname } = useLocation();
     const active = pathname.startsWith('/wishlist');
     return (
          <Link to="/wishlist" className="relative inline-flex items-center gap-2 px-3 py-1 rounded-lg</pre>
hover:bg-gray-50">
                <Heart className={`h-5 w-5 [{active ? 'text-pink-600' : 'text-gray-700'}`} />
                <span className="text-sm">0бране</span>
{items.length > 0 && (
<span className="absolute -top-1 -right-1 rounded-full bg-pink-600 text-white
text-[11px] px-1.5 py-0.5">
             {items.length}
           </span>
          )}
</Link>
     );
}
```

resources\js\shop\components\WishlistButton.tsx

```
import React from 'react';
import useWishlist from '../hooks/useWishlist';
import { Heart } from 'lucide-react':
import { cn } from '@/lib/utils';
export default function WishlistButton({
                                                      className,
                                                       'data-testid': testId,
                                                 }: {
product: { id: number; slug?: string | null; name: string; price: number | string; preview_url?:
string | null; images?: { url: string; is_primary?: boolean; alt?: string|null }[] };
className?: string;
     'data-testid'?: string;
     const { has, toggle } = useWishlist();
     const active = has(product.id);
     const preview =
          product.preview url
          ?? product.images?.find(i => i.is_primary)?.url
          ?? product.images?.[0]?.url
          ?? null;
     return (
          <button
               type="button"
               aria-label={active ? 'remove from wishlist' : 'add to wishlist'}
data-testid={testId ?? 'wishlist-toggle'}
               onClick={(e) => { e.preventDefault(); toggle({
    id: product.id, slug: product.slug ?? null, name: product.name, price:
product.price, preview_url: preview
               }); }}
               className={cn(
                    'inline-flex items-center justify-center rounded-full border px-2 py-1 text-xs
transition',
                    active ? 'bg-pink-600 text-white border-pink-600' : 'bg-white text-gray-700
hover:bg-gray-50
                    className
               title={active ? 'Усунути з обраного' : 'Додати в обране'}
               <Heart className={cn('h-4 w-4 mr-1', active ? 'fill-current' : '')} /> {active ? 'B обраному' : 'В обране'}
          </button>
     );
}
```

resources\js\shop\hooks\useDebounce.tsx

```
import { useEffect, useState } from 'react';
export function useDebounce<T>(value: T, delay = 300) {
   const [v, setV] = useState(value);
   useEffect(() => {
      const id = setTimeout(() => setV(value), delay);
      return () => clearTimeout(id);
   }, [value, delay]);
   return v;
}
```

resources\js\shop\hooks\useDocumentTitle.tsx

```
import { useEffect } from 'react';
export function useDocumentTitle(title: string) {
    useEffect(() => {
        const prev = document.title;
        document.title = title;
        return () => { document.title = prev; };
    }, [title]);
}
```

resources\js\shop\hooks\useHreflangs.tsx

resources\js\shop\hooks\useQueryParam.tsx

```
import { useCallback } from 'react';
import { useSearchParams } from 'react-router-dom';

export function useQueryParam(key: string, initial = '') {
   const [params, setParams] = useSearchParams();

   const value = params.get(key) ?? initial;

   const setValue = useCallback((v: string) => {
      const next = new URLSearchParams(params);
      if (v && v.length) next.set(key, v);
      else next.delete(key);
      setParams(next, { replace: true });
   }, [key, params, setParams]);

   return [value, setValue] as const;
}
```

resources\js\shop\hooks\useQueryParamEnum.tsx

```
import { useCallback } from 'react';
import { useSearchParams } from 'react-router-dom';

export function useQueryParamEnum<T extends string>(key: string, allowed: readonly T[], initial: T)

{
    const [params, setParams] = useSearchParams();
    const raw = params.get(key) as T | null;
    const value = (raw && allowed.includes(raw)) ? raw : initial;

const setValue = useCallback((v: T) => {
        const next = new URLSearchParams(params);
        next.set(key, v);
        setParams(next, { replace: true });
    }, [key, params, setParams]);

return [value, setValue] as const;
}
```

resources\js\shop\hooks\useQueryParamNumber.tsx

```
import { useCallback } from 'react';
import { useSearchParams } from 'react-router-dom';

export function useQueryParamNumber(key: string, initial?: number) {
    const [params, setParams] = useSearchParams();
    const raw = params.get(key);
    const value = raw == null || raw === '' ? initial : Number(raw);

const setValue = useCallback((v: number | undefined) => {
        const next = new URLSearchParams(params);
        if (typeof v === 'number' && !Number.isNaN(v)) next.set(key, String(v));
        else next.delete(key);
        setParams(next, { replace: true });
    }, [key, params, setParams]);

return [value, setValue] as const;
}
```

```
import { useCallback, useEffect, useState } from 'react';
import type { Product } from '../api';
type MiniImage = { url: string; alt?: string; is_primary?: boolean };
export type MiniProduct = Pick<Product, 'id' | 'slug' | 'name' | 'price' | 'preview_url'> & {
    images?: MiniImage[];
    viewedAt: number;
};
const KEY = 'recently_viewed_v1';
const LIMIT = 12;
function load(): MiniProduct[] {
        const raw = localStorage.getItem(KEY);
        const arr = raw ? JSON.parse(raw) as MiniProduct[] : [];
        return Array.isArray(arr) ? arr : [];
    } catch {
        return [];
function save(list: MiniProduct[]) {
    localStorage.setItem(KEY, JSON.stringify(list));
function toMini(p: Product): MiniProduct {
    return {
        id: p.id,
        slug: p.slug,
        name: p.name,
        price: p.price as number,
        preview_url: (p as any).preview_url, // у нас це поле приходить з бека
        images: p.images,
        viewedAt: Date.now(),
    };
}
export function useRecentlyViewed() {
    const [items, setItems] = useState<MiniProduct[]>(() => load());
    const remember = useCallback((p: Product) => {
        const entry = toMini(p);
        setItems(prev => {
            const filtered = prev.filter(
                 x \Rightarrow (x.slug ?? x.id) !== (entry.slug ?? entry.id)
            const next = [entry, ...filtered].slice(0, LIMIT);
            save(next);
             return next;
    });
}, []);
    const clear = useCallback(() => {
        save([]);
        setItems([]);
    }, []);
    // синхронізація між вкладками
    useEffect(() => {
        const onStorage = (e: StorageEvent) => {
            if (e.key === KEY) setItems(load());
        window.addEventListener('storage', onStorage);
        return () => window.removeEventListener('storage', onStorage);
    }, []);
    return { items, remember, clear };
}
```

resources\js\shop\hooks\useWishlist.tsx

```
import React from 'react';
import { getWishlist, setWishlist, type WishItem } from '../ui/wishlist';
type Ctx = {
   items: WishItem[];
    has: (id: number) => boolean;
    add: (p: WishItem) => void;
    remove: (id: number) => void;
    toggle: (p: WishItem) => void;
    clear: () => void;
};
const Ctx = React.createContext<Ctx | null>(null);
export function WishlistProvider({ children }: { children: React.ReactNode }) {
    const [items, setItems] = React.useState<WishItem[]>(() => getWishlist());
    // sync з іншими вкладками
    React.useEffect(() => {
    const onStorage = (e: StorageEvent) => {
        if (e.key === 'wishlist_v1') setItems(getWishlist());
}
        window.addEventListener('storage', onStorage);
        return () => window.removeEventListener('storage', onStorage);
    }, []);
    const api = React.useMemo<Ctx>(() => ({
        items,
        has: (id) \Rightarrow items.some(x \Rightarrow x.id === id),
        add: (p) => { const next = [p, ...items.filter(x => x.id !== p.id)]; setItems(next);
setWishlist(next); },
        remove: (id) => { const next = items.filter(x => x.id !== id); setItems(next);
setWishlist(next); },
        toggle: (p) => {
             const exists = items.some(x => x.id === p.id);
             const next = exists ? items.filter(x => x.id !== p.id) : [p, ...items];
             setItems(next); setWishlist(next);
        },
clear: () => { setItems([]); setWishlist([]); },
    }), [items]);
    return <Ctx.Provider value={api}>{children}</Ctx.Provider>;
}
export default function useWishlist() {
    const ctx = React.useContext(Ctx);
    if (!ctx) throw new Error('useWishlist must be used within WishlistProvider');
    return ctx;
}
```

resources\js\shop\i18n\LocaleProvider.tsx

```
import { createContext, useContext, useEffect, useMemo, useState } from 'react';
import { DEFAULT LANG, Lang, normalizeLang } from './config';
type Ctx = \{ lang: Lang; setLang: (l: Lang)=>void; \}; const LocaleCtx = createContext<Ctx>({ lang: DEFAULT_LANG, setLang: () => <math>\{\} });
export function useLocale() { return useContext(LocaleCtx); }
export default function LocaleProvider({ initial, children }: { initial?: string; children: any }) {
   const [lang, setLang] = useState<Lang>(normalizeLang(initial));
     useEffect(() => {
           // <html lang="...">
           if (typeof document !== 'undefined') {
                document.documentElement.setAttribute('lang', lang);
           // cookie "lang" на рік
           try {
                const exp = new Date(Date.now()+365*24*3600*1000).toUTCString();
                document.cookie = `lang=[[{lang}; path=/; expires=[]{exp}; SameSite=Lax`;
           } catch {}
     }, [lang]);
     const value = useMemo(() => ({ lang, setLang }), [lang]);
return <LocaleCtx.Provider value={value}>{children}</LocaleCtx.Provider>;
}
```

resources\js\shop\i18n\config.tsx

```
export const SUPPORTED_LANGS = ['uk','en'] as const;
export type Lang = typeof SUPPORTED_LANGS[number];
export const DEFAULT_LANG: Lang = 'uk';

export function normalizeLang(raw?: string | null): Lang {
    const s = (raw || '').toLowerCase();
    return (SUPPORTED_LANGS as readonly string[]).includes(s) ? (s as Lang) : DEFAULT_LANG;
}
```

```
import React, {useEffect} from 'react'
import { Link } from 'react-router-dom'
import useCart from '../useCart'
import SeoHead from '../components/SeoHead';
import { GA } from '../ui/ga';
function money(v: unknown) {
    return new Intl.NumberFormat('uk-UA', { style: 'currency', currency: 'EUR',
maximumFractionDigits: 2 })
    .format(Number(v ?? 0));
}
export default function CartPage() {
    const { cart, total, update, remove } = useCart()
    if (!cart) return <div className="max-w-4xl mx-auto p-6">Loading...</div>
    useEffect(() => {
        GA.view cart(cart);
    }, [cart]);
    return (
        <h1 className="text-2xl font-semibold">Cart</h1>
            {cart.items.length === 0 && (
                <div className="text-gray-600">Cart is empty. <Link to="/" className="underline">Go
shopping</Link></div>
           )}
            <div className="space-y-3">
                {cart.items.map(it => {
                    const p = (it as any).product ?? it; // підтримка обох форм
                    const preview = p.preview_url ?? p.images?.[0]?.url;
                    const line = Number(p.price || it.price || 0) * Number(it.qty || 0);
                    return (
<div className="flex-1">
                               <div className="font-medium">{p.name ?? it.name}</div>
                               <div className="text-sm text-gray-600">{money(p.price ??
it.price)}</div>
                           </div>
                           <input
                               type="number"
                               min={0}
                               value={it.qty}
                               onChange={e => update(it.id, Math.max(0, parseInt(e.target.value ||
'0', 10)))}
                               className="border rounded px-2 py-1 w-20"
                           />
                           <div className="w-24 text-right font-medium">{money(line)}</div>
                           <button onClick={()=>remove(it.id)} className="px-2 py-1 text-sm rounded
border">Remove</button>
                       </div>
                    );
                })}
            </div>
           <div className="text-xl font-semibold">{money(total)}</div>
            </div>
            <div className="flex justify-end">
                <Link
                    to="/checkout"
                    data-testid="go-checkout"
                    className="px-5 py-2 rounded bg-black text-white disabled:opacity-50"
                    aria-disabled={cart.items.length===0}
                   onClick={e=>{ if(cart.items.length===0){e.preventDefault()} }}
```

resources\js\shop\pages\Cart.tsx

```
> Checkout
</Link>
</div>
)
```

resources\js\shop\pages\Catalog.tsx

```
import { useEffect, useMemo, useState } from 'react';
import {
      fetchCategories.
      fetchProducts,
      type Category,
      type Product,
      type PaginatedWithFacets,
      type Facets,
} from
            ../api'
import { Button } from '@/components/ui/button';
import { Card } from '@/components/ui/card';
import { Input } from '@/components/ui/input'
import { Skeleton } from '@/components/ui/skeleton';
import { Link } from 'react-router-dom';
import { Select, SelectTrigger, SelectValue, SelectContent, SelectItem } from
'@/components/ui/select';
import { useQueryParam } from '../hooks/useQueryParam';
import { useQueryParam } from '../hooks/useQueryParam';
import { useQueryParamNumber } from '../hooks/useQueryParamNumber';
import { useQueryParamEnum } from '../hooks/useQueryParamEnum';
import { useDebounce } from '../hooks/useDebounce';
import { formatPrice } from '../ui/format';
import WishlistButton from '../components/WishlistButton';
import wishtistButton from '../components/wishtistButton';
import { useDocumentTitle } from '../hooks/useDocumentTitle';
import SeoHead from '../components/SeoHead';
import JsonLd from '../components/JsonLd';
import { useHreflangs } from '../hooks/useHreflangs';
import { GA } from '../ui/ga';
type SortKey = 'price asc' | 'price desc' | 'new';
export default function Catalog() {
      const [cats, setCats] = useState<Category[]>([]);
      const [products, setProducts] = useState<Product[]>([]);
const [page, setPage] = useState(1);
      const [lastPage, setLastPage] = useState(1);
      const [loading, setLoading] = useState(true);
      // пошук у URL
      const [q, setQ] = useQueryParam('q', '');
const dq = useDebounce(q, 300);
      // category id & sort y URL
      const [categoryIdParam, setCategoryParam] = useQueryParamNumber('category_id', undefined);
const [sortParam, setSortParam] = useQueryParamEnum<SortKey>('sort', ['new', 'price asc',
 'price_desc'] as const, 'new');
      const [categoryId, setCategoryId] = useState<number | undefined>(categoryIdParam);
      const [sort, setSort] = useState<SortKey>(sortParam);
      // атрибути у URL (і СЕТЕРИ!)
      const [colorsParam, setColorsParam] = useQueryParam('color', ''); // "?color=red,blue"
const [sizesParam, setSizesParam] = useQueryParam('size', ''); // "?size=M,L"
const selectedColors = useMemo(() => colorsParam ? colorsParam.split(',').filter(Boolean) : [],
[colorsParam]);
      const selectedSizes = useMemo(() => sizesParam ? sizesParam.split(',').filter(Boolean) : [],
[sizesParam]);
      // price range y URL
      const [minPriceParam, setMinPriceParam] = useQueryParamNumber('min_price', undefined);
const [maxPriceParam, setMaxPriceParam] = useQueryParamNumber('max_price', undefined);
      const [minPrice, setMinPrice] = useState<number | undefined>(minPriceParam);
      const [maxPrice, setMaxPrice] = useState<number | undefined>(maxPriceParam);
      useEffect(() => { setMinPrice(minPriceParam); }, [minPriceParam]);
useEffect(() => { setMaxPrice(maxPriceParam); }, [maxPriceParam]);
      const [facets, setFacets] = useState<Facets | null>(null);
      function toggleListParam(value: string, list: string[], setParam: (v?: string)=>void) {
            const has = list.includes(value);
const next = has ? list.filter(v => v !== value) : [...list, value];
            setParam(next.length ? next.join(',') : undefined);
```

```
setPage(1);
    }
    // категорії
    useEffect(() => {
         setCategoryId(categoryIdParam);
         let ignore = false;
         (async () => {
             const c = await fetchCategories();
             if (!ignore) setCats(c);
         })();
         return () => { ignore = true; };
    }, [categoryIdParam]);
    // товари + фасети разом (щоб уникнути гонок)
    useEffect(() => {
         setSort(sortParam);
         let ignore = false;
         (async () => {
             setLoading(true);
             try {
                  const res: PaginatedWithFacets<Product> = await fetchProducts({
                       per page: 12,
                       category_id: categoryId,
search: dq || undefined,
                       sort,
                       color: selectedColors,
                       size: selectedSizes,
                       min price: minPriceParam,
                       max_price: maxPriceParam,
with_facets: 1,
                  });
if (!ignore) {
                       setProducts(res.data);
                       setLastPage(res.last_page);
setFacets(res.facets ?? {});
                       const listName = categoryId
                            ? `Каталог — ∏{cats.find(c => c.id === categoryId)?.name ??
`#[{categoryId}`}`
                            : 'Каталог'
                       GA.view item list(res.data, listName);
             } finally {
                  if (!ignore) setLoading(false);
         })();
         return () => { ignore = true; };
         page, categoryId, sort, dq, sortParam,
         colorsParam, sizesParam, minPriceParam, maxPriceParam
    1);
    const canPrev = page > 1;
    const canNext = page < lastPage;</pre>
    // безпечне читання фасетів
    const catById = new Map(cats.map(c => [String(c.id), c]));
const catCounts = facets?.['category_id'] ?? {};
const colorCounts = facets?.['attrs.color'] ?? {};
    const sizeCounts = facets?.['attrs.size'] ?? {};
    function clearAll() {
    setQ('');
         setCategoryId(undefined);
         setCategoryParam(undefined);
         setColorsParam(undefined);
         setSizesParam(undefined);
         setMinPrice(undefined);
         setMaxPrice(undefined);
         setMinPriceParam(undefined);
         setMaxPriceParam(undefined);
         setPage(1);
```

```
}
    const activeChips = [
          ...(categoryId ? [{
              kev:
                     'cat'
              label: cats.find(c => c.id === categoryId)?.name ?? `#[{categoryId}`
              onClear: () => { setCategoryId(undefined); setCategoryParam(undefined); setPage(1); },
         }] : []),
          ...selectedColors.map((c) => ({
    key: `color: [{c}`,
    label: `Koлip: [{c}`,
              onClear: () => toggleListParam(c, selectedColors, setColorsParam),
         })),
          ...selectedSizes.map((s) => ({
              key: `size:∏{s}`,
label: `Розмір: ∏{s}`
              onClear: () => toggleListParam(s, selectedSizes, setSizesParam),
         }))
          ...(minPriceParam != null ? [{
              key: 'min',
label: `Від: [{minPriceParam}`,
              onClear: () => { setMinPrice(undefined); setMinPriceParam(undefined); setPage(1); },
         }]:[])
          ...(maxPriceParam != null ? [{
              key: 'max'
              label: `До: [{maxPriceParam}`
              onClear: () => { setMaxPrice(undefined); setMaxPriceParam(undefined); setPage(1); },
         }1 : [1),
    const currentCatName = categoryId ? (catById.get(String(categoryId))?.name ?? `#[[{categoryId}`)
: null;
    useDocumentTitle(`Kaτaπor∏{currentCatName ? ` - ∏{currentCatName}` : ''}∏{dq ? ` - ∏{dq}` :
     // ------ SEO (OG/Twitter + prev/next + breadcrumbs) ------
    const activeCatName = categoryId ? cats.find(c => c.id === categoryId)?.name : undefined;
    const titleParts: string[] = ['Каталог'];
    if (activeCatName) titleParts.push(activeCatName);
if (q) titleParts.push(`nowyκ "[{q}"`);
const pageTitle = `[{titleParts.join(' - ')} - Shop`;
    const pageDescription = [
          'Каталог інтернет-магазину. Фільтри: категорія, колір, розмір, ціна.',
         activeCatName ? `Kaτeropiя: [{activeCatName}.` : '' q ? `Ποωγκ: [{q}.` : '',
    ].filter(Boolean).join(' ');
    function buildUrlWith(kv: Record<string, string | number | undefined>) {
         const href = typeof window !== 'undefined' ? window.location.href :
const u = new URL(href || 'http://localhost');
         Object.entries(kv).forEach(([k,v]) => {
    if (v === undefined || v === '' || v === null) u.searchParams.delete(k);
              else u.searchParams.set(k, String(v));
         });
         return u.toString();
    const prevUrl = canPrev ? buildUrlWith({ page: page - 1 }) : undefined;
    const nextUrl = canNext ? buildUrlWith({ page: page + 1 }) : undefined;
    const catalogUrl = typeof window !== 'undefined'
         ? `[{window.location.origin}/`
         : undefined:
    const breadcrumbLd = {
   '@context': 'https://schema.org',
   '@type': 'BreadcrumbList',
         itemListElement: [
     { '@type': 'ListItem', position: 1, name: 'Головна', item: catalogUrl },
     { '@type': 'ListItem', position: 2, name: 'Каталог', item: typeof window !== 'undefined'
? window.location.href : undefined }
```

```
const hasFilters =
        !!q ||
        !!categoryId ||
        (selectedColors.length > 0) ||
        (selectedSizes.length > 0) ||
        (minPriceParam != null) |
        (maxPriceParam != null) ||
        (sort !== 'new');
    const robotsMeta = hasFilters ? 'noindex,follow' : undefined;
    const hreflangs = useHreflangs('uk');
    return (
        <div className="mx-auto w-full max-w-7xl px-4 py-6">
            <SeoHead
                title={pageTitle}
                description={pageDescription}
                canonical
                prevUrl={prevUrl}
                nextUrl={nextUrl}
                robots={robotsMeta}
                hreflangs={hreflangs}
            <JsonLd data={breadcrumbLd} />
            <header className="mb-6 flex flex-col gap-3 sm:flex-row sm:items-center sm:justify-</pre>
between">
                <hl className="text-2xl font-semibold tracking-tight">Каталог</hl>
                <Select
                             value={String(categoryId ?? 'all')}
                            onValueChange={(v) => {
                                 setPage(1);
                                 const next = v === 'all' ? undefined : Number(v);
                                 setCategoryId(next);
                                 setCategoryParam(next);
                            }}
                        >
                             <SelectTrigger className="w-48">
                                 <SelectValue placeholder="Категорія" />
                             </SelectTrigger>
                             <SelectContent>
                                 <SelectItem value="all">Всі категорії</SelectItem>
                                 {cats.map((c) => (
                                     <SelectItem key={c.id}</pre>
value={String(c.id)}>{c.name}</SelectItem>
                                 ))}
                             </SelectContent>
                        </Select>
                        <Select
                             value={sort}
                             onValueChange={(v) => {
                                 const next = v as SortKey;
                                 setPage(1);
                                 setSort(next):
                                 setSortParam(next);
                            }}
                             <SelectTrigger className="w-40">
                                 <SelectValue />
                             </SelectTrigger>
                             <SelectContent>
                                 <SelectItem value="new">Новинки</SelectItem>
                                 <SelectItem value="price_asc">Ціна 1</SelectItem><SelectItem value="price_desc">Ціна 1</SelectItem>
                             </SelectContent>
                        </Select>
```

resources\js\shop\pages\Catalog.tsx

```
</div>
                    <div className="flex gap-2 items-center">
                         <Input
                             value={q}
                             onChange={(e) => { setPage(1); setQ(e.target.value); }}
                             placeholder="Пошук товарів...'
                         <Input
                             data-testid="price-min"
type="number"
                             placeholder="Ціна від"
                             value={minPrice ?? ''}
                             onChange={(e) => setMinPrice(e.target.value === '' ? undefined :
Number(e.target.value))}
                             className="w-28"
                         <Input
                             data-testid="price-max"
                             type="number'
                             placeholder="до"
                             value={maxPrice ?? ''}
                             onChange={(e) => setMaxPrice(e.target.value === '' ? undefined :
Number(e.target.value))}
                             className="w-24"
                         />
                         <Button
                             data-testid="apply-price"
                             onClick={() => {
                                 setMinPriceParam(minPrice);
                                 setMaxPriceParam(maxPrice);
                                 setPage(1);
                             }}
                             Застосувати
                         </Button>
                         <Button
                             variant="outline"
                             data-testid="clear-filters"
                             onClick={clearAll}
                             Скинути все
                         </Button>
                     </div>
                </div>
            </header>
            {activeChips.length > 0 \& \& (
                <div className="mb-4 flex flex-wrap items-center gap-2" data-testid="active-</pre>
filters">
                     {activeChips.map(ch => (
                         <button
                             key={ch.key}
                             type="button"
                             onClick={ch.onClear}
                             className="inline-flex items-center gap-2 rounded-full border px-3 py-1
text-xs hover:bg-gray-50"
                             title="Скинути цей фільтр"
                             {ch.label}
                             <span aria-hidden>x</span>
                         </button>
                     ))}
                     <Button variant="ghost" size="sm" onClick={clearAll}>
                         Скинути все
                     </Button>
                </div>
            )}
            {/* ΦACETN (debug) */}
            <div
```

resources\js\shop\pages\Catalog.tsx

```
data-testid="facets-panel"
                                 className="mb-6 grid gap-3 rounded-xl border p-3 md:grid-cols-3"
                                 {/* Категорії */}
                                 <div>
                                          <div className="mb-2 text-sm font-medium">Категорії</div>
                                          <div className="flex flex-wrap gap-2">
                                                  {Object.entries(catCounts).filter(([id]) => id && id !== 'null').map(([id,
cnt]) => {
                                                          const c = catById.get(String(id));
                                                           const active = Number(categoryId) === Number(id);
                                                           return (
                                                                   <button
                                                                           key={id}
                                                                           type="button"
                                                                           data-testid={`facet-cat-[{id}`}
                                                                           onClick={() => {
                                                                                    const next = active ? undefined : Number(id);
                                                                                    setCategoryId(next);
                                                                                   setCategoryParam(next);
                                                                                   setPage(1);
                                                                           }}
                                                                           className={`inline-flex items-center gap-1 rounded-full border
{c?.name ?? `#[{id}`} <span
className="opacity-70">({cnt})</span>
                                                                   </button>
                                                          );
                                                  })}
                                                  {Object.keys(catCounts).length === 0 && (
                                                          <span className="text-xs text-muted-foreground">нема даних</span>
                                          </div>
                                 </div>
                                 {/* Колір */}
                                  <div>
                                          <div className="mb-2 text-sm font-medium">Колір</div>
                                          <div className="flex flex-wrap gap-2">
                                                  {Object.entries(colorCounts).filter(([v]) => v && v !== 'null').map(([v,
cnt]) => {
                                                          const active = selectedColors.includes(v);
                                                           return (
                                                                   <button
                                                                           kev=\{v\}
                                                                           type="button"
                                                                           data-testid={`facet-color-□{v}`}
                                                                           onClick={() => toggleListParam(v, selectedColors,
setColorsParam)}
                                                                           className={`inline-flex items-center qap-1 rounded-full border
px-2 py-1 text-xs [{active ? 'bg-black text-white' : ''}`}
                                                                           title={`attrs.color=□{v}`}
                                                                           {v} <span className="opacity-70">({cnt})</span>
                                                                   </button>
                                                          );
                                                  })}
                                                  {Object.keys(colorCounts).length === 0 && (
                                                          <span className="text-xs text-muted-foreground">нема даних</span>
                                          </div>
                                 </div>
                                 {/* Розмір */}
                                  <div>
                                          <div className="mb-2 text-sm font-medium">Розмір</div>
                                          <div className="flex flex-wrap gap-2">
                                                  \{0bject.entries(sizeCounts).filter(([v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) => v \& v !== 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'null').map(([v, v]) == 'n
cnt]) => {
                                                          const active = selectedSizes.includes(v);
                                                           return (
```

```
<button
                                     key=\{v\}
                                     type="button"
                                     data-testid={`facet-size-□{v}`}
                                     onClick={() => toggleListParam(v, selectedSizes, setSizesParam)}
className={`inline-flex items-center gap-1 rounded-full border
{v} <span className="opacity-70">({cnt})</span>
                                 </button>
                            );
                        })}
                        {Object.keys(sizeCounts).length === 0 && (
                             <span className="text-xs text-muted-foreground">нема даних</span>
                     </div>
                </div>
            </div>
            {loading ? (
                <div className="grid grid-cols-2 gap-4 md:grid-cols-3 lg:grid-cols-4">
                    <Skeleton className="mb-2 h-4 w-3/4" />
<Skeleton className="h-4 w-1/2" />
                         </Card>
                    ))}
                </div>
            ) : products.length === 0 ? (
                .
<div className="text-muted-foreground">Нічого не знайдено. Спробуйте змінити
фільтри.</div>
                 div className="grid grid-cols-2 gap-4 md:grid-cols-3 lg:grid-cols-4">
                    {products.map((p) => {
                        const primary =
                             p.images?.find((img) => img.is_primary) ??
                             (p.images && p.images.length > 0 ? p.images[0] : undefined);
                         return (
                             <Card key={p.id} className="overflow-hidden">
                                 <Link to={`/product/□{p.slug ?? p.id}`} className="block" data-</pre>
testid="catalog-card">
                                     <div className="aspect-square bg-muted/40">
                                         {primary ? (
                                             <img
                                                 src={primary.url}
                                                 alt={primary.alt ?? p.name}
                                                 className="h-full w-full object-cover"
                                                 loading="lazy"
                                         ) : (
                                             <div className="flex h-full items-center justify-center</pre>
text-sm text-muted-foreground">
                                                 без фото
                                             </div>
                                         )}
                                     </div>
                                     <div className="p-3">
                                         <div className="line-clamp-2 text-sm font-</pre>
medium">{p.name}</div>
                                         <div className="mt-1 text-sm text-muted-</pre>
foreground">{formatPrice(p.price)}</div>
                                     </div>
                                 </Link>
                                 <h1 className="text-2xl font-semibold flex items-center gap-3">
                                     <WishlistButton product={p} />
                                 </h1>
                            </Card>
                        );
                    })}
```

resources\js\shop\pages\Catalog.tsx

```
import React, { useEffect, useState } from 'react';
import React, { useEffect, useState } from 'rea
import { useNavigate } from 'react-router-dom';
import { OrdersApi, CartApi } from '../api';
import useCart from '../useCart';
import { useNotify } from '../ui/notify';
import SeoHead from '../components/SeoHead';
import { GA } from '../ui/ga';
export default function CheckoutPage() {
     const nav = useNavigate();
     const notify = useNotify()
     const { clear } = useCart();
     const [email, setEmail] = useState('test@example.com');
     const [name, setName] = useState('John');
const [city, setCity] = useState('Kyiv');
const [addr, setAddr] = useState('Street 1');
     const [loading, setLoading] = useState(false);
     const [error, setError] = useState<string|null>(null);
     useEffect(() => {
          (async () => {
              try {
                   const cart = await CartApi.get();
                   const itemsCount = cart?.items?.length ?? 0;
                   if (!cart || cart.status !== 'active' || itemsCount === 0) {
                        // @ts-ignore
                        notify.error('Кошик порожній або завершений', { key: 'checkout-guard' });
                        nav('/cart', { replace: true });
              } catch {
                   // @ts-ignore
                   notify.error('Проблема з кошиком', { key: 'checkout-guard' });
                   nav('/cart', { replace: true });
         })();
     }, [nav, notify]);
     const { cart } = useCart();
     useEffect(() => {
          GA.begin checkout(cart);
     }, [cart]);
     const submit = async (e: React.FormEvent) => {
          e.preventDefault();
          setLoading(true);
          setError(null);
          try {
               const res = await OrdersApi.create({
                   shipping address: { name, city, addr },
              }):
              // @ts-ignore
              notify.success('Замовлення оформлено', { key: 'order', ttl: 3000 });
              nav(`/order/□{res.number}`, { replace: true });
              try { await clear?.(); } catch {/* no-op */}
          } catch (e: any) {
               setError(e?.response?.data?.message || 'Failed to place order');
          } finally {
              setLoading(false);
    };
     return (
          <div className="max-w-md mx-auto p-6 space-y-4">
               <SeoHead title="Оформлення замовлення – Shop" robots="noindex,nofollow" canonical />
               <h1 className="text-2xl font-semibold">Checkout</h1>
               {error && <div className="p-2 bg-red-50 border border-red-200 rounded text-
```

resources\js\shop\pages\Checkout.tsx

resources\js\shop\pages\NotFound.tsx

```
import { useEffect, useState } from 'react';
import { usePrrest, useState } from 'react;
import {useParams, Link, useSearchParams} from 'react-router-dom';
import { OrdersApi, refreshOrderStatus } from '../api';
import { formatPrice } from '../ui/format';
import SeoHead from '../components/SeoHead';
import { GA } from '../ui/ga';
import PayOrder from "@/shop/components/PayOrder";
type OrderItem = {
     id: number:
     product id: number;
     qty: number;
     price: number | string;
     product?: { name: string; slug: string; preview url?: string | null };
};
type Order = {
     number: string;
     total: number | string;
     email: string;
     status: string;
     items: OrderItem[];
export default function OrderConfirmation() {
     const { number } = useParams<{ number: string }>();
     const [order, setOrder] = useState<Order | null>(null);
     const [loading, setLoading] = useState(true);
    const [sp] = useSearchParams();
const payment_intent = sp.get('payment_intent') ?? undefined;
const redirect_status = sp.get('redirect_status') ?? undefined;
     useEffect(() => {
          let on = true;
          (async () => {
              try {
                    \dot{/}/ 1) якщо \epsilon дані від Stripe у query — оновимо статус на бекенді
                   if (number && (payment intent || redirect status)) {
                             await refreshOrderStatus(number, payment intent);
                        } catch {}
                    // 2) забираємо свіже замовлення
                   if (number) {
                        const o = await OrdersApi.show(number);
                        if (!on) return;
                        setOrder(o);
                        GA.purchase(o);
              } finally {
                   if (on) setLoading(false);
              }
          })();
          return () => { on = false; };
     }, [number, payment intent, redirect status]);
     if (loading) return <div className="max-w-6xl mx-auto p-4">Завантаження...</div>;
     if (!order) return <div className="max-w-6xl mx-auto p-4">Замовлення не знайдено.</div>;
     const items = order.items ?? [];
     const itemsTotal = items.reduce((s, i) => s + Number(i.price | | 0 \rangle * Number(i.qty | | 0 \rangle, 0);
     const isPaid =
          (order as any).payment status === 'succeeded' ||
          (order as any).status === 'paid';
     return (
          <div className="max-w-6xl mx-auto p-4 space-y-6">
               <SeoHead title={`Замовлення [{order.number} — Shop`} robots="noindex,nofollow" canonical
/>
              <h1 className="text-2xl font-semibold" data-testid="order-confirmed">
                   Дякуємо! Замовлення {order.number} оформлено
```

```
</h1>
         Підтвердження надіслано на {order.email}.
            {!isPaid && ' — Оплата очікується.'}
         <div className="border rounded-xl overflow-hidden">
            <thead className="bg-gray-50 text-left text-sm">
               Товар
                  K-сть
Ціна
                  Cyma
               </thead>
               {items.map(it => (
                  <div className="flex items-center gap-3">
                           {it.product?.preview url && (
                              <img src={it.product.preview_url} alt="" className="w-14</pre>
h-14 object-cover rounded-md border"
                           )}
                           <div>
                              <div className="font-medium">{it.product?.name ??
`#[{it.product_id}`}</div>
                              {it.product?.slug && (
                                 .
<Link to={`/product/∏{it.product.slug}`}
className="text-xs text-gray-500 hover:underline">
                                    Переглянути товар
                                 </Link>
                              )}
                           </div>
                        </div>
                     {it.qty}
                     {formatPrice(it.price)}
                     {formatPrice(Number(it.price) *
))}
               <tfoot className="border-t bg-gray-50">
               Разом за товари
                  {formatPrice(itemsTotal)}
               </tfoot>
            </div>
         <div className="flex gap-3">
            <Link to="/" className="px-4 py-2 rounded-lg border hover:bg-gray-50">Продовжити
ποκνπκи</Link>
            <Link to="/cart" className="px-4 py-2 rounded-lg border hover:bg-gray-50">Відкрити
кошик</Link>
         </div>
         {!isPaid && (
            <div className="border rounded-xl p-4">
               <h2 className="font-semibold mb-2">Оплата замовлення</h2>
               Безпечно через Stripe. Доступні картки
та локальні методи (EU).
               <PayOrder number={order.number} onPaid={() => window.location.reload()} />
            </div>
        )}
     </div>
   );
}
```

```
import React, { useEffect, useMemo, useState } from 'react';
import { useParams, Link, useNavigate } from 'react-router-dom';
import { useParams, Link, useNavigate } from 'react-router-d
import { ProductsApi, type Product } from '../api';
import useCart from '../useCart';
import { useNotify } from '../ui/notify';
import { formatPrice } from '../ui/format';
import SimilarProducts from '../components/SimilarProducts';
import SimilarProducts from '../components/SimilarProducts
import { addRecentlyViewed } from '../ui/recentlyViewed';
import RecentlyViewed from '../components/RecentlyViewed';
import WishlistButton from '../components/WishlistButton';
import SeoHead from '../components/SeoHead';
import JsonLd from '../components/JsonLd';
import { useHreflangs } from '../hooks/useHreflangs';
import ImageLightbox from '../components/ImageLightbox';
import { Tabs, TabsList, TabsTrigger, TabsContent } from '../ui/tabs';
import { GA } from '../ui/ga';
export default function ProductPage() {
      const { slug } = useParams();
const [p, setP] = useState<Product | null>(null);
      const [related, setRelated] = useState<Product[]>([]);
      const [loadingRelated, setLoadingRelated] = useState(false);
      const [qty, setQty] = useState(1);
      const [lightboxIndex, setLightboxIndex] = useState<number | null>(null);
     const { add } = useCart();
const { success, error } = useNotify();
      const navigate = useNavigate();
      const hreflangs = useHreflangs('uk');
     // fetch product
useEffect(() => {
           let on = true;
           (async () =>
                 const prod = await ProductsApi.show(slug!);
                 if (!on) return;
                setP(prod);
                setQty(1);
           })();
           return () => { on = false; };
     }, [slug]);
     // recently viewed
useEffect(() => {
           if (!p) return;
           addRecentlyViewed({
                 id: p.id,
                slug: p.slug,
                name: p.name,
                price: p.price,
                preview_url: p.preview_url ?? p.images?.find(i => i.is primary)?.url ??
p.images?.[0]?.url ?? null,
           });
     }, [p]);
      // related
      useEffect(() => {
           let on = true;
           (async () => {
    if (!p?.category_id) {
                      setRelated([]);
                      return;
                 }
                 setLoadingRelated(true);
                      const items = await ProductsApi.related(p.category id, p.id, 4);
                if (on) setRelated(items);
} finally {
                      if (on) setLoadingRelated(false);
           })();
           return () => { on = false; };
     }, [p?.id, p?.category id]);
```

```
useEffect(() => {
         if (p) GA.view_item(p);
       [p]);
     // ----- derived (hooks стабільні) ------
     const stock = Number(p?.stock ?? 0);
     const canBuy = stock > 0;
     // повна галерея для лайтбоксу
     const gallery = useMemo(() => {
          if (!p) return [] as { url: string; alt?: string }[];
         const imgs = (p.images ?? [])
    .map(i => ({ url: i.url, alt: i.alt }))
    .filter(i => !!i.url);
          if (!imgs.length && p.preview url) imgs.push({ url: p.preview url });
          return imgs;
     }, [p]);
     // головне зображення
     const primaryImg = useMemo(() => {
   if (!p) return undefined as { url: string; alt?: string } | undefined;
         const specific = p.images?.find(i => i.is_primary);
if (specific) return { url: specific.url, alt: specific.alt };
if (p.preview_url) return { url: p.preview_url };
          return p.images?.[0] ? { url: p.images[0].url, alt: p.images[0].alt } : undefined;
     }, [p]);
     const pageTitle = useMemo(
          () => (p ? `[\{p.name\} - [\{formatPrice(p.price)\} - Shop` : 'ToBap - Shop'),
          [p]
     const pageDescription = useMemo(
          () => (p
? `Купити ∏{p.name} за ∏{formatPrice(p.price)}. ∏{canBuy ? 'В наявності.' : 'Немає в
наявності '} Замовити онлайн.
                    : 'Картка товару в магазині.'
          [p, canBuy]
     ):
     const canonicalUrl = typeof window !== 'undefined' ? window.location.href : undefined;
     // характеристики (під різні формати бекенда)
     const specs = useMemo(() => {
          if (!p) return [] as Array<{ name: string; value: string }>;
const raw: any = (p as any).attributes ?? (p as any).attrs ?? {};
          if (Array.isArray(raw)) {
               // масив типу [{name,value}] або [{key,value}]
              return raw.map((x: any) => ({
   name: String(x.name ?? x.key ?? ''),
   value: String(x.value ?? ''),
              })).filter(x => x.name);
          if (raw && typeof raw === 'object') {
               return 0bject.entries(raw).map(([k,v]) => ({ name: String(k), value: String(v as any)}
}));
          return [];
     }, [p]);
     const productLd = useMemo(() => {
          if (!p) return null;
          const main = primaryImg?.url ?? undefined;
          return {
               '@context': 'https://schema.org',
'@type': 'Product',
              name: p.name,
image: main ? [main] : undefined,
sku: (p as any).sku ?? undefined,
              offers: {
                    '@type': 'Offer',
```

```
url: canonicalUrl,
                priceCurrency: 'UAH'
                price: Number(p.price) || 0,
availability: canBuy ? 'https://schema.org/InStock' :
'https://schema.org/OutOfStock',
    }, [p, primaryImg?.url, canonicalUrl, canBuv]);
    const breadcrumbLd = useMemo(() => {
        if (!p) return null;
        return {
            '@context': 'https://schema.org',
            '@type': 'BreadcrumbList',
            itemListElement: [
                { '@type': 'ListItem', position: 1, name: 'Головна', item: typeof window !==
'undefined' ? `□{window.location.origin}/` : undefined },
                  '@type': 'ListItem', position: 2, name: 'Каталог', item: typeof window !==
'undefined' ? `[{window.location.origin}/` : undefined },
                  '@type': 'ListItem', position: 3, name: p.name, item: canonicalUrl }
   }, [p, canonicalUrl]);
// ------
    if (!p) return <div className="max-w-6xl mx-auto p-6">Loading...</div>;
    const clampQty = (raw: number) =>
        Math.max(1, Math.min(stock || 1, Number.isFinite(raw) ? raw : 1));
    async function handleAdd() {
        try {
            await add(p.id, qty);
            GA.add to cart(p, qty);
            success({
                title: 'Додано до кошика'
                action: { label: 'Відкрити кошик', onClick: () => navigate('/cart') },
            }):
        } catch (e: any) {
            const message = e?.response?.data?.message || 'Не вдалося додати';
            error({ title: message });
        }
    }
    const origin = typeof window !== 'undefined' ? window.location.origin : '';
    const ogImage = origin ? `∏{origin}/og/product/∏{p.slug}.png` : primaryImg?.url;
    const onPrev = () => {
        if (lightboxIndex == null || gallery.length === 0) return;
        setLightboxIndex((lightboxIndex - 1 + gallery.length) % gallery.length);
        if (lightboxIndex == null || gallery.length === 0) return;
        setLightboxIndex((lightboxIndex + 1) % gallery.length);
    };
    return (
        <div className="max-w-6xl mx-auto grid gap-6 p-4 md:grid-cols-2">
            <SeoHead
                title={pageTitle}
                description={pageDescription}
                image={ogImage}
                hreflangs={hreflangs}
                canonical
            {productLd && <JsonLd data={productLd} />}
            {breadcrumbLd && <JsonLd data={breadcrumbLd} />}
            {/* left: image + thumbnails */}
            <div className="space-v-3">
                <div className="border rounded-xl overflow-hidden cursor-zoom-in" onClick={() =>
gallery.length && setLightboxIndex(0)}>
                    <div className="aspect-square bg-muted/40">
```

resources\js\shop\pages\Product.tsx

```
{primaryImg ? (
<img src={primaryImg.url} alt={primaryImg.alt ?? p.name}
className="h-full w-full object-cover" />
                            <div className="flex h-full items-center justify-center text-sm text-</pre>
muted-foreground">6e3 φοτο</div>
                        ) }
                    </div>
                </div>
                {gallery.map((g, i) => (}
                            <button
                                key={i}
type="button"
                                className="aspect-square overflow-hidden rounded border
hover:opacity-90"
                                onClick={() => setLightboxIndex(i)}
                                aria-label=\{`Відкрити зображення <math>\Pi\{i + 1\}`\}
                                <img src={g.url} alt={g.alt ?? ''} className="h-full w-full object-</pre>
cover" />
                            </button>
                        ))}
                    </div>
                )}
            </div>
            {/* right: details */}
            <div className="space-y-4">
                <h1 className="text-2xl font-semibold flex items-center gap-3">
                    {p.name}
                    <WishlistButton product={p} />
                </h1>
                <div className="text-xl">{formatPrice(p.price)}</div>
                {canBuv ? (
                    <div className="text-sm text-green-700">В наявності: {stock} шт.</div>
                    <div className="text-sm text-red-600">Немає в наявності</div>
                )}
                <div className="flex items-center gap-2">
                    <input
                        type="number"
                        min={1}
                        max={Math.max(1, stock)}
                        value={atv}
                        onChange={(e) => setQty(clampQty(Number(e.target.value)))}
className="h-9 w-24 rounded-md border px-3"
                        data-testid="qty-input"
                    <button
                        disabled={!canBuy}
                        onClick={handleAdd}
                        className="h-9 px-4 rounded-md bg-black text-white disabled:opacity-50"
                        data-testid="add-to-cart"
                        Додати в кошик
                    </button>
                </div>
                {/* TABS: Опис / Характеристики / Доставка */}
                <TabsTrigger value="desc">Опис</TabsTrigger>
                        <TabsTrigger value="specs">Характеристики</TabsTrigger>
                        <TabsTrigger value="delivery">Доставка</TabsTrigger>
                    </TabsList>
                    <TabsContent value="desc" className="mt-3 text-sm leading-relaxed">
```

resources\js\shop\pages\Product.tsx

```
{((p as any).description && String((p as any).description).trim().length)
                             ? <div dangerouslySetInnerHTML={{ __html: String((p as any).description)</pre>
}} />
                             : <div className="text-muted-foreground">Опис поки відсутній.</div>}
                     </TabsContent>
                     <TabsContent value="specs" className="mt-3"> {specs.length === 0 ? (
                             <div className="text-sm text-muted-foreground">Характеристики ще не
додані.</div>
                         ) : (
                             dl className="grid grid-cols-1 gap-x-6 gap-y-2 sm:grid-cols-2">
                                 foreground">{s.name}</dt>
                                          <dd className="text-sm">{s.value}</dd>
                                     </div>
                             ))}
</dl>
                         )}
                     </TabsContent>
                    <TabsContent value="delivery" className="mt-3 text-sm">

<hobal Пошта по Україні — 1—3 дні.</li>
<kyp'єр у великих містах — 1—2 дні.</li>

                             Оплата: карткою онлайн або накладений платіж.
                             Повернення/обмін — 14 днів (згідно ЗУ «Про захист прав
споживачів»).
                         </TabsContent>
                 </Tabs>
                     <Link to="/" className="text-sm text-gray-600 hover:underline">← До
каталогу</Link>
                 </div>
                 {related.length > 0 \&\& (}
                     <div className="text-xs text-muted-foreground mb-2">
                         Знайдено схожих: {related.length}
                     </div>
                 <SimilarProducts categoryId={p.category_id} currentSlug={p.slug} />
                 <RecentlyViewed excludeSlug={p.slug} />
            {/* Lightbox overlay */}
            <ImageLightbox</pre>
                 images={gallery}
                 openIndex={lightboxIndex}
                 onClose={() => setLightboxIndex(null)}
                 onPrev={onPrev}
                 onNext={onNext}
   />
</div>
}
```

resources\js\shop\pages\Wishlist.tsx

```
import React from 'react';
import { Link } from 'react-router-dom';
import useWishlist from '../hooks/useWishlist';
import dsewishtist from '../hooks/dsewishtist',
import { Card } from '@/components/ui/card';
import { Button } from '@/components/ui/button';
import { formatPrice } from '../ui/format';
export default function WishlistPage() {
           const { items, clear } = useWishlist();
           return (
                     <div className="mx-auto w-full max-w-7xl px-4 py-6" data-testid="wishlist-page">
                               <div className="mb-4 flex items-center justify-between">
                                          <hl className="text-2xl font-semibold">Обране</hl>
                                          {items.length > 0 \&\& (}
                                                    <Button variant="outline" onClick={() => clear()}>Очистити</Button>
                               </div>
                                {items.length === 0 ? (
                                          <div className="text-muted-foreground" data-testid="wishlist-empty">
                                                   Поки що порожньо.
                                          </div>
                                ) : (
                                          <div className="grid grid-cols-2 gap-4 md:grid-cols-3 lg:grid-cols-4">
                                                    {items.map(p => (
                                                              \label{eq:card_loss} $$ \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \color= \col
testid="wishlist-card">
                                                                         <Link to={`/product/[{p.slug ?? p.id}`} className="block">
                                                                                   <div className="aspect-square bg-muted/40">
                                                                                             {p.preview_url ? (
                                                                                                        <img src={p.preview_url} alt={p.name} className="h-full</pre>
w-full object-cover" />
                                                                                                        <div className="flex h-full items-center justify-center</pre>
text-sm text-muted-foreground">6e3 φοτο</div>
                                                                                             )}
                                                                                   </div>
                                                                                   <div className="p-3">
                                                                                             <div className="line-clamp-2 text-sm font-medium">{p.name}</div>
                                                                                              <div className="mt-1 text-sm text-muted-</pre>
foreground">{formatPrice(p.price)}</div>
                                                                                    </div>
                                                                         </Link>
        ))}
</div>
);
                                                              </Card>
}
```

```
import React from 'react';
import {useLocation, Link} from 'react-router-dom';
import {reportError} from '../monitoring';
type State = { error: Error | null };
type Props = { children: React.ReactNode };
class Boundary extends React.Component<React.PropsWithChildren, State, Props> {
    state: State = {error: null};
    static getDerivedStateFromError(error: Error): State {
        return {error};
    componentDidCatch(error: Error, info: React.ErrorInfo) {
        reportError(error, { componentStack: info.componentStack });
console.error('ErrorBoundary caught:', error, info);
    }
    render() {
        if (!this.state.error) return this.props.children;
        return (
             <div className="mx-auto max-w-xl p-6 text-center">
                 <h2 className="mb-2 text-xl font-semibold">Щось пішло не так</h2>
                 {this.state.error.message || 'Несподівана помилка.'}
                 <div className="flex justify-center gap-3">
                     <button
                          onClick={() => window.location.reload()}
className="rounded-md border px-3 py-2 text-sm"
                          Перезавантажити
                     </button>
                     <Link to="/" className="rounded-md border px-3 py-2 text-sm">
                         На головну
                     </Link>
                 </div>
            </div>
        );
    }
}
export function AppErrorBoundary({children}: React.PropsWithChildren) {
    const location = useLocation();
    // ключ змінюється при навігації → Boundary скидає state
    return <Boundary key={location.key}>{children}</Boundary>;
}
```

```
// resources/js/shop/ui/analytics.ts
type Consent = 'granted' | 'denied';
const KEY = 'cookie:analytics-consent';
const SCRIPT_ID = 'ga4-script';
const DEFAULT CONSENT: Consent =
    (import.meta.env.VITE COOKIE DEFAULT === 'granted') ? 'granted' : 'denied';
declare global {
    interface Window {
        dataLayer: any[];
        gtag?: (...args: any[]) => void;
}
export function getAnalyticsId(): string | undefined {
    const id = (import.meta as any).env?.VITE GA ID as string | undefined;
    return id && id.trim() ? id : undefined;
}
export function getConsent(): Consent | null {
        const raw = localStorage.getItem(KEY);
return raw === 'granted' || raw === 'denied' ? raw : null;
    } catch {
        return null;
}
export function getEffectiveConsent(): Consent {
    return getConsent() ?? DEFAULT_CONSENT;
export function setConsent(val: Consent) {
    try { localStorage.setItem(KEY, val); } catch {}
    updateConsent(val);
}
function ensureGtagBooted(id: string) {
    if (!document.getElementById(SCRIPT ID)) {
        const s = document.createElement('script');
        s.async = true;
        s.id = SCRIPT ID;
        s.src = `https://www.googletagmanager.com/gtag/js?id=∏{encodeURIComponent(id)}`;
        document.head.appendChild(s);
    window.dataLayer = window.dataLayer || [];
    if (!window.gtag) {
    window.gtag = function () { window.dataLayer.push(arguments); };
    window.gtag('js', new Date());
    window.gtag('config', id, { anonymize_ip: true });
export function updateConsent(val: Consent) {
    const id = getAnalyticsId();
if (!id) return;
    // "Hard block": GA підвантажуємо тільки при згоді
    if (val === 'granted') {
        ensureGtagBooted(id);
        window.gtag?.('consent', 'update', { analytics storage: 'granted' });
        // При відмові скрипт не вантажимо; якщо вже був — оновлюємо стан
        window.gtag?.('consent', 'update', { analytics_storage: 'denied' });
    }
}
export function initAnalyticsOnLoad() {
    const id = getAnalyticsId();
    if (!id) return;
    const effective = getEffectiveConsent();
```

resources\js\shop\ui\analytics.tsx

resources\js\shop\ui\format.tsx

```
export function formatPrice(v: number | string, currency = 'EUR', locale = 'uk-UA') {
   const n = typeof v === 'string' ? Number(v) : v;
   return new Intl.NumberFormat(locale, { style: 'currency', currency, maximumFractionDigits: 2
}).format(n || 0);
}
```

```
import type { Product } from '../api';
type GAItem = {
    item_id: string | number;
    item name: string;
    price?: number;
    quantity?: number;
    item category?: string;
};
const CURRENCY = 'UAH';
// Безпечний шорткат: якщо qtag не ініціалізовано — нічого не робимо.
function gtagSafe(...args: any[]) {
     // @ts-ignore
    if (typeof window !== 'undefined' && typeof window.gtag === 'function') {
         // @ts-ignore
         window.gtag(...args);
    }
}
function mapProduct(p: Product): GAItem {
    return {
         item id: p.id,
         item_name: p.name,
         price: Number(p.price) || 0,
         item_category: p.category_id ? String(p.category_id) : undefined,
    };
}
function mapCartItem(ci: any): GAItem {
     return {
         item id: ci.product id ?? ci.id,
         item_name: ci.name ?? ci.product?.name ?? `#[{ci.product_id}`,
price: Number(ci.price) || 0,
         quantity: Number(ci.qty) || 1,
    };
}
export const GA = {
    view_item(product: Product) {
    gtagSafe('event', 'view_item', {
             currency: CURRENCY,
             value: Number(product.price) || 0,
items: [mapProduct(product)],
         });
    },
    add_to_cart(product: Product, quantity: number) {
    gtagSafe('event', 'add_to_cart', {
              currency: CURRENCY,
              value: (Number(product.price) || 0) * (Number(quantity) || 1),
              items: [{ ...mapProduct(product), quantity: Number(quantity) || 1 }],
         });
    },
    view item list(products: Product[], list name = 'Каталог') {
         \overline{g}tagSafe('event', 'view item list', \overline{\{}
              item list name: list name,
              items: products.map(mapProduct),
         });
    },
    view_cart(cart: any) {
   gtagSafe('event', 'view_cart', {
              currency: CURRENCY,
              value: Number(cart?.total) || 0,
              items: (cart?.items ?? []).map(mapCartItem),
         });
    },
    begin_checkout(cart: any) {
         gtagSafe('event', 'begin_checkout', {
```

resources\js\shop\ui\ga.tsx

```
currency: CURRENCY,
    value: Number(cart?.total) || 0,
    items: (cart?.items ?? []).map(mapCartItem),
    });
},

purchase(order: any) {
    gtagSafe('event', 'purchase', {
        transaction_id: order?.number ?? order?.id ?? String(Date.now()),
        currency: CURRENCY,
        value: Number(order?.total) || 0,
        items: (order?.items ?? []).map(mapCartItem),
    });
},
};
```

resources\js\shop\ui\notify.tsx

```
import React, {createContext, useCallback, useContext, useMemo, useRef, useState} from 'react';
type ToastAction = { label: string; onClick: () => void };
type Variant = 'success' | 'error' | 'info';
type ToastInput =
    | string
    title?: React.ReactNode;
    description?: React.ReactNode;
    action?: ToastAction;
    variant?: Variant;
    autoCloseMs?: number | null; // null/0 — не закривати
};
type Toast = {
    id: string;
    title?: React.ReactNode;
    description?: React.ReactNode;
    action?: ToastAction;
    variant: Variant;
    autoCloseMs: number | null;
type Ctx = {
    success: (t: ToastInput) => void;
    error: (t: ToastInput) => void;
    info: (t: ToastInput) => void;
    clear: (id: string) => void;
    clearAll: () => void;
};
const NotifyCtx = createContext<Ctx | null>(null);
export function useNotify(): Ctx {
    const ctx = useContext(NotifyCtx);
    if (!ctx) throw new Error('useNotify must be used within <NotifyProvider>');
    return ctx;
function normalize(input: ToastInput, fallbackVariant: Variant, defaultAutoClose: number | null):
Toast {
    const base: Partial<Toast> =
        typeof input === 'string'
            ? { title: input }
              { title: input.title, description: input.description, action: input.action, variant:
input.variant };
    return {
   id: Math.random().toString(36).slice(2),
        title: base.title,
        description: base.description,
        action: base action,
        variant: (base.variant as Variant) ?? fallbackVariant,
        autoCloseMs:
            typeof input === 'object' && input && 'autoCloseMs' in input
                ? (input as any).autoCloseMs ?? defaultAutoClose
                : defaultAutoClose,
    };
}
export function NotifyProvider({
                                    children,
                                   autoCloseMs = 3000,
                               }: {
    children: React.ReactNode;
    /** 0 або null — не закривати автоматично */
    autoCloseMs?: number | null;
    const [toasts, setToasts] = useState<Toast[]>([]);
    const timers = useRef<Record<string, number>>({});
    const clear = useCallback((id: string) => {
```

```
setToasts((list) => list.filter((t) => t.id !== id));
        const tm = timers.current[id];
        if (tm) {
            window.clearTimeout(tm);
            delete timers.current[id];
    }, [j);
    const clearAll = useCallback(() => {
        setToasts([]);
        Object.values(timers.current).forEach((tm) => window.clearTimeout(tm));
        timers.current = {};
    }, []);
    const push = useCallback(
        (input: ToastInput, variant: Variant) => {
            const t = normalize(input, variant, autoCloseMs ?? null);
             setToasts((list) => [t, ...list]);
            if (t.autoCloseMs && t.autoCloseMs > 0) {
                 timers.current[t.id] = window.setTimeout(() => clear(t.id), t.autoCloseMs);
        [autoCloseMs, clear]
    );
    const api = useMemo<Ctx>(
        () => ({
            => ({
    success: (t) => push(t, 'success'),
    orror: (t) => push(t, 'error'),
            error: (t) => push(t, 'error' info: (t) => push(t, 'info'),
            clear
            clearAll,
        }).
        [push, clear, clearAll]
    );
    return (
        <NotifyCtx.Provider value={api}>
            {children}
             {/* Контейнер тостів */}
            <div className="fixed inset-x-0 bottom-3 z-50 mx-auto flex w-full max-w-xl flex-col</pre>
gap-2 px-3 sm:bottom-4 sm:right-4 sm:left-auto sm:mx-0 sm:w-96">
                 {toasts.map((t) => (
                     <div
                         key={t.id}
                         role="alert"
                         className={`rounded-lg border p-3 shadow-md bg-white □{
                              t.variant === 'success'
                                  ? 'border-green-200'
                                  : t.variant === 'error'
                                       ? 'border-red-200'
                                       : 'border-gray-200'
                         <div className="flex items-start gap-3">
                              <div className="flex-1">
                                  {t.title ? <div className="font-medium">{t.title}</div> : null}
                                  {t.description ? (
                                       <div className="mt-0.5 text-sm text-</pre>
gray-600">{t.description}</div>
                                  ) : null}
                                  {t.action ? (
                                      <button
                                           className="mt-2 inline-flex rounded-md border px-2 py-1
text-xs hover:bg-gray-50"
                                           onClick={() => {
                                               try {
                                                   t.action!.onClick();
                                               } finally {
                                                    clear(t.id);
                                               }
```

resources\js\shop\ui\notify.tsx

resources\js\shop\ui\popover.tsx

```
'use client';
import * as React from 'react':
import * as PopoverPrimitive from '@radix-ui/react-popover';
function cx(...parts: Array<string | undefined>) {
     return parts.filter(Boolean).join(' ');
const Popover = PopoverPrimitive.Root;
const PopoverTrigger = PopoverPrimitive.Trigger;
const PopoverContent = React.forwardRef<</pre>
    React.ElementRef<typeof PopoverPrimitive.Content>,
    React.ComponentPropsWithoutRef<typeof PopoverPrimitive.Content>
>(({ className, align = 'center', sideOffset = 8, ...props }, ref) => (
    <PopoverPrimitive.Portal>
         <PopoverPrimitive.Content
              ref={ref}
              align={align}
              sideOffset={sideOffset}
              className={cx(
                   // базові стилі як у shadcn/ui
'z-50 w-72 rounded-md border bg-popover p-4 text-popover-foreground shadow-md
outline-none',
                   // анімації відкриття/закриття
'data-[state=open]:animate-in data-[state=closed]:animate-out',
                   'data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0',
'data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95',
                   'data-[side=bottom]:slide-in-from-top-2',
'data-[side=left]:slide-in-from-right-2',
'data-[side=right]:slide-in-from-left-2',
                    'data-[side=top]:slide-in-from-bottom-2',
                   className
              )}
              {...props}
    </PopoverPrimitive.Portal>
PopoverContent.displayName = PopoverPrimitive.Content.displayName;
export { Popover, PopoverTrigger, PopoverContent };
```

resources\js\shop\ui\recentlyViewed.tsx

```
export type MiniProduct = {
     id: number;
     slug?: string | null;
     name: string;
     price: number | string;
     preview url?: string | null;
};
const KEY = 'recently_viewed';
const LIMIT = 12;
export function getRecentlyViewed(): MiniProduct[] {
     try {
          const raw = localStorage.getItem(KEY);
          if (!raw) return [];
          const arr = JSON.parse(raw);
          if (!Array.isArray(arr)) return [];
          return arr;
     } catch {
          return [];
}
export function addRecentlyViewed(p: MiniProduct) {
     try {
          const list = getRecentlyViewed();
const filtered = list.filter(x => x.id !== p.id);
const next = [pickMini(p), ...filtered].slice(0, LIMIT);
localStorage.setItem(KEY, JSON.stringify(next));
     } catch {
          // no-op
}
function pickMini(p: MiniProduct): MiniProduct {
     return {
   id: p.id,
          slug: p.slug ?? null, name: p.name,
          price: p.price,
          preview url: p.preview url ?? null,
     };
}
```

```
import * as React from 'react';
type TabsContextValue = {
    value: string;
    setValue: (v: string) => void;
    baseId: string;
const TabsContext = React.createContext<TabsContextValue | null>(null);
function cx(...cls: Array<string | false | null | undefined>) {
    return cls.filter(Boolean).join(' ');
type TabsProps = {
    defaultValue?: string;
    value?: string;
    onValueChange?: (v: string) => void;
    className?: string;
    children: React.ReactNode;
};
export function Tabs({
                           defaultValue,
                           value: valueProp,
                           onValueChange,
                           className,
                           children,
                       }: TabsProps) {
    const isControlled = valueProp !== undefined;
    const [internal, setInternal] = React.useState<string>(
   valueProp ?? defaultValue ?? ''
    const baseId = React.useId();
    React.useEffect(() => {
        if (isControlled && valueProp !== undefined) setInternal(valueProp);
    }, [isControlled, valueProp]);
    const setValue = React.useCallback(
   (v: string) => {
      if (!isControlled) setInternal(v);
             onValueChange?.(v);
        [isControlled, onValueChange]
    const ctx: TabsContextValue = { value: internal, setValue, baseId };
    return (
        <TabsContext.Provider value={ctx}>
             <div className={className}>{children}</div>
        </TabsContext.Provider>
}
type TabsListProps = {
    className?: string;
    children: React.ReactNode;
export function TabsList({ className, children }: TabsListProps) {
        <div role="tablist" className={cx('inline-flex items-center gap-1', className)}>
             {children}
        </div>
    );
}
type TabsTriggerProps = {
    value: string;
    className?: string;
    children: React.ReactNode;
```

```
};
export function TabsTrigger({ value, className, children }: TabsTriggerProps) {
    const ctx = React.useContext(TabsContext);
if (!ctx) throw new Error('TabsTrigger must be used within <Tabs>');
    const active = ctx.value === value;
    const id = `[{ctx.baseId}-tab-[{value}`;
    const controls = `[{ctx.baseId}-panel-[{value}`;
    function onKeyDown(e: React.KeyboardEvent<HTMLButtonElement>) {
        if (!ctx) return;
        const container = (e.currentTarget.parentElement as HTMLElement) ?? null;
        if (!container) return;
const triggers = Array.from(
             container.querySelectorAll<HTMLButtonElement>('[role="tab"]')
        const idx = triggers.indexOf(e.currentTarget);
        if (idx === -1) return;
        if (e.key === 'ArrowRight') {
        e.preventDefault();
  triggers[(idx + 1) % triggers.length]?.focus();
} else if (e.key === 'ArrowLeft') {
             e.preventDefault();
             triggers[(idx - 1 + triggers.length) % triggers.length]?.focus();
    }
    return (
        <button
             id={id}
             role="tab"
             aria-selected={active}
             aria-controls={controls}
             type="button"
             onClick={() => ctx.setValue(value)}
             onKeyDown={onKeyDown}
             className={cx(
                 'px-3 py-1.5 rounded-md text-sm border',
                 active
                      ? 'bg-black text-white border-black'
                      : 'bg-transparent text-gray-700 hover:bg-gray-100 border-gray-300',
                 className
             )}
             {children}
        </button>
    );
}
type TabsContentProps = {
    value: string;
    className?: string;
    children: React.ReactNode;
};
export function TabsContent({ value, className, children }: TabsContentProps) {
    const ctx = React.useContext(TabsContext);
    if (!ctx) throw new Error('TabsContent must be used within <Tabs>');
    const active = ctx.value === value;
    const id = `□{ctx.baseId}-panel-□{value}`;
    const labelledBy = `[{ctx.baseId}-tab-[{value}`;
    return (
        <div
             id={id}
             role="tabpanel"
             aria-labelledby={labelledBy}
             hidden={!active}
             className={className}
             {active ? children : null}
```

resources\js\shop\ui\tabs.tsx

resources\js\shop\ui\wishlist.tsx

```
export type WishItem = {
    id: number;
    slug?: string | null;
    name: string;
    price: number | string;
    preview url?: string | null;
const KEY = 'wishlist_v1';
export function getWishlist(): WishItem[] {
    try {
        const raw = localStorage.getItem(KEY);
        if (!raw) return [];
        const arr = JSON.parse(raw);
        return Array.isArray(arr) ? arr : [];
    } catch { return []; }
}
export function setWishlist(items: WishItem[]) {
    try { localStorage.setItem(KEY, JSON.stringify(items)); } catch {}
export function toggleWishlist(p: WishItem): { added: boolean; items: WishItem[] } {
    const list = getWishlist();
const exists = list.some(x => x.id === p.id);
const next = exists ? list.filter(x => x.id !== p.id) : [pick(p), ...list];
    setWishlist(next);
    return { added: !exists, items: next };
}
export function isInWishlist(id: number): boolean {
    return getWishlist().some(x => x.id === id);
function pick(p: WishItem): WishItem {
    return {
   id: p.id,
        slug: p.slug ?? null,
        name: p.name,
        price: p.price,
        preview url: p.preview url ?? null,
    };
}
```

resources\js\types\index.d.ts

```
import { InertiaLinkProps } from '@inertiajs/react';
import { LucideIcon } from 'lucide-react';
export interface Auth {
     user: User;
}
export interface BreadcrumbItem {
     title: string;
href: string;
}
export interface NavGroup {
     title: string;
items: NavItem[];
}
export interface NavItem {
     title: string;
     href: NonNullable<InertiaLinkProps['href']>;
     icon?: LucideIcon | null;
     isActive?: boolean;
}
export interface SharedData {
     name: string;
quote: { message: string; author: string };
auth: Auth;
     sidebarOpen: boolean;
     [key: string]: unknown;
}
export interface User {
   id: number;
     name: string;
email: string;
avatar?: string;
     email_verified_at: string | null;
     created_at: string;
     updated_at: string;
     [key: string]: unknown; // This allows for additional properties...
}
```

resources\js\types\vite-env.d.ts

/// <reference types="vite/client" />

```
export type QueryParams = Record<
    string,
     string
      number
      boolean
      string[]
      null
      undefined
      Record<string, string | number | boolean>
type Method = "get" | "post" | "put" | "delete" | "patch" | "head" | "options";
let urlDefaults: Record<string, unknown> = {};
export type RouteDefinition<TMethod extends Method | Method[]> = {
    url: string;
} & (TMethod extends Method[] ? { methods: TMethod } : { method: TMethod });
export type RouteFormDefinition<TMethod extends Method> = {
    action: string;
    method: TMethod;
};
export type RouteQueryOptions = {
    query?: QueryParams;
    mergeQuery?: QueryParams;
};
export const queryParams = (options?: RouteQueryOptions) => {
    if (!options || (!options.query && !options.mergeQuery)) {
    return "";
    const query = options.query ?? options.mergeQuery;
    const includeExisting = options.mergeQuery !== undefined;
    const getValue = (value: string | number | boolean) => {
        if (value === true) {
            return "1";
        }
        if (value === false) {
            return "0";
        return value.toString();
    };
    const params = new URLSearchParams(
        includeExisting && typeof window !== "undefined"
            ? window.location.search
    );
    for (const key in query) {
        if (query[key] === undefined || query[key] === null) {
            params.delete(key);
            continue:
        }
        if (Array.isArray(query[key])) {
            if (params.has(`∏{key}[]`))
                params.delete(`[{key}[]`);
            }
            query[key].forEach((value) => {
                params.append(`□{key}[]`, value.toString());
        } else if (typeof query[key] === "object") {
            params.forEach((_, paramKey) => {
                if (paramKey.startsWith(`□{key}[`)) {
                    params.delete(paramKey);
```

```
});
             for (const subKey in query[key]) {
   if (typeof query[key][subKey] === "undefined") {
                      continue;
                 }
                 if (
                      ["string", "number", "boolean"].includes(
                          typeof query[key][subKey],
                 ) {
                      params.set(
                          `[{key}[[{subKey}]`
                          getValue(query[key][subKey]),
                      );
        } else {
             params.set(key, getValue(query[key]));
    }
    const str = params.toString();
    return str.length > 0 ? ?[str]: "";
};
export const setUrlDefaults = (params: Record<string, unknown>) => {
    urlDefaults = params;
};
export const addUrlDefault = (
    key: string,
    value: string | number | boolean,
) => {
    urlDefaults[key] = value;
};
export const applyUrlDefaults = <T extends Record<string, unknown> | undefined>(
    existing: T,
   T => {
    const existingParams = { ...(existing ?? ({} as Record<string, unknown>)) };
    for (const key in urlDefaults) {
        if (
             existingParams[key] === undefined &&
             urlDefaults[key] !== undefined
        ) {
             (existingParams as Record<string, unknown>)[key] = urlDefaults[key];
    }
    return existingParams as T;
};
export const validateParameters = (
    args: Record<string, unknown> | undefined,
    optional: string[],
) => {
    const missing = optional.filter((key) => !args?.[key]);
const expectedMissing = optional.slice(missing.length * -1);
    for (let i = 0; i < missing.length; i++)
        if (missing[i] !== expectedMissing[i]) {
             throw Error(
                  "Unexpected optional parameters missing. Unable to generate a URL.",
        }
    }
};
```

resources\lang\en\shop.php

```
<?php
return [
    'catalog' => 'Catalog',
    'cart' => 'Cart',
    'order' => 'Order',
];
```

resources\lang\uk\shop.php

```
<?php
return [
    'catalog' => 'Каталог',
    'cart' => 'Кошик',
    'order' => 'Замовлення',
];
```

resources\views\app.blade.php

```
<!DOCTYPE html>
<html lang="{{ str_replace('_', '-', app()->getLocale()) }}" @class(['dark' => ([appearance ?? 'system') == 'dark'])>
    <head>
         <meta charset="utf-8">
         <meta name="viewport" content="width=device-width, initial-scale=1">
         {{-- Inline script to detect system dark mode preference and apply it immediately --}}
         <script>
             (function() {
                  if (appearance === 'system') {
                      const prefersDark = window.matchMedia('(prefers-color-scheme: dark)').matches;
                      if (prefersDark) {
                           document.documentElement.classList.add('dark');
             })();
         </script>
         {{-- Inline style to set the HTML background color based on our theme in app.css --}}
         <style>
             html {
                  background-color: oklch(1 0 0);
             }
             html.dark {
                  background-color: oklch(0.145 0 0);
         </style>
         <title inertia>{{ config('app.name', 'Laravel') }}</title>
        <link rel="icon" href="/favicon.ico" sizes="any">
<link rel="icon" href="/favicon.svg" type="image/svg+xml">
<link rel="apple-touch-icon" href="/apple-touch-icon.png">
         <link rel="preconnect" href="https://fonts.bunny.net">
<link href="https://fonts.bunny.net/css?family=instrument-sans:400,500,600" rel="stylesheet"</pre>
/>
         @viteReactRefresh
         @vite(['resources/js/app.tsx', "resources/js/pages/{[page['component']}.tsx"])
        @inertiaHead
    </head>
    <body class="font-sans antialiased">
         @inertia
    </body>
</html>
```

resources\views\shop.blade.php

```
<!doctype html>
<html>
<head>
     <meta charset="utf-8">
<meta name="viewport" content="width=device-width,initial-scale=1"/>
     <title>Shop</title>
     <!-- Performance hints --> 
<link rel="preconnect" href="http://localhost:8080" crossorigin> 
<link rel="dns-prefetch" href="//localhost">
     <!-- Якщо є CDN для картинок/шрифтів — додай тут -->
<!-- <link rel="preconnect" href="https://cdn.example.com" crossorigin> -->
     <!-- Приклад preload (під себе): -->
<!-- <link rel="preload" as="font" href="/fonts/Inter-Variable.woff2" type="font/woff2"
crossorigin> -->
     @viteReactRefresh
     @vite('resources/js/shop/main.tsx')
</head>
<body class="bg-gray-50 text-gray-900">
<div id="shop-root"></div>
</body>
</html>
```

resources\views\sitemap.blade.php

```
@php echo '<?xml version="1.0" encoding="UTF-8"?>'; @endphp
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  @foreach (□static as □u)
    <url>
      @endforeach
  {{-- Якщо є окремі сторінки категорій — заміни на свій URL.
     Якщо ні — можна тимчасово використовувати параметр категорії в каталозі --}}
  @foreach (∏categories as ∏c)
    <url>
      <changefreq>weekly</changefreq>
  @endforeach
  <url>
      <priority>0.8</priority>
    </url>
  @endforeach
</urlset>
```

resources\views\emails\orders\paid.blade.php

```
@php
   □items = □order->items ?? collect();
   \sqcaptotal = (float)(\sqcap order->total ?? <math>\sqcap items->sum(fn(\sqcap i)=> (float)\sqcap i->price * (int)\sqcap i->qty));
@endphp
   <!doctype html>
<html lang="uk">
<head>
   <meta charset="utf-8">
   <title>Підтвердження замовлення {{ □order->number }}</title> <meta name="viewport" content="width=device-width, initial-scale=1"/>
</head>
<body style="margin:0;padding:0;background:#f6f7f9;font-family:system-ui,-apple-system,'Segoe</pre>
UI', Roboto, Arial, sans-serif; ">
<table role="presentation" width="100%" cellpadding="0" cellspacing="0"
style="background:#f6f7f9;padding:24px 0;">
   <table role="presentation" width="600" cellpadding="0" cellspacing="0"
style="background:#fffffff;border-radius:12px;overflow:hidden">
             <h1 style="margin:0 0 8px 0;font-size:20px;color:#111">Дякуємо за
замовлення!</h1>
                    Замовлення <b>{{ □order->number }}</b> оформлено.
                       Ми надішлемо оновлення на <b{{ \squareorder->email \}}</b>.
                    style="border-collapse:collapse">
                       <thead>
                       <th align="left" style="padding:8px 0;border-bottom:1px solid
#eee; font-size:12px; color:#666">Товар
                          <th align="center" style="padding:8px 0;border-bottom:1px solid
#eee; font-size:12px; color:#666">K-сть</тh>
                          #eee; font-size:12px; color:#666">Ціна
                          #eee; font-size:12px; color:#666">Сума
                       </thead>
                       @foreach(□items as □it)
                          @php
                             ('#'.∏it->product id);
                              price = (float)([it->price ?? [it->product->price ?? 0);
                                   = (int)([it->qty ?? 1);
                              ∏qty
                                   = [price * [qty;
                              ∏sum
                              □img
                                    = □it->preview url
optional([]it->product?->images?->firstWhere('is\_primary', true))->url
                                    ?? optional(☐it->product?->images?->first())->url
                                    ?? [it->product?->preview url;
                          @endphp
                          <div style="display:flex;gap:10px;align-items:center">
                                    @if(∐img)
                                        style="display:block;border:1px solid #eee;border-radius:8px;object-fit:cover">
                                    @endif
                                    <div style="font-size:14px;color:#111">{{ □name }}</div>
                                 </div>
                              <td align="center" style="padding:10px 0;border-bottom:1px solid
#f1f1f1;font-size:14px;color:#111">{{ \Boxqty \hat{}}
                              <td align="right" style="padding:10px 0;border-bottom:1px solid
```

resources\views\emails\orders\placed.blade.php

```
@endforeach
           <tfoot>
           <td colspan="3" align="right" style="padding:14px 0;font-
weight:600;color:#111">Разом
{{ number_format(□total,2,',',') }} грн
           </tfoot>
         Якщо виникли питання — просто відповідайте на цей лист.
       </body>
</html>
```

resources\views\emails\orders\shipped.blade.php

resources\views\emails\orders\status-updated.blade.php

resources\views\errors\404.blade.php

resources\views\errors\500.blade.php

resources\views\filament\orders\summary.blade.php

```
@php
    use App\Models\Order;
    /** @var Order|null ∏record */
              = [getRecord();
    □record
               = [record?->items ?? collect();
    ∏items
               = (int) [items->sum('qty');
    □subtotal = (float) □items->sum(fn(□i) => (float)□i->price * (int)□i->qty);
□total = (float) (□record?->total ?? □subtotal);
@endphp
<div class="rounded-xl border p-4 space-y-2" wire:poll.1500ms>
    <div class="flex items-center justify-between">
        <div class="text-sm text-gray-500">Positions</div>
        </div>
    <div class="flex items-center justify-between">
        <div class="text-sm text-gray-500">Subtotal</div>
<div class="font-semibold">## ({ number_format([]subtotal, 2) }}</div>
    <div class="border-t my-2"></div>
    <div class="flex items-center justify-between">
        <div class="text-sm text-gray-500">Total (order)</div>
        <div class="text-lg font-bold">₴ {{ number format((float)(☐record->total ?? 0), 2) }}</div>
    </div>
</div>
```

routes\auth.php

```
<?php
use App\Http\Controllers\Auth\AuthenticatedSessionController:
use App\Http\Controllers\Auth\ConfirmablePasswordController;
use App\Http\Controllers\Auth\EmailVerificationNotificationController;
use App\Http\Controllers\Auth\EmailVerificationPromptController;
use App\Http\Controllers\Auth\NewPasswordController;
use App\Http\Controllers\Auth\PasswordResetLinkController;
use App\Http\Controllers\Auth\RegisteredUserController;
use App\Http\Controllers\Auth\VerifyEmailController;
use Illuminate\Support\Facades\Route;
Route::middleware('guest')->group(function () {
   Route::get('register', [RegisteredUserController::class, 'create'])
->name('register');
   Route::post('register', [RegisteredUserController::class, 'store']);
   Route::post('login', [AuthenticatedSessionController::class, 'store']);
   Route::post('forgot-password', [PasswordResetLinkController::class, 'store'])
        ->name('password.email');
   Route::get('reset-password/{token}', [NewPasswordController::class, 'create'])
        ->name('password.reset');
   Route::post('reset-password', [NewPasswordController::class, 'store'])
        ->name('password.store');
});
Route::middleware('auth')->group(function () {
   Route::get('verify-email', EmailVerificationPromptController::class)
->name('verification.notice');
   Route::get('verify-email/{id}/{hash}', VerifyEmailController::class)
    ->middleware(['signed', 'throttle:6,1'])
        ->name('verification.verify');
   Route::post('email/verification-notification', [EmailVerificationNotificationController::class,
'store'])
        ->middleware('throttle:6,1')
        ->name('verification.send');
   Route::get('confirm-password', [ConfirmablePasswordController::class, 'show'])
        ->name('password.confirm');
   Route::post('confirm-password', [ConfirmablePasswordController::class, 'store'])
    ->middleware('throttle:6,1');
   Route::post('logout', [AuthenticatedSessionController::class, 'destroy'])
        ->name('logout');
});
```

```
<?php
use Illuminate\Foundation\Inspiring:
use Illuminate\Support\Facades\Artisan;
use Illuminate\Support\Facades\Http;
use Illuminate\Support\Facades\Schedule;
use Illuminate\Support\Facades\URL;
})->purpose('Display an inspiring quote');
□this->info("Warming sitemap index: {□base}/sitemap.xml");
           try {
                       Http::timeout(30)->get("{[base}/sitemap.xml");
           } catch (\Throwable □e) {
                       []this->error([e->getMessage());
                       in the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image of the image 
                       □locs = [];
                       if (□xml) {
                                  ☐doc = @simplexml_load_string(☐xml);
if (☐doc && isset(☐doc->sitemap)) {
                                              foreach (□doc->sitemap as □sm) {
                                                        □locs[] = (string) □sm->loc;
                                  }
                       }
                       if (empty(□locs)) {
                                  \squarelocs = [
                                              "{[base}/sitemaps/categories.xml",
                                  for ([i = 1; [i <= 10; [i++) {
        [locs[] = "{[base}/sitemaps/products-{[i}.xml";</pre>
                       }
                       foreach ([]locs as []url) {
     []this->info("GET {[]url}");
                                             Http::timeout(30)->get(□url);
                                  } catch (\Throwable □e) {
                                             □this->error(□e->getMessage());
                                  }
           } catch (\Throwable □e) {
                       □this->error(□e->getMessage());
Schedule::command('sitemap:warm')->dailyAt('03:00');
```

routes\settings.php

```
<?php

use App\Http\Controllers\Settings\PasswordController;
use App\Http\Controllers\Settings\ProfileController;
use Illuminate\Support\Facades\Route;
use Inertia\Inertia;

Route::middleware('auth')->group(function () {
    Route::redirect('settings', '/settings/profile');

    Route::get('settings/profile', [ProfileController::class, 'edit'])->name('profile.edit');
    Route::patch('settings/profile', [ProfileController::class, 'update'])->name('profile.update');
    Route::delete('settings/profile', [ProfileController::class, 'update'])->name('profile.destroy');

    Route::get('settings/password', [PasswordController::class, 'edit'])->name('password.edit');

    Route::put('settings/password', [PasswordController::class, 'update'])
    ->middleware('throttle:6,1')
    ->name('password.update');

    Route::get('settings/appearance', function () {
        return Inertia::render('settings/appearance');
    })->name('appearance');
});
```

```
<?php
use App\Http\Controllers\OgImageController;
use App\Http\Controllers\StripeWebhookController; use App\Http\Middleware\VerifyCsrfToken;
use Illuminate\Support\Facades\Auth;
use Illuminate\Support\Facades\Route;
use Inertia\Inertia;
use App\Models\User
use App\Http\Controllers\SitemapController;
Route::get('/og/product/\{slug\}.png', \ [OgImageController::class, 'product']) -> where('slug', '.*'); \\
Route::post('/stripe/webhook', [StripeWebhookController::class, 'handle'])
     ->name('stripe.webhook')
     ->withoutMiddleware([VerifyCsrfToken::class]);
Route::get('/sitemap.xml', [SitemapController::class, 'index']);
Route::get('/sitemaps/categories.xml', [SitemapController::class, 'categories']);
Route::get('/sitemaps/products-{page}.xml', [SitemapController::class, 'products'])
     ->whereNumber('page');
Route::get('/robots.txt', function () {
     □lines = [
          'User-agent: *',
          'Allow: /',
'Sitemap: ' . url('/sitemap.xml'),
     return response(implode(PHP_EOL, []lines), 200)
          ->header('Content-Type', 'text/plain');
});
Route::view('{any}', 'shop')->where('any', '^(?!mine|api).*[');
require __DIR__.'/settings.php';
require __DIR__.'/auth.php';
```

storage\app\.gitignore

!private/ !public/ !.gitignore

storage\app\private\.gitignore

* !.gitignore

storage\app\public\.gitignore

* !.gitignore

storage\framework\.gitignore

compiled.php config.php down events.scanned.php maintenance.php routes.php routes.scanned.php schedule-* services.json

storage\framework\cache\.gitignore

!data/ !.gitignore

storage\framework\cache\data\.gitignore

* !.gitignore

storage\framework\sessions\.gitignore

* !.gitignore

storage\framework\sessions\0kzuqcrToUnm3Xf0IXE2ZeiooZwb2Wnfv60pTcm6

a:2:{s:6:"_token";s:40:"SPXCRJjaUfQqt3UrSweF66ITWxlUhkPDphetxNah";s:6:"_flash";a:2:{s:3:"old";a:0:{}}
s:3:"new";a:0:{}}}

storage\framework\sessions\108gakKEaLCxH3MdCCMr35mTGV1YNLMpEJLw82yp

a:2:{s:6:"_token";s:40:"5YLm5SZde4Y9tnUtpuLAM5X0J7r1vHMgMwDgwzoM";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}

storage\framework\sessions\4Ej50qwtsqfb3okN50Z0eqnzLUCzfvK1uu2KfuAb

a:2:{s:6:"_token";s:40:"3kRiNQ9MeehsTYs7TtzgoXaJoW50k2yHK3Ibry2S";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}

storage\framework\sessions\76Hluq3wCsMZAtCY46hWkc2JSSc6koyJ35MPM9Yr

a:2:{s:6:"_token";s:40:"65RNjXh7wN83iu4h89bLqeMGbtWP2DneY8j65zmu";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}

storage\framework\sessions\8jCkiwPnIxDKPcqlQInowR31VQPd5Yih7F0HhYd1

 $a:2:\{s:6:"_token";s:40:"dS5Bh8p0rnroFkDbu1YfaPvcvpKXlNoNxNslIYcL";s:6:"_flash";a:2:\{s:3:"old";a:0:\{\}s:3:"new";a:0:\{\}\}\}$

storage\framework\sessions\9FEjaWgme4ojpP2qUaB3g0R1MDzk0wgFhgRJ6Nq8

a:2:{s:6:"_token";s:40:"LtTZ01nqYiq3AXyqg1FY2d2tlzuNOVggMIWJ0tDM";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}

storage\framework\sessions\DzlJyYPgyB6KXczM1L3UuHrxVrtpSznSFx3x1iP5

a:2:{s:6:"_token";s:40:"V0yEsHUKMH58qYR7UMD40tVhnMMfseS5qvdUprMd";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\MUmabWyIKYuuvlI8qaXXoRfaY5Xc9u9Zlxb9ftuR

a:2:{s:6:"_token";s:40:"9zaFgujziLVvIyPLm9H5GKUMzg0SeBtPva7rHYYL";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\0v8bdUhgtzVtLs32NSc3geVIvRrk2TMGijTzcqX8

a:3:{s:6:"_token";s:40:"0zfwdRBBiaONMzRrDWNwsQp4yFaSIRwgy0KORjwA";s:9:"_previous";a:1:{s:3:"url";s:7 0:"http://localhost:8080/.well-known/appspecific/com.chrome.devtools.json";}s:6:"_flash";a:2:{s:3:"old";a:0:{}s:3:"new";a:0:{}}}

storage\framework\sessions\PbUJAEYfjkVfglTIfU3CsKMbkYj3cxHRZzh4pOBv

a:2:{s:6:"_token";s:40:"zlBmufuPI3YkwE0gus7yHdbhItZZZYNDcuTyHIb3";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\SzTdnFZUKJ3FScWGD46TtxAiS6sLCsEiNTf0Lnyj

a:2:{s:6:"_token";s:40:"3ZpickSQCnJ4QIf7N0HscfnHnUZGqgaun9MxsHf8";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\TPsZAC2sbKIiv4wTSdRgw5QKkPa9H6aZnbf9lBXE

a:2:{s:6:"_token";s:40:"C6ZVl6gY0AE4eaQ9lxy4N7o6m7hfr0HwC04lZkbw";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}

storage\framework\sessions\UjtNoCbBNamN6MWauV4X02YiRNDCGSEPdqUgjpgH

a:2:{s:6:"_token";s:40:"dnnzy058dtpZnb1IRAk7NfAT0oCzVCQqdJzQRj2f";s:6:"_flash";a:2:{s:3:"old";a:0:{}}
s:3:"new";a:0:{}}}

storage\framework\sessions\VE3VUQJDDgC0EAVMgKElXr7ZNpLfqayCUEtLJBEZ

a:2:{s:6:"_token";s:40:"lBFfHQEAW3dnBIySIYYoTXNHC6IInOf54TvFR9U5";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\YM8UCmVYdthF0pKQ6cVKWdzAq1do3E3bBUtl80iE

 $a:2:\{s:6:"_token";s:40:"Za5swUd37Igqal4qTgXbfmCwsb9KJpAh1ecVYIyH";s:6:"_flash";a:2:\{s:3:"old";a:0:\{\}s:3:"new";a:0:\{\}\}\}$

storage\framework\sessions\fGJjdsjg9m931bSz2RXSSKFFbf8EjZmuKG1Y0PRy

a:2:{s:6:"_token";s:40:"ANWGhJFDDIFF8xTZ525Z5rpbDdpoq4fMEib7tXwA";s:6:"_flash";a:2:{s:3:"old";a:0:{}}
s:3:"new";a:0:{}}}

storage\framework\sessions\gSKbgpgka4QTPiNTnRKhFpAYHpj0mDYfQxNDiukc

a:2:{s:6:"_token";s:40:"rYFdg73Q41bMsauka8j5pNqEpAlyKVswjp3gjP5D";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}

storage\framework\sessions\go09ZkWdj34y49M0snXdx0bvry3l23kGhlhl8vje

a:2:{s:6:"_token";s:40:"TDEKZwPY7rVf42mfatq0R8xRhJuxqd3kBdAPbsue";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\nOqvsGky4abH6EyFEaORcSI4Hqfgzjhb7PphfiC6

a:2:{s:6:"_token";s:40:"sm6GgpPGL7JotKoB9kgz4pT9JJ7WpD5X0KPW0BLA";s:6:"_flash";a:2:{s:3:"old";a:0:{}}
s:3:"new";a:0:{}}}

storage\framework\sessions\oi28ZEkwKfqE0kA0FoF38nJ0wU3dWXpdGtZcew4H

a:2:{s:6:"_token";s:40:"8oZL9Vwkum68GyORVGERMusaKK1vGIIWcYhLJyUA";s:6:"_flash";a:2:{s:3:"old";a:0:{} s:3:"new";a:0:{}}}

storage\framework\sessions\zwXnKYghtiGCBECwvGKG3QPLzLHxYXvqdudeFI3T

a:2:{s:6:"_token";s:40:"IfFuSpL9jCZKYjmciAV8M0vs1bgpfdQfvh1Qpfx9";s:6:"_flash";a:2:{s:3:"old";a:0:{}}
s:3:"new";a:0:{}}}

storage\framework\testing\.gitignore

* !.gitignore

storage\framework\views\.gitignore

* !.gitignore

storage\framework\views\09f30ae7b8b93247180d929b0f001d85.php

```
<?php
   □items = □order->items ?? collect();
   \sqcaptotal = (float)(\sqcap order->total ?? <math>\sqcap items->sum(fn(\sqcap i)=> (float)\sqcap i->price * (int)\sqcap i->qty));
?>
   <!doctype html>
<html lang="uk">
<head>
   <meta charset="utf-8">
   <title>Підтвердження замовлення <?php echo new
\Illuminate\Support\EncodedHtmlString(□order->number); ?></title>
   <meta name="viewport" content="width=device-width, initial-scale=1"/>
<body style="margin:0;padding:0;background:#f6f7f9;font-family:system-ui,-apple-system,'Segoe</pre>
UI', Roboto, Arial, sans-serif; ">
style="background:#f6f7f9;padding:24px 0;">
       <table role="presentation" width="600" cellpadding="0" cellspacing="0"
style="background:#fffffff;border-radius:12px;overflow:hidden">
              <h1 style="margin:0 0 8px 0;font-size:20px;color:#111">Дякуємо за
замовлення!</h1>
                     Замовлення <b><?php echo new
\Illuminate\Support\EncodedHtmlString(□order->number); ?></b> оформлено.
                         Ми надішлемо оновлення на <b><?php echo new
\Illuminate\Support\EncodedHtmlString(∏order->email); ?></b>.
                     <table role="presentation" width="100%" cellpadding="0" cellspacing="0"
style="border-collapse:collapse">
                         <thead>
                         <th align="left" style="padding:8px 0;border-bottom:1px solid
#eee; font-size:12px; color:#666">Товар
                            <th align="center" style="padding:8px 0;border-bottom:1px solid
#eee; font-size:12px; color:#666">K-сть
                            <th align="right" style="padding:8px 0;border-bottom:1px solid
#eee; font-size:12px; color:#666">Ціна
                            #eee; font-size:12px; color:#666">Сума
                         </thead>
                         currentLoopData = [items; [] env->addLoop([] currentLoopData);
                         <?php []
foreach(| currentLoopData as | it): | env->incrementLoopIndices(); | loop = | env->getLastLoop();
?>
                            <?php
                                name = □it->name ?? □it->product->name ??
('#'.∏it->product id);
                                price = (float)([it->price ?? [it->product->price ?? 0);
                                ∏qty
                                      = (int)([it->qty ?? 1);
                                      = [price * [qty;
                                ∏sum
                                ∏imq
                                      = ∏it->preview url
optional([]it->product?->images?->firstWhere('is\_primary', true))->url
                                      ?? optional([it->product?->images?->first())->url
                                      ?? □it->product?->preview url;
                            <div style="display:flex;gap:10px;align-items:center">
                                       <?php if([img): ?>
ing src="<?php echo new
\Illuminate\Support\EncodedHtmlString(□img); ?>" alt="" width="48" height="48"
style="display:block;border:1px solid #eee;border-radius:8px;object-fit:cover">
                                       <?php endif; ?>
```

storage\framework\views\310e92fb38356ea3b5d0f2a234cfbe9f.php

```
<div style="font-size:14px;color:#111"><?php echo new</pre>
\Illuminate\Support\EncodedHtmlString(□name); ?></div>
                                </div>
                             #f1f1f1;font-size:14px;color:#111"><?php echo new \Illuminate\Support\EncodedHtmlString(□qty);
?>
                            <td align="right" style="padding:10px 0;border-bottom:1px solid
#f1f1f1;font-size:14px;color:#111"><?php echo new
\Illuminate\Support\EncodedHtmlString(number_format(□price,2,',',' ')); ?> грн
                            #f1f1f1;font-size:14px;color:#111"><?php echo new
\Illuminate\Support\EncodedHtmlString(number format(∏sum,2,',',' ')); ?> rpн
                         <?php endforeach; [__env->popLoop(); [loop = [_env->getLastLoop(); ?>
                      <tfoot>
                      <td colspan="3" align="right" style="padding:14px 0;font-
weight:600;color:#111">Pasom
                         <td align="right" style="padding:14px 0;font-
weight:700;color:#111"><?php echo new
\Illuminate\Support\EncodedHtmlString(number format(□total,2,',',' ')); ?> rpн
                      </tfoot>
                   Якщо виникли питання — просто відповідайте на цей лист.
                <div style="color:#999;font-size:11px;margin-top:10px">
            © <?php echo new \Illuminate\Support\EncodedHtmlString(date('Y')); ?> Shop
         </div>
      </body>
</html>
<?php /**PATH /var/www/html/resources/views/emails/orders/placed.blade.php ENDPATH**/ ?>
```

```
<?php if (isset(\squarecomponent)) { \square component0riginal3287929725b3f878740bf3f25881b9ff = \squarecomponent; }
<?php if (isset([attributes)) { [ attributesOriginal3287929725b3f878740bf3f25881b9ff = [attributes;</pre>
} ?>
<?php [component = Illuminate\View\AnonymousComponent::resolve(['view' =>
(isset(□attributes) & □attributes instanceof Illuminate\View\ComponentAttributeBaq ?
∏attributes->all() : [])); ?>
<?php [component->withName('mail::layout'); ?>
<?php if ([component->shouldRender()): ?>
<?php = env->startComponent(|component->resolveView(), |component->data()); ?>
<?php if (isset(|attributes) && |attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php □attributes =
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php □component->withAttributes([]); ?>

(isset([component)) { [__component0riginal4b27c9cf0646a011e45f5c0081cff2ae = [component; } ?>
<?php if (isset(\( \)attributes)) { \( \) attributes0riginal4b27c9cf0646a011e45f5c0081cff2ae = \( \)attributes;</pre>
<?php \( \)component = Illuminate\\\ View\\ Anonymous\\ Component::\( \)resolve(\( \) 'view' \( \) =>
__env->getContainer()->make(Illuminate\View\Factory::class)->make('mail::header'),'data' => ['url'
=> config('app.url')]] + (isset([attributes) && [attributes instanceof
Illuminate\View\ComponentAttributeBag ? [attributes->all() : [])); ?>
<?php [component->withName('mail::header'); ?>
<?php if (\( \subseteq \text{component->shouldRender()): ?>
<?php __env->startComponent(|component->resolveView(), |component->data()); ?>
<?php if (isset(|attributes) && |attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php []attributes =</pre>
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php |\textstyle component->withAttributes(['url' =>
\Illuminate\View\Compilers\BladeCompiler::sanitizeComponentAttribute(config('app.url'))]); ?>
             <?php echo e(config('app.name')); ?>
          <?php echo [__env->renderComponent(); ?>
<?php endif; ?>
<?php if (isset([ attributesOriginal4b27c9cf0646a011e45f5c0081cff2ae)): ?>
<?php []attributes = []__attributesOriginal4b27c9cf0646a011e45f5c0081cff2ae; ?>
<?php unset(
    attributesOriginal4b27c9cf0646a011e45f5c0081cff2ae); ?>
<?php endif; ?>
<?php if (isset( \cap  componentOriginal4b27c9cf0646a011e45f5c0081cff2ae)): ?>
<?php ||component = || componentOriginal4b27c9cf0646a011e45f5c0081cff2ae; ?>
<?php unset([__componentOriginal4b27c9cf0646a011e45f5c0081cff2ae); ?>
<?php endif; ?>
    <?php [__env->endSlot(); ?>
    <?php echo e([slot); ?>
    <?php if(isset([subcopy)): ?>
          <?php [__env->slot('subcopy', null, []); ?>
            <?php if (isset([component)) { [ componentOriginala95a089fc4dac0df2b807f0c4d49e8b5 =</pre>
□component; } ?>
<?php if (isset([attributes)) { [ attributes0riginala95a089fc4dac0df2b807f0c4d49e8b5 = [attributes;</pre>
} ?>
<?php [component = Illuminate\View\AnonymousComponent::resolve(['view' =>
  env->getContainer()->make(Illuminate\View\Factory::class)->make('mail::subcopy'),'data' => []] +
(isset(□attributes) && □attributes instanceof Illuminate\View\ComponentAttributeBag ?
<?php if ([component->shouldRender()): ?>
<?php __env->startComponent(|component->resolveView(), |component->data()); ?>
<?php if (isset(|attributes) && |attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php □attributes =
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php [component->withAttributes([]); ?>
                 <?php echo e(□subcopy); ?>
```

```
<?php echo | env->renderComponent(); ?>
<?php endif: ?>
<?php if (isset([__attributesOriginala95a089fc4dac0df2b807f0c4d49e8b5)): ?>
<?php [attributes = [] attributes0riginala95a089fc4dac0df2b807f0c4d49e8b5; ?>
<?php unset([ attributesOriginala95a089fc4dac0df2b807f0c4d49e8b5); ?>
<?php endif; ?>
<?php if (isset(□
                   componentOriginala95a089fc4dac0df2b807f0c4d49e8b5)): ?>
<?php ||component = || componentOriginala95a089fc4dac0df2b807f0c4d49e8b5; ?>
<?php unset([ componentOriginala95a089fc4dac0df2b807f0c4d49e8b5); ?>
<?php endif;</pre>
    <?php []__env->endSlot(); ?>
<?php endif; ?>
     <?php \( \text{env->slot('footer', null, []); ?>} \)
        □component; } ?>
<?php if (isset(\( \)attributes)) { \( \) attributes0riginalef4bd4280c5be2fca1cb0cfd4325d122 = \( \)attributes;</pre>
<?php \( \)component = Illuminate\\\ View\\ Anonymous\\ Component::\( \)resolve(\( \) '\\ view' \\ =>
  env->getContainer()->make(Illuminate\View\Factory::class)->make('mail::footer'),'data' => []] +
(isset(□attributes) && □attributes instanceof Illuminate\View\ComponentAttributeBag ?
| attributes->all() : [])); ?>
<?php | component->withName('mail::footer'); ?>
<?php if ([component->shouldRender()): ?>
<?php [__env->startComponent([component->resolveView(), [component->data()); ?>
<?php if (isset([attributes) && [attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php □attributes =
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php □component->withAttributes([]); ?>
            © <?php echo e(date('Y')); ?> <?php echo e(config('app.name')); ?>. <?php echo
app('translator')->get('All rights reserved.'); ?>
          <?php echo [__env->renderComponent(); ?>
<?php endif; ?>
<?php if (isset(\( \) attributes0riginalef4bd4280c5be2fcalcb0cfd4325d122)): ?>
<?php ∏attributes = ☐ attributesOriginalef4bd4280c5be2fca1cb0cfd4325d122; ?>
<?php unset([__attributes0riginalef4bd4280c5be2fca1cb0cfd4325d122); ?>
<?php endif;</pre>
<?php if (isset([__componentOriginalef4bd4280c5be2fca1cb0cfd4325d122)): ?>
<?php \( \text{component} = \( \text{component0riginalef4bd4280c5be2fca1cb0cfd4325d122}; \) ?>
<?php unset([__componentOriginalef4bd4280c5be2fca1cb0cfd4325d122); ?>
<?php endif; ?>
    <?php __env->endSlot(); ?>
<?php echo __env->renderComponent(); ?>
<?php endif; ?>
<?php if (isset([__attributesOriginal3287929725b3f878740bf3f25881b9ff)): ?>
<?php [attributes = [__attributesOriginal3287929725b3f878740bf3f25881b9ff; ?>
<?php unset(
    attributes0riginal3287929725b3f878740bf3f25881b9ff); ?>
<?php if (isset([ componentOriginal3287929725b3f878740bf3f25881b9ff)): ?>
<?php [component = [__componentOriginal3287929725b3f878740bf3f25881b9ff; ?>
<?php unset([__componentOriginal3287929725b3f878740bf3f25881b9ff); ?>
<?php endif;
<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/text/message.blade.php
ENDPATH**/ ?>
```

```
<?php [attributes ??= new \Illuminate\View\ComponentAttributeBag;</pre>
□ newAttributes = []:
propNames = \Illuminate\View\ComponentAttributeBag::extractPropNames((['url']));
foreach (□attributes->all() as □ key => □ value) {
           } else {
                     newAttributes[ key] = value;
}
□attributes = new \Illuminate\View\ComponentAttributeBag(□_newAttributes);
unset([__propNames);
unset([__newAttributes);
for each \ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [\_\_key => [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ value) \ \{ (array\_filter((['url']), \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ (['url'], \ 'is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ (['url'], \ `is\_string', \ ARRAY\_FILTER\_USE\_KEY) \ as \ [] \ (['url'], \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', \ `is\_string', 
           □□ key = □□ key ?? □ value;
__defined_vars = get_defined_vars();
foreach ([attributes->all() as []_key => []_value) {
           if (array key exists(☐ key, ☐ defined vars)) unset(☐ key);
}
unset(☐ defined vars, ☐ key, ☐ value); ?>
<a href="<?php echo new \Illuminate\Support\EncodedHtmlString([url); ?>" style="display: inline-
block;">
<?php if(trim([slot) === 'Laravel'): ?>
<img src="https://laravel.com/img/notification-logo.png" class="logo" alt="Laravel Logo">
<?php else: ?>
<?php echo ∏slot; ?>
<?php endif; ?>
</a>
<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/html/header.blade.php
ENDPATH**/ ?>
```

storage\framework\views\5c2001e939204ec0b7ec56c9a9f31d3d.php

storage\framework\views\662a8c27f84d01de3dbca17ef6ab6b72.php

storage\framework\views\6a2b0b54f819fb836615bb5f62bed4e2.php

<?php echo e([slot); ?>

<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/text/panel.blade.php
ENDPATH**/ ?>

```
<!doctype html>
<html>
<head>
     <meta charset="utf-8">
<meta name="viewport" content="width=device-width,initial-scale=1"/>
     <title>Shop</title>
     <!-- Performance hints -->
<link rel="preconnect" href="http://localhost:8080" crossorigin>
<link rel="dns-prefetch" href="//localhost">
     <!-- Якщо є CDN для картинок/шрифтів — додай тут -->
<!-- <link rel="preconnect" href="https://cdn.example.com" crossorigin> -->
     <!-- Приклад preload (під себе): -->
<!-- <link rel="preload" as="font" href="/fonts/Inter-Variable.woff2" type="font/woff2"
crossorigin> -->
     <?php echo app('Illuminate\Foundation\Vite')->reactRefresh(); ?>
<?php echo app('Illuminate\Foundation\Vite')('resources/js/shop/main.tsx'); ?>
</head>
<body class="bg-gray-50 text-gray-900">
<div id="shop-root"></div>
</body>
</html>
<?php /**PATH /var/www/html/resources/views/shop.blade.php ENDPATH**/ ?>
```

```
<?php [attributes ??= new \Illuminate\View\ComponentAttributeBag;</pre>
□ newAttributes = []:
propNames = \Illuminate\View\ComponentAttributeBag::extractPropNames(([
   'url'
   'color' => 'primary',
   'align' => 'center',
1)):
foreach (□attributes->all() as □ key => □ value) {
   if (in_array(□_key, □_propNames)) {
      ____key = ____key ?? ___value;
    else {
      __newAttributes[__key] = __value;
}
unset([__propNames);
unset(☐ newAttributes);
foreach (array_filter(([
   'url',
'color' => 'primary',
   'align' => 'center
]), 'is_string', ARRAY_FILTER_USE_KEY) as [__key => [__value) {
   ___key = ___key ?? ___value;
defined vars = get defined vars();
foreach (□attributes->all() as □ key => □ value) {
    if \ (array\_key\_exists([\_\_key, [\_\_defined\_vars)) \ unset([]\_\_key); \\
">
">

<a href="<?php echo new \Illuminate\Support\EncodedHtmlString([url); ?>" class="button button-<?php
echo new \Illuminate\Support\EncodedHtmlString([color); ?>" target=" blank" rel="noopener"><?php</pre>
echo □slot; ?></a>
<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/html/button.blade.php
ENDPATH**/ ?>
```

storage\framework\views\a80e3723598ed1297cf1dd5382264ba9.php

```
    <?php echo new \Illuminate\Support\EncodedHtmlString(Illuminate\Mail\Markdown::parse([slot)); ?>

</ph>
</pr>

</ph>

/**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/html/panel.blade.php
ENDPATH**/ ?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"</pre>
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title><?php echo new \Illuminate\Support\EncodedHtmlString(config('app.name')); ?></title>
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<meta name="color-scheme" content="light">
<meta name="supported-color-schemes" content="light">
<stvle>
@media only screen and (max-width: 600px) {
.inner-body {
width: 100% !important;
.footer {
width: 100% !important;
@media only screen and (max-width: 500px) {
.button {
width: 100% !important;
</style>
<?php echo □head ?? ''; ?>
</head>
<body>

<?php echo []header ?? ''; ?>
<!-- Email Body -->
role="presentation">
<!-- Body content -->
<?php echo Illuminate\Mail\Markdown::parse(□slot); ?>
<?php echo □subcopy ?? ''; ?>
<?php echo □footer ?? ''; ?>
</hody>
</html>
<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/html/layout.blade.php
ENDPATH**/ ?>
```

storage\framework\views\b7bd358b9c5638256c64717af5cb08db.php

<?php echo e([slot); ?>

<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/text/footer.blade.php
ENDPATH**/ ?>

```
<?php if (isset(\squarecomponent)) { \square component0riginal3287929725b3f878740bf3f25881b9ff = \squarecomponent; }
<?php if (isset([attributes)) { [ attributesOriginal3287929725b3f878740bf3f25881b9ff = [attributes;</pre>
} ?>
<?php [component = Illuminate\View\AnonymousComponent::resolve(['view' =>
(isset(□attributes) & □attributes instanceof Illuminate\View\ComponentAttributeBaq ?
∏attributes->all() : [])); ?>
<?php [component->withName('mail::layout'); ?>
<?php if ([component->shouldRender()): ?>
<?php __env->startComponent(|component->resolveView(), |component->data()); ?>
<?php if (isset(|attributes) && |attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php □attributes =
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php □component->withAttributes([]); ?>
<?php \square env->slot('header', null, []); ?>
<?php if (isset(\squarecomponent)) { \square component0riginal4b27c9cf0646a011e45f5c0081cff2ae = \squarecomponent; }
?>
<?php if (isset(\Piattributes)) { \Pi attributes0riginal4b27c9cf0646a011e45f5c0081cff2ae = \Piattributes;
<?php \( \)component = Illuminate\\\ View\\ Anonymous\\ Component::\( \)resolve(\( \) 'view' \( \) =>
__env->getContainer()->make(Illuminate\View\Factory::class)->make('mail::header'),'data' => ['url'
=> config('app.url')]] + (isset([attributes) && [attributes instanceof
Illuminate\View\ComponentAttributeBag ? [attributes->all() : [])); ?>
<?php [component->withName('mail::header'); ?>
<?php if (\( \subseteq \text{component->shouldRender()): ?>
<?php __env->startComponent(|component->resolveView(), |component->data()); ?>
<?php if (isset(|attributes) && |attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php []attributes =</pre>
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php |\textstyle component->withAttributes(['url' =>
\Illuminate\View\Compilers\BladeCompiler::sanitizeComponentAttribute(config('app.url'))]); ?>
<?php echo new \Illuminate\Support\EncodedHtmlString(config('app.name')); ?>
<?php echo [__env->renderComponent(); ?>
<?php endif; ?>
<?php if (isset([ attributesOriginal4b27c9cf0646a011e45f5c0081cff2ae)): ?>
<?php []attributes = []__attributesOriginal4b27c9cf0646a011e45f5c0081cff2ae; ?>
<?php unset([] attributesOriginal4b27c9cf0646a011e45f5c0081cff2ae); ?>
<?php endif; ?>
<?php if (isset([ componentOriginal4b27c9cf0646a011e45f5c0081cff2ae)): ?>
<?php ||component = || componentOriginal4b27c9cf0646a011e45f5c0081cff2ae; ?>
<?php unset([__componentOriginal4b27c9cf0646a011e45f5c0081cff2ae); ?>
<?php endif; ?>
 <?php [ env->endSlot(); ?>
<?php echo □slot; ?>
<?php if(isset(□subcopy)): ?>
<?php if (isset([attributes)) { [ attributes0riginala95a089fc4dac0df2b807f0c4d49e8b5 = [attributes;</pre>
} ?>
<?php [component = Illuminate\View\AnonymousComponent::resolve(['view' =>
  env->getContainer()->make(Illuminate\View\Factory::class)->make('mail::subcopy'),'data' => []] +
(isset(□attributes) && □attributes instanceof Illuminate\View\ComponentAttributeBag ?
<?php if (□component->shouldRender()): ?>
<?php __env->startComponent(|component->resolveView(), |component->data()); ?>
<?php if (isset(|attributes) && |attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php □attributes =
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php [component->withAttributes([]); ?>
<?php echo []subcopy; ?>
```

```
<?php echo □
                env->renderComponent(); ?>
<?php endif; ?>
<?php if (isset([__attributesOriginala95a089fc4dac0df2b807f0c4d49e8b5)): ?>
<?php [attributes = [] attributes0riginala95a089fc4dac0df2b807f0c4d49e8b5; ?>
<?php unset([ attributesOriginala95a089fc4dac0df2b807f0c4d49e8b5); ?>
<?php endif; ?>
<?php if (isset(□
                    componentOriginala95a089fc4dac0df2b807f0c4d49e8b5)): ?>
<?php ||component = || componentOriginala95a089fc4dac0df2b807f0c4d49e8b5; ?>
<?php unset([ componentOriginala95a089fc4dac0df2b807f0c4d49e8b5); ?>
<?php endif: \(\bar{?}>\)
 <?php []_env->endSlot(); ?>
<?php endif; ?>
<?php [__env->slot('footer', null, []); ?>
<?php if (isset([component)) { [__component0riginalef4bd4280c5be2fca1cb0cfd4325d122 = [component; }</pre>
<?php if (isset(||attributes)) { || attributes0riginalef4bd4280c5be2fca1cb0cfd4325d122 = ||attributes;
<?php \( \)component = Illuminate\\\ View\\ Anonymous\\ Component::\( \)resolve(\( \) '\\ view' \\ =>
  env->getContainer()->make(Illuminate\View\Factory::class)->make('mail::footer'),'data' => []] +
(isset(□attributes) && □attributes instanceof Illuminate\View\ComponentAttributeBag ?
| attributes->all() : [])); ?>
<?php | component->withName('mail::footer'); ?>
<?php if ([component->shouldRender()): ?>
<?php [__env->startComponent([component->resolveView(), [component->data()); ?>
<?php if (isset([attributes) && [attributes instanceof Illuminate\View\ComponentAttributeBag): ?>
<?php □attributes =
__attributes->except(\Illuminate\View\AnonymousComponent::ignoredParameterNames()); ?>
<?php endif; ?>
<?php □component->withAttributes([]); ?>
© <?php echo new \Illuminate\Support\EncodedHtmlString(date('Y')); ?> <?php echo new
\Illuminate\Support\EncodedHtmlString(config('app.name')); ?>. <?php echo new \Illuminate\Support\EncodedHtmlString(__('All rights reserved.')); ?>
                env->renderComponent(); ?>
 <?php echo □
<?php endif; \[ \bar{?} >

<?php if (isset([__attributesOriginalef4bd4280c5be2fca1cb0cfd4325d122)): ?>
<?php [attributes = [__attributesOriginalef4bd4280c5be2fca1cb0cfd4325d122; ?>
<?php unset([__attributesOriginalef4bd4280c5be2fca1cb0cfd4325d122); ?>
<?php endif; ?>
<?php if (isset([ componentOriginalef4bd4280c5be2fca1cb0cfd4325d122)): ?>
<?php [component = [__componentOriginalef4bd4280c5be2fcalcb0cfd4325d122; ?>
<?php unset(\( \subseteq \) componentOriginalef4bd4280c5be2fca1cb0cfd4325d122); ?>
<?php endif; ?>
 <?php []__env->endSlot(); ?>
 <?php echo [__env->renderComponent(); ?>
<?php endif; ?>
<?php\ if\ (isset([\__attributesOriginal3287929725b3f878740bf3f25881b9ff)):\ ?>
<?php [attributes = [] attributesOriginal3287929725b3f878740bf3f25881b9ff; ?>
<?php unset([__attributes0riginal3287929725b3f878740bf3f25881b9ff); ?>
<?php endif; ?>
<?php\ if\ (isset([\__componentOriginal3287929725b3f878740bf3f25881b9ff)):\ ?>
<?php [component = [] component0riginal3287929725b3f878740bf3f25881b9ff; ?>
<?php unset([ componentOriginal3287929725b3f878740bf3f25881b9ff); ?>
<?php endif; ?>
<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/html/message.blade.php
ENDPATH**/ ?>
```

storage\framework\views\d37575acadfc5f07f8623af3afaa9409.php

<?php echo e(□slot); ?>: <?php echo e(□url); ?>

<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/text/button.blade.php
ENDPATH**/ ?>

```
<!DOCTYPE html>
<html lang="en">
        <head>
               <meta charset="utf-8">
               <meta name="viewport" content="width=device-width, initial-scale=1">
               <title><?php echo [ env->yieldContent('title'); ?></title>
/*! normalize.css v8.0.1 | MIT License | github.com/necolas/normalize.css */html{line-
height:1.15;-webkit-text-size-adjust:100%}body{margin:0}a{background-color:transparent}code{font-
family:monospace,monospace;font-size:lem}[hidden]{display:none}html{font-family:system-ui,-apple-
system, BlinkMacSystemFont, Segoe UI, Roboto, Helvetica Neue, Arial, Noto Sans, sans-serif, Apple Color
Emoji, Segoe UI Emoji, Segoe UI Symbol, Noto Color Emoji; line-height: 1.5}*, :after,:before{box-sizing:border-box; border: 0 solid #e2e8f0}a{color:inherit; text-decoration:inherit}code{font-
family: Menlo, Monaco, Consolas, Liberation Mono, Courier New, monospace} svg, video{display:block; vertical-
align:middle/video{max-width:100%;height:auto}.bg-white{--bg-opacity:1;background-
color:#fff;background-color:rgba(255,255,255,var(--bg-opacity))}.bg-gray-100{--bg-
opacity:1;background-color:#f7fafc;background-color:rgba(247,250,252,var(--bg-opacity))}.border-
gray-200{--border-opacity:1;border-color:#edf2f7;border-color:rgba(237,242,247,var(--border-
opacity))}.border-gray-400{--border-opacity:1;border-color:#cbd5e0;border-color:rgba(203,213,224,var(--border-opacity))}.border-t{border-top-width:1px}.border-r{border-right-
width:1px}.flex{display:flex}.grid{display:grid}.hidden{display:none}.items-center{align-
items:center].justify-center{justify-content:center}.font-semibold{font-
weight:600}.h-5{height:1.25rem}.h-8{height:2rem}.h-16{height:4rem}.text-sm{font-size:.875rem}.text-
lg{font-size:1.125rem}.leading-7{line-height:1.75rem}.mx-auto{margin-left:auto;margin-right:auto}.ml-1{margin-left:.25rem}.mt-2{margin-top:.5rem}.mr-2{margin-right:.5rem}.ml-2{margin-top:.5rem}.mr-2{margin-right:.5rem}.ml-2{margin-top:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-top:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-top:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{margin-right:.5rem}.ml-2{mar
left:.5rem}.mt-4{margin-top:1rem}.ml-4{margin-left:1rem}.mt-8{margin-top:2rem}.ml-12{margin-
left:3rem}.-mt-px{margin-top:-1px}.max-w-xl{max-width:36rem}.max-w-6xl{max-width:72rem}.min-h-screen{min-height:100vh}.overflow-hidden{overflow:hidden}.p-6{padding:1.5rem}.py-4{padding-
top:1rem;padding-bottom:1rem}.px-4{padding-left:1rem;padding-right:1rem}.px-6{padding-left:1.5rem;padding-right:1.5rem}.pt-8{padding-top:2rem}.fixed{position:rel
rgba(0,0,0,.06)}.text-center{text-align:center}.text-gray-200{--text-
opacity:1;color:#edf2f7;color:rgba(237,242,247,var(--text-opacity))}.text-gray-300{--text-opacity:1;color:#e2e8f0;color:rgba(226,232,240,var(--text-opacity))}.text-gray-400{--text-opacity:1;color:#cbd5e0;color:rgba(203,213,224,var(--text-opacity))}.text-gray-500{--text-opacity:1;color:#cbd5e0;color:rgba(203,213,224,var(--text-opacity))}.
opacity:1;color:#a0aec0;color:rgba(160,174,192,var(--text-opacity))}.text-gray-600{--text-opacity:1;color:#718096;color:rgba(113,128,150,var(--text-opacity))}.text-gray-700{--text-opacity:1;color:#718096;color:rgba(113,128,150,var(--text-opacity))}.
opacity:1;color:#4a5568;color:rgba(74,85,104,var(--text-opacity))).text-gray-900{--text-opacity:1;color:#1a202c;color:rgba(26,32,44,var(--text-opacity))}.uppercase{text-
transform:uppercase}.underline{text-decoration:underline}.antialiased{-webkit-font-
smoothing:antialiased;-moz-osx-font-smoothing:grayscale}.tracking-wider{letter-
spacing:.05em}.w-5{width:1.25rem}.w-8{width:2rem}.w-auto{width:auto}.grid-cols-1{grid-template-
columns:repeat(1,minmax(0,1fr))}@-webkit-keyframes
spin{0%{transform:rotate(0deg)}to{transform:rotate(1turn)}}@keyframes
spin{0%{transform:rotate(0deg)}to{transform:rotate(1turn)}}@-webkit-keyframes
ping{0%{transform:scale(1);opacity:1}75%,to{transform:scale(2);opacity:0}}@keyframes
ping{0%{transform:scale(1);opacity:1}75%,to{transform:scale(2);opacity:0}}@-webkit-keyframes
pulse{0%,to{opacity:1}50%{opacity:.5}}@keyframes pulse{0%,to{opacity:1}50%{opacity:.5}}@-webkit-
keyframes bounce{0%, to{transform:translateY(-25%); -webkit-animation-timing-function:cubic-
bezier(.8,0,1,1); animation-timing-function: cubic-
bezier(.8,0,1,1)}50%{transform:translateY(0);-webkit-animation-timing-function:cubic-bezier(0,0,.2,1);animation-timing-function:cubic-bezier(0,0,.2,1)}}@keyframes bounce{0%,to{transform:translateY(-25%);-webkit-animation-timing-function:cubic-
bezier(.8,0,1,1); animation-timing-function: cubic-
bezier(.8,0,1,1)}50%{transform:translateY(0);-webkit-animation-timing-function:cubic-
bezier(0,0,2,1); animation-timing-function:cubic-bezier(0,0,2,1)} @media (min-
width:640px){.sm\:rounded-lg{border-radius:.5rem}.sm\:block{display:block}.sm\:items-center{align-
items:center}.sm\:justify-start{justify-content:flex-start}.sm\:justify-between{justify-content:space-between}.sm\:h-20{height:5rem}.sm\:ml-0{margin-left:0}.sm\:px-6{padding-
left:1.5rem;padding-right:1.5rem}.sm\:pt-0{padding-top:0}.sm\:text-left{text-align:left}.sm\:text-
right{text-align:right}}@media (min-width:768px){.md\:border-t-0{border-top-
width:0}.md\:border-l{border-left-width:1px}.md\:grid-cols-2{grid-template-
columns:repeat(2,minmax(0,1fr))}}@media (min-width:1024px){.lg\:px-8{padding-left:2rem;padding-right:2rem}}@media (prefers-color-scheme:dark){.dark\:bg-gray-800{--bg-opacity:1;background-
color:#2d3748;background-color:rgba(45,55,72,var(--bg-opacity))}.dark\:bg-gray-900{--bg-opacity:1;background-color:#1a202c;background-color:rgba(26,32,44,var(--bg-opacity))}.dark\:border-
gray-700{--border-opacity:1;border-color:#4a5568;border-color:rgba(74,85,104,var(--border-
opacity))}.dark\:text-white{--text-opacity:1;color:#fff;color:rgba(255,255,255,var(--text-
opacity))}.dark\:text-gray-400{--text-opacity:1;color:#cbd5e0;color:rgba(203,213,224,var(--text-
opacity))}}
               </style>
```

```
<style>
</style>
   </head>
   <body class="antialiased">
       <div class="relative flex items-top justify-center min-h-screen bg-gray-100 dark:bg-gray-900</pre>
sm:items-center sm:pt-0">
          <div class="max-w-xl mx-auto sm:px-6 lg:px-8">
              <div class="flex items-center pt-8 sm:justify-start sm:pt-0">
                  <div class="px-4 text-lg text-gray-500 border-r border-gray-400 tracking-wider">
                     <?php echo [ env->yieldContent('code'); ?>
                  <div class="ml-4 text-lg text-gray-500 uppercase tracking-wider">
                     <?php echo [ env->yieldContent('message'); ?>
                  </div>
              </div>
          </div>
       </div>
   </body>
</html>
<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Foundation/Exceptions/views/minimal.blade.php
ENDPATH**/ ?>
```

storage\framework\views\f97d5d38882287dc8ef19bf476c91921.php

```
<?php echo strip_tags([header ?? ''); ?>

<?php echo strip_tags([slot); ?>

<?php if(isset([subcopy)): ?>

<?php echo strip_tags([subcopy); ?>

<?php endif; ?>

<?php echo strip_tags([footer ?? ''); ?>

<?php /**PATH
//var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/text/layout.blade.php
ENDPATH**/ ?>
```

storage\framework\views\fb0cce697953cc47b704d23a2bd6d3e6.php

<?php echo e(\square slot); ?>: <?php echo e(\square url); ?>

<?php /**PATH
/var/www/html/vendor/laravel/framework/src/Illuminate/Mail/resources/views/text/header.blade.php
ENDPATH**/ ?>

storage\logs\.gitignore

* !.gitignore storage\logs\laravel.log

test-results\.last-run.json


```
{
  "status": "failed",
  "failedTests": [
     "bf6fef3c7b749722bcd9-f4df3bc36fe2f7a7a458"
]
}
```

```
# Page snapshot
```yaml
- generic [ref=e2]:
 banner [ref=e3]:
 - generic [ref=e4]:
 - link "3D-Print Shop" [ref=e5] [cursor=pointer]:
 - /url: /
 - navigation [ref=e6]:
- link "Καταπος" [ref=e7] [cursor=pointer]:
 - /url: /shop
 - link "Кошик"
 [ref=e8] [cursor=pointer]:
 /url: /cart
 - link "Кошик 0,00 EUR 0" [ref=e9] [cursor=pointer]:
 - /url: /cart
 - generic [ref=e10] [cursor=pointer]: Кошик
 - generic [ref=e11] [cursor=pointer]: 0,00 EUR
 - generic [ref=e12] [cursor=pointer]: "0"

- button " 0" [ref=e13]

- link "Oбране" [ref=e14] [cursor=pointer]:
 - /url: /wishlist
 - img [ref=e15] [cursor=pointer]
 generic [ref=e17] [cursor=pointer]: Обране
 generic [ref=e18]:
 - navigation "Breadcrumb" [ref=e19]:
 - list [ref=e20]:
 - listitem [ref=e21]:
 - generic [ref=e22]: Каталог
 - banner [ref=e23]:
 - heading "Kaτaποr" [level=1] [ref=e24]
- generic [ref=e25]:
- generic [ref=e26]:
 - combobox [ref=e27]:
 - generic: Всі категорії
- img
 - combobox [ref=e28]:
 - generic: Новинки
 - img
 - generic [ref=e29]:
 - textbox "Пошук товарів…" [ref=e30]
 - spinbutton [ref=e31]
 - spinbutton [ref=e32]
 - button "Застосувати" [ref=e33]
- button "Скинути все" [ref=e34]
 [ref=e33]
 - generic [ref=e35]:
 generic [ref=e36]:
 - generic [ref=e37]: Категорії
 - generic [ref=e39]: нема даних
 - generic [ref=e40]:
 - generic [ref=e41]: Колір
 - generic [ref=e43]: нема даних
 - generic [ref=e44]:
 - generic [ref=e45]: Розмір
 - generic [ref=e47]: нема даних
 - contentinfo [ref=e81]:
 - button "Назад" [disabled]
 generic [ref=e82]: Сторінка 1 із 1
button "Далі" [disabled]
```

### tests\Pest.php



## tests\TestCase.php

```
<?php
namespace Tests;
use Illuminate\Foundation\Testing\TestCase as BaseTestCase;
abstract class TestCase extends BaseTestCase
{
 protected function setUp(): void
 {
 parent::setUp();
 config(['scout.driver' => null]);
 }
}
```

### tests\e2e-facets.spec.tsx

```
import { test, expect } from '@playwright/test';
test('facets: color/size & price range update URL and results', async ({ page }) => {
 await page.goto('/');
 // ∈ товари
 const gridCards = page.getByTestId('catalog-card');
 await expect(gridCards.first()).toBeVisible();
 // спробуємо клікнути перший доступний колір (якщо є) const colorChip = page.locator('[data-testid^="facet-color-"]').first();
 if (await colorChip.count()) {
 await colorChip.click();
 await expect(page).toHaveURL(/color=/);
 await expect(gridCards.first()).toBeVisible(); // список перерендерився
 // спробуємо клікнути перший доступний розмір (якщо є) const sizeChip = page.locator('[data-testid^="facet-size-"]').first(); if (await sizeChip.count()) {
 await sizeChip.click();
 await expect(page).toHaveURL(/size=/);
 await expect(gridCards.first()).toBeVisible();
 // застосувати діапазон цін
 await page.getByTestId('price-min').fill('1');
await page.getByTestId('price-max').fill('999999');
await page.getByTestId('apply-price').click();
await expect(page).toHaveURL(/min_price=1/);
 await expect(page).toHaveURL(/max_price=999999/);
 await expect(gridCards.first()).toBeVisible();
 await page.getByTestId('clear-filters').click();
 await expect(page).not.toHaveURL(/color=|size=|min_price=|max_price=/);
await expect(gridCards.first()).toBeVisible();
});
```

```
// tests/e2e-flow.spec.tsx
import { test, expect } from '@playwright/test';
const BASE = process.env.E2E BASE URL ?? 'http://localhost:8080';
test('catalog → product → cart → checkout → order confirmation', async ({ page }) => {
 await page.goto(BASE + '/');
 const firstCard = page.getByTestId('catalog-card').first()
 .or(page.locator('a[href^="/product/"]').first());
 await Promise.all([page.waitForURL(/\/product\/.+/), firstCard.click()]);
 const addToCartBtn = page.getByTestId('add-to-cart')
 .or(page.getByRole('button', { name: /додати в кошик|add to cart/i }));
 await addToCartBtn.waitFor({ state: 'visible', timeout: 10 000 });
 if (await addToCartBtn.isDisabled().catch(() => false)) {
 await page.goBack();
 const secondCard = page.getByTestId('catalog-card').nth(1)
 .or(page.locator('a[href^="/product/"]').nth(1));
 await Promise.all([page.waitForURL(/\/product\/.+/), secondCard.click()]);
await addToCartBtn.waitFor({ state: 'visible', timeout: 10_000 });
 const qtyInput = page.getByTestId('qty-input').or(page.getByRole('spinbutton'));
 await qtyInput.fill('1');
 const waitCartApi = page.waitForResponse(r =>
 r.url().includes('/api/cart') && ['PÔST','PATCH'].includes(r.request().method())
).catch(() => null);
 await addToCartBtn.click();
 await waitCartApi;
 const openCart = page.getByTestId('open-cart')
 .or(page.getByRole('button', { name: /відкрити кошик|open cart/i })); if (await openCart.count().then(n => n > 0)) {
 await openCart.click();
 await page.goto(BASE + '/cart');
 await expect(page).toHaveURL(/\/cart□/);
 await expect(page.getByText(/pa3om|total/i)).toBeVisible();
 const checkoutLink = page.getByTestId('go-checkout')
 .or(page.getByRole('link', { name: /оформити|checkout/i }));
 await Promise.all([page.waitForURL(/\/checkout∏/), checkoutLink.click()]);
 await page.getByTestId('email').fill('test@example.com');
 await page.getByTestId('shipping-name').fill('John');
await page.getByTestId('shipping-city').fill('Kyiv');
 await page.getByTestId('shipping-addr').fill('Street 1');
 const placeOrderBtn = page.getByTestId('place-order')
 .or(page.getByRole('button', { name: /place order|замовлення|оформити/i }));
 // 🛦 Спочатку чекаємо, поки перекинуло на /order/..., і лише після цього чекаємо GET деталей
 await Promise.all([
 page.waitForURL(/\order/.+/, { timeout: 15000 }),
 placeOrderBtn.click(),
 1):
 // Чек саме на 200 від /api/orders/:number
 await page.waitForResponse(
 r => r.url().includes('/api/orders/') && r.request().method() === 'GET' && r.status() ===
200,
 { timeout: 15000 }
);
 // await expect(page.getByTestId('order-confirmed')).toBeVisible({ timeout: 15000 });
```

## tests\e2e-flow.spec.tsx

```
// await expect(page.getByText(/Підтвердження надіслано/i)).toBeVisible();
});
```

### tests\e2e-minicart.spec.tsx

```
import { test, expect } from '@playwright/test';
test.describe('mini-cart', () => {
 test('opens popover, shows item and navigates', async ({ page }) => {
// каталог
 await page.goto('/');
 const firstCard = page.getByTestId('catalog-card').first();
 await expect(firstCard).toBeVisible();
 await firstCard.click();
 // продукт
 const addBtn = page.getByTestId('add-to-cart').or(page.getByRole('button', { name: /додати в
кошик|add to cart/i }));
 await expect(addBtn).toBeVisible();
await page.getByTestId('qty-input').fill('1');
 await addBtn.click();
 // відкрити міні-кошик
const trigger = page.getByTestId('open-mini-cart').or(page.getByRole('button', { name: /кошик|cart/i }));
 await trigger.click();
 // контент поповера
 const mini = page.getByTestId('mini-cart');
 await expect(mini).toBeVisible();
 // є хоча б один рядок з товарами (перевірка по сумі/назві — на вибір)
 await expect(mini).toContainText(/Разом/i);
 // перехід у кошик
 await page.getByTestId('mini-to-cart').click();
 await expect(page).toHaveURL(/\/cart□/);
 // повернутися і перевірити авто-закриття на роут-чейндж
 await page.goBack(); // назад на продукт
 await expect(page.getByTestId('mini-cart')).toHaveCount(0); // поповер закритий
 });
});
```

### tests\e2e-similar-recent.spec.tsx

```
import { test, expect } from '@playwright/test';
test.describe('similar & recently viewed', () => {
 test('recently viewed: first empty → then shows item; similar present', async ({ page }) => {
 // Каталог
 await page.goto('/');
 // Відкриваємо перший товар
 const gridCards = page.getByTestId('catalog-card');
await expect(gridCards.first()).toBeVisible();
 await gridCards.first().click();
 // На сторінці товару:
 await expect(page.getByTestId('recently-section')).toBeVisible();
 // На першому заході в "Нещодавно переглянуті" — порожньо (після короткої 150мс
ініціалізації)
 const recentlyEmpty = page.getByTestId('recently-empty');
 await expect(recentlyEmpty).toBeVisible();
 // Секція "Схожі" відображається (може бути скелетон або картки або порожньо — достатньо, що
секція є)
 await expect(page.getByTestId('similar-section')).toBeVisible();
 // Повертаємось у каталог
 await page.getByRole('link', { name: /до каталогу/i }).click(); await expect(page).toHaveURL('/');
 // Відкриваємо наступний товар
 await expect(gridCards.nth(1)).toBeVisible();
 await gridCards.nth(1).click();
 // Тепер "Нещодавно переглянуті" повинні містити щонайменше 1 картку const recentlyCards = page.getByTestId('recently-card');
 await expect(recentlyCards.first()).toBeVisible();
 });
});
```

### tests\e2e-wishlist.spec.tsx

```
import { test, expect } from '@playwright/test';
test('wishlist: add → page shows item → clear → empty state', async ({ page }) => {
 // Каталог
 await page.goto('/');
 const firstCard = page.getByTestId('catalog-card').first();
 await expect(firstCard).toBeVisible();
 await firstCard.click();
 // Продукт → додати в обране
 const toggle = page
 .getByTestId('wishlist-toggle')
.or(page.getByRole('button', { name: /в обране|в обраному|wishlist/i }));
await expect(toggle).toBeVisible();
 await toggle.click();
 // Сторінка "Обране"
 await page.goto('/wishlist');
 await expect(page.getByTestId('wishlist-page')).toBeVisible();
 // € хоч одна картка
 const firstWish = page.getByTestId('wishlist-card').first();
 await expect(firstWish).toBeVisible();
 // Очистити
 const clearBtn = page.getByRole('button', { name: /очистити/i });
 await expect(clearBtn).toBeVisible();
 await clearBtn.click();
 // Порожній стан
 await expect(page.getByTestId('wishlist-empty')).toBeVisible();
});
```

### tests\Feature\MeiliLiveUpdatesTest.php

```
<?php
use App\Models\Product;
use Illuminate\Support\Facades\Queue;
use Laravel\Scout\Jobs\MakeSearchable;
use Laravel\Scout\Jobs\RemoveFromSearch;
it('indexes on create/update and removes on delete', function () {
 // Увімкнути режим черги для Scout у тесті config()->set('scout.queue', true);
 // Фейкаємо чергу, щоб перехопити Scout-джоби
 Queue::fake();
 // created ⇒ MakeSearchable

[p = Product::factory()->create(['is_active' => true]);

 Queue::assertPushed(MakeSearchable::class, function (□job) use (□p) {
 return □job->models->first()->is(□p);
 // updated (active) ⇒ знову MakeSearchable

□p->update(['name' => 'Renamed']);
Queue::assertPushed(MakeSearchable::class, function (□job) use (□p) {
 return □job->models->first()->is(□p);
 });
 // updated (deactivate) → RemoveFromSearch
□p->update(['is_active' => false]);
 Queue::assertPushed(RemoveFromSearch::class, function (□job) use (□p) {
 return []job->models->first()->is([p);
 // deleted ⇒ RemoveFromSearch
 p->delete();
 Queue::assertPushed(RemoveFromSearch::class, function (□job) use (□p) {
 return []job->models->first()->is([p);
});
```

### tests\Feature\MergeGuestCartTest.php

```
<?php
use App\Models\{User, Product, Cart, CartItem};
use Illuminate\Auth\Events\Login;
use Illuminate\Support\Facades\Event;
use Illuminate\Support\Facades\Cookie;
it('attaches quest cart to user when user has no active cart', function () {
 User = User::factory()->create();
[product = Product::factory()->create(['stock' => 10, 'price' => 100]);

[]guest = Cart::factory()->create(['user_id' => null, 'status' => 'active']);
CartItem::factory()->for([]guest)->create(['product_id' => []product->id, 'qty' => 2, 'price' =>]
 ['this->app['request']->cookies->set('cart id', []guest->id);
 event(new Login('web', ∏user, false));
 preloaded = Cart::query()->find(puest->id);
 expect([reloaded) ->not ->toBeNull();
expect([reloaded ->user_id) ->toBe([user->id);
it('merges guest items into existing user cart with stock clamp', function () {
 User = User::factory()->create();
 product = Product::factory()->create(['stock' => 5, 'price' => 10]);
 []userCart = Cart::factory()->create(['user id' => []user->id, 'status' => 'active']);
 CartItem::factory()->for([userCart)->create(['product id' => [product->id, 'qty' => 2, 'price'
=> 10]);
 []guest = Cart::factory()->create(['user_id' => null, 'status' => 'active']);
 CartItem::factory()->for([guest)->create(['product_id' => [product->id, 'qty' => 4, 'price' =>
10]);
 □this->app['request']->cookies->set('cart id', □quest->id);
 event(new Login('web', ☐user, false));
 _mergedItem = _userCart->items()->where('product id', _product->id)->first();
 expect([mergedItem->qty)->toBe(5);
});
```

### tests\Feature\OrderEmailsTest.php

```
<?php
use App\Jobs\SendOrderConfirmation;
use App\Mail\OrderPlacedMail;
use App\Models\Order;
use App\Models\OrderItem;
use App\Models\Product;
use Illuminate\Support\Facades\Mail;
use App\Enums\OrderStatus;
use App\Mail\OrderPaidMail;
use App\Mail\OrderShippedMail;
it('sends order placed email', function () {
 Mail::fake();
 []order = Order::factory()->create([
 'email' => 'customer@example.com',
 'total' => 123.45,

□p = Product::factory()->create(['price' => 12.34]);
OrderItem::factory()->create([
 'order_id' => □order->id,

 => []order->id.
 'product id' => □p->id,
 'qty'
 => \overline{2},
 'price'
 => 12.34,
]);
 SendOrderConfirmation::dispatchSync(□order);
 Mail::assertSent(OrderPlacedMail::class, function (<math>\sqcap m) use (\sqcap order) {
 return □m->order->is(□order);
 });
});
it('sends paid and shipped emails on status change', function () {
 Mail::fake();
 [p = Product::factory()->create(['price' => 10, 'stock' => 5]);
 Do = Order::factory()->create(['email' => 'customer@example.com', 'status' =>
OrderStatus::New->value]);
 OrderItem::factory()->for(\bigcirc0)->create(['product id' => \bigcircp->id, 'qty' => 2, 'price' => 10]);
 // mark paid
 __o->update(['status' => OrderStatus::Paid->value]);
 Mail::assertSent(OrderPaidMail::class);
 // mark shipped
 □o->update(['status' => OrderStatus::Shipped->value]);
 Mail::assertSent(OrderShippedMail::class);
});
```

### tests\Feature\OrderFlowTest.php

### tests\Feature\OrderStatusActionsTest.php

### tests\Feature\ProductsApiTest.php

```
<?php
use App\Models\Cart;
use App\Models\CartItem;
use App\Models\Product;
beforeEach(function () {
 Product::factory()->count(5)->create();
'data', 'current_page', 'per_page'
]);
});
});
it('creates order from cart flow (smoke)', function () {
 product = Product::factory()->create([
 'price' => 12.34,
 'stock' => 5,
 1);
 □cart = Cart::factory()->create(); // UUID
 CartItem::factory()->create([
 'cart id'
 => □cart->id,
 'product_id' => [product->id,
 => 2,
=> [product->price,
 'qty'
 'price'
]);
 □payload = [
 'cart_id' => [cart->id,
'email' => 'customer@example.com',
'shipping_address' => ['name' => 'John', 'city' => 'Kyiv', 'addr' => 'Street 1'],
 □this->postJson('/api/orders', □payload)
 ->assertCreated()
 ->assertJsonPath('items.0.product_id', []product->id);
});
```

# tests\Unit\ExampleTest.php

```
<?php
test('that true is true', function () {
 expect(true)->toBeTrue();
});
```