

block[1]

1

alertblock[1]

1

exampleblock[1]

1

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomni-
latex@headingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnila-
tex@fgfgomnilatex@accentfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgf-
gomnilatex@rulefg=white bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=wh
bg=green!50!blackbggreen!5

JOURNAL OF APPLIED OMNIALATEX

OmniLaTeX Color Themes

OmniLaTeX

May 9, 2026

A visual comparison of all built-in color themes

Keywords: n/a
DOI: pending
Contact:

Author Affiliations

Independent Researcher

Contents

Glossaryxix

Symbols **xix**

Numbers **xxi**

Subscripts **xxii**

Acronyms **xxii**

Glossary without page listsxxv

Symbols **xxv**

Numbers **xxvii**

Subscripts **xxvii**

Acronyms **xxviii**

iPreface12Usage3

2.1 Outside tools and special packages **3**

2.2Using Docker **5**

2.2.1 Compilation 6

2.2.2 More on Docker 11

2.3Editor **13**

2.3.1 Visual Studio Code 14

2.3.2 Other Editors 17

2.4GitLab **17**

3Grundlagen19

3.1 Wissenschaftliches Arbeiten **19**

3.1.1 Ansprüche an die Wissenschaft 20

3.1.2 Recherche 21

3.1.3 Zitieren 22

3.2Typografische Richtlinien **23**

3.2.1 Schriftformatierung 23

3.2.2 Befehle 24

3.2.3 Konventionen 24

3.2.4 Einheiten	24
3.2.5 Abkürzungen	27
4Base Features29	
4.1 Fonts and Text	30
4.1.1 Math	32
4.1.2 Sans-Serif	38
4.1.3 Mono-Spaced	38
4.1.4 Symbols	39
4.2Language	40
4.3Sectioning	41
4.3.1 Explanation	41
4.4References	43
4.4.1 Bibliography	43
4.5Lists	47
4.6Censoring	48
4.7Glossaries	49
4.7.1 bib2gls	53
4.8Landscape	55
5Float Features57	
5.1 TikZ and pgfplots	66
5.1.1 Drawing over Bitmaps	66
5.1.2 Trees	66
5.1.3 Flow charts	69
5.1.4 Plotting	69
5.1.5 TikZ and Text	77
5.1.6 Regular TikZ pictures	77
5.1.7 InkScape	79
5.2Example Boxes	79
6Code Syntax Highlighting83	
6.1 Python	84

6.2MATLAB	84
6.2.1 MATLAB/Simulink icons	86
6.3Modelica	87
6.4Lua	89
An appendix chapter	91
A.1More appendix	91
A.2Unprocessed data	93
Another appendix chapter	99
Index	105

1 Theme Overview

Theme	Character	Dark Variant
default	White bg, blue accents	monochrome-dark (fallback)
midnight	Navy bg, cyan accents	built-in (always dark)
forest	Dark green, green accents	built-in (always dark)
rose	Dark pink, magenta accents	built-in (always dark)
monochrome	Black/white only	separate dark palette
sepia	Warm paper tones	monochrome-dark (fallback)

Table 1: Available color themes and their dark mode behavior..

2 Default Theme

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

This is the **default** OmniLaTeX theme: a clean white background with dark text and blue accents. It is designed for maximum readability in print and on screen.

2.1 Elements

- Body text in standard weight
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A [hyperlink](#) in accent color

Block Environment

Blocks use the accent color for their title bar and a tinted background.

Alert Block

Alert blocks retain their own red color regardless of theme.

Example Block

Example blocks retain their green color regardless of theme.

3 Midnight Theme

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

This is the **midnight** theme: a dark navy background with cyan accents. It is inherently dark — there is no light variant.

3.1 Elements

- Body text in light weight on dark background
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A [hyperlink](#) in cyan

Block Environment

Blocks use cyan-tinted title bars against the dark background.

Alert Block

Alert blocks retain their red color on the dark background.

Example Block

Example blocks retain their green color on the dark background.

4 Forest Theme

```
fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footnotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footnotefgomnilatex@footnotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5
```

This is the **forest** theme: a dark green background with green accents. Like midnight, it is inherently dark.

4.1 Elements

- Body text in light weight on dark green background
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A [hyperlink](#) in green

Block Environment

Blocks use green-tinted title bars against the dark background.

5 Rose Theme

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

This is the **rose** theme: a dark pink background with magenta accents. It is inherently dark.

5.1 Elements

- Body text in light weight on dark pink background
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A [hyperlink](#) in magenta

Block Environment

Blocks use magenta-tinted title bars against the dark background.

6 Monochrome Theme (Light)

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

This is the **monochrome** theme in light mode: pure black and white with no color whatsoever.

6.1 Elements

- Body text in standard black
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A hyperlink in dark gray

Block Environment

Blocks use grayscale title bars.

7 Monochrome Theme (Dark)

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

This is the **monochrome** theme in dark mode: white text on a near-black background with no color.

7.1 Elements

- Body text in off-white
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A hyperlink in light gray

Block Environment

Blocks use grayscale title bars on dark background.

8 Sepia Theme

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

This is the **sepia** theme: warm, paper-like tones designed for comfortable reading. It evokes the look of aged paper.

8.1 Elements

- Body text in warm dark brown
- **Bold text** for emphasis
- *Italic text* for secondary emphasis
- A **hyperlink** in warm orange-brown

Block Environment

Blocks use warm-toned title bars on the sepia background.

9 Dark/Light Mode Toggle

The theme system provides `\darkmode` and `\lightmode` commands to toggle between modes mid-document.

9.1 Starting in Light Mode

`fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@headingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@accentfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!blackbggreen!5`

This paragraph is rendered in the **default** (light) theme. Links are [blue](#).

9.2 Switching to Dark Mode

`fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@headingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@accentfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!blackbggreen!5`

After calling `\darkmode`, the page switches to the monochrome-dark palette (the default theme has no explicit dark variant, so it falls back to monochrome-dark).

Links are now [light gray](#).

9.3 Switching Back to Light Mode

`fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@headingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@accentfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!blackbggreen!5`

Calling `\lightmode` restores the original theme. Links are [blue](#) again.

10 Institution Color Integration

```
fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footernotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footernotefgomnilatex@footernotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5
```

When an institution is configured (e.g., `institution=tuhh`), the institution’s `universityprimary` color overrides the theme’s accent, link, and block frame colors. This ensures institutional branding is preserved across all themes.

10.1 How It Works

1. The institution config defines `universityprimary` and `universitysecondary` colors.
2. When `\usetheme` is called, it checks whether `universityprimary` is defined.
3. If present, the institution color replaces the theme’s accent, link, and block frame colors.
4. The background, foreground, and other semantic colors remain governed by the theme.

Custom Override

You can also use `\setthemecolor{accent}{red}` to override individual color slots after applying a theme.

11 Custom Color Overrides

fgomnilatex@headingbg=omnilatex@bg fg=omnilatex@fgfgomnilatex@headingfgomnilatex@head-
ingfgomnilatex@footnotefgomnilatex@accentfgomnilatex@rulefgomnilatex@fgfgomnilatex@ac-
centfgomnilatex@footnotefgomnilatex@footnotefgomnilatex@fgfgomnilatex@rulefg=white
bg=omnilatex@blockframebgomnilatex@blockbgfg=white bg=red!70!blackbgred!5fg=white bg=green!50!black-
bggreen!5

The `\setthemecolor` command allows fine-grained per-slot overrides. For example:

```
\setthemecolor{accent}{red!70!black}
```

```
\setthemecolor{link}{teal}
```

```
\setthemecolor{heading}{purple}
```

Available slots: bg, fg, heading, body, accent, blockbg, blockframe, link, rule, codebg, footnote.

11.1 Example Override

After overriding the accent color, this **bold text** still uses the heading color, but footnote marks and caption labels now use red.