

CreateDoc

W. Hough

2022-09-11

- Item1
 - item1a
- Item2

1. Item1
2. Item2

italic words

bold words

Header 1

Header2

R code

```
## [1] 7
```

R code end


Table code

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean    : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.    :120.00
```

Table code end

Plot code

```
plot(pressure)
```



Plot code end

Session info

```
sessionInfo()
```

```
## R version 3.6.3 (2020-02-29)
## Platform: x86_64-pc-linux-gnu (64-bit)
## Running under: Ubuntu 20.04.4 LTS
##
## Matrix products: default
## BLAS:   /usr/lib/x86_64-linux-gnu/blas/libblas.so.3.9.0
## LAPACK: /usr/lib/x86_64-linux-gnu/lapack/liblapack.so.3.9.0
##
## locale:
##  [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
##  [3] LC_TIME=en_US.UTF-8      LC_COLLATE=en_US.UTF-8
##  [5] LC_MONETARY=en_US.UTF-8  LC_MESSAGES=en_US.UTF-8
##  [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
##  [9] LC_ADDRESS=C             LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] stats      graphics  grDevices  utils      datasets  methods    base
##
## loaded via a namespace (and not attached):
```

```
## [1] compiler_3.6.3 magrittr_2.0.3 fastmap_1.1.0 tools_3.6.3
## [5] htmltools_0.5.3 yaml_2.3.5 stringi_1.7.8 rmarkdown_2.16
## [9] highr_0.9 knitr_1.40 stringr_1.4.1 xfun_0.32
## [13] digest_0.6.29 rlang_1.0.5 evaluate_0.16
```