






IDEA快捷键设置




对于习惯了Eclipse的童鞋来说，可以将IDEA的快捷键设置为eclipse模式，这样就能在IDEA里沿用Eclipse的快捷键啦






设置类似Eclipse里输入main, sysout等字符, 然后按下Alt + / 快捷键会自动补全的功能






设置ifex在什么上下文环境中有效：



此时，使用键盘上的上下箭头或者使用我们设置的Alt + /快捷键都可以自动补全代码，而自动补全的代码片段就是我们刚刚自己自定义的。



同理还有main, sysout的设置

Editor > Live Templates

By default expand with Custom (Alt+斜杠) Change

other

geti (Inserts singleton method getInstance)

ifex (if not null and not empty)

ifn (Inserts "if null" statement)

inn (Inserts "if not null" statement)

inst (Checks object type with instanceof and down-casts it)

lazy (Performs lazy initialization)

lst (Fetches last element of an array)

main (main method)

mn (Sets lesser value to a variable)

mx (Sets greater value to a variable)

psvm (main() method declaration)

toar (Stores elements of java.util.Collection into array)

Abbreviation: main

Description: main method 快捷键描述信息，可有可无

Template text:
public static void main(String[] args) {
 \$END\$
}

Edit variables

Options

Expand with Default (Custom)

Reformat according to style

Use static import if possible

Shorten EQ names

Applicable in Java: declaration, smart type completion Change

Appearance & Behavior

Keymap

Editor

General

Colors & Fonts

Code Style

Inspections

File and Code Templates

File Encodings

Live Templates

File Types

Copyright

Emmet

GUI Designer

Images

Intentions

Language Injections

Spelling

TODO

Plugins

Version Control

Build, Execution, Deployment

Editor > Live Templates

By default expand with Custom (Alt+斜杠) Change

try (try-catch-finally)

output

serr (Prints a string to System.err)

souf (Prints a formatted string to System.out)

sout (Prints a string to System.out)

soutm (Prints current class and method names to System.out)

soutp (Prints method parameter names and values to System.out)

soutv (Prints a value to System.out)

sysout (System.out.print)

sysoutl (System.out.println)

plain

RESTful Web Services

sbt

Abbreviation: sysoutl

Description: System.out.println

Template text:
System.out.println(\$END\$);

Edit variables


Options

Expand with Default (Custom)

Reformat according to style

Use static import if possible

Shorten EQ names



剩下，你们自由发挥，你想设置什么字符，然后按下Alt + / 快速补全就靠你自己的想象力啦！