Software Test Report



TAIGA

Prepared by: Yaeer Gratsyani|YX

Table of Contents

Page 3 - Project Introduction

Page 4 - Website Introduction

Page 5 - Website Overview

Pages 6-7 - Testing Scope: In Scope

Pages 8-9 - Testing Scope: Out of Scope

Pages 10-11 - Testing Tree

Pages 12-17 - Test Execution Results & Report Links

Pages 18-20 - Explanation of 16 Skipped Test Cases

Pages 21-26 - Defect Severity & Priority Charts

Pages 27-43 - Taiga Bug Reports Introduction & Reports

Page 44 - Conclusions & Recommendations

Page 45 - Final STR Project Summary

Page 46 - STR Project Closure Note

Page 47 - Next Steps with SQL, API & Automation

Project Introduction

This Software Test Report (STR) documents the manual testing of the Taiga web platform, conducted as part of an independent QA portfolio project.

The project involved a thorough and in-depth investigation of selected functional areas, including navigation, input validation, project management, system configuration, and Kanban workflows.

The majority of test cases focused on functional testing, including button functionality, navigation, input validation, project configuration, and Kanban workflows.

The testing process incorporated cross-browser manual testing, consisting of two completed test runs in Safari and Google Chrome, with 449 test cases assigned a final execution status in each browser.

The purpose of this testing phase was to evaluate the functionality and behavior of the selected areas, identify and document defects, assess browser compatibility within the defined testing scope, and provide a structured assessment of the testing activities.

Website Introduction

Taiga is a free and open-source project management platform designed for Agile teams, software developers, designers, and organizations seeking to organize and manage their projects.

The platform originated from internal development initiatives at Kaleidos, a software company based in Madrid, Spain. Taiga Agile, LLC was established in February 2014, and Taiga was officially released on October 7, 2014.

Taiga supports Agile project management methodologies, including Kanban and Scrum. Its features include project tracking, User Stories, Backlogs, and integration capabilities with external development tools.The platform was developed using technologies including Python, Django, AngularJS, and CoffeeScript.

Website Overview

Taiga is a web-based Agile project management platform designed to support project planning, task organization, and team collaboration. The platform provides features for managing projects using Kanban and Scrum methodologies, along with User Stories, issue tracking, customizable workflows, and project configuration options.

Beyond its core project management functionality, Taiga offers a public website containing information about its capabilities, Agile methodologies, community resources, and support services. Registered users can access their project workspace, create and configure projects, manage account preferences, and organize their work through the available project management tools.

The Taiga platform also provides access to a client portal featuring cloud services, subscription plans, product selection, shopping cart functionality, billing information, and account management options. Together, these areas create an environment that connects project management capabilities with supporting resources and services.

Testing Scope: In Scope

The manual testing scope of the Taiga web platform focused on a thorough investigation of selected functional areas, covering system navigation, user interactions, input validation, project management, and configuration settings.

The majority of test cases focused on functional testing, including positive and negative scenarios. Cross-browser testing was conducted using Safari and Google Chrome, see page 7.

The following areas were included in the testing scope:

1. **Homepage:** Homepage loading, primary navigation buttons, and access to Taiga services.
2. **Menu:** Website and workspace navigation, user profile, account settings, interface preferences, notifications, and subscription-related options.
3. **Footer:** Navigation links, support resources, social media links, legal information, privacy policies, and security-related pages.
4. **Agile Management:** Publicly available articles, information, and navigation related to Agile methodologies, reporting, project customization, and extensions.
5. **Community:** Taiga Project page, Team page, navigation options, team roles, and search functionality.
6. **Login:** Authentication, login form validation, invalid credentials, password recovery, and third-party sign-in options.
7. **Registration:** Registration page navigation, registration form functionality, required-field validation, email validation, and password requirements.
8. **Projects:** Project creation, project templates, duplication, import, project information, visibility settings, and Kanban board operations.
9. **Kanban Settings:** Project presets, module configuration, status management, attributes, priorities, severities, tags, and due-date configurations.
10. **Client:** Extensive functional testing of the client portal, including marketplace products, subscription plans, shopping cart operations, product selection, billing navigation, user and organization settings, payment-related interfaces, account configuration, and support resources. Most planned test cases were executed, with a limited number skipped due to security, access, privacy, and financial restrictions.

The testing scope was defined according to the project's selected functional areas and documented limitations. Detailed execution results and skipped test case explanations are presented in their respective sections.

Testing Scope: Out of Scope

The manual testing phase of the Taiga QA project was conducted within a defined testing scope. Certain features and functionalities were intentionally excluded to maintain focus on the selected testing areas and project objectives, **see page 9.**

The following areas were excluded from the testing scope:

1. Scrum Functionality

Functional testing of Scrum workflows, including the Scrum board, backlog, and sprint management, was excluded. The testing activities focused primarily on Kanban functionality.

Basic Scrum project creation options and module configuration were tested, but the actual Scrum workflows were not covered.

2. Project Settings: Members and Permissions

Members and Permissions functionality was excluded from testing, including member management and permission configuration.

3. Project Settings: Integrations and Plugins

The Integrations and Plugins sections within project settings were excluded from functional testing.

4. Project Settings: Export and Reports

CSV export functionality for Epics, User Stories, Tasks, and Issues was excluded from the testing scope.

5. Project Settings: Attributes, Custom Fields

Only the Custom Fields section under Attributes was excluded from the testing scope. All other Attributes sections remained within the testing scope.

6. Performance Testing

Performance testing, including load testing, stress testing, and performance benchmarking, was not included in this manual testing phase.


7. Additional Browser Coverage

Mozilla Firefox and Microsoft Edge were excluded from cross-browser testing. Browser testing was limited to Safari and Google Chrome.

These exclusions were established to maintain a clearly defined testing scope while focusing on the selected functional areas of the Taiga platform.

Testing Tree

The Testing Tree provides a visual overview of the functional areas covered during the manual testing of Taiga. It organizes the testing scope into categories and subcategories, presenting a clear structure of the tested areas without listing individual test cases, see the testing tree on page 11.


Taiga
Authentication
Hompage
Features
Pricing
About
Community
Login
Registration
Forgot Password
Kanban
Deployment & Pricing Options
About Us
Topics
Categories
Tags
Article
Scrum
Article
Issues
Article
Dashboards/ Reporting
Article
Customization
Article
Integrations/ Migration
Article
Projects Dashboard
Profile
Manage Projects
Edit Profile
User Settings
Paid Plans
Change Password
Account Settings
Set Start Pages
Notifications
Email Notifications
Desktop Notifications
Events
Paid Plans
Client
Marketplace
Billing
Settings
New Project
Import Project
Duplicate Project
Scrum / Kanban
Kanban Board
Kanban Project Settings
Board View
User Stories
Filters
Project
Attributes
Project Details
Statuses
Presets
Points
Modules
Priorities
Severities
Types
Tags
Due Dates
Kanban Options

Test Execution Results & Report Links

Test Execution Overview

A total of 449 manual test cases were executed using Testiny across two web browsers: Google Chrome and Safari. Each browser was tested separately, resulting in 898 test executions.

Both browsers produced identical execution results: 424 Passed, 9 Failed, and 16 Skipped test cases per browser. No test cases were marked as Blocked or Not Run.

The following sections present the test execution summary, individual browser results, combined execution results, pass rate calculations, and links to the complete test execution reports.

Test Execution Overview

The table below summarizes the manual test execution results across Google Chrome and Safari, including the combined results from both browser environments.

Execution Status	Safari	Google Chrome	Combined
Passed	424	424	848
Failed	9	9	18
Skipped	16	16	32
Blocked	0	0	0
Not Run	0	0	0
Total	449	449	898

The results show that 848 out of 898 test executions Passed (94.43%), 18 Failed (2.00%), and 32 were Skipped (3.56%).

Both browsers produced identical execution totals, with no differences in the overall distribution of execution statuses.


The combined results represent the total number of executions across both browsers, rather than the number of unique test cases.

Test Execution Charts

The following charts provide a visual representation of the manual test execution results for Google Chrome, Safari, and the combined results across both browsers, see pages 14-15


Google Chrome - Test Execution Charts

Google Chrome recorded 424 Passed test cases (94.43%), 9 Failed (2.00%), and 16 Skipped (3.56%) out of 449 test executions. No test cases were marked as Blocked or Not Run.



Safari - Test Execution Charts

Safari recorded 424 Passed test cases (94.43%), 9 Failed (2.00%), and 16 Skipped (3.56%) out of 449 test executions. No test cases were marked as Blocked or Not Run.




Combined Test Execution Charts - Both Browsers

The combined test execution results include 898 executions across Google Chrome and Safari, with 449 test cases executed separately in each browser.

A total of 848 executions Passed (94.43%), 18 Failed (2.00%), and 32 were Skipped (3.56%). No executions were marked as Blocked or Not Run.

Both browsers produced identical execution totals, with 424 Passed, 9 Failed, and 16 Skipped test cases per browser.

The following chart compares the execution results of Google Chrome and Safari and presents their combined totals.



Average Results and Pass Rate Calculation

The average pass rate was calculated using the individual pass rates of Google Chrome and Safari.

Average Pass Rate = (Chrome Pass Rate + Safari Pass Rate) ÷ 2

(94.43% + 94.43%) ÷ 2 = **94.43%**

The combined pass rate was calculated using the total number of passed executions across both browsers.

Combined Pass Rate = (Total Passed ÷ Total Executions) × 100

(848 ÷ 898) × 100 ≈ **94.43%**

The average failure rate across both browsers was 2.00%, while the average skipped rate was 3.56%.

Because both browsers had an equal number of test executions and identical results, the average pass rate and the combined pass rate were equal.

The combined execution totals represent the sum of the results from both browsers, rather than the average number of test cases.

Full Test Execution Reports

The complete manual test execution reports are provided as separate PDF documents for Google Chrome and Safari.

Each report contains detailed execution results for all 449 test cases, allowing readers to review the individual test outcomes beyond the summaries and charts presented in this STR.

To maintain document readability and avoid duplicating extensive test documentation, the full reports are made available through GitHub.

Google Chrome - Full Test Execution Report

Safari - Full Test Execution Report

These reports serve as supporting documentation for the test execution results presented in this section.

Explanation of 16 Skipped Test Cases

Overview

During the manual testing of Taiga, 16 out of 449 test cases were marked as Skipped in both Google Chrome and Safari, resulting in 32 skipped executions out of 898 total executions.

These test cases were intentionally skipped due to test environment limitations, external account dependencies, financial and privacy considerations, account security requirements, and dependencies on previously failed functionality.

Each skipped test case was documented with its corresponding reason to maintain transparency and ensure accurate reporting of the test execution results, see page 19.

Skipped Test Cases and Reasons

Test Case ID	Reason for Skipping
TC-69	An existing Taiga account was already in use, preventing execution under the required account conditions.
TC-58	The required GitHub account was not connected to the testing environment.
TC-59	The required GitLab account was not connected to the testing environment.
TC-193	Execution was excluded due to financial and privacy considerations.
TC-222	Execution was excluded due to financial and privacy considerations.
TC-198	The required access or two-factor authentication conditions were unavailable.
TC-199	The required access or two-factor authentication conditions were unavailable.
TC-200	The required access or two-factor authentication conditions were unavailable.
TC-201	The required access or two-factor authentication conditions were unavailable.
TC-202	The required access or two-factor authentication conditions were unavailable.
TC-109	Execution depended on the Duplicate Project functionality, which had failed during an earlier test.
TC-110	Execution depended on the Duplicate Project functionality, which had failed during an earlier test.
TC-117	Test execution was skipped because the required project import conditions were unavailable in the testing environment.
TC-118	The required Jira Cloud integration was not supported in the available testing environment.
TC-139	Execution was skipped to preserve the existing account password and avoid unnecessary credential changes.
TC-152	Execution was skipped to preserve the existing Taiga account and prevent permanent account deletion.

Impact on Test Execution Results

The skipped test cases represent 3.56% of the executions in each browser and 3.56% of the combined 898 executions.

These test cases were not evaluated as Passed or Failed because their intended test procedures could not be completed under the available testing conditions.

The skipped results should therefore be treated as unverified test coverage rather than evidence of successful or unsuccessful functionality.The two browsers recorded the same number of skipped test cases, maintaining consistency in the overall execution status distribution.

Recommendations

The skipped test cases should be reconsidered in future testing cycles when the necessary prerequisites become available.

Recommended actions include preparing dedicated test accounts, configuring the required external services, providing suitable authentication conditions, and resolving functional dependencies that prevented test execution.

Account deletion, password modification, and financially sensitive scenarios should be performed only in controlled testing environments where such actions do not affect personal accounts or incur unintended costs.

Conclusion

All 16 skipped test cases were documented with their respective execution limitations or dependencies.

Their exclusion was intentional and based on identified testing constraints rather than an omission from the testing process.

Documenting these limitations provides transparency regarding the scope of completed testing and identifies areas requiring additional verification in future test cycles.


Defect Severity & Priority Charts

Severity

The Google Chrome Defect Severity Distribution chart presents nine failed test executions associated with nine reported defects.

Six defects (66.67%) were classified as Minor, while three defects (33.33%) were classified as Major. No defects were classified as Low, Critical, or Showstopper.


The distribution indicates that most identified defects had a relatively limited impact, while the Major defects represented more significant functional or usability issues.



The Safari Defect Severity Distribution chart presents nine failed test executions associated with nine reported defects.

Six defects (66.67%) were classified as Minor, while three defects (33.33%) were classified as Major. No defects were classified as Low, Critical, or Showstopper.


The results indicate that most identified defects were classified as Minor, while three Major defects had a more significant impact on functionality or usability.



The Combined Defect Severity Distribution chart presents 18 failed test executions across Google Chrome and Safari, associated with nine unique defects reported in Jira.

Twelve failed executions (66.67%) were associated with Minor defects, while six (33.33%) were associated with Major defects. No failed executions were associated with Low, Critical, or Showstopper severity levels.

The results show that Minor defects accounted for the majority of failed test executions across both browsers. The distribution was consistent between Google Chrome and Safari, with six Minor and three Major defect-related failures recorded in each browser.




Priority

The Google Chrome Defect Priority Distribution chart presents nine failed test executions associated with nine reported defects.

Six defects (66.67%) were assigned Medium priority, while three defects (33.33%) were assigned Low priority. No defects were assigned High or Critical priority.


The results indicate that most identified defects require attention within the regular development and maintenance process, while Low-priority defects can be addressed with less urgency.



The Safari Defect Priority Distribution chart presents nine failed test executions associated with nine reported defects.

Six defects (66.67%) were assigned Medium priority, while three defects (33.33%) were assigned Low priority. No defects were assigned High or Critical priority.


The distribution indicates that most defects identified during Safari testing were assigned Medium priority, requiring attention as part of the regular development and maintenance process. The remaining Low-priority defects were considered less urgent to resolve.



The Combined Defect Priority Distribution chart presents 18 failed test executions across Google Chrome and Safari, associated with nine unique defects reported in Jira.

Twelve failed executions (66.67%) were associated with Medium-priority defects, while six (33.33%) were associated with Low-priority defects. No failed executions were associated with High- or Critical-priority defects.

The results indicate that Medium-priority defects accounted for the majority of failed test executions across both browsers. The priority distribution was consistent between Google Chrome and Safari, with six Medium-priority and three Low-priority defect-related failures recorded in each browser.



Taiga Bug Reports Introduction & Reports

Taiga Bug Reports Introduction

During the manual testing phase of the Taiga project, a total of **9 unique defects** were identified and documented in Jira.

Testing was conducted separately in Google Chrome and Safari, resulting in 18 failed test executions across both browsers. However, each unique defect was documented only once to avoid duplication.

Each bug report includes a description of the issue, preconditions, testing environment, expected and actual results, steps to reproduce, supporting evidence, and severity and priority classifications.

The following nine bug reports are presented on pages 28 - 43, providing detailed documentation of the defects identified during the testing process.

[KAN-7] Clicking the "support@taiga.io" Button Does Not Open an Email Compose Window as Expected	
Status:	To Do
Project:	Taiga
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	**Medium**
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	**Website:** Taiga (https://taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari, **Test Type:** Manual Testing		

Expected Result:	Clicking the " support@taiga.io" button should open an email compose window with " support@taiga.io" automatically populated as the recipient.
Preconditions:	A supported web browser is installed, and an active internet connection is available. The user is on the Taiga homepage and has scrolled down to the Help section, where the " support@taiga.io" button is visible.

Actual Result:	**Google Chrome:** Clicking the button produces no visible response. **Safari:** Clicking the button opens Google instead of an email compose window. In both browsers, the expected email composition window does not open.
Steps to Reproduce:	1. Open Google Chrome or Safari. 2. Navigate to https://taiga.io. 3. Scroll down to the Help section. 4. Locate the " support@taiga.io" button. 5. Click the button. 6. Observe the browser's behavior.
Evidence (Screenshots / Videos):	Two screen recordings attached, demonstrating the issue in Google Chrome and Safari. TC38 Safari - https://youtu.be/iK2lw0H_Hw4 TC38 Google Chrome - https://youtu.be/LQt5xszVKG0
Test Type:	Usability
Severity:	**Minor**

Description Clicking the " support@taiga.io" button on the Taiga homepage does not open an email compose window as expected.

[KAN-15] Clicking the "support@taiga.io" Button on the Client Page Does Not Open an Email Compose Window	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Medium
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	Website: https://taiga.io, Page: Client Page Operating System: macOS, Browsers: Google Chrome and Safari		

Expected Result:	Clicking the " support@taiga.io" button should open an email compose window with the recipient address automatically filled in.
Preconditions:	The user is on the Taiga Client page.
Actual Result:	Clicking the " support@taiga.io" button does not open an email compose window in Google Chrome or Safari.
Steps to Reproduce:	1. Open Google Chrome or Safari. 2. Navigate to https://taiga.io. 3. Open the Client page. 4. Locate the " support@taiga.io" button. 5. Click the button. 6. Observe that no email compose window opens.

Evidence (Screenshots / Videos):	Two screen recordings demonstrating that clicking the " support@taiga.io" button on the Taiga Client page does not open an email compose window in Google Chrome and Safari. Google Chrome - http://youtube.com/watch?v=SVBSf8H5ylM&feature=youtu.be Safari - http://youtube.com/watch?v=vyYfvUXPkkk&feature=youtu.be
Test Type:	Usability
Severity:	**Minor**

Description

Clicking the " support@taiga.io" button on the Taiga Client page does not open an email compose window as expected.

[KAN-8] Help Center Opens in Spanish Despite English (US) Being Selected in User Settings	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	**Medium**
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		

Environment:	**Website:** Taiga (https://taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari, **Configured Language:** English (US)

Expected Result:	The Help Center should open in English, matching the English (US) language selected in Taiga User Settings.
Preconditions:	The user is logged into Taiga and is on the Client page. The language is set to English (US) in User Settings.
Actual Result:	The Help Center opens in Spanish instead of English (US) in both Google Chrome and Safari.
Steps to Reproduce:	1. Open Google Chrome or Safari. 2. Navigate to Taiga and log into your account. 3. Open User Settings. 4. Set the language to English (US). 5. Navigate to the Client page. 6. Open Settings and click "Help Center". 7. Observe the language displayed in the Help Center.
Evidence (Screenshots / Videos):	**Video Evidence:** The videos demonstrate that the Help Center opens in Spanish instead of English (US) in both Google Chrome and Safari. **Google Chrome:** https://www.youtube.com/watch?v=B06BHCI81MM **Safari:** https://www.youtube.com/watch?v=EBu8sGZ0p28&feature=youtu.be
Test Type:	Usability
Severity:	**Major**

Description	The Help Center opens in Spanish instead of English, despite English (US) being selected in Taiga User Settings.

[KAN-9] The "REGISTER" Button Intermittently Fails to Open the Registration Page	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	**Medium**
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	**Website:** Taiga (https://taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari		

Expected Result:	Clicking the "REGISTER" button should consistently redirect the user to the registration page without excessive loading delays.
Preconditions:	The user has an active internet connection and is on the Taiga Project page, where the "REGISTER" button is visible.
Actual Result:	The "REGISTER" button frequently does not respond. Sometimes the page gets stuck loading, and it opened successfully only twice, with significant delays.
Steps to Reproduce:	1. Open the Taiga homepage. 2. Scroll down and click "Taiga project". 3. Locate the "REGISTER" button. 4. Click "REGISTER" several times, allowing each attempt to finish before retrying. 5. Observe the inconsistent behavior and slow loading.

Evidence (Screenshots / Videos):	• Two screen recordings demonstrating inconsistent behavior of the "REGISTER" button: ○ Google Chrome: The registration page fails to open. http://youtube.com/watch?v=oqutGTsKVTE&feature=youtu.be ○ Safari: The registration page opens after a noticeable delay, averaging approximately 8 seconds across three recorded successful attempts. http://youtube.com/watch?v=sGPCBZHo4rk&feature=youtu.be • Both recordings are provided as evidence.
Test Type:	Functional
Severity:	**Minor**

Description The "REGISTER" button on the Taiga Project page intermittently fails to open the registration page.

[KAN-10] Unable to Duplicate a Public Project Due to Infinite Loading	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	**Medium**
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0

Labels:	None
Environment:	**Website:** Taiga (https://taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari

Expected Result:	The Duplicate Project page should load successfully, allowing the user to create a public copy of an existing project.
Preconditions:	The user is logged into Taiga and has an existing project available for duplication.
Actual Result:	The Duplicate Project page remains stuck in an infinite loading state, preventing the user from creating a public project copy.
Steps to Reproduce:	1. Log in to Taiga. 2. Open an existing project. 3. Select "Duplicate Project". 4. Attempt to duplicate the project as Public. 5. Observe the infinite loading state.
Evidence (Screenshots / Videos):	Screen recordings demonstrating the infinite loading issue when attempting to duplicate an existing public project in Taiga. • Google Chrome: http://youtube.com/watch?v=Af6PoK5gnFg&feature=youtu.be • Safari: https://www.youtube.com/watch?v=KvBr-rNajyI The recordings document the observed behavior during the duplication process.
Test Type:	Functional
Severity:	**Major**

Description	When attempting to duplicate an existing public project in Taiga, the Duplicate Project page remains stuck in an infinite loading state, preventing the user from completing the duplication process. The issue was observed in both Google Chrome and Safari.

[KAN-11] Unable to Duplicate a Private Project Due to Infinite Loading Created: 22/Oct/26 Updated: 23/Oct/26	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	**Medium**
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	**Website:** Taiga (https://taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari		


Expected Result:	The Duplicate Project page should load successfully, allowing the user to create a private copy of an existing project.
Preconditions:	The user is logged into Taiga and has an existing project available for duplication.
Actual Result:	The Duplicate Project page remains stuck in an infinite loading state, preventing the user from creating a private project copy.

Steps to Reproduce:	1. Log in to Taiga. 2. Open an existing project. 3. Select "Duplicate Project". 4. Attempt to duplicate the project as Private. 5. Observe the infinite loading state.
Evidence (Screenshots / Videos):	Screen recordings demonstrating the infinite loading issue when attempting to duplicate an existing private project in Taiga. • Google Chrome: http://youtube.com/watch?v=Ws9ZnTVCdYk&feature=youtu.be • Safari: https://www.youtube.com/watch?v=gukCnBesLjM The recordings document the observed behavior during the duplication process.
Test Type:	Functional
Severity:	**Major**

Description	The Duplicate Project page remains stuck in an infinite loading state, preventing the user from duplicating a public project.

[KAN-12] The "Days to Due Date" Field Allows Letter Input in User Story Due Date Status Created: 22/Oct/26 Updated: 23/Oct/26	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Low
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	**Website:** Taiga (https://tree.taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari		

Attachments:	


Expected Result:	The "Days to Due Date" field should accept digits only and prevent users from entering letters.
Preconditions:	The user is logged into Taiga, has an existing project, and is in Project Settings → Attributes → Due Dates.
Actual Result:	The field allows entering the letter "e" (e.g., "e1221"). When saving, the validation message "This value should be digits" appears.
Steps to Reproduce:	1. Log in to Taiga. 2. Open an existing project. 3. Navigate to Project Settings → Attributes → Due Dates. 4. Open User Story Due Date Status. 5. Enter "e1221" in the "Days to due date" field. 6. Click Save. 7. Observe that the field accepts the letter "e" and displays a validation error.
Evidence (Screenshots / Videos):	
Test Type:	Functional
Severity:	**Minor**

Description	The "Days to Due Date" field allows the letter "e" to be entered in User Story Due Date Status, despite expecting numeric input only. A validation error appears when attempting to save.

[KAN-13] The "Days to Due Date" Field Allows Letter Input in Task Due Date Status Created: 22/Oct/26 Updated: 23/Oct/26	
Status:	To Do
Project:	Taiga
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Low
Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	**Website:** Taiga (https://tree.taiga.io). **Operating System:** macOS **Browsers:** Google Chrome and Safari		

Expected Result:	The "Days to Due Date" field should accept digits only and prevent users from entering letters.
Preconditions:	The user is logged into Taiga, has an existing project, and is in Project Settings → Attributes → Due Dates.
Actual Result:	The field allows entering the letter "e" (e.g., "e1232"). When saving, the validation message "This value should be digits" appears.
Steps to Reproduce:	1. Log in to Taiga. 2. Open an existing project. 3. Navigate to Project Settings → Attributes → Due Dates. 4. Open Task Due Date Status.

	5. Enter "e1232" in the "Days to due date" field. 6. Click Save. 7. Observe that the field accepts the letter "e" and displays a validation error.
Evidence (Screenshots / Videos):	
Test Type:	Functional
Severity:	**Minor**


Description The "Days to Due Date" field allows the letter "e" to be entered in Task Due Date Status, despite expecting numeric input only. A validation error appears when attempting to save.

[KAN-14] The "Days to Due Date" Field Allows Letter Input in Issue Due Date Status Created: 22/Oct/26 Updated: 23/Oct/26	
Status:	To Do
Project:	Taiga
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Low

Reporter:	Yaeer Gratsyani	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Environment:	**Website:** Taiga (https://tree.taiga.io), **Operating System:** macOS **Browsers:** Google Chrome and Safari		

Expected Result:	The "Days to Due Date" field should accept digits only and prevent users from entering letters.
Preconditions:	The user is logged into Taiga, has an existing project, and is in Project Settings → Attributes → Due Dates.
Actual Result:	The field allows entering the letter "e" (e.g., "e332"). When saving, the validation message "This value should be digits" appears.
Steps to Reproduce:	1. Log in to Taiga. 2. Open an existing project. 3. Navigate to Project Settings → Attributes → Due Dates. 4. Open Issue Due Date Status. 5. Enter "e332" in the "Days to due date" field. 6. Click Save. 7. Observe that the field accepts the letter "e" and displays a validation error.

Evidence (Screenshots / Videos):	
Test Type:	Functional
Severity:	**Minor**

Description The "Days to Due Date" field allows the letter "e" to be entered in Issue Due Date Status, despite expecting numeric input only. A validation error appears when attempting to save.

Conclusions & Recommendations

Conclusions

Based on the manual testing results, Taiga demonstrated good functional stability across Google Chrome and Safari. Most of the tested functionality operated as expected.

Although several defects were identified, the findings suggest that the website remains suitable for release within the tested scope, provided that the known risks are reviewed and accepted.

Release Recommendation

I recommend releasing Taiga, as the identified defects do not appear to prevent the website's main functionality from operating.

However, the remaining defects should be reviewed before release, particularly those classified as Major. The final release decision should be made by the responsible stakeholders.

Recommendations

1. **Help Center:** Fix the language issue so that the Help Center respects the user's selected language.
2. **Major Defects:** Review and address the three Major defects according to their functional impact.
3. **Usability:** Fix the reported navigation and interface issues.
4. **Regression Testing:** Retest the affected functionality after fixes are implemented.
5. **Skipped Tests:** Complete the skipped test cases when the required conditions are available.

Final STR Project Summary

The manual testing phase of the Taiga QA project has been completed, covering 449 unique test cases executed across Google Chrome and Safari. Although some test cases were skipped, the testing process involved a thorough and detailed investigation of the website's functionality across both browsers. The STR provides transparent documentation of the test results, skipped test cases, identified defects, and statistical analysis.

The findings indicate that Taiga demonstrated good functional stability within the tested scope, despite several localized defects. Based on these results, the website was recommended for release, subject to the review and acceptance of known risks.

This STR concludes the manual testing phase of the Taiga QA project and provides a documented foundation for future testing activities.

STR Project Closure Note

The manual testing phase of the Taiga QA project has been completed and formally documented in this Software Test Report (STR).

One of the most significant challenges I faced during this project was writing, managing, and executing a large number of manual test cases across Google Chrome and Safari.

This process was challenging both professionally and mentally. It required sustained concentration, patience, consistency, and attention to detail throughout repetitive and time-consuming testing activities.

Despite these challenges, I successfully completed the manual testing phase while maintaining structured documentation of the test results, identified defects, and skipped test cases.

This experience strengthened my understanding of the importance of discipline, persistence, and systematic thinking in software quality assurance.

This STR officially concludes the manual testing phase of the Taiga QA project.
The overall project remains ongoing, with further testing activities planned.

Next Steps with SQL, API & Automation

Following the completion of the manual testing phase, the Taiga QA project is planned to continue with three additional stages:

1. SQL Testing: Using PostgreSQL to practice database queries and data validation.

2. API Testing: Using Postman to examine API functionality, HTTP responses, authentication, and data validation.

3. Automation Testing: Using Python and Playwright to develop and execute automated tests for selected Taiga functionalities, with test execution reports generated using Allure.

The scope of each stage will be determined based on project requirements, technical feasibility, and progress.

These planned stages aim to expand Taiga into an integrated QA portfolio project covering Manual Testing, SQL, API Testing, and Automation.