

OS & SP Recall Quiz

- 1) An Operating System is
 - **facilitator**
 - application
 - text Editor
 - government

- 2) Which command is used to know the current working directory?
 - **pwd**
 - cwd
 - ls
 - cd

- 3) Which command is used to rename a file?
 - **mv**
 - rename
 - cp
 - rnm

- 4) Which command is used to copy a file?
 - cmp
 - cpy
 - **cp**
 - copy

- 5) Which command helps to know about the details of a command?
 - **man**
 - date
 - cut
 - help

- 6) How do you redirect the error messages to a file error.txt?
 - > error.txt
 - < error.txt
 - **2> error.txt**
 - >> error.txt

- 7) Which of the following metacharacter represents any character (except newline)
 - **.**
 - *
 - ?
 - +

8) In vi command mode, what is the command to copy 5 lines?

- 5copy
- 5yy
- 5cpy
- 5cp

9) _____ helps output of one process become input of other (most effective way).

- >
- <
- >>
- |

10) Which is the best way to search for data in a text file?

- Search
- Find
- Look
- Grep

11) Which is the first line in a shell script?

- #!/bin/bash
- #Hello World
- #!/bash
- #!/bin

12) In shell script, which symbol is used to denote a comment?

- /* */
- //
- #
- %

13) Shell math can be performed with

- Expr
- []
- a and b
- math

14) To execute a script file FILE1, how do you set the permissions?

- Chmod +rw FILE1
- Chmod +w FILE1
- Chmod +r FILE1
- **Chmod +x FILE1**

15) What is the output for the following code snippet?

```
val=15
$ echo "The cost of the item is val"
```

- The cost of the item is 15
- The cost of the item is \$val
- **The cost of the item is val**
- The cost of the item is \$15

16) Which special variable holds the exit status of the last executed command?

- **\$?**
- \$#
- \$!
- #!

17) In an if conditional statement how do you check the condition?

- Test command can be used
- [condition]
- **a or b**
- expr

18) how do you compare numerical values in a if statement?

- If test \$n1 eq \$n2
- If [\$n1 eq \$n2]
- If test \$n1 = \$n2
- **a or b**

19) Which environment variable helps in identifying field separators?

- **IFS**
- PATH
- HOME
- PS

20) What are looping statement?

- While
- For
- Until
- All the above

21) What is the unique identification for every file in a hard disk?

- file descriptor
- inode number
- file pointer
- file identifier

22) Which is the flag for opening a file in Read-Write mode?

- O_READWRITE
- O_RDWRONLY
- "rw"
- O_RDWR

23) The stages of instruction pipelining are

- Fetch, decode, execute, memory read, write back
- Fetch, execute, decode, write back, memory read
- Decode, fetch, execute, memory read, write back
- Memory read, decode, execute, fetch, write back

24) What is NOT true about interrupts?

- Interrupts are caused by hardware
- Interrupt handler is executed
- Processor execution mode switches to protected/kernel mode
- Interrupts result in always aborting the application

25) What would the following code snippet do?

creat("sample",0555);

- create a file called as sample with r-xr-xr-x permission
- create and open a file called as sample for reading only

- change the mode of the file called as sample to r-xr-xr-x
- create and open a file called as sample for reading & writing

26) A system call is NOT

- A part of processor instruction set architecture
- Enforces the processor to switch from user mode to kernel mode
- The interface for the services of the OS
- **An application programming interface(API)**

27) Which of the following is NOT a file management related system call

- read()
- Write()
- **fork()**
- close()

28) Which of the signals cannot be handled ?

- SIGINT
- **SIGSTOP**
- SIGTERM
- SIGCHLD

29) Which system call is used for waiting for a particular process?

- wait()
- hold()
- **waitpid()**
- stall()

30) What is shared and is common between parent & child?

- data
- **open file descriptors**
- stack
- all of the options

31) How is fifo different from pipes, with the context of IPC

- fifo has a name
- **all the options are true**

- fifo can be used for unrelated processes
- fifo can be created using commands too

32) Threads do not have the overhead of:

- all the options seem true
- having PID, PPID
- managing IPCS
- managing user & group IDs

33) The process of saving the state of one process/thread and restoring the state of another for execution is called

- Loading
- Context switching
- Dispatching
- Linking

34) If multi processes are reading from the same fifo sequentially, then:

- data will be shared
- all the data will be stored by the latest process
- fifo will not allow multi processes sequentially
- data once read will be deleted, and the new process only gets remaining data

35) File descriptors are _____ between threads of a process

- Private
- shared
- partially shared
- restricted

36) An IPC mechanism provides at least two operations.

- Write and delete a message
- Delete and receive a message
- Send and delete a message
- Receive and send a message

37) What are the models of IPC?

- Shared memory model
- Message passing

- Both A and B
- None

38) Which IPC mechanism is suitable for processes with parent-child relationship?

- FIFO
- Pipe
- Shared memory
- Message queue

39) Which IPC takes care of synchronization?

- Message Queue
- Shared Memory
- Pipe
- FIFO

40) POSIX stands for

- Portable Operating System Interaction
- Portable Operating System Interface
- Preemptive Operating System Interface
- Preemptive Operating Sleep Interface

41) All the static data is stored in

- Stack
- Heap
- data segment
- text segment

42) Which of the following command is used for remote connection:

- Ssh
- Send
- Ipcs
- write

43) The address generated by the CPU is

- Physical address
- Logical address
- Virtual address

- Logical or Virtual address

44) The command used for checking connectivity and connection speed is

- Poke
- Test
- Check
- ping

45) The address generated by the MMU is

- Physical address
- Logical address
- Virtual address
- None of the above

46) Version control systems support tracking which kind of files?

- Text files, Word Documents
- Source code files
- Audio files, Images
- All of the options

47) GIT is a

- Centralized version control system
- Distributed version control system
- Integrated Development Environment
- Debugging system

48) "Git init" command is used to _____

- To start git
- To initialize git
- To create or initialize a repository
- To initialize the project

49) Where is the project folder stored in git?

- .git folder
- .profile folder
- .repository folder
- .stage folder