


Main [OB1]


Main Properties							
General							
Name	Main	Number	1	Type	OB	Language	LAD
Numbering	Automatic						
Information							
Title	"Main Program Sweep (Cycle)"	Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value	Comment
▼ Input			
Initial_Call	Bool		Initial call of this OB
Remanence	Bool		=True, if remanent data are available
Temp			
Constant			

Network 1:



Network 2:




Traffic Lights Control Main [FB2]


Traffic Lights Control Main Properties							
General							
Name	Traffic Lights Control Main	Number	2	Type	FB	Language	LAD
Numbering	Automatic						
Information							
Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment
Input									
Output									
InOut									
Static									
Temp									
Constant									


Network 1: LIGHTING SEQUENCE CIRCUIT




Network 2: NORTH ZONE




Network 3: SOUTH ZONE




Network 4: EAST ZONE




Network 5: WEST ZONE




Network 6: PEDESTRIAN NORTH / SOUTH



Network 7: PEDESTRIAN EAST / WEST



Network 8: EMERGENCY CONDITION




I/O Mapping [FB1]


I/O Mapping Properties							
General							
Name	I/O Mapping	Number	1	Type	FB	Language	LAD
Numbering	Automatic						
Information							
Title	I/O Mapping	Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Default value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment
Input									
Output									
InOut									
Static									
Temp									
Constant									

Network 1: INPUTS



Network 2: OUTPUT_NORTH




Network 3: OUTPUT_SOUTH

Totally Integrated Automation Portal		
	"I/O MAPPING TAGS".RED_SOUTH_OUTPUT %Q0.4 "RED_SOUTH" "I/O MAPPING TAGS".GREEN_SOUTH_OUTPUT %Q0.5 "GREEN_SOUTH" "I/O MAPPING TAGS".YELLOW_SOUTH_OUTPUT %Q0.6 "YELLOW_SOUTH" "I/O MAPPING TAGS".WALK_NS_OUTPUT %Q0.7 "WALK_SOUTH"	
Network 4: OUTPUT_EAST		
	"I/O MAPPING TAGS".RED_EAST_OUTPUT %Q1.0 "RED_EAST" "I/O MAPPING TAGS".GREEN_EAST_OUTPUT %Q1.1 "GREEN_EAST" "I/O MAPPING TAGS".YELLOW_EAST_OUTPUT %Q1.2 "YELLOW_EAST" "I/O MAPPING TAGS".WALK_EW_OUTPUT %Q1.3 "WALK_EAST"	
Network 5: OUTPUT WEST		
	"I/O MAPPING TAGS".RED_WEST_OUTPUT %Q1.4 "RED_WEST" "I/O MAPPING TAGS".GREEN_WEST_OUTPUT %Q1.5 "GREEN_WEST" "I/O MAPPING TAGS".YELLOW_WEST_OUTPUT %Q1.6 "YELLOW_WEST" "I/O MAPPING TAGS".WALK_EW_OUTPUT %Q1.7 "WALK_WEST"	
Network 6: EMERYGENCY_OUTPUT		
	"I/O MAPPING TAGS".EMERGENCY_OUTPUT %Q2.0 "EMERGENCY LIGHT"	

TRAFFIC CONTROL PANEL

Hardcopy of TRAFFIC CONTROL PANEL



General					
Name	TRAFFIC CONTROL PANEL	Background color	0, 130, 0	Grid color	0, 0, 0
Number	1	Template		Tooltip	
Layers					
Active layer	0				

Layer_0	Enabled
Layer_1	Enabled
Layer_2	Enabled
Layer_3	Enabled
Layer_4	Enabled
Layer_5	Enabled
Layer_6	Enabled
Layer_7	Enabled
Layer_8	Enabled
Layer_9	Enabled
Layer_10	Enabled
Layer_11	Enabled
Layer_12	Enabled
Layer_13	Enabled
Layer_14	Enabled
Layer_15	Enabled
Layer_16	Enabled
Layer_17	Enabled
Layer_18	Enabled
Layer_19	Enabled
Layer_20	Enabled
Layer_21	Enabled
Layer_22	Enabled
Layer_23	Enabled
Layer_24	Enabled
Layer_25	Enabled
Layer_26	Enabled
Layer_27	Enabled
Layer_28	Enabled
Layer_29	Enabled
Layer_30	Enabled
Layer_31	Enabled

Rectangle_1

Type	Rectangle				
Appearance					
Background color	132, 130, 132	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		
Layout					
X position	354	Y position	25	Width	93
Height	437	Round corner width	0	Round corner height	0
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Rectangle_1	Layer	0 - Layer_0		

Circle_1

Type	Circle
------	--------

Totally Integrated Automation Portal							
--------------------------------------	--	--	--	--	--	--	--

Appearance

Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		

Layout

X position	330	Y position	290	Width	24
Height	24	Radius	12		

Styles/Designs

Use style/design	Disabled	Style item appearance			
------------------	----------	-----------------------	--	--	--

Miscellaneous

Name	Circle_1	Layer	0 - Layer_0		
------	----------	-------	-------------	--	--

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_GREEN_EAST_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	222, 219, 222	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	0, 255, 0
Flashing	No				

Circle_3

Type

Circle

Appearance

Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		

Layout

X position	329	Y position	313	Width	24
Height	24	Radius	12		

Styles/Designs

Use style/design	Disabled	Style item appearance			
------------------	----------	-----------------------	--	--	--

Miscellaneous

Name	Circle_3	Layer	0 - Layer_0		
------	----------	-------	-------------	--	--

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_YEL-LOW_EAST_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	217, 217, 217	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	255, 255, 0
Flashing	No				

Circle_4

Type

Circle

Appearance

Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		

Layout

X position	449	Y position	125	Width	24
Height	24	Radius	12		

Styles/Designs

Use style/design	Disabled	Style item appearance			
------------------	----------	-----------------------	--	--	--

Miscellaneous

Name	Circle_4	Layer	0 - Layer_0		
------	----------	-------	-------------	--	--

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_RED_WEST_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	217, 217, 217	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	255, 0, 0
Flashing	No				

Circle_5

Type

Circle

Appearance

Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		

Layout

X position	449	Y position	173	Width	24
Height	24	Radius	12		

Styles/Designs

Use style/design	Disabled	Style item appearance			
------------------	----------	-----------------------	--	--	--

Miscellaneous

Name	Circle_5	Layer	0 - Layer_0		
------	----------	-------	-------------	--	--

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_GREEN_WEST_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	217, 217, 217	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	0, 255, 0
Flashing	No				

Circle_6

Type

Circle

Totally Integrated Automation Portal							
Appearance							
Background color	222, 219, 222		Background fill pattern	Solid	Border width	1	
Line style	Solid		Border color	24, 28, 49			
Layout							
X position	449		Y position	149		Width	24
Height	24		Radius	12			
Styles/Designs							
Use style/design	Disabled		Style item appearance				
Miscellaneous							
Name	Circle_6		Layer	0 - Layer_0			
Dynamizations\Appearance							
Tag - Cycle	I/O MAPPING TAGS_YEL-LOW_WEST_OUTPUT -		Data type	Range		Range	0..0
Foreground color	24, 28, 49		Background color	217, 217, 217		Flashing	No
Range	1..1		Foreground color	24, 28, 49		Background color	255, 255, 0
Flashing	No						
Rectangle_2							
Type	Rectangle						
Appearance							
Background color	132, 130, 132		Background fill pattern	Solid	Border width	1	
Line style	Solid		Border color	24, 28, 49			
Layout							
X position	183		Y position	197		Width	437
Height	93		Round corner width	0		Round corner height	0
Styles/Designs							
Use style/design	Disabled		Style item appearance				
Miscellaneous							
Name	Rectangle_2		Layer	0 - Layer_0			
Circle_7							
Type	Circle						
Appearance							
Background color	222, 219, 222		Background fill pattern	Solid	Border width	1	
Line style	Solid		Border color	24, 28, 49			
Layout							
X position	449		Y position	290		Width	24
Height	24		Radius	12			
Styles/Designs							
Use style/design	Disabled		Style item appearance				
Miscellaneous							
Name	Circle_7		Layer	0 - Layer_0			
Dynamizations\Appearance							
Tag - Cycle	I/O MAPPING TAGS_GREEN_NORTH_OUTPUT -		Data type	Range		Range	0..0
Foreground color	24, 28, 49		Background color	222, 219, 222		Flashing	No
Range	1..1		Foreground color	24, 28, 49		Background color	0, 255, 0
Flashing	No						
Circle_8							
Type	Circle						
Appearance							
Background color	222, 219, 222		Background fill pattern	Solid	Border width	1	
Line style	Solid		Border color	24, 28, 49			
Layout							
X position	474		Y position	290		Width	24
Height	24		Radius	12			
Styles/Designs							
Use style/design	Disabled		Style item appearance				
Miscellaneous							
Name	Circle_8		Layer	0 - Layer_0			
Dynamizations\Appearance							
Tag - Cycle	I/O MAPPING TAGS_YEL-LOW_NORTH_OUTPUT -		Data type	Range		Range	0..0
Foreground color	24, 28, 49		Background color	222, 219, 222		Flashing	No
Range	1..1		Foreground color	24, 28, 49		Background color	255, 255, 0
Flashing	No						
Circle_9							
Type	Circle						
Appearance							
Background color	222, 219, 222		Background fill pattern	Solid	Border width	1	
Line style	Solid		Border color	24, 28, 49			
Layout							
X position	498		Y position	291		Width	24
Height	24		Radius	12			

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Styles/Designs

Use style/design	Disabled	Style item appearance			
------------------	----------	-----------------------	--	--	--

Miscellaneous

Name	Circle_9	Layer	0 - Layer_0		
------	----------	-------	-------------	--	--

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_RED_NORTH_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	222, 219, 222	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	255, 0, 0
Flashing	No				

Circle_10

Type	Circle				
Appearance					
Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		
Layout					
X position	330	Y position	173	Width	24
Height	24	Radius	12		
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Circle_10	Layer	0 - Layer_0		
Dynamizations\Appearance					
Tag - Cycle	I/O MAPPING TAGS_GREEN_SOUTH_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	222, 219, 222	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	0, 255, 0
Flashing	No				

Circle_11

Type	Circle				
Appearance					
Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		
Layout					
X position	306	Y position	173	Width	24
Height	24	Radius	12		
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Circle_11	Layer	0 - Layer_0		
Dynamizations\Appearance					
Tag - Cycle	I/O MAPPING TAGS_YELLOW_SOUTH_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	222, 219, 222	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	255, 255, 0
Flashing	No				

Circle_12

Type	Circle				
Appearance					
Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		
Layout					
X position	282	Y position	173	Width	24
Height	24	Radius	12		
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Circle_12	Layer	0 - Layer_0		
Dynamizations\Appearance					
Tag - Cycle	I/O MAPPING TAGS_RED_SOUTH_OUTPUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	222, 219, 222	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	255, 0, 0
Flashing	No				

Text field_1

Type	Text field				
General					
Text	N				
Appearance					
Background color	255, 255, 255	Background fill pattern	Transparent	Corner radius (border)	3
Foreground color	49, 52, 74	Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115		

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Layout

X position	385	Y position	149	Width	33
Height	47	Left margin	3	Top margin	2
Right margin	2	Bottom margin	2	Fit object to contents	Enabled

Text format

Font	Tahoma, 36px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Middle	Line break	Disabled		

Flashing

Flashing	Disabled	
----------	----------	--

Styles/Designs

Use style/design	Disabled	Style item appearance		
------------------	----------	-----------------------	--	--

Miscellaneous

Name	Text field_1	Layer	0 - Layer_0	
------	--------------	-------	-------------	--

Text field_2

Type

Type	Text field	
------	------------	--

General

Text	S	
------	---	--

Appearance

Background color	255, 255, 255	Background fill pattern	Transparent	Corner radius (border)	3
Foreground color	49, 52, 74	Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115		

Layout

X position	384	Y position	290	Width	28
Height	47	Left margin	3	Top margin	2
Right margin	2	Bottom margin	2	Fit object to contents	Enabled

Text format

Font	Tahoma, 36px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Middle	Line break	Disabled		

Flashing

Flashing	Disabled	
----------	----------	--

Styles/Designs

Use style/design	Disabled	Style item appearance		
------------------	----------	-----------------------	--	--

Miscellaneous

Name	Text field_2	Layer	0 - Layer_0	
------	--------------	-------	-------------	--

Text field_3

Type

Type	Text field	
------	------------	--

General

Text	W	
------	---	--

Appearance

Background color	255, 255, 255	Background fill pattern	Transparent	Corner radius (border)	3
Foreground color	49, 52, 74	Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115		

Layout

X position	311	Y position	218	Width	42
Height	47	Left margin	3	Top margin	2
Right margin	2	Bottom margin	2	Fit object to contents	Enabled

Text format

Font	Tahoma, 36px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Middle	Line break	Disabled		

Flashing

Flashing	Disabled	
----------	----------	--

Styles/Designs

Use style/design	Disabled	Style item appearance		
------------------	----------	-----------------------	--	--

Miscellaneous

Name	Text field_3	Layer	0 - Layer_0	
------	--------------	-------	-------------	--

Text field_4

Type

Type	Text field	
------	------------	--

General

Text	E	
------	---	--

Appearance

Background color	255, 255, 255	Background fill pattern	Transparent	Corner radius (border)	3
Foreground color	49, 52, 74	Border width	0	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115		

Layout

X position	448	Y position	218	Width	27
Height	47	Left margin	3	Top margin	2
Right margin	2	Bottom margin	2	Fit object to contents	Enabled

Text format

Font	Tahoma, 36px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Middle	Line break	Disabled		

Flashing

Flashing	Disabled	
----------	----------	--

--	--	--

Totally Integrated Automation Portal						
Styles/Designs						
Use style/design	Disabled		Style item appearance			
Miscellaneous						
Name	Text field_4		Layer	0 - Layer_0		
Circle_2						
Type	Circle					
Appearance						
Background color	222, 219, 222		Background fill pattern	Solid		Border width1
Line style	Solid		Border color	24, 28, 49		
Layout						
X position	329		Y position	336		Width24
Height	24		Radius	12		
Styles/Designs						
Use style/design	Disabled		Style item appearance			
Miscellaneous						
Name	Circle_2		Layer	0 - Layer_0		
Dynamizations\Appearance						
Tag - Cycle	I/O MAPPING TAGS_RED_EAST_OUT-PUT -		Data type	Range		Range0..0
Foreground color	24, 28, 49		Background color	217, 217, 217		FlashingNo
Range	1..1		Foreground color	24, 28, 49		Background color255, 0, 0
Flashing	No					
Button_3						
Type	Button					
General						
Mode	Text		Hotkey	None		Text OFFTURN ON SYSTEM
Text ON	Text		Text list			Graphic OFF
Graphic ON			Graphic list			Process value
Bit number	0					
Appearance						
Background color	49, 154, 99		Background fill pattern	Solid		Corner radius (border)20
Foreground color	255, 255, 255		Border width	2		Line styleSolid
Border color	66, 73, 82		Border background color	107, 105, 107		
Fill pattern						
Background color gradient (fill pattern)	99, 101, 115		Gradient 1 (fill pattern)	Enabled		Color gradient 1 (fill pattern)132, 134, 140
Offset gradient 1 (fill pattern)	15		Gradient 2 (fill pattern)	Enabled		Color gradient 2 (fill pattern)90, 89, 99
Offset gradient 2 (fill pattern)	15					
Design						
Focus width	2		Focus color	148, 182, 231		
Layout						
X position	32		Y position	148		Width103
Height	62		Fit graphic to size	Stretch graphic		Horizontal alignment of the graphicCentered
Vertical alignment of the graphic	Middle		Fit object to contents	Disabled		Margin left text (layout)0
Margin top text (layout)	0		Margin right text (layout)	0		Margin bottom text (layout)0
Margin left graphic (layout)	0		Margin top graphic (layout)	0		Margin right graphic (layout)0
Margin bottom graphic (layout)	0					
Text format						
Font	Tahoma, 16px, style=Bold		Orientation	Horizontal		Horizontal alignment of the textCentered
Vertical alignment of the text	Middle					
Styles/Designs						
Use style/design	Disabled		Style item appearance			
Miscellaneous						
Name	Button_3		Layer	0 - Layer_0		Tooltip
Security						
Authorization			Allow operator control	Enabled		
Dynamizations\Event						
Event name			Press			
Function list\SetBitWhileKeyPressed						
Tag		TRAFFIC LIGHTS MAIN TAGS_SYSTEM ON		Bit		0
Text field_5						
Type	Text field					
General						
Text	EMERGENCY SWITCH					

Totally Integrated Automation Portal						
Appearance						
Background color	255, 0, 0	Background fill pattern	Transparent	Corner radius (border)	3	
Foreground color	255, 0, 0	Border width	0	Line style	Double line	
Border color	66, 73, 82	Border background color	99, 101, 115			
Layout						
X position	30	Y position	306	Width	107	
Height	42	Left margin	3	Top margin	2	
Right margin	2	Bottom margin	2	Fit object to contents	Enabled	
Text format						
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment	Centered	
Vertical alignment	Middle	Line break	Disabled			
Flashing						
Flashing	Disabled					
Styles/Designs						
Use style/design	Disabled	Style item appearance				
Miscellaneous						
Name	Text field_5	Layer	0 - Layer_0			
Pushbutton-Emergency						
Type	Switch					
General						
Process value		Value status ON	1	Mode	Switch with graphic	
Text ON	1	Text OFF	0	Graphic ON	Pushbutton-Emergency_On_256c	
Graphic OFF	Pushbutton-Emergency_Off_256c					
Appearance						
Foreground color	0, 0, 0	Background color	181, 182, 181	Inner background color ON	255, 255, 255	
Inner background color OFF	255, 255, 255	Border width	0	Line style	Solid	
Border color	0, 0, 0	Border background color	255, 255, 255	Corner radius	0	
Fill pattern						
Background fill pattern	Solid	Background color gradient (fill pattern)	132, 130, 132	Gradient 1 (fill pattern)	Disabled	
Color gradient 1 (fill pattern)	214, 211, 214	Offset gradient 1 (fill pattern)	14	Gradient 2 (fill pattern)	Disabled	
Color gradient 2 (fill pattern)	173, 170, 173	Offset gradient 2 (fill pattern)	14			
Design						
Focus width	1	Focus color	0, 0, 0			
Layout						
X position	45	Y position	222	Width	80	
Height	80	Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered	
Vertical alignment of the graphic	Middle	Switch orientation	Left to right	Fit object to contents	Disabled	
Margin left text (layout)	0	Margin top text (layout)	0	Margin right text (layout)	0	
Margin bottom text (layout)	0	Margin left graphic (layout)	0	Margin top graphic (layout)	0	
Margin right graphic (layout)	0	Margin bottom graphic (layout)	0			
Text format						
Font	Tahoma, 16px	Orientation	Horizontal	Horizontal alignment of the text	Centered	
Vertical alignment of the text	Middle					
Limits						
Color for High limit violated	255, 0, 0	Color for Low limit violated	255, 255, 0			
Styles/Designs						
Use style/design	Disabled	Style item appearance				
Miscellaneous						
Name	Pushbutton-Emergency	Layer	0 - Layer_0	Tooltip		
Security						
Authorization		Allow operator control	Enabled			
Dynamizations\Event						
Event name		Switch ON				
Function list\SetBit						
Tag		I/O MAPPING TAGS_EMERGENCY_INPUT				
Dynamizations\Event						
Event name		Switch OFF				
Function list\ResetBit						
Tag		I/O MAPPING TAGS_EMERGENCY_INPUT				
Graphic view_1						
Type	Graphic view					

Totally Integrated Automation Portal						
General						
Graphic		Graphic_1				
Appearance						
Background color		173, 174, 181		Background fill pattern		Transparent
				Border width		0
Line style		Solid		Border color		0, 0, 0
Layout						
X position		359		Y position		201
Height		86		Width		83
		Fit embedded graphic object to screen size		Fit graphic to object size		Stretch graphic
Fit object to contents		Disabled				
Miscellaneous						
Name		Graphic view_1		Layer		0 - Layer_0
Dynamizations\Visibility						
Tag - Cycle		I/O MAPPING TAGS_EMERGENCY_OUT-PUT -		Data type		Range
				Start range		1
End range		1		Visibility		Visible
Circle_13						
Type		Circle				
Appearance						
Background color		222, 219, 222		Background fill pattern		Solid
				Border width		1
Line style		Solid		Border color		24, 28, 49
Layout						
X position		330		Y position		149
Height		24		Width		24
		Radius				12
Styles/Designs						
Use style/design		Disabled		Style item appearance		
Miscellaneous						
Name		Circle_13		Layer		0 - Layer_0
Dynamizations\Appearance						
Tag - Cycle		I/O MAPPING TAGS_WALK_NS_OUT-PUT -		Data type		Range
				Range		0..0
Foreground color		24, 28, 49		Background color		222, 219, 222
Range		1..1		Flashing		No
Flashing		No		Background color		0, 255, 255
Circle_14						
Type		Circle				
Appearance						
Background color		222, 219, 222		Background fill pattern		Solid
				Border width		1
Line style		Solid		Border color		24, 28, 49
Layout						
X position		472		Y position		173
Height		24		Width		24
		Radius				12
Styles/Designs						
Use style/design		Disabled		Style item appearance		
Miscellaneous						
Name		Circle_14		Layer		0 - Layer_0
Dynamizations\Appearance						
Tag - Cycle		I/O MAPPING TAGS_WALK_EW_OUT-PUT -		Data type		Range
				Range		0..0
Foreground color		24, 28, 49		Background color		222, 219, 222
Range		1..1		Flashing		No
Flashing		No		Background color		0, 255, 255
Circle_15						
Type		Circle				
Appearance						
Background color		222, 219, 222		Background fill pattern		Solid
				Border width		1
Line style		Solid		Border color		24, 28, 49
Layout						
X position		449		Y position		313
Height		24		Width		24
		Radius				12
Styles/Designs						
Use style/design		Disabled		Style item appearance		
Miscellaneous						
Name		Circle_15		Layer		0 - Layer_0
Dynamizations\Appearance						
Tag - Cycle		I/O MAPPING TAGS_WALK_NS_OUT-PUT -		Data type		Range
				Range		0..0
Foreground color		24, 28, 49		Background color		222, 219, 222
Range		1..1		Flashing		No
Flashing		No		Background color		0, 255, 255
Circle_16						
Type		Circle				

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Appearance

Background color	222, 219, 222	Background fill pattern	Solid	Border width	1
Line style	Solid	Border color	24, 28, 49		

Layout

X position	307	Y position	290	Width	24
Height	24	Radius	12		

Styles/Designs

Use style/design	Disabled	Style item appearance			
------------------	----------	-----------------------	--	--	--

Miscellaneous

Name	Circle_16	Layer	0 - Layer_0		
------	-----------	-------	-------------	--	--

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_WALK_EW_OUT-PUT -	Data type	Range	Range	0..0
Foreground color	24, 28, 49	Background color	222, 219, 222	Flashing	No
Range	1..1	Foreground color	24, 28, 49	Background color	0, 255, 255
Flashing	No				

Button_9

Type	Button				
General					
Mode	Text	Hotkey	None	Text OFF	NS PED REQ
Text ON	Text	Text list		Graphic OFF	
Graphic ON		Graphic list		Process value	
Bit number	0				
Appearance					
Background color	99, 101, 115	Background fill pattern	Vertical gradient	Corner radius (border)	3
Foreground color	255, 255, 255	Border width	2	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled	Color gradient 1 (fill pattern)	132, 134, 140
Offset gradient 1 (fill pattern)	15	Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	Focus color	148, 182, 231		
Layout					
X position	474	Y position	98	Width	41
Height	73	Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled	Margin left text (layout)	0
Margin top text (layout)	0	Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin right graphic (layout)	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Button_9	Layer	0 - Layer_0	Tooltip	
Security					
Authorization		Allow operator control	Enabled		

Dynamizations\Event

Event name	Press
------------	-------

Function list\SetBitWhileKeyPressed

Tag	I/O MAPPING TAGS_WALK_REQ_NS_INPUT	Bit	0
-----	------------------------------------	-----	---

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_WALK_REQ_NS_INPUT -	Data type	Range	Range	0..0
Foreground color	255, 255, 255	Background color	99, 101, 115	Flashing	No
Range	1..1	Foreground color	255, 255, 255	Background color	0, 255, 0
Flashing	No				

I/O field_1

Type	I/O field				
General					
Process value		Mode	Input/output	Display format	Decimal
Shift decimal point	3	Field length	10	Show leading zeros	Disabled

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Format pattern		s9999999999			
Appearance					
Background color		255, 255, 255		Background fill pattern	
		Solid		Corner radius	
				3	
Foreground color		49, 52, 74		Unit	
				Border width	
				4	
Line style		Double line		Border color	
		66, 73, 82		Border background color	
				99, 101, 115	
Characteristics					
Hidden input		Disabled			
Layout					
X position		359		Y position	
		124		Width	
				84	
Height		34		Left margin	
				3	
Right margin		2		Top margin	
				2	
				Fit object to contents	
				Disabled	
Text format					
Font		Tahoma, 16px, style=Bold		Orientation	
				Horizontal	
Vertical alignment		Middle		Horizontal alignment	
				Left	
				Line break	
				Disabled	
Limits					
Color for High limit violated		239, 89, 99		Color for Low limit violated	
				247, 162, 41	
Styles/Designs					
Use style/design		Disabled		Style item appearance	
Miscellaneous					
Name		I/O field_1		Layer	
				0 - Layer_0	
				Tooltip	
Security					
Authorization				Allow operator control	
				Enabled	
Dynamizations\Tag connection					
Property name		Process value		Tag	
				TRAFFIC LIGHTS MAIN TAGS_NS_PED_TIMER	

I/O field_2

Type		I/O field			
General					
Process value				Mode	
				Input/output	
Shift decimal point		3		Display format	
				Decimal	
Format pattern		s9999999999		Field length	
				10	
				Show leading zeros	
				Disabled	
Appearance					
Background color		255, 255, 255		Background fill pattern	
				Solid	
				Corner radius	
				3	
Foreground color		49, 52, 74		Unit	
				Border width	
				4	
Line style		Double line		Border color	
				66, 73, 82	
				Border background color	
				99, 101, 115	
Characteristics					
Hidden input		Disabled			
Layout					
X position		477		Y position	
				226	
				Width	
				84	
Height		34		Left margin	
				3	
Right margin		2		Top margin	
				2	
				Fit object to contents	
				Disabled	
Text format					
Font		Tahoma, 16px, style=Bold		Orientation	
				Horizontal	
Vertical alignment		Middle		Horizontal alignment	
				Left	
				Line break	
				Disabled	
Limits					
Color for High limit violated		239, 89, 99		Color for Low limit violated	
				247, 162, 41	
Styles/Designs					
Use style/design		Disabled		Style item appearance	
Miscellaneous					
Name		I/O field_2		Layer	
				0 - Layer_0	
				Tooltip	
Security					
Authorization				Allow operator control	
				Enabled	
Dynamizations\Tag connection					
Property name		Process value		Tag	
				TRAFFIC LIGHTS MAIN TAGS_EW_PED_TIMER	

I/O field_3

Type		I/O field			
General					
Process value				Mode	
				Input/output	
Shift decimal point		3		Display format	
				Decimal	
Format pattern		s9999999999		Field length	
				10	
				Show leading zeros	
				Disabled	
Appearance					
Background color		255, 255, 255		Background fill pattern	
				Solid	
				Corner radius	
				3	
Foreground color		49, 52, 74		Unit	
				Border width	
				4	
Line style		Double line		Border color	
				66, 73, 82	
				Border background color	
				99, 101, 115	
Characteristics					
Hidden input		Disabled			
Layout					
X position		227		Y position	
				224	
				Width	
				84	
Height		34		Left margin	
				3	
Right margin		2		Top margin	
				2	
				Fit object to contents	
				Disabled	
Text format					
Font		Tahoma, 16px, style=Bold		Orientation	
				Horizontal	
Vertical alignment		Middle		Horizontal alignment	
				Left	

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Vertical alignment	Middle	Line break	Disabled		
Limits					
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41		
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	I/O field_3	Layer	0 - Layer_0	Tooltip	
Security					
Authorization		Allow operator control	Enabled		
Dynamizations\Tag connection					
Property name	Process value	Tag	TRAFFIC LIGHTS MAIN TAGS_EW_PED_TIMER		

I/O field_4

Type	I/O field				
General					
Process value		Mode	Input/output	Display format	Decimal
Shift decimal point	3	Field length	10	Show leading zeros	Disabled
Format pattern	s9999999999				
Appearance					
Background color	255, 255, 255	Background fill pattern	Solid	Corner radius	3
Foreground color	49, 52, 74	Unit		Border width	4
Line style	Double line	Border color	66, 73, 82	Border background color	99, 101, 115
Characteristics					
Hidden input	Disabled				
Layout					
X position	358	Y position	331	Width	84
Height	34	Left margin	3	Top margin	2
Right margin	2	Bottom margin	2	Fit object to contents	Disabled
Text format					
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Middle	Line break	Disabled		
Limits					
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41		
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	I/O field_4	Layer	0 - Layer_0	Tooltip	
Security					
Authorization		Allow operator control	Enabled		
Dynamizations\Tag connection					
Property name	Process value	Tag	TRAFFIC LIGHTS MAIN TAGS_NS_PED_TIMER		

Button_2

Type	Button				
General					
Mode	Text	Hotkey	None	Text OFF	EW PED REQ
Text ON	Text	Text list		Graphic OFF	
Graphic ON		Graphic list		Process value	
Bit number	0				
Appearance					
Background color	99, 101, 115	Background fill pattern	Vertical gradient	Corner radius (border)	3
Foreground color	255, 255, 255	Border width	2	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled	Color gradient 1 (fill pattern)	132, 134, 140
Offset gradient 1 (fill pattern)	15	Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	Focus color	148, 182, 231		
Layout					
X position	287	Y position	97	Width	41
Height	74	Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled	Margin left text (layout)	0
Margin top text (layout)	0	Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin right graphic (layout)	0
Margin bottom graphic (layout)	0				

--	--	--

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Text format					
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Button_2	Layer	0 - Layer_0	Tooltip	
Security					
Authorization		Allow operator control	Enabled		

Dynamizations\Event	
Event name	Press

Function list\SetBitWhileKeyPressed	
-------------------------------------	--

Tag	I/O MAPPING TAGS_WALK_REQ_EW_INPUT	Bit	0
-----	------------------------------------	-----	---

Dynamizations\Appearance					
Tag - Cycle	I/O MAPPING TAGS_WALK_REQ_EW_INPUT -	Data type	Range	Range	0..0
Foreground color	255, 255, 255	Background color	99, 101, 113	Flashing	No
Range	1..1	Foreground color	255, 255, 255	Background color	0, 255, 0
Flashing	No				

Button_4					
----------	--	--	--	--	--

Type	Button				
General					
Mode	Text	Hotkey	None	Text OFF	NS PED REQ
Text ON	Text	Text list		Graphic OFF	
Graphic ON		Graphic list		Process value	
Bit number	0				
Appearance					
Background color	99, 101, 115	Background fill pattern	Vertical gradient	Corner radius (border)	3
Foreground color	255, 255, 255	Border width	2	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled	Color gradient 1 (fill pattern)	132, 134, 140
Offset gradient 1 (fill pattern)	15	Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	Focus color	148, 182, 231		
Layout					
X position	287	Y position	315	Width	41
Height	73	Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled	Margin left text (layout)	0
Margin top text (layout)	0	Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin right graphic (layout)	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Button_4	Layer	0 - Layer_0	Tooltip	
Security					
Authorization		Allow operator control	Enabled		

Dynamizations\Event	
Event name	Press

Function list\SetBitWhileKeyPressed	
-------------------------------------	--

Tag	I/O MAPPING TAGS_WALK_REQ_NS_INPUT	Bit	0
-----	------------------------------------	-----	---

Dynamizations\Appearance					
Tag - Cycle	I/O MAPPING TAGS_WALK_REQ_NS_INPUT -	Data type	Range	Range	0..0
Foreground color	255, 255, 255	Background color	99, 101, 113	Flashing	No
Range	1..1	Foreground color	255, 255, 255	Background color	0, 255, 0

--	--	--

Totally Integrated Automation Portal						
--------------------------------------	--	--	--	--	--	--

Flashing	No				
----------	----	--	--	--	--

Button_1

Type	Button				
General					
Mode	Text	Hotkey	None	Text OFF	EW PED REQ
Text ON	Text	Text list		Graphic OFF	
Graphic ON		Graphic list		Process value	
Bit number	0				
Appearance					
Background color	99, 101, 115	Background fill pattern	Vertical gradient	Corner radius (border)	3
Foreground color	255, 255, 255	Border width	2	Line style	Solid
Border color	66, 73, 82	Border background color	107, 105, 107		
Fill pattern					
Background color gradient (fill pattern)	99, 101, 115	Gradient 1 (fill pattern)	Enabled	Color gradient 1 (fill pattern)	132, 134, 140
Offset gradient 1 (fill pattern)	15	Gradient 2 (fill pattern)	Enabled	Color gradient 2 (fill pattern)	90, 89, 99
Offset gradient 2 (fill pattern)	15				
Design					
Focus width	2	Focus color	148, 182, 231		
Layout					
X position	475	Y position	316	Width	41
Height	74	Fit graphic to size	Stretch graphic	Horizontal alignment of the graphic	Centered
Vertical alignment of the graphic	Middle	Fit object to contents	Disabled	Margin left text (layout)	0
Margin top text (layout)	0	Margin right text (layout)	0	Margin bottom text (layout)	0
Margin left graphic (layout)	0	Margin top graphic (layout)	0	Margin right graphic (layout)	0
Margin bottom graphic (layout)	0				
Text format					
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment of the text	Centered
Vertical alignment of the text	Middle				
Styles/Designs					
Use style/design	Disabled	Style item appearance			
Miscellaneous					
Name	Button_1	Layer	0 - Layer_0	Tooltip	
Security					
Authorization		Allow operator control	Enabled		

Dynamizations\Event

Event name	Press
------------	-------

Function list\SetBitWhileKeyPressed

Tag	I/O MAPPING TAGS_WALK_REQ_EW_INPUT	Bit	0
-----	------------------------------------	-----	---

Dynamizations\Appearance

Tag - Cycle	I/O MAPPING TAGS_WALK_REQ_EW_INPUT -	Data type	Range	Range	0..0
Foreground color	255, 255, 255	Background color	99, 101, 113	Flashing	No
Range	1..1	Foreground color	255, 255, 255	Background color	0, 255, 0
Flashing	No				

Date/time field_1

Type	Date/time field				
General					
Display system time	Enabled	Process value		Show date	Enabled
Show time	Enabled	Mode	Output		
Appearance					
Foreground color	49, 52, 74	Background color	255, 255, 255	Background fill pattern	Solid
Corner radius (border)	3	Border width	4	Line style	Double line
Border color	66, 73, 82	Border background color	99, 101, 115		
Layout					
X position	573	Y position	8	Width	219
Height	32	Left margin	3	Top margin	2
Right margin	2	Bottom margin	2	Fit object to contents	Enabled
Text format					
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left
Vertical alignment	Middle				
Styles/Designs					
Use style/design	Disabled	Style item appearance			

--	--	--

Totally Integrated Automation Portal						
Miscellaneous						
Name	Date/time field_1	Layer	0 - Layer_0	Tooltip		
Security						
Authorization		Allow operator control	Enabled			
I/O field_5						
Type	I/O field					
General						
Process value		Mode	Input/output	Display format	Decimal	
Shift decimal point	0	Field length	5	Show leading zeros	Disabled	
Format pattern	99999					
Appearance						
Background color	255, 255, 255	Background fill pattern	Solid	Corner radius	3	
Foreground color	49, 52, 74	Unit		Border width	4	
Line style	Double line	Border color	66, 73, 82	Border background color	99, 101, 115	
Characteristics						
Hidden input	Disabled					
Layout						
X position	696	Y position	46	Width	96	
Height	32	Left margin	3	Top margin	2	
Right margin	2	Bottom margin	2	Fit object to contents	Disabled	
Text format						
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment	Left	
Vertical alignment	Middle	Line break	Disabled			
Limits						
Color for High limit violated	239, 89, 99	Color for Low limit violated	247, 162, 41			
Styles/Designs						
Use style/design	Disabled	Style item appearance				
Miscellaneous						
Name	I/O field_5	Layer	0 - Layer_0	Tooltip		
Security						
Authorization		Allow operator control	Enabled			
Dynamizations\Tag connection						
Property name	Process value	Tag	TRAFFIC LIGHTS MAIN TAGS_STEP COUNTER			
Text field_6						
Type	Text field					
General						
Text	STEP COUNTER					
Appearance						
Background color	255, 255, 255	Background fill pattern	Transparent	Corner radius (border)	3	
Foreground color	49, 52, 74	Border width	0	Line style	Double line	
Border color	66, 73, 82	Border background color	99, 101, 115			
Layout						
X position	702	Y position	75	Width	85	
Height	42	Left margin	3	Top margin	2	
Right margin	2	Bottom margin	2	Fit object to contents	Enabled	
Text format						
Font	Tahoma, 16px, style=Bold	Orientation	Horizontal	Horizontal alignment	Centered	
Vertical alignment	Middle	Line break	Disabled			
Flashing						
Flashing	Disabled					
Styles/Designs						
Use style/design	Disabled	Style item appearance				
Miscellaneous						
Name	Text field_6	Layer	0 - Layer_0			

Totally Integrated Automation Portal

I/O MAPPING TAGS [DB1]

I/O MAPPING TAGS Properties

General

Name

I/O MAPPING TAGS

Number

1

Type

DB

Language

DB

Numbering

Automatic

Information

Title

Author

Comment

Family

Version

0.1

User-defined ID

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment
▼ Static									
EMERGENCY_INPUT	Bool	false	False	True	True	True	False		
RED_NORTH_OUTPUT	Bool	false	False	True	True	True	False		
GREEN_NORTH_OUTPUT	Bool	false	False	True	True	True	False		
YELLOW_NORTH_OUTPUT	Bool	false	False	True	True	True	False		
RED_SOUTH_OUTPUT	Bool	false	False	True	True	True	False		
GREEN_SOUTH_OUTPUT	Bool	false	False	True	True	True	False		
YELLOW_SOUTH_OUTPUT	Bool	false	False	True	True	True	False		
RED_EAST_OUTPUT	Bool	false	False	True	True	True	False		
GREEN_EAST_OUTPUT	Bool	false	False	True	True	True	False		
YELLOW_EAST_OUTPUT	Bool	false	False	True	True	True	False		
RED_WEST_OUTPUT	Bool	false	False	True	True	True	False		
GREEN_WEST_OUTPUT	Bool	false	False	True	True	True	False		
YELLOW_WEST_OUTPUT	Bool	false	False	True	True	True	False		
EMERGENCY_OUTPUT	Bool	false	False	True	True	True	False		
WALK_REQ_NS_INPUT	Bool	false	False	True	True	True	False		
WALK_REQ_EW_INPUT	Bool	false	False	True	True	True	False		
WALK_NS_OUTPUT	Bool	false	False	True	True	True	False		
WALK_EW_OUTPUT	Bool	false	False	True	True	True	False		

Totally Integrated Automation Portal

TRAFFIC LIGHTS MAIN TAGS [DB5]

TRAFFIC LIGHTS MAIN TAGS Properties

General

Name	TRAFFIC LIGHTS MAIN TAGS	Number	5	Type	DB	Language	DB
Numbering	Automatic						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment
▼ Static									
STEP COUNTER	Word	16#0	True	True	True	True	False		
I/O ON/OFF SWITCH FOR TEST-ING	Bool	false	False	True	True	True	False		
SYSTEM ON	Bool	false	False	True	True	True	False		
EW_PED_REQ	Bool	false	False	True	True	True	False		
NS_PED_REQ	Bool	false	False	True	True	True	False		
PED COUNTER HOLD 1	Bool	false	False	True	True	True	False		
PED COUNTER HOLD 2	Bool	false	False	True	True	True	False		
NS_PED_TIMER	DInt	0	False	True	True	True	False		
EW_PED_TIMER	DInt	0	False	True	True	True	False		

Totally Integrated Automation Portal

Input Tags [6]

PLC tags

PLC tags											
	Name	Data type	Address	Retain	Accessi-ble from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engi-neering	Supervision			Comment
	PED_PB_NORTH	Bool	%I0.0	False	True	True	True				Pedestrian button North
	PED_PB_SOUTH	Bool	%I0.1	False	True	True	True				Pedestrian button South
	PED_PB_EAST	Bool	%I0.2	False	True	True	True				Pedestrian button East
	PED_PB_WEST	Bool	%I0.3	False	True	True	True				Pedestrian button West
	Emergency	Bool	%I0.4	False	True	True	True				Emergency Button
	System_ON_PB	Bool	%I0.5	False	True	True	True				

Totally Integrated Automation Portal																	
Input Tags [6] User constants <table><thead><tr><th colspan="5">User constants</th></tr><tr><th></th><th>Name</th><th>Data type</th><th>Value</th><th>Comment</th></tr></thead><tbody><tr><td colspan="5"></td></tr></tbody></table>			User constants						Name	Data type	Value	Comment					
User constants																	
	Name	Data type	Value	Comment													

PLC tags

PLC tags												
	Name	Data type	Address	Retain	Accessi- ble from HMI/OPC UA/Web API	Writable from HMI/OPC UA/Web API	Visible in HMI engi- neering	Supervision			Comment	
	RED_NORTH	Bool	%Q0.0	False	True	True	True					
	GREEN_NORTH	Bool	%Q0.1	False	True	True	True					
	YELLOW_NORTH	Bool	%Q0.2	False	True	True	True					
	WALK_NORTH	Bool	%Q0.3	False	True	True	True					
	RED_SOUTH	Bool	%Q0.4	False	True	True	True					
	GREEN_SOUTH	Bool	%Q0.5	False	True	True	True					
	YELLOW_SOUTH	Bool	%Q0.6	False	True	True	True					
	WALK_SOUTH	Bool	%Q0.7	False	True	True	True					
	RED_EAST	Bool	%Q1.0	False	True	True	True					
	GREEN_EAST	Bool	%Q1.1	False	True	True	True					
	YELLOW_EAST	Bool	%Q1.2	False	True	True	True					
	WALK_EAST	Bool	%Q1.3	False	True	True	True					
	RED_WEST	Bool	%Q1.4	False	True	True	True					
	GREEN_WEST	Bool	%Q1.5	False	True	True	True					
	YELLOW_WEST	Bool	%Q1.6	False	True	True	True					
	WALK_WEST	Bool	%Q1.7	False	True	True	True					
	EMERGENCY LIGHT	Bool	%Q2.0	False	True	True	True					

Output Tags [17]

User constants

User constants				
	Name	Data type	Value	Comment

--	--	--