









<https://github.com/X3N000/glimmer>

Sheet: /USB-UART Programmer/
File: usb_uart_programmer.kicad_sch

Title: USB-UART Programmer


Size: A4

Date: 2026-05-04

Rev: v1.0.0

KiCad E.D.A. 10.0.1

Id: 3/8



<https://github.com/X3N000/glimmer>

Sheet: /Voltage Converter/

File: voltage_converter.kicad_sch

Title: Voltage Converter

Size: A4 | Date: 2026-05-04

KiCad E.D.A. 10.0.1

Rev: v1.0.0

Id: 4/8






<https://github.com/X3N000/glimmer>

Sheet: /Outputs/
File: outputs.kicad_sch

Title: Outputs

Size: A4	Date: 2026-05-04	Rev: v1.0.0
KiCad E.D.A. 10.0.1		Id: 6/8



<https://github.com/X3N000/glimmer>

Sheet: /Level Shifter/
File: level_shifter.kicad_sch

Title: Level Shifter



Size: A4 Date: 2026-05-04

KiCad E.D.A. 10.0.1

Rev: v1.0.0

Id: 7/8

I feel like the PWR_FLAG here is a hack but if it's not present the ERC flags the Vs pin



<https://github.com/X3N000/glimmer>

Sheet: /Inputs/
File: inputs.kicad_sch

Title: Inputs

Size: A4	Date: 2026-05-04	Rev: v1.0.0
KiCad E.D.A. 10.0.1		Id: 8/8