TLAMATINI

Complete Project Dossier: what the system does, how it works, how to use it, complete tracked file tree, and effective line inventory

Measure	Value
Generated	May 24, 2026 11:16 AM UTC-0600
Current HEAD	413b1eb - Updating markdown documentation to align them to v1.7.1, by angelahack1
Resolved version	1.7.1 (git)
Tracked files	487
Workflow agents	67
Multi-Turn tools	74
Skills	24
Total effective lines	107,128
Total physical text lines	145,853

1. What Tlamatini Is

- Tlamatini is a local-first AI developer assistant built with Django, Django Channels, LangChain, LangGraph, FAISS/BM25 retrieval, and a large in-repository agent application.
- It combines a browser chat surface, a Retrieval-Augmented Generation stack, a Multi-Turn tool executor, MCP-backed context providers, wrapped chat-agent runtimes, and a visual Agentic Control Panel for workflow design.
- The platform is designed for development operations: codebase analysis, file and directory context, command execution, Python execution, screenshots, web/search helpers, notifications, DevOps tools, local model operation, and Windows packaging.

What the system does

- Answers codebase questions with loaded file or directory context.
- Uses hybrid retrieval to extract metadata, split content, rank source chunks, and respect context budgets.
- Gives operators GUI-first database maintenance through the new DB dropdown for backup and staged database replacement.
- Warns GPU-host operators before a directory-context load is likely to saturate VRAM and degrade embedding throughput.
- Exposes a coherent versioning surface across builds, runtime UI, logs, and an open health-check endpoint.
- Can command Kali Linux offensive-security tooling through MCP-Kali-Server for authorized recon, enumeration, web scanning, and assessment workflows.
- Can manage real desktop windows by title: focus them, tile them, resize them, list them, and close them deterministically through Win32 calls.
- Can drive a real Playwright browser through scripted interactive steps for logins, forms, assertions, downloads, extraction, and end-to-end UI checks.
- Can drive a live Unreal Engine 5 editor through the Unreal MCP plugin, from either Multi-Turn chat or the visual workflow canvas.
- Actively reaps orphaned Windows console-host and pool-child processes so long Multi-Turn or ACPX sessions do not leave misleading Tlamatini-icon ghosts in Task Manager.
- Runs checked Multi-Turn requests through request-scoped planning, capability selection, tool calls, observations, monitoring, and final synthesis.
- Launches wrapped copies of selected workflow agents in isolated runtime folders without mutating templates.
- Lets users design, validate, save, pause, resume, and stop visual workflows through the Agentic Control Panel.
- Turns successful Multi-Turn tool executions into starter `.flw` workflows that can be inspected and validated in ACP.
- Packages the project into a distributable Windows release with installer and uninstaller tooling.

How it works

- Browser UI sends chat and workflow requests through Django views and Channels WebSockets.
- RAG chains load selected file/directory context, retrieve relevant chunks, and build answer prompts.
- DB-menu actions validate directories or SQLite files in the browser, then call Django views that either copy the live database out or stage a replacement into `DB/ToLoad/db.sqlite3`.
- Before a heavy directory embedding run on supported NVIDIA hosts, a fail-open pre-flight guard can estimate VRAM pressure and surface a non-blocking warning in chat.
- Version resolution now flows through git tags, a runtime resolver module, generated build artefacts, and an open `/agent/version/` endpoint.
- When Multi-Turn is enabled, the global planner selects context and tool stages before the executor binds only the relevant tools, including wrapped deterministic agents such as De-Compresser.
- The Kalier path talks directly to the MCP-Kali-Server Flask API over HTTP with Python-stdlib `urllib`, auto-seeding the default box from `kali_server_url` in Config -> URLs before any one-off per-call override is applied, and captures one

atomic `INI_SECTION_KALIER` block per run.

- The Windower path uses Win32 APIs plus the cross-process `AttachThreadInput` focus-transfer dance to locate windows by title and apply one lifecycle action while still returning structured geometry/state fields.
- The Playwrighter path loads a declarative step list, drives Playwright against Chromium/Firefox/WebKit, and emits one atomic `INI_SECTION_PLAYWRIGHTER` block with status, assertions, extracted values, and the final URL.
- The Unrealer path opens a TCP socket to the Unreal MCP plugin, sends one `{"type": command, "params": {...}}` payload, captures the JSON reply, and emits one `INI_SECTION_UNREALER` block for downstream logic.
- After spawn-capable tool calls and again after the final answer, the orphan reaper can sweep dead descendants, orphaned `conhost.exe` companions, and stale pool-linked processes without ever raising into the chat path.
- Tool calls execute in the backend, append observations, and may create wrapped runtime copies under `agent/agents/pools/_chat_runs_/`.
- On the next full start-up, `manage.py` can swap a staged database into place before Django imports, while archiving the previous live database under `DB/Older/<timestamp>/`.
- ACP flows deploy session-scoped pool instances, wire config values, validate NxN graph rules, and execute through Starter-driven flow semantics.
- Build scripts collect static assets, bundle Django/Python resources, add agent templates, and assemble `pkg.zip`, `Uninstaller.exe`, and `dist/Tlamatini_Release/`.

2. Architecture Layers

Layer	Role
Browser interfaces	Chat page plus Agentic Control Panel templates and JavaScript modules.
Django/Channels	Authentication, views, WebSockets, session state, message persistence, and ASGI startup.
RAG and context	Metadata extraction, text splitting, FAISS/BM25 retrieval, context budgeting, and fallback behavior.
Multi-Turn engine	Capability registry, global execution planner, explicit tool loop, answer parsing, and answer-success classification.
Tools and agents	Core tools, MCP context providers, wrapped chat-agent launchers, and the current visual workflow agent templates.
Packaging	PyInstaller build scripts, shortcut registration, `.flw` association, installer, uninstaller, and release folder assembly.

Design principles

- Evidence-first answers: Tlamatini grounds responses in selected project context and hybrid retrieval rather than freeform model memory.
- Explicit orchestration: checked Multi-Turn uses a visible tool loop, capability scoring, and staged planning instead of a single opaque call.
- Operational reversibility: risky changes such as database replacement are staged, archived, and delayed to the only safe window instead of hot-swapped mid-session.
- Fail-open diagnostics: GPU pressure probes and session-restore safeguards warn early without breaking CPU-only or degraded environments.
- Runtime isolation: wrapped chat-agent copies run in session-scoped folders so template agents remain pristine while live runs stay inspectable.
- Operator truth over vibes: Exec Report tables, tlamatini.log, skill audits, and ACPX transcripts make the system auditable after execution.

3. Installation, Configuration, and Everyday Use

Installation essentials

- Python 3.12.10 is the strongly recommended source-mode version in the README, and the codebase has been tested most deeply there.
- Source installs require a clone, virtual environment, dependency install from `requirements.txt`, migrations, a superuser, static collection, and then the web server.
- You can run either the checked-in cloud/back-end defaults from `Tlamatini/agent/config.json` or a local Ollama-backed configuration with matching model names.
- Packaged Windows installs create a default `user / changeme` account; manual source installs use your own `createsuperuser` account instead.

Configuration essentials

- Source mode resolves `Tlamatini/agent/config.json`; frozen builds resolve `config.json` next to the executable; `CONFIG_PATH` overrides both.
- Core keys include `embeding-model`, `chained-model`, `ollama_base_url`, `ollama_token`, `enable_unified_agent`, `unified_agent_model`, and `unified_agent_max_iterations`.
- URL configuration now also includes `kali_server_url`, edited from `Config -> URLs -> Kali server (Kalier)`, which is the default box that chat-side Kalier runs inherit automatically.
- The chat-side Config -> Models and Config -> URLs dialogs are now first-class configuration surfaces, and they can explicitly ask the operator to reconnect when saved values change live-session assumptions.
- The separate DB dropdown is not a config editor: it is a maintenance surface for copying the live SQLite database out or staging a replacement for the next full start-up.
- Multi-Turn is toggled from the chat toolbar, but it depends on the unified-agent configuration and the selected model/base-url pairing being valid.
- Image interpretation can run through Claude-backed cloud paths or Qwen/Ollama-backed local paths, and remote Ollama can be protected with a bearer token.

DB menu and database swap-in

- The new DB dropdown gives operators two GUI-first maintenance paths: `Backup database` copies the live SQLite file out, and `Set DB` stages a chosen `db.sqlite3` for the next full start-up.
- Both dialogs are live-validated in the browser and now expose Browse buttons that open native host-side pickers for folders or `db.sqlite3` files.
- Backup is read-only and uses the currently live database path; Set DB never hot-swaps the file mid-session because Django already holds SQLite open.
- Set DB writes the selected file to `DB/ToLoad/db.sqlite3`; the real swap happens only at the top of `manage.py` before Django imports anything.
- When that swap runs, the previous live database is moved into `DB/Older/<timestamp>/db.sqlite3`, creating a built-in rollback trail instead of overwriting history.
- Reconnect is not enough for this path: the operator must fully restart Tlamatini so the pre-Django swap window opens again.
- If the staged file is bad or locked, startup fails open: Tlamatini logs the error and continues with the previous live database.

Versioning system

- Tlamatini now follows Semantic Versioning 2.0.0 with git tags as the single source of truth: you tag, then you build, instead of hand-editing version strings across files.
- The build path resolves a version once and propagates it into generated runtime metadata, Win32 VERSIONINFO resources, and the release-folder naming convention.

- On untagged commits the resolver falls back honestly to a git-derived development version instead of failing the build or lying about the release state.

Version surfaces

- Operators can now see the running version in the About dialog, the startup banner, the open `GET /agent/version/` health-check endpoint, and Windows file properties on the built executables.
- The runtime resolver lives in `Tlamatini/agent/version.py`, while the build-oriented coordination logic lives in the repo-root `versioning.py` and the longer policy notes live in `VERSIONING.md`.
- Build overrides are supported in a predictable order: CLI `--version`, then `TLAMATINI_VERSION`, then git describe, then the sentinel `0.0.0+unknown`.

De-Compresser agent

- De-Compresser is the deterministic archive worker for compression and decompression tasks, deciding direction from whichever side exposes a recognized archive extension.
- Supported archive families are `.gz`, `.zip`, `.7z`, `.tar.gz`, and `.gz.tar`; file-to-folder extraction and file-or-directory packing are both documented in the README and Book.
- Password handling is explicit: `passwordless=true` skips it, while `passwordless=false` requires the `DE_COMPRESSER_PWD` environment variable and fails fast if the secret is missing.

De-Compresser integration and fallback behavior

- The agent is reachable from both operator surfaces: ACP canvas nodes wire through dedicated connection-update views, and checked Multi-Turn can invoke it through `chat_agent_de_compresser`.
- Format engines are practical rather than magical: stdlib `gzip` and `zipfile` cover core cases, `7z` is preferred for encrypted `7z` or `zip`, and `py7zr` was added to `requirements.txt` as the Python fallback.
- Every run emits an `INI_SECTION_DE_COMPRESSER<<< ... >>>END_SECTION_DE_COMPRESSER` block and still triggers `target_agents`, so downstream Parametrizer or Raiser logic can branch on `success=true|false` instead of guessing from prose.

Unreal MCP and the Unrealer agent

- Unreal MCP is a UE5 plugin that runs inside the editor and listens on `127.0.0.1:55557` for one JSON command per TCP connection; Tlamatini is the client side of that link, not the plugin host.
- The Unrealer workflow agent exposes the upstream 28-command surface: actor manipulation, Blueprint authoring and node wiring, input mappings, and UMG widget building.
- The same integration is available in both operator surfaces: checked Multi-Turn via `chat_agent_unrealer`, and ACP canvas flows via the visual Unrealer node plus Parametrizer chaining.

Installing the UE5 plugin and smoke-testing it

- Install the upstream plugin into `<YourProject>/Plugins/UnrealMCP/`, enable it from `Edit -> Plugins`, restart UE5, and confirm the Output Log says `UnrealMCP listening on 127.0.0.1:55557`.
- Tlamatini does not compile or embed the plugin; the Unreal editor must already be running with the listener bound before any Unrealer call can succeed.
- A seeded smoke test ships in the Prompts table: `Unreal MCP End-to-End Editor Drive` walks through sanity-check, actor spawn, Blueprint creation/compile, and UMG widget assembly.

Orphan-process cleanup

- Tlamatini now ships a three-tier orphan reaper in `Tlamatini/agent/orphan_reaper.py` focused on Windows console-host leftovers such as `conhost.exe` and `openconsole.exe`.
- Tier 1 runs after spawn-capable Multi-Turn tool calls, Tier 2 runs once after the final answer in a background thread, and Tier 3 runs again during application shutdown through the same cleanup path that already tears down pools.

- The candidate set stays narrow on purpose: dead descendants of the current process tree, orphaned console hosts tied to that tree, and pool-linked processes whose `cmdline` still points into `agents/pools/...` even though tracking records are gone.

Orphan-process prevention and survivor reporting

- Prevention landed alongside cleanup: Windows spawn sites now use `CREATE_NO_WINDOW | DETACHED_PROCESS | CREATE_NEW_PROCESS_GROUP` with stdio piped to `DEVNULL`, so the console host is usually never allocated in the first place.
- The ACPX runtime now kills full process trees instead of only top-level wrappers, and pool-agent scripts gained a conservative `subprocess.Popen` guard so forgotten descendants still inherit `CREATE_NO_WINDOW`.
- If something survives both cleanup tiers, Tlamatini sends a second chat bubble listing each surviving `name + PID`; the reaper never raises into the user path because a cleanup crash would be worse than the leftovers it tried to remove.

How to use it

- Run from source: create a virtual environment, install requirements, migrate, create a superuser, collect static files, and start Django.
- Open `/agent/` for chat. Load a file or directory context before asking codebase-specific questions.
- Keep Multi-Turn unchecked for direct Q&A; enable Multi-Turn for tasks that need tools, wrapped agents, monitoring, or workflow seeding.
- For authorized Kali Linux assessments, run MCP-Kali-Server on the Kali box, set `Config -> URLs -> Kali server (Kalier)` once, and then call `chat_agent_kalier` from Multi-Turn with the desired `action` and `target` without repeating the box URL each turn.
- For desktop-window control, call `chat_agent_windower` from Multi-Turn to focus, tile, resize, list, or close a window by title, or model the same action in ACP with the Windower node.
- For interactive web automation, call `chat_agent_playwrighter` from Multi-Turn with a `steps_json` script, or author the same step list visually with the Playwrighter node on the canvas.
- For Unreal Engine work, enable the Unreal MCP plugin inside a live UE5 project first, then call `chat_agent_unrealer` from Multi-Turn or use the visual Unrealer node on the canvas.
- Archive jobs can now be described directly in Multi-Turn or modeled visually in ACP: De-Compresser infers compress vs decompress from the `input` or `output` extension.
- If a second post-answer warning bubble ever lists surviving `name + PID` entries, treat it as an honest cleanup report and end the listed processes manually from Task Manager if needed.
- Use the `ACPX-Skills` navbar menu when you need to browse, enable/disable, diagnose, or reload the shipped SKILL.md catalog without asking the LLM to be your admin surface.
- Use the DB dropdown when you need a safe database snapshot or want to stage a different `db.sqlite3` for the next start-up without hot-swapping the live SQLite file.
- Open `/agentic_control_panel/` to drag agents, connect them, configure each node, validate, start, pause/resume, stop, and save `.flw` workflows.
- Use `python build.py`, `python build_uninstaller.py`, and `python build_installer.py` only when producing a packaged Windows release.

Agent descriptions and catalog source of truth

- The authoritative human-readable source for workflow-agent descriptions is `agents_descriptions.md` at the repo root, not an embedded JavaScript map or a hard-coded Django list.
- Current validation compares live template directories, `agents_descriptions.md` rows, and the README / Book bestiary counts so the generated dossier stays aligned with the running product.
- The ACP sidebar hover tooltip and the right-click Description dialog both resolve through that markdown file first; `README.md` is only a legacy fallback when the dedicated description file is absent.

Reviewer and Analyzer

- The workflow catalog now includes two new high-value specialists: Reviewer and Analyzer, lifting the canvas inventory to 64 agents and the seed-skill catalog to 23 SKILL.md packages.
- Reviewer is LLM-powered: it resolves a git diff for `repo_path`, reviews it with a senior-engineer prompt, and emits an `INI_SECTION_REVIEWER` block whose first routable field is `verdict = APPROVE | REQUEST_CHANGES | COMMENT`.
- Analyzer is deterministic and scanner-driven: it runs whichever of `bandit`, `semgrep`, `ruff`, `eslint`, `gitleaks`, and `pip-audit` are installed on PATH over `target_path`, then emits an `INI_SECTION_ANALYZER` block with `status` and `total_findings` for downstream routing.
- Both agents always trigger `target_agents`, so a downstream Forker can branch on `{verdict}`, `{status}`, or `{total_findings}` instead of scraping prose.
- They are intentionally canvas-only workflow agents: there is no wrapped `chat_agent_reviewer` or `chat_agent_analyzer`, and therefore no duplicate Exec Report row family for those names.
- The chat-side counterparts live in the ACPX skill catalog instead: `code-review` exposes senior-engineer git-diff review, while `security-audit` exposes the deterministic multi-scanner sweep.

Operator surface counts

- The live operator surface now stands at 67 workflow agents, 74 Multi-Turn tools, 12 ACPX tools, and 24 skills.
- Source inspection confirms the newer total: 42 wrapped chat-agent tools in `chat_agent_registry.py`, which combines with 20 core Python tools and 12 ACPX/Skill tools for 74 Multi-Turn tools overall.
- README.md and BookOfTlamatini.md now agree on those counts, so the dossier can mirror the docs and the live registry without reconciliation footnotes.
- This matters operationally because the planner never binds everything at once: the documented default `max_selected_tools` cap stays at 20, so breadth of capability does not mean uncontrolled tool sprawl per turn.

Kalier in v1.7.1

- Kalier remains the 67th workflow agent in `v1.7.1`, but its newest upgrade is usability: Tlamatini now acts as the embedded MCP-Kali-Server client for chat-side runs.
- It can issue one capability per run, including `nmap`, `gobuster`, `dirb`, `nikto`, `sqlmap`, `metasploit`, `hydra`, `john`, `wpscan`, `enum4linux`, arbitrary `command`, or a safe `health` probe of the remote server.
- The agent emits `INI_SECTION_KALIER` with `action`, `endpoint`, `subject`, `return_code`, `success`, `timed_out`, and `server_url`, so downstream Forker or Parametrizer logic can branch on results without scraping prose.
- The practical operator result is simpler prompts: after the Kali box URL is configured once, normal Multi-Turn requests no longer repeat `server_url` unless you intentionally override it for a one-off target.
- Two operator surfaces ship in lock-step: the wrapped Multi-Turn tool `chat_agent_kalier` now auto-injects the configured `kali_server_url`, while the visual Kalier canvas node still stores `server_url` explicitly in YAML per node.
- Kalier talks straight to the Kali-side Flask API over HTTP using Python-stdlib `urllib`, so it stays self-contained in the pool subprocess and works the same in source or frozen builds; the embedded-client injection fails open if the config value is blank or unreadable.
- Authorized use only: the intended operator flow is an in-scope lab, CTF, or permitted engagement, often with `ssh -L 5000:localhost:5000 user@KALI_IP` tunneling a remote Kali box back to `http://127.0.0.1:5000`, and the repo now includes `Tlamatini-Kali-Setup.md` for the zero-client walkthrough.

Windower on Multi-Turn and canvas

- Windower is the new 66th workflow agent: a deterministic Win32 window manager that finds an application window by title and performs one lifecycle operation on the window itself instead of clicking inside it.
- It supports `focus`, `minimize`, `maximize`, `restore`, `move`, `resize`, `move_resize`, `close`, `topmost`, `untopmost`, `arrange`, and `list`, with `substring`, `exact`, or `regex` title matching plus `match_index` for duplicate titles.
- The agent emits `INI_SECTION_WINDOWER` with `action`, `window_title`, `matched`, `match_count`, `state`, `left`, `top`, `width`, and `height`, so downstream Forker or Parametrizer logic can branch on presence, state, or geometry.

- Two operator surfaces ship in lock-step: the wrapped Multi-Turn tool `chat_agent_windower` accepts free-form key=value requests, while the visual Windower canvas node stores the same operation fields in YAML.
- Windower is the desktop-window sibling of Mouser and Keyboarder: use Windower when the goal is the window as a whole, Mouser for controls inside it, and Keyboarder for text entry into it.
- Because Windower changes real window state, its executions appear in Exec Report and it always triggers `target_agents` whether the action succeeds or fails.

Playwrighter in v1.5.0

- Playwrighter is the new 65th workflow agent in `v1.5.0`: a deterministic Playwright-powered browser automator for Chromium, Firefox, or WebKit that executes ordered interactive steps instead of static fetches.
- It covers the gap between Crawler and Googler: logins, multi-step forms, wizard clicks, JS-rendered SPA scraping, screenshots after interaction, assertions, downloads, and authenticated end-to-end UI checks.
- The agent emits `INI_SECTION_PLAYWRIGHTER` with `start_url`, `final_url`, `status`, `steps_run`, `assert_result`, and extracted values so downstream Forker or Parametrizer logic can branch on pass/fail or reuse scraped data.
- Two operator surfaces ship in lock-step: the wrapped Multi-Turn tool `chat_agent_playwrighter` takes the whole script as `steps_json`, while the visual Playwrighter canvas node stores the same declarative step list in YAML.
- Session continuity is built in: `headless: false` lets operators watch it drive, and `storage_state_in` / `storage_state_out` carry login state across runs without forcing a manual browser setup each time.
- Because Playwrighter is state-changing, its executions appear in Exec Report and it always triggers `target_agents` whether the run succeeds or fails.

Reviewer precision patch in v1.4.1

- The `v1.4.1` Reviewer refinement tightened accuracy rather than adding a new surface: when `diff_ref` is empty, the review prompt labels the diff as the uncommitted working tree plus staged area, so the model must not describe those findings as already committed or pushed.
- The same patch teaches the model Tlamatini’s managed-secret convention: `agent/config.json` and selected `agent/agents/*/config.yaml` files can hold live local credentials in a keyed working copy, while `regen_secrets.py --mode push-able` scrubs them back to placeholders before commit.
- That guidance is mirrored into the `code-review` SKILL.md package too, keeping the chat-surface review behavior and the canvas Reviewer agent aligned on commit-state wording and secret-severity expectations.

Native dialogs and Tkinter removal in v1.4.2

- The current tagged release `v1.4.2` removes Tkinter from the unstable runtime-facing dialog path and replaces it with `Tlamatini/agent/native_dialogs.py`, a native Windows dialog bridge used by browser-triggered pickers.
- This change pairs with the existing DB and operator dialogs: file and folder selection still feels local and GUI-first, but the fragile Tkinter dependency is no longer part of the interactive runtime path that users trigger from chat or ACP surfaces.
- The patch arrived with dedicated tests (`test_native_dialogs.py`) and with follow-up orphan-reaper/runtime adjustments, so the release reads as a stability pass rather than a cosmetic refactor.

ACPX-Skills menu

- The new `ACPX-Skills` navbar menu gives operators four direct actions over the skill catalog: Browse Skills, Configure Skills, Diagnostics, and Reload Registry.
- `Configure Skills` flips `Skill.enabled` exactly the way MCPs and Tools are toggled, so disabled skills disappear from `list_skills` and reject `invoke_skill` with `SKILL_DISABLED` instead of silently half-working.
- The diagnostics view cross-checks skill dependencies against disabled tools, disabled MCPs, missing ACPX agents, and orphan database rows whose SKILL.md disappeared from disk.

Source-mode bootstrap commands

```
python -m venv venv
venv\Scripts\activate
pip install -r requirements.txt
python Tlamatini/manage.py migrate
```

```
python Tlamatini/manage.py createsuperuser
python Tlamatini/manage.py collectstatic --noinput
python Tlamatini/manage.py runserver --noreload
```

4. Ollama Setup Without Administrative Rights

- Open a normal PowerShell window, not an elevated one, for the safest no-admin Windows installation path.
- Install into `%LOCALAPPDATA%\Programs\Ollama` with the official PowerShell installer script and then reopen PowerShell so PATH updates are visible.
- Verify the CLI with `ollama --version`, start `ollama serve` if the background service is not already active, and confirm `http://127.0.0.1:11434/api/tags` responds.
- Pull the default repository model tags exactly as written if you want the shipped config and agent templates to work unchanged.

No-admin Ollama commands and default model pulls

```
$env:OLLAMA_INSTALL_DIR = "$env:LOCALAPPDATA\Programs\Ollama"
irm https://ollama.com/install.ps1 | iex
ollama --version
ollama serve
Invoke-WebRequest http://127.0.0.1:11434/api/tags -UseBasicParsing
ollama pull qwen3-embedding:8b
ollama pull glm-5:cloud
ollama pull qwen3.5:cloud
ollama pull gpt-oss:120b-cloud
ollama pull qwen3.5:397b-cloud
ollama pull llama3.2-vision:11b
```

5. Runtime, Release, and Operator Diagnostics

Running the application

- Development server: `python Tlamatini/manage.py runserver --noreload`.
- Preferred async/dev bootstrap: `python Tlamatini/manage.py startserver`, which starts MCP services before the Django server.
- Production-style ASGI entrypoint: `daphne -b 127.0.0.1 -p 8000 tlamatini.asgi:application`.
- Current startup also re-applies GPU-performance / Ollama-pinning hooks in the background on supported NVIDIA Windows hosts, so restart-time behavior stays closer to the tuned development baseline.
- That same early startup window is also where a staged `DB/ToLoad/db.sqlite3` file is promoted into the live database path, before Django opens SQLite.
- Startup now also prints a `--- [VERSION] Tlamatini ...` banner, making the running build visible in both the console and `tlamatini.log` without an HTTP call.
- Startup cleans pool state, repopulates the agent registry, launches MCP metrics/file-search servers, and then serves HTTP plus WebSocket traffic.

Embedding-memory pre-flight guard

- README and BookOfTlamatini now document an embedding-memory pre-flight guard for GPU hosts before a directory-context load starts its FAISS embedding burst.
- On supported NVIDIA hosts it estimates embedding-model VRAM pressure, and when the projected load is too high it emits a non-blocking warning chat bubble instead of silently letting RAM<->VRAM thrash surprise the operator.
- CPU-only, AMD, and Apple-Silicon hosts stay fail-open: the guard becomes a no-op when the NVIDIA probe does not apply.
- The practical operator response is straightforward: switch to a smaller embedding model, reconnect if needed, or proceed knowingly with the heavier model.

Reconnect and restart safeguards

- Config -> Models and Config -> URLs dialogs now track their pre-edit baseline and can show a reconnect-required dialog when the saved values change what the live chat session should trust.
- The restored-session autoload path now buffers early WebSocket frames so context-loading spinners and disabled-input state are not lost during automatic reconnect/restore flows.
- Startup and restart behavior now also re-apply GPU performance and Ollama keep-alive hooks in the background on supported NVIDIA Windows hosts, improving warm-model readiness without blocking Django boot.
- Windows process hygiene is now part of that safety story too: detached no-window spawns and the three-tier orphan reaper reduce the chance that Task Manager shows stale Tlamatini-icon console helpers after long runs.

Prompt catalog and answer readability discipline

- Version `1.3.2` tightened the HTML answer contract with a Prime Directive on visual readability: explicit background and text color, no grey-on-dark body text, and safer table-body defaults.
- The seeded `Prompts` dropdown was also re-sorted into a learner path: context-only Q&A first, then metrics, files search, shell, code generation, vision, specialized single-tool actions, agent control, Unrealer, and heavier Multi-Turn/ACPX demos last.
- Those readability rules remain in force in the current documentation set, and the newer `v1.7.1` release state keeps the version badge, runtime surfaces, and operator handbook aligned.

Unreal MCP runtime behavior

- Each Unrealer run is one command: load `config.yaml`, open a fresh TCP socket, send `{"type": command, "params": params}`, read until valid JSON arrives, and log one atomic `INI_SECTION_UNREALER<<< ... >>>END_SECTION_UNREALER` block.

- The wrapped-tool path stores chat runs under `agent/agents/pools/_chat_runs_/unrealer_<seq>_<id>/`, while visual flows use normal `unrealer_<n>` pool folders and can chain response fields through Parametrizer mappings.
- Exec Report treats Unrealer as its own row family, and troubleshooting stays concrete: connection-refused means the plugin is not listening, while read-timeout usually means UE5's game thread is busy.

Orphan reaper runtime behavior

- Tlamatini now ships a three-tier orphan reaper in `Tlamatini/agent/orphan_reaper.py` focused on Windows console-host leftovers such as `conhost.exe` and `openconsole.exe`.
- Tier 1 runs after spawn-capable Multi-Turn tool calls, Tier 2 runs once after the final answer in a background thread, and Tier 3 runs again during application shutdown through the same cleanup path that already tears down pools.
- The candidate set stays narrow on purpose: dead descendants of the current process tree, orphaned console hosts tied to that tree, and pool-linked processes whose `cmdline` still points into `agents/pools/...` even though tracking records are gone.
- Prevention landed alongside cleanup: Windows spawn sites now use `CREATE_NO_WINDOW | DETACHED_PROCESS | CREATE_NEW_PROCESS_GROUP` with stdio piped to `DEVNULL`, so the console host is usually never allocated in the first place.
- The ACPX runtime now kills full process trees instead of only top-level wrappers, and pool-agent scripts gained a conservative `subprocess.Popen` guard so forgotten descendants still inherit `CREATE_NO_WINDOW`.
- If something survives both cleanup tiers, Tlamatini sends a second chat bubble listing each surviving `name + PID`; the reaper never raises into the user path because a cleanup crash would be worse than the leftovers it tried to remove.

Release pipeline

- Release production is a three-step pipeline: `build.py` -> `build_uninstaller.py` -> `build_installer.py`.
- The final distributable is the full `dist/Tlamatini_Release/` folder, not a stray executable copied outside its payload.
- Current `build.py` treats `README.md` and `jd-cli/` as required post-build assets and fails hard if those payloads are missing.
- Bundled support scripts cover shortcut creation/removal, `.flw` association, the PowerShell launcher, and Windows-specific installer ergonomics.

Exec Report

- Exec Report is a Multi-Turn-only transparency layer that appends one operation table per state-changing agent family to the final answer.
- Rows are recorded from the live tool-call stream rather than guessed from the LLM prose, so the report is the operational ground truth.
- Each row receives a SUCCESS/FAILURE verdict from raw tool returns, making long installs, deployments, and remediations inspectable after the fact.

ACPX and skills

- ACPX lets Tlamatini spawn external coding-agent CLIs such as Codex, Claude Code, Cursor, Gemini, Qwen, and others as managed child processes.
- It pairs those agents with markdown-driven `SKILL.md` packages, validated I/O contracts, permission gating, and append-only audit logs.
- Transport-aware drain rules and bounded event bodies reduce latency while protecting the LLM context budget during external-agent relays.
- The operator-facing references are `README.md` and `ACPX.md`, while the implementation lives under `agent/acpx/`, `agent/skills/`, and `agent/skills_pkg/`.

Application log

- The built-in `tlamatini.log` file captures both stdout and stderr through a tee stream initialized in `manage.py` before Django starts.

- In source mode the log sits next to `manage.py`; in frozen mode it lives next to the executable.
- Immediate flush behavior makes the log the primary forensic artifact for startup problems, warnings, tracebacks, and runtime diagnostics.

6. Agent Catalog and Runtime Model

Tlamatini currently exposes 67 workflow-agent templates.

Category	Representative agents
Control	starter, ender, stopper, cleaner, barrier, flowbacker
Execution and files	executer, pythonxer, pser, file_creator, file_extractor, file_interpreter, de_compresser, playwrighter, windower, unreale
DevOps and infra	gitter, dockerer, kuberneter, jenkinser, ssher, scper
Data and APIs	sqler, mongoxer, apirer, crawler, googler
Monitoring and routing	monitor_log, monitor_netstat, flowhypervisor, forker, asker, counter, and, or
Communication	notifier, emailer, recmailer, telegramer, telegramrx, teletlamatini, whatsapper, whatstlamatini
Security and media	kyber_keygen, kyber_cipher, kyber_decipher, image_interpreter, shoter, j_decompiler
Workflow intelligence	flowcreator, gatewayer, gateway_relayer, node_manager, parametrizer, prompter, summarizer, acpxer

All workflow agents follow a common deployment pattern: template directory, YAML configuration, session-scoped pool copy, PID/status/log files, target/source wiring, and optional reanimation state.

Agent catalog validation

- The authoritative human-readable source for workflow-agent descriptions is `agents_descriptions.md` at the repo root, not an embedded JavaScript map or a hard-coded Django list.
- Current validation compares live template directories, `agents_descriptions.md` rows, and the README / Book bestiary counts so the generated dossier stays aligned with the running product.
- The ACP sidebar hover tooltip and the right-click Description dialog both resolve through that markdown file first; `README.md` is only a legacy fallback when the dedicated description file is absent.

How agent runtimes are shaped

- Every workflow agent follows the same operational skeleton: template directory, `config.yaml`, a session-scoped pool copy, PID/status/log files, and explicit source/target wiring.
- Chat-wrapped tool calls launch isolated runtime copies under `agent/agents/pools/_chat_runs_/`, while ACP uses named pool folders such as `starter_1` or `unrealer_1`.
- Specialized agents now stretch the platform in different directions: ACPXer drives external coding-agent CLIs, Kalier drives a remote or tunneled Kali Linux tool server, Unrealer drives a live UE5 editor, and TeleTlamatini / WhatsTlamatini bridge full Tlamatini conversations into messaging platforms.

Reviewer and Analyzer spotlight

- The workflow catalog now includes two new high-value specialists: Reviewer and Analyzer, lifting the canvas inventory to 64 agents and the seed-skill catalog to 23 SKILL.md packages.
- Reviewer is LLM-powered: it resolves a git diff for `repo_path`, reviews it with a senior-engineer prompt, and emits an `INI_SECTION_REVIEWER` block whose first routable field is `verdict = APPROVE | REQUEST_CHANGES | COMMENT`.
- Analyzer is deterministic and scanner-driven: it runs whichever of `bandit`, `semgrep`, `ruff`, `eslint`, `gitleaks`, and `pip-audit` are installed on PATH over `target_path`, then emits an `INI_SECTION_ANALYZER` block with `status` and `total_findings` for downstream routing.
- Both agents always trigger `target_agents`, so a downstream Forker can branch on `{verdict}`, `{status}`, or `{total_findings}` instead of scraping prose.
- They are intentionally canvas-only workflow agents: there is no wrapped `chat_agent_reviewer` or `chat_agent_analyzer`, and therefore no duplicate Exec Report row family for those names.
- The chat-side counterparts live in the ACPX skill catalog instead: `code-review` exposes senior-engineer git-diff review, while `security-audit` exposes the deterministic multi-scanner sweep.

Operator surface counts

- The live operator surface now stands at 67 workflow agents, 74 Multi-Turn tools, 12 ACPX tools, and 24 skills.
- Source inspection confirms the newer total: 42 wrapped chat-agent tools in `chat_agent_registry.py`, which combines with 20 core Python tools and 12 ACPX/Skill tools for 74 Multi-Turn tools overall.
- README.md and BookOfTlamatini.md now agree on those counts, so the dossier can mirror the docs and the live registry without reconciliation footnotes.
- This matters operationally because the planner never binds everything at once: the documented default `max_selected_tools` cap stays at 20, so breadth of capability does not mean uncontrolled tool sprawl per turn.

Kalier spotlight

- Kalier remains the 67th workflow agent in `v1.7.1`, but its newest upgrade is usability: Tlamatini now acts as the embedded MCP-Kali-Server client for chat-side runs.
- It can issue one capability per run, including `nmap`, `gobuster`, `dirb`, `nikto`, `sqlmap`, `metasploit`, `hydra`, `john`, `wpscan`, `enum4linux`, arbitrary `command`, or a safe `health` probe of the remote server.
- The agent emits `INI_SECTION_KALIER` with `action`, `endpoint`, `subject`, `return_code`, `success`, `timed_out`, and `server_url`, so downstream Forker or Parametrizer logic can branch on results without scraping prose.
- The practical operator result is simpler prompts: after the Kali box URL is configured once, normal Multi-Turn requests no longer repeat `server_url` unless you intentionally override it for a one-off target.
- Two operator surfaces ship in lock-step: the wrapped Multi-Turn tool `chat_agent_kalier` now auto-injects the configured `kali_server_url`, while the visual Kalier canvas node still stores `server_url` explicitly in YAML per node.
- Kalier talks straight to the Kali-side Flask API over HTTP using Python-stdlib `urllib`, so it stays self-contained in the pool subprocess and works the same in source or frozen builds; the embedded-client injection fails open if the config value is blank or unreadable.
- Authorized use only: the intended operator flow is an in-scope lab, CTF, or permitted engagement, often with `ssh -L 5000:localhost:5000 user@KALI_IP` tunneling a remote Kali box back to `http://127.0.0.1:5000`, and the repo now includes `Tlamatini-Kali-Setup.md` for the zero-client walkthrough.

Windower spotlight

- Windower is the new 66th workflow agent: a deterministic Win32 window manager that finds an application window by title and performs one lifecycle operation on the window itself instead of clicking inside it.
- It supports `focus`, `minimize`, `maximize`, `restore`, `move`, `resize`, `move_resize`, `close`, `topmost`, `untopmost`, `arrange`, and `list`, with `substring`, `exact`, or `regex` title matching plus `match_index` for duplicate titles.
- The agent emits `INI_SECTION_WINDOWER` with `action`, `window_title`, `matched`, `match_count`, `state`, `left`, `top`, `width`, and `height`, so downstream Forker or Parametrizer logic can branch on presence, state, or geometry.
- Two operator surfaces ship in lock-step: the wrapped Multi-Turn tool `chat_agent_windower` accepts free-form key=value requests, while the visual Windower canvas node stores the same operation fields in YAML.
- Windower is the desktop-window sibling of Mouser and Keyboarder: use Windower when the goal is the window as a whole, Mouser for controls inside it, and Keyboarder for text entry into it.
- Because Windower changes real window state, its executions appear in Exec Report and it always triggers `target_agents` whether the action succeeds or fails.

Playwrighter spotlight

- Playwrighter is the new 65th workflow agent in `v1.5.0`: a deterministic Playwright-powered browser automator for Chromium, Firefox, or WebKit that executes ordered interactive steps instead of static fetches.
- It covers the gap between Crawler and Googler: logins, multi-step forms, wizard clicks, JS-rendered SPA scraping, screenshots after interaction, assertions, downloads, and authenticated end-to-end UI checks.
- The agent emits `INI_SECTION_PLAYWRIGHTER` with `start_url`, `final_url`, `status`, `steps_run`, `assert_result`, and extracted values so downstream Forker or Parametrizer logic can branch on pass/fail or reuse scraped data.

- Two operator surfaces ship in lock-step: the wrapped Multi-Turn tool `chat_agent_playwrighter` takes the whole script as `steps_json`, while the visual Playwrighter canvas node stores the same declarative step list in YAML.
- Session continuity is built in: `headless: false` lets operators watch it drive, and `storage_state_in` / `storage_state_out` carry login state across runs without forcing a manual browser setup each time.
- Because Playwrighter is state-changing, its executions appear in Exec Report and it always triggers `target_agents` whether the run succeeds or fails.

Reviewer precision spotlight

- The `v1.4.1` Reviewer refinement tightened accuracy rather than adding a new surface: when `diff_ref` is empty, the review prompt labels the diff as the uncommitted working tree plus staged area, so the model must not describe those findings as already committed or pushed.
- The same patch teaches the model Tlamatini's managed-secret convention: `agent/config.json` and selected `agent/agents/*/config.yaml` files can hold live local credentials in a keyed working copy, while `regen_secrets.py --mode push-able` scrubs them back to placeholders before commit.
- That guidance is mirrored into the `code-review` SKILL.md package too, keeping the chat-surface review behavior and the canvas Reviewer agent aligned on commit-state wording and secret-severity expectations.

Native-dialog spotlight

- The current tagged release `v1.4.2` removes Tkinter from the unstable runtime-facing dialog path and replaces it with `Tlamatini/agent/native_dialogs.py`, a native Windows dialog bridge used by browser-triggered pickers.
- This change pairs with the existing DB and operator dialogs: file and folder selection still feels local and GUI-first, but the fragile Tkinter dependency is no longer part of the interactive runtime path that users trigger from chat or ACP surfaces.
- The patch arrived with dedicated tests (`test_native_dialogs.py`) and with follow-up orphan-reaper/runtime adjustments, so the release reads as a stability pass rather than a cosmetic refactor.

Unrealer spotlight

- Unreal MCP is a UE5 plugin that runs inside the editor and listens on `127.0.0.1:55557` for one JSON command per TCP connection; Tlamatini is the client side of that link, not the plugin host.
- The Unrealer workflow agent exposes the upstream 28-command surface: actor manipulation, Blueprint authoring and node wiring, input mappings, and UMG widget building.
- The same integration is available in both operator surfaces: checked Multi-Turn via `chat_agent_unrealer`, and ACP canvas flows via the visual Unrealer node plus Parametrizer chaining.
- Each Unrealer run is one command: load `config.yaml`, open a fresh TCP socket, send `{"type": command, "params": params}`, read until valid JSON arrives, and log one atomic `INI_SECTION_UNREALER<<< ... >>>END_SECTION_UNREALER` block.
- The wrapped-tool path stores chat runs under `agent/agents/pools/_chat_runs_/unrealer_<seq>_<id>/`, while visual flows use normal `unrealer_<n>` pool folders and can chain response fields through Parametrizer mappings.
- Exec Report treats Unrealer as its own row family, and troubleshooting stays concrete: connection-refused means the plugin is not listening, while read-timeout usually means UE5's game thread is busy.

De-Compresser spotlight

- De-Compresser is the deterministic archive worker for compression and decompression tasks, deciding direction from whichever side exposes a recognized archive extension.
- Supported archive families are `.gz`, `.zip`, `.7z`, `.tar.gz`, and `.gz.tar`; file-to-folder extraction and file-or-directory packing are both documented in the README and Book.
- Password handling is explicit: `passwordless=true` skips it, while `passwordless=false` requires the `DE_COMPRESSER_PWD` environment variable and fails fast if the secret is missing.
- The agent is reachable from both operator surfaces: ACP canvas nodes wire through dedicated connection-update views, and checked Multi-Turn can invoke it through `chat_agent_de_compresser`.

- Format engines are practical rather than magical: stdlib `gzip` and `zipfile` cover core cases, `7z` is preferred for encrypted `7z` or `zip`, and `py7zr` was added to `requirements.txt` as the Python fallback.
- Every run emits an `INI_SECTION_DE_COMPRESSER<<< ... >>>END_SECTION_DE_COMPRESSER` block and still triggers `target_agents`, so downstream Parametrizer or Raiser logic can branch on `success=true|false` instead of guessing from prose.

Orphan-reaper spotlight

- Tlamatini now ships a three-tier orphan reaper in `Tlamatini/agent/orphan_reaper.py` focused on Windows console-host leftovers such as `conhost.exe` and `openconsole.exe`.
- Tier 1 runs after spawn-capable Multi-Turn tool calls, Tier 2 runs once after the final answer in a background thread, and Tier 3 runs again during application shutdown through the same cleanup path that already tears down pools.
- The candidate set stays narrow on purpose: dead descendants of the current process tree, orphaned console hosts tied to that tree, and pool-linked processes whose `cmdline` still points into `agents/pools/...` even though tracking records are gone.

7. Repository Facts and Git Changes

Metric	Value
Tracked files in git	487
Workflow agents	67
Multi-Turn tools	74
Wrapped chat-agent tools	42
Skills	24
agents_descriptions.md rows	67
Django migrations	99
Frontend JavaScript modules	28
Frontend CSS files	6
HTML templates	4
Python requirements	69
Binary/asset tracked files skipped from line count	15
Resolved version	1.7.1
Version source	git

Latest commits

Date	Commit	Subject
2026-05-24	413b1eb	Updating markdown documentation to align them to v1.7.1, by angelahack1
2026-05-23	07e7ef3	Making some improements for Kalier impl, by angelahack1
2026-05-22	59605b3	Updating documentation to v1.7.0, by Tlamatini's-AutoBot.
2026-05-22	e908dc9	Setting version to documentation as 1.7.0, by Tlamatini's-AutoBot.
2026-05-22	adca0b7	Kalier agent added to make strong a powerfull assessments with Kali Linux!!!, by Tlamatini's-AutoBot.
2026-05-22	d697e7e	Some new sample prompts for Playwrighter and Windower, by Tlamatini's-AutoBot.
2026-05-21	2da3d5a	Reacommodating markdown files of agentic documentation, by anglehack1
2026-05-21	1a7c43f	Implementing waiting on Playwrighter, by Tlamatini's-AutoBot.
2026-05-21	6a1801e	Updating to version 1.6.0 the visual assets (PDF, PPTX), by Tlamatini's-AutoBot.
2026-05-21	82e2fd4	Updating to version 1.6.0 of Tlamatini, by Tlamatini's-AutoBot.

Git changes from today

- Documentation itself changed today, so the regenerated dossier is part of the tracked operator surface rather than an external afterthought.

Today's commit appendix 1 of 1

Date	Commit	Subject
2026-05-24	413b1eb	Updating markdown documentation to align them to v1.7.1, by angelahack1

8. Effective Line Inventory by Language

Methodology: tracked text files only. Blank lines and comment-only lines are excluded. Python counts also remove module, class, and function docstrings detected through AST parsing.

Language	Files	Effective lines	Total lines	Share
Python	284	72,246	100,776	67.4%
Markdown	56	13,173	16,819	12.3%
JavaScript	28	13,092	16,465	12.2%
CSS	6	3,414	4,317	3.2%
YAML	71	1,457	3,054	1.4%
HTML	4	829	847	0.8%
Other text	3	789	967	0.7%
Prompt template	2	632	745	0.6%
PowerShell	5	506	752	0.5%
JavaScript module	1	393	460	0.4%
JSON	5	385	385	0.4%
Text	5	179	209	0.2%
Protocol Buffers	1	20	33	0.0%
Batch	1	13	24	0.0%

Total effective lines: 107,128

9. Largest Effective Source Files

Path	Language	Effective	Total
Tlamatini/agent/views.py	Python	7,220	10,431
Tlamatini/agent/tests.py	Python	4,034	5,153
Tlamatini/agent/tools.py	Python	2,219	3,158
Tlamatini/agent/agents/flowcreator/agentic_skill.md	Markdown	1,936	2,148
BookOfTlamatini.md	Markdown	1,905	2,686
Tlamatini/agent/doc_generation/complete_project_docs.py	Python	1,818	2,050
Tlamatini/agent/static/agent/css/agentic_control_panel.css	CSS	1,709	2,279
Tlamatini/agent/static/agent/js/agent_page_init.js	JavaScript	1,374	1,591
Tlamatini/agent/static/agent/js/acp-canvas-core.js	JavaScript	1,299	1,609
Tlamatini/agent/consumers.py	Python	1,240	1,545
Tlamatini/agent/static/agent/js/acp-agent-connectors.js	JavaScript	1,199	1,344
README.md	Markdown	1,197	1,691
Tlamatini/agent/static/agent/css/agent_page.css	CSS	1,175	1,422
Tlamatini/agent/static/agent/js/agent_page_chat.js	JavaScript	1,106	1,521
Tlamatini/agent/agents/whatstlamatini/whatstlamatini.py	Python	1,059	1,323
Tlamatini/agent/static/agent/js/acp-control-buttons.js	JavaScript	1,036	1,344
Tlamatini/agent/acpx/tests.py	Python	1,035	1,299
KIMI.md	Markdown	968	1,162
Tlamatini/agent/agents/teletlamatini/teletlamatini.py	Python	903	1,170
Tlamatini/agent/static/agent/js/canvas_item_dialog.js	JavaScript	898	1,165
Tlamatini/agent/agents/crawler/crawler.py	Python	896	1,285
Tlamatini/agent/static/agent/js/acp-canvas-undo.js	JavaScript	877	988
Tlamatini/agent/acpx/runtime.py	Python	844	1,161
Tlamatini/agent/chat_agent_registry.py	Python	841	857
Tlamatini/agent/agents/parametrizer/parametrizer.py	Python	815	1,148

10. Complete Tracked File Tree (Repository Appendix)

Tree appendix 1 of 9

```
Tlamatini/
|-- .gitignore
|-- _acpx_pipeline_demo_report.md
|-- ACPX.md
|-- agents_descriptions.md
|-- BookOfTlamatini.md
|-- build.py
|-- build_installer.py
|-- build_uninstaller.py
|-- Claude-Desktop-KALI-MCP-Session.md
|-- CLAUDE.md
|-- CreateShortcut.json
|-- CreateShortcut.ps1
|-- eslint.config.mjs
|-- example_of_prompt_to_make_de-compresser_agent.txt
|-- install.py
|-- KIMI.md
|-- LICENSE
|-- OllamaPricing.png
|-- package.json
|-- pnpm-lock.yaml
|-- prompt_example_2_create_agent.txt
|-- README.md
|-- regen_secrets.py
|-- register_flw.ps1
|-- RemoveShortcut.ps1
|-- requirements.txt
|-- Tlamatini-Kali-Setup.md
|-- Tlamatini.ico
|-- Tlamatini.jpg
|-- Tlamatini.ps1
|-- tlamatini_app_summary.pdf
|-- Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx
|-- uninstall.py
|-- unregister_flw.ps1
|-- VERSIONING.md
|-- versioning.py
|-- .codex/
|   `-- skills/
|       |-- full-project-pdf-dossier/
|       |   `-- SKILL.md
|       `-- overlap-safe-pptx-dossier/
|           `-- SKILL.md
|-- .github/
|   `-- workflows/
|       `-- name-guard.yml
|-- docs/
|   `-- claude/
|       |-- acpx.md
|       |-- agents.md
|       |-- architecture.md
|       |-- exec-report.md
|       |-- frontend.md
|       |-- gotchas.md
|       |-- INDEX.md
|       |-- mcp-tools.md
|       |-- multi-turn.md
|       `-- recent-fixes.md
|-- pyinstaller_hooks/
|   `-- hook-numpy.py
`-- Tlamatini/
    |-- cat_art.py
    |-- manage.py
    |-- .agents/
    |   `-- workflows/
    |       `-- create_new_agent.md
    |-- .mcps/
    |   `-- create_new_mcp.md
    |-- agent/
    |   |-- __init__.py
    |   |-- admin.py
    |   |-- apps.py
    |   |-- capability_registry.py
    |   |-- chain_files_search_lcel.py
    |   |-- chain_system_lcel.py
    |   |-- chat_agent_registry.py
```

Tree appendix 2 of 9

```
|    |-- chat_agent_runtime.py
|    |-- chat_history_loader.py
|    |-- command_togen_pb2.txt
|    |-- config.json
|    |-- config_loader.py
|    |-- constants.py
|    |-- consumers.py
|    |-- embedding_memory_guard.py
|    |-- filesearch.proto
|    |-- filesearch_pb2.py
|    |-- filesearch_pb2_grpc.py
|    |-- global_execution_planner.py
|    |-- global_state.py
|    |-- gpu_perf.py
|    |-- inet_determiner.py
|    |-- mcp_agent.py
|    |-- mcp_files_search_client.py
|    |-- mcp_files_search_server.py
|    |-- mcp_system_client.py
|    |-- mcp_system_server.py
|    |-- models.py
|    |-- native_dialogs.py
|    |-- orphan_reaper.py
|    |-- path_guard.py
|    |-- prompt.pmt
|    |-- rag_enhancements.py
|    |-- routing.py
|    |-- test_de_compresser.py
|    |-- test_embedding_memory_guard.py
|    |-- test_flow_contracts.py
|    |-- test_kalier_agent.py
|    |-- test_native_dialogs.py
|    |-- test_orphan_reaper.py
|    |-- test_password_quoting.py
|    |-- test_playwrighter_agent.py
|    |-- test_windower_agent.py
|    |-- tests.py
|    |-- tools.py
|    |-- urls.py
|    |-- version.py
|    |-- views.py
|    |-- web_search_llm.py
|    |-- acpx/
|    |    |-- __init__.py
|    |    |-- agent_registry.py
|    |    |-- config.py
|    |    |-- permissions.py
|    |    |-- runtime.py
|    |    |-- service.py
|    |    |-- session_store.py
|    |    |-- tests.py
|    |    |-- tools.py
|    |    `-- windows_spawn.py
|    |-- agents/
|    |    |-- acpxer/
|    |    |    |-- acpxer.py
|    |    |    `-- config.yaml
|    |    |-- analyzer/
|    |    |    |-- analyzer.py
|    |    |    `-- config.yaml
|    |    |-- and/
|    |    |    |-- and.py
|    |    |    `-- config.yaml
|    |    |-- apirer/
|    |    |    |-- apirer.py
|    |    |    `-- config.yaml
|    |    |-- asker/
|    |    |    |-- asker.py
|    |    |    `-- config.yaml
|    |    |-- barrier/
|    |    |    |-- barrier.py
|    |    |    |-- config.yaml
|    |    |    `-- test_barrier.py
|    |    |-- cleaner/
|    |    |    |-- __init__.py
|    |    |    |-- cleaner.py
```

Tree appendix 3 of 9

```
|   |   |   `-- config.yaml
|   |   |-- counter/
|   |   |   |-- config.yaml
|   |   |   `-- counter.py
|   |   |-- crawler/
|   |   |   |-- config.yaml
|   |   |   `-- crawler.py
|   |   |-- croner/
|   |   |   |-- config.yaml
|   |   |   `-- croner.py
|   |   |-- de_compresser/
|   |   |   |-- config.yaml
|   |   |   `-- de_compresser.py
|   |   |-- deleter/
|   |   |   |-- config.yaml
|   |   |   `-- deleter.py
|   |   |-- dockerer/
|   |   |   |-- config.yaml
|   |   |   `-- dockerer.py
|   |   |-- emailer/
|   |   |   |-- config.yaml
|   |   |   `-- emailer.py
|   |   |-- ender/
|   |   |   |-- config.yaml
|   |   |   `-- ender.py
|   |   |-- executer/
|   |   |   |-- config.yaml
|   |   |   `-- executer.py
|   |   |-- file_creator/
|   |   |   |-- config.yaml
|   |   |   `-- file_creator.py
|   |   |-- file_extractor/
|   |   |   |-- config.yaml
|   |   |   `-- file_extractor.py
|   |   |-- file_interpreter/
|   |   |   |-- config.yaml
|   |   |   `-- file_interpreter.py
|   |   |-- flowbacker/
|   |   |   |-- config.yaml
|   |   |   `-- flowbacker.py
|   |   |-- flowcreator/
|   |   |   |-- agentic_skill.md
|   |   |   |-- config.yaml
|   |   |   `-- flowcreator.py
|   |   |-- flowhypervisor/
|   |   |   |-- config.yaml
|   |   |   |-- flowhypervisor.py
|   |   |   |-- hypervisor_alert.wav
|   |   |   `-- monitoring-prompt.pmt
|   |   |-- forker/
|   |   |   |-- config.yaml
|   |   |   `-- forker.py
|   |   |-- gateway_relayer/
|   |   |   |-- config.yaml
|   |   |   |-- gateway_relayer.md
|   |   |   `-- gateway_relayer.py
|   |   |-- gatewayer/
|   |   |   |-- config.yaml
|   |   |   |-- gatewayer.md
|   |   |   |-- gatewayer.py
|   |   |   `-- gatewayer_explanation.md
|   |   |-- gitter/
|   |   |   |-- config.yaml
|   |   |   `-- gitter.py
|   |   |-- googler/
|   |   |   |-- config.yaml
|   |   |   `-- googler.py
|   |   |-- image_interpreter/
|   |   |   |-- config.yaml
|   |   |   `-- image_interpreter.py
|   |   |-- j_decompiler/
|   |   |   |-- config.yaml
|   |   |   `-- j_decompiler.py
|   |   |-- jenkinser/
|   |   |   |-- config.yaml
|   |   |   `-- jenkinser.py
```

Tree appendix 4 of 9

```
|   |   |-- kalier/
|   |   |   |-- config.yaml
|   |   |   `-- kalier.py
|   |   |-- keyboarder/
|   |   |   |-- config.yaml
|   |   |   `-- keyboarder.py
|   |   |-- kuberneter/
|   |   |   |-- config.yaml
|   |   |   `-- kuberneter.py
|   |   |-- kyber_cipher/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_cipher.py
|   |   |-- kyber_decipher/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_decipher.py
|   |   |-- kyber_keygen/
|   |   |   |-- config.yaml
|   |   |   `-- kyber_keygen.py
|   |   |-- mongoxer/
|   |   |   |-- config.yaml
|   |   |   `-- mongoxer.py
|   |   |-- monitor_log/
|   |   |   |-- config.yaml
|   |   |   `-- monitor_log.py
|   |   |-- monitor_netstat/
|   |   |   |-- config.yaml
|   |   |   `-- monitor_netstat.py
|   |   |-- mouser/
|   |   |   |-- config.yaml
|   |   |   `-- mouser.py
|   |   |-- mover/
|   |   |   |-- config.yaml
|   |   |   `-- mover.py
|   |   |-- node_manager/
|   |   |   |-- config.yaml
|   |   |   |-- node_manager.md
|   |   |   |-- node_manager.py
|   |   |   |-- nodes_example.json
|   |   |   `-- nodes_example.yaml
|   |   |-- notifier/
|   |   |   |-- config.yaml
|   |   |   `-- notifier.py
|   |   |-- or/
|   |   |   |-- config.yaml
|   |   |   `-- or.py
|   |   |-- parametrizer/
|   |   |   |-- config.yaml
|   |   |   `-- parametrizer.py
|   |   |-- playwrighter/
|   |   |   |-- config.yaml
|   |   |   `-- playwrighter.py
|   |   |-- prompter/
|   |   |   |-- config.yaml
|   |   |   `-- prompter.py
|   |   |-- pser/
|   |   |   |-- config.yaml
|   |   |   `-- pser.py
|   |   |-- pythonxer/
|   |   |   |-- config.yaml
|   |   |   `-- pythonxer.py
|   |   |-- raiser/
|   |   |   |-- config.yaml
|   |   |   `-- raiser.py
|   |   |-- recmailer/
|   |   |   |-- config.yaml
|   |   |   `-- recmailer.py
|   |   |-- reviewer/
|   |   |   |-- config.yaml
|   |   |   `-- reviewer.py
|   |   |-- scper/
|   |   |   |-- config.yaml
|   |   |   `-- scper.py
|   |   |-- shoter/
|   |   |   |-- config.yaml
|   |   |   `-- shoter.py
|   |   |-- sleeper/
```

Tree appendix 5 of 9

```
|   |   |   |-- config.yaml
|   |   |   `-- sleeper.py
|   |   |-- sqler/
|   |   |   |-- config.yaml
|   |   |   `-- sqler.py
|   |   |-- ssher/
|   |   |   |-- config.yaml
|   |   |   `-- ssher.py
|   |   |-- starter/
|   |   |   |-- config.yaml
|   |   |   `-- starter.py
|   |   |-- stopper/
|   |   |   |-- config.yaml
|   |   |   `-- stopper.py
|   |   |-- summarizer/
|   |   |   |-- config.yaml
|   |   |   `-- summarizer.py
|   |   |-- telegramer/
|   |   |   |-- config.yaml
|   |   |   `-- telegramer.py
|   |   |-- telegramrx/
|   |   |   |-- config.yaml
|   |   |   `-- telegramrx.py
|   |   |-- teletlamatini/
|   |   |   |-- config.yaml
|   |   |   `-- teletlamatini.py
|   |   |-- unrealer/
|   |   |   |-- config.yaml
|   |   |   `-- unrealer.py
|   |   |-- whatsapper/
|   |   |   |-- config.yaml
|   |   |   `-- whatsapper.py
|   |   |-- whatstlamatini/
|   |   |   |-- config.yaml
|   |   |   `-- whatstlamatini.py
|   |   `-- windower/
|   |       |-- config.yaml
|   |       `-- windower.py
|   |-- doc_generation/
|   |   |-- complete_project_docs.py
|   |   |-- mardown_to_pdf.py
|   |   |-- refresh_project_docs.py
|   |   `-- test_output.pdf
|   |-- images/
|   |   |-- mockup.jpg
|   |   |-- TlamatiniAbout.jpg
|   |   `-- XAIHT-Tlamatini.mp4
|   |-- imaging/
|   |   |-- converter.py
|   |   |-- image_interpreter.py
|   |   `-- screenshot.py
|   |-- management/
|   |   |-- __init__.py
|   |   `-- commands/
|   |       |-- acpx_lint.py
|   |       `-- startserver.py
|   |-- migrations/
|   |   |-- 0001_initial.py
|   |   |-- 0002_populate_db.py
|   |   |-- 0003_add_cleaner.py
|   |   |-- 0004_add_deleter.py
|   |   |-- 0005_add_executer.py
|   |   |-- 0006_add_notifier.py
|   |   |-- 0007_add_stopper.py
|   |   |-- 0008_add_recmailer.py
|   |   |-- 0009_add_whatsapper.py
|   |   |-- 0010_add_pythonxer.py
|   |   |-- 0011_add_asker.py
|   |   |-- 0012_repopulate_all_agents.py
|   |   |-- 0013_add_forker.py
|   |   |-- 0014_repopulate_all_agents.py
|   |   |-- 0015_add_shoter.py
|   |   |-- 0016_repopulate_all_agents.py
|   |   |-- 0017_add_ssher.py
|   |   |-- 0018_repopulate_all_agents.py
|   |   |-- 0019_add_scper.py
```

Tree appendix 6 of 9

```
|    |    |-- 0020_repopulate_all_agents.py
|    |    |-- 0021_add_telegramrx.py
|    |    |-- 0022_repopulate_all_agents.py
|    |    |-- 0023_add_mongoxer.py
|    |    |-- 0024_repopulate_all_agents.py
|    |    |-- 0025_add_telegramer.py
|    |    |-- 0026_repopulate_all_agents.py
|    |    |-- 0027_add_sqler.py
|    |    |-- 0028_repopulate_all_agents.py
|    |    |-- 0029_add_prompter.py
|    |    |-- 0030_repopulate_all_agents.py
|    |    |-- 0031_add_flowcreator.py
|    |    |-- 0032_repopulate_all_agents.py
|    |    |-- 0033_add_gitter.py
|    |    |-- 0034_add_dockerer.py
|    |    |-- 0035_add_pser.py
|    |    |-- 0036_add_kuberneter.py
|    |    |-- 0037_add_apirer.py
|    |    |-- 0038_add_jenkinser.py
|    |    |-- 0039_add_crawler.py
|    |    |-- 0040_add_summarizer.py
|    |    |-- 0041_add_flowhypervisor.py
|    |    |-- 0042_add_mouser.py
|    |    |-- 0043_agentmessage_conversation_user.py
|    |    |-- 0044_add_counter.py
|    |    |-- 0045_add_file_interpreter.py
|    |    |-- 0046_add_image_interpreter.py
|    |    |-- 0047_add_gatewayer.py
|    |    |-- 0048_add_gateway_relayer.py
|    |    |-- 0049_add_node_manager.py
|    |    |-- 0050_add_file_creator.py
|    |    |-- 0051_add_file_extractor.py
|    |    |-- 0052_add_kyber_keygen.py
|    |    |-- 0053_add_kyber_cipher.py
|    |    |-- 0054_add_kyber_decipher.py
|    |    |-- 0055_fix_kyber_cipher_names.py
|    |    |-- 0056_add_parametrizer.py
|    |    |-- 0057_add_flowbacker.py
|    |    |-- 0058_add_barrier.py
|    |    |-- 0059_add_j_decompiler.py
|    |    |-- 0060_add_agent_parametrizer_tool.py
|    |    |-- 0061_add_agent_starter_tool.py
|    |    |-- 0062_sync_agent_control_tools_and_prompts.py
|    |    |-- 0063_add_agent_parametrizer_prompt.py
|    |    |-- 0064_add_chat_agent_run_model.py
|    |    |-- 0065_add_chat_wrapped_agent_tools.py
|    |    |-- 0066_add_keyboarder.py
|    |    |-- 0067_add_multi_turn_demo_prompts.py
|    |    |-- 0068_add_googler_tool.py
|    |    |-- 0069_add_googler_agent.py
|    |    |-- 0070_add_teletlamatini.py
|    |    |-- 0071_acpx_skills.py
|    |    |-- 0072_add_acpx_demo_prompts.py
|    |    |-- 0073_acpx_demo_gemini_uplift.py
|    |    |-- 0074_simplify_demo_prompts.py
|    |    |-- 0075_add_acpx_tool_surface.py
|    |    |-- 0076_add_acpxer.py
|    |    |-- 0077_add_whatstlamatini.py
|    |    |-- 0078_add_chat_agent_keyboarder_tool.py
|    |    |-- 0079_add_chat_agent_mouser_tool.py
|    |    |-- 0080_add_chat_agent_sleeper_tool.py
|    |    |-- 0081_add_window_present_and_run_wait_tools.py
|    |    |-- 0082_add_chat_agent_j_decompiler_tool.py
|    |    |-- 0083_add_de_compresser.py
|    |    |-- 0084_add_chat_agent_de_compresser_tool.py
|    |    |-- 0085_add_unrealer.py
|    |    |-- 0086_add_chat_agent_unrealer_tool.py
|    |    |-- 0087_add_unrealer_demo_prompt.py
|    |    |-- 0088_add_reviewer.py
|    |    |-- 0089_add_analyzer.py
|    |    |-- 0090_add_reviewer_analyzer_demo_prompts.py
|    |    |-- 0091_add_playwrighter.py
|    |    |-- 0092_add_chat_agent_playwrighter_tool.py
|    |    |-- 0093_add_windower.py
|    |    |-- 0094_add_chat_agent_windower_tool.py
|    |    |-- 0095_add_windower_playwrighter_demo_prompts.py
```

Tree appendix 7 of 9

```
|   |   |-- 0096_add_director_virtuoso_demo_prompts.py
|   |   |-- 0097_add_kalier.py
|   |   |-- 0098_add_chat_agent_kalier_tool.py
|   |   |-- 0099_add_kalier_demo_prompts.py
|   |   `-- __init__.py
|   |-- monitors/
|   |   `-- monitor_sql.py
|   |-- opus_client/
|   |   |-- claude_opus_client.py
|   |   |-- examples.py
|   |   `-- README.md
|   |-- rag/
|   |   |-- __init__.py
|   |   |-- config.py
|   |   |-- factory.py
|   |   |-- interaction.py
|   |   |-- interface.py
|   |   |-- loaders.py
|   |   |-- prompts.py
|   |   |-- retrieval.py
|   |   |-- splitters.py
|   |   |-- utils.py
|   |   `-- chains/
|   |       |-- base.py
|   |       |-- basic.py
|   |       |-- history_aware.py
|   |       `-- unified.py
|   |-- services/
|   |   |-- __init__.py
|   |   |-- agent_contracts.py
|   |   |-- agent_paths.py
|   |   |-- answer_analizer.py
|   |   |-- filesystem.py
|   |   |-- flow_compiler.py
|   |   |-- flow_spec.py
|   |   `-- response_parser.py
|   |-- skills/
|   |   |-- __init__.py
|   |   |-- frontmatter.py
|   |   |-- harness.py
|   |   |-- io_contract.py
|   |   `-- registry.py
|   |-- skills_pkg/
|   |   |-- _meta/
|   |   |   |-- lint.py
|   |   |   `-- schema.json
|   |   |-- acp_router/
|   |   |   `-- SKILL.md
|   |   |-- code_review/
|   |   |   `-- SKILL.md
|   |   |-- github/
|   |   |   `-- SKILL.md
|   |   |-- gmail/
|   |   |   `-- SKILL.md
|   |   |-- hello_world/
|   |   |   `-- SKILL.md
|   |   |-- jira/
|   |   |   `-- SKILL.md
|   |   |-- kali_pentest/
|   |   |   `-- SKILL.md
|   |   |-- notion/
|   |   |   `-- SKILL.md
|   |   |-- security_audit/
|   |   |   `-- SKILL.md
|   |   |-- setup_new_acpx_key/
|   |   |   `-- SKILL.md
|   |   |-- skill_creator/
|   |   |   |-- SKILL.md
|   |   |   `-- scripts/
|   |   |       `-- quick_validate.py
|   |   |-- slack/
|   |   |   `-- SKILL.md
|   |   |-- summarize/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_allowed_hosts_tighten/
|   |   |   `-- SKILL.md
```

Tree appendix 8 of 9

```
|   |   |-- tlamatini_csrf_exempt_audit/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_exec_report_row_adder/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_flow_from_objective/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_flw_doctor/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_new_acp_agent/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_planner_trace_replay/
|   |   |   `-- SKILL.md
|   |   |-- tlamatini_static_version_bumper/
|   |   |   `-- SKILL.md
|   |   |-- todoist/
|   |   |   `-- SKILL.md
|   |   |-- trello/
|   |   |   `-- SKILL.md
|   |   `-- weather/
|   |       `-- SKILL.md
|   |-- static/
|   |   `-- agent/
|   |       |-- css/
|   |       |   |-- agent_page.css
|   |       |   |-- agentic_control_panel.css
|   |       |   |-- login.css
|   |       |   |-- skills_dialog.css
|   |       |   |-- tools_dialog.css
|   |       |   `-- welcome.css
|   |       |-- img/
|   |       |   |-- spinner.svg
|   |       |   `-- Tlamatini.ico
|   |       |-- js/
|   |       |   |-- acp-agent-connectors.js
|   |       |   |-- acp-canvas-core.js
|   |       |   |-- acp-canvas-undo.js
|   |       |   |-- acp-control-buttons.js
|   |       |   |-- acp-file-io.js
|   |       |   |-- acp-flow-snapshot.js
|   |       |   |-- acp-globals.js
|   |       |   |-- acp-layout.js
|   |       |   |-- acp-parametrizer-dialog.js
|   |       |   |-- acp-running-state.js
|   |       |   |-- acp-session.js
|   |       |   |-- acp-undo-manager.js
|   |       |   |-- acp-validate.js
|   |       |   |-- agent_page_canvas.js
|   |       |   |-- agent_page_chat.js
|   |       |   |-- agent_page_context.js
|   |       |   |-- agent_page_dialogs.js
|   |       |   |-- agent_page_init.js
|   |       |   |-- agent_page_layout.js
|   |       |   |-- agent_page_state.js
|   |       |   |-- agent_page_ui.js
|   |       |   |-- agentic_control_panel.js
|   |       |   |-- canvas_item_dialog.js
|   |       |   |-- chat_page_runtime_poller.js
|   |       |   |-- contextual_menus.js
|   |       |   |-- shared-runtime-dialogs.js
|   |       |   |-- skills_dialog.js
|   |       |   `-- tools_dialog.js
|   |       |-- sounds/
|   |       |   |-- hypervisor_alert.wav
|   |       |   `-- notification.wav
|   |       `-- video/
|   |           `-- XAIHT-Tlamatini.mp4
|   |-- telegram/
|   |   |-- AztecTlamatini.txt
|   |   |-- config.yaml
|   |   `-- telegram_receiver.py
|   `-- templates/
|       `-- agent/
|           |-- agent_page.html
|           |-- agentic_control_panel.html
|           |-- login.html
|           `-- welcome.html
```

Tree appendix 9 of 9

```
|-- DB/
|   |-- Older/
|   |   `-- README.md
|   `-- ToLoad/
|       `-- README.md
|-- jd-cli/
|   |-- jd-cli.bat
|   `-- jd-cli.jar
`-- tlamatini/
    |-- __init__.py
    |-- asgi.py
    |-- context_processors.py
    |-- logging_filters.py
    |-- middleware.py
    |-- settings.py
    |-- urls.py
    `-- wsgi.py
```