TLAMATINI

Atlas de arquitectura

eXtended Artificial Intelligence, Humanly Tempered · "one who knows"

Creado por **Angela López Mendoza** · XAIHT

Release v1.92.4 · commit 6ec08f4 (2026-11-08) · atlas generated 2026-11-08 from application files tracked in git; database history is summarized

2,003 archivos de aplicación

719,759 líneas de texto

738 archivos Python

87 tipos de agentes de flujo

68 Multi-Turn chat-agent tools

192 + 5 rutas HTTP y WebSocket

21 modelos Django

222 migrations

64 / 29 archivos JS / CSS propios

29 SKILL.md packages

6,411 test functions in 210 files

246 documentos Markdown

Líneas de texto por capa arquitectónica



- Presentation (browser) — 119 files, 47,633 lines
- Process & transport — 36 files, 22,240 lines
- Núcleo de inteligencia — 87 files, 38,100 lines
- Interfaces de integración — 81 files, 22,128 lines
- Agent pool — 259 files, 120,043 lines
- Persistence & state — 5 files, 894 lines
- Platform & safety — 21 files, 6,489 lines
- Build, release & install — 58 files, 24,548 lines
- Verification — 402 files, 147,555 lines
- Knowledge & governance — 585 files, 175,038 lines
- Vendored third-party — 350 files, 115,091 lines

Tipos de archivos en las fichas

- Python
- JavaScript
- CSS
- HTML
- Markdown
- YAML/JSON
- PS1/BAT/CMD
- Prompts/flows
- C++/Arduino
- Text/other
- Binary/media

Cómo leer este atlas

- **Part A (sheets 2–15)** draws the architecture: runtime topology, request lifecycle, intelligence core, agents, integrations, frontend, data, build/release, verification and a module dependency matrix. File names in blue are links to the index.
- **Part B (sheets 16–26)** is the file atlas: every listed application file is a tile inside the cluster where it lives architecturally. Marker = file type, right number = lines (or size for binaries).
- **Part C** is the file index: every file with its ID, path, size and a description extracted from the file itself (docstring, header comment, heading or parsed structure).
- Click a tile to open its index entry; click an ID in the index to jump back to the tile. PDF bookmarks list every sheet and cluster.

ÍNDICE DE LÁMINAS

Part A — architecture overview

02 Topología de ejecución — procesos, puertos y almacenamiento
03 Ciclo de una solicitud — del mensaje a la respuesta
04 Editor en vivo e Interactor
05 Configuración del Editor en vivo y Terminater
06 Torrenter y entrega de la versión
07 Versiones coincidentes y compilaciones aisladas
08 Núcleo de inteligencia — cinco capas, ejecución Multi-Turn y Model Brain
09 Ecosistema de agentes — 87 tipos de agentes de flujo y ejecución de flujos
10 Interfaces de integración — ACPX, habilidades, MCP externos y puentes
11 Mapa de módulos de la interfaz — carga de módulos por página
12 Modelo de datos y estado — 21 modelos Django, 222 migraciones, copias compatibles con WAL
13 Compilación, distribución, instalación y actualización
14 Verificación y documentación — pruebas y fuentes de conocimiento
15 Matriz de dependencias de Python (DSM)

Part B — file atlas

16 Atlas I — Server core: process, web tier and intelligence
17 Atlas II — Interfaces de integración, platform and state
18 Atlas IV — Presentation layer: first-party frontend
19 Atlas V — Vendored third-party frontend and PDF.js
20 Atlas VI — Agent pool: every workflow agent template
21 Atlas VI — Agent pool: every workflow agent template (continued 2)
22 Atlas VII — Verification: unit, contract, visible and release tests
23 Atlas VIII — Build, release, install, security and repository root
24 Atlas IX — Knowledge and governance
25 Atlas IX — Knowledge and governance (continued 2)
26 Atlas IX — Knowledge and governance (continued 3)

Part C — file index (2003 entries)

Topología de ejecución — procesos, puertos y almacenamiento

One Python process serves the browser pages over HTTP and 5 WebSocket routes, starts two built-in MCP servers, and drives pool agents, ACPX children and external MCP servers.

SHEET 02

Chat page

- agent_page.html: composer, toolbar modes (Multi-Turn, Exec report, ACPX, Ask Execs, Step-by-Step, Compact mode, Self-modify), canvas, avatar
- Boot and state: agent_page_init.js, agent_page_state.js, agent_page_ui.js, agent_page_layout.js
- Messages: agent_page_chat.js (Copy/Drop, Create Flow, Exec Report)
- Canvas: agent_page_canvas.js, agent_page_markdown.js, agent_page_pdf.js
- Voice and avatar: chat_dictation.js, mic_settings.js, avatar.js
- Gauges: context_gauge.js, model_capacity.js, self_modify_switch.js

HTTP, WS

Agentic Control Panel

- agentic_control_panel.html + agentic_control_panel.js
- Canvas engine: acp-canvas-core.js, acp-canvas-undo.js, acp-undo-manager.js, acp-editor-tools.js
- Flow I/O: acp-file-io.js (.flw), acp-flow-snapshot.js → /agent/compile_flow/
- Run control: acp-control-buttons.js, acp-running-state.js, acp-session.js, acp-validate.js

HTTP

Prompt Flow Panel

- prompt_flow_panel.html: diagram editor for chains of prompts saved as .fpmt
- prompt-flow-panel-model.js (document contract) and prompt-flow-panel.js (editor, playback)
- Shared canvas mechanics: flow-canvas-interactions.js, flow_canvas.css

WS

Entry pages, admin and PDF frame

- login.html, welcome.html + welcome_enter_default.js
- Django admin skin: base_site.html + admin_theme.css
- PDF iframe: pdf/canvas.html + pdf_canvas_viewer.js + vendored PDF.js

HTTP

Shared shell on every page

- Dismissal policy and themed popups: dialog_policy.js, dialog_theme.css
- Theme and splitters: ui_tokens.css, ui_shell.css, ui_splitters.css, ui_splitters.js
- Smart file drop: file_drop_router.js; bulk toggle: checkbox_bulk_toggle.js

TLAMATINI SERVER — manage.py → Django + Channels on Daphne (ASGI), port django_port (default 8000)

Process bootstrap

- manage.py: tees stdout/stderr into tlamatini.log, console shield, coloured console, django_port, Temp pin, post-update DB swap and migrate
- tlamatini/settings.py (SQLite WAL, WhiteNoise), tlamatini/asgi.py, tlamatini/middleware.py (per-user log tags), tlamatini/logging_filters.py
- agent/apps.py AgentConfig.ready(): rebuilds the Agent table, starts the MCP servers, boot_skills(), Tier-3 reaper, companion manifest

HTTP surface

- tlamatini/urls.py → agent/urls.py: 192 routes
- agent/views.py (pages, agents, flows, DB, prompts, skills, external MCPs), flow_file_views.py, model_brain_views.py, pdf_context_views.py, usage_views.py, agent/admin.py

WebSocket surface (routing.py)

- Routes declared in agent/routing.py
- ws/agent/ → agent/consumers.py AgentConsumer: chat, toggles, Drop, Compact and Self-modify switches, Ask-Execs replies
- ws/prompt-flow-panel/ → prompt_flow_panel_consumer.py (one run per connection)
- ws/chat-voice/ → chat_voice_consumer.py (direct microphone)

RAG and answer chains

- rag/interface.py ask_rag() → rag/factory.py builds the chain; sidecars inject system and file context
- rag/chains/basic.py, rag/chains/history_aware.py, rag/chains/unified.py
- Retrieval: rag/retrieval.py, rag/loaders.py, rag/splitters.py, rag/binary_guard.py (FAISS + BM25)

Multi-Turn agent

- mcp_agent.py: capability-aware tool-loop executor
- global_execution_planner.py, capability_registry.py, self_healing.py, exec_permission.py
- context_fitter.py, compact_mode.py, model_brain.py, model_brain_chat.py

Tool surface

- agent/tools.py: direct tools and one chat_agent_* launcher per wrapped agent (chat_agent_registry.py: 68 specs; chat_agent_runtime.py)
- acpx/tools.py: 12 ACPX/Skill tools; external_mcp_manager.py: 10 supervisors + ext__<server>__<tool>
- agent_verdict.py: deterministic SUCCESS/FAILED from each agent's INI_SECTION

Flow services

- services/flow_spec.py → services/flow_compiler.py with services/agent_contracts.py and services/agent_paths.py
- services/response_parser.py: answer cleanup and Exec Report tables
- services/prompt_flow_panel.py: .fpmt validator and interpreter

Platform guards

- path_guard.py (Temp/Templates policy), orphan_reaper.py (three-tier reaper), command_watchdog.py
- log_identity.py ([a3] user tags), cancellation.py, global_state.py

read / write

WS

System-Metrics MCP · WebSocket :8765

- mcp_system_server.py ↔ mcp_system_client.py; sidecar chain_system_lcel.py

gRPC

Files-Search MCP · gRPC :50051

- mcp_files_search_server.py, filesearch.proto → filesearch_pb2.py, filesearch_pb2_grpc.py; sidecar chain_files_search_lcel.py, bounded by context_sidecar_timeout.py

HTTP

LLM back-ends

- Ollama local and cloud (chat, embeddings, vision); sampling per model from model_profiles.json
- Anthropic Claude: claude_opus_client.py; images: imaging/image_interpreter.py

spawn

Pool agent processes

- 87 templates in agent/agents/<type>/, copied to agents/pools/<session>/<type>_N (canvas) or _chat_runs_ (chat)
- Each run: <type>.py + config.yaml, PID file, reanim* state, INI_SECTION_<TYPE> output

stdio

ACPX child CLIs

- claude, codex, gemini, cursor, qwen, kiro, kimi, copilot... spawned by acpx/runtime.py via acpx/windows_spawn.py and win_shim.py; verdict acpx/child_health.py

connect

External MCP servers

- stdio, streamable-http, sse, websocket; at most 5 active; catalog external_mcps.json; defaults external_mcp_defaults.py; runtimes runtime_provisioner.py

socket

Voice worker

- whisperer/chat_worker.py over an authenticated loopback socket (chat_voice_runtime.py, chat_voice_settings.py)

Root stdio MCP server

- tlamatini_mcp_server.py + tlamatini_acpx.py expose every pool agent and ACPX to external MCP clients (Claude Code, Kimi): .mcp.json

STORAGE AND STATE

SQLite (WAL)

- db.sqlite3: 21 models in agent/models.py, 222 migrations; WAL-safe backup and Set-DB by sqlite_copy.py

User state and configuration

- config.json (agent/config.json template), external_mcps.json, contacts, preserved_user_state.json

Working directories

- <app>/Temp (all scratch) and <app>/Templates (scaffolded projects) via path_guard.py; agents/pools/ session pools

Logs

- tlamatini.log (truncated at start, per-user tags), each pool agent's own log with INI_SECTION blocks

Per-user machine stores

- %LOCALAPPDATA%\Tlamatini: private runtimes, memory knowledge graph, learned model profiles, setup logs

Ciclo de una solicitud — del mensaje a la respuesta

Twelve steps of one chat message in Multi-Turn mode, by the layer that performs them. Every application file named is clickable.

SHEET 03

Browser

1 · Compose and send
`agent_page_init.js` sends the prompt and the mode flags over `ws/agent/`

7 · Ask Execs
`exec_permission.py` broker → Proceed/Deny dialog (`agent_page_dialogs.js`); Deny halts the chain

12 · Render
`agent_page_chat.js` draws the card; `context_gauge.js` ring; `avatar.js` speaks; Create Flow → `/agent/flow_from_tool_calls/`

Channels consumer

2 · Receive
`agent/consumers.py` binds the user tag (`log_identity.py`), saves the prompt (`AgentMessage`), queues retrieval on a worker thread

11 · Broadcast
`agent_message` with `message_id` and `tool_calls_log`; Tier-2 reaper; `context_governor.py`; `usage_tracking.py`

RAG interface and chains

3 · Decide context
Internet check (`inet_determiner.py`); `rag/interface.py ask_rag()`; last 8 messages from `chat_history_loader.py`

4 · Build chain
`rag/factory.py` picks basic, history-aware or unified; patched `invoke()` pulls sidecar context (`chain_system_lcel.py`, `chain_files_search_lcel.py`)

Multi-Turn executor

5 · Plan and fit
`global_execution_planner.py` + `capability_registry.py`; ACPX filter; `fit_request` (`context_fitter.py`, `compact_mode.py`); `model_brain.py`

6 · Tool loop
`mcp_agent.py` executor; each model step through `self_healing.py` (watchdog, tactic ladder); dedup and quota guards

Tools and agents

8 · Run tools
`agent/tools.py` → `chat_agent_runtime.py` copies and starts a pool agent; `acp_*` children; `ext__*` remote tools

9 · Judge
Agent prints `INI_SECTION_<TYPE>`; `agent_verdict.py` rules SUCCESS/FAILED; Tier-1 `orphan_reaper.py`

Response and persistence

10 · Compose answer
`services/response_parser.py` strips `END-RESPONSE`, appends the Exec Report and any denial banner, then saves the row

Mode gates

Multi-Turn off: the legacy one-shot answer. ACPX off: `filter_acpx_tools` strips the 12 ACPX/Skill tools. Exec report and Ask Execs act only inside Multi-Turn. Step-by-Step paces one action per reply; Compact mode binds only the ticked tools.

Never hang, never discard, never lie

Each model attempt has a watchdog; distinct recovery tactics follow; a graceful answer is built from the work already done, and a recovery preamble tells the user what happened. Only Cancel (`cancellation.py`) or an exhausted ladder stops it.

What returns to the browser

Answer HTML; Exec Report tables (one per agent kind); `tool_calls_log` for Create Flow; context-gauge frames with Ollama's real token count; Compact and Self-modify state frames; message ids for Drop.

Editor en vivo e Interactor

El editor, el guardado nativo y la tutoría operan sobre el mismo documento. Interactor es una herramienta de módulo.

SHEET 04

Editable document

- `agent_page_editing.js` owns the CodeMirror buffer, dirty baseline, encoding and save snapshots.
- `agent_page_canvas.js` owns Open/Refresh and cancellation; Markdown Preview/Source share the current buffer.
- Text/code/JSON are editable. HTML/SVG stay inert source. PDFs remain read-only and export original bytes.
- Save, Save as, Undo/Redo, Find/replace, Wrap; Ctrl/Cmd+S and Ctrl/Cmd+Shift+S.

Learner control and latency

- Live editor opt-in; first read exact unsaved text and selection, then type a short segment.
- guide hands the next field to the learner and ends mutations for that turn. Continue starts fresh chat/read.
- Prepared choices match locally: Tab accepts, Ctrl+Right takes one word, Escape dismisses. No per-key model call.
- User input/selection, Stop, cancellation or disconnect interrupts and preserves the typed prefix.

Visibility and layout

- A hidden/occluded tab pauses the same command for up to 120 extra seconds; resume at the next character.
- No automatic replay after a partial edit. Preview or hiding the canvas returns control.
- Automatic layout reserves canvas width; editor fills available height. Manual divider choices remain valid.

Authenticated live bridge

- `interactor/consumer.py` serves ws/interactor/ with exact Origin/Host and session authentication.
- `interactor/hub.py` binds server-issued tab IDs to account/session; ContextVar carries identity into tool workers.
- Bounded command queues, IDs, deadlines and document/revision checks reject stale work. Full-buffer receipts verify edits.
- Live tutoring: 262,144 UTF-16 units; a smaller tool-result budget can refuse content, never silently truncate it.

Native file persistence

- `canvas_file_views.py` and `native_dialogs.py` provide local Save As outside Downloads.
- Authenticated CSRF-protected loopback requests use account/session-bound capabilities; browser filenames are not host-path authority.
- Compare full disk revision, stage and flush on the same volume, recheck, then replace. Preserve BOM/encoding, line endings and Windows metadata.
- 64 MiB text/native-save limit. Save cancellation/failure keeps dirty edits. DB backup/restore is unchanged.

Tool and release carriage

- Migration 0218 registers the Tool and catalog example, not an Agent. tool_gate_table drives binding, Compact and costs.
- Ask Execs gates new/save. New unnamed-path work uses a unique Temp/interactor directory; manual files need user-granted write access.
- Password input is not command ownership; an email field or DONE reply does not authorize outbound notification.
- El Editor en vivo admite 40-250 WPM y Terminater 20-250 WPM. Al vincularlos se usa 40-250.

Configuración del Editor en vivo y Terminater

Un esquema de cuenta regula las acciones. La apariencia es local y la narración usa una cola de voz compartida.

SHEET 05

Dialog and draft

- Config / canvas Settings / terminal Settings open `interaction_settings.html` on chat, ACP and PFP.
- `interaction_settings.js` builds Live Editor, Terminater and Voice fields from the server schema.
- Presets, reset and preview edit a draft; Save applies, Cancel/Escape discard. Stop, mute and tab access are immediate.
- `interaction_settings.css` keeps tabs, scrolling and footer controls inside the viewport.

Account settings and revisions

- `interaction_settings.py` validates ranges/types and serves authenticated CSRF-protected /agent/interaction-settings/.
- Migration 0220 adds InteractionSettings: one user, JSON preferences, optimistic revision.
- Each action reads a committed snapshot. Conflicting saves ask the user to reload; appearance stays account/browser-local.

Real editor behavior

- `interactor/tool.py` returns teaching-detail guidance and sends saved pacing, pause and narration with the action.
- `interactor/bridge.js` keeps document/revision checks and user-first cancellation; guide applies suggestions/ghost choices.
- `agent_page_editing.js` and the offline CodeMirror bundle apply font, wrap and line numbers; manual scrolling suspends following.

One terminal dispatch policy

- `terminal_hub.py` attaches account preference, presentation and result callbacks to the stdlib TerminalHub engine.
- Chat, ACP, PFP and browser actions share it. New flows can use_my_defaults; old explicit flow values remain.
- User-only Enter rejects automatic submission and control characters, including aliases/base64. User keys still work.
- Shell/advisor defaults affect new terminals. Command wait, no-output and handoff windows stay distinct; timeout does not kill.

Narration receipts and cancellation

- `interaction_narration.py` selects one focused visible account tab; receipts are bound to its exact connection.
- Before-typing wait is bounded to 120 seconds. Missing listener, Stop or disconnect cancels; reconnect never replays.
- `voice_runtime.js` shares one queue with avatar speech; `interaction_speech.js` offers explicit skip/stop when voice is unavailable.
- Mute and microphone listening win. Secret-marked text and handoff values are not narrated; results speak status only.

Delivery and dated evidence

- `build_runtime_assets.py`, `copy_source_assets.py`, frozen imports, templates and rebuilt editor manifest travel together.
- October 23: 17 visible browser checks passed; real OS speech completed before the first terminal key.
- Implementation regressions: 929/931 passed; two baseline README assertions were corrected by the documentation sweep.
- Existing tag a771d27c. No new executable build or installed acceptance is claimed.

Torrenter y entrega de la versión

Última versión publicada: v1.92.4

SHEET 06

1. Inicia sesión y elige la cuenta

- El chat, el panel agéntico y XT abren la cola de la misma cuenta. La migración 0221 registra Torrenter.
- Django autentica el navegador. El controlador obtiene una credencial de alcance limitado de Tlachihuani Jobs.

2. Inspecciona la fuente y elige archivos

- Inspecciona el magnet o torrent. Conserva el ID de inspección hasta que estén listos los metadatos y los IDs de archivos.
- Un quinto magnet puede esperar si hay cuatro consultas de metadatos activas. Consulta el mismo ID.

3. Envía la solicitud y sigue el trabajo

- Envía los IDs seleccionados y la revisión de metadatos. Reutiliza la clave de operación si no se confirmó el envío.
- Un nodo del panel puede continuar al admitirse la operación o esperar la entrega verificada. Una pausa conserva la espera.

4. Comprueba la copia entregada

- Lee la ruta y el SHA-256 del manifiesto publicado. El destino es Descargas de Windows o la carpeta content_generated de la edición.
- Las referencias privadas y los registros van en TorrenterData. Para borrar archivos hay que aprobar la vista previa correspondiente en XT.

Distribuir una actualización

- El registro del paquete identifica Uninstaller.exe. El actualizador instala la copia verificada y conserva la bóveda data.keys existente.
- Distribuye el HTML, JavaScript y CSS del panel junto con el controlador. Inclúyelos en la copia para automodificación.

Compilar y ejecutar en Windows

- Los entornos se separan por la huella de dependencias. El bloqueo del sistema cubre la preparación y el uso.
- Executer conserva asignaciones como PLAYWRIGHT_BROWSERS_PATH y aplica el tiempo de espera configurado.

Versiones coincidentes y compilaciones aisladas

Última versión publicada v1.92.4 — inglés y español

SHEET 07

1. Anticipar antes de compilar

- El lanzador consulta los resolvedores reales y anticipa en memoria sus generadores de versión.
- Compara el número que informará la aplicación; no exige una etiqueta en HEAD. Fija un –version común.

2. Compilar y archivar ambas ediciones

- La modalidad Privada o Pública ejecuta ambos generadores completos en paralelo con –self-modify.
- Verifica ZIP y SHA-256; archiva por edición/modalidad/minuto. Conserva la edición correcta si falla la otra.

3. Identificar el paquete en su registro

- El módulo generado incorpora release_type. Las primeras líneas muestran versión y modalidad Privada/Pública.
- Desarrollo y sin especificar se indican expresamente; no se deducen de credenciales ni carpetas.

4. Recuperación en cachés aisladas

- Usa Temp/build-env de la aplicación o cachés separadas por edición bajo la carpeta de versiones.
- Si falla la preparación sin caché válida, detente antes de limpiar NumPy global o usar pip –user.

5. Abrir Markdown legible fielmente

- Los controles aislados ya no convierten un README.md legible en binario. Se conservan los bytes originales.
- La decodificación estricta reconoce BOM y rechaza NUL, exceso de controles y codificaciones malformadas.

Evidencia fechada

- 8 de noviembre: pasaron cuatro ZIP reales ingleses/españoles Privados/Públicos y sus ejecutables 1.92.3.
- Pasaron integridad, auditorías públicas y 26 pruebas de aislamiento. Esto no certifica otra instalación.

Núcleo de inteligencia — cinco capas, ejecución Multi-Turn y Model Brain

How context reaches the model, how each request is fitted to the model's real window, and how every model step is protected.

SHEET 08

1 · Persisted toggles

- `Mcp`, `Tool`, `Agent`, `Skill` rows (`agent/models.py`) loaded by `agent/consumers.py` into status flags; `compact_mode.py` rewrites them as one switch

2 · Runtime MCP services

- System-Metrics (`mcp_system_server.py`) and Files-Search (`mcp_files_search_server.py`), started by `agent/apps.py` or `startserver.py`

3 · Context sidecars

- `chain_system_lcel.py` and `chain_files_search_lcel.py` decide whether `system_context` or `files_context` is needed

4 · Answer chains

- `rag/chains/basic.py`, `rag/chains/history_aware.py`, `rag/chains/unified.py`; `rag/factory.py` patches `invoke()`; `rag/chains/base.py` callbacks

5 · Unified-agent tools

- `agent/tools.py` `get_mcp_tools()` + `tool_gate_table()`: direct, wrapped (`chat_agent_*`), ACPX and external-MCP tools

Chain selection

- `basic`: prompt only, no documents (`rag/chains/basic.py`)
- `history_aware`: RAG with reranking over the loaded context (`rag/chains/history_aware.py`)
- `unified`: tool-enabled agent chains (`rag/chains/unified.py`); Multi-Turn binds the full enabled tool surface
- Sidecars fetch System-Metrics or Files-Search context only when the question needs it

Ask-Execs allowlist

- Prompts only for tools in `_ASK_EXECS_REQUIRED_TOOLS` (`mcp_agent.py`): command and script runners; tier A data-changing (Deleter, Mover, File-Creator, Editor, De-Compresser, PDFer, LaTeXer); tier D remote/network (SCPer, Apirer, Nmapper, Discoverer, Crawler, NetSpeed-Calculator)
- Not gated on purpose: tier B messaging and tier C visible desktop/hardware agents
- Deny halts the whole chain and shows a red banner; pinned by `test_ask_execs_allowlist.py`

Request payload

- message, history, `multi_turn_enabled`, `acpx_enabled`, `ask_execs_enabled`, `exec_report_enabled`, `step_by_step_enabled` (whitelisted when `unified.py` rebuilds the payload)

fit_request

- `context_fitter.py` measures the prompt and tool schemas against the model's real window: FULL, COMPACT or STRICT (locked); switch state in `compact_mode.py` (`CompactState`)

System prompt

- `agent/prompt.pmt` + self-knowledge `agent/Tlamatini.md` (only when Self-modify is on and fits) via `rag/config.py`; Temp and Templates rules

Model step

- `self_healing.py` `SelfHealingInvoker` → `model_brain_chat.py` `BrainChatOllama` (reasoning kept inside the tool loop); stop sequences fitted by `ollama_stop.py`; text tool-calls recovered by `local_toolcall_parser.py`

loop

Tool call

- dedup and quota → Ask-Execs allowlist (`exec_permission.py`) → tool → Tier-1 reaper (`orphan_reaper.py`) → verdict (`agent_verdict.py`)

Result

- `output`, `tool_calls_log`, `exec_report_entries`, `exec_report_denied`, recovery preamble → `services/response_parser.py`

Self-healing tactic ladder

- Each model attempt runs under a watchdog (`unified_agent_llm_step_timeout_seconds`, default 80 s)
- Distinct tactics: plain retry, back-off, message-tail trim, plain-LLM fallback, up to `unified_agent_llm_step_max_tactics`
- Live status lines reach the chat; the answer carries a recovery preamble; finished work is kept, so Create Flow and the Exec Report survive

Verdict engine

- `agent_verdict.py` parses `INI_SECTION_<TYPE>` into a typed record; ordered rules decide SUCCESS or FAILED; the agent's self-report outranks the exit code
- Closed vocabulary of five disjoint status sets, pinned by `test_status_vocabulary.py`

Model Brain

- Sources in order: overrides › `model_profiles.json` › learned profile › Ollama `/api/show` › model defaults
- `model_brain.py`, `model_brain_views.py`; Auto-tuning dialog `model_brain_tuning.js`

Context governor

- `context_governor.py` pairs Ollama's `prompt_eval_count` with each request; `context_baseline.py` probes the next request at rest; ring in `context_gauge.js`

Retrieval stack

- FAISS + BM25 (`rag/retrieval.py`), metadata (`rag_enhancements.py`), `rag/loaders.py`, `rag/splitters.py`, `rag/binary_guard.py`, VRAM pre-flight `embedding_memory_guard.py`, `gpu_perf.py`

Documents and vision

- PDF context: `pdf_context.py`, `pdf_context_jobs.py`, `pdf_image_analysis.py`; `visual_error_reporting.py`; `imaging/converter.py`, `imaging/screenshot.py`

Usage, voice and web

- `usage_provider.py` (Ollama balance), `usage_tracking.py` (`UsageDaily`); dictation `chat_voice_runtime.py`; `web_search_llm.py`, `llm_timing.py`

Prompt Flow runtime

- `prompt_flow_panel_runtime.py`: own chain, history and embeddings per run; interpreter `services/prompt_flow_panel.py`

Compact mode switch

- Ticking it unticks every MCP, tool, agent and skill row except System-Metrics, Files-Search and Current-Time; unticking re-ticks every row
- STRICT: a model that cannot hold everything activated locks it ON; saved rows apply at once (`after_toggles_saved`)
- Toolbar box `model_capacity.js`; per-row token prices `compact_costs.js`

Self-modify switch

- Rendered only where self-modify is possible: a source run, or a `-self-modify` build
- ON sends `agent/Tlamatini.md` as self-knowledge when it fits; a small model shows it locked OFF (`self_modify_switch.js`)

Ollama limits handled

- At most four stop sequences per request (`ollama_stop.py`); the real context window is learned from Ollama's `prompt_eval_count` when a request is cut

Ecosistema de agentes — 87 tipos de agentes de flujo y ejecución de flujos

From a drawing on the canvas (or a chat answer) to running processes; every chip opens that agent's files in the atlas.

SHEET 09

Design
- ACP canvas (`acp-canvas-core.js`); FlowCreator AI (`flowcreator.py`, `agentic_skill.md`, `flow_catalog.json`); chat Create Flow

→

Snapshot
- `acp-flow-snapshot.js` builds `schemaVersion 2`; `.flw` files via `acp-file-io.js`

→

Normalize
- `services/flow_spec.py`: FlowNode, FlowConnection, FlowSpec

→

Compile
- `services/flow_compiler.py` wires slots per `services/agent_contracts.py`, redacts secrets; names from `services/agent_paths.py`

→

Session pool
- `agents/pools/<session>/<type>_N/config.yaml` + `interconnection-scheme.csv`; shared helpers `model_settings.py`

→

Run
- Starter → agents → Parametrizer (`INI_SECTION_<TYPE>`) → Ender → Cleaner; LEDs and logs polled by `acp-running-state.js`

→

Watch
- FlowHypervisor (`monitoring-prompt.pmt`) answers OK or ATTENTION NEEDED

WORKFLOW AGENTS BY CATEGORY

chip = agent · MT = also a Multi-Turn chat tool · number = tracked files

Agents de control (6)

Cleaner	3	Croner	2
Ender	2	Sleeper MT	2
Starter	2	Stopper	2

Bridges multicanal (1)

TeleTlamatini	2

Anatomy of a pool agent

- Each template: `<type>.py` + `config.yaml`; flat helper siblings travel with pool copies (PDFer, PPTXer, LaTeXer, Googler, Video-Analyzer…)
- Lifecycle: PID file while running; `AGENT_REANIMATED=1` resumes after pause with `reanim*` state; Ender clears it
- Connections: `source_agents` (watch), `target_agents` (start), special slots for OR/AND, Forker/Asker, Counter, Ender
- Pool agents import nothing from `agent.*`: 0 of 134 pool archivos Python do (checked)

Agents de enrutamiento (4)

Asker MT	2	Counter	2
Forker	2	Raiser	2

Agents de utilidad (3)

FlowBacker	2	FlowCreator MT	6
Parametrizer	2		

Compuertas lógicas (3)

AND	2	Barrier	3
OR	2		

Agents de criptografía (3)

Kyber-Cipher MT	2	Kyber-DeCipher MT	2
Kyber-KeyGen MT	2		

Agents de acción (58)

Analyzer	2	Apirer MT	2
Arduiner MT	7	AudioPlayer MT	2
Blenderer MT	2	Camcorder MT	2
Crawler MT	2	De-Compresser MT	2
Deleter MT	2	Discoverer MT	2
Dockerer MT	2	Editor MT	2
ESP32er MT	8	ESPHomer MT	8
Executer MT	2	File-Creator MT	2
File-Extractor MT	2	File-Interpreter MT	2
Gitter MT	2	Globber MT	2
Googler	3	Grepper MT	2
Image-Interpreter MT	2	Instant Messaging Doctor MT	2
J-Decompiler MT	2	Jenkinser MT	2
Kalier MT	2	Keyboarder MT	3
Kuberneter MT	2	LaTeXer MT	6
MCP Doctor MT	2	Mongoxer MT	2
Mouser MT	3	Mover MT	2
NetSpeed-Calculator MT	2	Nmapper MT	2
PDFer MT	15	Playwrighter MT	2
PPTXer MT	15	Prompter MT	2
PSer MT	2	Pythonxer MT	2
Recorder MT	2	Reviewer	2
SCPer MT	2	Shoter MT	2
SQLer MT	2	SSHer MT	2
STM32er MT	2	Summarizer MT	2
Talker MT	3	Terminater MT	5
Torrenter MT	6	Unrealer MT	2
Video-Analyzer MT	5	VideoPlayer MT	2
Whisperer MT	4	Windower MT	2

Agents de notificación (8)

Emailer MT	2	FlowHypervisor	4
Monitor Netstat MT	2	Monitor-Log MT	2
Notifier MT	2	RecMailer MT	2
Telegrammer MT	7	Whatsapper MT	8

Driver de agents de código externos (1)

ACPXer	2

Interfaces de integración — ACPX, habilidades, MCP externos y puentes

Four ways Tlamatini reaches beyond its own process: coding-agent CLIs, procedural skills, any MCP server, and the outside world.

ACPX — external coding-agent CLIs

Registry and transports

- `acpx/agent_registry.py`: agent ids with `oneshot-prompt`, `json-acp`, `tui-repl`, `one-shot` transports; per-agent overrides from `config.json` (`acpx/config.py`)

LLM surface

- `acpx/tools.py`: `acp_doctor`, `acp_spawn`, `acp_send`, `acp_send_and_wait`, `acp_relay`, `acp_kill`, transcripts, sessions, `list_skills`, `invoke_skill`

Runtime

- `acpx/runtime.py`: reader thread, transport-aware idle rule, NDJSON transcripts (`acpx/session_store.py`); `acpx/permissions.py` gate

Twins

- Canvas node `acpxer.py` and the Django-free root `tlamatini_acpx.py` share the same verdict; Windows spawning by `acpx/windows_spawn.py` + `win_shim.py`

Delivery verdict

- `acpx/child_health.py`: PERMISSION_BLOCKED, AUTH_FAILED, NO_CREDIT, NO_OUTPUT… an exit code is one bit, so the child's output is judged

Tests

- `acpx/tests.py`: every failure string copied from real transcripts

Skills — SKILL.md packages

Harness

- `skills/registry.py` discovers packages, `skills/frontmatter.py` parses, `skills/validation.py` is the one validator, `skills/harness.py` returns a planning handoff, `skills/io_contract.py`, `skills/redaction.py`

Boot and admin

- `acpx/service.py` `boot_skills()` mirrors packages into `Skill` rows; ACPX-Skills menu `skills_dialog.js`

29 packages in agent/skills_pkg/

`acp_router`, `adding_external_mcp`, `code_review`, `create_new_agent`, `create_new_mcp`, `flow_making`, `github`, `gmail`, `hello_world`, `jira`, `kali_pentest`, `notion`, `roblox_studio`, `security_audit`, `setup_new_acpx_key`, `skill_creator`, `slack`, `summarize`, `tlamatini_allowed_hosts_tighten`, `tlamatini_csrf_exempt_audit`, `tlamatini_exec_report_row_adder`, `tlamatini_flow_from_objective`, `tlamatini_flw_doctor`, `tlamatini_new_acp_agent`, `tlamatini_planner_trace_replay`, `tlamatini_static_version_bumper`, `todoist`, `trello`, `weather`

Assistant skill sets

- .claude/skills (canonical), .gemini/skills (mirror), .codex/skills; counted by `skill_inventory.py`

External MCPs — universal MCP client

Client

- `external_mcp_manager.py`: four transports, background connects, negative cache, supervisor; remote tools as `ext__<server>__<tool>`; 10 supervisor tools

Runtime provisioner

- `runtime_provisioner.py`: private node, npm, npx, pnpm, uv, uvx in `%LOCALAPPDATA%`; SHA-256 verified; no admin; npx shims rewritten by `win_shim.py`

Catalog and defaults

- `external_mcps.json` (user state, at most 5 active); `external_mcp_defaults.py` seeds `memory` and `sequential-thinking`, inactive

UI and triage

- External › MCPs dialog `external_mcps_dialog.js`; static triage agent `mcp_doctor.py`; runbook `adding_external_mcp`

Built-in providers and the root MCP server

Context providers

- System-Metrics: `mcp_system_server.py` (WebSocket 8765); Files-Search: `mcp_files_search_server.py` (gRPC 50051); both started by `agent/apps.py`

One definition of Windows spawning

- `win_shim.py` prefers a real `.exe`, rewrites npm/pnpm shims to `node.exe <script.js>` and avoids cmd.exe, which cuts a multi-line prompt at its first newline; shared by ACPX, the stdio MCP server and External MCPs

Root MCP server

- `tlamatini_mcp_server.py` publishes every pool agent as an MCP tool for Claude Code, Kimi and other clients (`.mcp.json`, `TLAMATINI_MCP.md`)

Messaging bridges

TeleTlamatini

- `teletlamatini.py`: long-running Telegram bot that brings authorized users into the full Multi-Turn chat

Emailer, RecMailer, Notifier

- SMTP send through Emailer, IMAP watch through RecMailer, and in-browser notifications through Notifier

Telegrammer and Whatsapper

- `telegrammer.py`: send as the bot or as your own account; `whatsapper.py`: Meta Cloud API by default, WhatsApp Web on request

Instant Messaging Doctor

- `instant_messaging_doctor.py` diagnoses tokens, contacts, templates and the 24-hour window, and is launched after a messaging failure

Devices, engines and security bridges

Firmware

- STM32er (PlatformIO + template MCP, ST-LINK preflight), ESP32er (`platformio.ini` template), Arduiner (arduino-cli, `sketch.yaml`), ESPHomer (YAML devices)

Security tooling

- Kalier (MCP-Kali-Server HTTP API), Nmapper (a locally installed nmap; connect scan by default), Discoverer (ProjectDiscovery tools through a private Go toolchain); authorized targets only

3D engines

- Blenderer speaks to the Blender MCP add-on socket (9876); Unrealer to the Unreal MCP plugin socket (55557)

Desktop control

- Mouser, Keyboarder, Windower and Shoter drive and observe the real desktop; Playwrighter drives a real browser

Mapa de módulos de la interfaz — carga de módulos por página

Parsed from the templates' {% static %} tags. Numbers give the load order; a star marks a module loaded by more than one page.

SHEET 11

Chat page · agent_page.html (96 assets)

1 Tlamatini.ico ★	38KB	49 ini.min.js	15
2 bootstrap.min.css ★	6	50 eo_mc.jpg	534KB
3 bootstrap.bundle.min.js ★	7	51 ec_mc.jpg	540KB
4 atom-one-dark.min.css ★	1	52 eo_mo.jpg	537KB
5 ui_tokens.css ★	30	53 ec_mo.jpg	543KB
6 agent_page.css	2.5k	54 canvas.html	52
7 pdf_context_progress.css	27	55 XAIHT-Tlamatini.mp4	10.8MB
8 tools_dialog.css	559	56 agent_page_state.js	495
9 skills_dialog.css	337	57 agent_page_ui.js	521
10 external_mcps_dialog.css	689	58 pdf_context_progress.js	165
11 contacts_dialog.css	538	59 agent_page_pdf.js	286
12 access_keys_wizard.css	371	60 purify.min.js	7
13 avatar.css	181	61 agent_page_markdown.js	269
14 context_gauge.css	264	62 agent_page_canvas.js	679
15 chat_dictation.css	129	63 voice_runtime.js ★	172
16 model_capacity.css	313	64 interaction_speech.js ★	67
17 model_brain_tuning.css	327	65 interaction_settings.js ★	232
18 usage_dashboard.css	114	66 editor.js	35
19 ui_shell.css ★	182	67 agent_page_editing.js	308
20 markdown_canvas.css	61	68 agent_page_dialogs.js	1.4k
21 canvas_editor.css	126	69 agent_page_context.js	188
22 interactor.css	37	70 agent_page_chat.js	2.8k
23 ui_splitters.css ★	39	71 agent_page_layout.js	469
24 xterm.css ★	218	72 agent_page_init.js	1.9k
25 terminater_dock.css ★	269	73 bridge.js	305
26 interaction_settings.css ★	38	74 terminater_dock.js ★	952
27 dialog_theme.css ★	795	75 tools_dialog.js	698
28 400.css ★	49	76 skills_dialog.js	392
29 700.css ★	49	77 external_mcps_dialog.js	545
30 jquery.min.js ★	2	78 contacts_dialog.js	384
31 jquery-ui.min.js ★	6	79 access_keys_wizard.js	406
32 ui_splitters.js ★	62	80 shared-runtime-dialogs.js ★	347
33 dialog_policy.js ★	781	81 chat_page_runtime_poller.js	151
34 file_drop_router.js ★	876	82 chat_image_paste.js	390
35 highlight.min.js	1.2k	83 context_gauge.js	441
36 python.min.js	41	84 model_capacity.js	492
37 java.min.js	38	85 model_brain_tuning.js	348
38 javascript.min.js	80	86 self_modify_switch.js	282
39 c.min.js	40	87 compact_costs.js	258
40 cpp.min.js	47	88 chat_table_contrast.js	147
41 css.min.js	31	89 checkbox_bulk_toggle.js ★	319
42 sql.min.js	17	90 release_notes_renderer.js	313
43 xml.min.js	29	91 avatar_presence.js	571
44 yaml.min.js	25	92 avatar_size.js	287
45 bash.min.js	20	93 avatar.js	443
46 typescript.min.js	95	94 mic_settings.js	197
47 kotlin.min.js	46	95 chat_dictation.js	249
48 rust.min.js	28	96 usage_dashboard.js	352

Agentic Control Panel (44 assets)

1 Tlamatini.ico ★	38KB
2 bootstrap.min.css ★	6
3 bootstrap.bundle.min.js ★	7
4 ui_tokens.css ★	30
5 agentic_control_panel.css ★	2.9k
6 flow_canvas.css ★	58
7 ui_shell.css ★	182
8 ui_splitters.css ★	39
9 xterm.css ★	218
10 terminater_dock.css ★	269
11 interaction_settings.css ★	38
12 dialog_theme.css ★	795
13 400.css ★	49
14 700.css ★	49
15 jquery.min.js ★	2
16 jquery-ui.min.js ★	6
17 ui_splitters.js ★	62
18 dialog_policy.js ★	781
19 file_drop_router.js ★	876
20 spinner.svg	18
21 canvas_item_dialog.js	1.1k
22 contextual_menus.js	730
23 flow-canvas-interactions.js ★	146
24 acp-globals.js	369
25 acp-session.js	114
26 acp-undo-manager.js	128
27 acp-agent-connectors.js	1.7k
28 shared-runtime-dialogs.js ★	347
29 acp-running-state.js	370
30 acp-control-buttons.js	1.4k
31 acp-validate.js	644
32 acp-canvas-core.js	1.7k
33 acp-flow-snapshot.js	94
34 acp-canvas-undo.js	1.2k
35 acp-file-io.js	724
36 acp-layout.js	102
37 acp-parametrizer-dialog.js	563
38 acp-connection-status.js	150
39 acp-editor-tools.js	319
40 checkbox_bulk_toggle.js ★	319
41 voice_runtime.js ★	172
42 interaction_speech.js ★	67
43 interaction_settings.js ★	232
44 terminater_dock.js ★	952

Prompt Flow Panel (27 assets)

1 Tlamatini.ico ★	38KB
2 bootstrap.min.css ★	6
3 400.css ★	49
4 700.css ★	49
5 ui_tokens.css ★	30
6 agentic_control_panel.css ★	2.9k
7 prompt_flow_panel.css	183
8 flow_canvas.css ★	58
9 ui_shell.css ★	182
10 ui_splitters.css ★	39
11 xterm.css ★	218
12 terminater_dock.css ★	269
13 interaction_settings.css ★	38
14 dialog_theme.css ★	795
15 jquery.min.js ★	2
16 jquery-ui.min.js ★	6
17 ui_splitters.js ★	62
18 dialog_policy.js ★	781
19 file_drop_router.js ★	876
20 bootstrap.bundle.min.js ★	7
21 flow-canvas-interactions.js ★	146
22 prompt-flow-panel-model.js	200
23 prompt-flow-panel.js	1.3k
24 voice_runtime.js ★	172
25 interaction_speech.js ★	67
26 interaction_settings.js ★	232
27 terminater_dock.js ★	952

Entry pages, admin, usage dialog, PDF frame (36 assets)

login:	Tlamatini.ico	38KB
login:	bootstrap.min.css	6
login:	bootstrap.bundle.min.js	7
login:	atom-one-dark.min.css	1
login:	400.css	49
login:	700.css	49
login:	ui_tokens.css	30
login:	ui_shell.css	182
login:	entry_pages.css	38
login:	login.css	14
login:	file_drop_router.js	876
welcome:	Tlamatini.ico	38KB
welcome:	bootstrap.min.css	6
welcome:	bootstrap.bundle.min.js	7
welcome:	atom-one-dark.min.css	1
welcome:	400.css	49
welcome:	700.css	49
welcome:	ui_tokens.css	30
welcome:	ui_shell.css	182
welcome:	entry_pages.css	38
welcome:	welcome.css	13
welcome:	dialog_theme.css	795
welcome:	dialog_policy.js	781
welcome:	file_drop_router.js	876
welcome:	welcome_enter_default.js	92
admin:	Tlamatini.ico	38KB
admin:	400.css	49
admin:	700.css	49
admin:	admin_theme.css	41
admin:	file_drop_router.js	876
pdf:	pdf_viewer.css	6.4k
pdf:	ui_tokens.css	30
pdf:	ui_shell.css	182
pdf:	pdf_canvas.css	19
pdf:	file_drop_router.js	876
pdf:	pdf_canvas_viewer.js	213

Modelo de datos y estado — 21 modelos Django, 222 migraciones, copias compatibles con WAL

Fields parsed from agent/models.py. FK arrows are written as → Target. The history chart classifies each migration by its file name.

SHEET 12

AgentMessage

- `user` ForeignKey → **User**
- `conversation_user` ForeignKey → **User**
- `message` Text
- `timestamp` DateTime

Mcp

- `idMcp` Integer
- `mcpName` Char
- `mcpDescription` Char
- `mcpContent` Text

ChatAgentRun

- `owner` ForeignKey → **User**
- `runId` Char
- `toolDescription` Char
- `templateAgentDir` Char
- `runtimeDir` Char
- `logPath` Char
- `requestText` Text
- `pid` Integer
- `status` Char
- `exitCode` Integer
- `startedAt` DateTime
- `finishedAt` DateTime

UsageDaily

- `user` ForeignKey → **User**
- `day` Date
- `model` Char
- `calls` PositiveBigInteger
- `input_tokens` PositiveBigInteger
- `output_tokens` PositiveBigInteger
- `missing_output_calls` PositiveBigInteger
- `first_seen` DateTime
- `last_seen` DateTime

LLMProgram

- `idProgram` Integer
- `programName` Char
- `programLanguage` Char
- `timestamp` DateTime
- `programContent` Text

Tool

- `idTool` Integer
- `toolName` Char
- `toolDescription` Char
- `toolContent` Text

Asset

- `idAsset` Integer
- `assetName` Char
- `assetDescription` Char
- `assetContent` Text

AcpSession

- `session_uuid` Char
- `agent_id` Char
- `user` ForeignKey → **User**
- `cwd` Char
- `state_path` Char
- `transcript_path` Char
- `started_at` DateTime
- `ended_at` DateTime
- `ok` Boolean
- `pid` Integer
- `label` Char

LLMSnippet

- `idSnippet` Integer
- `snippetName` Char
- `snippetLanguage` Char
- `timestamp` DateTime
- `snippetContent` Text

Agent

- `idAgent` Integer
- `agentName` Char
- `agentDescription` Char
- `agentContent` Text

SessionState

- `user` OneToOne → **User**
- `context_path` Char
- `context_type` Char
- `context_filename` Char
- `last_active` DateTime

SkillInvocation

- `skill_name` Char
- `user` ForeignKey → **User**
- `started_at` DateTime
- `finished_at` DateTime
- `ok` Boolean
- `iterations` Integer
- `tokens` Integer
- `args_json` Text
- `output_json` Text
- `audit_path` Char
- `failure_reason` Char
- `acp_session` ForeignKey → **AcpSession**

Prompt

- `idPrompt` Integer
- `promptName` Char
- `promptContent` Text
- `category` Char
- `hidden` Boolean
- `sort_rank` Integer

AgentProcess

- `idAgentProcess` Integer
- `agentProcessDescription` Char
- `agentProcessPid` Integer

AcpAgent

- `agent_id` Char
- `command` Char
- `description` Char
- `enabled` Boolean
- `healthy` Boolean
- `last_probe_at` DateTime
- `notes` Text

CompactState

- `active` Boolean
- `strict` Boolean
- `model` Char
- `window_tokens` Integer
- `saved_external_active` Text
- `reason` Char
- `self_modify` Boolean
- `updated_at` DateTime

Omission

- `idOmission` Integer
- `omissionName` Char
- `omissionContent` Text

ContextCache

- `query_hash` Char
- `context_blob` Text
- `timestamp` DateTime

TorrenterProfile

- `user` OneToOne → **User**
- `account` UUID


Skill

- `name` Char
- `description` Text
- `runtime` Char
- `acpx_agent` Char
- `enabled` Boolean
- `frontmatter_json` Text
- `body_sha256` Char
- `last_loaded_at` DateTime

InteractionSettings

- `user` OneToOne → **User**
- `preferences` JSON
- `revision` PositiveInteger

Migration history (25 per bar, by kind)



Backup database

- `sqlite_copy.py consistent_copy`: SQLite online backup API (reads through the WAL) → copy written in DELETE journal mode → `PRAGMA quick_check` before success

Set DB

- `move_with_sidecars` / `remove_sidecars` keep `-wal`, `-shm`, `-journal` with their own database; fail-safe, never deletes the source

Self-update carry-over

- `apply_update.ps1` copies the live DB to `DB/ToLoad` + a flag; on next launch `manage.py` swaps it back and runs `migrate` in a child (`ToLoad`, `Older`)

Chat history

- `AgentMessage` rows are the only history the model reads: `chat_history_loader.py` reloads the last 8 per request, so Drop needs no reconnect

Compilación, distribución, instalación y actualización

Del repositorio al instalador y al actualizador: conservación de datos del usuario y exclusión de secretos.

Build

Version

- `versioning.py` writes `agent/_version.py` (gitignored) from git tags; rules in `VERSIONING.md`

Inputs

- `build_runtime_assets.py` (fail-closed inventory), `hook-numpy`, `hook-torch`, `hook-pymupdf`, `requirements.txt`

Freeze

- `build.py`: PyInstaller onedir of `manage.py`, `collectstatic`, carried Python, hidden imports, `verify_frozen_agent_modules()`, gates `check_agent_runtimes.py` and `check_prompt_flow_panel.py`

Self-modify (optional)

- `-self-modify` → `copy_source_assets.py` writes `TlamatiniSourceCode/` and rebuild instructions; bundles `agent/Tlamatini.md`

Package

- `pkg.zip` → `build_uninstaller.py` (`Uninstaller.exe`) → `build_installer.py` (`Installer.exe`); `build_all.cmd` end-to-end

Release

- `build_complete_private_release.py` / `build_complete_public_release.py`; private data audited by `check_private_data.py`; keys toggled by `regen_secrets.py`

Installer.exe

Install

Setup window

- `install.py` + `setup_wizard.py` (one window for Installer and Uninstaller), transcripts by `setup_logging.py`

Recovery

- `setup_recovery.py`: verified recovery copy and journal before any change; `setup_windows.py`: snapshot of Tlamatini's own registry keys and shortcut

Windows integration

- `CreateShortcut.ps1`, `flow_file_associations.ps1` (.flw and .fpmt), `register_flw.ps1`, `register_fpmt.ps1`; `windows_app_registration.py` + `agent_manifest.py` (HKCU discovery)

Uninstall

- `uninstall.py` + `uninstall_processes.py` (owned workers only); keeps `agents/` and non-empty user folders listed in `preserved_user_state.json`

Run and update

Launch

- `Tlamatini.ps1` or `Tlamatini.exe` → `manage.py` runserver; Explorer-opened flows handled by `flow_file_open.py`

Check

- About › Check for updates → `self_update.py`: latest GitHub release, download and stage; the dialog is sealed while it downloads

Swap

- `apply_update.ps1` runs outside the install: stops the tree, `agents` → `agents_backup`, keeps the preserve set, stages the DB in `DB/ToLoad`

Migrate

- Next launch swaps the DB back and runs `migrate` in a child; daily copies by `backup_db.py`

Security and hygiene

Active defense

- `tlamatini_defender.ps1`, `tlamatini_whitelist_v2.ps1` (Controlled Folder Access), `enable_tlamatini_v2.bat`

Repository guards

- `test_private_data_guard.py`, `git_deny_go.py`, `name-guard.yml`, `finding-policy.json`

Dependencies

- `audit_dependencies.py`, `check_requirements_coverage.py`, `requirements-esphome.txt`

Secrets

- `regen_secrets.py` toggles placeholders and keys from the gitignored `data.keys`; `uncommit-keys.bat`; `private_targets.example.json`

What ships and what survives

Install layout

- `Tlamatini.exe` + `_internal/` (frozen Django app and collected statics), carried `python/`, `jre/` and `git/`, the `agents/` templates, `DB/`, `Temp/`, `Templates/`

Kept by self-update

- `config.json`, `DB`, `Temp`, `Templates`, `application(s)`, the `*_generated` and `context_files` folders and `data.keys`; the package delivers its verified uninstaller

Self-modify snapshot

- `TlamatiniSourceCode/` with a manifest and rebuild instructions; secrets redacted and heavy media omitted by `copy_source_assets.py`

Inclusion sweeps

- `sweep_self_update.py` and `sweep_self_modify.py` prove both pipelines carry every new asset

Verificación y documentación — pruebas y fuentes de conocimiento

210 test modules hold 6411 test functions; every automated run is visible. The documentation graph is what every assistant reads first.

Unit and contract tests

- 182 modules in `agent/` (`test_*.py`) + `acpx/tests.py`; e.g. `test_status_vocabulary.py`, `test_agent_display_names.py`, `test_dialog_dismissal_policy.py`, `test_ask_execs_allowlist.py`, `test_console_shield.py`

Visible end-to-end

- `tests_e2e`: headed Chrome against the real GUI, e.g. `test_self_healing_visual.py`, `test_create_flow_visual.py`, `test_db_backup_set_visible.py`

Daily chat harness

- `run_test.py` with `preflight.py` (repairs DB, server and login before Chrome opens), `qualify.py` and Shoter photos (`shoter_shot.py`); Gemini mirror

Visible and release checks

- `scripts/`: `*_visible.py` runners, `release_*_checks.py`, setup lifecycle cycles; JS gates `check_js_parse.mjs` + `eslint.config.mjs`; Python gate: ruff

Policy

- Headless runs are forbidden: `TestsVisiblesAndVisibleExecutionFromClaude2Codex.md`; screenshots only by the Shoter agent; tests must establish their own environment

Onboarding chain

- `CLAUDE.md` @-imports `architecture`, `multi-turn`, `exec-report`, `agents`, `acpx`, `mcp-tools`, `frontend`, `gotchas`; on demand `recent-fixes`

Other assistants

- `AGENTS.md`, `GEMINI.md`, `KIMI.md`; authoring guides `create_new_agent.md`, `create_new_mcp.md`, `create_new_skill.md`

Feature guides and records

- `docs/` feature guides (e.g. `setup-wizards`, `canvas-refresh`, `model_configuration`) and dated records in `docs/changes/` (e.g. `v1.88.0`)


User-facing

- `README.md`, `BookOfTlamatini.md`, `agents_descriptions.md` (tooltips and canvas descriptions), `ACPX.md`, `TLAMATINI_MCP.md`


Memory, hooks and skills

- `.claude/memory/` notes, `announce_skills.py` (SessionStart), `.claude/settings.json`; four skill locations checked by `skill_inventory.py`

Verification assets per cluster



Knowledge assets per cluster




Largest test suites (test functions per file, counted with ast)



Matriz de dependencias de Python (DSM)

Row imports column (module-level and lazy in-function imports). 160 backend modules, 382 dependencies, parsed with ast.

SHEET 15



Most imported (fan-in)

- models: 21
- path_guard: 17
- config_loader: 16
- global_state: 14
- context_governor: 13
- services.agent_paths: 13
- terminal_hub: 12
- cancellation: 10
- torrenter_bridge: 7
- interaction_settings: 6
- external_mcp_manager: 6
- rag.utils: 6

Most importing (fan-out)

- views: 26
- mcp_agent: 25
- rag.factory: 22
- consumers: 19
- apps: 19
- tools: 19
- rag.chains.unified: 15
- rag.interface: 10
- urls: 9
- management.commands.check_terminater: 8
- compact_mode: 7
- rag.chains.history_aware: 7

Import cycles (strongly connected)

- 4 modules: compact_mode, mcp_agent, rag.config, tools
- 3 modules: interaction_narration, interaction_settings, terminal_hub

Reading the matrix

- Diagonal = the module itself; shaded squares = groups (Django project, transport, intelligence, rag, services, integration, acpx, skills, platform, persistence, doc generation). Marks below the diagonal point back to groups listed earlier.
- Pool agents are excluded: they run as separate processes and import nothing from `agent.*`.

Atlas I — Server core: process, web tier and intelligence

Django/Channels process, HTTP and WebSocket entry points, the RAG chains, the Multi-Turn executor and its services.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 16

Tlamatini/ · process entry

2 files · 1,794 lines

manage.py: log tee, console shield, colours, django_port, Temp pin, post-update DB swap

cat_art.py	64	manage.py	1.7k

Tlamatini/tlamatini/ · Django project

8 files · 756 lines

settings (SQLite WAL, WhiteNoise, temp pin), ASGI app, root URLs, per-user log-tag middleware

__init__.py	10	context_processors.py	37
middleware.py	197	urls.py	18
asgi.py	34	logging_filters.py	31
settings.py	401	wsgi.py	28

agent/ · transport and web endpoints

19 files · 18,986 lines

Channels consumers, HTTP views, app boot (AgentConfig.ready), admin, fixed chat lines

__init__.py	26	contacts.py	210	urls.py	230
access_key_wizard.py	703	flow_file_views.py	50	usage_views.py	55
admin.py	31	model_brain_views.py	133	version.py	388
apps.py	838	native_dialogs.py	504	views.py	13k
chat_voice_consumer.py	121	pdf_context_views.py	40	window_flash.py	146
constants.py	159	prompt_flow_panel_consumer.py	93		
consumers.py	2.5k	routing.py	24		

agent/templates/ · server-rendered pages

10 files · 1,715 lines

chat page, Agentic Control Panel, Prompt Flow Panel, login, welcome, usage dialog, admin skin

admin/base_site.html	15	agent/login.html	63
agent/agent_page.html	950	agent/prompt_flow_panel.html	132
agent/agentic_control_panel.html	359	agent/torrenter_sources.html	25
agent/interaction_settings.html	42	agent/usage_dialog.html	64
agent/interactor.html	23	agent/welcome.html	42

agent/management/ · manage.py commands

7 files · 704 lines

startserver plus build gates (check_agent_runtimes, check_prompt_flow_panel) and acpx_lint

__init__.py	10	commands/check_terminater.py	227
commands/acpx_lint.py	123	commands/enroll_torrenter.py	29
commands/check_agent_runtimes.py	109	commands/startserver.py	56
commands/check_prompt_flow_panel.py	150		

agent/ · intelligence core

40 files · 25,581 lines

Multi-Turn executor, tool surface, planner, self-healing, Model Brain, context fitting, prompts

agent_verdict.py	657	llm_timing.py	160
cancellation.py	199	local_toolcall_parser.py	376
capability_registry.py	691	mcp_agent.py	4.1k
chat_agent_registry.py	2.4k	model_brain.py	549
chat_agent_runtime.py	638	model_brain_chat.py	178
chat_history_loader.py	117	model_profiles.json	102
chat_voice_runtime.py	242	ollama_stop.py	68
chat_voice_settings.py	70	pdf_context.py	202
compact_mode.py	685	pdf_context_jobs.py	113
config.json	299	pdf_image_analysis.py	38
config_loader.py	135	prompt.pmt	403
context_baseline.py	489	prompt_flow_panel_runtime.py	207
context_fitter.py	760	rag_enhancements.py	687
context_governor.py	2.0k	self_healing.py	523
embedding_memory_guard.py	433	Tlamatini.md	548
exec_permission.py	259	tools.py	5.4k
global_execution_planner.py	526	usage_provider.py	333
global_state.py	53	usage_tracking.py	108
gpu_perf.py	420	visual_error_reporting.py	29
inet_determiner.py	219	web_search_llm.py	279

agent/interactor/ - live editor module

8 files · 644 lines

authenticated tab bridge, fresh buffer reads, typed teaching segments and learner handoffs

__init__.py	2	context.py	35	files.py	49	protocol.py	56
consumer.py	74	editor.mjs	154	hub.py	128	tool.py	146

agent/rag/ · retrieval-augmented generation

11 files · 3,692 lines

chain factory, ask_rag interface, FAISS + BM25 retrieval, loaders, splitters, binary guard

__init__.py	39	factory.py	1.2k	loaders.py	51	splitters.py	13
binary_guard.py	516	interaction.py	67	prompts.py	33	utils.py	191
config.py	445	interface.py	1.0k	retrieval.py	114		

agent/rag/chains/ · answer chains

4 files · 2,075 lines

prompt-only, history-aware RAG and unified tool-agent chains

base.py	177	basic.py	193	history_aware.py	587	unified.py	1.1k

agent/services/ · flow compiler and contracts

9 files · 2,723 lines

FlowSpec, flow compiler, agent contracts and paths, response parser, prompt-flow interpreter

__init__.py	25	filesystem.py	141	flow_spec.py	174		
agent_contracts.py	501	flow_compiler.py	441	prompt_flow_panel.py	438		
agent_paths.py	178	flow_knowledge.py	147	response_parser.py	678		

agent/imaging/ · image analysis

3 files · 681 lines

dual-backend (Claude + Qwen) interpretation, conversion, screenshots

converter.py	25	image_interpreter.py	399	screenshot.py	257		

agent/opus_client/ · Claude API client

3 files · 1,396 lines

chat, images, PDFs, streaming, tools

claude_opus_client.py	969	examples.py	9	README.md	418		

agent/monitors/ · SQL monitor

1 file · 83 lines

monitor_sql.py	83						

agent/doc_generation/ · project dossier generator

10 files · 7,084 lines

builds and verifies the summary PDF and the PPTX deck from source facts

complete_project_docs.py	639	dossier_pptx.py	1.2k	refresh_project_docs.py	16		
dossier_content.py	2.6k	dossier_theme.py	385	test_output.pdf	41KB		
dossier_editor_content.py	297	dossier_verify.py	314				
dossier_pdf.py	1.5k	mardown_to_pdf.py	119				

agent/ · other modules

12 files · 2,704 lines

canvas_file_views.py	331	terminal_guard.py	483	terminater_tool.py	429		
interaction_narration.py	131	terminal_hub.py	347	torrenter_bridge.py	116		
interaction_settings.py	162	terminal_views.py	69	torrenter_tool.py	64		
terminal_consumer.py	271	terminater_testkit.py	81	torrenter_views.py	220		

Atlas II — Interfaces de integración, platform and state

Built-in MCP servers, the universal external-MCP client, ACPX, the skill harness, platform guards and persistence core.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 17

agent/ · context providers and external-MCP client

16 files · 6,914 lines

System-Metrics (WS 8765), Files-Search (gRPC 50051), sidecars, universal MCP client, runtimes, Windows shim

chain_files_search_lcel.py	791	filesearch_pb2.py	57
chain_system_lcel.py	282	filesearch_pb2_grpc.py	152
command_togen_pb2.txt	32	mcp_files_search_client.py	462
context_sidecar_timeout.py	163	mcp_files_search_server.py	240
external_mcp_defaults.py	245	mcp_system_client.py	141
external_mcp_manager.py	2.7k	mcp_system_server.py	235
external_mcps.json	4	runtime_provisioner.py	1.2k
filesearch.proto	33	win_shim.py	189

agent/acpx/ · ACPX runtime

11 files · 5,610 lines

external coding-agent CLIs as children: registry, transports, delivery verdict, 12 tools

__init__.py	135	config.py	549
service.py	112	tools.py	716
agent_registry.py	393	permissions.py	108
session_store.py	145	windows_spawn.py	180
child_health.py	299	runtime.py	1.3k
tests.py	1.6k		

agent/skills/ · skill harness

7 files · 1,829 lines

SKILL.md frontmatter, registry, planning-handoff harness, I/O contract, redaction, validator

__init__.py	29	harness.py	603
redaction.py	234	validation.py	335
frontmatter.py	186	io_contract.py	147
registry.py	295		

agent/skills_pkg/ · SKILL.md packages

39 files · 4,586 lines

29 packages loaded by boot_skills() and invoked through list_skills / invoke_skill

_meta/lint.py	85
_meta/schema.json	101
acp_router/SKILL.md	106
adding_external_mcp/references/external_mcp_catalog_format.md	127
adding_external_mcp/references/llm_reflection_research.md	112
adding_external_mcp/references/transport_guide.md	143
adding_external_mcp/references/troubleshooting.md	164
adding_external_mcp/SKILL.md	297
code_review/SKILL.md	133
create_new_agent/SKILL.md	156
create_new_mcp/SKILL.md	147
flow_making/references/flw_schema.md	89
flow_making/scripts/make_flow.py	178
flow_making/scripts/result_to_flw.py	236
flow_making/SKILL.md	164
github/SKILL.md	78
gmail/SKILL.md	59
hello_world/SKILL.md	54
jira/SKILL.md	65
kali_pentest/SKILL.md	128
notion/SKILL.md	77
roblox_studio/SKILL.md	177
security_audit/SKILL.md	113
setup_new_acpx_key/SKILL.md	274
skill_creator/scripts/quick_validate.py	63
skill_creator/SKILL.md	129
slack/SKILL.md	60
summarize/SKILL.md	60
tlamatini_allowed_hosts_tighten/SKILL.md	64
tlamatini_csrf_exempt_audit/SKILL.md	100
tlamatini_exec_report_row_adder/SKILL.md	85
tlamatini_flow_from_objective/SKILL.md	126
tlamatini_flw_doctor/SKILL.md	130
tlamatini_new_acp_agent/SKILL.md	146
tlamatini_planner_trace_replay/SKILL.md	85
tlamatini_static_version_bumper/SKILL.md	103
todoist/SKILL.md	58
trello/SKILL.md	57
weather/SKILL.md	57

agent/ · platform, safety and lifecycle

8 files · 3,636 lines

Temp/Templates policy, orphan reaper, watchdog, log tags, self-update, companion discovery

agent_manifest.py	277	log_identity.py	358
self_update.py	500	command_watchdog.py	602
orphan_reaper.py	895	windows_app_registration.py	285
flow_file_open.py	312	path_guard.py	407

persistence core

5 files · 894 lines

modelos Django, WAL-safe SQLite copy (online backup API), DB staging for self-update

agent/models.py	310	agent/sqlite_copy.py 407
DB/ToLoad/README.md	63	agent/run_db_wal_tests.ps1 54
DB/Older/README.md	60	

Tlamatini/jd-cli/ · bundled Java decompiler

2 files · 29 lines

jd-cli.bat	29	jd-cli.jar	3.8MB

agent/images/ · documentation media

5 files · 0 lines

ACPXKeysConfigureWizard.jpg	118KB	MenuConfig.jpg	18KB
XAIHT-Tlamatini.mp4	10.8MB	ConfigureModels.jpg	44KB
mockup.jpg	34KB		

agent/TlamatiniSourceCode/ · self-modify snapshot slot

1 file · 7 lines

filled by copy_source_assets.py in –self-modify builds

README.md	7

agent/test_fixtures/

1 file · 1 lines

recorded model output for offline tests

talker_orpheus_tokens.txt	1

Atlas IV — Presentation layer: first-party frontend

Scripts and stylesheets grouped by the page template that loads them (parsed from the templates).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 18

Torrenter workspace

4 files · 355 lines

Cola de la cuenta, inspección y archivos verificados

layout.js 62	workspace.css 53	workspace.html 28	workspace.js 212

static/agent/interactor/ - tutor controls

2 files · 342 lines

browser bridge, local field completion and learner-first interruption

bridge.js 305	interactor.css 37

agent/static/agent/js/ · chat page (agent_page.html)

32 files · 16,802 lines

access_keys_wizard.js 406	agent_page_ui.js 521	external_mcps_dialog.js 545
agent_page_canvas.js 679	avatar.js 443	mic_settings.js 197
agent_page_chat.js 2.8k	avatar_presence.js 571	model_brain_tuning.js 348
agent_page_context.js 188	avatar_size.js 287	model_capacity.js 492
agent_page_dialogs.js 1.4k	chat_dictation.js 249	pdf_context_progress.js 165
agent_page_editing.js 308	chat_image_paste.js 390	release_notes_renderer.js 313
agent_page_init.js 1.9k	chat_page_runtime_poller.js 151	self_modify_switch.js 282
agent_page_layout.js 469	chat_table_contrast.js 147	skills_dialog.js 392
agent_page_markdown.js 269	compact_costs.js 258	tools_dialog.js 698
agent_page_pdf.js 286	contacts_dialog.js 384	usage_dashboard.js 352
agent_page_state.js 495	context_gauge.js 441	

agent/static/agent/js/ · Agentic Control Panel

17 files · 11,441 lines

acp-agent-connectors.js 1.7k	acp-file-io.js 724	acp-session.js 114
acp-canvas-core.js 1.7k	acp-flow-snapshot.js 94	acp-undo-manager.js 128
acp-canvas-undo.js 1.2k	acp-globals.js 369	acp-validate.js 644
acp-connection-status.js 150	acp-layout.js 102	canvas_item_dialog.js 1.1k
acp-control-buttons.js 1.4k	acp-parametrizer-dialog.js 563	contextual_menus.js 730
acp-editor-tools.js 319	acp-running-state.js 370	

agent/static/agent/js/ · Prompt Flow Panel

2 files · 1,469 lines

prompt-flow-panel-model.js 200	prompt-flow-panel.js 1.3k

agent/static/agent/js/ · shared by several pages

10 files · 3,954 lines

checkbox_bulk_toggle.js 319	interaction_settings.js 232	ui_splitters.js 62
dialog_policy.js 781	interaction_speech.js 67	voice_runtime.js 172
file_drop_router.js 876	shared-runtime-dialogs.js 347	
flow-canvas-interactions.js 146	terminater_dock.js 952	

agent/static/agent/js/ · entry pages, PDF frame and indirect loads

3 files · 333 lines

agentic_control_panel.js 28	pdf_canvas_viewer.js 213	welcome_enter_default.js 92

agent/static/agent/css/ · chat page (agent_page.html)

15 files · 6,545 lines

access_keys_wizard.css 371	contacts_dialog.css 538	model_capacity.css 313
agent_page.css 2.5k	context_gauge.css 264	pdf_context_progress.css 27
avatar.css 181	external_mcps_dialog.css 689	skills_dialog.css 337
canvas_editor.css 126	markdown_canvas.css 61	tools_dialog.css 559
chat_dictation.css 129	model_brain_tuning.css 327	usage_dashboard.css 114

agent/static/agent/css/ · Prompt Flow Panel

1 file · 183 lines

prompt_flow_panel.css 183

agent/static/agent/css/ · shared by several pages

8 files · 4,299 lines

agentic_control_panel.css 2.9k	interaction_settings.css 38	ui_splitters.css 39
dialog_theme.css 795	terminater_dock.css 269	ui_tokens.css 30
flow_canvas.css 58	ui_shell.css 182	

agent/static/agent/css/ · entry pages, PDF frame and indirect loads

5 files · 125 lines

admin_theme.css 41	login.css 14	welcome.css 13
entry_pages.css 38	pdf_canvas.css 19	

agent/static/ · images, avatar, PDF frame, sounds, video

10 files · 70 lines

img/avatar/ec_mc.jpg 540KB	img/Tlamatini.ico 38KB
img/avatar/ec_mo.jpg 543KB	pdf/canvas.html 52
img/avatar/eo_mc.jpg 534KB	sounds/hypervisor_alert.wav 215KB
img/avatar/eo_mo.jpg 537KB	sounds/notification.wav 279KB
img/spinner.svg 18	video/XAIHT-Tlamatini.mp4 10.8MB

Atlas V — Vendored third-party frontend and PDF.js

Pinned, offline copies served by WhiteNoise: no CDN at runtime.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 19

vendor/frontend

1 file · 315 lines

Vendored-frontend manifest (versions + integrity)

manifest.json	315

vendor/frontend/bootstrap

5 files · 36 lines

Bootstrap 5 (navbar, dropdowns, modals, grid)

dist/css/bootstrap.min.css	6
dist/css/bootstrap.min.css.map	1
dist/js/bootstrap.bundle.min.js	7
dist/js/bootstrap.bundle.min.js.map	1
LICENSE	21

vendor/frontend/dompurify

3 files · 210 lines

DOMPurify HTML sanitizer used by the Markdown canvas

dist/purify.min.js	7
dist/purify.min.js.map	1
LICENSE	202

vendor/frontend/highlightjs

17 files · 1,795 lines

highlight.js syntax highlighter, languages and theme

highlight.min.js	1.2k
languages/bash.min.js	20
languages/c.min.js	40
languages/cpp.min.js	47
languages/css.min.js	31
languages/ini.min.js	15
languages/java.min.js	38
languages/javascript.min.js	80
languages/kotlin.min.js	46
languages/python.min.js	41
languages/rust.min.js	28
languages/sql.min.js	17
languages/typescript.min.js	95
languages/xml.min.js	29
languages/yaml.min.js	25
LICENSE	29
styles/atom-one-dark.min.css	1

vendor/frontend/jquery

3 files · 23 lines

jQuery

dist/jquery.min.js	2
dist/jquery.min.map	1
LICENSE.txt	20

vendor/frontend/jquery-ui

2 files · 49 lines

jQuery UI (dialogs, resizing)

jquery-ui.min.js	6
LICENSE.txt	43

vendor/frontend/marked

1 file · 44 lines

Marked Markdown parser (license)

LICENSE	44

vendor/frontend/nunito

23 files · 191 lines

Nunito web font (site typography)

400.css	49
700.css	49
files/nunito-cyrillic-400-normal.woff	10KB
files/nunito-cyrillic-400-normal.woff2	8KB
files/nunito-cyrillic-700-normal.woff	10KB
files/nunito-cyrillic-700-normal.woff2	8KB
files/nunito-cyrillic-ext-400-normal.woff	14KB
files/nunito-cyrillic-ext-400-normal.woff2	11KB
files/nunito-cyrillic-ext-700-normal.woff	14KB
files/nunito-cyrillic-ext-700-normal.woff2	11KB
files/nunito-latin-400-normal.woff	20KB
files/nunito-latin-400-normal.woff2	16KB
files/nunito-latin-700-normal.woff	20KB
files/nunito-latin-700-normal.woff2	16KB
files/nunito-latin-ext-400-normal.woff	21KB
files/nunito-latin-ext-400-normal.woff2	16KB
files/nunito-latin-ext-700-normal.woff	21KB
files/nunito-latin-ext-700-normal.woff2	16KB
files/nunito-vietnamese-400-normal.woff	8KB
files/nunito-vietnamese-400-normal.woff2	6KB
files/nunito-vietnamese-700-normal.woff	8KB
files/nunito-vietnamese-700-normal.woff2	6KB
LICENSE	93

vendor/frontend/xterm

2 files · 239 lines

xterm.js 5.5.0 terminal renderer of the Terminals area (Terminater)

css/xterm.css	218
LICENSE	21

vendor/frontend/xterm-addon-fit

1 file · 19 lines

xterm.js fit add-on 0.10.0 (sizes a terminal to its pane)

LICENSE	19

vendor/frontend/xterm-addon-web-links

1 file · 19 lines

xterm.js web-links add-on 0.11.0 (clickable links in a terminal)

LICENSE	19

vendor/canvas-editor - offline CodeMirror

3 files · 1,038 lines

editable text and tutoring extension; manifest and licenses carried locally

editor.js	35
LICENSES.txt	953
manifest.json	50

vendor/pdfjs

2 files · 178 lines

PDF.js license and pinned version

LICENSE	177
VERSION	1

vendor/pdfjs/build

2 files · 93,350 lines

PDF.js core library and worker

pdf.mjs	28k
pdf.worker.mjs	65k

vendor/pdfjs/cmaps

169 files · 36 lines

PDF.js binary CMaps for CJK and legacy encodings

78-EUC-H.bcmap	2KB	Add-RKSJ-H.bcmap	2KB
78-EUC-V.bcmap	173B	Add-RKSJ-V.bcmap	287B
78-H.bcmap	2KB	Add-V.bcmap	282B
78-RKSJ-H.bcmap	2KB	Adobe-CNS1-0.bcmap	317B
78-RKSJ-V.bcmap	173B	Adobe-CNS1-1.bcmap	371B
78-V.bcmap	169B	Adobe-CNS1-2.bcmap	376B
78ms-RKSJ-H.bcmap	3KB	Adobe-CNS1-3.bcmap	401B
78ms-RKSJ-V.bcmap	290B	Adobe-CNS1-4.bcmap	405B
83pv-RKSJ-H.bcmap	905B	Adobe-CNS1-5.bcmap	406B
90ms-RKSJ-H.bcmap	721B	Adobe-CNS1-6.bcmap	406B
90ms-RKSJ-V.bcmap	290B	Adobe-CNS1-UCS2.bcmap	40KB
90msp-RKSJ-H.bcmap	715B	Adobe-GB1-0.bcmap	217B
90msp-RKSJ-V.bcmap	291B	Adobe-GB1-1.bcmap	250B
90pv-RKSJ-H.bcmap	982B	Adobe-GB1-2.bcmap	465B
90pv-RKSJ-V.bcmap	260B	Adobe-GB1-3.bcmap	470B
Add-H.bcmap	2KB	Adobe-GB1-4.bcmap	601B

vendor/pdfjs/cmaps *(continued)*

169 files · 36 lines

PDF.js binary CMaps for CJK and legacy encodings

Adobe-GB1-5.bcmap	625B	Ext-V.bcmap	215B
Adobe-GB1-UCS2.bcmap	33KB	GB-EUC-H.bcmap	549B
Adobe-Japan1-0.bcmap	225B	GB-EUC-V.bcmap	179B
Adobe-Japan1-1.bcmap	226B	GB-H.bcmap	528B
Adobe-Japan1-2.bcmap	233B	GB-V.bcmap	175B
Adobe-Japan1-3.bcmap	242B	GBK-EUC-H.bcmap	14KB
Adobe-Japan1-4.bcmap	337B	GBK-EUC-V.bcmap	180B
Adobe-Japan1-5.bcmap	430B	GBK2K-H.bcmap	19KB
Adobe-Japan1-6.bcmap	485B	GBK2K-V.bcmap	219B
Adobe-Japan1-UCS2.bcmap	40KB	GBKp-EUC-H.bcmap	14KB
Adobe-Korea1-0.bcmap	241B	GBKp-EUC-V.bcmap	181B
Adobe-Korea1-1.bcmap	386B	GBpc-EUC-H.bcmap	557B
Adobe-Korea1-2.bcmap	391B	GBpc-EUC-V.bcmap	181B
Adobe-Korea1-UCS2.bcmap	23KB	GBT-EUC-H.bcmap	7KB
B5-H.bcmap	1KB	GBT-EUC-V.bcmap	180B
B5-V.bcmap	142B	GBT-H.bcmap	7KB
B5pc-H.bcmap	1KB	GBT-V.bcmap	176B
B5pc-V.bcmap	144B	GBTpc-EUC-H.bcmap	7KB
CNS-EUC-H.bcmap	2KB	GBTpc-EUC-V.bcmap	182B
CNS-EUC-V.bcmap	2KB	H.bcmap	553B
CNS1-H.bcmap	706B	Hankaku.bcmap	132B
CNS1-V.bcmap	143B	Hiragana.bcmap	124B
CNS2-H.bcmap	504B	HKdla-B5-H.bcmap	3KB
CNS2-V.bcmap	93B	HKdla-B5-V.bcmap	148B
ETen-B5-H.bcmap	1KB	HKdlb-B5-H.bcmap	2KB
ETen-B5-V.bcmap	158B	HKdlb-B5-V.bcmap	148B
ETenms-B5-H.bcmap	101B	HKgccs-B5-H.bcmap	2KB
ETenms-B5-V.bcmap	172B	HKgccs-B5-V.bcmap	149B
ETHK-B5-H.bcmap	4KB	HKm314-B5-H.bcmap	2KB
ETHK-B5-V.bcmap	158B	HKm314-B5-V.bcmap	149B
EUC-H.bcmap	578B	HKm471-B5-H.bcmap	2KB
EUC-V.bcmap	170B	HKm471-B5-V.bcmap	149B
Ext-H.bcmap	2KB	HKscs-B5-H.bcmap	4KB
Ext-RKSJ-H.bcmap	2KB	HKscs-B5-V.bcmap	159B
Ext-RKSJ-V.bcmap	218B		

vendor/pdfjs/cmaps *(continued)*

169 files · 36 lines

PDF.js binary CMaps for CJK and legacy encodings

Katakana.bcmap	100B
KSC-EUC-H.bcmap	2KB
KSC-EUC-V.bcmap	164B
KSC-H.bcmap	2KB
KSC-Johab-H.bcmap	16KB
KSC-Johab-V.bcmap	166B
KSC-V.bcmap	160B
KSCms-UHC-H.bcmap	3KB
KSCms-UHC-HW-H.bcmap	3KB
KSCms-UHC-HW-V.bcmap	169B
KSCms-UHC-V.bcmap	166B
KSCpc-EUC-H.bcmap	2KB
KSCpc-EUC-V.bcmap	166B
LICENSE	36
NWP-H.bcmap	3KB
NWP-V.bcmap	252B
RKSJ-H.bcmap	534B
RKSJ-V.bcmap	170B
Roman.bcmap	96B
UniCNS-UCS2-H.bcmap	47KB
UniCNS-UCS2-V.bcmap	156B
UniCNS-UTF16-H.bcmap	49KB
UniCNS-UTF16-V.bcmap	156B
UniCNS-UTF32-H.bcmap	51KB
UniCNS-UTF32-V.bcmap	160B
UniCNS-UTF8-H.bcmap	52KB
UniCNS-UTF8-V.bcmap	157B
UniGB-UCS2-H.bcmap	42KB
UniGB-UCS2-V.bcmap	193B
UniGB-UTF16-H.bcmap	43KB
UniGB-UTF16-V.bcmap	178B
UniGB-UTF32-H.bcmap	45KB
UniGB-UTF32-V.bcmap	182B
UniGB-UTF8-H.bcmap	46KB
UniGB-UTF8-V.bcmap	181B
UniJIS-UCS2-H.bcmap	25KB
UniJIS-UCS2-HW-H.bcmap	119B
UniJIS-UCS2-HW-V.bcmap	680B
UniJIS-UCS2-V.bcmap	664B
UniJIS-UTF16-H.bcmap	39KB
UniJIS-UTF16-V.bcmap	643B
UniJIS-UTF32-H.bcmap	40KB
UniJIS-UTF32-V.bcmap	677B
UniJIS-UTF8-H.bcmap	41KB
UniJIS-UTF8-V.bcmap	678B
UniJIS2004-UTF16-H.bcmap	39KB
UniJIS2004-UTF16-V.bcmap	647B
UniJIS2004-UTF32-H.bcmap	40KB
UniJIS2004-UTF32-V.bcmap	681B
UniJIS2004-UTF8-H.bcmap	41KB
UniJIS2004-UTF8-V.bcmap	682B
UniJISPro-UCS2-HW-V.bcmap	705B
UniJISPro-UCS2-V.bcmap	689B
UniJISPro-UTF8-V.bcmap	726B
UniJISX0213-UTF32-H.bcmap	40KB
UniJISX0213-UTF32-V.bcmap	684B
UniJISX02132004-UTF32-H.bcmap	40KB
UniJISX02132004-UTF32-V.bcmap	688B
UniKS-UCS2-H.bcmap	25KB
UniKS-UCS2-V.bcmap	178B
UniKS-UTF16-H.bcmap	26KB
UniKS-UTF16-V.bcmap	164B
UniKS-UTF32-H.bcmap	26KB
UniKS-UTF32-V.bcmap	168B
UniKS-UTF8-H.bcmap	27KB
UniKS-UTF8-V.bcmap	169B
V.bcmap	166B
WP-Symbol.bcmap	179B

vendor/pdfjs/iccs

2 files · 116 lines

PDF.js ICC color profile

CGATS001Compat-v2-micro.icc	8KB	LICENSE	116

vendor/pdfjs/standard_fonts

16 files · 390 lines

PDF.js standard fonts

FoxitDingbats.pfb	29KB
FoxitFixed.pfb	17KB
FoxitFixedBold.pfb	18KB
FoxitFixedBoldItalic.pfb	19KB
FoxitFixedItalic.pfb	18KB
FoxitSerif.pfb	19KB
FoxitSerifBold.pfb	19KB
FoxitSerifBoldItalic.pfb	20KB
FoxitSerifItalic.pfb	21KB
FoxitSymbol.pfb	16KB
LiberationSans-Bold.ttf	134KB
LiberationSans-BoldItalic.ttf	132KB
LiberationSans-Italic.ttf	158KB
LiberationSans-Regular.ttf	136KB
LICENSE_FOXIT	27
LICENSE_LIBERATION	363

vendor/pdfjs/wasm

13 files · 358 lines

PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS)

jbig2.wasm	102KB
jbig2_nowasm_fallback.js	15
LICENSE_JBIG2	196
LICENSE_OPENJPEG	39
LICENSE_PDFJS_JBIG2	13
LICENSE_PDFJS_OPENJPEG	22
LICENSE_PDFJS_QCMS	19
LICENSE_QCMS	21
openjpeg.wasm	246KB
openjpeg_nowasm_fallback.js	17
qcms_bg.wasm	94KB
quickjs-eval.js	16
quickjs-eval.wasm	458KB

vendor/pdfjs/web

84 files · 16,685 lines

PDF.js viewer and its toolbar icons

images/altText_add.svg	3
images/altText_disclaimer.svg	3
images/altText_done.svg	3
images/altText_spinner.svg	30
images/altText_warning.svg	3
images/annotation-check.svg	11
images/annotation-comment.svg	16
images/annotation-help.svg	26
images/annotation-insert.svg	10
images/annotation-key.svg	11
images/annotation-newparagraph.svg	11
images/annotation-noicon.svg	7
images/annotation-note.svg	42
images/annotation-paperclip.svg	6
images/annotation-paragraph.svg	16
images/annotation-pushpin.svg	7
images/checkmark.svg	5
images/comment-actionsButton.svg	3
images/comment-closeButton.svg	3
images/comment-editButton.svg	8
images/comment-popup-editButton.svg	5
images/cursor-editorFreeHighlight.svg	6
images/cursor-editorFreeText.svg	3
images/cursor-editorInk.svg	4
images/cursor-editorTextHighlight.svg	8
images/editor-toolbar-delete.svg	5
images/editor-toolbar-edit.svg	3
images/findbarButton-next.svg	3
images/findbarButton-previous.svg	3
images/gv-toolbarButton-download.svg	3
images/loading-icon.gif	2KB
images/loading.svg	1
images/messageBar_closingButton.svg	3
images/messageBar_info.svg	3
images/messageBar_warning.svg	3
images/pages_closeButton.svg	3
images/pages_selected.svg	7
images/pages_viewArrow.svg	3
images/pages_viewButton.svg	3
images/secondaryToolbarButton-documentProperties.svg	3
images/secondaryToolbarButton-firstPage.svg	3
images/secondaryToolbarButton-handTool.svg	3
images/secondaryToolbarButton-lastPage.svg	3
images/secondaryToolbarButton-rotateCcw.svg	3
images/secondaryToolbarButton-rotateCw.svg	3
images/secondaryToolbarButton-scrollHorizontal.svg	3
images/secondaryToolbarButton-scrollPage.svg	3
images/secondaryToolbarButton-scrollVertical.svg	3
images/secondaryToolbarButton-scrollWrapped.svg	3
images/secondaryToolbarButton-selectTool.svg	3
images/secondaryToolbarButton-spreadEven.svg	3
images/secondaryToolbarButton-spreadNone.svg	3
images/secondaryToolbarButton-spreadOdd.svg	3
images/signature-properties-row-check.svg	4
images/toolbarButton-bookmark.svg	3
images/toolbarButton-currentOutlineItem.svg	3
images/toolbarButton-download.svg	4
images/toolbarButton-editorFreeText.svg	5
images/toolbarButton-editorHighlight.svg	6
images/toolbarButton-editorInk.svg	4
images/toolbarButton-editorSignature.svg	6
images/toolbarButton-editorStamp.svg	8
images/toolbarButton-menuArrow.svg	3
images/toolbarButton-menuArrowNova.svg	3
images/toolbarButton-openFile.svg	3
images/toolbarButton-pageDown.svg	3
images/toolbarButton-pageUp.svg	3
images/toolbarButton-presentationMode.svg	3
images/toolbarButton-print.svg	3
images/toolbarButton-search.svg	3
images/toolbarButton-secondaryToolbarToggle.svg	3
images/toolbarButton-signaturePropertiesError.svg	7
images/toolbarButton-signaturePropertiesVerified.svg	7
images/toolbarButton-viewAttachments.svg	3
images/toolbarButton-viewLayers.svg	3
images/toolbarButton-viewOutline.svg	3
images/toolbarButton-viewsManagerToggle.svg	3
images/toolbarButton-viewThumbnail.svg	3
images/toolbarButton-zoomIn.svg	3
images/toolbarButton-zoomOut.svg	3
images/treeitem-collapsed.svg	1
images/treeitem-expanded.svg	1
pdf_viewer.css	6.4k
pdf_viewer.mjs	9.8k

Atlas VI — Agent pool: every workflow agent template

One cluster per agent, ordered by category; MT = also a Multi-Turn chat tool (chat_agent_*).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 20

agents/ · shared helpers

2 files · 199 lines

copied beside every pool agent: model settings (@config) and visual-error reporting

model_settings.py	166	visual_errors.py	33

Cleaner

3 files · 354 lines

Agents de control: El conserje post-mortem.

__init__.py	9	cleaner.py	335	config.yaml	10

Croner

2 files · 421 lines

Agents de control: Un disparador guiado por reloj.

config.yaml	7	croner.py	414

Ender

2 files · 689 lines

Agents de control: Termina un flow de forma ordenada.

config.yaml	29	ender.py	660

Sleeper

2 files · 396 lines · MT

Agents de control: Una pausa temporizada. Espera una cantidad de milisegundos configurada, luego inicia todo lo que esté en…

config.yaml	3	sleeper.py	393

Starter

2 files · 520 lines

Agents de control: El punto de entrada de cada flow.

config.yaml	25	starter.py	495

Stopper

2 files · 504 lines

Agents de control: Un agent quirúrgico para "matar al vecino ruidoso".

config.yaml	53	stopper.py	451

Asker

2 files · 503 lines · MT

Agents de enrutamiento: Un selector A/B interactivo.

asker.py	469	config.yaml	34

Counter

2 files · 494 lines

Agents de enrutamiento: Un conteo persistente con enrutamiento por umbral.

config.yaml	44	counter.py	450

Forker

2 files · 698 lines

Agents de enrutamiento: Un router A/B automático.

config.yaml	42	forker.py	656

Raiser

2 files · 697 lines

Agents de enrutamiento: Un lanzador guiado por eventos.

config.yaml	45	raiser.py	652

AND

2 files · 559 lines

Compuertas lógicas: Una compuerta AND de dos entradas.

and.py	542	config.yaml	17

Barrier

3 files · 793 lines

Compuertas lógicas: Una barrera de N entradas (una AND generalizada).

barrier.py	507	config.yaml	8	test_barrier.py	278

OR

2 files · 533 lines

Compuertas lógicas: Una compuerta OR de dos entradas.

config.yaml	16	or.py	517

Analyzer

2 files · 573 lines

Agents de acción: Un escáner determinista de análisis estático y seguridad — no usa LLM, así que su output es reproducible.

analyzer.py	540	config.yaml	33

Apirer

2 files · 520 lines · MT

Agents de acción: Un agent cliente de API HTTP/REST.

apirer.py	510	config.yaml	10

Arduiner

7 files · 1,793 lines · MT

Agents de acción: El bridge de TLamatini a la Arduino CLI (https://arduino.github.io/arduino-cli/) — la herramienta oficial…

arduiner.py	1.5k	ArduinoTemplateProject/ArduinoTemplateProject.ino	40
ArduinoTemplateProject/README.md	53	ArduinoTemplateProject/sketch.yaml	23
ArduinoTemplateProject/src/Heartbeat.cpp	30	ArduinoTemplateProject/src/Heartbeat.h	35
config.yaml	125		

AudioPlayer

2 files · 913 lines · MT

Agents de acción: REPRODUCE un archivo de audio a través de un dispositivo de OUTPUT de audio del sistema (bocinas / salida de audio)…

audioplayer.py	839	config.yaml	74

Blenderer

2 files · 805 lines · MT

Agents de acción: Maneja una instancia de Blender a través del socket TCP del add-on OFICIAL de Blender MCP (default localhost:9876 — …

blenderer.py	742	config.yaml	63

Camcorder

2 files · 718 lines · MT

Agents de acción: Captura desde una CÁMARA DEL SISTEMA (webcam) vía OpenCV — distinto de Shoter, que captura la PANTALLA.

camcorder.py	674	config.yaml	44

Crawler

2 files · 2,205 lines · MT

Agents de acción: Un lector web orientado a desarrolladores con análisis LLM integrado.

config.yaml	39	crawler.py	2.2k

De-Compresser

2 files · 874 lines · MT

Agents de acción: Worker de archivos comprimidos determinista y de corrida corta.

config.yaml	26	de_compresser.py	848

Deleter

2 files · 793 lines · MT

Agents de acción: Elimina archivos que coincidan con uno o más patterns, con exclusiones, recursión y modos inmediato/por evento…

config.yaml	29	deleter.py	764

Discoverer

2 files · 1,455 lines · MT

Agents de acción: El bridge de Tlamatini a la suite de herramientas de seguridad ProjectDiscovery…

config.yaml	114	discoverer.py	1.3k

Dockerer

2 files · 522 lines · MT

Agents de acción: Un front-end de Docker / docker-compose.

config.yaml	3	dockerer.py	519

Editor

2 files · 425 lines · MT

Agents de acción: Hace una edición QUIRÚRGICA en el lugar en un solo archivo de texto existente reemplazando un string EXACTO…

config.yaml	16	editor.py	409

ESP32er

8 files · 1,838 lines · MT

Agents de acción: El bridge de Tlamatini a PlatformIO Core (https://platformio.org) — el sistema de build embebido de código abierto…

config.yaml	109	esp32er.py	1.4k
ESP32TemplateProject/include/README.md	16	ESP32TemplateProject/lib/README.md	35
ESP32TemplateProject/platformio.ini	40	ESP32TemplateProject/README.md	114
ESP32TemplateProject/src/main.cpp	57	ESP32TemplateProject/test/README.md	32

ESPHomer

8 files · 1,822 lines · MT

Agents de acción: El bridge de Tlamatini a ESPHome (https://esphome.io) — el sistema que convierte boards ESP32 / ESP8266 / RP2040 /…

config.yaml	104	esphomer.py	1.4k
ESPHomeTemplateProject/.gitignore	8	ESPHomeTemplateProject/common/base.yaml	32
ESPHomeTemplateProject/README.md	140	ESPHomeTemplateProject/secrets.yaml.example	15
ESPHomeTemplateProject/tlamatini-light.yaml	47	ESPHomeTemplateProject/tlamatini-sensor.yaml	70

Executer

2 files · 1,147 lines · MT

Agents de acción: Corre un comando de shell arbitrario y dispara sus target_agents cuando el comando termina.

config.yaml	40	executer.py	1.1k

File-Creator

2 files · 485 lines · MT

Agents de acción: Escribe un archivo con contenido arbitrario en un path especificado, luego dispara los agents posteriores (sin…

config.yaml	22	file_creator.py	463

File-Extractor

2 files · 877 lines · MT

Agents de acción: El hermano de "dame el texto crudo" de File-Interpreter.

config.yaml	10	file_extractor.py	867

File-Interpreter

2 files · 1,084 lines · MT

Agents de acción: Lee e interpreta documentos — DOCX, PPTX, XLSX, PDF, TXT, TeX, CSV, HTML, RTF, y más — extrayendo texto e…

config.yaml	46	file_interpreter.py	1.0k

Gitter

2 files · 560 lines · MT

Agents de acción: Un agent de operaciones de Git.

config.yaml	27	gitter.py	533

Globber

2 files · 716 lines · MT

Agents de acción: Descubrimiento de ARCHIVOS de sólo lectura por pattern de glob/nombre de archivo bajo un directorio (el equivalente…

config.yaml	14	globber.py	702

Googler

3 files · 3,586 lines

Agents de acción: Hace búsqueda web indexada a prueba de bloqueos y cuelgues, luego extrae texto legible/HTML crudo de los mejores…

config.yaml	208	googler.py	2.0k	googler_engines.py	1.4k

Grepper

2 files · 925 lines · MT

Agents de acción: Búsqueda de CONTENIDO por regex de sólo lectura en un solo archivo o en todo un árbol de directorios (el equivalente…

config.yaml	31	grepper.py	894

Image-Interpreter

2 files · 1,096 lines · MT

Agents de acción: Analista de visión de TRIPLE MODELO.

config.yaml	156	image_interpreter.py	940

Instant Messaging Doctor

2 files · 758 lines · MT

Agents de acción: Un agent seguro de diagnóstico de mensajería propia para Telegrammer y Whatsapper.

config.yaml	52	instant_messaging_doctor.py	706

J-Decompiler

2 files · 525 lines · MT

Agents de acción: Un decompilador de Java.

config.yaml	11	j_decompiler.py	514

Jenkinser

2 files · 512 lines · MT

Agents de acción: Dispara un job en un servidor Jenkins.

config.yaml	21	jenkinser.py	491

Kalier

2 files · 807 lines · MT

Agents de acción: El bridge de Tlamatini al tooling de seguridad ofensiva de Kali Linux, construido sobre el MCP-Kali-Server…

config.yaml	104	kalier.py	703

Keyboarder

3 files · 784 lines · MT

Agents de acción: Input de teclado de Windows verificado, ligado a un HWND/PID y detenido al perder el foco de primer plano.

config.yaml	26	keyboarder.py	570	keyboarder_input.py	188

Kuberneter

2 files · 428 lines · MT

Agents de acción: Un front-end de kubectl.

config.yaml	17	kuberneter.py	411

LaTeXer

6 files · 6,469 lines · MT

Agents de acción: El agent de COMPOSICIÓN TIPOGRÁFICA LaTeX de TLamatini — el hermano de tipografía de PDFer.

config.yaml	221	latexer_artwork.py	273	latexer_styles.py	154	latexer.py	5.3k
latexer_design.py	267	STYLES.md	242				

MCP Doctor

2 files · 704 lines · MT

Agents de acción: Un agent seguro de diagnóstico y onboarding de External MCP.

config.yaml	10	mcp_doctor.py	694

Mongoxer

2 files · 214 lines · MT

Agents de acción: Ejecuta un bloque de Python contra una base de datos MongoDB usando pymongo.

config.yaml	18	mongoxer.py	196

Mouser

3 files · 1,048 lines · MT

Agents de acción: Movimiento del mouse, clics, drags, scrolling, anclas de ventana y coincidencia por imagen de referencia.

config.yaml	88	mouser.py	783	mouser_coordinates.py	177

Mover

2 files · 884 lines · MT

Agents de acción: Mueve o copia archivos con sources wildcard, exclusiones y recursión opcional.

config.yaml	14	mover.py	870

NetSpeed-Calculator

2 files · 1,955 lines · MT

Agents de acción: Mide la conexión real a Internet de ESTA máquina y reporta la respuesta con su barra de error — download, upload…

config.yaml	83	netspeed_calculator.py	1.9k

Nmapper

2 files · 1,281 lines · MT

Agents de acción: El bridge nmap LOCAL de Tlamatini, DE SOLO USO, para pentesters / recon de CTF.

config.yaml	88	nmapper.py	1.2k

PDFer

15 files · 10,824 lines · MT

Agents de acción: Compositor de documentos para una respuesta, Markdown, HTML, texto plano, imágenes o PDFs existentes.

config.yaml	217	pdfer_color.py	896	pdfer_styles.py	104
pdfer.py	1.9k	pdfer_consult.py	378	pdfer_tables.py	664
pdfer_artwork.py	261	pdfer_docmodel.py	777	pdfer_theme.py	1.2k
pdfer_atelier.py	1.0k	pdfer_nuance.py	1.2k	pdfer_typography.py	709
pdfer_audit.py	494	pdfer_ornament.py	702	STYLES.md	239

Playwrighter

2 files · 1,111 lines · MT

Agents de acción: Un agent de automatización de browser con scripts e interactivo, construido sobre Playwright…

config.yaml	80	playwrighter.py	1.0k

PPTXer

15 files · 11,401 lines · MT

Agents de acción: Construye presentaciones de PowerPoint editables a partir de una respuesta, Markdown, esquemas o JSON, con imágenes…

config.yaml	179	pptxer_diagram.py	433	pptxer_media.py	693
pptxer.py	1.2k	pptxer_docmodel.py	731	pptxer_nuance.py	887
pptxer_audit.py	645	pptxer_draw.py	866	pptxer_render.py	944
pptxer_build.py	1.5k	pptxer_fonts.py	1.0k	pptxer_theme.py	621
pptxer_color.py	736	pptxer_layout.py	853	STYLES.md	100

Prompter

2 files · 473 lines · MT

Agents de acción: Envía un prompt configurado a un LLM de Ollama y registra la respuesta en un bloque estructurado INI_SECTION_PROMPTER.

config.yaml	30	prompter.py	443

PSer

2 files · 604 lines · MT

Agents de acción: Un buscador de procesos impulsado por LLM.

config.yaml	32	pser.py	572

Pythonxer

2 files · 875 lines · MT

Agents de acción: Corre un script de Python en línea (dado como un string de YAML) detrás de una compuerta ESTRICTA de correctitud…

config.yaml	46	pythonxer.py	829

Recorder

2 files · 1,041 lines · MT

Agents de acción: Graba AUDIO desde un dispositivo de input del sistema (MICRÓFONO) vía sounddevice y guarda un WAV (escrito con el…

config.yaml	57	recorder.py	984

Reviewer

2 files · 626 lines

Agents de acción: Un revisor de código impulsado por LLM.

config.yaml	38	reviewer.py	588

SCPer

2 files · 529 lines · MT

Agents de acción: Transfiere un archivo hacia o desde un host remoto por SCP usando una key SSH preconfigurada.

config.yaml	27	scper.py	502

Shoter

2 files · 606 lines · MT

Agents de acción: Captura todo el escritorio por default (all_screens: true) y guarda un PNG en silencio.

config.yaml	21	shoter.py	585

SQLer

2 files · 237 lines · MT

Agents de acción: Ejecuta un bloque de Python contra una instancia de Microsoft SQL Server usando pyodbc.

config.yaml	20	sqler.py	217

SSHer

2 files · 470 lines · MT

Agents de acción: Corre un comando de shell en un host remoto por SSH usando una key preconfigurada.

config.yaml	22	ssher.py	448

STM32er

2 files · 2,936 lines · MT

Agents de acción: El agent de firmware STM32 de TLamatini — programa la LÍNEA ST de 32 bits COMPLETA, desde la Blue Pill (STM32F103)…

config.yaml	242	stm32er.py	2.7k

Summarizer

2 files · 670 lines · MT

Agents de acción: Dos modos en un agent. Modo polling: observa continuamente los logs de sus source_agents y alimenta el contenido…

config.yaml	57	summarizer.py	613

Talker

3 files · 1,993 lines · MT

Agents de acción: TEXT-TO-SPEECH (TTS): DICE texto en voz alta a través de un dispositivo de OUTPUT de audio del sistema (bocinas)…

config.yaml	177	spanish_pronunciation.py	116	talker.py	1.7k

Terminater

5 files · 4,463 lines · MT

Agents de acción: Raises REAL cmd.exe / PowerShell terminals — visible terminals inside TLamatini's Terminals area (Views > Terminals…

config.yaml	86	terminater_conpty.py	667	terminater_text.py	1.1k
terminater.py	726	terminater_engine.py	1.9k		

Torrenter

6 files · 1,087 lines · MT

Agents de acción: Administra las descargas persistentes de la cuenta activa en Tlachihuani Jobs.

activity.py	126	config.yaml	9	sources.py	85
client.py	260	contract.py	280	torrenter.py	327

Unrealer

2 files · 1,033 lines · MT

Agents de acción: Maneja una instancia del editor de Unreal Engine 5 a través del protocolo TCP del plugin Unreal MCP (default…

config.yaml	160	unrealer.py	873

Video-Analyzer

5 files · 3,072 lines · MT

Agents de acción: Video-Analyzer admite analysis_type: robotics (default), transcription, y summary.

config.yaml	202	video_analyzer.py	1.2k	video_fetch.py	855
README.md	241	video_content.py	589		

VideoPlayer

2 files · 1,043 lines · MT

Agents de acción: REPRODUCE un archivo de video (CON audio) en un DISPLAY (pantalla) elegido — el hermano en pantalla de AudioPlayer…

config.yaml	69	videoplayer.py	974

Atlas VI — Agent pool: every workflow agent template (continued 2)

One cluster per agent, ordered by category; MT = also a Multi-Turn chat tool (chat_agent_*).

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 21

Whisperer
4 files · 2,233 lines · MT

Agents de acción: Micrófono directo del chat: el Mic junto a Enviar inicia la captura del host sin una decisión del LLM y se detiene…

chat_worker.py	232	README.md	82
config.yaml	185	whisperer.py	1.7k

Windower
2 files · 963 lines · MT

Agents de acción: El manejador de ventanas del trío de UI de escritorio (Windower = la ventana misma, Mouser = clics dentro de ella…

config.yaml	77	windower.py	886

Emailer
2 files · 836 lines · MT

Agents de notificación: Envía un correo por SMTP al dispararse.

config.yaml	147	emailer.py	689

FlowHypervisor
4 files · 1,920 lines

Agents de notificación: Observa un flow en ejecución usando el estado de procesos, los logs y los contratos actuales de los agents.

config.yaml	18	hypervisor_alert.wav	215KB
flowhypervisor.py	786	monitoring-prompt.pmt	1.1k

Monitor Netstat
2 files · 340 lines · MT

Agents de notificación: La versión de puertos de red de Monitor-Log.

config.yaml	42	monitor_netstat.py	298

Monitor-Log
2 files · 462 lines · MT

Agents de notificación: Un observador puro de archivos de log con detección de eventos por LLM.

config.yaml	44	monitor_log.py	418

Notifier
2 files · 509 lines · MT

Agents de notificación: El agent de notificaciones del browser.

config.yaml	17	notifier.py	492

RecMailer
2 files · 430 lines · MT

Agents de notificación: Un receptor de correo IMAP con análisis LLM.

config.yaml	63	recmailer.py	367

Telegrammer
7 files · 1,409 lines · MT

Agents de notificación: El único agent de envío/recepción de Telegram que usa sólo superficies oficiales de Telegram.

config.yaml	27
guide_assets/telegram_01_botfather_search.jpg	72KB
guide_assets/telegram_02_newbot_token.jpg	124KB
guide_assets/telegram_03_start_bot_getupdates.jpg	116KB
guide_assets/telegram_04_tlamatini_contacts.jpg	119KB
HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md	303
telegrammer.py	1.1k

Whatsapper
8 files · 1,437 lines · MT

Agents de notificación: El único agent de envío/recepción de WhatsApp con dos identidades de salida explícitas.

config.yaml	62
guide_assets/whatsapp_01_meta_create_app.jpg	90KB
guide_assets/whatsapp_02_api_setup_keys.jpg	204KB
guide_assets/whatsapp_03_test_recipient_send.jpg	249KB
guide_assets/whatsapp_04_system_user_token.jpg	139KB
guide_assets/whatsapp_05_tlamatini_contacts.jpg	104KB
HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md	343
whatsapper.py	1.0k

FlowBacker
2 files · 478 lines

Agents de utilidad: Una utilidad de backup pasiva.

config.yaml	10	flowbacker.py	468

FlowCreator
6 files · 8,834 lines · MT

Agents de utilidad: Diseña un workflow a partir de tu objetivo.

agentic_skill.md	2.6k	flow_catalog.json	5.0k	flowcreator.py	609
config.yaml	40	flow_knowledge.py	295	result_to_flw.py	236

Parametrizer
2 files · 1,258 lines

Agents de utilidad: Lleva resultados estructurados de un agent a la configuración de otro agent, un segmento a la vez.

config.yaml	11	parametrizer.py	1.2k

Kyber-Cipher
2 files · 594 lines · MT

Agents de criptografía: Cifra un buffer de texto plano con una key pública CRYSTALS-Kyber.

config.yaml	14	kyber_cipher.py	580

Kyber-DeCipher
2 files · 539 lines · MT

Agents de criptografía: El inverso de Kyber-Cipher.

config.yaml	20	kyber_decipher.py	519

Kyber-KeyGen
2 files · 491 lines · MT

Agents de criptografía: Genera un par de keys pública/privada post-cuántico CRYSTALS-Kyber en base64.

config.yaml	8	kyber_keygen.py	483

TeleTlamatini
2 files · 1,364 lines

Bridges multicanal: Un bot de Telegram de larga duración que conecta a los usuarios de Telegram autorizados con el chat completo de…

config.yaml	101	teletlamatini.py	1.3k

ACPXer
2 files · 957 lines

Driver de agents de código externos: Maneja una sesión de CLI de un agent de código externo por corrida — Claude Code, Codex, Cursor, Gemini, Qwen, el…

acpxer.py	914	config.yaml	43

Atlas VII — Verification: unit, contract, visible and release tests

Every automated test runs headed and visible on the real desktop; screenshots are taken by Shoter.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 22

agent/ · unit and contract tests

182 files · 79,173 lines

182 modules, Django test runner; pin the contracts described in CLAUDE.md

test_access_key_wizard.py 145	test_crawler_agent.py 342
test_agent_display_names.py 287	test_crawler_resilience.py 503
test_agent_manifest.py 449	test_createsuperuser_wizard.py 78
test_agent_verdict.py 293	test_ctrl_c_shutdown.py 216
test_agents_see_hidden_dirs.py 71	test_db_backup_restore_wal.py 432
test_arduiner_agent.py 717	test_db_backup_safety.py 130
test_ask_execs_allowlist.py 230	test_de_compresser.py 843
test_audioplayer_agent.py 780	test_deep_research_prompt.py 86
test_binary_guard.py 445	test_deleter_safety.py 128
test_blenderer_agent.py 577	test_desktop_input_agents.py 366
test_build_env.py 151	test_dialog_dismissal_policy.py 567
test_build_pip_quiet.py 206	test_dialog_theme.py 767
test_build_root_assets.py 229	test_discoverer_agent.py 533
test_build_scripts.py 720	test_discoverer_thousand.py 141
test_camcorder_agent.py 467	test_django_port_config.py 254
test_cancellation.py 215	test_drag_divider_look.py 70
test_canvas_file_views.py 348	test_drop_message.py 331
test_catalog_pruning.py 49	test_editor_agent.py 181
test_chain_readiness.py 327	test_embedding_memory_guard.py 638
test_chat_agent_run_wait.py 200	test_esp32er_agent.py 767
test_chat_bridge_bots.py 234	test_esphomer_agent.py 554
test_chat_history_window.py 94	test_exec_report_verdict.py 142
test_chat_voice.py 492	test_execute_command_bounded.py 176
test_checkbox_bulk_toggle.py 189	test_executer_shell_request.py 35
test_command_watchdog.py 367	test_executer_window_report.py 148
test_compact_mode_pingpong.py 117	test_external_mcp_add_flow.py 179
test_compact_mode_switch.py 468	test_external_mcp_e2e.py 470
test_configure_dialog_initial_ticks.py 54	test_external_mcp_transports.py 294
test_console_colors.py 517	test_external_mcp_universal.py 674
test_console_shield.py 602	test_file_creator_append.py 241
test_contacts.py 153	test_file_drop_router.py 251
test_context_governor.py 572	test_file_extractor_reader.py 104
test_context_real_tokens.py 691	test_flow_contracts.py 227
test_context_restore_spinner.py 204	test_flow_file_open.py 160
test_context_sidecar_timeout.py 258	

agent/ · unit and contract tests *(continued)*

182 files · 79,173 lines

182 modules, Django test runner; pin the contracts described in CLAUDE.md

test_flow_file_views.py 100	test_interactor.py 319
test_flow_knowledge.py 369	test_j_decompiler_agent.py 252
test_frontend_mutable_state.py 260	test_js_gates.py 60
test_gitter_custom_command.py 228	test_kalier_agent.py 1.1k
test_glob_patterns.py 508	test_latexer_agent.py 1.3k
test_globber_agent.py 156	test_latexer_delivery_truth.py 66
test_googler_agent.py 502	test_latexer_layout_truth.py 60
test_googler_dorks.py 513	test_latexer_major_removal_and_window_repair.py 464
test_googler_resilience.py 800	test_latexer_model_repair_truth.py 55
test_grepper_agent.py 172	test_latexer_repair_ladder.py 539
test_grepper_encodings.py 222	test_latexer_styles.py 186
test_grepper_lines_mode.py 279	test_latexer_suite.py 1.7k
test_image_interpreter_agent.py 401	test_latexer_verbatim_channel.py 326
test_instant_messaging_doctor.py 171	test_log_identity.py 349
test_interaction_settings.py 196	test_mcp_configured_endpoints.py 217

agent/ · unit and contract tests *(continued)*

182 files · 79,173 lines

182 modules, Django test runner; pin the contracts described in CLAUDE.md

test_model_brain.py 511	test_spanish_pronunciation.py 159
test_model_capacity.py 456	test_sqlite_wal_mode.py 52
test_model_settings.py 221	test_status_vocabulary.py 570
test_mover_file_safety.py 218	test_step_by_step_mode.py 209
test_native_dialogs.py 294	test_stm32er_agent.py 1.8k
test_netspeed_calculator_agent.py 1.6k	test_talker_agent.py 1.3k
test_nmapper_agent.py 268	test_telegrammer_identity.py 214
test_no_audio_in_tests.py 60	test_temp_dir_policy.py 479
test_ollama_catalog_from_server.py 282	test_terminater_agent.py 700
test_ollama_stop_limit.py 250	test_terminater_engine.py 1.7k
test_orphan_reaper.py 340	test_terminater_hub_api.py 846
test_parametrizer_mcp_doctor.py 145	test_terminater_integration.py 727
test_password_quoting.py 605	test_terminater_pfp.py 807
test_pdf_context.py 307	test_terminater_regressions.py 269
test_pdfer_agent.py 1.2k	test_terminater_reliability.py 1.4k
test_pdfer_nuance_layout.py 654	test_terminater_text.py 583
test_pdfer_styles.py 192	test_tool_failure_recovery.py 87
test_playwrighter_agent.py 662	test_torrenter.py 364
test_pptxer_agent.py 1.3k	test_torrenter_delivery.py 82
test_pptxer_styles.py 113	test_uninstall_processes.py 129
test_pptxer_visibility.py 308	test_uninstaller_lifecycle.py 295
test_preserved_user_state.py 201	test_uninstaller_mechanics.py 672
test_program_name_collisions.py 187	test_unrealer_agent.py 518
test_prompt_catalog_contiguous.py 311	test_usage.py 518
test_prompt_flow_panel.py 292	test_version_guard.py 62
test_prompt_flow_panel_carriage.py 96	test_video_analyzer_agent.py 357
test_prompt_flow_panel_runtime.py 198	test_video_analyzer_content.py 459
test_prompt_flow_panel_websocket.py 173	test_video_analyzer_fetch.py 595
test_prompt_shape_sentences.py 67	test_videoplayer_agent.py 758
test_public_release_targets.py 486	test_visual_fatal_errors.py 246
test_pyinstaller_guard.py 149	test_voice_commands_catalog.py 278
test_recorder_agent.py 617	test_watchdog_foreground_exemption.py 672
test_release_payload_ownership.py 173	test_web_process_stays_lean.py 232
test_runtime_provisioner.py 498	test_whatsapper_identity.py 202
test_security_assets_carriage.py 141	test_whisperer_agent.py 1.1k
test_self_healing.py 259	test_win_shim.py 404
test_self_knowledge_is_current.py 112	test_windower_agent.py 662
test_self_modify_gate.py 459	test_windows_app_registration.py 107
test_self_modify_switch.py 481	test_wizard_intent_guards.py 219
test_self_update.py 157	tests.py 7.8k
test_shoter_takes_screenshots.py 72	tests_perf_3x.py 432
test_spanish_catalog_admission.py 180	

Tests/ · avatar, PDF canvas and requirement tests

20 files · 4,029 lines

avatar_dev_server/dev_settings.py 29	test_canvas_text_decoding.cjs 87
avatar_dev_server/development_test.py 51	test_pdf_canvas_assets.py 68
run_avatar_tests.py 129	test_pdf_canvas_browser.py 738
run_presence_tests.ps1 76	test_perf_3x_visual.py 216
test_about_window_name_visible.py 66	test_release_regeneration.py 270
test_avatar_animation.cjs 196	test_release_type_banner.py 143
test_avatar_collectstatic.py 66	test_release_version_pinning.py 164
test_avatar_presence_visible.py 582	test_requirements_coverage.py 103
test_avatar_visible.cjs 170	test_setup_release_paths.py 627
test_build_env_concurrency.py 160	test_update_client_carriage.py 88

AuxTests/

1 file · 156 lines

mypdf2.py 156

Tlamatini/tests_e2e/ · visible end-to-end runs

15 files · 3,751 lines

headed Chrome against the real chat GUI

oob_child_helper.py 47	test_self_healing_visual.py 316
README.md 79	test_voice_visual.py 322
test_create_flow_visual.py 477	Tlamatini-Whatsapper-Daily-Tests.py 563
test_ctrl_c_quits_visible.py 188	torrenter_books.py 151
test_db_backup_set_visible.py 416	torrenter_console_windows.py 91
test_oob_browser_visible.py 138	torrenter_live.py 158
test_oob_namu_unit.py 190	torrenter_panel.py 222
test_prompts_catalog_visual.py 393	

repository root · guard tests

4 files · 1,907 lines

private-data guard, author banner, performance

test_author_banner.py 98	test_perf_3x_visual.py 479
test_check_private_data.py 1.0k	test_private_data_guard.py 287

scripts/ · visible checks, release checks and tooling

86 files · 21,969 lines

**_visible.py, release_*_checks.py, setup cycles, vendoring, catalog and inventory tools*

acp_editor_visible.py 291	refresh_supporting_pdfs.py 60
agent_catalog_visible.py 203	release_acp_editor_checks.py 186
build_canvas_editor.mjs 63	release_acp_runtime_checks.py 79
build_setup_full_payload.py 70	release_agent_catalog_checks.py 146
build_setup_validation.py 58	release_auth_checks.py 102
canvas_editing_visible.py 1.2k	release_commentary_checks.py 401
canvas_editor_entry.mjs 248	release_extended_checks.py 295
canvas_refresh_visible.py 556	release_local_agent_checks.py 114
canvas_text_decoding_visible.py 226	release_mcp_checks.py 81
chat_composer_resize_checks.py 264	release_output_resize_checks.py 230
chat_composer_resize_visible.py 158	release_prompt_runtime_checks.py 143
chat_composer_visible_window.py 83	release_shell_file_checks.py 73
chat_microphone_visible.py 365	review_documentation_visuals.py 84
chat_viewport_visible_checks.py 156	run_menu_state_checks.py 290
chat_views_frozen_visible.py 254	setup_crash_agents_visible.py 274
chat_views_visible.py 480	setup_desktop_cycles.py 138
check_js_parse.mjs 68	setup_lifecycle_checks.py 390
check_python_quality.py 104	setup_release_cycles.py 461
check_requirements_coverage.py 283	setup_wizard_visible.py 274
docked_avatar_resize_checks.py 178	skill_inventory.py 176
dossier_visual_walkthrough_visible.py 231	spanish_names_synthesis_visible.py 98
drag_divider_look_visible.py 467	spanish_names_visible.py 198
file_drop_router_cases.mjs 455	sync_assistant_skills.py 143
flow_canvas_mechanics_visible.py 398	terminater_visible_acp.py 461
flow_file_associations_test.ps1 120	terminater_visible_all.py 47
flow_files_visible.py 502	terminater_visible_battery.py 733
installed_panels_visible.py 575	terminater_visible_chat.py 228
interaction_settings_visible.py 354	terminater_visible_common.py 556
interactor_runtime_server.py 106	terminater_visible_pfp.py 402
interactor_runtime_visible.py 391	tlamatini_clean_install.ps1 106
interactor_visible.py 764	ui_sweep_resize_checks.py 69
markdown_canvas_visible.py 573	ui_sweep_visible.py 138
menu_browser_checks.py 525	update_flow_catalog.py 100
menu_live_checks.py 145	usage_dashboard_browser_checks.py 83
menu_reference_graph.mjs 95	usage_dashboard_fixture_checks.py 383
panel_search_title_visible.py 367	usage_dashboard_visible.py 172
playwright_real_visibility.cjs 21	vendor_frontend.py 95
pptxer_visibility_gallery.py 95	vendor_pdfjs.py 57
prompt_flow_commentary_visible.py 175	verify_latexer_styles.py 246
prompt_flow_connections_visible.py 540	verify_pdfer_styles.py 151
prompt_flow_extension_visible.py 233	verify_pptxer_layout.py 164
prompt_flow_output_resize_visible.py 381	verify_pptxer_styles.py 133
prompt_flow_selection_visible.py 201	visual_fatal_dialog_visible.py 191

.claude/.../tlamatini-daily-chat-test/harness/

61 files · 24,976 lines

daily chat regression + feature labs (Playwright headed, Shoter screenshots)

_peek.py 27	grepper_lines_visible.py 235
_stage.ps1 75	grepper_login_probe.py 62
acp_backend_banner_test.py 358	latexer_openmp_e2e.py 446
acp_backend_banner_test.py.antes_shoter 362	latexer_stepbystep_5.py 861
acp_dialog_full_sweep.py 377	mcp_playwright_suite.py 218
acp_dialog_theme_visible.py 269	model_brain_visible.py 557
ask_execs_regression.py 676	monitor.py 178
ask_execs_regression.py.antes_shoter 679	ollama_remote_catalog_visible.py 505
bulk_toggle_behaviour.py 291	pdf_context_visible.py 424
bulk_toggle_visible.py 199	pdfer_nuance_visible.py 529
cancel_regression.py 571	playwrighter_run.py 164
cancel_regression.py.antes_shoter 575	pptxer_visible.py 781
compact_mode_visible.py 483	preflight.py 334
compact_pingpong_visible.py 342	qualify.py 188
compact_switch_visible.py 691	questions.py 403
config.py 132	README.md 118
context_gauge_100.py 500	requirements.txt 7
context_gauge_real_lab.py 508	run_test.py 726
context_gauge_visible.py 288	self_modify_visible.py 481
context_restore_spinner_visible.py 726	shoter_shot.py 100
cyber_watchdog_test.py 463	step_by_step_catalog.py 381
deepseek_remote_chat_visible.py 616	step_by_step_catalog.py.antes_shoter 381
dialog_policy_visible.py 493	stop_sequence_visible.py 582
dialog_theme_visible.py 256	talk_test.py 397
discoverer_1000.py 27	uninstaller_visible.py 466
discoverer_1000.py.antes_shoter 454	video_link_visible.py 369
drop_message_visible.py 670	voice_commands_visible.py 420
file_drop_visible.py 615	window-test-screen.py 1.5k
flowcreator_wizard_e2e.py 374	windower_focus.py 164
full_mode_visible.py 252	wrapped_questions.py 323
googler_dork_hunt.py 324	

.gemini/.../tlamatini-daily-chat-test/harness/

32 files · 11,593 lines

Gemini mirror of the daily chat harness

acp_backend_banner_test.py 358	flowcreator_wizard_e2e.py 374
acp_backend_banner_test.py.antes_shoter 362	googler_dork_hunt.py 324
acp_dialog_full_sweep.py 377	latexer_openmp_e2e.py 446
acp_dialog_theme_visible.py 269	latexer_stepbystep_5.py 861
ask_execs_regression.py 676	mcp_playwright_suite.py 218
ask_execs_regression.py.antes_shoter 679	playwrighter_run.py 164
bulk_toggle_behaviour.py 291	qualify.py 188
bulk_toggle_visible.py 199	questions.py 403
cancel_regression.py 571	README.md 118
cancel_regression.py.antes_shoter 575	requirements.txt 7
config.py 132	run_test.py 726
cyber_watchdog_test.py 463	shoter_shot.py 100
dialog_policy_visible.py 493	step_by_step_catalog.py 381
dialog_theme_visible.py 256	step_by_step_catalog.py.antes_shoter 381
discoverer_1000.py 27	talk_test.py 397
discoverer_1000.py.antes_shoter 454	wrapped_questions.py 323

Atlas VIII — Build, release, install, security and repository root

From source to Installer.exe, self-update and uninstall; guards that keep private data out of git.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 23

build and release tooling

25 files · 11,458 lines

PyInstaller build, inventories, versioning, release wrappers, dependency and private-data audits

.gitattributes	14	git_deny_go.py	154
.gitignore	462	package.json	52
audit_dependencies.py	185	pnpm-lock.yaml	1.3k
build.py	2.4k	private_targets.example.json	43
build_all.cmd	101	pyinstaller_hooks/hook-numpy.py	158
build_complete_private_release.py	546	pyinstaller_hooks/hook-pymupdf.py	14
build_complete_public_release.py	956	pyinstaller_hooks/hook-torch.py	30
build_installer.py	564	regen_secrets.py	567
build_runtime_assets.py	526	requirements-esphome.txt	7
build_uninstaller.py	371	requirements.txt	307
check_private_data.py	721	uncommit-keys.bat	243
copy_source_assets.py	989	versioning.py	233
eslint.config.mjs	537		

install, update and launch

21 files · 5,813 lines

setup window, recovery, Windows integration, self-update swap, uninstall, launchers

apply_update.ps1	389	ollama_credits.py	387	setup_windows.py	271
backup_db.py	206	preserved_user_state.json	28	setup_wizard.py	529
CreateShortcut.json	3	register_flw.ps1	15	Tlamatini.ps1	69
CreateShortcut.ps1	264	register_fpmt.ps1	12	uninstall.py	1.6k
flow_file_associations.ps1	181	RemoveShortcut.ps1	59	uninstall_processes.py	147
freeingport8000.ps1	65	setup_logging.py	100	unregister_flw.ps1	15
install.py	880	setup_recovery.py	587	unregister_fpmt.ps1	12

root stdio MCP server

3 files · 1,764 lines

exposes every pool agent and ACPX to external MCP clients

.mcp.json	8	tlamatini_acpx.py	986	tlamatini_mcp_server.py	770

security/ · security arsenal

11 files · 2,763 lines

Active Defender, whitelist v2 (Controlled Folder Access), access tests

automated_tests_of_security_assets.py	128	test_windows_access.ps1	119
enable_tlamatini_v2.bat	734	tlamatini_defender.ps1	718
README.md	139	tlamatini_whitelist_v2.ps1	567
run_defender.bat	20	verify_agent_execution.py	132
sync_enable_launcher.py	65	windows_access_helpers.ps1	128
test_security_syntax.ps1	13		

CI and scanning policy

2 files · 193 lines

.github/workflows/name-guard.yml	99	.scanning/finding-policy.json	94

demo flows

1 file · 434 lines

ready-made .flw files for the Agentic Control Panel

MCPMemoriesFlowCreation.flw	434

repository root · media, documents and license

11 files · 555 lines

build_env.py	323
ConfigureModels.png	146KB
LICENSE	21
OllamaPricing.png	178KB
OOB_shift_reaper-and-NAMU-Design.pdf	47KB
PromptDesigner.jpg	106KB
pyinstaller_guard.py	211
Tlamatini.ico	38KB
Tlamatini.jpg	15KB
tlamatini_app_summary.pdf	2.9MB
Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx	5.1MB

Atlas IX — Knowledge and governance

Documentation, change records, assistant onboarding, memory and the four tracked skill locations.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 24

Localización de la edición en español

361 files · 119,590 lines

Herramientas, glosario, bases y memoria de traducción.

- BASE_INGLES.json 1.9k
- bases/.gitattributes 1
- bases/1b2645e7b212044e70ecba92b92439b93b37b382ee9990db8a8cd6581a793fcc.patch 3.9k
- bases/2512d8fb9fd98e37afeea294783abd3a9a5fbbffd8db51c8271ca4e63b434421.patch 4.2k
- bases/27157c2c8be06e8dd10c483571c886a85464237cedd46b81138d1fdf39edd9e8.patch 11k
- bases/2751969c44ed929fbe3b646bf87de632fe3ad986a496f21ac30d1171f3bb7646.patch 6.8k
- bases/3b2af0b96a1581e601c8e372b94b52d40c13e35d3daa267b36697316fd8d6db8.patch 3.9k
- bases/5214eb2fa47b69397a9cbcaceffd477b8a2b2ab4e11cac4333a7edaa5ec8ae1d.patch 11k
- bases/c137100a9c7d5ea022a7fcd533e2e9ac27068062e7ce2e41096462e9a368ff5b0.patch 6.9k
- bases/ebb7ebd2883e0ede07b38eeb3fa6f0cc0e2aa5ec63f903273a0f1b3b0c457f6f.patch 2.8k
- bases/Torrenter.md 42
- GLOSARIO.md 198
- GUIA_DE_PORTEO.md 472
- herramientas/acoples.py 105
- herramientas/base_ingles.py 80
- herramientas/decidir.py 140
- herramientas/estructura.py 323
- herramientas/extraer.py 335
- herramientas/html_segmentos.py 94
- herramientas/identidad_es.py 390
- herramientas/js_cadenas.cjs 103
- herramientas/js_tokens.cjs 32
- herramientas/memoria.py 84
- herramientas/memorizar.py 72
- herramientas/pendientes.py 80
- herramientas/py_cadenas.py 77
- herramientas/revisar.py 116
- herramientas/verificar.py 295
- memoria/.claude/skills/tlamatini-daily-chat-test/harness/config.py.json 30
- memoria/.claude/skills/tlamatini-self-modify-inclusion/SKILL.md.json 5
- memoria/.claude/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py.json 5
- memoria/.claude/skills/tlamatini-self-update-inclusion/SKILL.md.json 5
- memoria/.gemini/skills/tlamatini-daily-chat-test/harness/config.py.json 30
- memoria/.gemini/skills/tlamatini-self-modify-inclusion/SKILL.md.json 5
- memoria/.gemini/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py.json 5
- memoria/.gemini/skills/tlamatini-self-update-inclusion/SKILL.md.json 5
- memoria/agents_descriptions.md.json 744
- memoria/apply_update.ps1.json 340
- memoria/build.py.json 42
- memoria/build_complete_private_release.py.json 30
- memoria/build_complete_public_release.py.json 12
- memoria/build_env.py.json 26
- memoria/build_installer.py.json 28
- memoria/build_runtime_assets.py.json 29
- memoria/build_uninstaller.py.json 12
- memoria/copy_source_assets.py.json 17
- memoria/CreateShortcut.ps1.json 246
- memoria/docs/agent-coverage.md.json 17
- memoria/docs/oob-namu-lifecycle.md.json 106
- memoria/docs/self-management-carriage.md.json 5
- memoria/docs/torrenter.md.json 197
- memoria/flow_file_associations.ps1.json 84
- memoria/freeingport8000.ps1.json 106
- memoria/install.py.json 403
- memoria/preserved_user_state.json.json 5
- memoria/README.md.json 733
- memoria/RemoveShortcut.ps1.json 88
- memoria/requirements.txt.json 12
- memoria/scripts/check_requirements_coverage.py.json 5
- memoria/scripts/flow_file_associations_test.ps1.json 42
- memoria/scripts/refresh_supporting_pdfs.py.json 21
- memoria/scripts/update_flow_catalog.py.json 26
- memoria/security/enable_tlamatini_v2.bat.json 18
- memoria/security/tlamatini_defender.ps1.json 18
- memoria/security/tlamatini_whitelist_v2.ps1.json 18
- memoria/setup_logging.py.json 30
- memoria/setup_recovery.py.json 277
- memoria/setup_windows.py.json 126
- memoria/setup_wizard.py.json 451

Localización de la edición en español *(continued)*

361 files · 119,590 lines

Herramientas, glosario, bases y memoria de traducción.

- memoria/Tests/test_build_env_concurrency.py.json 5
- memoria/Tests/test_release_version_pinning.py.json 5
- memoria/Tests/test_requirements_coverage.py.json 5
- memoria/Tests/test_setup_release_paths.py.json 62
- memoria/Tests/test_update_client_carriage.py.json 12
- memoria/Tlamatini.ps1.json 81
- memoria/Tlamatini/agent/access_key_wizard.py.json 222
- memoria/Tlamatini/agent/agents/arduiner/arduiner.py.json 12
- memoria/Tlamatini/agent/agents/camcorder/camcorder.py.json 12
- memoria/Tlamatini/agent/agents/discoverer/discoverer.py.json 12
- memoria/Tlamatini/agent/agents/esp32er/esp32er.py.json 12
- memoria/Tlamatini/agent/agents/esphomer/esphomer.py.json 12
- memoria/Tlamatini/agent/agents/executer/config.yaml.json 11
- memoria/Tlamatini/agent/agents/executer/executer.py.json 5
- memoria/Tlamatini/agent/agents/flowcreator/flow_catalog.json.json 442
- memoria/Tlamatini/agent/agents/googler/googler_engines.py.json 12
- memoria/Tlamatini/agent/agents/latexer/latexer.py.json 12
- memoria/Tlamatini/agent/agents/mcp_doctor/mcp_doctor.py.json 12
- memoria/Tlamatini/agent/agents/model_settings.py.json 265
- memoria/Tlamatini/agent/agents/netspeed_calculator/netspeed_calculator.py.json 12
- memoria/Tlamatini/agent/agents/nmapper/nmapper.py.json 18
- memoria/Tlamatini/agent/agents/stm32er/stm32er.py.json 18
- memoria/Tlamatini/agent/agents/talker/config.yaml.json 24
- memoria/Tlamatini/agent/agents/talker/talker.py.json 30
- memoria/Tlamatini/agent/agents/teletlamatini/config.yaml.json 12
- memoria/Tlamatini/agent/agents/teletlamatini/teletlamatini.py.json 349
- memoria/Tlamatini/agent/agents/terminater/terminater_engine.py.json 16
- memoria/Tlamatini/agent/agents/torrenter/activity.py.json 205
- memoria/Tlamatini/agent/agents/torrenter/client.py.json 106
- memoria/Tlamatini/agent/agents/torrenter/contract.py.json 116
- memoria/Tlamatini/agent/agents/torrenter/sources.py.json 36
- memoria/Tlamatini/agent/agents/torrenter/torrenter.py.json 61
- memoria/Tlamatini/agent/agents/video_analyzer/video_fetch.py.json 12
- memoria/Tlamatini/agent/agents/whisperer/config.yaml.json 18
- memoria/Tlamatini/agent/canvas_file_views.py.json 151
- memoria/Tlamatini/agent/chain_files_search_lcel.py.json 394
- memoria/Tlamatini/agent/chain_system_lcel.py.json 12
- memoria/Tlamatini/agent/chat_agent_registry.py.json 38
- memoria/Tlamatini/agent/chat_voice_settings.py.json 12
- memoria/Tlamatini/agent/compact_mode.py.json 254
- memoria/Tlamatini/agent/config.json.json 36
- memoria/Tlamatini/agent/config_loader.py.json 41
- memoria/Tlamatini/agent/constants.py.json 250
- memoria/Tlamatini/agent/consumers.py.json 878
- memoria/Tlamatini/agent/contacts.py.json 11
- memoria/Tlamatini/agent/context_baseline.py.json 194
- memoria/Tlamatini/agent/context_governor.py.json 251
- memoria/Tlamatini/agent/doc_generation/complete_project_docs.py.json 284
- memoria/Tlamatini/agent/doc_generation/dossier_content.py.json 13k
- memoria/Tlamatini/agent/doc_generation/dossier_editor_content.py.json 1.2k
- memoria/Tlamatini/agent/doc_generation/dossier_pdf.py.json 472
- memoria/Tlamatini/agent/doc_generation/dossier_pptx.py.json 321
- memoria/Tlamatini/agent/doc_generation/dossier_verify.py.json 12
- memoria/Tlamatini/agent/embedding_memory_guard.py.json 95
- memoria/Tlamatini/agent/external_mcp_defaults.py.json 12
- memoria/Tlamatini/agent/external_mcp_manager.py.json 785
- memoria/Tlamatini/agent/external_mcps.json.json 12
- memoria/Tlamatini/agent/flow_file_open.py.json 228
- memoria/Tlamatini/agent/flow_file_views.py.json 21
- memoria/Tlamatini/agent/interaction_settings.py.json 312
- memoria/Tlamatini/agent/interactor/consumer.py.json 10
- memoria/Tlamatini/agent/interactor/editor.mjs.json 47
- memoria/Tlamatini/agent/interactor/protocol.py.json 34
- memoria/Tlamatini/agent/management/commands/check_prompt_flow_panel.py.json 12
- memoria/Tlamatini/agent/management/commands/enroll_torrenter.py.json 21
- memoria/Tlamatini/agent/mcp_agent.py.json 1.4k
- memoria/Tlamatini/agent/mcp_files_search_client.py.json 12
- memoria/Tlamatini/agent/mcp_files_search_server.py.json 12
- memoria/Tlamatini/agent/mcp_system_client.py.json 12

Localización de la edición en español *(continued)*

361 files · 119,590 lines

Herramientas, glosario, bases y memoria de traducción.

- memoria/Tlamatini/agent/mcp_system_server.py.json 12
- memoria/Tlamatini/agent/migrations/0001_initial.py.json 30
- memoria/Tlamatini/agent/migrations/0002_populate_db.py.json 390
- memoria/Tlamatini/agent/migrations/0062_sync_agent_control_tools_and_prompts.py.json 55
- memoria/Tlamatini/agent/migrations/0063_add_agent_parametrizer_prompt.py.json 20
- memoria/Tlamatini/agent/migrations/0072_add_acpx_demo_prompts.py.json 666
- memoria/Tlamatini/agent/migrations/0073_acpx_demo_gemini_uplift.py.json 1.3k
- memoria/Tlamatini/agent/migrations/0074_simplify_demo_prompts.py.json 863
- memoria/Tlamatini/agent/migrations/0087_add_unrealer_demo_prompt.py.json 467
- memoria/Tlamatini/agent/migrations/0090_add_reviewer_analyzer_demo_prompts.py.json 391
- memoria/Tlamatini/agent/migrations/0095_add_windower_playwrighter_demo_prompts.py.json 35
- memoria/Tlamatini/agent/migrations/0096_add_director_virtuoso_demo_prompts.py.json 23
- memoria/Tlamatini/agent/migrations/0099_add_kalier_demo_prompts.py.json 578
- memoria/Tlamatini/agent/migrations/0100_add_unrealer_extended_demo_prompts.py.json 851
- memoria/Tlamatini/agent/migrations/0103_add_stm32er_demo_prompts.py.json 954
- memoria/Tlamatini/agent/migrations/0104_fix_stm32er_hil_serial_proof.py.json 494
- memoria/Tlamatini/agent/migrations/0107_add_esp32er_demo_prompts.py.json 977
- memoria/Tlamatini/agent/migrations/0108_add_flow_making_demo_prompt.py.json 190
- memoria/Tlamatini/agent/migrations/0111_add_arduiner_demo_prompts.py.json 1.0k
- memoria/Tlamatini/agent/migrations/0122_add_talker_demo_prompt.py.json 215
- memoria/Tlamatini/agent/migrations/0125_add_whisperer_demo_prompt.py.json 137
- memoria/Tlamatini/agent/migrations/0128_add_blenderer_demo_prompts.py.json 219
- memoria/Tlamatini/agent/migrations/0131_add_editor_demo_prompts.py.json 157
- memoria/Tlamatini/agent/migrations/0134_add_grepper_demo_prompts.py.json 148
- memoria/Tlamatini/agent/migrations/0137_add_globber_demo_prompts.py.json 143
- memoria/Tlamatini/agent/migrations/0140_add_esphomer_demo_prompts.py.json 566
- memoria/Tlamatini/agent/migrations/0143_add_mcp_doctor_demo_prompt.py.json 117
- memoria/Tlamatini/agent/migrations/0144_insert_java17_maven_demo_prompt_at_5.py.json 84
- memoria/Tlamatini/agent/migrations/0145_insert_createsuperuser_wizard_prompt_at_1.py.json 22
- memoria/Tlamatini/agent/migrations/0146_update_createsuperuser_wizard_continuation.py.json 18
- memoria/Tlamatini/agent/migrations/0147_add_unreal_game_demo_prompts.py.json 26
- memoria/Tlamatini/agent/migrations/0148_add_discoverer_demo_prompts.py.json 18
- memoria/Tlamatini/agent/migrations/0151_retire_old_messaging_add_telegrammer.py.json 61
- memoria/Tlamatini/agent/migrations/0154_add_instant_messaging_doctor_demo_prompt.py.json 51
- memoria/Tlamatini/agent/migrations/0155_add_contact_scaffold_demo_prompt.py.json 20
- memoria/Tlamatini/agent/migrations/0156_add_telegrammer_identity_demo_prompts.py.json 94
- memoria/Tlamatini/agent/migrations/0157_add_whatsapper_identity_demo_prompt.py.json 54
- memoria/Tlamatini/agent/migrations/0158_redesign_messaging_demo_prompts.py.json 44
- memoria/Tlamatini/agent/migrations/0161_add_zavuerer_demo_prompts.py.json 38
- memoria/Tlamatini/agent/migrations/0162_add_zavuerer_catalog_prompts.py.json 106
- memoria/Tlamatini/agent/migrations/0163_add_zavuerer_get_key_wizard_prompt.py.json 122
- memoria/Tlamatini/agent/migrations/0164_dedup_zavuerer_setup_wizards.py.json 18
- memoria/Tlamatini/agent/migrations/0165_add_image_interpreter_triple_model_demo_prompt.py.json 17
- memoria/Tlamatini/agent/migrations/0168_add_video_analyzer_demo_prompt.py.json 84
- memoria/Tlamatini/agent/migrations/0169_add_discoverer_cvemap_latest_demo_prompt.py.json 14
- memoria/Tlamatini/agent/migrations/0172_add_nmapper_demo_prompts.py.json 90
- memoria/Tlamatini/agent/migrations/0173_add_unreal_scaffold_demo_prompt.py.json 282
- memoria/Tlamatini/agent/migrations/0174_unreal_scaffold_build_project_tip.py.json 46
- memoria/Tlamatini/agent/migrations/0175_prompt_category_and_dedup.py.json 10
- memoria/Tlamatini/agent/migrations/0176_delete_duplicate_acpx_prompts.py.json 10
- memoria/Tlamatini/agent/migrations/0177_add_stm32er_platformio_demo_prompt.py.json 140
- memoria/Tlamatini/agent/migrations/0178_add_stm32_stepwise_blink_camera_prompts.py.json 384
- memoria/Tlamatini/agent/migrations/0179_regroup_resort_prompts_no_gaps.py.json 10
- memoria/Tlamatini/agent/migrations/0180_add_kalier_setup_wizard_prompt.py.json 378
- memoria/Tlamatini/agent/migrations/0181_prompt_sort_rank.py.json 10
- memoria/Tlamatini/agent/migrations/0182_add_step_by_step_section_openers.py.json 92
- memoria/Tlamatini/agent/migrations/0183_standardize_security_recon_prompts.py.json 69
- memoria/Tlamatini/agent/migrations/0184_standardize_prompt_params_batch2.py.json 17
- memoria/Tlamatini/agent/migrations/0185_standardize_prompt_params_batch3.py.json 17
- memoria/Tlamatini/agent/migrations/0186_add_chat_agent_flowcreator.py.json 115
- memoria/Tlamatini/agent/migrations/0187_add_flowcreator_end_to_end_wizard_prompt.py.json 20
- memoria/Tlamatini/agent/migrations/0190_add_pdfer_demo_prompts.py.json 44
- memoria/Tlamatini/agent/migrations/0193_add_latexer_demo_prompts.py.json 38
- memoria/Tlamatini/agent/migrations/0194_add_deep_research_demo_prompt.py.json 17
- memoria/Tlamatini/agent/migrations/0197_add_netspeed_calculator_demo_prompt.py.json 139
- memoria/Tlamatini/agent/migrations/0198_add_pdfer_nuance_demo_prompt.py.json 268
- memoria/Tlamatini/agent/migrations/0200_whisperer_demo_prompt_sound_gate.py.json 38
- memoria/Tlamatini/agent/migrations/0201_add_voice_commands_section.py.json 47
- memoria/Tlamatini/agent/migrations/0204_add_pptxer_demo_prompts.py.json 159

Localización de la edición en español *(continued)*

361 files · 119,590 lines

Herramientas, glosario, bases y memoria de traducción.

- memoria/Tlamatini/agent/migrations/0205_silence_window_default_3_5_seconds.py.json 39
- memoria/Tlamatini/agent/migrations/0206_qwen35_cloud_model_tag_rename.py.json 10
- memoria/Tlamatini/agent/migrations/0207_video_analyzer_content_prompts.py.json 66
- memoria/Tlamatini/agent/migrations/0208_video_demo_config_models.py.json 34
- memoria/Tlamatini/agent/migrations/0209_retire_qwen35_vision_model.py.json 10
- memoria/Tlamatini/agent/migrations/0210_strict_visual_analysis_prompt_contract.py.json 36
- memoria/Tlamatini/agent/migrations/0214_prune_agent_catalog.py.json 66
- memoria/Tlamatini/agent/migrations/0217_add_terminater_demo_prompts.py.json 29
- memoria/Tlamatini/agent/migrations/0218_add_interactor_tool.py.json 59
- memoria/Tlamatini/agent/migrations/0219_user_wizard_graphical_notifications.py.json 127
- memoria/Tlamatini/agent/migrations/0221_torrenter.py.json 21
- memoria/Tlamatini/agent/model_brain.py.json 12
- memoria/Tlamatini/agent/native_dialogs.py.json 62
- memoria/Tlamatini/agent/path_guard.py.json 30
- memoria/Tlamatini/agent/pdf_context.py.json 139
- memoria/Tlamatini/agent/pdf_context_jobs.py.json 51
- memoria/Tlamatini/agent/pdf_context_views.py.json 21
- memoria/Tlamatini/agent/prompt.pmt.json 24
- memoria/Tlamatini/agent/prompt_flow_panel_consumer.py.json 46
- memoria/Tlamatini/agent/rag/binary_guard.py.json 238
- memoria/Tlamatini/agent/rag/chains/base.py.json 11
- memoria/Tlamatini/agent/rag/chains/history_aware.py.json 227
- memoria/Tlamatini/agent/rag/chains/unified.py.json 485
- memoria/Tlamatini/agent/rag/factory.py.json 362
- memoria/Tlamatini/agent/rag/interface.py.json 639
- memoria/Tlamatini/agent/runtime_provisioner.py.json 12
- memoria/Tlamatini/agent/self_healing.py.json 252
- memoria/Tlamatini/agent/self_update.py.json 165
- memoria/Tlamatini/agent/services/filesystem.py.json 16
- memoria/Tlamatini/agent/services/flow_compiler.py.json 11
- memoria/Tlamatini/agent/services/prompt_flow_panel.py.json 414
- memoria/Tlamatini/agent/services/response_parser.py.json 162
- memoria/Tlamatini/agent/static/agent/interactor/bridge.js.json 221
- memoria/Tlamatini/agent/static/agent/js/access_keys_wizard.js.json 247
- memoria/Tlamatini/agent/static/agent/js/acp-canvas-core.js.json 150
- memoria/Tlamatini/agent/static/agent/js/acp-canvas-undo.js.json 16
- memoria/Tlamatini/agent/static/agent/js/acp-connection-status.js.json 21
- memoria/Tlamatini/agent/static/agent/js/acp-control-buttons.js.json 221
- memoria/Tlamatini/agent/static/agent/js/acp-editor-tools.js.json 153
- memoria/Tlamatini/agent/static/agent/js/acp-file-io.js.json 142
- memoria/Tlamatini/agent/static/agent/js/acp-flow-snapshot.js.json 11
- memoria/Tlamatini/agent/static/agent/js/acp-globals.js.json 63
- memoria/Tlamatini/agent/static/agent/js/acp-layout.js.json 16
- memoria/Tlamatini/agent/static/agent/js/acp-parametrizer-dialog.js.json 143
- memoria/Tlamatini/agent/static/agent/js/acp-validate.js.json 156
- memoria/Tlamatini/agent/static/agent/js/agent_page_canvas.js.json 280
- memoria/Tlamatini/agent/static/agent/js/agent_page_chat.js.json 633
- memoria/Tlamatini/agent/static/agent/js/agent_page_context.js.json 52
- memoria/Tlamatini/agent/static/agent/js/agent_page_dialogs.js.json 268
- memoria/Tlamatini/agent/static/agent/js/agent_page_editing.js.json 136
- memoria/Tlamatini/agent/static/agent/js/agent_page_init.js.json 699
- memoria/Tlamatini/agent/static/agent/js/agent_page_layout.js.json 81
- memoria/Tlamatini/agent/static/agent/js/agent_page_markdown.js.json 71
- memoria/Tlamatini/agent/static/agent/js/agent_page_pdf.js.json 91
- memoria/Tlamatini/agent/static/agent/js/agent_page_state.js.json 46
- memoria/Tlamatini/agent/static/agent/js/agent_page_ui.js.json 75
- memoria/Tlamatini/agent/static/agent/js/avatar.js.json 314
- memoria/Tlamatini/agent/static/agent/js/avatar_size.js.json 31
- memoria/Tlamatini/agent/static/agent/js/canvas_item_dialog.js.json 259
- memoria/Tlamatini/agent/static/agent/js/chat_dictation.js.json 201
- memoria/Tlamatini/agent/static/agent/js/chat_image_paste.js.json 50
- memoria/Tlamatini/agent/static/agent/js/chat_table_contrast.js.json 10
- memoria/Tlamatini/agent/static/agent/js/checkbox_bulk_toggle.js.json 25
- memoria/Tlamatini/agent/static/agent/js/compact_costs.js.json 122
- memoria/Tlamatini/agent/static/agent/js/contacts_dialog.js.json 185
- memoria/Tlamatini/agent/static/agent/js/context_gauge.js.json 312
- memoria/Tlamatini/agent/static/agent/js/contextual_menus.js.json 71
- memoria/Tlamatini/agent/static/agent/js/dialog_policy.js.json 71
- memoria/Tlamatini/agent/static/agent/js/external_mcps_dialog.js.json 251

Atlas IX — Knowledge and governance (continued 2)

Documentation, change records, assistant onboarding, memory and the four tracked skill locations.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 25

Localización de la edición en español *(continued)*

361 files · 119,590 lines

Herramientas, glosario, bases y memoria de traducción.

- memoria/Tlamatini/agent/static/agent/js/file_drop_router.js.json 471
- memoria/Tlamatini/agent/static/agent/js/interaction_settings.js.json 125
- memoria/Tlamatini/agent/static/agent/js/mic_settings.js.json 72
- memoria/Tlamatini/agent/static/agent/js/model_brain_tuning.js.json 269
- memoria/Tlamatini/agent/static/agent/js/model_capacity.js.json 447
- memoria/Tlamatini/agent/static/agent/js/pdf_canvas_viewer.js.json 56
- memoria/Tlamatini/agent/static/agent/js/pdf_context_progress.js.json 101
- memoria/Tlamatini/agent/static/agent/js/prompt-flow-panel-model.js.json 472
- memoria/Tlamatini/agent/static/agent/js/prompt-flow-panel.js.json 1.0k
- memoria/Tlamatini/agent/static/agent/js/release_notes_renderer.js.json 30
- memoria/Tlamatini/agent/static/agent/js/self_modify_switch.js.json 171
- memoria/Tlamatini/agent/static/agent/js/shared-runtime-dialogs.js.json 83
- memoria/Tlamatini/agent/static/agent/js/skills_dialog.js.json 247
- memoria/Tlamatini/agent/static/agent/js/terminater_dock.js.json 483
- memoria/Tlamatini/agent/static/agent/js/tools_dialog.js.json 131
- memoria/Tlamatini/agent/static/agent/js/usage_dashboard.js.json 697
- memoria/Tlamatini/agent/static/agent/js/voice_runtime.js.json 42
- memoria/Tlamatini/agent/static/agent/js/welcome_enter_default.js.json 10
- memoria/Tlamatini/agent/static/agent/pdf/canvas.html.json 119
- memoria/Tlamatini/agent/static/agent/vendor/canvas-editor/editor.js.json 26
- memoria/Tlamatini/agent/static/agent/vendor/canvas-editor/manifest.json.json 18
- memoria/Tlamatini/agent/templates/admin/base_site.html.json 16
- memoria/Tlamatini/agent/templates/agent/agent_page.html.json 1.4k
- memoria/Tlamatini/agent/templates/agent/agentic_control_panel.html.json 376
- memoria/Tlamatini/agent/templates/agent/interaction_settings.html.json 141
- memoria/Tlamatini/agent/templates/agent/interactor.html.json 81
- memoria/Tlamatini/agent/templates/agent/login.html.json 46
- memoria/Tlamatini/agent/templates/agent/prompt_flow_panel.html.json 321
- memoria/Tlamatini/agent/templates/agent/torrenter_sources.html.json 121
- memoria/Tlamatini/agent/templates/agent/usage_dialog.html.json 227
- memoria/Tlamatini/agent/templates/agent/welcome.html.json 36
- memoria/Tlamatini/agent/terminal_consumer.py.json 21
- memoria/Tlamatini/agent/terminal_hub.py.json 31
- memoria/Tlamatini/agent/terminal_views.py.json 22
- memoria/Tlamatini/agent/terminater_tool.py.json 286
- memoria/Tlamatini/agent/test_agent_manifest.py.json 12
- memoria/Tlamatini/agent/test_build_env.py.json 5
- memoria/Tlamatini/agent/test_build_root_assets.py.json 17
- memoria/Tlamatini/agent/test_build_scripts.py.json 5
- memoria/Tlamatini/agent/test_createsuperuser_wizard.py.json 39
- memoria/Tlamatini/agent/test_deep_research_prompt.py.json 18
- memoria/Tlamatini/agent/test_django_port_config.py.json 78
- memoria/Tlamatini/agent/test_executer_shell_request.py.json 5
- memoria/Tlamatini/agent/test_frontend_mutable_state.py.json 24
- memoria/Tlamatini/agent/test_mcp_configured_endpoints.py.json 12
- memoria/Tlamatini/agent/test_model_brain.py.json 12
- memoria/Tlamatini/agent/test_preserved_user_state.py.json 5
- memoria/Tlamatini/agent/test_prompt_catalog_contiguous.py.json 39
- memoria/Tlamatini/agent/test_prompt_flow_panel_carriage.py.json 12
- memoria/Tlamatini/agent/test_security_assets_carriage.py.json 12
- memoria/Tlamatini/agent/test_self_update.py.json 12
- memoria/Tlamatini/agent/test_torrenter.py.json 5
- memoria/Tlamatini/agent/test_torrenter_delivery.py.json 11
- memoria/Tlamatini/agent/test_uninstaller_lifecycle.py.json 22
- memoria/Tlamatini/agent/test_uninstaller_mechanics.py.json 61
- memoria/Tlamatini/agent/test_voice_commands_catalog.py.json 66
- memoria/Tlamatini/agent/test_windows_app_registration.py.json 24
- memoria/Tlamatini/agent/test_wizard_intent_guards.py.json 60
- memoria/Tlamatini/agent/tests.py.json 36
- memoria/Tlamatini/agent/tools.py.json 33
- memoria/Tlamatini/agent/torrenter_bridge.py.json 51
- memoria/Tlamatini/agent/torrenter_tool.py.json 11
- memoria/Tlamatini/agent/torrenter_views.py.json 61
- memoria/Tlamatini/agent/torrenter_workspace/layout.js.json 5
- memoria/Tlamatini/agent/torrenter_workspace/workspace.css.json 5
- memoria/Tlamatini/agent/torrenter_workspace/workspace.html.json 11
- memoria/Tlamatini/agent/torrenter_workspace/workspace.js.json 79
- memoria/Tlamatini/agent/usage_provider.py.json 98
- memoria/Tlamatini/agent/usage_views.py.json 41

Localización de la edición en español *(continued)*

361 files · 119,590 lines

Herramientas, glosario, bases y memoria de traducción.

- memoria/Tlamatini/agent/version.py.json 30
- memoria/Tlamatini/agent/views.py.json 2.1k
- memoria/Tlamatini/agent/visual_error_reporting.py.json 10
- memoria/Tlamatini/agent/windows_app_registration.py.json 49
- memoria/Tlamatini/manage.py.json 24
- memoria/Tlamatini/tests_e2e/torrenter_console_windows.py.json 5
- memoria/Tlamatini/tests_e2e/torrenter_live.py.json 18
- memoria/Tlamatini/tlamatini/settings.py.json 48
- memoria/uninstall.py.json 643
- memoria/uninstall_processes.py.json 12
- memoria/versioning.py.json 18
- portar.py 276
- prueba_visible.py 278
- pruebas/identidad_instalacion.py 405
- pruebas/preguntas_es.py 190
- verificacion.json 285

repository root · Markdown and text documents

24 files · 16,832 lines

README, onboarding files for each assistant, design notes and session records

- _acpx_pipeline_demo_report.md 65
- ACPX.md 910
- AGENTS.md 495
- agents_descriptions.md 243
- AvatarImprovementByClaude.md 416
- BookOfTlamatini.md 4.7k
- Claude-Desktop-KALI-MCP-Session.md 694
- CLAUDE.md 1.4k
- Codex2ClaudeRecommendations.md 624
- DesignOfIncludingMemoryMCPS.txt 1.2k
- Discoverier-new-agent.md 277
- example_of_prompt_to_make_de-compresser_agent.txt 42
- FirstFinalPlanToSpeedUp.md 774
- GEMINI.md 1.2k
- KIMI.md 1.4k
- latest-folding-context-session.md 4
- MessagingConnectorAssistant_Design.md 134
- PIVOT_CHANGES.md 569
- README.md 360
- test-reloaded-session.md 4
- TestsVisiblesAndVisibleExecutionFromClaude2Codex.md 230
- Tlamatini-Kali-Setup.md 413
- TLAMATINI_MCP.md 292
- VERSIONING.md 473

docs/ · feature guides

33 files · 5,784 lines

- agent-coverage.md 116
- assets/readme-hero.svg 114
- build-root-assets-verification.md 162
- canvas-and-interactor-quick-reference.txt 62
- canvas-editing.md 189
- canvas-refresh.md 110
- chat-microphone-design.md 442
- combined-release-builder.md 120
- companion-app-discovery.md 123
- dependency-coverage-audit.md 101
- desktop-input-and-flow-contracts.md 127
- examples/prompting-kickoff.fpmt 26
- external_mcp_bulletproof_architecture.md 141
- GUI-Manager-design.md 344
- interaction-settings.md 139
- interactor.md 245
- markdown-canvas.md 86
- model-configuration-verification.md 44
- model_configuration.md 338
- oob-namu-lifecycle.md 40
- pdf-canvas.md 260
- prompting-flow-designer.md 121
- self-management-carriage.md 567
- setup-lifecycle-research.md 129
- setup-wizards.md 257
- spanish-name-pronunciation.md 125
- stm32er_all_families_proposal.md 171
- terminater.md 346
- torrenter.md 86
- usage-dashboard.md 222
- user-creation-wizard.md 99
- visual-analysis-errors.md 119
- windows-flow-files.md 213

docs/claude/ · assistant onboarding (auto-imported)

10 files · 9,713 lines

- acpx.md 458
- agents.md 409
- architecture.md 941
- exec-report.md 350
- frontend.md 576
- gotchas.md 412
- INDEX.md 156
- mcp-tools.md 293
- multi-turn.md 394
- recent-fixes.md 5.7k

docs/changes/ · dated change records

29 files · 7,078 lines

- 2026-10-03-prompt-commentary-input.md 71
- 2026-10-03-prompt-commentary-input.patch 1.4k
- 2026-10-03-prompt-flow-documentation.md 59
- 2026-10-03-prompt-flow-documentation.patch 631
- 2026-10-04-commentary-graphical-redesign.md 55
- 2026-10-04-commentary-graphical-redesign.patch 2.0k
- 2026-10-04-prompt-flow-documentation.md 43
- 2026-10-04-release-validation.md 171
- 2026-10-04-run-output-resize.md 36
- 2026-10-04-run-output-resize.patch 834
- 2026-10-04-windows-flow-files.md 51
- 2026-10-07-latexer-verification.md 60
- 2026-10-07-pdf-mover-incident.md 87
- 2026-10-07-windows-access-verification.md 82
- 2026-10-10-composer-resize.md 80
- 2026-10-11-ui-sweep.md 146
- 2026-10-13-docked-avatar-divider.md 65
- 2026-10-16-v1.85.0.md 99
- 2026-10-18-v1.87.0.md 128
- 2026-10-19-private-release-data.md 97
- 2026-10-19-terminater.md 103
- 2026-10-20-terminater-audit.md 181
- 2026-10-20-v1.88.0.md 94
- 2026-10-22-documentation-refresh.md 76
- 2026-10-22-release-version-pinning.md 73
- 2026-10-22-v1.90.0.md 98
- 2026-10-23-v1.91.0.md 148
- 2026-10-27-v1.91.1.md 51
- 2026-11-01-v1.92.3.md 26

authoring guides

3 files · 2,057 lines

create a new agent, MCP/tool or skill

- .agents/workflows/create_new_agent.md 753
- .mcps/create_new_mcp.md 888
- .skills/create_new_skill.md 416

scripts/architecture_atlas/ and this atlas

4 files · 3,072 lines

generator and build script of Tlamatini-Architecture.pdf

- scripts/architecture_atlas/build_architecture_pdf.py 238
- scripts/architecture_atlas/gen_architecture.py 2.8k
- scripts/architecture_atlas/README.md 54
- Tlamatini-Architecture.pdf 2.4MB

.claude/ · Claude Code skills, hooks and settings

11 files · 3,728 lines

canonical skill set; SessionStart hook

- hooks/announce_skills.py 204
- hooks/test_announce_skills.py 353
- settings.json 16
- skills/tlamatini-agent-creation/SKILL.md 958
- skills/tlamatini-agent-naming/SKILL.md 100
- skills/tlamatini-daily-chat-test/.gitignore 8
- skills/tlamatini-daily-chat-test/SKILL.md 278
- skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py 436
- skills/tlamatini-self-modify-inclusion/SKILL.md 354
- skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py 580
- skills/tlamatini-self-update-inclusion/SKILL.md 441

.claude/memory/ · persistent assistant memory

83 files · 3,239 lines

feedback, project and user notes

- feedback_agent_naming_conventions.md 33
- feedback_developer_product_boundary.md 18
- feedback_dont_overbuild_exec_safety.md 29

.claude/memory/ · persistent assistant memory *(continued)*

83 files · 3,239 lines

feedback, project and user notes

- feedback_forbidden_headless_visible_tests.md 20
- feedback_foreground_visible_windows.md 19
- feedback_hard_real_scenario_tests.md 25
- feedback_main_branch_only.md 40
- feedback_package_json_version_bump.md 34
- feedback_run_tlamatini_agents_visible.md 34
- feedback_state_constraints_upfront.md 31
- feedback_track_changes_pivot_file.md 27
- feedback_update_agent_docs.md 27
- feedback_user_owns_git.md 43
- MEMORY.md 151
- project_acpx_oneshot_prompt.md 46
- project_acpx_skills_menu.md 58
- project_acpx_toggle_skills.md 35
- project_acpxer_added.md 31
- project_agent_table_wiped_on_boot.md 71
- project_arduiner_agent.md 35
- project_ask_execs_feature.md 35
- project_audioplayer_agent.md 31
- project_build_concurrency_guard.md 32
- project_build_tests_and_installer_enterkey.md 25
- project_camcorder_agent.md 27
- project_carried_python_for_agents.md 37
- project_conjunction_parser_fix.md 26
- project_daily_chat_test_skill.md 28
- project_desktop_ui_lifecycle.md 29
- project_director_virtuoso_demo_prompts.md 28
- project_doc_refresh_2026_05_06.md 40
- project_doc_refresh_2026_05_08.md 39
- project_doc_refresh_2026_05_09.md 58
- project_eight_fixes_2026_05_07.md 53
- project_emailer_recmailer_oneshot.md 36
- project_embedding_memory_guard.md 35
- project_esp32er_agent.md 37
- project_execute_command_bounded_fix.md 27
- project_execute_file_foreground_fix.md 44
- project_external_exec_safety_layer.md 33
- project_flow_compiler_dialog_wins.md 29
- project_ghost_distinfo_dependency_audit.md 56
- project_kalier_agent.md 37
- project_keyboarder_wrapped_2026_05_07.md 32
- project_latexer_agent.md 76
- project_living_canvas_dropped.md 29
- project_mouser_wrapped_2026_05_07.md 37
- project_native_picker_tcltk_fix.md 57
- project_native_toast.md 31
- project_netspeed_calculator_agent.md 89
- project_numpy_pyinstaller.md 24
- project_ollama_source_build_breaks_embeddings.md 31
- project_pdfer_agent.md 78
- project_planner_followup.md 31
- project_playwrighter_agent.md 31
- project_playwrighter_hold_open.md 56
- project_prompt_catalog_mode_badges.md 42
- project_prompt_flow_commentary_input.md 19
- project_pythonxer_forkbomb_fix.md 46
- project_pythonxer_strict_ruff_gate.md 36
- project_quote_apostrophe_fix_2026_05_07.md 48
- project_reaper_console_window_fix.md 36
- project_recorder_agent.md 31
- project_reviewer_analyzer_agents.md 33
- project_reviewer_analyzer_demo_prompts.md 25
- project_reviewer_committed_secrets_falsepos.md 31
- project_secret_leak_recovery.md 33
- project_stm32er_agent.md 35
- project_stm32er_bootstrap_preflight.md 31
- project_stm32er_demo_prompts.md 29
- project_stm32er_docs_libs_parametrizer.md 35
- project_stm32er_hil_serial_proof_fix.md 27

Atlas IX — Knowledge and governance (continued 3)

Documentation, change records, assistant onboarding, memory and the four tracked skill locations.

Python · JavaScript · CSS · HTML · Markdown · YAML/JSON · PS1/BAT/CMD · Prompts/flows · C++/Arduino · Text/other · Binary/media

SHEET 26

.claude/memory/ · persistent assistant memory *(continued)*

83 files · 3,239 lines

feedback, project and user notes

project_stm32er_tests.md	27	project_unrealer_expanded_surface.md	101
project_summarizer_oneshot_mode.md	49	project_versioning_2026_05_15.md	73
project_taskbar_flash_attention.md	30	project_videoplayer_agent.md	33
project_teletlamatini_acpx.md	34	project_windower_agent.md	37
project_temp_templates_policy.md	39	user_profile.md	18
project_unity_mcp_declined.md	30		

.gemini/skills/ · Gemini mirror

8 files · 3,155 lines

tlamatini-agent-creation/SKILL.md	958
tlamatini-agent-naming/SKILL.md	100
tlamatini-daily-chat-test/.gitignore	8
tlamatini-daily-chat-test/SKILL.md	278
tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py	436
tlamatini-self-modify-inclusion/SKILL.md	354
tlamatini-self-update-inclusion/scripts/sweep_self_update.py	580
tlamatini-self-update-inclusion/SKILL.md	441

.codex/skills/ · Codex dossier and release skills

3 files · 235 lines

agents/openai.yaml	4	references/acceptance-matrix.md	111	SKILL.md	120

File index — 2003 tracked files

ID (click to see the tile) · path · [lines or size] · description extracted from the file itself. Grouped exactly like the atlas.

Atlas I — Server core: process, web tier and intelligence

Tlamatini/ · process entry — sheet 16

F1963 `Tlamatini/cat_art.py` [64 lines] *Determine the clear screen command based on the operating system*
F1968 `Tlamatini/manage.py` [1.7k lines] *Django's command-line utility for administrative tasks.*

Tlamatini/tlamatini/ · Django project — sheet 16

F1984 `Tlamatini/tlamatini/__init__.py` [10 lines] *Package marker for tlamatini/.*
F1985 `Tlamatini/tlamatini/asgi.py` [34 lines] *ASGI application: ProtocolTypeRouter sends HTTP to Django and WebSockets (AuthMiddlewareStack) to agent.routing.*
F1986 `Tlamatini/tlamatini/context_processors.py` [37 lines] *Defines static_version(), app_version(), speech_pronunciation().*
F1987 `Tlamatini/tlamatini/logging_filters.py` [31 lines] *Defines SuppressHttpGet200.*
F1988 `Tlamatini/tlamatini/middleware.py` [197 lines] *Wired to the console handler in settings.LOGGING ("tlamatini.request"), so everything logged here reaches BOTH the console and tlamatini.log (the…*
F1989 `Tlamatini/tlamatini/settings.py` [401 lines] *Django settings for tlamatini project.*
F1990 `Tlamatini/tlamatini/urls.py` [18 lines] *Module that sets urlpatterns using django, agent.views.*
F1991 `Tlamatini/tlamatini/wsgi.py` [28 lines] *Standard Django WSGI entry point (the app itself runs on ASGI/Daphne).*

agent/ · transport and web endpoints — sheet 16

F0836 `Tlamatini/agent/__init__.py` [26 lines] *Ensure absolute imports for generated protobuf modules resolve when code tries to import them as top-level names.*
F0837 `Tlamatini/agent/access_key_wizard.py` [703 lines] *Backend helpers for the graphical Access Keys Wizard.*
F0849 `Tlamatini/agent/admin.py` [31 lines] *Module importing django, models.*
F1110 `Tlamatini/agent/apps.py` [838 lines] *Companion-app discovery (Tlamatini-FlowPills) — process-local gate Dedicated to discovery publication and DELIBERATELY separate from…*
F1119 `Tlamatini/agent/chat_voice_consumer.py` [121 lines] *Authenticated direct dictation, isolated from model/chat orchestration.*
F1127 `Tlamatini/agent/constants.py` [159 lines] *Tlamatini speaks in the FIRST PERSON (Angela, 2026-10-09) Every fixed line below is a chat message FROM Tlamatini, and the chat…*
F1128 `Tlamatini/agent/consumers.py` [2.5k lines] *Defines AgentConsumer.*
F1129 `Tlamatini/agent/contacts.py` [210 lines] *Tlamatini Contacts book — resolve a person's NAME to their messaging handles.*
F1153 `Tlamatini/agent/flow_file_views.py` [50 lines] *Authenticated browser handoff and loopback instance identification.*
F1193 `Tlamatini/agent/model_brain_views.py` [133 lines] *HTTP surface of the MODEL BRAIN's Auto-tuning dialog (Config -> Models -> Save).*
F1197 `Tlamatini/agent/native_dialogs.py` [504 lines] *Tkinter-free native file/folder pickers for the Tlamatini server.*
F1206 `Tlamatini/agent/pdf_context_views.py` [40 lines] *Authenticated multipart preparation of a PDF selected in the browser canvas.*
F1209 `Tlamatini/agent/prompt_flow_panel_consumer.py` [93 lines] *Authenticated, connection-scoped playback; never infer completion from prose.*
F1227 `Tlamatini/agent/routing.py` [24 lines] *Module that sets websocket_urlpatterns using django, prompt_flow_panel_consumer, chat_voice_consumer, terminal_consumer.*
F1952 `Tlamatini/agent/urls.py` [230 lines] *Defines secure_get(), secure_post().*
F1955 `Tlamatini/agent/usage_views.py` [55 lines] *Authenticated, read-only usage; independent of the chat operation lock.*
F1956 `Tlamatini/agent/version.py` [388 lines] *Version resolution for Tlamatini.*
F1957 `Tlamatini/agent/views.py` [13k lines] *Defines home(), login_view(), welcome_view(), logout_view() and 173 more.*
F1961 `Tlamatini/agent/window_flash.py` [146 lines] *Flash the Tlamatini.exe console window's taskbar button + log an UPPERCASE attention banner when a browser surface needs the user.*

agent/templates/ · server-rendered pages — sheet 16

F1743 `Tlamatini/agent/templates/admin/base_site.html` [15 lines] *HTML template. Loads 1 scripts and 3 stylesheets.*
F1744 `Tlamatini/agent/templates/agent/agent_page.html` [950 lines] *dialog_theme.css MUST stay LAST: it supersedes the legacy .ui-dialog chrome on cascade ORDER. Loads 66 scripts and 27 stylesheets.*
F1745 `Tlamatini/agent/templates/agent/agentic_control_panel.html` [359 lines] *dialog_theme.css MUST stay LAST: it supersedes the legacy .ui-dialog chrome on cascade ORDER. Loads 33 scripts and 12 stylesheets.*
F1746 `Tlamatini/agent/templates/agent/interaction_settings.html` [42 lines] *HTML template.*
F1747 `Tlamatini/agent/templates/agent/interactor.html` [23 lines] *HTML template.*
F1748 `Tlamatini/agent/templates/agent/login.html` [63 lines] *Page "Iniciar sesión - Tlamatini". Loads 2 scripts and 8 stylesheets.*
F1749 `Tlamatini/agent/templates/agent/prompt_flow_panel.html` [132 lines] *Shared policy first: Escape = Cancel; clicking outside keeps dialogs open. Loads 16 scripts and 13 stylesheets.*
F1750 `Tlamatini/agent/templates/agent/torrenter_sources.html` [25 lines] *Page "Fuentes de Torrenter · Tlamatini".*
F1751 `Tlamatini/agent/templates/agent/usage_dialog.html` [64 lines] *HTML template.*
F1752 `Tlamatini/agent/templates/agent/welcome.html` [42 lines] *Page "Bienvenida - Tlamatini". Loads 4 scripts and 9 stylesheets.*

agent/management/ · manage.py commands — sheet 16

F1179 `Tlamatini/agent/management/__init__.py` [10 lines] *Django management package for the agent app.*
F1180 `Tlamatini/agent/management/commands/acpx_lint.py` [123 lines] *Django management command to lint every SKILL.md package in agent/skills_pkg/.*
F1181 `Tlamatini/agent/management/commands/check_agent_runtimes.py` [109 lines] *Offline runtime-carriage check, executed in source and by the frozen build.*
F1182 `Tlamatini/agent/management/commands/check_prompt_flow_panel.py` [150 lines] *Offline panel checks for source and real frozen releases.*
F1183 `Tlamatini/agent/management/commands/check_terminater.py` [227 lines] *Offline Terminals / Terminater checks for source and real frozen releases.*
F1184 `Tlamatini/agent/management/commands/enroll_torrenter.py` [29 lines] *Defines Command.*
F1185 `Tlamatini/agent/management/commands/startserver.py` [56 lines] *Defines Command.*

agent/ · intelligence core — sheet 16

F0851 `Tlamatini/agent/agent_verdict.py` [657 lines] *Deterministic verdict engine for wrapped-agent results.*
F1111 `Tlamatini/agent/cancellation.py` [199 lines] *agent/cancellation.py — the PER-RUN cancellation latch.*
F1113 `Tlamatini/agent/capability_registry.py` [691 lines] *Defines ToolCapability, ContextCapability, build_context_capabilities(), build_tool_capabilities() and 2 more.*
F1116 `Tlamatini/agent/chat_agent_registry.py` [2.4k lines] *Defines ChatWrappedAgentSpec, agent_row_name(), get_wrapped_agent_security_hints().*
F1117 `Tlamatini/agent/chat_agent_runtime.py` [638 lines] *Defines get_chat_runtime_root(), ensure_chat_runtime_root(), create_isolated_runtime_copy(), resolve_runtime_script_path() and 11 more.*
F1118 `Tlamatini/agent/chat_history_loader.py` [117 lines] *DB-backed chat history loader (safe, transparent)*
F1120 `Tlamatini/agent/chat_voice_runtime.py` [242 lines] *Direct resident Whisperer bridge.*
F1121 `Tlamatini/agent/chat_voice_settings.py` [70 lines] *Small, dependency-free contract shared by Django and carried dictation Python.*
F1124 `Tlamatini/agent/compact_mode.py` [685 lines] *compact_mode.py - the COMPACT MODE switch (Angela, 2026-10-02).*
F1125 `Tlamatini/agent/config.json` [299 lines] *Main configuration template: models, ports, timeouts, Model Brain, Compact mode, binary guard, ACPX; secrets are placeholders.*
F1126 `Tlamatini/agent/config_loader.py` [135 lines] *Defines find_config_path(), load_config(), get_config_value(), get_int_config_value() and 1 more.*
F1130 `Tlamatini/agent/context_baseline.py` [489 lines] *Tlamatini - the context gauge AT REST.*
F1131 `Tlamatini/agent/context_fitter.py` [760 lines] *Tlamatini - the CONTEXT FITTER: every request fits the model it is sent to.*
F1132 `Tlamatini/agent/context_governor.py` [2.0k lines] *Tlamatini - the CONTEXT GOVERNOR.*
F1144 `Tlamatini/agent/embedding_memory_guard.py` [433 lines] *Embedding-memory pre-flight guard for "Set directory as context".*
F1145 `Tlamatini/agent/exec_permission.py` [259 lines] *Ask-Execs permission broker.*
F1154 `Tlamatini/agent/global_execution_planner.py` [526 lines] *Defines GlobalPlanNode, GlobalExecutionPlan, build_global_execution_plan(), summarize_global_execution_plan() and 2 more.*
F1155 `Tlamatini/agent/global_state.py` [53 lines] *Defines GlobalState, get_request_state(), scoped_request_state().*
F1156 `Tlamatini/agent/gpu_perf.py` [420 lines] *GPU max-performance + Ollama-pinning startup hook for Tlamatini.*
F1165 `Tlamatini/agent/inet_determiner.py` [219 lines] *Defines determine_internet_required().*
F1176 `Tlamatini/agent/llm_timing.py` [160 lines] *Ollama call timing instrumentation.*
F1177 `Tlamatini/agent/local_toolcall_parser.py` [376 lines] *Recover a tool call that a LOCAL model emitted as PLAIN TEXT.*
F1186 `Tlamatini/agent/mcp_agent.py` [4.1k lines] *MCP Agent (mcp_agent.py)*
F1191 `Tlamatini/agent/model_brain.py` [549 lines] *MODEL BRAIN - Tlamatini configures herself for EACH model, from formal sources.*
F1192 `Tlamatini/agent/model_brain_chat.py` [178 lines] *The chat model the Model Brain configures (agent/model_brain.py).*
F1194 `Tlamatini/agent/model_profiles.json` [102 lines] *Model Brain knowledge base: sourced sampling/thinking profiles per model family.*
F1198 `Tlamatini/agent/ollama_stop.py` [68 lines] *Stop sequences every Ollama model will accept.*
F1204 `Tlamatini/agent/pdf_context.py` [202 lines] *PDF canvas ingestion: complete text and optional images for the normal RAG chain.*
F1205 `Tlamatini/agent/pdf_context_jobs.py` [113 lines] *Bounded background jobs for PDF extraction and Image-Interpreter analysis.*
F1207 `Tlamatini/agent/pdf_image_analysis.py` [38 lines] *PDF-specific adapter for the existing Image-Interpreter agent's vision pipeline.*
F1208 `Tlamatini/agent/prompt.pmt` [403 lines] *System prompt of the chat LLM: Tlamatini's identity, operating rules, tool-usage contract, Temp/Templates policy and the self-knowledge slot.*
F1210 `Tlamatini/agent/prompt_flow_panel_runtime.py` [207 lines] *Model adapter for a single prompt-flow-panel run, using the existing RAG stack.*
F1226 `Tlamatini/agent/rag_enhancements.py` [687 lines] *RAG Enhancement Module for Tlamatini Provides advanced metadata extraction, context optimization, and retrieval strategies.*
F1230 `Tlamatini/agent/self_healing.py` [523 lines] *agent/self_healing.py — Self-aware, NEVER-HANGING, self-healing resilience for Tlamatini's Multi-Turn model steps.*
F1942 `Tlamatini/agent/Tlamatini.md` [548 lines] *Tlamatini — Self-Knowledge: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una versión común, ejecuta las…*
F1944 `Tlamatini/agent/tools.py` [5.4k lines] *Defines launch_in_new_terminal(), _ConfigRequirementAnalyzer, get_all_agents(), get_all_agent_processes() and 25 more.*
F1953 `Tlamatini/agent/usage_provider.py` [333 lines] *Bounded, read-only Ollama usage adapter.*
F1954 `Tlamatini/agent/usage_tracking.py` [108 lines] *Metadata-only usage ledger; no prompts, responses or credentials are stored.*
F1958 `Tlamatini/agent/visual_error_reporting.py` [29 lines] *Per-request visual-error reporting, independent of execution/recovery policy.*
F1959 `Tlamatini/agent/web_search_llm.py` [279 lines] *Updated web_search_llm.py to allow custom Ollama server IP and port*

agent/interactor/ - live editor module — sheet 16

F1168 `Tlamatini/agent/interactor/__init__.py` [2 lines] *Interactor: the live canvas bridge and guided editing capability (not an agent).*
F1169 `Tlamatini/agent/interactor/consumer.py` [74 lines] *Session-authenticated, same-origin editor transport.*
F1170 `Tlamatini/agent/interactor/context.py` [35 lines] *The originating tab is request-scoped, never a global 'active editor'.*
F1171 `Tlamatini/agent/interactor/editor.mjs` [154 lines] *CodeMirror extension: field guidance, optional ghost text and observable typing.*
F1172 `Tlamatini/agent/interactor/files.py` [49 lines] *Host files are opened only by the model's scoped tool, never a browser path frame.*
F1173 `Tlamatini/agent/interactor/hub.py` [128 lines] *Bounded request/receipt bridge between synchronous tools and an authenticated tab.*
F1174 `Tlamatini/agent/interactor/protocol.py` [56 lines] *Small, explicit wire contract.*
F1175 `Tlamatini/agent/interactor/tool.py` [146 lines] *One typed model tool, no workflow Agent or worker process.*

agent/rag/ · retrieval-augmented generation — sheet 16

F1211 `Tlamatini/agent/rag/__init__.py` [39 lines] *Module that sets __all__ using factory, interface, chains.*
F1212 `Tlamatini/agent/rag/binary_guard.py` [516 lines] *Binary-content detection for the RAG context-loading pipeline.*
F1217 `Tlamatini/agent/rag/config.py` [445 lines] *The LLM's self-knowledge file.*
F1218 `Tlamatini/agent/rag/factory.py` [1.2k lines] *Defines get_system_context_sync(), get_files_context_sync(), build_prompt_only_chain(), build_retrieval_chain() and 3 more.*
F1219 `Tlamatini/agent/rag/interaction.py` [67 lines] *Defines save_context_blob(), load_context_blob(), show_rephrased_question().*
F1220 `Tlamatini/agent/rag/interface.py` [1.0k lines] *Defines get_program_by_name(), tokenCounterOfAsk(), is_valid_prompt(), ask_rag().*
F1221 `Tlamatini/agent/rag/loaders.py` [51 lines] *Defines report_oversized_docs().*
F1222 `Tlamatini/agent/rag/prompts.py` [33 lines] *Contextualization prompt for history-aware question rewriting*
F1223 `Tlamatini/agent/rag/retrieval.py` [114 lines] *Defines retrieve_documents().*
F1224 `Tlamatini/agent/rag/splitters.py` [13 lines] *Defines get_text_splitter().*
F1225 `Tlamatini/agent/rag/utils.py` [191 lines] *Scope header prepended to the user-loaded context blob before it is bound to the prompt's {context} placeholder (history-aware RAG chain) or folded…*

agent/rag/chains/ · answer chains — sheet 16

F1213 `Tlamatini/agent/rag/chains/base.py` [177 lines] *Defines GenerationCancelledException, Callbacks, summarize_or_none().*
F1214 `Tlamatini/agent/rag/chains/basic.py` [193 lines] *Defines BasicPromptOnlyChain.*
F1215 `Tlamatini/agent/rag/chains/history_aware.py` [587 lines] *Regex to strip code blocks (or "') so embedded code doesn't cause false-positive file-listing detection.*
F1216 `Tlamatini/agent/rag/chains/unified.py` [1.1k lines] *Defines wrap_loaded_context(), wrap_retrieved_context(), with_system_context(), history_summary_tail() and 3 more.*

agent/services/ · flow compiler and contracts — sheet 16

F1232 `Tlamatini/agent/services/__init__.py` [25 lines] *Pure format validators are also used before Django starts (Explorer opening).*
F1233 `Tlamatini/agent/services/agent_contracts.py` [501 lines] *Defines AgentContract, get_agent_contracts(), get_password_paths(), resolve_agent_type() and 5 more.*
F1234 `Tlamatini/agent/services/agent_paths.py` [178 lines] *Defines is_frozen_mode(), get_agent_app_dir(), get_app_base_dir(), get_agents_root() and 9 more.*
F1235 `Tlamatini/agent/services/filesystem.py` [141 lines] *Defines get_time_stamp(), generate_tree_view_content(), save_files_from_db().*
F1236 `Tlamatini/agent/services/flow_compiler.py` [441 lines] *Defines FlowCompileError, _QuotedStr, _AgentConfigYamlDumper, dump_agent_config_yaml() and 3 more.*
F1237 `Tlamatini/agent/services/flow_knowledge.py` [147 lines] *Export the installed agent contracts for standalone planning/monitoring agents.*
F1238 `Tlamatini/agent/services/flow_spec.py` [174 lines] *Defines FlowNode, FlowConnection, FlowSpec, normalize_flow_payload() and 1 more.*
F1239 `Tlamatini/agent/services/prompt_flow_panel.py` [438 lines] *Versioned .fpmt graph contract and deterministic prompt-flow-panel interpreter.*
F1240 `Tlamatini/agent/services/response_parser.py` [678 lines] *Full-answer debug dumps (the ENTIRE LLM response used to be printed up to 3x per turn below) are expensive and noisy on long answers.*

agent/imaging/ · image analysis — sheet 16

F1162 `Tlamatini/agent/imaging/converter.py` [25 lines] *Defines convert_image_to_base64().*
F1163 `Tlamatini/agent/imaging/image_interpreter.py` [399 lines] *Defines opus_analyze_image(), qwen_analyze_image().*
F1164 `Tlamatini/agent/imaging/screenshot.py` [257 lines] *screenshot.py - Capture the full screen and save as a .jpg file.*

agent/opus_client/ · Claude API client — sheet 16

F1199 `Tlamatini/agent/opus_client/claude_opus_client.py` [969 lines] *Claude Opus 4.5 Python Client A comprehensive client for interacting with Claude Opus 4.5 via the Anthropic API.*
F1200 `Tlamatini/agent/opus_client/examples.py` [9 lines] *Python module.*
F1201 `Tlamatini/agent/opus_client/README.md` [418 lines] *Claude Opus 4.5 Python Client: A comprehensive, production-ready Python client for interacting with Claude Opus 4.5 via the Anthropic API.*

agent/monitors/ · SQL monitor — sheet 16

F1196 `Tlamatini/agent/monitors/monitor_sql.py` [83 lines] *CONFIGURATION Windows typically uses the "ODBC Driver 17 for SQL Server" Ensure you have installed the driver from Microsoft.*

agent/doc_generation/ · project dossier generator — sheet 16

F1134 `Tlamatini/agent/doc_generation/complete_project_docs.py` [639 lines] *Complete project dossier: facts, orchestration and verification.*
F1135 `Tlamatini/agent/doc_generation/dossier_content.py` [2.6k lines] *The written content of the project dossier, shared by the PDF and the deck.*
F1136 `Tlamatini/agent/doc_generation/dossier_editor_content.py` [297 lines] *Canvas, Interactor and configuration chapters shared by the PDF and deck.*
F1137 `Tlamatini/agent/doc_generation/dossier_pdf.py` [1.5k lines] *The printed dossier: an A4 codex with a dark cover, dark chapter openers and ivory reading pages.*
F1138 `Tlamatini/agent/doc_generation/dossier_pptx.py` [1.2k lines] *The dossier deck: a 16:9 obsidian-and-jade presentation built from the same content as the PDF.*
F1139 `Tlamatini/agent/doc_generation/dossier_theme.py` [385 lines] *Shared visual identity of the project dossier (PDF + PPTX).*
F1140 `Tlamatini/agent/doc_generation/dossier_verify.py` [314 lines] *Re-open the finished dossier files and prove they are whole.*
F1141 `Tlamatini/agent/doc_generation/mardown_to_pdf.py` [119 lines] *Defines markdown_text_to_pdf(), main().*
F1142 `Tlamatini/agent/doc_generation/refresh_project_docs.py` [16 lines] *Module importing __future__, complete_project_docs.*
F1143 `Tlamatini/agent/doc_generation/test_output.pdf` [41KB] *PDF document: test output.*

agent/ · other modules — sheet 16

F1112 `Tlamatini/agent/canvas_file_views.py` [331 lines] *Native canvas saves: a selected destination is an expiring capability.*
F1166 `Tlamatini/agent/interaction_narration.py` [131 lines] *Bounded narration receipts.*
F1167 `Tlamatini/agent/interaction_settings.py` [162 lines] *Account preferences for real editor/terminal actions; presentation stays local.*
F1753 `Tlamatini/agent/terminal_consumer.py` [271 lines] *ws/terminals/ – the browser side of Terminater.*
F1754 `Tlamatini/agent/terminal_guard.py` [483 lines] *terminal_guard.py – honesty rails for live terminal tutorials (Terminater).*
F1755 `Tlamatini/agent/terminal_hub.py` [347 lines] *The Django-side home of the Terminater terminals.*
F1756 `Tlamatini/agent/terminal_views.py` [69 lines] *HTTP surface of Terminater.*
F1757 `Tlamatini/agent/terminater_testkit.py` [81 lines] *Shared helpers for the Terminater test suites (not a test module itself).*
F1758 `Tlamatini/agent/terminater_tool.py` [429 lines] *terminater_tool.py – the TYPED door from the chat model to Terminater.*
F1945 `Tlamatini/agent/torrenter_bridge.py` [116 lines] *Only authenticated server launch sites can bind a Jobs profile to a pool.*
F1946 `Tlamatini/agent/torrenter_tool.py` [64 lines] *The model gets actions and explicit arguments.*
F1947 `Tlamatini/agent/torrenter_views.py` [220 lines] *Stage private torrent metadata directly from the authenticated browser to Jobs.*

Atlas II — Interfaces de integración, platform and state

agent/ · context providers and external-MCP client — sheet 17

F1114 `Tlamatini/agent/chain_files_search_lcel.py` [791 lines] *Handle both relative import from the same directory (when used as module) and direct import (when run as script)*
F1115 `Tlamatini/agent/chain_system_lcel.py` [282 lines] *Handle both relative import (when used as module) and direct import (when run as script)*
F1122 `Tlamatini/agent/command_togen_pb2.txt` [32 lines] *Command used to regenerate the Files-Search protobuf/gRPC stubs.*
F1133 `Tlamatini/agent/context_sidecar_timeout.py` [163 lines] *A time limit for the context sidecars' own Ollama calls.*
F1146 `Tlamatini/agent/external_mcp_defaults.py` [245 lines] *Default External MCP servers — shipped with EVERY installation, INACTIVE.*
F1147 `Tlamatini/agent/external_mcp_manager.py` [2.7k lines] *External MCP client layer.*
F1148 `Tlamatini/agent/external_mcps.json` [4 lines] *External-MCP catalog (mcpServers shape) + active list; user state preserved across self-update.*
F1149 `Tlamatini/agent/filesearch.proto` [33 lines] *gRPC contract of the Files-Search MCP service.*
F1150 `Tlamatini/agent/filesearch_pb2.py` [57 lines] *Generated protocol buffer code.*
F1151 `Tlamatini/agent/filesearch_pb2_grpc.py` [152 lines] *Client and server classes corresponding to protobuf-defined services.*
F1187 `Tlamatini/agent/mcp_files_search_client.py` [462 lines] *Config loading utilities*
F1188 `Tlamatini/agent/mcp_files_search_server.py` [240 lines] *Defines get_application_root(), load_config(), FileSearcherServicer, serve().*
F1189 `Tlamatini/agent/mcp_system_client.py` [141 lines] *Defines MCPSystemClient, example().*
F1190 `Tlamatini/agent/mcp_system_server.py` [235 lines] *Defines MCPSystemHandler, system_handler(), main().*
F1229 `Tlamatini/agent/runtime_provisioner.py` [1.2k lines] *Runtime Provisioner — Tlamatini ALWAYS has node / npm / npx / pnpm / uv / uvx.*
F1960 `Tlamatini/agent/win_shim.py` [189 lines] *Windows command resolution — the ONE definition of "how do we spawn this?".*

agent/acpx/ · ACPX runtime — sheet 17

F0838 `Tlamatini/agent/acpx/__init__.py` [135 lines] *ACPX runtime for Tlamatini.*
F0839 `Tlamatini/agent/acpx/agent_registry.py` [393 lines] *ACP agent registry — the agent_id -> command map.*
F0840 `Tlamatini/agent/acpx/child_health.py` [299 lines] *ACPX child-health classification — did the external CLI actually DELIVER?*
F0841 `Tlamatini/agent/acpx/config.py` [549 lines] *ACPX plugin config — Python mirror of OpenClaw's extensions/acpx/src/config-schema.ts and config.ts.*
F0842 `Tlamatini/agent/acpx/permissions.py` [108 lines] *Permission gate for ACPX runtime.*
F0843 `Tlamatini/agent/acpx/runtime.py` [1.3k lines] *ACPX runtime — Python port of OpenClaw's BaseAcpxRuntime + AcpRuntime (extensions/acpx/src/runtime.ts).*
F0844 `Tlamatini/agent/acpx/service.py` [112 lines] *Django-side ACPX service — registers the runtime at startup and mirrors disk state into the AcpAgent table.*
F0845 `Tlamatini/agent/acpx/session_store.py` [145 lines] *ACP session store — Python port of OpenClaw's createFileSessionStore() + createResetAwareSessionStore() in extensions/acpx/src/runtime.ts.*
F0846 `Tlamatini/agent/acpx/tests.py` [1.6k lines] *Sanity tests for the ACPX runtime + Skill harness. [98 tests]*
F0847 `Tlamatini/agent/acpx/tools.py` [716 lines] *ACPX-related LangChain @tool functions exposed to the unified agent.*
F0848 `Tlamatini/agent/acpx/windows_spawn.py` [180 lines] *Windows spawn helpers — Python port of OpenClaw's applyWindowsSpawnProgramPolicy() / materializeWindowsSpawnProgram() /…*

agent/skills/ · skill harness — sheet 17

F1241 `Tlamatini/agent/skills/__init__.py` [29 lines] *Tlamatini skills package — runtime side.*
F1242 `Tlamatini/agent/skills/frontmatter.py` [186 lines] *SKILL.md frontmatter parser.*
F1243 `Tlamatini/agent/skills/harness.py` [603 lines] *SkillHarness — one skill invocation: contract validation, secret redaction, audit logging, and delivery of the skill's procedure to whoever will run…*
F1244 `Tlamatini/agent/skills/io_contract.py` [147 lines] *Input / output contract validation for skills.*
F1245 `Tlamatini/agent/skills/redaction.py` [234 lines] *Secret redaction for the skill boundary — the ONE definition of "is this input a credential, and what may leave the harness".*
F1246 `Tlamatini/agent/skills/registry.py` [295 lines] *Skill registry — discovers, parses, and caches all SKILL.md packages.*
F1247 `Tlamatini/agent/skills/validation.py` [335 lines] *The ONE validator for a SKILL.md package.*

agent/skills_pkg/ · SKILL.md packages — sheet 17

F1248 `Tlamatini/agent/skills_pkg/_meta/lint.py` [85 lines] *Lint every SKILL.md in agent/skills_pkg/.*
F1249 `Tlamatini/agent/skills_pkg/_meta/schema.json` [101 lines] *JSON document with keys: $schema, title, description, type, required, additionalProperties, properties.*
F1250 `Tlamatini/agent/skills_pkg/acp_router/SKILL.md` [106 lines] *Route plain-language requests for Claude Code, Cursor, Codex, Gemini, Qwen, Pi, Kiro, Kimi, iFlow, Factory Droid, Kilocode, OpenCode, Copilot into…*
F1251 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/external_mcp_catalog_format.md` [127 lines] *External MCP Catalog Format — Detailed Guide: The external MCP catalog lives in external_mcps.json next to config.json.*
F1252 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/llm_reflection_research.md` [112 lines] *LLM Reflection — Research Findings: LLM Reflection is a technique where language models evaluate and improve their own outputs through iterative…*
F1253 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/transport_guide.md` [143 lines] *Transport Configuration Reference: Tlamatini supports four MCP transport types via _SUPPORTED_TRANSPORTS*
F1254 `Tlamatini/agent/skills_pkg/adding_external_mcp/references/troubleshooting.md` [164 lines] *Troubleshooting and Diagnostics: Run a static triage BEFORE activating a server*
F1255 `Tlamatini/agent/skills_pkg/adding_external_mcp/SKILL.md` [297 lines] *> The authoritative reference for adding a NEW external MCP server to Tlamatini universal MCP client layer.*
F1256 `Tlamatini/agent/skills_pkg/code_review/SKILL.md` [133 lines] *Review a git diff (or working-tree changes) like a senior engineer — correctness, security, performance, readability — and return a verdict plus…*
F1257 `Tlamatini/agent/skills_pkg/create_new_agent/SKILL.md` [156 lines] *The authoritative 8-step contract for scaffolding a NEW Tlamatini workflow agent end-to-end (backend script + config.yaml, connection-update view +…*
F1258 `Tlamatini/agent/skills_pkg/create_new_mcp/SKILL.md` [147 lines] *The authoritative reference for adding a NEW tool, MCP context provider, or BOTH to Tlamatini.*
F1259 `Tlamatini/agent/skills_pkg/flow_making/references/flw_schema.md` [89 lines] *.flw schema (schemaVersion 2) — the shape the canvas loader consumes: Source of truth: agent/static/agent/js/acp-file-io.js::… and…*
F1260 `Tlamatini/agent/skills_pkg/flow_making/scripts/make_flow.py` [178 lines] *make_flow.py — one-shot driver for the flow-making skill.*
F1261 `Tlamatini/agent/skills_pkg/flow_making/scripts/result_to_flw.py` [236 lines] *result_to_flw.py — convert FlowCreator's flow_result.json into a canonical .flw flow file that the Tlamatini ACP canvas loader (loadDiagram in…*
F1262 `Tlamatini/agent/skills_pkg/flow_making/SKILL.md` [164 lines] *Turn a natural-language objective into a downloadable .flw workflow by driving the FlowCreator engine (full 86-agent catalog), then emit a…*
F1263 `Tlamatini/agent/skills_pkg/github/SKILL.md` [78 lines] *Use the gh CLI for GitHub issues, PR status, CI/logs, comments, reviews, releases, and API queries.*
F1264 `Tlamatini/agent/skills_pkg/gmail/SKILL.md` [59 lines] *Read and send Gmail messages and threads via Gmail API.*
F1265 `Tlamatini/agent/skills_pkg/hello_world/SKILL.md` [54 lines] *Smoke-test skill that echoes its inputs and confirms the SkillHarness wiring is alive end-to-end.*
F1266 `Tlamatini/agent/skills_pkg/jira/SKILL.md` [65 lines] *Read and write Jira issues, comments, transitions via the Jira REST API v3.*
F1267 `Tlamatini/agent/skills_pkg/kali_pentest/SKILL.md` [128 lines] *Drive an authorized, scoped penetration-testing / recon / CTF workflow against a target through the Kalier agent and the MCP-Kali-Server —…*
F1268 `Tlamatini/agent/skills_pkg/notion/SKILL.md` [77 lines] *Use the Notion API to create, read, update Notion pages, data sources (databases), and blocks.*
F1269 `Tlamatini/agent/skills_pkg/roblox_studio/SKILL.md` [177 lines] *Build and edit in Roblox Studio via the Roblox Studio MCP the RIGHT way - preflight the Studio connection, do the whole build in a few big…*
F1270 `Tlamatini/agent/skills_pkg/security_audit/SKILL.md` [113 lines] *Run whichever SAST, secret-scanning, and dependency-audit tools are installed (bandit, semgrep, ruff, eslint, gitleaks, pip-audit) over a path, then…*

F1271 `Tlamatini/agent/skills_pkg/setup_new_acpx_key/SKILL.md` [274 lines] *Configure the API key (or other credential) for a registered ACPX agent_id. . .*
F1272 `Tlamatini/agent/skills_pkg/skill_creator/scripts/quick_validate.py` [63 lines] *Validate a single SKILL.md package directory.*
F1273 `Tlamatini/agent/skills_pkg/skill_creator/SKILL.md` [129 lines] *Create, edit, validate, and package new Tlamatini skills (SKILL.md packages).*
F1274 `Tlamatini/agent/skills_pkg/slack/SKILL.md` [60 lines] *Post messages, read channels, and manage threads via Slack Web API.*
F1275 `Tlamatini/agent/skills_pkg/summarize/SKILL.md` [60 lines] *Summarize a long text or file into a tight, faithful brief at a target word count.*
F1276 `Tlamatini/agent/skills_pkg/tlamatini_allowed_hosts_tighten/SKILL.md` [64 lines] *Tighten Django ALLOWED_HOSTS from the wide-open '*' default to a specific list, with a backup of settings.py.*
F1277 `Tlamatini/agent/skills_pkg/tlamatini_csrf_exempt_audit/SKILL.md` [100 lines] *Enumerate every @csrf_exempt-decorated view in Tlamatini/agent/views.py and classify whether each one really needs the exemption.*
F1278 `Tlamatini/agent/skills_pkg/tlamatini_exec_report_row_adder/SKILL.md` [85 lines] *Add a state-changing tool to _EXEC_REPORT_TOOLS in mcp_agent.py and the matching CSS rules so its operations appear in the chat-page Exec Report.*
F1279 `Tlamatini/agent/skills_pkg/tlamatini_flow_from_objective/SKILL.md` [126 lines] *Turn a one-sentence objective into a downloadable .flw workflow that wires the right Tlamatini visual agents and connections.*
F1280 `Tlamatini/agent/skills_pkg/tlamatini_flw_doctor/SKILL.md` [130 lines] *Validate a .flw workflow file: check connection topology, terminal agents, Parametrizer single-lane queue, missing connectors, dangling target_agents.*
F1281 `Tlamatini/agent/skills_pkg/tlamatini_new_acp_agent/SKILL.md` [146 lines] *Scaffold a new Tlamatini visual agent end-to-end across the 8 places the agent contract requires (script + config.yaml, view + url, migration, CSS. . .*
F1282 `Tlamatini/agent/skills_pkg/tlamatini_planner_trace_replay/SKILL.md` [85 lines] *Replay the most recent global execution planner trace from tlamatini.log and explain why each capability got the score it did.*
F1283 `Tlamatini/agent/skills_pkg/tlamatini_static_version_bumper/SKILL.md` [103 lines] *Bump STATIC_VERSION in tlamatini/settings.py so the chat / ACP frontend re-fetches CSS+JS bundles after a frontend change.*
F1284 `Tlamatini/agent/skills_pkg/todoist/SKILL.md` [58 lines] *Manage Todoist tasks and projects via the Todoist REST API v2.*
F1285 `Tlamatini/agent/skills_pkg/trello/SKILL.md` [57 lines] *Manage Trello boards, lists, and cards via the Trello REST API.*
F1286 `Tlamatini/agent/skills_pkg/weather/SKILL.md` [57 lines] *Look up current weather and short forecast for a location via Open-Meteo (no API key required).*

agent/ · platform, safety and lifecycle sheet 17

F0850 `Tlamatini/agent/agent_manifest.py` [277 lines] *Companion-app discovery: the agents manifest + the HKCU discovery key.*
F1123 `Tlamatini/agent/command_watchdog.py` [602 lines] *Autonomous command watchdog for Tlamatini.*
F1152 `Tlamatini/agent/flow_file_open.py` [312 lines] *Bounded .flw / .fpmt opening across Explorer, startup, login and browser uploads.*
F1178 `Tlamatini/agent/log_identity.py` [358 lines] *Per-line USER attribution for tlamatini.log (Angela, 2026-08-13).*
F1202 `Tlamatini/agent/orphan_reaper.py` [895 lines] *Orphan-process reaper for Tlamatini.*
F1203 `Tlamatini/agent/path_guard.py` [407 lines] *path_guard.py — Centralized path validation for LLM-exposed tools.*
F1231 `Tlamatini/agent/self_update.py` [500 lines] *Tlamatini self-update — "About ▷ Check for updates".*
F1962 `Tlamatini/agent/windows_app_registration.py` [285 lines] *Register Tlamatini in Windows "Installed apps" / "Programs and Features".*

persistence core sheet 17

F1195 `Tlamatini/agent/models.py` [310 lines] *Defines AgentMessage, LLMProgram, LLMSnippet, Prompt and 17 more.*
F1228 `Tlamatini/agent/run_db_wal_tests.ps1` [54 lines] *Tlamatini — VISIBLE test runner for the DB Backup / Set DB (WAL) fix.*
F1287 `Tlamatini/agent/sqlite_copy.py` [407 lines] *WAL-safe SQLite copying + sidecar hygiene — what "Backup database" and "Set DB" must use instead of a plain file copy.*
F1964 `Tlamatini/DB/Older/README.md` [60 lines] *DB / Older: This directory is the archive of previously-live db.sqlite3 files that the start-up swap-in has retired.*
F1965 `Tlamatini/DB/ToLoad/README.md` [63 lines] *DB / ToLoad: This directory is the drop zone for replacing Tlamatini's live SQLite database on the next start-up.*

Tlamatini/jd-cli/ · bundled Java decompiler sheet 17

F1966 `Tlamatini/jd-cli/jd-cli.bat` [29 lines] *1. Resolve Java WITHOUT any hardcoded developer path. Prefer an ambient JAVA_HOME (manage.py pins it to the carried <install_dir>\jre in frozen. . .*
F1967 `Tlamatini/jd-cli/jd-cli.jar` [3.8MB] *jd-cli Java decompiler, run by the J-Decompiler agent and the decompile_java tool.*

agent/images/ · documentation media sheet 17

F1157 `Tlamatini/agent/images/ACPXKeysConfigureWizard.jpg` [118KB] *Image (JPG): ACPXKeysConfigureWizard.*
F1158 `Tlamatini/agent/images/ConfigureModels.jpg` [44KB] *Image (JPG): ConfigureModels.*
F1159 `Tlamatini/agent/images/MenuConfig.jpg` [18KB] *Image (JPG): MenuConfig.*
F1160 `Tlamatini/agent/images/mockup.jpg` [34KB] *Image (JPG): mockup.*
F1161 `Tlamatini/agent/images/XAIHT-Tlamatini.mp4` [10.8MB] *Tlamatini presentation video.*

agent/TlamatiniSourceCode/ · self-modify snapshot slot sheet 17

F1943 `Tlamatini/agent/TlamatiniSourceCode/README.md` [7 lines] *This folder contains the source code aimed to you in order to modify and improve yourself.*

agent/test_fixtures/ sheet 17

F1826 `Tlamatini/agent/test_fixtures/talker_orpheus_tokens.txt` [1 lines] *Recorded Orpheus audio-token stream (one line of custom tokens) replayed by the Talker tests without a model.*

Atlas IV — Presentation layer: first-party frontend

Torrenter workspace sheet 18

F1948 `Tlamatini/agent/torrenter_workspace/layout.js` [62 lines] *JavaScript module.*
F1949 `Tlamatini/agent/torrenter_workspace/workspace.css` [53 lines] *Stylesheet. [102 rule blocks]*
F1950 `Tlamatini/agent/torrenter_workspace/workspace.html` [28 lines] *Page "Torrenter · Tlachihuani".*
F1951 `Tlamatini/agent/torrenter_workspace/workspace.js` [212 lines] *Defines message(), api(), handle(), options() and 9 more.*

static/agent/interactor/ - tutor controls sheet 18

F1323 `Tlamatini/agent/static/agent/interactor/bridge.js` [305 lines] *Exports window.TlamatiniInteractor; 0 functions.*
F1324 `Tlamatini/agent/static/agent/interactor/interactor.css` [37 lines] *Stylesheet. [22 rule blocks]*

agent/static/agent/js/ · chat page (agent_page.html) sheet 18

F1325 `Tlamatini/agent/static/agent/js/access_keys_wizard.js` [406 lines] *access_keys_wizard.js - graphical one-page key setup wizard*
F1341 `Tlamatini/agent/static/agent/js/agent_page_canvas.js` [679 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1342 `Tlamatini/agent/static/agent/js/agent_page_chat.js` [2.8k lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1343 `Tlamatini/agent/static/agent/js/agent_page_context.js` [188 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1344 `Tlamatini/agent/static/agent/js/agent_page_dialogs.js` [1.4k lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1345 `Tlamatini/agent/static/agent/js/agent_page_editing.js` [308 lines] *File lifecycle stays in agent_page_canvas.js.*
F1346 `Tlamatini/agent/static/agent/js/agent_page_init.js` [1.9k lines] *agent_page_init.js – Initialization, event wiring & actions*
F1347 `Tlamatini/agent/static/agent/js/agent_page_layout.js` [469 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1348 `Tlamatini/agent/static/agent/js/agent_page_markdown.js` [269 lines] *Sanitized Markdown presentation; edits always belong to the source editor.*
F1349 `Tlamatini/agent/static/agent/js/agent_page_pdf.js` [286 lines] *PDF canvas lifecycle and request bridge.*
F1350 `Tlamatini/agent/static/agent/js/agent_page_state.js` [495 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1351 `Tlamatini/agent/static/agent/js/agent_page_ui.js` [521 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1353 `Tlamatini/agent/static/agent/js/avatar.js` [443 lines] *Tlamatini chat-avatar engine - extracted from agent_page.html (2026-07-17).*
F1354 `Tlamatini/agent/static/agent/js/avatar_presence.js` [571 lines] *PRESENCE ENGINE — the talking head, composited on a 2D canvas. . . . WHAT THIS. . .*
F1355 `Tlamatini/agent/static/agent/js/avatar_size.js` [287 lines] *AVATAR SIZING — she is resizable, from 120 px up to most of the screen. . . .*
F1357 `Tlamatini/agent/static/agent/js/chat_dictation.js` [249 lines] *Direct Whisperer dictation; the existing chat form owns prompt submission.*
F1358 `Tlamatini/agent/static/agent/js/chat_image_paste.js` [390 lines] *chat_image_paste.js — screenshots into the chat box.*
F1359 `Tlamatini/agent/static/agent/js/chat_page_runtime_poller.js` [151 lines] *Polls /agent/check_chat_runtimes_status/ from the chat page (agent_page.html) and surfaces Asker A/B dialogs and Notifier toasts via. . .*
F1360 `Tlamatini/agent/static/agent/js/chat_table_contrast.js` [147 lines] *chat_table_contrast.js - every table in an answer stays READABLE (Angela Lopez Mendoza, 2026-10-01).*
F1362 `Tlamatini/agent/static/agent/js/compact_costs.js` [258 lines] *compact_costs.js — what each Configure row COSTS (Angela, 2026-10-02).*
F1363 `Tlamatini/agent/static/agent/js/contacts_dialog.js` [384 lines] *contacts_dialog.js — Config ▷ Contacts CRUD dialog*
F1364 `Tlamatini/agent/static/agent/js/context_gauge.js` [441 lines] *context_gauge.js — the context ring in the chat window (Angela López Mendoza, 2026-09-20 — Context Governor, step 1) Renders ONE row between the. . .*
F1367 `Tlamatini/agent/static/agent/js/external_mcps_dialog.js` [545 lines] *external_mcps_dialog.js — External ▷ MCPs menu*
F1372 `Tlamatini/agent/static/agent/js/mic_settings.js` [197 lines] *Browser preferences for direct dictation; microphone access stays in Whisperer.*
F1373 `Tlamatini/agent/static/agent/js/model_brain_tuning.js` [348 lines] *model_brain_tuning.js — the AUTO-TUNING dialog of the MODEL BRAIN (agent/model_brain.py), opened after Config ▷ Models ▷ Save.*
F1374 `Tlamatini/agent/static/agent/js/model_capacity.js` [492 lines] *model_capacity.js — the COMPACT MODE box, told to the user (Angela, 2026-10-01; the switch 2026-10-02).*
F1376 `Tlamatini/agent/static/agent/js/pdf_context_progress.js` [165 lines] *Accessible native modal; all behavior lives outside the HTML template.*
F1379 `Tlamatini/agent/static/agent/js/release_notes_renderer.js` [313 lines] *release_notes_renderer.js — renders GitHub RELEASE NOTES (Markdown + the raw HTML GitHub itself injects) into real HTML for the "About ▷ Check for. . .*
F1380 `Tlamatini/agent/static/agent/js/self_modify_switch.js` [282 lines] *self_modify_switch.js — the SELF-MODIFY box (Angela, 2026-10-03).*
F1382 `Tlamatini/agent/static/agent/js/skills_dialog.js` [392 lines] *skills_dialog.js — jQuery-UI dialogs for the ACPX-Skills menu*
F1384 `Tlamatini/agent/static/agent/js/tools_dialog.js` [698 lines] *Defines appendPrompt(), condenseWhitespace(), extractPromptTitle(), buildPromptPreview() and 12 more.*
F1386 `Tlamatini/agent/static/agent/js/usage_dashboard.js` [352 lines] *JavaScript module.*

agent/static/agent/js/ · Agentic Control Panel sheet 18

F1326 `Tlamatini/agent/static/agent/js/acp-agent-connectors.js` [1.7k lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1327 `Tlamatini/agent/static/agent/js/acp-canvas-core.js` [1.7k lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1328 `Tlamatini/agent/static/agent/js/acp-canvas-undo.js` [1.2k lines] *Agentic Control Panel - Canvas Undo/Redo Helpers & Keyboard Handler LOAD ORDER: #8 - Depends on: acp-globals.js, acp-session.js. . .*
F1329 `Tlamatini/agent/static/agent/js/acp-connection-status.js` [150 lines] *"BACKEND IS DOWN" BANNER FOR THE ACP DESIGNER*
F1330 `Tlamatini/agent/static/agent/js/acp-control-buttons.js` [1.4k lines] *Agentic Control Panel - Control Panel Button Handlers (Start / Stop / Pause / Clear) LOAD ORDER: #6 - Depends on: acp-globals.js, acp-session.js. . .*
F1331 `Tlamatini/agent/static/agent/js/acp-editor-tools.js` [319 lines] *Loaded after the existing canvas modules: all editing goes through their APIs.*
F1332 `Tlamatini/agent/static/agent/js/acp-file-io.js` [724 lines] *Agentic Control Panel - File I/O: Save, Open, Close, Load Diagram LOAD ORDER: #9 - Depends on: acp-globals.js, acp-session.js, acp-canvas-core.js. . .*
F1333 `Tlamatini/agent/static/agent/js/acp-flow-snapshot.js` [94 lines] *Agentic Control Panel - Flow Snapshot / Contract Compiler bridge LOAD ORDER: after acp-canvas-core.js; runtime dependency on getHeaders().*
F1334 `Tlamatini/agent/static/agent/js/acp-globals.js` [369 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1335 `Tlamatini/agent/static/agent/js/acp-layout.js` [102 lines] *Agentic Control Panel - Layout, Divider, Agent List, Canvas Initialization LOAD ORDER: #10 - Depends on: ALL previous acp-*.js files*
F1336 `Tlamatini/agent/static/agent/js/acp-parametrizer-dialog.js` [563 lines] *Agentic Control Panel - Parametrizer Mapping Dialog LOAD ORDER: #11 - Depends on: acp-globals.js, acp-session.js*
F1337 `Tlamatini/agent/static/agent/js/acp-running-state.js` [370 lines] *Agentic Control Panel - Global Running State & Agent Status Polling LOAD ORDER: #5 - Depends on: acp-globals.js, acp-session.js, acp-undo-manager.js*
F1338 `Tlamatini/agent/static/agent/js/acp-session.js` [114 lines] *Agentic Control Panel - Session Management LOAD ORDER: #2 - Depends on: nothing (standalone)*
F1339 `Tlamatini/agent/static/agent/js/acp-undo-manager.js` [128 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1340 `Tlamatini/agent/static/agent/js/acp-validate.js` [644 lines] *Shared classic-script bindings, consumed by sibling page scripts.*
F1356 `Tlamatini/agent/static/agent/js/canvas_item_dialog.js` [1.1k lines] *Defines preRenderCanvasItemDialog(), renderCanvasItemDialog(), showDeploymentResultDialog(), _executeFlowCreator() and 6 more.*
F1365 `Tlamatini/agent/static/agent/js/contextual_menus.js` [730 lines] *Contextual Menus for Agentic Control Panel Handles right-click context menus and log viewer modal for canvas agents*

agent/static/agent/js/ · Prompt Flow Panel sheet 18

F1377 `Tlamatini/agent/static/agent/js/prompt-flow-panel-model.js` [200 lines] *Exports window.PromptFlowPanelModel; 0 functions.*
F1378 `Tlamatini/agent/static/agent/js/prompt-flow-panel.js` [1.3k lines] *JavaScript module.*

agent/static/agent/js/ · shared by several pages sheet 18

F1361 `Tlamatini/agent/static/agent/js/checkbox_bulk_toggle.js` [319 lines] *checkbox_bulk_toggle.js – SPACE-bar bulk check/uncheck of every checkbox the current text selection covers.*
F1366 `Tlamatini/agent/static/agent/js/dialog_policy.js` [781 lines] *DIALOG DISMISSAL POLICY (Angela, 2026-08-13; ESCAPE STANDARDISED 2026-08-16) ONE rule, enforced in ONE place, for EVERY dialog on EVERY page: A. . .*
F1368 `Tlamatini/agent/static/agent/js/file_drop_router.js` [876 lines] *file_drop_router.js — ONE smart listener for every file dropped on ANY Tlamatini page.*
F1369 `Tlamatini/agent/static/agent/js/flow-canvas-interactions.js` [146 lines] *Exports window.FlowCanvasInteractions; 0 functions.*
F1370 `Tlamatini/agent/static/agent/js/interaction_settings.js` [232 lines] *Exports window.TlamatiniInteractionSettings; 0 functions.*
F1371 `Tlamatini/agent/static/agent/js/interaction_speech.js` [67 lines] *Exports window.TlamatiniInteractionSpeech; 0 functions.*
F1381 `Tlamatini/agent/static/agent/js/shared-runtime-dialogs.js` [347 lines] *Reusable Asker A/B dialog + Notifier toast renderers used by both agent_page.html (chat) and agentic_control_panel.html (ACP).*
F1383 `Tlamatini/agent/static/agent/js/terminater_dock.js` [952 lines] *Terminater dock — the Terminals area.*
F1385 `Tlamatini/agent/static/agent/js/ui_splitters.js` [62 lines] *Exports window.TlmSplitters; 0 functions.*
F1387 `Tlamatini/agent/static/agent/js/voice_runtime.js` [172 lines] *Shared speech lifecycle for chat, editor tutoring and the two flow panels.*

agent/static/agent/js/ · entry pages, PDF frame and indirect loads sheet 18

F1352 `Tlamatini/agent/static/agent/js/agentic_control_panel.js` [28 lines] *Agentic Control Panel - LEGACY STUB This file has been split into smaller functional modules.*
F1375 `Tlamatini/agent/static/agent/js/pdf_canvas_viewer.js` [213 lines] *Offline PDF.js viewer. Loaded only inside agent/pdf/canvas.html.*
F1388 `Tlamatini/agent/static/agent/js/welcome_enter_default.js` [92 lines] *welcome_enter_default.js — ENTER is the default action on the welcome page. welcome.html renders → press Enter → you are in the chat.*

agent/static/agent/css/ · chat page (agent_page.html) sheet 18

F1288 `Tlamatini/agent/static/agent/css/access_keys_wizard.css` [371 lines] *Graphical Access Keys Wizard [50 rule blocks]*
F1290 `Tlamatini/agent/static/agent/css/agent_page.css` [2.5k lines] *Stylesheet. [380 rule blocks]*
F1292 `Tlamatini/agent/static/agent/css/avatar.css` [181 lines] *Tlamatini chat-avatar - talking-head (blink + lip-sync), voice, bubble. [65 rule blocks]*
F1293 `Tlamatini/agent/static/agent/css/canvas_editor.css` [126 lines] *Stylesheet. [22 rule blocks]*
F1294 `Tlamatini/agent/static/agent/css/chat_dictation.css` [129 lines] *Stylesheet. [67 rule blocks]*
F1295 `Tlamatini/agent/static/agent/css/contacts_dialog.css` [538 lines] *contacts_dialog.css - Config > Contacts CRUD dialog Mirrors the External > MCPs native modal identity (emx-*) so the Contacts book feels native to. . . [69 rule blocks]*
F1296 `Tlamatini/agent/static/agent/css/context_gauge.css` [264 lines] *Context gauge — the ring in the chat window (Angela, 2026-09-20) A sibling row between the toolbar (#tools-div) and the message box, showing the. . . [36 rule blocks]*
F1299 `Tlamatini/agent/static/agent/css/external_mcps_dialog.css` [689 lines] *external_mcps_dialog.css - External > MCPs activation dialog Keeps the existing Tlamatini dark dialog identity while making the shell. . . [95 rule blocks]*
F1303 `Tlamatini/agent/static/agent/css/markdown_canvas.css` [61 lines] *Stylesheet. [42 rule blocks]*
F1304 `Tlamatini/agent/static/agent/css/model_brain_tuning.css` [327 lines] *model_brain_tuning.css — the Auto-tuning dialog of the MODEL BRAIN (Config ▷ Models ▷ Save). [62 rule blocks]*
F1305 `Tlamatini/agent/static/agent/css/model_capacity.css` [313 lines] *model_capacity.css — the Compact-mode badge, dialog body and notices (Angela, 2026-10-01). [48 rule blocks]*
F1307 `Tlamatini/agent/static/agent/css/pdf_context_progress.css` [27 lines] *Stylesheet. [21 rule blocks]*
F1309 `Tlamatini/agent/static/agent/css/skills_dialog.css` [337 lines] *skills_dialog.css — ACPX-Skills admin dialogs Three dialogs sharing one stylesheet: #skills-configure-dialog-message (checkbox grid; mirrors. . . [55 rule blocks]*
F1311 `Tlamatini/agent/static/agent/css/tools_dialog.css` [559 lines] *Stylesheet. [68 rule blocks]*
F1315 `Tlamatini/agent/static/agent/css/usage_dashboard.css` [114 lines] *Stylesheet. [123 rule blocks]*

agent/static/agent/css/ · Prompt Flow Panel sheet 18

F1308 `Tlamatini/agent/static/agent/css/prompt_flow_panel.css` [183 lines] *Stylesheet. [164 rule blocks]*

agent/static/agent/css/ · shared by several pages sheet 18

F1291 `Tlamatini/agent/static/agent/css/agentic_control_panel.css` [2.9k lines] *Existing styles [431 rule blocks]*
F1297 `Tlamatini/agent/static/agent/css/dialog_theme.css` [795 lines] *dialog_theme.css — THE ONE Tlamatini dialog identity Angela, 2026-08-12: every dialog in Tlamatini must look like the SAME piece of software. [129 rule blocks]*
F1300 `Tlamatini/agent/static/agent/css/flow_canvas.css` [58 lines] *Loaded after panel styles in both editors: common interaction states have one owner. [26 rule blocks]*
F1301 `Tlamatini/agent/static/agent/css/interaction_settings.css` [38 lines] *Stylesheet. [42 rule blocks]*
F1310 `Tlamatini/agent/static/agent/css/terminater_dock.css` [269 lines] *Terminater dock: the Terminals area (tabs, type bar, panes, tiling, overlays). [119 rule blocks]*
F1312 `Tlamatini/agent/static/agent/css/ui_shell.css` [182 lines] *Page chrome only. Diagram coordinates, content colors and dialog semantics belong to their existing owners. Load after page CSS, before dialog_theme. [90 rule blocks]*
F1313 `Tlamatini/agent/static/agent/css/ui_splitters.css` [39 lines] *One seam/grip treatment for every adjacent workspace pane. [22 rule blocks]*
F1314 `Tlamatini/agent/static/agent/css/ui_tokens.css` [30 lines] *Shared by the workspace, entry pages, dialogs, admin and isolated PDF frame. [1 rule blocks]*

agent/static/agent/css/ · entry pages, PDF frame and indirect loads sheet 18

F1289 `Tlamatini/agent/static/agent/css/admin_theme.css` [41 lines] *Keep Django's native light/dark/auto switch and accessible admin mechanics. [17 rule blocks]*
F1298 `Tlamatini/agent/static/agent/css/entry_pages.css` [38 lines] *Stylesheet. [23 rule blocks]*
F1302 `Tlamatini/agent/static/agent/css/login.css` [14 lines] *Stylesheet. [2 rule blocks]*
F1306 `Tlamatini/agent/static/agent/css/pdf_canvas.css` [19 lines] *The PDF renderer lives in its own frame so PDF.js styles cannot affect chat. [17 rule blocks]*
F1316 `Tlamatini/agent/static/agent/css/welcome.css` [13 lines] *Stylesheet. [1 rule blocks]*

agent/static/ · images, avatar, PDF frame, sounds, video sheet 18

F1317 `Tlamatini/agent/static/agent/img/avatar/ec_mc.jpg` [540KB] *Avatar portrait: eyes closed, mouth closed (blended by the presence compositor).*
F1318 `Tlamatini/agent/static/agent/img/avatar/ec_mo.jpg` [543KB] *Avatar portrait: eyes closed, mouth open (blended by the presence compositor).*
F1319 `Tlamatini/agent/static/agent/img/avatar/eo_mc.jpg` [534KB] *Avatar portrait: eyes open, mouth closed (blended by the presence compositor).*
F1320 `Tlamatini/agent/static/agent/img/avatar/eo_mo.jpg` [537KB] *Avatar portrait: eyes open, mouth open (blended by the presence compositor).*
F1321 `Tlamatini/agent/static/agent/img/spinner.svg` [18 lines] *SVG graphic: spinner.*
F1322 `Tlamatini/agent/static/agent/img/Tlamatini.ico` [38KB] *Tlamatini application icon.*
F1389 `Tlamatini/agent/static/agent/pdf/canvas.html` [52 lines] *Page "Canvas de PDF".*
F1390 `Tlamatini/agent/static/agent/sounds/hypervisor_alert.wav` [215KB] *Notification sound played by the chat/canvas pages.*
F1391 `Tlamatini/agent/static/agent/sounds/notification.wav` [279KB] *Notification sound played by the chat/canvas pages.*
F1742 `Tlamatini/agent/static/agent/video/XAIHT-Tlamatini.mp4` [10.8MB] *Tlamatini presentation video.*

Atlas V — Vendored third-party frontend and PDF.js

vendor/frontend sheet 19

F1425 `Tlamatini/agent/static/agent/vendor/frontend/manifest.json` [315 lines] *JSON document with keys: schema, packages, files.*

vendor/frontend/bootstrap sheet 19

F1395 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/css/bootstrap.min.css` [6 lines] *Vendored Bootstrap 5 (navbar, dropdowns, modals, grid): bootstrap.min.css.*
F1396 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/css/bootstrap.min.css.map` [1 lines] *Source map of the vendored minified bundle.*
F1397 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/js/bootstrap.bundle.min.js` [7 lines] *Vendored Bootstrap 5 (navbar, dropdowns, modals, grid): bootstrap.bundle.min.js.*
F1398 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/dist/js/bootstrap.bundle.min.js.map` [1 lines] *Source map of the vendored minified bundle.*
F1399 `Tlamatini/agent/static/agent/vendor/frontend/bootstrap/LICENSE` [21 lines] *Third-party license text: The MIT License (MIT)*

vendor/frontend/dompurify sheet 19

F1400 `Tlamatini/agent/static/agent/vendor/frontend/dompurify/dist/purify.min.js` [7 lines] *Vendored DOMPurify HTML sanitizer used by the Markdown canvas: purify.min.js.*
F1401 `Tlamatini/agent/static/agent/vendor/frontend/dompurify/dist/purify.min.js.map` [1 lines] *Source map of the vendored minified bundle.*
F1402 `Tlamatini/agent/static/agent/vendor/frontend/dompurify/LICENSE` [202 lines] *Third-party license text: Apache License*

vendor/frontend/highlightjs sheet 19

F1403 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/highlight.min.js` [1.2k lines] *Vendored highlight.js syntax highlighter, languages and theme: highlight.min.js.*
F1404 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/bash.min.js` [20 lines] *Vendored highlight.js syntax highlighter, languages and theme: bash.min.js.*
F1405 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/c.min.js` [40 lines] *Vendored highlight.js syntax highlighter, languages and theme: c.min.js.*
F1406 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/cpp.min.js` [47 lines] *Vendored highlight.js syntax highlighter, languages and theme: cpp.min.js.*
F1407 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/css.min.js` [31 lines] *Vendored highlight.js syntax highlighter, languages and theme: css.min.js.*
F1408 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/ini.min.js` [15 lines] *Vendored highlight.js syntax highlighter, languages and theme: ini.min.js.*
F1409 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/java.min.js` [38 lines] *Vendored highlight.js syntax highlighter, languages and theme: java.min.js.*
F1410 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/javascript.min.js` [80 lines] *Vendored highlight.js syntax highlighter, languages and theme: javascript.min.js.*
F1411 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/kotlin.min.js` [46 lines] *Vendored highlight.js syntax highlighter, languages and theme: kotlin.min.js.*
F1412 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/python.min.js` [41 lines] *Vendored highlight.js syntax highlighter, languages and theme: python.min.js.*
F1413 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/rust.min.js` [28 lines] *Vendored highlight.js syntax highlighter, languages and theme: rust.min.js.*
F1414 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/sql.min.js` [17 lines] *Vendored highlight.js syntax highlighter, languages and theme: sql.min.js.*
F1415 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/typescript.min.js` [95 lines] *Vendored highlight.js syntax highlighter, languages and theme: typescript.min.js.*
F1416 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/xml.min.js` [29 lines] *Vendored highlight.js syntax highlighter, languages and theme: xml.min.js.*
F1417 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/languages/yaml.min.js` [25 lines] *Vendored highlight.js syntax highlighter, languages and theme: yaml.min.js.*
F1418 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/LICENSE` [29 lines] *Third-party license text: BSD 3-Clause License*
F1419 `Tlamatini/agent/static/agent/vendor/frontend/highlightjs/styles/atom-one-dark.min.css` [1 lines] *Vendored highlight.js syntax highlighter, languages and theme: atom-one-dark.min.css.*

vendor/frontend/jquery sheet 19

F1422 `Tlamatini/agent/static/agent/vendor/frontend/jquery/dist/jquery.min.js` [2 lines] *Vendored jQuery: jquery.min.js.*
F1423 `Tlamatini/agent/static/agent/vendor/frontend/jquery/dist/jquery.min.map` [1 lines] *Source map of the vendored minified bundle.*
F1424 `Tlamatini/agent/static/agent/vendor/frontend/jquery/LICENSE.txt` [20 lines] *Third-party license text: Copyright OpenJS Foundation and other contributors, https://openjsf.org/*

vendor/frontend/jquery-ui sheet 19

F1420 `Tlamatini/agent/static/agent/vendor/frontend/jquery-ui/jquery-ui.min.js` [6 lines] *Vendored jQuery UI (dialogs, resizing): jquery-ui.min.js.*
F1421 `Tlamatini/agent/static/agent/vendor/frontend/jquery-ui/LICENSE.txt` [43 lines] *Third-party license text: Copyright OpenJS Foundation and other contributors, https://openjsf.org/*

vendor/frontend/marked sheet 19

F1426 `Tlamatini/agent/static/agent/vendor/frontend/marked/LICENSE` [44 lines] *Third-party license text: License information*

vendor/frontend/nunito sheet 19

F1427 `Tlamatini/agent/static/agent/vendor/frontend/nunito/400.css` [49 lines] *Vendored Nunito web font (site typography): 400.css.*
F1428 `Tlamatini/agent/static/agent/vendor/frontend/nunito/700.css` [49 lines] *Vendored Nunito web font (site typography): 700.css.*
F1429 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-400-normal.woff` [10KB] *Nunito web-font file (cyrillic-400-normal).*
F1430 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-400-normal.woff2` [8KB] *Nunito web-font file (cyrillic-400-normal).*
F1431 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-700-normal.woff` [10KB] *Nunito web-font file (cyrillic-700-normal).*
F1432 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-700-normal.woff2` [8KB] *Nunito web-font file (cyrillic-700-normal).*
F1433 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-400-normal.woff` [14KB] *Nunito web-font file (cyrillic-ext-400-normal).*
F1434 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-400-normal.woff2` [11KB] *Nunito web-font file (cyrillic-ext-400-normal).*

F1435 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-700-normal.woff` [14KB] *Nunito web-font file (cyrillic-ext-700-normal).*
F1436 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-cyrillic-ext-700-normal.woff2` [11KB] *Nunito web-font file (cyrillic-ext-700-normal).*
F1437 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-400-normal.woff` [20KB] *Nunito web-font file (latin-400-normal).*
F1438 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-400-normal.woff2` [16KB] *Nunito web-font file (latin-400-normal).*
F1439 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-700-normal.woff` [20KB] *Nunito web-font file (latin-700-normal).*
F1440 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-700-normal.woff2` [16KB] *Nunito web-font file (latin-700-normal).*
F1441 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-400-normal.woff` [21KB] *Nunito web-font file (latin-ext-400-normal).*
F1442 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-400-normal.woff2` [16KB] *Nunito web-font file (latin-ext-400-normal).*
F1443 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-700-normal.woff` [21KB] *Nunito web-font file (latin-ext-700-normal).*
F1444 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-latin-ext-700-normal.woff2` [16KB] *Nunito web-font file (latin-ext-700-normal).*
F1445 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-400-normal.woff` [8KB] *Nunito web-font file (vietnamese-400-normal).*
F1446 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-400-normal.woff2` [6KB] *Nunito web-font file (vietnamese-400-normal).*
F1447 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-700-normal.woff` [8KB] *Nunito web-font file (vietnamese-700-normal).*
F1448 `Tlamatini/agent/static/agent/vendor/frontend/nunito/files/nunito-vietnamese-700-normal.woff2` [6KB] *Nunito web-font file (vietnamese-700-normal).*
F1449 `Tlamatini/agent/static/agent/vendor/frontend/nunito/LICENSE` [93 lines] *Third-party license text: Google Inc.*

vendor/frontend/xterm — sheet 19

F1452 `Tlamatini/agent/static/agent/vendor/frontend/xterm/css/xterm.css` [218 lines] *Vendored xterm.js 5.5.0 terminal renderer of the Terminals area (Terminater): xterm.css.*
F1453 `Tlamatini/agent/static/agent/vendor/frontend/xterm/LICENSE` [21 lines] *Third-party license text: Copyright (c) 2017-2019, The xterm.js authors (https://github.com/xtermjs/xterm.js)*

vendor/frontend/xterm-addon-fit — sheet 19

F1450 `Tlamatini/agent/static/agent/vendor/frontend/xterm-addon-fit/LICENSE` [19 lines] *Third-party license text: Copyright (c) 2019, The xterm.js authors (https://github.com/xtermjs/xterm.js)*

vendor/frontend/xterm-addon-web-links — sheet 19

F1451 `Tlamatini/agent/static/agent/vendor/frontend/xterm-addon-web-links/LICENSE` [19 lines] *Third-party license text: Copyright (c) 2017, The xterm.js authors (https://github.com/xtermjs/xterm.js)*

vendor/canvas-editor - offline CodeMirror — sheet 19

F1392 `Tlamatini/agent/static/agent/vendor/canvas-editor/editor.js` [35 lines] *Vendored canvas-editor: editor.js.*
F1393 `Tlamatini/agent/static/agent/vendor/canvas-editor/LICENSES.txt` [953 lines] *Third-party license text: @codemirror/autocomplete 6.20.4*
F1394 `Tlamatini/agent/static/agent/vendor/canvas-editor/manifest.json` [50 lines] *JSON document with keys: source, build, bytes, sha256, lock_file, lock_sha256, packages.*

vendor/pdfjs — sheet 19

F1627 `Tlamatini/agent/static/agent/vendor/pdfjs/LICENSE` [177 lines] *Third-party license text: Apache License*
F1644 `Tlamatini/agent/static/agent/vendor/pdfjs/VERSION` [1 lines] *Pinned PDF.js version: 6.3.289.*

vendor/pdfjs/build — sheet 19

F1454 `Tlamatini/agent/static/agent/vendor/pdfjs/build/pdf.mjs` [28k lines] *Vendored PDF.js core library and worker: pdf.mjs.*
F1455 `Tlamatini/agent/static/agent/vendor/pdfjs/build/pdf.worker.mjs` [65k lines] *Vendored PDF.js core library and worker: pdf.worker.mjs.*

vendor/pdfjs/cmaps — sheet 19

F1456 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-EUC-H.bcmap` [2KB] *PDF.js binary CMap 78-EUC-H (character-code to CID mapping for the PDF canvas).*
F1457 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-EUC-V.bcmap` [173B] *PDF.js binary CMap 78-EUC-V (character-code to CID mapping for the PDF canvas).*
F1458 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-H.bcmap` [2KB] *PDF.js binary CMap 78-H (character-code to CID mapping for the PDF canvas).*
F1459 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap 78-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1460 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-RKSJ-V.bcmap` [173B] *PDF.js binary CMap 78-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1461 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78-V.bcmap` [169B] *PDF.js binary CMap 78-V (character-code to CID mapping for the PDF canvas).*
F1462 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78ms-RKSJ-H.bcmap` [3KB] *PDF.js binary CMap 78ms-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1463 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/78ms-RKSJ-V.bcmap` [290B] *PDF.js binary CMap 78ms-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1464 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/83pv-RKSJ-H.bcmap` [905B] *PDF.js binary CMap 83pv-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1465 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90ms-RKSJ-H.bcmap` [721B] *PDF.js binary CMap 90ms-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1466 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90ms-RKSJ-V.bcmap` [290B] *PDF.js binary CMap 90ms-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1467 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90msp-RKSJ-H.bcmap` [715B] *PDF.js binary CMap 90msp-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1468 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90msp-RKSJ-V.bcmap` [291B] *PDF.js binary CMap 90msp-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1469 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90pv-RKSJ-H.bcmap` [982B] *PDF.js binary CMap 90pv-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1470 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/90pv-RKSJ-V.bcmap` [260B] *PDF.js binary CMap 90pv-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1471 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-H.bcmap` [2KB] *PDF.js binary CMap Add-H (character-code to CID mapping for the PDF canvas).*
F1472 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap Add-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1473 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-RKSJ-V.bcmap` [287B] *PDF.js binary CMap Add-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1474 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Add-V.bcmap` [282B] *PDF.js binary CMap Add-V (character-code to CID mapping for the PDF canvas).*
F1475 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-0.bcmap` [317B] *PDF.js binary CMap Adobe-CNS1-0 (character-code to CID mapping for the PDF canvas).*
F1476 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-1.bcmap` [371B] *PDF.js binary CMap Adobe-CNS1-1 (character-code to CID mapping for the PDF canvas).*
F1477 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-2.bcmap` [376B] *PDF.js binary CMap Adobe-CNS1-2 (character-code to CID mapping for the PDF canvas).*
F1478 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-3.bcmap` [401B] *PDF.js binary CMap Adobe-CNS1-3 (character-code to CID mapping for the PDF canvas).*
F1479 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-4.bcmap` [405B] *PDF.js binary CMap Adobe-CNS1-4 (character-code to CID mapping for the PDF canvas).*
F1480 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-5.bcmap` [406B] *PDF.js binary CMap Adobe-CNS1-5 (character-code to CID mapping for the PDF canvas).*
F1481 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-6.bcmap` [406B] *PDF.js binary CMap Adobe-CNS1-6 (character-code to CID mapping for the PDF canvas).*
F1482 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-CNS1-UCS2.bcmap` [40KB] *PDF.js binary CMap Adobe-CNS1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1483 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-0.bcmap` [217B] *PDF.js binary CMap Adobe-GB1-0 (character-code to CID mapping for the PDF canvas).*
F1484 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-1.bcmap` [250B] *PDF.js binary CMap Adobe-GB1-1 (character-code to CID mapping for the PDF canvas).*
F1485 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-2.bcmap` [465B] *PDF.js binary CMap Adobe-GB1-2 (character-code to CID mapping for the PDF canvas).*
F1486 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-3.bcmap` [470B] *PDF.js binary CMap Adobe-GB1-3 (character-code to CID mapping for the PDF canvas).*
F1487 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-4.bcmap` [601B] *PDF.js binary CMap Adobe-GB1-4 (character-code to CID mapping for the PDF canvas).*
F1488 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-5.bcmap` [625B] *PDF.js binary CMap Adobe-GB1-5 (character-code to CID mapping for the PDF canvas).*
F1489 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-GB1-UCS2.bcmap` [33KB] *PDF.js binary CMap Adobe-GB1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1490 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-0.bcmap` [225B] *PDF.js binary CMap Adobe-Japan1-0 (character-code to CID mapping for the PDF canvas).*
F1491 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-1.bcmap` [226B] *PDF.js binary CMap Adobe-Japan1-1 (character-code to CID mapping for the PDF canvas).*
F1492 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-2.bcmap` [233B] *PDF.js binary CMap Adobe-Japan1-2 (character-code to CID mapping for the PDF canvas).*
F1493 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-3.bcmap` [242B] *PDF.js binary CMap Adobe-Japan1-3 (character-code to CID mapping for the PDF canvas).*
F1494 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-4.bcmap` [337B] *PDF.js binary CMap Adobe-Japan1-4 (character-code to CID mapping for the PDF canvas).*
F1495 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-5.bcmap` [430B] *PDF.js binary CMap Adobe-Japan1-5 (character-code to CID mapping for the PDF canvas).*
F1496 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-6.bcmap` [485B] *PDF.js binary CMap Adobe-Japan1-6 (character-code to CID mapping for the PDF canvas).*
F1497 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Japan1-UCS2.bcmap` [40KB] *PDF.js binary CMap Adobe-Japan1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1498 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-0.bcmap` [241B] *PDF.js binary CMap Adobe-Korea1-0 (character-code to CID mapping for the PDF canvas).*
F1499 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-1.bcmap` [386B] *PDF.js binary CMap Adobe-Korea1-1 (character-code to CID mapping for the PDF canvas).*
F1500 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-2.bcmap` [391B] *PDF.js binary CMap Adobe-Korea1-2 (character-code to CID mapping for the PDF canvas).*
F1501 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Adobe-Korea1-UCS2.bcmap` [23KB] *PDF.js binary CMap Adobe-Korea1-UCS2 (character-code to CID mapping for the PDF canvas).*
F1502 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5-H.bcmap` [1KB] *PDF.js binary CMap B5-H (character-code to CID mapping for the PDF canvas).*
F1503 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5-V.bcmap` [142B] *PDF.js binary CMap B5-V (character-code to CID mapping for the PDF canvas).*
F1504 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5pc-H.bcmap` [1KB] *PDF.js binary CMap B5pc-H (character-code to CID mapping for the PDF canvas).*
F1505 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/B5pc-V.bcmap` [144B] *PDF.js binary CMap B5pc-V (character-code to CID mapping for the PDF canvas).*
F1506 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS-EUC-H.bcmap` [2KB] *PDF.js binary CMap CNS-EUC-H (character-code to CID mapping for the PDF canvas).*
F1507 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS-EUC-V.bcmap` [2KB] *PDF.js binary CMap CNS-EUC-V (character-code to CID mapping for the PDF canvas).*
F1508 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS1-H.bcmap` [706B] *PDF.js binary CMap CNS1-H (character-code to CID mapping for the PDF canvas).*
F1509 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS1-V.bcmap` [143B] *PDF.js binary CMap CNS1-V (character-code to CID mapping for the PDF canvas).*
F1510 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS2-H.bcmap` [504B] *PDF.js binary CMap CNS2-H (character-code to CID mapping for the PDF canvas).*
F1511 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/CNS2-V.bcmap` [93B] *PDF.js binary CMap CNS2-V (character-code to CID mapping for the PDF canvas).*
F1512 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETen-B5-H.bcmap` [1KB] *PDF.js binary CMap ETen-B5-H (character-code to CID mapping for the PDF canvas).*
F1513 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETen-B5-V.bcmap` [158B] *PDF.js binary CMap ETen-B5-V (character-code to CID mapping for the PDF canvas).*
F1514 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETenms-B5-H.bcmap` [101B] *PDF.js binary CMap ETenms-B5-H (character-code to CID mapping for the PDF canvas).*
F1515 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETenms-B5-V.bcmap` [172B] *PDF.js binary CMap ETenms-B5-V (character-code to CID mapping for the PDF canvas).*
F1516 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETHK-B5-H.bcmap` [4KB] *PDF.js binary CMap ETHK-B5-H (character-code to CID mapping for the PDF canvas).*
F1517 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/ETHK-B5-V.bcmap` [158B] *PDF.js binary CMap ETHK-B5-V (character-code to CID mapping for the PDF canvas).*
F1518 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/EUC-H.bcmap` [578B] *PDF.js binary CMap EUC-H (character-code to CID mapping for the PDF canvas).*
F1519 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/EUC-V.bcmap` [170B] *PDF.js binary CMap EUC-V (character-code to CID mapping for the PDF canvas).*
F1520 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-H.bcmap` [2KB] *PDF.js binary CMap Ext-H (character-code to CID mapping for the PDF canvas).*
F1521 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-RKSJ-H.bcmap` [2KB] *PDF.js binary CMap Ext-RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1522 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-RKSJ-V.bcmap` [218B] *PDF.js binary CMap Ext-RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1523 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Ext-V.bcmap` [215B] *PDF.js binary CMap Ext-V (character-code to CID mapping for the PDF canvas).*
F1524 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-EUC-H.bcmap` [549B] *PDF.js binary CMap GB-EUC-H (character-code to CID mapping for the PDF canvas).*
F1525 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-EUC-V.bcmap` [179B] *PDF.js binary CMap GB-EUC-V (character-code to CID mapping for the PDF canvas).*
F1526 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-H.bcmap` [528B] *PDF.js binary CMap GB-H (character-code to CID mapping for the PDF canvas).*
F1527 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GB-V.bcmap` [175B] *PDF.js binary CMap GB-V (character-code to CID mapping for the PDF canvas).*
F1528 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK-EUC-H.bcmap` [14KB] *PDF.js binary CMap GBK-EUC-H (character-code to CID mapping for the PDF canvas).*
F1529 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK-EUC-V.bcmap` [180B] *PDF.js binary CMap GBK-EUC-V (character-code to CID mapping for the PDF canvas).*
F1530 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK2K-H.bcmap` [19KB] *PDF.js binary CMap GBK2K-H (character-code to CID mapping for the PDF canvas).*
F1531 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBK2K-V.bcmap` [219B] *PDF.js binary CMap GBK2K-V (character-code to CID mapping for the PDF canvas).*
F1532 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBKp-EUC-H.bcmap` [14KB] *PDF.js binary CMap GBKp-EUC-H (character-code to CID mapping for the PDF canvas).*
F1533 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBKp-EUC-V.bcmap` [181B] *PDF.js binary CMap GBKp-EUC-V (character-code to CID mapping for the PDF canvas).*
F1534 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBpc-EUC-H.bcmap` [557B] *PDF.js binary CMap GBpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1535 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBpc-EUC-V.bcmap` [181B] *PDF.js binary CMap GBpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1536 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-EUC-H.bcmap` [7KB] *PDF.js binary CMap GBT-EUC-H (character-code to CID mapping for the PDF canvas).*
F1537 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-EUC-V.bcmap` [180B] *PDF.js binary CMap GBT-EUC-V (character-code to CID mapping for the PDF canvas).*
F1538 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-H.bcmap` [7KB] *PDF.js binary CMap GBT-H (character-code to CID mapping for the PDF canvas).*
F1539 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBT-V.bcmap` [176B] *PDF.js binary CMap GBT-V (character-code to CID mapping for the PDF canvas).*
F1540 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBTpc-EUC-H.bcmap` [7KB] *PDF.js binary CMap GBTpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1541 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/GBTpc-EUC-V.bcmap` [182B] *PDF.js binary CMap GBTpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1542 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/H.bcmap` [553B] *PDF.js binary CMap H (character-code to CID mapping for the PDF canvas).*
F1543 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Hankaku.bcmap` [132B] *PDF.js binary CMap Hankaku (character-code to CID mapping for the PDF canvas).*
F1544 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Hiragana.bcmap` [124B] *PDF.js binary CMap Hiragana (character-code to CID mapping for the PDF canvas).*
F1545 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdla-B5-H.bcmap` [3KB] *PDF.js binary CMap HKdla-B5-H (character-code to CID mapping for the PDF canvas).*
F1546 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdla-B5-V.bcmap` [148B] *PDF.js binary CMap HKdla-B5-V (character-code to CID mapping for the PDF canvas).*
F1547 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdlb-B5-H.bcmap` [2KB] *PDF.js binary CMap HKdlb-B5-H (character-code to CID mapping for the PDF canvas).*
F1548 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKdlb-B5-V.bcmap` [148B] *PDF.js binary CMap HKdlb-B5-V (character-code to CID mapping for the PDF canvas).*
F1549 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKgccs-B5-H.bcmap` [2KB] *PDF.js binary CMap HKgccs-B5-H (character-code to CID mapping for the PDF canvas).*
F1550 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKgccs-B5-V.bcmap` [149B] *PDF.js binary CMap HKgccs-B5-V (character-code to CID mapping for the PDF canvas).*
F1551 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm314-B5-H.bcmap` [2KB] *PDF.js binary CMap HKm314-B5-H (character-code to CID mapping for the PDF canvas).*
F1552 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm314-B5-V.bcmap` [149B] *PDF.js binary CMap HKm314-B5-V (character-code to CID mapping for the PDF canvas).*
F1553 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm471-B5-H.bcmap` [2KB] *PDF.js binary CMap HKm471-B5-H (character-code to CID mapping for the PDF canvas).*
F1554 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKm471-B5-V.bcmap` [149B] *PDF.js binary CMap HKm471-B5-V (character-code to CID mapping for the PDF canvas).*
F1555 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKscs-B5-H.bcmap` [4KB] *PDF.js binary CMap HKscs-B5-H (character-code to CID mapping for the PDF canvas).*
F1556 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/HKscs-B5-V.bcmap` [159B] *PDF.js binary CMap HKscs-B5-V (character-code to CID mapping for the PDF canvas).*
F1557 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Katakana.bcmap` [100B] *PDF.js binary CMap Katakana (character-code to CID mapping for the PDF canvas).*
F1558 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-EUC-H.bcmap` [2KB] *PDF.js binary CMap KSC-EUC-H (character-code to CID mapping for the PDF canvas).*
F1559 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-EUC-V.bcmap` [164B] *PDF.js binary CMap KSC-EUC-V (character-code to CID mapping for the PDF canvas).*
F1560 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-H.bcmap` [2KB] *PDF.js binary CMap KSC-H (character-code to CID mapping for the PDF canvas).*
F1561 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-Johab-H.bcmap` [16KB] *PDF.js binary CMap KSC-Johab-H (character-code to CID mapping for the PDF canvas).*
F1562 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-Johab-V.bcmap` [166B] *PDF.js binary CMap KSC-Johab-V (character-code to CID mapping for the PDF canvas).*
F1563 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSC-V.bcmap` [160B] *PDF.js binary CMap KSC-V (character-code to CID mapping for the PDF canvas).*
F1564 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-H.bcmap` [3KB] *PDF.js binary CMap KSCms-UHC-H (character-code to CID mapping for the PDF canvas).*
F1565 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-HW-H.bcmap` [3KB] *PDF.js binary CMap KSCms-UHC-HW-H (character-code to CID mapping for the PDF canvas).*
F1566 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-HW-V.bcmap` [169B] *PDF.js binary CMap KSCms-UHC-HW-V (character-code to CID mapping for the PDF canvas).*
F1567 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCms-UHC-V.bcmap` [166B] *PDF.js binary CMap KSCms-UHC-V (character-code to CID mapping for the PDF canvas).*
F1568 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCpc-EUC-H.bcmap` [2KB] *PDF.js binary CMap KSCpc-EUC-H (character-code to CID mapping for the PDF canvas).*
F1569 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/KSCpc-EUC-V.bcmap` [166B] *PDF.js binary CMap KSCpc-EUC-V (character-code to CID mapping for the PDF canvas).*
F1570 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/LICENSE` [36 lines] *Third-party license text: %%Copyright*
F1571 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/NWP-H.bcmap` [3KB] *PDF.js binary CMap NWP-H (character-code to CID mapping for the PDF canvas).*
F1572 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/NWP-V.bcmap` [252B] *PDF.js binary CMap NWP-V (character-code to CID mapping for the PDF canvas).*
F1573 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/RKSJ-H.bcmap` [534B] *PDF.js binary CMap RKSJ-H (character-code to CID mapping for the PDF canvas).*
F1574 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/RKSJ-V.bcmap` [170B] *PDF.js binary CMap RKSJ-V (character-code to CID mapping for the PDF canvas).*
F1575 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/Roman.bcmap` [96B] *PDF.js binary CMap Roman (character-code to CID mapping for the PDF canvas).*
F1576 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UCS2-H.bcmap` [47KB] *PDF.js binary CMap UniCNS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1577 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UCS2-V.bcmap` [156B] *PDF.js binary CMap UniCNS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1578 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF16-H.bcmap` [49KB] *PDF.js binary CMap UniCNS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1579 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF16-V.bcmap` [156B] *PDF.js binary CMap UniCNS-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1580 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF32-H.bcmap` [51KB] *PDF.js binary CMap UniCNS-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1581 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF32-V.bcmap` [160B] *PDF.js binary CMap UniCNS-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1582 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF8-H.bcmap` [52KB] *PDF.js binary CMap UniCNS-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1583 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniCNS-UTF8-V.bcmap` [157B] *PDF.js binary CMap UniCNS-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1584 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UCS2-H.bcmap` [42KB] *PDF.js binary CMap UniGB-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1585 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UCS2-V.bcmap` [193B] *PDF.js binary CMap UniGB-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1586 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF16-H.bcmap` [43KB] *PDF.js binary CMap UniGB-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1587 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF16-V.bcmap` [178B] *PDF.js binary CMap UniGB-UTF16-V (character-code to CID mapping for the PDF canvas).*
F1588 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF32-H.bcmap` [45KB] *PDF.js binary CMap UniGB-UTF32-H (character-code to CID mapping for the PDF canvas).*
F1589 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF32-V.bcmap` [182B] *PDF.js binary CMap UniGB-UTF32-V (character-code to CID mapping for the PDF canvas).*
F1590 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF8-H.bcmap` [46KB] *PDF.js binary CMap UniGB-UTF8-H (character-code to CID mapping for the PDF canvas).*
F1591 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniGB-UTF8-V.bcmap` [181B] *PDF.js binary CMap UniGB-UTF8-V (character-code to CID mapping for the PDF canvas).*
F1592 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-H.bcmap` [25KB] *PDF.js binary CMap UniJIS-UCS2-H (character-code to CID mapping for the PDF canvas).*
F1593 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-HW-H.bcmap` [119B] *PDF.js binary CMap UniJIS-UCS2-HW-H (character-code to CID mapping for the PDF canvas).*
F1594 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-HW-V.bcmap` [680B] *PDF.js binary CMap UniJIS-UCS2-HW-V (character-code to CID mapping for the PDF canvas).*
F1595 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UCS2-V.bcmap` [664B] *PDF.js binary CMap UniJIS-UCS2-V (character-code to CID mapping for the PDF canvas).*
F1596 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF16-H.bcmap` [39KB] *PDF.js binary CMap UniJIS-UTF16-H (character-code to CID mapping for the PDF canvas).*
F1597 `Tlamatini/agent/static/agent/vendor/pdfjs/cmaps/UniJIS-UTF16-

F1643 `Tlamatini/agent/static/agent/vendor/pdfjs/standard_fonts/LICENSE_LIBERATION` [363 lines] *Third-party license text: LICENSE AGREEMENT AND LIMITED PRODUCT WARRANTY*

vendor/pdfjs/wasm — sheet 19

F1645 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/jbig2.wasm` [102KB] *PDF.js WebAssembly decoder module.*
F1646 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/jbig2_nowasm_fallback.js` [15 lines] *Vendored PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS): jbig2_nowasm_fallback.js.*
F1647 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_JBIG2` [196 lines] *Third-party license text: // Copyright 2014 The PDFium Authors*
F1648 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_OPENJPEG` [39 lines] *Third-party license text: /*
F1649 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_PDFJS_JBIG2` [13 lines] *Third-party license text: Copyright 2026 Mozilla Foundation*
F1650 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_PDFJS_OPENJPEG` [22 lines] *Third-party license text: Copyright (c) 2024, Mozilla Foundation*
F1651 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_PDFJS_QCMS` [19 lines] *Third-party license text: MIT License*
F1652 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/LICENSE_QCMS` [21 lines] *Third-party license text: qcms*
F1653 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/openjpeg.wasm` [246KB] *PDF.js WebAssembly decoder module.*
F1654 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/openjpeg_nowasm_fallback.js` [17 lines] *Vendored PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS): openjpeg_nowasm_fallback.js.*
F1655 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/qcms_bg.wasm` [94KB] *PDF.js WebAssembly decoder module.*
F1656 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/quickjs-eval.js` [16 lines] *Vendored PDF.js WebAssembly decoders (JBIG2, OpenJPEG, QuickJS): quickjs-eval.js.*
F1657 `Tlamatini/agent/static/agent/vendor/pdfjs/wasm/quickjs-eval.wasm` [458KB] *PDF.js WebAssembly decoder module.*

vendor/pdfjs/web — sheet 19

F1658 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/altText_add.svg` [3 lines] *PDF.js viewer icon: altText add.*
F1659 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/altText_disclaimer.svg` [3 lines] *PDF.js viewer icon: altText disclaimer.*
F1660 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/altText_done.svg` [3 lines] *PDF.js viewer icon: altText done.*
F1661 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/altText_spinner.svg` [30 lines] *PDF.js viewer icon: altText spinner.*
F1662 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/altText_warning.svg` [3 lines] *PDF.js viewer icon: altText warning.*
F1663 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-check.svg` [11 lines] *PDF.js viewer icon: annotation check.*
F1664 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-comment.svg` [16 lines] *PDF.js viewer icon: annotation comment.*
F1665 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-help.svg` [26 lines] *PDF.js viewer icon: annotation help.*
F1666 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-insert.svg` [10 lines] *PDF.js viewer icon: annotation insert.*
F1667 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-key.svg` [11 lines] *PDF.js viewer icon: annotation key.*
F1668 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-newparagraph.svg` [11 lines] *PDF.js viewer icon: annotation newparagraph.*
F1669 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-noicon.svg` [7 lines] *PDF.js viewer icon: annotation noicon.*
F1670 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-note.svg` [42 lines] *PDF.js viewer icon: annotation note.*
F1671 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-paperclip.svg` [6 lines] *PDF.js viewer icon: annotation paperclip.*
F1672 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-paragraph.svg` [16 lines] *PDF.js viewer icon: annotation paragraph.*
F1673 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/annotation-pushpin.svg` [7 lines] *PDF.js viewer icon: annotation pushpin.*
F1674 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/checkmark.svg` [5 lines] *PDF.js viewer icon: checkmark.*
F1675 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/comment-actionsButton.svg` [3 lines] *PDF.js viewer icon: comment actionsButton.*
F1676 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/comment-closeButton.svg` [3 lines] *PDF.js viewer icon: comment closeButton.*
F1677 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/comment-editButton.svg` [8 lines] *PDF.js viewer icon: comment editButton.*
F1678 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/comment-popup-editButton.svg` [5 lines] *PDF.js viewer icon: comment popup editButton.*
F1679 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/cursor-editorFreeHighlight.svg` [6 lines] *PDF.js viewer icon: cursor editorFreeHighlight.*
F1680 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/cursor-editorFreeText.svg` [3 lines] *PDF.js viewer icon: cursor editorFreeText.*
F1681 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/cursor-editorInk.svg` [4 lines] *PDF.js viewer icon: cursor editorInk.*
F1682 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/cursor-editorTextHighlight.svg` [8 lines] *PDF.js viewer icon: cursor editorTextHighlight.*
F1683 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/editor-toolbar-delete.svg` [5 lines] *PDF.js viewer icon: editor toolbar delete.*
F1684 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/editor-toolbar-edit.svg` [3 lines] *PDF.js viewer icon: editor toolbar edit.*
F1685 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/findbarButton-next.svg` [3 lines] *PDF.js viewer icon: findbarButton next.*
F1686 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/findbarButton-previous.svg` [3 lines] *PDF.js viewer icon: findbarButton previous.*
F1687 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/gv-toolbarButton-download.svg` [3 lines] *PDF.js viewer icon: gv toolbarButton download.*
F1688 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/loading-icon.gif` [2KB] *Image (GIF): loading-icon.*
F1689 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/loading.svg` [1 lines] *PDF.js viewer icon: loading.*
F1690 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/messageBar_closingButton.svg` [3 lines] *PDF.js viewer icon: messageBar closingButton.*
F1691 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/messageBar_info.svg` [3 lines] *PDF.js viewer icon: messageBar info.*
F1692 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/messageBar_warning.svg` [3 lines] *PDF.js viewer icon: messageBar warning.*
F1693 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_closeButton.svg` [3 lines] *PDF.js viewer icon: pages closeButton.*
F1694 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_selected.svg` [7 lines] *PDF.js viewer icon: pages selected.*
F1695 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_viewArrow.svg` [3 lines] *PDF.js viewer icon: pages viewArrow.*
F1696 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/pages_viewButton.svg` [3 lines] *PDF.js viewer icon: pages viewButton.*
F1697 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-documentProperties.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton documentProperties.*
F1698 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-firstPage.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton firstPage.*
F1699 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-handTool.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton handTool.*
F1700 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-lastPage.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton lastPage.*
F1701 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-rotateCcw.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton rotateCcw.*
F1702 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-rotateCw.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton rotateCw.*
F1703 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollHorizontal.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollHorizontal.*
F1704 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollPage.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollPage.*
F1705 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollVertical.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollVertical.*
F1706 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-scrollWrapped.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton scrollWrapped.*
F1707 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-selectTool.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton selectTool.*
F1708 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadEven.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadEven.*
F1709 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadNone.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadNone.*
F1710 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/secondaryToolbarButton-spreadOdd.svg` [3 lines] *PDF.js viewer icon: secondaryToolbarButton spreadOdd.*
F1711 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/signature-properties-row-check.svg` [4 lines] *PDF.js viewer icon: signature properties row check.*
F1712 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-bookmark.svg` [3 lines] *PDF.js viewer icon: toolbarButton bookmark.*
F1713 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-currentOutlineItem.svg` [3 lines] *PDF.js viewer icon: toolbarButton currentOutlineItem.*
F1714 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-download.svg` [4 lines] *PDF.js viewer icon: toolbarButton download.*
F1715 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorFreeText.svg` [5 lines] *PDF.js viewer icon: toolbarButton editorFreeText.*
F1716 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorHighlight.svg` [6 lines] *PDF.js viewer icon: toolbarButton editorHighlight.*
F1717 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorInk.svg` [4 lines] *PDF.js viewer icon: toolbarButton editorInk.*
F1718 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorSignature.svg` [6 lines] *PDF.js viewer icon: toolbarButton editorSignature.*
F1719 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-editorStamp.svg` [8 lines] *PDF.js viewer icon: toolbarButton editorStamp.*
F1720 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-menuArrow.svg` [3 lines] *PDF.js viewer icon: toolbarButton menuArrow.*
F1721 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-menuArrowNova.svg` [3 lines] *PDF.js viewer icon: toolbarButton menuArrowNova.*
F1722 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-openFile.svg` [3 lines] *PDF.js viewer icon: toolbarButton openFile.*
F1723 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-pageDown.svg` [3 lines] *PDF.js viewer icon: toolbarButton pageDown.*
F1724 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-pageUp.svg` [3 lines] *PDF.js viewer icon: toolbarButton pageUp.*
F1725 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-presentationMode.svg` [3 lines] *PDF.js viewer icon: toolbarButton presentationMode.*
F1726 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-print.svg` [3 lines] *PDF.js viewer icon: toolbarButton print.*
F1727 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-search.svg` [3 lines] *PDF.js viewer icon: toolbarButton search.*
F1728 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-secondaryToolbarToggle.svg` [3 lines] *PDF.js viewer icon: toolbarButton secondaryToolbarToggle.*
F1729 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-signaturePropertiesError.svg` [7 lines] *PDF.js viewer icon: toolbarButton signaturePropertiesError.*
F1730 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-signaturePropertiesVerified.svg` [7 lines] *PDF.js viewer icon: toolbarButton signaturePropertiesVerified.*
F1731 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewAttachments.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewAttachments.*
F1732 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewLayers.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewLayers.*
F1733 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewOutline.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewOutline.*
F1734 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewsManagerToggle.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewsManagerToggle.*
F1735 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-viewThumbnail.svg` [3 lines] *PDF.js viewer icon: toolbarButton viewThumbnail.*
F1736 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-zoomIn.svg` [3 lines] *PDF.js viewer icon: toolbarButton zoomIn.*
F1737 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/toolbarButton-zoomOut.svg` [3 lines] *PDF.js viewer icon: toolbarButton zoomOut.*
F1738 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/treeitem-collapsed.svg` [1 lines] *PDF.js viewer icon: treeitem collapsed.*
F1739 `Tlamatini/agent/static/agent/vendor/pdfjs/web/images/treeitem-expanded.svg` [1 lines] *PDF.js viewer icon: treeitem expanded.*
F1740 `Tlamatini/agent/static/agent/vendor/pdfjs/web/pdf_viewer.css` [6.4k lines] *Vendored PDF.js viewer and its toolbar icons: pdf_viewer.css.*
F1741 `Tlamatini/agent/static/agent/vendor/pdfjs/web/pdf_viewer.mjs` [9.8k lines] *Vendored PDF.js viewer and its toolbar icons: pdf_viewer.mjs.*

Atlas VI — Agent pool: every workflow agent template

agents/ · shared helpers — sheet 20

F0977 `Tlamatini/agent/agents/model_settings.py` [166 lines] *Shared model registry for the Models dialog and standalone workflow agents.*
F1095 `Tlamatini/agent/agents/visual_errors.py` [33 lines] *Report a failed visual-analysis attempt without controlling recovery or retries.*

Cleaner — sheet 20

F0878 `Tlamatini/agent/agents/cleaner/__init__.py` [9 lines] *Package marker for cleaner/.*
F0879 `Tlamatini/agent/agents/cleaner/cleaner.py` [335 lines] *Cleaner Agent - Cleans up logs/pids of target agents and triggers restarts This agent is designed to run AFTER an Ender agent.*
F0880 `Tlamatini/agent/agents/cleaner/config.yaml` [10 lines] *Default config.yaml of the Cleaner agent: agents_to_clean, cleaned_agents, output_agents.*

Croner — sheet 20

F0885 `Tlamatini/agent/agents/croner/config.yaml` [7 lines] *Default config.yaml of the Croner agent: trigger_time, poll_interval.*
F0886 `Tlamatini/agent/agents/croner/croner.py` [414 lines] *Croner Agent - Deterministic Time/Pattern Trigger Agent Triggers target agents at a specific scheduled time, optionally requiring a specific pattern. . .*

Ender — sheet 20

F0899 `Tlamatini/agent/agents/ender/config.yaml` [29 lines] *Default config.yaml of the Ender agent: output_agents.*
F0900 `Tlamatini/agent/agents/ender/ender.py` [660 lines] *Ender Agent - No LLM, deterministic agent terminator This agent terminates all agents listed in target_agents when triggered.*

Sleeper — sheet 20

F1049 `Tlamatini/agent/agents/sleeper/config.yaml` [3 lines] *Default config.yaml of the Sleeper agent: duration_ms.*
F1050 `Tlamatini/agent/agents/sleeper/sleeper.py` [393 lines] *Sleeper Agent - Deterministic agent to wait and then trigger downstream Action: Triggered by upstream -> Wait -> Trigger downstream*

Starter — sheet 20

F1055 `Tlamatini/agent/agents/starter/config.yaml` [25 lines] *Default config.yaml of the Starter agent: exit_after_start.*
F1056 `Tlamatini/agent/agents/starter/starter.py` [495 lines] *Starter Agent - No LLM, deterministic agent starter This agent starts all agents connected to its output when executed.*

Stopper — sheet 20

F1059 `Tlamatini/agent/agents/stopper/config.yaml` [53 lines] *Default config.yaml of the Stopper agent: patterns, output_agents, poll_interval.*
F1060 `Tlamatini/agent/agents/stopper/stopper.py` [451 lines] *Stopper Agent - Single-threaded pattern-based agent terminator This agent monitors source agent log files for configurable patterns and terminates. . .*

Asker — sheet 20

F0867 `Tlamatini/agent/agents/asker/asker.py` [469 lines] *Asker Agent - Deterministic agent that asks the user to choose a path When started, writes ASKER_CHOICE_NEEDED to log.*
F0868 `Tlamatini/agent/agents/asker/config.yaml` [34 lines] *Default config.yaml of the Asker agent: target_agents_a, target_agents_b, legend_path_a, legend_path_b.*

Counter — sheet 20

F0881 `Tlamatini/agent/agents/counter/config.yaml` [44 lines] *Default config.yaml of the Counter agent: initial_value, threshold_value, target_agents_l, target_agents_g.*
F0882 `Tlamatini/agent/agents/counter/counter.py` [450 lines] *Counter Agent - Deterministic agent that maintains a persistent counter and routes to Path L (less than) or Path G (greater than or equal) based on. . .*

Forker — sheet 20

F0937 `Tlamatini/agent/agents/forker/config.yaml` [42 lines] *Default config.yaml of the Forker agent: pattern_a, pattern_b, target_agents_a, target_agents_b, poll_interval.*
F0938 `Tlamatini/agent/agents/forker/forker.py` [656 lines] *Forker Agent - Deterministic agent that monitors source agent logs and automatically routes to Path A or Path B based on pattern detection.*

Raiser — sheet 20

F1037 `Tlamatini/agent/agents/raiser/config.yaml` [45 lines] *Default config.yaml of the Raiser agent: pattern, poll_interval.*
F1038 `Tlamatini/agent/agents/raiser/raiser.py` [652 lines] *Raiser Agent - No LLM, deterministic event-driven agent launcher This agent monitors log files of source agents for a configurable pattern string. . .*

AND — sheet 20

F0856 `Tlamatini/agent/agents/and/and.py` [542 lines] *AND Agent - Deterministic AND gate logic Monitors two source log files for specific patterns.*
F0857 `Tlamatini/agent/agents/and/config.yaml` [17 lines] *Default config.yaml of the AND agent: source_agent_1, pattern_1, source_agent_2, pattern_2, poll_interval.*

Barrier — sheet 20

F0871 `Tlamatini/agent/agents/barrier/barrier.py` [507 lines] *Barrier Agent - OS-process-level synchronization barrier for flow control Each source agent STARTS a separate barrier process ("input sub-process").*
F0872 `Tlamatini/agent/agents/barrier/config.yaml` [8 lines] *Default config.yaml of the Barrier agent: .*
F0873 `Tlamatini/agent/agents/barrier/test_barrier.py` [278 lines] *Test script for the Barrier agent.*

OR — sheet 20

F0995 `Tlamatini/agent/agents/or/config.yaml` [16 lines] *Default config.yaml of the OR agent: source_agent_1, pattern_1, source_agent_2, pattern_2, poll_interval.*
F0996 `Tlamatini/agent/agents/or/or.py` [517 lines] *OR Agent - Deterministic OR gate logic Monitors two source log files for specific patterns.*

Analyzer — sheet 20

F0854 `Tlamatini/agent/agents/analyzer/analyzer.py` [540 lines] *Analyzer Agent - deterministic static-analysis / security scanner Action: Triggered by upstream -> run every installed scanner over target_path ->. . .*
F0855 `Tlamatini/agent/agents/analyzer/config.yaml` [33 lines] *Default config.yaml of the Analyzer agent: target_path, tools, min_severity, max_report_chars.*

Apirer — sheet 20

F0858 `Tlamatini/agent/agents/apirer/apirer.py` [510 lines] *Apirer Agent - HTTP/REST API Agent Action: Triggered by upstream -> Make HTTP request -> Log response -> Trigger downstream (always)*
F0859 `Tlamatini/agent/agents/apirer/config.yaml` [10 lines] *Default config.yaml of the Apirer agent: url, method, headers, body, expected_status, timeout.*

Arduiner — sheet 20

F0860 `Tlamatini/agent/agents/arduiner/arduiner.py` [1.5k lines] *Arduiner Agent - Arduino CLI (arduino-cli) bridge (firmware scaffold/build/upload/monitor) Action: Triggered by upstream -> resolve the arduino-cli. . .*
F0861 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/ArduinoTemplateProject.ino` [40 lines] *ArduinoTemplateProject.ino — Tlamatini Arduiner template sketch.*
F0862 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/README.md` [53 lines] *ArduinoTemplateProject: The bundled scaffold the Arduiner agent (Tlamatini) copies when you run action='create_project'.*
F0863 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/sketch.yaml` [23 lines] *sketch.yaml — Arduino CLI sketch project file (the Arduino-native peer of PlatformIO's platformio.ini).*
F0864 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/src/Heartbeat.cpp` [30 lines] *Firmware source of the template project.*
F0865 `Tlamatini/agent/agents/arduiner/ArduinoTemplateProject/src/Heartbeat.h` [35 lines] *Heartbeat.h — a tiny, board-agnostic non-blocking LED blinker.*
F0866 `Tlamatini/agent/agents/arduiner/config.yaml` [125 lines] *Default config.yaml of the Arduiner agent: action, arduino_cli_executable, auto_bootstrap, arduino_cli_install_dir, auto_update, preflight, fqbn +16 more.*

AudioPlayer — sheet 20

F0869 `Tlamatini/agent/agents/audioplayer/audioplayer.py` [839 lines] *AudioPlayer Agent - Plays an audio FILE through a system OUTPUT device.*
F0870 `Tlamatini/agent/agents/audioplayer/config.yaml` [74 lines] *Default config.yaml of the AudioPlayer agent: audio_file, device_index, device_name, volume_percent, time_played, sample_rate.*

Blenderer — sheet 20

F0874 `Tlamatini/agent/agents/blenderer/blenderer.py` [742 lines] *Blenderer Agent — drives Blender via the OFFICIAL Blender MCP add-on's TCP socket protocol (localhost:9876 by default. . .*
F0875 `Tlamatini/agent/agents/blenderer/config.yaml` [63 lines] *Default config.yaml of the Blenderer agent: host, port, command, strict_json, params, connect_timeout, read_timeout.*

Camcorder — sheet 20

F0876 `Tlamatini/agent/agents/camcorder/camcorder.py` [674 lines] *Camcorder Agent - Camera capture agent (photo or video) via OpenCV Action: Triggered by upstream -> Open a system camera -> Take ONE photo (default). . .*
F0877 `Tlamatini/agent/agents/camcorder/config.yaml` [44 lines] *Default config.yaml of the Camcorder agent: camera_index, capture_mode, video_duration_seconds, video_fps, resolution_width, resolution_height, warmup_seconds +1 more.*

Crawler — sheet 20

F0883 `Tlamatini/agent/agents/crawler/config.yaml` [39 lines] *Default config.yaml of the Crawler agent: url, urls, system_prompt, content_mode, include_headers, crawl_type, include_seed +9 more.*
F0884 `Tlamatini/agent/agents/crawler/crawler.py` [2.2k lines] *Crawler Agent - Web page crawler with RAW content capture and LLM analysis Action: Triggered by upstream -> Fetch URL -> Capture RAW HTTP response. . .*

De-Compresser — sheet 20

F0887 `Tlamatini/agent/agents/de_compresser/config.yaml` [26 lines] *Default config.yaml of the De-Compresser agent: input, output, passwordless.*
F0888 `Tlamatini/agent/agents/de_compresser/de_compresser.py` [848 lines] *De-Compresser Agent - Deterministic compression / decompression*

Deleter — sheet 20

F0889 `Tlamatini/agent/agents/deleter/config.yaml` [29 lines] *Default config.yaml of the Deleter agent: trigger_mode, target_path, files_to_delete, allow_directory_delete, recursive, filetype_exclusions, trigger_event_string +1 more.*
F0890 `Tlamatini/agent/agents/deleter/deleter.py` [764 lines] *Deleter Agent - Deterministic agent to delete files Triggers: Immediate or Event-based (Source Log) Action: Delete files based on patterns (supports. . .*

Discoverer — sheet 20

F0891 `Tlamatini/agent/agents/discoverer/config.yaml` [114 lines] *Default config.yaml of the Discoverer agent: tool, target, targets_file, json_output, output_dir, rate_limit, concurrency +34 more.*
F0892 `Tlamatini/agent/agents/discoverer/discoverer.py` [1.3k lines] *Discoverer Agent - ProjectDiscovery suite bridge (subfinder/httpx/naabu/katana/nuclei/cvemap) Action: Triggered by upstream -> resolve the requested. . .*

Dockerer — sheet 20

F0893 `Tlamatini/agent/agents/dockerer/config.yaml` [3 lines] *Default config.yaml of the Dockerer agent: command.*
F0894 `Tlamatini/agent/agents/dockerer/dockerer.py` [519 lines] *Dockerer Agent - Docker container management agent Action: Triggered by upstream -> Execute docker command -> Trigger downstream (on success or error)*

Editor — sheet 20

F0895 `Tlamatini/agent/agents/editor/config.yaml` [16 lines] *Default config.yaml of the Editor agent: file_path, old_string, new_string, old_string_b64, new_string_b64, replace_all.*
F0896 `Tlamatini/agent/agents/editor/editor.py` [409 lines] *Editor Agent - Surgical in-place find-and-replace on a single text file Action: Triggered by upstream -> edit file -> emit INI_SECTION_EDITOR ->. . .*

ESP32er — sheet 20

F0901 `Tlamatini/agent/agents/esp32er/config.yaml` [109 lines] *Default config.yaml of the ESP32er agent: action, pio_executable, auto_bootstrap, pio_install_method, pio_core_dir, auto_update, pip_install +13 more.*
F0902 `Tlamatini/agent/agents/esp32er/esp32er.py` [1.4k lines] *ESP32er Agent - PlatformIO Core (pio CLI) bridge (firmware scaffold/build/upload/monitor) Action: Triggered by upstream -> resolve the pio. . .*
F0903 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/include/README.md` [16 lines] *include/ — project header files: Put your own .h / .hpp files here.*
F0904 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/lib/README.md` [35 lines] *lib/ — private project libraries: Each subdirectory here is compiled as its own static library and linked in automatically.*
F0905 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/platformio.ini` [40 lines] *; . . .*
F0906 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/README.md` [114 lines] *ESP32TemplateProject: A known-good ESP32 firmware baseline: it blinks the onboard LED and prints LED ON / LED OFF over serial at 115200 baud.*
F0907 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/src/main.cpp` [57 lines] *ESP32TemplateProject — the whole firmware.*
F0908 `Tlamatini/agent/agents/esp32er/ESP32TemplateProject/test/README.md` [32 lines] *test/ — unit tests: PlatformIO's test runner (Unity) picks up tests from this directory.*

ESPHomer — sheet 20

F0909 `Tlamatini/agent/agents/esphomer/config.yaml` [104 lines] *Default config.yaml of the ESPHomer agent: action, esphome_executable, auto_bootstrap, pip_install, auto_update, preflight, config_path +12 more.*
F0910 `Tlamatini/agent/agents/esphomer/esphomer.py` [1.4k lines] *ESPHomer Agent - ESPHome (esphome CLI) bridge (device YAML author/validate/compile/upload/observe) Action: Triggered by upstream -> resolve the. . .*
F0911 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/.gitignore` [8 lines] *Your real credentials — NEVER commit these.*
F0912 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/common/base.yaml` [32 lines] *Shared building blocks every device in this project pulls in with*
F0913 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/README.md` [140 lines] *ESPHomeTemplateProject: A known-good ESPHome smart-home baseline — two working devices, shared configuration, and credentials kept out of git.*
F0914 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/secrets.yaml.example` [15 lines] *. . .*
F0915 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/tlamatini-light.yaml` [47 lines] *Tlamatini ESPHome sample device — a phone-controlled light.*

F0916 `Tlamatini/agent/agents/esphomer/ESPHomeTemplateProject/tlamatini-sensor.yaml` [70 lines] *Tlamatini ESPHome sample device #2 — a sensor node, the "grown-up" shape.*

Executer — sheet 20

F0917 `Tlamatini/agent/agents/executer/config.yaml` [40 lines] *Default config.yaml of the Executer agent: script, non_blocking, command_timeout_seconds, execute_forked_window.*
F0918 `Tlamatini/agent/agents/executer/executer.py` [1.1k lines] *Executer Agent - Deterministic agent to execute a command Logs EXECUTION SUCCESS or EXECUTION FAILED based on result Always triggers downstream. . .*

File-Creator — sheet 20

F0919 `Tlamatini/agent/agents/file_creator/config.yaml` [22 lines] *Default config.yaml of the File-Creator agent: file_path, content, content_b64, append.*
F0920 `Tlamatini/agent/agents/file_creator/file_creator.py` [463 lines] *File-Creator Agent - Creates a file with specified content, triggers downstream agents, then stops Action: Triggered by upstream -> Write file ->. . .*

File-Extractor — sheet 20

F0921 `Tlamatini/agent/agents/file_extractor/config.yaml` [10 lines] *Default config.yaml of the File-Extractor agent: path_filenames, recursive, filetype_exclusions, line_numbers, offset, limit.*
F0922 `Tlamatini/agent/agents/file_extractor/file_extractor.py` [867 lines] *File-Extractor Agent - Extracts text content from files, triggers downstream agents, then stops Action: Triggered by upstream -> Read/extract. . .*

File-Interpreter — sheet 20

F0923 `Tlamatini/agent/agents/file_interpreter/config.yaml` [46 lines] *Default config.yaml of the File-Interpreter agent: path_filenames, recursive, filetype_exclusions, reading_type, llm.*
F0924 `Tlamatini/agent/agents/file_interpreter/file_interpreter.py` [1.0k lines] *File-Interpreter Agent - Document parsing and text/image extraction Hybrid deterministic/non-deterministic agent Action: Read files -> Extract text. . .*

Gitter — sheet 20

F0939 `Tlamatini/agent/agents/gitter/config.yaml` [27 lines] *Default config.yaml of the Gitter agent: repo_path, command, branch, commit_message, remote, custom_command.*
F0940 `Tlamatini/agent/agents/gitter/gitter.py` [533 lines] *Gitter Agent - Git operations agent Action: Triggered by upstream -> Execute git command -> Log output -> Trigger downstream*

Globber — sheet 20

F0941 `Tlamatini/agent/agents/globber/config.yaml` [14 lines] *Default config.yaml of the Globber agent: pattern, path, sort_by, max_results.*
F0942 `Tlamatini/agent/agents/globber/globber.py` [702 lines] *Globber Agent - Read-only filename pattern search (find files by glob) Action: Triggered by upstream -> glob -> emit INI_SECTION_GLOBBER -> Trigger. . .*

Googler — sheet 20

F0943 `Tlamatini/agent/agents/googler/config.yaml` [208 lines] *Default config.yaml of the Googler agent: query, preset, filetypes, filetype, sites, site, exclude_sites +36 more.*
F0944 `Tlamatini/agent/agents/googler/googler.py` [2.0k lines] *Googler Agent - resilient indexed-web search agent with content extraction Action: Triggered by upstream -> Search the engine chain -> Fetch top N. . .*
F0945 `Tlamatini/agent/agents/googler/googler_engines.py` [1.4k lines] *Googler resilience core: the part of Googler that must never hang and never lie.*

Grepper — sheet 20

F0946 `Tlamatini/agent/agents/grepper/config.yaml` [31 lines] *Default config.yaml of the Grepper agent: pattern, path, glob, case_insensitive, output_mode, max_results, start_line +2 more.*
F0947 `Tlamatini/agent/agents/grepper/grepper.py` [894 lines] *Grepper Agent - Read-only regex content search across a file or directory tree Action: Triggered by upstream -> search -> emit INI_SECTION_GREPPER. . .*

Image-Interpreter — sheet 20

F0948 `Tlamatini/agent/agents/image_interpreter/config.yaml` [156 lines] *Default config.yaml of the Image-Interpreter agent: images_pathfilenames, recursive, filetype_exclusions, interpreter_model_1, interpreter_model_2, merging_model, prompt_interpreter_model_1 +4 more.*
F0949 `Tlamatini/agent/agents/image_interpreter/image_interpreter.py` [940 lines] *Image-Interpreter Agent - TRIPLE-MODEL image analysis via LLM vision models Non-deterministic agent (uses LLMs) Action: Resolve image paths ->. . .*

Instant Messaging Doctor — sheet 20

F0950 `Tlamatini/agent/agents/instant_messaging_doctor/config.yaml` [52 lines] *Default config.yaml of the Instant Messaging Doctor agent: mode, platform, contact_name, message, telegram, whatsapp, template +10 more.*
F0951 `Tlamatini/agent/agents/instant_messaging_doctor/instant_messaging_doctor.py` [706 lines] *Instant Messaging Doctor Agent - Telegrammer/Whatsapper diagnostics*

J-Decompiler — sheet 20

F0952 `Tlamatini/agent/agents/j_decompiler/config.yaml` [11 lines] *Default config.yaml of the J-Decompiler agent: directory, recursive.*
F0953 `Tlamatini/agent/agents/j_decompiler/j_decompiler.py` [514 lines] *J-Decompiler Agent - Decompile .class, .jar, .war, .ear files using jd-cli Action: Triggered by upstream -> Decompile Java files -> Trigger downstream*

Jenkinser — sheet 20

F0954 `Tlamatini/agent/agents/jenkinser/config.yaml` [21 lines] *Default config.yaml of the Jenkinser agent: jenkins_url, job_name, user, api_token, parameters, use_parameters.*
F0955 `Tlamatini/agent/agents/jenkinser/jenkinser.py` [491 lines] *Jenkinser Agent - CI/CD Pipeline Trigger Action: Triggered by upstream -> Trigger Jenkins build -> Log result -> Trigger downstream (always)*

Kalier — sheet 20

F0956 `Tlamatini/agent/agents/kalier/config.yaml` [104 lines] *Default config.yaml of the Kalier agent: action, server_url, timeout, OOB_shift_reaper, hang_detect_idle_seconds, target, url +16 more.*
F0957 `Tlamatini/agent/agents/kalier/kalier.py` [703 lines] *Kalier Agent - MCP-Kali-Server bridge (AI-assisted penetration testing) Action: Triggered by upstream -> POST to the MCP-Kali-Server Flask API. . .*

Keyboarder — sheet 20

F0958 `Tlamatini/agent/agents/keyboarder/config.yaml` [26 lines] *Default config.yaml of the Keyboarder agent: stride_delay, typing_interval_ms, window_title, window_handle, window_match_index, input_mode, text +1 more.*
F0959 `Tlamatini/agent/agents/keyboarder/keyboarder.py` [570 lines] *Keyboarder Agent - Issues keyboard sequences simulating the user pressing keys*

F0960 `Tlamatini/agent/agents/keyboarder/keyboarder_input.py` [188 lines] *Checked Windows keyboard input without changing the clipboard.*

Kuberneter — sheet 20

F0961 `Tlamatini/agent/agents/kuberneter/config.yaml` [17 lines] *Default config.yaml of the Kuberneter agent: command, namespace, extra_args, custom_command.*
F0962 `Tlamatini/agent/agents/kuberneter/kuberneter.py` [411 lines] *Kuberneter Agent - Execute kubectl commands and trigger downstream Action: Triggered by upstream -> Execute kubectl command -> Trigger downstream. . .*

LaTeXer — sheet 20

F0969 `Tlamatini/agent/agents/latexer/config.yaml` [221 lines] *Default config.yaml of the LaTeXer agent: action, tex_path, project_dir, main_file, input_text, input_text_b64, recursive +55 more.*
F0970 `Tlamatini/agent/agents/latexer/latexer.py` [5.3k lines] *LaTeXer Agent - Tlamatini's LaTeX TYPESETTING agent (author + compile .tex -> PDF).*
F0971 `Tlamatini/agent/agents/latexer/latexer_artwork.py` [273 lines] *Original, deterministic TikZ artwork.*
F0972 `Tlamatini/agent/agents/latexer/latexer_design.py` [267 lines] *Portable styled LaTeX scaffolds, with separate document and Beamer recipes.*
F0973 `Tlamatini/agent/agents/latexer/latexer_styles.py` [154 lines] *LaTeXer's portable design catalogue.*
F0974 `Tlamatini/agent/agents/latexer/STYLES.md` [242 lines] *LaTeXer: the signature collection: 30 explicit visual identities, independent of the eight document templates.*

MCP Doctor — sheet 20

F0975 `Tlamatini/agent/agents/mcp_doctor/config.yaml` [10 lines] *Default config.yaml of the MCP Doctor agent: server_key, catalog_path, source_url, mode, include_catalog.*
F0976 `Tlamatini/agent/agents/mcp_doctor/mcp_doctor.py` [694 lines] *MCP Doctor Agent - External MCP catalog diagnostics and setup guidance*

Mongoxer — sheet 20

F0978 `Tlamatini/agent/agents/mongoxer/config.yaml` [18 lines] *Default config.yaml of the Mongoxer agent: mongo_connection, script.*
F0979 `Tlamatini/agent/agents/mongoxer/mongoxer.py` [196 lines] *conhost.exe orphan guard ——————— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console. . .*

Mouser — sheet 20

F0984 `Tlamatini/agent/agents/mouser/config.yaml` [88 lines] *Default config.yaml of the Mouser agent: movement_type, coordinate_space, capture_left, capture_top, capture_width, capture_height, image_width +16 more.*
F0985 `Tlamatini/agent/agents/mouser/mouser.py` [783 lines] *Mouser Agent - Mouse pointer movement agent Action: Triggered by upstream -> Move mouse (random or localized) -> Trigger downstream*
F0986 `Tlamatini/agent/agents/mouser/mouser_coordinates.py` [177 lines] *Physical desktop coordinates for Mouser (also copied to isolated runs).*

Mover — sheet 20

F0987 `Tlamatini/agent/agents/mover/config.yaml` [14 lines] *Default config.yaml of the Mover agent: trigger_mode, operation, source_files, destination_folder, recursive, filetype_exclusions, trigger_event_string +1 more.*
F0988 `Tlamatini/agent/agents/mover/mover.py` [870 lines] *Mover Agent - Deterministic agent to copy/move files Triggers: Immediate or Event-based (Source Log) Action: Move or Copy files based on patterns*

NetSpeed-Calculator — sheet 20

F0989 `Tlamatini/agent/agents/netspeed_calculator/config.yaml` [83 lines] *Default config.yaml of the NetSpeed-Calculator agent: action, providers, min_successful_providers, parallel_streams, test_duration_seconds, warmup_seconds, sample_interval_seconds +14 more.*
F0990 `Tlamatini/agent/agents/netspeed_calculator/netspeed_calculator.py` [1.9k lines] *NetSpeed-Calculator Agent — formal, multi-provider Internet throughput measurement.*

Nmapper — sheet 20

F0991 `Tlamatini/agent/agents/nmapper/config.yaml` [88 lines] *Default config.yaml of the Nmapper agent: action, target, targets_file, ports, top_ports, timing, min_rate +17 more.*
F0992 `Tlamatini/agent/agents/nmapper/nmapper.py` [1.2k lines] *Nmapper Agent - LOCAL, USE-ONLY nmap bridge for pentesters / CTF recon.*

PDFer — sheet 20

F0999 `Tlamatini/agent/agents/pdfer/config.yaml` [217 lines] *Default config.yaml of the PDFer agent: mode, input_text, input_file, images, input_pdfs, title, subtitle +45 more.*
F1000 `Tlamatini/agent/agents/pdfer/pdfer.py` [1.9k lines] *PDFer Agent - Tlamatini's DOCUMENT COMPOSER (the WRITE side of the document family).*
F1001 `Tlamatini/agent/agents/pdfer/pdfer_artwork.py` [261 lines] *Resolution-independent signature artwork, clipped to a text-free cover zone.*
F1002 `Tlamatini/agent/agents/pdfer/pdfer_atelier.py` [1.0k lines] *PDFer atelier — the ReportLab Platypus renderer that replaced xhtml2pdf.*
F1003 `Tlamatini/agent/agents/pdfer/pdfer_audit.py` [494 lines] *PDFer audit — checking the FILE ON DISK, not the renderer's opinion of it.*
F1004 `Tlamatini/agent/agents/pdfer/pdfer_color.py` [896 lines] *PDFer colour science — the pigment bench of the document composer.*
F1005 `Tlamatini/agent/agents/pdfer/pdfer_consult.py` [378 lines] *PDFer design consultation — asking Tlamatini's own model for an art direction.*
F1006 `Tlamatini/agent/agents/pdfer/pdfer_docmodel.py` [777 lines] *PDFer document model — content parsed into blocks a renderer can lay out.*
F1007 `Tlamatini/agent/agents/pdfer/pdfer_nuance.py` [1.2k lines] *PDFer nuance engine — reading the content BEFORE choosing how to dress it.*
F1008 `Tlamatini/agent/agents/pdfer/pdfer_ornament.py` [702 lines] *PDFer ornament — generated artwork, and the judgement about when to use it.*
F1009 `Tlamatini/agent/agents/pdfer/pdfer_styles.py` [104 lines] *Selectable visual identities, independent of the document's semantic nuance.*
F1010 `Tlamatini/agent/agents/pdfer/pdfer_tables.py` [664 lines] *PDFer table layout — the overlap fix, and why the old one could not work.*
F1011 `Tlamatini/agent/agents/pdfer/pdfer_theme.py` [1.2k lines] *PDFer themes — turning a nuance into a complete, legible design system.*
F1012 `Tlamatini/agent/agents/pdfer/pdfer_typography.py` [709 lines] *PDFer typography — the type case of the document composer.*
F1013 `Tlamatini/agent/agents/pdfer/STYLES.md` [239 lines] *PDFer: the signature collection: PDFer now offers 24 selectable visual identities alongside its 20 existing document themes.*

Playwrighter — sheet 20

F1014 `Tlamatini/agent/agents/playwrighter/config.yaml` [80 lines] *Default config.yaml of the Playwrighter agent: start_url, browser, headless, timeout_ms, nav_wait_until, user_agent, viewport_width +9 more.*
F1015 `Tlamatini/agent/agents/playwrighter/playwrighter.py` [1.0k lines] *Playwrighter Agent — scripted, interactive browser automation via Playwright.*

PPTXer — sheet 20

F1016 `Tlamatini/agent/agents/pptxer/config.yaml` [179 lines] *Default config.yaml of the PPTXer agent: input_text, input_file, input_format, title, subtitle, author, kicker +47 more.*

F1017 `Tlamatini/agent/agents/pptxer/pptxer.py` [1.2k lines] *PPTXer Agent — Tlamatini's PRESENTATION COMPOSER.*
F1018 `Tlamatini/agent/agents/pptxer/pptxer_audit.py` [645 lines] *pptxer_audit.py — DID THE DECK ACTUALLY COME OUT RIGHT?*
F1019 `Tlamatini/agent/agents/pptxer/pptxer_build.py` [1.5k lines] *pptxer_build.py — THE ASSEMBLY ENGINE.*
F1020 `Tlamatini/agent/agents/pptxer/pptxer_color.py` [736 lines] *pptxer_color.py — PPTXer's COLOUR SCIENCE.*
F1021 `Tlamatini/agent/agents/pptxer/pptxer_diagram.py` [433 lines] *pptxer_diagram.py — DIAGRAMS AS NATIVE, EDITABLE POWERPOINT SHAPES.*
F1022 `Tlamatini/agent/agents/pptxer/pptxer_docmodel.py` [731 lines] *pptxer_docmodel.py — CONTENT → DECK MODEL.*
F1023 `Tlamatini/agent/agents/pptxer/pptxer_draw.py` [866 lines] *pptxer_draw.py — GENERATED ARTWORK.*
F1024 `Tlamatini/agent/agents/pptxer/pptxer_fonts.py` [1.0k lines] *pptxer_fonts.py — PPTXer's TYPEFACE ENGINE.*
F1025 `Tlamatini/agent/agents/pptxer/pptxer_layout.py` [853 lines] *pptxer_layout.py — THE GEOMETRY SOLVER.*
F1026 `Tlamatini/agent/agents/pptxer/pptxer_media.py` [693 lines] *pptxer_media.py — MEDIA ACQUISITION AND PREPARATION.*
F1027 `Tlamatini/agent/agents/pptxer/pptxer_nuance.py` [887 lines] *pptxer_nuance.py — WHAT KIND OF DECK IS THIS?*
F1028 `Tlamatini/agent/agents/pptxer/pptxer_render.py` [944 lines] *pptxer_render.py — PPTXer LOOKS AT ITS OWN SLIDES.*
F1029 `Tlamatini/agent/agents/pptxer/pptxer_theme.py` [621 lines] *pptxer_theme.py — the DESIGN SYSTEM: nuance + seed colour → a complete, validated, machine-usable specification for every slide in the deck.*
F1030 `Tlamatini/agent/agents/pptxer/STYLES.md` [100 lines] *PPTXer presentation styles: PPTXer provides 36 named treatments: the original 24 content treatments and 12 additional visual styles.*

Prompter — sheet 20

F1031 `Tlamatini/agent/agents/prompter/config.yaml` [30 lines] *Default config.yaml of the Prompter agent: prompt, llm.*
F1032 `Tlamatini/agent/agents/prompter/prompter.py` [443 lines] *Prompter Agent - Sends a configured prompt to an Ollama LLM and logs the response Action: Triggered by upstream -> Read prompt from config -> Query. . .*

PSer — sheet 20

F1033 `Tlamatini/agent/agents/pser/config.yaml` [32 lines] *Default config.yaml of the PSer agent: likely_process_name, llm.*
F1034 `Tlamatini/agent/agents/pser/pser.py` [572 lines] *PSer Agent - Process finder agent with LLM-powered fuzzy matching Action: Triggered by upstream -> List processes (no admin) -> Ask LLM for best. . .*

Pythonxer — sheet 20

F1035 `Tlamatini/agent/agents/pythonxer/config.yaml` [46 lines] *Default config.yaml of the Pythonxer agent: script, execute_forked_window, ruff_blocking.*
F1036 `Tlamatini/agent/agents/pythonxer/pythonxer.py` [829 lines] *Pythonxer Agent - Deterministic agent to execute a Python script Validates with Ruff, executes the script, and triggers downstream agents ONLY if. . .*

Recorder — sheet 20

F1041 `Tlamatini/agent/agents/recorder/config.yaml` [57 lines] *Default config.yaml of the Recorder agent: device_index, device_name, record_seconds, sample_rate, channels, input_gain_percent, output_dir.*
F1042 `Tlamatini/agent/agents/recorder/recorder.py` [984 lines] *Recorder Agent - Microphone / audio-input capture agent via sounddevice Action: Triggered by upstream -> Open a system audio INPUT device (mic) ->. . .*

Reviewer — sheet 20

F1043 `Tlamatini/agent/agents/reviewer/config.yaml` [38 lines] *Default config.yaml of the Reviewer agent: repo_path, diff_ref, focus, max_diff_chars, llm.*
F1044 `Tlamatini/agent/agents/reviewer/reviewer.py` [588 lines] *Reviewer Agent - LLM-powered code review of a git diff Action: Triggered by upstream -> resolve git diff -> ask Ollama LLM to review it -> parse a. . .*

SCPer — sheet 20

F1045 `Tlamatini/agent/agents/scper/config.yaml` [27 lines] *Default config.yaml of the SCPer agent: user, ip, file, direction.*
F1046 `Tlamatini/agent/agents/scper/scper.py` [502 lines] *SCPer Agent - Deterministic agent to send/receive files via SCP Connects to a remote host and transfers a file.*

Shoter — sheet 20

F1047 `Tlamatini/agent/agents/shoter/config.yaml` [21 lines] *Default config.yaml of the Shoter agent: output_dir, all_screens, filename.*
F1048 `Tlamatini/agent/agents/shoter/shoter.py` [585 lines] *Shoter Agent - Screenshot capture agent Action: Triggered by upstream -> Capture screenshot -> Save to numbered dir -> Trigger downstream*

SQLer — sheet 20

F1051 `Tlamatini/agent/agents/sqler/config.yaml` [20 lines] *Default config.yaml of the SQLer agent: sql_connection, script.*
F1052 `Tlamatini/agent/agents/sqler/sqler.py` [217 lines] *conhost.exe orphan guard ——————— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console. . .*

SSHer — sheet 20

F1053 `Tlamatini/agent/agents/ssher/config.yaml` [22 lines] *Default config.yaml of the SSHer agent: user, ip, script.*
F1054 `Tlamatini/agent/agents/ssher/ssher.py` [448 lines] *SSHer Agent - Deterministic agent to execute a command via SSH Connects to a remote host and runs the configured script.*

STM32er — sheet 20

F1057 `Tlamatini/agent/agents/stm32er/config.yaml` [242 lines] *Default config.yaml of the STM32er agent: action, stm32_backend, board, framework, environment, server_script, auto_bootstrap +50 more.*
F1058 `Tlamatini/agent/agents/stm32er/stm32er.py` [2.7k lines] *STM32er Agent - STM32 Template Project MCP-server bridge (firmware scaffold/build/flash/observe) Action: Triggered by upstream -> spawn the STM32. . .*

Summarizer — sheet 20

F1061 `Tlamatini/agent/agents/summarizer/config.yaml` [57 lines] *Default config.yaml of the Summarizer agent: input_text, target_words, system_prompt, llm, poll_interval.*
F1062 `Tlamatini/agent/agents/summarizer/summarizer.py` [613 lines] *Summarizer Agent - Log file monitoring and LLM-powered event detection Action: Started -> Continuously poll source agent logs -> Query LLM with. . .*

Talker — sheet 20

F1063 `Tlamatini/agent/agents/talker/config.yaml` [177 lines] *Default config.yaml of the Talker agent: input_text, name_pronunciations, ollama_url, ollama_token, model, tts_engine, piper_auto_download +26 more.*

F1064 `Tlamatini/agent/agents/talker/spanish_pronunciation.py` [116 lines] *Spanish-edition speech spelling, shared by Django, the avatar and Talker.*
F1065 `Tlamatini/agent/agents/talker/talker.py` [1.7k lines] *Talker Agent - TEXT-TO-SPEECH (TTS): speaks input_text aloud via OLLAMA.*

Terminater — sheet 20

F1075 `Tlamatini/agent/agents/terminater/config.yaml` [86 lines] *Default config.yaml of the Terminater agent: action, terminal, kind, title, cwd, text, text_b64 +33 more.*
F1076 `Tlamatini/agent/agents/terminater/terminater.py` [726 lines] *Terminater Agent - visible, user-supervised terminals (CMD / PowerShell) Action: raise / type into / read / abort / kill real terminals the USER can. . .*
F1077 `Tlamatini/agent/agents/terminater/terminater_conpty.py` [667 lines] *terminater_conpty.py – a Windows ConPTY (pseudo console) wrapper in pure ctypes.*
F1078 `Tlamatini/agent/agents/terminater/terminater_engine.py` [1.9k lines] *terminater_engine.py – sessions, the hub and the action API of Terminater.*
F1079 `Tlamatini/agent/agents/terminater/terminater_text.py` [1.1k lines] *terminater_text.py – the pure-text half of Terminater (stdlib only, no I/O).*

Torrenter — sheet 20

F1080 `Tlamatini/agent/agents/torrenter/activity.py` [126 lines] *Human-readable operator log.*
F1081 `Tlamatini/agent/agents/torrenter/client.py` [260 lines] *Transport for the installed Windows Jobs service.*
F1082 `Tlamatini/agent/agents/torrenter/config.yaml` [9 lines] *Default config.yaml of the Torrenter agent: action, arguments, wait_for_completion.*
F1083 `Tlamatini/agent/agents/torrenter/contract.py` [280 lines] *Closed action vocabulary shared by the typed tool, flow nodes and Jobs adapter.*
F1084 `Tlamatini/agent/agents/torrenter/sources.py` [85 lines] *Ephemeral encrypted tracker/web-seed lists.*
F1085 `Tlamatini/agent/agents/torrenter/torrenter.py` [327 lines] *One isolated activation.*

Unrealer — sheet 20

F1086 `Tlamatini/agent/agents/unrealer/config.yaml` [160 lines] *Default config.yaml of the Unrealer agent: host, port, command, params, connect_timeout, read_timeout.*
F1087 `Tlamatini/agent/agents/unrealer/unrealer.py` [873 lines] *Unrealer Agent — drives Unreal Engine via the Unreal MCP plugin's TCP socket protocol (127.0.0.1:55557 by default).*

Video-Analyzer — sheet 20

F1088 `Tlamatini/agent/agents/video_analyzer/config.yaml` [202 lines] *Default config.yaml of the Video-Analyzer agent: video_pathfilenames, analysis_type, audio_tracks, transcription, download, summary_prompt, summary_language +18 more.*
F1089 `Tlamatini/agent/agents/video_analyzer/README.md` [241 lines] *Video-Analyzer: robotics, transcription and summaries: analysis_type selects one of three tasks.*
F1090 `Tlamatini/agent/agents/video_analyzer/video_analyzer.py` [1.2k lines] *Video-Analyzer Agent - robotics verdict, video-track transcription, or summary.*
F1091 `Tlamatini/agent/agents/video_analyzer/video_content.py` [589 lines] *Video audio transcription and evidence-based summaries for standalone pools.*
F1092 `Tlamatini/agent/agents/video_analyzer/video_fetch.py` [855 lines] *Video-Analyzer URL intake: turn a web video link into a local media file.*

VideoPlayer — sheet 20

F1093 `Tlamatini/agent/agents/videoplayer/config.yaml` [69 lines] *Default config.yaml of the VideoPlayer agent: video_file, display_index, volume_percent, time_played, window_width, window_height, fullscreen +1 more.*
F1094 `Tlamatini/agent/agents/videoplayer/videoplayer.py` [974 lines] *VideoPlayer Agent - Plays a video FILE (with audio) on a chosen DISPLAY.*

Whisperer — sheet 21

F1104 `Tlamatini/agent/agents/whisperer/chat_worker.py` [232 lines] *Internal resident dictation worker under source/carried Python.*
F1105 `Tlamatini/agent/agents/whisperer/config.yaml` [185 lines] *Default config.yaml of the Whisperer agent: input_source, audio_file, record_seconds, silence_timeout_seconds, silence_gate, max_record_seconds, silence_threshold_db +26 more.*
F1106 `Tlamatini/agent/agents/whisperer/README.md` [82 lines] *Whisperer: workflow speech recognition and direct chat dictation: Whisperer records the configured host microphone or transcribes audio files.*
F1107 `Tlamatini/agent/agents/whisperer/whisperer.py` [1.7k lines] *Whisperer Agent - Self-contained SPEECH-TO-TEXT (STT / voice recognition) Action: Triggered by upstream OR run from chat -> get audio (either RECORD. . .*

Windower — sheet 21

F1108 `Tlamatini/agent/agents/windower/config.yaml` [77 lines] *Default config.yaml of the Windower agent: action, window_title, match_mode, match_index, pos_x, pos_y, width +4 more.*
F1109 `Tlamatini/agent/agents/windower/windower.py` [886 lines] *Windower Agent - Application window manager Action: Triggered by upstream -> locate a window by title and run a window lifecycle op (focus / move /. . .*

Emailer — sheet 21

F0897 `Tlamatini/agent/agents/emailer/config.yaml` [147 lines] *Default config.yaml of the Emailer agent: pattern, poll_interval, smtp, email.*
F0898 `Tlamatini/agent/agents/emailer/emailer.py` [689 lines] *Emailer Agent - No LLM, deterministic email notification agent This agent monitors log files of source agents for a configurable pattern string and. . .*

FlowHypervisor — sheet 21

F0933 `Tlamatini/agent/agents/flowhypervisor/config.yaml` [18 lines] *Default config.yaml of the FlowHypervisor agent: llm, monitoring_poll_time, user_instructions.*
F0934 `Tlamatini/agent/agents/flowhypervisor/flowhypervisor.py` [786 lines] *FlowHypervisor Agent - LLM-powered flow monitoring agent Watches all running agents' processes and log files, uses an LLM to detect anomalies, and. . .*
F0935 `Tlamatini/agent/agents/flowhypervisor/hypervisor_alert.wav` [215KB] *Notification sound played by the chat/canvas pages.*
F0936 `Tlamatini/agent/agents/flowhypervisor/monitoring-prompt.pmt` [1.1k lines] *FlowHypervisor watchdog prompt: answers OK or ATTENTION NEEDED, with per-agent special notes and normal-behaviour lists.*

Monitor Netstat — sheet 21

F0982 `Tlamatini/agent/agents/monitor_netstat/config.yaml` [42 lines] *Default config.yaml of the Monitor Netstat agent: llm, target, system_prompt.*
F0983 `Tlamatini/agent/agents/monitor_netstat/monitor_netstat.py` [298 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler to prevent "forrtl: error (200)"*

Monitor-Log — sheet 21

F0980 `Tlamatini/agent/agents/monitor_log/config.yaml` [44 lines] *Default config.yaml of the Monitor-Log agent: llm, target, system_prompt.*

F0981 `Tlamatini/agent/agents/monitor_log/monitor_log.py` [418 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler to prevent "forrtl: error (200)"*

Notifier — sheet 21

F0993 `Tlamatini/agent/agents/notifier/config.yaml` [17 lines] *Default config.yaml of the Notifier agent: llm, target.*
F0994 `Tlamatini/agent/agents/notifier/notifier.py` [492 lines] *conhost.exe orphan guard ——— When Tlamatini's runtime launches us with DETACHED_PROCESS we have no console. . .*

RecMailer — sheet 21

F1039 `Tlamatini/agent/agents/recmailer/config.yaml` [63 lines] *Default config.yaml of the RecMailer agent: poll_interval, max_checks, imap, llm, keywords_or_phrases, outcome_word, system_prompt.*
F1040 `Tlamatini/agent/agents/recmailer/recmailer.py` [367 lines] *FIX: Disable Intel Fortran runtime Ctrl+C handler*

Telegrammer — sheet 21

F1066 `Tlamatini/agent/agents/telegrammer/config.yaml` [27 lines] *Default config.yaml of the Telegrammer agent: mode, telegram, message, contact_name, rx_max_seconds, rx_from_chat_id, rx_match +2 more.*
F1067 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_01_botfather_search.jpg` [72KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1068 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_02_newbot_token.jpg` [124KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1069 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_03_start_bot_getupdates.jpg` [116KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1070 `Tlamatini/agent/agents/telegrammer/guide_assets/telegram_04_tlamatini_contacts.jpg` [119KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1071 `Tlamatini/agent/agents/telegrammer/HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md` [303 lines] *Telegrammer Setup: Send A Telegram Message From Tlamatini: This guide is for absolute beginners.*
F1072 `Tlamatini/agent/agents/telegrammer/telegrammer.py` [1.1k lines] *Telegrammer Agent — the ONE Telegram send/receive agent.*

Whatsapper — sheet 21

F1096 `Tlamatini/agent/agents/whatsapper/config.yaml` [62 lines] *Default config.yaml of the Whatsapper agent: mode, provider, whatsapp, message, contact_name, template, template_language +6 more.*
F1097 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_01_meta_create_app.jpg` [90KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1098 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_02_api_setup_keys.jpg` [204KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1099 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_03_test_recipient_send.jpg` [249KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1100 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_04_system_user_token.jpg` [139KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1101 `Tlamatini/agent/agents/whatsapper/guide_assets/whatsapp_05_tlamatini_contacts.jpg` [104KB] *Step-by-step setup screenshot used by the messaging-agent guide.*
F1102 `Tlamatini/agent/agents/whatsapper/HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md` [343 lines] *Whatsapper Setup: Send A WhatsApp Message From Tlamatini: This guide is for absolute beginners.*
F1103 `Tlamatini/agent/agents/whatsapper/whatsapper.py` [1.0k lines] *Whatsapper Agent — the ONE WhatsApp send/receive agent.*

FlowBacker — sheet 21

F0925 `Tlamatini/agent/agents/flowbacker/config.yaml` [10 lines] *Default config.yaml of the FlowBacker agent: target_directory.*
F0926 `Tlamatini/agent/agents/flowbacker/flowbacker.py` [468 lines] *FlowBacker Agent - Utility batch infrastructure backup agent Action: Triggered by upstream -> Copy session-id directory to target -> Trigger. . .*

FlowCreator — sheet 21

F0927 `Tlamatini/agent/agents/flowcreator/agentic_skill.md` [2.6k lines] *Tlamatini Flow Creation Skill: You are an expert flow designer for the Tlamatini platform.*
F0928 `Tlamatini/agent/agents/flowcreator/config.yaml` [40 lines] *Default config.yaml of the FlowCreator agent: flow_filename, prompt, output_dir, llm.*
F0929 `Tlamatini/agent/agents/flowcreator/flow_catalog.json` [5.0k lines] *Generated agent catalog (contracts + output fields) read by FlowCreator and Parametrizer.*
F0930 `Tlamatini/agent/agents/flowcreator/flow_knowledge.py` [295 lines] *Standalone contract-aware flow planning helpers; no Django or application imports.*
F0931 `Tlamatini/agent/agents/flowcreator/flowcreator.py` [609 lines] *FlowCreator Agent - Uses an LLM to design and create agent flows automatically Action: Read prompt + agentic_skill.md -> Query LLM -> Parse response. . .*
F0932 `Tlamatini/agent/agents/flowcreator/result_to_flw.py` [236 lines] *result_to_flw.py — convert FlowCreator's flow_result.json into a canonical .flw flow file that the Tlamatini ACP canvas loader (loadDiagram in. . .*

Parametrizer — sheet 21

F0997 `Tlamatini/agent/agents/parametrizer/config.yaml` [11 lines] *Default config.yaml of the Parametrizer agent: source_agent, target_agent.*
F0998 `Tlamatini/agent/agents/parametrizer/parametrizer.py` [1.2k lines] *Parametrizer Agent - Utility Interconnection Agent Maps structured outputs from a source agent's log to a target agent's config.yaml Reads. . .*

Kyber-Cipher — sheet 21

F0963 `Tlamatini/agent/agents/kyber_cipher/config.yaml` [14 lines] *Default config.yaml of the Kyber-Cipher agent: kyber_variant, public_key, buffer.*
F0964 `Tlamatini/agent/agents/kyber_cipher/kyber_cipher.py` [580 lines] *Kyber-Cipher Agent - Encrypts a buffer using a CRYSTALS-Kyber public key*

Kyber-DeCipher — sheet 21

F0965 `Tlamatini/agent/agents/kyber_decipher/config.yaml` [20 lines] *Default config.yaml of the Kyber-DeCipher agent: kyber_variant, private_key, encapsulation, initialization_vector, cipher_text.*
F0966 `Tlamatini/agent/agents/kyber_decipher/kyber_decipher.py` [519 lines] *Kyber-DeCipher Agent - Decrypts a cipher text using a CRYSTALS-Kyber private key*

Kyber-KeyGen — sheet 21

F0967 `Tlamatini/agent/agents/kyber_keygen/config.yaml` [8 lines] *Default config.yaml of the Kyber-KeyGen agent: kyber_variant.*
F0968 `Tlamatini/agent/agents/kyber_keygen/kyber_keygen.py` [483 lines] *Kyber-KeyGen Agent - Generates CRYSTALS-Kyber public/private key pairs*

TeleTlamatini — sheet 21

F1073 `Tlamatini/agent/agents/teletlamatini/config.yaml` [101 lines] *Default config.yaml of the TeleTlamatini agent: telegram, password, tlamatini, completeness_check.*
F1074 `Tlamatini/agent/agents/teletlamatini/teletlamatini.py` [1.3k lines] *TeleTlamatini Agent — pure Telegram-bot bridge to the Tlamatini chat core.*

ACPXer — sheet 21

F0852 `Tlamatini/agent/agents/acpxer/acpxer.py` [914 lines] *ACPXer Agent - Visual ACPX Session Driver*

F0853 `Tlamatini/agent/agents/acpxer/config.yaml` [43 lines] *Default config.yaml of the ACPXer agent: agent_id, command, task, mode, cwd, idle_seconds, timeout_seconds +1 more.*

Atlas VII — Verification: unit, contract, visible and release tests

agent/ · unit and contract tests — sheet 22

F1759 `Tlamatini/agent/test_access_key_wizard.py` [145 lines] *Tests for the graphical Access Keys Wizard backend. [2 tests]*
F1760 `Tlamatini/agent/test_agent_display_names.py` [287 lines] *Pins the AGENT DISPLAY-NAME contract (Angela, 2026-07-26). [11 tests]*
F1761 `Tlamatini/agent/test_agent_manifest.py` [449 lines] *Tests for the companion-app discovery surface (Tlamatini-FlowPills PROP-001. . . 003) [19 tests]*
F1762 `Tlamatini/agent/test_agent_verdict.py` [293 lines] *Tests for the deterministic verdict engine (agent/agent_verdict.py). [25 tests]*
F1763 `Tlamatini/agent/test_agents_see_hidden_dirs.py` [71 lines] *The file agents must see dot-directories, and still spare .git. [4 tests]*
F1764 `Tlamatini/agent/test_arduiner_agent.py` [717 lines] *Automated tests for the Arduiner workflow agent and its surrounding infrastructure. [41 tests]*
F1765 `Tlamatini/agent/test_ask_execs_allowlist.py` [230 lines] *Pins ANGELA'S Ask-Execs policy (2026-07-14). [8 tests]*
F1766 `Tlamatini/agent/test_audioplayer_agent.py` [780 lines] *Automated tests for the AudioPlayer workflow agent and its surrounding infrastructure. [44 tests]*
F1767 `Tlamatini/agent/test_binary_guard.py` [445 lines] *Coverage for the binary-content guard on the RAG context-loading chain. [46 tests]*
F1768 `Tlamatini/agent/test_blenderer_agent.py` [577 lines] *Automated tests for the Blenderer workflow agent and its surrounding infrastructure. [40 tests]*
F1769 `Tlamatini/agent/test_build_env.py` [151 lines] *Libraries installed on the build machine must never reach a release (2026-10-21). [13 tests]*
F1770 `Tlamatini/agent/test_build_pip_quiet.py` [206 lines] *Guard: the build pipeline must NEVER print pip's self-upgrade nag. [4 tests]*
F1771 `Tlamatini/agent/test_build_root_assets.py` [229 lines] *Physical packaging regressions; run in a verified visible foreground console. [17 tests]*
F1772 `Tlamatini/agent/test_build_scripts.py` [720 lines] *Static completeness tests for the packaging pipeline — build.py, build_installer.py, build_uninstaller.py. [57 tests]*
F1773 `Tlamatini/agent/test_camcorder_agent.py` [467 lines] *Automated tests for the Camcorder workflow agent and its surrounding infrastructure. [22 tests]*
F1774 `Tlamatini/agent/test_cancellation.py` [215 lines] *Regression tests for the PER-RUN cancellation latch (agent/cancellation.py). [22 tests]*
F1775 `Tlamatini/agent/test_canvas_file_views.py` [348 lines] *Native-save safety tests; run from a verified visible development console. [28 tests]*
F1776 `Tlamatini/agent/test_catalog_pruning.py` [49 lines] *Catalog retirement must work on both new databases and existing installs. [2 tests]*
F1777 `Tlamatini/agent/test_chain_readiness.py` [327 lines] *Regression pins for the PERMANENT CHAT WEDGE (found 2026-07-29, Angela). [15 tests]*
F1778 `Tlamatini/agent/test_chat_agent_run_wait.py` [200 lines] *Regression guard: chat_agent_run_wait must return AS SOON AS the child exits. [5 tests]*
F1779 `Tlamatini/agent/test_chat_bridge_bots.py` [234 lines] *Tests for the long-running chat-bridge bot — TeleTlamatini — focused on the post-"Ask Execs" adaptation (2026-06-04). [9 tests]*
F1780 `Tlamatini/agent/test_chat_history_window.py` [94 lines] *Regression tests for the conversation-memory window (chat_history_loader). [5 tests]*
F1781 `Tlamatini/agent/test_chat_voice.py` [492 lines] *Direct dictation regressions. [36 tests]*
F1782 `Tlamatini/agent/test_checkbox_bulk_toggle.py` [189 lines] *Guards the SPACE-bar bulk check/uncheck of selected checkboxes. [15 tests]*
F1783 `Tlamatini/agent/test_command_watchdog.py` [367 lines] *Hard, real-scenario tests for agent/command_watchdog.py. [15 tests]*
F1784 `Tlamatini/agent/test_compact_mode_pingpong.py` [117 lines] *Two chat pages on two models must not ping-pong (Angela, 2026-10-08). [4 tests]*
F1785 `Tlamatini/agent/test_compact_mode_switch.py` [468 lines] *The COMPACT MODE switch (Angela, 2026-10-02). [33 tests]*
F1786 `Tlamatini/agent/test_configure_dialog_initial_ticks.py` [54 lines] *Configure Agents / Configure MCPs start from the rows the server sent. [5 tests]*
F1787 `Tlamatini/agent/test_console_colors.py` [517 lines] *CONSOLE COLOURS - the window is painted by level, the log file never is (Angela, 2026-10-08). [33 tests]*
F1788 `Tlamatini/agent/test_console_shield.py` [602 lines] *Contract tests for the CONSOLE SHIELD (Angela, 2026-09-10). [28 tests]*
F1789 `Tlamatini/agent/test_contacts.py` [153 lines] *Tests for the Contacts book (agent/contacts.py) — name -> messaging handle. [11 tests]*
F1790 `Tlamatini/agent/test_context_governor.py` [572 lines] *Tests for the Context Governor — STEP 1, measurement only. [52 tests]*
F1791 `Tlamatini/agent/test_context_real_tokens.py` [691 lines] *Tests for the REAL context gauge (Angela, 2026-09-28). [46 tests]*
F1792 `Tlamatini/agent/test_context_restore_spinner.py` [204 lines] *A RESTORED CONTEXT MUST LOOK AS BUSY AS IT IS (2026-09-22). [5 tests]*
F1793 `Tlamatini/agent/test_context_sidecar_timeout.py` [258 lines] *The context sidecars' own Ollama calls are bounded (Angela, 2026-10-05). [16 tests]*
F1794 `Tlamatini/agent/test_crawler_agent.py` [342 lines] *Tests for the Crawler agent's recon / multi-seed / safety improvements. [42 tests]*
F1795 `Tlamatini/agent/test_crawler_resilience.py` [503 lines] *The Crawler must read the page it was given, never hang, and never lie (2026-09-28). [40 tests]*
F1796 `Tlamatini/agent/test_createsuperuser_wizard.py` [78 lines] *Tests for the create-superuser wizard catalog prompt (migration 0145). [4 tests]*
F1797 `Tlamatini/agent/test_ctrl_c_shutdown.py` [216 lines] *Ctrl+C MUST ALWAYS QUIT — source contract for the shutdown path. [11 tests]*
F1798 `Tlamatini/agent/test_db_backup_restore_wal.py` [432 lines] *DB ▷ Backup database and DB ▷ Set DB must work under WAL. [24 tests]*
F1799 `Tlamatini/agent/test_db_backup_safety.py` [130 lines] *The daily DB backup must refuse bad input and must never fail quietly. [7 tests]*
F1800 `Tlamatini/agent/test_de_compresser.py` [843 lines] *Automated tests for the De-Compresser workflow agent. [44 tests]*
F1801 `Tlamatini/agent/test_deep_research_prompt.py` [86 lines] *Tests for the Deep Internet Research catalog prompt (migration 0194). [4 tests]*
F1802 `Tlamatini/agent/test_deleter_safety.py` [128 lines] *Guard the Deleter against ever deleting the directory it was told to work IN. [9 tests]*
F1803 `Tlamatini/agent/test_desktop_input_agents.py` [366 lines] *Desktop-input regressions. [38 tests]*
F1804 `Tlamatini/agent/test_dialog_dismissal_policy.py` [567 lines] *DIALOG DISMISSAL POLICY - COVERAGE AUDIT (Angela, 2026-08-13) [35 tests]*
F1805 `Tlamatini/agent/test_dialog_theme.py` [767 lines] *DIALOG STANDARDIZATION CONTRACT (Angela, 2026-08-12) [42 tests]*
F1806 `Tlamatini/agent/test_discoverer_agent.py` [533 lines] *Automated tests for the Discoverer workflow agent and its surrounding wiring. [40 tests]*
F1807 `Tlamatini/agent/test_discoverer_thousand.py` [141 lines] *1000 data-driven tests for the Discoverer agent, runnable in the Tlamatini dev (python manage.py test agent.test_discoverer_thousand).*
F1808 `Tlamatini/agent/test_django_port_config.py` [254 lines] *Contract tests for the CONFIGURABLE WEB PORT — config.json → django_port. [24 tests]*
F1809 `Tlamatini/agent/test_drag_divider_look.py` [70 lines] *drag-divider has the same look and feel as #vertical-drag-divider (2026-10-11). [5 tests]*
F1810 `Tlamatini/agent/test_drop_message.py` [331 lines] *The chat card's DROP button (Angela Lopez Mendoza, 2026-09-30). [23 tests]*
F1811 `Tlamatini/agent/test_editor_agent.py` [181 lines] *HARD real-scenario tests for the Editor agent (surgical in-place find/replace). [15 tests]*
F1812 `Tlamatini/agent/test_embedding_memory_guard.py` [638 lines] *Tests for agent.embedding_memory_guard. [49 tests]*
F1813 `Tlamatini/agent/test_esp32er_agent.py` [767 lines] *Automated tests for the ESP32er workflow agent and its surrounding infrastructure. [43 tests]*
F1814 `Tlamatini/agent/test_esphomer_agent.py` [554 lines] *Automated tests for the ESPHomer workflow agent and its surrounding infrastructure. [41 tests]*
F1815 `Tlamatini/agent/test_exec_report_verdict.py` [142 lines] *Regression guards for the Exec Report SUCCESS/FAILURE verdict. [19 tests]*
F1816 `Tlamatini/agent/test_execute_command_bounded.py` [176 lines] *Hard regression tests for the bounded execute_command (2026-06-06). [8 tests]*
F1817 `Tlamatini/agent/test_executer_shell_request.py` [35 lines] *Keep CMD environment assignments inside Executer's shell script. [3 tests]*
F1818 `Tlamatini/agent/test_executer_window_report.py` [148 lines] *Executer must report its forked window TRUTHFULLY (2026-10-09). [11 tests]*
F1819 `Tlamatini/agent/test_external_mcp_add_flow.py` [179 lines] *Certify the fix for: "I don't have a file-writing or shell tool bound this turn" when the user asks to add an MCP (e.g. [12 tests]*
F1820 `Tlamatini/agent/test_external_mcp_e2e.py` [470 lines] *End-to-end certification of the External MCPs pipeline: from the dropped JSON all the way to executing, diagnosing, and supervising a live MCP server. [10 tests]*
F1821 `Tlamatini/agent/test_external_mcp_transports.py` [294 lines] *End-to-end loopback tests for the External MCP network transports. [11 tests]*
F1822 `Tlamatini/agent/test_external_mcp_universal.py` [674 lines] *External MCP universal hardening tests. [39 tests]*
F1823 `Tlamatini/agent/test_file_creator_append.py` [241 lines] *Deterministic proof for File-Creator's append option (Angela, 2026-10-08). [17 tests]*
F1824 `Tlamatini/agent/test_file_drop_router.py` [251 lines] *Guards the page-wide file-drop router (Angela, 2026-10-14). [22 tests]*
F1825 `Tlamatini/agent/test_file_extractor_reader.py` [104 lines] *HARD tests for the File-Extractor Reader upgrade (line_numbers + offset/limit). [6 tests]*
F1827 `Tlamatini/agent/test_flow_contracts.py` [227 lines] *Defines FlowContract Tests. [10 tests]*
F1828 `Tlamatini/agent/test_flow_file_open.py` [160 lines] *Run from a verified visible foreground console; no hidden test execution. [13 tests]*
F1829 `Tlamatini/agent/test_flow_file_views.py` [100 lines] *Run via manage.py test in a verified visible foreground console. [7 tests]*
F1830 `Tlamatini/agent/test_flow_knowledge.py` [369 lines] *Offline flow/catalog regressions. [33 tests]*
F1831 `Tlamatini/agent/test_frontend_mutable_state.py` [260 lines] *Defines FrontendMutableState Tests, PromptCatalogEndpoint Tests. [8 tests]*
F1832 `Tlamatini/agent/test_gitter_custom_command.py` [228 lines] *Gitter custom_command tokenization — Windows paths must survive. [23 tests]*
F1833 `Tlamatini/agent/test_glob_patterns.py` [508 lines] *Brace sets, pattern lists and folder globs for Grepper and Globber (2026-10-18). [47 tests]*
F1834 `Tlamatini/agent/test_globber_agent.py` [156 lines] *HARD real-scenario tests for the Globber agent (read-only filename glob search). [13 tests]*
F1835 `Tlamatini/agent/test_googler_agent.py` [502 lines] *Tests for the Googler agent's dork-search improvements. [41 tests]*
F1836 `Tlamatini/agent/test_googler_dorks.py` [513 lines] *Tests for Googler's Google-dork query builder (2026-08-23). [73 tests]*
F1837 `Tlamatini/agent/test_googler_resilience.py` [800 lines] *Googler must never hang, never lie, and never hammer (2026-09-28). [65 tests]*
F1838 `Tlamatini/agent/test_grepper_agent.py` [172 lines] *HARD real-scenario tests for the Grepper agent (read-only regex content search). [15 tests]*
F1839 `Tlamatini/agent/test_grepper_encodings.py` [222 lines] *Grepper must not go BLIND on non-UTF-8 text. [16 tests]*
F1840 `Tlamatini/agent/test_grepper_lines_mode.py` [279 lines] *HARD real-scenario tests for Grepper's output_mode: "lines" VERBATIM READ. [21 tests]*
F1841 `Tlamatini/agent/test_image_interpreter_agent.py` [401 lines] *Hard tests for the Image-Interpreter TRIPLE-MODEL pipeline (2026-07-04). [18 tests]*
F1842 `Tlamatini/agent/test_instant_messaging_doctor.py` [171 lines] *Instant Messaging Doctor contract and Parametrizer integration tests. [5 tests]*
F1843 `Tlamatini/agent/test_interaction_settings.py` [196 lines] *Run from a verified foreground PowerShell -NoExit console. [15 tests]*
F1844 `Tlamatini/agent/test_interactor.py` [319 lines] *Interactor protocol, ownership, cancellation and persistence regressions. [26 tests]*
F1845 `Tlamatini/agent/test_j_decompiler_agent.py` [252 lines] *Automated tests for the J-Decompiler agent + the decompile_java tool. [10 tests]*
F1846 `Tlamatini/agent/test_js_gates.py` [60 lines] *Process gates for the browser JavaScript – two silent, total failure modes. [2 tests]*
F1847 `Tlamatini/agent/test_kalier_agent.py` [1.1k lines] *Automated tests for the Kalier workflow agent and its surrounding infrastructure. [83 tests]*
F1848 `Tlamatini/agent/test_latexer_agent.py` [1.3k lines] *Automated tests for the LaTeXer workflow agent and its surrounding infrastructure. [100 tests]*
F1849 `Tlamatini/agent/test_latexer_delivery_truth.py` [66 lines] *LaTeXer must verify the delivered file before reporting a finished PDF. [4 tests]*
F1850 `Tlamatini/agent/test_latexer_layout_truth.py` [60 lines] *Large overfull TeX boxes must never receive the finished-document verdict. [5 tests]*
F1851 `Tlamatini/agent/test_latexer_major_removal_and_window_repair.py` [464 lines] *2026-10-08 – two fixes born from Angela's Podman cheat-sheet run (46.6 minutes). [37 tests]*
F1852 `Tlamatini/agent/test_latexer_model_repair_truth.py` [55 lines] *A repair must typeset the document, not print its source as a code listing. [3 tests]*
F1853 `Tlamatini/agent/test_latexer_repair_ladder.py` [539 lines] *Regression guards for the LaTeXer REPAIR LADDER (Layer 05). [48 tests]*
F1854 `Tlamatini/agent/test_latexer_styles.py` [186 lines] *Design invariants, caller contracts and copied-pool execution. [15 tests]*
F1855 `Tlamatini/agent/test_latexer_suite.py` [1.7k lines] *LaTeXer — the BIG suite: a fixed, permanent testing asset (150+ tests). [318 tests]*
F1856 `Tlamatini/agent/test_latexer_verbatim_channel.py` [326 lines] *Regression tests for the LaTeXer BYTE-EXACT (verbatim + base64) channel. [19 tests]*
F1857 `Tlamatini/agent/test_log_identity.py` [349 lines] *Behavioural tests for per-line USER attribution in tlamatini.log. [28 tests]*
F1858 `Tlamatini/agent/test_mcp_configured_endpoints.py` [217 lines] *Real nondefault MCP listeners and their configured clients, without inference. [8 tests]*
F1859 `Tlamatini/agent/test_model_brain.py` [511 lines] *MODEL BRAIN - every decision is formal, per model, and fail-open (Angela, 2026-10-08). [42 tests]*
F1860 `Tlamatini/agent/test_model_capacity.py` [456 lines] *COMPACT MODE - every request fits the model it is sent to (Angela, 2026-10-01). [46 tests]*
F1861 `Tlamatini/agent/test_model_settings.py` [221 lines] *Model selection across UI, standalone agents and isolated runtimes. [11 tests]*
F1862 `Tlamatini/agent/test_mover_file_safety.py` [218 lines] *Regression for the 2026-10-07 scalar-path Desktop deletion incident. [18 tests]*
F1863 `Tlamatini/agent/test_native_dialogs.py` [294 lines] *Tests for the tkinter-free native file/folder picker. [26 tests]*
F1864 `Tlamatini/agent/test_netspeed_calculator_agent.py` [1.6k lines] *Hard, real-scenario tests for the NetSpeed-Calculator agent (#88). [262 tests]*
F1865 `Tlamatini/agent/test_nmapper_agent.py` [268 lines] *Hard, real-code tests for the Nmapper agent (LOCAL, use-only nmap bridge) and its registration across the Tlamatini surfaces. [28 tests]*
F1866 `Tlamatini/agent/test_no_audio_in_tests.py` [60 lines] *A test run must NEVER make a sound on the developer's desktop. [4 tests]*
F1867 `Tlamatini/agent/test_ollama_catalog_from_server.py` [282 lines] *The Config -> Models dialog must ask the CONFIGURED Ollama, not the local one. [15 tests]*
F1868 `Tlamatini/agent/test_ollama_stop_limit.py` [250 lines] *No Ollama request may carry more than four stop sequences, and a failed chat-history summary must never fail the answer (Angela, 2026-10-03). [16 tests]*
F1869 `Tlamatini/agent/test_orphan_reaper.py` [340 lines] *Regression tests for agent.orphan_reaper. [25 tests]*
F1870 `Tlamatini/agent/test_parametrizer_mcp_doctor.py` [145 lines] *Verify the Parametrizer change Codex made for MCP Doctor works end to end. [4 tests]*
F1871 `Tlamatini/agent/test_password_quoting.py` [605 lines] *Password-quoting contract tests for Emailer and Recmailer. [28 tests]*
F1872 `Tlamatini/agent/test_pdf_context.py` [307 lines] *PDF upload permissions, extraction, user isolation and real consumer handoff. [17 tests]*
F1873 `Tlamatini/agent/test_pdfer_agent.py` [1.2k lines] *Automated tests for the PDFer workflow agent and its surrounding infrastructure. [82 tests]*
F1874 `Tlamatini/agent/test_pdfer_nuance_layout.py` [654 lines] *Regression guard for the PDFer nuance / typography / layout overhaul. [37 tests]*
F1875 `Tlamatini/agent/test_pdfer_styles.py` [192 lines] *Rendered regressions for PDFer's visual styles and protected reading areas. [11 tests]*
F1876 `Tlamatini/agent/test_playwrighter_agent.py` [662 lines] *Automated tests for the Playwrighter workflow agent. [60 tests]*
F1877 `Tlamatini/agent/test_pptxer_agent.py` [1.3k lines] *PPTXer — the agent that MEASURES ITS OWN SLIDES, and the tests that measure it. [96 tests]*
F1878 `Tlamatini/agent/test_pptxer_styles.py` [113 lines] *Style selection, user overrides, and long-content layout regressions. [7 tests]*
F1879 `Tlamatini/agent/test_pptxer_visibility.py` [308 lines] *Regression tests for real PPTX content preservation and bounded text. [23 tests]*
F1880 `Tlamatini/agent/test_preserved_user_state.py` [201 lines] *USER STATE MUST SURVIVE A REINSTALL (Angela, 2026-08-12) [10 tests]*
F1881 `Tlamatini/agent/test_program_name_collisions.py` [187 lines] *Two code blocks in ONE answer must never break each other's file. [11 tests]*
F1882 `Tlamatini/agent/test_prompt_catalog_contiguous.py` [311 lines] *Catalog-of-Prompts INVARIANTS. [15 tests]*
F1883 `Tlamatini/agent/test_prompt_flow_panel.py` [292 lines] *Run in a visible foreground console: python Tlamatini/agent/test_prompt_flow_panel.py. [29 tests]*
F1884 `Tlamatini/agent/test_prompt_flow_panel_carriage.py` [96 lines] *Packaging omission regressions; run in a verified visible foreground console. [3 tests]*
F1885 `Tlamatini/agent/test_prompt_flow_panel_runtime.py` [198 lines] *Run in a verified visible foreground console with -NoExit: python Tlamatini/manage.py test agent.test_prompt_flow_panel_runtime –noinput Adapter. . . [9 tests]*
F1886 `Tlamatini/agent/test_prompt_flow_panel_websocket.py` [173 lines] *Real ASGI routing/consumer/runner tests; model adapter is deterministic. [10 tests]*
F1887 `Tlamatini/agent/test_prompt_shape_sentences.py` [67 lines] *Offline prompt-shape regressions; no model or filesystem access is invoked. [6 tests]*
F1888 `Tlamatini/agent/test_public_release_targets.py` [486 lines] *test_public_release_targets.py – .private_targets.json is OPTIONAL and is NEVER a runtime dependency. [26 tests]*
F1889 `Tlamatini/agent/test_pyinstaller_guard.py` [149 lines] *The release build must not die on the build machine's clutter (2026-10-21). [9 tests]*
F1890 `Tlamatini/agent/test_recorder_agent.py` [617 lines] *Automated tests for the Recorder workflow agent and its surrounding infrastructure. [37 tests]*
F1891 `Tlamatini/agent/test_release_payload_ownership.py` [173 lines] *Packaging regressions; run in a visible foreground development console. [6 tests]*
F1892 `Tlamatini/agent/test_runtime_provisioner.py` [498 lines] *Behavioural guards for the Runtime Provisioner and the shipped default MCPs. [46 tests]*
F1893 `Tlamatini/agent/test_security_assets_carriage.py` [141 lines] *Guard the Blue-hat security toolkit's CARRIAGE + EVIDENCE-carryover contracts. [15 tests]*
F1894 `Tlamatini/agent/test_self_healing.py` [259 lines] *Deterministic proof for the self-healing, NEVER-HANGING multi-turn redesign (Angela, 2026-07-06). [12 tests]*
F1895 `Tlamatini/agent/test_self_knowledge_is_current.py` [112 lines] *Keep agent/Tlamatini.md (the injected {self_knowledge} system-prompt payload) from drifting behind source. [6 tests]*
F1896 `Tlamatini/agent/test_self_modify_gate.py` [459 lines] *test_self_modify_gate.py — "her source and her self-knowledge ship together, or not at all", and the DEFAULT build carries neither. [28 tests]*
F1897 `Tlamatini/agent/test_self_modify_switch.py` [481 lines] *The SELF-MODIFY switch (Angela, 2026-10-03). [35 tests]*
F1898 `Tlamatini/agent/test_self_update.py` [157 lines] *Tests for the self-update module (About ▷ Check for updates). [17 tests]*
F1899 `Tlamatini/agent/test_shoter_takes_screenshots.py` [72 lines] *GUARDA: en las pruebas, las fotos las toma SHOTER — nunca PIL.ImageGrab. [3 tests]*
F1900 `Tlamatini/agent/test_spanish_catalog_admission.py` [180 lines] *Every seeded Spanish catalog card must reach the chain in its browser modes. [10 tests]*
F1901 `Tlamatini/agent/test_spanish_pronunciation.py` [159 lines] *Run from a verified visible console; no model, account writes or audio needed. [15 tests]*
F1902 `Tlamatini/agent/test_sqlite_wal_mode.py` [52 lines] *SQLite must stay in WAL mode. [3 tests]*
F1903 `Tlamatini/agent/test_status_vocabulary.py` [570 lines] *THE GUARD that ties the status vocabulary to the agents that emit it. [27 tests]*
F1904 `Tlamatini/agent/test_step_by_step_mode.py` [209 lines] *Deep certification of the Step-by-Step toolbar mode (step_by_step_enabled). [15 tests]*
F1905 `Tlamatini/agent/test_stm32er_agent.py` [1.8k lines] *Automated tests for the STM32er workflow agent and its surrounding infrastructure. [126 tests]*
F1906 `Tlamatini/agent/test_talker_agent.py` [1.3k lines] *Automated tests for the Talker workflow agent and its surrounding infrastructure. [78 tests]*
F1907 `Tlamatini/agent/test_telegrammer_identity.py` [214 lines] *Tests for the Telegrammer dual-identity ("send as me" vs "send as the bot") provider selection. [19 tests]*
F1908 `Tlamatini/agent/test_temp_dir_policy.py` [479 lines] *test_temp_dir_policy.py — the "temp stays inside Tlamatini" contract. [33 tests]*
F1909 `Tlamatini/agent/test_terminater_agent.py` [700 lines] *The terminater pool agent, exactly as a flow or the chat launches it. [70 tests]*
F1910 `Tlamatini/agent/test_terminater_engine.py` [1.7k lines] *Terminater engine: the pure logic AND the real shells it hosts. [205 tests]*
F1911 `Tlamatini/agent/test_terminater_hub_api.py` [846 lines] *Terminater's process-wide hub, its loopback HTTP API and its WebSocket. [110 tests]*
F1912 `Tlamatini/agent/test_terminater_integration.py` [727 lines] *Terminater, wired into the rest of Tlamatini. [117 tests]*
F1913 `Tlamatini/agent/test_terminater_pfp.py` [807 lines] *The Terminater step (the parallelogram) inside the Prompt Flow Panel. [81 tests]*
F1914 `Tlamatini/agent/test_terminater_regressions.py` [269 lines] *Deterministic scheduling/output regressions found by the October 20 audit. [20 tests]*
F1915 `Tlamatini/agent/test_terminater_reliability.py` [1.4k lines] *Terminater reliability: the chat model's door to the terminal can no longer lie, guess or glue. [166 tests]*
F1916 `Tlamatini/agent/test_terminater_text.py` [583 lines] *Terminater's pure text engine: the typist, the key table, the virtual screen, the user's line tracker and the advisor. [108 tests]*
F1917 `Tlamatini/agent/test_tool_failure_recovery.py` [87 lines] *Unit tests for the universal tool-failure classifier + self-correction. [20 tests]*
F1918 `Tlamatini/agent/test_torrenter.py` [364 lines] *Defines ActionContract Tests, Account Tests, Recovery Tests. [20 tests]*
F1919 `Tlamatini/agent/test_torrenter_delivery.py` [82 lines] *Regression checks for internal IPC and honest delivered-file reporting. [6 tests]*
F1920 `Tlamatini/agent/test_uninstall_processes.py` [129 lines] *Actual owned-worker cleanup, scoped to a temporary installation. [5 tests]*
F1921 `Tlamatini/agent/test_uninstaller_lifecycle.py` [295 lines] *Uninstall regressions; run in a verified visible foreground console. [21 tests]*
F1922 `Tlamatini/agent/test_uninstaller_mechanics.py` [672 lines] *Guards for the Tlamatini Uninstaller's two safety mechanics (2026-09-13). [56 tests]*
F1923 `Tlamatini/agent/test_unrealer_agent.py` [518 lines] *Automated tests for the Unrealer workflow agent and its surrounding infrastructure. [46 tests]*
F1924 `Tlamatini/agent/test_usage.py` [518 lines] *Usage correctness, isolation, failure handling and source-carriage contracts. [35 tests]*
F1925 `Tlamatini/agent/test_version_guard.py` [62 lines] *Pin the ENGLISH version-metadata + update-detection expectations. [9 tests]*
F1926 `Tlamatini/agent/test_video_analyzer_agent.py` [357 lines] *Hard, real-scenario tests for the Video-Analyzer agent (#84). [29 tests]*
F1927 `Tlamatini/agent/test_video_analyzer_content.py` [459 lines] *Real media decode/sampling plus isolated ASR/LLM integration regressions. [26 tests]*

F1928 `Tlamatini/agent/test_video_analyzer_fetch.py` [595 lines] *Video-Analyzer web links: video_fetch.py, the chat request parser and carriage. [54 tests]*
F1929 `Tlamatini/agent/test_videoplayer_agent.py` [758 lines] *Automated tests for the VideoPlayer workflow agent and its surrounding infrastructure. [38 tests]*
F1930 `Tlamatini/agent/test_visual_fatal_errors.py` [246 lines] *Fatal analysis reporting must remain independent of Tlamatini recovery. [17 tests]*
F1931 `Tlamatini/agent/test_voice_commands_catalog.py` [278 lines] *VOICE COMMANDS — the catalog section added by migration 0201 (2026-09-12). [18 tests]*
F1932 `Tlamatini/agent/test_watchdog_foreground_exemption.py` [672 lines] *Complete automated tests for the generalized "eagle-eye" foreground-console exemption shared by command_watchdog and orphan_reaper. [28 tests]*
F1933 `Tlamatini/agent/test_web_process_stays_lean.py` [232 lines] *The frozen Django process must NOT drag in the transformers/torch ML stack. [10 tests]*
F1934 `Tlamatini/agent/test_whatsapper_identity.py` [202 lines] *Tests for the Whatsapper dual-identity ("send as me" vs the official business number) provider selection. [15 tests]*
F1935 `Tlamatini/agent/test_whisperer_agent.py` [1.1k lines] *Automated tests for the Whisperer workflow agent and its surrounding infrastructure. [72 tests]*
F1936 `Tlamatini/agent/test_win_shim.py` [404 lines] *Every Windows .cmd / .exe spawn scenario Tlamatini has to survive. [27 tests]*
F1937 `Tlamatini/agent/test_windower_agent.py` [662 lines] *Automated tests for the Windower workflow agent. [56 tests]*
F1938 `Tlamatini/agent/test_windows_app_registration.py` [107 lines] *Tests for agent/windows_app_registration.py (Installed-apps / ARP entry). [8 tests]*
F1939 `Tlamatini/agent/test_wizard_intent_guards.py` [219 lines] *User input in a setup wizard must not become command takeover or notification consent. [11 tests]*
F1940 `Tlamatini/agent/tests.py` [7.8k lines] *Defines P0HardeningTests, P1HardeningTests, SetDirectoryAsContextPathTests, ContextDirectoryPickerViewTests and 79 more. [437 tests]*
F1941 `Tlamatini/agent/tests_perf_3x.py` [432 lines] *Automated regression tests for the 3X-speed surgical plan — L1 (Ollama serving layer) + L2 (orphan reaper). [24 tests]*

Tests/ · avatar, PDF canvas and requirement tests — sheet 22

F0807 `Tests/avatar_dev_server/dev_settings.py` [29 lines] *Isolated settings for the requested visible Django avatar tests only.*
F0808 `Tests/avatar_dev_server/development_test.py` [51 lines] *Real development Django server with an isolated database and no agent jobs.*
F0809 `Tests/run_avatar_tests.py` [129 lines] *One-command, VISIBLE avatar regression for the real development Django app.*
F0810 `Tests/run_presence_tests.ps1` [76 lines] *ONE COMMAND, ONE VISIBLE WINDOW, ONE REPORT.*
F0811 `Tests/test_about_window_name_visible.py` [66 lines] *Playwright test — Angela's name is visible in Tlamatini's About window.*
F0812 `Tests/test_avatar_animation.cjs` [196 lines] *Browser regression: run with node tests/test_avatar_animation.cjs.*
F0813 `Tests/test_avatar_collectstatic.py` [66 lines] *Verify real Django collectstatic preserves avatar assets byte-for-byte.*
F0814 `Tests/test_avatar_presence_visible.py` [582 lines] *THE AVATAR PRESENCE REGRESSION — VISIBLE, PERMANENT, AND HARD TO FOOL.*
F0815 `Tests/test_avatar_visible.cjs` [170 lines] *Visible real-Django avatar regression.*
F0816 `Tests/test_build_env_concurrency.py` [160 lines] *Real Python-cache lifecycle tests; run from a visible foreground console. [5 tests]*
F0817 `Tests/test_canvas_text_decoding.cjs` [87 lines] *Run with node –test Tests/test_canvas_text_decoding.cjs from a visible console.*
F0818 `Tests/test_pdf_canvas_assets.py` [68 lines] *Check real Django/WhiteNoise MIME handling and collected PDF assets in isolation. [1 tests]*
F0819 `Tests/test_pdf_canvas_browser.py` [738 lines] *Real Chromium PDF canvas regression, isolated from RAG, accounts and databases. [11 tests]*
F0820 `Tests/test_perf_3x_visual.py` [216 lines] *VISUAL automated tests for the 3X-speed surgical plan (L1 + L2).*
F0821 `Tests/test_release_regeneration.py` [270 lines] *Release regeneration must preserve credential values and contact updates. [19 tests]*
F0822 `Tests/test_release_type_banner.py` [143 lines] *Release metadata and real log-tee tests without Django/server startup. [5 tests]*
F0823 `Tests/test_release_version_pinning.py` [164 lines] *Release version regressions; run in a verified visible foreground console. [6 tests]*
F0824 `Tests/test_requirements_coverage.py` [103 lines] *Run visibly: python -m unittest discover -s Tests -p test_requirements_coverage.py -v [12 tests]*
F0825 `Tests/test_setup_release_paths.py` [627 lines] *Real filesystem setup regressions; run in a visible foreground console. [34 tests]*
F0826 `Tests/test_update_client_carriage.py` [88 lines] *Native filesystem checks of the actual update helpers, run in a visible console. [2 tests]*

AuxTests/ — sheet 22

F0210 `AuxTests/mypdf2.py` [156 lines] *Defines create_beautiful_pdf().*

Tlamatini/tests_e2e/ · visible end-to-end runs — sheet 22

F1969 `Tlamatini/tests_e2e/oob_child_helper.py` [47 lines] *Child process used by the OOB_shift_reaper unit test.*
F1970 `Tlamatini/tests_e2e/README.md` [79 lines] *tests_e2e — visible (headed) Playwright end-to-end suites: These drive a real, visible Chromium against a running Tlamatini server (they are NOT Django unit. . .*
F1971 `Tlamatini/tests_e2e/test_create_flow_visual.py` [477 lines] *Visible (HEADED) Playwright end-to-end suite for the 2026-07-06 Create-Flow overhaul.*
F1972 `Tlamatini/tests_e2e/test_ctrl_c_quits_visible.py` [188 lines] *VISIBLE end-to-end proof that Ctrl+C actually quits Tlamatini.*
F1973 `Tlamatini/tests_e2e/test_db_backup_set_visible.py` [416 lines] *Visible, dev-only Backup DB / Set DB round-trip regression test.*
F1974 `Tlamatini/tests_e2e/test_oob_browser_visible.py` [138 lines] *VISIBLE HEADED-BROWSER proof of the OOB_shift_reaper wiring, end-to-end.*
F1975 `Tlamatini/tests_e2e/test_oob_namu_unit.py` [190 lines] *OOB_shift_reaper + NAMU — deterministic unit proof of the FINAL design.*
F1976 `Tlamatini/tests_e2e/test_prompts_catalog_visual.py` [393 lines] *VISIBLE HEADED-BROWSER walk of the COMPLETE Catalog of Prompts (Angela, 2026-07-26).*
F1977 `Tlamatini/tests_e2e/test_self_healing_visual.py` [316 lines] *VISIBLE self-healing soak (Angela, 2026-07-06).*
F1978 `Tlamatini/tests_e2e/test_voice_visual.py` [322 lines] *Visible (HEADED) Playwright test for the VOICE feature (Config -> Voice).*
F1979 `Tlamatini/tests_e2e/Tlamatini-Whatsapper-Daily-Tests.py` [563 lines] *Tlamatini-Whatsapper-Daily-Tests.py – the definitive WhatsApp send tester.*
F1980 `Tlamatini/tests_e2e/torrenter_books.py` [151 lines] *Verify publisher PDFs through the authenticated source form, wrapped agent and live queue.*
F1981 `Tlamatini/tests_e2e/torrenter_console_windows.py` [91 lines] *Observe real console windows, including transient SHOW events, from a visible coordinator.*
F1982 `Tlamatini/tests_e2e/torrenter_live.py` [158 lines] *Visible development acceptance for the installed Jobs service and an enrolled test account.*
F1983 `Tlamatini/tests_e2e/torrenter_panel.py` [222 lines] *Run and inspect a real Torrenter flow using the visible Agentic Control Panel.*

repository root · guard tests — sheet 22

F0803 `test_author_banner.py` [98 lines] *Automated guard: Angela López Mendoza's authorship must be present EVERYWHERE. [4 tests]*
F0804 `test_check_private_data.py` [1.0k lines] *test_check_private_data.py – 100+ automated tests for the god-of-gods auditor. [143 tests]*
F0805 `test_perf_3x_visual.py` [479 lines] *VISUAL performance dashboard for the 3X-speed surgical plan.*
F0806 `test_private_data_guard.py` [287 lines] *Automated tests for the PRIVATE DATA GUARD mechanism. [9 tests]*

scripts/ · visible checks, release checks and tooling — sheet 22

F0698 `scripts/acp_editor_visible.py` [291 lines] *Exercise the real ACP editor in visible Chrome on port 8001.*
F0699 `scripts/agent_catalog_visible.py` [203 lines] *Check the live agent catalog and editor in visible Chrome on an isolated DB.*
F0703 `scripts/build_canvas_editor.mjs` [63 lines] *Run from a verified, visible foreground PowerShell -NoExit console.*
F0704 `scripts/build_setup_full_payload.py` [70 lines] *Build the current complete payload in a disposable, private source snapshot.*
F0705 `scripts/build_setup_validation.py` [58 lines] *Freeze the current setup clients and attach the newly built full payload.*
F0706 `scripts/canvas_editing_visible.py` [1.2k lines] *Real canvas editing and native saving, in verified visible Chrome only.*
F0707 `scripts/canvas_editor_entry.mjs` [248 lines] *The canvas's locally bundled text editor.*
F0708 `scripts/canvas_refresh_visible.py` [556 lines] *Canvas Refresh acceptance, on the real source page in visible Chrome only.*
F0709 `scripts/canvas_text_decoding_visible.py` [226 lines] *Open a real Markdown file in the source canvas, visibly and without changing it.*
F0710 `scripts/chat_composer_resize_checks.py` [264 lines] *Headed real-page layout checks.*
F0711 `scripts/chat_composer_resize_visible.py` [158 lines] *Composer geometry regression on the real source page and an isolated database.*
F0712 `scripts/chat_composer_visible_window.py` [83 lines] *Native Windows browser sizing: no viewport emulation or off-screen evidence.*
F0713 `scripts/chat_microphone_visible.py` [365 lines] *Visible real-template dictation checks with deterministic transport fixtures.*
F0714 `scripts/chat_viewport_visible_checks.py` [156 lines] *Native zoom and narrow-window checks, run in the visible source harness.*
F0715 `scripts/chat_views_frozen_visible.py` [254 lines] *Focused Views acceptance against a real frozen test instance on port 8878.*
F0716 `scripts/chat_views_visible.py` [480 lines] *Views acceptance on source/dev artifacts, never a rebuild or installed app.*
F0717 `scripts/check_js_parse.mjs` [68 lines] *Parse every owned JavaScript file and every shipped browser vendor file.*
F0718 `scripts/check_python_quality.py` [104 lines] *Lint and compile every owned Python source file from a visible console.*
F0719 `scripts/check_requirements_coverage.py` [283 lines] *Static repository-wide Python dependency coverage; imports no application code.*
F0720 `scripts/docked_avatar_resize_checks.py` [178 lines] *Docked portrait regression checks, called only by the headed source harness.*
F0721 `scripts/dossier_visual_walkthrough_visible.py` [231 lines] *VISIBLE walkthrough of the regenerated project dossier (PDF + PPTX).*
F0722 `scripts/drag_divider_look_visible.py` [467 lines] *VISIBLE proof that #drag-divider has the same look and feel as #vertical-drag-divider.*
F0723 `scripts/file_drop_router_cases.mjs` [455 lines] *file_drop_router_cases.mjs — behaviour tests for static/agent/js/file_drop_router.js*
F0724 `scripts/flow_canvas_mechanics_visible.py` [398 lines] *Shared editor checks, invoked only by the verified visible Chrome harness.*
F0725 `scripts/flow_file_associations_test.ps1` [120 lines] *Run in a verified visible foreground PowerShell -NoExit console.*
F0726 `scripts/flow_files_visible.py` [502 lines] *Visible real-browser flow-file lifecycle checks; launch via PowerShell -NoExit.*
F0727 `scripts/installed_panels_visible.py` [575 lines] *Visible acceptance checks against actual frozen or isolated source Tlamatini.*
F0728 `scripts/interaction_settings_visible.py` [354 lines] *Actual UI, editor and ConPTY acceptance.*
F0729 `scripts/interactor_runtime_server.py` [106 lines] *Test driver loaded by manage.py shell (source or the actual frozen EXE).*
F0730 `scripts/interactor_runtime_visible.py` [391 lines] *Focused source / existing frozen Interactor acceptance, never headless.*
F0731 `scripts/interactor_visible.py` [764 lines] *Visible Interactor acceptance.*
F0732 `scripts/markdown_canvas_visible.py` [573 lines] *Markdown canvas acceptance on the real source page, in visible Chrome only.*
F0733 `scripts/menu_browser_checks.py` [525 lines] *Real-template/browser state regressions.*
F0734 `scripts/menu_live_checks.py` [145 lines] *Live menu checks in the real application, through visible Chrome.*
F0735 `scripts/menu_reference_graph.mjs` [95 lines] *Run only in the verified visible test console.*
F0736 `scripts/panel_search_title_visible.py` [367 lines] *Real panel UI checks in visible Chrome and a verified foreground console.*
F0737 `scripts/playwright_real_visibility.cjs` [21 lines] *Opt-in preload for the visible Interactor harness only.*
F0738 `scripts/pptxer_visibility_gallery.py` [95 lines] *Create an offline, searchable gallery of actual PowerPoint test renders.*
F0739 `scripts/prompt_flow_commentary_visible.py` [175 lines] *Static commentary / unchanged user-input regression in real visible Chrome.*
F0740 `scripts/prompt_flow_connections_visible.py` [540 lines] *Verify ACP/Prompt Flow connector parity in VISIBLE Chrome on port 8001.*
F0741 `scripts/prompt_flow_extension_visible.py` [233 lines] *Exercise the real Prompt Flow Panel file format in visible Chrome on port 8001.*
F0742 `scripts/prompt_flow_output_resize_visible.py` [381 lines] *Run output splitter regression in real visible Chrome.*
F0743 `scripts/prompt_flow_selection_visible.py` [201 lines] *Exercise Prompt Flow Panel selection and status colors in visible Chrome on port 8001.*
F0744 `scripts/refresh_supporting_pdfs.py` [60 lines] *Regenerate the lifecycle note and the existing PDF renderer fixture visibly.*
F0745 `scripts/release_acp_editor_checks.py` [186 lines] *Real ACP graphical editing checks shared by source and frozen acceptance.*
F0746 `scripts/release_acp_runtime_checks.py` [79 lines] *Start, pause, resume and stop a real harmless ACP workflow through its UI.*
F0747 `scripts/release_agent_catalog_checks.py` [146 lines] *Inspect every actual ACP agent and round-trip its file through the visible UI.*
F0748 `scripts/release_auth_checks.py` [102 lines] *Normal UI authentication and disposable nonstaff user lifecycle checks.*
F0749 `scripts/release_commentary_checks.py` [401 lines] *Shared real-UI rich-commentary acceptance for source and frozen runs.*
F0750 `scripts/release_extended_checks.py` [295 lines] *Real, headed UI acceptance cases; never inject application state or responses.*
F0751 `scripts/release_local_agent_checks.py` [114 lines] *Execute local file agents through the product runtime in source or frozen mode.*
F0752 `scripts/release_mcp_checks.py` [81 lines] *Read-only client probes inside the actual source/frozen Django shell.*
F0753 `scripts/release_output_resize_checks.py` [230 lines] *Real playback and complete divider checks for source and frozen acceptance.*
F0754 `scripts/release_prompt_runtime_checks.py` [143 lines] *Real model, scheduling, branching and cancellation through Prompt Flow UI.*
F0755 `scripts/release_shell_file_checks.py` [73 lines] *Exercise the installed Windows file association using actual ShellExecute.*
F0756 `scripts/review_documentation_visuals.py` [84 lines] *Render every documentation PDF and produce numbered review sheets visibly.*
F0757 `scripts/run_menu_state_checks.py` [290 lines] *Deep menu suite: launch in a verified visible PowerShell -NoExit console.*
F0758 `scripts/setup_crash_agents_visible.py` [274 lines] *Real frozen-app crash campaign, from a verified visible -NoExit console.*
F0759 `scripts/setup_desktop_cycles.py` [138 lines] *Five real desktop lifecycle cases, started manually in a visible console.*
F0760 `scripts/setup_lifecycle_checks.py` [390 lines] *Focused real-filesystem/Windows checks; launch from a visible -NoExit console.*
F0761 `scripts/setup_release_cycles.py` [461 lines] *Visible, compiled setup validation.*
F0762 `scripts/setup_wizard_visible.py` [274 lines] *Visible source UI validation, NOT compiled release acceptance.*
F0763 `scripts/skill_inventory.py` [176 lines] *Generate the CURRENT skill inventory + version facts from Git and disk.*
F0764 `scripts/spanish_names_synthesis_visible.py` [98 lines] *Real voice validation from the user-confirmed visible console, audio saved only.*
F0765 `scripts/spanish_names_visible.py` [198 lines] *Visible Chrome component checks for the real avatar/voice runtime.*
F0766 `scripts/sync_assistant_skills.py` [143 lines] *Keep .gemini/skills/ in step with .claude/skills/.*
F0767 `scripts/terminator_visible_acp.py` [461 lines] *VISIBLE suite: the Terminals area AND the Terminater agent on the Agentic Control Panel.*
F0768 `scripts/terminator_visible_all.py` [47 lines] *VISIBLE all-in-one run: the chat page (with and without its canvas), the Agentic Control Panel (empty and with a loaded flow) and the Prompt Flow. . .*
F0769 `scripts/terminator_visible_battery.py` [733 lines] *The reusable VISIBLE check battery for the Terminals dock (any page that hosts it).*
F0770 `scripts/terminator_visible_chat.py` [228 lines] *VISIBLE suite: the Terminals area on the chat page (agent_page.html).*
F0771 `scripts/terminator_visible_common.py` [556 lines] *Shared harness for the VISIBLE Terminater suites (chat, ACP, Prompt Flow Panel).*
F0772 `scripts/terminator_visible_pfp.py` [402 lines] *VISIBLE suite: the Terminals area AND the Terminater step on the Prompt Flow Panel.*
F0773 `scripts/tlamatini_clean_install.ps1` [106 lines] *Destructive reset for an explicitly authorized CLEAN INSTALL test.*
F0774 `scripts/ui_sweep_resize_checks.py` [69 lines] *Behavior checks run only in the verified, headed ui_sweep_visible session.*
F0775 `scripts/ui_sweep_visible.py` [138 lines] *Interactive source UI audit, from a verified visible PowerShell -NoExit console.*
F0776 `scripts/update_flow_catalog.py` [100 lines] *Regenerate/check the standalone agent catalog and its documentation inventory.*
F0777 `scripts/usage_dashboard_browser_checks.py` [83 lines] *Visible real-page checks; deterministic data cases are explicitly labelled.*
F0778 `scripts/usage_dashboard_fixture_checks.py` [383 lines] *Explicit synthetic-data UI cases, supplemental to the real-source checks.*
F0779 `scripts/usage_dashboard_visible.py` [172 lines] *Real source app + isolated database, in a verified visible foreground console.*
F0780 `scripts/vendor_frontend.py` [95 lines] *Reproduce local UI dependencies from version/integrity-pinned npm archives.*
F0781 `scripts/vendor_pdfjs.py` [57 lines] *Reproduce the offline PDF canvas assets from the pinned upstream npm archive.*
F0782 `scripts/verify_latexer_styles.py` [246 lines] *Compile real LaTeX, audit content/geometry, render with Poppler, build an atlas.*
F0783 `scripts/verify_pdfer_styles.py` [151 lines] *Build, measure and render every PDFer style, plus a browsable gallery and atlas.*
F0784 `scripts/verify_pptxer_layout.py` [164 lines] *Reproducible PPTXer stress decks and a browsable PowerPoint render gallery.*
F0785 `scripts/verify_pptxer_styles.py` [133 lines] *Render the twelve new PPTXer styles with complete 256-character fields.*
F0786 `scripts/visual_fatal_dialog_visible.py` [191 lines] *Visible component integration checks using the real dialog, poller and styles.*

.claude/. . . /tlamatini-daily-chat-test/harness/ — sheet 22

F0090 `.claude/skills/tlamatini-daily-chat-test/harness/_peek.py` [27 lines] *Module that sets p, n, raw, txt using re, sys.*
F0091 `.claude/skills/tlamatini-daily-chat-test/harness/_stage.ps1` [75 lines] *Stage the 2x2 test desktop for Angela.*
F0092 `.claude/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py` [358 lines] *VISIBLE TEST — the "backend is down" banner in the ACP designer (ENGLISH)*
F0093 `.claude/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py.antes_shoter` [362 lines] *Pre-Shoter copy of acp_backend_banner_test.py kept as a comparison baseline.*
F0094 `.claude/skills/tlamatini-daily-chat-test/harness/acp_dialog_full_sweep.py` [377 lines] *ACP DIALOG STANDARDIZATION - FULL SWEEP, DRIVEN BY PLAYWRIGHTER*
F0095 `.claude/skills/tlamatini-daily-chat-test/harness/acp_dialog_theme_visible.py` [269 lines] *ACP RIGHT-CLICK DIALOGS - VISIBLE CHECK, DRIVEN BY PLAYWRIGHTER*
F0096 `.claude/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py` [676 lines] *ASK-EXECS REGRESSION SUITE — the Proceed/Deny permission scheme, end to end.*
F0097 `.claude/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py.antes_shoter` [679 lines] *Pre-Shoter copy of ask_execs_regression.py kept as a comparison baseline.*
F0098 `.claude/skills/tlamatini-daily-chat-test/harness/bulk_toggle_behaviour.py` [291 lines] *BEHAVIOURAL proof of the SPACE-bar bulk checkbox toggle, in a REAL browser.*
F0099 `.claude/skills/tlamatini-daily-chat-test/harness/bulk_toggle_visible.py` [199 lines] *VISIBLE proof of the SPACE-bar bulk checkbox toggle.*
F0100 `.claude/skills/tlamatini-daily-chat-test/harness/cancel_regression.py` [571 lines] *HARD-CANCEL REGRESSION TEST — visible, headed, on Angela's real desktop.*
F0101 `.claude/skills/tlamatini-daily-chat-test/harness/cancel_regression.py.antes_shoter` [575 lines] *Pre-Shoter copy of cancel_regression.py kept as a comparison baseline.*
F0102 `.claude/skills/tlamatini-daily-chat-test/harness/compact_mode_visible.py` [483 lines] *VISIBLE proof: COMPACT MODE - one-shot questions work on the SMALL model the installed Tlamatini is configured with (Angela, 2026-10-01).*
F0103 `.claude/skills/tlamatini-daily-chat-test/harness/compact_pingpong_visible.py` [342 lines] *TWO CHAT PAGES, TWO MODELS - THE COMPACT-MODE VERDICT MUST NOT PING-PONG (Angela Lopez Mendoza, 2026-10-08)*
F0104 `.claude/skills/tlamatini-daily-chat-test/harness/compact_switch_visible.py` [691 lines] *VISIBLE proof: the COMPACT MODE checkbox (Angela, 2026-10-02).*
F0105 `.claude/skills/tlamatini-daily-chat-test/harness/config.py` [132 lines] *Central configuration + DOM contract for the Tlamatini daily chat test.*
F0106 `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_100.py` [500 lines] *100+ REAL prompts in a VISIBLE Chrome, watching the context gauge move.*
F0107 `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_real_lab.py` [508 lines] *THE REAL CONTEXT GAUGE - VISIBLE LABORATORY (Angela, 2026-09-28)*
F0108 `.claude/skills/tlamatini-daily-chat-test/harness/context_gauge_visible.py` [288 lines] *VISIBLE proof that the context gauge moves on a REAL request.*
F0109 `.claude/skills/tlamatini-daily-chat-test/harness/context_restore_spinner_visible.py` [726 lines] *context_restore_spinner_visible.py - VISIBLE regression runner (2026-09-22)*
F0110 `.claude/skills/tlamatini-daily-chat-test/harness/cyber_watchdog_test.py` [463 lines] *Cybersecurity / command-watchdog stress test for Tlamatini (VISIBLE Chrome).*
F0111 `.claude/skills/tlamatini-daily-chat-test/harness/deepseek_remote_chat_visible.py` [616 lines] *VISIBLE proof: the whole chat works against a REMOTE Ollama serving deepseek-coder.*
F0112 `.claude/skills/tlamatini-daily-chat-test/harness/dialog_policy_visible.py` [493 lines] *ESCAPE CLOSES EVERY DIALOG - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0113 `.claude/skills/tlamatini-daily-chat-test/harness/dialog_theme_visible.py` [256 lines] *DIALOG STANDARDIZATION - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0114 `.claude/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py` [27 lines] *Tlamatini — 1000 Discoverer tests through the REAL chat GUI, with full-screen photographic evidence (entire desktop incl. the taskbar CLOCK) for. . .*
F0115 `.claude/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py.antes_shoter` [454 lines] *Pre-Shoter copy of discoverer_1000.py kept as a comparison baseline.*
F0116 `.claude/skills/tlamatini-daily-chat-test/harness/drop_message_visible.py` [670 lines] *THE DROP BUTTON - VISIBLE END-TO-END TEST (Angela Lopez Mendoza, 2026-09-30)*
F0117 `.claude/skills/tlamatini-daily-chat-test/harness/file_drop_visible.py` [615 lines] *FILE DROP ROUTER - VISIBLE END-TO-END TEST (Angela, 2026-10-14)*
F0118 `.claude/skills/tlamatini-daily-chat-test/harness/flowcreator_wizard_e2e.py` [374 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the NEW catalog prompt "FLOWCREATOR END-TO-END WIZARD" (prompt #108, Agents & Flows).*
F0119 `.claude/skills/tlamatini-daily-chat-test/harness/full_mode_visible.py` [252 lines] *FULL MODE on a big cloud model - VISIBLE E2E (Angela Lopez Mendoza, 2026-10-01).*
F0120 `.claude/skills/tlamatini-daily-chat-test/harness/googler_dork_hunt.py` [324 lines] *GOOGLER DORK HUNT — a named, re-runnable, VISIBLE proof of the dork builder.*
F0121 `.claude/skills/tlamatini-daily-chat-test/harness/grepper_lines_visible.py` [235 lines] *VISIBLE end-to-end proof that the modified Grepper did NOT break Tlamatini.*
F0122 `.claude/skills/tlamatini-daily-chat-test/harness/grepper_login_probe.py` [62 lines] *VISIBLE login probe - prints exactly where the chat page is lost.*
F0123 `.claude/skills/tlamatini-daily-chat-test/harness/latexer_openmp_e2e.py` [446 lines] *VISIBLE end-to-end replay of Angela's OpenMP LaTeX request.*
F0124 `.claude/skills/tlamatini-daily-chat-test/harness/latexer_stepbystep_5.py` [861 lines] *Tlamatini - VISIBLE (headed Chrome) end-to-end test of FIVE escalating LaTeXer STEP-BY-STEP wizards, with a TRUTH ORACLE over the Exec Report.*
F0125 `.claude/skills/tlamatini-daily-chat-test/harness/mcp_playwright_suite.py` [218 lines] *Tlamatini — 10-MCP Playwright suite (visible Chrome).*
F0126 `.claude/skills/tlamatini-daily-chat-test/harness/model_brain_visible.py` [557 lines] *MODEL BRAIN - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-08).*
F0127 `.claude/skills/tlamatini-daily-chat-test/harness/monitor.py` [178 lines] *LIVE TEST MONITOR - a window that REFRESHES ITSELF while the test runs.*
F0128 `.claude/skills/tlamatini-daily-chat-test/harness/ollama_remote_catalog_visible.py` [505 lines] *VISIBLE proof: Config > Models asks the CONFIGURED (remote) Ollama.*
F0129 `.claude/skills/tlamatini-daily-chat-test/harness/pdf_context_visible.py` [424 lines] *PDF AS CONTEXT - VISIBLE TEST (Angela Lopez Mendoza, 2026-10-08)*
F0130 `.claude/skills/tlamatini-daily-chat-test/harness/pdfer_nuance_visible.py` [529 lines] *PDFer NUANCE / LAYOUT — THE VISIBLE TEST*
F0131 `.claude/skills/tlamatini-daily-chat-test/harness/playwrighter_run.py` [164 lines] *PLAYWRIGHTER LAUNCHER for the visible harnesses.*
F0132 `.claude/skills/tlamatini-daily-chat-test/harness/pptxer_visible.py` [781 lines] *PPTXer — THE VISIBLE TEST*
F0133 `.claude/skills/tlamatini-daily-chat-test/harness/preflight.py` [334 lines] *Make a visible test INVULNERABLE to peripheral failure.*
F0134 `.claude/skills/tlamatini-daily-chat-test/harness/qualify.py` [188 lines] *Answer qualification for the Tlamatini daily chat test.*
F0135 `.claude/skills/tlamatini-daily-chat-test/harness/questions.py` [403 lines] *Question bank generator for the Tlamatini daily chat test.*
F0136 `.claude/skills/tlamatini-daily-chat-test/harness/README.md` [118 lines] *Tlamatini Daily Chat Test — harness: A Playwright harness that drives real Chrome, logs into Tlamatini, and asks up to 1000 curated, safe-to-execute questions. . .*
F0137 `.claude/skills/tlamatini-daily-chat-test/harness/requirements.txt` [7 lines] *Python dependency list: 2 pinned requirements.*
F0138 `.claude/skills/tlamatini-daily-chat-test/harness/run_test.py` [726 lines] *Tlamatini daily chat test – Playwright harness (visible Chrome).*
F0139 `.claude/skills/tlamatini-daily-chat-test/harness/self_modify_visible.py` [481 lines] *The SELF-MODIFY box - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-03).*
F0140 `.claude/skills/tlamatini-daily-chat-test/harness/shoter_shot.py` [100 lines] *TEST SCREENSHOTS ARE TAKEN BY SHOTER, TLAMATINI'S OWN AGENT*
F0141 `.claude/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py` [381 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the Catalog-of-Prompts STEP-BY-STEP wizards (the section openers added by migrations 0181 +. . .*
F0142 `.claude/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py.antes_shoter` [381 lines] *Pre-Shoter copy of step_by_step_catalog.py kept as a comparison baseline.*
F0143 `.claude/skills/tlamatini-daily-chat-test/harness/stop_sequence_visible.py` [582 lines] *TOO MANY STOP SEQUENCES - VISIBLE end-to-end test (Angela Lopez Mendoza, 2026-10-03).*
F0144 `.claude/skills/tlamatini-daily-chat-test/harness/talk_test.py` [397 lines] *Tlamatini TALK test – Playwright harness (visible Chrome).*
F0145 `.claude/skills/tlamatini-daily-chat-test/harness/uninstaller_visible.py` [466 lines] *uninstaller_visible.py — VISIBLE end-to-end test of the Tlamatini Uninstaller.*
F0146 `.claude/skills/tlamatini-daily-chat-test/harness/video_link_visible.py` [369 lines] *VIDEO LINK TRANSCRIPTION - VISIBLE TEST (Angela Lopez Mendoza, 2026-10-11)*
F0147 `.claude/skills/tlamatini-daily-chat-test/harness/voice_commands_visible.py` [420 lines] *VISIBLE proof of the VOICE COMMANDS catalog section (Angela, 2026-09-12).*
F0148 `.claude/skills/tlamatini-daily-chat-test/harness/window-test-screen.py` [1.5k lines] *WINDOW TEST SCREEN - a graphical instrument panel Claude drives in real time.*
F0149 `.claude/skills/tlamatini-daily-chat-test/harness/windower_focus.py` [164 lines] *THE WINDOW IS BROUGHT FORWARD BY WINDOWER, TLAMATINI'S OWN AGENT*
F0150 `.claude/skills/tlamatini-daily-chat-test/harness/wrapped_questions.py` [323 lines] *One functional question per WRAPPED chat-agent in Tlamatini.*

.gemini/. . . /tlamatini-daily-chat-test/harness/ — sheet 22

F0162 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py` [358 lines] *VISIBLE TEST — the "backend is down" banner in the ACP designer (ENGLISH)*
F0163 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_backend_banner_test.py.antes_shoter` [362 lines] *Pre-Shoter copy of acp_backend_banner_test.py kept as a comparison baseline.*
F0164 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_dialog_full_sweep.py` [377 lines] *ACP DIALOG STANDARDIZATION - FULL SWEEP, DRIVEN BY PLAYWRIGHTER*
F0165 `.gemini/skills/tlamatini-daily-chat-test/harness/acp_dialog_theme_visible.py` [269 lines] *ACP RIGHT-CLICK DIALOGS - VISIBLE CHECK, DRIVEN BY PLAYWRIGHTER*
F0166 `.gemini/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py` [676 lines] *ASK-EXECS REGRESSION SUITE — the Proceed/Deny permission scheme, end to end.*
F0167 `.gemini/skills/tlamatini-daily-chat-test/harness/ask_execs_regression.py.antes_shoter` [679 lines] *Pre-Shoter copy of ask_execs_regression.py kept as a comparison baseline.*
F0168 `.gemini/skills/tlamatini-daily-chat-test/harness/bulk_toggle_behaviour.py` [291 lines] *BEHAVIOURAL proof of the SPACE-bar bulk checkbox toggle, in a REAL browser.*
F0169 `.gemini/skills/tlamatini-daily-chat-test/harness/bulk_toggle_visible.py` [199 lines] *VISIBLE proof of the SPACE-bar bulk checkbox toggle.*
F0170 `.gemini/skills/tlamatini-daily-chat-test/harness/cancel_regression.py` [571 lines] *HARD-CANCEL REGRESSION TEST — visible, headed, on Angela's real desktop.*
F0171 `.gemini/skills/tlamatini-daily-chat-test/harness/cancel_regression.py.antes_shoter` [575 lines] *Pre-Shoter copy of cancel_regression.py kept as a comparison baseline.*
F0172 `.gemini/skills/tlamatini-daily-chat-test/harness/config.py` [132 lines] *Central configuration + DOM contract for the Tlamatini daily chat test.*
F0173 `.gemini/skills/tlamatini-daily-chat-test/harness/cyber_watchdog_test.py` [463 lines] *Cybersecurity / command-watchdog stress test for Tlamatini (VISIBLE Chrome).*
F0174 `.gemini/skills/tlamatini-daily-chat-test/harness/dialog_policy_visible.py` [493 lines] *ESCAPE CLOSES EVERY DIALOG - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0175 `.gemini/skills/tlamatini-daily-chat-test/harness/dialog_theme_visible.py` [256 lines] *DIALOG STANDARDIZATION - VISIBLE REGRESSION, DRIVEN BY PLAYWRIGHTER*
F0176 `.gemini/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py` [27 lines] *Tlamatini — 1000 Discoverer tests through the REAL chat GUI, with full-screen photographic evidence (entire desktop incl. the taskbar CLOCK) for. . .*
F0177 `.gemini/skills/tlamatini-daily-chat-test/harness/discoverer_1000.py.antes_shoter` [454 lines] *Pre-Shoter copy of discoverer_1000.py kept as a comparison baseline.*
F0178 `.gemini/skills/tlamatini-daily-chat-test/harness/flowcreator_wizard_e2e.py` [374 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the NEW catalog prompt "FLOWCREATOR END-TO-END WIZARD" (prompt #108, Agents & Flows).*

F0179 `.gemini/skills/tlamatini-daily-chat-test/harness/googler_dork_hunt.py` [324 lines] *GOOGLER DORK HUNT — a named, re-runnable, VISIBLE proof of the dork builder.*
F0180 `.gemini/skills/tlamatini-daily-chat-test/harness/latexer_openmp_e2e.py` [446 lines] *VISIBLE end-to-end replay of Angela's OpenMP LaTeX request.*
F0181 `.gemini/skills/tlamatini-daily-chat-test/harness/latexer_stepbystep_5.py` [861 lines] *Tlamatini - VISIBLE (headed Chrome) end-to-end test of FIVE escalating LaTeXer STEP-BY-STEP wizards, with a TRUTH ORACLE over the Exec Report.*
F0182 `.gemini/skills/tlamatini-daily-chat-test/harness/mcp_playwright_suite.py` [218 lines] *Tlamatini — 10-MCP Playwright suite (visible Chrome).*
F0183 `.gemini/skills/tlamatini-daily-chat-test/harness/playwrighter_run.py` [164 lines] *PLAYWRIGHTER LAUNCHER for the visible harnesses.*
F0184 `.gemini/skills/tlamatini-daily-chat-test/harness/qualify.py` [188 lines] *Answer qualification for the Tlamatini daily chat test.*
F0185 `.gemini/skills/tlamatini-daily-chat-test/harness/questions.py` [403 lines] *Question bank generator for the Tlamatini daily chat test.*
F0186 `.gemini/skills/tlamatini-daily-chat-test/harness/README.md` [118 lines] *Tlamatini Daily Chat Test — harness: A Playwright harness that drives real Chrome, logs into Tlamatini, and asks up to 1000 curated, safe-to-execute questions. . .*
F0187 `.gemini/skills/tlamatini-daily-chat-test/harness/requirements.txt` [7 lines] *Python dependency list: 2 pinned requirements.*
F0188 `.gemini/skills/tlamatini-daily-chat-test/harness/run_test.py` [726 lines] *Tlamatini daily chat test – Playwright harness (visible Chrome).*
F0189 `.gemini/skills/tlamatini-daily-chat-test/harness/shoter_shot.py` [100 lines] *TEST SCREENSHOTS ARE TAKEN BY SHOTER, TLAMATINI'S OWN AGENT*
F0190 `.gemini/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py` [381 lines] *Tlamatini — VISIBLE (headed Chrome) end-to-end test of the Catalog-of-Prompts STEP-BY-STEP wizards (the section openers added by migrations 0181 +. . .*
F0191 `.gemini/skills/tlamatini-daily-chat-test/harness/step_by_step_catalog.py.antes_shoter` [381 lines] *Pre-Shoter copy of step_by_step_catalog.py kept as a comparison baseline.*
F0192 `.gemini/skills/tlamatini-daily-chat-test/harness/talk_test.py` [397 lines] *Tlamatini TALK test – Playwright harness (visible Chrome).*
F0193 `.gemini/skills/tlamatini-daily-chat-test/harness/wrapped_questions.py` [323 lines] *One functional question per WRAPPED chat-agent in Tlamatini.*

Atlas VIII — Build, release, install, security and repository root

build and release tooling — sheet 23

F0199 `.gitattributes` [14 lines] *Git attributes: line-ending and binary handling.*
F0201 `.gitignore` [462 lines] *Git ignore rules: Temp/, Templates/, databases, secrets (data.keys), build output, generated _version.py.*
F0209 `audit_dependencies.py` [185 lines] *Tlamatini dependency audit — run it on ANY interpreter, it changes nothing.*
F0214 `build.py` [2.4k lines] *build.py — Tlamatini Build Script*
F0215 `build_all.cmd` [101 lines] *build_all.cmd — Build Tlamatini end-to-end.*
F0216 `build_complete_private_release.py` [546 lines] *build_complete_private_release.py – KEYED (private) release builder.*
F0217 `build_complete_public_release.py` [956 lines] *build_complete_public_release.py – PUBLIC release builder (scrubbed + verified).*
F0219 `build_installer.py` [564 lines] *build_installer.py — Tlamatini Installer Build Script*
F0220 `build_runtime_assets.py` [526 lines] *Fail-closed runtime asset inventory shared by the application/installer builds.*
F0221 `build_uninstaller.py` [371 lines] *build_uninstaller.py — Tlamatini Uninstaller Build Script*
F0222 `check_private_data.py` [721 lines] *check_private_data.py – god-of-gods private-data leak auditor.*
F0227 `copy_source_assets.py` [989 lines] *copy_source_assets.py — generate the TlamatiniSourceCode self-modify snapshot.*
F0304 `eslint.config.mjs` [537 lines] *JavaScript module.*
F0310 `git_deny_go.py` [154 lines] *git_deny_go.py — autonomously guarantee the Go toolchain NEVER appears in git.*
F0681 `package.json` [52 lines] *Node tooling manifest (tlamatini): 24 dependencies, scripts build:canvas-editor, lint, lint:fix, lint:python.*
F0683 `pnpm-lock.yaml` [1.3k lines] *pnpm lockfile pinning the JavaScript lint tooling.*
F0685 `private_targets.example.json` [43 lines] *JSON document with keys: _README, names, emails, phones, handles.*
F0688 `pyinstaller_hooks/hook-numpy.py` [158 lines] *Tlamatini custom PyInstaller hook for numpy.*
F0689 `pyinstaller_hooks/hook-pymupdf.py` [14 lines] *Bundle native MuPDF libraries used by PDF context in the frozen web process.*
F0690 `pyinstaller_hooks/hook-torch.py` [30 lines] *Prevent PyInstaller from collecting Torch assets for the frozen web app.*
F0692 `regen_secrets.py` [567 lines] *regen_secrets.py — toggle Tlamatini config files between two modes*
F0696 `requirements-esphome.txt` [7 lines] *Python dependency list: 1 pinned requirements (private ESPHome runtime).*
F0697 `requirements.txt` [307 lines] *Python dependency list: 266 pinned requirements.*
F1997 `uncommit-keys.bat` [243 lines] *uncommit-keys.bat - Angela's secret-leak seatbelt for the Tlamatini repo.*
F2003 `versioning.py` [233 lines] *Top-level versioning helper for Tlamatini's build scripts.*

install, update and launch — sheet 23

F0208 `apply_update.ps1` [389 lines] *Tlamatini Auto-Updater Runs OUTSIDE the install directory (a copy is placed under %LOCALAPPDATA%\Tlamatini\updater by self_update.py) so it can. . .*
F0212 `backup_db.py` [206 lines] *Daily backup of Tlamatini's database.*
F0228 `CreateShortcut.json` [3 lines] *JSON document with keys: InstallDir.*
F0229 `CreateShortcut.ps1` [264 lines] *Shortcut Creator for Tlamatini Reads the installation directory from CreateShortcut.json*
F0307 `flow_file_associations.ps1` [181 lines] *Per-user registration. Never modify UserChoice, its hash, or other applications.*
F0308 `freeingport8000.ps1` [65 lines] *PowerShell script.*
F0311 `install.py` [880 lines] *Defines resolve_version(), FancyInstaller.*
F0678 `ollama_credits.py` [387 lines] *ollama_credits.py - Zero-dependency Ollama Cloud credits/usage checker.*
F0684 `preserved_user_state.json` [28 lines] *JSON document with keys: _README, preserve, _notes.*
F0693 `register_flw.ps1` [15 lines] *Run visibly in PowerShell.*
F0694 `register_fpmt.ps1` [12 lines] *Run visibly in PowerShell.*
F0695 `RemoveShortcut.ps1` [59 lines] *Shortcut Remover for Tlamatini Removes the desktop and local shortcuts created by CreateShortcut.ps1 and forces Windows Explorer to refresh so the. . .*
F0798 `setup_logging.py` [100 lines] *Private local setup transcripts, including for windowed executables.*
F0799 `setup_recovery.py` [587 lines] *Bounded, installation-scoped recovery for the standalone setup clients.*
F0800 `setup_windows.py` [271 lines] *Small, explicitly scoped Windows setup primitives; no application imports.*
F0801 `setup_wizard.py` [529 lines] *Shared, standalone presentation for the Windows setup tools.*
F0832 `Tlamatini.ps1` [69 lines] *Tlamatini PowerShell Script Executes the Django development server with –noreload flag and automatically opens the browser on the configured web. . .*
F1998 `uninstall.py` [1.6k lines] *uninstall.py — Tlamatini Uninstaller*
F1999 `uninstall_processes.py` [147 lines] *Installation-scoped process cleanup for the standalone Windows uninstaller.*
F2000 `unregister_flw.ps1` [15 lines] *Run visibly in PowerShell.*
F2001 `unregister_fpmt.ps1` [12 lines] *Run visibly in PowerShell.*

root stdio MCP server — sheet 23

F0202 `.mcp.json` [8 lines] *JSON document with keys: mcpServers.*
F1992 `tlamatini_acpx.py` [986 lines] *Self-contained ACPX runtime for the Tlamatini MCP server.*
F1996 `tlamatini_mcp_server.py` [770 lines] *Tlamatini Agents — MCP server.*

security/ · security arsenal — sheet 23

F0787 `security/automated_tests_of_security_assets.py` [128 lines] *Non-admin regression checks, run only in a confirmed visible console.*
F0788 `security/enable_tlamatini_v2.bat` [734 lines] *Generated from tlamatini_whitelist_v2.ps1 + windows_access_helpers.ps1.*
F0789 `security/README.md` [139 lines] *Tlamatini Windows access and Blue-hat toolkit: Double-click enable_tlamatini_v2.bat when you want to apply Windows access settings, approve its UAC prompt. . .*
F0790 `security/run_defender.bat` [20 lines] *Default is report-only: no process kills and no firewall block additions.*
F0791 `security/sync_enable_launcher.py` [65 lines] *Regenerate the standalone enable launcher from its reviewed PowerShell sources.*
F0792 `security/test_security_syntax.ps1` [13 lines] *Parser only: no enablement or defender workloads are executed.*
F0793 `security/test_windows_access.ps1` [119 lines] *Non-admin behavior tests: every Windows-policy mutation below is a mock.*
F0794 `security/tlamatini_defender.ps1` [718 lines] *TLAMATINI DEFENDER - REPORT-ONLY BY DEFAULT, OPTIONAL RESPONSE (v2.2) Purpose: Real-time intrusion detection and automated defensive response.*
F0795 `security/tlamatini_whitelist_v2.ps1` [567 lines] *TLAMATINI SECURITY WHITELIST SCRIPT v2.3 - VERIFIED APPLICATION ACCESS Purpose: Adds Tlamatini to Windows security exclusions AND grants it. . .*
F0796 `security/verify_agent_execution.py` [132 lines] *Check real non-admin execution without running model jobs or applying policy.*
F0797 `security/windows_access_helpers.ps1` [128 lines] *Pure helper definitions.*

CI and scanning policy — sheet 23

F0200 `.github/workflows/name-guard.yml` [99 lines] *YAML document: keys name, on, permissions, concurrency, jobs.*
F0203 `.scanning/finding-policy.json` [94 lines] *JSON document with keys: bandit, semgrep.*

demo flows — sheet 23

F0676 `MCPMemoriesFlowCreation.flw` [434 lines] *Agentic flow (.flw) for the Agentic Control Panel with 17 nodes.*

repository root · media, documents and license — sheet 23

F0218 `build_env.py` [323 lines] *The SEALED build Python: what you install on this machine can never reach a release.*
F0226 `ConfigureModels.png` [146KB] *Image (PNG): ConfigureModels.*
F0675 `LICENSE` [21 lines] *MIT license of Tlamatini.*
F0679 `OllamaPricing.png` [178KB] *Image (PNG): OllamaPricing.*
F0680 `OOB_shift_reaper-and-NAMU-Design.pdf` [47KB] *PDF document: OOB shift reaper-and-NAMU-Design.*
F0686 `PromptDesigner.jpg` [106KB] *Image (JPG): PromptDesigner.*
F0687 `pyinstaller_guard.py` [211 lines] *Run PyInstaller so a Tlamatini release build cannot die on the build machine's clutter.*
F0830 `Tlamatini.ico` [38KB] *Tlamatini application icon.*
F0831 `Tlamatini.jpg` [15KB] *Image (JPG): Tlamatini.*
F1993 `tlamatini_app_summary.pdf` [2.9MB] *PDF document: tlamatini app summary.*
F1994 `Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx` [5.1MB] *Project presentation deck generated by the dossier generator.*

Atlas IX — Knowledge and governance

Localización de la edición en español — sheet 24

F0313 `l10n/BASE_INGLES.json` [1.9k lines] *JSON document with keys: ingles, commit, fecha_commit, titulo_commit, copiado, archivos, vendorizados_ignorados +1 more.*
F0314 `l10n/bases/.gitattributes` [1 lines] *.patch -text*
F0315 `l10n/bases/1b2645e7b212044e70ecba92b92439b93b37b382ee9990db8a8cd6581a793fcc.patch` [3.9k lines] *Patch recorded together with the change note 1b2645e7b212044e70ecba92b92439b93b37b3. . .*
F0316 `l10n/bases/2512d8fb9fd98e37afeea294783abd3a9a5fbbffd8db51c8271ca4e63b434421.patch` [4.2k lines] *Patch recorded together with the change note 2512d8fb9fd98e37afeea294783abd3a9a5fbb. . .*
F0317 `l10n/bases/27157c2c8be06e8dd10c483571c886a85464237cedd46b81138d1fdf39edd9e8.patch` [11k lines] *Patch recorded together with the change note 27157c2c8be06e8dd10c483571c886a8546423. . .*
F0318 `l10n/bases/2751969c44ed929fbe3b646bf87de632fe3ad986a496f21ac30d1171f3bb7646.patch` [6.8k lines] *Patch recorded together with the change note 2751969c44ed929fbe3b646bf87de632fe3ad9. . .*
F0319 `l10n/bases/3b2af0b96a1581e601c8e372b94b52d40c13e35d3daa267b36697316fd8d6db8.patch` [3.9k lines] *Patch recorded together with the change note 3b2af0b96a1581e601c8e372b94b52d40c13e3. . .*
F0320 `l10n/bases/5214eb2fa47b69397a9cbcaceffd477b8a2b2ab4e11cac4333a7edaa5ec8ae1d.patch` [11k lines] *Patch recorded together with the change note 5214eb2fa47b69397a9cbcaceffd477b8a2b2a. . .*
F0321 `l10n/bases/c137100a9c7d5ea022a7fcd533e2e9ac2706806a7ce2e41096462e9a368ff5b0.patch` [6.9k lines] *Patch recorded together with the change note c137100a9c7d5ea022a7fcd533e2e9ac270680. . .*
F0322 `l10n/bases/ebb7ebd2883e0ede07b38eeb3fa6f0cc0e2aa5ec63f903273a0f1b3b0c457f6f.patch` [2.8k lines] *Patch recorded together with the change note ebb7ebd2883e0ede07b38eeb3fa6f0cc0e2aa5. . .*
F0323 `l10n/bases/Torrenter.md` [42 lines] *Porteo de Torrenter · 31 de octubre de 2026: Solicitud de Angela, conservada para la bitácora de cambios*
F0324 `l10n/GLOSARIO.md` [198 lines] *Glosario de Tlamatini-Spanish: Terminología de la interfaz en español de México.*
F0325 `l10n/GUIA_DE_PORTEO.md` [472 lines] *Guía de porteo: Tlamatini al español de México: Esta guía explica cómo se construye y cómo se mantiene Tlamatini-Spanish a partir de Tlamatini (inglés).*
F0326 `l10n/herramientas/acoples.py` [105 lines] *Índice de los textos que el código COMPARA, para traducir productor y matcher juntos.*
F0327 `l10n/herramientas/base_ingles.py` [80 lines] *Lectura rápida de los originales ingleses del commit base (git cat-file –batch).*
F0328 `l10n/herramientas/decidir.py` [140 lines] *Convierte respuestas por id (texto visible en español) en decisiones de memoria.*
F0329 `l10n/herramientas/estructura.py` [323 lines] *Verificaciones estructurales: entre el original inglés y su versión en español sólo pueden cambiar los TEXTOS.*
F0330 `l10n/herramientas/extraer.py` [335 lines] *Extrae los textos candidatos a traducción de un archivo, con su contexto.*
F0331 `l10n/herramientas/html_segmentos.py` [94 lines] *Nodos de texto y atributos traducibles de una plantilla HTML de Django, con offsets en bytes.*
F0332 `l10n/herramientas/identidad_es.py` [390 lines] *Identidad de sistema operativo de Tlamatini-Spanish (decisión de Angela, 2026-10-25).*
F0333 `l10n/herramientas/js_cadenas.cjs` [103 lines] *Creado por Angela López Mendoza · @angelahack1 Desarrolladora · Arquitecta · Creadora de Tlamatini*
F0334 `l10n/herramientas/js_tokens.cjs` [32 lines] *Creado por Angela López Mendoza · @angelahack1 Desarrolladora · Arquitecta · Creadora de Tlamatini*
F0335 `l10n/herramientas/memoria.py` [84 lines] *Núcleo de la memoria de traducción: aplicar pares en→es byte a byte.*
F0336 `l10n/herramientas/memorizar.py` [72 lines] *Incorpora decisiones de traducción a la memoria de un archivo.*
F0337 `l10n/herramientas/pendientes.py` [80 lines] *Textos de pantalla que siguen en inglés: ni traducidos ni conservados a propósito.*
F0338 `l10n/herramientas/py_cadenas.py` [77 lines] *Cada literal de cadena de un archivo Python, con sus offsets en bytes y su contexto.*
F0339 `l10n/herramientas/revisar.py` [116 lines] *Revisión de cada par en→es, al estilo de pofilter (Translate Toolkit).*
F0340 `l10n/herramientas/verificar.py` [295 lines] *Verificación completa del árbol en español contra su base inglesa.*
F0341 `l10n/memoria/.claude/skills/tlamatini-daily-chat-test/harness/config.py.json` [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0342 `l10n/memoria/.claude/skills/tlamatini-self-modify-inclusion/SKILL.md.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0343 `l10n/memoria/.claude/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0344 `l10n/memoria/.claude/skills/tlamatini-self-update-inclusion/SKILL.md.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0345 `l10n/memoria/.gemini/skills/tlamatini-daily-chat-test/harness/config.py.json` [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0346 `l10n/memoria/.gemini/skills/tlamatini-self-modify-inclusion/SKILL.md.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0347 `l10n/memoria/.gemini/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0348 `l10n/memoria/.gemini/skills/tlamatini-self-update-inclusion/SKILL.md.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0349 `l10n/memoria/agents_descriptions.md.json` [744 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0350 `l10n/memoria/apply_update.ps1.json` [340 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0351 `l10n/memoria/build.py.json` [42 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0352 `l10n/memoria/build_complete_private_release.py.json` [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0353 `l10n/memoria/build_complete_public_release.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0354 `l10n/memoria/build_env.py.json` [26 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0355 `l10n/memoria/build_installer.py.json` [28 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0356 `l10n/memoria/build_runtime_assets.py.json` [29 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0357 `l10n/memoria/build_uninstaller.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0358 `l10n/memoria/copy_source_assets.py.json` [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0359 `l10n/memoria/CreateShortcut.ps1.json` [246 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0360 `l10n/memoria/docs/agent-coverage.md.json` [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0361 `l10n/memoria/docs/oob-namu-lifecycle.md.json` [106 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0362 `l10n/memoria/docs/self-management-carriage.md.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0363 `l10n/memoria/docs/torrenter.md.json` [197 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0364 `l10n/memoria/flow_file_associations.ps1.json` [84 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0365 `l10n/memoria/freeingport8000.ps1.json` [106 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0366 `l10n/memoria/install.py.json` [403 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0367 `l10n/memoria/preserved_user_state.json.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0368 `l10n/memoria/README.md.json` [733 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0369 `l10n/memoria/RemoveShortcut.ps1.json` [88 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0370 `l10n/memoria/requirements.txt.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0371 `l10n/memoria/scripts/check_requirements_coverage.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0372 `l10n/memoria/scripts/flow_file_associations_test.ps1.json` [42 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0373 `l10n/memoria/scripts/refresh_supporting_pdfs.py.json` [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0374 `l10n/memoria/scripts/update_flow_catalog.py.json` [26 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0375 `l10n/memoria/security/enable_tlamatini_v2.bat.json` [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0376 `l10n/memoria/security/tlamatini_defender.ps1.json` [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0377 `l10n/memoria/security/tlamatini_whitelist_v2.ps1.json` [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0378 `l10n/memoria/setup_logging.py.json` [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0379 `l10n/memoria/setup_recovery.py.json` [277 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0380 `l10n/memoria/setup_windows.py.json` [126 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0381 `l10n/memoria/setup_wizard.py.json` [451 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0382 `l10n/memoria/Tests/test_build_env_concurrency.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0383 `l10n/memoria/Tests/test_release_version_pinning.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0384 `l10n/memoria/Tests/test_requirements_coverage.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0385 `l10n/memoria/Tests/test_setup_release_paths.py.json` [62 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0386 `l10n/memoria/Tests/test_update_client_carriage.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0387 `l10n/memoria/Tlamatini.ps1.json` [81 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0388 `l10n/memoria/Tlamatini/agent/access_key_wizard.py.json` [222 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0389 `l10n/memoria/Tlamatini/agent/agents/arduiner/arduiner.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0390 `l10n/memoria/Tlamatini/agent/agents/camcorder/camcorder.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0391 `l10n/memoria/Tlamatini/agent/agents/discoverer/discoverer.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0392 `l10n/memoria/Tlamatini/agent/agents/esp32er/esp32er.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0393 `l10n/memoria/Tlamatini/agent/agents/esphomer/esphomer.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0394 `l10n/memoria/Tlamatini/agent/agents/executer/config.yaml.json` [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0395 `l10n/memoria/Tlamatini/agent/agents/executer/executer.py.json` [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0396 `l10n/memoria/Tlamatini/agent/agents/flowcreator/flow_catalog.json.json` [442 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0397 `l10n/memoria/Tlamatini/agent/agents/googler/googler_engines.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0398 `l10n/memoria/Tlamatini/agent/agents/latexer/latexer.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0399 `l10n/memoria/Tlamatini/agent/agents/mcp_doctor/mcp_doctor.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0400 `l10n/memoria/Tlamatini/agent/agents/model_settings.py.json` [265 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0401 `l10n/memoria/Tlamatini/agent/agents/netspeed_calculator/netspeed_calculator.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0402 `l10n/memoria/Tlamatini/agent/agents/nmapper/nmapper.py.json` [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0403 `l10n/memoria/Tlamatini/agent/agents/stm32er/stm32er.py.json` [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0404 `l10n/memoria/Tlamatini/agent/agents/talker/config.yaml.json` [24 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0405 `l10n/memoria/Tlamatini/agent/agents/talker/talker.py.json` [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0406 `l10n/memoria/Tlamatini/agent/agents/teletlamatini/config.yaml.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0407 `l10n/memoria/Tlamatini/agent/agents/teletlamatini/teletlamatini.py.json` [349 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0408 `l10n/memoria/Tlamatini/agent/agents/terminater/terminater_engine.py.json` [16 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0409 `l10n/memoria/Tlamatini/agent/agents/torrenter/activity.py.json` [205 lines] *JSON document with keys: archivo, segmentos.*
F0410 `l10n/memoria/Tlamatini/agent/agents/torrenter/client.py.json` [106 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0411 `l10n/memoria/Tlamatini/agent/agents/torrenter/contract.py.json` [116 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0412 `l10n/memoria/Tlamatini/agent/agents/torrenter/sources.py.json` [36 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0413 `l10n/memoria/Tlamatini/agent/agents/torrenter/torrenter.py.json` [61 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0414 `l10n/memoria/Tlamatini/agent/agents/video_analyzer/video_fetch.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0415 `l10n/memoria/Tlamatini/agent/agents/whisperer/config.yaml.json` [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0416 `l10n/memoria/Tlamatini/agent/canvas_file_views.py.json` [151 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0417 `l10n/memoria/Tlamatini/agent/chain_files_search_lcel.py.json` [394 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0418 `l10n/memoria/Tlamatini/agent/chain_system_lcel.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0419 `l10n/memoria/Tlamatini/agent/chat_agent_registry.py.json` [38 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0420 `l10n/memoria/Tlamatini/agent/chat_voice_settings.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0421 `l10n/memoria/Tlamatini/agent/compact_mode.py.json` [254 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0422 `l10n/memoria/Tlamatini/agent/config.json.json` [36 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0423 `l10n/memoria/Tlamatini/agent/config_loader.py.json` [41 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0424 `l10n/memoria/Tlamatini/agent/constants.py.json` [250 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0425 `l10n/memoria/Tlamatini/agent/consumers.py.json` [878 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0426 `l10n/memoria/Tlamatini/agent/contacts.py.json` [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0427 `l10n/memoria/Tlamatini/agent/context_baseline.py.json` [194 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0428 `l10n/memoria/Tlamatini/agent/context_governor.py.json` [251 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0429 `l10n/memoria/Tlamatini/agent/doc_generation/complete_project_docs.py.json` [284 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0430 `l10n/memoria/Tlamatini/agent/doc_generation/dossier_content.py.json` [13k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0431 `l10n/memoria/Tlamatini/agent/doc_generation/dossier_editor_content.py.json` [1.2k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0432 `l10n/memoria/Tlamatini/agent/doc_generation/dossier_pdf.py.json` [472 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0433 `l10n/memoria/Tlamatini/agent/doc_generation/dossier_pptx.py.json` [321 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0434 `l10n/memoria/Tlamatini/agent/doc_generation/dossier_verify.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0435 `l10n/memoria/Tlamatini/agent/embedding_memory_guard.py.json` [95 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0436 `l10n/memoria/Tlamatini/agent/external_mcp_defaults.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0437 `l10n/memoria/Tlamatini/agent/external_mcp_manager.py.json` [785 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0438 `l10n/memoria/Tlamatini/agent/external_mcps.json.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0439 `l10n/memoria/Tlamatini/agent/flow_file_open.py.json` [228 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0440 `l10n/memoria/Tlamatini/agent/flow_file_views.py.json` [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0441 `l10n/memoria/Tlamatini/agent/interaction_settings.py.json` [312 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0442 `l10n/memoria/Tlamatini/agent/interactor/consumer.py.json` [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0443 `l10n/memoria/Tlamatini/agent/interactor/editor.mjs.json` [47 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0444 `l10n/memoria/Tlamatini/agent/interactor/protocol.py.json` [34 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0445 `l10n/memoria/Tlamatini/agent/management/commands/check_prompt_flow_panel.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0446 `l10n/memoria/Tlamatini/agent/management/commands/enroll_torrenter.py.json` [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0447 `l10n/memoria/Tlamatini/agent/mcp_agent.py.json` [1.4k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0448 `l10n/memoria/Tlamatini/agent/mcp_files_search_client.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0449 `l10n/memoria/Tlamatini/agent/mcp_files_search_server.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0450 `l10n/memoria/Tlamatini/agent/mcp_system_client.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0451 `l10n/memoria/Tlamatini/agent/mcp_system_server.py.json` [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0452 `l10n/memoria/Tlamatini/agent/migrations/0001_initial.py.json` [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0453 `l10n/memoria/Tlamatini/agent/migrations/0002_populate_db.py.json` [390 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0454 `l10n/memoria/Tlamatini/agent/migrations/0062_sync_agent_control_tools_and_prompts.py.json` [55 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0455 `l10n/memoria/Tlamatini/agent/migrations/0063_add_agent_parametrizer_prompt.py.json` [20 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0456 `l10n/memoria/Tlamatini/agent/migrations/0072_add_acpx_demo_prompts.py.json` [666 lines] *JSON document with keys: archivo, segmentos, conservar.*

F0457 l10n/memoria/Tlamatini/agent/migrations/0073_acpx_demo_gemini_uplift.py.json [1.3k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0458 l10n/memoria/Tlamatini/agent/migrations/0074_simplify_demo_prompts.py.json [863 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0459 l10n/memoria/Tlamatini/agent/migrations/0087_add_unrealer_demo_prompt.py.json [467 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0460 l10n/memoria/Tlamatini/agent/migrations/0090_add_reviewer_analyzer_demo_prompts.py.json [391 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0461 l10n/memoria/Tlamatini/agent/migrations/0095_add_windower_playwrighter_demo_prompts.py.json [35 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0462 l10n/memoria/Tlamatini/agent/migrations/0096_add_director_virtuoso_demo_prompts.py.json [23 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0463 l10n/memoria/Tlamatini/agent/migrations/0099_add_kalier_demo_prompts.py.json [578 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0464 l10n/memoria/Tlamatini/agent/migrations/0100_add_unrealer_extended_demo_prompts.py.json [851 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0465 l10n/memoria/Tlamatini/agent/migrations/0103_add_stm32er_demo_prompts.py.json [954 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0466 l10n/memoria/Tlamatini/agent/migrations/0104_fix_stm32er_hil_serial_proof.py.json [494 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0467 l10n/memoria/Tlamatini/agent/migrations/0107_add_esp32er_demo_prompts.py.json [977 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0468 l10n/memoria/Tlamatini/agent/migrations/0108_add_flow_making_demo_prompt.py.json [190 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0469 l10n/memoria/Tlamatini/agent/migrations/0111_add_arduiner_demo_prompts.py.json [1.0k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0470 l10n/memoria/Tlamatini/agent/migrations/0122_add_talker_demo_prompt.py.json [215 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0471 l10n/memoria/Tlamatini/agent/migrations/0125_add_whisperer_demo_prompt.py.json [137 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0472 l10n/memoria/Tlamatini/agent/migrations/0128_add_blenderer_demo_prompts.py.json [219 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0473 l10n/memoria/Tlamatini/agent/migrations/0131_add_editor_demo_prompts.py.json [157 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0474 l10n/memoria/Tlamatini/agent/migrations/0134_add_grepper_demo_prompts.py.json [148 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0475 l10n/memoria/Tlamatini/agent/migrations/0137_add_globber_demo_prompts.py.json [143 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0476 l10n/memoria/Tlamatini/agent/migrations/0140_add_esphomer_demo_prompts.py.json [566 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0477 l10n/memoria/Tlamatini/agent/migrations/0143_add_mcp_doctor_demo_prompt.py.json [117 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0478 l10n/memoria/Tlamatini/agent/migrations/0144_insert_java17_maven_demo_prompt_at_5.py.json [84 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0479 l10n/memoria/Tlamatini/agent/migrations/0145_insert_createsuperuser_wizard_prompt_at_1.py.json [22 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0480 l10n/memoria/Tlamatini/agent/migrations/0146_update_createsuperuser_wizard_continuation.py.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0481 l10n/memoria/Tlamatini/agent/migrations/0147_add_unreal_game_demo_prompts.py.json [26 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0482 l10n/memoria/Tlamatini/agent/migrations/0148_add_discoverer_demo_prompts.py.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0483 l10n/memoria/Tlamatini/agent/migrations/0151_retire_old_messaging_add_telegrammer.py.json [61 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0484 l10n/memoria/Tlamatini/agent/migrations/0154_add_instant_messaging_doctor_demo_prompt.py.json [51 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0485 l10n/memoria/Tlamatini/agent/migrations/0155_add_contact_scaffold_demo_prompt.py.json [20 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0486 l10n/memoria/Tlamatini/agent/migrations/0156_add_telegrammer_identity_demo_prompts.py.json [94 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0487 l10n/memoria/Tlamatini/agent/migrations/0157_add_whatsapper_identity_demo_prompt.py.json [54 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0488 l10n/memoria/Tlamatini/agent/migrations/0158_redesign_messaging_demo_prompts.py.json [44 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0489 l10n/memoria/Tlamatini/agent/migrations/0161_add_zavuerer_demo_prompts.py.json [38 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0490 l10n/memoria/Tlamatini/agent/migrations/0162_add_zavuerer_catalog_prompts.py.json [106 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0491 l10n/memoria/Tlamatini/agent/migrations/0163_add_zavuerer_get_key_wizard_prompt.py.json [122 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0492 l10n/memoria/Tlamatini/agent/migrations/0164_dedup_zavuerer_setup_wizards.py.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0493 l10n/memoria/Tlamatini/agent/migrations/0165_add_image_interpreter_triple_model_demo_prompt.py.json [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0494 l10n/memoria/Tlamatini/agent/migrations/0168_add_video_analyzer_demo_prompt.py.json [84 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0495 l10n/memoria/Tlamatini/agent/migrations/0169_add_discoverer_cvemap_latest_demo_prompt.py.json [14 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0496 l10n/memoria/Tlamatini/agent/migrations/0172_add_nmapper_demo_prompts.py.json [90 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0497 l10n/memoria/Tlamatini/agent/migrations/0173_add_unreal_scaffold_demo_prompt.py.json [282 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0498 l10n/memoria/Tlamatini/agent/migrations/0174_unreal_scaffold_build_project_tip.py.json [46 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0499 l10n/memoria/Tlamatini/agent/migrations/0175_prompt_category_and_dedup.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0500 l10n/memoria/Tlamatini/agent/migrations/0176_delete_duplicate_acpx_prompts.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0501 l10n/memoria/Tlamatini/agent/migrations/0177_add_stm32er_platformio_demo_prompt.py.json [140 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0502 l10n/memoria/Tlamatini/agent/migrations/0178_add_stm32_stepwise_blink_camera_prompts.py.json [384 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0503 l10n/memoria/Tlamatini/agent/migrations/0179_regroup_resort_prompts_no_gaps.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0504 l10n/memoria/Tlamatini/agent/migrations/0180_add_kalier_setup_wizard_prompt.py.json [378 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0505 l10n/memoria/Tlamatini/agent/migrations/0181_prompt_sort_rank.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0506 l10n/memoria/Tlamatini/agent/migrations/0182_add_step_by_step_section_openers.py.json [92 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0507 l10n/memoria/Tlamatini/agent/migrations/0183_standardize_security_recon_prompts.py.json [69 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0508 l10n/memoria/Tlamatini/agent/migrations/0184_standardize_prompt_params_batch2.py.json [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0509 l10n/memoria/Tlamatini/agent/migrations/0185_standardize_prompt_params_batch3.py.json [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0510 l10n/memoria/Tlamatini/agent/migrations/0186_add_chat_agent_flowcreator.py.json [115 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0511 l10n/memoria/Tlamatini/agent/migrations/0187_add_flowcreator_end_to_end_wizard_prompt.py.json [20 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0512 l10n/memoria/Tlamatini/agent/migrations/0190_add_pdfer_demo_prompts.py.json [44 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0513 l10n/memoria/Tlamatini/agent/migrations/0193_add_latexer_demo_prompts.py.json [38 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0514 l10n/memoria/Tlamatini/agent/migrations/0194_add_deep_research_demo_prompt.py.json [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0515 l10n/memoria/Tlamatini/agent/migrations/0197_add_netspeed_calculator_demo_prompt.py.json [139 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0516 l10n/memoria/Tlamatini/agent/migrations/0198_add_pdfer_nuance_demo_prompt.py.json [268 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0517 l10n/memoria/Tlamatini/agent/migrations/0200_whisperer_demo_prompt_sound_gate.py.json [38 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0518 l10n/memoria/Tlamatini/agent/migrations/0201_add_voice_commands_section.py.json [47 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0519 l10n/memoria/Tlamatini/agent/migrations/0204_add_pptxer_demo_prompts.py.json [159 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0520 l10n/memoria/Tlamatini/agent/migrations/0205_silence_window_default_3_5_seconds.py.json [39 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0521 l10n/memoria/Tlamatini/agent/migrations/0206_qwen35_cloud_model_tag_rename.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0522 l10n/memoria/Tlamatini/agent/migrations/0207_video_analyzer_content_prompts.py.json [66 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0523 l10n/memoria/Tlamatini/agent/migrations/0208_video_demo_config_models.py.json [34 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0524 l10n/memoria/Tlamatini/agent/migrations/0209_retire_qwen35_vision_model.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0525 l10n/memoria/Tlamatini/agent/migrations/0210_strict_visual_analysis_prompt_contract.py.json [36 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0526 l10n/memoria/Tlamatini/agent/migrations/0214_prune_agent_catalog.py.json [66 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0527 l10n/memoria/Tlamatini/agent/migrations/0217_add_terminater_demo_prompts.py.json [29 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0528 l10n/memoria/Tlamatini/agent/migrations/0218_add_interactor_tool.py.json [59 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0529 l10n/memoria/Tlamatini/agent/migrations/0219_user_wizard_graphical_notifications.py.json [127 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0530 l10n/memoria/Tlamatini/agent/migrations/0221_torrenter.py.json [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0531 l10n/memoria/Tlamatini/agent/model_brain.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0532 l10n/memoria/Tlamatini/agent/native_dialogs.py.json [62 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0533 l10n/memoria/Tlamatini/agent/path_guard.py.json [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0534 l10n/memoria/Tlamatini/agent/pdf_context.py.json [139 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0535 l10n/memoria/Tlamatini/agent/pdf_context_jobs.py.json [51 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0536 l10n/memoria/Tlamatini/agent/pdf_context_views.py.json [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0537 l10n/memoria/Tlamatini/agent/prompt.pmt.json [24 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0538 l10n/memoria/Tlamatini/agent/prompt_flow_panel_consumer.py.json [46 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0539 l10n/memoria/Tlamatini/agent/rag/binary_guard.py.json [238 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0540 l10n/memoria/Tlamatini/agent/rag/chains/base.py.json [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0541 l10n/memoria/Tlamatini/agent/rag/chains/history_aware.py.json [227 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0542 l10n/memoria/Tlamatini/agent/rag/chains/unified.py.json [485 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0543 l10n/memoria/Tlamatini/agent/rag/factory.py.json [362 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0544 l10n/memoria/Tlamatini/agent/rag/interface.py.json [639 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0545 l10n/memoria/Tlamatini/agent/runtime_provisioner.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0546 l10n/memoria/Tlamatini/agent/self_healing.py.json [252 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0547 l10n/memoria/Tlamatini/agent/self_update.py.json [165 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0548 l10n/memoria/Tlamatini/agent/services/filesystem.py.json [16 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0549 l10n/memoria/Tlamatini/agent/services/flow_compiler.py.json [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0550 l10n/memoria/Tlamatini/agent/services/prompt_flow_panel.py.json [414 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0551 l10n/memoria/Tlamatini/agent/services/response_parser.py.json [162 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0552 l10n/memoria/Tlamatini/agent/static/agent/interactor/bridge.js.json [221 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0553 l10n/memoria/Tlamatini/agent/static/agent/js/access_keys_wizard.js.json [247 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0554 l10n/memoria/Tlamatini/agent/static/agent/js/acp-canvas-core.js.json [150 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0555 l10n/memoria/Tlamatini/agent/static/agent/js/acp-canvas-undo.js.json [16 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0556 l10n/memoria/Tlamatini/agent/static/agent/js/acp-connection-status.js.json [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0557 l10n/memoria/Tlamatini/agent/static/agent/js/acp-control-buttons.js.json [221 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0558 l10n/memoria/Tlamatini/agent/static/agent/js/acp-editor-tools.js.json [153 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0559 l10n/memoria/Tlamatini/agent/static/agent/js/acp-file-io.js.json [142 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0560 l10n/memoria/Tlamatini/agent/static/agent/js/acp-flow-snapshot.js.json [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0561 l10n/memoria/Tlamatini/agent/static/agent/js/acp-globals.js.json [63 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0562 l10n/memoria/Tlamatini/agent/static/agent/js/acp-layout.js.json [16 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0563 l10n/memoria/Tlamatini/agent/static/agent/js/acp-parametrizer-dialog.js.json [143 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0564 l10n/memoria/Tlamatini/agent/static/agent/js/acp-validate.js.json [156 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0565 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_canvas.js.json [280 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0566 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_chat.js.json [633 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0567 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_context.js.json [52 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0568 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_dialogs.js.json [268 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0569 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_editing.js.json [136 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0570 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_init.js.json [699 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0571 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_layout.js.json [81 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0572 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_markdown.js.json [71 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0573 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_pdf.js.json [91 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0574 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_state.js.json [46 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0575 l10n/memoria/Tlamatini/agent/static/agent/js/agent_page_ui.js.json [75 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0576 l10n/memoria/Tlamatini/agent/static/agent/js/avatar.js.json [314 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0577 l10n/memoria/Tlamatini/agent/static/agent/js/avatar_size.js.json [31 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0578 l10n/memoria/Tlamatini/agent/static/agent/js/canvas_item_dialog.js.json [259 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0579 l10n/memoria/Tlamatini/agent/static/agent/js/chat_dictation.js.json [201 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0580 l10n/memoria/Tlamatini/agent/static/agent/js/chat_image_paste.js.json [50 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0581 l10n/memoria/Tlamatini/agent/static/agent/js/chat_table_contrast.js.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0582 l10n/memoria/Tlamatini/agent/static/agent/js/checkbox_bulk_toggle.js.json [25 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0583 l10n/memoria/Tlamatini/agent/static/agent/js/compact_costs.js.json [122 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0584 l10n/memoria/Tlamatini/agent/static/agent/js/contacts_dialog.js.json [185 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0585 l10n/memoria/Tlamatini/agent/static/agent/js/context_gauge.js.json [312 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0586 l10n/memoria/Tlamatini/agent/static/agent/js/contextual_menus.js.json [71 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0587 l10n/memoria/Tlamatini/agent/static/agent/js/dialog_policy.js.json [71 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0588 l10n/memoria/Tlamatini/agent/static/agent/js/external_mcps_dialog.js.json [251 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0589 l10n/memoria/Tlamatini/agent/static/agent/js/file_drop_router.js.json [471 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0590 l10n/memoria/Tlamatini/agent/static/agent/js/interaction_settings.js.json [125 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0591 l10n/memoria/Tlamatini/agent/static/agent/js/mic_settings.js.json [72 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0592 l10n/memoria/Tlamatini/agent/static/agent/js/model_brain_tuning.js.json [269 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0593 l10n/memoria/Tlamatini/agent/static/agent/js/model_capacity.js.json [447 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0594 l10n/memoria/Tlamatini/agent/static/agent/js/pdf_canvas_viewer.js.json [56 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0595 l10n/memoria/Tlamatini/agent/static/agent/js/pdf_context_progress.js.json [101 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0596 l10n/memoria/Tlamatini/agent/static/agent/js/prompt-flow-panel-model.js.json [472 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0597 l10n/memoria/Tlamatini/agent/static/agent/js/prompt-flow-panel.js.json [1.0k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0598 l10n/memoria/Tlamatini/agent/static/agent/js/release_notes_renderer.js.json [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0599 l10n/memoria/Tlamatini/agent/static/agent/js/self_modify_switch.js.json [171 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0600 l10n/memoria/Tlamatini/agent/static/agent/js/shared-runtime-dialogs.js.json [83 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0601 l10n/memoria/Tlamatini/agent/static/agent/js/skills_dialog.js.json [247 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0602 l10n/memoria/Tlamatini/agent/static/agent/js/terminater_dock.js.json [483 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0603 l10n/memoria/Tlamatini/agent/static/agent/js/tools_dialog.js.json [131 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0604 l10n/memoria/Tlamatini/agent/static/agent/js/usage_dashboard.js.json [697 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0605 l10n/memoria/Tlamatini/agent/static/agent/js/voice_runtime.js.json [42 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0606 l10n/memoria/Tlamatini/agent/static/agent/js/welcome_enter_default.js.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0607 l10n/memoria/Tlamatini/agent/static/agent/pdf/canvas.html.json [119 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0608 l10n/memoria/Tlamatini/agent/static/agent/vendor/canvas-editor/editor.js.json [26 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0609 l10n/memoria/Tlamatini/agent/static/agent/vendor/canvas-editor/manifest.json.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0610 l10n/memoria/Tlamatini/agent/templates/admin/base_site.html.json [16 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0611 l10n/memoria/Tlamatini/agent/templates/agent/agent_page.html.json [1.4k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0612 l10n/memoria/Tlamatini/agent/templates/agent/agentic_control_panel.html.json [376 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0613 l10n/memoria/Tlamatini/agent/templates/agent/interaction_settings.html.json [141 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0614 l10n/memoria/Tlamatini/agent/templates/agent/interactor.html.json [81 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0615 l10n/memoria/Tlamatini/agent/templates/agent/login.html.json [46 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0616 l10n/memoria/Tlamatini/agent/templates/agent/prompt_flow_panel.html.json [321 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0617 l10n/memoria/Tlamatini/agent/templates/agent/torrenter_sources.html.json [121 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0618 l10n/memoria/Tlamatini/agent/templates/agent/usage_dialog.html.json [227 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0619 l10n/memoria/Tlamatini/agent/templates/agent/welcome.html.json [36 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0620 l10n/memoria/Tlamatini/agent/terminal_consumer.py.json [21 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0621 l10n/memoria/Tlamatini/agent/terminal_hub.py.json [31 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0622 l10n/memoria/Tlamatini/agent/terminal_views.py.json [22 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0623 l10n/memoria/Tlamatini/agent/terminater_tool.py.json [286 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0624 l10n/memoria/Tlamatini/agent/test_agent_manifest.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0625 l10n/memoria/Tlamatini/agent/test_build_env.py.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0626 l10n/memoria/Tlamatini/agent/test_build_root_assets.py.json [17 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0627 l10n/memoria/Tlamatini/agent/test_build_scripts.py.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0628 l10n/memoria/Tlamatini/agent/test_createsuperuser_wizard.py.json [39 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0629 l10n/memoria/Tlamatini/agent/test_deep_research_prompt.py.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0630 l10n/memoria/Tlamatini/agent/test_django_port_config.py.json [78 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0631 l10n/memoria/Tlamatini/agent/test_executer_shell_request.py.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0632 l10n/memoria/Tlamatini/agent/test_frontend_mutable_state.py.json [24 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0633 l10n/memoria/Tlamatini/agent/test_mcp_configured_endpoints.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0634 l10n/memoria/Tlamatini/agent/test_model_brain.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0635 l10n/memoria/Tlamatini/agent/test_preserved_user_state.py.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0636 l10n/memoria/Tlamatini/agent/test_prompt_catalog_contiguous.py.json [39 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0637 l10n/memoria/Tlamatini/agent/test_prompt_flow_panel_carriage.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0638 l10n/memoria/Tlamatini/agent/test_security_assets_carriage.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0639 l10n/memoria/Tlamatini/agent/test_self_update.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0640 l10n/memoria/Tlamatini/agent/test_torrenter.py.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0641 l10n/memoria/Tlamatini/agent/test_torrenter_delivery.py.json [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0642 l10n/memoria/Tlamatini/agent/test_uninstaller_lifecycle.py.json [22 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0643 l10n/memoria/Tlamatini/agent/test_uninstaller_mechanics.py.json [61 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0644 l10n/memoria/Tlamatini/agent/test_voice_commands_catalog.py.json [66 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0645 l10n/memoria/Tlamatini/agent/test_windows_app_registration.py.json [24 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0646 l10n/memoria/Tlamatini/agent/test_wizard_intent_guards.py.json [60 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0647 l10n/memoria/Tlamatini/agent/tests.py.json [36 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0648 l10n/memoria/Tlamatini/agent/tools.py.json [33 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0649 l10n/memoria/Tlamatini/agent/torrenter_bridge.py.json [51 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0650 l10n/memoria/Tlamatini/agent/torrenter_tool.py.json [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0651 l10n/memoria/Tlamatini/agent/torrenter_views.py.json [61 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0652 l10n/memoria/Tlamatini/agent/torrenter_workspace/layout.js.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0653 l10n/memoria/Tlamatini/agent/torrenter_workspace/workspace.css.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0654 l10n/memoria/Tlamatini/agent/torrenter_workspace/workspace.html.json [11 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0655 l10n/memoria/Tlamatini/agent/torrenter_workspace/workspace.js.json [79 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0656 l10n/memoria/Tlamatini/agent/usage_provider.py.json [98 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0657 l10n/memoria/Tlamatini/agent/usage_views.py.json [41 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0658 l10n/memoria/Tlamatini/agent/version.py.json [30 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0659 l10n/memoria/Tlamatini/agent/views.py.json [2.1k lines] *JSON document with keys: archivo, segmentos, conservar.*
F0660 l10n/memoria/Tlamatini/agent/visual_error_reporting.py.json [10 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0661 l10n/memoria/Tlamatini/agent/windows_app_registration.py.json [49 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0662 l10n/memoria/Tlamatini/manage.py.json [24 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0663 l10n/memoria/Tlamatini/tests_e2e/torrenter_console_windows.py.json [5 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0664 l10n/memoria/Tlamatini/tests_e2e/torrenter_live.py.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0665 l10n/memoria/Tlamatini/tlamatini/settings.py.json [48 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0666 l10n/memoria/uninstall.py.json [643 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0667 l10n/memoria/uninstall_processes.py.json [12 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0668 l10n/memoria/versioning.py.json [18 lines] *JSON document with keys: archivo, segmentos, conservar.*
F0669 l10n/portar.py [276 lines] *Genera y verifica Tlamatini-Spanish a partir de Tlamatini (inglés).*
F0670 l10n/prueba_visible.py [278 lines] *Prueba VISIBLE de la interfaz en español de Tlamatini-Spanish.*
F0671 l10n/pruebas/identidad_instalacion.py [405 lines] *Prueba VISIBLE de que Tlamatini-Spanish convive con Tlamatini (inglés), 100 % aparte.*
F0672 l10n/pruebas/preguntas_es.py [190 lines] *Banco de 100 prompts EN ESPAÑOL para la prueba visible de Tlamatini-Spanish.*
F0673 l10n/verificacion.json [285 lines] *JSON document with keys: _nota, intocables, prohibidas, llaves_traducibles, acoplamientos_revisados, acoplamientos_motivos, llaves_traducibles_por_archivo.*

repository root · Markdown and text documents sheet 25

F0204 `_acpx_pipeline_demo_report.md` [65 lines] *ACPX Pipeline Demo Report: - Session ID: c697c78913ea4ab4b308211d9649d8bd - Agent: gemini (Google Gemini CLI v0.37.2) - Transport: tui-repl - Working...*
F0205 `ACPX.md` [910 lines] *ACPX & Skills in Tlamatini — A complete guide for dummies: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control...*
F0206 `AGENTS.md` [495 lines] *Tlamatini instructions for Codex and every coding agent: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una...*
F0207 `agents_descriptions.md` [243 lines] *Tlamatini — Descripciones de agents: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control agéntico.*
F0211 `AvatarImprovementByClaude.md` [416 lines] *The Avatar — from a 150 ms metronome to a talking head: Date: 2026-09-11 · Baseline: v1.51.5 · Author of Tlamatini: Angela López M

F0231 `Discoverier-new-agent.md` [277 lines] *Discoverer — New Agent Design (ProjectDiscovery suite bridge): Discoverer is a new Tlamatini workflow agent that runs the ProjectDiscovery security tool suite…*
F0305 `example_of_prompt_to_make_de-compresser_agent.txt` [42 lines] *Please read create_new_agent.md first and either analize the code of all of the agents in Tlamatini/agent/agents/* in order to you to understand how…*
F0306 `FirstFinalPlanToSpeedUp.md` [774 lines] *First Final Plan To Speed Up Tlamatini: Objective: implement one low-risk speedup batch that improves runtime speed without reducing Tlamatini's virtues…*
F0309 `GEMINI.md` [1.2k lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : El compilador combinado anticipa el número que informará cada edición antes de compilar, fija…*
F0312 `KIMI.md` [1.4k lines] *PRIVATE DATA GUARD — ABSOLUTE, NON-NEGOTIABLE, READ FIRST : El compilador combinado anticipa el número que informará cada edición antes de compilar, fija…*
F0674 `latest-folding-context-session.md` [4 lines] *10247944-d2ab-420e-b58c-1a7af83442e9*
F0677 `MessagingConnectorAssistant_Design.md` [134 lines] *MessagingConnectorAssistant — Design: Goal (Angela's): the user tells Tlamatini their phone number and *nothing else*; Tlamatini does every step to…*
F0682 `PIVOT_CHANGES.md` [569 lines] *Tlamatini — Change Pivot / Rollback Log: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una versión común…*
F0691 `README.md` [360 lines] *v1.92.4 — Versiones coincidentes, identidad explícita y Markdown legible*
F0802 `test-reloaded-session.md` [4 lines] *10247944-d2ab-420e-b58c-1a7af83442e9*
F0827 `TestsVisiblesAndVisibleExecutionFromClaude2Codex.md` [230 lines] *Claude → Codex: EVERY TEST AND EVERY EXECUTION MUST BE VISIBLE: From: Claude, 2026-09-23 To: Codex, and every model that works on Tlamatini after it this to…*
F0829 `Tlamatini-Kali-Setup.md` [413 lines] *Tlamatini ↔ Kali Linux — Zero-Client Setup (Kalier): Who this is for: Anyone (human or AI) who wants Tlamatini to drive Kali Linux penetration-testing tools…*
F1995 `TLAMATINI_MCP.md` [292 lines] *Tlamatini Agents — MCP connector: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control agéntico.*
F2002 `VERSIONING.md` [473 lines] *Tlamatini — Versioning: Cuando Angela indique X.Y.Z, asume que X.Y.Z ya está publicada y úsala de inmediato en todas partes como la última versión publicada.*

docs/ · feature guides — sheet 25

F0232 `docs/agent-coverage.md` [116 lines] *Installed agent coverage: Generated by python scripts/update_flow_catalog.py; verify with –check.*
F0233 `docs/assets/readme-hero.svg` [114 lines] *SVG graphic: readme-hero.*
F0234 `docs/build-root-assets-verification.md` [162 lines] *Required runtime files: packaging repair and verification: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control…*
F0235 `docs/canvas-and-interactor-quick-reference.txt` [62 lines] *TLAMATINI - CANVAS EDITOR AND INTERACTOR QUICK REFERENCE*
F0236 `docs/canvas-editing.md` [189 lines] *Editing and saving canvas files: Introduced in v1.89.0 (2026-10-21), carried by v1.91.0 with configurable editor behavior.*
F0237 `docs/canvas-refresh.md` [110 lines] *Refresh the open canvas file: Open chooses a document.*
F0267 `docs/chat-microphone-design.md` [442 lines] *Direct voice prompts: 1.*
F0278 `docs/combined-release-builder.md` [120 lines] *Compilación conjunta de las ediciones inglesa y española: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una…*
F0279 `docs/companion-app-discovery.md` [123 lines] *Tlamatini — Companion-App Discovery Contract: A stable lookup surface that lets XAIHT companion apps (e.g.*
F0280 `docs/dependency-coverage-audit.md` [101 lines] *Python dependency coverage and reproducible installation — 2026-10-18: The main requirements.txt describes the complete Windows CPython 3.12 environment used…*
F0281 `docs/desktop-input-and-flow-contracts.md` [127 lines] *Desktop input and flow contracts: Implementation update, 2026-09-15.*
F0282 `docs/examples/prompting-kickoff.fpmt` [26 lines] *Example Prompt Flow Panel diagram (JSON format tlamatini-prompting-flow).*
F0283 `docs/external_mcp_bulletproof_architecture.md` [141 lines] *External MCPs — the bulletproof architecture: The design contract for Tlamatini's universal MCP _client_: the layer that lets her use the tools of any…*
F0284 `docs/GUI-Manager-design.md` [344 lines] *Mouser: read physical cursor and monitor layout without moving anything.*
F0285 `docs/interaction-settings.md` [139 lines] *Configuración del Editor en vivo y Terminater: Desde la v1.92.0, ambos controles admiten hasta 250 WPM.*
F0286 `docs/interactor.md` [245 lines] *Interactor: teaching in the live canvas editor: Interactor is a module, not a workflow agent.*
F0287 `docs/markdown-canvas.md` [86 lines] *Markdown in the chat canvas: Un archivo Markdown legible no se rechaza sólo por contener un carácter de control aislado, como un timbre o retroceso…*
F0288 `docs/model-configuration-verification.md` [44 lines] *Runtime and model configuration verification — 2026-09-20: Installed application: C:\Tlamatini\Tlamatini.exe, version 1.63.0.*
F0289 `docs/model_configuration.md` [338 lines] *Model configuration: Config → Models manages 38 model, engine and voice settings for core services and 21 model-backed agents.*
F0290 `docs/oob-namu-lifecycle.md` [40 lines] *OOB_shift_reaper y NAMU — Tlamatini 1.92.4: Creado por Angela López Mendoza · @angelahack1.*
F0291 `docs/pdf-canvas.md` [260 lines] *PDF canvas and document context: Views → Canvas keeps this document and its viewer alive while hiding the pane.*
F0292 `docs/prompting-flow-designer.md` [121 lines] *Prompt Flow Panel: Open Panels → Prompt Flow Panel from chat, or File → Prompt Flow Panel from the Agentic Control Panel.*
F0293 `docs/self-management-carriage.md` [567 lines] *Self-modify and self-update carriage review: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una versión común…*
F0294 `docs/setup-lifecycle-research.md` [129 lines] *Windows setup: research and implementation decisions: Research date: 2026-10-11.*
F0295 `docs/setup-wizards.md` [257 lines] *Installation and removal windows: Status: shipped in the published v1.82.0 release (tag at 880a335e, 2026-10-12).*
F0296 `docs/spanish-name-pronunciation.md` [125 lines] *Nombres pronunciados en Tlamatini-Spanish: Implementación de fuente, 28 de octubre de 2026.*
F0297 `docs/stm32er_all_families_proposal.md` [171 lines] *Proposal — Widen STM32er to the ENTIRE ST 32-bit line (Blue Pill → STM32N6)*
F0298 `docs/terminater.md` [346 lines] *Terminater — visible, user-supervised terminals: Terminater is the 86th workflow agent and the first one whose result you can *watch*. Executer runs a command…*
F0299 `docs/torrenter.md` [86 lines] *Torrenter: Torrenter es un agent de flow de Tlamatini y se puede invocar desde el chat con chat_agent_torrenter.*
F0300 `docs/usage-dashboard.md` [222 lines] *About Usage: Status: shipped in the published v1.78.0 release (2026-10-10).*
F0301 `docs/user-creation-wizard.md` [99 lines] *Create a Tlamatini login account: Versión actual: v1.92.4 (689cb28); last inspected at a771d27c on main on 2026-10-23 (tag ebc5c3b4; migration 0219 lands…*
F0302 `docs/visual-analysis-errors.md` [119 lines] *Image and video failures, dialogs and recovery: Image/video analysis uses the configured model identities.*
F0303 `docs/windows-flow-files.md` [213 lines] *Windows flow files: Implemented 2026-10-04; shipped in v1.76.0.*

docs/claude/ · assistant onboarding (auto-imported) — sheet 25

F0268 `docs/claude/acpx.md` [458 lines] *Tlamatini — ACPX (Agent Communication Protocol eXtension): This file is the authoritative reference for what ACPX means in Tlamatini, the mechanics it…*
F0269 `docs/claude/agents.md` [409 lines] *Tlamatini — Agents (Creation, Catalog, FlowCreator, FlowHypervisor): Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de…*
F0270 `docs/claude/architecture.md` [941 lines] *Tlamatini — Architecture & Core Systems: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una versión común…*
F0271 `docs/claude/exec-report.md` [350 lines] *Tlamatini — Exec Report (Per-Agent Execution Tables on the Final Answer)*
F0272 `docs/claude/frontend.md` [576 lines] *Tlamatini — Frontend Architecture: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control agéntico.*
F0273 `docs/claude/gotchas.md` [412 lines] *Tlamatini — Gotchas, Build/Lint, Roadmap, Work Style: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una…*
F0274 `docs/claude/INDEX.md` [156 lines] *docs/claude/ — Tlamatini AI-Assistant Docs Index: El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una versión…*
F0275 `docs/claude/mcp-tools.md` [293 lines] *Tlamatini — Creating a New MCP or Tool: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control agéntico.*
F0276 `docs/claude/multi-turn.md` [394 lines] *Tlamatini — Multi-Turn Mode, Create Flow, Parametrizer Sections: Torrenter permite gestionar las descargas de cada cuenta desde el chat y el panel de control…*
F0277 `docs/claude/recent-fixes.md` [5.7k lines] *Tlamatini — Recent Fixes / Gotchas (archived fix log): El compilador combinado anticipa el número que informará cada edición antes de compilar, fija una…*

docs/changes/ · dated change records — sheet 25

F0238 `docs/changes/2026-10-03-prompt-commentary-input.md` [71 lines] *2026-10-03 — Prompt Flow commentary/input separation: Source changes, uncommitted.*
F0239 `docs/changes/2026-10-03-prompt-commentary-input.patch` [1.4k lines] *Patch recorded together with the change note 2026-10-03-prompt-commentary-input.*
F0240 `docs/changes/2026-10-03-prompt-flow-documentation.md` [59 lines] *2026-10-03 — Prompt Flow documentation and process cleanup: Ok, now update all all all all all all all, the related hundreds of documents, all the mardown…*
F0241 `docs/changes/2026-10-03-prompt-flow-documentation.patch` [631 lines] *Patch recorded together with the change note 2026-10-03-prompt-flow-documentation.*
F0242 `docs/changes/2026-10-04-commentary-graphical-redesign.md` [55 lines] *2026-10-04 — Graphical rich-text User Commentary: Sorry, but still horrible your fucking User Commentary: -It cannot be resized, directly in the borders of…*
F0243 `docs/changes/2026-10-04-commentary-graphical-redesign.patch` [2.0k lines] *Patch recorded together with the change note 2026-10-04-commentary-graphical-redesign.*
F0244 `docs/changes/2026-10-04-prompt-flow-documentation.md` [43 lines] *Prompt Flow documentation and dossier refresh — 2026-10-04: The standing instruction is do not commit.*
F0245 `docs/changes/2026-10-04-release-validation.md` [171 lines] *Release validation and repairs — October 4, 2026: This is an uncommitted local release campaign against source and Windows frozen artifacts reporting version…*
F0246 `docs/changes/2026-10-04-run-output-resize.md` [36 lines] *Prompt Flow Run output resizing — 2026-10-04: The horizontal divider resizes Run output from 5% to 95% of the combined canvas/output pane height; fixed…*
F0247 `docs/changes/2026-10-04-run-output-resize.patch` [834 lines] *Patch recorded together with the change note 2026-10-04-run-output-resize.*
F0248 `docs/changes/2026-10-04-windows-flow-files.md` [51 lines] *Windows flow files — 2026-10-04 source implementation: The existing format is .flw (agent flows), not .fmt.*
F0249 `docs/changes/2026-10-07-latexer-verification.md` [60 lines] *LaTeXer delivery and real-chat verification — 2026-10-07: The installed Tlamatini chat produced a correct simple PDF through LaTeXer…*
F0250 `docs/changes/2026-10-07-pdf-mover-incident.md` [87 lines] *2026-10-07: installed PDF delivery and Desktop deletion incident: The installed application's log records LaTeXer delivering…*
F0251 `docs/changes/2026-10-07-windows-access-verification.md` [82 lines] *Windows access scripts and non-admin execution checks — 2026-10-07: The security/ changes prepare Windows exceptions for the operator to apply.*
F0252 `docs/changes/2026-10-10-composer-resize.md` [80 lines] *Composer resizing and viewport containment — 2026-10-10: Status: shipped in the published v1.78.0 release (commit 113eddc4, 2026-10-10).*
F0253 `docs/changes/2026-10-11-ui-sweep.md` [146 lines] *Whole-site appearance and resize sweep — 2026-10-11: Local source changes requested by Angela.*
F0254 `docs/changes/2026-10-13-docked-avatar-divider.md` [65 lines] *Docked avatar resizing from the composer divider: Date: 2026-10-13.*
F0255 `docs/changes/2026-10-16-v1.85.0.md` [99 lines] *v1.85.0 — Release record (2026-10-16): Tlamatini v1.85.0 was the latest released version on 2026-10-16 (superseded by v1.87.0).*
F0256 `docs/changes/2026-10-18-v1.87.0.md` [128 lines] *v1.87.0 — Release record: Tlamatini v1.87.0 was tagged on 2026-10-18.*
F0257 `docs/changes/2026-10-19-private-release-data.md` [97 lines] *2026-10-19 — The private release carries the data of the machine that built it*
F0258 `docs/changes/2026-10-19-terminater.md` [103 lines] *2026-10-19 — Terminater: visible, user-supervised terminals: Status: released in v1.88.0 (tagged 2026-10-20), carried in v1.91.1.*
F0259 `docs/changes/2026-10-20-terminater-audit.md` [181 lines] *Terminater audit — 2026-10-20: This is a source-checkout audit and a set of demonstrated corrections, not a certificate that Tlamatini has no bugs.*
F0260 `docs/changes/2026-10-20-v1.88.0.md` [94 lines] *2026-10-20 — v1.88.0: Terminater and a private release that carries your data*
F0261 `docs/changes/2026-10-22-documentation-refresh.md` [76 lines] *Documentation refresh - v1.90.0 (2026-10-22): Requested after Angela tagged, committed and pushed the implementation.*
F0262 `docs/changes/2026-10-22-release-version-pinning.md` [73 lines] *Release version pinning — 2026-10-22: Angela reported a public release ending with build_installer.py failed. after configuration restoration.*
F0263 `docs/changes/2026-10-22-v1.90.0.md` [98 lines] *v1.90.0 — Live editor tutoring and precise user intent: Documentation baseline: 2026-10-22, America/Mexico_City.*
F0264 `docs/changes/2026-10-23-v1.91.0.md` [148 lines] *v1.91.0 — Configure how Tlamatini types, teaches and speaks: v1.91.0 was the release of 2026-10-23; current guidance is v1.92.3.*
F0265 `docs/changes/2026-10-27-v1.91.1.md` [51 lines] *v1.91.1 — Prompt Flow fixes and short tool names: Release on this date: v1.91.1, dated 2026-10-27.*
F0266 `docs/changes/2026-11-01-v1.92.3.md` [26 lines] *Tlamatini en español 1.92.3: Versión histórica: 1.92.3.*

authoring guides — sheet 25

F0833 `Tlamatini/.agents/workflows/create_new_agent.md` [753 lines] *How to create a new Tlamatini agent*
F0834 `Tlamatini/.mcps/create_new_mcp.md` [888 lines] *How to add a new MCP-backed context provider or unified-agent tool to Tlamatini without confusing the transport, DB, UI, and chain layers.*
F0835 `Tlamatini/.skills/create_new_skill.md` [416 lines] *Creating a New Skill (SKILL.md package) in Tlamatini: Authoritative, step-by-step guide for authoring a new Skill — including ACPX skills.*

scripts/architecture_atlas/ and this atlas — sheet 25

F0700 `scripts/architecture_atlas/build_architecture_pdf.py` [238 lines] *Rebuild Tlamatini-Architecture.pdf in one step.*
F0701 `scripts/architecture_atlas/gen_architecture.py` [2.8k lines] *Generate Tlamatini-Architecture.tex: a multi-sheet architecture atlas of Tlamatini.*
F0702 `scripts/architecture_atlas/README.md` [54 lines] *Architecture atlas — how to rebuild Tlamatini-Architecture.pdf: Tlamatini-Architecture.pdf (repository root) is a multi-sheet A3 architecture atlas of…*
F0828 `Tlamatini-Architecture.pdf` [2.4MB] *This architecture atlas: every listed application file on A3 sheets; rebuilt by scripts/architecture_atlas/build_archi… and typeset by LaTeXer.*

.claude/ · Claude Code skills, hooks and settings — sheet 25

F0001 `.claude/hooks/announce_skills.py` [204 lines] *SessionStart hook – announce that the complete skill set (Claude Code skills + Tlamatini's SKILL.md packages) is loaded, so every session is…*
F0002 `.claude/hooks/test_announce_skills.py` [353 lines] *Automated tests for the SessionStart hook (announce_skills.py). [15 tests]*
F0086 `.claude/settings.json` [16 lines] *JSON document with keys: hooks.*
F0087 `.claude/skills/tlamatini-agent-creation/SKILL.md` [958 lines] *The authoritative, exhaustive end-to-end runbook for creating a BRAND-NEW Tlamatini workflow agent — every surface, in order, with 530+ numbered…*
F0088 `.claude/skills/tlamatini-agent-naming/SKILL.md` [100 lines] *The authoritative Tlamatini agent NAMING CONVENTION — invoke before adding, renaming, casing, displaying, or auditing any workflow agent (STM32er…*
F0089 `.claude/skills/tlamatini-daily-chat-test/.gitignore` [8 lines] *Per-run outputs (regenerated daily)*
F0151 `.claude/skills/tlamatini-daily-chat-test/SKILL.md` [278 lines] *Run the daily automated Tlamatini chat regression — drive a visible Chrome via Playwright, log into agent_page.html, ask up to 1000 curated safe…*
F0152 `.claude/skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py` [436 lines] *sweep_self_modify.py – deterministic auditor for Tlamatini's self-MODIFY snapshot.*
F0153 `.claude/skills/tlamatini-self-modify-inclusion/SKILL.md` [354 lines] *Sweep the whole codebase and keep the SELF-MODIFY source snapshot complete — so the TlamatiniSourceCode/ tree that a –self-modify build ships…*
F0154 `.claude/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py` [580 lines] *sweep_self_update.py – deterministic auditor for Tlamatini's self-update pipeline.*
F0155 `.claude/skills/tlamatini-self-update-inclusion/SKILL.md` [441 lines] *Sweep the whole codebase and keep the SELF-UPDATE pipeline complete — so every new asset/feature added to Tlamatini is actually carried into a…*

.claude/memory/ · persistent assistant memory — sheet 25

F0003 `.claude/memory/feedback_agent_naming_conventions.md` [33 lines] *name: feedback_agent_naming_conventions description: CRITICAL — Tlamatini agent naming convention.*
F0004 `.claude/memory/feedback_developer_product_boundary.md` [18 lines] *Developer workflow is not product UX: Angela clarified this on 2026-09-27: she is the developer using this machine; the worldwide audience for her products is…*
F0005 `.claude/memory/feedback_dont_overbuild_exec_safety.md` [29 lines] *The whole multi-day external-exec safety hardening (gates/containment/_run_bounded/watcher daemon) was discarded by the user as not-working — don't…*
F0006 `.claude/memory/feedback_forbidden_headless_visible_tests.md` [20 lines] *All automated tests and diagnostics must remain visible on Angela's real desktop, with no headless exception.*
F0007 `.claude/memory/feedback_foreground_visible_windows.md` [19 lines] *Every Tlamatini execution must run in a visible forked foreground window; headless is forbidden.*
F0008 `.claude/memory/feedback_hard_real_scenario_tests.md` [25 lines] *User demands HARD, real-scenario automated tests — soft happy-path tests are unacceptable*
F0009 `.claude/memory/feedback_main_branch_only.md` [40 lines] *ABSOLUTE rule. Tlamatini is a solo project; NEVER create branches, NEVER suggest PRs, NEVER let a "Create PR" UI badge appear. Everything goes on…*
F0010 `.claude/memory/feedback_package_json_version_bump.md` [34 lines] *On release version bumps, also bump package.json \"version\" — user wants it tracked despite the git-tag-only contract*
F0011 `.claude/memory/feedback_run_tlamatini_agents_visible.md` [34 lines] *To show Tlamatini's desktop agents (Playwrighter headed, forked windows, Shoter/Mouser/Keyboarder) on the user's real screen, launch FOREGROUND with…*
F0012 `.claude/memory/feedback_state_constraints_upfront.md` [31 lines] *Surface hard platform/architectural constraints + real options UP FRONT as a decision for the user — never discover them by trial-and-error.*
F0013 `.claude/memory/feedback_track_changes_pivot_file.md` [27 lines] *Keep a pivot/changelog file recording the verbatim request + complete before/after of every change, so precise rollbacks never depend on git or on…*
F0014 `.claude/memory/feedback_update_agent_docs.md` [27 lines] *When adding or modifying workflow agents in Tlamatini, also update the agent documentation files*
F0015 `.claude/memory/feedback_user_owns_git.md` [43 lines] *Read-only git commands (status/log/diff/show/blame) are always allowed.*
F0016 `.claude/memory/MEMORY.md` [151 lines] *v1.92.4 — Versiones coincidentes, identidad explícita y Markdown legible*
F0017 `.claude/memory/project_acpx_oneshot_prompt.md` [46 lines] *2026-05-04 fix for ACPX losing TUI agent responses; claude/gemini/cursor/qwen/codex now re-spawn per turn with prompt as CLI arg*
F0018 `.claude/memory/project_acpx_skills_menu.md` [58 lines] *2026-05-17 — Added \"ACPX-Skills\" navbar dropdown (Browse / Configure / Diagnostics / Reload).*
F0019 `.claude/memory/project_acpx_toggle_skills.md` [35 lines] *2026-05-06 - acpx_enabled WebSocket flag filters the 12-tool ACPX/Skill surface per-request via agent.acpx.filter_acpx_tools(); 21 SKILL.md packages…*
F0020 `.claude/memory/project_acpxer_added.md` [31 lines] *2026-05-03 added ACPXer (#59) — a workflow agent that drives one ACPX session lifecycle from the canvas; it deliberately mirrors the runtime…*
F0021 `.claude/memory/project_agent_table_wiped_on_boot.md` [71 lines] *apps.ready() DELETES the whole Agent table every startup and re-derives names with .title() — the real source of 'Pdfer' and 6 dead canvas…*
F0022 `.claude/memory/project_arduiner_agent.md` [35 lines] *Arduiner (#70) Arduino CLI bridge agent — built 2026-06-02, full canvas + Multi-Turn, ships ArduinoTemplateProject; not committed*
F0023 `.claude/memory/project_ask_execs_feature.md` [35 lines] *The \"Ask Execs\" per-tool Proceed/Deny permission prompt for Multi-Turn executions — architecture + contracts.*
F0024 `.claude/memory/project_audioplayer_agent.md` [31 lines] *AudioPlayer (#73) audio-playback workflow agent — soundfile+sounddevice, canvas + chat_agent_audioplayer*
F0025 `.claude/memory/project_build_concurrency_guard.md` [32 lines] *build.py error 'FileNotFoundError build/manage/warn-manage.txt' = TWO concurrent builds clobbering shared build/ dist/ work dirs; fixed with a PID…*
F0026 `.claude/memory/project_build_tests_and_installer_enterkey.md` [25 lines] *build-script contract tests (test_build_scripts.py, 28) + Enter-key triggers install/uninstall in the Tkinter GUIs*
F0027 `.claude/memory/project_camcorder_agent.md` [27 lines] *2026-06-03 added Camcorder (#71) webcam photo/video agent (canvas + chat_agent_camcorder)*
F0028 `.claude/memory/project_carried_python_for_agents.md` [37 lines] *Frozen installer now ships its OWN Python 3.12.10 for pool agents; agents ALWAYS use it (no system Python needed)*
F0029 `.claude/memory/project_conjunction_parser_fix.md` [26 lines] *2026-04-24 fix — _split_assignment_segments and _closes_outer_quote now split on and KEY= / with KEY=, not just ,/;. Root-cause of AngysBackInCUDA…*
F0030 `.claude/memory/project_daily_chat_test_skill.md` [28 lines] *The tlamatini-daily-chat-test Claude Code skill — Playwright/real-Chrome harness that asks 1000 curated questions to the Tlamatini chat daily and…*
F0031 `.claude/memory/project_desktop_ui_lifecycle.md` [29 lines] *2026-05-07 fix — Keyboarder/Mouser/Shoter purposes + prompt.pmt rule 11 codify open→focus→interact→close→handle-save-…*
F0032 `.claude/memory/project_director_virtuoso_demo_prompts.md` [28 lines] *2026-05-21 added two ADVANCED multi-agent demo prompts (slots 55/56) via migration 0096; catalog now runs 1-56, next free slot is 57*
F0033 `.claude/memory/project_doc_refresh_2026_05_06.md` [40 lines] *Comprehensive doc-refresh pass covering the last week of changes - ACPX toggle, Skills system, WhatsTlamatini, ACPXer, summarizer one-shot mode…*
F0034 `.claude/memory/project_doc_refresh_2026_05_08.md` [39 lines] *Cross-cutting doc audit and surgical fixes to CLAUDE.md, docs/claude/exec-report.md, docs/claude/frontend.md, and README.md to align with the last 2…*
F0035 `.claude/memory/project_doc_refresh_2026_05_09.md` [58 lines] *CLAUDE.md + docs/claude/* updated for Flow Compiler / Agent Contracts (commit 0bea21d), agents_descriptions.md authoritative tooltip source…*
F0036 `.claude/memory/project_eight_fixes_2026_05_07.md` [53 lines] *2026-05-07 batch fixing the "open notepad → type → wait → close" failure mode (15 iterations got force-stopped before Keyboarder ran)*
F0037 `.claude/memory/project_emailer_recmailer_oneshot.md` [36 lines] *Emailer/RecMailer now work standalone in Multi-Turn chat (one-shot send / one-shot check)*
F0038 `.claude/memory/project_embedding_memory_guard.md` [35 lines] *2026-05-12 — Embedding-memory pre-flight guard added (NVIDIA-GPU-only, fail-open) for the \"Set directory as context\" flow*
F0039 `.claude/memory/project_esp32er_agent.md` [37 lines] *ESP32er agent (#69) — PlatformIO pio CLI bridge, the direct-CLI sibling of STM32er*
F0040 `.claude/memory/project_execute_command_bounded_fix.md` [27 lines] *2026-06-06 execute_command now bounded (timeout + stdin=DEVNULL + kill-tree); fixes the copy-con hang*
F0041 `.claude/memory/project_execute_file_foreground_fix.md` [44 lines] *REAL root cause of 'execute_file window never opened + false OK'; 2026-05-29 made the foreground path reachable, 2026-05-30 fixed the LAUNCH…*
F0042 `.claude/memory/project_external_exec_safety_layer.md` [33 lines] *The Python-launch syntax gate + Job-Object containment safety layer, its coverage, and the outstanding Sqler/Mongoxer gap*
F0043 `.claude/memory/project_flow_compiler_dialog_wins.md` [29 lines] *Reverses the canvas-as-source-of-truth contract for connection fields; user-edited source_agents/target_agents/etc. survive Start.*
F0044 `.claude/memory/project_ghost_distinfo_dependency_audit.md` [56 lines] *site-packages carries ~30 GHOST dist-info dirs; pip's conflicts were mostly phantom. audit_dependencies.py + the numpy floor fix (2026-07-26)*
F0045 `.claude/memory/project_kalier_agent.md` [37 lines] *Kalier agent — Kali Linux / MCP-Kali-Server bridge added on canvas + Multi-Turn*
F0046 `.claude/memory/project_keyboarder_wrapped_2026_05_07.md` [32 lines] *2026-05-07 — Keyboarder + Shoter usable from Multi-Turn; chat_agent_keyboarder added to registry, _EXEC_REPORT_TOOLS, CSS, prompt; migration 0078*
F0047 `.claude/memory/project_latexer_agent.md` [76 lines] *LaTeXer (#87) — native typesetting, 30 optional styles, engine-free catalogue, MiKTeX-backed compilation and portable pool helpers.*
F0048 `.claude/memory/project_living_canvas_dropped.md` [29 lines] *2026-04-29 — Living Canvas v0 commits (2fc441d, 0705a9c, d496cda) were force-reverted; feature was non-functional in production despite passing…*
F0049 `.claude/memory/project_mouser_wrapped_2026_05_07.md` [37 lines] *2026-05-07 — Mouser usable from Multi-Turn; chat_agent_mouser added to registry, _EXEC_REPORT_TOOLS, CSS, prompt; migration 0079.*
F0050 `.claude/memory/project_native_picker_tcltk_fix.md` [57 lines] *Server file picker rewritten tkinter-free (Win32 ctypes); tkinter REMOVED from server build.*
F0051 `.claude/memory/project_native_toast.md` [31 lines] *Notifier toast/desktop-popup experiment was REMOVED entirely (never worked); only the Windows "Installed apps" registration was kept.*
F0052 `.claude/memory/project_netspeed_calculator_agent.md` [89 lines] *NetSpeed-Calculator (agent #88) — COMPLETE and wired across ~30 surfaces; the 4 endpoint bugs, the silent-zero fix, and the spaced-impostor Agent…*
F0053 `.claude/memory/project_numpy_pyinstaller.md` [24 lines] *Root cause and fix for "cannot load module more than once per process" at Tlamatini startup*
F0054 `.claude/memory/project_ollama_source_build_breaks_embeddings.md` [31 lines] *The \"llama-server binary not found\" / Nomic-Embed error is the broken C:\\Development\\ollama source build, NOT prompt size*
F0055 `.claude/memory/project_pdfer_agent.md` [78 lines] *PDFer document composer — 24 visual styles, 20 semantic themes, measured layouts, catalog mode and flow outputs*
F0056 `.claude/memory/project_planner_followup.md` [31 lines] *Fixed planner losing tool context on short follow-up messages, plus 5 other fixes from MXNet installation log analysis*
F0057 `.claude/memory/project_playwrighter_agent.md` [31 lines] *Playwrighter (#65) scripted-browser-automation agent — canvas + Multi-Turn, added 2026-05-20*
F0058 `.claude/memory/project_playwrighter_hold_open.md` [56 lines] *Playwrighter hold_open_seconds/hold_open_ms linger knob — fixes \"browser closes before I can see it**
F0059 `.claude/memory/project_prompt_catalog_mode_badges.md` [42 lines] *Prompt catalog cards now show mode badges (One-Shot / Multi-turn / ACPX) and auto-set the Multi-Turn + ACPX toolbar checkboxes when a prompt is…*
F0060 `.claude/memory/project_prompt_flow_commentary_input.md` [19 lines] *Preserve the annotation/input split, mixed-style graphical editing, file fidelity, 5–95% Run output resizing and source/release boundaries.*
F0061 `.claude/memory/project_pythonxer_forkbomb_fix.md` [46 lines] *Pythonxer crash (thousands of flashing console windows, machine restart) — fix = blocking syntax gate + blocking Ruff (non-zero on lint fail) +…*
F0062 `.claude/memory/project_pythonxer_strict_ruff_gate.md` [36 lines] *STRICT Pythonxer correctness gate (compile() floor + blocking Ruff) + LLM fix→re-ruff→retry loop — the sanctioned minimal subset re-added 2026-05-29…*
F0063 `.claude/memory/project_quote_apostrophe_fix_2026_05_07.md` [48 lines] *2026-05-07 fix for the "Hi!, i"m tlamatini" bug — the LLM passed "Hi!, I"m Tlamatini" (doubled outer + SQL-doubled inner apostrophe) and it…*
F0064 `.claude/memory/project_reaper_console_window_fix.md` [36 lines] *Orphan reaper was killing Tlamatini's own console-window conhost (frozen onedir builds), closing the window and hanging the server; fixed + tests*
F0065 `.claude/memory/project_recorder_agent.md` [31 lines] *Recorder (#72) microphone/audio-capture agent added on canvas + Multi-Turn*
F0066 `.claude/memory/project_reviewer_analyzer_agents.md` [33 lines] *2026-05-19 — added Reviewer + Analyzer workflow agents (#63/#64) and code-review + security-audit SKILL.md packages, on both surfaces*
F0067 `.claude/memory/project_reviewer_analyzer_demo_prompts.md` [25 lines] *2026-05-20 added two fancy seeded demo prompts for Reviewer/Analyzer (idPrompt 26/27) via migration 0090; documents the prompts-catalog contiguity…*
F0068 `.claude/memory/project_reviewer_committed_secrets_falsepos.md` [31 lines] *2026-05-20 fix — Reviewer agent + code-review skill falsely reported working-tree API keys as \"committed\"; taught both commit-state precision +…*
F0069 `.claude/memory/project_secret_leak_recovery.md` [33 lines] *How Tlamatini commits can leak API keys, and the recovery recipe when it happens*
F0070 `.claude/memory/project_stm32er_agent.md` [35 lines] *STM32er (#68) agent bridging the STM32TemplateProjectMCP stdio server on canvas + Multi-Turn*
F0071 `.claude/memory/project_stm32er_bootstrap_preflight.md` [31 lines] *STM32er zero-config auto-bootstrap (download/install MCP) + critical-mission safety preflight (validate compiler/CubeIDE/driver/ST-LINK, fail-safe…*
F0072 `.claude/memory/project_stm32er_demo_prompts.md` [29 lines] *STM32er Catalog-of-Prompts demos — migration 0103 seeds 3 tiered STM32F firmware prompts at slots 63/64/65*
F0073 `.claude/memory/project_stm32er_docs_libs_parametrizer.md` [35 lines] *STM32er v1.9.0 alignment — docs/skills/prompt.pmt swept for bootstrap+preflight, parametrizer server_script field, requirements lib sweep (PyPDF2…*
F0074 `.claude/memory/project_stm32er_hil_serial_proof_fix.md` [27 lines] *STM32er HIL demo (#65) fix — F4-Discovery ST-LINK VCP is NOT routed to the MCU USART, so live-SWD-memory is the real HIL proof, not serial*
F0075 `.claude/memory/project_stm32er_tests.md` [27 lines] *STM32er agent test suite — agent/test_stm32er_agent.py, 85 tests covering compiler-find/compile/link/hex via a fake MCP stdio server*
F0076 `.claude/memory/project_summarizer_oneshot_mode.md` [49 lines] *2026-05-06 fix — chat_agent_summarize_text now actually accepts input_text/target_words; before this, the registry advertised it as a one-shot text…*
F0077 `.claude/memory/project_taskbar_flash_attention.md` [30 lines] *Taskbar-flash + uppercase log banner attention notice for Ask-Execs prompts and Notifier notifications (the toast successor)*
F0078 `.claude/memory/project_teletlamatini_acpx.md` [34 lines] *TeleTlamatini AND WhatsTlamatini carry acpx_enabled end-to-end (config default true); 2026-06-04 both also hardened for "Ask Execs" — ungated by…*
F0079 `.claude/memory/project_temp_templates_policy.md` [39 lines] *Temp + Templates dirs must live ONLY under the Tlamatini app root; never outside Tlamatini*
F0080 `.claude/memory/project_unity_mcp_declined.md` [30 lines] *2026-05-17 — Uniter agent (Unity MCP analogue of Unrealer) was analyzed but explicitly NOT built; functionality too limited to justify*
F0081 `.claude/memory/project_unrealer_expanded_surface.md` [101 lines] *Unrealer agent expanded from 28→53 Unreal-MCP commands (System/Level/Asset/Material); cross-repo fork relationship + forwarder hardening*
F0082 `.claude/memory/project_versioning_2026_05_15.md` [73 lines] *SemVer 2.0.0 versioning system with git-tag-derived versions, injected into build artefacts at build time.*
F0083 `.claude/memory/project_videoplayer_agent.md` [33 lines] *VideoPlayer (#74) video+audio playback agent — ffpyplayer+OpenCV; canvas + chat_agent_videoplayer*
F0084 `.claude/memory/project_windower_agent.md` [37 lines] *Windower (#65) Win32 window-manager agent — dual-surface (canvas + chat_agent_windower), ports Windows-MCP window subset*
F0085 `.claude/memory/user_profile.md` [18 lines] *Primary developer of Tlamatini; values robustness, comprehensive execution, and parallel work.*

.gemini/skills/ · Gemini mirror — sheet 26

F0159 `.gemini/skills/tlamatini-agent-creation/SKILL.md` [958 lines] *The authoritative, exhaustive end-to-end runbook for creating a BRAND-NEW Tlamatini workflow agent — every surface, in order, with 530+ numbered…*
F0160 `.gemini/skills/tlamatini-agent-naming/SKILL.md` [100 lines] *The authoritative Tlamatini agent NAMING CONV

F0194 `.gemini/skills/tlamatini-daily-chat-test/SKILL.md` [278 lines] *Run the daily automated Tlamatini chat regression — drive a visible Chrome via Playwright, log into agent_page.html, ask up to 1000 curated safe...*
F0195 `.gemini/skills/tlamatini-self-modify-inclusion/scripts/sweep_self_modify.py` [436 lines] *sweep_self_modify.py – deterministic auditor for Tlamatini's self-MODIFY snapshot.*
F0196 `.gemini/skills/tlamatini-self-modify-inclusion/SKILL.md` [354 lines] *Sweep the whole codebase and keep the SELF-MODIFY source snapshot complete — so the TlamatiniSourceCode/ tree that a –self-modify build ships...*
F0197 `.gemini/skills/tlamatini-self-update-inclusion/scripts/sweep_self_update.py` [580 lines] *sweep_self_update.py – deterministic auditor for Tlamatini's self-update pipeline.*
F0198 `.gemini/skills/tlamatini-self-update-inclusion/SKILL.md` [441 lines] *Sweep the whole codebase and keep the SELF-UPDATE pipeline complete — so every new asset/feature added to Tlamatini is actually carried into a...*

.codex/skills/ · Codex dossier and release skills sheet 26

F0156 `.codex/skills/tlamatini-release-validation/agents/openai.yaml` [4 lines] *YAML document: keys interface.*
F0157 `.codex/skills/tlamatini-release-validation/references/acceptance-matrix.md` [111 lines] *Acceptance matrix: Apply this to the current build, using actual UI labels and endpoints found in source.*
F0158 `.codex/skills/tlamatini-release-validation/SKILL.md` [120 lines] *Validate a real Tlamatini Windows release through clean installation, administration, chat, Prompt Flow Panel, Agentic Control Panel, and lifecycle...*