

TLAMATINI

Dossier completo del proyecto: arquitectura, operación, uso, cambios actuales, catálogo, inventario de líneas y árbol tracked íntegro



Medida	Valor
Generado	September 06, 2026 11:24 AM UTC-0600
Release	v1.50.6s @ 1339fc7
HEAD / origin/main	272d6ac / 272d6ac (5 commits después del tag)
Files tracked	1,143
Adiciones untracked	0
Agents / wrapped / tools	88 / 66 / 108
Root MCP tools / Skills / migrations	105 / 29 / 198
Líneas efectivas / físicas	251,114 / 359,134

1. Identidad y alcance

- Tlamatini es una asistente de desarrollo con IA autoalojada. La aplicación Django, el RAG híbrido y los agents corren en la máquina de la operadora; la inferencia LLM es configurable y usa providers cloud por defecto.
- La interfaz combina chat por WebSocket, Multi-Turn, Exec Report, ACPX, Skills y un Agentic Control Panel visual para diseñar y ejecutar flows `.flw`.
- La plataforma puede leer y modificar proyectos, ejecutar tools, automatizar browser/desktop, operar medios y voz, coordinar mensajería, manejar DevOps, trabajar con Blender/Unreal y controlar firmware STM32/ESP32/Arduino/ESPHome.
- Los agents son Python legible y modificable. Esa transparencia facilita auditoría y control, pero no sustituye permisos, revisión, least privilege ni autorización sobre targets externos.

Contrato NEPANTLA

- Español como lengua matriz de toda prosa destinada a personas.
- Agents, tools, parameters, fields, keys, enums, sentinels, paths y código conservan inglés byte-stable.
- El prompt del usuario pasa verbatim: nunca se traduce mecánicamente antes del modelo.
- La respuesta se genera nativamente en español y tampoco se post-traduce.
- GUI chrome y descripciones visibles sí se localizan. Logs y outputs machine pueden permanecer ingleses o mixtos.
- El pipeline N1/N2/N3, DNT fence, termbase y model-capability flags están implementados; la escalera PROPOSE-VERIFY-ESCALATE completa sigue como diseño prospectivo.

Límite de autoridad

- Cada agent bajo `Tlamatini/agent/agents/` es Python legible para que la usuaria pueda auditarlo, limitarlo, editarlo o deshabilitarlo. Esa transparencia no constituye una garantía de seguridad.
- Los agents no tienen autoridad independiente. La operadora decide dónde, cómo y con qué permisos se ejecutan, y debe usar least privilege.
- La usuaria responde por targets autorizados, credentials, APIs, shells, browsers, MCPs externos, hardware y sistemas downstream.
- La documentación y las guardas no autorizan acceso de terceros ni sustituyen revisión de seguridad, controles de permisos, monitoreo o cumplimiento legal.

2. Arquitectura

Capa	Responsabilidad
Presentación	Django templates, 37 módulos JavaScript y 11 CSS sirven login, chat y canvas ACP.
Transporte	Daphne, Django Channels y WebSocket conectan UI, estado de ejecución y respuestas incrementales.
Conocimiento	RAG combina FAISS, BM25, extracción de metadata, budgets de contexto y fallback a files cargados.
Orquestación	Multi-Turn planifica, selecciona tools, pide permiso mediante Ask Execs y clasifica resultados con Exec Report.
Agents	88 templates visuales y 66 wrapped launchers corren en copias aisladas con config, status, log y `INI_SECTION_*`.
Extensibilidad	ACPX expone coding-agent CLIs; Skills empaquetan procedimientos; External MCP agrega tools dinámicas `ext_*`.
Datos	SQLite WAL conserva aplicación e historial; `sqlite_copy.py` hace backup/swap consistente y verifica `quick_check`.
Build	PyInstaller, Python acarreado, NSIS, metadata Git, bundles público/privado y self-modify producen la distribución Windows.

Ruta de una petición

- Browser -> Django Channels -> RAG/context -> planner Multi-Turn -> permission broker -> tool/agent -> verdict -> respuesta española.
- Cada wrapped agent usa una copia aislada, emite status/log/`INI\_SECTION\_\*` y devuelve fields deterministas para Parametrizer y Exec Report.
- Self-healing aplica watchdog y tácticas distintas; Hard Cancel usa epochs por usuario para impedir que un run cancelado se reactive.

3. Capacidades implementadas

- Contexto de files/directories, RAG híbrido y respuestas ancladas a source.
- Edición y búsqueda determinista con Globber, Grepper, Editor y File-Creator.
- Ejecución con Executer/Pythonxer, timeout, cancelación y reportes por agent.
- Automatización visible con Playwrighter, Shoter, Mouser, Keyboarder y Windower.
- Documentos mediante PDFer y LaTeXer; audio/video mediante Talker, Whisperer, Recorder y Video-Analyzer.
- DevOps con Dockerer, Kubernetes, Jenkinser, Gitter, Apirer, SSHer y SCPPer.
- Hardware con STM32er, ESP32er, Arduiner y ESPHomer; engines mediante Blenderer y Unreal.
- Mensajería mediante Telegrammer, Whatsapper, Zavuerer, TeleTlmatini y Instant Messaging Doctor.
- Seguridad autorizada con Reviewer, Analyzer, Discoverer, Nmapper y Kalier; el toolkit Blue-hat de Windows lo opera una administradora.
- ACPX coordina agentes externos; 29 Skills agregan procedimientos versionados e invocables.
- NetSpeed-Calculator mide throughput, latencia, jitter, loss y bufferbloat con incertidumbre estadística.
- FlowCreator y Parametrizer convierten objetivos y outputs estructurados en flows reproducibles.

4. Desarrollo actual derivado del source

- Release `v1.50.6s` en `1339fc7`; `main` auditado en `272d6ac`, cinco commits posterior. La versión visible no inventa un tag nuevo y el build registra el commit real.
- `views.py` carga `agents\_descriptions.md` y superpone `agents\_descriptions.es.md` agent por agent. Un overlay incompleto falla hacia inglés sin perder tooltips.
- `chat\_agent\_runtime.\_build\_child\_env()` exporta `TLAMATINI\_AGENTS\_ROOT`; Playwrighter puede localizar al agent hermano Shoter desde wrapped runs de chat.
- La prueba diaria incorpora barridos visibles de nueve dialogs ACP, tema, toggles bulk, Playwrighter/Shoter y un corpus reanudable de 1,000 preguntas españolas.
- `Referenced Rephrase:` es sentinel machine estable en productor, WebSocket, history loader y prompt; se filtra y se añade exactamente una vez.
- Parametrizer promueve los fields actuales de Summarizer, Shoter, Reviewer, Analyzer, Telegrammer y Whatsapper, incluidos `target\_words`, `all\_screens`, `error`, `min\_severity`, `mode` y `direction`.
- El proceso Django frozen excluye Transformers/Torch; el Python acarreado conserva y prueba Torch CPU-only para Talker/Whisperer. El build rechaza DLLs CUDA residuales y `pkg.zip` mayor de 2.8 GB.
- Ctrl+C activa un Event, el cleanup corre fuera del signal handler y un watchdog fuerza salida a los 12 s. Un segundo Ctrl+C termina inmediatamente.
- El build público distingue un clone limpio de un tree con secrets mediante `privacy\_preflight()`. Ante evidencia privada sin targets, se niega por defecto.
- Deleter separa `target\_path` de `files\_to\_delete`, exige opt-in para borrar directories y rechaza roots/protected paths con razón estructurada.
- Googler decodifica trackers de Bing tras `html.unescape()` y filtra links propios/sociales/newsletter sin inventar destinos.

5. Instalación y uso

- Instalación: descargar el Installer de Releases o crear un entorno Python 3.12 y ejecutar migrations/collectstatic/runserver desde source.
- Primer arranque: cambiar `user/changeme`, abrir Config, elegir provider/model y configurar sólo las keys necesarias.
- Chat: cargar contexto, activar Multi-Turn cuando se requieran tools, Exec Report para evidencia y Ask Execs para confirmar cambios.
- Canvas ACP: arrastrar agents, configurar cada node, conectar source/target, validar, guardar `.flw` y ejecutar.
- ACPX y Skills están apagados por defecto. Activa únicamente lo necesario y revisa dependencias antes de invocar.
- Files temporales viven en `

Bootstrap desde source

```
python -m venv venv
venv\Scripts\activate
pip install -r requirements.txt
python Tlamatini/manage.py migrate
python Tlamatini/manage.py createsuperuser
python Tlamatini/manage.py collectstatic --noinput
python Tlamatini/manage.py runserver
```

6. Agents, Skills y prompts

Los 88 workflow agents

Agent 1	Agent 2	Agent 3	Agent 4
acpxer	analyzer	and	apirer
arduiner	asker	audioplayer	barrier
blenderer	camcorder	cleaner	counter
crawler	croner	de_compressor	deleter
discoverer	dockerer	editor	emailer
ender	esp32er	esphomer	executer
file_creator	file_extractor	file_interpreter	flowbacker
flowcreator	flowhypervisor	forker	gateway_relayer
gatewayer	gitter	globber	googler
grepper	image_interpreter	instant_messaging_doctor	j_decompiler
jenkinser	kalier	keyboarder	kubernetes
kyber_cipher	kyber_decipher	kyber_keygen	latexer
mcp_doctor	mongoxer	monitor_log	monitor_netstat
mouser	mover	netspeed_calculator	nmapper
node_manager	notifier	or	parametrizer
pdfer	playwrighter	prompter	pser
pythonxer	raiser	reemailer	recorder
reviewer	scper	shoter	sleeper
sqler	ssher	starter	stm32er
stopper	summarizer	talker	telegrammer
teletlamatini	unrealer	video_analyzer	videoplayer
whatsappper	whisperer	windower	zavuerer

Los 29 Skills

Skill 1	Skill 2	Skill 3
acp_router	adding_external_mcp	code_review
create_new_agent	create_new_mcp	flow_making
github	gmail	hello_world
jira	kali_pentest	notion
roblox_studio	security_audit	setup_new_acpx_key
skill_creator	slack	summarize
tlamatini_allowed_hosts_tighten	tlamatini_csrf_exempt_audit	tlamatini_exec_report_row_adder
tlamatini_flow_from_objective	tlamatini_flw_doctor	tlamatini_new_acp_agent
tlamatini_planner_trace_replay	tlamatini_static_version_bumper	todoist
trello	weather	

Prompts y flows de control tracked

- MCPMemoriesFlowCreation.flw
- Tlamatini/agent/agents/flowhypervisor/monitoring-prompt.pmt

- Tlamatini/agent/prompt.pmt
- demo_flows/demo1_globber_to_parametrizer_to_zavuerer.flw
- demo_flows/demo2_apirer_to_parametrizer_to_zavuerer.flw
- demo_flows/demo3_zavuerer_health_to_parametrizer_to_filecreator.flw

7. Release, privacidad y seguridad

- ``agent/version.py::get_version()`` resuelve tag/build metadata; ``strip_edition_suffix()`` quita ``s`` sólo para comparaciones o tuples numéricos.
- El build privado keyed puede incluir contacts reales y configs regenerados. El público regenera placeholders, limpia targets y verifica ausencia de leaks.
- Los configs vivos, ``data.keys``, contacts y External-MCP secrets nunca se reproducen en este dossier ni en ``TlmatiniSourceCode/`` público.
- El toolkit Blue-hat en ``security/`` cambia políticas Windows sólo cuando una administradora lo ejecuta. Sus ``security_logs`` son privados, gitignored y preservados por update.
- ``.scanning/finding-policy.json`` acepta únicamente findings concretos con rule/path/message y justificación; no desactiva scanners globalmente.
- ``10000xRedesignOfUpdatingMechanicsOnTlmatini.md``, ``DesignOfIncludingMemoryMCPS.txt`` y ``MCPMemoriesFlowCreation.flw`` describen propuestas. No equivalen a runtime implementado.

8. Git y trazabilidad

Dato	Valor
Tag	v1.50.6s
Commit del tag	1339fc70ec51231153ea6ca8d1b25f0e56b56418
HEAD	272d6acba1f4fdc91019217d9f8dbb6e0cb399df
Fecha HEAD	2026-09-03T14:24:24-06:00
Subject HEAD	Bumping-2 version to 1.50.6s everywhere, by Tlamatini's-AutoBot.
Commits posteriores	5

Commits recientes

Fecha	Hash	Subject
2026-09-03	272d6ac	Bumping-2 version to 1.50.6s everywhere, by Tlamatini's-AutoBot.
2026-09-03	2a009dd	Erasing som images of old session, useless, by Tlamatini's-AutoBot.
2026-09-03	9c86d8f	Bumping version to 1.50.6s everywhere, by Tlamatini's-AutoBot.
2026-09-03	483f7a2	Bumping version to 1.50.6s everywhere, by Tlamatini's-AutoBot.
2026-09-03	4e81e69	Paired functionality with Tlamatini (english), by Tlamatini's-AutoBot.
2026-08-29	1339fc7	General Tlamaitni-Spanish assets pairing, by angelahack1
2026-08-28	58e3436	Googler improvement phase 1 under paired Tlamatinis staging, by Tlamatini's-AutoBot.
2026-08-28	507b50b	Bumping documentation to version 1.50.2s, by angelahack1
2026-08-27	d35cad0	Paired to Tlamatini 8english) by Tlamatini-Spanish's Claude, by angelahack1
2026-08-23	185c736	Paired with Tlamatini (english), Created the NetSpeed-Calculator agent, Improving Google (dorking caps), by angelahack1

9. Inventario efectivo por lenguaje

Las líneas efectivas excluyen blanks/comentarios y, para Python, docstrings; el cálculo usa exclusivamente files tracked. Binarios y files ilegibles se reportan aparte.

Lenguaje	Files	Efectivas	Físicas	Participación
Python	653	174,024	256,768	69.3%
Markdown	188	30,997	41,299	12.3%
JavaScript	37	18,377	24,069	7.3%
Other text	51	11,909	14,217	4.7%
CSS	11	6,547	8,673	2.6%
YAML	93	2,137	5,601	0.9%
PowerShell	11	1,770	2,429	0.7%
Prompt template	2	1,247	1,379	0.5%
HTML	4	1,156	1,201	0.5%
Text	7	1,155	1,469	0.5%
JSON	18	1,054	1,054	0.4%
JavaScript module	2	457	562	0.2%
Batch	4	264	380	0.1%
Protocol Buffers	1	20	33	0.0%

Total: 251,114 líneas efectivas y 359,134 físicas

10. Files tracked con más líneas efectivas

Path	Lenguaje	Efectivas	Físicas
Tlmatini/agent/views.py	Python	8,715	12,772
Tlmatini/agent/tests.py	Python	5,827	7,638
Tlmatini/agent/doc_generation/complete_project_docs.py	Python	4,433	4,939
BookOfTlmatini.md	Markdown	3,577	5,030
Tlmatini/agent/tools.py	Python	3,214	4,858
Tlmatini/agent/agents/latexer/latexer.py	Python	3,151	4,593
BookOfTlmatini.md.en_original	Other text	2,543	3,602
docs/research/spanish-localization/DESIGN.md	Markdown	2,414	3,117
Tlmatini/agent/agents/flowcreator/agent_skill.md	Markdown	2,382	2,625
Tlmatini/agent/static/agent/css/agent_control_panel.css	CSS	2,084	2,905
Tlmatini/agent/external_mcp_manager.py	Python	2,068	2,606
Tlmatini/agent/agents/stm32er/stm32er.py	Python	1,983	2,694
Tlmatini/agent/chat_agent_registry.py	Python	1,967	2,018
Tlmatini/agent/static/agent/css/agent_page.css	CSS	1,878	2,426
Tlmatini/agent/static/agent/js/agent_page_chat.js	JavaScript	1,775	2,455
Tlmatini/agent/mcp_agent.py	Python	1,666	2,781
docs/claude/recent-fixes.md	Markdown	1,581	2,184
Tlmatini/agent/static/agent/js/acp-agent-connectors.js	JavaScript	1,577	1,755
Tlmatini/agent/static/agent/js/agent_page_init.js	JavaScript	1,468	1,747
Tlmatini/agent/consumers.py	Python	1,401	1,873
Tlmatini/agent/static/agent/js/acp-canvas-core.js	JavaScript	1,400	1,726
Tlmatini/agent/agents/netspeed_calculator/netspeed_calculator.py	Python	1,399	1,872
build.py	Python	1,320	2,163
Tlmatini/agent/test_stm32er_agent.py	Python	1,238	1,772
Tlmatini/agent/agents/talker/talker.py	Python	1,105	1,820
Tlmatini/agent/agents/crawler/crawler.py	Python	1,104	1,578
Tlmatini/agent/test_latexer_suite.py	Python	1,068	1,645
Tlmatini/agent/agents/arduino/arduino.py	Python	1,062	1,487
Tlmatini/agent/static/agent/js/agent_page_dialogs.js	JavaScript	1,050	1,354
Tlmatini/agent/static/agent/js/acp-control-buttons.js	JavaScript	1,043	1,376

11. Árbol completo de files tracked

Appendix del árbol 1/18

```
Tlamatini/
|-- .gitignore
|-- .mcp.json
|-- 10000xRedesignOfUpdatingMechanicsOnTlamatini.md
|-- _acpx_pipeline_demo_report.md
|-- ACPX.md
|-- agents_descriptions.es.md
|-- agents_descriptions.md
|-- apply_update.ps1
|-- audit_dependencies.py
|-- backup_db.py
|-- BookOfTlamatini.md
|-- BookOfTlamatini.md.en_original
|-- build.py
|-- build_all.cmd
|-- build_complete_private_release.py
|-- build_complete_public_release.py
|-- build_installer.py
|-- build_uninstaller.py
|-- check_private_data.py
|-- Claude-Desktop-KALI-MCP-Session.md
|-- CLAUDE.md
|-- copy_source_assets.py
|-- CreateShortcut.json
|-- CreateShortcut.ps1
|-- DesignOfIncludingMemoryMCPS.txt
|-- Discoverier-new-agent.md
|-- eslint.config.mjs
|-- example_of_prompt_to_make_de-compressor_agent.txt
|-- FirstFinalPlanToSpeedUp.md
|-- freeingport8000.ps1
|-- GEMINI.md
|-- git_deny_go.py
|-- install.py
|-- KIMI.md
|-- LICENSE
|-- MCPMemoriesFlowCreation.flw
|-- MessagingConnectorAssistant_Design.md
|-- OllamaPricing.png
|-- OOB_shift_reaper-and-NAMU-Design.pdf
|-- package.json
|-- PIVOT_CHANGES.md
|-- pnpm-lock.yaml
|-- preserved_user_state.json
|-- private_targets.example.json
|-- PromptDesigner.jpg
|-- README.md
|-- README.md.en_original
|-- regen_secrets.py
|-- register_flw.ps1
|-- RemoveShortcut.ps1
|-- requirements.txt
|-- surgical_improving_speed_of_Tlamatini_by_a_factor_of_3X.md
|-- test_author_banner.py
|-- test_check_private_data.py
|-- test_perf_3x_visual.py
|-- test_private_data_guard.py
|-- Tlamatini-Kali-Setup.md
|-- Tlamatini-Moded-For-FlowPills-2nd-Sprint.md
|-- Tlamatini-Moded-For-Flowpills.md
|-- Tlamatini.ico
|-- Tlamatini.jpg
|-- Tlamatini.ps1
|-- tlamatini_acpx.py
|-- tlamatini_app_summary.pdf
|-- Tlamatini_eXtended_Artificial_Intelligence_Humanly_Tempered.pptx
|-- TLAMATINI_MCP.md
|-- tlamatini_mcp_server.py
|-- Tlamatini_NIGHTLY_PERFORMANCE_REPORT.md
|-- TlamatiniJudgementDay.md
|-- uncommit-keys.bat
|-- uninstall.py
|-- unregister_flw.ps1
|-- VERSIONING.md
|-- versioning.py
|-- .claude/
```

Appendix del árbol 2/18

```
| | -- settings.json
| | -- hooks/
| | | -- announce_skills.py
| | | -- test_announce_skills.py
| | -- memory/
| | | -- feedback_agent_naming_conventions.md
| | | -- feedback_dont_overbuild_exec_safety.md
| | | -- feedback_hard_real_scenario_tests.md
| | | -- feedback_main_branch_only.md
| | | -- feedback_package_json_version_bump.md
| | | -- feedback_run_tlamatini_agents_visible.md
| | | -- feedback_state_constraints_upfront.md
| | | -- feedback_track_changes_pivot_file.md
| | | -- feedback_update_agent_docs.md
| | | -- feedback_user_owns_git.md
| | | -- MEMORY.md
| | | -- project_acpx_oneshot_prompt.md
| | | -- project_acpx_skills_menu.md
| | | -- project_acpx_toggle_skills.md
| | | -- project_acpxer_added.md
| | | -- project_agent_table_wiped_on_boot.md
| | | -- project_arduiner_agent.md
| | | -- project_ask_execs_feature.md
| | | -- project_audioplayer_agent.md
| | | -- project_build_concurrency_guard.md
| | | -- project_build_tests_and_installer_enterkey.md
| | | -- project_camcorder_agent.md
| | | -- project_carried_python_for_agents.md
| | | -- project_conjunction_parser_fix.md
| | | -- project_daily_chat_test_skill.md
| | | -- project_desktop_ui_lifecycle.md
| | | -- project_director_virtuoso_demo_prompts.md
| | | -- project_doc_refresh_2026_05_06.md
| | | -- project_doc_refresh_2026_05_08.md
| | | -- project_doc_refresh_2026_05_09.md
| | | -- project_eight_fixes_2026_05_07.md
| | | -- project_emailer_recmailer_oneshot.md
| | | -- project_embedding_memory_guard.md
| | | -- project_esp32er_agent.md
| | | -- project_execute_command_bounded_fix.md
| | | -- project_execute_file_foreground_fix.md
| | | -- project_external_exec_safety_layer.md
| | | -- project_flow_compiler_dialog_wins.md
| | | -- project_ghost_distinfo_dependency_audit.md
| | | -- project_kalier_agent.md
| | | -- project_keyboard_wrapped_2026_05_07.md
| | | -- project_latexer_agent.md
| | | -- project_living_canvas_dropped.md
| | | -- project_mouser_wrapped_2026_05_07.md
| | | -- project_native_picker_tcltk_fix.md
| | | -- project_native_toast.md
| | | -- project_netspeed_calculator_agent.md
| | | -- project_numpy_pyinstaller.md
| | | -- project_ollama_source_build_breaks_embeddings.md
| | | -- project_pdfer_agent.md
| | | -- project_planner_followup.md
| | | -- project_playwrighter_agent.md
| | | -- project_playwrighter_hold_open.md
| | | -- project_prompt_catalog_mode_badges.md
| | | -- project_pythonxer_forkbomb_fix.md
| | | -- project_pythonxer_strict_ruff_gate.md
| | | -- project_quote_apostrophe_fix_2026_05_07.md
| | | -- project_reaper_console_window_fix.md
| | | -- project_recorder_agent.md
| | | -- project_reviewer_analyzer_agents.md
| | | -- project_reviewer_analyzer_demo_prompts.md
| | | -- project_reviewer_committed_secrets_falsepos.md
| | | -- project_secret_leak_recovery.md
| | | -- project_stm32er_agent.md
| | | -- project_stm32er_bootstrap_preflight.md
| | | -- project_stm32er_demo_prompts.md
| | | -- project_stm32er_docs_libs_parametrizer.md
| | | -- project_stm32er_hil_serial_proof_fix.md
| | | -- project_stm32er_tests.md
| | | -- project_summarizer_oneshot_mode.md
| | | -- project_taskbar_flash_attention.md
```

Appendix del árbol 3/18

```
-- project_teletlamatini_acpx.md
-- project_temp_templates_policy.md
-- project_unity_mcp_declined.md
-- project_unrealer_expanded_surface.md
-- project_versioning_2026_05_15.md
-- project_videooplayer_agent.md
-- project_windower_agent.md
-- user_profile.md
-- skills/
  -- tlamatini-agent-creation/
    -- SKILL.md
  -- tlamatini-agent-naming/
    -- SKILL.md
  -- tlamatini-daily-chat-test/
    -- .gitignore
    -- SKILL.md
    -- harness/
      -- _vis_skills.py
      -- acp_backend_banner_test.py
      -- acp_dialog_full_sweep.py
      -- acp_dialog_theme_visible.py
      -- ask_execs_regression.py
      -- bulk_toggle_behaviour.py
      -- bulk_toggle_visible.py
      -- cancel_regression.py
      -- config.py
      -- cyber_watchdog_test.py
      -- dialog_policy_visible.py
      -- dialog_theme_visible.py
      -- discoverer_1000.py
      -- flowcreator_wizard_e2e.py
      -- googler_dork_hunt.py
      -- latexer_openmp_e2e.py
      -- latexer_stepbystep_5.py
      -- mcp_playwright_suite.py
      -- playwright_run.py
      -- preguntas_es.py
      -- prueba_1000_es.py
      -- prueba_banner_acp.py
      -- prueba_catalogo_es.py
      -- prueba_descripciones_es.py
      -- prueba_dialogos_es.py
      -- prueba_mcps_activos_primerio.py
      -- prueba_piper_navegador.py
      -- prueba_saludo_y_permiso.py
      -- prueba_skills_es.py
      -- prueba_validar_es.py
      -- prueba_voz_elegida.py
      -- prueba_voz_visible.py
      -- qualify.py
      -- questions.py
      -- README.md
      -- requirements.txt
      -- run_test.py
      -- shoter_foto.py
      -- step_by_step_catalog.py
      -- talk_test.py
      -- voces_chrome.json
      -- voces_disponibles.py
      -- voces_msedge.json
      -- voz_espanol_visible.py
      -- wrapped_questions.py
      -- resultados_voz/
        -- 01_chat_abierto.png
        -- 02_hablando.png
        -- 03_voz_navegador.png
        -- 04_voz_piper.png
        -- resultado.json
        -- resultado_piper_navegador.json
        -- resultado_voz_elegida.json
    -- tlamatini-longrun-endurance/
      -- SKILL.md
      -- harness/
        -- endurance.py
        -- summarize.py
    -- tlamatini-self-modify-inclusion/
```

Appendix del árbol 4/18

```

|-- SKILL.md
|-- scripts/
|-- sweep_self_modify.py
-- tlamatini-self-update-inclusion/
|-- SKILL.md
|-- scripts/
|-- sweep_self_update.py
-- .gemini/
-- skills/
|-- tlamatini-agent-creation/
|-- SKILL.md
|-- tlamatini-agent-naming/
|-- SKILL.md
-- tlamatini-daily-chat-test/
|-- .gitignore
|-- SKILL.md
|-- harness/
|-- acp_backend_banner_test.py
|-- acp_dialog_full_sweep.py
|-- acp_dialog_theme_visible.py
|-- ask_execs_regression.py
|-- bulk_toggle_behaviour.py
|-- bulk_toggle_visible.py
|-- cancel_regression.py
|-- config.py
|-- cyber_watchdog_test.py
|-- dialog_policy_visible.py
|-- dialog_theme_visible.py
|-- discoverer_1000.py
|-- flowcreator_wizard_e2e.py
|-- googler_dork_hunt.py
|-- latexer_openmp_e2e.py
|-- latexer_stepbystep_5.py
|-- mcp_playwright_suite.py
|-- playwright_run.py
|-- qualify.py
|-- questions.py
|-- README.md
|-- requirements.txt
|-- run_test.py
|-- shoter_shot.py
|-- step_by_step_catalog.py
|-- talk_test.py
|-- wrapped_questions.py
-- tlamatini-self-modify-inclusion/
|-- SKILL.md
|-- scripts/
|-- sweep_self_modify.py
-- tlamatini-self-update-inclusion/
|-- SKILL.md
|-- scripts/
|-- sweep_self_update.py
-- .github/
-- workflows/
-- name-guard.yml
-- .scanning/
-- finding-policy.json
-- AuxTests/
-- mypdf2.py
-- demo_flows/
|-- demo1_globber_to_parametrizer_to_zavuerer.flw
|-- demo2_apirer_to_parametrizer_to_zavuerer.flw
|-- demo3_zavuerer_health_to_parametrizer_to_filecreator.flw
-- docs/
|-- companion-app-discovery.md
|-- estado-actual-v1.50.6s.md
|-- external_mcp_bulletproof_architecture.md
|-- stm32er_all_families_proposal.md
-- claude/
|-- acpx.md
|-- agents.md
|-- architecture.md
|-- exec-report.md
|-- frontend.md
|-- gotchas.md
|-- INDEX.md

```


Appendix del árbol 5/18

```
| | | -- mcp-tools.md
| | | -- multi-turn.md
| | | -- recent-fixes.md
| | -- research/
| | | -- spanish-localization/
| | | | -- DESIGN.md
| | | | -- EDITORIAL-NOTES-stage0.md
| | | | -- generate_terminology.py
| | | | -- PAPER-v2.md
| | | | -- PAPER.md
| | | | -- README.md
| | | | -- TERMINOLOGY.md
| | | | -- paper/
| | | | | -- nepantla.aux
| | | | | -- nepantla.bbl
| | | | | -- nepantla.bib
| | | | | -- nepantla.blg
| | | | | -- nepantla.pdf
| | | | | -- nepantla.synctex.gz
| | | | | -- nepantla.tex
| | | | | -- nepantla.toc
| | | | | -- sections/
| | | | | | -- 00-abstract.tex
| | | | | | -- 01-introduction.tex
| | | | | | -- 02-boundary.tex
| | | | | | -- 03-framework.tex
| | | | | | -- 04-upstream.tex
| | | | | | -- 05-substrate.tex
| | | | | | -- 06-nepantla.tex
| | | | | | -- 07-models.tex
| | | | | | -- 08-evaluation.tex
| | | | | | -- 09-threats.tex
| | | | | | -- 10-conclusion.tex
| | | | -- reference_impl/
| | | | | -- detector.py
| | | | | -- noninferiority.py
| | | | | -- normalize.py
| | | | | -- policy.py
| -- Paper/
| | -- nepantla.aux
| | -- nepantla.bbl
| | -- nepantla.bib
| | -- nepantla.blg
| | -- nepantla.pdf
| | -- nepantla.synctex.gz
| | -- nepantla.tex
| | -- nepantla.toc
| | -- sections/
| | | -- 00-abstract.tex
| | | -- 01-introduction.tex
| | | -- 02-boundary.tex
| | | -- 03-framework.tex
| | | -- 04-upstream.tex
| | | -- 05-substrate.tex
| | | -- 06-nepantla.tex
| | | -- 07-models.tex
| | | -- 08-evaluation.tex
| | | -- 09-threats.tex
| | | -- 10-conclusion.tex
| | | -- 11-appendix-capabilities.tex
| -- pyinstaller_hooks/
| | -- hook-numpy.py
| | -- hook-torch.py
| -- scripts/
| | -- check_js_parse.mjs
| -- security/
| | -- automated_tests_of_security_assets.py
| | -- enable_tlamatini_v2.bat
| | -- README.md
| | -- run_defender.bat
| | -- tlamatini_defender.ps1
| | -- tlamatini_whitelist_v2.ps1
| -- Tests/
| | -- test_about_window_name_visible.py
| | -- test_perf_3x_visual.py
| | -- updater/
```

Appendix del árbol 6/18

```
|      |-- prove_security_evidence_survives.ps1
|-- Tlamatini/
|   |-- _voz_install.py
|   |-- cat_art.py
|   |-- manage.py
|   |-- .agents/
|   |   |-- workflows/
|   |   |   |-- create_new_agent.md
|   |-- .mcps/
|   |   |-- create_new_mcp.md
|   |-- .skills/
|   |   |-- create_new_skill.md
|   |-- agent/
|   |   |-- __init__.py
|   |   |-- access_key_wizard.py
|   |   |-- admin.py
|   |   |-- agent_manifest.py
|   |   |-- agent_verdict.py
|   |   |-- apps.py
|   |   |-- cancellation.py
|   |   |-- capability_registry.py
|   |   |-- chain_files_search_lcel.py
|   |   |-- chain_system_lcel.py
|   |   |-- chat_agent_registry.py
|   |   |-- chat_agent_runtime.py
|   |   |-- chat_history_loader.py
|   |   |-- command_togen_pb2.txt
|   |   |-- command_watchdog.py
|   |   |-- config.json
|   |   |-- config_loader.py
|   |   |-- constants.py
|   |   |-- consumers.py
|   |   |-- contacts.py
|   |   |-- embedding_memory_guard.py
|   |   |-- exec_permission.py
|   |   |-- external_mcp_defaults.py
|   |   |-- external_mcp_manager.py
|   |   |-- external_mcps.json
|   |   |-- filesearch.proto
|   |   |-- filesearch_pb2.py
|   |   |-- filesearch_pb2_grpc.py
|   |   |-- global_execution_planner.py
|   |   |-- global_state.py
|   |   |-- gpu_perf.py
|   |   |-- inet_determiner.py
|   |   |-- llm_timing.py
|   |   |-- local_toolcall_parser.py
|   |   |-- log_identity.py
|   |   |-- mcp_agent.py
|   |   |-- mcp_files_search_client.py
|   |   |-- mcp_files_search_server.py
|   |   |-- mcp_system_client.py
|   |   |-- mcp_system_server.py
|   |   |-- models.py
|   |   |-- native_dialogs.py
|   |   |-- orphan_reaper.py
|   |   |-- path_guard.py
|   |   |-- prompt.pmt
|   |   |-- rag_enhancements.py
|   |   |-- routing.py
|   |   |-- run_db_wal_tests.ps1
|   |   |-- runtime_provisioner.py
|   |   |-- self_healing.py
|   |   |-- self_update.py
|   |   |-- sqlite_copy.py
|   |   |-- test_access_key_wizard.py
|   |   |-- test_agent_display_names.py
|   |   |-- test_agent_manifest.py
|   |   |-- test_agent_verdict.py
|   |   |-- test_agents_see_hidden_dirs.py
|   |   |-- test_arduino_agent.py
|   |   |-- test_ask_execs_allowlist.py
|   |   |-- test_audioplayer_agent.py
|   |   |-- test_binary_guard.py
|   |   |-- test_blenderer_agent.py
|   |   |-- test_build_pip_quiet.py
```

Appendix del árbol 7/18

```
| |-- test_build_scripts.py
| |-- test_camcorder_agent.py
| |-- test_canal_maquina_intacto.py
| |-- test_cancellation.py
| |-- test_chain_readiness.py
| |-- test_chat_bridge_bots.py
| |-- test_chat_history_window.py
| |-- test_checkbox_bulk_toggle.py
| |-- test_command_watchdog.py
| |-- test_contacts.py
| |-- test_crawler_agent.py
| |-- test_createsuperuser_wizard.py
| |-- test_ctrl_c_shutdown.py
| |-- test_db_backup_restore_wal.py
| |-- test_db_backup_safety.py
| |-- test_de_compressor.py
| |-- test_deep_research_prompt.py
| |-- test_deleter_safety.py
| |-- test_dialog_dismissal_policy.py
| |-- test_dialog_theme.py
| |-- test_discoverer_agent.py
| |-- test_discoverer_thousand.py
| |-- test_django_port_config.py
| |-- test_edition_version_suffix.py
| |-- test_editor_agent.py
| |-- test_embedding_memory_guard.py
| |-- test_esp32er_agent.py
| |-- test_esphomer_agent.py
| |-- test_exec_report_verdict.py
| |-- test_execute_command_bounded.py
| |-- test_external_mcp_add_flow.py
| |-- test_external_mcp_e2e.py
| |-- test_external_mcp_transports.py
| |-- test_external_mcp_universal.py
| |-- test_external_mcps_active_first.py
| |-- test_file_extractor_reader.py
| |-- test_flow_contracts.py
| |-- test_frontend_mutable_state.py
| |-- test_globber_agent.py
| |-- test_googler_agent.py
| |-- test_googler_dorks.py
| |-- test_grepper_agent.py
| |-- test_grepper_encodings.py
| |-- test_habla_su_propio_idioma.py
| |-- test_image_interpreter_agent.py
| |-- test_instant_messaging_doctor.py
| |-- test_j_decompiler_agent.py
| |-- test_js_gates.py
| |-- test_kalier_agent.py
| |-- test_latexer_agent.py
| |-- test_latexer_repair_ladder.py
| |-- test_latexer_suite.py
| |-- test_latexer_verbatim_channel.py
| |-- test_log_identity.py
| |-- test_model_caps.py
| |-- test_native_dialogs.py
| |-- test_netspeed_calculator_agent.py
| |-- test_ninguna_prueba_suena.py
| |-- test_nmapper_agent.py
| |-- test_no_audio_in_tests.py
| |-- test_orphan_reaper.py
| |-- test_parametrizer_mcp_doctor.py
| |-- test_paridad_con_el_ingles.py
| |-- test_password_quoting.py
| |-- test_pdfer_agent.py
| |-- test_plantillas_sin_comentarios_filtrados.py
| |-- test_playwrighter_agent.py
| |-- test_preserved_user_state.py
| |-- test_prompt_catalog_contiguous.py
| |-- test_public_release_targets.py
| |-- test_recorder_agent.py
| |-- test_runtime_provisioner.py
| |-- test_security_assets_carriage.py
| |-- test_self_healing.py
| |-- test_self_knowledge_is_current.py
| |-- test_self_modify_gate.py
```

Appendix del árbol 8/18

```
-- test_self_update.py
-- test_shoter_toma_las_fotos.py
-- test_sin_respaldo_ingles.py
-- test_sincronia_self_modify_es.py
-- test_sqlite_wal_mode.py
-- test_status_vocabulary.py
-- test_step_by_step_mode.py
-- test_stm32er_agent.py
-- test_talker_agent.py
-- test_telegrammer_identity.py
-- test_temp_dir_policy.py
-- test_termbase_agreement.py
-- test_tool_failure_recovery.py
-- test_ui_dnt.py
-- test_ui_runtime_layer.py
-- test_unrealer_agent.py
-- test_version_guard.py
-- test_video_analyzer_agent.py
-- test_videoplayer_agent.py
-- test_voz_femenina_latam.py
-- test_voz_instalador.py
-- test_watchdog_foreground_exemption.py
-- test_web_process_stays_lean.py
-- test_whatsapp_identity.py
-- test_whisperer_agent.py
-- test_windower_agent.py
-- test_windows_app_registration.py
-- test_zavuerer_agent.py
-- tests.py
-- tests_perf_3x.py
-- Tlamatini.md
-- tools.py
-- tts_piper.py
-- urls.py
-- version.py
-- views.py
-- web_search_llm.py
-- window_flash.py
-- windows_app_registration.py
-- acpx/
|  -- __init__.py
|  -- agent_registry.py
|  -- config.py
|  -- permissions.py
|  -- runtime.py
|  -- service.py
|  -- session_store.py
|  -- tests.py
|  -- tools.py
|  -- windows_spawn.py
-- agents/
|  -- acpxer/
|  |  -- acpxer.py
|  |  -- config.yaml
|  -- analyzer/
|  |  -- analyzer.py
|  |  -- config.yaml
|  -- and/
|  |  -- and.py
|  |  -- config.yaml
|  -- apirer/
|  |  -- apirer.py
|  |  -- config.yaml
|  -- arduiner/
|  |  -- arduiner.py
|  |  -- config.yaml
|  |  -- ArduinoTemplateProject/
|  |  |  -- ArduinoTemplateProject.ino
|  |  |  -- README.md
|  |  |  -- sketch.yaml
|  |  -- src/
|  |  |  -- Heartbeat.cpp
|  |  |  -- Heartbeat.h
|  -- asker/
|  |  -- asker.py
|  |  -- config.yaml
```

Appendix del árbol 9/18

```
-- audioplayer/  
|-- audioplayer.py  
|-- config.yaml  
-- barrier/  
|-- barrier.py  
|-- config.yaml  
|-- test_barrier.py  
-- blenderer/  
|-- blenderer.py  
|-- config.yaml  
-- camcorder/  
|-- camcorder.py  
|-- config.yaml  
-- cleaner/  
|-- __init__.py  
|-- cleaner.py  
|-- config.yaml  
-- counter/  
|-- config.yaml  
|-- counter.py  
-- crawler/  
|-- config.yaml  
|-- crawler.py  
-- croner/  
|-- config.yaml  
|-- croner.py  
-- de_compressor/  
|-- config.yaml  
|-- de_compressor.py  
-- deleter/  
|-- config.yaml  
|-- deleter.py  
-- discoverer/  
|-- config.yaml  
|-- discoverer.py  
-- dockerer/  
|-- config.yaml  
|-- dockerer.py  
-- editor/  
|-- config.yaml  
|-- editor.py  
-- emailer/  
|-- config.yaml  
|-- emailer.py  
-- ender/  
|-- config.yaml  
|-- ender.py  
-- esp32er/  
|-- config.yaml  
|-- esp32er.py  
-- esphomer/  
|-- config.yaml  
|-- esphomer.py  
|-- ESPHomeTemplateProject/  
|-- README.md  
|-- tlamatini-light.yaml  
-- executer/  
|-- config.yaml  
|-- executer.py  
-- file_creator/  
|-- config.yaml  
|-- file_creator.py  
-- file_extractor/  
|-- config.yaml  
|-- file_extractor.py  
-- file_interpreter/  
|-- config.yaml  
|-- file_interpreter.py  
-- flowbacker/  
|-- config.yaml  
|-- flowbacker.py  
-- flowcreator/  
|-- agentic_skill.md  
|-- config.yaml  
|-- flowcreator.py  
|-- result_to_flw.py
```

Appendix del árbol 10/18

```
-- flowhypervisor/
|-- config.yaml
|-- flowhypervisor.py
|-- hypervisor_alert.wav
|-- monitoring-prompt.pmt
-- forker/
|-- config.yaml
|-- forker.py
-- gateway_relayer/
|-- config.yaml
|-- gateway_relayer.md
|-- gateway_relayer.py
-- gatewayer/
|-- config.yaml
|-- gatewayer.md
|-- gatewayer.py
|-- gatewayer_explanation.md
-- gitter/
|-- config.yaml
|-- gitter.py
-- globber/
|-- config.yaml
|-- globber.py
-- googler/
|-- config.yaml
|-- googler.py
-- grepper/
|-- config.yaml
|-- grepper.py
-- image_interpreter/
|-- config.yaml
|-- image_interpreter.py
-- instant_messaging_doctor/
|-- config.yaml
|-- instant_messaging_doctor.py
-- j_decompiler/
|-- config.yaml
|-- j_decompiler.py
-- jenkinser/
|-- config.yaml
|-- jenkinser.py
-- kalier/
|-- config.yaml
|-- kalier.py
-- keyboarder/
|-- config.yaml
|-- keyboarder.py
-- kubernetes/
|-- config.yaml
|-- kubernetes.py
-- kyber_cipher/
|-- config.yaml
|-- kyber_cipher.py
-- kyber_decipher/
|-- config.yaml
|-- kyber_decipher.py
-- kyber_keygen/
|-- config.yaml
|-- kyber_keygen.py
-- latexer/
|-- config.yaml
|-- latexer.py
-- mcp_doctor/
|-- config.yaml
|-- mcp_doctor.py
-- mongoxer/
|-- config.yaml
|-- mongoxer.py
-- monitor_log/
|-- config.yaml
|-- monitor_log.py
-- monitor_netstat/
|-- config.yaml
|-- monitor_netstat.py
-- mouser/
|-- config.yaml
```

Appendix del árbol 11/18

```
| | | `-- mouser.py
| | | -- mover/
| | | | -- config.yaml
| | | | `-- mover.py
| | | -- netspeed_calculator/
| | | | -- config.yaml
| | | | `-- netspeed_calculator.py
| | | -- nmapper/
| | | | -- config.yaml
| | | | `-- nmapper.py
| | | -- node_manager/
| | | | -- config.yaml
| | | | -- node_manager.md
| | | | -- node_manager.py
| | | | -- nodes_example.json
| | | | `-- nodes_example.yaml
| | | -- notifier/
| | | | -- config.yaml
| | | | `-- notifier.py
| | | -- or/
| | | | -- config.yaml
| | | | `-- or.py
| | | -- parametrizer/
| | | | -- config.yaml
| | | | `-- parametrizer.py
| | | -- pdfer/
| | | | -- config.yaml
| | | | `-- pdfer.py
| | | -- playwrighter/
| | | | -- config.yaml
| | | | `-- playwrighter.py
| | | -- prompter/
| | | | -- config.yaml
| | | | `-- prompter.py
| | | -- pser/
| | | | -- config.yaml
| | | | `-- pser.py
| | | -- pythonxer/
| | | | -- config.yaml
| | | | `-- pythonxer.py
| | | -- raiser/
| | | | -- config.yaml
| | | | `-- raiser.py
| | | -- recmailer/
| | | | -- config.yaml
| | | | `-- recmailer.py
| | | -- recorder/
| | | | -- config.yaml
| | | | `-- recorder.py
| | | -- reviewer/
| | | | -- config.yaml
| | | | `-- reviewer.py
| | | -- scper/
| | | | -- config.yaml
| | | | `-- scper.py
| | | -- shoter/
| | | | -- config.yaml
| | | | `-- shoter.py
| | | -- sleeper/
| | | | -- config.yaml
| | | | `-- sleeper.py
| | | -- sqler/
| | | | -- config.yaml
| | | | `-- sqler.py
| | | -- ssher/
| | | | -- config.yaml
| | | | `-- ssher.py
| | | -- starter/
| | | | -- config.yaml
| | | | `-- starter.py
| | | -- stm32er/
| | | | -- config.yaml
| | | | `-- stm32er.py
| | | -- stopper/
| | | | -- config.yaml
| | | | `-- stopper.py
```

Appendix del árbol 12/18

```
-- summarizer/
|   |-- config.yaml
|   |-- summarizer.py
-- talker/
|   |-- config.yaml
|   |-- talker.py
-- telegrammer/
|   |-- config.yaml
|   |-- HOW_TO_GET_YOUR_TELEGRAM_ASSETS.md
|   |-- telegrammer.py
|   |-- guide_assets/
|       |-- telegram_01_botfather_search.jpg
|       |-- telegram_02_newbot_token.jpg
|       |-- telegram_03_start_bot_getupdates.jpg
|       |-- telegram_04_tlamatini_contacts.jpg
-- teletlamatini/
|   |-- config.yaml
|   |-- teletlamatini.py
-- unrealer/
|   |-- config.yaml
|   |-- unrealer.py
-- video_analyzer/
|   |-- config.yaml
|   |-- video_analyzer.py
-- videoplayer/
|   |-- config.yaml
|   |-- videoplayer.py
-- whatsapper/
|   |-- config.yaml
|   |-- HOW_TO_GET_YOUR_WHATSAPP_ASSETS.md
|   |-- whatsapper.py
|   |-- guide_assets/
|       |-- whatsapp_01_meta_create_app.jpg
|       |-- whatsapp_02_api_setup_keys.jpg
|       |-- whatsapp_03_test_recipient_send.jpg
|       |-- whatsapp_04_system_user_token.jpg
|       |-- whatsapp_05_tlamatini_contacts.jpg
-- whisperer/
|   |-- config.yaml
|   |-- whisperer.py
-- windower/
|   |-- config.yaml
|   |-- windower.py
-- zavuerer/
|   |-- config.yaml
|   |-- zavuerer.py
-- doc_generation/
|   |-- complete_project_docs.py
|   |-- markdown_to_pdf.py
|   |-- refresh_project_docs.py
|   |-- test_output.pdf
-- i18n/
|   |-- __init__.py
|   |-- dnt.py
|   |-- eval_step1.py
|   |-- flags.py
|   |-- lexicon_es.py
|   |-- model_caps.py
|   |-- normalize.py
|   |-- policy.py
|   |-- prompts_en_backup.json
|   |-- prompts_es.json
|   |-- termbase_en.py
|   |-- terms.csv
|   |-- ui_es.py
-- images/
|   |-- ACPXKeysConfigureWizard.jpg
|   |-- ConfigureModels.jpg
|   |-- FlowPill.jpg
|   |-- HiIamTlamatini.png
|   |-- LabInEnglish.mp4
|   |-- LabInSpanish.mp4
|   |-- MenuConfig.jpg
|   |-- mockup.jpg
|   |-- Modify_the_last_video_keepi.mp4
|   |-- RealisticTlamatini.png
```


Appendix del árbol 13/18

```
-- ShouldersUoTlamatini.png
-- Tlamatini AI Agentic Advisor Video.mp4
-- TlamatiniAndKyber.mp4
-- TlamatiniClosedMouthClosedEyes.jpg
-- TlamatiniClosedMouthOpenedEyes.jpg
-- TlamatiniDrawings.png
-- TlamatiniOpenedMouthClosedEyes.jpg
-- TlamattiniOpenedMouthOpenedEyes.jpg
-- TlammattiniLetsMakeSomeMagic.mp4
-- TorsoTlamatini.png
-- versions.png
-- XAIHT-Tlamatini.mp4
-- imaging/
|-- converter.py
|-- image_interpreter.py
|-- screenshot.py
-- management/
|-- __init__.py
|-- commands/
|   |-- acpx_lint.py
|   |-- startserver.py
-- migrations/
|-- 0001_initial.py
|-- 0002_populate_db.py
|-- 0003_add_cleaner.py
|-- 0004_add_deleter.py
|-- 0005_add_executer.py
|-- 0006_add_notifier.py
|-- 0007_add_stopper.py
|-- 0008_add_recmailer.py
|-- 0009_add_whatsapp.py
|-- 0010_add_pythonxer.py
|-- 0011_add_asker.py
|-- 0012_repopulate_all_agents.py
|-- 0013_add_forker.py
|-- 0014_repopulate_all_agents.py
|-- 0015_add_shoter.py
|-- 0016_repopulate_all_agents.py
|-- 0017_add_ssh.py
|-- 0018_repopulate_all_agents.py
|-- 0019_add_scper.py
|-- 0020_repopulate_all_agents.py
|-- 0021_add_telegramrx.py
|-- 0022_repopulate_all_agents.py
|-- 0023_add_mongoxer.py
|-- 0024_repopulate_all_agents.py
|-- 0025_add_telegramer.py
|-- 0026_repopulate_all_agents.py
|-- 0027_add_sqler.py
|-- 0028_repopulate_all_agents.py
|-- 0029_add_prompter.py
|-- 0030_repopulate_all_agents.py
|-- 0031_add_flowcreator.py
|-- 0032_repopulate_all_agents.py
|-- 0033_add_gitter.py
|-- 0034_add_dockerer.py
|-- 0035_add_pser.py
|-- 0036_add_kubernet.py
|-- 0037_add_apirer.py
|-- 0038_add_jenkinser.py
|-- 0039_add_crawler.py
|-- 0040_add_summarizer.py
|-- 0041_add_flowhypervisor.py
|-- 0042_add_mouser.py
|-- 0043_agentmessage_conversation_user.py
|-- 0044_add_counter.py
|-- 0045_add_file_interpreter.py
|-- 0046_add_image_interpreter.py
|-- 0047_add_gateway.py
|-- 0048_add_gateway_relayer.py
|-- 0049_add_node_manager.py
|-- 0050_add_file_creator.py
|-- 0051_add_file_extractor.py
|-- 0052_add_kyber_keygen.py
|-- 0053_add_kyber_cipher.py
|-- 0054_add_kyber_decipher.py
```

Appendix del árbol 14/18

```
-- 0055_fix_kyber_cipher_names.py
-- 0056_add_parametrizer.py
-- 0057_add_flowbacker.py
-- 0058_add_barrier.py
-- 0059_add_j_decompiler.py
-- 0060_add_agent_parametrizer_tool.py
-- 0061_add_agent_starter_tool.py
-- 0062_sync_agent_control_tools_and_prompts.py
-- 0063_add_agent_parametrizer_prompt.py
-- 0064_add_chat_agent_run_model.py
-- 0065_add_chat_wrapped_agent_tools.py
-- 0066_add_keyboardier.py
-- 0067_add_multi_turn_demo_prompts.py
-- 0068_add_googler_tool.py
-- 0069_add_googler_agent.py
-- 0070_add_teletlamatini.py
-- 0071_acpx_skills.py
-- 0072_add_acpx_demo_prompts.py
-- 0073_acpx_demo_gemini_uplift.py
-- 0074_simplify_demo_prompts.py
-- 0075_add_acpx_tool_surface.py
-- 0076_add_acpxer.py
-- 0077_add_whatstlamatini.py
-- 0078_add_chat_agent_keyboardier_tool.py
-- 0079_add_chat_agent_mouser_tool.py
-- 0080_add_chat_agent_sleeper_tool.py
-- 0081_add_window_present_and_run_wait_tools.py
-- 0082_add_chat_agent_j_decompiler_tool.py
-- 0083_add_de_compressor.py
-- 0084_add_chat_agent_de_compressor_tool.py
-- 0085_add_unrealer.py
-- 0086_add_chat_agent_unrealer_tool.py
-- 0087_add_unrealer_demo_prompt.py
-- 0088_add_reviewer.py
-- 0089_add_analyzer.py
-- 0090_add_reviewer_analyzer_demo_prompts.py
-- 0091_add_playwrighter.py
-- 0092_add_chat_agent_playwrighter_tool.py
-- 0093_add_windower.py
-- 0094_add_chat_agent_windower_tool.py
-- 0095_add_windower_playwrighter_demo_prompts.py
-- 0096_add_director_virtuoso_demo_prompts.py
-- 0097_add_kalier.py
-- 0098_add_chat_agent_kalier_tool.py
-- 0099_add_kalier_demo_prompts.py
-- 0100_add_unrealer_extended_demo_prompts.py
-- 0101_add_stm32er.py
-- 0102_add_chat_agent_stm32er_tool.py
-- 0103_add_stm32er_demo_prompts.py
-- 0104_fix_stm32er_hil_serial_proof.py
-- 0105_add_esp32er.py
-- 0106_add_chat_agent_esp32er_tool.py
-- 0107_add_esp32er_demo_prompts.py
-- 0108_add_flow_making_demo_prompt.py
-- 0109_add_arduiner.py
-- 0110_add_chat_agent_arduiner_tool.py
-- 0111_add_arduiner_demo_prompts.py
-- 0112_add_camcorder.py
-- 0113_add_chat_agent_camcorder_tool.py
-- 0114_add_recorder.py
-- 0115_add_chat_agent_recorder_tool.py
-- 0116_add_audioplayer.py
-- 0117_add_chat_agent_audioplayer_tool.py
-- 0118_add_videoplayer.py
-- 0119_add_chat_agent_videoplayer_tool.py
-- 0120_add_talker.py
-- 0121_add_chat_agent_talker_tool.py
-- 0122_add_talker_demo_prompt.py
-- 0123_add_whisperer.py
-- 0124_add_chat_agent_whisperer_tool.py
-- 0125_add_whisperer_demo_prompt.py
-- 0126_add_blenderer.py
-- 0127_add_chat_agent_blenderer_tool.py
-- 0128_add_blenderer_demo_prompts.py
-- 0129_add_editor.py
-- 0130_add_chat_agent_editor_tool.py
```

Appendix del árbol 15/18

```
-- 0131_add_editor_demo_prompts.py
-- 0132_add_grepper.py
-- 0133_add_chat_agent_grepper_tool.py
-- 0134_add_grepper_demo_prompts.py
-- 0135_add_globber.py
-- 0136_add_chat_agent_globber_tool.py
-- 0137_add_globber_demo_prompts.py
-- 0138_add_esphomer.py
-- 0139_add_chat_agent_esphomer_tool.py
-- 0140_add_esphomer_demo_prompts.py
-- 0141_add_mcp_doctor.py
-- 0142_add_chat_agent_mcp_doctor_tool.py
-- 0143_add_mcp_doctor_demo_prompt.py
-- 0144_insert_java17_maven_demo_prompt_at_5.py
-- 0145_insert_createsuperuser_wizard_prompt_at_1.py
-- 0146_update_createsuperuser_wizard_continuation.py
-- 0147_add_unreal_game_demo_prompts.py
-- 0148_add_discoverer_demo_prompts.py
-- 0149_add_discoverer.py
-- 0150_add_chat_agent_discoverer_tool.py
-- 0151_retire_old_messaging_add_telegrammer.py
-- 0152_add_instant_messaging_doctor.py
-- 0153_add_chat_agent_instant_messaging_doctor_tool.py
-- 0154_add_instant_messaging_doctor_demo_prompt.py
-- 0155_add_contact_scaffold_demo_prompt.py
-- 0156_add_telegrammer_identity_demo_prompts.py
-- 0157_add_whatsapp_identity_demo_prompt.py
-- 0158_redesign_messaging_demo_prompts.py
-- 0159_add_zavuerer.py
-- 0160_add_chat_agent_zavuerer_tool.py
-- 0161_add_zavuerer_demo_prompts.py
-- 0162_add_zavuerer_catalog_prompts.py
-- 0163_add_zavuerer_get_key_wizard_prompt.py
-- 0164_dedup_zavuerer_setup_wizards.py
-- 0165_add_image_interpreter_triple_model_demo_prompt.py
-- 0166_add_video_analyzer.py
-- 0167_add_chat_agent_video_analyzer_tool.py
-- 0168_add_video_analyzer_demo_prompt.py
-- 0169_add_discoverer_cvemap_latest_demo_prompt.py
-- 0170_add_nmapper.py
-- 0171_add_chat_agent_nmapper_tool.py
-- 0172_add_nmapper_demo_prompts.py
-- 0173_add_unreal_scaffold_demo_prompt.py
-- 0174_unreal_scaffold_build_project_tip.py
-- 0175_prompt_category_and_dedup.py
-- 0176_delete_duplicate_acpx_prompts.py
-- 0177_add_stm32er_platformio_demo_prompt.py
-- 0178_add_stm32_stepwise_blink_camera_prompts.py
-- 0179_regroup_resort_prompts_no_gaps.py
-- 0180_add_kalier_setup_wizard_prompt.py
-- 0181_prompt_sort_rank.py
-- 0182_add_step_by_step_section_openers.py
-- 0183_standardize_security_recon_prompts.py
-- 0184_standardize_prompt_params_batch2.py
-- 0185_standardize_prompt_params_batch3.py
-- 0186_add_chat_agent_flowcreator.py
-- 0187_add_flowcreator_end_to_end_wizard_prompt.py
-- 0188_add_pdfer.py
-- 0189_add_chat_agent_pdfer_tool.py
-- 0190_add_pdfer_demo_prompts.py
-- 0191_translate_prompt_catalog_to_spanish.py
-- 0192_add_latexer.py
-- 0193_add_chat_agent_latexer_tool.py
-- 0194_add_latexer_demo_prompts.py
-- 0195_add_deep_research_demo_prompt.py
-- 0196_add_netspeed_calculator.py
-- 0197_add_chat_agent_netspeed_calculator_tool.py
-- 0198_add_netspeed_calculator_demo_prompt.py
-- __init__.py
-- monitors/
--   -- monitor_sql.py
-- opus_client/
--   |-- claude_opus_client.py
--   |-- examples.py
--   |-- README.md
-- rag/
```

Appendix del árbol 16/18

```
-- __init__.py
-- binary_guard.py
-- config.py
-- factory.py
-- interaction.py
-- interface.py
-- loaders.py
-- prompts.py
-- retrieval.py
-- splitters.py
-- utils.py
-- chains/
|   |-- base.py
|   |-- basic.py
|   |-- history_aware.py
|   |-- unified.py
-- services/
|   |-- __init__.py
|   |-- agent_contracts.py
|   |-- agent_paths.py
|   |-- filesystem.py
|   |-- flow_compiler.py
|   |-- flow_spec.py
|   |-- response_parser.py
-- skills/
|   |-- __init__.py
|   |-- frontmatter.py
|   |-- harness.py
|   |-- io_contract.py
|   |-- registry.py
-- skills_pkg/
|   |-- _meta/
|   |   |-- lint.py
|   |   |-- schema.json
|   |-- acp_router/
|   |   |-- SKILL.md
|   |-- adding_external_mcp/
|   |   |-- SKILL.md
|   |   |-- references/
|   |   |   |-- external_mcp_catalog_format.md
|   |   |   |-- llm_reflection_research.md
|   |   |   |-- transport_guide.md
|   |   |   |-- troubleshooting.md
|   |-- code_review/
|   |   |-- SKILL.md
|   |-- create_new_agent/
|   |   |-- SKILL.md
|   |-- create_new_mcp/
|   |   |-- SKILL.md
|   |-- flow_making/
|   |   |-- SKILL.md
|   |   |-- references/
|   |   |   |-- flw_schema.md
|   |   |-- scripts/
|   |   |   |-- make_flow.py
|   |   |   |-- result_to_flw.py
|   |-- github/
|   |   |-- SKILL.md
|   |-- gmail/
|   |   |-- SKILL.md
|   |-- hello_world/
|   |   |-- SKILL.md
|   |-- jira/
|   |   |-- SKILL.md
|   |-- kali_pentest/
|   |   |-- SKILL.md
|   |-- notion/
|   |   |-- SKILL.md
|   |-- roblox_studio/
|   |   |-- SKILL.md
|   |-- security_audit/
|   |   |-- SKILL.md
|   |-- setup_new_acpx_key/
|   |   |-- SKILL.md
|   |-- skill_creator/
|   |   |-- SKILL.md
```

Appendix del árbol 17/18

```

|-- scripts/
|-- quick_validate.py
|-- slack/
|-- SKILL.md
|-- summarize/
|-- SKILL.md
|-- tlamadini_allowed_hosts_tighten/
|-- SKILL.md
|-- tlamadini_csrf_exempt_audit/
|-- SKILL.md
|-- tlamadini_exec_report_row_adder/
|-- SKILL.md
|-- tlamadini_flow_from_objective/
|-- SKILL.md
|-- tlamadini_flw_doctor/
|-- SKILL.md
|-- tlamadini_new_acp_agent/
|-- SKILL.md
|-- tlamadini_planner_trace_replay/
|-- SKILL.md
|-- tlamadini_static_version_bumper/
|-- SKILL.md
|-- todoist/
|-- SKILL.md
|-- trello/
|-- SKILL.md
|-- weather/
|-- SKILL.md
-- static/
-- agent/
-- css/
-- access_keys_wizard.css
-- agent_page.css
-- agentic_control_panel.css
-- avatar.css
-- contacts_dialog.css
-- dialog_theme.css
-- external_mcps_dialog.css
-- login.css
-- skills_dialog.css
-- tools_dialog.css
-- welcome.css
-- img/
-- spinner.svg
-- Tlamadini.ico
-- avatar/
-- ec_mc.jpg
-- ec_mo.jpg
-- eo_mc.jpg
-- eo_mo.jpg
-- js/
-- access_keys_wizard.js
-- acp-agent-connectors.js
-- acp-canvas-core.js
-- acp-canvas-undo.js
-- acp-connection-status.js
-- acp-control-buttons.js
-- acp-file-io.js
-- acp-flow-snapshot.js
-- acp-globals.js
-- acp-layout.js
-- acp-parametrizer-dialog.js
-- acp-running-state.js
-- acp-session.js
-- acp-undo-manager.js
-- acp-validate.js
-- agent_page_canvas.js
-- agent_page_chat.js
-- agent_page_context.js
-- agent_page_dialogs.js
-- agent_page_init.js
-- agent_page_layout.js
-- agent_page_state.js
-- agent_page_ui.js
-- agentic_control_panel.js
-- avatar.js

```

Appendix del árbol 18/18

```
| | | |-- canvas_item_dialog.js
| | | |-- chat_image_paste.js
| | | |-- chat_page_runtime_poller.js
| | | |-- checkbox_bulk_toggle.js
| | | |-- contacts_dialog.js
| | | |-- contextual_menus.js
| | | |-- dialog_policy.js
| | | |-- external_mcps_dialog.js
| | | |-- release_notes_renderer.js
| | | |-- shared-runtime-dialogs.js
| | | |-- skills_dialog.js
| | | |-- tools_dialog.js
| | | |-- sounds/
| | | |   |-- hypervisor_alert.wav
| | | |   |-- notification.wav
| | | |-- video/
| | | |   |-- XAIHT-Tlamatini.mp4
|-- templates/
|   |-- agent/
|   |   |-- agent_page.html
|   |   |-- agent_page.html.en
|   |   |-- agentic_control_panel.html
|   |   |-- agentic_control_panel.html.en
|   |   |-- login.html
|   |   |-- login.html.en
|   |   |-- welcome.html
|   |   |-- welcome.html.en
|   |-- templatetags/
|   |   |-- __init__.py
|   |   |-- nepantla.py
|-- test_fixtures/
|   |-- talker_orpheus_tokens.txt
|-- TlamatiniSourceCode/
|   |-- README.md
-- DB/
|   |-- Older/
|   |   |-- README.md
|   |-- ToLoad/
|   |   |-- README.md
-- jd-cli/
|   |-- jd-cli.bat
|   |-- jd-cli.jar
-- tests_e2e/
|   |-- oob_child_helper.py
|   |-- README.md
|   |-- test_create_flow_visual.py
|   |-- test_ctrl_c_quits_visible.py
|   |-- test_db_backup_set_visible.py
|   |-- test_oob_browser_visible.py
|   |-- test_oob_namu_unit.py
|   |-- test_prompts_catalog_visual.py
|   |-- test_self_healing_visual.py
|   |-- test_voice_visual.py
|   |-- Tlamatini-Overnight-100.py
|   |-- Tlamatini-Whatsapper-Daily-Tests.py
-- tlamatini/
|   |-- __init__.py
|   |-- asgi.py
|   |-- context_processors.py
|   |-- logging_filters.py
|   |-- middleware.py
|   |-- settings.py
|   |-- urls.py
|   |-- wsgi.py
```